


Type cmd under search and click on Command Prompt



Goto the directory with program : cd c:\XXXX

```
Command Prompt
Microsoft Windows [Version 10.0.18363.1139]
(c) 2019 Microsoft Corporation. All rights reserved.

C:\Users\chx789>cd C:\Data\Research\Non-linear CC\NC2020 - works on Win 10

C:\Data\Research\Non-linear CC\NC2020 - works on Win 10>NC_ASIPP
Enter the input file (*.inp, e.g., nlcor1.inp)

File name missing or blank - please enter file name
UNIT 11? File name missing or blank - please enter file name
UNIT 11? ^C
C:\Data\Research\Non-linear CC\NC2020 - works on Win 10>NC_ASIPP
Enter the input file (*.inp, e.g., nlcor1.inp)
test01.inp
The data set          1
a.dat                b.dat                test01
test011.cor
test013.cor
test015.cor
test017.cor
test019.cor
Hit RETURN to continue

Data length =          2000
Delay tau =           3
Minimum of log2(epsilon) =      -5.000000
Maximum of log2(epsilon) =       2.000000
Number of epsilons =          70
Epsilon step =           1
Minimum dimension =           1
Maximum dimension =           9
Delta d =              2
dM =                   9
time begin =          100.000000ms
time end =            105.000000ms
tstep =              10.000000ms
Do you want to continue <y/n>?
y
n1 =          999000  n2 =          999000

Now process t =          100.000000 ms
```

```
Command Prompt
Do you want to continue <y/n>?
y
n1 =          999000  n2 =          999000

Now process t =          100.000000 ms
Max. Dimension =          9 tau =          3
100001          -1.575000          1.260000E-01
100002          -1.218000          -1.890000E-01
100003          -9.450001E-01          -2.100000E-02
100004          -8.820000E-01          -1.470000E-01
100005          -9.450001E-01          -4.830000E-01
100006          -1.218000          -1.050000E-01
100007          -1.596000          -3.990000E-01
100008          -1.911000          -4.200000E-02
100009          -2.121000          1.680000E-01
100010          -2.247000          8.400001E-02
File X: a.dat          File Y: b.dat
EpsXX=  2.691467E-01  EpsXY=  7.563745E-02
EpsYY  2.942252E-01  EpsYX=  7.374464E-02
Gxy=EXY/sqrt(EXX EYY)=  2.687834E-01  Gyx=EYX/sqrt(EXX EYY)=  2.620572E
-01
Sxy=(EYX-EXY)/(EXY+EYX)  -1.267095E-02
Stop - Program terminated.

C:\Data\Research\Non-lindear CC\NC2020 - works on Win 10>^C_
```

July 18, 2022:

Vineet's Matlab version in

Reactor:\Vineet_NLCC\CX_Vineet_NLCC_HT7_data_19_July, 2022

```

%% modified and made it work by Vineet (Mitacs summer student) May-July,
2022
%% tested by C. Xiao for the input file test_cx_dat
%% and compared with the run NC_ASIPP.EXE (under command prompt) for the
input file test_cx.par
%% added plotting and saving parts to the original program
%% Nonlinear cross correlation coefficients are saved in the file: test_cx.par
%% plotting data are saved in the following files: test_cx1.dat,
test_cxi.dat, ... test_cx9.dat

```

Results for dimension =9 renders the exact result as the run for NC_ASIPP.EXE

```

Dimension=9
File X: A.dat           File Y: B.dat
epsilon at which log2(epsilon)=0.9-----
XX           XY           YY           YX
0.267943     0.071794     0.287175     0.071794
EpsXX= 2.691467E-01     EpsXY= 7.563746E-02
EpsYY= 2.942252E-01     EpsYX= 7.374464E-02
Gxy=EXY/sqrt(EXX EYY)= 2.687834E-01
Gyx=EYX/sqrt(EXX EYY)= 2.620571E-01
Sxy=(EYX-EXY)/(EXY+EYX)= -1.267095E-02

```

