

LAYOUTLAB

Lesson 5

Jay Young

Snr Digital Designer / Front End Web Developer - Clemenger BBDO

LEARNING OBJECTIVES

- Apply floats and clearing techniques to effectively create a two column layout.
- Practice CSS Layouts.

AGENDA

- Review Homework
- Review Floats and Clearing
- Look over Floats and Clearings
- Float and Collapsing Parent Issue
- Look at Display Inline and Block
- Code along Float and Display examples
- Lab Time: Relaxr page 2 2 Column Layout




HOMEWORK





FLOATING SECTIONS

Elements with the CSS float property applied to them still remain in the flow of the content but can be pushed left and right with the text flowing around them.




Header		
Content - float:left;	Content - float:left;	
Footer - clear:both;		





FLOATS & CLEARING CODE ALONG


codepen.io/jaydigital - FLOAT-CLEARS



```
img{
  float: left;
  clear: left;
```



COLLAPSING PARENT



COLLAPSING PARENT CODE ALONG

codepen.io/jaydigital - COLLAPSING PARENT




DISPLAY INLINE BLOCK

INLINE & BLOCK ELEMENTS

Some elements will naturally display **inline** with each other but other elements will display as **blocks** that stack.

But we can change this when we need to.



DISPLAY INLINE BLOCK CODE ALONG

codepen.io/jaydigital - DISPLAY-INLINE-BLOCK

FLOATS & INLINE-BLOCK CODE ALONG

codepen.io/jaydigital - FLOAT-CLEAR-INLINE-BLOCK



LABTIME: RELAXRPART 2

jayonlydigital.github.io

Q&A



FEDBACK

Lesson 5 - LAYOUT LAB

http://ga.co/fewd23syd