

# SignalRank AI

- Explainable Candidate Discovery Engine
- Redrob / Hack2skill Data & AI Challenge

SignalRank AI

# Problem

- Recruiting search fails when it ranks keywords instead of real fit.
- SignalRank AI separates shipped evidence from shallow AI buzzwords.

SignalRank AI

# What The JD Really Needs

- Production ranking/search/retrieval
- Recommendation systems
- Embeddings/vector search
- Evaluation frameworks
- Product engineering ownership

# System Architecture

- Candidate data -> parsing -> features -> static fit
- -> Redrob behavior -> trap penalties -> ranking
- -> deterministic reasoning -> CSV/XLSX

SignalRank AI

# Static Fit Scoring

- Career evidence
- Retrieval/ranking evidence
- Skills as support
- Experience, product context, location, evaluation

# Redrob Behavior Scoring

- Recent activity
- Recruiter response rate
- Notice and relocation
- Profile trust and process reliability

SignalRank AI

# Trap Defense

- Wrong-role keyword stuffing
- Weak AI hype
- Impossible or inconsistent profile signals
- Non-target AI-only profiles

# Reasoning

- Specific, factual, JD-connected, concern-aware
- Deterministic evidence-based generation
- No hosted LLM calls during ranking

SignalRank AI



# Runtime and Reproducibility

- 100K CSV-only run: about 3m16s-3m23s locally
- CPU-only
- No network during ranking
- Deterministic repeat hash

# Demo and Submission

- Public GitHub repo
- Streamlit sandbox
- Canonical CSV and synced XLSX
- PDF approach deck