

Cucumber Report

May 22, 2026, 8:22:10 AM

Start : May 22, 8:20:20.409 AM

End : May 22, 8:22:09.760 AM

Duration : 1 m 49.351 s

Features




Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 25
FAILED - 1
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Test Spree Ecommerce Sign up, Login and Adding to cart, Checkout</u>	1 m 49.351 s	1	0	1	0	29	25	1	3

#	Feature Name	Scenario Name
1	<u>Test Spree Ecommerce Sign up, Login and Adding to cart, Checkout</u>	<u>User validate E2E Sign up, Login and Adding to cart, Checkout</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Smoke	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Test Spree Ecommerce Sign up, Login and Adding to cart, Checkout</u>	1	0	1	0	1 m 49.351 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test Spree Ecommerce Sign up, Login and Adding to cart, Checkout</u>	<u>User validate E2E Sign up, Login and Adding to cart, Checkout</u>	29	25	1	3	1 m 49.349 s

Test Spree Ecommerce Sign up, Login and Adding to cart, Checkout

FAILED	DURATION - 1 m 49.351 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 29 Pass - 25 Fail - 1 Skip - 3	
/ 8:20:20.409 AM // 8:22:09.760 AM /					

User validate E2E Sign up, Login and Adding to cart, Checkout

FAILED DURATION - 1 m 49.349 s		Steps Total - 29 Pass - 25 Fail - 1 Skip - 3	
/ 8:20:20.411 AM // 8:22:09.760 AM /			
Test Spree Ecommerce Sign up, Login and Adding to cart, Checkout			
@Smoke			

#	Step / Hook Details	Status	Duration												
1	Given the user is on the Spree Store home page	PASSED	0.838 s												
2	When the user clicks the Account icon in the top menu bar	PASSED	0.065 s												
3	Then the user is navigated to the Account Login page	PASSED	0.106 s												
4	When the user clicks the Sign Up link	PASSED	0.032 s												
5	Then the user is navigated to the Create Account page	PASSED	0.358 s												
6	When the user create a new account:	PASSED	0.143 s												
	<table><tr><td>field</td><td>value</td></tr><tr><td>first name</td><td>Pixie</td></tr><tr><td>last name</td><td>Dust</td></tr><tr><td>email</td><td></td></tr><tr><td>password</td><td>P!xie001122</td></tr><tr><td>confirm password</td><td>P!xie001122</td></tr></table>			field	value	first name	Pixie	last name	Dust	email		password	P!xie001122	confirm password	P!xie001122
	field			value											
	first name			Pixie											
	last name			Dust											
	email														
	password			P!xie001122											
confirm password	P!xie001122														
Email: pix_22052026082038@dusty.com															
7	Then the user is navigated to the Account Overview page	PASSED	1.861 s												
8	When the user sign out from the page	PASSED	0.017 s												

#	Step / Hook Details	Status	Duration														
9	Then the user is navigated to the Account Login page	PASSED	0.859 s														
10	When the user sign in back using the new account created Email: pix_22052026082038@dusty.com Password: P!xie001122	PASSED	0.059 s														
11	Then the user is navigated to the Account Overview page	PASSED	0.858 s														
12	When the user clicks the Hamburger top menu icon in the top menu bar	PASSED	0.072 s														
13	When the user clicks the All Products menu in the side menu bar	PASSED	0.256 s														
14	Then the user is navigated to the All Products page	PASSED	0.106 s														
15	When the user clicks the Product "Automatic Espresso Machine"	PASSED	15.023 s														
16	Then the user is able to see the product details: <table><tr><td>field</td><td>value</td></tr><tr><td>product name</td><td>Automatic Espresso Machine</td></tr><tr><td>price</td><td>\$879.99</td></tr><tr><td>description</td><td>Fully automatic bean-to-cup espresso machine with ceramic grinder, 15-bar pressure system, and intuitive touch display. Deli*</td></tr><tr><td colspan="2">* The data cell text(s) have been cropped to fit in the available space.</td></tr></table>	field	value	product name	Automatic Espresso Machine	price	\$879.99	description	Fully automatic bean-to-cup espresso machine with ceramic grinder, 15-bar pressure system, and intuitive touch display. Deli*	* The data cell text(s) have been cropped to fit in the available space.		PASSED	0.863 s				
field	value																
product name	Automatic Espresso Machine																
price	\$879.99																
description	Fully automatic bean-to-cup espresso machine with ceramic grinder, 15-bar pressure system, and intuitive touch display. Deli*																
* The data cell text(s) have been cropped to fit in the available space.																	
17	When the user click Add To Cart button	PASSED	0.020 s														
18	When the user click View Cart	PASSED	1.364 s														
19	Then the user is navigated to the Shopping Cart page	PASSED	0.373 s														
20	Then the user validates the shopping cart details: <table><tr><td>field</td><td>value</td></tr><tr><td>product name</td><td>Automatic Espresso Machine</td></tr><tr><td>price</td><td>\$879.99</td></tr><tr><td>quantity</td><td>1</td></tr></table>	field	value	product name	Automatic Espresso Machine	price	\$879.99	quantity	1	PASSED	0.007 s						
field	value																
product name	Automatic Espresso Machine																
price	\$879.99																
quantity	1																
21	When the user click Proceed To Checkout	PASSED	0.040 s														
22	Then the user is navigated to the Checkout page	PASSED	1.866 s														
23	When the user fill the shipping address details: <table><tr><td>field</td><td>value</td></tr><tr><td>country</td><td>United States</td></tr><tr><td>address</td><td>401 Seaward Rd #17</td></tr><tr><td>city</td><td>Lakers</td></tr><tr><td>state/province</td><td>California</td></tr><tr><td>zip/postal code</td><td>92625</td></tr><tr><td>phone</td><td>213-555-0123</td></tr></table>	field	value	country	United States	address	401 Seaward Rd #17	city	Lakers	state/province	California	zip/postal code	92625	phone	213-555-0123	PASSED	0.089 s
field	value																
country	United States																
address	401 Seaward Rd #17																
city	Lakers																
state/province	California																
zip/postal code	92625																
phone	213-555-0123																
24	When the user select the Shipping Method as Premium	PASSED	6.817 s														
25	When the user select the Payment Method as Credit Card	PASSED	45.004 s														

#	Step / Hook Details	Status	Duration										
26	When the user fill the Credit Card details: <table><tr><td>field</td><td>value</td></tr><tr><td>card number</td><td>4000002500001001</td></tr><tr><td>expiration date</td><td>01/30</td></tr><tr><td>security code</td><td>123</td></tr><tr><td>country</td><td>Singapore</td></tr></table> com.microsoft.playwright.TimeoutError: Error { message='Timeout 15000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 15000ms exceeded. at ProgressController.run (/tmp/playwright-java-13860126272519051631/package/lib/server/progress.js:92:28) at FrameDispatcher._runCommand (/tmp/playwright-java-13860126272519051631/package/lib/server/dispatchers/dispatcher.js:91:31) at DispatcherConnection.dispatch (/tmp/playwright-java-13860126272519051631/package/lib/server/dispatchers/dispatcher.js:325:39) } Call log: - waiting for locator("//iframe[@*='Secure payment input frame']").contentFrame().locator("//input[@id='payment-numberInput']") at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.fill(FrameImpl.java:310) at com.microsoft.playwright.impl.LocatorImpl.fill(LocatorImpl.java:273) at com.microsoft.playwright.Locator.fill(Locator.java:3200) at pages.CheckoutPage.fillCreditCardDetails(CheckoutPage.java:81) at pages.CheckoutPage.fillCreditCardDetails(CheckoutPage.java:68) at steps.CheckoutSteps.the_user_fill_credit_card(CheckoutSteps.java:42) at ?.the user fill the Credit Card details:(file:///home/runner/work/globe_qe_challenge/globe_qe_challenge/src/test/resources/features/TC01_demo_spreecommerce.feature:56) Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 15000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 15000ms exceeded. at ProgressController.run (/tmp/playwright-java-13860126272519051631/package/lib/server/progress.js:92:28) at FrameDispatcher._runCommand (/tmp/playwright-java-13860126272519051631/package/lib/server/dispatchers/dispatcher.js:91:31) at DispatcherConnection.dispatch (/tmp/playwright-java-13860126272519051631/package/lib/server/dispatchers/dispatcher.js:325:39) } Call log: - - waiting for locator("//iframe[@*='Secure payment input frame']").contentFrame().locator("//input[@id='payment-numberInput']") at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.fill(FrameImpl.java:310) at com.microsoft.playwright.impl.LocatorImpl.fill(LocatorImpl.java:273) at com.microsoft.playwright.Locator.fill(Locator.java:3200) at pages.CheckoutPage.fillCreditCardDetails(CheckoutPage.java:81) at pages.CheckoutPage.fillCreditCardDetails(CheckoutPage.java:68) at steps.CheckoutSteps.the_user_fill_credit_card(CheckoutSteps.java:42) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)	field	value	card number	4000002500001001	expiration date	01/30	security code	123	country	Singapore	FAILED	15.009 s
field	value												
card number	4000002500001001												
expiration date	01/30												
security code	123												
country	Singapore												

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:569) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:569) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:992) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:739) at org.testng.TestRunner.run(TestRunner.java:614) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		

#	Step / Hook Details	Status	Duration														
	<pre>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:308) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:71) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:113) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)</pre> * Not displayable characters are replaced by '?'.																
27	When the user click Pay Now	SKIPPED	0.000 s														
28	Then the user is able to see Order Confirmation and Order Number	SKIPPED	0.000 s														
29	Then the user validates the Order Items details:	SKIPPED	0.001 s														
	<table><tr><th>field</th><th>value</th></tr><tr><td>product name</td><td>Automatic Espresso Machine</td></tr><tr><td>quantity</td><td>1</td></tr><tr><td>subtotal</td><td>\$879.99</td></tr><tr><td>shipping</td><td>\$9.50</td></tr><tr><td>tax</td><td>\$88.00</td></tr><tr><td>total</td><td>\$977.49</td></tr></table>	field	value	product name	Automatic Espresso Machine	quantity	1	subtotal	\$879.99	shipping	\$9.50	tax	\$88.00	total	\$977.49		
field	value																
product name	Automatic Espresso Machine																
quantity	1																
subtotal	\$879.99																
shipping	\$9.50																
tax	\$88.00																
total	\$977.49																
	AFTER - com.core.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.084 s														
	screenshot																
	Shipping Method ☐ Standard \$0.00 ☒ Premium \$9.50 Payment Method All transactions are secure and encrypted. ☒ On terms (Net 30) ☐ Stripe ☐ PayPal ☐ Adyen ☒ Same as shipping address Place Order																