

Multilingual Document Test

Multiple languages, scripts, and mixed-language pages

Document ID: ML-2026-08-20 | Region: South Asia | Purpose: evaluate language detection, script recognition, reading order, and mixed-language extraction.

1. English — Service Summary

The Regional Citizen Service Centre processes applications in several languages. Applicants may submit the same form using English, Hindi, Gujarati, Tamil, Bengali, or Arabic. The OCR system should preserve the original wording while identifying the language and script correctly. Names, dates, reference numbers, and addresses must remain usable for downstream search and indexing.

2. —

क्षेत्रीय नागरिक सेवा केंद्र विभिन्न भाषाओं में आवेदन स्वीकार करता है। आवेदक अपना नाम, पता, आवेदन संख्या और सेवा का विवरण हदी में लिख सकते हैं। निकाले गए पाठ में शब्दों का क्रम, वरिष्ठ चिह्न और संख्याएँ यथासंभव सही रहनी चाहिए।

3. —

પ્રાદેશિક નાગરિક સેવા કેન્દ્ર વિવિધ ભાષાઓમાં અરજીઓ સ્વીકારે છે. અરજીમાં નામ, સરનામું, અરજી નંબર અને સંપર્ક વિગતો સામેલ હોઈ શકે છે. પ્રક્રિયાએ ગુજરાતી લિપિની અક્ષરોને અંગ્રેજી અથવા અન્ય લિપિ સાથે ગૂંચવવા નહીં જોઈએ.

4. —

இந்த சேவை மையம் பல மொழிகளில் விண்ணப்பங்களை ஏற்றுக்கொள்கிறது. பெயர், முகவரி, விண்ணப்ப எண் மற்றும் தொடர்பு விவரங்கள் துல்லியமாகப் பாதாக்கப்பட வேண்டும்.

Mixed-Language Page

A realistic page may switch languages inside the same line, table cell, address, or field. The following sample deliberately mixes scripts and Latin characters.

Field	Value	Notes
Applicant Name	Rahul Sharma /	Latin + Devanagari
/ Name	કાવ્યા પટેલ /	Gujarati + Latin
Service	पासपोर्ट /	Hindi + English
Address	અમદાવાદ, ,	Gujarati + Latin
Reference	અરજી નં. -48291 / : 24-08-	Mixed script + numbers

—
ةي وهلا تاناي ب ثي دحت :ةمدخلال نسح رماس :مدقتملامسا -77152 :ببلطلالمقرر

Language Detection Checklist

- Detect the dominant language without assuming the whole page uses one script.
- Preserve mixed-language names and addresses.
- Keep digits, punctuation, and reference IDs unchanged.
- Maintain reading order when scripts change between lines or fields.
- Return language/script metadata alongside extracted text where possible.

End of multilingual sample — intended as a challenging source document rather than a clean single-language benchmark.