

Neural Networks - II


Introduction to Artificial Intelligence
Understanding Gradient Descent
Introduction to TensorFlow
Building a Model using TensorFlow

Recap Day - I

Using Keras with TensorFlow

Building Classification Model in Keras

Understanding Deep Learning

Building Neural Network using Keras

Day - II

TensorFlow can be tough to learn :(

Keras

Simple

Minimal Code

Powerful


Keras API Spec
TensorFlow
Theano
CNTK
...
...
MXNet

How do we simplify TensorFlow?

Keras is now part of TensorFlow codebase

How can Keras help

Using Keras as part of TensorFlow

Building model in TensorFlow



Building Graph

```
#input features
x = tf.placeholder(tf.float32, shape=[None, 13])

# Actual output
y_ = tf.placeholder(tf.float32, shape=[None])
```

```
#Weights & Bias
W = tf.Variable(tf.zeros([13, 1])
b = tf.Variable(tf.zeros([1]))
```

```
#Prediction
Y = tf.add(tf.matmul(x,W),b))
```

```
#Loss (or Cost)
loss = tf.reduce_mean(tf.square(y - y_))
```

```
#Gradient descent
train_op = tf.train.GradientDescentOptimizer(0.03).minimize(loss)
```




```
model = Sequential()

model.add(Dense(1, input_shape=(13,))

model.compile(optimizer='sgd', loss='mse’)
```

Executing Graph

```
#Initialize Graph
Sess = tf.Session()

#Variables need to be initialized before we can use them
sess.run(tf.global_variables_initializer())

#how many times data need to be shown to model
num_iterations = 100
```

```
for epoch in range(training_epochs):

    #Calculate train_op and loss
    _, train_loss = sess.run([train_op,loss], feed_dict={x:features, y_:prices})

    #Print the loss after every 100 iterations
    if epoch % 100 == 0:
        print ('Training loss at step: ', epoch, ' is ', train_loss)
```




```
model.fit(features, actual_prices, epochs=100)
```

Where is my model saved?

Saving Model

```
model.save(<file_name>)
```

Install h5py using pip