INDEPENDENT PORTFOLIO / SALESFORCE BUSINESS ANALYSIS

From closed deal to clear ownership.

Handoff Operations: a sales-to-Customer-Success workflow for a simulated B2B software business.

Verification status: deployed in Salesforce Developer Edition on 7 October 2026. All 17 automated tests passed. Live reports show 3 requests and 1 overdue request; genuine screenshots are included in the source package.

The problem

Email and spreadsheet handoffs can leave onboarding teams without a customer contact, requested start date, success criteria or owner. This project translates that assumed problem into a traceable, controlled Salesforce process.

The implemented operational change

Complete	Owned	Traceable
Validate essential handoff details before saving an opted-in won deal.	Route to the selected CSM or a visible triage queue.	Create one request per opportunity and preserve work already in progress.

Delivery scope

A native Salesforce application, after-save Flow, validation rules, permission sets, triage queue, operational views, reports and a live dashboard. The package includes requirements, test code, a user guide, support scenarios and release procedures.

Platform choice

Designed for free Salesforce Developer Edition with synthetic data and no paid add-ons. The automation uses an explicit opt-in checkbox so unrelated opportunities remain outside its scope.

Independent, AI-assisted work. Not a Kinaxis engagement, internal system, or claim of real company impact.

DESIGN & DELIVERY

A small workflow. A complete delivery story.

Requirements that connect to implementation

Business requirement	Implementation and intended evidence
Complete information	Opportunity validation requires Account, contact email, requested start and success criteria. Negative tests omit each item.
Clear ownership	Flow selects the named CSM or Onboarding Triage queue; status and triage flag reflect that decision.
No duplicate handoffs	Existing-record lookup plus unique opportunity key. Repeat-update, reopen/reclose and duplicate-key tests.
Protected progress	Snapshot at initial handoff. Later source edits do not overwrite request status or details.
Supportable operations	Aging/overdue indicators, three simulated ticket investigations, user guide and rollback procedure.

The key tradeoff

Preserving the first handoff protects work in progress, but later corrections require an explicit coordinator update. Reopening a deal retains the request; cancellation is a manual business decision. These choices are documented rather than hidden in automation.

Access and failure behavior

Sales receives read access to requests. Coordinators can edit permitted fields on records they can edit through ownership or sharing. Neither permission set grants request creation, deletion, View All or Modify All. A failed request creation surfaces an error and rolls back the source save.

Production boundary

The practice model uses public read-only request sharing and a dashboard running user. Real deployment would require privacy review, stakeholder acceptance, existing-automation analysis and independent business-user acceptance. Automated non-admin user-mode checks passed. No production release is claimed.

VERIFICATION & REVIEW

Evidence before impact claims.

Executed verification

Layer	Current evidence
Local structure	Metadata deployed successfully in Developer Edition. Core configuration, active Flow, reports and dashboard are live. Local structure and conversion checks also passed.
Business behavior	17 Apex test methods passed with zero failures, including 200-record bulk processing, duplicate prevention and transaction rollback.
Access and usability	Minimum-access test users passed explicit user-mode permission and queue-claim checks. Administrator UI checks confirmed the live lists and dashboard. Independent stakeholder UAT remains outside scope.
Business outcomes	No time reduction, financial saving or adoption result claimed. A paired synthetic-trial measurement plan is included.

Five-minute reviewer walkthrough

1. Explain the simulated business problem.
2. Close an opted-in deal and inspect the created request.
3. Resolve an unassigned request through triage.
4. Demonstrate validation and duplicate prevention.
5. Show operational reporting and actual verification evidence.

Included in the accompanying source package

Salesforce metadata and test class; synthetic seed script; business analysis and traceability; implementation and release guide; user guide; acceptance test ledger; support runbook; demo and submission guidance; verification record.


Official platform references

Salesforce: free Developer Edition for testing and development
Salesforce CLI: deployment and dry-run validation
Trailhead: automate business processes

LIVE SALESFORCE EVIDENCE

Working software. Visible results.

Captured from the deployed Developer Edition practice org on 7 October 2026. Synthetic records demonstrate the workflow; these counts are test data, not business outcomes.



What this proves

The deployed dashboard renders both operational reports. The three requests span In Progress, Needs Triage and Ready. The overdue report isolates the one request whose requested start date is in the past. API execution independently returned the same totals.

Inspect the evidence

The ZIP includes the original screenshots, deployment summaries, all 17 passing method results and the live-data check. The app, request list, queue-owned request and Opportunity handoff fields were also inspected in the administrator browser session.