Predicted

Imbalanced

36 h

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

42 h

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.01

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

48 h

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

normal

.16

.85

.86

.86

.83

.86

.86

.87

.87

.97

.12

.21

.84

.85

.84

.81

.84

.85

.86

.85

.96

.13

curtailment

.40

.11

.10

.10

.14

.10

.09

.09

.09

.01

.83

.34

.11

.11

.11

.14

.11

.10

.10

.10

.01

.83

30 h

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

Balanced

24 h

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

faulty

.44

.02

.02

.02

.02

.03

.03

.03

.03

.01

.04

.43

.03

.03

.03

.03

.02

.02

.02

.02

.01

.03

Class

faulty

6 h

12 h

18 h

24 h

30 h

36 h

42 h

48 h

normal

curtailment

faulty

6 h

12 h

18 h

24 h

30 h

36 h

42 h

48 h

normal

curtailment

Actual

6 h

.00

.01

.01

.01

.00

.00

.00

.00

.00

.00

.00

.00

.01

.01

.00

.01

.01

.01

.01

.01

.00

.00

12 h

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.01

.00

.01

.00

.00

.00

.00

.00

18 h

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00