Predicted

Imbalanced

30 h

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

36 h

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

42 h

.00

.00

.00

.01

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

48 h

.01

.01

.00

.01

.01

.00

.00

.00

.00

.00

.00

.01

.00

.00

.00

.00

.00

.00

.00

.00

normal

.41

.92

.92

.91

.91

.91

.93

.94

.93

.98

.48

.91

.91

.90

.90

.91

.93

.92

.93

.97

24 h

.01

.00

.00

.00

.00

.01

.00

.00

.00

.00

.01

.00

.01

.01

.00

.01

.01

.01

.01

.00

Balanced

18 h

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.00

.01

.00

.00

.00

.00

.00

.00

.00

Class

faulty

6 h

12 h

18 h

24 h

30 h

36 h

42 h

48 h

normal

faulty

6 h

12 h

18 h

24 h

30 h

36 h

42 h

48 h

normal

Actual

faulty

.55

.04

.06

.05

.06

.05

.04

.04

.04

.01

.48

.05

.05

.06

.06

.04

.04

.04

.04

.01

6 h

.00

.01

.01

.01

.01

.01

.01

.01

.01

.00

.00

.02

.01

.01

.01

.02

.01

.01

.01

.00

12 h

.00

.00

.01

.00

.00

.00

.00

.00

.01

.00

.02

.00

.00

.01

.01

.01

.01

.01

.00

.00