Predicted

Imbalanced

30 h

.01

.01

.01

.01

.01

.01

.01

.01

.01

.00

.01

.01

.02

.02

.01

.02

.01

.01

.00

.00

36 h

.01

.01

.01

.01

.01

.01

.01

.01

.01

.00

.01

.01

.01

.01

.01

.01

.01

.01

.00

.00

42 h

.01

.01

.01

.01

.01

.01

.00

.01

.01

.00

.01

.01

.01

.01

.01

.01

.01

.01

.00

.00

48 h

.01

.00

.00

.01

.01

.01

.01

.01

.00

.00

.01

.01

.01

.01

.01

.01

.01

.01

.00

.00

normal

.49

.66

.74

.77

.80

.81

.84

.85

.85

.96

.44

.62

.69

.73

.76

.77

.81

.82

.94

.94

24 h

.01

.02

.02

.01

.01

.02

.02

.01

.02

.00

.01

.02

.02

.02

.02

.02

.02

.02

.01

.01

Balanced

faulty

.41

.06

.04

.03

.04

.04

.03

.03

.03

.00

.44

.07

.04

.04

.04

.03

.03

.03

.01

.01

Class

faulty

6 h

12 h

18 h

24 h

30 h

36 h

42 h

48 h

normal

faulty

6 h

12 h

18 h

24 h

30 h

36 h

42 h

48 h

normal

Actual

6 h

.04

.16

.11

.08

.06

.06

.04

.03

.04

.01

.05

.15

.10

.08

.06

.06

.04

.04

.01

.01

12 h

.02

.06

.05

.04

.04

.03

.03

.02

.02

.01

.02

.06

.05

.05

.04

.04

.03

.03

.01

.01

18 h

.01

.03

.03

.02

.02

.02

.02

.02

.02

.00

.01

.04

.04

.03

.03

.02

.02

.02

.01

.01