

Moulding and Completed-Jamb Field Worksheet

DC-1916-001 | Rev. G | Page 1 of 4 | FIELD VERIFY BEFORE MILLING

Completed jamb W: top / middle / bottom; H: left / right

Left jamb leg plumb: opening plane / wall-normal plane

Right jamb leg plumb: opening plane / wall-normal plane

Head level; diagonals A / B / difference; square; winding-stick twist

Moulding and Completed-Jamb Field Worksheet

DC-1916-001 | Rev. G | Page 2 of 4 | FIELD VERIFY BEFORE MILLING

Jamb projection; wall flatness; framing; utilities; fastener layer stack

Casing / backband / stop profile evidence; M-202C mandatory

Optional cap evidence and plinth / baseboard evidence

Head scheme, finish sample, corner, scribe, and self-return conditions

Moulding and Completed-Jamb Field Worksheet

DC-1916-001 | Rev. G | Page 3 of 4 | FIELD VERIFY BEFORE MILLING

FACE A controls - W / H-L / H-R / datum / head scheme / cap / plinth

FACE A full register - M-201; M-202A/B/C; M-203; M-204; M-205

FACE A fastener proof - 0.75 jamb / 1.0 framing / 0.50 casing

FACE A release - stock allowance; finish sample; photographs; notes

Moulding and Completed-Jamb Field Worksheet

DC-1916-001 | Rev. G | Page 4 of 4 | FIELD VERIFY BEFORE MILLING

FACE B controls - W / H-L / H-R / datum / scheme / cap / plinth / OMIT

FACE B full register - M-201; M-202A/B/C; M-203; M-204; M-205

FACE B fastener proof - 0.75 jamb / 1.0 framing / 0.50 casing

FINAL - cured plinths / casing / band + returns / cap / stops last
