

ORKAY Tiles International

A predictive heat-map assessment of the single-page marketing site (`app/page.tsx` , 21 full-bleed sections). It covers where visual attention lands above the fold on desktop and mobile, how attention decays across the full scroll, and where click intent is created, wasted or dropped.

OVERALL HEAT-MAP SCORE

3.8/10

Beautiful surface, cold conversion map.

The page earns attention and then has nowhere to spend it. Every high-heat zone is decorative; every commercial destination sits below the point where the modelled audience has already left. One of the two floating action buttons points at an anchor that does not exist, and the site renders no form at all.

SCROLL TO CONTACT 44x viewport heights	MODELLED FOOTER REACH 3.3% of landing sessions	FORMS ON THE SITE 0 component orphaned	BROKEN LEAD PATHS 1 chat → #partner
---	---	---	--

Method. Static heat-map modelling. The fold captures are real renders of the running build (Chromium headless, 1440×900 and 390×844). Attention weights are derived from the rendered layout — element size, contrast, facial and text saliency, F-pattern position — and scroll reach from a standard depth-decay curve, not from installed analytics. No analytics tag exists on the site. Treat the percentages as relative rankings, not measured traffic.

Attention map: the first screen



■ Peak fixation ■ High ■ Moderate ■ Dead / ignored zone Capture is the live dev build; the small circle bottom-left is the Next.js dev badge.

The headline never painted **Critical**

`.hero_lede` carries `reveal-lines`, whose spans sit at `translateY(110%)` inside an `overflow:hidden` line box until GSAP adds `.is-inview`. In our capture the value proposition — "Premium vitrified surfaces crafted in Morbi, designed for the world" — was still invisible after a twelve-second budget. The most important sentence on the site is gated behind a dynamically imported animation library.

The left third is empty **High**

`.hero_panel` occupies 34% of the viewport and holds an arrow and a place name. Western reading starts exactly there. The hottest real estate on the page carries no claim, no proof and no CTA.


Heat pools on decoration **High**

The two strongest fixation magnets are a face and an 11vw "SINCE 1996". Both are pure atmosphere. A visitor who bounces at three seconds has learned that ORKAY exists and is old — not what it makes, at what scale, or for whom.

The CTA is misdirected **Critical**

"Request Catalogue" is the only above-fold conversion element and it resolves to `#formats` — a pinned tile-size explainer roughly 30 viewports down, with no catalogue, no download and no form at the end of it. The label promises a transaction the destination cannot complete.

Attention map: the mobile first screen



Nearly two fifths of the phone screen is blank Critical

Between the header and the top of the hero image there is no headline, no proposition and no proof — just black. The mobile reader's entire first impression is a logo, a button and negative space.

The subject is cut in half High

`.hero__ambassador` drops to `52vh` anchored to the bottom, so the strongest saliency object straddles the fold edge and the wordmark is clipped mid-glyph. The composition that works at 1440px does not survive the crop.

Thumb ergonomics: half right Medium

The WhatsApp and chat floaters land correctly in the bottom-right thumb arc at `52 × 52px` — the single best interaction decision on the page. "Request Catalogue", the primary CTA, sits in the top-right corner: the hardest point on a phone to reach one-handed.

No scroll cue that survives the crop Medium

The down-arrow affordance sits inside the blank field and jumps to `#about` — skipping roughly nine viewports of content, including the export map, which is the most persuasive asset on the page.

Fold economics. Across both breakpoints the first screen spends its attention budget on brand atmosphere and its conversion budget on one mislabelled button. Neither fold answers "what do they make, how much of it, and how do I buy" — the three questions an importer or specifier arrives with.

Attention decay across 44 viewport heights

Section heights are taken from the stylesheet and from the GSAP pin distances in `components/Motion.tsx` — pinned sections cost far more scroll than their layout height suggests. Reach is modelled, not measured: $\text{reach} = (1 + \text{depth})^{-0.9}$, a conventional depth-decay curve. The ranking is what matters; the absolute percentages will move once real analytics are attached.

SECTION	HEIGHT	STARTS AT	MODELLED REACH	%
00 Hero — Ambassador + wordmark. Headline is JS-gated.	1.0vh	0.0vh		100.0
00b Film curtain — "Morbi-made" — Two tile CTAs, first real link.	1.0vh	1.0vh		53.6
00c Location — Morbi — Statement + horizontal card strip.	2.0vh	2.0vh		37.2
00c2 Export map — 40+ countries — Strongest proof asset on the page.	1.2vh	4.0vh		23.5
00d World statement — Two viewports for one paragraph.	2.0vh	5.2vh		19.4
01 Statement — 7 units / 16,000 sq.m — Core capability claim.	1.1vh	7.2vh		15.1
01b Style pair — Decorative.	1.2vh	8.3vh		13.4
03 Premium Materials collage — Decorative, mouse-parallax.	1.0vh	9.5vh		12.0
04 Luxury pair — Decorative.	1.0vh	10.5vh		11.1
05 Gallery (9 photos, sticky) — Lightbox links.	1.5vh	11.5vh		10.3
06 Day cycle (5 states) — Arrow-driven.	1.0vh	13.0vh		9.3
06b Experience plate — Decorative.	1.1vh	14.0vh		8.7
06c Spaces (6, pinned) — Five viewports of scroll for six captions.	5.0vh	15.2vh		8.2
07 What we make (7 ranges, pinned) — The product catalogue. 8+ viewports.	8.3vh	20.2vh		6.4
07c Applications (4, pinned) — Infrastructure proof.	4.0vh	28.5vh		4.8
07d Range — 1,000 designs — Second tile CTA target.	1.2vh	32.5vh		4.2
07e Plate (sticky) — Pure decoration.	1.0vh	33.7vh		4.1
08a Formats (5, pinned) — "Request Catalogue" lands here.	5.0vh	34.7vh		4.0
07f Technologies & services (7) — Capacity proof.	1.5vh	39.7vh		3.6
07g Peak residence — Decorative.	1.0vh	41.2vh		3.4
07h Scale / closing statement — Decorative.	1.3vh	42.2vh		3.4
FTR Footer — phone, email, address — The only contact details on the site.	0.8vh	43.5vh		3.3

■ 40%+ reach
■ 20–40%
■ 8–20%
■ under 8% — effectively unpublished

The pins are the whole problem

Critical

Four pinned blocks — spaces, ranges, applications and formats — consume about **22 of the 44 viewport heights**, roughly half the page, to deliver 22 slides. The product catalogue alone costs 8.3 screens of scrolling. Scroll-jacked pins also break the scrollbar as a length cue, so the visitor cannot judge how much is left and quits earlier than the model assumes.

Everything commercial is in the cold band

Critical

Formats, services and the footer — the catalogue-request destination, the capacity proof, and the only phone number and email on the site — all sit below 4.0% modelled reach. The export map, the best single argument on the page, sits at 23%, which is the one genuinely good placement.

Where intent is created — and where it is dropped





ELEMENT	POSITION	DESTINATION	HEAT VERDICT
Request Catalogue	Header, top-right, fixed	<code>#formats</code>	The highest-intent click on the page, spent on a size explainer. No catalogue file, no form and no email capture at the destination.
WhatsApp floater	Bottom-right, fixed, 52px	<code>wa.me</code> + prefill	The only lead path that actually works. Correct placement, correct persistence, good prefilled message.
Chat floater	Bottom-right, fixed, 52px	<code>#partner</code> — does not exist	Broken. <code>NEXT_PUBLIC_GHL_CHAT_WIDGET_ID</code> is unset, so the fallback anchor renders and every click on it does nothing.
Burger menu	Header, top-right	4 links	Navigation is hidden behind a click on desktop as well. A 21-section page with no visible wayfinding.
Hero down-arrow	Left panel	<code>#about</code>	Skips about nine viewports, including the export map. A scroll cue that jumps forward is a content bypass.
Film-curtain tiles ×2	Section 00b	<code>#applications</code> , <code>#range</code>	Well placed at full reach and genuinely clickable — but both land on content, not on an ask.
Gallery items ×9	Section 05	<code>:target</code> lightbox	Photos that open modals with no affordance beyond a custom cursor. Touch users get no hover cue at all.
Step arrows, 3 sets	Day cycle, applications	In-section state	Small glyph buttons competing with a scroll-jacked page, and duplicated by the scroll itself.
Footer tel / mailto ×3	Depth 43vh	Phone, email	The only contact details on the site, at 3.3% modelled reach.
Inquiry form	—	—	<code>components/InquiryForm.tsx</code> is never imported anywhere, so <code>/api/inquiry</code> receives nothing. The site is built to capture leads and captures none.

Net picture. Twenty-one sections, about 44 screens of scrolling, and exactly one functioning conversion path — a WhatsApp deep link. Two of the three visible lead affordances are either misdirected or dead.

Contrast and legibility Medium

Most body copy runs through `.text-small` on dark plates in `--c-gray`. Attention modelling penalises low-contrast small type heavily: it reads as texture rather than as text, which is part of why the heat pools on the photography. The captions carrying your specification detail are the least-fixed text on the page.

How the 3.8 is built

DIMENSION	WEIGHT	SCORE	/10	BASIS
Above-the-fold clarity	20%		3	Desktop: value line is JS-gated and absent in our capture; the left third is empty. Mobile: the top 38% is empty black — no headline, no proposition.
Conversion surface (CTA heat)	20%		2	One nav CTA, pointed at a spec section instead of a form. The chat floater links to #partner, which does not exist. Zero forms render on the site.
Scroll-depth economics	15%		2	About 44 viewport-heights to reach contact details. Modelled reach at the footer: 3.3%.
Visual hierarchy & attention flow	15%		6	Genuinely strong art direction and a clean dark/light rhythm, but decorative plates outweigh message-carrying blocks roughly two to one.
Click affordance / interaction map	10%		5	Gallery tiles, format tabs and step arrows carry weak affordance; the main menu is hidden behind a burger on desktop too.
Mobile thumb-zone ergonomics	10%		7	Floating WhatsApp and chat buttons sit correctly in the bottom-right thumb arc at 52px. The header CTA sits in the hardest-to-reach corner.
Proof & trust placement	10%		4	Export map, 16,000 sq.m/day and the ISO/CE marks all sit below the modelled 20% reach line; the footer certs line is effectively unseen.
Weighted total			3.8	Bars in this table show score magnitude, not heat.

Prioritised fixes

PRI	FIX	WHY IT MOVES THE MAP	EFFORT
P0	Point the chat floater at a real target, or drop the button.	Removes a dead click from the most persistent element on the page.	1 line
P0	Render <code>InquiryForm</code> in a <code>#partner</code> section above the footer, and make it the destination of "Request Catalogue".	Turns the highest-intent click into a captured lead and wires up the API route that already exists.	~20 lines
P0	Paint the hero lede first, then animate it.	The value proposition currently depends on a dynamic import landing.	1 CSS rule
P1	Fill the empty left third on desktop and the blank top 38% on mobile with the headline plus three proof numbers: 7 units, 16,000 sq.m a day, 40+ countries.	Moves the claim into the hottest zone instead of leaving it in a dead one.	Copy + CSS
P1	Halve the pinned scroll distances (ranges 8.3vh to about 4, spaces 5 to about 2.5).	Every viewport removed lifts the reach of everything below it — the cheapest way to raise footer reach.	2 numbers
P1	Add a persistent secondary CTA: a slim bottom bar, or a repeated inline ask after the export map and after the ranges.	Places an ask inside the top heat bands instead of only at 100% and 3%.	Small
P2	Expose three or four nav links on desktop instead of hiding all of them behind the burger.	Gives a 21-section page a wayfinding affordance and a direct jump to contact.	CSS
P2	Raise <code>.text-small</code> contrast on dark plates and give gallery tiles a visible affordance.	Recovers the specification copy from texture back into read text.	CSS
P2	Install real instrumentation (Microsoft Clarity or Hotjar) and re-run this against measured data.	Replaces the decay model with your actual audience.	Snippet

Projected after P0 and P1: about 7 / 10. The art direction is already strong. It is the top two dimensions — fold clarity and conversion surface — that carry 40% of the weight and currently score 3 and 2. Those are copy, one component and a handful of numbers, not a redesign.

Scope: `/` only. `/z9` and `/collections/[slug]` were not assessed. No analytics tag is installed on the site, so every reach figure is modelled from layout geometry and a standard depth-decay curve; the fold captures are real renders of the running build.