27497번 - 알파벳 블록 성공

☆

2 실버 II

시간 제한	메모리 제한	제출	정답	맞힌 사람	정답 비율
1 초	512 MB	3478	1262	996	35.776%

문제

스타는 알파벳 블록을 일렬로 조립하여 문자열을 만드는 게임을 만들었다. 각 블록에는 문자 하나가 적혀 있으며 게임에는 각각 다음 기능을 수행하는 세 개의 버튼이 있다.

- 문자열 맨 뒤에 블록 추가
- 문자열 맨 앞에 블록 추가
- 문자열을 구성하는 블록 중 가장 나중에 추가된 블록 제거

게임은 처음에 빈 문자열로 시작하며 빈 문자열일 때 문자열을 구성하는 블록 중 가장 나중에 추가된 블록을 제거하는 버튼을 누를 경우 아무런 동작도 하지 않는다. 버튼을 누른 횟수와 누른 버튼이 순서대로 주어질 때 완성된 문자열을 구하여라.

입력

첫째 줄에 버튼을 누른 횟수 N이 주어진다. $(1 \le N \le 1\,000\,000)$

둘째 줄부터 N개의 줄에는 버튼을 누른 순서대로 누른 버튼에 대한 정보를 주며 아래와 같은 형식으로 주어진다.

- `1 c` : 문자열 맨 뒤에 `c` 가 적힌 블록 추가
- `2 c` : 문자열 맨 앞에 `c` 가 적힌 블록 추가
- `3` : 문자열을 구성하는 블록 중 가장 나중에 추가된 블록 제거

`c` 는 알파벳 대문자 또는 소문자로 주어진다.

출력

완성된 문자열을 출력한다. 완성된 문자열이 빈 문자열인 경우 0을 출력한다.

예제 입력 1 복사

```
5
1 a
2 b
1 c
3
3
```

예제 출력 1 복사

```
a
```

- 버튼을 한 번 눌렀을 때, 문자열은 " a "가 된다.
- 버튼을 두 번 눌렀을 때, 문자열은 " ba "가 된다.
- 버튼을 세 번 눌렀을 때, 문자열은 " bac "가 된다.

- 버튼을 네 번 눌렀을 때, 가장 나중에 추가된 블록이 제거되어 문자열은 " ba "가 된다.
- 버튼을 다섯 번 눌렀을 때, 가장 나중에 추가된 블록이 제거되어 문자열은 " a "가 된다.

예제 입력 2 복사

```
9
1 c
2 n
1 h
1 o
2 i
1 R
3
2 S
1 n
```

예제 출력 2 복사

```
Sinchon
```

예제 입력 3 복사

```
7
2 Y
3
1 R
3
3
2 n
2 O
```

예제 출력 3 복사

```
On
```

예제 입력 4 복사

```
11
1 u
3
2 z
3
1 s
2 A
3
1 a
3
3
3
```

예제 출력 4 복사

```
0
```

출처

Camp (/category/220) > ICPC Sinchon Algorithm Camp (/category/499) > 2023 ICPC Sinchon Winter Algorithm Camp Contest (/category/801) > 초급 (/category/detail/3494) D번

- 문제를 만든 사람: starbow (/user/starbow)
- 문제를 검수한 사람: eaststar (/user/eaststar), lickelon (/user/lickelon), man_of_learning (/user/man_of_learning), pinebananais (/user/pinebananais), tae826 (/user/tae826), ystaeyoon113 (/user/ystaeyoon113)

알고리즘 분류

- 자료 구조 (/problem/tag/175)
- 문자열 (/problem/tag/158)
- 스택 (/problem/tag/71)
- 덱 (/problem/tag/73)

메모