35279번 - 숫자 놀이 3 성공

☆

골드 III

시간 제한	메모리 제한	제출	정답	맞힌 사람	정답 비율
2 초	1024 MB	208	87	73	42.941%

문제

양의 정수 x에 대해 다음의 연산을 반복한다.

- x를 b진법으로 나타내었을 때의 길이가 ℓ일 때, x가 ℓ로 나누어떨어지면 x를 ℓ로 나눈다.

그 결과 x를 b진법에서 한 자리인 수로 만들 수 있으면, x를 **날씬한 수**라고 하자. 이미 b진법으로 한 자리인 수도 날씬한 수이다.

양의 정수 b가 주어졌을 때, 날씬한 수 중에서 가장 작은 k개의 수를 오름차순으로 출력하시오. 출력되는 가장 큰 수는 10^{16} 이하임이 보장된다.

입력

첫 번째 줄에 두 양의 정수 b와 k가 공백으로 구분되어 주어진다. ($2 \le b \le 1\,000\,000$; $1 \le k \le 200\,000$)

k는 b진법에서 10^{16} 이하의 날씬한 수의 개수를 넘지 않는다.

출력

b진법에서 날씬한 수 중에서 가장 작은 k개의 수를 10진법으로 한 줄에 하나씩 오름차순으로 출력한다.

예제 입력 1 복사

```
10 20
```

예제 출력 1 복사

```
1
2
3
4
5
6
7
8
9
10
12
14
16
18
20
24
28
32
36
40
```

출처

University (/category/5) > 신촌지역 대학생 프로그래밍 대회 동아리 연합 (/category/497) > 2026 신촌지역 대학교 프로그래밍 동아리 연합 겨울 대회 (SUAPC 2026 Winter) (/category/detail/4665) C번

- 문제를 만든 사람: bubbler (/user/bubbler)
- 문제를 검수한 사람: changhw (/user/changhw), ez_code (/user/ez_code), gs22059 (/user/gs22059), ibasic (/user/ibasic), jinhan814 (/user/jinhan814), js7777 (/user/js7777), junwoojune (/user/junwoojune), kdy40929 (/user/kdy40929), lky7674 (/user/lky7674), mythofys (/user/mythofys), realpsdoingdamyoo (/user/realpsdoingdamyoo), sorohue (/user/sorohue)

알고리즘 분류

- 수학 (/problem/tag/124)
- 자료 구조 (/problem/tag/175)
- 그래프 이론 (/problem/tag/7)
- 그래프 탐색 (/problem/tag/11)
- 우선순위 큐 (/problem/tag/59)

메모