

Tableau Workbook Metadata

1. Schema

Data Source	Table Name	Column Name	Data Type
Orders	Orders.csv	Row ID	integer
Orders	Orders.csv	Order ID	string
Orders	Orders.csv	Order Date	date
Orders	Orders.csv	Ship Date	date
Orders	Orders.csv	Ship Mode	string
Orders	Orders.csv	Customer ID	string
Orders	Orders.csv	Customer Name	string
Orders	Orders.csv	Segment	string
Orders	Orders.csv	Country	string
Orders	Orders.csv	City	string
Orders	Orders.csv	State	string
Orders	Orders.csv	Postal Code	integer
Orders	Orders.csv	Region	string
Orders	Orders.csv	Product ID	string
Orders	Orders.csv	Category	string
Orders	Orders.csv	Sub-Category	string
Orders	Orders.csv	Product Name	string
Orders	Orders.csv	Sales	real
Orders	Orders.csv	Quantity	integer
Orders	Orders.csv	Discount	real
Orders	Orders.csv	Profit	real
Orders	People.csv	Regional Manager	string
Orders	People.csv	Region	string
Orders	Returns.csv	Order ID	string
Orders	Returns.csv	Returned	string
Orders	Orders.csv_196BC412B07B4393BC7EBF6E4B268B35	Row ID	integer
Orders	Orders.csv_196BC412B07B4393BC7EBF6E4B268B35	Order ID	string
Orders	Orders.csv_196BC412B07B4393BC7EBF6E4B268B35	Order Date	date
Orders	Orders.csv_196BC412B07B4393BC7EBF6E4B268B35	Ship Date	date
Orders	Orders.csv_196BC412B07B4393BC7EBF6E4B268B35	Ship Mode	string

Data Source	Table Name	Column Name	Data Type
Orders	Orders.csv_196BC412B07B4393BC7EBF6E4B268B35	Customer ID	string
Orders	Orders.csv_196BC412B07B4393BC7EBF6E4B268B35	Customer Name	string
Orders	Orders.csv_196BC412B07B4393BC7EBF6E4B268B35	Segment	string
Orders	Orders.csv_196BC412B07B4393BC7EBF6E4B268B35	Country	string
Orders	Orders.csv_196BC412B07B4393BC7EBF6E4B268B35	City	string
Orders	Orders.csv_196BC412B07B4393BC7EBF6E4B268B35	State	string
Orders	Orders.csv_196BC412B07B4393BC7EBF6E4B268B35	Postal Code	integer
Orders	Orders.csv_196BC412B07B4393BC7EBF6E4B268B35	Region	string
Orders	Orders.csv_196BC412B07B4393BC7EBF6E4B268B35	Product ID	string
Orders	Orders.csv_196BC412B07B4393BC7EBF6E4B268B35	Category	string
Orders	Orders.csv_196BC412B07B4393BC7EBF6E4B268B35	Sub-Category	string
Orders	Orders.csv_196BC412B07B4393BC7EBF6E4B268B35	Product Name	string
Orders	Orders.csv_196BC412B07B4393BC7EBF6E4B268B35	Sales	real
Orders	Orders.csv_196BC412B07B4393BC7EBF6E4B268B35	Quantity	integer
Orders	Orders.csv_196BC412B07B4393BC7EBF6E4B268B35	Discount	real
Orders	Orders.csv_196BC412B07B4393BC7EBF6E4B268B35	Profit	real
Orders	People.csv_2BA4A3C98A784CC4842DD71E42500583	Regional Manager	string
Orders	People.csv_2BA4A3C98A784CC4842DD71E42500583	Region	string
Orders	Returns.csv_9FB02DEE2CC144AEBD5581848716170E	Order ID	string
Orders	Returns.csv_9FB02DEE2CC144AEBD5581848716170E	Returned	string

2. Chart Usage

Dashboard Name	Chart Name	Chart Type	Column Used
Sales Dashboard	Profit by Category and Subcategory	Automatic	Category
Sales Dashboard	Profit by Category and Subcategory	Automatic	Profit
Sales Dashboard	Profit by Category and Subcategory	Automatic	Sub-Category
Sales Dashboard	Profit by Manufacturer	Automatic	Product Name
Sales Dashboard	Profit by Manufacturer	Automatic	Profit
Sales Dashboard	Region	Pie	Region
Sales Dashboard	Region	Pie	Sales
Sales Dashboard	Reg Manager by Sales	Automatic	Regional Manager
Sales Dashboard	Reg Manager by Sales	Automatic	Sales
Sales Dashboard	Monthly Trend	Automatic	Year
Sales Dashboard	Monthly Trend	Automatic	Month
Sales Dashboard	Monthly Trend	Automatic	Order Date
Sales Dashboard	Monthly Trend	Automatic	Sales
(not on a dashboard)	Profit by State	Automatic	Profit
(not on a dashboard)	Profit by State	Automatic	State

3. Relationships / Joins

Data Source	Join Type	Left Table	Left Key	Right Table	Right Key
Orders	relationship		Region		Region (People.csv)
Orders	relationship		Order ID		Order ID (Returns.csv)

4. Calculated Fields

Data Source	Field Name	Data Type	Role	Formula
Orders	Year	integer	dimension	Year([Order Date])
Orders	Month	integer	dimension	Month([Order Date])

5. Parameters

(none found)