硕士论文答辩

空间广义线性混合模型及其在预测流行病中的应用

Supervisor

XXX

Candidate

黄湘云

1st September 2023

Outline

1. Introduction (Motivations and goals)
2. Literature reviews
3. Geostatistical model (SGLMM)
4. Computing details and simulations
5. Real data analysis (Applications)
6. Discussion


Latitute
8
6
4
2
Longitute
8
10
12
14
16
ratio
50%
40%
30%
20%
10%
0%


Latitude
2
3
4
5
6
7
8
9
10
11
12
13
14
15
Longitude


Latitude
2
3
4
5
6
7
8
9
10
11
12
13
14
15
Longitude


1997
2000
485
480
475
470
465
Latitute (10km)
50
55
60
65
70
Longitute (10km)
Lead
(mg/g)
7.5
5.0
2.5

Frameworks, Packages and Softwares (1)

R: geoR geoRglm spatial PrevMap
Ribeiro Jr & Diggle (2016); Christensen & Ribeiro Jr (2015); Ripley (2015); Giorgi & Diggle (2016)

Stan: Stan [1] interfaces with R (RStan) ,Python (PyStan) , MATLAB (MatlabStan) and more
Gelman *et al.* (2015); Bob *et al.* (2017)

PyMC3: Probabilistic programming in Python using PyMC3
Salvatier *et al.* (2016)

Frameworks, Packages and Softwares (2)

JAGS: **J**ust **A**nother **G**ibbs **S**ampler [2]
Bayesian hierarchical models using Markov chain Monte Carlo (MCMC)

BUGS: **B**ayesian inference **U**sing **G**ibbs **S**ampling , such as winBUGS, OpenBUGS

R-INLA: **I**ntegrated **N**ested **L**aplace **A**pproximations
Rue *et al.* (2009, 2016); Gómez-Rubio & Rue (2017)

[1] http://mc-stan.org/

[2] https://en.wikipedia.org/wiki/Just_another_Gibbs_sampler

Bob, Carpenter, Andrew, Gelman, Matthew, Hoffman, & et al. 2017. Stan: A Probabilistic Programming Language. *Journal of Statistical Software*, **76**(1), 1–32.

Christensen, Ole F., & Ribeiro Jr, Paulo J. 2015. *geoRglm: A Package for Generalised Linear Spatial Models*. R package version 0.9-8.

Gelman, Andrew, Lee, Daniel, Guo, Jiqiang, & et al. 2015. Stan: A Probabilistic Programming Language for Bayesian Inference and Optimization. *Journal of Educational and Behavioral Statistics*, **40**(5), 837–840.

Giorgi, Emanuele, & Diggle, Peter J. 2016. PrevMap: an R package for prevalence mapping.(In press). *Journal of Statistical Software*.

Gómez-Rubio, Virgilio, & Rue, Håvard. 2017. Markov Chain Monte Carlo with the Integrated Nested Laplace Approximation. *ArXiv e-prints*.

Ribeiro Jr, Paulo J., & Diggle, Peter J. 2016. *geoR: Analysis of Geostatistical Data*. R package version 1.7-5.2.

Ripley, Brian. 2015. *spatial: Functions for Kriging and Point Pattern Analysis*. R package version 7.3-11.

Rue, Håvard, Martino, Sara, Chopin, Nicolas, & et al. 2009. Approximate Bayesian inference for latent Gaussian models by using integrated nested Laplace approximations. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)*, **71**(2), 319–392.

Rue, Håvard, Martino, Sara, Lindgren, Finn, Simpson, Daniel, & et al. 2016. *INLA: Functions which Allow to Perform Full Bayesian Analysis of Latent Gaussian Models using Integrated Nested Laplace Approximations*. R package version 0.0-1468872408.

Salvatier, John, Wiecki, Thomas V., & Fonnesbeck, Christopher. 2016. Probabilistic programming in Python using PyMC3. *PeerJ Computer Science*, **2**(55).