STUDENT INFORMATION

Name	JAY ZALAVADIYA
Student ID	25CE142
Subject Code	ITUE203
Subject	Web Development Frameworks
Department	CSPIT-CE
University	CHARUSAT

Practical-7:

Aim

Process submitted registration/contact form data using PHP. Validate and sanitize inputs on the server side and store records in CSV or JSON file format. Display success/error messages.

Register.html :

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Student Registration | StudentHub</title>
    <link rel="stylesheet" href="styles.css" />
  </head>
  <body>
    <header class="site-header">
      <div class="brand">
        <div class="logo">→</div>
        <div>
          <h2>StudentHub</h2>
          <p>Student Portal</p>
        </div>
      </div>

      <nav class="site-nav">
        <a href="home.html">Home</a>
        <a href="timetable.html">Timetable</a>
        <a href="results.html">Results</a>
        <a href="courses.html">Courses</a>
        <a href="register.html" class="active">Register</a>
        <a href="about.html">About</a>
        <a href="contact.html">Contact</a>
      </nav>
    </header>
```

```
    <main class="container">
      <div class="card registration-card">
        <h1>Student Registration</h1>
        <p>Enter your details to complete the registration form.</p>

        <!-- CHANGED: Added action and method -->
        <form
          id="registrationForm"
          action="register.php"
          method="POST"
          novalidate
        >
          <!-- CHANGED: Added hidden field for PHP to know which form was
submitted -->
          <input type="hidden" name="form_type" value="registration" />

          <div class="form-group">
            <label for="name">Full Name</label>
            <input
              type="text"
              id="name"
              name="name"
              placeholder="Enter your full name"
              required
            />
            <small class="error" id="nameError"></small>
          </div>

          <div class="form-group">
            <label for="email">Email Address</label>
            <input
              type="email"
              id="email"
              name="email"
              placeholder="student@example.com"
              required
            />
            <small class="error" id="emailError"></small>
          </div>

          <div class="form-group">
            <label for="mobile">Mobile Number</label>
            <input
              type="tel"
              id="mobile"
              name="mobile"
              placeholder="Enter 10-digit mobile number"
```

```
        inputmode="numeric"
        maxlength="10"
        required
      />
      <small class="error" id="mobileError"></small>
    </div>

    <div class="form-group">
      <label for="password">Password</label>
      <input
        type="password"
        id="password"
        name="password"
        placeholder="Create a password"
        required
      />
      <small class="error" id="passwordError"></small>
    </div>

    <div class="form-group">
      <label for="confirmPassword">Confirm Password</label>
      <input
        type="password"
        id="confirmPassword"
        name="confirmPassword"
        placeholder="Confirm your password"
        required
      />
      <small class="error" id="confirmPasswordError"></small>
    </div>

    <div class="form-group">
      <label for="course">Course</label>
      <select id="course" name="course" required>
        <option value="">Select your course</option>
        <option value="CSE">Computer Science Engineering</option>
        <option value="CE">Computer Engineering</option>
        <option value="IT">Information Technology</option>
        <option value="AIML">
          Artificial Intelligence and Machine Learning
        </option>
        <option value="ECE">
          Electronics and Communication Engineering
        </option>
        <option value="ME">Mechanical Engineering</option>
      </select>
      <small class="error" id="courseError"></small>
    </div>
```

```
          <div class="form-group">
            <label for="year">Academic Year</label>
            <select id="year" name="year" required>
              <option value="">Select your academic year</option>
              <option value="1">First Year</option>
              <option value="2">Second Year</option>
              <option value="3">Third Year</option>
              <option value="4">Fourth Year</option>
            </select>
            <small class="error" id="yearError"></small>
          </div>

          <fieldset class="form-group gender-group">
            <legend>Gender</legend>
            <label
              ><input type="radio" name="gender" value="Male" /> Male</label
            >
            <label
              ><input type="radio" name="gender" value="Female" />
Female</label
            >
            <label
              ><input type="radio" name="gender" value="Other" /> Other</label
            >
            <small class="error" id="genderError"></small>
          </fieldset>

          <div class="form-group terms-group">
            <label for="terms">
              <input type="checkbox" id="terms" name="terms" />
              I accept the terms and conditions.
            </label>
            <small class="error" id="termsError"></small>
          </div>

          <button type="submit">Register</button>
          <p id="formMessage" role="status" aria-live="polite"></p>
        </form>
      </div>
    </main>

    <footer class="site-footer">
      <p>&copy; 2026 StudentHub. All rights reserved.</p>
    </footer>

    <script src="script.js"></script>
  </body>
```

```
</html>
```

Register.php:

```
<?php
$message = "";
$type = "";

if ($_SERVER["REQUEST_METHOD"] === "POST") {
    $formType = $_POST["form_type"] ?? "";

    if ($formType === "registration") {
        $name = trim($_POST["name"] ?? "");
        $email = trim($_POST["email"] ?? "");
        $mobile = trim($_POST["mobile"] ?? "");

        if ($name === "" || !filter_var($email, FILTER_VALIDATE_EMAIL)
            || !preg_match("/^[0-9]{10}$/", $mobile)) {
            $message = "Invalid registration details. Please check your
inputs.";
            $type = "error";
        } else {
            $file = __DIR__. "/registrations.json";
            $records = [];

            if (file_exists($file)) {
                $data = json_decode(file_get_contents($file), true);
                if (is_array($data)) {
                    $records = $data;
                }
            }

            $records[] = [
                "name" => $name,
                "email" => $email,
                "mobile" => $mobile,
                "submitted_at" => date("Y-m-d H:i:s")
            ];

            $json = json_encode($records, JSON_PRETTY_PRINT);

            if ($json !== false &&
                file_put_contents($file, $json, LOCK_EX) !== false) {
                $message = "Registration submitted successfully!";
                $type = "success";
            } else {
```

```
                $message = "Error saving registration data.";
                $type = "error";
            }
        }

    } elseif ($formType === "contact") {
        $name = trim($_POST["name"] ?? "");
        $email = trim($_POST["email"] ?? "");
        $messageText = trim($_POST["message"] ?? "");

        if ($name === "" || !filter_var($email, FILTER_VALIDATE_EMAIL)
            || $messageText === "") {
            $message = "Invalid contact details. Please complete all fields.";
            $type = "error";
        } else {
            $file = __DIR__. "/contacts.json";
            $records = [];

            if (file_exists($file)) {
                $data = json_decode(file_get_contents($file), true);
                if (is_array($data)) {
                    $records = $data;
                }
            }

            $records[] = [
                "name" => $name,
                "email" => $email,
                "message" => $messageText,
                "submitted_at" => date("Y-m-d H:i:s")
            ];

            $json = json_encode($records, JSON_PRETTY_PRINT);

            if ($json !== false &&
                file_put_contents($file, $json, LOCK_EX) !== false) {
                $message = "Contact message submitted successfully!";
                $type = "success";
            } else {
                $message = "Error saving contact message.";
                $type = "error";
            }
        }
    } else {
        $message = "Invalid form submission.";
        $type = "error";
    }
}
```


```
function e($value) {
    return htmlspecialchars((string)$value, ENT_QUOTES | ENT_SUBSTITUTE, "UTF-
8");
}
?>


<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>StudentHub - Form Status</title>
    <link rel="stylesheet" href="styles.css">
</head>
<body>
    <main class="container">
        <section class="card">
            <h1>StudentHub</h1>

            <?php if ($message !== ""): ?>
                <p class="<?= e($type) ?>">
                    <?= e($message) ?>
                </p>
            <?php endif; ?>

            <a href="register.html">Back to Registration</a>
            <br>
            <a href="contact.html">Back to Contact</a>
        </section>
    </main>
</body>
</html>
```

Output:


StudentHub
Student Portal
Home
Timetable
Results
Courses
Register
About
Contact
Student Registration
Enter your details to complete the registration form.
Full Name
Jay Zalavadiya
Email Address
jayzalavadiya@gmail.com
Mobile Number
1234567890
Password
Confirm Password
Course
Computer Science Engineering
Academic Year
First Year
Gender
Male
Female
Other


StudentHub
Registration submitted successfully!
Back to Registration
Back to Contact


Practical-8:

Aim: Design the database for StudentHub with students, events andregistrations. Create PHP database connection using MYSQL statements.


Db_connect.php :

```
<?php
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "studenthub_db";
$conn = new mysqli($servername, $username, $password, $dbname);
if ($conn->connect_error) {
    die("Database Connection Failed: " . $conn->connect_error);
}
echo "Connected successfully to the StudentHub database!";
?>
```

Mysql:







Practical-9:

AIM:

Implement secure user registration by inserting user details into MySQL

using MYSQLi. Validate input on frontend and backend, check duplicate

email/username, hash passwords using password_hash(), and display

appropriate messages.

Db_connect.php:

```php
<?php
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "studenthub_db";

$conn = new mysqli($servername, $username, $password, $dbname);

if ($conn->connect_error) {
    die("Database Connection Failed: " . $conn->connect_error);
}
?>
```

Register.php:

```php
<?php
require_once 'db_connect.php';

$message = "";
$type = "";

if ($_SERVER["REQUEST_METHOD"] === "POST") {
    $formType = $_POST["form_type"] ?? "";

    if ($formType === "registration") {

        $name = htmlspecialchars(trim($_POST["name"] ?? ""));
        $email = filter_var(trim($_POST["email"] ?? ""),
FILTER_SANITIZE_EMAIL);
        $mobile = htmlspecialchars(trim($_POST["mobile"] ?? ""));
        $password = $_POST["password"] ?? "";
        $course = htmlspecialchars(trim($_POST["course"] ?? ""));
        $year = htmlspecialchars(trim($_POST["year"] ?? ""));
```

```
        $gender = htmlspecialchars(trim($_POST["gender"] ?? ""));

        if ($name === "" || !filter_var($email, FILTER_VALIDATE_EMAIL) ||
!preg_match("/^[0-9]{10}$/", $mobile) || $password === "") {
            $message = "Invalid registration details. Please check your
inputs.";
            $type = "error";
        } else {
            $stmt = $conn->prepare("SELECT id FROM students WHERE email = ?");
            $stmt->bind_param("s", $email);
            $stmt->execute();
            $stmt->store_result();

            if ($stmt->num_rows > 0) {
                $message = "Email is already registered. Please login or use
another email.";
                $type = "error";
            } else {
                $hashedPassword = password_hash($password, PASSWORD_DEFAULT);

                $insertStmt = $conn->prepare("INSERT INTO students (name,
email, mobile, password_hash, course, academic_year, gender) VALUES (?, ?, ?,
?, ?, ?, ?)");
                $insertStmt->bind_param("sssssss", $name, $email, $mobile,
$hashedPassword, $course, $year, $gender);

                if ($insertStmt->execute()) {
                    $message = "Registration submitted successfully! Welcome,
" . $name . ".";
                    $type = "success";
                } else {
                    $message = "Error saving registration data.";
                    $type = "error";
                }
                $insertStmt->close();
            }
            $stmt->close();
        }

    } elseif ($formType === "contact") {

        $name = htmlspecialchars(trim($_POST["name"] ?? ""));
        $email = filter_var(trim($_POST["email"] ?? ""),
FILTER_SANITIZE_EMAIL);
        $subject = htmlspecialchars(trim($_POST["subject"] ?? ""));
        $messageText = htmlspecialchars(trim($_POST["message"] ?? ""));
```

```
        if ($name === "" || !filter_var($email, FILTER_VALIDATE_EMAIL) ||
$messageText === "") {
            $message = "Invalid contact details. Please complete all required
fields.";
            $type = "error";
        } else {
            $file = __DIR__. "/contacts.json";
            $records = [];

            if (file_exists($file)) {
                $data = json_decode(file_get_contents($file), true);
                if (is_array($data)) {
                    $records = $data;
                }
            }

            $records[] = [
                "name" => $name,
                "email" => $email,
                "subject" => $subject,
                "message" => $messageText,
                "submitted_at" => date("Y-m-d H:i:s")
            ];

            $json = json_encode($records, JSON_PRETTY_PRINT);
            if ($json !== false && file_put_contents($file, $json, LOCK_EX)
!== false) {
                $message = "Contact message submitted successfully! We will
get back to you soon.";
                $type = "success";
            } else {
                $message = "Error saving contact message.";
                $type = "error";
            }
        }
    } else {
        $message = "Invalid form submission.";
        $type = "error";
    }
}

function e($value) {
    return htmlspecialchars((string)$value, ENT_QUOTES | ENT_SUBSTITUTE, "UTF-
8");
}
?>

<!DOCTYPE html>
```

```
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Form Status | StudentHub</title>
    <link rel="stylesheet" href="styles.css">
    <style>
        .status-box {
            padding: 20px;
            border-radius: 8px;
            margin-bottom: 20px;
            font-weight: 600;
        }
        .success { background-color: #d4edda; color: #155724; border: 1px
solid #c3e6cb; }
        .error { background-color: #f8d7da; color: #721c24; border: 1px solid
#f5c6cb; }
    </style>
</head>
<body>
    <header class="site-header">
        <div class="brand">
            <div class="logo">→</div>
            <div>
                <h1>StudentHub</h1>
                <p class="tagline">Your College Student Portal</p>
            </div>
        </div>
    </header>


    <main class="container">
        <section class="card" style="text-align: center; padding: 40px;">
            <h2>Submission Status</h2>

            <?php if ($message !== ""): ?>
                <div class="status-box <?= e($type) ?>">
                    <?= e($message) ?>
                </div>
            <?php endif; ?>


            <div style="margin-top: 20px; display: flex; gap: 10px; justify-
content: center;">
                <a href="register.html" class="btn">Back to Registration</a>
                <a href="contact.html" class="btn" style="background: var(--
muted);">Back to Contact</a>
            </div>
        </section>
    </main>
```

```
</body>
</html>
```

Output:



For same email:



Practical-10:

AIM:

Develop secure login and logout functionality using PHP sessions. Verify

password using password_verify(), regenerate session ID after login, restrict dashboard access, implement role-based redirection, session timeout, and optional secure remember-me token.

Login.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>StudentHub - Login</title>
  <link rel="stylesheet" href="styles.css">
</head>
<body>
  <header class="site-header">
    <div class="brand">
      <div class="logo">➵</div>
      <div>
        <h1>StudentHub</h1>
        <p class="tagline">Student Login Portal</p>
      </div>
    </div>
    <nav class="site-nav">
      <ul>
        <li><a href="home.php">Home</a></li>
        <li><a href="about.html">About</a></li>
        <li><a href="portfolio.html">Profile</a></li>
        <li><a href="course.html">Courses</a></li>
```

```
            <li><a href="timetable.html">Timetable</a></li>
            <li><a href="result.html">Results</a></li>
            <li><a href="notice.html">Notice</a></li>
            <li><a href="event.html">Events</a></li>
            <li><a href="feedback.html">Feedback</a></li>
            <li><a href="contact.html">Contact</a></li>
            <li><a href="login.html" class="btn">Login</a></li>
          </ul>
        </nav>
    </header>
    <div class="container">
      <main class="container">
        <div class="card" style="max-width:520px;margin:0 auto">
          <h2 class="center">Student Login</h2>
          <p class="center">Please login using your registered email
address.</p>

           <form action="login.php" method="POST">
             <label for="email">Email Address</label>
             <input type="email" id="email" name="email"
placeholder="Enter your email" required>

             <label for="password">Password</label>
             <input type="password" id="password"
name="password" placeholder="Minimum 8 characters"
minlength="8" required>
```

```
            <label style="display:flex;align-items:center;gap:8px">
              <input type="checkbox" id="remember"
name="remember"> Remember Me
            </label>

            <div style="display:flex;gap:8px;margin-top:12px">
              <input type="submit" value="Login">
              <input type="reset" value="Clear">
            </div>
          </form>

          <p style="margin-top:12px" class="center"><a
href="#">Forgot Password?</a></p>
          <p class="center">Don't have an account? <a
href="register.html">Register Here</a></p>
        </div>
        <footer class="footer">&copy; 2026 StudentHub</footer>
      </main>
    </div>
</body>
</html>
```

auth.php:

```php
<?php
session_start();

if (!isset($_SESSION["student_id"])) {
    header("Location: login.html");
    exit;
}
```

```php
$timeout_duration = 1800;

if (isset($_SESSION["last_activity"])) {
    if (time() - $_SESSION["last_activity"] > $timeout_duration) {
        session_unset();
        session_destroy();
        header("Location: login.html");
        exit;
    }
}

$_SESSION["last_activity"] = time();
?>
```


Home.php:

```php
<?php
require_once 'auth.php';
include 'home.html';
?>
```

Logout.php:

```php
<?php
session_start();
session_unset();
session_destroy();
setcookie("remember_me", "", time() - 3600, "/");
header("Location: login.html");
exit;
?>
```

Output:



Practical-11:

AIM:

Create a student management module to add, view, edit, delete, search and filter student records. All database operations must use MYSQLi

statements and clear success/failure messages.

manage_students.php:

```
<?php
require_once 'auth.php';
```

```php
require_once 'db_connect.php';

$msg = "";
$type = "";

if (isset($_GET['delete_id'])) {
    $del_id = $_GET['delete_id'];
    $del_stmt = $conn->prepare("DELETE FROM students WHERE id = ?");
    $del_stmt->bind_param("i", $del_id);
    if ($del_stmt->execute()) {
        $msg = "Student deleted successfully.";
        $type = "success";
    } else {
        $msg = "Error deleting student.";
        $type = "error";
    }
    $del_stmt->close();
}

$search = $_GET['search'] ?? "";
$course_filter = $_GET['course'] ?? "";

$query = "SELECT id, name, email, mobile, course, academic_year FROM students
WHERE 1=1";
$params = [];
$types = "";

if ($search !== "") {
    $query .= " AND (name LIKE ? OR email LIKE ?)";
    $search_param = "%" . $search . "%";
    $params[] = $search_param;
    $params[] = $search_param;
    $types .= "ss";
}

if ($course_filter !== "") {
    $query .= " AND course = ?";
    $params[] = $course_filter;
    $types .= "s";
}

$query .= " ORDER BY id DESC";

$stmt = $conn->prepare($query);
if (!empty($params)) {
    $stmt->bind_param($types, ...$params);
}
$stmt->execute();
```

```
$result = $stmt->get_result();
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Manage Students | StudentHub</title>
    <link rel="stylesheet" href="styles.css">
</head>
<body>
    <header class="site-header">
        <div class="brand">
            <div class="logo">➳</div>
            <div>
                <h1>StudentHub</h1>
                <p class="tagline">Admin Dashboard</p>
            </div>
        </div>
        <nav class="site-nav">
            <a href="home.php">Home</a>
            <a href="logout.php" class="btn">Logout</a>
        </nav>
    </header>
    <main class="container">
        <div class="card">
            <h2>Manage Students</h2>

            <?php if ($msg !== ""): ?>
                <div style="padding:10px; margin-bottom:15px; border-
radius:5px; background:<?= $type === 'success' ? '#d4edda' : '#f8d7da' ?>;
color:<?= $type === 'success' ? '#155724' : '#721c24' ?>;">
                    <?= htmlspecialchars($msg) ?>
                </div>
            <?php endif; ?>

            <form method="GET" action="manage_students.php"
style="display:flex; gap:10px; margin-bottom:20px;">
                <input type="text" name="search" placeholder="Search name or
email" value="<?= htmlspecialchars($search) ?>" style="flex:1;">
                <select name="course" style="width:200px;">
                    <option value="">All Courses</option>
                    <option value="CSE" <?= $course_filter === 'CSE' ?
'selected' : '' ?>>CSE</option>
                    <option value="CE" <?= $course_filter === 'CE' ?
'selected' : '' ?>>CE</option>
                    <option value="IT" <?= $course_filter === 'IT' ?
'selected' : '' ?>>IT</option>
```

```
                    <option value="ME" <?= $course_filter === 'ME' ?
'selected' : '' ?>>ME</option>
                </select>
                <button type="submit">Filter</button>
                <a href="add_student.php" class="btn"
style="background:#28a745;">+ Add Student</a>
            </form>

            <table class="table">
                <thead>
                    <tr>
                        <th>ID</th>
                        <th>Name</th>
                        <th>Email</th>
                        <th>Mobile</th>
                        <th>Course</th>
                        <th>Actions</th>
                    </tr>
                </thead>
                <tbody>
                    <?php while ($row = $result->fetch_assoc()): ?>
                    <tr>
                        <td><?= htmlspecialchars($row['id']) ?></td>
                        <td><?= htmlspecialchars($row['name']) ?></td>
                        <td><?= htmlspecialchars($row['email']) ?></td>
                        <td><?= htmlspecialchars($row['mobile']) ?></td>
                        <td><?= htmlspecialchars($row['course']) ?></td>
                        <td>
                            <a href="edit_student.php?id=<?= $row['id'] ?>"
style="color:#f39c12; margin-right:10px;">Edit</a>
                            <a href="manage_students.php?delete_id=<?=
$row['id'] ?>" style="color:#e74c3c;" onclick="return confirm('Delete this
student?');">Delete</a>
                        </td>
                    </tr>
                    <?php endwhile; ?>
                </tbody>
            </table>
        </div>
    </main>
</body>
</html>
```

Add_student.php:

```
<?php
require_once 'auth.php';
require_once 'db_connect.php';
```

```
$msg = "";
$type = "";

if ($_SERVER["REQUEST_METHOD"] === "POST") {
    $name = htmlspecialchars(trim($_POST["name"] ?? ""));
    $email = filter_var(trim($_POST["email"] ?? ""), FILTER_SANITIZE_EMAIL);
    $mobile = htmlspecialchars(trim($_POST["mobile"] ?? ""));
    $course = htmlspecialchars(trim($_POST["course"] ?? ""));
    $password = password_hash("default123", PASSWORD_DEFAULT);

    if ($name && $email && $mobile && $course) {
        $stmt = $conn->prepare("INSERT INTO students (name, email, mobile,
password_hash, course) VALUES (?, ?, ?, ?, ?)");
        $stmt->bind_param("sssss", $name, $email, $mobile, $password,
$course);

        if ($stmt->execute()) {
            $msg = "Student added successfully. Default password is
'default123'.";
            $type = "success";
        } else {
            $msg = "Error adding student. Email may already exist.";
            $type = "error";
        }
        $stmt->close();
    } else {
        $msg = "All fields are required.";
        $type = "error";
    }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Add Student | StudentHub</title>
    <link rel="stylesheet" href="styles.css">
</head>
<body>
    <main class="container">
        <div class="card" style="max-width:500px; margin:40px auto;">
            <h2>Add New Student</h2>

            <?php if ($msg !== ""): ?>
                <div style="padding:10px; margin-bottom:15px; border-
radius:5px; background:<?= $type === 'success' ? '#d4edda' : '#f8d7da' ?>;
color:<?= $type === 'success' ? '#155724' : '#721c24' ?>;">
```

```
                    <?= htmlspecialchars($msg) ?>
                </div>
            <?php endif; ?>

            <form method="POST" action="add_student.php">
                <label>Name</label>
                <input type="text" name="name" required>

                <label>Email</label>
                <input type="email" name="email" required>

                <label>Mobile</label>
                <input type="text" name="mobile" required>

                <label>Course</label>
                <select name="course" required>
                    <option value="CSE">CSE</option>
                    <option value="CE">CE</option>
                    <option value="IT">IT</option>
                    <option value="ME">ME</option>
                </select>

                <div style="margin-top:15px; display:flex; gap:10px;">
                    <button type="submit">Save Student</button>
                    <a href="manage_students.php" class="btn"
style="background:#6c757d;">Back</a>
                </div>
            </form>
        </div>
    </main>
</body>
</html>
```

Edit_student.php:

```
<?php
require_once 'auth.php';
require_once 'db_connect.php';

$msg = "";
$type = "";
$id = $_GET['id'] ?? 0;

if ($_SERVER["REQUEST_METHOD"] === "POST") {
    $id = $_POST['id'];
    $name = htmlspecialchars(trim($_POST["name"] ?? ""));
    $email = filter_var(trim($_POST["email"] ?? ""), FILTER_SANITIZE_EMAIL);
    $mobile = htmlspecialchars(trim($_POST["mobile"] ?? ""));
```

```
    $course = htmlspecialchars(trim($_POST["course"] ?? ""));

    if ($name && $email && $mobile && $course) {
        $stmt = $conn->prepare("UPDATE students SET name=?, email=?, mobile=?,
course=? WHERE id=?");
        $stmt->bind_param("ssssi", $name, $email, $mobile, $course, $id);

        if ($stmt->execute()) {
            $msg = "Student updated successfully.";
            $type = "success";
        } else {
            $msg = "Error updating student.";
            $type = "error";
        }
        $stmt->close();
    }
}

$stmt = $conn->prepare("SELECT id, name, email, mobile, course FROM students
WHERE id = ?");
$stmt->bind_param("i", $id);
$stmt->execute();
$result = $stmt->get_result();
$student = $result->fetch_assoc();
$stmt->close();

if (!$student) {
    header("Location: manage_students.php");
    exit;
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Edit Student | StudentHub</title>
    <link rel="stylesheet" href="styles.css">
</head>
<body>
    <main class="container">
        <div class="card" style="max-width:500px; margin:40px auto;">
            <h2>Edit Student</h2>

            <?php if ($msg !== ""): ?>
                <div style="padding:10px; margin-bottom:15px; border-
radius:5px; background:<?= $type === 'success' ? '#d4edda' : '#f8d7da' ?>;
color:<?= $type === 'success' ? '#155724' : '#721c24' ?>;">
                    <?= htmlspecialchars($msg) ?>
```

```
                </div>
            <?php endif; ?>

            <form method="POST" action="edit_student.php?id=<?= $student['id']
?>">
                <input type="hidden" name="id" value="<?=
htmlspecialchars($student['id']) ?>">

                <label>Name</label>
                <input type="text" name="name" value="<?=
htmlspecialchars($student['name']) ?>" required>


                <label>Email</label>
                <input type="email" name="email" value="<?=
htmlspecialchars($student['email']) ?>" required>

                <label>Mobile</label>
                <input type="text" name="mobile" value="<?=
htmlspecialchars($student['mobile']) ?>" required>

                <label>Course</label>
                <select name="course" required>
                    <option value="CSE" <?= $student['course'] === 'CSE' ?
'selected' : '' ?>>CSE</option>
                    <option value="CE" <?= $student['course'] === 'CE' ?
'selected' : '' ?>>CE</option>
                    <option value="IT" <?= $student['course'] === 'IT' ?
'selected' : '' ?>>IT</option>
                    <option value="ME" <?= $student['course'] === 'ME' ?
'selected' : '' ?>>ME</option>
                </select>

                <div style="margin-top:15px; display:flex; gap:10px;">
                    <button type="submit">Update Student</button>
                    <a href="manage_students.php" class="btn"
style="background:#6c757d;">Back</a>
                </div>
            </form>
        </div>
    </main>
</body>
</html>
```

Output:



Practical-12:

AIM:

Develop event management functionality for admin users. Admin can add, view, update, delete, and upload event posters with file type and file size validation.

add_event.html:

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <title>Add Event</title>
    <link rel="stylesheet" href="styles.css" />
  </head>
  <body>
    <main class="container">
      <div class="card" style="max-width: 500px; margin: 40px auto">
        <h2>Add New Event</h2>
        <form
          method="POST"
          action="process_add_event.php"
          enctype="multipart/form-data"
        >
          <label>Event Name</label>
          <input type="text" name="event_name" required />

          <label>Event Date</label>
          <input type="date" name="event_date" required />

          <label>Venue</label>
          <input type="text" name="venue" required />

          <label>Event Poster (JPG/PNG, Max 2MB)</label>
          <input
            type="file"
            name="poster"
            accept="image/png, image/jpeg"
            required
          />

            <div style="margin-top: 15px; display:
flex; gap: 10px">
            <button type="submit">Save Event</button>
            <a href="manage_events.php" class="btn" style="background:
#6c757d"
              >Back</a
            >
          </div>
```

```
        </form>
      </div>
    </main>
  </body>
</html>
```

process_add_event.php:

```php
<?php
session_start();
include 'db_connect.php';

$event_name = $_POST['event_name'];
$event_date = $_POST['event_date'];
$venue = $_POST['venue'];

$poster = $_FILES['poster']['name'];
$tmp_name = $_FILES['poster']['tmp_name'];
$size = $_FILES['poster']['size'];
$type = $_FILES['poster']['type'];

$allowed_types = array('image/jpeg', 'image/jpg', 'image/png');
$max_size = 2 * 1024 * 1024;

if (in_array($type, $allowed_types) && $size <= $max_size) {
    if (!is_dir('uploads')) {
        mkdir('uploads');
    }

    $upload_path = 'uploads/' . basename($poster);
    move_uploaded_file($tmp_name, $upload_path);

    $sql = "INSERT INTO events (event_name, event_date, venue, poster)
            VALUES ('$event_name', '$event_date', '$venue', '$poster')";
    mysqli_query($conn, $sql);
}

header("Location: manage_events.php");
?>
```

Manage_event.php:

```php
<?php
session_start();
include 'db_connect.php';
```

```
$sql = "SELECT * FROM events";
$result = mysqli_query($conn, $sql);
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Manage Events</title>
    <link rel="stylesheet" href="styles.css">
</head>
<body>
    <main class="container">
        <div class="card">
            <h2>Manage Events</h2>
            <a href="add_event.html" class="btn" style="background:#28a745;
margin-bottom: 20px;">+ Add Event</a>

            <table class="table">
                <thead>
                    <tr>
                        <th>ID</th>
                        <th>Poster</th>
                        <th>Event Name</th>
                        <th>Date</th>
                        <th>Venue</th>
                        <th>Actions</th>
                    </tr>
                </thead>
                <tbody>
                    <?php while ($row = mysqli_fetch_assoc($result)) { ?>
                    <tr>
                        <td><?php echo $row['id']; ?></td>
                        <td>
                            <?php if ($row['poster'] != "") { ?>
                                <img src="uploads/<?php echo $row['poster'];
?>" width="60" height="60" style="object-fit:cover; border-radius:4px;">
                            <?php } ?>
                        </td>
                        <td><?php echo $row['event_name']; ?></td>
                        <td><?php echo $row['event_date']; ?></td>
                        <td><?php echo $row['venue']; ?></td>
                        <td>
                            <a href="edit_event.php?id=<?php echo $row['id'];
?>" style="color:#f39c12; margin-right:10px;">Edit</a>
                            <a href="process_delete_event.php?id=<?php echo
$row['id']; ?>" style="color:red;">Delete</a>
                        </td>
                    </tr>
```

```
                    <?php } ?>
                </tbody>
            </table>
        </div>
    </main>
</body>
</html>
```

Edit_event.php:

```
<?php
session_start();
include 'db_connect.php';

$id = $_GET['id'];
$sql = "SELECT * FROM events WHERE id = $id";
$result = mysqli_query($conn, $sql);
$event = mysqli_fetch_assoc($result);
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Edit Event</title>
    <link rel="stylesheet" href="styles.css">
</head>
<body>
    <main class="container">
        <div class="card" style="max-width:500px; margin:40px auto;">
            <h2>Edit Event</h2>
            <form method="POST" action="process_edit_event.php"
enctype="multipart/form-data">
                <input type="hidden" name="id" value="<?php echo $event['id'];
?>">

                <label>Event Name</label>
                <input type="text" name="event_name" value="<?php echo
$event['event_name']; ?>" required>

                <label>Event Date</label>
                <input type="date" name="event_date" value="<?php echo
$event['event_date']; ?>" required>


                <label>Venue</label>
                <input type="text" name="venue" value="<?php echo
$event['venue']; ?>" required>


                <label>Update Poster (Optional)</label>
```


```
                <input type="file" name="poster" accept="image/png,
image/jpeg">

                <div style="margin-top:15px; display:flex; gap:10px;">
                    <button type="submit">Update Event</button>
                    <a href="manage_events.php" class="btn"
style="background:#6c757d;">Back</a>
                </div>
            </form>
        </div>
    </main>
</body>
</html>
```

Output:







Practical-13:

AIM:

Create simple PHP JSON API endpoints for events or students and consume them using Fetch API. Perform list, add, update, and delete operations asynchronously without full page reload.

Api_events.php:

```php
<?php
header("Content-Type: application/json");
include 'db_connect.php';

$method = $_SERVER['REQUEST_METHOD'];
$input = json_decode(file_get_contents('php://input'), true);

if ($method == 'GET') {
    $sql = "SELECT id, event_name, event_date, venue FROM events";
```

```
    $result = mysqli_query($conn, $sql);
    $events = array();
    while ($row = mysqli_fetch_assoc($result)) {
        $events[] = $row;
    }
    echo json_encode($events);
}
elseif ($method == 'POST') {
    $name = $input['event_name'];
    $date = $input['event_date'];
    $venue = $input['venue'];

    $sql = "INSERT INTO events (event_name, event_date, venue) VALUES
('$name', '$date', '$venue')";
    mysqli_query($conn, $sql);
    echo json_encode(["status" => "success"]);
}
elseif ($method == 'PUT') {
    $id = $input['id'];
    $name = $input['event_name'];
    $date = $input['event_date'];
    $venue = $input['venue'];

    $sql = "UPDATE events SET event_name='$name', event_date='$date',
venue='$venue' WHERE id=$id";
    mysqli_query($conn, $sql);
    echo json_encode(["status" => "success"]);
}
elseif ($method == 'DELETE') {
    $id = $_GET['id'];

    $sql = "DELETE FROM events WHERE id=$id";
    mysqli_query($conn, $sql);
    echo json_encode(["status" => "success"]);
}
?>
```

Event_dashboard.html:

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <title>Events API Dashboard | StudentHub</title>
    <link rel="stylesheet" href="styles.css" />
  </head>
  <body>
    <header class="site-header">
```

```
      <div class="brand">
        <div class="logo">→</div>
        <div>
          <h1>StudentHub</h1>
          <p class="tagline">Async Event Dashboard</p>
        </div>
      </div>
    </header>

    <main class="container">
      <div class="card">
        <h2>Manage Events (No Reload)</h2>

        <form
          id="eventForm"
          style="margin-bottom: 20px; display: flex; gap: 10px; flex-wrap:
wrap"
        >
          <input type="hidden" id="eventId" />
          <input type="text" id="eventName" placeholder="Event Name" required
/>
          <input type="date" id="eventDate" required />
          <input type="text" id="eventVenue" placeholder="Venue" required />
          <button type="submit" id="saveBtn">Save Event</button>
        </form>

        <table class="table">
          <thead>
            <tr>
              <th>ID</th>
              <th>Event Name</th>
              <th>Date</th>
              <th>Venue</th>
              <th>Actions</th>
            </tr>
          </thead>
          <tbody id="eventTableBody"></tbody>
        </table>
      </div>
    </main>

    <script>
      function loadEvents() {
        fetch("api_events.php")
          .then((response) => response.json())
          .then((data) => {
            let tbody = document.getElementById("eventTableBody");
            tbody.innerHTML = "";
```

```
            data.forEach((event) => {
              tbody.innerHTML += `
                        <tr>
                            <td>${event.id}</td>
                            <td>${event.event_name}</td>
                            <td>${event.event_date}</td>
                            <td>${event.venue}</td>
                            <td>
                                <button onclick="editEvent(${event.id},
'${event.event_name}', '${event.event_date}', '${event.venue}')"
style="background:#f39c12; border:none; color:white; padding:6px 12px;
cursor:pointer; border-radius:4px; margin-right:5px;">Edit</button>
                                <button onclick="deleteEvent(${event.id})"
style="background:#e74c3c; border:none; color:white; padding:6px 12px;
cursor:pointer; border-radius:4px;">Delete</button>
                            </td>
                        </tr>
                    `;
            });
          });
      }

      document
        .getElementById("eventForm")
        .addEventListener("submit", function (e) {
          e.preventDefault();
          let id = document.getElementById("eventId").value;
          let name = document.getElementById("eventName").value;
          let date = document.getElementById("eventDate").value;
          let venue = document.getElementById("eventVenue").value;

          let method = id ? "PUT" : "POST";
          let payload = { event_name: name, event_date: date, venue: venue };
          if (id) payload.id = id;

          fetch("api_events.php", {
            method: method,
            headers: { "Content-Type": "application/json" },
            body: JSON.stringify(payload),
          }).then(() => {
            document.getElementById("eventForm").reset();
            document.getElementById("eventId").value = "";
            loadEvents();
          });
        });


      function editEvent(id, name, date, venue) {
        document.getElementById("eventId").value = id;
```

```
        document.getElementById("eventName").value = name;
        document.getElementById("eventDate").value = date;
        document.getElementById("eventVenue").value = venue;
      }

      function deleteEvent(id) {
        if (confirm("Are you sure you want to delete this event?")) {
          fetch(`api_events.php?id=${id}`, { method: "DELETE" }).then(() =>
            loadEvents(),
          );
        }
      }

      loadEvents();
    </script>
  </body>
</html>
```

Outout:



Practical-14:

AIM:

Develop an admin dashboard that displays user statistics, student count, event count and latest registrations. Restrict access to admin users only and show dynamic menu options based on role.

Login.php:

```php
<?php
session_start();
include 'db_connect.php';

$email = $_POST['email'];
$password = $_POST['password'];

$sql = "SELECT * FROM students WHERE email='$email'";
$result = mysqli_query($conn, $sql);

if ($row = mysqli_fetch_assoc($result)) {
    if (password_verify($password, $row['password_hash'])) {
        $_SESSION['student_id'] = $row['id'];
        $_SESSION['student_name'] = $row['name'];
        $_SESSION['role'] = $row['role'];

        if ($_SESSION['role'] == 'admin') {
            header("Location: admin_dashboard.php");
        } else {
            header("Location: home.php");
        }
        exit;
    }
}

header("Location: login.html");
?>
```

Admin_dashboard.php

```
<?php
session_start();
include 'db_connect.php';

if (!isset($_SESSION['student_id']) || $_SESSION['role'] !== 'admin') {
    header("Location: login.html");
    exit;
}

$student_count = 0;
$sql_students = "SELECT COUNT(*) as count FROM students WHERE role='student'";
$res_students = mysqli_query($conn, $sql_students);
if ($row = mysqli_fetch_assoc($res_students)) {
    $student_count = $row['count'];
}

$event_count = 0;
$sql_events = "SELECT COUNT(*) as count FROM events";
$res_events = mysqli_query($conn, $sql_events);
if ($row = mysqli_fetch_assoc($res_events)) {
    $event_count = $row['count'];
}

$sql_latest = "SELECT id, name, email, created_at FROM students WHERE
role='student' ORDER BY id DESC LIMIT 5";
$latest_students = mysqli_query($conn, $sql_latest);
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Admin Dashboard | StudentHub</title>
    <link rel="stylesheet" href="styles.css">
</head>
<body>
    <header class="site-header">
        <div class="brand">
            <div class="logo">➵</div>
            <div>
                <h1>StudentHub Admin</h1>
                <p class="tagline">Welcome, <?php echo
$_SESSION['student_name']; ?></p>
            </div>
        </div>
        <nav class="site-nav">
```

```
            <?php if ($_SESSION['role'] === 'admin') { ?>
                <a href="admin_dashboard.php" class="active">Dashboard</a>
                <a href="manage_students.php">Manage Students</a>
                <a href="manage_events.php">Manage Events</a>
            <?php } else { ?>
                <a href="home.php">Home</a>
                <a href="course.html">Courses</a>
            <?php } ?>
            <a href="logout.php" class="btn" style="background:
#e74c3c;">Logout</a>
        </nav>
    </header>

    <main class="container">
        <div class="grid" style="grid-template-columns: 1fr 1fr; margin-
bottom: 20px;">
            <div class="card" style="text-align: center;">
                <h3>Total Students</h3>
                <h1 style="font-size: 48px; color: var(--primary); margin:
10px 0;"><?php echo $student_count; ?></h1>
            </div>
            <div class="card" style="text-align: center;">
                <h3>Total Events</h3>
                <h1 style="font-size: 48px; color: var(--accent); margin: 10px
0;"><?php echo $event_count; ?></h1>
            </div>
        </div>

        <div class="card">
            <h2>Latest Registrations</h2>
            <table class="table">
                <thead>
                    <tr>
                        <th>ID</th>
                        <th>Name</th>
                        <th>Email</th>
                        <th>Joined Date</th>
                    </tr>
                </thead>
                <tbody>
                    <?php while ($student =
mysqli_fetch_assoc($latest_students)) { ?>
                    <tr>
                        <td><?php echo $student['id']; ?></td>
                        <td><?php echo $student['name']; ?></td>
                        <td><?php echo $student['email']; ?></td>
                        <td><?php echo $student['created_at']; ?></td>
                    </tr>
```

```
                    <?php } ?>
                </tbody>
            </table>
        </div>
    </main>
</body>
</html>
```

Output:

