paj_db

booking

Column	Type	Null	Default	Links to	Comments	Media type
BookingID *(Primary)*	int(11)	No				
TripTripID	int(10)	No		trip -> TripID		
date	date	Yes	*NULL*			
TIME	time(6)	Yes	*NULL*			
adult	int(10)	Yes	*NULL*			
childdren	int(10)	Yes	*NULL*			
reminder	int(10)	Yes	*NULL*			
seatBooked	int(10)	Yes	*NULL*			
CustomerCustomerID	int(10)	No		customer -> CustomerID		
PaymentspaymentID	int(10)	No		payments -> paymentID		

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	BookingID	9	A	No	
foreign key3	BTREE	No	No	CustomerCustomerID	9	A	No	
foreign key4	BTREE	No	No	PaymentspaymentID	9	A	No	
foreign key6	BTREE	No	No	TripTripID	9	A	No	

bus

Column	Type	Null	Default	Links to	Comments	Media type
BusId *(Primary)*	int(10)	No				
OperatorOperatorID	int(10)	No		operator -> OperatorID		
seats	int(10)	Yes	*NULL*			
plateNumber	varchar(25)	No				

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	BusId	36	A	No	
plateNumber	BTREE	Yes	No	plateNumber	36	A	No	
foreign key2	BTREE	No	No	OperatorOperatorID	36	A	No	

customer

Column	Type	Null	Default	Links to	Comments	Media type
CustomerID *(Primary)*	int(10)	No				
fullName	varchar(50)	Yes	*NULL*			
Address	varchar(255)	Yes	*NULL*			
contact	varchar(12)	Yes	*NULL*			
PASSWORD	varchar(250)	Yes	*NULL*			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	CustomerID	3	A	No	

operator

Column	Type	Null	Default	Links to	Comments	Media type
OperatorID *(Primary)*	int(12)	No				
OperatorName	varchar(255)	Yes	*NULL*			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	OperatorID	9	A	No	

operator_admin

Column	Type	Null	Default	Links to	Comments	Media type
AdimID *(Primary)*	int(10)	No				

Column	Type	Null	Default	Links to	Comments	Media type
OperatorOperatorID	int(10)	No		operator -> OperatorID		
fullName	varchar(50)	Yes	NULL			
contact	varchar(12)	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	AdimID	0	A	No	
foreign key1	BTREE	No	No	OperatorOperatorID	0	A	No	

payments

Column	Type	Null	Default	Links to	Comments	Media type
paymentID (Primary)	int(10)	No				
payment	varchar(50)	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	paymentID	3	A	No	

ticket

Column	Type	Null	Default	Links to	Comments	Media type
TicketID (Primary)	int(10)	No				
BookingBookingID	int(11)	No		booking -> BookingID		
expiration	date	Yes	NULL			
Ticket_StatusStatusID	int(10)	No		ticket_status -> StatusID		
passengers	int(10)	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	TicketID	16	A	No	
foreign key7	BTREE	No	No	BookingBookingID	16	A	No	
foreign key9	BTREE	No	No	Ticket_StatusStatusID	8	A	No	

ticket_status

Column	Type	Null	Default	Links to	Comments	Media type
StatusID *(Primary)*	int(10)	No				
STATUS	varchar(255)	Yes	*NULL*			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	StatusID	6	A	No	

trip

Column	Type	Null	Default	Links to	Comments	Media type
TripID *(Primary)*	int(10)	No				
BusBusId	int(10)	No		bus -> BusId		
seatsBooked	int(10)	Yes	*NULL*			
From	varchar(255)	Yes	*NULL*			
To	varchar(255)	Yes	*NULL*			
station	varchar(255)	No				
date	date	Yes	*NULL*			
time	time(6)	Yes	*NULL*			
price	double	Yes	*NULL*			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	TripID	8	A	No	

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
foreign key10	BTREE	No	No	BusBusId	8	A	No	