## How this task works

### Workflow

Review instructions before beginning annotation.

Your job is to provide a qualitative assessment of each agent's rollout. The task, rollouts and completeness check have already been done. A detailed walkthrough is available in the project guide here.


1. Before starting, make sure you spot check the task and trajectories. There should be two trajectories and corresponding solution patches.
2. Develop 10-20 PASS/FAIL rubric criteria based on the task requirements.
3. Score each trajectory on Dimensions 1-9 and the rubric.
4. Write a comparison of the two models' performance and decide which was better.

## Task

Task repository, instructions, configuration, and reference solution assets.

### Task bundle

Inspect instruction.md, task.toml, test specifications, and solution assets.




### Task type

Task type*

Classify the task from the metadata in `task.toml`.

Feature Request

### Full rollout evidence

Full transcripts and patches for Trajectory A and Trajectory B bound to their run IDs.

## Agent Trajectories

### Trajectory Viewer

Inspect prompts, tool execution logs, and full diff outputs for each trajectory.

Model A | Model B

Model A completed 1181.2s

PROMPT

System

You are an agent that completes tasks independently.

FINAL ANSWER

Verification is complete: all 7,124 server tests passed, TypeScript compilation passed, and all 50 client service tests passed. The diff is clean. The documentation also notes that tokens are process-scoped and become invalid after an application restart. I'm submitting the changes now.

DIFF

LOGS

Search logs... .* Expand all

**Turn 0/34** +1219.7s 0s

**Step 0** +1219.7s 0s

| | | | | | |
|---|---|---|---|---|---|
| 0.0 | other | queue_monitor work_unit: batch_id=batch_5bc47265fed74c699dcb100893732257 campaign_id=... | +0s | 0s |
| 0.1 | other | Running model with agent Lighthouse Harbor (mini-swe-agent) — Anton 500 steps, 4h | +0.001s | 0s |
| 0.2 | other | Modal placement: {'modal_cloud': 'CLOUD_PROVIDER_GCP', 'modal_region': 'us-central'} contain... | +0s | 0s |
| 0.3 | configure | Lighthouse config: benchmark=terminal_bench, model=[hidden], max_steps=500, sandbox_tim... | +0s | 0s |
| 0.4 | lighthouse_bundle | Uploading snapshot bundle: trajectory_id=traj_4508d04f16264e26ac41604495ab4853 s... | +36.3s | 36s |
| 0.5 | lighthouse_bundle | Built bundle: trajectory_id=traj_4508d04f16264e26ac41604495ab4853 snapshot_id=sna... | +1.9s | 38s |
| 0.6 | other | Calling Lighthouse Modal worker for task_id=traj_4508d04f16264e26ac41604495ab4853 | +0s | 38s |
| 0.7 | lighthouse_modal_call | Running Lighthouse in-process: mode=execution, trajectory_id=traj_4508d04f16264e... | +0.001s | 38s |
| 0.8 | lighthouse_heartbeat | Lighthouse in-process run still running: trajectory_id=traj_4508d04f16264e26ac41604... | +300.3s | 5m 38s |
| 0.9 | lighthouse_heartbeat | Lighthouse in-process run still running: trajectory_id=traj_4508d04f16264e26ac41604... | +300.0s | 10m 38s |
| 0.10 | lighthouse_heartbeat | Lighthouse in-process run still running: trajectory_id=traj_4508d04f16264e26ac41604... | +300.0s | 15m 38s |
| 0.11 | lighthouse_modal_result | Lighthouse in-process run returned dict: trajectory_id=traj_4508d04f16264e26ac416... | +281.2s | 20m 20s |
| 0.12 | input | System prompt | +0.001s | 20m 20s |
| 0.13 | input | User message | +0s | 20m 20s |

**Turn 1/34** +0s 20m 20s

**Step 0** +0s 20m 20s

| | | | | | |
|---|---|---|---|---|---|
| 0.0 | turn | Turn 1/34 | +0s | 20m 20s |
| 0.1-0.2 | tool_call | **bash** Tool call: bash | +0s | 20m 20s |
| 0.3 | response | I'll inspect the list handlers, query APIs, and tests first, then add shared keyset pagination supp... | +0s | 20m 20s |

**Turn 2/34** +0s 20m 20s

**Step 0** +0s 20m 20s

| | | | | | |
|---|---|---|---|---|---|
| 0.0 | turn | Turn 2/34 | +0s | 20m 20s |
| 0.1-0.2 | tool_call | **bash** Tool call: bash | +0s | 20m 20s |
| 0.3 | response | `rg` isn't available, so I'll use `find` and `grep` to locate the implementation and tests. | +0s | 20m 20s |

**Turn 3/34** +0.001s 20m 20s

**Step 0** +0.001s 20m 20s

| | | | | | |
|---|---|---|---|---|---|
| 0.0 | turn | Turn 3/34 | +0s | 20m 20s |
| 0.1-0.2 | tool_call | **bash** Tool call: bash | +0.001s | 20m 20s |
| 0.3 | response | The sync and async handlers share a base class, which should let both paths use the same pa... | +0s | 20m 20s |

**Turn 4/34** +0.001s 20m 20s

**Step 0** +0.001s 20m 20s

| | | | | | |
|---|---|---|---|---|---|
| 0.0 | turn | Turn 4/34 | +0s | 20m 20s |
| 0.1-0.2 | tool_call | **bash** Tool call: bash | +0s | 20m 20s |
| 0.3 | response | The base class already handles mapped expressions and sort selection. I'll read the execution f... | +0.001s | 20m 20s |

**Turn 5/34** +0s 20m 20s

**Step 0** +0s 20m 20s

| | | | | | |
|---|---|---|---|---|---|
| 0.0 | turn | Turn 5/34 | +0s | 20m 20s |
| 0.1-0.2 | tool_call | **bash** Tool call: bash | +0s | 20m 20s |
| 0.3 | response | Both handlers apply pagination before filters and execution. I'll also inspect the SQL query meta... | +0s | 20m 20s |

**Turn 6/34** +0.001s 20m 20s

**Step 0** +0.001s 20m 20s

| | | | | | |
|---|---|---|---|---|---|
| 0.0 | turn | Turn 6/34 | +0s | 20m 20s |
| 0.1-0.2 | tool_call | **bash** Tool call: bash | +0.001s | 20m 20s |
| 0.3 | response | The existing first-page order already includes key ordering. I'll preserve that SQL ordering, deri... | +0s | 20m 20s |

**Turn 7/34** +0.001s 20m 20s

**Step 0** +0.001s 20m 20s

| | | | | | |
|---|---|---|---|---|---|
| 0.0 | turn | Turn 7/34 | +0s | 20m 20s |
| 0.1-0.2 | tool_call | **bash** Tool call: bash | +0s | 20m 20s |

0.3 response I'm checking how query cloning and parameterized criteria work. The seek filter must use the s... +0.001s 20m 20s

**Turn 8/34** +0.004s 20m 20s

**Step 0** +0.004s 20m 20s

0.0 turn Turn 8/34 +0s 20m 20s

0.1 reasoning **Considering query options** +0s 20m 20s

0.2-0.3 tool_call **bash** Tool call: bash +0.004s 20m 20s

0.4 response `ValueCriteria` already parameterizes scalar comparisons. I'll build the lexicographic seek predi... +0s 20m 20s

**Turn 9/34** +0.003s 20m 20s

**Step 0** +0.003s 20m 20s

0.0 turn Turn 9/34 +0s 20m 20s

0.1 reasoning **Settling design choices** +0.001s 20m 20s

0.2-0.3 tool_call **bash** Tool call: bash +0.001s 20m 20s

0.4 response I'll use an authenticated, URL-safe token with typed boundary values and a fingerprint of the so... +0.001s 20m 20s

**Turn 10/34** +0.001s 20m 20s

**Step 0** +0.001s 20m 20s

0.0 turn Turn 10/34 +0s 20m 20s

0.1-0.2 tool_call **bash** Tool call: bash +0s 20m 20s

0.3 response There isn't an existing token-protection service in this layer. I'll use authenticated encryption wi... +0.001s 20m 20s

**Turn 11/34** +0.001s 20m 20s

**Step 0** +0.001s 20m 20s

0.0 turn Turn 11/34 +0s 20m 20s

0.1 reasoning **Considering selection mapping** +0s 20m 20s

0.2-0.3 tool_call **bash** Tool call: bash +0s 20m 20s

0.4 response I'll add a failing contract test first, then implement the shared pagination logic. Tokens will be pr... +0.001s 20m 20s

**Turn 12/34** +0.001s 20m 20s

**Step 0** +0.001s 20m 20s

0.0 turn Turn 12/34 +0s 20m 20s

0.1-0.2 tool_call **bash** Tool call: bash +0s 20m 20s

0.3 response The initial test command exceeded the tool's 30-second window. I'll check its log while adding t... +0.001s 20m 20s

**Turn 13/34** +0.001s 20m 20s

**Step 0** +0.001s 20m 20s

0.0 turn Turn 13/34 +0s 20m 20s

0.1-0.2 tool_call **bash** Tool call: bash +0s 20m 20s

0.3 response I'm implementing shared setup and completion hooks. They'll validate eligibility, select boundar... +0.001s 20m 20s

**Turn 14/34** +0.001s 20m 20s

**Step 0** +0.001s 20m 20s

0.0 turn Turn 14/34 +0s 20m 20s

0.1 reasoning **Troubleshooting build processes** +0.001s 20m 20s

0.2-0.3 tool_call **bash** Tool call: bash +0s 20m 20s

0.4 response The seek predicate is now implemented, including nullable sort columns in mixed directions. Ne... +0s 20m 20s

**Turn 15/34** +0s 20m 20s

**Step 0** +0s 20m 20s

0.0 turn Turn 15/34 +0s 20m 20s

0.1-0.2 tool_call **bash** Tool call: bash +0s 20m 20s

0.3 response The token codec is in place and the targeted build is running. I'll now expand the tests to cover ... +0s 20m 20s

**Turn 16/34** +0.001s 20m 20s

**Step 0** +0.001s 20m 20s

0.0 turn Turn 16/34 +0s 20m 20s

0.1-0.2 tool_call **bash** Tool call: bash +0s 20m 20s

0.3 response The compiler found two API mismatches: `Field` needs `is null` because it overloads equality, a... +0.001s 20m 20s

**Turn 17/34** +0s 20m 20s

**Step 0** +0s 20m 20s

0.0 turn Turn 17/34 +0s 20m 20s

0.1-0.2 tool_call **bash** Tool call: bash +0s 20m 20s

0.3 response The execution-path tests will exercise both sync and async handlers and inspect their generate... +0s 20m 20s

**Turn 18/34** +0s 20m 20s

**Step 0** +0s 20m 20s

0.0 turn Turn 18/34 +0s 20m 20s

0.1-0.2 tool_call **bash** Tool call: bash +0s 20m 20s

0.3 response I'll add a matrix across all six requested dialects, both sort directions, null and non-null boundar... +0s 20m 20s

**Turn 19/34** +0.001s 20m 20s

**Step 0** +0.001s 20m 20s

0.0 turn Turn 19/34 +0s 20m 20s

0.1-0.2 tool_call **bash** Tool call: bash +0s 20m 20s

0.3 response The basic test passed, and the expanded suite is building. I also spotted an edge case in entity ... +0.001s 20m 20s

**Turn 20/34** +0.001s 20m 20s

**Step 0** +0.001s 20m 20s

0.0 turn Turn 20/34 +0s 20m 20s

0.1 reasoning **Looking into test progress** +0s 20m 20s

0.2-0.3 tool_call **bash** Tool call: bash +0.001s 20m 20s

0.4 response The probe is now skipped before entity processing in both handlers. I'll review the full diff and r... +0s 20m 20s

**Turn 21/34** +0.001s 20m 20s

**Step 0** +0.001s 20m 20s

0.0 turn Turn 21/34 +0s 20m 20s

0.1 reasoning **Investigating test failures** +0s 20m 20s

0.2-0.3 tool_call **bash** Tool call: bash +0.001s 20m 20s

0.4 response The expanded run passed 33 tests and failed 52, mostly in the SQL assertions. The quiet log do... +0s 20m 20s

**Turn 22/34** +0.001s 20m 20s

**Step 0** +0.001s 20m 20s

0.0 turn Turn 22/34 +0s 20m 20s

0.1 reasoning **Verifying reproduction shell** +0s 20m 20s

0.2-0.3 tool_call **bash** Tool call: bash +0s 20m 20s

0.4 response I'll also add the optional token fields to the TypeScript service interfaces, so clients can use the... +0.001s 20m 20s

**Turn 23/34** +0.001s 20m 20s

**Step 0** +0.001s 20m 20s

0.0 turn Turn 23/34 +0s 20m 20s

0.1-0.2 tool_call **bash** Tool call: bash +0s 20m 20s

0.3 response The detailed failures show quoted field names such as `T0.[Name]` where the tests expected `T... +0.001s 20m 20s

**Turn 24/34** +0.001s 20m 20s

**Step 0** +0.001s 20m 20s

0.0 turn Turn 24/34 +0s 20m 20s

0.1 reasoning **Evaluating token replay criteria** +0.001s 20m 20s

0.2-0.3 tool_call **bash** Tool call: bash +0s 20m 20s

0.4 response The regression run is in progress. I'll document how clients use the token, which request fields ... +0s 20m 20s

**Turn 25/34** +0s 20m 20s

**Step 0** +0s 20m 20s

0.0 turn Turn 25/34 +0s 20m 20s

0.1-0.2 tool_call **bash** Tool call: bash +0s 20m 20s

0.3 response All 283 tests in the list-handler and SQL-query regression run passed. I'll add a couple of final e... +0s 20m 20s

**Turn 26/34** +0.001s 20m 20s

**Step 0** +0.001s 20m 20s

0.0 turn Turn 26/34 +0s 20m 20s

0.1 reasoning **Refining IListResponse testing** +0s 20m 20s

0.2-0.3 tool_call **bash** Tool call: bash +0.001s 20m 20s

0.4 response The regression checks confirm typed boundary values and cross-mode continuation: a token is... +0s 20m 20s

**Turn 27/34** +0.001s 20m 20s

**Step 0** +0.001s 20m 20s

0.0 turn Turn 27/34 +0s 20m 20s

0.1 reasoning **Considering data verification** +0s 20m 20s

0.2-0.3 tool_call **bash** Tool call: bash +0s 20m 20s

0.4-0.5 tool_call **bash** Tool call: bash +0s 20m 20s

0.6 response The full server suite is still running. I'll run the TypeScript compiler and service-type tests in par... +0.001s 20m 20s

**Turn 28/34** +0s 20m 20s

**Step 0** +0s 20m 20s

0.0 turn Turn 28/34 +0s 20m 20s

0.1-0.2 tool_call **bash** Tool call: bash +0s 20m 20s

0.3 response The full server test project passed: 7,120 tests. I'll finish with an exact mixed-direction predicate... +0s 20m 20s

**Turn 29/34** +0.003s 20m 20s

**Step 0** +0.003s 20m 20s

0.0 turn Turn 29/34 +0s 20m 20s

0.1 reasoning **Considering SQL filters** +0s 20m 20s

0.2-0.3 tool_call **bash** Tool call: bash +0.001s 20m 20s

0.4 response TypeScript compilation passed without diagnostics. The final keyset tests and the client service... +0.002s 20m 20s

**Turn 30/34** +0s 20m 20s

**Step 0** +0s 20m 20s

0.0 turn Turn 30/34 +0s 20m 20s

0.1-0.2 tool_call **bash** Tool call: bash +0s 20m 20s

0.3 response All 50 client service tests passed. I'll check the focused server run and make one final pass ove... +0s 20m 20s

**Turn 31/34** +0.001s 20m 20s

**Step 0** +0.001s 20m 20s

0.0 turn Turn 31/34 +0s 20m 20s

0.1 reasoning **Evaluating user input conditions** +0s 20m 20s

0.2-0.3 tool_call **bash** Tool call: bash +0.001s 20m 20s

0.4 response All 96 focused keyset tests passed. The final review found one compatibility detail: existing sor... +0s 20m 20s

**Turn 32/34** +0.001s 20m 20s

**Step 0** +0.001s 20m 20s

0.0 turn Turn 32/34 +0s 20m 20s

0.1-0.2 tool_call **bash** Tool call: bash +0s 20m 20s

0.3 response The final full-suite run is underway. The changes now include the C# and TypeScript DTOs, sha... +0.001s 20m 20s

**Turn 33/34** +0.001s 20m 20s

**Step 0** +0.001s 20m 20s

0.0 turn Turn 33/34 +0s 20m 20s

0.1-0.2 tool_call **bash** Tool call: bash +0.001s 20m 20s

0.3 response The final build has completed without warnings. I'm waiting for the full test summary before su... +0s 20m 20s

**Turn 34/34** +3.5s 20m 20s

**Step 0** +3.5s 20m 20s

0.0 turn Turn 34/34 +0s 20m 20s

| | | | | | |
|---|---|---|---|---|---|
| 0.1-0.2 | tool_call | bash | tool call: bash | +0s | 20m 20s |
| 0.3 | final_answer | | Verification is complete: all 7,124 server tests passed, TypeScript compilation passed, and all ... | +0s | 20m 20s |
| 0.4 | lighthouse_result | | Lighthouse eval complete: status=completed, score=1.0 | +0.002s | 20m 20s |
| 0.5 | lighthouse_patch_snapshot | | Patch reconstruction: trajectory_id=traj_4508d04f16264e26ac41604495ab4853 b... | +2.9s | 20m 23s |
| 0.6 | other | | Agent run finished with status completed | +0.070s | 20m 23s |
| 0.7 | other | | Status saved successfully: 200 (trajectory_id=traj_4508d04f16264e26ac41604495ab4853) | +0.47s | 20m 23s |
| 0.8 | other | | trajectory_usage_summary trajectory_id=traj_4508d04f16264e26ac41604495ab4853 agent_confi... | +0.001s | 20m 23s |

## Agent Solution A · Trajectory A

The patch this rollout produced.

13 files changed +869 -7

docs/keyset-pagination.md +37

```
+ # List continuation pagination
+
+ Synchronous and asynchronous list handlers return `NextPageToken` when a request
+ has `Take > 0`, `Skip == 0`, no `DistinctFields` (including an empty array), an
+ `IIdRow` entity, and more matching rows. Send that token as `PageToken` to fetch
+ the next page. Stop when `NextPageToken` is null. A missing or null `PageToken`
+ starts a new listing. Ordinary offset and distinct requests continue to work,
+ but do not return continuation tokens.
+
+ ```json
+ { "Take": 50, "Sort": ["Name"], "ExcludeTotalCount": true }
+ ```
+
+ For the next page, repeat the request with `"PageToken": "<NextPageToken>"`.
+ Keep the sort, criteria, equality filters, quick-search text and field, and
+ `IncludeDeleted` unchanged. The page size and column selection may change.
+ Invalid, altered, or incompatible tokens produce `ValidationError` with code
+ `InvalidPageToken`. Tokens are opaque: clients should not parse or modify them.
+
+ Continuation ordering uses the requested sort, or the handler's native sort,
+ with the ID ascending as a unique tiebreaker unless already included. The initial
+ request retains the handler's existing ordering. Required sort and ID fields
+ are selected even with `KeyOnly` or column exclusions; field read permissions
+ are still enforced. A sort requiring an unreadable field disables continuation
+ on the initial request and rejects a continuation request.
+
+ Handlers fetch at most one extra row to detect another page. That probe is not
+ processed or returned. `Take` still reports the requested page size, `Skip`
+ remains zero, and `TotalCount` continues to count all matching rows rather than
+ only rows after the boundary. `ExcludeTotalCount` retains its existing meaning.
+
+ Tokens use authenticated encryption and preserve boundary value types and
+ precision. The current token key is process-scoped: application restarts
+ invalidate outstanding tokens, and multi-worker deployments need worker
+ affinity for a listing. A client receiving an invalid-token error can restart
+ from the first page. Continuations are not database snapshots; concurrent
+ changes to a row's sort values can move it across the boundary.
```

## Agent Solution B · Trajectory B

The patch this rollout produced.

14 files changed +2636 -18

```
966 +             }
967 +
968 +             keysetHasMoreRows = true;
969 +             return false;
970 +         }
971 +
972 +         internal void CompleteKeysetPagination()
973 +         {
974 +             if (!keysetPagingActive)
975 +                 return;
976 +
977 +             if (Response.Entities.Count > Request.Take)
978 +             {
979 +                 keysetHasMoreRows = true;
980 +                 Response.Entities.RemoveRange(Request.Take, Response.Entities.Count - Request.Take);
981 +             }
982 +
983 +             Response.Take = Request.Take;
984 +             if (Request.PageToken is not null)
985 +                 Response.Skip = 0;
986 +
987 +             if (keysetHasMoreRows && Response.Entities.Count > 0 && keysetSortColumns is not null && keysetRequestFingerprint is not
    null)
988 +             {
989 +                 var boundaryEntity = Response.Entities[^1];
990 +                 Response.NextPageToken = KeysetPaginationHelper.EncodeToken(
991 +                     keysetRequestFingerprint, keysetSortColumns, boundaryEntity);
992 +             }
993 +             else
994 +             {
995 +                 Response.NextPageToken = null;
996 +             }
997 +         }
998 +
999       IRow IListRequestHandler.Row => Row;
1000      ListRequest IListRequestHandler.Request => Request;
1001      IListResponse IListRequestHandler.Response => Response;
```

tests/Soreniy.Net.Tests/services/requesthandlers/list/ListRequestHandlerKeysetPaginationTests.cs Show 1106 lines

tests/Selenity.Net.Tests/Services/RequestHandlers/List/ListRequestHandlerKeysetPaginationTests.cs Show 1100 lines

## Rubric Table

### Rubric

Write 10 to 20 criteria before recording rubric answers. Record A and B PASS or FAIL with evidence in the table. PASS always indicates compliant behavior.

Google Sheets | Open in New Tab | + Add Rubric Item

**World Rubric**

Criteria that apply to every task in this world

| Index | Verifier Type | Depends on |
|---|---|---|
| 1 | Lighthouse Overall Result (all-or-nothing task score) <br> </> Programmatic | |

**Task Rubric**

Criteria specific to this task

Structured | Spreadsheet

✓ All changes saved | Columns

Add a rubric item, then paste rows from a spreadsheet to bulk-fill.

+ Add rubric item | ↑↓←→ move | ⇧+arrows select range | Enter / type to edit | ⌘C / ⌘V copy/paste | Del clear | Click row #/header to select a row/column | Drag the row handle to reorder

## Deliverable AutoQC

Run annotation AutoQC and resolve blocking findings before submitting.

**Not run yet**

18 checks in 2 sections

Run AutoQC

What gets checked

Deterministic structural checks · 10

- Total criterion count (deterministic)
- Duplicate criterion text (deterministic)
- Dimension rating fields (deterministic)
- Dimension explanation presence (deterministic)
- Overall rating fields (deterministic)
- Reason length (deterministic)
- Dimension reasons cite evidence, side A (deterministic)
- Dimension reasons cite evidence, side B (deterministic)
- Final score within the score table, hard cases (deterministic)
- Failing side rates Dimension 1 MAJOR_ISSUE (deterministic)

DeepSWE updated annotation checks · 8

- Rubric structure and polarity
- Correctness and general coverage
- Requirement grounding and valid-solution coverage
- A/B results and evidence
- Required Gemini correctness failure
- Dimension coverage and severity consistency
- Full process and closing-exchange evidence
- Overall quality and pairwise consistency

## Rubric AutoQC

Run these additional rubric checks and resolve blocking findings before proceeding.

**Not run yet**

1 check in 1 section

Run AutoQC

What gets checked

Gemini rubric pass rate · 1

- Gemini rubric pass rate is strictly below 75%

## Submit Review

### Reviewer Feedback

Feedback and revision requirements for task approval.

**Send-back notes from review**

Filled in automatically from the note the reviewer writes when sending the task back (latest first). Read-only.

No send-back notes yet.

Adjudication rationale

## Navigation

- Before you submit
- Length limits: 2 · reason (A)
- Length limits: 3 · reason (A)
- Length limits: 4 · reason (A)
- Length limits: 5 · reason (A)
- Length limits: 6 · reason (A)
- Length limits: 7 · reason (A)
- Length limits: 8 · reason (A)
- Length limits: 2 · reason (B)
- Length limits: 3 · reason (B)
- Length limits: 4 · reason (B)
- Length limits: 5 · reason (B)
- Length limits: 6 · reason (B)
- Length limits: 7 · reason (B)
- Length limits: 8 · reason (B)
- Length limits: 9 · reason (A)
- Length limits: 9 · reason (B)
- AutoQC has been run

Flag from Annotating | Submit for review | Unclaim

## History

| Status | Transitioned By | Updated By | Updated At |
|---|---|---|---|
| Seed | JK Jo Kerrick | JK Jo Kerrick | 10/21/2026, 9:23:33 PM EDT |
| Task Preparation | JK Jo Kerrick | JK Jo Kerrick | 10/21/2026, 9:39:35 PM EDT |
| Claimable | [A [EXP] Arthur Anglade | [A [EXP] Arthur Anglade | 10/22/2026, 7:47:27 AM EDT |
| Annotating | [J [EXP] Jamiu Z | [J [EXP] Jamiu Z | 10/22/2026, 8:02:23 AM EDT |