

checkpoint number one

creating a folder called learn_git :

```
ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode
$ mkdir learn_git

ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode
$ cd learn_git

ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode/learn_git
$ |
```

(change directory) into the learn_git folder and creating of the “third.txt” file and Initialization of an empty git repository :

```
ASUS@DESKTOP-D3Q5HSB MINGW64 ~
$ cd workspace

ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace
$ cd gomycode

ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode
$ cd learn_git

ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode/learn_git (master)
$ touch third.txt

ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode/learn_git (master)
$ git init
Reinitialized existing Git repository in C:/Users/ASUS/Workspace/gomycode/learn_git/.git/

ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode/learn_git (master)
$ git add third.txt

ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode/learn_git (master)
$ git commit -m"adding third.txt"
[master (root-commit) 9fa868b] adding third.txt
```

Adding third.txt to the staging area and commit it with the message “adding third.txt” :

Checking out my commit with git log and Creating another file called fourth.txt and Adding fourth.txt to the staging area ,Committing with the message "adding fourth.txt" :

```
ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode/learn_git (master)
$ git commit -m"adding third.txt"
[master (root-commit) 9fa868b] adding third.txt
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 third.txt

ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode/learn_git (master)
$ git log
commit 9fa868b0c81a1667c95c5d044794b15cc2dcd2d7 (HEAD -> master)
Author: jazil <jazzmed60@gmail.com>
Date:   Fri May 22 11:42:49 2026 +0100

    adding third.txt

ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode/learn_git (master)
$ touch fourth.txt

ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode/learn_git (master)
$ git add fourth.txt

ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode/learn_git (master)
$ git commit -m"adding fourth.txt"
[master 949147b] adding fourth.txt
```

Removing the third.txt file and Adding this change to the staging area (Using the command "git add .") , Commit with the message "removing third.txt" :

```

ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode/learn_git (master)
$ git commit -m"adding fourth.txt"
[master 949147b] adding fourth.txt
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 fourth.txt

ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode/learn_git (master)
$ rm third.txt

ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode/learn_git (master)
$ git add .

ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode/learn_git (master)
$ git commit -m"removing third.txt"
[master 7816a3c] removing third.txt
1 file changed, 0 insertions(+), 0 deletions(-)
delete mode 100644 third.txt

ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode/learn_git (master)
$ git log
commit 7816a3c577e5fbf85b6f5e38457b1546733f45dc (HEAD -> master)
Author: jazil <jazzmed60@gmail.com>

```

Checking out our commits using git log :

```

ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode/learn_git (master)
$ git log
commit 7816a3c577e5fbf85b6f5e38457b1546733f45dc (HEAD -> master)
Author: jazil <jazzmed60@gmail.com>
Date:   Fri May 22 11:46:21 2026 +0100

    removing third.txt

commit 949147b7982ae22747df50e5e56c2d62dd86c898
Author: jazil <jazzmed60@gmail.com>
Date:   Fri May 22 11:44:43 2026 +0100

    adding fourth.txt

commit 9fa868b0c81a1667c95c5d044794b15cc2dcd2d7
Author: jazil <jazzmed60@gmail.com>
Date:   Fri May 22 11:42:49 2026 +0100

    adding third.txt

ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode/learn_git (master)
$ git config --global core.pager cat

```

Changing our global settings to core.pager=cat - :

```
ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode/learn_git (master)
$ git config --global core.pager cat

ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode/learn_git (master)
$ git config --global --list
user.name=jazil
user.email=jazzmed60@gmail.com
core.editor=code --wait
core.pager=cat

ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode/learn_git (master)
```

Writing the appropriate command to list all the global configurations for git on our machine:

```
ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode/learn_git (master)
$ git remote add origin https://github.com/jazzmed60-svg/checkpoint.git

ASUS@DESKTOP-D3Q5HSB MINGW64 ~/workspace/gomycode/learn_git (master)
$ git push -u origin master
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 16 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (7/7), 629 bytes | 78.00 KiB/s, done.
Total 7 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/jazzmed60-svg/checkpoint.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.
```