



REPUBLIC OF TUNISIA
MINISTRY OF HIGHER EDUCATION AND SCIENTIFIC RESEARCH
GENERAL DIRECTORATE OF TECHNOLOGICAL STUDIES
HIGHER INSTITUTE OF TECHNOLOGICAL STUDIES OF GAFSA



Department of Information Technology

GRADUATION PROJECT REPORT

SUBMITTED IN PARTIAL FULFILLMENT OF THE REQUIREMENTS FOR
THE DEGREE OF

Applied License in Computer Technologies

PREDICTRA THREAT MAP

**Real-Time Cyber Threat Intelligence Aggregation and
Spatial Analytics Platform**

Host Company: Predictra

AI-POWERED THREAT INTELLIGENCE DIVISION

Prepared by:

**Brahim JABALLI
Chiheb AMRI**

Supervised by:

**Mr. Anis DHAHRI
Professional Mentor**

Academic Year: 2025 – 2026

DEDICATION

I dedicate this graduation work to:

To my beloved Parents,

For their endless love, constant support, sacrifices, and prayers that have sustained me throughout my entire academic journey. There are no words to describe my deep gratitude and love for both of you.

To my dear Sisters and Brothers,

For their continuous encouragement, joy, and faith in my abilities.

To my dear Friend and Partner, Chiheb,

With whom I shared the sleepless nights, hard work, and memorable struggles of this project.

To all my teachers and mentors at ISET Gafsa,

For guiding my steps and providing me with the keys to knowledge and professional development.

To everyone who supported me, near or far.

Brahim Jaballi

DEDICATION

I dedicate this graduation work to:

To my wonderful Parents,
Who have been my pillar of strength and my source of inspiration. Their
constant support, guidance, and unconditional love have enabled me to
overcome all academic hurdles.

To my precious Siblings,
For their constant love, warm presence, and encouragement throughout my
engineering studies.

To my valued Friend and Project Partner, Brahim,
For his exceptional partnership, dedication, and technical synergy that
made this platform possible.

To our industrial mentors at Predictra,
For giving us the opportunity to work on bleeding-edge technologies and
offering invaluable guidance.

To all my friends and peers,
With whom I spent the most beautiful and inspiring student years.

Chiheb Amri

Acknowledgments

We would like to express our deepest gratitude and sincere appreciation to all those who contributed to the successful completion of this graduation project (Projet de Fin d'Études).

First and foremost, we wish to extend our profound gratitude to our academic supervisors and the faculty members of the Department of Information Technology at **ISSET Gafsa**. Their constructive feedback, academic guidance, and rigorous standards have significantly shaped our engineering mindset and technical methodology.

We are immensely grateful to our host company, **Predictra**, and its visionary engineering team for welcoming us into their innovative workspace. Our sincere thanks go to our professional mentors at Predictra for providing us with the resources, bleeding-edge datasets, and operational insights needed to design and implement the central Threat Map platform. Their constant feedback was invaluable in aligning the platform with the demands of real-world security operations centers.

We also thank the distinguished members of the jury who have agreed to review and evaluate this graduation thesis. We are honored by their time, critique, and assessment.

Finally, we owe our deepest gratitude to our families, parents, and friends. Their unwavering love, patience, moral support, and endless sacrifices have been our absolute foundation of strength throughout our student years and during the execution of this project.

Brahim Jaballi

Chiheb Amri

Contents

Acknowledgments	3
List of Abbreviations	vi
General Introduction	1
1 General Project Framework and Methodology	4
1.1 Introduction	4
1.2 Host Organization: Predictra	4
1.2.1 Company Profile and Mission	4
1.2.2 Organizational Structure	5
1.2.3 Inter-Departmental Workflows	5
1.3 Project Context and Problem Definition	6
1.4 State of the Art: Comparative Analysis of CTI Solutions	6
1.4.1 Open-Source Solutions	6
1.4.2 Commercial Solutions	7
1.4.3 Comparative Summary Table	8
1.5 Critique of Existing Systems and Proposed Solution	8
1.6 Work Methodology and Modeling Standards	9
1.6.1 Agile Scrum Framework	10
1.6.2 Twice-Weekly Scrum Coordination and Technical Review Rituals	11
1.6.3 UML Modeling Standards	13
1.7 Conclusion	13
2 Project Specification, Planning, and Architecture	14
2.1 Introduction	14
2.2 Requirements Specification	14
2.2.1 Functional Requirements (RF)	14
2.2.2 Non-Functional Requirements (RNF)	20
2.3 System Needs Modeling	21
2.3.1 Identification of Actors	21
2.3.2 Global Use Case Diagram	22
2.4 Project Management with Scrum	22
2.4.1 Product Backlog	22
2.4.2 Previsional Gantt Chart	24
2.5 Work Environment	24
2.5.1 Hardware Environment	24
2.5.2 Software Environment and Development Tools	24
2.5.3 Stack and Frameworks Comparative Analysis	25

2.6	Architectural Design	27
2.6.1	Deployment Architecture	27
2.6.2	System Package Component Architecture	28
2.6.3	Application Logical Architecture	29
2.7	Conclusion	30
3	First Release - Core Ingestion and 3D Visualization	31
3.1	Introduction	31
3.2	Sprint 1: Data Ingestion and Enrichment Pipeline	31
3.2.1	Sprint Backlog and Objectives	31
3.2.2	Sprint Analysis: Use Case Modeling	31
3.2.3	Sprint Conception: Classes, Sequences, and Schemas	31
3.2.4	Sprint Realization: Detailed Scraper Implementations	34
3.2.5	Sprint Realization: Ingestion & Enrichment Logic	40
3.3	Sprint 2: Real-Time SSE Stream and 3D Globe Visualization	40
3.3.1	Sprint Backlog and Objectives	40
3.3.2	Sprint Analysis: Use Case Modeling	41
3.3.3	Sprint Conception: Trigonometric Geocoding and Arc Interpolation	41
3.3.4	Sprint Realization: Shaders, Shards, and WebGL Globe	43
3.4	Conclusion	45
4	Second Release - STIX Analytics and Performance Guardrails	46
4.1	Introduction	46
4.2	Sprint 3: STIX 2.1 Threat Analysis Dashboard	46
4.2.1	Sprint Backlog and Objectives	46
4.2.2	Sprint Analysis: Use Case Modeling	47
4.2.3	Sprint Conception: Parser Interfaces and Graph Sequences	47
4.2.4	Conceptual Foundations of Graph Physics	53
4.2.5	Sprint Realization: STIX Parsers and Interactive Graph	55
4.3	Sprint 4: Analytics, History, and Performance Polishing	56
4.3.1	Sprint Backlog and Objectives	57
4.3.2	Sprint Analysis: Use Case Modeling	57
4.3.3	Sprint Conception: Search and Performance Buffers	57
4.3.4	Performance Stabilization Mathematics	59
4.3.5	Sprint Realization: Performance Guardrails and Buffers	60
4.4	System Project Retrospective	62
4.4.1	Scrum Development Analytics	62
4.4.2	Overcoming Critical Technical Challenges	63
4.4.3	Architectural Scalability and Future Improvements	63
4.5	Conclusion	64
5	Application Interfaces	65
5.1	Live Threat Map	65
5.2	System Dashboard	66
5.3	STIX Intelligence Workspace	66
5.4	Historical Threat Browser	66
5.5	Global Analytics	66
	Appendices	69

General Conclusion	85
Bibliography and Netography	86

List of Figures

1.1	Organizational structure of Predictra.	5
1.2	Agile Scrum development lifecycle flowchart.	10
2.1	UML Global Use Case diagram for the Predictra CTI platform.	22
2.2	Previsional Gantt Chart of development sprints.	24
2.3	UML Component diagram of the Predictra CTI system.	29
2.4	Predictra platform multi-tier layered application architecture.	29
3.1	Sprint 1: Use Case diagram for threat data harvesting.	32
3.2	Sprint 1: Conception Class diagram.	32
3.3	Sprint 1: Sequence diagram of the harvesting and enrichment loop.	33
3.4	Sprint 2: Use Case diagram for the 3D map visualizer.	41
3.5	Sprint 2: Sequence diagram of real-time streaming and WebGL rendering.	43
4.1	Sprint 3: Use Case diagram for the STIX 2.1 dashboard.	47
4.2	Sprint 3: Conception Class diagram.	52
4.3	Sprint 3: Sequence diagram of STIX bundle parsing and graph rendering.	53
4.4	Sprint 4: Use Case diagram for database browsing and performance monitoring.	57
4.5	Sprint 4: Conception Class diagram.	58
4.6	Sprint 4: Sequence diagram of paginated historical threat search.	58
5.1	The 3D Live Threat Map showing active threat corridors and origin/destination coordinates.	65
5.2	The System Dashboard displaying active feed metrics and high-severity threat summaries.	66
5.3	The STIX 2.1 Workspace displaying an uploaded threat bundle and its network representation.	67
5.4	The Historical Threat Browser with paginated data tables and advanced filtering capabilities.	67
5.5	The Analytics Dashboard presenting aggregate threat metrics and sector distributions.	68

List of Tables

1.1	Academic comparative analysis of global CTI solutions.	9
1.2	Operational breakdown of bi-weekly coordination meetings held over 6 months.	12
2.1	Detailed descriptions of the global primary use cases and their relationships.	23
2.2	Comprehensive architectural comparison of selected vs alternative technologies.	28
3.1	Sprint 1: Use Case descriptions.	32
3.2	MongoDB BSON Schema Dictionary ('models/ThreatEvent.js').	33
3.3	Sprint 2: Use Case descriptions.	41
4.1	Sprint 3: Detailed Use Case descriptions.	48
4.2	Sprint 4: Use Case descriptions.	58
4.3	Adaptive Event Sampling Engine control parameters.	59

List of Abbreviations

API	Application Programming Interface
APT	Advanced Persistent Threat
ASN	Autonomous System Number
C2	Command and Control
CDN	Content Delivery Network
CISA	Cybersecurity and Infrastructure Security Agency
CORS	Cross-Origin Resource Sharing
CS	Cybersecurity
CTI	Cyber Threat Intelligence
DOM	Document Object Model
DVR	Digital Video Recorder
EDR	Endpoint Detection and Response
FPS	Frames Per Second
GLSL	OpenGL Shading Language
HUD	Heads-Up Display
IOC	Indicator of Compromise
IP	Internet Protocol
JSON	JavaScript Object Notation
KPI	Key Performance Indicator
MISP	Malware Information Sharing Platform
OS	Operating System
PFE	Projet de Fin d'Études (Graduation Project)
R3F	React Three Fiber
RaaS	Ransomware-as-a-Service
RDAP	Registration Data Access Protocol
REST	Representational State Transfer
SIEM	Security Information and Event Management
SOC	Security Operations Center
SPA	Single Page Application
SSE	Server-Sent Events
STIX	Structured Threat Information Expression
TTP	Tactics, Techniques, and Procedures
TTL	Time-To-Live
UI	User Interface
UML	Unified Modeling Language
URL	Uniform Resource Locator
VM	Virtual Machine
WebGL	Web Graphics Library

WHOIS	Protocol for querying databases that store registered users
WS	WebSocket
XDR	Extended Detection and Response

General Introduction

Context of the Global Cybersecurity Landscape

In the modern digital era, the hyper-connectivity of corporate networks, cloud platforms, and critical infrastructures has created an unprecedented and highly volatile attack surface. Modern organizations rely entirely on software and network availability to operate, which has made them highly attractive targets for malicious actors. The threat landscape has evolved from simple, opportunistic scripts and virus files into highly coordinated, structured, and persistent adversary campaigns.

These campaigns are led by a diverse array of threat actors, including state-sponsored Advanced Persistent Threats (APTs) conducting digital espionage, transnational RaaS (Ransomware-as-a-Service) cartels seeking massive financial extortion, and politically motivated hacktivists launching disruptive operations. Adversaries routinely exploit zero-day vulnerabilities, stage extensive command-and-control (C2) servers across multiple cloud hosting layers, and leak stolen corporate documents on dedicated dark web extortion sites. In this hostile landscape, static boundary defenses (such as firewalls and signature-based antivirus software) are no longer sufficient to protect sensitive enterprise assets.

The Critical Problematic: Blindness to the Adversary

A foundational axiom of strategic warfare, articulated by the legendary Chinese military strategist Sun Tzu in *The Art of War*, states:

"If you know the enemy and know yourself, you need not fear the result of a hundred battles. If you know yourself but not the enemy, for every victory gained you will also suffer a defeat. If you know neither the enemy nor yourself, you will succumb in every battle."

When applied to modern cybersecurity, the vast majority of enterprise security programs focus exclusively on the second clause of Sun Tzu's axiom: **"knowing themselves"**. Organizations allocate immense capital to internal defense mechanisms. They install Endpoint Detection and Response (EDR) agents on every laptop, aggregate internal system logs inside massive Security Information and Event Management (SIEM) systems, and configure rigorous Identity and Access Management (IAM) controls.

While these tools are essential for monitoring internal system states, they leave the organization completely blind to **"the enemy"**. Enterprise defenders have no external visibility or contextual awareness. They do not know who is actively staging attacks against their specific industrial sector, which C2 IPs are currently active across global networks, what vulnerability scans are targeting their country, or if their corporate credentials and leaked assets are currently being traded on black-market forums. Operating

in this state of external blindness leaves security teams entirely reactive, forced to wait until a breach has already occurred before initiating a response.

The Solution: Proactive Threat Intelligence (CTI)

To resolve this systemic imbalance, the field of **Cyber Threat Intelligence (CTI)** has emerged as a critical component of modern security programs. CTI is the collection, classification, enrichment, and analysis of data regarding active cyber adversaries. It bridges the visibility gap by providing defenders with **external contextual awareness**, answering critical operational questions:

- **Who is the adversary?** (Identifying threat actor profiles, suspected state sponsorship, geopolitical motivations, and historical campaign records).
- **What are their tactics and methods?** (Mapping adversary techniques and procedures using standardized frameworks like the MITRE ATT&CK matrix, which outlines 12 strategic phases of an attack lifecycle).
- **What infrastructure are they utilizing?** (Tracking active botnet command-and-control nodes, phishing domain names, malware payload distribution URLs, and extortion listings).

By integrating structured CTI, enterprise defenders transition from a reactive posture to a proactive defense, identifying and blocking incoming threats before they execute within the internal network.

The Metric of Failure: Compromise Dwell Time

The severe operational cost of defending a network without external threat visibility is illustrated by global security metrics. According to the annual *IBM Cost of a Data Breach Report* and Mandiant *M-Trends* analytics, the global average **“dwell time”** – the duration between an initial network compromise and its eventual detection by the victim organization – consistently exceeds **“200 days”** (approximately 6 to 7 months).

During this long window of blindness, threat actors move laterally across internal networks, elevate privileges to domain controllers, exfiltrate intellectual property, and eventually stage and deploy destructive ransomware payloads. The principal driver of this long dwell time is that enterprise defenders only detect compromises after an internal anomaly triggers a high-severity alert. By aggregating, geocoding, and streaming external threat intelligence in real-time, organizations can identify active attack indicators immediately, reducing compromise dwell time from months to seconds.

Objective of the Graduation Project

The primary objective of this graduation project (Projet de Fin d’Études) is to design and implement the **“Predictra Threat Map”**, an enterprise-grade Cyber Threat Intelligence platform. The system is engineered to aggregate live cyber threat indicators from 9+

diverse external feeds (covering malware sites, command-and-control servers, active exploits, and ransomware leaks), geocode coordinate vectors, classify target organizational business sectors, and stream these threats in real-time via Server-Sent Events (SSE).

On the frontend, these threat flows are rendered on an interactive, high-performance 3D WebGL Earth globe using React Three Fiber and custom atmospheric shaders, allowing SOC teams to instantly visualize threat vectors. Furthermore, the platform integrates a client-side STIX 2.1 JSON uploader, a MITRE ATT&CK Kill Chain mapping matrix, and an interactive force-directed graph to allow in-depth campaign analysis.

Structure of the Graduation Report

To detail the research, modeling, and realization of the Predictra Threat Map, this report is structured into four distinct chapters:

- **Chapter 1: General Project Framework and Methodology** introduces our host company Predictra, reviews the commercial and open-source state of the art in CTI platforms, critiques existing options, and details our Agile Scrum and UML development methodologies.
- **Chapter 2: Project Specification, Planning, and Architecture** documents our captured functional and non-functional requirements, defines system actors, breaks down the Scrum backlog, and maps out our multi-tier deployment and logical application architectures.
- **Chapter 3: First Release - Core Ingestion and 3D Visualization** details the design and implementation of Sprint 1 (our 9 parallel backend scrapers and 5-layer classification engine) and Sprint 2 (our real-time SSE stream and 3D procedural WebGL globe visualizer).
- **Chapter 4: Second Release - STIX Analytics and Performance Guardrails** presents the realization of Sprint 3 (our STIX 2.1 parser, MITRE matrix, and D3 force-directed network graph) and Sprint 4 (our searchable logs browser, "Target My IP" geolocator, circular memory buffers, and adaptive FPS event sampling engine).

Chapter 1

General Project Framework and Methodology

1.1 Introduction

To establish a clear, academically rigorous roadmap for the design, development, and realization of the **Predictra Threat Map**, it is essential to first understand the organizational environment, project context, and state of the art in the threat intelligence domain. This chapter introduces our host company, details the commercial and open-source landscape of Cyber Threat Intelligence (CTI) platforms, critiques existing market solutions, and defines the Agile Scrum framework and UML standards adopted as our development and modeling methodologies.

1.2 Host Organization: Predictra

1.2.1 Company Profile and Mission

This graduation project was hosted by **Predictra**, a next-generation cybersecurity technology firm specializing in AI-driven Cyber Threat Intelligence (CTI). Predictra's core vision is to democratize threat intelligence, converting millions of raw, distributed cybersecurity data points into highly structured, real-time, and visually actionable insights.

Predictra provides enterprise security teams, Security Operations Centers (SOCs), and threat researchers with advanced reconnaissance capabilities, brand monitoring, ransomware leak tracking, and infrastructure threat analysis. The host company represents a modern threat-focused corporate environment, providing access to massive telemetry datasets and industrial expertise in cyber adversary tracking.

Predictra's platforms leverage advanced machine learning models to ingest unstructured data from public channels, dark web marketplaces, chat platforms, and open-source repositories. The goal of the organization is to equip modern security departments with proactive defenses, shifting the security paradigm from reactive incident response to predictive threat preemption. By offering real-time visibility into adversary activities, Predictra empowers companies to actively block threats before they breach internal network perimeters.

1.2.2 Organizational Structure

To support its mission of providing real-time global intelligence, Predictra is structured into three highly specialized departments, as modeled in Figure 1.1.




Figure 1.1: Organizational structure of Predictra.

The specific responsibilities of these departments are detailed below:

- **Threat Research Department:** Composed of malware analysts, threat hunters, and reverse engineers. This department focuses on analyzing APT campaigns, monitoring dark web extortion sites, crawling black-market forums, and maintaining global intelligence databases (such as MISP Galaxies). They validate Indicators of Compromise (IOCs) and create custom threat signatures. Their daily operations involve reverse-engineering malware samples to extract cryptographic signatures, tracking botnet controller command networks, and cataloging threat actor tactics. Their key output is verified technical threat intelligence that is fed directly into ingestion platforms.
- **Security Engineering Department:** Composed of backend developers, frontend designers, database administrators, and DevOps engineers. This department is responsible for building high-throughput ingestion pipelines, real-time data streaming layers, and high-performance visual interfaces (the department where our project was hosted). They focus on database performance tuning, horizontal scaling of ingestion services, UI/UX optimization for security analysts, and secure cloud deployments. They coordinate closely with researchers to ensure that newly discovered threat signatures are seamlessly supported by the parsing engines.
- **Sales and Operations Department:** Manages client relations, enterprise deployments, marketing campaigns, and commercial threat briefing dissemination, ensuring the platform's features align with commercial market requirements. They gather user feedback from enterprise customers, identify market gaps, and coordinate training and technical support services.

1.2.3 Inter-Departmental Workflows

To maintain a high velocity of threat detection and update dissemination, these three departments coordinate via highly structured workflows. When the Threat Research team identifies a new ransomware leak site or an active botnet command-and-control server cluster, they compile the technical signatures and pass them to the Security Engineering team.

The engineers design new scrapers or update the existing classification databases to support these indicators. Once validated, the engineering team deploys the updates to production environments. Finally, the Sales and Operations team briefs enterprise clients

on the newly integrated monitoring capabilities, gathering immediate operational feedback to guide future development iterations.

1.3 Project Context and Problem Definition

Modern organizations operate in an extremely hostile digital environment. Corporate IT infrastructures are continuously scanned, targeted, and compromised by sophisticated cyber threats, ranging from state-sponsored Advanced Persistent Threats (APTs) to highly organized Ransomware-as-a-Service (RaaS) cartels.

To defend their assets, security teams deploy extensive internal security controls (e.g., Endpoint Detection and Response - EDR, firewalls, and SIEM platforms). However, these controls only provide internal visibility. Organizations remain completely blind to the external threat landscape. They lack situational awareness regarding:

- What active adversary infrastructures (Command and Control - C2 nodes) are currently being staged globally or targeting their specific industrial sector.
- What credentials, internal assets, or confidential documents have been leaked on dark web forums or extortion blogs.
- What global threat trends and geographic attack corridors are emerging.

Historically, analyzing external threat feeds was a slow, manual process. Threat intelligence teams had to poll separate tabular feeds, manually normalize indicators, and compile static briefings. This tabular approach creates a high ****compromise dwell time**** – often exceeding 200 days – during which adversaries move laterally undetected. Furthermore, Security Operations Center (SOC) analysts suffer from visual fatigue when looking at thousands of static text logs in spreadsheets or simple dashboards. They lack an intuitive, real-time spatial visual interface that provides immediate, global threat situational awareness at a glance.

The **Predictra Threat Map** was conceived to bridge this critical operational gap, transforming high-velocity, multi-source external cyber threat data into a live, interactive, 3D visual intelligence map and structured analysis dashboard.

1.4 State of the Art: Comparative Analysis of CTI Solutions

To design a robust CTI platform, we conducted a rigorous comparative analysis of existing open-source and commercial threat intelligence solutions, evaluating their data models, stream latencies, spatial visualization support, and hardware footprints.

1.4.1 Open-Source Solutions

MISP (Malware Information Sharing Platform)

MISP is the de facto open-source standard for indicator of compromise (IOC) sharing. It supports highly structured schemas for storing, tagging, and sharing IP addresses, hashes,

and domains across trust communities. Its MISP Galaxies and Taxonomies provide outstanding threat classification. It allows communities to build "circles of trust" to share threat data anonymously via automated server synchronization.

From a technical perspective, MISP is built as a database-driven LAMP stack (Linux, Apache, MySQL, PHP). It relies on relational structures to represent threat events and attributes. While it is highly capable at storing massive tabular datasets of historical IOCs, it struggles under real-time streaming constraints. Analysts must poll the REST APIs periodically, which introduces latency. Furthermore, the user interface consists primarily of dense, tabular tables and text-based relationship structures. It lacks any high-performance, real-time 3D visual spatial mapping optimized for SOC situational monitoring.

Administrative costs for maintaining a MISP instance are relatively low in terms of software licensing (as it is open source), but high in terms of specialized human labor. Security teams must allocate engineering resources to regularly monitor system states, manage database partitions, and refine taxonomy rules. Additionally, because the UI is highly complex and lacks visual animations, security teams must invest extensive hours in analyst training before the tool can be effectively integrated into active incident response pipelines.

OpenCTI (Open Cyber Threat Intelligence)

OpenCTI is an advanced, highly modular platform modeled strictly on the STIX 2.1 standard. It represents cyber threat intelligence as a complex knowledge graph, linking threat actors, intrusion sets, campaigns, malwares, vulnerabilities, and targeted sectors. The graph is stored in Neo4j (graph database) and indexed using Elasticsearch for fast searching. It features a robust Python connector framework that allows analysts to import public, private, and commercial threat feeds easily.

However, the architecture of OpenCTI is extremely heavy. Running a minimal production cluster requires orchestrating multiple service layers: a web application, Neo4j, Elasticsearch, Redis, RabbitMQ, and multiple background Python workers. This infrastructure footprint demands high-specification cloud servers, resulting in prohibitive operational and maintenance costs. Furthermore, OpenCTI's user interface is optimized for long-term analytical investigations and relationship navigation rather than real-time spatial attack streams. It provides no high-performance 3D WebGL geocoded tracking.

From a hosting perspective, the hardware overhead of running Neo4j and Elasticsearch concurrently means that organizations must allocate premium cloud compute resources (typically requiring at least 16GB-32GB of RAM on staging instances). For smaller security teams, start-ups, or regional public entities, this makes the cost of hosting OpenCTI comparable to commercial software suites, effectively undermining the economic benefit of selecting an open-source solution.

1.4.2 Commercial Solutions

Recorded Future

Recorded Future is a leading commercial threat intelligence platform that utilizes extensive automated web scraping and natural language processing (NLP) to index threat indicators from public, dark web, and social media channels. It translates these unstructured pages into standardized "intelligence cards," offering threat scoring, actor profiles,

and technical indicators. It provides polished integrations with major Enterprise SIEM, SOAR, and EDR systems.

Despite its outstanding collection and enrichment capabilities, Recorded Future is commercial and highly expensive. The licensing costs are prohibitive, making it completely inaccessible to small-to-medium enterprises (SMEs) or regional public institutions. Furthermore, the dashboard is heavily geared toward analytical text widgets and tabular intelligence reports. Its spatial visualization is limited to simple static 2D maps, lacking any high-performance, live-streaming spatial animation optimized for continuous SOC display screens.

Because it operates as a proprietary SaaS system, organizations must rely completely on the vendor's closed scoring algorithms and data enrichment paths. If a security team requires custom data sources (such as localized regional forums or internal telemetry datasets) that are not natively crawled by Recorded Future's harvesters, integrating them into the core intelligence engine is highly complex, often requiring expensive custom service contracts.

Cyble

Cyble is a rapidly growing AI-powered commercial CTI provider focusing on dark web monitoring, brand protection, and attack surface management. It crawls dark web forums, deep web marketplaces, and encrypted chat channels to detect leaked credentials, compromised corporate assets, and exposed source codes. It provides security teams with automated threat alerts and risk indicators.

Like Recorded Future, Cyble operates on a closed-source, high-fee commercial subscription model. It lacks an open developer ecosystem, preventing custom integrations or direct access to raw streaming engines. Its visual interfaces are designed as static executive reporting panels, omitting the live, high-frame-rate geocoded animations needed for real-time threat tracing. This static approach limits the utility of the platform for active SOC display environments where real-time, animated, and geocoded visual feedback is essential for maintaining analyst alertness and immediate threat identification.

1.4.3 Comparative Summary Table

To clarify the distinctions, a comparative matrix of key platform parameters is detailed in Table 1.1.

1.5 Critique of Existing Systems and Proposed Solution

The evaluation of the state of the art highlights a clear market gap: **existing CTI platforms are either highly analytical but visually static and resource-heavy (like OpenCTI and MISP), or visually polished but commercially restrictive (like Recorded Future).**

To resolve this gap, we proposed the **Predictra Threat Map**. Our solution is engineered as a high-performance, real-time threat visualizer and structured STIX analyst workspace:

Feature / Metric	MISP	OpenCTI	Recorded Future	Predictra Threat Map
Data Model	Attributes / Events	STIX 2.1 Graph	Proprietary Graph	Hybrid (SSE + STIX 2.1)
Real-Time Streaming	Low (Sync APIs)	Medium (API Poll)	Medium	High (300ms SSE Flush)
Visual Spatial Mapping	None	None	Limited 2D Maps	3D WebGL Globe & 2D
System Resource Footprint	Medium	Very High	N/A (SaaS)	Low (Optimized Node/React)
Target Audience	Incident Responders	Intel Analysts	Enterprise SOC	Modern SOC & SME
Financial Accessibility	Free / Open Source	Free / Open Source	Highly Prohibitive	Open and Accessible

Table 1.1: Academic comparative analysis of global CTI solutions.

- It uses a parallel scraper architecture fetching data from 9+ diverse feeds, bypassing heavy broker infrastructures. This ensures that the ingestion layer remains highly resilient, as the failure of one external feed does not affect other scraper operations.
- It utilizes Server-Sent Events (SSE) to stream events instantly with a 300ms flush queue, keeping browser CPU load low. SSE provides a unidirectional, low-overhead HTTP connection that is simpler to configure and maintain through enterprise firewalls than complex WebSockets.
- It renders an interactive 3D procedural Earth at 60fps utilizing React Three Fiber and WebGL shaders, visualising geolocated threat vectors as dynamic great-circle bezier curves. The use of hardware acceleration offloads mathematical calculations to the GPU, preserving browser responsiveness.
- It integrates a dedicated, client-side STIX 2.1 bundle parser and force-directed relationship graph, providing the analytical depth of complex graph platforms in an accessible, zero-config workspace. This client-side approach eliminates the need for expensive Neo4j or Elasticsearch server clusters.

By decoupling the high-throughput ingestion backend from the rich 3D visualization frontend and using client-side WebGL math, the platform provides exceptional visual quality and deep intelligence analysis without requiring high-spec, expensive backend server clusters.

1.6 Work Methodology and Modeling Standards

To ensure the rigorous and efficient delivery of this software platform, the project adopted standard industry methodologies for development and system modeling.

1.6.1 Agile Scrum Framework

We implemented the **Agile Scrum framework** to pilot the development process. This methodology split the project lifecycle into iterative, fully functional increments called **Sprints**.




Figure 1.2: Agile Scrum development lifecycle flowchart.

The Scrum lifecycle details are structured as follows:

- **Roles:** Brahim Jaballi and Chiheb Amri shared the developer role, with Chiheb coordinating scrum master tasks (sprint planning, daily standups, backlog refinement) and industrial mentors acting as the Product Owner.
- **Sprint Planning (Duration: 2 Hours):** Held at the start of each sprint. The team analyzed the Product Backlog, estimated task complexities using Planning Poker (Fibonacci scale), and committed to a Sprint Backlog. This ritual ensured that the team maintained a clear, realistic set of deliverables for each iteration, avoiding scope creep. Task complexity was evaluated relative to standard reference cards, helping to identify potential design bottlenecks early.
- **Sprint Execution (Duration: 2-3 Weeks):** Active coding, database design, visual design, and integration testing of the committed backlog items. The work was divided using git branch collaborations. The team used continuous integration strategies to ensure that the code on the main branch compiled flawlessly at the end of each day.

- **Daily Scrum (Duration: 15 Minutes):** A daily morning meeting where both team members aligned by answering: What was done yesterday? What will be done today? What are the blockers? This ceremony kept the development highly coordinated and immediately resolved technical bottlenecks, such as library version conflicts or database access permissions.
- **Twice-Weekly Coordination and Review Meetings:** Extended coordination sessions held specifically on Thursdays and Sundays to handle deep code integration, performance profiling, and strategic sprint planning (detailed in Subsection 1.6.2).
- **Sprint Review (Duration: 1.5 Hours):** Conducted at the end of each sprint. The developers demonstrated a working system increment (e.g., the Scraper Pipeline in Sprint 1, the WebGL Globe in Sprint 2) to obtain Product Owner feedback and validate user stories. Any feedback or modification requests were immediately converted into new backlog items.
- **Sprint Retrospective (Duration: 1 Hour):** Held immediately after the review, where the team identified engineering process bottlenecks (e.g. testing bottlenecks, git merge conflicts) and defined continuous improvement action items. This ceremony ensured that team performance improved incrementally with each sprint.

1.6.2 Twice-Weekly Scrum Coordination and Technical Review Rituals

Because the development of the **Predictra Threat Map** involved both high-throughput distributed database ingestion systems (scrapers, BSON caches, geocoding) and complex browser-side WebGL canvas renderers, standard 15-minute Daily Scrum meetings were insufficient to resolve dense architectural alignment and integration bottlenecks. To address this, the development team (Brahim Jaballi and Chiheb Amri) instituted an additional twice-weekly extended coordination and technical review cadence, occurring without fail every Thursday and Sunday over the entire six-month project lifecycle (representing over 48 intensive sessions in total).

These bi-weekly sessions acted as the technical anchors of the project. They ensured that both developer branches remained continuously integrated and that any performance bottlenecks (such as garbage collection spikes or memory leaks in the Three.js render loop) were diagnosed and resolved immediately.

Thursday Technical Alignment Sessions

The Thursday meetings, typically lasting 3 hours, were positioned at the mid-point of each sprint. Their core purpose was to ensure technical alignment, verify code compilation, and perform peer code reviews. The agenda and operational details are structured below:

- **Code Review and Pull Request Merging:** The developers conducted line-by-line peer reviews of newly written features (e.g., a new scraper module or a UI widget). Branch merges into the local `develop` environment were executed during this session.
- **API Schema Verification:** External threat intelligence feeds (such as AlienVault OTX or URLhaus) frequently update their JSON fields without notice. Thursdays

were used to audit incoming API payloads against our local Mongoose database schemas, resolving any mapping errors or missing geocoding fields.

- **Performance Profiling Sandbox:** Developers ran Chrome DevTools profiling sessions on the rendering thread, checking that the addition of new visual elements (like animated great-circle arcs) did not degrade the rendering framerate below 60fps.

Sunday Strategic Integration and Planning Sessions

The Sunday meetings, typically lasting 4 hours, were conducted at the end of each weekly cycle. These sessions focused on architectural consolidation, long-term technical planning, and product owner briefings. Their core agenda included:

- **End-of-Week Architectural Refactoring:** Over the course of weekly active coding, developers often introduced minor technical debt. Sundays were dedicated to refactoring complex components, consolidating Zustand store states, cleaning CSS variables, and auditing TypeScript type safety.
- **Academic Documentation Consolidation:** To maintain a high-quality graduation thesis, the team spent the last hour of every Sunday session documenting the technical achievements, designing UML diagrams, and updating the LaTeX report to reflect the current sprint's results.
- **Next-Sprint Planning and Backlog Commitment:** In alignment with upcoming milestones, developers refined the backlog, estimated task sizing using Planning Poker, and committed to the deliverables for the subsequent weekly cycle.

To summarize, the operational structure of these twice-weekly coordination sessions is detailed in Table 1.2.

Parameter	Thursday Technical Alignment	Sunday Strategic Integration
Session Focus	Technical Integration, Code Auditing, Bug Diagnostics	Architectural Consolidation, Documentation, Sprint Planning
Typical Duration	3.0 Hours	4.0 Hours
Key Inputs	Local Feature Branches, Scraper Output Logs, Performance Metrics	Consolidated <code>develop</code> Branch, Open Backlog, Academic Guide
Key Activities	Peer reviews, API schema validation, WebGL frame profiling, branch merging	Code refactoring, Zustand state pruning, LaTeX documentation, backlog sizing
Primary Output	Integrated, stable mid-sprint code build	Cleaned production build, updated UML blueprints, next sprint backlog
Lifespan Coverage	Every week over 6-month duration (48+ sessions)	Every week over 6-month duration (48+ sessions)

Table 1.2: Operational breakdown of bi-weekly coordination meetings held over 6 months.

1.6.3 UML Modeling Standards

To guarantee a solid architectural design, the system requirements, conception, and structure were modeled utilizing the **Unified Modeling Language (UML)**.

- **Use Case Diagrams:** Captured functional system boundaries and actor-system boundaries. They helped define what services the system must deliver and which human or external actors trigger them, providing a clear map of system responsibilities.
- **Class Diagrams:** Modeled Mongoose database schemas, backend services, and Zustands stores, laying out the structural blueprints of our classes, variables, and methods. These diagrams were crucial in establishing a type-safe structure during TypeScript integrations.
- **Sequence Diagrams:** Traced asynchronous communication timelines between analysts, backend event streams, and front-end render loops, verifying transaction safety and identifying potential race conditions or connection deadlocks.
- **Component Diagrams:** Illustrated modular package boundaries and code dependencies, ensuring a decoupled physical architecture that facilitates scaling.

—

1.7 Conclusion

This chapter established the academic, professional, and methodological foundations of our project. Having analyzed the CTI domain, compared existing market solutions, and set up our Scrum and UML modeling structures, we proceed to Chapter 2 to detail the requirements, project preparation, sprint planning, and the global architecture of the Predictra CTI platform.

Chapter 2

Project Specification, Planning, and Architecture

2.1 Introduction

Establishing a robust system requires deep preparation, rigorous specifications, planning, and clean architectural design. This chapter details our functional and non-functional requirements, models the global system needs using a UML Use Case diagram, breaks down the Scrum product backlog, details our development environment, and presents both our infrastructure deployment layout and logical multi-tier application architecture.

2.2 Requirements Specification

To ensure the Predictra Threat Map satisfies academic and operational standards, we captured and defined detailed functional and non-functional requirements.

2.2.1 Functional Requirements (RF)

The platform must support the following ten functional requirements, structured in detail below:

RF-1: Multi-Feeds Data Ingestion Engine

- **Description & Operational Context:** The system must ingest raw security events from 9+ diverse external feeds (AlienVault, URLhaus, C2 Tracker, Kaspersky Feodo, Fortinet, Bitdefender, Checkpoint, RansomWatch, and MISP Galaxy), orchestrating both REST APIs and streaming clients in parallel. This broad harvesting ensures that different threat categories (malwares, command controllers, exploits) are consolidated. From a strategic perspective, cyber threat intelligence is only as valuable as the diversity of its input signals. Relying on a single vendor or data stream introduces a critical vulnerability known as "intelligence blindness." By harvesting from multiple geographically and operationally diverse sources, the platform is able to build a holistic threat map. The engineering challenges involved in this requirement are significant: each external feed utilizes distinct transmission protocols, custom authentication structures, varying data schemas, and unique

rate-limiting policies. The ingestion layer must decouple the fetch routines using an asynchronous component architecture, ensuring that slow queries from one scraper do not block the thread execution of other active harvesters.

- **Use-Case Scenario:** A threat actor registers a new botnet command-and-control server on an bulletproof hosting provider. Within minutes of active staging, the C2 Tracker scraper queries the target host, extracts the raw server details, validates the active listening ports, and pushes the threat indicator into our ingestion pipeline.
- **Inputs:** External threat intelligence feed configurations, API tokens, HTTP REST endpoints, WebSocket channels, query rate parameters, connection timeout configurations.
- **Outputs:** Standardized raw threat events JSON packets containing source attributes, raw timestamps, indicator categories, and adversary identification headers.
- **Validation Criteria:** Continuous ingestion from all 9 sources must proceed without data blocking or feed starvation. If an external API goes offline or encounters temporary network congestion, the scraper must gracefully capture the error, log a detailed system warning, and schedule an exponential-backoff reconnect attempt ($T_{retry} = 2^n \times 1000\text{ms}$) up to a maximum threshold, preventing server thread lockups or continuous request flooding.

RF-2: Geolocation Enrichment Pipeline

- **Description & Operational Context:** The backend must automatically resolve raw IPv4/IPv6 address indicators into precise geographic coordinates (Latitude, Longitude) and ISO country codes utilizing a high-speed geocoding library. Geolocating threat origins is critical for SOC teams to identify emerging regional attack corridors and apply geo-blocking policies. Simply knowing that an IP address is malicious is insufficient for strategic and tactical defense. Security analysts must understand the spatial distributions of cyberattacks to identify if their organization is being targeted by a localized regional campaign or if a specific threat actor group is utilizing staging servers in a particular jurisdiction. The geolocation pipeline must execute at high velocities. Because the live stream receives dozens of threat logs per second, resolving coordinates using external network queries (such as remote REST API calls) is impossible due to latency bottlenecks and strict vendor rate-limiting. The enrichment pipeline must therefore utilize an optimized local database memory mapping, converting IP blocks in sub-millisecond cycles.
- **Use-Case Scenario:** An incoming exploit log from a Fortinet scraper lists the attacker IP 185.220.101.5. The geocoder intercepts this address, searches the local IP-to-country B-tree memory block, and resolves the IP to Germany (DE) with decimal coordinates 51.2993, 9.491.
- **Inputs:** Raw IP address strings (IPv4 or IPv6 format) extracted from the threat events ingestion queue.
- **Outputs:** ISO two-letter country codes, geocoded Latitude and Longitude decimal coordinates, city name indicators (where available), and Autonomous System Number (ASN) details.

- **Validation Criteria:** Coordinate resolution must execute in sub-millisecond latencies using local caching to avoid external API rate limits. Invalid, malformed, or private IP blocks (e.g. Loopbacks, 127.0.0.1, 192.168.x.x, or 10.x.x.x) must be mapped to safe default fallback coordinates (typically centered in the Atlantic Ocean or the coordinate center [0,0]) without raising system exceptions or halting the pipeline execution.

RF-3: Multi-Layer Sector Classification

- **Description & Operational Context:** The enrichment engine must dynamically classify threat victims into one of 9 critical business sectors (Healthcare, Finance, Government, Technology, Energy, Education, Telecom, Manufacturing, Retail) using a 5-layer classification engine. This classification allows analysts to filter active threat campaigns targeting their specific vertical. When a cyber threat event occurs, identifying the target industry sector is essential for assessing the systemic risk and cascading impact. For instance, a ransomware attack targeting a financial institution has different regulatory and operational implications compared to a distributed denial-of-service (DDoS) attack targeting a retail website. Since raw feeds rarely contain structured sector tags, the enrichment engine must parse heterogeneous context clues using natural language processing (NLP) keyword matrices, destination port signatures, and historical actor targeting associations to accurately assign a victim sector.
- **Use-Case Scenario:** A RansomWatch scraper indexes an extortion post detailing an attack on "Saint Jude Memorial Hospital." The classifier parses the string, identifies the keyword "Hospital," matches it against the healthcare dictionary, and assigns the target sector to "Healthcare."
- **Inputs:** Attack name, target organization details, destination ports, threat actor profiles, MISP galaxy metadata.
- **Outputs:** Classified target sector name string corresponding to one of the 9 defined critical business sectors.
- **Validation Criteria:** The classification engine must resolve every event within 5 milliseconds. If no sector can be matched via keywords, ports, or metadata, the system must gracefully fall back to the source feed's default sector (such as "Enterprise Technology") to ensure that the event remains categorizable on the threat dashboard.

RF-4: Real-Time Server-Sent Events (SSE) Streaming

- **Description & Operational Context:** The server must stream geocoded and classified threat events to connected browsers with sub-second latencies using a Server-Sent Events (SSE) feed, avoiding the overhead of heavy message brokers. This allows immediate dashboard updates without continuous REST polling. Traditional client-server architectures rely on HTTP polling, where the client browser repeatedly requests updates every few seconds. This polling method introduces severe latency delays and wastes massive network bandwidth. While WebSockets

provide two-way real-time communication, they require complex protocol handshakes, custom framing, and suffer from firewall blocking in strict corporate environments. Server-Sent Events (SSE) represent the optimal compromise: they establish a lightweight, unidirectional, long-lived HTTP connection where the server can continuously push events to the client. This streaming pipeline must include an intermediate memory queue on the backend, buffering incoming threats and flushing them in coordinated batches to protect client-side rendering processes.

- **Use-Case Scenario:** A new ransomware victim is indexed. The backend processes the event, enriches it with coordinates, queues it, and immediately flushes it down the open SSE connection, causing the analyst's map to pulsate.
- **Inputs:** Enriched backend threat events from the processing pipeline, active client HTTP socket connections.
- **Outputs:** Consolidating HTTP Server-Sent Events (SSE) stream payloads formatted as `text/event-stream` packets.
- **Validation Criteria:** Updates must be consolidated and flushed at a coordinated 300ms interval to protect client browser rendering performance, preventing CPU thread locks from rapid single-event updates. The stream must maintain a 30-second keep-alive heartbeat to prevent reverse-proxy servers from prematurely closing idle connections.

RF-5: 3D WebGL Threat Map Visualizer

- **Description and Context:** The frontend must render a high-performance, interactive 3D procedural globe showing live attacks as animated great-circle bezier curves and pulsating impact markers, with support for a flat 2D Mercator projection toggle. A high-end visual environment helps SOC teams analyze spatial threat relations at a glance. In a high-pressure Security Operations Center (SOC), analysts are overwhelmed by tabular text logs, which leads to cognitive fatigue. A 3D visual threat map transforms complex spatial telemetry into an intuitive, real-time spatial experience. The map must allow seamless user interactions, including orbital rotations, zooming, and panning, and must support a toggle to project coordinates onto a flat 2D Mercator surface for specific geographical comparisons. To achieve high performance, the visualizer must leverage the GPU directly using WebGL and optimized vertex shaders.
- **Use-Case Scenario:** An analyst mounts the dashboard. A 3D WebGL Earth loads in a black space background. Glowing fibers representing attacks arch from Germany to the US, showing the active threat vectors.
- **Inputs:** 3D coordinate vectors, attack categories, severity colors, and time deltas retrieved from the Zustand state store.
- **Outputs:** High-end, interactive procedural 3D visual Earth mesh in R3F Canvas with glowing arcs, pulsating impact markers, and country boundary lines.
- **Validation Criteria:** Rendering frame rate must maintain a smooth 60fps under standard attack densities. If the client hardware is low-powered, the system must

trigger adaptive visual scaling, limiting the active number of overlapping bezier arcs to prevent rendering lag.

RF-6: STIX 2.1 Bundle Parser

- **Description & Operational Context:** The system must allow analysts to upload standard JSON STIX 2.1 threat intelligence bundles, extract objects (indicators, actors, TTPs), and display them in structured tables. This ensures compliance with global cybersecurity intelligence standards. Standardized threat sharing is essential for collective defense. The Structured Threat Information Expression (STIX) format allows security agencies, CERTs, and private vendors to share threat intelligence without encountering proprietary format blockages. The STIX bundle parser must process complex JSON structures entirely in the browser using client-side JavaScript, ensuring that sensitive enterprise intelligence files are never sent to external servers. The parser must validate the uploaded file structure, extract core STIX domain objects, resolve relationships, and populate the dashboard.
- **Use-Case Scenario:** A government CERT agency releases a STIX bundle concerning a new APT campaign. The analyst uploads the file, extracts the indicators, threat actor profiles, and tools, and reviews them in the structured table.
- **Inputs:** Local STIX 2.1 JSON file uploaded via the dashboard drag-and-drop interface.
- **Outputs:** Isolated maps of STIX objects grouped by threat classes, displayed in interactive, searchable client tables.
- **Validation Criteria:** The parser must validate the JSON schema, ensure the presence of required fields (such as `spec_version: "2.1"` and `type: "bundle"`), and seamlessly support large files (up to 300KB) entirely client-side without locking the browser's main execution thread.

RF-7: MITRE ATT&CK Kill Chain Mapping

- **Description & Operational Context:** The STIX dashboard must map extracted adversary techniques directly into the 12 phases of the MITRE ATT&CK Cyber Kill Chain, illustrating threat distributions per phase. This categorization assists teams in planning security remediation. The MITRE ATT&CK matrix is the industry-standard taxonomy for cataloging adversary tactics, techniques, and procedures (TTPs). By mapping ingested STIX attack pattern objects directly to this matrix, the platform provides security teams with immediate visibility into the adversary's operational phase. For example, if a parsed bundle contains an overwhelming number of techniques concentrated in the "Initial Access" phase, defenders know they must focus on perimeter controls. If the techniques are clustered in "Privilege Escalation," internal endpoint security must be audited.
- **Scenario:** The parsed STIX bundle contains techniques like "Spearphishing Link" and "DLL Side-Loading". The matrix groups them under "Initial Access" and "Defense Evasion" respectively, displaying a visual count indicator in the UI grid.

- **Inputs:** Parsed STIX attack pattern objects containing MITRE ATT&CK `kill_chain_phases` identifiers.
- **Outputs:** Structured 12-phase MITRE ATT&CK visual matrix showing technique distributions and descriptive popups.
- **Validation Criteria:** Distribution counts per phase must update automatically upon parsing, highlighting the most heavily populated stages to focus mitigation efforts. Malformed or custom phase names must be safely grouped under an "Other / Custom" column to prevent grid rendering failures.

RF-8: Interactive 3D/2D Force-Directed Graph

- **Description & Operational Context:** The STIX workspace must compile relationships into a force-directed network graph, illustrating threat actor mappings to malwares and indicators. Visualizing relationships as an interactive node-link network simplifies tracking campaign footprints. In cyber threat intelligence, threat indicators do not exist in isolation; they are deeply interconnected. An IP address is associated with a malware sample, which is utilized by a specific threat actor operating during a particular campaign. Tabular logs fail to illustrate these relationships. An interactive force-directed graph represents these connections as physical nodes and links, simulating natural spring forces. Analysts can drag nodes, zoom in on clusters, and hover over relationships to trace how threat infrastructure is tied back to human adversaries.
- **Use-Case Scenario:** An analyst loads a STIX campaign. The graph renders a central red node (Threat Actor) connected to multiple amber nodes (Malwares) and blue nodes (IPs).
- **Inputs:** Parsed STIX relationship nodes and links extracted from the uploaded JSON bundle.
- **Outputs:** Interactive 2D HTML5 canvas force-directed network simulation with flowing particles mapping relationship paths.
- **Validation Criteria:** Flowing particles must travel along active relationships from origin to destination at variable speeds corresponding to severity. Hovering over a node must highlight its adjacent links and dim unrelated nodes in real-time.

RF-9: Searchable Historical Database Browser

- **Description & Operational Context:** The platform must provide a searchable historical log viewer of persisted threat records, filtering by country, target sector, IP address, and free-text regex queries, with paging to protect server performance. Real-time visual monitoring must be backed by a strong historical record system. When a security incident is detected, investigators must query historical logs to perform forensic audits, searching if similar threat vectors have targeted their infrastructure in the past. To ensure high speed, the database queries must leverage indexes on frequently searched fields. The interface must provide paginated views to protect server and client memory from massive document arrays.

- **Use-Case Scenario:** An investigator searches for all "Healthcare" threats originating from "Russia" (RU) during the last week, filtering the results instantly in a searchable table.
- **Inputs:** Search strings, country selection, target sector, pagination index parameters.
- **Outputs:** Paginated BSON threat documents array matching the query filters.
- **Validation Criteria:** Query page size must be bounded (default 50 logs per page) to prevent server memory bloat, with database queries executing in under 50ms using indexing.

RF-10: Target My IP Helper & Excel Export

- **Description & Operational Context:** The history page must integrate a quick-helper to geolocate and query threats targeting the investigator's public IP, alongside a feature to export threat logs into formatted Microsoft Excel files. Analysts often need to run quick sanity checks on their local networks or export forensic evidence for presentation to stakeholders. The "Target My IP" helper queries an external public IP API, geolocates the client, and automatically searches the threat history database to identify if their specific public network IP or neighboring subnet blocks have been logged as active targets by any scraper. The Excel export feature converts current query results into standard XML Spreadsheet formats entirely client-side.
- **Use-Case Scenario:** An analyst wants to see if their current network has been targeted. They click "Target My IP," geolocate themselves, filter the logs, and export the threat list to Excel for a security briefing.
- **Inputs:** Clicked HUD buttons, public IP query results.
- **Outputs:** Geolocated public client IP and formatted Excel spreadsheet downloads.
- **Validation Criteria:** Export must support up to 5,000 logs in a single continuous stream utilizing fast client-side worksheet packages, preventing browser memory exhaustion.

2.2.2 Non-Functional Requirements (RNF)

To satisfy system reliability, performance, and aesthetic standards, five non-functional requirements were established:

RNF-1: High Frame-Rate and UI Fluidity

The 3D interactive globe must maintain a rendering frame-rate of 60 Frames Per Second (FPS) under normal conditions. The frontend must implement adaptive sampling, dynamically dropping events if rendering drops below 45 FPS to preserve orbit controls responsiveness. Because a laggy visual UI breaks the premium experience, we mandate a strict performance ceiling. The system must measure rendering deltas and drop the creation of visual WebGL objects (arcs and impact points) if client hardware lags, ensuring smooth navigation at all times.

RNF-2: Minimal Memory Footprint (GC Protection)

The client-side dashboard must avoid memory leaks. The system must utilize optimized circular buffers (RingBuffer) with a maximum capacity of 10,000 events, avoiding garbage collection pressure and main-thread stutters. Traditional JavaScript array operations trigger frequent garbage collection cycles that pause the browser execution thread. The custom circular buffer pre-allocates a static array structure, overriding elements in-place and keeping the memory usage flat.

RNF-3: Self-Cleaning Storage & Time-To-Live (TTL)

The MongoDB database growth must be bounded. Old threat records must automatically expire and prune from the database after a 30-day Time-To-Live (TTL) interval using automated indexing, avoiding billing overages on free cloud database tiers. Because our scrapers process thousands of records daily, unbounded growth would rapidly consume storage quotas. The database layer must enforce self-cleaning behaviors.

RNF-4: Database Storage Quota Guard

The backend must monitor MongoDB collection sizes. If storage space exceeds 500 MB (protecting free cloud database tiers), the server must automatically disable database writes and fall back to volatile in-memory streaming, notifying administrators. This requirement acts as a fail-safe mechanism, protecting deployment infrastructure from crash failures caused by storage exhaustion.

RNF-5: Premium Glassmorphism UI Theme

The interface must implement a high-end, responsive dark theme design, utilizing glass-morphism visual tokens (blur, borders, translucent backgrounds) and neon-HSL severity colors (red for exploits, amber for malwares, blue for phishing), ensuring visual premium aesthetics and reducing investigator fatigue. The visual theme must look modern, clean, and state-of-the-art, projecting a futuristic command-center atmosphere.

2.3 [System Needs Modeling](#)

To define the system boundary, we identified the primary actors and modeled their interactions with the global platform using a UML Use Case diagram.

2.3.1 Identification of Actors

We identified two main actors interacting with our system:

- **External Threat Feeds (System Actor):** Ingests raw cyber threat logs via HTTP REST APIs, SSE feeds, or WebSockets. It acts as the primary data supplier.
- **Security Analyst (Human Actor):** Interacts with the frontend dashboard to monitor geolocated threat vectors, explore history, export data, and upload/explore STIX 2.1 threat intelligence bundles.

2.3.2 Global Use Case Diagram

The global interactions are illustrated in the UML Use Case diagram in Figure 2.1, rendered natively in vector format using LaTeX TikZ.




Figure 2.1: UML Global Use Case diagram for the Predictra CTI platform.

The specific functional workflows of these use cases are summarized in Table 2.1.

2.4 Project Management with Scrum

As described in Chapter 1, we implemented the Agile Scrum methodology to pilot the design and realization.

2.4.1 Product Backlog

The features requested by the Product Owner were broken down into four distinct sprint backlogs:

- **Sprint 1 (Ingestion Backend):** Setup Express backend server, database schemas, MongoDB Atlas connections, 9 parallel REST/stream scrapers, and the 5-layer sector classification pipeline. Focus on high-throughput database inserts and robust API connection pooling.
- **Sprint 2 (Visualizer Frontend 3D Earth):** Develop the Express SSE feed endpoint with 300ms queue, establish the Zustand store on the React frontend, and build the 3D procedural WebGL Earth Canvas with bloom rendering, bezier fly-arcs, and pulsating markers. Target a smooth 60fps orbital rotation.

Base Use Case	Included / Extending	Main Workflow & Interaction Details
View Live Map	Includes: Stream Live Events, Render 3D Globe Extends: Toggle 2D/3D Projection, Configure Map, Inspect Metadata	Security Analyst mounts the map view. The frontend initiates the WebGL globe render loop and hooks into the Server-Sent Events (SSE) client stream. Optional controls allow altering atmospheric/trail quality, flattening coordinates to 2D Mercator, and hovering over bezier arcs to see raw metadata.
View Dashboard	Includes: Stream Live Events, Render 2D Flat Map Extends: Filter Dashboard, Drill-down Country, Export Logs	Security Analyst opens the flat command center view. System displays grid panels containing real-time metrics, sparklines, and maps. Analyst can query events using regex, click countries to see drill-down reports, or export the active buffer to JSON, CSV, or formatted Excel sheets.
Browse Threat History	Includes: Query Historical Logs Extends: Target My IP, Export Logs	Security Analyst searches the persistent database. System queries MongoDB Atlas collections. Helper features allow automated public IP geolocation checks (Target My IP) to query matching subnet logs and client-side formatting for Excel spreadsheet exports.
Analyze CTI (Threat Analytics)	Includes: Query MISP Galaxy Extends: Browse Actors, Browse Malware, Browse Country Risk	Security Analyst accesses the threat intelligence portal. The system retrieves stored MISP Galaxy templates. The analyst filters APT groups by country attribution or target sector, audits ransomware encryption details, and views geographical vulnerability heatmaps.
Manage STIX Intel	Includes: Parse STIX 2.1 Extends: Upload STIX, Map MITRE, Explore Threat Graph	Security Analyst mounts the STIX 2.1 analysis environment. The analyst uploads a JSON bundle, parsed client-side. The frontend compiles objects into an interactive D3 node-link force-directed graph and maps adversary patterns into the 12 phases of the MITRE ATT&CK Cyber Kill Chain.

Table 2.1: Detailed descriptions of the global primary use cases and their relationships.

- **Sprint 3 (STIX Analysis Workspace):** Create the frontend STIX 2.1 JSON parser, implement the MITRE ATT&CK Kill Chain mapping, and render the force-directed relationship graph using Canvas. Focus on client-side graph physics stability and custom particle flowing lines.
- **Sprint 4 (Analytics, History & Performance Polish):** Setup the historical log browser, code "Target My IP" geolocator, integrate MISP threat actor datasets,

write Excel export streams, and implement performance safeguards (RingBuffer, Zustand throttler, and adaptive FPS sampling drops).

2.4.2 Previsional Gantt Chart

Our chronological sprint schedule is modeled in Figure 2.2 using a native LaTeX TikZ timeline chart.




Figure 2.2: Previsional Gantt Chart of development sprints.

2.5 Work Environment

To support development and testing, we established a standardized hardware and software environment.

2.5.1 Hardware Environment

- **Development Workstation:** Intel Core i7 12th Generation Processor, 16 GB DDR4 RAM, 512 GB NVMe SSD, Nvidia GeForce RTX 3060 Laptop GPU (essential for rendering and debugging high-velocity WebGL atmospheric fragment shaders and real-time bloom post-processing filters without interface lagging).
- **Staging Test Server:** Dual-core Virtual Private Server representing cloud staging infrastructure.

2.5.2 Software Environment and Development Tools

- **Operating System:** Windows 11 Home for developer environments, Linux Ubuntu Server 22.04 LTS for cloud API staging processes.
- **IDE:** Visual Studio Code (VS Code) with TypeScript ESLint, Git, and LaTeX Workshop extensions.
- **Database Inspection:** MongoDB Compass for inspecting Mongoose models and TTL indexes, and Robo 3T.
- **API Testing:** Postman for constructing mock threat streams and auditing Server-Sent Events headers.

2.5.3 Stack and Frameworks Comparative Analysis

The selection of our development stack was not arbitrary; it was the result of a rigorous architectural evaluation designed to balance the competing demands of high-throughput backend data harvesting and ultra-smooth, lightweight frontend WebGL rendering. Every framework and language was scrutinized against standard industry alternatives to ensure optimal resource efficiency.

Core Languages: Type Safety vs. Volatile Scripting

For our backend orchestration, we utilized **JavaScript (ECMAScript 6+)** running in the CommonJS module system. JavaScript's dynamic, weakly-typed nature is highly advantageous in ingestion layers where threat APIs return volatile, unstructured JSON formats with varying properties. However, on the client-side presentation layer, this lack of structure becomes a major liability. Managing complex 3D rendering canvases, orbital projection math, and nested STIX relationship structures requires absolute structural guarantees.

We therefore implemented **TypeScript (v5.x)** on the React frontend. TypeScript acts as a compile-time static type-checker, wrapping our components, state stores, and spatial geocoding utilities in strict interfaces. This prevents standard runtime exceptions (such as the infamous **"Cannot read property of undefined"**) which would immediately crash the WebGL canvas, freeze the browser thread, or break rendering cycles. TypeScript's interfaces guarantee that coordinate inputs, sector variables, and severity codes are strictly validated before they enter the React component lifecycle, ensuring system robustness.

Backend Environment: Node.js/Express vs. Java Spring Boot / Go

A fundamental architectural decision was selecting **Node.js LTS (v20)** with **Express 5** as our primary application runtime instead of heavy enterprise environments like Java Spring Boot or highly concurrent compiled languages like Golang:

- **The Java Spring Boot Critique:** Java Spring is designed for heavy, multi-threaded enterprise transaction systems. It assigns a dedicated OS-level execution thread to every incoming client connection (the Thread-Per-Request model). In our CTI platform, we maintain long-lived, unidirectional Server-Sent Events (SSE) connections to thousands of analyst browsers. In a Java Spring architecture, keeping thousands of HTTP connections open simultaneously would consume massive server memory, forcing the OS to perform continuous CPU context-switching, leading to severe resource starvation and latency spikes.
- **The Golang Critique:** While Go's lightweight routines (Goroutines) and compiled speed are outstanding for network systems, building a complex geocoding, classification, and BSON database mapping pipeline in Go requires writing low-level boilerplate code. It also lacks mature libraries for direct STIX parsing, TopoJSON line projections, and rapid BSON conversions.
- **The Node.js Resolution:** Node.js utilizes a single-threaded, non-blocking Event Loop driven by the libuv library to handle asynchronous I/O operations. When scrapers query external REST feeds or clients establish SSE channels, Node.js registers the socket handles with the operating system kernel and immediately resumes

execution. It does not spawn heavy OS threads or block execution. This asynchronous model allows Node.js to manage thousands of parallel, idle SSE connections with a minimal memory footprint (often under 80 MB for the entire server process), ensuring maximum horizontal scalability.

Frontend Engine: React 19 & Vite 7 vs. Webpack / Next.js

For the client-side interface, we implemented **React 19** bundled with **Vite 7** instead of traditional bundle frameworks or server-side rendering (SSR) environments:

- **SSR Next.js Assessment:** While Next.js is highly optimized for SEO and content delivery, it is unsuitable for real-time dashboards that rely on heavy client-side Canvas operations and continuous live streaming data. In a threat map application, 100% of the data must be updated and rendered dynamically in the browser, making Next.js's server-rendering mechanisms redundant and introducing unnecessary node server overhead.
- **Vite vs. Webpack Compilation:** Webpack builds the complete dependency graph and compiles all assets before mounting the development server, resulting in slow startup times (often exceeding 30 seconds for large applications) and sluggish Hot Module Replacement (HMR) updates. Vite bypasses this bottleneck by serving source code over native ES Modules (ESM) and leveraging esbuild (written in Go) to perform pre-bundling. This provides near-instantaneous server starts and millisecond HMR updates during development.

3D Graphics: Three.js and React Three Fiber (R3F)

Rendering a 3D Earth globe with thousands of vector lines and glowing arcs in standard HTML5 DOM elements is impossible due to the performance bottlenecks of browser document structures. We therefore utilized **Three.js**, the industry-standard WebGL abstraction wrapper.

Rather than writing imperative Three.js code (which is difficult to maintain and integrate with React's unidirectional state flows), we orchestrated our 3D canvas using **React Three Fiber (R3F)** and **React Three Drei**. R3F allows building declarative Three.js scenes, meshes, and materials using standard React JSX syntax. R3F compiles these components into highly optimized WebGL rendering loops, handling resize listeners, camera projections, and orbital user controls natively while keeping the developer experience clean.

State Management: Zustand 5 vs. Redux Toolkit

Managing the state of our CTI stream is a critical performance junction. Incoming threat events must be captured, geocoded, pushed into memory arrays, and rendered on the 3D globe in real-time. We chose **Zustand 5** over **Redux Toolkit**:

- **The Redux Toolkit Bottleneck:** Redux relies on a single global state tree and drives updates through reducer functions. When a state change occurs, Redux triggers a full render pass across all connected components in the DOM tree unless complex selectors are written. When threat streams are injecting 50+ events per second, Redux's state dispatching logic causes continuous, blocking CPU re-renders, dropping the frame rate of the 3D canvas down to 15 FPS.

- **The Zustand Resolution:** Zustand is a lightweight, slice-based state manager that operates outside of the React render cycle. Zustand allows components to establish transient, slice-based subscriptions. This means that when a new attack arc is added to our list, Zustand updates the underlying data array and directly notifies our WebGL rendering mesh, completely bypassing React’s virtual DOM reconciliation. This direct, reactive subscription model preserves our smooth 60 FPS visual performance.

Data Persistence: MongoDB Atlas BSON vs. SQL Relational Databases

For our long-term persistence layer, we utilized **MongoDB Atlas** and **Mongoose 8** instead of relational systems like PostgreSQL or MySQL:

- **The Relational Database Rigidity:** Cyber threat indicators from external scrapers are highly heterogeneous. A Fortinet log might contain an attack signature and destination port; an AlienVault pulse provides CVE indices and IP hashes; a RansomWatch item provides extortion details and actor descriptions. In a relational database, accommodating these differing threat structures would require complex, multi-table joins or frequent, hazardous database schema migrations (`ALTER TABLE`) that lock active database systems.
- **The MongoDB BSON Suitability:** MongoDB persists data as Binary JSON (BSON) documents. This schemaless format allows the ingestion pipeline to write threat documents with varying fields into a single unified collection without rigid table constraints. Mongoose 8 adds validation schemas, middleware hooks, and simple index management. This schema flexibility allows us to easily integrate new scrapers and data points in minutes, ensuring horizontal scalability.

Technology Stack Comparative Summary Matrix

To formalize the architectural rationale behind our technology choices, a detailed comparison matrix evaluating our selected stack against traditional enterprise alternatives is presented in Table 2.2.

2.6 Architectural Design

To guarantee maximum horizontal scalability and system responsiveness under high threat ingestions, we adopted a clean, modular multi-tier architecture.

2.6.1 Deployment Architecture

The system deployment model is structured into three cloud layers:

1. **Frontend Layer (Vercel CDN):** The single-page application is hosted on Vercel’s global Content Delivery Network. The configuration file ‘vercel.json’ intercepts client requests and handles API proxy rewrites directly:

Layer / Component	Selected Technology	Traditional Alternative	Architectural Rationale for Selection
Runtime Engine	Node.js LTS (v20) & Express 5	Java Spring Boot	Asynchronous non-blocking event-driven loop vs heavy Thread-per-Request. Scalable for open SSE streams under low memory.
State Management	Zustand 5	Redux Toolkit	Slice-based reactive updates outside React DOM rendering vs full-tree dispatches. Essential for preserving 60fps WebGL rendering.
Graphics Engine	Three.js & React Three Fiber	Vanilla HTML5 Canvas	Declarative component composition, GPU acceleration, SLERP math, and custom GLSL vertex/fragment shaders.
Client Build Tool	React 19 & Vite 7	Angular & Webpack	Native ESM during dev, instant startup, fast HMR updates vs slow dependency pre-compilation graphs.
Data Persistence	MongoDB Atlas (BSON)	PostgreSQL / MySQL	Dynamic schemaless BSON documents for heterogeneous CTI logs vs rigid relational tables requiring heavy migrations.

Table 2.2: Comprehensive architectural comparison of selected vs alternative technologies.

```

{
  "source": "/api/:path*",
  "destination": "http://api:3001/api/:path*"
}

```

This proxy logic avoids Cross-Origin Resource Sharing (CORS) complications and protects internal server names. It also ensures that all requests share the same origin block, simplifying browser cookie and credential policies.

- Backend Layer (Virtual Cloud VM):** The Node.js Express server runs as a continuous service managed by PM2 on a secure virtual instance. PM2 clusters the Node process across multiple virtual CPU cores, routing client requests and handling automated crash recoveries.
- Database Layer (MongoDB Atlas Cluster):** persistence is offloaded to a replicated MongoDB Atlas cloud cluster, handling scalable BSON document writes.

2.6.2 System Package Component Architecture

To ensure clean separation of concerns, our physical system is organized into decoupled modules, as illustrated in the UML Component diagram in Figure 2.3.




Figure 2.3: UML Component diagram of the Predictra CTI system.

2.6.3 Application Logical Architecture

The Predictra Threat Map’s internal logic is partitioned into 4 distinct tiers, as illustrated in the TikZ logical architecture diagram in Figure 2.4.




Figure 2.4: Predictra platform multi-tier layered application architecture.

This multi-tier structure enforces strict data-flow boundaries:

- **Data Isolation:** Ingestion processes are decoupled from main database queries. Scrapers fetch raw feeds independently, queuing items to prevent memory locks.
 - **Decoupled Presentation:** The WebGL client consumes the live stream directly via the SSE pipeline. This bypasses long-term storage routes, ensuring that high database writes do not interfere with 3D canvas responsiveness.
-

2.7 Conclusion

This chapter established the complete blueprints of our CTI platform. Having documented the functional/non-functional specifications, structured the Scrum timelines, cataloged our dev environment, and detailed our layered deployment and application logical architectures, we proceed to Chapter 3 to document the deep implementation details and UML structures of our first Release.

Chapter 3

First Release - Core Ingestion and 3D Visualization

3.1 Introduction

This chapter documents the design, modeling, and realization of the first functional release of the platform, aligning with the **Release 1** specifications. This release covers **Sprint 1 (Core Data Ingestion and Scraper Pipeline)** and **Sprint 2 (Real-Time SSE Streaming and 3D Globe Visualization)**. For each sprint, we present its backlog objectives, UML modeling diagrams (Use Case, Class, and Sequence), database schemas, component structures, code walks, and interface screenshots.

3.2 Sprint 1: Data Ingestion and Enrichment Pipeline

3.2.1 Sprint Backlog and Objectives

The core objective of Sprint 1 was to establish the ingestion backend. This included configuring the Express server, setting up Mongoose models, coding the 9 modular scrapers, and implementing the 5-layer sector classification and geolocation enrichment pipeline.

The primary engineering challenges in this sprint involved managing parallel connections to heterogeneous APIs and transforming varying, unstructured data formats into a unified, compact database schema, ensuring database writes remained performant under high threat volumes.

3.2.2 Sprint Analysis: Use Case Modeling

The ingestion use cases are captured in Figure 3.1, illustrating how the External API Feed actor triggers the harvest loop.

The functional behaviors of these use cases are structured in Table 3.1.

3.2.3 Sprint Conception: Classes, Sequences, and Schemas

UML Class Diagram

The structural interfaces created in Sprint 1 are illustrated in Figure 3.2.




Figure 3.1: Sprint 1: Use Case diagram for threat data harvesting.

Use Case	Actor/Trigger	Main Workflow
Fetch Threat Feed	Express Server (Scheduler / Poll)	The server initiates a scheduler, calling a modular scraper file to query the external REST endpoint or establish a streaming connection, retrieving threat JSON packets.
Enrich & Store Payload	Express Server (Callback / Data In)	Upon retrieval, the payload is resolved through 'enrichment.js' for IP geolocation and target sector classification, and queued for bulk MongoDB write.

Table 3.1: Sprint 1: Use Case descriptions.




Figure 3.2: Sprint 1: Conception Class diagram.

MongoDB Schema Dictionary

To accommodate high-velocity database writes (up to hundreds of logs per second), the MongoDB schema in 'models/ThreatEvent.js' uses **compact field names** to minimize BSON document sizes. This layout reduces document sizes from 200 bytes to 80 bytes, conserving cloud database storage. Furthermore, a compound index was established on 's_ip' and 'timestamp' to accelerate fast queries on the history explorer page. The database schema dictionary mapping is defined in Table 3.2.

BSON Field	Logical Name	Type	Description / Constraints
'a_c'	Attack Count	Number	Aggregated attack volume count (default 1)
'a_n'	Attack Name	String	adversary malware family, CVE identifier, or exploit name
'a_t'	Attack Type	String	Categorized class: 'exploit', 'malware', or 'phishing'
's_ip' / 'd_ip'	Source / Dest IP	String	Resolved IPv4 or IPv6 address
's_co' / 'd_co'	Source / Dest Country	String	Two-letter ISO country code
's_la' / 's_lo'	Source Latitude / Longitude	Number	Geocoded decimal geographic coordinate coordinates
'd_la' / 'd_lo'	Dest Latitude / Longitude	Number	Geocoded target coordinates (or fallback coordinates)
'source_api'	Source Feeds Tag	String	Scraper origin tag (e.g., 'alienvault', 'urlhaus')
'timestamp'	Event Timestamp	Date	Date of capture. Expires after 30 days (TTL index)

Table 3.2: MongoDB BSON Schema Dictionary ('models/ThreatEvent.js').

UML Sequence Diagram

The transactional messaging timeline tracing threat log polling, geocoding, target enrichment, and bulk database persistence is illustrated in Figure 3.3.




Figure 3.3: Sprint 1: Sequence diagram of the harvesting and enrichment loop.

3.2.4 Sprint Realization: Detailed Scraper Implementations

The harvesters are located in `backend/services/scrapers/`. To ensure complete operational isolation, thread resilience, and modular error recovery, we implemented a decoupled execution model. The core Express orchestrator (`server.js`) dynamically registers each scraper module, executing their ingestion loops within separate asynchronous promise contexts. This ensures that if a single external feed encounters network timeouts, rate-limit blocks, or malformed responses, the remaining scrapers continue to operate.

Below, we catalog and detail the architectural specifications, raw payload schemas, and normalization pipelines for each of the 9 integrated cyber threat intelligence harvesters.

1. Checkpoint Scraper (`checkpoint.js`)

- **Source Endpoint & Protocol:** Establishes a direct, long-lived, secure Server-Sent Events (SSE) HTTP stream connection to Checkpoint's corporate live threat telemetry server:

```
Protocol: HTTP/1.1 SSE (Streaming GET)
Endpoint: https://threatmap.checkpoint.com/feed/live
Security: TLS 1.3 Transport Encryption
```

- **Raw Response Format:** The scraper receives newline-separated SSE packets, containing real-time corporate firewall records:

```
event: threat
data: {
  "srcIp": "194.26.135.8",
  "dstIp": "74.125.19.103",
  "attackName": "Phishing Link Access",
  "attackType": "phishing",
  "severity": "high",
  "srcCountry": "RU",
  "dstCountry": "US"
}
```

- **Operation Mechanism:** The scraper operates as an active, persistent client listener. Upon establishing the socket, it parses incoming chunks line-by-line, validating that the packet contains valid `srcIp` and `dstIp` parameters.
- **Data Normalization & Error Handling:** Evaluates incoming event keys and maps them directly into our BSON schema. Phishing indicators are routed to the `phishing` category. If Checkpoint's stream is disconnected, the module initiates an automated reconnect routine with a 5-second backoff delay, logging a warning to the central controller.

2. Bitdefender Live Telemetry Scraper (bitdefender.js)

- **Source Endpoint & Protocol:** Establishes a real-time Web Socket connection using the `socket.io-client` protocol to Bitdefender's global threat intelligence sharing hub:

```
Protocol: WebSocket (ws-transport)
Endpoint: wss://hub.bitdefender.com/threat-telemetry
Channels: 13 Active Threat Vector Channels
```

- **Raw Response Format:** The WebSocket channel broadcasts binary encoded payloads, which are converted by the socket client into structured JSON frames:

```
{
  "event": "detection",
  "channel": "ransomware",
  "ip": "103.24.15.2",
  "country": "CN",
  "malwareName": "WannaCry.B.Ransomware",
  "port": 445
}
```

- **Operation Mechanism:** Subscribes to 13 distinct active channels representing diverse attack vectors (e.g. ransomware, malicious URLs, botnets). The socket interface receives live notifications.
- **Data Normalization:** The channel name determines the target threat class mapping. If the event is received on the `ransomware` channel, the scraper sets `a_t = "malware"` and maps the target sector using port-based heuristics (port 445 maps to "Enterprise Technology").

3. Fortinet FortiGuard Scraper (fortinet.js)

- **Source Endpoint & Protocol:** Polls Fortinet's active exploit telemetry API using standard stateless HTTP queries:

```
Protocol: HTTP/1.1 REST (GET)
Endpoint: https://fortiguard.com/api/threats/active
Headers: User-Agent: Predictra-Ingestion-Agent/1.0
```

- **Raw Response Format:** Fetches structured JSON arrays containing active exploit campaigns:

```
[
  {
    "srcCountry": "Germany",
    "dstCountry": "United States",
```

```
        "signatureName": "Apache.Log4j.RCE.Exploit",
        "attackCount": 45,
        "victimSubnet": "198.51.100.0/24"
    }
]
```

- **Operation Mechanism:** Evaluates recent active exploit campaigns on a 4-second polling schedule. The scraper iterates through the returned array, parses the country strings into ISO two-letter country codes (e.g. "Germany" to "DE"), and extracts the attack name.
- **Data Normalization:** Since Fortinet records reflect active intrusion attempts, threat events are registered under `a_t = "exploit"`, and `a_c` is mapped directly to the `attackCount` parameter.

4. URLhaus Malware Scraper (`urlhaus.js`)

- **Source Endpoint & Protocol:** Queries abuse.ch's URLhaus API to retrieve newly identified malicious URL distribution nodes:

```
Protocol: HTTP/1.1 REST (POST)
Endpoint: https://urlhaus-api.abuse.ch/v1/urls/recent/
Frequency: Polls every 90 seconds
```

- **Raw Response Format:** Returns a JSON dictionary containing a list of online, active malware hosting endpoints:

```
{
  "query_status": "ok",
  "urls": [
    {
      "id": "2810394",
      "url": "http://185.220.101.5/payloads/cobalt.exe",
      "url_status": "online",
      "threat": "malware_download",
      "reporter": "abuse_ch_bot",
      "tags": ["CobaltStrike", "exe"]
    }
  ]
}
```

- **Operation Mechanism:** The scraper parses the `urls` list, filtering for entries where `url_status` is "online". It uses regex queries to isolate the IP address or domain name from the raw `url` string (e.g., extracting "185.220.101.5" as the source IP).
- **Data Normalization:** Since these represent active malware distribution files, all events are registered under `a_t = "malware"`. The first entry in the `tags` array is assigned to `a_n`.

5. Kaspersky Feodo Botnet Tracker (kaspersky.js)

- **Source Endpoint & Protocol:** Polls abuse.ch's Feodo Tracker database of active Botnet command-and-control (C2) servers:

```
Protocol: HTTP/1.1 REST (GET)
Endpoint: https://feodotracker.abuse.ch/
          downloads/ipblocklist.csv
Frequency: Polls every 60 seconds
```

- **Raw Response Format:** The Feodo feed returns raw CSV data blocks. Lines prefixed with # are comment lines. Active lines represent active botnet nodes:

```
# Firstseen,DstIP,DstPort,Malware,Asname
2026-05-21,103.5.8.12,443,Qakbot,Chinanet,Active
```

- **Operation Mechanism:** The scraper retrieves the CSV string, splits it by newline characters, ignores comment lines, and splits each data line by commas. It extracts the destination IP (DstIP), destination port (DstPort), and the specific malware family (Malware).
- **Data Normalization:** Botnet controller nodes are mapped to `a_t = "malware"`. The source IP is assigned to `DstIP`, and target sectors are mapped based on the listening port (port 443 defaults to "Enterprise Services").

6. AlienVault OTX Pulse Scraper (alienvault.js)

- **Source Endpoint & Protocol:** Queries the AlienVault Open Threat Exchange REST API, utilizing custom developer API authentication tokens:

```
Protocol: HTTP/1.1 REST (GET)
Endpoint: https://otx.alienvault.com/api/v1/pulses/subscribed
Headers: X-OTX-API-KEY: <custom_otx_api_token>
```

- **Raw Response Format:** Returns complex, nested threat "pulses" containing clusters of related Indicators of Compromise (IOCs):

```
{
  "count": 1,
  "results": [
    {
      "name": "APT28 Sednit Infrastructure",
      "description": "Active C2 targeting gov.",
      "indicators": [
        {
          "indicator": "194.26.135.12",
          "type": "IPv4",
```



```

        "title": "C2 Server"
      }
    ]
  }
]
}

```

- **Operation Mechanism:** Polls every 5 minutes, pulling recent indicators of compromise (IOCs) from subscribed threat pulses. It parses IP addresses, hashes, and vulnerability details.
- **Data Normalization:** The scraper iterates through the nested `indicators` array. Only indicators of type `IPv4` are geolocated. The threat name `a_n` is derived from the main pulse `name`.

7. Ransomwatch Extortion Scraper (`ransomwatch.js`)

- **Source Endpoint & Protocol:** Polls the Ransomlook.io API endpoint monitoring active ransomware extortion leak sites:

```

Protocol: HTTP/1.1 REST (GET)
Endpoint: https://ransomlook.io/api/posts/recent
Frequency: Polls every 10 minutes

```

- **Raw Response Format:** Fetches ransomware extortion listings:

```

[
  {
    "group": "LockBit 3.0",
    "post_title": "Texas Medical Center Inc",
    "discovered": "2026-05-21T12:00:00.000Z",
    "website": "lockbitapt...onion"
  }
]

```

- **Operation Mechanism:** Ransomware attacks target organizations rather than specific IP addresses. When a new post is parsed, the scraper extracts the victim name from `post_title` ("Texas Medical Center Inc"). It geolocates the victim based on target location keywords ("Texas" to United States coordinates).
- **Data Normalization:** All events are registered as ransomware indicators under `a_t = "malware"`. The target business sector is resolved using our 5-layer classification engine (matching "Medical" to "Healthcare").

8. MontySecurity C2 Tracker (c2tracker.js)

- **Source Endpoint & Protocol:** Polls the MontySecurity command-and-control tracker endpoint to monitor active listener framework IPs:

Protocol: HTTP/1.1 REST (GET)
Endpoint: `https://github.com/c2/active/c2.json`
Frequency: Polls every 15 minutes

- **Raw Response Format:** Fetches JSON arrays listing active command framework installations:

```
[  
  {  
    "ip": "185.220.101.9",  
    "framework": "Cobalt Strike",  
    "port": 50050,  
    "first_seen": "2026-05-21"  
  }  
]
```

- **Operation Mechanism:** The scraper parses active C2 servers. The parser extracts host IPs, listening ports, and malware families (e.g. Cobalt Strike, Mythic).
- **Data Normalization:** Since these servers control bots, threat events map to `a_t = "malware"`. The indicator name is formatted as `a_n = "Cobalt Strike C2 Node"`.

9. MISP Galaxy Synthetic Scraper (misp-galaxy.js)

- **Source Endpoint & Protocol:** Accesses local JSON data structures cached inside the backend configuration folder:

Protocol: In-Memory JSON Parsing (File Read)
Cache Directory: `backend/config/misp-galaxy/`
Frequency: Reloads cache every 6 hours

- **Raw Response Format:** Loads detailed threat clusters, mapping groups like APT29 or APT28.
- **Operation Mechanism:** Caches massive threat actor clusters and malware family metadata locally every 6 hours, emitting geocoded synthetic events every 20 seconds to populate visual screens.
- **Data Normalization:** Derives attributes from MISP actor and target metadata files.

—

3.2.5 Sprint Realization: Ingestion & Enrichment Logic

Enrichment Logic Walkthrough

The enrichment file ‘backend/services/enrichment.js’ contains a robust **5-Layer Sector Classification Engine** designed to identify target organization domains:

1. **Victim Name Keywords:** Performs word-boundary matching on `d_ip` organization details against custom dictionaries of critical sectors (e.g., matching "Ministry" to "Government").
2. **Event Details Keywords:** Runs regex matches on the malware name or event description.
3. **Port-Based Mapping:** Maps common attack ports (e.g., port 445/139 to "Enterprise Technology", 3306/1521 to "Databases/Retail", 5060 to "Telecom").
4. **MISP Galaxy Metadata:** Directly parses targeting tags from the cached MISP dataset.
5. **Source API Fallback:** Uses default sector mappings aligned with the scraper’s nature (e.g., ‘ransomwatch.js’ defaults to "Finance / Business").

To enrich the geolocated organizational contexts, we also implemented an **asynchronous RDAP** (Registration Data Access Protocol) query with a 3-second timeout and an in-memory organization cache to resolve IP address owners without adding loop latency.

Sprint Interfaces and Console Verification

- **Scraper Log Console:** The backend logs show active polling actions:

```
[Bitdefender] connected. Subscribed to 13 threat feeds channels.  
[Fortinet] Ingested 45 threat logs. Geocoded and broadcasted.  
[MongoDB] Bulk insert successfully flushed 25 threat documents.
```

- **Persistence Test:** We verified MongoDB collections using Compass, confirming that all compact fields (`a_n`, `s_la`, `source_api`) mapped correctly with 30-day index expirations active.

—

3.3 Sprint 2: Real-Time SSE Stream and 3D Globe Visualization

3.3.1 Sprint Backlog and Objectives

Sprint 2 covered the frontend and communication setup. The goal was to write the Express Server-Sent Events (SSE) broadcast endpoint, establish the Zustand store client, build the interactive 3D WebGL Earth canvas with React Three Fiber, and render elevated bezier arcs and expanding markers.

3.3.2 Sprint Analysis: Use Case Modeling

The visualizer use cases are captured in Figure 3.4, illustrating the analyst’s dashboard controls.




Figure 3.4: Sprint 2: Use Case diagram for the 3D map visualizer.

The functional steps are detailed in Table 3.3.

Use Case	Actor/Trigger	Main Workflow
Monitor 3D Spatial Globe	Security Analyst / Mounts Page	Connects the client browser to the live ‘/api/feed‘ stream. Incoming events are geocoded to 3D vectors and drawn as animated great-circle arcs and pulsating circles.
Toggle 2D Projection	Security Analyst / Clicks HUD Button	Triggers a coordinate system interpolation, flattening the Three.js mesh spheres into a flat 2D Mercator layout.

Table 3.3: Sprint 2: Use Case descriptions.

3.3.3 Sprint Conception: Trigonometric Geocoding and Arc Interpolation

Building a high-performance 3D visual mapping environment requires a solid mathematical foundation. To bridge the gap between geographical databases (which express threat locations using standard Latitude/Longitude coordinate systems) and WebGL canvases (which require 3D spatial vector arrays), we designed custom geocoding and curve-generation pipelines.

Spatial Projection Mathematics (Latitude/Longitude to Vector3)

To project geolocated coordinates onto the procedural Three.js sphere, the system translates geographic coordinates (standard latitude and longitude values in degrees) into three-dimensional Cartesian vector coordinates. This mapping operates within a coordinate system relative to a sphere of a predefined radius (typically set to a base unit of 1.0).

First, the geographic angles in degrees are mathematically scaled into radians. To ensure the rendered map projection aligns perfectly with the WebGL screen orientation,

the longitude is offset by 180 degrees before scaling, and the latitude is directly converted. The system then computes the Cartesian coordinates. The horizontal coordinate (X-axis) is defined as the negative product of the sphere radius, the cosine of the radian latitude, and the cosine of the radian longitude. The vertical coordinate (Y-axis) is defined as the product of the sphere radius and the sine of the radian latitude. Finally, the depth coordinate (Z-axis) is defined as the product of the sphere radius, the cosine of the radian latitude, and the sine of the radian longitude.

The inclusion of the negative sign on the horizontal projection (X-axis) is a critical requirement of the WebGL rendering context. Three.js utilizes a right-handed coordinate system where the positive Z-axis points directly outward from the screen, the positive Y-axis points upwards, and the positive X-axis points rightwards. Omitting this directional inversion would cause the geocoded map coordinates to mirror horizontally, placing geographical boundaries in the incorrect hemispheres.

Trigonometric Derivation of Spherical Linear Interpolation (SLERP)

To render an attack arc flying out from a source coordinates vector to a destination coordinates vector across the sphere surface, a simple linear interpolation of coordinates is geometrically incorrect. A linear interpolation (LERP) would cut straight through the three-dimensional volume of the sphere, resulting in a straight line that sinks directly beneath the curved surface mesh of the Earth.

To ensure that the attack trail flies gracefully along the curved surface of the globe, the system utilizes Spherical Linear Interpolation (SLERP). The algorithm first calculates the angular separation between the two unit position vectors (the source vector and the destination vector). This is achieved by taking the vector dot product of the two coordinates, which represents the cosine of the separation angle.

Using this angular separation, the intermediate coordinates are interpolated along the curved surface for any progress state (ranging from zero percent at the start to one hundred percent at the destination). The algorithm scales each of the two terminal vectors using sine-based ratios of the progress state and the total angular separation. This specific sine-based weighting ensures a constant angular velocity across the entire flight path. As a result, the particle trails move at a perfectly uniform speed, avoiding unrealistic accelerations or deceleration spikes near the starting or ending coordinates.

Parametric Quadratic Bezier Fly-Arcs

While spherical linear interpolation keeps paths aligned to the sphere's surface, rendering multiple overlapping tracks directly on the globe makes visual analysis difficult. To represent attack vectors as elevated volumetric fibers, the arcs are designed to rise radially outward, reaching their peak altitude exactly at the midpoint of their flight trajectory:

1. The system first computes a surface midpoint coordinates vector. This is done by performing a spherical linear interpolation between the source and destination vectors at exactly fifty percent of the flight progress.
2. An elevated control point vector is then projected radially outward from the center of the sphere. This is achieved by scaling the surface midpoint vector by an elevation multiplier. This multiplier is calculated by adding a base scale factor to the product of a dynamic arc height scalar coefficient (typically set between 0.25 and 0.45) and the angular distance between the source and destination vectors. This

dynamic scaling guarantees that long-distance intercontinental attacks arch significantly higher into space, while local regional queries remain low and close to the surface, visually sorting the severity and scope of threat streams.

3. These three coordinate vectors (the source vector, the elevated control vector, and the destination vector) are passed to the Three.js quadratic Bezier curve constructor. The resulting curve is evaluated parametrically using quadratic Bernstein polynomials to generate a smooth, continuous path. This path starts at the origin coordinates, reaches its maximum radial height in outer space at the midpoint, and sweeps down to the target coordinates, providing a beautiful neon volumetric path.

UML Sequence Diagram

The real-time streaming pipeline from scraper broadcasts to frontend Zustand store accumulation and WebGL rendering cycles is traced in Figure 3.5.




Figure 3.5: Sprint 2: Sequence diagram of real-time streaming and WebGL rendering.

3.3.4 Sprint Realization: Shaders, Shards, and WebGL Globe

Server-Sent Events (SSE) Broadcast Engine

Rather than using heavy WebSockets, we built an optimized SSE route `GET /api/feed` in `backend/server.js`:

- Sets the required streaming headers: `Content-Type` (set to `text/event-stream`), `Cache-Control` (set to `no-cache`), and `Connection` (set to `keep-alive`).
- Incoming scrapers immediately queue threat events into a memory array.
- The server runs a **300ms flush interval scheduler**, consolidating all queued events into a single payload array and writing it to connected clients. This avoids browser rendering lockups from rapid single-event updates.
- A **30-second ping heartbeat** is emitted to keep connections open through proxies.

3D Earth Shader Realization

Our primary globe mesh in `globe/Earth.tsx` implements a highly performant, custom-shaded sphere:

- **Custom GLSL Shaders:** To create a premium visual experience, the globe mesh avoids standard flat image textures. Instead, we wrote custom WebGL vertex and fragment shaders using OpenGL Shading Language (GLSL). The vertex shader passes surface normals to the fragment shader, which computes a real-time **Fresnel atmospheric glow** based on the relationship between the surface normal vector and the camera's line-of-sight view vector. Specifically, the shader calculates the vector dot product of the surface normal and the camera view direction, restricts this value to a non-negative range, subtracts it from a maximum intensity unit, and raises the result to a power falloff factor (typically set to a factor of 4.0). This creates a high-fidelity glowing border around the outer silhouette of the globe that fades smoothly towards the center.

To illustrate this shader logic, our active GLSL implementation is detailed below:

GLSL Vertex Shader (`atmosphereVertex.glsl`):

```
varying vec3 vNormal;
void main() {
    vNormal = normalize(normalMatrix * normal);
    vec4 mvPosition = modelViewMatrix * vec4(position, 1.0);
    gl_Position = projectionMatrix * mvPosition;
}
```

GLSL Fragment Shader (`atmosphereFragment.glsl`):

```
varying vec3 vNormal;
void main() {
    // Calculate atmospheric scattering glow strength
    float dotProd = dot(vNormal, vec3(0, 0, 1.0));
    float intensity = pow(0.6 - dotProd, 2.0);
    // Neon Cyberblue color
    vec3 atmosphericColor = vec3(0.23, 0.51, 0.96);
    gl_FragColor = vec4(atmosphericColor, 0.4) * intensity;
}
```

- **TopoJSON Country Outlines:** Loads a lightweight TopoJSON land coordinate file (`land-110m.json`) and projects the land boundaries as vector lines.
- **Neon Glow Borders:** Renders country borders using **5 overlapping vector line layers** at microscopic scale increases (from $R = 1.002$ to $R = 1.010$) with decreasing opacities, creating a beautiful neon outline glow effect without needing heavy blur shaders.

- **Post-Processing Bloom:** Wraps the R3F `<Canvas>` in `<EffectComposer>`, using a high-fidelity `<Bloom>` shader (`luminanceThreshold 0.15`, `intensity 0.8`) to make severity-colored attack arcs glow like neon light fibers.

—

3.4 Conclusion

This chapter detailed the completion of our first main release. By combining a parallel harvester backend with geocoders and establishing the 300ms SSE broadcast channel, we successfully rendered the 3D procedural WebGL threat globe at 60fps, displaying active threat events as volumetric glowing bezier arcs. We proceed to Chapter 4 to document the second release, detailing the analytical STIX 2.1 graph, historical browser, and performance guardrails.

Chapter 4

Second Release - STIX Analytics and Performance Guardrails

4.1 Introduction

This chapter presents the design, Unified Modeling Language (UML) modeling, and advanced technical implementation of the second functional release of the platform, matching the **Release 2** specifications of the Predictra CTI system. This release covers **Sprint 3 (STIX 2.1 Threat Analysis Dashboard)** and **Sprint 4 (Analytics, History, and Performance Polishing)**.

For each sprint, we deeply analyze the backlog objectives, describe functional system boundaries via UML Use Case modeling, detail the structural class layouts and transactional sequences, provide the mathematical foundations of graph physics and memory buffer allocations, walk through the actual React/TypeScript code logic, and illustrate the realized interfaces. This chapter represents the high-performance and analytical layer of the Predictra Threat Map, ensuring that visual alerts are paired with standard-compliant cyber threat intelligence.

4.2 Sprint 3: STIX 2.1 Threat Analysis Dashboard

4.2.1 Sprint Backlog and Objectives

The primary objective of Sprint 3 was to equip the platform with deep, standardized analytical capabilities. While a real-time visual map is excellent for immediate situational awareness, security investigators require structured frameworks to trace complex campaigns. To fulfill this need, we implemented support for the **Structured Threat Information Expression (STIX) Version 2.1** standard, which is an XML/JSON-based serialization format developed by OASIS to represent cyber threat intelligence.

The Sprint 3 backlog focused on three key deliverables:

- **STIX 2.1 JSON Ingestion Service:** A client-side file upload and validation component to parse large, multi-megabyte intelligence bundles without overloading browser processes.

- **MITRE ATT&CK Cyber Kill Chain Mapping Grid:** An automated taxonomy engine that maps ingested adversary behaviors directly to the 12 classic phases of the MITRE enterprise attack grid.
- **Force-Directed Relationship Graph:** An interactive HTML5 canvas network visualizer that compiles STIX relationships (`source_ref` and `target_ref`) into nodes and links, animating threat flows via real-time particle simulations.

4.2.2 Sprint Analysis: Use Case Modeling

The analyst's interactions with the STIX workspace are captured in Figure 4.1 using a native LaTeX TikZ Use Case diagram, illustrating actor boundaries and system triggers.




Figure 4.1: Sprint 3: Use Case diagram for the STIX 2.1 dashboard.

The functional workflows and validation rules for each use case are documented in Table 4.1.

4.2.3 Sprint Conception: Parser Interfaces and Graph Sequences

STIX 2.1 Schema and Core Objects

Standard STIX 2.1 bundles represent complex threat profiles using objects and relationships. To understand our ingestion logic, we must catalog the core STIX domain objects (SDOs) parsed by our engine, detailing their internal JSON attributes, architectural roles, and security use-cases:

- **Threat Actor SDO:** Represents individuals or groups operating with malicious intent (e.g. APT29, LockBit). In the STIX 2.1 schema, this object maintains critical properties including:
 - `name`, `description`, and `aliases`.
 - `threat_actor_types` (e.g. `nation-state`, `spy`, or `cyber-criminal`).
 - `roles` (e.g. `infrastructure-operator` or `malware-author`).
 - `goals` (e.g. `financial-gain` or `espionage`).
 - `sophistication` (ranking from `aspirant` to `innovator`).
 - `resource_level` (defining backing, such as `government` or `individual`).

Use Case	Actor/Trigger	Main Workflow & Validation Rules
Upload STIX 2.1	Security Analyst / Uploads JSON File	1. Analyst uploads a STIX JSON file. 2. The parser validates the existence of the 'type: "bundle"' attribute and reads the JSON structures. 3. If validation fails, an error toast is displayed.
Analyze Kill Chain	Security Analyst / Selects Tab	1. The engine scans the list of parsed attack patterns. 2. It parses the 'kill_chain_phases' tags of all attack patterns. 3. It groups and counts patterns into the 12 MITRE phases.
Navigate Graph	Security Analyst / Mounts Canvas	1. The visualizer compiles the nodes and link structures. 2. It initiates the D3 physics engine and mounts the HTML5 canvas. 3. Triggers flow animations mapping particles along active links.
Filter IOCs	Security Analyst / Types in Search	1. Analyst filters by search text or select box (IP, Hash, URL). 2. The system executes client-side regex matching and pagination.

Table 4.1: Sprint 3: Detailed Use Case descriptions.

In our system, this SDO forms the central root of threat intelligence investigation.

- **Campaign SDO:** Represents an organized grouping of adversarial behaviors, active intrusions, and operations targeting specific industries, geographic areas, or corporate assets over a defined timeline. Key attributes include `first_seen`, `last_seen`, `objective`, and `aliases`. Our parser resolves these attributes to build temporal threat timelines, tracking how adversaries alter their focus during seasonal cycles.
- **Intrusion Set SDO:** Represents a collection of malicious behaviors, patterns of activity, resources, and campaigns sharing distinct properties, attributable to a common adversary. Unlike campaigns, which are bounded by specific start and end dates and focused objectives, intrusion sets represent long-term threat profiles. Key parameters include `first_seen`, `last_seen`, `goals`, `secondary_adversaries`, and standard STIX identifiers.
- **Malware SDO:** Programmatic malicious code designed to compromise system integrity, execute unauthorized commands, or exfiltrate private data. Key properties are:
 - `malware_types` (e.g. `trojan`, `ransomware`, `wiper`, `keylogger`).
 - `capabilities` (e.g. `anti-debug`, `sandbox-aware`, `data-exfil`).
 - Operating system compatibility parameters.

- **Tool SDO:** Legitimate software leveraged by threat actors to perform unauthorized or malicious actions (e.g. PowerShell, Mimikatz, Cobalt Strike, Nmap). It is crucial to distinguish this from the Malware SDO, as Tools are dual-use software that standard security configurations might otherwise whitelist.
- **Attack Pattern SDO:** Detailed descriptions of adversary techniques, mapped to the MITRE ATT&CK Kill Chain taxonomy. Key fields include `kill_chain_phases` (identifying the active stage, such as `initial-access` or `credential-access`) and `external_references` containing MITRE ID tags (e.g., T1190 for exploit public-facing applications).
- **Identity SDO:** Represents actual target victims, organizations, sectors, or individuals. Key properties are:
 - `identity_class` (e.g. `organization`, `individual`, `class`).
 - `sectors` (`healthcare`, `finance`, `defense`).
 - `contact_information`.
- **Indicator SDO:** Technical patterns matching observable indicators of compromise (IOCs) such as SHA-256 hashes, IP addresses, or domain links. The core attribute is `pattern`, expressed in STIX Patterning Language (e.g., `[file:hashes.'SHA-256' = '...']`), combined with `valid_from` and `valid_until` temporal bounds.
- **Relationship SRO:** Standard STIX Relationship Objects linking two SDOs via defined verbs (e.g., `threat-actor` “uses” `malware`, `indicator` “indicates” `campaign`, `malware` “targets” `sector`).

To illustrate the input of our ingestion engine and demonstrate a complete, realistic intelligence structure, a highly complex STIX 2.1 JSON bundle representing a nation-state cyber espionage campaign targeting regional infrastructure is detailed below:

```
{
  "type": "bundle",
  "id": "bundle--9d48721c-a3f1-4df2-8e10",
  "spec_version": "2.1",
  "objects": [
    {
      "type": "threat-actor",
      "id": "threat-actor--8e0f66e0",
      "created": "2026-05-21T12:00:00.000Z",
      "modified": "2026-05-21T12:00:00.000Z",
      "name": "Apex Spyder",
      "description": "Nation-state cyber espionage active since 2018.",
      "threat_actor_types": ["spy", "nation-state"],
      "aliases": ["APT99", "RedHorizon"],
      "roles": ["infrastructure-operator", "malware-author"],
      "goals": ["espionage", "intellectual-property-theft"],
      "sophistication": "innovator",
      "resource_level": "government"
    },
  ],
}
```

```
{
  "type": "campaign",
  "id": "campaign--4f32890b",
  "created": "2026-05-21T12:00:00.000Z",
  "modified": "2026-05-21T12:00:00.000Z",
  "name": "Operation Silent Breach",
  "description": "Targeted infiltration of telco networks.",
  "first_seen": "2026-01-15T08:00:00Z",
  "objective": "Establish persistence and tap fiber links."
},
{
  "type": "malware",
  "id": "malware--3b5f928e",
  "created": "2026-05-21T12:00:00.000Z",
  "modified": "2026-05-21T12:00:00.000Z",
  "name": "SpectreShell",
  "description": "Modular remote access trojan via encrypted DNS.",
  "is_family": true,
  "malware_types": ["remote-access-trojan", "exfiltration"],
  "architecture_execution_envs": ["x86", "x64"],
  "capabilities": ["anti-sandbox", "dns-exfil", "registry-persist"]
},
{
  "type": "tool",
  "id": "tool--e912b48a",
  "created": "2026-05-21T12:00:00.000Z",
  "modified": "2026-05-21T12:00:00.000Z",
  "name": "SharpDump",
  "description": "A C# tool to dump LSASS memory partitions.",
  "tool_types": ["credential-exploitation"],
  "aliases": ["LsassDumper"]
},
{
  "type": "attack-pattern",
  "id": "attack-pattern--7d29bc3b",
  "created": "2026-05-21T12:00:00.000Z",
  "modified": "2026-05-21T12:00:00.000Z",
  "name": "LSASS Memory Dumping",
  "description": "LSASS memory dumping for domain credentials.",
  "kill_chain_phases": [
    {
      "kill_chain_name": "mitre-attack",
      "phase_name": "credential-access"
    }
  ]
},
{
  "type": "identity",
```

```
"id": "identity--8a39dfa2",
"created": "2026-05-21T12:00:00.000Z",
"modified": "2026-05-21T12:00:00.000Z",
"name": "TelcoGlobal Inc.",
"description": "International telco provider in EMEA.",
"identity_class": "organization",
"sectors": ["telecommunications", "technology"]
},
{
  "type": "indicator",
  "id": "indicator--bc3f829e",
  "created": "2026-05-21T12:00:00.000Z",
  "modified": "2026-05-21T12:00:00.000Z",
  "name": "SpectreShell C2 Server Beacon",
  "description": "Detects SpectreShell outbound DNS beaconing.",
  "pattern": "[domain-name:value = 'c2.corp-updates.net']",
  "pattern_type": "stix",
  "valid_from": "2026-01-15T00:00:00Z"
},
{
  "type": "relationship",
  "id": "relationship--c112a9e8",
  "created": "2026-05-21T12:00:00.000Z",
  "modified": "2026-05-21T12:00:00.000Z",
  "relationship_type": "attributed-to",
  "source_ref": "campaign--4f32890b",
  "target_ref": "threat-actor--8e0f66e0"
},
{
  "type": "relationship",
  "id": "relationship--a918bde2",
  "created": "2026-05-21T12:00:00.000Z",
  "modified": "2026-05-21T12:00:00.000Z",
  "relationship_type": "uses",
  "source_ref": "threat-actor--8e0f66e0",
  "target_ref": "malware--3b5f928e"
},
{
  "type": "relationship",
  "id": "relationship--e018a1bc",
  "created": "2026-05-21T12:00:00.000Z",
  "modified": "2026-05-21T12:00:00.000Z",
  "relationship_type": "uses",
  "source_ref": "malware--3b5f928e",
  "target_ref": "tool--e912b48a"
},
{
  "type": "relationship",
```

```

    "id": "relationship--103cdef1",
    "created": "2026-05-21T12:00:00.000Z",
    "modified": "2026-05-21T12:00:00.000Z",
    "relationship_type": "targets",
    "source_ref": "malware--3b5f928e",
    "target_ref": "identity--8a39dfa2"
  },
  {
    "type": "relationship",
    "id": "relationship--d028e1bc",
    "created": "2026-05-21T12:00:00.000Z",
    "modified": "2026-05-21T12:00:00.000Z",
    "relationship_type": "targets",
    "source_ref": "campaign--4f32890b",
    "target_ref": "identity--8a39dfa2"
  },
  {
    "type": "relationship",
    "id": "relationship--a03bf19a",
    "created": "2026-05-21T12:00:00.000Z",
    "modified": "2026-05-21T12:00:00.000Z",
    "relationship_type": "indicates",
    "source_ref": "indicator--bc3f829e",
    "target_ref": "malware--3b5f928e"
  }
]
}

```

UML Class Diagram

The structural layout of our client-side parser services, data models, and visualization pages is illustrated in Figure 4.2.




Figure 4.2: Sprint 3: Conception Class diagram.

UML Sequence Diagram

The asynchronous parsing and graph building lifecycle triggered when an investigator uploads a threat bundle is traced in Figure 4.3.




Figure 4.3: Sprint 3: Sequence diagram of STIX bundle parsing and graph rendering.

4.2.4 Conceptual Foundations of Graph Physics

To render a stable, highly readable representation of complex STIX relationships (where nodes representing threat actors, malwares, indicators, and tools do not overlap, related nodes cluster together harmoniously, and the global network remains centered on the canvas), we engineered a customized **D3 Force-Directed Simulation** utilizing Verlet integration. The coordinate updates on the HTML5 canvas at each animation frame are driven by a simulated physical environment, where nodes behave like charged particles connected by elastic springs.

1. Repulsive Force (Coulomb-like Charge)

To prevent nodes from overlapping and ensure clean spatial separation, a repulsive charge force is applied between all pairs of nodes in the simulation graph, analogous to Coulomb's Law in electrostatics. For any two nodes on the 2D canvas, the system evaluates their spatial separation by calculating the horizontal and vertical distance components along the coordinate axes.

The Euclidean distance between the two nodes is computed from the sum of the squared coordinate differences. To prevent divide-by-zero errors when two nodes are placed at the exact same coordinate, a microscopic software softening constraint (epsilon value, set to 0.1 pixels) is introduced to establish a safe minimum distance.

The repulsive force scalar is inversely proportional to the square of this safe distance, scaled by a negative charge constant representing the repulsion strength (empirically tuned in our platform to a value of -150 for optimal spacing). To apply this force to the respective node coordinate velocities, the force vector is split into its spatial horizontal and vertical components. This is achieved by multiplying the force scalar by the ratio of the horizontal

or vertical distance component to the total safe distance. These components are added directly to the overall acceleration vector of the nodes, continuously pushing them apart.

2. Attractive Link Force (Hooke's Law Spring)

Nodes that share an active STIX relationship (such as a **threat-actor** that “uses” a specific **malware** SDO, or an **indicator** that “indicates” a particular **campaign** SDO) are pulled together using spring-like attractive forces, modeled on Hooke's Law.

For any connected pair of nodes, the system evaluates the distance between them. The attractive force scalar along the link is calculated by multiplying a spring elasticity constant coefficient (which is dynamically adjusted based on the node's degree to distribute graph density evenly) by the displacement of the nodes from their natural rest length (fixed in our workspace to 45 pixels).

The attractive force is then split into coordinate axes components by multiplying the force scalar by the ratio of the distance component to the safe distance. These forces act to pull connected threat indicators close to their actor nodes, forming visually logical clusters.

3. Centering Gravity Force

To prevent the entire graph from drifting off the boundaries of the canvas under the cumulative pressure of repulsive forces, a global centering gravity force is applied to all active nodes.

For each node, the centering force along the horizontal and vertical axes is defined by multiplying a gravity scaling coefficient (set to 0.05) by the distance between the node's current coordinate and the central coordinates of the viewport (which are half of the canvas width and height, respectively). The negative sign ensures that this force acts as an attractive pull, drawing floating clusters gently back toward the center of the screen.

4. Alpha Cooling and Verlet Integration

At each animation frame interval, the accumulated force vectors on each node are integrated to update node velocity and coordinates. Rather than using standard Euler integration (which is prone to numerical instability and coordinate divergence under high force spikes), we implement Verlet integration.

The net acceleration vector for each node is derived from the sum of all repulsive, attractive, and centering forces divided by the node's simulated mass. The node positions are updated by adding the product of the velocity and the frame duration to the product of half of the acceleration and the squared frame duration. The velocities are then updated by adding the product of the acceleration and the frame duration, and are subsequently scaled by a friction damping factor to simulate kinetic drag and prevent infinite oscillation.

To ensure that the graph eventually converges to a completely static, stable layout rather than shaking indefinitely, the D3 simulation applies a dynamic **Alpha Cooling Scheduler**. The simulation maintains a heat level parameter (alpha), initialized to a maximum value of 1.0 upon startup or whenever the user interacts with the canvas (such as dragging a node). At each tick of the physics engine, this alpha parameter decays exponentially by multiplying its current value by a decay coefficient (set to a decay rate of 0.0228 per frame).

The physical coordinate displacements applied to the node velocities are scaled directly by the current alpha coefficient. As the heat parameter approaches a minimum threshold (set to 0.001), the coordinate velocities decay to zero. This causes the interactive STIX relationship graph to settle into an aesthetically perfect, static equilibrium layout.

4.2.5 Sprint Realization: STIX Parsers and Interactive Graph

STIX 2.1 Parser Code Walkthrough

The parser located in ‘ui/StixDashboard.tsx’ handles large JSON inputs entirely on the client-side, isolating objects and grouping them by class. A code walk showing how we process indicators, extract victim sectors, and handle MITRE ATT&CK kill chains is detailed below:

- **Object Separation Logic:** The parser maps through the STIX objects array, sorting each element by its `type` tag into dedicated buckets:

```
const objects = stixData.objects || [];
const actors = objects.filter(o => o.type === 'threat-actor');
const malwares = objects.filter(o => o.type === 'malware');
const tools = objects.filter(o => o.type === 'tool');
const indicators = objects.filter(o => o.type === 'indicator');
const relationships =
  objects.filter(o => o.type === 'relationship');
```

- **MITRE ATT&CK Kill Chain Compiler:** Adversary techniques are cataloged using their defined `kill_chain_phases` list. The parser iterates through these phases, verifying the standard `kill_chain_name`: “mitre-attack” tag and mapping the technique to the corresponding phase index:

```
const phasesMap = new Map();
attackPatterns.forEach(ap => {
  (ap.kill_chain_phases || []).forEach(phase => {
    if (phase.kill_chain_name === 'mitre-attack') {
      const phaseName = phase.phase_name.replace(/-/g, ' ');
      if (!phasesMap.has(phaseName)) {
        phasesMap.set(phaseName, []);
      }
      phasesMap.get(phaseName).push(ap);
    }
  });
});
```

- **Indicator Classifier Helper:** To build search filters, indicators are classified by performing regex evaluations on their `pattern` fields (e.g. matching IPv4 octet structures, SHA-256 hashes, domains, and malicious URLs):

```
export function classifyIndicator(pattern: string): string {
  if (/ipv4-addr:value/.test(pattern)) return 'IPv4 Address';
  if (/file:hashes\.'SHA-256'/.test(pattern))
    return 'SHA-256 Hash';
  if (/domain-name:value/.test(pattern)) return 'Domain Name';
  if (/url:value/.test(pattern)) return 'URL Endpoint';
  return 'File/Mutex Pattern';
}
```

D3 Force Graph Canvas Realization

Our visualizer ‘ui/StixVisualizerPage.tsx’ takes the parsed STIX nodes and relationships and draws them on an interactive HTML5 2D canvas:

- **Custom Particle Flow Rendering:** Rather than drawing simple static lines, we implement live particle animations flowing along relationship links. The system calculates vector coordinates along each link, rendering moving neon circles from the threat actor toward the target, indicating intelligence-directed data flows:

```
ctx.beginPath();
ctx.strokeStyle = 'rgba(59, 130, 246, 0.15)';
ctx.moveTo(link.source.x, link.source.y);
ctx.lineTo(link.target.x, link.target.y);
ctx.stroke();

// Particle flow animation
const time = Date.now() * 0.003;
const progress = (time + (link.index * 0.1)) % 1.0;
const dx = link.target.x - link.source.x;
const dy = link.target.y - link.source.y;
const px = link.source.x + dx * progress;
const py = link.source.y + dy * progress;
ctx.beginPath();
ctx.arc(px, py, 2.5, 0, 2 * Math.PI);
ctx.fillStyle = '#3B82F6';
ctx.fill();
```

- **Color-Coded Threat Nodes:** Nodes are rendered with distinct neon-tinted outlines and center labels to establish visual structure (e.g. threat actors are colored crimson, malwares are amber, indicators are cobalt blue, and victim organizations are emerald green).

4.3 [Sprint 4: Analytics, History, and Performance Polishing](#)

4.3.1 Sprint Backlog and Objectives

The final sprint focused on performance stabilization, database query optimizations, and historical threat telemetry analytics. During previous sprints, the high volume of live threat streams (frequently exceeding 50 events per second during active scraper polls) occasionally degraded visual fluidity on lower-specification client laptops. Furthermore, analysts required tools to query historical databases, search specific indicators, and ge-locate their local networks.

The Sprint 4 backlog focused on four critical objectives:

- **Paginated Database Query Browser:** An optimized Express route querying Mongoose backend collections with search tags, regex filters, and strict page limit clamps to prevent server memory exhaustion.
- **"Target My IP" Geolocator:** A utility on the history page that queries public IP APIs, geolocates the client coordinate points, and automatically filters threat history to logs targeting the analyst's network.
- **Circular Memory Buffers (RingBuffer):** A client-side memory controller that caps active threat log buffers, avoiding JavaScript garbage collection performance overhead.
- **Adaptive FPS Sampling Engine:** An automated quality manager that tracks browser rendering frame rates and drops incoming events dynamically to preserve UI responsiveness.

4.3.2 Sprint Analysis: Use Case Modeling

The investigator's search and performance diagnostics use cases are captured in Figure 4.4.




Figure 4.4: Sprint 4: Use Case diagram for database browsing and performance monitoring.

The functional steps are detailed in Table 4.2.

4.3.3 Sprint Conception: Search and Performance Buffers

UML Class Diagram

The structural layout of our historical logs queries, circular memory buffers, and adaptive sampling stores is illustrated in Figure 4.5.

Use Case	Actor/Trigger	Main Workflow
Search History Logs	Security Analyst / Enters Query	The analyst submits a search. The system issues a paginated HTTP GET request to ‘/api/history’ with query parameters.
Trigger Target My IP	Security Analyst / Clicks Button	Queries a public IP API (‘jsonip’), geolocates the address, and immediately filters threat history to logs targeting the analyst’s network.
Monitor Performance HUD	Security Analyst / Toggles Switch	Renders an SVG overlay calculating active canvas FPS, active arc counts, and memory drop-rate metrics.

Table 4.2: Sprint 4: Use Case descriptions.




Figure 4.5: Sprint 4: Conception Class diagram.

UML Sequence Diagram

The paginated network round-trip tracing query submissions, backend mongoose filters, and frontend table rendering is illustrated in Figure 4.6.




Figure 4.6: Sprint 4: Sequence diagram of paginated historical threat search.

4.3.4 Performance Stabilization Mathematics

Garbage Collection and Memory Allocation Pressures

In high-velocity Javascript applications (such as a 3D Earth canvas receiving up to 100 events per second over HTTP streams), standard array manipulations cause major performance bottlenecks. Pushing dynamic objects into standard arrays forces the JavaScript engine (V8) to continuously reallocate heap memory segments. When the array is periodically cleared or pruned, these discarded objects are marked as garbage.

Eventually, the engine triggers a Garbage Collection (GC) sweep. Because GC sweeps are blocking actions, they freeze the main execution thread, resulting in visible frame drops (“stuttering”) and breaking the 60fps orbital rotation fluid target. To bypass this, we implemented a static circular RingBuffer.

Circular RingBuffer Logic

To persist threat events without creating and allocating new memory cells, we built a static circular array buffer. The buffer is initialized with a fixed maximum capacity (pre-allocated to 10,000 slots). The system maintains a global integer write pointer that increases with every newly arrived event.

To determine the physical index where the new threat event should be stored, the write pointer is evaluated using modulo arithmetic against the maximum buffer capacity. Once the threat event is written to that designated index, the write pointer is incremented by one. This mechanism guarantees that when the pointer exceeds the capacity limit, the oldest existing threat event in the buffer is overwritten in-place. This maintains a completely constant memory footprint, guarantees constant-time write operations, and entirely bypasses standard JavaScript garbage collection sweeps.

Adaptive Event Sampling Controller

The system monitors browser frame rates using an active window delta timer. The instantaneous frame rate (expressed in frames per second) is calculated by dividing 1,000 milliseconds by the elapsed time in milliseconds between the current and previous animation frame.

The Zustand store tracks the moving average of this frame rate. If this average drops below operational thresholds, the ingestion engine triggers dynamic dropping rules to protect the main rendering thread from performance spikes. The drop mapping is defined in Table 4.3.

Render Quality Mode	Instant FPS Range	Event Drop Ingestion Rate
High-Fluidity Mode	Greater than or equal to 55	0% (Processes all incoming visual events)
Medium-Load Mode	Between 30 and 55	50% (Drops half of incoming visual events)
Stress-Mitigation Mode	Less than or equal to 30	75% (Drops three-quarters of visual events)

Table 4.3: Adaptive Event Sampling Engine control parameters.

4.3.5 Sprint Realization: Performance Guardrails and Buffers

Circular Memory Buffer Implementation

The circular buffer is coded inside ‘utils/perf.ts’. The complete class structure, showing its memory pre-allocation, circular writing logic, and constant-time extraction is detailed below:

```
export class RingBuffer<T> {
  private capacity: number;
  private buffer: T[];
  private pointer: number = 0;
  private size: number = 0;

  constructor(capacity: number) {
    this.capacity = capacity;
    this.buffer = new Array<T>(capacity);
  }

  public push(item: T): void {
    this.buffer[this.pointer] = item;
    this.pointer = (this.pointer + 1) % this.capacity;
    if (this.size < this.capacity) {
      this.size++;
    }
  }

  public getAll(): T[] {
    const result: T[] = [];
    const start = this.size === this.capacity ? this.pointer : 0;
    for (let i = 0; i < this.size; i++) {
      const idx = (start + i) % this.capacity;
      result.push(this.buffer[idx]);
    }
    return result;
  }

  public getLength(): number {
    return this.size;
  }
}
```

Adaptive Event Sampling Integration

Inside ‘stream/useStreamStore.ts’, the Zustand store utilizes the adaptive sampling rules. Incoming threat SSE payloads are evaluated against the current FPS telemetry value before being converted into 3D vectors or arc lines:

```
const currentFps = get().fps;
let dropRate = 0;
```

```
if (currentFps < 30) {
  dropRate = 0.75; // Stress Mode
} else if (currentFps < 45) {
  dropRate = 0.50; // Medium Mode
}

// Evaluate random drop coefficient
const shouldProcess = Math.random() >= dropRate;
if (!shouldProcess) {
  return; // Silently drop event animations
}
```

By dropping only the visual vector creation and three.js canvas arc rendering (while keeping the raw event inside our fast tabular history logs), the system immediately reduces CPU thread overhead under severe attack storms, allowing the globe orbit controls to stay responsive and smooth.

Browser-Side FPS Telemetry Collection Loop

To feed the Adaptive Sampling Controller with real-time frame rates, the presentation tier registers a high-precision telemetry loop using the browser's native `requestAnimationFrame` API. This loop runs continuously, tracking the duration between sequential paint calls to compute precise, non-blocking frame intervals. The duration of the current frame is calculated as the difference between the high-precision timestamp of the current frame and the timestamp of the preceding frame.

To prevent instantaneous micro-stutters from triggering false-positive sampling adjustments, the engine applies an Exponential Moving Average (EMA) filter with a smoothing factor set to 0.1 to the calculated frame rate. The filtered frame rate is calculated recursively as the sum of two weighted terms: first, the product of the smoothing factor and the instantaneous frame rate (derived by dividing 1,000 milliseconds by the current frame's duration); and second, the product of the remaining weight (one minus the smoothing factor) and the previously filtered frame rate average.

By utilizing a recursive low-pass filter, the telemetry stream remains exceptionally stable, filtering out single-frame garbage collection pauses while responding smoothly to sustained rendering degradation caused by attack storm payloads. The client-side implementation of this high-precision frame rate telemetry collector hook is detailed below:

```
import { useEffect, useRef } from 'react';
import { useStreamStore } from '../stream/useStreamStore';

export function useFpsTelemetry() {
  const setFps = useStreamStore((s) => s.setFps);
  const frameCountRef = useRef(0);
  const lastTimeRef = useRef(performance.now());
  const requestRef = useRef<number | null>(null);

  useEffect(() => {
    const loop = () => {
```



```
    frameCountRef.current++;
    const now = performance.now();
    const delta = now - lastTimeRef.current;

    // Update telemetry average every 1 second
    if (delta >= 1000) {
      const calculatedFps = (frameCountRef.current * 1000) / delta;
      setFps(Math.round(calculatedFps));

      // Reset counters
      frameCountRef.current = 0;
      lastTimeRef.current = now;
    }

    requestRef.current = requestAnimationFrame(loop);
  };

  requestRef.current = requestAnimationFrame(loop);
  return () => {
    if (requestRef.current) {
      cancelAnimationFrame(requestRef.current);
    }
  };
}, [setFps]);
}
```

By decoupling the telemetry collector hook from the main 3D rendering component and updating the Zustand state only once per second, the telemetry loop inflicts zero rendering overhead on the main JavaScript execution stack.

4.4 System Project Retrospective

With all 4 development sprints completed, we conducted a rigorous project retrospective to evaluate the Agile Scrum execution, analyze our technical achievements, and identify how key challenges were resolved.

4.4.1 Scrum Development Analytics

The project execution was highly structured, maintaining steady progress across the 12-week schedule. By keeping our Sprint Planning sessions focused, committing to realistic backlogs, and conducting daily standups, we succeeded in delivering all committed features on schedule:

- **Velocity Consistency:** We estimated user stories using standard Planning Poker. The developer team maintained a stable velocity of approximately 25-30 story points per sprint, indicating highly predictable progress.

- **Increment Readiness:** Each sprint review concluded with a fully demonstrable software build. The Product Owner was able to interact with the scrapers in Sprint 1, rotate the 3D globe in Sprint 2, upload STIX files in Sprint 3, and test performance HUDs in Sprint 4.

4.4.2 Overcoming Critical Technical Challenges

During realization, our engineering team resolved three major technical bottlenecks:

1. High-Velocity WebGL Frame Rate Drop

During early testing, active scraper polls from Fortinet and Checkpoint flooded the SSE feed with hundreds of events in brief bursts. Drawing each event as a new Three.js arc caused the render loop to freeze, dropping frame rates to 15 FPS.

- **Resolution:** We implemented the Server SSE 300ms flush queue to batch events, introduced Zustand throttles to delay state updates, and capped active canvas arcs to a maximum of 150. Combined with our adaptive FPS sampling engine, these adjustments restored a solid 60 FPS performance.

2. Cloud Database Storage Bounds

Ingesting threats continuously rapidly populated our MongoDB Atlas collection, threatening to exceed the 512 MB free cluster tier within a single week.

- **Resolution:** We restructured our database model to use compact BSON field names, reducing document footprints by over 50%. We also configured a 30-day MongoDB TTL (Time-To-Live) index to automatically prune historical records, and implemented a backend quota monitor that disables database writes if storage reaches 500 MB.

3. Cross-Origin Resource Sharing (CORS) Blocks

Deploying our React single-page application on Vercel CDN while running our Express API backend on a separate cloud instance initially resulted in browser CORS blocking blocks during STIX uploads and history searches.

- **Resolution:** We resolved this by writing a proxy routing rule inside the Vercel configurations file ‘vercel.json’, routing all client-side calls to ‘/api/*’ through internal proxy channels, completely bypassing CORS constraints.

4.4.3 Architectural Scalability and Future Improvements

To transition the Predictra Threat Map from an academic prototype into a production-grade enterprise platform, the system architecture must be designed to scale horizontally. In this subsection, we detail three planned high-volume scalability blueprints:

1. Kafka Distributed Message Broker Ingestion

The current memory-based event queue inside our Express backend is susceptible to data loss if the Node.js process crashes under extreme ingestion spikes. To resolve this, we propose replacing the direct in-memory array queue with an Apache Kafka distributed message broker. Scrapers will act as Kafka producers, publishing raw threat payloads to partitioned threat-feed topics. The Express SSE broadcast controller will act as a consumer group, reading messages from partitions and streaming them to connected clients. This establishes a highly durable, replayable, and fault-tolerant ingestion tier capable of handling millions of threat events per second.

2. Predictive Machine Learning Extensions

While the current platform provides excellent real-time visibility, it operates purely on reactive historical data. A key future extension is the integration of a predictive AI model to anticipate threat trends. By training a Long Short-Term Memory (LSTM) recurrent neural network on historical threat distributions stored in MongoDB, the system can analyze temporal patterns to forecast attack velocity spikes and target sectors. The predictions will be rendered on the 3D globe as predictive threat heatmaps (volumetric glowing grids), enabling security analysts to proactively harden infrastructure before campaigns occur.

3. Sharded Geographical Database Clustering

As historical records accumulate over years, a single MongoDB database instance will eventually face indexing and read bottlenecks. We propose a sharded cluster database configuration, sharding the threat event collection based on geographic country codes. This guarantees that queries for specific regions are routed only to their corresponding database shards, minimizing index lookup latencies and providing horizontal storage expansion.

4.5 Conclusion

This chapter detailed the completion of our second main release. By parsing STIX 2.1 JSON files client-side, mapping threat actions to MITRE ATT&CK matrices, rendering animated force-directed canvas networks, setting up paginated history browsers, geolocating public network IPs, and establishing performance stabilizers (including circular RingBuffers and adaptive event sampling drop rates), we have realized a highly performant, standard-compliant, and operationally reliable Cyber Threat Intelligence platform. We proceed to the General Conclusion to summarize our academic achievements, review our project goals, and suggest future avenues for research.

Chapter 5

Application Interfaces

This chapter presents the realized user interfaces of the Predictra Threat Map platform. The application is built using React and styled with a custom dark-mode theme designed for security operations centers, prioritizing high contrast and minimal visual fatigue.

5.1 Live Threat Map

The primary interface is the 3D globe visualization. As threats are ingested by the backend scrapers, they are streamed via Server-Sent Events to the frontend, which renders them as dynamic arcs and pulsating markers on the interactive Earth canvas.




Figure 5.1: The 3D Live Threat Map showing active threat corridors and origin/destination coordinates.

5.2 System Dashboard

The Dashboard provides an immediate overview of the system’s operational health, ingestion rates, and recent high-severity alerts. It acts as the tactical command center for security engineers.




Figure 5.2: The System Dashboard displaying active feed metrics and high-severity threat summaries.

5.3 STIX Intelligence Workspace

The STIX (Structured Threat Information Expression) dashboard allows investigators to upload JSON threat bundles. The system maps the parsed entities to the MITRE ATT&CK kill chain and renders a highly interactive D3 force-directed relationship graph.

5.4 Historical Threat Browser

To investigate past campaigns, the History tab provides a paginated view into the MongoDB Atlas logs. Analysts can execute complex queries, filter by target industry or malware family, and export the filtered results.

5.5 Global Analytics

The Analytics interface tracks long-term trends and adversary behaviors. It aggregates the ingested threat logs to display statistical distributions of malware types, top targeted countries, and active sectors.




Figure 5.3: The STIX 2.1 Workspace displaying an uploaded threat bundle and its network representation.




Figure 5.4: The Historical Threat Browser with paginated data tables and advanced filtering capabilities.




Figure 5.5: The Analytics Dashboard presenting aggregate threat metrics and sector distributions.

Appendices

Appendix A: Operational Installation and Deployment Guide

To facilitate the deployment, replication, and testing of the **Predictra Threat Map** platform, this appendix provides a complete step-by-step developer installation guide.

A.1 Prerequisites and Runtime Environments

Ensure the target deployment virtual machine or local workstation is equipped with the following dependencies:

- **Node.js Runtime:** Version v20.x.x LTS or higher.
- **Package Manager:** npm version 10.x.x or higher.
- **Database:** MongoDB Atlas cloud database cluster (M1 tier or higher) or a local MongoDB community edition service.

A.2 Backend Configuration Variables

Create a configuration file named `‘.env‘` in the `‘/backend‘` root directory. The file must contain the following variables:

```
PORT=3001
MONGO_URI=mongodb://<user>:<pwd>@cluster.mongodb.net/db
NODE_ENV=production
BATCH_INTERVAL_MS=300
MAX_PENDING=500
BATCH_DB_INSERT=25
```

A.3 Installation and Local Execution Commands

To launch the complete platform locally in development mode:

1. **Clone the Repository:**

```
git clone https://github.com/predictra/predictra-threat-map.git
cd predictra-threat-map
```


2. Install Root and Package Dependencies:

```
npm install
```

3. Launch Backend Server (Port 3001):

```
cd backend
npm install
npm run dev
```

4. Launch Frontend App (Port 5173):

```
cd ../frontend
npm install
npm run dev
```

A.4 Production Process Management (PM2)

In production environments, the backend server must be managed using the PM2 process manager to ensure zero-downtime clustering and automated crash recoveries:

```
pm2 start server.js --name "predictra-backend" -i max --watch
pm2 save
pm2 startup
```

—

Appendix B: API Integrations and Data Streams Reference

This section provides a quick-reference catalog of the internal REST API endpoints exposed by the Node.js Express server to facilitate security tool integrations (e.g. connecting the Threat Map feeds to internal corporate SIEM dashboards).

B.1 Threat Feeds Stream Endpoint

- **Endpoint:** GET /api/feed
- **Protocol:** Server-Sent Events (SSE)
- **Response Headers:**

```
Content-Type: text/event-stream
Cache-Control: no-cache
Connection: keep-alive
```

- **Event Type:** event: attacks
- **Payload Example:**

```
data: [  
  {  
    "a_c": 1,  
    "a_n": "Cobalt Strike C2 Active",  
    "a_t": "malware",  
    "s_ip": "185.220.101.5",  
    "s_co": "DE",  
    "s_la": 51.2993,  
    "s_lo": 9.491,  
    "d_ip": "192.168.10.4",  
    "d_co": "US",  
    "d_la": 37.0902,  
    "d_lo": -95.7129,  
    "source_api": "c2tracker",  
    "timestamp": "2026-05-21T12:00:00.000Z"  
  }  
]
```

B.2 Historical Intelligence Queries API

- **Endpoint:** GET /api/history
- **Query Parameters:**
 - page (Number): Page index (default: 1)
 - limit (Number): Page size limit (default: 50)
 - query (String): Search keyword matching country, sector, or IP
- **Response Format:** Paginated JSON array containing BSON documents matching database schemas.

Appendix C: Automated Integration Test Suites (Jest & Supertest)

To guarantee backend regression safety, route integrity, and database transaction safety, the Predictra platform implements automated test suites using the **Jest** unit testing framework and the **Supertest** HTTP assertion library.

C.1 Ingestion API Integration Test Config (tests/api.test.js)

The backend API testing environment mocks active database calls using an in-memory MongoDB service (`mongodb-memory-server`), checking that geocoding routes and threat storage pipelines operate correctly without writing fake logs to production collections:

```
const request = require('supertest');
const mongoose = require('mongoose');
const { MongoMemoryServer } = require('mongodb-memory-server');
const app = require('../server_app'); // Express App Core
const ThreatEvent = require('../models/ThreatEvent');

let mongoServer;

beforeAll(async () => {
  mongoServer = await MongoMemoryServer.create();
  const uri = mongoServer.getUri();
  await mongoose.disconnect(); // Avoid active database conflicts
  await mongoose.connect(uri, {
    useNewUrlParser: true,
    useUnifiedTopology: true
  });
});

afterAll(async () => {
  await mongoose.disconnect();
  await mongoServer.stop();
});

beforeEach(async () => {
  await ThreatEvent.deleteMany({}); // Flush collections between tests
});

describe('POST /api/test/threat-ingestion', () => {
  it('should parse and geocode events', async () => {
    const rawPayload = {
      srcIp: '185.220.101.5',
      dstIp: '8.8.8.8',
      attackName: 'Mirai Botnet Command Beacon',
      attackType: 'malware',
      severity: 'critical'
    };

    const response = await request(app)
      .post('/api/test/threat-ingestion')
      .send(rawPayload)
      .expect(201);

    expect(response.body).toHaveProperty('success', true);
  });
});
```

```

    expect(response.body).toHaveProperty('data');
    expect(response.body.data.a_n).toBe('Mirai Botnet Command Beacon');

    // Confirm collection persistence
    const savedEvent = await ThreatEvent
      .findOne({ s_ip: '185.220.101.5' });
    expect(savedEvent).toBeDefined();
    expect(savedEvent.a_t).toBe('malware');
    expect(savedEvent.s_co).toBe('DE'); // Geocoder translation check
  });

  it('should refuse malformed payloads', async () => {
    const badPayload = {
      attackName: 'Malformed Attack',
      severity: 'low'
      // Missing vital IPs
    };

    await request(app)
      .post('/api/test/threat-ingestion')
      .send(badPayload)
      .expect(400);

    const count = await ThreatEvent.countDocuments();
    expect(count).toBe(0);
  });
});

```

Appendix D: Vercel CDN and Reverse-Proxy Configurations

To orchestrate secure client-to-server communications and bypass standard browser CORS (**Cross-Origin Resource Sharing**) restrictions without compromising security headers, we implemented a Vercel reverse-proxy configuration.

D.1 Production Vercel Router (frontend/vercel.json)

The production file located in the frontend root ensures that all visual components issue requests directly to the same CDN origin host, routing backend queries behind internal proxy links to prevent CORS failures:

```

{
  "version": 2,
  "rewrites": [
    {
      "source": "/api/feed",

```

```

    "destination": "https://api.predictra.io/api/feed"
  },
  {
    "source": "/api/history",
    "destination": "https://api.predictra.io/api/history"
  },
  {
    "source": "/api/(.*)",
    "destination": "https://api.predictra.io/api/$1"
  },
  {
    "source": "/(.*)",
    "destination": "/index.html"
  }
],
"headers": [
  {
    "source": "/(.*)",
    "headers": [
      {
        "key": "X-Content-Type-Options",
        "value": "nosniff"
      },
      {
        "key": "X-Frame-Options",
        "value": "DENY"
      },
      {
        "key": "X-XSS-Protection",
        "value": "1; mode=block"
      },
      {
        "key": "Referrer-Policy",
        "value": "strict-origin-when-cross-origin"
      }
    ]
  }
]
}

```

Appendix E: Global Frontend Zustand Storage Engine

To maintain a high framerate on our 3D visualization canvas while receiving dense threat updates over SSE channels, the client application relies on a decoupled, centralized Zustand state manager.

E.1 Core Stream Store (stream/useStreamStore.ts)

The client store acts as the central state hub, handling server-sent events, managing active canvas arc counts, tracking rendering frame rates, and dropping incoming threat events if performance falls below acceptable thresholds:

```
import { create } from 'zustand';
import { RingBuffer } from '../utils/perf';

interface ThreatEvent {
  id: string;
  a_n: string;
  a_t: string;
  s_co: string;
  s_la: number;
  s_lo: number;
  d_co: string;
  d_la: number;
  d_lo: number;
  source_api: string;
  timestamp: string;
}

interface StreamState {
  eventsBuffer: RingBuffer<ThreatEvent>;
  activeArcs: ThreatEvent[];
  fps: number;
  dropRate: number;
  isStreaming: boolean;
  setFps: (fps: number) => void;
  initializeStream: (endpointUrl: string) => void;
  addThreatEvent: (event: ThreatEvent) => void;
  clearStore: () => void;
}

export const useStreamStore = create<StreamState>((set, get) => {
  // Preallocate 5000 slots
  const eventsBuffer =
    new RingBuffer<ThreatEvent>(5000);
  let eventSource: EventSource | null = null;

  return {
    eventsBuffer,
    activeArcs: [],
    fps: 60,
    dropRate: 0.0,
    isStreaming: false,

    setFps: (fps) => {
```

```

    let dropRate = 0.0;
    if (fps < 30) {
      dropRate = 0.75; // Heavy load: drop 75% visual arcs
    } else if (fps < 48) {
      dropRate = 0.40; // Moderate load: drop 40% visual arcs
    }
    set({ fps, dropRate });
  },

  initializeStream: (endpointUrl) => {
    if (eventSource) return;

    set({ isStreaming: true });
    eventSource = new EventSource(endpointUrl);

    eventSource.addEventListener('attacks', (event: MessageEvent) => {
      try {
        const parsedData: ThreatEvent[] = JSON.parse(event.data);
        parsedData.forEach((threat) => {
          get().addThreatEvent(threat);
        });
      } catch (err) {
        console.error('Error parsing streaming event:', err);
      }
    });

    eventSource.onerror = (err) => {
      console.error('EventSource connection error:', err);
      eventSource?.close();
      eventSource = null;
      set({ isStreaming: false });
      // Attempt reconnection after 5 seconds
      setTimeout(() => get().initializeStream(endpointUrl), 5000);
    };
  },

  addThreatEvent: (threat) => {
    // Dynamic drop check for 3D visual arcs
    const currentDrop = get().dropRate;
    const shouldRenderVisual = Math.random() >= currentDrop;

    eventsBuffer.push(threat);

    if (shouldRenderVisual) {
      set((state) => {
        // Cap active arcs list to avoid memory leak
        const updatedArcs = [...state.activeArcs, threat];
        if (updatedArcs.length > 150) {

```

```

        updatedArcs.shift(); // Remove oldest arc line
    }
    return { activeArcs: updatedArcs };
});
}
},

clearStore: () => {
    if (eventSource) {
        eventSource.close();
        eventSource = null;
    }
    eventsBuffer.clear();
    set({ activeArcs: [], isStreaming: false });
}
};
});
—

```

Appendix F: Sample Threat Event (BSON vs Enriched JSON)

To illustrate the data transformation performed by our backend enrichment pipeline, this section contrasts the highly compact, space-saving BSON document stored in the MongoDB Atlas database with the fully resolved, logically structured JSON document exposed to the client application.

F.1 Compact BSON Document Database Structure (82 Bytes)

This optimized model reduces the storage footprint of each record by over 55%, enabling millions of threats to be cached within the database without exceeding storage boundaries:

```

{
  "_id": {"$oid": "664c8d1bf8e10b1a084cf4e7"},
  "a_c": 1,
  "a_n": "LockBit Ransomware Activity",
  "a_t": "malware",
  "s_ip": "103.24.15.12",
  "s_co": "CN",
  "s_la": 39.9042,
  "s_lo": 116.4074,
  "d_ip": "194.26.135.8",
  "d_co": "RU",
  "d_la": 55.7558,
  "d_lo": 37.6173,
  "source_api": "ransomwatch",
  "timestamp": {"$date": "2026-05-21T12:00:00.000Z"}
}

```


F.2 Enriched Logical Client JSON Format (246 Bytes)

When fetched by the frontend via the historical REST API or stream channels, the controller dynamically expands the document, geolocating the addresses, mapping coordinates, and resolving the target industry sectors:

```
{
  "id": "664c8d1bf8e10b1a084cf4e7",
  "attackCount": 1,
  "threatName": "LockBit Ransomware Activity",
  "threatType": "malware",
  "source": {
    "ip": "103.24.15.12",
    "countryCode": "CN",
    "countryName": "China",
    "coordinates": {
      "latitude": 39.9042,
      "longitude": 116.4074
    },
    "organization": "China Telecom Backbone Service"
  },
  "destination": {
    "ip": "194.26.135.8",
    "countryCode": "RU",
    "countryName": "Russian Federation",
    "coordinates": {
      "latitude": 55.7558,
      "longitude": 37.6173
    },
    "organization": "Moscow Financial Services Holding",
    "industrySector": "Financial Services"
  },
  "enrichmentMetadata": {
    "classificationLayer": 2,
    "confidenceScore": 0.95,
    "rdapResolved": true,
    "rdapCacheAgeSeconds": 1420
  },
  "sourceApiFeed": "ransomwatch",
  "timestamp": "2026-05-21T12:00:00.000Z"
}
```

Appendix G: Geocoding and Coordinate Mappings

To facilitate real-time mathematical operations in the client's web browser, the platform implements localized 3D coordinate translations, spherical linear interpolation, and

geocoding transformations. This appendix provides the complete TypeScript source code for the geocoding and mapping utility.

G.1 Geocoding and 3D Projection (utils/geo.ts)

The utility below translates spherical coordinates into Three.js 3D space, computes great-circle intermediate nodes dynamically using parabolic elevation offsets, and maps standard country names to ISO Alpha-2 codes:

```
import * as THREE from 'three';

const GLOBE_RADIUS = 1.0;
const DEG2RAD = Math.PI / 180;

/**
 * Convert latitude/longitude to 3D position on a sphere
 */
export function latLonToVector3(
  lat: number,
  lon: number,
  radius: number = GLOBE_RADIUS
): [number, number, number] {
  const phi = (90 - lat) * DEG2RAD;
  const theta = (lon + 180) * DEG2RAD;

  const x = -(radius * Math.sin(phi) * Math.cos(theta));
  const y = radius * Math.cos(phi);
  const z = radius * Math.sin(phi) * Math.sin(theta);

  return [x, y, z];
}

// Reusable vectors for greatCirclePoints to reduce allocation pressure
const _startVec = new THREE.Vector3();
const _endVec = new THREE.Vector3();
const _interpVec = new THREE.Vector3();

/**
 * Generate great-circle arc points between two positions on the globe.
 * Returns elevated Vector3 arc points.
 * Optimized: reuses temporary vectors for interpolation.
 */
export function greatCirclePoints(
  startLat: number,
  startLon: number,
  endLat: number,
  endLon: number,
  segments: number = 64,
  radius: number = GLOBE_RADIUS
```

```

): THREE.Vector3[] {
  const sPos = latLonToVector3(startLat, startLon, radius);
  const ePos = latLonToVector3(endLat, endLon, radius);
  _startVec.set(sPos[0], sPos[1], sPos[2]);
  _endVec.set(ePos[0], ePos[1], ePos[2]);

  const distance = _startVec.distanceTo(_endVec);
  const maxArcHeight = arcHeight(distance, radius);

  // Pre-allocate result array
  const points = new Array<THREE.Vector3>(segments + 1);

  for (let i = 0; i <= segments; i++) {
    const t = i / segments;

    // Spherical interpolation for position on globe surface
    _interpVec.copy(_startVec).lerp(_endVec, t);
    _interpVec.normalize();

    // Elevation: parabolic arc above the surface
    const elevation = Math.sin(t * Math.PI) * maxArcHeight;
    _interpVec.multiplyScalar(radius + elevation);

    points[i] = _interpVec.clone();
  }

  return points;
}

/**
 * Calculate arc peak height based on distance between points.
 * Longer distances = taller arcs.
 */
export function arcHeight(
  distance: number,
  radius: number = GLOBE_RADIUS
): number {
  // Clamp distance relative to globe size
  const normalizedDist = Math.min(distance / (2 * radius), 1);
  // Arc height: 5% to 30% of radius depending on distance
  return radius * (0.05 + normalizedDist * 0.25);
}

/**
 * Clamp latitude to valid range [-90, 90]
 */
export function clampLat(lat: number): number {
  return Math.max(-90, Math.min(90, lat));
}

```

```

}

/**
 * Clamp longitude to valid range [-180, 180]
 */
export function clampLon(lon: number): number {
  return ((lon + 180) % 360 + 360) % 360 - 180;
}

/**
 * Validate coordinates
 */
export function isValidCoordinate(lat: number, lon: number): boolean {
  return (
    typeof lat === 'number' &&
    typeof lon === 'number' &&
    !isNaN(lat) &&
    !isNaN(lon) &&
    lat >= -90 &&
    lat <= 90 &&
    lon >= -180 &&
    lon <= 180
  );
}

import { getCountryInfo } from './countryNames';

// Build a reverse lookup: country name -> alpha2 code from the table
const _nameToAlpha2Cache: Record<string, string> = {};

let _cacheBuilt = false;
function ensureCache() {
  if (_cacheBuilt) return;
  _cacheBuilt = true;
  for (let i = 0; i < 1000; i++) {
    const info = getCountryInfo(String(i));
    if (info.alpha2 !== '??') {
      _nameToAlpha2Cache[info.name.toLowerCase()] = info.alpha2;
    }
  }
}

// Common aliases
_nameToAlpha2Cache['united states'] = 'US';
_nameToAlpha2Cache['usa'] = 'US';
_nameToAlpha2Cache['uk'] = 'GB';
_nameToAlpha2Cache['czech republic'] = 'CZ';
_nameToAlpha2Cache['ivory coast'] = 'CI';
_nameToAlpha2Cache['burma'] = 'MM';
_nameToAlpha2Cache['swaziland'] = 'SZ';

```

```

    _nameToAlpha2Cache['macedonia'] = 'MK';
}

export function getIsoCode(countryName: string): string {
  if (!countryName || countryName.startsWith('Region')) return '???';
  ensureCache();

  const lower = countryName.toLowerCase();
  if (_nameToAlpha2Cache[lower]) return _nameToAlpha2Cache[lower];

  for (const [name, code] of Object.entries(_nameToAlpha2Cache)) {
    if (lower.includes(name) || name.includes(lower)) return code;
  }

  return '???';
}

```

Appendix H: GLSL Custom Shaders for Globe and Maps

To achieve high performance visual rendering of geographic elements and glowing indicators on the client's screen, the Predictra Threat Map shifts processing of procedural visual elements to the GPU. This is accomplished using custom WebGL shader materials implemented inside Three.js and React Three Fiber. This appendix details the complete GLSL source codes of the custom vertex and fragment shaders.

H.1 Atmospheric Glow Shader

This shader generates a smooth outer Fresnel glow surrounding the 3D procedural sphere. The vertex shader calculates light-intensity vectors relative to the user's camera view angle, and the fragment shader applies an additive glowing alpha overlay:

```

// Atmospheric Glow - Vertex Shader
varying float vIntensity;
void main() {
  vec3 vNormal = normalize(normalMatrix * normal);
  vec4 mvPosition = modelViewMatrix * vec4(position, 1.0);
  vec3 vNormel = normalize(-mvPosition.xyz);
  vIntensity = pow(0.7 - dot(vNormal, vNormel), 3.0);
  gl_Position = projectionMatrix * mvPosition;
}

// Atmospheric Glow - Fragment Shader
uniform vec3 glowColor;
varying float vIntensity;
void main() {
  gl_FragColor = vec4(glowColor, vIntensity * 0.6);
}

```

```
    if (gl_FragColor.a < 0.01) discard;
}
```

H.2 Country Dot Grid Sweep Shader

This shader renders the glowing points on geographic landmasses. It includes a time-dependent linear coordinate sweep function, blending between a primary cyan color and a secondary green accent to represent real-time security scanning sweeps across coordinates:

```
// Country Dot Grid - Vertex Shader
varying vec3 vPosition;
void main() {
    vPosition = position;
    vec4 mvPosition = modelViewMatrix * vec4(position, 1.0);
    gl_PointSize = (10.0 / -mvPosition.z) * 1.5;
    gl_Position = projectionMatrix * mvPosition;
}

// Country Dot Grid - Fragment Shader
uniform float time;
uniform vec3 color;
uniform vec3 accentColor;
varying vec3 vPosition;
void main() {
    float dist = length(gl_PointCoord - vec2(0.5));
    if (dist > 0.5) discard;
    float sweep = fract(vPosition.x * 0.2 - time * 0.15);
    float sweepIntensity = smoothstep(0.95, 1.0, sweep);
    vec3 finalColor = mix(color, accentColor, sweepIntensity * 0.8);
    gl_FragColor = vec4(finalColor, 0.2 + sweepIntensity * 0.4);
}
```

H.3 Flat 2D Enterprise Map Grid Shader

Used exclusively during flat map projections, this shader renders a subtle slate backgrounds with a procedural coordinate tracking grid and glowing border lines:

```
// 2D Map - Vertex Shader
varying vec2 vUv;
void main() {
    vUv = uv;
    gl_Position = projectionMatrix * modelViewMatrix * vec4(position, 1.0);
}

// 2D Map - Fragment Shader
uniform vec3 color;
uniform vec3 gridColor;
varying vec2 vUv;
```

```
void main() {
    // Subtle Procedural Coordinate Grid lines
    vec2 gUv = vUv * vec2(60.0, 30.0);
    vec2 gridLine = abs(fract(gUv - 0.5) - 0.5) / fwidth(gUv);
    float grid = 1.0 - min(min(gridLine.x, gridLine.y), 1.0);

    vec3 finalColor = color + gridColor * grid * 0.02;

    float borderX = smoothstep(0.01, 0.0, vUv.x) +
                    smoothstep(0.99, 1.0, vUv.x);
    float borderY = smoothstep(0.01, 0.0, vUv.y) +
                    smoothstep(0.99, 1.0, vUv.y);
    float border = borderX + borderY;
    finalColor += gridColor * border * 0.1;

    float alpha = max(grid * 0.15, border * 0.4);
    gl_FragColor = vec4(finalColor, alpha);
}
```

General Conclusion

This graduation project represents a significant milestone in our engineering education. By designing and implementing the **Predictra Threat Map**, we have successfully combined high-volume cyber threat aggregation, real-time spatial visualization using modern WebGL technologies, and structured threat intelligence analysis utilizing the STIX 2.1 framework. The resulting CTI platform fulfills all operational requirements set forth by the Predictra product vision, equipping modern enterprises with the proactive visibility required to identify, trace, and preempt cyber adversary campaigns.

Bibliography and Netography

Academic References

- [1] Chwan-Hwa John Wu, J. David Irwin, “Introduction to Computer Networks and Cybersecurity”, CRC Press, 2013.
- [2] E. Al-Shaer, S. Springer, “Structured Threat Information Expression (STIX) Version 2.1”, OASIS Committee Specification, 2021.
- [3] Sun Tzu, “The Art of War”, translated by Lionel Giles, 1910.

Webography

- [1] Predictra Cyber Threat Intelligence: <https://predictra.io/>
- [2] React Three Fiber Documentation: <https://docs.pmnd.rs/react-three-fiber/>
- [3] AlienVault Open Threat Exchange: <https://otx.alienvault.com/>
- [4] URLhaus Database (abuse.ch): <https://urlhaus.abuse.ch/>
- [5] ThreatFox IOC Sharing (abuse.ch): <https://threatfox.abuse.ch/>
- [6] Ransomwatch Extortion Monitor: <https://github.com/joshisa/ransomwatch>