

Assignment 3 – Group Assignment

Team Fish

Ehab - George - Jisel - Andrew

Description:

In this Assignment we created a website that will allow users to receive important news around San Francisco and Daly City.


Approach / What I Did:

Andrew: The page I worked on was the Home page. First, I worked on the HTML, and then later added CSS.

Ehab: The About page was what I worked one. I started with the layout in HTML, and then made classes to edit and design the page through CSS.

George: The login and registry pages were what i worked on. I made the login boxes in Html and then made it look pretty with CSS.

Jisel: My main page was the frequently asked questions. The first thing that i did was add a table using HTML and i then added CSS.



```
File Edit Selection View Go Run Terminal Help
Home.html About.html Login.html Register.html FAQ.html ...
home > parallels > Documents > CSC 317 > csc.317-Group Project > FAQ.html > html > body
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>FAQ</title>
7  </head>
8  <body>
9      <a href="About.html" target="_blank">About</a>
10     <a href="Login.html" target="_blank">Login</a>
11     <a href="Home.html" target="_blank">Home </a>
12
13
14     <h1> FAQ </h1>
15     <!--Using CSS we can add a drop down menu -->
16     <table width="80%" border="1">
17         <tr>
18             <th>Questions</th><th>Answers</th>
19         </tr>
20         <tr>
21             <td height=" 80">Question 1</td><td>Answer 1</td>
22         </tr>
23         <tr>
24             <td height=" 80">Question 2</td><td>Answer 2</td>
25         </tr>
26         <tr>
27             <td height=" 80">Question 3</td><td>Answer 3</td>
28         </tr>
29         <tr>
30             <td height=" 80">Question 4</td><td>Answer 4</td>
31         </tr>
32     </table>
33
34
35
36     </body>
37     </html>
```

Jisel: I wanted the FAQ to have a drop down feature where the answers would stay hidden until the user clicked on the question. I made a FAQ.html file and an external FAQ.css file. I identified

the classes within HTML using the tag class = “faq” and class = “faq-question”

```
<div class="faq"> <!-- The table -->

    <details class="faq-question">
        <summary>What areas does SFCW cover? </summary>
        <p>SFCW covers the San Fransisco area down to Daily City.</p>
    </details>

    <details class="faq-question">
        <summary>How often is SFCW updated ?</summary>
        <p>We get the top stories and keep it updated automatically with the most recent updates. </p>
    </details>

    <details class="faq-question">
        <summary>What is SFCW</summary>
        <p>SFCW stands for San Fransisco Crime watch. We are a crime news website that provides, information on San Fransisco's top crime stories, as well as provides tips on how to make your trip to SF hassle free. </p>
    </details>

    <details class="faq-question">
        <summary>What languages does SFCW provide?</summary>
        <p>SFCW is currently only available in english at the moment.</p>
    </details>

</div>
```

Within the CSS file I also called the summary and <p> tag

```
.faq-question summary { /*Questions*/
    cursor: pointer; /*changes the pointer */
    font-weight: bold;
    font-size: 20px;
    margin: 10px;
    padding: 10px;
    background-color: #ebe9e9; /*question box background color */
    border: 1px solid #ebe9e9; /*border color*/
    border-radius: 5px;
}
```

I also wanted to add direct communication from the user to us, so I decided to add an email form, where users are able to directly email us from the website.

Jisel: Here I made a contact form I called the class = “form-group”

```
<p><b>Have a different Question?</b></p>

<div class="contact-form">
  <h2>Contact Us</h2>
  <form action="#" method="post">
    <div class="form-group">
      <label for="name" class="form-label">Your Name</label>
      <input type="text" id="name" name="name" class="form-input" required>
    </div>
    <div class="form-group">
      <label for="email" class="form-label">Your Email Address</label>
      <input type="email" id="email" name="email" class="form-input" required>
    </div>
    <div class="form-group">
      <label for="message" class="form-label">Your Questions</label>
      <textarea id="message" name="message" class="form-textarea" rows="4" required></textarea>
    </div>
    <button type="submit" class="form-submit">Submit</button>
  </form>
</div>
```

and I also called it with unique identifiers on CSS

```
.contact-form {
  max-width: 400px;
  margin: 0 auto;
  float: left;
}

.form-group {
  margin-bottom: 20px;
}

.form-label {
  display: block;
  font-weight: bold;
}

.form-input {
  width: 100%;
  padding: 10px;
  border: 1px solid #ccc;
  border-radius: 5px;
}


.form-textarea {
  width: 100%;
  padding: 10px;
  border: 1px solid #ccc;
  border-radius: 5px;
  resize: vertical;
}

.form-submit {
  background-color: #3498db;
  color: #fff;
  border: none;
  border-radius: 5px;
  padding: 10px 20px;
  cursor: pointer;
}

.form-submit:hover {
  background-color: #2980b9;
}
```

Jisel: The last thing I did was add a heatmap to the Home page.

San Francisco Crime Heat Map



in CSS I made it so it can come out like a grid and the different colors are based on the intensities, this is something that we still have to work on when we add Javascript

Andrew: First, I worked on the head.

```
5 Home.html > ⚒ html
1   <!DOCTYPE html>
2   <html lang="en">
3     <head>
4       <meta charset="UTF-8">
5       <meta name="viewport" content="width=device-width, initial-scale=1.0">
6       <title>Home</title>
7       <link rel="stylesheet" href="Home.css">
8       <link rel="stylesheet" href="Main.css">
9     </head>
10    |
```

Andrew: Second, I worked on the header. Setting up the navigation for the user and inserting our logo.

```
20
21 <header
22   class="img-header">
23     
24
25
26   <nav class="navbar background">
27     <ul class="nav-list">
28       <li><a href="About.html" target="_blank">About</a></li>
29       <li><a href="FAQ.html" target="_blank">FAQ</a></li>
30       <li><a href="Login.html" target="_blank">Login</a></li>
31     </ul>
32     <div class="rightNav">
33       <input type="text" name="search" id="search" />
34       <button class="btn btn-sm">Search</button>
35     </div>
36   </nav>
37 </header>
```

Andrew: Last, I researched what was going on in San Francisco that was important for people in the community to know and then worked on the body, the main content and purpose of the website. The headline story, alerts, and San Francisco parking tips, primarily for tourists.

```
29 <body>
30
31   <div class="main-content">
32     <div class="headline-story">
33       <h1>Headline Story</h1>
34       <p>SAN FRANCISCO-- Officials claim that an off-duty pilot aboard an Alaska Airlines flight attempted to turn off the engines by
35
36       Following a "credible security threat related to an authorized occupant in the flight deck jump seat," the aircraft was originally sched
37
38       A federal official informed on the investigation stated that preliminary evidence acquired by investigators suggested the suspect attemp
39
40       The Port of Portland reported that Joseph David Emerson, the suspect, had been taken into custody. The Multnomah County Sheriff's Office
41
42       According to the official, the suspect was traveling to San Francisco, where he was supposed to be a member of the flight crew on a 737.
43
44       According to Alaska Airlines, the pilot who was not on duty was seated in the cockpit's flight deck jump seat when he "unsuccessfully at
45
46       Alaska reported that the captain and first officer "quickly responded," adding that there was no loss of engine power and that the crew
47
48       According to Alaska, there were four crew members and eighty passengers on the flight.
49
50       In a statement to carriers, the Federal Aviation Administration noted that the incident is "not connected in any way shape or form to cu
51
52       Law enforcement is looking into the incident, the airline stated. In addition to confirming that it is investigating the event, the FBI
53
54       "I am grateful for the professional flight crew and air traffic controllers who stepped up to guide this plane safely to Portland," stat
55
56       In a statement, the pilots' organization, Air Line Pilots Association, International, commended the pilots and crew for the safe landing
57
58       "The airline pilot profession in North America is one of the most thoroughly screened and examined careers, and with good reason," the u
59
60     </p>
61   </div>
```

```

63      <div class="right-column">
64          <h1>Alerts</h1>
65          <p>
66      <b>Santa Rosa Ave & Alemany Blvd </b>
67      | Vehicle Flipped in Crash, Uprighted by Emergency Services
68
69      <br> <br>
70      <b>Natoma St & 8th St</b>
71      | Pedestrian Struck by vehicle
72
73      <br><br>
74
75      <b>799 Beach St</b>
76      | Small Outside Fire Reported
77
78      <br><br>
79      <b>1175 Columbus Ave</b>
80      | Assult Suspect Reported
81
82      <br><br>
83      <b>Mason St & Beach St</b>
84
85      | Report of Gunshots Heard
86          </p>
87      </div>

88
89      <h1 class="column">San Francisco Parking Tips</h1>
90      <p class="column">
91      - Do not leave anything valuable exposed and unattended in your vehicle, try to take the items with you.
92      <br><br>
93      - Tourists should not leave any luggage in their vehicle. Rental cars are easy to identify and are primarily targeted by
94      thieves.
95      <br><br>
96      - Popular spots for tourists are also hot spots for car break-ins and robberies.
97      <br><br>
98      - Try your best to park in busy areas with other vehicles and people.
99      <br><br>
100     - Use common sense and trust your instincts. If a parking location or situation feels unsafe, find an alternative.
101
102

```

Ehab: I started with the headers and having the links and and style sheet all linked to my html.

```

home > student > ◊ Aboutgroup.html > ⇨ html
1   <!DOCTYPE html>
2   <html lang="en">
3       <head>
4           <meta charset="UTF-8">
5           <meta name="viewport" content="width=device-width, initial-scale=1.0">
6           <title>About</title>
7           <link rel="stylesheet" href="About.css">
8           <link rel="stylesheet" href="Main.css">
9       </head>
10
11
12
13
14       <header>
15
16           <nav class="navbar background">
17               <ul class="nav-list">
18                   <li><a href="Home.html" target="_blank">Home</a></li>
19                   <li><a href="FAQ.html" target="_blank">FAQ</a></li>
20                   <li><a href="Login.html" target="_blank">Login</a></li>
21               </ul>
22               <div class="rightNav">
23                   <input type="text" name="search" id="search" />
24                   <button class="btn btn-sm">Search</button>
25               </div>
26           </nav>
27       </header>
28

```

Ehab: Second I worked on adding the text and then setting up all my classes to edit for my CSS file.

```
home > student > Aboutgroup.html > html
1  <p>
2     This website is about providing information on crimes in SF to the reader and have a crime map of SF so people can see and keep track
3    of what is going on around in the community.
4    <br>
5       The goal of this site is for people to stay informed of the community and the crimes
6       that are going on around them and how to possibly to avoid these crimes from happening to you.
7   </p>
8
9   <br>
10
11  <h2>
12      About Us
13  </h2>
14
15
16  <div class="container">
17      <div class="item item-1">Andrew Brockenborough</div>
18
19
20      <div class="item item-2">Jisel Ruiz </div>
21      <div class="item item-3">George Brooder </div>
22      <div class="item item-4">Ehab Almaznai</div>
23  </div>
24
25
26  <div class="Text">
27      <div class="textandrew">Im Andrew Brockenborough,<br>
28          a student at San Francisco <br>
29          State. I was born and <br>
30          in the Bay Area. Going to <br>
31          San Francisco frequently, <br>
32          I can see the ups and downs.</div>
33
34      <div class="textjisel">My names Jisel Ruiz I am a Junior <br>
35          Computer Science Student at <br>
36          San Francisco State University,<br>
37          i am interested in front end
38          <br>development and during my <br>
39          free-time I do judo and like <br> watching movies with friends.
40
41      <div class="textgeorge">
42          <p>
43              My name is George i'm a 3rd year
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
</body>
</html>
```

Ehab: Lastly I went into my css and fixed the font and positioning on my page.

```
home > student > # Main.css > ↗ header
1  header {
2    text-align: center;
3    background-color: □#000000;
4    padding: 1px 0;
5    text-align: center;
6    position: fixed;
7    top: 0;
8    left: 0;
9    right: 0;
10   z-index: 1;
11   width: 100%;
12 }
13
14 nav {
15   color: ■#ffff; /* Change the text color */
16   margin-top: 10px; /* Adjust the top margin*/
17 }
18
19 nav ul {
20   list-style: none;
21   padding: 0;
22 }
23
24 nav li {
25   display: inline;
26   margin-right: 20px;
27 }
28
29 nav a {
30   color: ■#ffff;
31   text-decoration: none;
32 }
33
34 .rightNav {
35   float: right;
36 }
37
38 #search {
39   margin-right: 10px; /* Adjust the right margin */
40 }
```

```
home > student > # Main.css > header
38  #search {
39    margin-right: 10px; /* Adjust the right margin */
40  }
41
42 .btn {
43   background-color: #ebe9e9; /* Change the button color*/
44   color: #000000;
45   border: none;
46
47   padding: 5px 10px;
48   cursor: pointer;
49 }
50
51 .btn:hover {
52   background-color: #121bbd; /* Change the hover color */
53 }
54
55 h1{
56   text-align: center;
57   font-size: 24px;
58 }
59 h2{
60   text-align: center;
61   font-size: 24px;
62 }
63 p{
64   font-size: 150%;
65   text-align: center;
66 }
67 .item {
68   width: 300px;
69   height: 250px;
70   padding: 1em;
71   font-weight: 700;
72   background-color: #rgb(228, 228, 228);
73   text-align: center;
74 }
75
76 }
77 .container {
78   display: flex;
79   flex-direction: row;
80   justify-content: space-around;
81 }
82 .textandrew{
83   font-size: 12px;
84   display: flex;
85   flex-direction: row;
86   justify-content: space-around;
87   position: relative;
88   left: 20px;
89 }
90 .textjisel{
91   font-size: 12px;
92   display: flex;
93   flex-direction: row;
94   position: relative;
95   left: 55px;
96   top: 20px;
97 }
98 .textgeorge{
99   font-size: 12px;
100  display: flex;
101  flex-direction: row;
102  justify-content: space-around;
103  position: relative;
104  top: 40px;
105 }
106
107 .textehab{
108   font-size: 12px;
109   display: flex;
110   flex-direction: row;
111   justify-content: space-around;
112   position: relative;
113 }
```

```
home > student > # Main.css > header
104 |     justify-content: space-around;
105 |     position: relative;
106 |     top: 40px;
107 |
108 |     .textehab{
109 |         font-size: 12px;
110 |         display: flex;
111 |         flex-direction: row;
112 |         justify-content: space-around;
113 |         position: relative;
114 |         right: 10px;
115 |
116 |
117 |     .Text{
118 |         display: flex;
119 |         flex-direction: row;
120 |         justify-content: space-around;
121 |         text-align: center;
122 |     }
123 |
124 |     a{
125 |         font-size: 12px;
126 |     }
127 |     img{
128 |         font-size: 12px;
129 |     }
130 |     body {
131 |         margin-top: 100px; /* Adjust the top margin to make space for the fixed header */
132 |     }
```

George: First thing i worked on was the Html for the login, after that i made a link to the registry page on the login sheet and worked on that page too.

```

Register.html | Login.html x |
csc.317-Group Project > Login.html > html > body > form > div.center
14 |     
15 |
16 |     <nav class="navbar background">
17 |         <ul class="nav-list">
18 |             <li><a href="Home.html">Home</a></li>
19 |             <li><a href="About.html">About</a></li>
20 |             <li><a href="FAQ.html">FAQ</a></li>
21 |             <li><a class=active href="Login.html">Login</a></li>
22 |         </ul>
23 |         <div class="rightNav">
24 |             <input type="text" name="search" id="search" />
25 |             <button class="btn btn-sm">Search</button>
26 |         </div>
27 |
28 |     </nav>
29 |
30 | </body>
31 |
32 | <form>
33 |     <div class="title">
34 |         <p><b><u>SFCW LOGIN</u></b></p>
35 |     </div>
36 |
37 |     <div class="center">
38 |
39 |         <div class="login">
40 |             <label for="uname"><b>Username</b></label>
41 |             <br>
42 |             <input type="text" placeholder="Enter Username" name="uname" required>
43 |             <br>
44 |             <label for="psw"><b>Password</b></label>
45 |             <br>
46 |             <input type="password" placeholder="Enter Password" name="psw" required>
47 |             <br>
48 |             <label>
49 |                 <input type="checkbox" checked="checked" name="remember"> Remember me
50 |             </label>
51 |             <br>
52 |             <button type="submit" class="login">Login</button>
53 |         </div>
54 |
55 |         <b>Don't have an account? <a href="Register.html" >Register Here.</a></b>
56 |     </div>
57 |
58 | </form>
59 |
60 | </body>
61 |
62 | </html>

```

George: I then wrote the css for the pages, i used the same css page for both since i wanted their look to be the same.



A screenshot of a code editor showing a file named "Register.html" with a CSS file "# Login.css" included. The CSS contains styles for input fields, buttons, and a central container, along with a title and a login button.

```
1
2
3 .login input[type=text], input[type=password],input[type=email] {
4     width: 100%;
5     padding: 12px 20px;
6     margin: 8px 0;
7     display: inline-block;
8     border: 1px solid #ccc;
9     box-sizing: border-box;
10 }
11
12 .cancelbtn, .signupbtn {
13     float: left;
14     cursor: pointer;
15     width: 50%;
16 }
17
18 .title{
19     text-align: center;
20     margin: auto;
21     width: 500px;
22     border: none;
23     font-size: 24px;
24     padding: 15px;
25 }
26
27 .center {
28     background-color: #ebeae9;
29     margin: auto;
30     width: 500px;
31     border: 6px solid #lblblb;
32     border-radius: 12px;
33     padding: 15px;
34 }
35
36 .login button{
37     width: 50%;
38     border: 1px solid #lblblb;
39     border-radius: 20px;
40     padding: 10px;
41     cursor: pointer;
42 }
43
44 }
```

Issues and Resolutions:

Jisel: My First Issue was trying to create a drop down menu for the FAQ. I had first started out with a simple HTML list, that I then had to update to a table. I had to figure out how to call what I needed for the stylesheet. The most challenging thing was trying to have the answers hidden until the user clicked on it. I resolved it by putting the display as "none"

```
.faq-question p {
```

```
display: none; /*none means the answers are hidden*/
margin: 0;
padding: 10px;
}
```

and i also used

```
.faq-question[open] p {
display: block;
}
```

which changes how <p> tag is displayed and it only selects the ones that have the open attribute. Therefore the answer only shows when the user clicks the question.

My Second issue was with the heatmap. I didn't know how much data I would need in order to get the size that I wanted. I resolved it by hard coding the data in the HTML file and then playing around with the grid rows and columns.

```
grid-template-columns: repeat(15, 21px); /* number of columns and the width */
grid-template-rows: repeat(20, 21px);
```

I also needed to change the width and height of the squares and the gaps in between each square.

Andrew: When programming the home page, on the alerts section of the website I had trouble spacing out the text. It was an easy fix, all I had to do was had a break ().

```
74          <h1>Alerts</h1>
75          <p>
76          <b>Santa Rosa Ave & Alemany Blvd </b>
77          | Vehicle Flipped in Crash, Uprighted by Emergency Services
78
79          <br> <br>
80          <b>Natoma St & 8th St</b>
81          | Pedestrian Struck by vehicle
82
83          <br><br>
84
85          <b>799 Beach St</b>
86          | Small Outside Fire Reported
87
88          <br><br>
89          <b>1175 Columbus Ave</b>
90          | Assualt Suspect Reported
91
92          <br><br>
93          <b>Mason St & Beach St</b>
94
95          | Report of Gunshots Heard
96          </p>
97          </div>
```

Ehab: I had trouble figuring out how to move specific text in a certain direction and having boxes on the same line with the same size. I resolved this issue by looking at youtube videos that helped explained how it works and experimenting it a bit.

```
home > student > # Main.css > header
75 }
76 .container {
77   display: flex;
78   flex-direction: row;
79   justify-content: space-around;
80 }
81 .textandrew{
82   font-size: 12px;
83   display: flex;
84   flex-direction: row;
85   justify-content: space-around;
86   position: relative;
87   left: 20px;
88 }
89 }
90 .textjisel{
91   font-size: 12px;
92   display: flex;
93   flex-direction: row;
94   position: relative;
95   left: 55px;
96   top: 20px;
97 }
98 .textgeorge{
99   font-size: 12px;
100  display: flex;
101  flex-direction: row;
102  justify-content: space-around;
103  position: relative;
104  top: 40px;
105 }
106 }
107 .textehab{
108   font-size: 12px;
109   display: flex;
110   flex-direction: row;
111   justify-content: space-around;
112   position: relative;
113   left: 20px;
```

George: When I was making the css for the login page I was having trouble making a centered text box to hold the input boxes.

```
Register.html # Login.css X
csc.317-Group Project > # Login.css > .title

2 .login input[type=text], input[type=password],input[type=email] {
3     width: 100%;
4     padding: 12px 20px;
5     margin: 8px 0;
6     display: inline-block;
7     border: 1px solid #ccc;
8     box-sizing: border-box;
9 }
10
11 .cancelbtn, .signupbtn {
12     float: left;
13     cursor: pointer;
14     width: 50%;
15 }
16
17 .title{
18     text-align: center;
19     margin: auto;
20     width: 500px;
21     border: none;
22     font-size: 24px;
23     padding: 15px;
24 }
25
26
27 .center {
28     background-color: #ebeae9;
29     margin: auto;
30     width: 500px;
31     border: 6px solid #1b1b1b;
32     border-radius: 12px;
33     padding: 15px;
34 }
```

George: I fixed this issue by creating two classes called login and center which helped organized the items i had on the page.

Analysis: (Reflect on what you have learned and how decisions made could impact users.)

Jisel: I learned how to properly identify CSS within my HTML, how to hide answers, as well as how to create forms in order to facilitate the user's experience. Our website right now is only available in English, so it could not be useful for other users who do not speak the language. We also don't have working heatmaps. For user experience I think that we can also add a light and dark mode.

Andrew: I have a bad habit of working all over the place. This project taught me to work on one part and move on to the next. The approach I took was to work on my HTML, then add CSS. I also learned how to research more efficiently. Instead of looking up what issues I was running into and how to fix it, instead, I looked for different methods that I could use.

Ehab: I learned on how to properly name classes and how to align multiple items on the same axis. This is very helpful and tricky and can save a bunch of time in the future. I also learned how to give certain classes a specific name to give it a different command than the whole class itself.

George: I learned how to better use css to make a page look nicer overall and how fun using css can be when you actually understand it. I also learned the value of different classes which made it incredibly easy to organize and shape different elements on the page to my liking.

Screen shots:



Headline Story

SAN FRANCISCO- Officials claim that an off-duty pilot aboard an Alaska Airlines flight attempted to turn off the engines by pulling the fire extinguisher handles, leading to the pilot's 83 counts of attempted murder indictment. Following a "highly secured" remote-controlled occurrence in the cockpit jump seat," the aircraft was originally scheduled to take off from Everett, Washington, for San Francisco; however, it was diverted to Portland later on Sunday. Alaska Airlines confirmed A federal agent informed on the investigation that the pilot had reportedly planned to pull the fire extinguisher handles on the engines. The FBI official said the suspect was overpowered by the flight crew, detained, and then shackled to a seat. The Port of Portland reported that Joseph David Emerson, the suspect, had been taken into custody. The Multnomah County Sheriff's Office said Emerson is accused of 83 counts of attempted murder. In addition, he faces one felony case of endangering an aircraft, 83 charges of reckless endangerment, and a misdemeanor.

According to the official, the suspect was traveling to San Francisco, where he was supposed to be a member of the flight crew on a 737. According to Alaska Airlines, the pilot who was not on duty was seated in the cockpit's flight deck jump seat when he "unsuccessfully attempted to disrupt the operation of the engines." Alaska reported that the captain and first officer "quickly responded," adding that there was no loss of engine power and that the crew successfully secured the aircraft. According to Alaska, there were four crew members and eighty passengers on the flight. In a statement to carriers, the Federal Aviation Administration noted that the incident is "not connected in any way shape or form to current world events." Law enforcement is looking into the incident, the airline stated. In addition to confirming that it is investigating the event, the FBI said it "can assure the traveling public there is no continuing threat related to this incident." "I am grateful for the professional flight crew and air traffic controllers who stepped up to guide this plane safely to Portland," stated Secretary of Transportation Pete Buttigieg in a statement. The FAA will concentrate on any future safety concerns that arise from investigations and will assist law enforcement in their response." In a statement, the pilots' organization, Air Line Pilots Association, International, commended the pilots and crew for the safe landing and declared that it is completely assisting the authorities. "The airline pilot profession in North America is one of the most thoroughly screened and examined careers, and with good reason," the union continued. The US has been at the forefront of proactively enhancing aviation safety and preserving a safe working environment for pilots for many years. Furthermore, American pilots undergo ongoing assessments throughout their careers from the Federal Aviation Administration, the airline, and medical examinations, crew resource management, and programs like the Line Operations Safety Audit.

[Activate Windows](#)
Go to Settings to activate Windows.

Alerts


Right Ctrl



San Francisco Parking Tips

- Do not leave anything valuable exposed and unattended in your vehicle, try to take the items with you.
- Tourists should not leave any luggage in their vehicle. Rental cars are easy to identify and are primarily targeted by thieves.
- Popular spots for tourists are also hot spots for car break-ins and robberies.
- Try your best to park in busy areas with other vehicles and people.
- Use common sense and trust your instincts. If a parking location or situation feels unsafe, find an alternative.

San Francisco Crime Heat Map



[Activate Windows](#)
Go to Settings to activate Windows.



About



This website is about providing information on crimes in SF to the reader and have a crime map of SF so people can see and keep track of what is going on around in the community.

The goal of this site is for people to stay informed of the community and the crimes that are going on around them and how to possibly to avoid these crimes from happeing to you.

About Us



About Us



I'm Andrew Brockenborough, a student at San Francisco State. I was born and raised in the Bay Area. I go to San Francisco frequently. I can see the ups and downs.

My names Jisel Ruiz I am a Junior Computer Science Student at San Francisco State University. I am interested in web development and during my free-time I do judo and like watching movies with friends.

My name is George I'm a 3rd year student at SFSU, I'm an SF native and I've seen the fair share of crime in this city. I hope to help create a resource to keep people aware and safe. In my free time I enjoy playing Bass and love cooking.

I'm Ehab Almaznai, I'm a student at SFSU and I was born and raised in San Francisco. I think it's now beautiful and harsh it could be. Go to Settings to activate Windows.



Frequently Asked Questions

▼ What areas does SFCW cover?

SFCW covers the San Francisco area down to Daily City.

▼ How often is SFCW updated ?

We get the top stories and keep it updated automatically with the most recent updates.

Activate Windows
Go to Settings to activate Windows.



▼ What languages does SFCW provide?

SFCW is currently only available in english at the moment.

Activate Windows
Go to Settings to activate Windows.

Have a different Question?

Contact Us

Your Name

Your Email Address

Your Questions

**SFCW LOGIN**

Username
<input type="text" value="Enter Username"/>
Password
<input type="password" value="Enter Password"/>
<input checked="" type="checkbox"/> Remember me
<input type="button" value="Login"/>
Don't have an account? Register Here.

Activate Windows
Go to Settings to activate Windows.

**SFCW ACCOUNT REGISTRY**

Username
<input type="text" value="Enter Username"/>
Name
<input type="text" value="Enter First and Last Name"/>
Email
<input type="text" value="Enter Email"/>
Password
<input type="password" value="Enter Password"/>
Retype Password
<input type="password" value="Retype password"/>
<input checked="" type="checkbox"/> I agree to this site's terms of service.
<input type="button" value="Cancel"/>
<input type="button" value="Register Account"/>

Activate Windows
Go to Settings to activate Windows.

Activate Windows
Go to Settings to activate Windows.