




Odissee
DE CO-HOGESCHOOL

Where - Special



De Winne Philippe - Troost Maarten - Vercamer Thomas



Specials

IS NULL / IS NOT NULL

- **NULL** check
- Alleen voor kolommen die **NULL** toe laten
- Controle voor een waarde
- Verschillend van 0
- Verschillend van “ ”

IS NULL syntax

```
SELECT column_names  
FROM table_name  
WHERE column_name IS NULL;
```

```
SELECT column_names  
FROM table_name  
WHERE column_name IS NOT NULL;
```

Specials IS NULL

SELECT * FROM
products
WHERE Unit IS NULL;

ProductID	ProductName	SupplierID	CategoryID	Unit	Price
1	Chais	1	1	10 boxes x 20 bags	18
2	Chang	1	1	24 - 12 oz bottles	19
3	Aniseed Syrup	1	2	12 - 550 ml bottles	10
4	Chef Anton's Cajun Seasoning	2	2	NULL	22
5	Chef Anton's Gumbo Mix	2	2	36 boxes	21.35
6	Grandma's Boysenberry Spread	3	2	12 - 8 oz jars	25
7	Uncle Bob's Organic Dried Pears	3	7	NULL	30
8	Northwoods Cranberry Sauce	3	2	12 - 12 oz jars	40
9	Mishi Kobe Niku	4	6	18 - 500 g pkgs.	97
10	Ikura	4	8	12 - 200 ml jars	31

ProductID	ProductName	SupplierID	CategoryID	Unit	Price
4	Chef Anton's Cajun Seasoning	2	2	NULL	22
7	Uncle Bob's Organic Dried Pears	3	7	NULL	30

- Controleert of een waarde **TUSSEN** 2 waardes ligt
- Kan gebruikt worden voor:
 - nummers
 - Strings
 - Datums
- Begin & eind waarde **inclusief**
- Zelfde als:
 - $X \geq \text{beginWaarde} \ \&\& \ X \leq \text{eindWaarde}$

BETWEEN SYNTAX

```
SELECT column_name(s)  
FROM table_name  
WHERE column_name BETWEEN value1 AND value2;
```


Specials
BETWEEN

SELECT * FROM products
WHERE Price BETWEEN 20 AND
30;

ProductID	ProductName	SupplierID	CategoryID	Unit	Price
1	Chais	1	1	10 boxes x 20 bags	18
2	Chang	1	1	24 - 12 oz bottles	19
3	Aniseed Syrup	1	2	12 - 550 ml bottles	10
4	Chef Anton's Cajun Seasoning	2	2	NULL	22
5	Chef Anton's Gumbo Mix	2	2	36 boxes	21.35
6	Grandma's Boysenberry Spread	3	2	12 - 8 oz jars	25
7	Uncle Bob's Organic Dried Pears	3	7	NULL	30
8	Northwoods Cranberry Sauce	3	2	12 - 12 oz jars	40
9	Mishi Kobe Niku	4	6	18 - 500 g pkgs.	97
10	Ikura	4	8	12 - 200 ml jars	31

ProductID	ProductName	SupplierID	CategoryID	Unit	Price
4	Chef Anton's Cajun Seasoning	2	2	NULL	22
5	Chef Anton's Gumbo Mix	2	2	36 boxes	21.35
6	Grandma's Boysenberry Spread	3	2	12 - 8 oz jars	25
7	Uncle Bob's Organic Dried Pears	3	7	NULL	30

- Controleert of een waarde **IN** een lijst zit
- Subqueries (later)

```
SELECT column_name(s)  
FROM table_name  
WHERE column_name IN (value1, value2, ...);
```

SELECT * FROM products
WHERE SupplierID IN
(1,4);

ProductID	ProductName	SupplierID	CategoryID	Unit	Price
1	Chais	1	1	10 boxes x 20 bags	18
2	Chang	1	1	24 - 12 oz bottles	19
3	Aniseed Syrup	1	2	12 - 550 ml bottles	10
4	Chef Anton's Cajun Seasoning	2	2	NULL	22
5	Chef Anton's Gumbo Mix	2	2	36 boxes	21.35
6	Grandma's Boysenberry Spread	3	2	12 - 8 oz jars	25
7	Uncle Bob's Organic Dried Pears	3	7	NULL	30
8	Northwoods Cranberry Sauce	3	2	12 - 12 oz jars	40
9	Mishi Kobe Niku	4	6	18 - 500 g pkgs.	97
10	Ikura	4	8	12 - 200 ml jars	31

ProductID	ProductName	SupplierID	CategoryID	Unit	Price
1	Chais	1	1	10 boxes x 20 bags	18
2	Chang	1	1	24 - 12 oz bottles	19
3	Aniseed Syrup	1	2	12 - 550 ml bottles	10
9	Mishi Kobe Niku	4	6	18 - 500 g pkgs.	97
10	Ikura	4	8	12 - 200 ml jars	31

- Zoekt naar een bepaald patroon in teksten
- Wildcard operators
 - % => 0, 1 of meer karakters
 - _ => 1 karakter

Ma% komt overeen met

- **Ma**
- **Matthias**
- **Mama**
- **Maastricht**
-

Ma_ komt overeen met

- **Mat**
- **Mam**
- **Mal**
- **Map**
-

_ma% komt overeen met

- Oma
- Smakelijk
- Amadeus
-


```
SELECT column1, column2, ...  
FROM table_name  
WHERE columnN LIKE pattern;
```

SELECT * FROM products
WHERE ProductName LIKE
'Ch%g';

ProductID	ProductName	SupplierID	CategoryID	Unit	Price
1	Chais	1	1	10 boxes x 20 bags	18
2	Chang	1	1	24 - 12 oz bottles	19
3	Aniseed Syrup	1	2	12 - 550 ml bottles	10
4	Chef Anton's Cajun Seasoning	2	2	NULL	22
5	Chef Anton's Gumbo Mix	2	2	36 boxes	21.35
6	Grandma's Boysenberry Spread	3	2	12 - 8 oz jars	25
7	Uncle Bob's Organic Dried Pears	3	7	NULL	30
8	Northwoods Cranberry Sauce	3	2	12 - 12 oz jars	40
9	Mishi Kobe Niku	4	6	18 - 500 g pkgs.	97
10	Ikura	4	8	12 - 200 ml jars	31

ProductID	ProductName	SupplierID	CategoryID	Unit	Price
2	Chang	1	1	24 - 12 oz bottles	19
4	Chef Anton's Cajun Seasoning	2	2	NULL	22

- Geef alle departement gegevens waarbij de `manager_id` NULL is
- Geef alle job data met een `MAX_SALARY` tussen 12000 en 20000.
- Geef alle employee data met een `JOB_ID` dat `AD_PRES`, `AD_VP` of `ST_MAN` is.
- Geef alle employee data waarbij het telefoonnummer bestaat uit 4 delen. 1 deel wordt aangegeven door de punten.