



Bootstrap your next idea with JHipster Brooklyn

Easily create, build and deploy the first version of your application today.



Bootstrap your first application



Deployment



Monolithic Project - Application

Customize your application settings or take our sensible defaults

| 1 Application | | |
|--------------------------|-------------------------|-----------------------|
| 2 Source Control | Application name: | brooklyn |
| 3 Continuous Integration | Base Java package name: | org.jhipster.brooklyn |

| Authentication V Data V Client V Localization V Testing V Build | | |
|---|--|--|
| Which type of authentication would you like to use? | | |
| HTTP session authentication (stateful, default Spring Security mechanism) | | |
| O JWT authentication (stateless, with a token) | | |
| OAuth2 authentication (stateless, with an OAuth2 server implementation) | | |
| | | |
| | | |
| | | |
| | | |
| | | |



Monolithic Project - Source Control

Create and push your application to your preferred SCM provider


| 1 Application | | | |
|--------------------------|-----------------|----------|---|
| 2 Source Control | SCM provider: | GitHub | • |
| 3 Continuous Integration | Project | jhipster | • |
| (4) Deployment | Repository name | brooklyn | |

Back



Monolithic Project - Continuous Integration

Build your application using your preferred CI provider



Back



Monolithic Project - Deployment

Build your application using your preferred CI provider



Back



Monolithic Project - Preview

Please confirm your selection

| 1 | Application | r Application − −−−−−−−−−−−−−−−−−−−−−−−−−−−−−−−−−−− |
|---|------------------------|---|
| 2 | Source Control | |
| 3 | Continuous Integration | |
| 4 | Deployment | |
| | | Source Control |
| | | |
| | | |
| | | |
| | | |
| | | Continuous Integration |
| | | |
| | | |
| | | |
| | | r Deployment — |
| | | |
| | | |
| | | |









Brooklyn

Please wait or check back in about 10 minutes to view your application