

Developer docs of WP-Client core and Extensions

Here you can find description of hooks of WP-Client core and Extensions

If you do not see the hook that you need, you can contact our Dev Team, and ask them to add the hook for you - [Ask here](#)

Hooks:

Validate Add Client Form

Hook: wpc_client_validate_add_client_fields

Description: Hook runs before saving client data on Add Client form.

Type: filter

For: wp-client

Since: 3.4.9

Params: string \$error

Client Add Form

Hook: wpc_client_add_client_form_html

Description: Can be used for adding custom fields on Client Add Form.

Type: action

For: wp-client

Since: 3.4.8

Params:

Client Add Form

Hook: wpc_client_add_client_after_username

Description: Can be used for adding custom fields on Client Add Form after username field.

Type: action

For: wp-client

Since: 3.4.8

Params:

Filter input data for add Portal Page.

Hook: wpc_client_insert_portal_page_args

Description: Hook runs before Admin/Manager added Portal Page.

Type: filter

For: wp-client

Since: 3.7.0

Params: array \$my_post

Add New Portal Page

Hook: wpc_client_insert_portal_page

Description: Hook runs when Admin/Manager added Portal Page.

Type: action

For: wp-client

Since: 3.7.0

Params: int \$portal_page_id

Add more actions on Clients page

Hook: wpc_client_more_actions_clients

Description: Hook runs before display more actions on Clients page.

Type: filter

For: wp-client

Since: 3.7.6.1

Params: string \$error

List of convertible roles

Hook: wpc_client_convertible_user_roles

Description: Filter add to list convertible roles

Type: filter

For: wp-client

Since: 3.7.5.2

Params: array \$wpc_roles

Action that convert users by ID

Hook: wpc_client_convert_user

Description: Action that convert users by ID

Type: action

For:

wp-client

Since: 3.7.5.2

Params: string \$convert_to, array \$user_ids

Convert user settings

Hook: wpc_client_convert_user_settings

Description: Filter add settings for convert user

Type: filter

For: wp-client

Since: 3.7.5.2

Params: string \$html, string \$role

Validate Edit Client Form

Hook: wpc_client_validate_edit_client_fields

Description: Hook runs before saving client data on Edit Client form.

Type: filter

For: wp-client

Since: 3.4.9

Params: string \$error

Client Edit Form

Hook: wpc_client_edit_client_form_html

Description: Can be used for adding custom fields on Client Edit Form.

Type: action

For: wp-client

Since: 3.4.8

Params: int \$id

Manager Data Saved

Hook: wpc_client_manager_data_saved

Description: Can be used for saving custom fields on Manager Add/Edit Form.

Type: action

For: wp-client

Since: 3.4.8

Params: int \$manager_id, array \$manager_data

Manager Updated

Hook: wpc_client_manager_updated

Description: Hook runs when Manager account is updated.

Type: action

For: wp-client

Since: 3.4.8

Params: int \$manager_id, array \$manager_data

Manager Created

Hook: wpc_client_manager_created

Description: Hook runs when Manager account is created.

Type: action

For: wp-client

Since: 3.4.8

Params: int \$manager_id

Manager Add/Edit Form

Hook: wpc_client_manager_add_edit_form_html

Description: Can be used for adding custom fields on Manager Add/Edit Form.

Type: action

For: wp-client

Since: 3.4.8

Params: array \$manager_data

Change email settings

Hook: wpc_client_email_sending_data

Description: Hook filtered email settings before save it to database.

Type: filter

For: wp-client

Since: 3.7.5.2

Params: array \$data, string \$type

Delete Client

Hook: wpc_client_delete_client

Description: Hook runs when Client account is deleted.

Type: action

For:

wp-client

Since: 3.5.9

Params: int \$client_id

Delete Manager

Hook: wpc_client_delete_manager

Description: Hook runs when WPC Manager account is deleted.

Type: action

For: wp-client

Since: 3.5.9

Params: int \$client_id

Delete WPC Admin

Hook: wpc_client_delete_wpc_admin

Description: Hook runs when WPC Admin account is deleted.

Type: action

For: wp-client

Since: 3.7.8.1

Params: int \$client_id

View Client Form

Hook: wpc_client_view_client_after_custom_fields

Description: Can be used for adding custom html on View Client Form.

Type: action

For: wp-client

Since: 3.3.5

Params: int \$client_id

Client Uploads File

Hook: wp_client_client_uploaded_file

Description: Hook runs when client uploads file.

Type: action

For: wp-client

Since: 3.3.0

Params: array \$file_data

Send test email

Hook: wpc_client_send_test_email

Description: Hook send test email and return sending result.

Type: filter

For: wp-client

Since: 3.7.5.2

Params: array \$result, array \$input_data

Add custom titles

Hook: wpc_default_custom_titles

Description: Hook add default custom titles.

Type: filter

For: wp-client

Since: 3.7.7.1

Params: array \$default_custom_titles

Hook after auto convert user

Hook: wpc_client_auto_convert_user

Description:

Type: action

For: wp-client

Since: 3.7.8.1

Params: string \$wpc_role, int \$user_id

Need Pay For Get Access

Hook: wpc_client_need_pay_for_access

Description: Can be used for checking access to portals, and redirecting to payment page if np access.

Type: action

For: wp-client

Since: 3.5.4

Params: int \$client_id

Replace Placeholders

Hook: wpc_client_replace_placeholders

Description: Hook runs before placeholders are replaced. You can use it to add\edit\remove placeholders and their values.

Type:

filter

For: wp-client

Since: 3.3.5

Params: array \$placeholders, array \$args, string \$label

New Client Registered

Hook: wpc_client_new_client_registered

Description: Hook runs when Client account is registered.

Type: action

For: wp-client

Since: 3.4.1

Params: int \$client_id, array \$userdata

New Client Added by Admin

Hook: wpc_client_new_client_added

Description: Hook runs when Client account is added by Admin.

Type: action

For: wp-client

Since: 3.4.1

Params: int \$client_id, array \$userdata

Client Updated

Hook: wpc_client_client_updated

Description: Hook runs when Client account is updated.

Type: action

For: wp-client

Since: 3.4.1

Params: int \$client_id, array \$userdata

Client Saved

Hook: wpc_client_client_saved

Description: Hook runs when Client account is registered or added by admin or updated.

Type: action

For: wp-client

Since: 3.4.1

Params: int \$client_id, array \$userdata

Sync File Saved

Hook: wpc_client_sync_file_saved

Description: Hook runs when File was inserted after FTP sync.

Type: action

For: wp-client

Since: 3.7.9.3

Params: array \$file

Add custom JS & CSS to WP-Client Pages

Hook: wpc_client_add_custom_scripts_to_page

Description: Hook runs when WP-Client Page is loaded.

Type: action

For: wp-client

Since: 3.7.8

Params: string \$page_key

Client Registration Form

Hook: wpc_client_registration_form_custom_html

Description: Can be used for adding custom fields on Client Registration Form.

Type: filter

For: wp-client

Since: 3.4.8

Params: string \$html

Client Profile Form

Hook: wpc_client_profile_custom_html

Description: Can be used for adding custom fields on Client Profile Form.

Type: filter

For: wp-client

Since: 3.4.9

Params: string \$html

Staff Profile Form

Hook: wpc_client_staff_profile_custom_html

Description: Can be used for adding custom fields on Staff Profile Form.

Type: filter

For:

wp-client

Since: 3.4.9

Params: string \$html