## WORKSAVER, INC.

# Hydraulic Post Driver Return Line Fitting List

## **For Models**

**HPD-16 HPD-20 HPD-24 SHC** 

HPD-16 MFL HPD-20 MFL HPD-24 SWO

HPD-16 HFL HPD-20 HFL

HPD-16 SHC HPD-20 SHC

HPD-16 SWO HPD-20 SWO

To Various Tractor Makes and Models

— **NOVEMBER 2005** —

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
	AGCO-ALLIS			
Allis	D-15 II, D-17 II, D-17 IV	814560	W-12-R	
Allis	D-19, 190, 190XT	814560	W-12-R	
Allis	170, 175, 180, 185, 5050	814560	W-12-R	
Allis	170 & 180 Land Handler	None	e Req'd	
Allis	190 & 200 Land Handler	None	e Req'd	
Allis	210 & 220 Land Handler	None	e Req'd	
Agco-Allis	4650, 4660, 5045, 5050	814560	W-12-R	
Agco	ST30, 30X, ST35, 35X			1 x 3
Agco	ST22, 24, 28, 33, 34, 41, 47, 52, 55	None	e Req'd	
Agco	GT45, 55, 65, 75	None	e Req'd	
Agco	LT85, RT95, RT115, LT170			1 x 3
Agco-Allis	DX4.71, DX6.61			1 x 3
Agco	DT180, 200, 220, 225, 240	None	e Req'd	
Agco	RT100, 120, 130, 155	None	e Req'd	
Agco-Allis	5650, 5660, 5670, 5680			1 x 3
Agco-Allis	6140	814573	W-42-R	
Agco	6410, 6810			1 x 3
Agco-Allis	6060, 6070, 6080	814573	W-42-R	
Agco-Allis	6670, 6680, 6690			1 x 3
Agco-Allis	7000, 7010, 7020	None	e Req'd	
Agco-Allis	7030, 7040, 7050		e Req'd	
Agco-Allis	7045, 7060, 7080, 7580		e Req'd	
Agco-Allis	7600, 7630, 7650		•	1 x 3
Agco-Allis	8010, 8030, 8050, 8070	None	e Req'd	
Agco-Allis	8610, 8630		•	1 x 3
Agco-Allis	8745, 8785	814573	W-42-R	
Agco-Allis	8765, 8775			1 x 3
	0100 0150 0150 0160		D 11	
Agco-Allis	9130, 9150, 9170, 9190		e Req'd	
Agco-Allis	9435, 9455, 9630, 9635		e Req'd	
Agco-Allis	9650, 9655, 9670		e Req'd	
Agco-Allis	9675, 9690, 9695, 9815		e Req'd	
Agco-Allis	9735, 9745, 9755, 9765	None	e Req'd	

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
	BELA	RUS		
Belarus	420, 500, 520, 572, 611, 800, 820			1 1/4 x 3
Belarus	825, 925, 1025, 3011			1 1/4 x 3
Belarus	2045, 3045, 4055, 6345			1 1/4 x 3
Belarus	8011L, 8311, 8345, 9011L, 9311			1 1/4 x 3
WARNING: H	Belarus Tractors require special (additional) hydraulid	c control valve plumbing. T	ractors have a very	high relief valve
pressure setting	g and this may cause hydralic hose failure. <b>OPERA</b>	TOR SAFETY IS AT RIS	SK. Ask for specia	al instructions or
Belarus tractor	applications.			
	BRAN	SON		
Branson	2810, 2910, 3510	Nor	e Req'd	
Branson	3520, 3820, 4020, 4220	Nor	ne Req'd	
Branson	4520, 4720, 6530	Nor	ne Req'd	
CBT	<b>CB</b> ′		<10>	
	CENT	URY		
Century	2035, 2045	Nor	ne Req'd	
Century	2028, 2535		ne Req'd	
Century	3045, 3040, 3045		ne Req'd	
Century	C29, C35, C38L	Nor	ne Req'd	
Century	C42L, C47L	Nor	e Req'd	

TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
CASE			
300, 300UT, 411, 430, 431, 470	None	e Req'd	
500 IND, 600 IND	None	e Req'd	
400, 700, 800	None	e Req'd	
802, 840, 841	None	e Req'd	
530, 540, 630, 640	814567	W-29-R	
730, 830, 930, 1030	None	e Req'd	
770, 870, 970, 1070, 1170, 1175	None	e Req'd	
1270, 1370, 1570	None	e Req'd	
1190, 1290, 1390, 1490			1 x 3
1194, 1294, 1394, 1494, 1594			1 x 3
1690	None	e Req'd	
2090, 2094, 2290, 2294, 2390	None	e Req'd	
2394, 2590, 2594, 3294, 3394	None	e Req'd	
CASE-I	H		
385, 395, 485, 495			1 1/4 x 3
585, 595, 685, 695, 885			1 1/4 x 3
895, 995			1 x 3
3220, 3230			1 1/2 x 3
4210, 4230, 4240			1 1/2 x 3
1896, 2096	None	e Req'd	
2130, 2140, 2150			1 x 3
4494, 4694, 4894, 4994	None	e Req'd	
5120, 5130, 5140 (Maxxum)	None	e Req'd	
5520, 5230, 5240, 5250 (Maxxum)	None	e Req'd	
7110, 7120, 7130, 7140, 7150 (Maxxum)	None	e Req'd	
7210, 7220, 7230, 7240, 7250	None	e Req'd	
DX23, 25, 29, 33, 35, 40, 45, 55	None	e Req'd	
C50, CX50			1 x 3 w/45°
C60, CX60, C70, CX70, C80, CX80	None	e Req'd	
C90, CX90, L100, C100, CX100	None	e Req'd	
JX55, 65, 75, 80U, 85, 90U, 95		-	
		•	
JX1075N, 1085C, 1090U, 1085C, 1095C	None	e Req'd	
	CASE  300, 300UT, 411, 430, 431, 470  500 IND, 600 IND  400, 700, 800  802, 840, 841  530, 540, 630, 640  730, 830, 930, 1030  770, 870, 970, 1070, 1170, 1175  1270, 1370, 1570  1190, 1290, 1390, 1490  1194, 1294, 1394, 1494, 1594  1690  2090, 2094, 2290, 2294, 2390  2394, 2590, 2594, 3294, 3394   CASE-II  385, 395, 485, 495  585, 595, 685, 695, 885  895, 995  3220, 3230  4210, 4230, 4240  1896, 2096  2130, 2140, 2150  4494, 4694, 4894, 4994  5120, 5130, 5140 (Maxxum)  5520, 5230, 5240, 5250 (Maxxum)  7110, 7120, 7130, 7140, 7150 (Maxxum)  7210, 7220, 7230, 7240, 7250  DX23, 25, 29, 33, 35, 40, 45, 55  C50, CX50  C60, CX60, C70, CX70, C80, CX80  C90, CX90, L100, C100, CX100  JX55, 65, 75, 80U, 85, 90U, 95  JX100U, 1060C, 1070C, 1075C	CASE           300, 300UT, 411, 430, 431, 470         Nome           500 IND, 600 IND         Nome           400, 700, 800         Nome           802, 840, 841         Nome           530, 540, 630, 640         814567           730, 830, 930, 1030         Nome           1270, 1370, 1570         Nome           1190, 1290, 1390, 1490         1194, 1294, 1394, 1494, 1594           1690         Nome           2900, 2094, 2290, 2294, 2390         Nome           2394, 2590, 2594, 3294, 3394         Nome           CASE-IH           385, 395, 485, 495           585, 595, 685, 695, 885         895, 995           3220, 3230         A210, 4230, 4240           1896, 2096         Nome           2130, 2140, 2150         A494, 4694, 4894, 4994         Nome           5120, 5130, 5140 (Maxxum)         Nome           520, 5230, 5240, 5250 (Maxxum)         Nome           7110, 7120, 7130, 7140, 7150 (Maxxum)         Nome           0DX23, 25, 29, 33, 35, 40, 45, 55         Nome           C50, CX50         C60, CX60, C70, CX70, C80, CX80         Nome           C90, CX90, L100, C100, CX100         Nome           JX55, 65, 75, 80U, 85, 90U, 95	CASE

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
	CASE-IH (CONTINUED)			
Case-IH	8910, 8920, 8930, 8940, 8950	None	e Req'd	
Case-IH	MX80C, MX90C, MX100, MX100C	None Req'd		
Case-IH	MX110, MX120, MX135, MX150	None Req'd		
Case-IH	MX170		e Req'd	
Case-IH	MX180, MX200, MX210, MX200	None	e Req'd	<9>
Case-IH	MX230, MX240, MX255, MX270	None	e Req'd	<9>
Case-IH	MX120, MXM130, MXM140	None	e Req'd	
Case-IH	MX155, MXM155, MXM175	None	e Req'd	
Case-IH	MXM190	None	e Req'd	
Case-IH	MXU100, MX110, MXU120	None	e Req'd	
Case-IH	MXU125, MXU135	None	e Req'd	
	CHALLENGER			
Challenger	MT225, MT225B, MT255, MT255B	None	e Req'd	
Challenger	MT265, MT265B, MT275, MT275B		e Req'd	
Challenger	MT285, MT285B, MT295, MT295B		e Req'd	
Challenger	MT297		e Req'd	
Challenger	MT400, MT425, MT445		1	1 x 3
Challenger	MT455			1 x 3 w/45°
Challenger	MT525B, MT535, MT535B	None	e Req'd	
Challenger	MT545, MT545B, MT555B		e Req'd	
Challenger	MT565, MT565B	None	e Req'd	
Challenger	MT635, 645, 655, 665	None	e Req'd	

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLI REQ'D <5>
	CUB CA	DET		
Cub Cadet	7260, 7265			1 x 2 w/90°
Cub Cadet	7300, 7305, 7360			1 x 2 w/90°
Cub Cadet	7195, 7235, 7272, 7275			1 x 2 w/90°
	DAVID BR	OWN		
David Brown	1210, 1212 (No O.R.P.)			1 x 3
David Brown	1410, 1412 (No O.R.P.)			1 x 3
	DEUTZ-A	LLIS		
Deutz-Allis	6240, 6250, 6260, 6265, 6275	814570	W-45-R	
Deutz-Allis	7120, 7085	814570	W-45-R	
Deutz-Allis	9130, 9150, 9170, 9190	None	Req'd	
Deutz	D-80-06, D-100-06, D-130-06	814569	W-38-R	
Deutz	D-3006, D-4006, D-4506, D-4507	814570	W-45-R	
Deutz	D-5206, D-5207, D-5506, D-6006	814570	W-45-R	
Deutz	D-9006, D-6206, D-6207, D-6507	814570	W-45-R	
Deutz	D-6806, D-6807, D-7006, D-7007	814570	W-45-R	
Deutz	D-7206, D-7207, D-7807	814570	W-45-R	
Deutz	DX-80, DX-90, DX-110, DX-120, DX-130	814570	W-45-R	
Deutz	DX-140, DX-160	814570	W-45-R	
Deutz	DX-4.70, DX-6.30, DX-6.50, DX-7.10	814570	W-45-R	
Deutz	DX 60, DX 70			1 x 2 w/90°
Deutz	AgroLux 60, 70, 80, 90			1 x 2 w/90°
Deutz	AgroTron 108, 118, 130, 165			1 x 3
Deutz	AgroKid 50	None	Req'd	
	AgroPlus 75, 100	None	Req'd	

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
	EICHER			
Eicher	364NC, 485			1 x 2 w/90°
	FARM PRO			
Farm Pro	2430, 4040	None	e Req'd	
Farm Pro	8240	None	e Req'd	
	FENDT			
Fendt	409, 410, 411, 412	None	e Req'd	
Fendt	712, 714, 716		e Req'd	
Fendt	918, 924, 926		e Req'd	
	FORD			
Ford	Fordson Dextra	814566	W-24-R	
Ford	2000, 3000, 4000, 6000, 7000	814566	W-24-R	
Ford	3550, 4400, 4500, 4000SU, 4100SU, 4600SU	814566	W-24-R	
Ford	8000, 8600, 9000, 9600			1 1/4 x 3
Ford	1700, 1710, 1900, 1910, 2600, 2610, 2810, 3610	814566	W-24-R	
Ford	1720, 1920, 2120, 3230, 3415	None	e Req'd	
Ford	2910, 3400, 3600, 3910, 4100, 4600, 4610	814566	W-24-R	
Ford	3430, 3830N, 3930	None	e Req'd	
Ford	4030N, 4130, 4230N, 4430N, 4630	814566	W-24-R	
Ford	5600, 6600, 7600, 7700	814566	W-24-R	
Ford	5030, 5530HC, 5640, 5900	None	e Req'd	
Ford	5610, 6610, 6710, 7610, 7710, 7810, 8210	None	e Req'd	
Ford	6530HC, 6640	None	e Req'd	
Ford	7530HC, 7740, 7840	None	e Req'd	
Ford	8160, 8240, 8260	None	e Req'd	
Ford	8340, 8360, 8460, 8530, 8560	None	e Req'd	
Ford	8630, 8670, 8700, 8730, 8770	None	e Req'd	
Ford	8830, 8870, 8970, 9700	None	e Req'd	
Ford	TW-10, TW-20, TW-30	None	e Req'd	
Ford	TW-5, TW-15, TW-25, TW-35	None	e Req'd	

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
	GOLDO	NI		
Goldoni	26DT, 30DT		10>	
Goldoni	744, 764, 3050, 3070	<	10>	
	HESSTC	N		
Hesston	1180, 1180DT, 1380, 1380DT	814572	W-50-R	
Hesston	90-90, 100-90, 130-90, F110, F-130	None	e Req'd	
Hesston	466, 466DT, 566, 566DT, 586, 666	814574	W-46-R	
Hesston	680, 680DT, 780, 780DT, 880-5	814573	W-42-R	
Hesston	60-90, 65-46, 65-56, 60-76	814574	W-46-R	
Hesston	880-5DT, 980, 980DT	814573	W-42-R	
Hesston	45-66, 55-66, 60-66, 70-66, 80-66	814574	W-46-R	
Hesston	1580, 1580DT, 1880, 1880DT	814572	W-50-R	
Hesston	480-8, 480-8DT	814573	W-42-R	
Hesston	640, 640DT	814573	W-42-R	
Hesston	55-76, 666DT, 766, 766DT	814574	W-46-R	
	LILIDI IM	ANINI		
——————————————————————————————————————	445, H305XF, H491F		10>	
- Itu iiiiaiiii	443, H303AI, H47H		102	
	HUD-SC	N		
Hud-Son	3544	None	e Req'd	

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
	INTERNATIONAL H	IARVESTE	R	
IH	H, M, MTA	<1>		
IH	300, 350, 400, 450	<10>		
IH	300UT, 330UT, 350UT, 606UT			1 1/4 x 3
IH	340UT, 460UT, 504UT	814566	W-24-R	
IH	544UT, 560UT, 660UT	<1>		
IH	460, 504, 560	<1>		
IH	706, 806, 1206, 2706, 2806	None	e Req'd	
IH	186, 664, 826, 1026	None	e Req'd	
IH	656, 666, 756, 856, 1056, 1256, 1456	None	e Req'd	
IH	766, 966, 1066, 1466, 1566	None	e Req'd	
IH	1468, 1568, 1586		e Req'd	
IH	686, 786, 886, 986, 1086, 1486		e Req'd	
IH	3388, 3588, 3788, 6388, 6588, 6788		e Req'd	
IH	3088, 3288, 3488, 3688		e Req'd	
IH	5088, 5288, 5488		e Req'd	
IH	354, 364, B-275, B414	814561	W-14-R	
IH	244, 254, 274, 384, 2504, 2606			1 x 3
IH	2404, 2424, 2444, 2544 IND. Models			1 1/4 x 3
IH	340, 404, 424, 444, 454, 464, 574, 664			1 1/4 x 3
IH	484, 584, 674, 684, 784, 884			1 1/4 x 3
IH	(Hydro) 84, 86, 70, 100	None	e Req'd	
	(NOTE: OTHER MODELS LISTED U	NDER CASE/IH)		

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLI REQ'D <5>
	JOHN DEERE			
JD	50, 60, 70	814561	W-14-R	
JD	40, 320, 330, 420, 430			1 x 3
JD	300IND, 301IND	814565	W-18-R	
JD	520, 530, 620, 630, 720, 730	814561	W-14-R	
JD	1010, 2010	Not A	Available	
JD	<3> 850, 950, 1050, 1250, 1450, 1650	814571	W-48-R	
JD	<3> 750, 755, 770, 855, 870	814571	W-48-R	
JD	<3> 955, 970	814571	W-48-R	
JD	<3> 790			1 x 3 w/90°
JD	<3>990	None	e Req'd	
JD	<3> 3120, 3320, 3520	814571	W-48-R	<8>
JD	<3> 4100, 4200, 4300	814571	W-48-R	<8>
JD	<3> 4110, 4115, 4210, 4310	814571	W-48-R	<8>
JD	<3> 4410, 4510, 4610, 4710	814571	W-48-R	<8>
JD	<3> 4400, 4500, 4600, 4700	814571	W-48-R	<8>
JD	<3> 4120, 4320, 4520, 4720	814571	W-48-R	<8>
JD	820, 1020, 1520, 2020, 2120	814565	W-18-R	
JD	830, 1530, 2030, 2530, 2630	814565	W-18-R	
JD	2040, 2240, 2440, 2640, 2840, 2940	814565	W-18-R	
JD	2150, 2350, 2550, 2750, 2950	814565	W-18-R	
JD	2155, 2355, 2555, 2755, 2855, 2955	814565	W-18-R	
JD	2255, 3055, 3155, 3255, 3140	None	e Req'd	
JD	2510, 2520, 3010, 4000, 4010, 5010	None	e Req'd	
JD	3020, 4020, 4320, 4520, 4620, 5020	None	e Req'd	
JD	4030, 4230, 4430, 4630, 6030	None	e Req'd	
JD	4040, 4240, 4440, 4640, 4840	None	e Req'd	
JD	4050, 4250, 4450, 4650, 4850	None	e Req'd	
JD	4055, 4255, 4455, 4555, 4755, 4955	None	e Req'd	
JD	4560, 4760, 4960	None	e Req'd	
JD	5200, 5300, 5400	None	e Req'd	
JD	5103, 5105, 5203, 5303	None	e Req'd	
JD	5105, 5210, 5310		e Req'd	
JD	5320, 5320N, 5325, 5425, 5525		e Req'd	
JD	5400, 5410, 5500, 5510		e Req'd	

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>					
	JOHN DEERE (CONTINUED)								
JD	6200, 6300, 6400, 6500L	None	e Req'd						
JD	6110, 6120, 6210, 6320		None Req'd						
JD	6300, 6310, 6400, 6405, 6410	None Req'd							
JD	6215, 6415, 6420, 6615	None Req'd							
JD	6403, 6603	None Req'd							
JD	6500L, 6510L, 6605	<del>-</del>							
JD	7200, 7210, 7400, 7405, 7410	None	e Req'd						
JD	7510, 7600, 7610, 7700, 7710		e Req'd						
JD	7220, 7320, 7420, 7520, 7820		e Req'd						
JD	7800, 7810		e Req'd						
JD	8100, 8110, 8200, 8210		e Req'd						
JD	8230, 8330	None	e Req'd						
JD	8300, 8310, 8400, 8410	None	e Req'd						
<u>ID</u>	8120, 8220, 8320, 8420, 8520	None	e Req'd						
-									
-									

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
	KIOTI	[		
Kioti	CK30	Non	e Req'd	
Kioti	DK35, DK40, DK45, DK455	Non	e Req'd	
Kioti	DK50, DK55, DK65, DK655	Non	e Req'd	
	KUBOT	<b>'A</b>		
Kubota	B2710, B2910	Non	e Req'd	
Kubota	L2250, L2350, L2500, L2550	<7>	1	1 x 3
Kubota	L2600, L2650, L2800, L2850	<7>		1 x 3
Kubota	L2900, L2950	<7>		1 x 3
Kubota	L3000, L3010, L3050, L3130	<7>		1 x 3
Kubota	L3250, L3300, L3350	<7>		1 x 3
Kubota	L3400, L3410, L3430, L3450	<7>		1 x 3
Kubota	L3600, L3650, L3710	<7>	<7>	
Kubota	L3750, L3830	<7>		1 x 3
Kubota	L4150, L4200, L4300, L4310	<7>		1 x 3
Kubota	L4310F, L4330, L4350	<7>		1 x 3
Kubota	L4400, L4610, L4630, L4850	<7>		1 x 3
Kubota	L5030, L5450, MX5000	<7>		1 x 3
Kubota	M105, M110, M120, M125	<7>		1 x 3
Kubota	M4000, M4030, M4050, M4500	<7>		1 x 3
Kubota	M14700, M4800, M4900, M4950	<7>		1 x 3
Kubota	M5030, M5400, M5500	<7>		1 x 3
Kubota	M5700, M5950	<7>		1 x 3
Kubota	M6030, M6590, M6800, M6950	<7>		1 x 3
Kubota	M7030, M7030N, M7500, M7580	<7>		1 x 3
Kubota	M7590, M7950, M8030, M8200	<7>		1 x 3
Kubota	M8580, M8950, M9000	<7>		1 x 3
Kubota	M95, M9540, M9580	<7>		1 x 3

**NOTE:** Pipe nipple requires placing a small amount of hydraulic thread sealant on threads. The pipe nipple then should be tightened by hand until snug. Then turn 1/4 turn more to complete the tightening process. **Tightening the pipe nipple more than this amount could result in damaged threads.** 

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
	LANDI	NI		
Landini	Atlantis 80HC, 100			1 x 3
Landini	5860, 6860, 6865	None	e Req'd	<9>
Landini	8860, 8865, 9860		e Req'd	<9>
Landini	Legend 125TDI, 160, 165TDI	None	e Req'd	
Landini	Mistral 40, 45, 50		Req'd	
Landini	Power Farm 60, 75, 95	None	Req'd	<9>
Landini	Trekker 95	None	None Req'd	
Landini	Vision 95, 105	None	e Req'd	
	LEYLA	ND		
Leyland	245, 255, 262, 270, 272, 282			1 1/4 x 3
Leyland	286, 344, 384, 462, 472, 482			1 1/4 x 3
Leyland	502, 602, 604, 702, 704, 802, 804			1 1/4 x 3
	LONG (Far	mTroo)		
Long	445	mrac)		1 1/4 x 3
Long	450, 460, 550, 560	814573	W-42-R	1 1/4 X 3
Long	900, 910, 1110, 1310		w-42-R wailable	
Long	<4> 260, 310	814568	W-37-R	
Long	510, 610	814568	W-37-R W-37-R	
Long Long	1310 4WD	814570	W-45-R	
Long	270DTC, 320DCT, 390	None	e Req'd	
Long	435, 535, 545, 555		e Req'd	
Long	665, 675			1 x 2 w/90°

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLI REQ'D <5>	
	MAHIN	DRA			
Mahindra	2310, 2810			1 x 3	
Mahindra	2615, 3015	None	e Req'd	<9>	
Mahindra	3510, 4110	None	None Req'd		
Mahindra	E350DI, C35			1 x 3	
Mahindra	3505, 3525, 4500			1 x 2 w/90°	
Mahindra	4530, 5500, 6000			1 x 2 w/90°	
Mahindra	6500, 6520, 7520			1 x 2 w/90°	
Mahindra	7010	None	e Req'd		
	McCORN	<b>MICK</b>			
McCormick	GX40, 45, 50			1 x 4 w/90°	
McCormick	C70	None	e Req'd		
McCormick	C80, C90, C100			1 x 3	
McCormick	CX70, CX80, CX85	None	e Req'd		
McCormick	CX90, CX100, CX105	None	e Req'd		
McCormick	MC90, MC95	None	e Req'd		
McCormick	MC100, MC115	None	e Req'd		
McCormick	MTX110, MTX120, MTX125	None	e Req'd		
McCormick	MTX135, MTX140	None	e Req'd		
McCormick	MTX155, MTX175	None	e Req'd		
	MINNEAPOLI	S-MOLINE			
MM	U302, 670, G-1000	<1>			
MM	G-1000, Vista (1969 & Prior)	<1>			
MM	750, 850	None	e Req'd		
MM	900, 950, 1050, 1350	Not A	Available		

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
	MASSEY FERGU	ISON		
MF	50, 60, 65, 85, 90	814564	W-16-R	
MF	130, 135, 150, 165, 175, 180, 1080	814564	W-16-R	
MF	154-4, 184-4, 253, 254, 274, 294	814564	W-16-R	
MF	230, 231, 235, 240, 243, 245, 250, 251	814564	W-16-R	
MF	255, 265, 270, 275, 285, 290, 298	814564	W-16-R	
MF	253, 261, 263, 271, 281, 283	814564	W-16-R	
MF	1235	<7>		1 x 3
MF	1250, 1260	<7>		1 x 3
MF	261, 396	814575	W-25-R	
MF	360, 362, 3645, 3745, 375, 383	None	e Req'd	
MF	390T, 394S, 398, 399	None	e Req'd	
MF	431, 451, 461, 471, 481, 491	814564	W-16-R	
MF	670, 690, 698, 699	None	e Req'd	
MF	1100, 1130, 1085	None Req'd		
MF	1105, 1135, 1150, 1155, 2640, 2675	None Req'd		
MF	1160, 1180, 1190	None Req'd		
MF	1428, 1429, 1433, 1440, 1455	<7>	-	1 x 3
MF	1523, 1528			1 x 3
MF	1531, 1533, 1540, 1547, 1552	None	e Req'd	
 MF	2705, 2745, 2770, 2775, 2800, 2805	None	e Req'd	
MF	3435GE, 3455GE, 3120T	None Req'd		
MF	3505, 3525, 3545	None Req'd		
MF	3050, 3060, 3630, 3650, 3660, 3670, 3680, 3690	None Req'd		
MF	3070, 3075, 3090, 3120, 3140	814564	W-16-R	
MF	4233, 4243, 4253, 4263	814573	W-42-R	
MF	4235, 4245, 4255, 4270	814573	W-42-R	
MF	4325, 4335, 4345, 4355, 4360	<7>		1 x 3
 MF	6150, 6170, 6180	814564	W-16-R	
MF	6280, 6290	<7>		1 x 3
MF	6465, 6475, 6480, 6485, 6490, 6495		e Req'd	
MF	7465, 7475, 7480, 7485, 7490, 7495	None Req'd		
MF	8120, 8140, 8150, 8160, 8170, 8180	None Req'd		
MF	8250, 8260, 8280, 8480		e Req'd	

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>	
	MONTAN	Ī <b>A</b>			
Montana	2740, 3840, 3940HST	Non	e Req'd		
Montana	4340, 4540, 4940	None Req'd			
Montana	5720, 5740C	None Req'd			
	NEW HOLL	AND			
NH		814860			
NH NH	TC25, TC25D, TC29, TC29A, TC29D	814860			
	TC30, TC33, TC33D, TC35, TC35D				
NH	TC40A, TC40D, TC45, TC45A, TC48A	814860			
NH	TC55D, TC55DA, TC55S	814860			
NH	1530, 1630, 1725, 1925	814860			
NH	4835, 5635, 6635, 7635		None Req'd		
NH	5610, 6610, 7610		None Req'd		
NH	8010, 8160, 8870, 8970		one Req'd		
NH	8210, 8260, 8340, 8360, 8530		e Req'd		
NH	TN55D, TN55S	Non	e Req'd		
NH	TN60A, TN65D, TN65F, TN65S		e Req'd		
NH	TN75A, TN75D, TN75F, TN75S		e Req'd		
NH	TL70, TL80, TL90	Non	e Req'd		
NH	TL90A, TL100, TL100A		e Req'd		
NH	TN90F, TS90, TS100, TS110	None Req'd			
NH	TN75SA, TN85DA		None Req'd		
NH	TN95A, TN95FA		e Req'd		
NH	TL190	Non	e Req'd		
NH	TB100, TS115A, TB110		e Req'd		
NH	TM115, TM125		None Req'd		
NH	TM135, TM140		e Req'd		
NH	TV140	Non	e Req'd		

TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>	
OLIV	ER			
Super 66, 77, 88 SER., 660	None	Req'd		
1550, 1555, 1600, 1650, 1655	None	Req'd		
1750, 1755, 1800, 1850, 1855	None	e Req'd		
1365, 1465	814568	W-37-R		
1900, 1950, 1955, 2255	None	None Req'd		
SAM	<b>IE</b>			
D-120, B-130, H-160			1 x 3	
L-85, M-85, P-90, J-95, P-95			1 x 3	
			1 x 3	
T-100, T-105			1 x 3	
Silver 100.6	None	e Req'd		
Argon 50, 55, 60, 70		•	1 x 2 w/90°	
Silver 130			1 x 2 w/90°	
Solaris 25, 45, 55			1 x 2 w/90°	
Explorer-II 90	814570	W-45-R		
SATOH-MIT	TSUBISHI			
<4> Stallion	814561	W-14-R		
<4> Bison				
ТАБ	TC			
		_		
5040, 5540DE	814564	W-16-R		
TYN	M			
T290, T300, T390	None	e Reg'd		
		None Req'd		
1330, 1330HS1		None Req'd		
T330, T330HST T400, T430, T450, T451		_		
	Super 66, 77, 88 SER., 660  1550, 1555, 1600, 1650, 1655  1750, 1755, 1800, 1850, 1855  1365, 1465  1900, 1950, 1955, 2255  SAM  D-120, B-130, H-160  L-85, M-85, P-90, J-95, P-95  M-60, T-60, C-70, C-75, S-80  T-100, T-105  Silver 100.6  Argon 50, 55, 60, 70  Silver 130  Solaris 25, 45, 55  Explorer-II 90  SATOH-MIT  <4> Stallion  <4> MT180H, MT210, MT250  <4> Bison  TAF  2800CE, 3600CE  3840, 4010DE, 5000DE  5040, 5540DE	Super 66, 77, 88 SER., 660   None	OLIVER           Super 66, 77, 88 SER., 660         None Req'd           1550, 1555, 1600, 1650, 1655         None Req'd           1750, 1755, 1800, 1850, 1855         None Req'd           1365, 1465         814568         W-37-R           1900, 1950, 1955, 2255         None Req'd    SAME  D-120, B-130, H-160  L-85, M-85, P-90, J-95, P-95  M-60, T-60, C-70, C-75, S-80  T-100, T-105  Silver 100.6  Argon 50, 55, 60, 70  Silver 130  Solaris 25, 45, 55  Explorer-II 90         None Req'd           SATOH-MITSUBISHI              SATOH-MITSUBISHI              **SATOH-MITSUBISH**           **A> SATOH-MITSUBISH           **SATOH-MITSUBISH**           **SATOH-MITSUBISH**           **A> SATOH-MITSUBISH**           **A> SATOH-MITSUBISH**	

MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLI REQ'D <5>	
	URSUS	5			
Ursus	2812, 3514, 3822, 4822	814564	W-16-R		
	VALMET (V	Valtra)			
Valtra	600, 700, 800, 900	None	e Req'd		
Valtra	BL88	None	e Req'd		
Valtra	6200, 6300, 6400			1 x 3 w/90°	
Valtra	6850, 8350, 8550, 8950			1 x 3 w/90°	
Valtra	A75, A85, A95	None	e Req'd		
	VERSATI	LE			
Versatile	160, 256, 276			1 x 3	
	WHITI	Ε			
White	2-45, 2-62	None	e Req'd		
White	2-50, 2-60	814568			
White	2-55, 2-65, 2-70, 2-75, 2-85, 2-88	None			
White	125, 145	None Req'd			
White	2-105, 2-110, 2-135	None Req'd			
White	2-150, 2-155, 2-180	None Req'd			
White	80, 100, 120, 140, 160, 170, 185, 195	None Req'd			
White	6065, 6085, 6090HC				
White	6105, 6045, 6810, 8410		1 x 3		
White	6124, 6144	None			
White	6125, 6145, 6175, 6195, 6215		Req'd		
White White	6140, 6510 8510	814573	W-16-R e Req'd		
winte	8310	None	e Keq u		
	YANMA	R			
Yanmar	<4> YM 240, YM 330, YM 336	814571	W-48-R		

TRACTOR MFG.	TRACTOR MODELS	PART NO.	SPECIAL FITTING NO.	PIPE NIPPLE REQ'D <5>
	ZETOR			
Zetor	3320, 3321, 3340, 3341	Non	e Req'd	
Zetor	3520, 3522	None Req'd		
Zetor	4321, 4340, 4341		e Req'd	
Zetor	5243, 5245		e Req'd	
Zetor	6321, 6340, 6341		e Req'd	
Zetor	6421, 6441, 7421, 7441		e Req'd	
Zetor	6540, 7321, 7340, 7341	Non	e Req'd	
Zetor	8421, 8441	Non	e Req'd	
Zetor	8620, 8640, 8641	Non	e Req'd	
Zetor	9640, 9641		e Req'd	
Zetor	10240, 10540, 10641		e Req'd	

#### **SPECIAL NOTES**

- <1> This tractor not recommended for using a driver due to the small oil return port on the tractor.
- <2> Some early model tractors did not have remote hydraulics. Check with your tractor dealer for tractor pressure port location.
- <3> Must have selector control valve.
- <4> Must have outside hydraulic pressure port.
- <5> Pipe nipples required should be black pipe (ungalvanized) and can be purchased locally at a farm or hardware store. A 45° or 90° elbow may be required.
- <6> Tractors with small oil return ports require extra care when using the post driver. Some oil may be forced out the fill opening until the oil warms up. Some of these tractors use the fill port as the hydraulic sump vent and escaping air will cause a small amount of oil to be forced out the fill opening. Plumbing the return line without a vent can cause oil seals in the tractor to be damaged.
- Pipe nipple requires placing a small amount of hydraulic thread sealant on the threads. The pipe nipple then should be tightened by hand until snug. Then turn 1/4 turn more to complete the tightening process. Tightening the pipe nipple more than this amount could result in damaged threads.
- <8> Need to remove the bracket that holds the toplink up (2 bolts).
- <9> Return port on tractor is located in front of seat. The return hose may need to be longer. Part #2504143 (4 ft. hose extension).
- <10> Not available at this time.

#### WORKSAVER, INC.