

***Implements  
Designed  
for Your  
Lifestyle.***



# ATV Attachments

**Worksaver® ATV Equipment  
Helps You Care For Your Land!**



***In Your Wildlife Food Plots . . . In Your Gardens . . . On Your Acreage***



## ATV Attachments

Elevate your ATV's productivity by converting to Worksaver ATV Attachments. Great for wildlife food plots, gardens and large acreage, Worksaver provides quality designed and innovative products that work the way you live!



### Specifications:

Mount Type .....	Rear Mount
Frame Construction .....	Welded Steel
Hopper .....	Translucent Polyethylene
Hopper Capacity .....	1 Bushel
Power Source .....	12-Volt Electric Motor
Power Connections .....	Wiring Kit Included
Control .....	Variable Speed (Operator Accessible)
Shipping Weight (lb/kg) .....	42/19
Product Item Number .....	403425

### ATVK-400

#### Electric Seeder/Spreader

- Excellent for seeding pastures and wildlife food plots; easily spreads granular fertilizer and other granular materials.
- Lower profile mount allows the unit to fit most all brands of ATV's.
- Durable, maintenance-free 1-bushel polyethylene hopper is translucent for easy monitoring of hopper material level.
- Reliable 12-volt electric motor with variable speed control offers outstanding spread coverage, under most seeding conditions.
- Control lever is within easy reach of the operator.
- Complete wiring package is included for simple hook-up.



### FOD-16 Flip-Over Disc

- Ideal for tilling wildlife food plots and larger gardens.
- Patented design allows for easy "flip-over" from transport to cultivation mode.
- Eight (8) 16" notched blades are designed for efficient trash cutting and optimum soil penetration.
- Disc gangs are set at 20° angles for maximum cutting.
- Frame design has a platform for adding up to three (3) concrete blocks for deeper cutting depth and better soil penetration.




### Specifications:

HP Requirements (minimum) .....	18 HP or 350 cc
Construction .....	Welded Steel
Operating Width (in/cm) .....	60/152
Overall Width of Frame (in/cm) .....	53/135
Overall Height (in/cm) .....	35/89
Length with Tongue (in/cm) .....	70/178
Tire Size .....	4" X 12" Pneumatic
Axles (in/mm) .....	.1/25 Square
Bearings .....	Cast Iron with Grease Zerk
Shipping Weight (lb/kg) .....	240/109
Product Item Number .....	940420



## Landscape Rake

- Designed for quick and easy clean up of leaves and debris from large areas of lawn, pastures and roadsides– keeps your property neatly groomed.
- Spring steel tines are spaced at 1" intervals for thorough raking; debris is "windrowed" for easy collection and pick-up.
- Welded steel construction for durability.
- Clevis-type hitch allows for quick and easy hook-up to ATV.
- Rakes are available in 4', 5' and 6' widths.



### Specifications:

Rake Type .....	Pull Type
Rake Widths (in/cm):	
4' Rake.....	48/112
5' Rake.....	50/152
6' Rake.....	72/183
Hitch Type.....	Clevis Type
Angle Positions.....	5
Tines .....	5/16" X 1" Heat Treated
Height Adjustment .....	Turnbuckle
Raise/Lower Mechanism .....	Rope Pull-Lever
Tire/Gauge Wheels.....	Pneumatic
Shipping Weight (lb/kg):	
4' Rake.....	195/88
5' Rake.....	205/93
6' Rake.....	225/102
Product Item Number:	
4' Rake.....	341940
5' Rake.....	341945
6' Rake.....	341950




### Specifications:

Scraper Type .....	Pull Type
Width (in/cm) .....	42/107
Hitch Type.....	Clevis Type
Height Adjustment .....	Turnbuckle
Raise/Lower Mechanism .....	Rope Pull-Lever
Tire/Gauge Wheels.....	Pneumatic
Shipping Weight (lb/kg) .....	190/86
Product Item Number.....	341960

## Box Scraper

- Specially designed for moving dirt, grading and spreading topsoil, gravel or driveway rock– exceptional utility for a wide range of grading and leveling applications.
- 42" scraper box made of heavy gauge steel for long life.
- Pneumatic tires are used for transport and gauge wheels.
- Clevis-type hitch allows for quick and easy hook-up to ATV.





## Flip-Over Culti-Packer

- Perfect for final compaction after seeding your food plot. Reduces air pockets and increases seed germination. Helps prevent erosion.
- Unique design allows for easy "flip-over" from transport to operation mode.
- This machine can also be used for breaking the crust of rain-hardened soil, to allow emerging seedlings to break through and grow.

### Specifications:

HP Requirements (minimum) ..... 18 HP or 350 cc  
 Construction ..... Welded Steel  
 Operating Width (in/cm) ..... 50/127  
 Tire Size ..... 4" X 12" Pneumatic  
 Number of Culti-Packer Wheels ..... 22  
 Culti-Packer Wheel Material ..... Cast Iron  
 Shipping Weight (lb/kg) ..... 274/124  
 Product Item Number ..... 940400



**Implements  
Designed  
for Your  
Lifestyle.**



**Caution** — A heavy load can cause your power unit to tip over. When moving heavy loads, keep the load as close to the ground as possible, go slowly around turns, and be sure the front and rear of the power unit is properly counterbalanced with weights.



**Caution** — Operators must read & understand operator's manual, particularly the safety warnings and instructions. **The operator is responsible for safety of themselves and others when operating equipment.**

WORKSAVER, INC. has a corporate policy of continuous product improvement and development; therefore, specifications are subject to change without any advance notice. WORKSAVER, INC. is not responsible for differences between specifications or illustrations contained in this publication and the actual equipment.



**Distributed by:**



**Worksaver, Inc.**

P.O. Box 100, Litchfield, IL 62056-0100

Phone: 217-324-5973 • Fax: 217-324-3356

E-mail: [sales@worksaver.com](mailto:sales@worksaver.com)

Web: [www.worksaver.com](http://www.worksaver.com)