



Mixture reconstruction | Day 1 Condition 6 | DA 5 μM , AA 100 μM , UA 0 μM | residual model: gpr (out-of-fold)


Dopamine PCR piece




Ascorbic Acid PCR piece




Uric Acid PCR piece




Actual vs reconstruction




Dopamine PCR piece




Ascorbic Acid PCR piece



Uric Acid PCR piece




Actual vs reconstruction




Mixture reconstruction | Day 1 Condition 7 | DA 5 μM , AA 200 μM , UA 0 μM | residual model: gpr (out-of-fold)


Dopamine PCR piece




Ascorbic Acid PCR piece




Uric Acid PCR piece




Actual vs reconstruction




Dopamine PCR piece




Ascorbic Acid PCR piece




Uric Acid PCR piece



Actual vs reconstruction







Mixture reconstruction | Day 1 Condition 8 | DA 5 μM , AA 400 μM , UA 0 μM | residual model: gpr (out-of-fold)







Mixture reconstruction | Day 1 Condition 10 | DA 10 μ M, AA 100 μ M, UA 0 μ M | residual model: gpr (out-of-fold)

CV normal
anodic







CV normal
cathodic







Mixture reconstruction | Day 1 Condition 11 | DA 10 μ M, AA 200 μ M, UA 0 μ M | residual model: gpr (out-of-fold)

CV normal
anodic







CV normal
cathodic







Mixture reconstruction | Day 1 Condition 12 | DA 10 μ M, AA 400 μ M, UA 0 μ M | residual model: gpr (out-of-fold)


CV normal
anodic



CV normal
cathodic







Mixture reconstruction | Day 1 Condition 14 | DA 20 μ M, AA 100 μ M, UA 0 μ M | residual model: gpr (out-of-fold)







Mixture reconstruction | Day 1 Condition 15 | DA 20 μ M, AA 200 μ M, UA 0 μ M | residual model: gpr (out-of-fold)


CV normal
anodic



CV normal
cathodic







Mixture reconstruction | Day 1 Condition 16 | DA 20 μ M, AA 400 μ M, UA 0 μ M | residual model: gpr (out-of-fold)







Mixture reconstruction | Day 1 Condition 18 | DA 50 μ M, AA 100 μ M, UA 0 μ M | residual model: gpr (out-of-fold)

CV normal
anodic







CV normal
cathodic







Mixture reconstruction | Day 1 Condition 19 | DA 50 μ M, AA 200 μ M, UA 0 μ M | residual model: gpr (out-of-fold)

CV normal
anodic







CV normal
cathodic







Mixture reconstruction | Day 1 Condition 20 | DA 50 μM , AA 400 μM , UA 0 μM | residual model: gpr (out-of-fold)

CV normal
anodic







CV normal
cathodic







Mixture reconstruction | Day 1 Condition 22 | DA 100 μ M, AA 100 μ M, UA 0 μ M | residual model: gpr (out-of-fold)

CV normal
anodic







CV normal
cathodic







Mixture reconstruction | Day 1 Condition 23 | DA 100 μ M, AA 200 μ M, UA 0 μ M | residual model: gpr (out-of-fold)


CV normal
anodic




CV normal
cathodic




Mixture reconstruction | Day 1 Condition 24 | DA 100 μ M, AA 400 μ M, UA 0 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 2 Condition 2 | DA 0 μ M, AA 100 μ M, UA 100 μ M | residual model: gpr (out-of-fold)



Mixture reconstruction | Day 2 Condition 3 | DA 0 μ M, AA 200 μ M, UA 100 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 2 Condition 4 | DA 0 μ M, AA 400 μ M, UA 100 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 2 Condition 5 | DA 5 μM , AA 0 μM , UA 100 μM | residual model: gpr (out-of-fold)


Dopamine PCR piece




Ascorbic Acid PCR piece




Uric Acid PCR piece




Actual vs reconstruction




Dopamine PCR piece




Ascorbic Acid PCR piece



Uric Acid PCR piece







Actual vs reconstruction







Mixture reconstruction | Day 2 Condition 6 | DA 5 μ M, AA 100 μ M, UA 100 μ M | residual model: gpr (out-of-fold)


CV normal
anodic




CV normal
cathodic




Mixture reconstruction | Day 2 Condition 7 | DA 5 μM , AA 200 μM , UA 100 μM | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 2 Condition 8 | DA 5 μ M, AA 400 μ M, UA 100 μ M | residual model: gpr (out-of-fold)



Mixture reconstruction | Day 2 Condition 9 | DA 10 μ M, AA 0 μ M, UA 100 μ M | residual model: gpr (out-of-fold)







Mixture reconstruction | Day 2 Condition 10 | DA 10 μ M, AA 100 μ M, UA 100 μ M | residual model: gpr (out-of-fold)







Mixture reconstruction | Day 2 Condition 11 | DA 10 μ M, AA 200 μ M, UA 100 μ M | residual model: gpr (out-of-fold)


CV normal
anodic




CV normal
cathodic




Mixture reconstruction | Day 2 Condition 12 | DA 10 μ M, AA 400 μ M, UA 100 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 2 Condition 13 | DA 20 μ M, AA 0 μ M, UA 100 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 2 Condition 14 | DA 20 μ M, AA 100 μ M, UA 100 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 2 Condition 15 | DA 20 μ M, AA 200 μ M, UA 100 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 2 Condition 16 | DA 20 μ M, AA 400 μ M, UA 100 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 2 Condition 17 | DA 50 μ M, AA 0 μ M, UA 100 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 2 Condition 18 | DA 50 μ M, AA 100 μ M, UA 100 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 2 Condition 19 | DA 50 μ M, AA 200 μ M, UA 100 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 2 Condition 20 | DA 50 μ M, AA 400 μ M, UA 100 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 2 Condition 21 | DA 100 μ M, AA 0 μ M, UA 100 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 2 Condition 22 | DA 100 μ M, AA 100 μ M, UA 100 μ M | residual model: gpr (out-of-fold)











Mixture reconstruction | Day 2 Condition 23 | DA 100 μ M, AA 200 μ M, UA 100 μ M | residual model: gpr (out-of-fold)



Mixture reconstruction | Day 2 Condition 24 | DA 100 μ M, AA 400 μ M, UA 100 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 3 Condition 2 | DA 0 μ M, AA 100 μ M, UA 200 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 3 Condition 3 | DA 0 μ M, AA 200 μ M, UA 200 μ M | residual model: gpr (out-of-fold)


Dopamine PCR piece




Ascorbic Acid PCR piece




Uric Acid PCR piece




Actual vs reconstruction




Dopamine PCR piece




Ascorbic Acid PCR piece











Uric Acid PCR piece



Actual vs reconstruction




Mixture reconstruction | Day 3 Condition 4 | DA 0 μ M, AA 400 μ M, UA 200 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 3 Condition 5 | DA 5 μM , AA 0 μM , UA 200 μM | residual model: gpr (out-of-fold)


Dopamine PCR piece




Ascorbic Acid PCR piece







Uric Acid PCR piece




Actual vs reconstruction




CV normal cathodic




Mixture reconstruction | Day 3 Condition 6 | DA 5 μ M, AA 100 μ M, UA 200 μ M | residual model: gpr (out-of-fold)











Mixture reconstruction | Day 3 Condition 7 | DA 5 μ M, AA 200 μ M, UA 200 μ M | residual model: gpr (out-of-fold)











Mixture reconstruction | Day 3 Condition 8 | DA 5 μ M, AA 400 μ M, UA 200 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 3 Condition 9 | DA 10 μ M, AA 0 μ M, UA 200 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 3 Condition 10 | DA 10 μ M, AA 100 μ M, UA 200 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 3 Condition 11 | DA 10 μ M, AA 200 μ M, UA 200 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 3 Condition 12 | DA 10 μ M, AA 400 μ M, UA 200 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 3 Condition 13 | DA 20 μ M, AA 0 μ M, UA 200 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 3 Condition 14 | DA 20 μ M, AA 100 μ M, UA 200 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 3 Condition 15 | DA 20 μ M, AA 200 μ M, UA 200 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 3 Condition 16 | DA 20 μ M, AA 400 μ M, UA 200 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 3 Condition 17 | DA 50 μ M, AA 0 μ M, UA 200 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 3 Condition 18 | DA 50 μ M, AA 100 μ M, UA 200 μ M | residual model: gpr (out-of-fold)



Mixture reconstruction | Day 3 Condition 19 | DA 50 μ M, AA 200 μ M, UA 200 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 3 Condition 20 | DA 50 μ M, AA 400 μ M, UA 200 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 3 Condition 21 | DA 100 μ M, AA 0 μ M, UA 200 μ M | residual model: gpr (out-of-fold)


Dopamine PCR piece




Ascorbic Acid PCR piece




Uric Acid PCR piece




Actual vs reconstruction




Dopamine PCR piece




Ascorbic Acid PCR piece




Uric Acid PCR piece




Actual vs reconstruction




Mixture reconstruction | Day 3 Condition 22 | DA 100 μ M, AA 100 μ M, UA 200 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 3 Condition 23 | DA 100 μ M, AA 200 μ M, UA 200 μ M | residual model: gpr (out-of-fold)



Mixture reconstruction | Day 3 Condition 24 | DA 100 μ M, AA 400 μ M, UA 200 μ M | residual model: gpr (out-of-fold)







Mixture reconstruction | Day 4 Condition 2 | DA 0 μ M, AA 100 μ M, UA 400 μ M | residual model: gpr (out-of-fold)







Mixture reconstruction | Day 4 Condition 3 | DA 0 μM , AA 200 μM , UA 400 μM | residual model: gpr (out-of-fold)

CV normal
anodic







CV normal
cathodic







Mixture reconstruction | Day 4 Condition 4 | DA 0 μ M, AA 400 μ M, UA 400 μ M | residual model: gpr (out-of-fold)

CV normal
anodic




CV normal
cathodic




Mixture reconstruction | Day 4 Condition 5 | DA 5 μM , AA 0 μM , UA 400 μM | residual model: gpr (out-of-fold)


Dopamine PCR piece




Ascorbic Acid PCR piece




Uric Acid PCR piece




Actual vs reconstruction




Dopamine PCR piece




Ascorbic Acid PCR piece



Uric Acid PCR piece







Actual vs reconstruction







Mixture reconstruction | Day 4 Condition 6 | DA 5 μM , AA 100 μM , UA 400 μM | residual model: gpr (out-of-fold)

CV normal
anodic







CV normal
cathodic







Mixture reconstruction | Day 4 Condition 7 | DA 5 μ M, AA 200 μ M, UA 400 μ M | residual model: gpr (out-of-fold)

CV normal
anodic







CV normal
cathodic







Mixture reconstruction | Day 4 Condition 8 | DA 5 μM , AA 400 μM , UA 400 μM | residual model: gpr (out-of-fold)

CV normal
anodic




CV normal
cathodic




Mixture reconstruction | Day 4 Condition 9 | DA 10 μM , AA 0 μM , UA 400 μM | residual model: gpr (out-of-fold)


Dopamine PCR piece




Ascorbic Acid PCR piece



Uric Acid PCR piece




Actual vs reconstruction




CV normal
anodic

CV normal
cathodic


Dopamine PCR piece




Ascorbic Acid PCR piece



Uric Acid PCR piece




Actual vs reconstruction




Mixture reconstruction | Day 4 Condition 10 | DA 10 μ M, AA 100 μ M, UA 400 μ M | residual model: gpr (out-of-fold)


Dopamine PCR piece




Ascorbic Acid PCR piece







Uric Acid PCR piece



Actual vs reconstruction







CV normal
anodic







CV normal
cathodic

Mixture reconstruction | Day 4 Condition 11 | DA 10 μ M, AA 200 μ M, UA 400 μ M | residual model: gpr (out-of-fold)

CV normal
anodic







CV normal
cathodic







Mixture reconstruction | Day 4 Condition 12 | DA 10 μ M, AA 400 μ M, UA 400 μ M | residual model: gpr (out-of-fold)


CV normal
anodic




CV normal
cathodic




Mixture reconstruction | Day 4 Condition 13 | DA 20 μ M, AA 0 μ M, UA 400 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 4 Condition 14 | DA 20 μ M, AA 100 μ M, UA 400 μ M | residual model: gpr (out-of-fold)




Mixture reconstruction | Day 4 Condition 15 | DA 20 μ M, AA 200 μ M, UA 400 μ M | residual model: gpr (out-of-fold)



Mixture reconstruction | Day 4 Condition 16 | DA 20 μ M, AA 400 μ M, UA 400 μ M | residual model: gpr (out-of-fold)







Mixture reconstruction | Day 4 Condition 17 | DA 50 μ M, AA 0 μ M, UA 400 μ M | residual model: gpr (out-of-fold)







Mixture reconstruction | Day 4 Condition 18 | DA 50 μ M, AA 100 μ M, UA 400 μ M | residual model: gpr (out-of-fold)

CV normal
anodic







CV normal
cathodic







Mixture reconstruction | Day 4 Condition 19 | DA 50 μ M, AA 200 μ M, UA 400 μ M | residual model: gpr (out-of-fold)

CV normal
anodic







CV normal
cathodic







Mixture reconstruction | Day 4 Condition 20 | DA 50 μ M, AA 400 μ M, UA 400 μ M | residual model: gpr (out-of-fold)

CV normal
anodic




CV normal
cathodic




Mixture reconstruction | Day 4 Condition 21 | DA 100 μ M, AA 0 μ M, UA 400 μ M | residual model: gpr (out-of-fold)


Dopamine PCR piece




Ascorbic Acid PCR piece




Uric Acid PCR piece




Actual vs reconstruction





Dopamine PCR piece




Ascorbic Acid PCR piece











Uric Acid PCR piece



Mixture reconstruction | Day 4 Condition 22 | DA 100 μ M, AA 100 μ M, UA 400 μ M | residual model: gpr (out-of-fold)







Mixture reconstruction | Day 4 Condition 23 | DA 100 μM , AA 200 μM , UA 400 μM | residual model: gpr (out-of-fold)



Mixture reconstruction | Day 4 Condition 24 | DA 100 μ M, AA 400 μ M, UA 400 μ M | residual model: gpr (out-of-fold)

CV normal
anodic



CV normal
cathodic

