

EMC Effect for A=3

Jason Bane

University of Tennessee

jbane1@vols.utk.edu

November 15, 2018

Outline

1 EMC Effect

2 MARATHON

- Setup
- Run Period


3 Analysis

EMC Effect

European Muon Collaboration's (EMC)
1983 results for the lepton scattering
experiment on Iron and Deuterium.

- Nucleon Structure Functions
- Sea-Quark Distributions e
- Gluon Distributions
- Expected $F_A = NF_2^N + ZF_2^P$
- Because the binding energies of the nucleons are several orders of magnitude smaller than the momentum transfer for an interaction in DIS region
- Fermi interaction causing differentiation at high momentum transfer.

Figure: EMC data of F_2^{Fe}/F_2^D from 1982 [Higinbotham D., 2013].






EMC Effect

European Muon Collaboration:

- Nuclear F2 structure function per nucleon different than that of deuterium
- Quark distribution functions modified in the nuclear medium
- Defined the magnitude of the EMC effect as the slope of the $\frac{A}{D}$ per nucleon cross section ratio from 0.3 to 0.7 in x.
- Current Explanations
 - ▶ Binding effects beyond nucleon Fermi motion
 - ▶ Enhancement of pion field with increasing A
 - ▶ Influence of possible multi-quark clusters
 - ▶ Change in the quark confinement scale in nuclei
- No unique/universally accepted theory for explanation of effect up to date.

EMC Effect

Figure: SLAC experiment E139 [J. Gomez et al., 1994].



EMC Effect

Figure: JLab experiment "EMC in light Nuclei" [J.Seely, A. Daniel et al].






Figure: EMC as a function of Nuclear Density [J.Seely, A. Daniel et al].



Deep Inelastic Scattering (DIS)




- Momentum Transfer

$$Q^2 \equiv 4EE' \sin^2 \frac{\theta}{2}$$
- Bjorken X (X_{bj}/x) = $\frac{Q^2}{2\nu M}$
- $\sigma_{eN} = \frac{\alpha^2}{eE^2 \sin^4(\frac{\theta}{2})} \left[\frac{F_2}{\nu} \cos^2 \frac{\theta}{2} + \frac{2F_2}{M} \sin^2 \frac{\theta}{2} \right]$
- Invariant Mass



$$W^2 = 2M\nu + M^2 - Q^2$$
- $W^2 > 4 \rightarrow \text{DIS}$

Tritium Experiments



MARATHON

MeAsurement of F_2^n/F_2^p , d/u RAtios and $A = 3$ EMC Effect in Deep Inelastic Electron Scattering off the Tritium and Helium MirrOr Nuclei.




- Lightest and simplest mirror system
 - ▶ Number of protons in 3H = neutrons in 3He
- Differences in the nuclear effects are small
- Improve the current measurement and understanding of Fn2 to F p2 ratio
- Restrict the assumptions and parameters made in the model calculations of the down to up quark distribution ratio

Tritium Target Cell



First tritium target at JLab

- Thin Al entrance and exit windows 0.01 inches
- 1090Ci of Tritium (0.1 g)
- 25 cm long
- Tritium Cell was filled in Savannah River
- 40 kelvin Helium is used to cool an attached heat sink




Hall A & The HRSs

Use CEBAF(Continues Electron Beam Facility) to provide 10.6 GeV beam for electron scattering.





Vertical Drift Chamber(VDC)



A dual VDC system is used to provide precise angular reconstruction of particle trajectories.



- U/V angle $\pm 45^\circ$
- 368 wires per plane
- 4.2mm spacing between wires
- Online Efficiency determined by nearest neighbor method [J. Alcorn et al.]

Gas Cherenkov




- Filled with CO_2
- Index of refraction of 1.00041 and operated at 1 atm
- Electron threshold of 0.017 $\frac{GeV}{c}$
- Pion/proton threshold of 4.8/32 $\frac{GeV}{c}$
- 1.5/1 m radiator length of left/right arm [J. Alcorn et al.]

Calorimeter




Scintillators

- Two Scintillating light detectors
 - ▶ S0 large acceptance and low resolution
 - ▶ S2 16 bars capped by PMTs
- Main source for trigger
- Provide TOF(time of flight) & Used to help identify hadrons [J. Alcorn et al.]




Single Arm Triggers ($S_0 \& S_2$); $(S_0 \& S_2) \& GC$; $(S_0 \mid\mid S_2) \& GC$



The same for LHRS and RHRs

Figure: By Florian Hauenstein

The Run Period



- Ran from January 11th to April 12th
- Gaseous Tritium, Deuterium, Helium-3, and Hydrogen
- Single Carbon Foil, Carbon foil with hole, and multi-foil
- Rotated through targets to achieve equal statics and reduce the impact of unforeseen circumstances

KIN15 $\theta = 33.552$, $X = 0.78$, $E' = 3.1 \text{ GeV}$											
Start time 2018-01-11 00:00:00											
1. Carbon hole Center 2. Open / Readys 3. Carbon 4. Carbon, Pulsed (with min.) 5. Energy Cell											
Target											
He3											
22.5m											
H3											
22.5m											
D2											
22.5m											
D3											
22.5m											
D4											
22.5m											
D5											
22.5m											
D6											
22.5m											
D7											
22.5m											
D8											
22.5m											
D9											
22.5m											
D10											
22.5m											
D11											
22.5m											
D12											
22.5m											
D13											
22.5m											
D14											
22.5m											
D15											
22.5m											
D16											
22.5m											
D17											
22.5m											
D18											
22.5m											
D19											
22.5m											
D20											
22.5m											
D21											
22.5m											
D22											
22.5m											
D23											
22.5m											
D24											
22.5m											
D25											
22.5m											
D26											
22.5m											
D27											
22.5m											
D28											
22.5m											
D29											
22.5m											
D30											
22.5m											
D31											
22.5m											
D32											
22.5m											
D33											
22.5m											
D34											
22.5m											
D35											
22.5m											
D36											
22.5m											
D37											
22.5m											
D38											
22.5m											
D39											
22.5m											
D40											
22.5m											
D41											
22.5m											
D42											
22.5m											
D43											
22.5m											
D44											
22.5m											
D45											
22.5m											
D46											
22.5m											
D47											
22.5m											
D48											
22.5m											
D49											
22.5m											






Major Miscues

- Right Arm Dipole failed on January 11th
 - ▶ Return the dipole to functionality the following day
 - ▶ 01/13 - Dipole failed again, causing a chain reaction with the Left arm
 - ▶ Solution could not be found quickly
 - ▶ Change of Kinematic plan to use single HRS.
 - ▶ Recovered RHRSS on 01/16 - Set to take data at theta of 36.12° , x of 0.82
- A Transformer Failed on March 5th
 - ▶ Recovered on March 23rd
 - ▶ Spring run Period extended by 18 days
 - ▶ MARATHON took opportunistic data during recovery period







Tritium Safety Requirements

- Harp and BPM Check!
- Ion Chamber functionality test
- Beam Center
- Raster Size calibration.




Run #1894

L-arm S2m TDC (8-15)



T1	$1.27e+01$	T2	$2.99e+00$	T3	$2.49e+01$
(S0/S2)R	$3.01e+03$	L1A_Remote	$2.30e+01$	Clock_RHRS	$1.02e+03$
Sh-Sum	$3.37e+01$	(S0/S2)L	$2.48e+03$	S2L	$2.80e+03$
(S0/S2)R	$3.01e+03$	ADC_gate	$3.47e+01$	L1A	$1.76e+03$





Analysis

Data Analysis Task

- Data decoding
- Online analysis
- Full detector calibrations
- Systematic errors
- Detector efficiencies
- Yield Extraction




Monte Carlo Analysis

- Monte Carlo Tuning
 - ▶ Offsets
 - ▶ Target Parameters
 - ▶ Reconstruction functions
- Event weighting
- Acceptance studies

Analysis

Online Analysis

- Quick Calibrations
- Electron Counts
- Comparable plots for detector checks





Data Decoding

The Hall A Analyzer

- An object-oriented, modular framework built on top of ROOT.
- Use modular classes to build a detector package
- Libraries to calculate physics variables

```
*****
*          W E L C O M E   to   the      *
*          H A L L A   C++   A N A L Y Z E R   *
*          *
*          Release       1.7.0-devel      May 01 2018   *
*          Based on ROOT  6.08/00        Nov 4 2016   *
*          *
*          For information visit      *
*          http://hallaweb.jlab.org/podd/   *
*
*****
```

analyzer [0] █



References



Douglas Higinbotham (2013)

The EMC effect still puzzles after 30 years

Cern Courier April 2013.



J. Gomez et al. (SLAC-E139)

Phys. Rev D 49 (1994) 4348



J.Seely, A. Daniel et al (2013)

New Measurements of the EMC Effect in Very Light Nuclei

nucl-ex/0904.4448.



J. Alcorn et al, (2004)

Basic instrumentation for Hall A at Jefferson Lab

NIM A 522(2004) 294-346

The End