

Yes. For a **Senior iOS Accessibility Interview**, the previous solutions are good, but there are several advanced accessibility concepts that interviewers expect you to mention. These are often missed by candidates.

Additional Improvements for Existing Problems

Problem 3: Icon-Only Button

Better Solution

```
1 Button {  
2     openSettings()  
3 } label: {  
4     Image(systemName: "gear")  
5 }  
6 .accessibilityLabel("Settings")  
7 .accessibilityHint("Opens application settings")
```

Senior-Level Point

For SF Symbol buttons:

```
1 .accessibilityIdentifier("settingsButton")
```

Useful for UI testing.

Problem 4: Account Balance

Instead of:

```
1 .accessibilityElement(children: .combine)
```

sometimes provide a custom announcement:

```
1 .accessibilityElement(children: .ignore)  
2 .accessibilityLabel("Available balance")  
3 .accessibilityValue("Five thousand dollars")
```

Why?

You gain complete control over VoiceOver output.

Problem 7: Dynamic Type

Many candidates only answer:

```
1 .font(.body)
```

Senior answer:

Also ensure layout adapts

```
1 .minimumScaleFactor(0.8)
2 .lineLimit(nil)
```

or

```
1 .dynamicTypeSize(...DynamicTypeSize.accessibility5)
```

Interview Follow-up

Q: What happens if text becomes truncated at Accessibility XXL?

Expected Answer:

- Allow wrapping
 - Avoid fixed heights
 - Test with Accessibility sizes
-

Additional Improvements for Custom Controls

Problem 10

Missing trait:

```
1 .accessibilityAddTraits(.isSelected)
```

when applicable.

Also:

```
1 .accessibilityAction(named: "Toggle") {
2     isOn.toggle()
3 }
```

Additional Problems Senior Interviewers Ask

Problem 16: Accessibility Identifier

```
1 Button("Login") {  
2  
3 }
```

Missing

```
1 .accessibilityIdentifier("loginButton")
```

Why?

Supports:

- XCTest
 - UI Automation
 - Regression testing
-

Problem 17: Progress Indicator

```
1 ProgressView(value: 0.6)
```

Better

```
1 ProgressView(value: progress)  
2     .accessibilityLabel("File upload")  
3     .accessibilityValue("60 percent complete")
```

Interview Trap

Without value, user doesn't know progress state.

Problem 18: Loading State

```
1 ProgressView()
```

Problem

VoiceOver may not know what's happening.

Better

```
1 ProgressView()  
2     .accessibilityLabel("Loading account information")
```

Problem 19: Charts

SwiftUI Charts Accessibility

```
1 Chart(data) {  
2     BarMark(...)   
3 }
```

Better

```
1 .accessibilityLabel("Monthly expenses chart")  
2 .accessibilityHint("Shows spending trends over last six  
months")
```

Interview Question

How can blind users interpret charts?

Answer:

- Accessibility labels
- Accessibility summaries
- Alternative tabular representation

Problem 20: TextField Validation

```
1 TextField("Email", text: $email)
```

Better

```
1 .accessibilityLabel("Email address")  
2 .accessibilityHint("Enter your work email")
```

Validation Error:

```
1 Text("Invalid email")  
2     .foregroundColor(.red)  
3     .accessibilityLabel("Error: Invalid email format")
```

Problem 21: Accessibility Announcement

Common Banking App Scenario

Transfer completed successfully.

Wrong:

```
1 showSuccessBanner = true
```

Better:

```
1 UIAccessibility.post(  
2     notification: .announcement,  
3     argument: "Transfer completed successfully"  
4 )
```

Often Asked in Interviews

"How do you notify VoiceOver users about dynamic content?"

Answer: `UIAccessibility.post(notification:argument:)`

Problem 22: Modal Presentation

When sheet opens:

```
1 .sheet(...)
```

Interview Question

How do you move VoiceOver focus to modal content?

Answer:

```
1 @AccessibilityFocusState
```

or

```
1 UIAccessibility.post(  
2     notification: .screenChanged,  
3     argument: firstElement  
4 )
```

Problem 23: Gesture Accessibility

```
1 Image("profile")
```

```
2     .onLongPressGesture {  
3         showMenu()  
4     }
```

Problem

VoiceOver users cannot discover long press easily.

Fix

```
1 .accessibilityAction(named: "Show Menu") {  
2     showMenu()  
3 }
```

Problem 24: Hit Target Size

Bad

```
1 Image(systemName: "xmark")
```

Accessibility Problem

Tap target too small.

Fix

```
1 .frame(width: 44, height: 44)
```

WCAG

Target size guideline:

Minimum 44 × 44 pt (Apple HIG)

Problem 25: VoiceOver Reading Currency

Bad:

```
1 Text("$5000")
```

May read inconsistently.

Better:

```
1 .accessibilityLabel("Balance")  
2 .accessibilityValue("Five thousand dollars")
```

Banking Interview Favorite

Currency should be announced naturally.

Problem 26: Accessibility Sort Priority

```
1 VStack {  
2     Text("Name")  
3     Text("Balance")  
4     Button("Transfer")  
5 }
```

Control Reading Order

```
1 .accessibilitySortPriority(3)
```

Example:

```
1 Text("Balance")  
2     .accessibilitySortPriority(3)  
3  
4 Button("Transfer")  
5     .accessibilitySortPriority(1)
```

Problem 27: Accessibility Adjustable Action

Custom Stepper

```
1 Text("\(quantity)")
```

Support VoiceOver swipe-up/down:

```
1 .accessibilityAdjustableAction { direction in  
2     switch direction {  
3     case .increment:  
4         quantity += 1  
5     case .decrement:  
6         quantity -= 1  
7     default:  
8         break  
9     }  
10 }
```

Senior-Level Question

Difference between:

```
1 accessibilityAction
```

and

```
1 accessibilityAdjustableAction
```

Problem 28: Localization + Accessibility

Bad:

```
1 .accessibilityLabel("Transfer Money")
```

Better:

```
1 .accessibilityLabel(  
2     Text("transfer_money")  
3 )
```

Ensures localization.

Accessibility APIs Every Senior iOS Engineer Should Know

```
1 .accessibilityLabel()  
2  
3 .accessibilityValue()  
4  
5 .accessibilityHint()  
6  
7 .accessibilityHidden()  
8  
9 .accessibilityIdentifier()  
10  
11 .accessibilityElement()  
12  
13 .accessibilityAddTraits()  
14  
15 .accessibilityRemoveTraits()  
16
```

```
17 .accessibilitySortPriority()  
18  
19 .accessibilityAdjustableAction()  
20  
21 .accessibilityAction()  
22  
23 .accessibilityFocused()  
24  
25 .accessibilityRepresentation()  
26  
27 .accessibilityChildren()  
28  
29 .accessibilityRotor()  
30  
31 @AccessibilityFocusState  
32  
33 UIAccessibility.post()
```

Most Asked Accessibility Interview Questions (Theory)

1. Difference between .combine, .contain, and .ignore?
2. How does Dynamic Type work?
3. How do you test accessibility in iOS?
4. What is VoiceOver?
5. How do you manage accessibility focus?
6. What are accessibility traits?
7. Explain WCAG POUR principles.
8. How do you make custom controls accessible?
9. How do you support charts and graphs?
10. How do you announce dynamic content changes?
11. What is Accessibility Inspector?
12. What is Switch Control?
13. What is Voice Control?
14. What are accessibility rotors?
15. How do you validate accessibility in CI/CD?

For your experience level (12+ years iOS, HSBC/Banking domain), interviewers usually expect discussion of **Dynamic Type, VoiceOver, Accessibility Focus, Custom Controls, WCAG, Accessibility Inspector, UIAccessibility notifications, and .combine/.contain/.ignore differences** in addition to coding fixes. These are the areas most frequently used to differentiate Senior and Lead engineers.