



BercoTM
THE HEART OF YOUR HOME

FOR ARCHITECTS & DESIGNERS

Interior Systems.

Fitted storage, organisation, and sink systems —
the full Berco specification range.

Specification Catalogue · 2026

0917 800 0730 · www.BERCOHOME.com

HOW THIS BOOK WORKS

Specify With Confidence.

Every system here is one Berco carries and installs. Each entry gives the code, the cabinet it fits, and the installed size — everything a drawing needs. Premium systems carry their maker's name; we fit them on their own rails.

- | | |
|-----------|---|
| 01 | Drawer Organisation
Base-cabinet pull-outs and in-drawer fittings |
| 02 | Larders & Tall Storage
Full-height pull-outs and tall-cabinet baskets |
| 03 | Wall Cabinets & Lift Systems
Pull-downs, iMove, door-linked baskets |
| 04 | Corner Solutions
Lazy susans, corner and rotating baskets |
| 05 | Waste, Rice & Kickboard
Bins, dispensers, and kickboard storage |
| 06 | Worktop & Beyond
Appliance towers, bar counters, pull-out tables |
| 07 | Sinks & Taps
Workstation sinks, faucet range, sink fittings |

PREMIUM SYSTEMS

Kesseböhmer (Germany) · Peka (Switzerland) · Higold — named on their entries, each running on its maker's own soft-close rail.

Codes in this book are order-ready.

Full code index at the back · specify with your Berco designer.



BercoTM
THE HEART OF YOUR HOME

01 · DRAWER ORGANISATION

Where Every Day Begins.

Base-cabinet pull-outs and in-drawer fittings —
organised once, found every time.

01 · DRAWER ORGANISATION

Everyday Series.



X1 Series

Carbon steel · nano-dry antibacterial coating · 96 h salt-spray tested

PLATE BASKET

LW 060-090 X1

Drawer base cabinet W 600-900

564-864 × 462.5 × 209 mm

NET BASKET

LT 060-090 X1

Drawer base cabinet W 600-900

564-864 × 462.5 × 209 mm

FUNCTIONAL BASKET

LD 030-045 A5-1

Base cabinet W 300-450

264-414 × 472 × 445.6 mm

Independent bowl box, cup holder, patented side-drain tray.



X3 Series

Stainless steel · electrolytic finish, sealing oil

NET BASKET

LW 060-090 TF-2

Base cabinet W 600-900

564-864 × 463 × 168 mm

PLATE BASKET

LT 060-090 WH-2

Base cabinet W 600-900

564-864 × 463 × 168 mm

FUNCTIONAL BASKET

LD 030C-045 B-2

Base cabinet W 300-450

264-414 × 470 × 450 mm

Stainless bodies with water tray – drain, store, and lift out to clean.



M3 Series – Base

Powder-coated steel · tempered-glass base · textured anti-slip mat

PLATE / NET / FUNCTIONAL

LW · LT · LD 060-090 M3

Drawer base cabinet W 600-900

564-864 × 458 × 120 · inst ≥ 495 × ≥ 190

TALL & CORNER MEMBERS

LK 045/060 M3 · LZ900 M3

see Larders & Tall · Corner Solutions

Ultra-thin basket bodies free vertical space over standard pull-outs.

01 · DRAWER ORGANISATION

M6 Series.

Space-aluminium frames, fluorocarbon-coated, modular partitions throughout.



PLATE BASKET
LW 060-090 M6
Drawer base W 600-900
564-864 × 470 × 226 mm



NET BASKET
LT 060-090 M6
Drawer base W 600-900
564-864 × 470 × 226 mm



FUNCTIONAL BASKET
LD 030-045 M6
Base W 300-450
264-414 × 477 × 552 mm



3-LAYER BASKET
LB 030-045 M6
Base W 300-450
264-414 × 478 × 600 mm



PLATE BASKET · 3-LAYER
LW 040/045 M6
Base W 400/450
364-414 × 457 mm, 3 tiers




FUNCTIONAL · 2-LAYER
LA 040/045 M6
Base W 400/450
364-414 × 457 mm, 2 tiers

Corner and door-linked members of the M6 family – LZ900 M6, LK 045/060 M6-1 – appear under Corner Solutions.

01 · DRAWER ORGANISATION

Nano Series.



A3 Series

Carbon steel · nano-dry plating · water tray + chopstick box

PLATE / NET

LW · LT 060-090 A3

Drawer cabinet W 600-900

568-868 × 418 × 180 mm

FUNCTIONAL

LD 030-045 A3

Base cabinet W 300-450

268-418 × 415 × 480 mm

96 h salt-spray tested; modular knife and chopstick holders.



A3-1 Nano Series

Carbon steel · nano-dry plating · DTC soft-close slides

PLATE / NET

LW · LT 060-090 A3-1

Drawer cabinet W 600-900

564-864 × 428 × 180 mm

FUNCTIONAL

LD 030-045 A3-1

Base cabinet W 300-450

264-414 × 428 × 450 mm

Patented side-drain tray; 96 h salt-spray tested.



A4-1 Nano Series

Carbon steel · nano-dry plating · DTC soft-close slides

PLATE / NET

LW · LT 060-090 A4-1

Base cabinet W 600-900

564-864 × 465 × 170 mm

FUNCTIONAL

LD 030-045 A4-1

Base cabinet W 300-450

264-414 × 468 × 478 mm

Water tray plus storage box as standard.



C1 Nano Fashion

Nano-plated wire · plug-in modular inserts

PLATE / NET

LW · LT 060-090 C1-1

Drawer cabinet W 600-900

564-864 × 468 × 174 mm

FUNCTIONAL

LD 030-045 C1-1

Base cabinet W 300-450

264-414 × 467 × 527 mm

Bowl, dish, and seasoning inserts reconfigure without tools.

01 · DRAWER ORGANISATION

Distinguished Series.

Sterilising-lamp pull-outs (D1) and the nano-plated A1 standard.



PLATE BASKET

LW 060-090 D1-1

Drawer cabinet W 600-900
564-864 × 465 × 205 mm
UV cycle closed · light when open



NET BASKET

LT 060-090 D1-1

Drawer cabinet W 600-900
564-864 × 465 × 126 mm
Sterilising lamp + driver included



FUNCTIONAL BASKET

LD 030-045 D1-1

Base cabinet W 300-450
264-414 × 475 × 554 mm
96 h salt-spray tested



PLATE BASKET

LW 060-090 A1

Drawer cabinet W 600-900
564-864 × 467 × 180 mm
Patented side-drain tray



NET BASKET

LT 060-090 A1

Drawer cabinet W 600-900
564-864 × 467 × 175 mm
Water pan standard



FUNCTIONAL BASKET

LD 030-045 A1

Base cabinet W 300-450
Dry / wet partition design
Sizing: confirm at specification

LD 030-045 A1 dimensions are confirmed per project at specification.

01 · DRAWER ORGANISATION

In-Drawer & Functional.

Dividers, door storage, and the fittings between the big pull-outs.



CUTLERY DIVIDER
CT 060/090 WPF

For PWWW-series drawers
482/782 × 472 × 50 mm
Freely combinable modules



DRAWER ACCESSORY
CT 060/090 WFF

For PWWW-series drawers
482/782 × 474 × 98 mm
Aluminium + plastic modules



DRAWER DIVIDER
CT 060 SFF

Drawer clear width 472–520
472/520 × 472 × 130 mm
Tool-free, washable bands



STORAGE BASKET
LA 060 B2

Base cabinet W 600
564 × 465 × 240 mm
Vented body, movable dividers



DOOR STORAGE
LS 040 B1

Sink cabinet W 900–1200
502 × 123 × 560 mm
Side-mounted; no door load



DOOR HOOK RAIL
LS 045 D5

Sink cabinet W 900–1200
368 × 71 × 600 mm
Movable hooks · holds 10 kg

Also: LK 060 A-2 linked basket (546 × 453 × 519 · 3 layers + 2 on door · 5 kg per shelf) ·
LS 020 RM6/LM6 side pull-out (182 × 466 × 424) · LC 045 A1 door-linked (423/573 × 230 × 340).

01 · DRAWER ORGANISATION

Kesseböhmer.

German modular systems — each on Kesseböhmer's own Softstop rail.



PLATE BASKET
LW 060-090 E1

Drawer cabinet W 600-900
564-864 × 460 × 250 mm
Modules lift out to the counter



FUNCTIONAL BASKET
LD 030/040 E1-1

Drawer cabinet W 300/400
254/354 × 500 × 520 mm
Self-opening oil-bottle shelf



PLATE BASKET
LW 060-090 E6

Drawer cabinet W 600-900
564-864 × 460 × 250 mm
99% antibacterial surface



FUNCTIONAL BASKET
LD 030/040 E6

Base cabinet W 300/400
254/354 × 481 × 520 mm
96 h salt-spray tested



SEASONING BASKET
LD 060 E6

Base cabinet W 600
(340+200) × 460 × 454 mm
Two-section lift-out tray



DOOR-LINKED BASKET
LK 040 E6

Cabinet ≥ W 400
330 × 130 × 550 mm
Height-adjustable double layer

Also: LT 060-090 E1 / E6 net baskets (564-864 × 460 × 250) · LC 015 E1 narrow (108 × 481 × 579) · LC 015/020 E6 narrow (100/150 × 460 × 454). All Kesseböhmer systems: made in Germany.

01 · DRAWER ORGANISATION

Higold & Peka.



HG3-3 Series HIGOLD

Black-crystal tempered glass + aluminium · nano spray coating

PLATE / NET

LW · LT 060-090 HG3-3

Base cabinet W 600-900

564-864 × 450 × 180 mm

SEASONING

LD 030-045 HG3-3

Base cabinet W 300-450

264-414 × 450 × 470 mm

18-inch damped rails, side- or bottom-mounted.



BG1 Series PEKA · SWITZERLAND

Aluminium + ABS · Swiss-designed pull-out platform

PLATE / NET

LW · LT 060-090 BG1

Base cabinet W 600-900

550-850 × 447 × 134 mm

SEASONING

LD 030-045 BG1

Base cabinet W 300-450

250-400 × 480 × 543 mm

Tool-free removable, washable modules; 3D door adjustment.

Specifying premium systems.

Named systems are supplied and installed by Berco on their maker's own rails.

Corner and tall members of these families appear in their function sections.

BercoTM
THE HEART OF YOUR HOME



02 · LARDERS & TALL STORAGE

Height, Put to Work.

Full-height pull-outs and tall-cabinet baskets —
every shelf within reach.

02 · LARDERS & TALL STORAGE

Tall Systems.



TALL LINKED BASKET

LK 045/060 HM3

Five door-linked tiers arrive together.

Tall cabinet W 450/600 · hinge $\geq 155^\circ$
355/505 × 487 × 1720–2020 mm



MID-TALL LINKED BASKET

LK 045/060 MM3

Four-tier version for mid-height cabinets.

Middle-tall cabinet W 450/600
355/505 × 487 × 1340–1660 mm



CUTLERY TRAY DRAWER

LT 060/080 MM3

Divider and anti-slip mat in a 125 mm void.

Cabinet W 600/800
564/764 × 461 × 95 mm



TALL PULL-OUT LARDER

LG 030 HM3

Dampers rated 100,000 open/close cycles.

Tall cabinet W 300
264 × 510 × 1960–2260 mm



TALL LINKED BASKET

LK 045/060 HM6

65 kg rail; the door panel carries no load.

Tall cabinet W 450/600
405/555 × 500 × 1780 mm




MID-TALL LINKED BASKET

LK 045/060 MM6

Inner tiers 5 kg, outer 3 kg; 65 kg rail.

Middle-tall cabinet W 450/600
405/555 × 500 × 1180 mm



TALL PULL-OUT BASKET

LG 030 HM6

One-piece aluminium shelves, 6 kg per tier.

Tall cabinet W 300
240 × 480 × 1780–2080 mm



ROTATING WINE BASKET

LX 060 HM6

Bottle and glass partitions; 55 kg track.

Tall cabinet W 600
489 × 372 × 1650–1900 mm

02 · LARDERS & TALL STORAGE

Tall Pull-Downs & Premium.



TALL PULL-DOWN BASKET
LK 060 HD9

Two-stage 0.6 m drop brings top shelves to hand.

Tall cabinet W 600 · upper space
564 × 485 × 497 mm



TALL PULL-OUT BASKET
LK 060 H-2A

Uses the space above ovens; door takes no load.

Tall cabinet W 600 · above appliances
564 × 455 × 545 mm



TRAY RACK SET
WJ 6001

Flexible slots for steam pans and baking trays.


Tall cabinet W 600 · upper space
100 × 400 × 132 mm · set of 2



TALL BASKET
LK 045/060 HC3-1

HIGOLD
105° hinge, dual track; rated 50 kg.

Tall cabinet W 450/600
408/558 × 500 × 1620 mm



NARROW TALL BASKET
LK 030 HH3-1

HIGOLD
360° access from both sides; rated 30 kg.


Tall cabinet W 300
250 × 500 × 1659–2059 mm



TALL PULL-OUT
LK 045/060 HE

Track rated 120 kg; the floor carries the weight.

Tall cabinet W 450/600
410/560 × 495 × 1685 mm



NARROW PULL-OUT
LG 030 HH

Track rated 100 kg; door pulls out with the unit.

Tall cabinet W 300
250 × 495 × 1900–2300 mm




03 · WALL CABINETS & LIFT SYSTEMS

Down, Within Reach.

Pull-downs and lift systems bring the top of the kitchen to your hands.

03 · WALL CABINETS & LIFT SYSTEMS

Wall Pull-Downs.



WALL PULL-DOWN BASKET
LK 060-090 QA2

Two tiers drop to eye level.

Wall cabinet W 600-900
564-864 × 260 × 547 mm



PULL-DOWN · SINGLE
LK 050-090 QE6-1

KESSEBÖHMER

Single-tray pull-down for lift-door cabinets.

Pull-up-door wall cabinet W 500-900
464-864 × 267 × 380 mm



PULL-DOWN · DOUBLE
LK 050-090 QE6-2

KESSEBÖHMER

Handle rotates clear when lowered; antibacterial.

Pull-up-door wall cabinet W 500-900
464-864 × 267 × 565 mm



WALL PULL-DOWN
LK 060-090 QHG

HIGOLD

25 kg; three-speed damper stops at any angle.

Wall cabinet W 600-900
564-864 × 280 × 550 mm

Door-linked and flat-wire systems: see Corner Solutions · kickboard storage: Section 05.



The fold-down shelf and pull-down baskets, in place under the wall cabinets.

03 · WALL CABINETS & LIFT SYSTEMS

iMove & Lift.



iMove. KESSEBÖHMER · GERMANY

The pull-down that brings the shelf to you

IMOVE PULL-DOWN

LK 060 QC-2 · LK 090 QD-1

Wall cabinet W 600/900

564/864 × 267 × 380 mm

Contents lower toward the counter; the handle rotates beneath.



Fold-Down Shelf.

An extra worktop that lives under the wall cabinet

FOLD-DOWN SHELF

LN 060/090 DF6

Under wall cabinet W 600/900

590/890 × 210 × 448 mm · folds to 90 mm

Folds flat when idle; opens with one movement.



Sealed Wall Basket.

Grease-sealed aluminium body for open kitchens

SEALED PULL-DOWN

LN 060-090 D4-1

Wall cabinet W 600-900

600-900 × 310 × 165 mm

Sealed against grease; 30,000 cycles; 10 kg load.

BercoTM
THE HEART OF YOUR HOME



04 · CORNER SOLUTIONS

No Dead Corners.

Lazy susans and corner systems that hand you
the whole cabinet.

04 · CORNER SOLUTIONS

Lazy Susans & Corner Baskets.



CORNER BASKET
LZ 900 RM3 / LM3

Double tier swings fully clear of the corner.

Corner cabinet W 900 · door W 450
864-968 × 520-560 × 530 mm



CORNER BASKET
LZ 900 LM6 / RM6

Heavy-duty rails; track rated 35 kg.

Corner cabinet W 900/1000 · door W 450/500
860-960 × 530 × 520 mm




LAZY SUSAN
LZ 900 / LZ 100 FRA·FLA

KESSEBÖHMER

Door opens 85° for full pull-out; 25 kg per tier.

Corner cabinet W 900-1200
install 864-1168 × >500 × >600 mm



LAZY SUSAN
LZ 090 LV3 / RV3

HIGOLD

Damped in both directions; 50,000-cycle rating.

Corner cabinet W 900 · left/right
800 × 475 × 600-750 mm



CORNER BASKET
LZ 900 LHG / RHG

HIGOLD

Damped slides; 50,000-cycle rating.

Corner cabinet W 900 · left/right
860 × 510 × 535 mm

04 · CORNER SOLUTIONS

Rotating & Door-Linked.



ROTATING TRAY

LK 060 E6

KESSEBÖHMER

Single rotating tray; antibacterial coating.

Cabinet W 600 · base, mid, or tall
480 × 480 × 80 mm



ROTATING BASKET

LK 060 H-4

Two rotating tiers, 20 kg per tier.

Tall cabinet W 600 · upper space
560 × 475 × 360 mm



DOOR-LINKED BASKET

LK 045/060 M6-1

Outer double-layer basket rides the door.

Door base cabinet W 450/600 · recess ≥ 175 mm
382/555 × 162 × 530 mm



DOOR-LINKED BASKET

LK 045/060 E9-1

KESSEBÖHMER

Height-adjustable tiers; door carries no load.

Base cabinet W 400/600 · recess > 175 mm
414/564 × 175 × 600 mm



TALL FLAT-WIRE BASKET

LK 045/060 HE9-1

KESSEBÖHMER

Side-mounted; six flat-wire tiers.

Tall cabinet W 450/600 · recess > 175 mm
414/564 × 175 × 1700 mm · 6 layers




05 · WASTE, RICE & KICKBOARD

The Unsung Spaces.

Plinths, bins, and dispensers — storage where no one thought to look.

05 · WASTE, RICE & KICKBOARD

Rice, Waste & Kickboard.



RICE STORAGE BOX

MT 007

30 kg; sealed body with date dial; 100,000-cycle rail.

Base cabinet W 300 · side-mount rail
240 × 497 × 565 mm



RICE STORAGE BOX

MT 008

20 kg; sealed against insects and moisture.

Base cabinet W 600 · double layer
529 × 467 × 237 mm




RICE + SEASONING BOX

MT 030 M6

Tiers separate magnetically, pull out as one.

Base cabinet W 300 · rice above, tray below
235 × 474 × 274 mm + tray



WASTE BIN

WT 011

In-cabinet pull-out waste sorting.

Sink cabinet W 900–1200
247 × 453 × 360 mm



KICKBOARD STORAGE

LJ 060-090 TM6-1

Push-to-open rail; track load 30 kg.

Plinth space · kickboard H 105
597–897 × 485 × 100 mm

BercoTM
THE HEART OF YOUR HOME

06 · WORKTOP & BEYOND

Beyond the Cabinet.

Appliance towers, folding counters, and tables
that appear when needed.

06 · WORKTOP & BEYOND

Appliance & Drawer Integration.



DRAWER STORAGE TOWER

LQ 060-090 M6

Tilt-open front; three-tier extraction.

Drawer cabinet W 600-900 · 3 layers
564-864 × 493 × 285 mm



SANITISING PLATE BASKET

LQW 060-090 M6

UV sterilising and low-temp air-dry top module.

Cabinet W 600-900 · 2 layers
564-864 × 470 × 226 mm




BASE CABINET BASKET

LT 060-090 TM6

Cold-rolled frame; textured anti-slip pads.

Cabinet W 600-900
597-897 × 477 × 149 mm



CUTLERY & TOOLS BASKET

LP 060-090 M6

Partition widths adjust to the contents.

Shallow top drawer W 600-900
564-864 × 455 × 85 mm



U-SHAPE SINK DRAWER

LS 090 M6

U-shape clears the sink plumbing.

Sink cabinet W 900 · 2 layers
868 × 469 × 190 mm

06 · WORKTOP & BEYOND

Rails, Bar & Table.



SMART HANGING RAIL

GJ 010

Integrated sockets, lighting, pendants; touch screen.

Wall-mounted above the worktop
0.9 m



HANGING RAILS

GJO-TC · GJP-TC

Stainless steel, electrolytic finish.

Sink-side · stove-side
0.6 m each



HANGING SET

GJF9-TC

Rack, magnetic knife holder, chopstick tube, hooks.

0.9 m rod with pendant set
0.9 m



FOLDING BAR COUNTER

WJ 010-1

Damped slow descent; one-hand unlock; 30 kg.

Wall-mounted · no table legs
top 600 × 900 mm · folds to 25 mm




PULL-OUT DINING TABLE

OP-WJ 060 / 080 / 090

Damped mechanism; 30 kg load.

Base cabinet W 600–900
564–864 × 500 × 115 mm



The hanging-rail system over a working counter.



Berco
THE HEART OF YOUR HOME

07 · SINKS & TAPS

Where Water Works.

Workstation sinks, the faucet range, and every fitting that rides the step.

07 · SINKS & TAPS

Workstation Sinks.



WORKSTATION SINK

PS 932C

Embedded cup washer; rear drainage frees the cabinet.

Top 840 × 450 R10 · under 838 × 445 R19
860 × 470 × 215 mm

ST1505 · X047C · DS615 · DS614 · DS606 · CB604 · SF03



WORKSTATION SINK

PS 931C

Hand-welded; double-layer step for accessories.

Top 800 × 450 R10 · under 770 × 437 R10
820 × 470 × 205 mm

ST1504 · X047-1 · DS609 · DS612 · DS606 · CB604 · SF03



WORKSTATION SINK

PS 930C

Stretch-formed bowl welded to a thick panel.

Top 740 × 450 R15 · under 720 × 445 R23
760 × 470 × 200 mm

ST1504 · X047-1 · DS609 · DS612 · DS606 · CB604 · SF03



FUNCTIONAL SINGLE

PS 918C

Extra-large drain for faster drainage.

Top 740 × 440 R10 · under 714 × 390 R10
760 × 440 × 200 mm

ST1506 · X050 · SF03 · DS613 · CB606



FUNCTIONAL SINGLE

PS 617C

One-piece stretched; rear drainage.

Top 800 × 450 R15 · under 784 × 434 R20
820 × 470 × 200 mm

ST1306 · X047 · DS607 · DS608 · SF03 · CB605



FUNCTIONAL SINGLE

PS 617C-1

One-piece stretched; large-calibre drain.



Top 800 × 450 R15 · under 784 × 434 R20
820 × 470 × 200 mm

ST1106 · X505 · DS607 · DS608 · SF03 · CB605

All workstation sinks: SUS304 stainless · PVD + Nano surface. Package codes are order-ready.

07 · SINKS & TAPS

Sink Range.

	QUARTZ · STEP SINK CR 973 Quartz body; high/low step.	Board + sliding basin ride the step 760 × 470 × 208 mm ST1111 · X047 · DS606 · CB604 · SF03
	QUARTZ · SEAMLESS CR 906J-1 Rear drainage.	Seamless-splice worktop integration 780 × 425 × 237 mm ST1413 · X047C · SF03
	QUARTZ · SINGLE STEP CR 907 Rear drainage.	Single-step accessory shelf 762 × 436 × 218 mm ST1506 · X047C · DS613 · CB606 · SF03
	ROUND SINGLE PS 311A One-piece stretched.	Brushed SUS304 Ø 440 × 190 mm ST1001A · X037A · X060
	UNDER-MOUNT SINGLE PS 631 Small-radius corners, easy to clean.	Under-counter install only 620 × 427 × 205 mm ST1306 · X037A
	SINGLE · STEP PS 633C Nano surface; rear drainage.	Step structure for accessories 760 × 470 × 200 mm ST1411 · X047 · DS612 · DS605 · CB604 · SF03
	SINGLE · STEP PS 6303C Nano surface; rear drainage.	Step structure for accessories 820 × 470 × 210 mm ST1411 · X048C · DS605 · CB604 · SF03
	SINGLE PS 615C One-piece stretched; nano surface.	Slanted-edge detail 760 × 470 × 200 mm ST1105 · X037A · SF03
	DOUBLE BOWL PS 6221C-2 Nano surface.	Two-bowl washing partition 760 × 470 × 200 mm ST1105 · X039A · SF03
	SINGLE · BRUSHED PS 615A-1 Rear drainage.	Brushed finish 760 × 470 × 200 mm ST1110 · X047 · DP17A
	LARGE SINGLE PS 612C Nano surface; rear drainage.	Large single bowl 760 × 470 × 210 mm ST1306-1 · X047 · DS601

07 · SINKS & TAPS

Large-Format & Dry Kitchen.



UNDER-MOUNT DOUBLE
PS 9110C

Hand-welded; nano surface.

Under-mount 795 × 425 R23
820 × 450 × 200 mm
ST1111 · X039A · SF03



UNDER-MOUNT SINGLE
PS 9601C

Offset drain saves cabinet space.

Under-mount 670 × 400 R10
720 × 440 × 200 mm
ST1111 · X037A · SF03



SINGLE SINK
PS 915C

3 mm panel; gun-grey PVD; rear drainage.

Top 730 × 440 R10 · under 730 × 440 R20
760 × 470 × 200 mm
ST1506 · X047 · DS901 · SF03



DOUBLE SINK
PS 9221C

3 mm panel; gun-grey PVD; rear drainage.

Top 830 × 440 R10 · under 830 × 440 R20
860 × 470 × 200 mm
ST1506 · X048 · DS901 · SF03



BAR SINK
PS 972XC

DRY KITCHEN

Compact bar format with cup washer.

Top 530 × 300 R10 · under 520 × 290 R20
550 × 320 × 200 mm
ST1701 · X037A · DS611



QUARTZ BAR SINK
GR 971XC

DRY KITCHEN

Quartz; heat, corrosion, impact resistant.

Top 430 × 280 R10 · under 400 × 250 R10
450 × 300 × 210 mm
ST1308 · X037C

07 · SINKS & TAPS

Faucets.

The ST range. Sizes in mm as printed by the maker.

BRUSHED STAINLESS · SUS304

ST 1001A	Fixed spout · compact high-arc	50 × 237 × 381
ST 1105	Pull-out · dual mode	57 × 261 × 430
ST 1106	Pull-out · dual mode	52 × 257 × 470
ST 1306-1	Flex-hose spout	50 × 245 × 490

PULL-OUT SPRAY · COLOUR FINISHES

ST 1111	Pull-out · grey · dual mode	52 × 273 × 403
ST 1412	Split pull-out · grey	55 × 233 × 412
ST 1413	Pull-out · dark	52 × 279 × 445
ST 1411	Hose outlet · grey · high reach	55 × 248 × 535
ST 1506	Touch on/off · grey · 3 modes	52 × 260 × 445
ST 1305-1	Semi-pro spring arm · black + red	50 × 250 × 477
ST 1306	Semi-pro · chrome	54 × 246 × 420

WORKSTATION DECK UNITS

ST 1504	4-mode deck unit · with PS 930C/931C	240 × 268 × 423
ST 1505	4-mode · piano-button switching · with PS 932C	300 × 277 × 429

DRY KITCHEN

ST 1308	Compact pull-out · black	51 × 193 × 186
ST 1701	Bar tap · matt black	50 × 185 × 175

07 · SINKS & TAPS

Sink Fittings.

The component system behind every package code. Sizes on request.

SLIDING BASINS & DRAINING TRAYS

DS 605 – DS 613 · DS 901 Step-riding trays and basins
DS 901 with wood-tone side rails

CUTTING BOARDS

CB 604 · CB 605 · CB 606 Step-spanning boards
three wood tones

WASHING & CARE

DS 609 · SF 03 · QJ-series Cup washer, dispenser, filters

RACKS & DRAINERS

DS 601 · 607 · DP 17A In-sink and counter racks
with X 060 corner rack; X-series codes ride inside sink packages



Built for the daily work of water.

INDEX

Codes, In Order.

Every system in this book, by section — order-ready with your Berco designer.

01 · DRAWER ORGANISATION

LW · LT 060-090 X1
 LD 030-045 A5-1
 LW 060-090 TF-2
 LT 060-090 WH-2
 LD 030C-045 B-2
 LW · LT · LD 060-090 M3
 LK 045/060 M3 · LZ900 M3
 LW · LT 060-090 M6
 LD 030-045 M6
 LB 030-045 M6
 LW 040/045 M6
 LA 040/045 M6
 LW · LT 060-090 A3
 LD 030-045 A3
 LW · LT 060-090 A3-1
 LD 030-045 A3-1
 LW · LT 060-090 A4-1
 LD 030-045 A4-1
 LW · LT 060-090 C1-1
 LD 030-045 C1-1
 LW · LT 060-090 D1-1
 LD 030-045 D1-1
 LW · LT 060-090 A1
 LD 030-045 A1
 CT 060/090 WPF
 CT 060/090 WFF
 CT 060 SFF
 LA 060 B2
 LS 040 B1
 LS 045 D5
 LK 060 A-2
 LS 020 RM6/LM6
 LC 045 A1
 LW 060-090 E1
 LT 060-090 E1
 LD 030/040 E1-1
 LW 060-090 E6
 LT 060-090 E6
 LD 030/040 E6
 LC 015 E1
 LC 015/020 E6
 LD 060 E6
 LK 040 E6
 LW · LT 060-090 HG3-3
 LD 030-045 HG3-3
 LW · LT 060-090 BG1
 LD 030-045 BG1

02 · LARDERS & TALL

LK 045/060 HM3
 LK 045/060 MM3
 LT 060/080 MM3
 LG 030 HM3
 LK 045/060 HM6
 LK 045/060 MM6
 LG 030 HM6
 LX 060 HM6
 LK 060 HD9
 LK 060 H-2A
 WJ 6001
 LK 045/060 HG3-1
 LK 030 HH3-1
 LK 045/060 HE
 LG 030 HH

03 · WALL & LIFT

LK 060-090 QA2
 LK 050-090 QE6-1
 LK 050-090 QE6-2
 LK 060-090 QHG
 LK 060 QC-2 · 090 QD-1
 LN 060/090 DF6
 LN 060-090 D4-1

04 · CORNER

LZ 900 RM3 / LM3
 LZ 900 LM6 / RM6
 LZ 900/100 FRA-FLA
 LZ 090 LV3 / RV3
 LZ 900 LHG / RHG
 LK 060 E6
 LK 060 H-4
 LK 045/060 M6-1
 LK 045/060 E9-1
 LK 045/060 HE9-1

05 · WASTE & KICKBOARD

MT 007
 MT 008
 MT 030 M6
 WT 011
 LJ 060-090 TM6-1

06 · WORKTOP & BEYOND

LQ 060-090 M6
 LQW 060-090 M6
 LT 060-090 TM6

LP 060-090 M6

LS 090 M6
 GJ 010
 GJO-TC · GJP-TC
 GJF9-TC
 WJ 010-1
 OP-WJ 060/080/090

DS 601 · 607 · DP 17A · X 060

07 · SINKS & TAPS

PS 932C
 PS 931C
 PS 930C
 PS 918C
 PS 617C
 PS 617C-1
 GR 973
 GR 906J-1
 GR 907
 PS 311A
 PS 631
 PS 633C
 PS 6303C
 PS 615C
 PS 6221C-2
 PS 615A-1
 PS 612C
 PS 9110C
 PS 9601C
 PS 915C
 PS 9221C
 PS 972XC
 GR 971XC
 ST 1001A
 ST 1105
 ST 1106
 ST 1306-1
 ST 1111
 ST 1412
 ST 1413
 ST 1411
 ST 1506
 ST 1305-1
 ST 1306
 ST 1504
 ST 1505
 ST 1308
 ST 1701
 DS 605-613 · DS 901
 CB 604-606
 SF 03 · QJ-series



BercoTM
THE HEART OF YOUR HOME

BERCO INTERIOR SYSTEMS

Specified once.
Fitted for good.

Every system in this book is carried, fitted, and stood behind by Berco.
Bring a code to your designer — or bring a problem.

0917 800 0730 · www.BERCOHOME.com

Berco — The Heart of Your Home · a JBC UNLTD CORP brand