U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
January 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	34	26	30	1.3				35	0	0755	1718		0.00			29.23		13.4	29	240	22	270
02	38	24	31	2.4				34	0	0755	1718		0.00			29.14		9.2	26	240	18	220
03	34	28	31	2.4				34	0	0755	1719		0.00			29.03		9.7	21	280	15	300
04	31	15	23	-5.5				42	0	0755	1720	SN FZFG BR HZ FG	T			29.29		9.8	22	020	17	020
05	30	12	21	-7.4				44	0	0755	1721		0.00			29.57		5.0	15	140	10	140
06	42	16	29	0.6				36	0	0755	1722		0.00			29.41		3.6	14	210	10	200
07	45	20	33	4.7				32	0	0755	1723		0.00			29.21		2.7	15	160	12	160
08	47	26	37	8.7				28	0	0755	1724	RA BR	0.14			28.97		6.2	16	150	13	140
09	50	44	47	18.8				18	0	0754	1725	RA BR	0.08			28.89		7.1	18	190	13	140
10	48	12	30	1.8				35	0	0754	1726	RA SN FG FZFG BR	0.37			28.67		17.7	43s	280s	32	270
11	26	9	18	-10.2				47	0	0754	1727	SN UP	T			29.10		12.5	27	250	23	240
12	30	6	18	-10.2				47	0	0754	1728	SN FZFG BR HZ FG	0.03			28.87		16.8	45	280	35	280
13	25	2*	14	-14.2				51	0	0753	1729	SN HZ	T			29.14		10.3	22	190	16	190
14	46	24	35	6.8				30	0	0753	1730		0.00			28.89		9.1	22	210	16	210
15	47	39	43	14.8				22	0	0753	1731	RA BR	0.08			28.66		9.6	20	170	15	190
16	41	30	36	7.8				29	0	0752	1732	RA SN BR UP	T			28.75		12.6	33	280	25	280
17	30	6	18	-10.2				47	0	0752	1734	SN HZ	T			28.94		13.8	34	270	26	290
18	15	3	9	-19.2				56	0	0751	1735		T			29.21		13.7	27	280	21	280
19	19	5	12	-16.2				53	0	0751	1736		0.00			29.42		7.0	20	270	16	270
20	20	9	15	-13.3				50	0	0750	1737	SN BR HZ	T			29.28		5.7	14	010	13	360
21	26	11	19	-9.3				46	0	0750	1738		0.00			29.33		3.0	11	360	9	360
22	27	17	22	-6.3				43	0	0749	1739	SN	T			29.14		13.1	31	040	24	020
23	29	16	23	-5.4				42	0	0749	1740	HZ	0.00			29.02		13.1	33	040	23	030
24	34	11	23	-5.4				42	0	0748	1742		0.00			29.11		7.5	24	190	18	190
25	45	24	35	6.5				30	0	0747	1743		T			29.05		10.1	23	150	17	150
26	47	30	39	10.5				26	0	0746	1744	RA	0.01			28.99		14.1	36	270	29	270
27	31	20	26	-2.6				39	0	0746	1745		0.00			29.23		8.6	27	280	21	290
28	44	20	32	3.3				33	0	0745	1746		T			28.84		12.1	28	200	22	230
29	36	26	31	2.2				34	0	0744	1748	SN BR	0.01			28.89		10.2	29	320	22	330
30	59	28	44	15.2				21	0	0743	1749		0.00			28.87		12.4	28	210	23	210
31	60*	46	53	24.1				12	0	0742	1750		Ts			28.78		12.8	30	220	23	190
	36.6	19.5	28.1							Monthly Averages | Totals			0.72s			29.06	30.06	10.1				
	0.6	-1.3	-0.3	Departure from Normal (1981-2010)									-1.81s									

Degree Days

	Monthly Total	Monthly Departure	Season-to-date Total	Season-to-date Departure
Heating	1141	7	2643	
Cooling	0	0	0	

Number of days with...

	Temperature Max >=90°	Temperature Max <=32°	Temperature Min <=32°	Temperature Min <=0°	Precipitation >=0.01"	Precipitation >=0.1"	Snow >=1"	Weather T-Storms	Weather Heavy Fog
Heating									
Cooling	0	13	28	0	7	2			

Date of 5-sec to 3-sec wind equipment change

N/A

Sea Level Pressure

		Date	Time
Maximum	30.69	05	1134
Minimum	29.35	10	0758

Greatest...

24-Hr... Precip	24-Hr... Snowfall	Snow Depth
0.38		
Date		
09-10		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
January 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	OVC:08 20	10.00		31	-0.6	28	-1.9	24	-4.4	76	17	270	24	29.26	8	+0.04	30.27	FM-15	0.00	30.24
01	0153	7	OVC:08 19	10.00		31	-0.6	28	-1.9	24	-4.4	76	9	260		29.26			30.25	FM-15	0.00	30.23
01	0253	7	OVC:08 20	10.00		31	-0.6	28	-1.9	24	-4.4	76	11	240		29.26			30.26	FM-15	0.00	30.23
01	0353	7	OVC:08 17	10.00		30	-1.1	28	-2.3	24	-4.4	79	13	280		29.26	6	+0.01	30.25	FM-15	0.00	30.23
01	0453	7	OVC:08 20	10.00		30	-1.1	28	-2.5	23	-5.0	75	10	270		29.23			30.24	FM-15	0.00	30.21
01	0553	7	OVC:08 21	10.00		30	-1.1	28	-2.5	23	-5.0	75	13	240		29.23			30.24	FM-15	0.00	30.21
01	0616	7	FEW:02 20 SCT:04 27 BKN:07 34	10.00		29	-1.7	26	-3.5	19	-7.2	66	13	250	21	29.23				FM-16		30.21
01	0653	7	CLR:00	10.00		27	-2.8	25	-4.1	20	-6.7	75	10	270		29.25	5	+0.01	30.25	FM-15	0.00	30.22
01	0741	7	BKN:07 24	10.00		27	-2.8	25	-4.1	20	-6.7	75	10	260		29.26				FM-16		30.23
01	0751	6	SCT:04 24	10.00		27	-3.0	24	-4.2	19	-7.0	74	7	250		29.26				FM-16		30.23
01	0753	7	SCT:04 24	10.00		26	-3.3	24	-4.4	20	-6.7	78	8	250		29.26			30.26	FM-15	0.00	30.23
01	0853	7	CLR:00	10.00		28	-2.2	25	-3.7	20	-6.7	72	14	240		29.26			30.26	FM-15	0.00	30.23
01	0922	7	BKN:07 23	10.00		28	-2.2	25	-3.7	20	-6.7	72	14	230		29.26				FM-16		30.24
01	0953	7	BKN:07 23	10.00		29	-1.7	26	-3.3	20	-6.7	69	16	230	24	29.26	3	-0.02	30.27	FM-15	0.00	30.24
01	1051	6	SCT:04 23	10.00		30	-1.0	26	-3.2	19	-7.0	64	20	240	28	29.25				FM-16		30.22
01	1053	7	SCT:04 23	10.00		30	-1.1	27	-3.0	20	-6.7	66	20	240	28	29.25			30.25	FM-15	0.00	30.22
01	1123	7	BKN:07 28 BKN:07 34	10.00		32	0.0	28	-2.1	21	-6.1	64	20	240	29	29.25				FM-16		30.22
01	1153	7	BKN:07 28	10.00		33	0.6	29	-1.8	21	-6.1	61	18	230	26	29.23			30.23	FM-15	0.00	30.20
01	1201	7	SCT:04 28	10.00		32	0.0	28	-2.3	20	-6.7	61	21	240	25	29.23				FM-16		30.20
01	1217	7	BKN:07 29	10.00		33	0.6	29	-1.8	21	-6.1	61	17	250		29.22				FM-16		30.19
01	1227	7	SCT:04 29	10.00		32	0.0	28	-2.1	21	-6.1	64	14	260	25	29.21				FM-16		30.18
01	1253	7	SCT:04 31 SCT:04 36	10.00		32	0.0	28	-2.1	21	-6.1	64	16	240		29.20	8	+0.06	30.20	FM-15	0.00	30.17
01	1353	7	BKN:07 31	10.00		34	1.1	29	-1.4	21	-6.1	59	16	240	21	29.18			30.17	FM-15	0.00	30.15
01	1453	7	OVC:08 35	10.00		33	0.6	29	-1.8	21	-6.1	61	15	260	24	29.18			30.18	FM-15	0.00	30.15
01	1553	7	OVC:08 31	10.00		32	0.0	28	-2.0	22	-5.6	66	14	260	28	29.20	5	+0.01	30.19	FM-15	0.00	30.17
01	1610	7	OVC:08 29	10.00		31	-0.6	28	-2.5	21	-6.1	67	11	270	24	29.20				FM-16		30.17
01	1653	7	OVC:08 25	10.00		30	-1.1	27	-2.8	21	-6.1	69	15	280		29.22			30.22	FM-15	0.00	30.19
01	1753	7	OVC:08 23	10.00		29	-1.7	26	-3.3	20	-6.7	69	20	280	25	29.22			30.22	FM-15	0.00	30.19
01	1853	7	OVC:08 22	10.00		27	-2.8	24	-4.2	19	-7.2	72	16	270		29.23	1	-0.04	30.24	FM-15	0.00	30.20
01	1953	7	OVC:08 21	10.00		28	-2.2	25	-3.9	19	-7.2	69	10	270	21	29.23			30.24	FM-15	0.00	30.21
01	2053	7	OVC:08 21	10.00		28	-2.2	25	-3.9	19	-7.2	69	11	260		29.23			30.23	FM-15	0.00	30.20
01	2153	7	OVC:08 21	10.00		28	-2.2	25	-3.7	20	-6.7	72	11	240		29.22	8	+0.01	30.22	FM-15	0.00	30.19
01	2251	6	SCT:04 21	10.00		27	-3.0	24	-4.2	19	-7.0	74	9	250		29.23				FM-16		30.20
01	2253	7	SCT:04 21	10.00		27	-2.8	25	-4.1	20	-6.7	75	8	250		29.23			30.24	FM-15	0.00	30.21
01	2353	7	CLR:00	10.00		26	-3.3	24	-4.4	20	-6.7	78	8	240		29.23			30.23	FM-15	0.00	30.20
02	0053	7	FEW:02 120	10.00		26	-3.3	24	-4.3	21	-6.1	81	7	230		29.22	8	+0.01	30.22	FM-15	0.00	30.19
02	0153	7	CLR:00	10.00		25	-3.9	24	-4.6	21	-6.1	85	6	240		29.21			30.21	FM-15	0.00	30.18
02	0253	7	CLR:00	10.00		24	-4.4	23	-5.2	20	-6.7	84	8	210		29.20			30.20	FM-15	0.00	30.17
02	0353	7	CLR:00	10.00		24	-4.4	23	-5.2	20	-6.7	84	6	220		29.18	8	+0.03	30.18	FM-15	0.00	30.15
02	0453	7	CLR:00	10.00		25	-3.9	24	-4.6	21	-6.1	85	6	220		29.16			30.16	FM-15	0.00	30.13
02	0553	7	CLR:00	10.00		25	-3.9	24	-4.6	21	-6.1	85	8	210		29.16			30.16	FM-15	0.00	30.13
02	0653	7	CLR:00	10.00		25	-3.9	24	-4.6	21	-6.1	85	7	210		29.16	6	+0.02	30.16	FM-15	0.00	30.13
02	0753	7	CLR:00	10.00		26	-3.3	24	-4.3	21	-6.1	81	6	210		29.17			30.17	FM-15	0.00	30.14
02	0853	7	CLR:00	10.00		27	-2.8	26	-3.5	23	-5.0	85	9	210		29.18			30.18	FM-15	0.00	30.15

02	0953	7	SCT:04 20	10.00		30	-1.1	28	-2.3	24	-4.4	79	13	240		29.19	1	-0.03	30.19	FM-15	0.00	30.16
02	1004	7	BKN:07 19	10.00		30	-1.1	28	-2.3	24	-4.4	79	13	240		29.19				FM-16		30.16
02	1053	7	OVC:08 20	10.00		31	-0.6	29	-1.8	25	-3.9	79	13	270		29.19			30.19	FM-15	0.00	30.16
02	1153	7	BKN:07 22 BKN:07 28	10.00		33	0.6	30	-1.3	24	-4.4	70	11	250		29.17			30.16	FM-15	0.00	30.14
02	1253	7	BKN:07 24	10.00		35	1.7	31	-0.6	24	-4.4	64	15	250	23	29.13	8	+0.06	30.12	FM-15	0.00	30.10
02	1302	7	SCT:04 24	10.00		35	1.7	31	-0.6	24	-4.4	64	14	230	20	29.12				FM-16		30.09
02	1353	7	FEW:02 27	10.00		37	2.8	32	0.1	24	-4.4	59	13	250		29.10			30.10	FM-15	0.00	30.07
02	1453	7	FEW:02 30	10.00		38	3.3	33	0.4	24	-4.4	57	14	240		29.09			30.08	FM-15	0.00	30.06
02	1553	7	CLR:00	10.00		38	3.3	33	0.4	24	-4.4	57	15	230	22	29.08	6	+0.05	30.07	FM-15	0.00	30.05
02	1653	7	CLR:00	10.00		37	2.8	32	0.1	24	-4.4	59	10	220		29.08			30.07	FM-15	0.00	30.05
02	1753	7	CLR:00	10.00		35	1.7	31	-0.6	24	-4.4	64	8	230		29.07			30.07	FM-15	0.00	30.04
02	1853	7	CLR:00	10.00		34	1.1	30	-0.9	24	-4.4	67	8	220		29.07	8	+0.01	30.07	FM-15	0.00	30.04
02	1953	7	CLR:00	10.00		32	0.0	29	-1.6	24	-4.4	73	7	220		29.06			30.06	FM-15	0.00	30.03
02	2053	7	CLR:00	10.00		31	-0.6	28	-2.0	24	-4.4	76	7	220		29.05			30.04	FM-15	0.00	30.02
02	2153	7	CLR:00	10.00		30	-1.1	28	-2.3	24	-4.4	79	9	200		29.02	8	+0.05	30.02	FM-15	0.00	29.99
02	2253	7	CLR:00	10.00		31	-0.6	28	-2.0	24	-4.4	76	8	200		29.00			30.00	FM-15	0.00	29.97
02	2353	7	CLR:00	10.00		30	-1.1	28	-2.3	24	-4.4	79	8	210		29.00			29.99	FM-15	0.00	29.97
03	0053	7	CLR:00	10.00		31	-0.6	28	-2.0	24	-4.4	76	8	220		29.00	5	+0.02	29.99	FM-15	0.00	29.97
03	0153	7	CLR:00	10.00		31	-0.6	29	-1.8	25	-3.9	79	9	210		28.96			29.95	FM-15	0.00	29.93
03	0253	7	CLR:00	10.00		31	-0.6	29	-1.8	25	-3.9	79	9	230		28.97			29.96	FM-15	0.00	29.94
03	0353	7	CLR:00	10.00		31	-0.6	29	-1.8	25	-3.9	79	10	230		28.97	6	+0.03	29.96	FM-15	0.00	29.94
03	0453	7	CLR:00	10.00		31	-0.6	28	-2.0	24	-4.4	76	10	240		28.96			29.96	FM-15	0.00	29.93
03	0553	7	CLR:00	10.00		29	-1.7	27	-2.7	24	-4.4	82	7	250		28.98			29.97	FM-15	0.00	29.95
03	0627	7	BKN:07 23	10.00		29	-1.7	27	-2.7	24	-4.4	82	9	230		28.98				FM-16		29.95
03	0653	7	OVC:08 21	10.00		30	-1.1	28	-2.1	25	-3.9	82	7	250		28.98	3	-0.02	29.98	FM-15	0.00	29.95
03	0753	7	OVC:08 18	10.00		30	-1.1	28	-2.3	24	-4.4	79	15	280	21	29.00			29.99	FM-15	0.00	29.97
03	0853	7	OVC:08 17	10.00		30	-1.1	28	-2.3	24	-4.4	79	14	310		29.02			30.01	FM-15	0.00	29.99
03	0953	7	OVC:08 16	10.00		30	-1.1	28	-2.3	24	-4.4	79	8	320		29.04	3	-0.05	30.03	FM-15	0.00	30.01
03	1053	7	OVC:08 18	10.00		31	-0.6	28	-2.0	24	-4.4	76	8	290		29.06			30.05	FM-15	0.00	30.03
03	1153	7	OVC:08 25	10.00		31	-0.6	29	-1.8	25	-3.9	79	8	250		29.04			30.03	FM-15	0.00	30.01
03	1223	7	SCT:04 25 OVC:08 34	10.00		33	0.6	30	-1.1	25	-3.9	72	8	260		29.03				FM-16		30.00
03	1230	7	OVC:08 25	10.00		33	0.6	30	-1.1	25	-3.9	72	9	280		29.03				FM-16		30.00
03	1251	6	SCT:04 19 OVC:08 36	10.00		34	1.0	31	-0.7	25	-4.0	70	10	270		29.03				FM-16		30.00
03	1253	7	SCT:04 19 OVC:08 36	10.00		33	0.6	30	-1.1	25	-3.9	72	9	290		29.03	8	+0.01	30.02	FM-15	0.00	30.00
03	1303	7	BKN:07 19 OVC:08 36	10.00		33	0.6	30	-1.1	25	-3.9	72	9	280		29.03				FM-16		30.00
03	1353	7	BKN:07 21 OVC:08 37	10.00		33	0.6	30	-0.9	26	-3.3	75	10	280		29.02			30.02	FM-15	0.00	29.99
03	1453	7	OVC:08 19	10.00		33	0.6	30	-0.9	26	-3.3	75	11	290		29.03			30.03	FM-15	0.00	30.00
03	1553	7	OVC:08 19	10.00		33	0.6	30	-0.9	26	-3.3	75	9	330		29.05	3	-0.02	30.05	FM-15	0.00	30.02
03	1653	7	OVC:08 20	10.00		32	0.0	30	-1.2	26	-3.3	79	10	320		29.07			30.06	FM-15	0.00	30.04
03	1753	7	SCT:04 15 OVC:08 27	9.00		32	0.0	30	-1.2	26	-3.3	79	14	320		29.09			30.09	FM-15	0.00	30.06
03	1821	7	OVC:08 30	10.00		31	-0.6	30	-1.4	27	-2.8	85	9	310		29.10				FM-16		30.07
03	1853	7	OVC:08 31	10.00		31	-0.6	29	-1.6	26	-3.3	82	10	320		29.11	2	-0.06	30.11	FM-15	0.00	30.08
03	1937	7	SCT:04 19 OVC:08 28	10.00		31	-0.6	29	-1.8	25	-3.9	79	9	330		29.12				FM-16		30.09
03	1953	7	BKN:07 22 OVC:08 30	10.00		31	-0.6	29	-1.8	25	-3.9	79	9	320		29.13			30.12	FM-15	0.00	30.10
03	2000	7	SCT:04 21 OVC:08 30	10.00		31	-0.6	28	-1.9	24	-4.4	76	10	330		29.13				FM-16		30.10
03	2053	7	OVC:08 36	10.00		31	-0.6	28	-2.3	22	-5.6	69	9	320		29.14			30.14	FM-15	0.00	30.11
03	2153	7	OVC:08 34	10.00		31	-0.6	28	-2.5	21	-6.1	67	9	330		29.14	1	-0.03	30.14	FM-15	0.00	30.11
03	2253	7	FEW:02 28 OVC:08 41	10.00		31	-0.6	28	-2.5	21	-6.1	67	9	350		29.15			30.14	FM-15	0.00	30.12

03	2353	7	OVC:08 40	10.00		31	-0.6	27	-3.0	18	-7.8	59	8	320		29.15			30.14	FM-15	0.00	30.12
04	0053	7	OVC:08 47	10.00		30	-1.1	26	-3.2	19	-7.2	64	11	360		29.14	0	-0.00	30.14	FM-15	0.00	30.11
04	0153	7	OVC:08 55	10.00		29	-1.7	25	-3.7	18	-7.8	63	10	340		29.15			30.14	FM-15	0.00	30.12
04	0253	7	OVC:08 55	10.00		29	-1.7	25	-3.8	17	-8.3	61	13	360		29.17			30.16	FM-15	0.00	30.14
04	0353	7	OVC:08 55	10.00		28	-2.2	24	-4.6	14	-10.0	56	7	360		29.18	3	-0.03	30.17	FM-15	0.00	30.15
04	0453	7	OVC:08 55	10.00		28	-2.2	24	-4.5	15	-9.4	58	8	330		29.19			30.19	FM-15	0.00	30.16
04	0553	7	OVC:08 55	10.00		27	-2.8	24	-4.7	16	-8.9	63	6	350		29.21			30.21	FM-15	0.00	30.18
04	0653	7	OVC:08 70	10.00		27	-2.8	24	-4.7	16	-8.9	63	9	330		29.23	3	-0.05	30.23	FM-15	0.00	30.20
04	0753	7	FEW:02 55 SCT:04 70 OVC:08 90	10.00		27	-2.8	23	-4.8	15	-9.4	61	10	330		29.26			30.26	FM-15	0.00	30.23
04	0853	7	OVC:08 100	10.00		27	-2.8	24	-4.7	16	-8.9	63	10	350		29.27			30.29	FM-15	0.00	30.25
04	0953	7	SCT:04 42 BKN:07 100	10.00		28	-2.2	24	-4.3	16	-8.9	60	9	320		29.31	3	-0.08	30.32	FM-15	0.00	30.29
04	1053	7	FEW:02 28 OVC:08 45	9.00		29	-1.7	25	-3.7	18	-7.8	63	13	320		29.33			30.34	FM-15	T	30.31
04	1153	7	FEW:02 21 OVC:08 44	10.00		29	-1.7	26	-3.3	20	-6.7	69	10	350		29.34			30.35	FM-15	T	30.32
04	1225	7	SCT:04 20 BKN:07 27 OVC:08 44	8.00	-SN:03 |SN |	29	-1.7	27	-3.0	22	-5.6	75	13	310		29.34				FM-16	T	30.32
04	1243	7	FEW:02 15 BKN:07 22 OVC:08 36	1.75	-SN:03 |SN |	28	-2.2	26	-3.4	22	-5.6	78	11	340		29.34				FM-16	T	30.32
04	1247	7	FEW:02 9 BKN:07 18 OVC:08 26	0.75	-SN:03 BR:1 |SN |	27	-3.0	26	-3.5	23	-5.0	86	13	340		29.34				FM-16	T	30.32
04	1251	6	FEW:02 7 BKN:07 14 OVC:08 28	0.50	SN:03 FZ:8 FG:2 |FG SN |	27	-3.0	26	-3.5	23	-5.0	86	14	330		29.35				FM-16		30.33
04	1253	7	BKN:07 11 BKN:07 20 OVC:08 28	0.25	SN:03 FZ:8 FG:2 |FG SN |	26	-3.3	25	-3.9	23	-5.0	88	11	330		29.35	1	-0.04	30.36	FM-15	T	30.33
04	1257	7	FEW:02 6 BKN:07 11 OVC:08 35	*	* |* |	26	-3.3	25	-3.9	23	-5.0	88	9	320		29.35				FM-16	T	30.33
04	1353	7	BKN:07 11 BKN:07 19 OVC:08 37	5.00	SN:03 BR:1 |SN |	29	-1.7	27	-2.6	24	-4.4	82	10	330		29.35			30.36	FM-15	T	30.33
04	1400	7	FEW:02 14 SCT:04 23 OVC:08 30	5.00	SN:03 BR:1 |SN |	30	-1.1	27	-2.6	22	-5.6	72	10	340	18	29.35				FM-16	T	30.33
04	1407	7	FEW:02 14 BKN:07 23 OVC:08 33	5.00	SN:03 BR:1 |SN |	29	-1.7	26	-3.2	21	-6.1	72	11	360		29.35				FM-16	T	30.33
04	1453	7	FEW:02 14 BKN:07 23 OVC:08 33	5.00	SN:03 BR:1 |SN |	30	-1.1	26	-3.3	18	-7.8	61	13	340		29.36			30.37	FM-15	T	30.34
04	1500	7	FEW:02 27 SCT:04 33 BKN:07 49	9.00	SN:03 BR:1 |SN |	30	-1.1	26	-3.3	18	-7.8	61	16	340		29.36				FM-16	T	30.34
04	1553	7	BKN:07 55	9.00	SN:03 BR:1 |SN |	28	-2.2	25	-3.9	19	-7.2	69	11	350		29.39	3	-0.04	30.40	FM-15	T	30.37
04	1607	7	FEW:02 14 BKN:07 26 OVC:08 60	2.00	SN:03 BR:1 |SN |	27	-2.8	25	-4.1	20	-6.7	75	16	020		29.40				FM-16	T	30.38
04	1633	7	BKN:07 22	5.00	HZ:7 |FU |HZ	26	-3.3	24	-4.3	21	-6.1	81	10	350		29.41				FM-16	T	30.39
04	1651	6	BKN:07 39 BKN:07 49 OVC:08 55	6.00	-SN:03 |SN |	27	-3.0	24	-4.2	19	-7.0	74	8	360		29.42				FM-16		30.40
04	1653	7	FEW:02 19 BKN:07 39 OVC:08 55	6.00	-SN:03 |SN |	26	-3.3	24	-4.4	20	-6.7	78	8	010		29.42			30.43	FM-15	T	30.40
04	1749	7	BKN:07 26	10.00		25	-4.0	22	-5.4	16	-9.0	69	17	020		29.45				FM-16	T	30.43
04	1751	6	SCT:04 26	10.00		25	-4.0	22	-5.4	16	-9.0	69	16	010		29.45				FM-16		30.43

04	1753	7	SCT:04 26	10.00		24	-4.4	21	-5.9	15	-9.4	68	14	020		29.45			30.46	FM-15	T	30.43
04	1853	7	CLR:00	10.00		22	-5.6	20	-6.8	14	-10.0	71	13	010		29.48	3	-0.06	30.50	FM-15	0.00	30.46
04	1953	7	CLR:00	10.00		21	-6.1	18	-7.5	12	-11.1	68	13	010		29.51			30.53	FM-15	0.00	30.49
04	2053	7	CLR:00	10.00		19	-7.2	17	-8.3	12	-11.1	74	8	010		29.53			30.55	FM-15	0.00	30.51
04	2153	7	CLR:00	10.00		17	-8.3	15	-9.2	11	-11.7	77	6	360		29.55	1	-0.06	30.57	FM-15	0.00	30.53
04	2250	7	BKN:07 25	10.00		18	-8.0	16	-8.7	12	-11.0	79	6	010		29.56				FM-16		30.54
04	2253	7	BKN:07 25	10.00		17	-8.3	16	-9.1	12	-11.1	80	6	020		29.56			30.58	FM-15	0.00	30.54
04	2308	7	SCT:04 25	10.00		17	-8.3	16	-9.1	12	-11.1	80	7	010		29.56				FM-16		30.54
04	2353	7	CLR:00	10.00		16	-8.9	15	-9.5	12	-11.1	84	5	360		29.57			30.59	FM-15	0.00	30.55
05	0053	7	CLR:00	10.00		15	-9.4	14	-10.0	11	-11.7	84	5	030		29.57	0	-0.01	30.59	FM-15	0.00	30.55
05	0153	7	CLR:00	10.00		15	-9.4	14	-10.1	10	-12.2	80	0	000		29.58			30.60	FM-15	0.00	30.56
05	0253	7	CLR:00	10.00		15	-9.4	14	-10.3	9	-12.8	77	3	080		29.59			30.62	FM-15	0.00	30.58
05	0353	7	CLR:00	10.00		14	-10.0	13	-10.7	9	-12.8	80	0	000		29.59	0	-0.03	30.62	FM-15	0.00	30.58
05	0453	7	CLR:00	10.00		14	-10.0	13	-10.8	8	-13.3	77	0	000		29.59			30.63	FM-15	0.00	30.58
05	0553	7	CLR:00	10.00		12	-11.1	11	-11.6	8	-13.3	84	6	100		29.61			30.63	FM-15	0.00	30.59
05	0653	7	CLR:00	10.00		13	-10.6	12	-11.2	8	-13.3	81	6	110		29.61	3	-0.02	30.64	FM-15	0.00	30.59
05	0753	7	CLR:00	10.00		14	-10.0	12	-10.9	7	-13.9	73	6	130		29.62			30.66	FM-15	0.00	30.61
05	0853	7	CLR:00	10.00		15	-9.4	14	-10.3	9	-12.8	77	8	130		29.64			30.67	FM-15	0.00	30.62
05	0953	7	CLR:00	10.00		18	-7.8	16	-9.1	9	-12.8	68	7	140		29.65	1	-0.04	30.68	FM-15	0.00	30.64
05	1053	7	CLR:00	10.00		20	-6.7	17	-8.2	10	-12.2	65	8	140		29.66			30.69	FM-15	0.00	30.65
05	1153	7	CLR:00	10.00		22	-5.6	18	-7.5	9	-12.8	57	5	140		29.65			30.68	FM-15	0.00	30.63
05	1253	7	CLR:00	10.00		25	-3.9	21	-6.4	9	-12.8	50	7	180		29.61	8	+0.04	30.64	FM-15	0.00	30.59
05	1353	7	CLR:00	10.00		27	-2.8	22	-5.6	9	-12.8	46	3	170		29.59			30.61	FM-15	0.00	30.57
05	1453	7	CLR:00	10.00		29	-1.7	23	-5.1	7	-13.9	39	3	170		29.57			30.59	FM-15	0.00	30.55
05	1553	7	CLR:00	10.00		29	-1.7	23	-5.2	6	-14.4	38	7	180		29.56	6	+0.05	30.58	FM-15	0.00	30.54
05	1653	7	CLR:00	10.00		28	-2.2	23	-5.2	9	-12.8	44	3	100		29.53			30.55	FM-15	0.00	30.51
05	1753	6	CLR:00	10.00		26	-3.3	21	-6.0	9	-12.8	48	6	130		29.52			30.55	FM-15	0.00	30.50
05	1853	7	CLR:00	10.00		25	-3.9	21	-6.4	9	-12.8	50	5	120		29.51	6	+0.04	30.54	FM-15	0.00	30.49
05	1953	7	CLR:00	10.00		21	-6.1	18	-7.8	10	-12.2	62	5	100		29.51			30.54	FM-15	0.00	30.49
05	2053	7	CLR:00	10.00		23	-5.0	19	-7.0	10	-12.2	57	8	120		29.50			30.53	FM-15	0.00	30.48
05	2153	7	CLR:00	10.00		23	-5.0	19	-7.1	9	-12.8	55	7	130		29.51	5	+0.01	30.53	FM-15	0.00	30.49
05	2253	7	CLR:00	10.00		23	-5.0	19	-7.1	9	-12.8	55	7	130		29.49			30.51	FM-15	0.00	30.47
05	2353	7	CLR:00	10.00		20	-6.7	17	-8.3	9	-12.8	62	6	120		29.49			30.51	FM-15	0.00	30.47
06	0053	7	CLR:00	10.00		21	-6.1	18	-7.9	9	-12.8	59	3	120		29.47	6	+0.03	30.50	FM-15	0.00	30.45
06	0153	7	CLR:00	10.00		21	-6.1	18	-7.9	9	-12.8	59	3	120		29.46			30.48	FM-15	0.00	30.44
06	0253	7	CLR:00	10.00		20	-6.7	17	-8.3	9	-12.8	62	0	000		29.46			30.48	FM-15	0.00	30.44
06	0353	7	CLR:00	10.00		20	-6.7	17	-8.3	9	-12.8	62	3	140		29.46	6	+0.01	30.47	FM-15	0.00	30.44
06	0453	7	CLR:00	10.00		19	-7.2	16	-8.7	9	-12.8	65	3	140		29.45			30.47	FM-15	0.00	30.43
06	0553	7	CLR:00	10.00		19	-7.2	17	-8.6	10	-12.2	68	3	130		29.45			30.47	FM-15	0.00	30.43
06	0653	7	CLR:00	10.00		18	-7.8	16	-8.9	10	-12.2	71	0	000		29.46	3	-0.00	30.48	FM-15	0.00	30.44
06	0753	7	CLR:00	10.00		17	-8.3	15	-9.3	10	-12.2	74	0	000		29.46			30.48	FM-15	0.00	30.44
06	0853	7	CLR:00	10.00		21	-6.1	19	-7.4	13	-10.6	71	5	170		29.46			30.48	FM-15	0.00	30.44
06	0953	7	CLR:00	10.00		26	-3.3	22	-5.5	13	-10.6	57	7	160		29.47	3	-0.01	30.49	FM-15	0.00	30.45
06	1053	7	CLR:00	10.00		30	-1.1	25	-3.7	15	-9.4	54	7	200		29.46			30.48	FM-15	0.00	30.44
06	1153	7	CLR:00	10.00		34	1.1	28	-2.1	17	-8.3	50	5	180		29.43			30.45	FM-15	0.00	30.41
06	1253	7	CLR:00	10.00		38	3.3	31	-0.4	19	-7.2	46	6	210		29.40	8	+0.07	30.41	FM-15	0.00	30.38
06	1353	7	CLR:00	10.00		38	3.3	32	-0.3	20	-6.7	48	6	190		29.37			30.39	FM-15	0.00	30.35
06	1453	7	CLR:00	10.00		41	5.0	34	1.0	22	-5.6	47	8	200		29.34			30.35	FM-15	0.00	30.32
06	1553	7	CLR:00	10.00		41	5.0	33	0.7	20	-6.7	43	9	200		29.34	8	+0.04	30.35	FM-15	0.00	30.32
06	1653	7	CLR:00	10.00		38	3.3	32	0.1	22	-5.6	52	6	140		29.33			30.34	FM-15	0.00	30.31
06	1753	7	CLR:00	10.00		36	2.2	31	-0.8	21	-6.1	55	5	160		29.32			30.33	FM-15	0.00	30.30
06	1853	7	CLR:00	10.00		35	1.7	30	-1.1	21	-6.1	57	3	150		29.32	6	+0.02	30.33	FM-15	0.00	30.30
06	1953	7	CLR:00	10.00		30	-1.1	27	-3.0	20	-6.7	66	0	000		29.32			30.34	FM-15	0.00	30.30
06	2053	7	CLR:00	10.00		30	-1.1	27	-3.0	20	-6.7	66	0	000		29.32			30.33	FM-15	0.00	30.30
06	2153	7	CLR:00	10.00		28	-2.2	25	-3.7	20	-6.7	72	0	000		29.31	8	+0.00	30.33	FM-15	0.00	30.29
06	2253	7	CLR:00	10.00		27	-2.8	24	-4.2	19	-7.2	72	0	000		29.31			30.32	FM-15	0.00	30.29
06	2353	7	CLR:00	10.00		27	-2.8	24	-4.2	19	-7.2	72	5	110		29.29			30.30	FM-15	0.00	30.27

07	0053	7	CLR:00	10.00		27	-2.8	24	-4.4	18	-7.8	69	0	000		29.28	8	+0.04	30.28	FM-15	0.00	30.26
07	0153	7	CLR:00	10.00		26	-3.3	23	-4.9	17	-8.3	69	0	000		29.26			30.27	FM-15	0.00	30.24
07	0253	7	CLR:00	10.00		24	-4.4	22	-5.6	17	-8.3	75	0	000		29.26			30.26	FM-15	0.00	30.24
07	0353	7	CLR:00	10.00		23	-5.0	21	-6.2	16	-8.9	74	5	090		29.26	6	+0.04	30.25	FM-15	0.00	30.23
07	0453	7	CLR:00	10.00		25	-3.9	22	-5.4	16	-8.9	69	0	000		29.23			30.24	FM-15	0.00	30.21
07	0553	7	CLR:00	10.00		22	-5.6	20	-6.7	15	-9.4	75	0	000		29.25			30.24	FM-15	0.00	30.22
07	0653	7	CLR:00	10.00		21	-6.1	20	-6.9	16	-8.9	81	0	000		29.23	6	+0.01	30.24	FM-15	0.00	30.21
07	0753	7	CLR:00	10.00		21	-6.1	20	-6.9	16	-8.9	81	5	070		29.23			30.24	FM-15	0.00	30.20
07	0853	7	CLR:00	10.00		26	-3.3	23	-4.8	18	-7.8	71	0	000		29.23			30.24	FM-15	0.00	30.21
07	0953	7	CLR:00	10.00		32	0.0	27	-2.6	18	-7.8	56	6	140		29.25	3	-0.01	30.25	FM-15	0.00	30.22
07	1053	7	CLR:00	10.00		36	2.2	30	-1.4	17	-8.3	46	3	160		29.26			30.25	FM-15	0.00	30.23
07	1153	7	CLR:00	10.00		39	3.9	31	-0.5	16	-8.9	39	0	000		29.23			30.23	FM-15	0.00	30.20
07	1253	7	CLR:00	10.00		43	6.1	34	0.9	17	-8.3	35	7	140		29.17	8	+0.07	30.17	FM-15	0.00	30.14
07	1353	7	CLR:00	10.00		45	7.2	35	1.8	19	-7.2	35	8	170		29.15			30.14	FM-15	0.00	30.12
07	1453	7	CLR:00	10.00		45	7.2	36	2.5	23	-5.0	42	8	160		29.15			30.14	FM-15	0.00	30.12
07	1553	6	CLR:00	10.00		45	7.2	36	2.1	21	-6.1	39	8	170		29.15	6	+0.02	30.14	FM-15	0.00	30.12
07	1653	7	CLR:00	10.00		42	5.6	34	1.2	21	-6.1	43	5	190		29.15			30.14	FM-15	0.00	30.12
07	1753	7	CLR:00	10.00		39	3.9	32	0.1	20	-6.7	46	3	110		29.12			30.12	FM-15	0.00	30.09
07	1853	7	CLR:00	10.00		36	2.2	30	-0.9	20	-6.7	52	3	150		29.13	5	+0.02	30.13	FM-15	0.00	30.10
07	1953	7	CLR:00	10.00		33	0.6	28	-2.0	20	-6.7	58	0	000		29.14			30.14	FM-15	0.00	30.11
07	2053	7	CLR:00	10.00		32	0.0	28	-2.3	20	-6.7	61	0	000		29.14			30.14	FM-15	0.00	30.11
07	2153	7	CLR:00	10.00		30	-1.1	27	-3.0	20	-6.7	66	0	000		29.13	8	+0.00	30.13	FM-15	0.00	30.10
07	2253	7	CLR:00	10.00		29	-1.7	26	-3.3	20	-6.7	69	3	050		29.11			30.11	FM-15	0.00	30.08
07	2353	7	CLR:00	10.00		29	-1.7	26	-3.3	20	-6.7	69	0	000		29.10			30.09	FM-15	0.00	30.07
08	0053	7	CLR:00	10.00		27	-2.8	25	-4.1	20	-6.7	75	6	070		29.07	8	+0.05	30.07	FM-15	0.00	30.04
08	0153	7	CLR:00	10.00		30	-1.1	27	-2.8	21	-6.1	69	0	000		29.05			30.03	FM-15	0.00	30.02
08	0253	7	CLR:00	10.00		32	0.0	28	-2.0	22	-5.6	66	0	000		29.04			30.02	FM-15	0.00	30.01
08	0353	7	CLR:00	10.00		32	0.0	29	-1.8	23	-5.0	69	0	000		29.03	6	+0.04	30.02	FM-15	0.00	30.00
08	0453	7	FEW:02 50 SCT:04 60 SCT:04 80	10.00		30	-1.1	28	-2.3	24	-4.4	79	5	090		29.02			30.01	FM-15	0.00	29.99
08	0553	7	SCT:04 50 SCT:04 90	10.00		33	0.6	30	-1.1	25	-3.9	72	0	000		29.01			30.00	FM-15	0.00	29.98
08	0653	7	OVC:08 34	10.00		35	1.7	33	0.6	30	-1.1	82	3	280		29.01	6	+0.02	30.00	FM-15	0.00	29.98
08	0753	7	OVC:08 35	10.00	-RA:02 |RA |	35	1.7	33	0.4	29	-1.7	78	3	170		29.01			30.01	FM-15	T	29.98
08	0853	7	OVC:08 55	6.00	-RA:02 BR:1 |RA |	35	1.7	33	0.8	31	-0.6	85	3	080		28.99			29.98	FM-15	T	29.96
08	0953	7	SCT:04 32 BKN:07 39 OVC:08 47	4.00	RA:02 BR:1 |RA |	36	2.2	35	1.5	33	0.6	89	6	100		28.99	8	+0.01	29.98	FM-15	0.06s	29.96
08	1053	7	BKN:07 48 OVC:08 60	3.00	-RA:02 BR:1 |RA |	37	2.8	36	2.3	35	1.7	93	8	130		28.98			29.97	FM-15	0.05	29.95
08	1132	7	BKN:07 19 BKN:07 45 OVC:08 60	5.00	-RA:02 BR:1 |RA |	39	3.9	38	3.4	37	2.8	93	9	130		28.97				FM-16	0.01	29.94
08	1153	7	FEW:02 13 BKN:07 20 OVC:08 46	5.00	-RA:02 BR:1 |RA |	39	3.9	38	3.4	37	2.8	93	9	150		28.96			29.96	FM-15	T	29.93
08	1212	7	BKN:07 11 BKN:07 20	5.00	-RA:02 BR:1 |RA |	39	3.9	38	3.4	37	2.8	93	9	140		28.95				FM-16	T	29.92
08	1231	7	OVC:08 9	5.00	-RA:02 BR:1 |RA |	38	3.3	37	2.9	36	2.2	93	8	140		28.94				FM-16	T	29.91
08	1253	7	OVC:08 9	5.00	-RA:02 BR:1 |RA |	39	3.9	38	3.4	37	2.8	93	7	130		28.92	8	+0.07	29.91	FM-15	0.01	29.89
08	1353	7	OVC:08 6	5.00	-RA:02 BR:1 |RA |	40	4.4	40	4.2	39	3.9	97	8	150		28.90			29.89	FM-15	T	29.87
08	1410	7	OVC:08 5	1.75	-RA:02 BR:1 |RA |	40	4.4	40	4.2	39	3.9	97	8	160		28.90				FM-16	0.01	29.87
08	1425	7	OVC:08 4	1.50	-RA:02 BR:1 |RA |	40	4.4	40	4.2	39	3.9	97	10	150		28.90				FM-16	0.01	29.86
08	1453	7	OVC:08 4	1.50	BR:1 ||	41	5.0	41	4.7	40	4.4	96	10	150		28.90			29.88	FM-15	0.02	29.86
08	1500	7	OVC:08 4	3.00	-RA:02 BR:1 |RA |	41	5.0	40	4.5	39	3.9	93	10	160		28.90				FM-16	T	29.86
08	1553	7	OVC:08 3	3.00	BR:1 ||	42	5.6	42	5.3	41	5.0	96	10	170		28.90	6	+0.03	29.88	FM-15	T	29.86
08	1600	7	OVC:08 3	2.50	BR:1 ||	42	5.6	42	5.3	41	5.0	96	7	170		28.90				FM-16		29.86
08	1614	7	OVC:08 3	3.00	BR:1 ||	42	5.6	42	5.6	42	5.6	100	8	170		28.90				FM-16		29.86

08	1622	7	OVC:08 3	2.00	BR:1 ||	43	6.1	43	5.9	42	5.6	97	11	180		28.90				FM-16		29.86
08	1639	7	OVC:08 3	1.75	BR:1 ||	43	6.1	43	5.9	42	5.6	97	9	170		28.90				FM-16		29.86
08	1653	7	OVC:08 3	1.75	BR:1 ||	43	6.1	43	5.9	42	5.6	97	8	170		28.90			29.88	FM-15	0.00	29.86
08	1701	7	OVC:08 3	2.00	BR:1 ||	43	6.1	43	5.9	42	5.6	97	8	170		28.90				FM-16		29.86
08	1743	7	OVC:08 3	3.00	BR:1 ||	43	6.1	43	6.1	43	6.1	100	8	180		28.90				FM-16		29.87
08	1751	6	OVC:08 3	2.50	BR:1 ||	45	7.0	44	6.7	43	6.0	93	8	170		28.90				FM-16		29.86
08	1753	7	OVC:08 3	2.50	BR:1 ||	44	6.7	44	6.4	43	6.1	96	8	170		28.90			29.88	FM-15	0.00	29.87
08	1853	7	OVC:08 2	3.00	BR:1 ||	44	6.7	44	6.7	44	6.7	100	9	170		28.90	2	-0.01	29.89	FM-15	0.00	29.87
08	1922	7	OVC:08 3	2.50	BR:1 ||	45	7.2	45	7.0	44	6.7	97	7	170		28.91				FM-16		29.88
08	1946	7	OVC:08 3	3.00	-RA:02 BR:1 |RA |	45	7.2	45	7.0	44	6.7	97	8	170		28.92				FM-16	T	29.89
08	1953	7	OVC:08 3	3.00	BR:1 ||	45	7.2	45	7.0	44	6.7	97	8	170		28.91			29.90	FM-15	T	29.88
08	2053	7	OVC:08 3	3.00	BR:1 ||	46	7.8	46	7.5	45	7.2	96	8	170		28.91			29.90	FM-15	0.00	29.88
08	2153	7	OVC:08 4	4.00	BR:1 ||	47	8.3	47	8.1	46	7.8	97	8	170		28.91	0	-0.01	29.89	FM-15	0.00	29.88
08	2253	7	OVC:08 3	4.00	BR:1 ||	47	8.3	47	8.1	46	7.8	97	10	170		28.91			29.89	FM-15	0.00	29.88
08	2353	7	BKN:07 4 BKN:07 43 OVC:08 49	5.00	BR:1 ||	46	7.8	46	7.8	46	7.8	100	9	170		28.90			29.88	FM-15	T	29.87
09	0033	7	SCT:04 4 OVC:08 80	6.00	BR:1 ||	47	8.3	47	8.1	46	7.8	97	10	170		28.90				FM-16	T	29.87
09	0053	7	FEW:02 4 BKN:07 55 OVC:08 80	6.00	BR:1 ||	47	8.3	47	8.1	46	7.8	97	10	170		28.90	8	+0.01	29.88	FM-15	T	29.87
09	0153	7	FEW:02 13 FEW:02 26 OVC:08 60	4.00	-RA:02 BR:1 |RA |	47	8.3	47	8.1	46	7.8	97	10	170		28.90			29.87	FM-15	0.06	29.86
09	0221	7	FEW:02 7 BKN:07 47 OVC:08 70	10.00		47	8.3	47	8.1	46	7.8	97	9	180		28.90				FM-16	T	29.86
09	0233	7	FEW:02 12 BKN:07 16 OVC:08 47	10.00		47	8.3	47	8.1	46	7.8	97	10	190		28.90				FM-16	T	29.86
09	0253	7	FEW:02 5 BKN:07 25 OVC:08 55	10.00		47	8.3	47	8.1	46	7.8	97	8	190		28.89			29.86	FM-15	T	29.85
09	0308	7	FEW:02 25 SCT:04 60 OVC:08 80	10.00		47	8.3	46	7.8	45	7.2	93	10	180		28.90				FM-16		29.86
09	0351	6	FEW:02 7 SCT:04 20 BKN:07 34	10.00		46	8.0	46	7.5	45	7.0	93	9	200		28.91				FM-16		29.88
09	0353	7	FEW:02 7 BKN:07 34 OVC:08 75	10.00		46	7.8	46	7.5	45	7.2	96	7	200		28.91	3	-0.01	29.89	FM-15	0.01	29.88
09	0453	7	SCT:04 9 OVC:08 70	10.00		47	8.3	46	7.8	45	7.2	93	9	200		28.91			29.89	FM-15	T	29.88
09	0500	7	SCT:04 9 BKN:07 17 OVC:08 70	10.00		47	8.3	47	8.1	46	7.8	97	8	190		28.91				FM-16		29.88
09	0511	7	BKN:07 9 OVC:08 18	10.00		47	8.3	47	8.1	46	7.8	97	8	200		28.91				FM-16		29.88
09	0553	7	BKN:07 9 BKN:07 16 OVC:08 70	10.00		46	7.8	46	7.5	45	7.2	96	7	190		28.92			29.90	FM-15	0.00	29.89
09	0645	7	SCT:04 8 SCT:04 16 OVC:08 65	10.00		47	8.3	46	7.8	45	7.2	93	9	210		28.93				FM-16		29.90
09	0653	7	FEW:02 8 OVC:08 65	9.00		46	7.8	46	7.5	45	7.2	96	9	210		28.93	3	-0.02	29.91	FM-15	0.00	29.90
09	0751	6	BKN:07 14 BKN:07 65	6.00	BR:1 ||	45	7.0	45	7.2	45	7.0	100	7	200		28.94				FM-16		29.91
09	0753	7	BKN:07 12 BKN:07 65	6.00	BR:1 ||	45	7.2	45	7.0	44	6.7	97	6	200		28.94			29.92	FM-15	0.00	29.91
09	0823	7	SCT:04 12	6.00	BR:1 ||	45	7.2	45	7.0	44	6.7	97	7	200		28.94				FM-16		29.91

09	0853	7	CLR:00	4.00	BR:1 ||	46	7.8	46	7.5	45	7.2	96	6	200		28.94			29.91	FM-15	0.00	29.91
09	0945	7	BKN:07 14	7.00		49	9.4	47	8.6	46	7.8	90	7	210		28.95				FM-16		29.92
09	0953	7	OVC:08 12	7.00		49	9.4	47	8.6	46	7.8	90	6	210		28.95	2	-0.01	29.92	FM-15	0.00	29.92
09	1009	7	OVC:08 8	8.00		49	9.4	47	8.6	46	7.8	90	5	200		28.94				FM-16		29.91
09	1053	7	OVC:08 8	9.00		50	10.0	48	8.9	46	7.8	86	6	170		28.94			29.91	FM-15	0.00	29.91
09	1153	7	OVC:08 8	8.00		49	9.4	47	8.6	46	7.8	90	7	180		28.91			29.89	FM-15	0.00	29.88
09	1253	7	OVC:08 8	7.00		49	9.4	48	8.9	47	8.3	93	6	200		28.91	7	+0.04	29.88	FM-15	0.00	29.88
09	1353	7	OVC:08 7	7.00		49	9.4	48	8.9	47	8.3	93	6	180		28.90			29.86	FM-15	0.00	29.86
09	1453	7	OVC:08 9	6.00	BR:1 ||	50	10.0	48	9.2	47	8.3	89	5	110		28.87			29.83	FM-15	0.00	29.83
09	1553	7	BKN:07 9 OVC:08 20	6.00	BR:1 ||	49	9.4	47	8.6	46	7.8	90	7	110		28.84	6	+0.06	29.82	FM-15	0.00	29.81
09	1602	7	SCT:04 10 OVC:08 18	6.00	BR:1 ||	49	9.4	47	8.6	46	7.8	90	6	100		28.84				FM-16		29.81
09	1653	7	SCT:04 13 OVC:08 22	6.00	BR:1 ||	49	9.4	47	8.6	46	7.8	90	8	080		28.83			29.79	FM-15	0.00	29.79
09	1753	7	BKN:07 18	7.00		46	7.8	45	7.2	44	6.7	93	7	070		28.79			29.76	FM-15	0.00	29.75
09	1758	7	CLR:00	7.00		46	7.8	45	7.2	44	6.7	93	6	070		28.79				FM-16		29.75
09	1853	7	CLR:00	8.00		47	8.3	46	7.8	45	7.2	93	6	140		28.81	5	+0.05	29.77	FM-15	0.00	29.77
09	1953	7	CLR:00	7.00		45	7.2	45	7.0	44	6.7	97	7	100		28.77			29.74	FM-15	0.00	29.73
09	2053	7	FEW:02 120	7.00		45	7.2	45	7.0	44	6.7	97	7	100		28.72			29.69	FM-15	0.00	29.68
09	2153	7	SCT:04 35 SCT:04 120	7.00		44	6.7	44	6.4	43	6.1	96	6	110		28.69	6	+0.12	29.65	FM-15	0.00	29.65
09	2253	7	BKN:07 70 BKN:07 90 OVC:08 120	10.00		47	8.3	46	7.5	44	6.7	90	9	140		28.65			29.62	FM-15	T	29.61
09	2353	7	FEW:02 47 OVC:08 60	9.00	-RA:02 |RA |	47	8.3	46	7.8	45	7.2	93	7	110		28.62			29.58	FM-15	0.01	29.58
10	0053	7	FEW:02 48 BKN:07 60 OVC:08 75	6.00	-RA:02 BR:1 |RA |	46	7.8	46	7.5	45	7.2	96	6	100		28.57	8	+0.12	29.53	FM-15	0.02	29.53
10	0153	7	FEW:02 15 BKN:07 20 OVC:08 50	3.00	RA:02 BR:1 |RA |	46	7.8	46	7.5	45	7.2	96	7	120		28.53			29.49	FM-15	0.11	29.49
10	0205	7	FEW:02 8 BKN:07 13 OVC:08 46	4.00	RA:02 BR:1 |RA |	47	8.3	47	8.1	46	7.8	97	5	VRB		28.53				FM-16	0.01	29.48
10	0221	7	BKN:07 8 OVC:08 13	5.00	-RA:02 BR:1 |RA |	47	8.3	46	7.8	45	7.2	93	7	130		28.51				FM-16	0.02	29.47
10	0253	7	SCT:04 6 BKN:07 12 OVC:08 33	5.00	-RA:02 BR:1 |RA |	47	8.3	46	7.8	45	7.2	93	8	130		28.50			29.46	FM-15	0.05	29.45
10	0326	7	BKN:07 6 BKN:07 12 OVC:08 18	4.00	-RA:02 BR:1 |RA |	47	8.3	47	8.1	46	7.8	97	8	150		28.48				FM-16	0.04	29.43
10	0353	7	SCT:04 6 BKN:07 9 OVC:08 28	6.00	RA:02 BR:1 |RA |	48	8.9	47	8.3	46	7.8	93	10	170		28.47	6	+0.11	29.42	FM-15	0.06	29.42
10	0404	7	SCT:04 6 BKN:07 14 OVC:08 42	5.00	RA:02 BR:1 |RA |	47	8.3	47	8.1	46	7.8	97	10	180		28.47				FM-16	0.02	29.42
10	0411	7	BKN:07 6 BKN:07 15 OVC:08 42	5.00	-RA:02 BR:1 |RA |	47	8.3	47	8.1	46	7.8	97	13	170		28.46				FM-16	0.03	29.41
10	0451	7	SCT:04 9 BKN:07 48 OVC:08 60	10.00		46	8.0	46	7.8	46	8.0	100	10	180		28.43				FM-16	0.05	29.38
10	0453	7	SCT:04 9 BKN:07 34 OVC:08 48	10.00		47	8.3	47	8.1	46	7.8	97	9	180		28.43			29.38	FM-15	0.04	29.38
10	0511	7	SCT:04 9 BKN:07 14 OVC:08 47	10.00	-RA:02 |RA |	47	8.3	47	8.1	46	7.8	97	10	180		28.42				FM-16	T	29.37

10	0531	7	SCT:04 8 OVC:08 41	7.00	-RA:02 |RA |	47	8.3	47	8.1	46	7.8	97	11	180		28.41				FM-16	0.02	29.36
10	0553	7	FEW:02 14 BKN:07 46 OVC:08 75	10.00	-RA:02 |RA |	47	8.3	46	7.8	45	7.2	93	9	190		28.41			29.37	FM-15	0.03	29.36
10	0610	7	BKN:07 14 OVC:08 49	10.00		47	8.3	46	7.8	45	7.2	93	11	180		28.41				FM-16	T	29.36
10	0647	7	BKN:07 9 OVC:08 18	9.00	-RA:02 |RA |	46	8.0	46	7.5	45	7.0	93	16	200	24	28.40				FM-16	0.03	29.35
10	0653	7	BKN:07 9 BKN:07 17 OVC:08 25	10.00	-RA:02 |RA |	47	8.3	46	7.5	44	6.7	90	16	200	25	28.40	8	+0.03	29.36	FM-15	0.03	29.35
10	0753	7	BKN:07 15	10.00		44	6.7	42	5.6	40	4.4	85	16	210	26	28.40			29.36	FM-15	T	29.35
10	0808	7	BKN:07 11 OVC:08 16	10.00		43	6.1	42	5.3	40	4.4	89	22	230	26	28.41				FM-16		29.36
10	0816	7	BKN:07 9 OVC:08 13	10.00		41	5.0	40	4.3	38	3.3	89	23	280	26	28.41				FM-16		29.36
10	0843	7	OVC:08 8	1.75	-RA:02 BR:1 |RA |	38	3.3	37	2.9	36	2.2	93	24	280	30	28.45				FM-16	T	29.40
10	0853	7	OVC:08 9	1.75	-RA:02 BR:1 |RA |	37	2.8	36	2.3	35	1.7	93	23	270	32	28.47			29.43	FM-15	T	29.42
10	0858	7	OVC:08 9	3.00	-SN:03 BR:1 |SN |	36	2.2	35	1.5	33	0.6	89	26	280	36	28.48				FM-16	T	29.43
10	0909	7	BKN:07 10 OVC:08 23	4.00	-SN:03 BR:1 |SN |	35	1.7	34	1.2	33	0.6	93	23	270	34	28.48				FM-16	T	29.44
10	0911	7	BKN:07 8 BKN:07 12 OVC:08 18	2.00	-SN:03 BR:1 |SN |	34	1.1	33	0.7	32	0.0	92	21	270	34	28.48				FM-16	T	29.44
10	0916	7	SCT:04 5 OVC:08 10	0.75	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	22	270		28.51				FM-16	T	29.46
10	0926	7	OVC:08 8	0.25	SN:03 FG:2 |FG SN |	33	0.6	33	0.3	32	0.0	96	22	280	31	28.51				FM-16	0.01	29.47
10	0939	7	OVC:08 7	0.50	SN:03 FG:2 |FG SN |	33	0.6	33	0.3	32	0.0	96	21	270	30	28.53				FM-16	0.01	29.49
10	0948	7	OVC:08 6	0.25	SN:03 FG:2 |FG SN |	34	1.0	32	0.2	30	-1.0	87	18	280	30	28.54				FM-16	0.01	29.50
10	0953	7	OVC:08 6	0.25	+SN:03 FG:2 |FG SN |	33	0.6	33	0.3	32	0.0	96	17	280	26	28.55	1	-0.15	29.52	FM-15	0.02	29.51
10	1048	7	OVC:08 6	0.50	SN:03 FZ:8 FG:2 |FG SN |	30	-1.0	30	-1.1	30	-1.0	100	22	280	30	28.62				FM-16	0.01	29.58
10	1053	7	OVC:08 6	0.50	-SN:03 FZ:8 FG:2 |FG SN |	31	-0.6	30	-1.0	29	-1.7	92	23	280	29	28.62			29.59	FM-15	0.01	29.58
10	1100	7	BKN:07 10 OVC:08 16	0.75	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	21	290	30	28.63				FM-16	T	29.59
10	1106	7	FEW:02 8 BKN:07 12 OVC:08 20	1.00	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	22	290	33	28.64				FM-16	T	29.60
10	1143	7	SCT:04 16 BKN:07 23 OVC:08 42	1.00	-SN:03 BR:1 |SN |	32	0.0	30	-0.8	28	-2.2	85	20	290	38	28.67				FM-16	T	29.63
10	1148	7	FEW:02 14 BKN:07 29 OVC:08 42	3.00	-SN:03 BR:1 |SN |	32	0.0	30	-0.8	28	-2.0	87	17	290	34	28.68				FM-16	T	29.64
10	1153	7	SCT:04 14 BKN:07 21 OVC:08 42	5.00	-SN:03 BR:1 |SN |	32	0.0	30	-0.8	28	-2.2	85	23	280	30	28.68			29.66	FM-15	T	29.64
10	1253	7	BKN:07 28 OVC:08 42	9.00	-SN:03 |SN |	31	-0.6	28	-2.0	24	-4.4	76	24	280	39	28.73	1	-0.10	29.70	FM-15	T	29.69
10	1353	7	OVC:08 19	9.00		31	-0.6	29	-1.6	26	-3.3	82	22	260	28	28.75			29.73	FM-15	T	29.71
10	1453	7	BKN:07 15 OVC:08 24	4.00	-SN:03 BR:1 |SN |	28	-2.2	27	-3.0	24	-4.4	85	32	270	41	28.81			29.79	FM-15	T	29.77
10	1504	7	SCT:04 15 BKN:07 21 OVC:08 28	1.75V	-SN:03 |SN |	28	-2.2	26	-3.2	23	-5.0	81	30	270	39	28.82				FM-16	T	29.78
10	1513	7	SCT:04 15 BKN:07 23 OVC:08 27	5.00	-SN:03 |SN |	27	-2.8	25	-3.7	22	-5.6	81	29	260	44	28.83				FM-16	T	29.79
10	1530	7	SCT:04 13 OVC:08 21	1.50	-SN:03 BR:1 |SN |	26	-3.3	25	-3.9	23	-5.0	88	20	270	31	28.84				FM-16	T	29.80
10	1553	7	SCT:04 15 BKN:07 22 OVC:08 31	1.50	-SN:03 BR:1 |SN |	26	-3.3	25	-4.1	22	-5.6	84	25	270	32	28.86	3	-0.13	29.84	FM-15	T	29.82

10	1610	7	BKN:07 20 OVC:08 31	2.50	-SN:03 |SN |	25	-3.9	23	-4.8	20	-6.7	81	23	270	36	28.87				FM-16	T	29.84
10	1617	7	SCT:04 18 BKN:07 23 OVC:08 33	3.00	-SN:03 |SN |	25	-3.9	23	-4.8	20	-6.7	81	23	270	31	28.89				FM-16	T	29.85
10	1624	7	BKN:07 18 BKN:07 25 OVC:08 33	2.50	-SN:03 BR:1 |SN |	24	-4.4	23	-5.2	20	-6.7	84	25	270	33	28.90				FM-16	T	29.86
10	1634	7	BKN:07 18 BKN:07 25 OVC:08 35	1.50	-SN:03 BR:1 |SN |	24	-4.4	23	-5.2	20	-6.7	84	17	260	33	28.90				FM-16	T	29.87
10	1651	7	FEW:02 15 SCT:04 20 OVC:08 33	3.00	-SN:03 |SN |	25	-4.0	23	-5.1	18	-8.0	74	21	270	37	28.91				FM-16	T	29.88
10	1653	7	FEW:02 20 SCT:04 28 OVC:08 33	4.00	-SN:03 |SN |	24	-4.4	22	-5.7	17	-8.3	75	21	270	34	28.91			29.90	FM-15	T	29.88
10	1704	7	FEW:02 18 BKN:07 28 OVC:08 33	5.00	-SN:03 |SN |	23	-5.0	21	-6.0	17	-8.3	78	21	280	29	28.92				FM-16	T	29.89
10	1725	7	SCT:04 22 OVC:08 30	6.00	-SN:03 |SN |	22	-5.6	20	-6.7	15	-9.4	75	26	270	37	28.94				FM-16	T	29.91
10	1753	7	OVC:08 32	9.00	-SN:03 |SN |	21	-6.1	19	-7.4	13	-10.6	71	26	280	33	28.96			29.95	FM-15	T	29.93
10	1851	6	BKN:07 26 OVC:08 31	8.00	-SN:03 |SN |	19	-7.0	17	-8.6	10	-12.0	68	23	280	30	28.99				FM-16		29.96
10	1853	7	OVC:08 29	7.00	-SN:03 |SN |	20	-6.7	18	-7.9	12	-11.1	71	20	290	30	28.99	1	-0.14	29.98	FM-15	T	29.96
10	1921	7	SCT:04 20 OVC:08 25	1.75	-SN:03 |SN |	19	-7.2	17	-8.2	13	-10.6	77	18	270	28	29.01				FM-16	T	29.98
10	1927	7	BKN:07 20 OVC:08 27	3.00	-SN:03 |SN |	19	-7.2	17	-8.3	12	-11.1	74	22	270	29	29.01				FM-16	T	29.98
10	1953	7	OVC:08 29	9.00		18	-7.8	15	-9.2	8	-13.3	65	23	270	32	29.02			30.02	FM-15	T	29.99
10	2053	7	OVC:08 26	9.00		16	-8.9	14	-10.1	7	-13.9	67	20	280		29.05			30.06	FM-15	T	30.02
10	2153	7	BKN:07 24	10.00		13	-10.6	11	-11.5	6	-14.4	74	17	260	32	29.07	1	-0.07	30.08	FM-15	T	30.04
10	2207	7	SCT:04 24	10.00		13	-10.6	11	-11.5	6	-14.4	74	21	280	26	29.07				FM-16		30.04
10	2218	7	BKN:07 22	10.00		13	-10.6	11	-11.5	6	-14.4	74	18	270	26	29.07				FM-16		30.04
10	2253	7	OVC:08 21	10.00		13	-10.6	12	-11.4	7	-13.9	77	14	260		29.07			30.08	FM-15	0.00	30.04
10	2353	7	BKN:07 18	9.00		13	-10.6	11	-11.5	6	-14.4	74	14	260	23	29.08			30.09	FM-15	T	30.05
11	0006	7	SCT:04 18	10.00		12	-11.1	11	-11.9	6	-14.4	77	10	260		29.08				FM-16		30.05
11	0018	7	BKN:07 18	10.00	-SN:03 |SN |	13	-10.6	12	-11.4	7	-13.9	77	11	250		29.08				FM-16	T	30.05
11	0053	7	BKN:07 19	6.00	-SN:03 |SN |	12	-11.1	11	-11.8	7	-13.9	80	13	240		29.09	3	-0.02	30.10	FM-15	T	30.06
11	0153	7	OVC:08 20	10.00	UP:09 ||	12	-11.1	11	-11.9	6	-14.4	77	18	240	25	29.10			30.11	FM-15	T	30.07
11	0253	7	BKN:07 19	10.00		12	-11.1	10	-12.0	5	-15.0	73	18	240	25	29.11			30.12	FM-15	T	30.08
11	0353	7	BKN:07 19	10.00		11	-11.7	10	-12.4	5	-15.0	77	9	250		29.11	1	-0.02	30.12	FM-15	0.00	30.08
11	0453	7	BKN:07 18	10.00		11	-11.7	10	-12.4	5	-15.0	77	14	240		29.12			30.13	FM-15	0.00	30.09
11	0511	7	SCT:04 18	10.00		10	-12.2	9	-13.0	4	-15.6	76	18	240		29.13				FM-16		30.10
11	0525	7	BKN:07 20	10.00		10	-12.2	9	-13.0	4	-15.6	76	13	250	21	29.13				FM-16		30.10
11	0553	7	BKN:07 20	10.00		10	-12.2	8	-13.1	3	-16.1	73	13	250	22	29.14			30.16	FM-15	0.00	30.11
11	0628	7	SCT:04 20	10.00		9	-12.8	8	-13.5	3	-16.1	77	11	240		29.14				FM-16		30.11
11	0653	7	FEW:02 19	10.00		9	-12.8	8	-13.5	3	-16.1	77	13	240	22	29.15	3	-0.04	30.16	FM-15	0.00	30.12
11	0753	7	CLR:00	10.00		9	-12.8	8	-13.5	3	-16.1	77	11	240		29.15			30.17	FM-15	0.00	30.12
11	0853	7	CLR:00	10.00		9	-12.8	8	-13.5	3	-16.1	77	15	230		29.17			30.19	FM-15	0.00	30.14
11	0953	7	BKN:07 39	10.00		11	-11.7	9	-12.5	4	-15.6	73	14	240	22	29.18	3	-0.03	30.20	FM-15	0.00	30.15
11	1042	7	BKN:07 27	10.00		12	-11.1	10	-12.1	4	-15.6	70	14	250		29.19				FM-16		30.16
11	1053	7	BKN:07 26	10.00		12	-11.1	10	-12.1	4	-15.6	70	15	240		29.19			30.21	FM-15	0.00	30.16
11	1153	7	OVC:08 20	7.00	UP:09 ||	13	-10.6	11	-11.5	6	-14.4	74	13	230		29.18			30.19	FM-15	T	30.15
11	1253	7	OVC:08 22	6.00	UP:09 ||	14	-10.0	12	-10.9	7	-13.9	73	13	220		29.15	8	+0.03	30.17	FM-15	T	30.12
11	1353	7	BKN:07 23 OVC:08 60	10.00		16	-8.9	14	-10.0	8	-13.3	71	13	220		29.12			30.14	FM-15	T	30.09
11	1417	7	SCT:04 23 OVC:08 60	9.00	-SN:03 |SN |	17	-8.3	15	-9.5	9	-12.8	70	13	210		29.11				FM-16	T	30.08

11	1453	7	SCT:04 21 OVC:08 60	10.00		17	-8.3	15	-9.4	10	-12.2	74	11	220		29.10			30.12	FM-15	T	30.07
11	1553	7	OVC:08 60	10.00		18	-7.8	16	-9.0	10	-12.2	71	10	190		29.09	6	+0.06	30.10	FM-15	0.00	30.06
11	1653	7	OVC:08 60	10.00		19	-7.2	16	-8.7	9	-12.8	65	13	190		29.07			30.09	FM-15	0.00	30.04
11	1753	7	FEW:02 60	10.00		20	-6.7	17	-8.3	9	-12.8	62	8	180		29.06			30.08	FM-15	0.00	30.03
11	1853	7	BKN:07 70	10.00		20	-6.7	17	-8.2	10	-12.2	65	9	170		29.05	8	+0.04	30.06	FM-15	0.00	30.02
11	1953	7	OVC:08 65	10.00		22	-5.6	19	-7.3	11	-11.7	63	10	170		29.01			30.03	FM-15	0.00	29.98
11	2053	7	OVC:08 44	10.00		23	-5.0	20	-6.8	12	-11.1	63	13	170		28.98			30.00	FM-15	0.00	29.95
11	2153	7	OVC:08 55	10.00		24	-4.4	21	-6.3	13	-10.6	62	13	170		28.95	6	+0.09	29.96	FM-15	0.00	29.92
11	2253	7	BKN:07 65 OVC:08 85	10.00		24	-4.4	21	-6.1	14	-10.0	65	9	180		28.91			29.92	FM-15	0.00	29.88
11	2353	7	OVC:08 30	5.00	-SN:03 |SN |	25	-3.9	22	-5.3	17	-8.3	72	11	210		28.90			29.90	FM-15	T	29.86
12	0001	7	OVC:08 28	3.00	-SN:03 |SN |	26	-3.3	23	-4.8	18	-7.8	71	14	210	21	28.90				FM-16	T	29.86
12	0019	7	SCT:04 24 OVC:08 37	4.00	-SN:03 |SN |	26	-3.3	24	-4.4	20	-6.7	78	13	200	24	28.89				FM-16	T	29.85
12	0035	7	BKN:07 25 OVC:08 36	2.50	-SN:03 |SN |	26	-3.3	24	-4.3	21	-6.1	81	14	200	22	28.87				FM-16	T	29.84
12	0053	7	BKN:07 27 BKN:07 36 OVC:08 48	3.00	-SN:03 BR:1 |SN |	26	-3.3	25	-4.1	22	-5.6	84	14	200		28.86	6	+0.09	29.86	FM-15	T	29.82
12	0119	7	OVC:08 31	4.00	-SN:03 BR:1 |SN |	26	-3.3	25	-4.1	22	-5.6	84	16	210		28.84				FM-16	T	29.81
12	0153	7	BKN:07 31 OVC:08 35	4.00	-SN:03 BR:1 |SN |	26	-3.3	25	-3.9	23	-5.0	88	14	210	22	28.84			29.83	FM-15	T	29.80
12	0251	6	FEW:02 17 OVC:08 31	2.50	-SN:03 BR:1 |SN |	28	-2.0	27	-2.8	25	-4.0	86	16	210		28.82				FM-16		29.78
12	0253	7	FEW:02 17 OVC:08 31	3.00	-SN:03 BR:1 |SN |	28	-2.2	27	-3.0	24	-4.4	85	14	200		28.82			29.81	FM-15	T	29.78
12	0303	7	FEW:02 17 OVC:08 29	6.00	-SN:03 BR:1 |SN |	28	-2.2	27	-3.0	24	-4.4	85	15	200		28.82				FM-16	T	29.78
12	0330	7	OVC:08 28	2.00	-SN:03 BR:1 |SN |	28	-2.2	27	-3.0	24	-4.4	85	15	200		28.80				FM-16	T	29.76
12	0342	7	OVC:08 28	1.75	-SN:03 BR:1 |SN |	28	-2.2	27	-3.0	24	-4.4	85	14	190	22	28.80				FM-16	T	29.76
12	0351	6	OVC:08 28	2.00	-SN:03 BR:1 |SN |	28	-2.0	27	-2.8	25	-4.0	86	13	200		28.80				FM-16		29.76
12	0353	7	FEW:02 15 OVC:08 28	2.00	-SN:03 BR:1 |SN |	28	-2.2	27	-2.8	25	-3.9	88	15	210		28.79	6	+0.07	29.79	FM-15	T	29.75
12	0403	7	OVC:08 26	6.00	-SN:03 BR:1 |SN |	28	-2.2	27	-2.8	25	-3.9	88	15	200	28	28.79				FM-16	T	29.75
12	0444	7	OVC:08 30	3.00	-SN:03 |SN |	29	-1.7	27	-2.7	24	-4.4	82	14	200		28.76				FM-16	T	29.72
12	0451	7	BKN:07 30 OVC:08 35	2.00	-SN:03 BR:1 |SN |	28	-2.0	27	-2.8	25	-4.0	86	16	200	23	28.76				FM-16	T	29.72
12	0453	7	OVC:08 32	2.00	-SN:03 BR:1 |SN |	28	-2.2	27	-2.8	25	-3.9	88	14	200	23	28.76			29.75	FM-15	T	29.72
12	0511	7	OVC:08 30	1.75	-SN:03 BR:1 |SN |	28	-2.2	27	-2.8	25	-3.9	88	15	190		28.75				FM-16	T	29.71
12	0520	7	OVC:08 31	3.00	-SN:03 BR:1 |SN |	28	-2.2	27	-2.8	25	-3.9	88	15	200		28.74				FM-16	T	29.70
12	0536	7	OVC:08 29	2.50	-SN:03 BR:1 |SN |	29	-1.7	28	-2.5	25	-3.9	85	16	200		28.74				FM-16	T	29.70
12	0551	6	BKN:07 23 OVC:08 32	1.75	-SN:03 BR:1 |SN |	28	-2.0	27	-2.8	25	-4.0	86	16	200	23	28.74				FM-16		29.70
12	0553	7	OVC:08 23	1.75	-SN:03 BR:1 |SN |	29	-1.7	28	-2.5	25	-3.9	85	17	210	23	28.74			29.73	FM-15	T	29.70
12	0653	7	FEW:02 12 BKN:07 23 OVC:08 30	1.75	-SN:03 BR:1 |SN |	29	-1.7	28	-2.3	26	-3.3	89	16	210		28.73	8	+0.02	29.72	FM-15	T	29.69
12	0726	7	FEW:02 9 BKN:07 15 OVC:08 27	1.50	-SN:03 BR:1 |SN |	29	-1.7	28	-2.3	26	-3.3	89	18	220		28.73				FM-16	T	29.69
12	0734	7	BKN:07 14 BKN:07 19 OVC:08 27	2.50	-SN:03 BR:1 |SN |	29	-1.7	28	-2.1	27	-2.8	92	22	210	28	28.73				FM-16	T	29.69
12	0748	7	BKN:07 10 BKN:07 14 OVC:08 19	1.00	-SN:03 BR:1 |SN |	30	-1.0	29	-1.7	27	-3.0	86	15	250	31	28.74				FM-16	T	29.70
12	0753	7	BKN:07 10 BKN:07 14 OVC:08 19	1.25	-SN:03 BR:1 |SN |	30	-1.1	29	-1.7	27	-2.8	88	17	250	25	28.74			29.73	FM-15	T	29.70

12	0803	7	SCT:04 10 BKN:07 17 OVC:08 26	2.00	-SN:03 BR:1 |SN |	30	-1.1	29	-1.7	27	-2.8	88	13	250	23	28.75				FM-16	T	29.71
12	0826	7	FEW:02 8 BKN:07 12 OVC:08 25	2.00	-SN:03 BR:1 |SN |	29	-1.7	28	-2.3	26	-3.3	89	17	280		28.75				FM-16	0.01	29.71
12	0839	7	BKN:07 6 OVC:08 11	0.25	SN:03 FZ:8 FG:2 |FG SN |	28	-2.2	27	-2.6	26	-3.3	92	23	280	32	28.75				FM-16	0.01	29.71
12	0853	7	FEW:02 6 BKN:07 26 OVC:08 70	6.00	HZ:7 |FU |HZ	28	-2.2	26	-3.4	22	-5.6	78	18	280	30	28.75			29.74	FM-15	0.01	29.71
12	0901	7	BKN:07 31 BKN:07 60 OVC:08 70	8.00		27	-2.8	25	-3.7	22	-5.6	81	20	270		28.76				FM-16		29.72
12	0912	7	BKN:07 38 BKN:07 60 OVC:08 70	2.00	-SN:03 |SN |	27	-2.8	25	-3.7	22	-5.6	81	16	270	25	28.76				FM-16	T	29.72
12	0951	6	FEW:02 13 BKN:07 30 OVC:08 55	1.25	-SN:03 BR:1 |SN |	27	-3.0	26	-3.5	23	-5.0	86	13	270		28.77				FM-16		29.73
12	0953	7	BKN:07 32 OVC:08 55	1.25	-SN:03 BR:1 |SN |	26	-3.3	25	-3.9	23	-5.0	88	13	270		28.77	3	-0.03	29.76	FM-15	T	29.73
12	1007	7	BKN:07 22 OVC:08 30	0.75	-SN:03 BR:1 |SN |	26	-3.3	25	-3.9	23	-5.0	88	11	270		28.77				FM-16	T	29.73
12	1031	7	VV:09 13	0.25	SN:03 FZ:8 FG:2 |FG SN |	26	-3.3	25	-3.7	24	-4.4	92	7	250		28.77				FM-16	T	29.73
12	1042	7	FEW:02 4 OVC:08 10	0.25	+SN:03 FZ:8 FG:2 |FG SN |	26	-3.3	25	-3.9	23	-5.0	88	10	260		28.77				FM-16	0.01	29.73
12	1053	7	FEW:02 4 OVC:08 10	0.50	SN:03 FZ:8 FG:2 |FG SN |	26	-3.3	25	-3.9	23	-5.0	88	10	260		28.77			29.76	FM-15	0.01	29.73
12	1102	7	VV:09 9	0.25	SN:03 FZ:8 FG:2 |FG SN |	26	-3.3	25	-3.9	23	-5.0	88	9	250		28.77				FM-16	T	29.73
12	1110	7	BKN:07 10	3.00	-SN:03 BR:1 |SN |	27	-2.8	26	-3.2	25	-3.9	92	10	240		28.77				FM-16	T	29.73
12	1138	7	FEW:02 10 BKN:07 23 OVC:08 30	10.00		28	-2.2	27	-3.0	24	-4.4	85	13	260		28.77				FM-16	T	29.73
12	1143	7	BKN:07 13 BKN:07 23 OVC:08 30	0.75	-SN:03 |SN |	28	-2.2	26	-3.2	23	-5.0	81	15	280	22	28.77				FM-16	T	29.73
12	1151	7	BKN:07 10 BKN:07 16 OVC:08 31	0.25	SN:03 FZ:8 FG:2 |FG SN |	27	-3.0	26	-3.2	25	-4.0	93	14	300		28.77				FM-16	0.01	29.73
12	1153	7	BKN:07 10 BKN:07 16 OVC:08 23	0.25	SN:03 FZ:8 FG:2 |FG SN |	27	-2.8	26	-3.4	24	-4.4	89	16	300		28.78			29.77	FM-15	0.01	29.74
12	1155	7	SCT:04 7 BKN:07 11 OVC:08 23	0.50	SN:03 FZ:8 FG:2 |FG SN |	26	-3.3	25	-3.7	24	-4.4	92	18	300		28.77				FM-16	T	29.73
12	1202	7	BKN:07 7 OVC:08 14	0.50	SN:03 FZ:8 FG:2 |FG SN |	25	-3.9	24	-4.3	23	-5.0	92	17	320	24	28.78				FM-16	T	29.74
12	1211	7	SCT:04 9 BKN:07 12 OVC:08 41	1.25	-SN:03 BR:1 |SN |	24	-4.4	23	-5.2	20	-6.7	84	21	290	29	28.78				FM-16	T	29.74
12	1216	7	SCT:04 9 BKN:07 34 OVC:08 47	1.75	-SN:03 BR:1 |SN |	24	-4.4	23	-5.2	20	-6.7	84	17	290	29	28.78				FM-16	T	29.74
12	1222	7	SCT:04 9 BKN:07 42 OVC:08 60	3.00	-SN:03 |SN |	24	-4.4	22	-5.3	19	-7.2	81	18	290	28	28.78				FM-16	T	29.74
12	1253	7	SCT:04 20 BKN:07 32 OVC:08 70	3.00	-SN:03 |SN |	25	-3.9	23	-5.0	19	-7.2	78	20	310	26	28.80	3	-0.03	29.79	FM-15	T	29.76
12	1259	7	BKN:07 18 BKN:07 27 OVC:08 80	2.50	-SN:03 |SN |	24	-4.4	22	-5.5	18	-7.8	77	24	310	30	28.80				FM-16	T	29.76

12	1318	7	FEW:02 18 BKN:07 31 OVC:08 43	2.00	-SN:03 |SN |	22	-5.6	20	-6.6	16	-8.9	78	18	290	31	28.81				FM-16	T	29.77
12	1329	7	BKN:07 18 BKN:07 31 OVC:08 43	1.50	-SN:03 |SN |	22	-5.6	20	-6.6	16	-8.9	78	26	290	39	28.83				FM-16	T	29.79
12	1344	7	SCT:04 29 BKN:07 36 BKN:07 43	1.00	-SN:03 |SN |	21	-6.1	19	-7.4	13	-10.6	71	31	280	39	28.83				FM-16	T	29.79
12	1353	7	SCT:04 25 BKN:07 32	1.00	-SN:03 |SN |	20	-6.7	18	-7.9	12	-11.1	71	25	290	38	28.84			29.84	FM-15	T	29.80
12	1404	7	FEW:02 7 FEW:02 25	0.50s	SN:03 s |SN s |	19	-7.2	17	-8.4	11	-11.7	71	31	290	45	28.84				FM-16	T	29.81
12	1406	7	VV:09 4	0.75	-SN:03 |SN |	19	-7.2	17	-8.4	11	-11.7	71	24	280	45	28.86				FM-16	T	29.82
12	1412	7	FEW:02 2	1.25	-SN:03 |SN |	20	-6.7	18	-8.1	11	-11.7	68	23	280	36	28.86				FM-16	T	29.82
12	1420	7	FEW:02 19	2.00V	-SN:03 |SN |	19	-7.2	17	-8.6	10	-12.2	68	25	280	33	28.87				FM-16	T	29.83
12	1453	7	SCT:04 19	2.00	-SN:03 |SN |	19	-7.2	16	-8.7	9	-12.8	65	29	280	37	28.90			29.89	FM-15	T	29.86
12	1553	7	SCT:04 19	2.00	-SN:03 |SN |	16	-8.9	14	-10.0	8	-13.3	71	28	290	32	28.96	3	-0.17	29.96	FM-15	T	29.93
12	1601	7	SCT:04 21 BKN:07 29	2.00	-SN:03 |SN |	16	-8.9	14	-10.1	7	-13.9	67	23	290	41	28.96				FM-16	T	29.93
12	1650	7	BKN:07 25	5.00	-SN:03 |SN |	14	-10.0	12	-11.2	5	-15.0	67	20	280	31	29.01				FM-16	T	29.98
12	1653	7	SCT:04 25	7.00	-SN:03 |SN |	14	-10.0	12	-11.2	5	-15.0	67	22	290	31	29.01			30.02	FM-15	T	29.98
12	1753	7	FEW:02 23	10.00		12	-11.1	10	-12.0	5	-15.0	73	16	270		29.07			30.08	FM-15	T	30.04
12	1853	7	FEW:02 22	10.00		10	-12.2	8	-13.2	2	-16.7	69	18	260	25	29.12	3	-0.11	30.13	FM-15	0.00	30.09
12	1953	7	CLR:00	10.00		8	-13.3	7	-14.1	1	-17.2	73	13	260	23	29.15			30.16	FM-15	0.00	30.12
12	2053	7	CLR:00	10.00		8	-13.3	7	-14.1	1	-17.2	73	13	260		29.16			30.17	FM-15	0.00	30.13
12	2153	7	CLR:00	10.00		7	-13.9	6	-14.5	1	-17.2	76	14	260		29.17	1	-0.05	30.18	FM-15	0.00	30.14
12	2253	7	CLR:00	10.00		7	-13.9	6	-14.6	0	-17.8	73	13	260		29.19			30.20	FM-15	0.00	30.16
12	2353	7	CLR:00	10.00		7	-13.9	6	-14.5	1	-17.2	76	13	250		29.19			30.20	FM-15	0.00	30.16
13	0053	7	CLR:00	10.00		6	-14.4	5	-15.1	0	-17.8	76	10	260		29.19	0	-0.02	30.21	FM-15	0.00	30.16
13	0153	7	CLR:00	10.00		5	-15.0	4	-15.5	0	-17.8	79	14	270	21	29.18			30.20	FM-15	0.00	30.15
13	0253	7	CLR:00	10.00		4	-15.6	3	-16.1	-1	-18.3	80	11	260		29.21			30.23	FM-15	0.00	30.18
13	0353	7	CLR:00	10.00		3	-16.1	2	-16.6	-2	-18.9	79	7	260		29.21	3	-0.02	30.24	FM-15	0.00	30.18
13	0453	7	CLR:00	10.00		3	-16.1	2	-16.6	-2	-18.9	79	8	250		29.21			30.24	FM-15	0.00	30.18
13	0553	7	CLR:00	10.00		2	-16.7	1	-17.1	-3	-19.4	80	9	270		29.21			30.24	FM-15	0.00	30.18
13	0653	7	CLR:00	5.00	HZ:7 |FU |HZ	3	-16.1	2	-16.6	-2	-18.9	79	10	250		29.21	5	+0.00	30.24	FM-15	0.00	30.18
13	0753	7	CLR:00	10.00		3	-16.1	2	-16.6	-2	-18.9	79	9	260		29.21			30.24	FM-15	0.00	30.18
13	0853	7	CLR:00	10.00		4	-15.6	3	-16.1	-2	-18.9	76	8	240		29.22			30.25	FM-15	0.00	30.19
13	0953	7	CLR:00	10.00		5	-15.0	4	-15.6	-1	-18.3	76	8	260		29.23	3	-0.01	30.25	FM-15	0.00	30.20
13	1053	7	CLR:00	10.00		8	-13.3	6	-14.2	0	-17.8	69	8	240		29.22			30.25	FM-15	0.00	30.19
13	1153	7	CLR:00	10.00		11	-11.7	9	-12.8	1	-17.2	64	11	230		29.21			30.23	FM-15	0.00	30.18
13	1253	7	OVC:08 110	10.00		12	-11.1	10	-12.3	2	-16.7	64	8	200		29.17	8	+0.06	30.19	FM-15	0.00	30.14
13	1353	7	OVC:08 110	10.00		14	-10.0	12	-11.4	3	-16.1	61	14	220		29.14			30.16	FM-15	0.00	30.11
13	1453	7	BKN:07 80 BKN:07 90 OVC:08 110	10.00		15	-9.4	13	-10.8	5	-15.0	64	11	210		29.12			30.14	FM-15	0.00	30.09
13	1553	7	BKN:07 65 OVC:08 80	10.00		16	-8.9	14	-10.2	6	-14.4	65	13	190		29.09	8	+0.07	30.11	FM-15	0.00	30.06
13	1653	7	OVC:08 33	3.00	-SN:03 |SN |	18	-7.8	15	-9.2	8	-13.3	65	10	190		29.07			30.09	FM-15	T	30.04
13	1704	7	OVC:08 27	2.50	-SN:03 |SN |	18	-7.8	15	-9.2	8	-13.3	65	14	200		29.07				FM-16	T	30.04
13	1722	7	OVC:08 34	4.00	-SN:03 |SN |	18	-7.8	16	-9.1	9	-12.8	68	11	190		29.06				FM-16	T	30.03
13	1753	7	OVC:08 35	5.00	-SN:03 |SN |	18	-7.8	16	-9.0	10	-12.2	71	8	190		29.05			30.07	FM-15	T	30.02
13	1853	7	OVC:08 49	10.00		20	-6.7	17	-8.3	9	-12.8	62	11	180		29.02	8	+0.07	30.04	FM-15	T	29.99
13	1953	7	OVC:08 90	10.00		21	-6.1	18	-7.8	10	-12.2	62	13	190	21	28.99			30.01	FM-15	0.00	29.96
13	2053	7	BKN:07 60 BKN:07 70 OVC:08 85	10.00		22	-5.6	19	-7.4	10	-12.2	60	10	180		28.97			29.98	FM-15	0.00	29.94
13	2153	7	BKN:07 45 OVC:08 75	10.00		22	-5.6	19	-7.3	11	-11.7	63	10	200		28.95	6	+0.07	29.96	FM-15	0.00	29.92
13	2253	7	OVC:08 41	10.00		23	-5.0	20	-6.6	13	-10.6	65	10	200		28.94			29.96	FM-15	0.00	29.91

13	2353	7	OVC:08 48	10.00		24	-4.4	21	-6.1	14	-10.0	65	11	220		28.93			29.94	FM-15	0.00	29.90
14	0053	7	CLR:00	10.00		25	-3.9	22	-5.7	14	-10.0	63	13	230		28.91	8	+0.03	29.92	FM-15	0.00	29.88
14	0153	7	CLR:00	10.00		25	-3.9	22	-5.6	15	-9.4	66	9	230		28.91			29.92	FM-15	0.00	29.88
14	0253	7	CLR:00	10.00		26	-3.3	23	-5.1	16	-8.9	66	8	230		28.92			29.92	FM-15	0.00	29.89
14	0353	7	CLR:00	10.00		25	-3.9	22	-5.6	15	-9.4	66	7	230		28.93	3	-0.01	29.93	FM-15	0.00	29.90
14	0453	7	CLR:00	10.00		25	-3.9	22	-5.3	17	-8.3	72	7	200		28.92			29.93	FM-15	0.00	29.89
14	0553	7	CLR:00	10.00		26	-3.3	23	-4.9	17	-8.3	69	8	210		28.93			29.93	FM-15	0.00	29.90
14	0653	7	CLR:00	10.00		26	-3.3	23	-4.8	18	-7.8	71	7	190		28.92	8	+0.00	29.93	FM-15	0.00	29.89
14	0753	7	CLR:00	10.00		26	-3.3	24	-4.6	19	-7.2	75	7	190		28.92			29.92	FM-15	0.00	29.89
14	0853	7	CLR:00	10.00		28	-2.2	25	-3.7	20	-6.7	72	6	180		28.93			29.93	FM-15	0.00	29.90
14	0953	7	CLR:00	10.00		30	-1.1	27	-2.7	22	-5.6	72	7	190		28.93	3	-0.01	29.93	FM-15	0.00	29.90
14	1053	7	BKN:07 120	10.00		34	1.1	31	-0.6	26	-3.3	73	10	200		28.93			29.92	FM-15	0.00	29.90
14	1153	7	BKN:07 110	10.00		37	2.8	33	0.8	28	-2.2	70	11	210		28.90			29.89	FM-15	0.00	29.87
14	1253	7	OVC:08 100	10.00		39	3.9	35	1.7	29	-1.7	67	11	200		28.87	8	+0.07	29.85	FM-15	0.00	29.83
14	1353	7	OVC:08 95	10.00		40	4.4	36	2.4	31	-0.6	70	14	190		28.87			29.85	FM-15	0.00	29.83
14	1453	7	OVC:08 95	10.00		42	5.6	38	3.2	32	0.0	68	10	200		28.86			29.85	FM-15	0.00	29.82
14	1553	7	BKN:07 100	10.00		45	7.2	40	4.5	34	1.1	66	11	200	21	28.86	8	+0.01	29.84	FM-15	0.00	29.82
14	1653	7	FEW:02 100	10.00		45	7.2	41	4.8	35	1.7	68	10	200		28.84			29.83	FM-15	0.00	29.81
14	1753	7	CLR:00	10.00		44	6.7	40	4.5	35	1.7	71	8	190		28.84			29.84	FM-15	0.00	29.81
14	1853	7	CLR:00	10.00		42	5.6	39	3.6	34	1.1	73	7	180		28.84	7	+0.01	29.83	FM-15	0.00	29.81
14	1953	7	CLR:00	10.00		41	5.0	38	3.3	34	1.1	76	7	160		28.84			29.82	FM-15	0.00	29.80
14	2053	7	CLR:00	10.00		41	5.0	38	3.3	34	1.1	76	9	170		28.83			29.81	FM-15	0.00	29.79
14	2153	7	CLR:00	10.00		41	5.0	38	3.3	34	1.1	76	8	170		28.83	6	+0.02	29.81	FM-15	0.00	29.79
14	2253	7	CLR:00	10.00		42	5.6	38	3.4	33	0.6	71	10	180		28.82			29.79	FM-15	0.00	29.78
14	2353	7	CLR:00	10.00		41	5.0	37	2.9	32	0.0	70	10	180		28.81			29.79	FM-15	0.00	29.77
15	0053	7	CLR:00	10.00		41	5.0	37	2.7	31	-0.6	67	9	180		28.80	6	+0.03	29.78	FM-15	0.00	29.76
15	0153	7	CLR:00	10.00		41	5.0	36	2.5	30	-1.1	65	11	180		28.80			29.77	FM-15	0.00	29.76
15	0253	7	CLR:00	10.00		41	5.0	36	2.5	30	-1.1	65	10	180		28.81			29.78	FM-15	0.00	29.77
15	0353	7	CLR:00	10.00		40	4.4	36	2.0	29	-1.7	65	10	180		28.79	8	+0.01	29.76	FM-15	0.00	29.75
15	0453	7	CLR:00	10.00		40	4.4	36	2.0	29	-1.7	65	10	190		28.78			29.75	FM-15	0.00	29.74
15	0553	7	CLR:00	10.00		40	4.4	36	2.0	29	-1.7	65	10	170		28.75			29.72	FM-15	0.00	29.71
15	0653	7	OVC:08 47	10.00		41	5.0	36	2.5	30	-1.1	65	10	170		28.74	8	+0.06	29.71	FM-15	0.00	29.70
15	0753	7	BKN:07 50	10.00		41	5.0	36	2.5	30	-1.1	65	10	160		28.71			29.68	FM-15	0.00	29.67
15	0853	7	FEW:02 42 BKN:07 55	10.00		41	5.0	36	2.5	30	-1.1	65	10	170		28.70			29.67	FM-15	0.00	29.66
15	0953	7	CLR:00	10.00		42	5.6	37	2.8	30	-1.1	62	11	170		28.68	6	+0.05	29.66	FM-15	0.00	29.64
15	1053	7	SCT:04 70	10.00		44	6.7	38	3.4	30	-1.1	58	11	170		28.66			29.62	FM-15	0.00	29.62
15	1153	7	BKN:07 32 BKN:07 46	10.00		45	7.2	39	3.7	30	-1.1	56	13	180		28.63			29.60	FM-15	0.00	29.59
15	1253	7	BKN:07 40 BKN:07 48 OVC:08 70	10.00		46	7.8	39	4.0	30	-1.1	54	11	170		28.59	8	+0.10	29.55	FM-15	0.00	29.55
15	1353	7	OVC:08 60	10.00		46	7.8	39	4.0	30	-1.1	54	10	180		28.55			29.52	FM-15	0.00	29.51
15	1453	7	OVC:08 55	10.00		46	7.8	39	4.0	30	-1.1	54	8	170		28.53			29.50	FM-15	0.00	29.49
15	1553	7	OVC:08 75	10.00		46	7.8	39	3.8	29	-1.7	51	8	170		28.53	6	+0.06	29.49	FM-15	0.00	29.48
15	1653	7	OVC:08 70	10.00		47	8.3	39	3.9	28	-2.2	48	9	180		28.51			29.48	FM-15	T	29.47
15	1753	6	BKN:07 38 OVC:08 60	10.00	-RA:02 |RA |	44	6.7	38	3.6	31	-0.6	60	7	150		28.51			29.48	FM-15	T	29.47
15	1853	7	OVC:08 35	6.00	-RA:02 |RA |	42	5.6	39	3.6	34	1.1	73	8	220		28.53	3	-0.01	29.50	FM-15	0.04s	29.49
15	1953	7	OVC:08 31	9.00	-RA:02 |RA |	40	4.4	38	3.5	36	2.2	86	8	180		28.53			29.49	FM-15	0.02	29.49
15	2000	7	BKN:07 25 OVC:08 32	8.00	-RA:02 |RA |	40	4.4	38	3.5	36	2.2	86	8	190		28.53				FM-16	T	29.48
15	2053	7	OVC:08 17	10.00		40	4.4	39	3.7	37	2.8	89	7	190		28.53			29.49	FM-15	T	29.48
15	2110	7	OVC:08 13	10.00		40	4.4	39	3.7	37	2.8	89	9	220		28.51				FM-16		29.47
15	2145	7	OVC:08 9	9.00		40	4.4	39	3.7	37	2.8	89	9	210		28.51				FM-16		29.47
15	2153	7	OVC:08 9	9.00		40	4.4	39	3.9	38	3.3	93	8	220		28.51	8	+0.01	29.49	FM-15	0.00	29.47
15	2253	7	OVC:08 7	8.00		40	4.4	39	3.9	38	3.3	93	10	230		28.51			29.49	FM-15	0.00	29.47
15	2353	7	OVC:08 5	4.00	-RA:02 BR:1 |RA |	40	4.4	40	4.2	39	3.9	97	7	230		28.53			29.49	FM-15	0.02	29.48

16	0011	7	OVC:08 4	4.00	-RA:02 BR:1 |RA |	40	4.4	40	4.2	39	3.9	97	10	250		28.53				FM-16	T	29.49
16	0027	7	OVC:08 6	7.00		41	5.0	40	4.5	39	3.9	93	13	260		28.53				FM-16	T	29.49
16	0053	7	OVC:08 6	3.00	-SN:03 BR:1 |SN |	37	2.8	37	2.5	36	2.2	96	20	290	31	28.54	3	-0.03	29.52	FM-15	T	29.50
16	0153	7	OVC:08 6	3.00	BR:1 ||	33	0.6	33	0.3	32	0.0	96	17	280	23	28.58			29.55	FM-15	0.00	29.54
16	0253	7	OVC:08 7	4.00	BR:1 ||	33	0.6	32	0.1	31	-0.6	92	14	270		28.60			29.57	FM-15	0.00	29.56
16	0353	7	OVC:08 8	5.00	BR:1 ||	33	0.6	32	0.1	31	-0.6	92	11	250		28.64	3	-0.09	29.61	FM-15	0.00	29.60
16	0436	7	OVC:08 10	6.00	BR:1 ||	33	0.6	32	-0.1	30	-1.1	89	16	270		28.65				FM-16		29.61
16	0453	7	OVC:08 10	6.00	BR:1 ||	33	0.6	32	-0.1	30	-1.1	89	13	280		28.66			29.64	FM-15	0.00	29.62
16	0518	7	OVC:08 9	6.00	BR:1 ||	33	0.6	32	-0.1	30	-1.1	89	14	280	21	28.67				FM-16		29.63
16	0553	7	OVC:08 9	6.00	BR:1 ||	33	0.6	32	-0.1	30	-1.1	89	16	270	23	28.68			29.66	FM-15	0.00	29.64
16	0653	7	OVC:08 9	6.00	BR:1 ||	33	0.6	32	0.1	31	-0.6	92	13	290		28.70	1	-0.06	29.68	FM-15	0.00	29.66
16	0745	7	OVC:08 12	7.00		33	0.6	32	-0.1	30	-1.1	89	14	270	22	28.73				FM-16		29.69
16	0753	7	OVC:08 14	7.00		33	0.6	32	-0.1	30	-1.1	89	15	280	24	28.74			29.72	FM-15	0.00	29.70
16	0844	7	BKN:07 15 OVC:08 22	9.00		33	0.6	31	-0.3	29	-1.7	85	13	280		28.76				FM-16		29.72
16	0853	7	BKN:07 17 OVC:08 24	10.00		33	0.6	31	-0.3	29	-1.7	85	11	280	20	28.76			29.74	FM-15	0.00	29.72
16	0938	7	OVC:08 14	10.00		33	0.6	31	-0.3	29	-1.7	85	15	290		28.79				FM-16		29.75
16	0953	7	OVC:08 14	10.00		33	0.6	31	-0.3	29	-1.7	85	8	290		28.80	1	-0.09	29.78	FM-15	0.00	29.76
16	1008	7	OVC:08 16	10.00		33	0.6	31	-0.3	29	-1.7	85	11	280		28.81				FM-16		29.77
16	1017	7	OVC:08 14	10.00		33	0.6	31	-0.3	29	-1.7	85	8	280		28.81				FM-16		29.77
16	1034	7	OVC:08 15	10.00		33	0.6	31	-0.3	29	-1.7	85	9	270		28.82				FM-16		29.78
16	1053	7	BKN:07 15 OVC:08 23	4.00	-SN:03 BR:1 |SN |	33	0.6	31	-0.3	29	-1.7	85	13	280		28.82			29.80	FM-15	T	29.78
16	1153	7	OVC:08 18	6.00	UP:09 BR:1 ||	33	0.6	31	-0.3	29	-1.7	85	10	290		28.83			29.81	FM-15	T	29.79
16	1216	7	BKN:07 14 OVC:08 19	7.00		33	0.6	32	-0.1	30	-1.1	89	10	310		28.83				FM-16	T	29.79
16	1231	7	SCT:04 12 SCT:04 19 OVC:08 25	10.00		33	0.6	31	-0.5	28	-2.2	82	11	290		28.83				FM-16	T	29.79
16	1253	7	OVC:08 25	10.00		33	0.6	31	-0.5	28	-2.2	82	13	280		28.84	1	-0.04	29.82	FM-15	T	29.80
16	1325	7	SCT:04 16 SCT:04 25 OVC:08 32	8.00		33	0.6	31	-0.3	29	-1.7	85	14	270		28.84				FM-16		29.80
16	1353	7	OVC:08 30	10.00		33	0.6	31	-0.5	28	-2.2	82	11	270		28.84			29.83	FM-15	0.00	29.80
16	1427	7	OVC:08 29	10.00		33	0.6	30	-0.9	26	-3.3	75	13	280	21	28.84				FM-16		29.80
16	1453	7	BKN:07 27 OVC:08 33	10.00		33	0.6	30	-0.9	26	-3.3	75	16	280		28.84			29.83	FM-15	0.00	29.81
16	1507	7	OVC:08 31	10.00		33	0.6	30	-0.9	26	-3.3	75	15	290		28.84				FM-16		29.81
16	1553	7	OVC:08 30	10.00		32	0.0	30	-1.2	26	-3.3	79	15	280		28.87	3	-0.04	29.86	FM-15	0.00	29.84
16	1600	7	OVC:08 27	10.00		32	0.0	30	-1.2	26	-3.3	79	14	280		28.87				FM-16		29.84
16	1653	7	OVC:08 24	10.00		31	-0.6	28	-2.0	24	-4.4	76	13	260		28.90			29.89	FM-15	0.00	29.86
16	1753	7	OVC:08 23	10.00		31	-0.6	28	-2.1	23	-5.0	72	11	290		28.92			29.91	FM-15	0.00	29.89
16	1853	7	OVC:08 25	10.00		31	-0.6	28	-2.3	22	-5.6	69	11	290		28.93	1	-0.06	29.92	FM-15	0.00	29.90
16	1953	7	OVC:08 26	10.00		31	-0.6	28	-2.1	23	-5.0	72	10	250		28.94			29.94	FM-15	0.00	29.91
16	2053	7	OVC:08 25	10.00		31	-0.6	28	-2.3	22	-5.6	69	11	270		28.94			29.94	FM-15	0.00	29.91
16	2153	7	OVC:08 29	10.00		30	-1.1	27	-3.0	20	-6.7	66	9	280		28.94	1	-0.01	29.94	FM-15	0.00	29.91
16	2253	7	OVC:08 26	10.00		30	-1.1	27	-2.8	21	-6.1	69	9	270		28.94			29.93	FM-15	0.00	29.91
16	2353	7	OVC:08 26	10.00		30	-1.1	27	-2.8	21	-6.1	69	10	290		28.93			29.93	FM-15	0.00	29.90
17	0053	7	OVC:08 27	10.00		29	-1.7	26	-3.4	20	-6.7	69	6	270		28.93	6	+0.01	29.93	FM-15	0.00	29.90
17	0153	7	OVC:08 24	10.00		29	-1.7	26	-3.4	20	-6.7	69	9	280		28.94			29.93	FM-15	0.00	29.91
17	0253	7	OVC:08 27	10.00		29	-1.7	26	-3.5	19	-7.2	66	9	270		28.92			29.91	FM-15	0.00	29.89
17	0353	7	OVC:08 24	10.00		29	-1.7	26	-3.2	21	-6.1	72	8	260		28.90	8	+0.03	29.90	FM-15	0.00	29.87
17	0439	7	SCT:04 25 OVC:08 30	10.00		28	-2.2	25	-3.7	20	-6.7	72	13	300		28.90				FM-16		29.86
17	0453	7	OVC:08 31	10.00		27	-2.8	25	-4.1	20	-6.7	75	9	290		28.89			29.88	FM-15	0.00	29.85
17	0553	7	CLR:00	10.00		25	-3.9	23	-5.1	18	-7.8	75	10	280		28.91			29.91	FM-15	0.00	29.88
17	0653	7	CLR:00	10.00		24	-4.4	22	-5.3	19	-7.2	81	8	280		28.92	3	-0.01	29.91	FM-15	0.00	29.89
17	0753	7	SCT:04 17	10.00		24	-4.4	22	-5.3	19	-7.2	81	8	260		28.92			29.92	FM-15	0.00	29.89

17	0806	7	BKN:07 18	10.00		24	-4.4	22	-5.3	19	-7.2	81	5	250		28.92				FM-16		29.89
17	0853	7	OVC:08 17	10.00		26	-3.3	24	-4.4	20	-6.7	78	10	250		28.92			29.92	FM-15	0.00	29.89
17	0953	7	OVC:08 16	10.00		27	-2.8	25	-4.1	20	-6.7	75	13	250		28.94	3	-0.02	29.93	FM-15	0.00	29.91
17	1024	7	SCT:04 19 BKN:07 26 OVC:08 34	2.50	-SN:03 |SN |	27	-2.8	25	-3.9	21	-6.1	78	10	260		28.95				FM-16	T	29.92
17	1045	7	SCT:04 17 BKN:07 32 OVC:08 60	2.50	-SN:03 |SN |	26	-3.3	24	-4.6	19	-7.2	75	13	250		28.95				FM-16	T	29.92
17	1053	7	FEW:02 17 BKN:07 36 OVC:08 65	2.50	-SN:03 |SN |	26	-3.3	24	-4.4	20	-6.7	78	11	240		28.95			29.94	FM-15	T	29.92
17	1100	7	FEW:02 17 BKN:07 43 OVC:08 60	6.00	-SN:03 |SN |	26	-3.3	24	-4.4	20	-6.7	78	13	250		28.94				FM-16	T	29.91
17	1128	7	BKN:07 17 BKN:07 22 OVC:08 70	10.00		27	-2.8	25	-4.1	20	-6.7	75	10	250		28.94				FM-16	T	29.91
17	1153	7	FEW:02 17 BKN:07 22 OVC:08 60	10.00		27	-2.8	24	-4.4	18	-7.8	69	14	270		28.94			29.94	FM-15	T	29.91
17	1241	7	SCT:04 24 OVC:08 32	4.00	-SN:03 |SN |	26	-3.3	23	-4.8	18	-7.8	71	16	250	22	28.92				FM-16	T	29.89
17	1253	7	SCT:04 24 OVC:08 32	4.00	HZ:7 |FU |HZ	27	-2.8	24	-4.4	18	-7.8	69	16	280	23	28.91	8	+0.03	29.91	FM-15	T	29.88
17	1315	7	FEW:02 20 BKN:07 36 OVC:08 46	1.75	-SN:03 |SN |	26	-3.3	24	-4.6	19	-7.2	75	20	260		28.90				FM-16	T	29.87
17	1322	7	FEW:02 20 OVC:08 34	3.00	-SN:03 |SN |	26	-3.3	23	-4.8	18	-7.8	71	18	270	25	28.90				FM-16	T	29.87
17	1332	7	FEW:02 18 BKN:07 28 OVC:08 37	3.00	-SN:03 |SN |	25	-3.9	23	-5.1	18	-7.8	75	16	270	26	28.90				FM-16	T	29.87
17	1353	7	FEW:02 21 BKN:07 26 OVC:08 65	10.00		25	-3.9	22	-5.3	17	-8.3	72	17	290		28.91			29.91	FM-15	T	29.88
17	1438	7	FEW:02 19 SCT:04 29 OVC:08 40	5.00	-SN:03 |SN |	25	-3.9	22	-5.3	17	-8.3	72	17	290		28.90				FM-16	T	29.87
17	1451	6	SCT:04 19 BKN:07 30 OVC:08 37	2.50	-SN:03 |SN |	25	-4.0	23	-5.1	18	-8.0	74	17	270		28.90				FM-16		29.87
17	1453	7	SCT:04 19 BKN:07 35 OVC:08 44	2.50	-SN:03 |SN |	24	-4.4	22	-5.5	18	-7.8	77	13	280		28.90			29.90	FM-15	T	29.87
17	1458	7	SCT:04 19 BKN:07 29 OVC:08 37	3.00	-SN:03 |SN |	24	-4.4	22	-5.5	18	-7.8	77	16	300		28.90				FM-16	T	29.87
17	1507	7	SCT:04 18 OVC:08 30	2.50	-SN:03 |SN |	23	-5.0	21	-6.2	16	-8.9	74	17	280		28.91				FM-16	T	29.88
17	1516	7	BKN:07 18 OVC:08 28	1.75	-SN:03 |SN |	22	-5.6	20	-6.6	16	-8.9	78	20	290	28	28.91				FM-16	T	29.88
17	1526	7	SCT:04 19 BKN:07 30 OVC:08 38	3.00	-SN:03 |SN |	22	-5.6	20	-6.7	15	-9.4	75	17	280	25	28.91				FM-16	T	29.88
17	1551	6	SCT:04 17 BKN:07 22 OVC:08 34	3.00	-SN:03 |SN |	21	-6.0	20	-6.9	16	-9.0	80	18	290		28.92				FM-16		29.89
17	1553	7	SCT:04 17 BKN:07 22 OVC:08 39	4.00	-SN:03 |SN |	22	-5.6	20	-6.7	15	-9.4	75	16	290		28.92	3	-0.01	29.92	FM-15	T	29.89
17	1653	7	BKN:07 26 BKN:07 31	9.00	-SN:03 |SN |	17	-8.3	15	-9.6	8	-13.3	68	22	270	33	28.95			29.96	FM-15	T	29.92
17	1703	7	SCT:04 26	9.00	-SN:03 |SN |	17	-8.3	14	-9.8	6	-14.4	62	20	290	30	28.95				FM-16	T	29.92
17	1738	7	BKN:07 28	10.00		15	-9.4	13	-10.8	5	-15.0	64	20	300	29	28.98				FM-16	T	29.95

17	1753	7	BKN:07 28	10.00		14	-10.0	12	-11.2	5	-15.0	67	18	300	25	28.99			30.00	FM-15	T	29.96
17	1840	7	SCT:04 25 OVC:08 34	9.00		14	-10.0	11	-11.4	3	-16.1	61	22	300	29	29.00				FM-16	T	29.97
17	1853	7	BKN:07 34	9.00		13	-10.6	11	-11.9	2	-16.7	61	23	280	29	29.01	1	-0.09	30.01	FM-15	T	29.98
17	1953	7	FEW:02 22 SCT:04 28 OVC:08 34	10.00		12	-11.1	10	-12.3	2	-16.7	64	22	300	25	29.04			30.05	FM-15	T	30.01
17	2053	7	SCT:04 25 BKN:07 30	8.00	-SN:03 |SN |	10	-12.2	8	-13.3	1	-17.2	67	21	270	25	29.07			30.08	FM-15	T	30.04
17	2102	7	FEW:02 19 BKN:07 27 BKN:07 31	8.00	-SN:03 |SN |	10	-12.2	8	-13.2	2	-16.7	69	18	290	25	29.07				FM-16	T	30.04
17	2118	7	FEW:02 14 BKN:07 19 OVC:08 26	2.00	-SN:03 |SN |	9	-12.8	8	-13.5	3	-16.1	77	15	290		29.08				FM-16	T	30.05
17	2127	7	FEW:02 14 BKN:07 21 OVC:08 33	9.00		9	-12.8	7	-13.8	0	-17.8	66	22	300	26	29.09				FM-16	T	30.06
17	2143	7	FEW:02 21 SCT:04 28 BKN:07 32	10.00		8	-13.3	6	-14.3	-1	-18.3	66	20	280	26	29.09				FM-16	T	30.06
17	2151	7	FEW:02 16 BKN:07 28	6.00	-SN:03 |SN |	9	-13.0	7	-13.8	0	-18.0	66	17	290	26	29.10				FM-16	T	30.07
17	2153	7	FEW:02 16 BKN:07 28	6.00	-SN:03 |SN |	8	-13.3	6	-14.2	0	-17.8	69	17	280		29.10	1	-0.06	30.11	FM-15	T	30.07
17	2217	7	FEW:02 15 FEW:02 25 SCT:04 31	10.00		8	-13.3	6	-14.3	-1	-18.3	66	18	290		29.11				FM-16	T	30.08
17	2253	7	FEW:02 26	10.00		7	-13.9	5	-14.7	-1	-18.3	70	14	290		29.12			30.14	FM-15	T	30.09
17	2353	7	CLR:00	10.00		6	-14.4	4	-15.3	-3	-19.4	66	17	270		29.15			30.16	FM-15	0.00	30.12
18	0053	7	CLR:00	10.00		6	-14.4	5	-15.2	-1	-18.3	73	11	270	23	29.15	1	-0.05	30.16	FM-15	0.00	30.12
18	0153	7	CLR:00	10.00		6	-14.4	5	-15.2	-1	-18.3	73	13	270		29.15			30.17	FM-15	0.00	30.12
18	0253	7	CLR:00	10.00		5	-15.0	3	-15.9	-4	-20.0	66	16	280	24	29.16			30.18	FM-15	0.00	30.13
18	0353	7	FEW:02 44	10.00		5	-15.0	3	-15.9	-4	-20.0	66	17	270	24	29.16	1	-0.01	30.18	FM-15	0.00	30.13
18	0453	7	SCT:04 45	10.00		5	-15.0	4	-15.8	-3	-19.4	69	15	280		29.16			30.18	FM-15	0.00	30.13
18	0553	7	CLR:00	10.00		4	-15.6	3	-16.2	-3	-19.4	73	11	280		29.17			30.20	FM-15	0.00	30.14
18	0653	7	CLR:00	10.00		4	-15.6	3	-16.3	-4	-20.0	69	15	280		29.19	3	-0.03	30.22	FM-15	0.00	30.16
18	0753	7	CLR:00	10.00		3	-16.1	2	-16.8	-4	-20.0	72	11	260	21	29.21			30.24	FM-15	0.00	30.18
18	0853	7	CLR:00	10.00		4	-15.6	3	-16.2	-3	-19.4	73	14	270		29.23			30.26	FM-15	0.00	30.20
18	0953	7	FEW:02 25	10.00		6	-14.4	4	-15.3	-3	-19.4	66	17	260		29.25	2	-0.05	30.28	FM-15	0.00	30.22
18	1053	7	FEW:02 22	10.00		9	-12.8	7	-13.9	-1	-18.3	64	16	260		29.26			30.30	FM-15	0.00	30.24
18	1153	7	SCT:04 25	10.00		10	-12.2	8	-13.4	-1	-18.3	61	17	270	23	29.26			30.29	FM-15	0.00	30.23
18	1253	7	FEW:02 27	10.00		11	-11.7	9	-12.9	0	-17.8	61	14	250		29.23	8	+0.01	30.27	FM-15	0.00	30.21
18	1350	7	BKN:07 29	10.00		12	-11.0	10	-12.4	1	-17.0	62	17	260	24	29.23				FM-16		30.20
18	1353	7	BKN:07 29	10.00		13	-10.6	10	-12.0	1	-17.2	59	15	250	24	29.23			30.26	FM-15	0.00	30.20
18	1405	7	BKN:07 30	10.00		12	-11.1	9	-12.5	0	-17.8	58	15	260		29.23				FM-16		30.20
18	1453	7	SCT:04 30	10.00		12	-11.1	9	-12.5	0	-17.8	58	13	270		29.23			30.26	FM-15	0.00	30.20
18	1553	7	BKN:07 34	10.00		12	-11.1	9	-12.5	0	-17.8	58	13	260	21	29.23	3	-0.00	30.26	FM-15	0.00	30.21
18	1653	7	BKN:07 37	10.00		12	-11.1	9	-12.6	-1	-18.3	56	10	270		29.25			30.27	FM-15	0.00	30.22
18	1753	7	OVC:08 37	10.00		12	-11.1	10	-12.5	0	-17.8	58	13	260		29.26			30.28	FM-15	0.00	30.23
18	1853	7	FEW:02 39	10.00		10	-12.2	8	-13.5	-2	-18.9	58	14	270		29.26	1	-0.03	30.29	FM-15	0.00	30.24
18	1953	7	CLR:00	10.00		9	-12.8	7	-13.9	-1	-18.3	64	13	270		29.27			30.31	FM-15	0.00	30.25
18	2053	7	CLR:00	10.00		8	-13.3	6	-14.3	-1	-18.3	66	11	290		29.28			30.32	FM-15	0.00	30.26
18	2153	7	SCT:04 34	10.00		8	-13.3	6	-14.3	-1	-18.3	66	10	270		29.29	1	-0.04	30.33	FM-15	0.00	30.27
18	2253	7	OVC:08 32	10.00		8	-13.3	6	-14.3	-1	-18.3	66	17	310		29.30			30.34	FM-15	T	30.28
18	2353	7	CLR:00	10.00		7	-13.9	5	-14.8	-2	-18.9	66	10	300		29.33			30.36	FM-15	0.00	30.31
19	0053	7	CLR:00	10.00		7	-13.9	5	-14.9	-3	-19.4	63	10	280		29.32	0	-0.03	30.36	FM-15	0.00	30.30
19	0153	7	SCT:04 30	10.00		7	-13.9	5	-14.8	-2	-18.9	66	11	290		29.33			30.37	FM-15	0.00	30.31
19	0253	7	OVC:08 33	10.00		8	-13.3	6	-14.3	-1	-18.3	66	11	290		29.34			30.37	FM-15	0.00	30.32
19	0353	7	CLR:00	10.00		6	-14.4	5	-15.2	-1	-18.3	73	5	250		29.33	0	-0.01	30.37	FM-15	0.00	30.31

19	0453	7	CLR:00	10.00		6	-14.4	5	-15.2	-1	-18.3	73	13	270		29.36			30.40	FM-15	0.00	30.34
19	0553	7	CLR:00	10.00		6	-14.4	5	-15.1	0	-17.8	76	9	270		29.39			30.42	FM-15	0.00	30.37
19	0653	7	CLR:00	10.00		6	-14.4	5	-15.1	0	-17.8	76	9	260		29.41	3	-0.08	30.45	FM-15	0.00	30.39
19	0753	7	CLR:00	10.00		6	-14.4	5	-15.1	0	-17.8	76	9	260		29.44			30.48	FM-15	0.00	30.42
19	0853	7	CLR:00	10.00		7	-13.9	6	-14.6	0	-17.8	73	11	260		29.46			30.50	FM-15	0.00	30.44
19	0953	7	CLR:00	10.00		10	-12.2	8	-13.2	1	-17.2	67	14	270		29.48	1	-0.06	30.52	FM-15	0.00	30.46
19	1053	7	CLR:00	10.00		12	-11.1	10	-12.3	2	-16.7	64	8	280		29.50			30.54	FM-15	0.00	30.48
19	1153	7	FEW:02 30	10.00		15	-9.4	12	-11.0	3	-16.1	59	8	270		29.49			30.52	FM-15	0.00	30.47
19	1253	7	BKN:07 32	10.00		17	-8.3	14	-10.1	3	-16.1	54	7	260		29.49	1	-0.01	30.52	FM-15	0.00	30.47
19	1353	7	BKN:07 32	10.00		18	-7.8	15	-9.6	4	-15.6	54	8	300		29.48			30.51	FM-15	0.00	30.46
19	1453	7	SCT:04 33	10.00		17	-8.3	14	-10.1	3	-16.1	54	7	280		29.47			30.50	FM-15	0.00	30.45
19	1553	7	CLR:00	10.00		18	-7.8	14	-9.7	3	-16.1	52	0	000		29.46	7	+0.03	30.49	FM-15	0.00	30.44
19	1653	7	CLR:00	10.00		18	-7.8	15	-9.6	4	-15.6	54	5	250		29.47			30.50	FM-15	0.00	30.45
19	1753	7	CLR:00	10.00		16	-8.9	13	-10.4	4	-15.6	59	5	250		29.48			30.52	FM-15	0.00	30.46
19	1853	7	CLR:00	10.00		15	-9.4	12	-10.9	4	-15.6	61	3	260		29.48	1	-0.02	30.52	FM-15	0.00	30.46
19	1953	7	CLR:00	10.00		14	-10.0	12	-11.3	4	-15.6	64	3	210		29.48			30.51	FM-15	0.00	30.46
19	2053	7	CLR:00	10.00		13	-10.6	11	-11.7	4	-15.6	67	0	000		29.46			30.50	FM-15	0.00	30.44
19	2153	7	CLR:00	10.00		13	-10.6	11	-11.6	5	-15.0	70	3	210		29.46	5	+0.02	30.50	FM-15	0.00	30.44
19	2253	7	CLR:00	10.00		13	-10.6	11	-11.6	5	-15.0	70	3	180		29.46			30.49	FM-15	0.00	30.44
19	2353	7	CLR:00	10.00		12	-11.1	10	-12.1	4	-15.6	70	5	140		29.43			30.46	FM-15	0.00	30.41
20	0053	7	CLR:00	10.00		13	-10.6	11	-11.5	6	-14.4	74	5	130		29.40	8	+0.06	30.43	FM-15	0.00	30.38
20	0153	7	CLR:00	10.00		13	-10.6	11	-11.5	6	-14.4	74	3	180		29.39			30.42	FM-15	0.00	30.37
20	0253	7	BKN:07 110	10.00		13	-10.6	11	-11.5	6	-14.4	74	3	210		29.41			30.44	FM-15	0.00	30.39
20	0353	7	FEW:02 120	10.00		14	-10.0	12	-11.2	5	-15.0	67	3	140		29.38	8	+0.02	30.41	FM-15	0.00	30.36
20	0453	7	OVC:08 110	10.00		15	-9.4	13	-10.8	5	-15.0	64	8	160		29.35			30.37	FM-15	0.00	30.33
20	0553	7	BKN:07 85	10.00		15	-9.4	13	-10.8	5	-15.0	64	6	120		29.32			30.35	FM-15	0.00	30.30
20	0653	7	OVC:08 75	10.00		15	-9.4	13	-10.8	5	-15.0	64	5	140		29.31	6	+0.07	30.34	FM-15	0.00	30.29
20	0753	7	OVC:08 44	10.00		15	-9.4	13	-10.8	5	-15.0	64	3	150		29.30			30.33	FM-15	0.00	30.28
20	0811	7	OVC:08 28	2.50	-SN:03 |SN |	15	-9.4	13	-10.5	7	-13.9	70	5	140		29.30				FM-16	T	30.28
20	0818	7	OVC:08 26	1.00	-SN:03 |SN |	15	-9.4	13	-10.4	8	-13.3	74	3	140		29.29				FM-16	T	30.27
20	0851	6	OVC:08 24	0.75	-SN:03 BR:1 |SN |	14	-10.0	13	-10.6	10	-12.0	85	7	120		29.28				FM-16		30.26
20	0853	7	OVC:08 24	1.00	-SN:03 |SN |	15	-9.4	14	-10.2	10	-12.2	80	6	110		29.28			30.31	FM-15	T	30.26
20	0953	7	OVC:08 22	1.00	-SN:03 BR:1 |SN |	15	-9.4	14	-10.0	11	-11.7	84	10	100		29.26	8	+0.06	30.29	FM-15	T	30.23
20	1030	7	FEW:02 12 BKN:07 30 OVC:08 45	2.50	-SN:03 |SN |	16	-8.9	15	-9.6	11	-11.7	80	10	110		29.26				FM-16	T	30.23
20	1053	7	FEW:02 13 BKN:07 41 OVC:08 50	2.50	-SN:03 |SN |	16	-8.9	14	-9.8	10	-12.2	77	7	110		29.25			30.27	FM-15	T	30.22
20	1115	7	FEW:02 15 OVC:08 36	1.75	-SN:03 |SN |	17	-8.3	15	-9.2	11	-11.7	77	8	120		29.25				FM-16	T	30.22
20	1124	7	SCT:04 14 BKN:07 36 OVC:08 46	2.50	-SN:03 |SN |	17	-8.3	15	-9.2	11	-11.7	77	8	110		29.23				FM-16	T	30.21
20	1135	7	BKN:07 14 BKN:07 36 OVC:08 44	3.00	-SN:03 |SN |	17	-8.3	15	-9.2	11	-11.7	77	7	120		29.23				FM-16	T	30.21
20	1151	6	BKN:07 16 OVC:08 42	5.00	-SN:03 |SN |	18	-8.0	16	-9.0	10	-12.0	73	6	150		29.23				FM-16		30.21
20	1153	7	BKN:07 16 OVC:08 42	5.00	-SN:03 |SN |	17	-8.3	15	-9.2	11	-11.7	77	5	120		29.23			30.25	FM-15	T	30.21
20	1253	7	BKN:07 15 OVC:08 37	8.00		17	-8.3	15	-9.2	11	-11.7	77	3	130		29.20	8	+0.06	30.22	FM-15	T	30.17
20	1351	6	FEW:02 15 FEW:02 30 OVC:08 40	6.00	HZ:7 ||HZ	18	-8.0	16	-9.0	10	-12.0	73	5	090		29.17				FM-16		30.14
20	1353	7	FEW:02 15 OVC:08 38	6.00	HZ:7 |FU |HZ	18	-7.8	16	-8.8	11	-11.7	74	3	080		29.17			30.19	FM-15	T	30.14
20	1428	7	SCT:04 15 OVC:08 41	2.50	-SN:03 |SN |	18	-7.8	16	-8.7	12	-11.1	77	0	000		29.15				FM-16	T	30.12

20	1435	7	BKN:07 15 OVC:08 41	4.00	-SN:03 |SN |	19	-7.2	17	-8.3	12	-11.1	74	3	060		29.15				FM-16	T	30.12
20	1451	6	SCT:04 15 OVC:08 50	4.00	-SN:03 |SN |	19	-7.0	17	-8.3	12	-11.0	73	0	000		29.15				FM-16		30.12
20	1453	7	SCT:04 15 OVC:08 50	4.00	-SN:03 |SN |	19	-7.2	17	-8.3	12	-11.1	74	3	010		29.16			30.17	FM-15	T	30.13
20	1553	7	FEW:02 17 OVC:08 55	4.00	-SN:03 |SN |	19	-7.2	17	-8.3	12	-11.1	74	3	350		29.16	5	+0.04	30.18	FM-15	T	30.13
20	1610	7	SCT:04 15 OVC:08 55	4.00	-SN:03 |SN |	20	-6.7	18	-7.8	13	-10.6	74	3	350		29.17				FM-16	T	30.14
20	1653	7	SCT:04 15 OVC:08 55	6.00	-SN:03 |SN |	19	-7.2	17	-8.2	13	-10.6	77	6	340		29.17			30.19	FM-15	T	30.14
20	1700	7	OVC:08 18	6.00	-SN:03 |SN |	19	-7.2	17	-8.2	13	-10.6	77	6	350		29.17				FM-16	T	30.14
20	1753	7	OVC:08 19	5.00	-SN:03 |SN |	19	-7.2	17	-8.2	13	-10.6	77	8	340		29.20			30.21	FM-15	T	30.17
20	1814	7	SCT:04 18 OVC:08 80	7.00	-SN:03 |SN |	18	-7.8	16	-8.7	12	-11.1	77	7	340		29.21				FM-16	T	30.18
20	1851	6	FEW:02 14 BKN:07 28 OVC:08 75	10.00		16	-9.0	14	-9.8	10	-12.0	79	6	330		29.23				FM-16		30.20
20	1853	7	FEW:02 14 BKN:07 28 BKN:07 75	10.00		16	-8.9	15	-9.6	11	-11.7	80	6	330		29.23	3	-0.06	30.24	FM-15	T	30.20
20	1953	7	OVC:08 17	10.00		18	-7.8	16	-8.7	12	-11.1	77	8	340		29.23			30.26	FM-15	0.00	30.21
20	2053	7	OVC:08 16	10.00		17	-8.3	15	-9.2	11	-11.7	77	9	340		29.25			30.27	FM-15	0.00	30.22
20	2153	7	OVC:08 16	10.00		18	-7.8	16	-8.8	11	-11.7	74	5	310		29.27	3	-0.05	30.29	FM-15	0.00	30.25
20	2253	7	OVC:08 16	10.00		18	-7.8	16	-8.7	12	-11.1	77	10	280		29.29			30.32	FM-15	0.00	30.27
20	2353	7	OVC:08 16	10.00		17	-8.3	15	-9.2	11	-11.7	77	6	340		29.30			30.32	FM-15	0.00	30.28
21	0053	7	OVC:08 15	10.00		17	-8.3	15	-9.2	11	-11.7	77	6	340		29.30	0	-0.02	30.32	FM-15	0.00	30.28
21	0153	7	OVC:08 15	10.00		17	-8.3	15	-9.2	11	-11.7	77	5	340		29.31			30.34	FM-15	0.00	30.29
21	0253	7	OVC:08 15	10.00		17	-8.3	15	-9.2	11	-11.7	77	5	280		29.33			30.36	FM-15	0.00	30.31
21	0353	7	OVC:08 15	10.00		16	-8.9	15	-9.6	11	-11.7	80	0	000		29.33	0	-0.04	30.36	FM-15	0.00	30.31
21	0430	7	SCT:04 17	10.00		15	-9.4	14	-10.2	10	-12.2	80	0	000		29.32				FM-16		30.30
21	0453	7	CLR:00	10.00		14	-10.0	13	-10.7	9	-12.8	80	0	000		29.32			30.34	FM-15	0.00	30.30
21	0553	7	BKN:07 17	8.00		12	-11.1	11	-11.6	8	-13.3	84	0	000		29.34			30.36	FM-15	0.00	30.32
21	0653	7	OVC:08 17	9.00		16	-8.9	15	-9.6	11	-11.7	80	0	000		29.35	3	-0.02	30.38	FM-15	0.00	30.33
21	0753	7	OVC:08 17	9.00		16	-8.9	15	-9.6	11	-11.7	80	0	000		29.37			30.40	FM-15	0.00	30.35
21	0853	7	BKN:07 17	10.00		17	-8.3	15	-9.2	11	-11.7	77	5	170		29.39			30.42	FM-15	0.00	30.37
21	0935	7	SCT:04 17	10.00		18	-7.8	16	-8.7	12	-11.1	77	0	000		29.40				FM-16		30.38
21	0953	7	CLR:00	10.00		18	-7.8	16	-8.8	11	-11.7	74	3	130		29.40	1	-0.04	30.42	FM-15	0.00	30.38
21	1053	7	FEW:02 17	10.00		19	-7.2	17	-8.3	12	-11.1	74	0	000		29.40			30.42	FM-15	0.00	30.38
21	1153	7	SCT:04 19	10.00		21	-6.1	19	-7.4	13	-10.6	71	3	150		29.39			30.42	FM-15	0.00	30.37
21	1253	7	FEW:02 21	10.00		23	-5.0	20	-6.5	14	-10.0	68	5	090		29.36	8	+0.04	30.38	FM-15	0.00	30.34
21	1353	7	FEW:02 25	10.00		24	-4.4	21	-6.1	14	-10.0	65	3	240		29.35			30.37	FM-15	0.00	30.33
21	1409	7	BKN:07 25	10.00		25	-3.9	22	-5.6	15	-9.4	66	5	180		29.34				FM-16		30.32
21	1451	6	SCT:04 26	10.00		25	-4.0	22	-5.7	14	-10.0	63	5	350		29.32				FM-16		30.30
21	1453	7	SCT:04 26	10.00		26	-3.3	22	-5.4	14	-10.0	60	5	330		29.32			30.34	FM-15	0.00	30.30
21	1553	7	CLR:00	10.00		26	-3.3	22	-5.5	13	-10.6	57	3	050		29.32	5	+0.04	30.34	FM-15	0.00	30.30
21	1653	7	CLR:00	10.00		26	-3.3	22	-5.4	14	-10.0	60	0	000		29.32			30.34	FM-15	0.00	30.30
21	1753	7	CLR:00	10.00		25	-3.9	22	-5.7	14	-10.0	63	0	000		29.33			30.35	FM-15	0.00	30.31
21	1853	7	CLR:00	10.00		22	-5.6	19	-7.0	13	-10.6	68	6	070		29.31	8	+0.01	30.33	FM-15	0.00	30.29
21	1953	7	CLR:00	10.00		20	-6.7	18	-7.8	13	-10.6	74	6	050		29.32			30.35	FM-15	0.00	30.30
21	2053	7	CLR:00	9.00		19	-7.2	17	-8.2	13	-10.6	77	6	090		29.32			30.35	FM-15	0.00	30.30
21	2153	7	CLR:00	9.00		19	-7.2	17	-8.3	12	-11.1	74	6	070		29.30	8	+0.00	30.32	FM-15	0.00	30.28
21	2253	7	CLR:00	9.00		19	-7.2	17	-8.2	13	-10.6	77	6	050		29.29			30.31	FM-15	0.00	30.27
21	2353	7	CLR:00	9.00		19	-7.2	17	-8.2	13	-10.6	77	6	040		29.29			30.32	FM-15	0.00	30.27
22	0053	7	CLR:00	9.00		18	-7.8	17	-8.5	13	-10.6	81	3	060		29.27	8	+0.04	30.29	FM-15	0.00	30.25
22	0153	7	CLR:00	9.00		17	-8.3	16	-9.1	12	-11.1	80	5	050		29.26			30.27	FM-15	0.00	30.23
22	0253	7	CLR:00	8.00		17	-8.3	16	-8.9	13	-10.6	84	6	020		29.23			30.25	FM-15	0.00	30.21
22	0353	7	CLR:00	9.00		19	-7.2	18	-8.0	14	-10.0	81	6	040		29.23	6	+0.04	30.25	FM-15	0.00	30.21

22	0453	7	CLR:00	8.00		20	-6.7	18	-7.6	14	-10.0	78	6	050		29.23			30.24	FM-15	0.00	30.20
22	0553	7	CLR:00	9.00		20	-6.7	18	-7.6	14	-10.0	78	7	050		29.20			30.21	FM-15	0.00	30.17
22	0653	7	FEW:02 120	10.00		21	-6.1	19	-7.4	13	-10.6	71	10	060		29.19	6	+0.05	30.20	FM-15	0.00	30.16
22	0753	7	OVC:08 110	10.00		21	-6.1	19	-7.2	14	-10.0	74	8	060		29.20			30.21	FM-15	0.00	30.17
22	0853	7	OVC:08 110	10.00		22	-5.6	20	-6.9	14	-10.0	71	13	050		29.18			30.19	FM-15	0.00	30.15
22	0953	7	OVC:08 100	10.00		23	-5.0	20	-6.5	14	-10.0	68	15	050	24	29.12	8	+0.07	30.13	FM-15	0.00	30.09
22	1053	7	OVC:08 100	10.00		24	-4.4	21	-6.0	15	-9.4	68	18	050	25	29.13			30.14	FM-15	0.00	30.10
22	1153	7	OVC:08 95	10.00		26	-3.3	23	-5.1	16	-8.9	66	17	050		29.13			30.14	FM-15	0.00	30.10
22	1253	7	BKN:07 95	10.00		27	-2.8	24	-4.7	16	-8.9	63	15	060	24	29.10	8	+0.02	30.11	FM-15	0.00	30.07
22	1353	7	FEW:02 26 BKN:07 90	10.00		27	-2.8	24	-4.6	17	-8.3	66	13	040		29.04			30.05	FM-15	T	30.01
22	1453	7	SCT:04 120	9.00		27	-2.8	23	-4.9	15	-9.4	61	17	050		29.02			30.03	FM-15	T	29.99
22	1553	7	OVC:08 90	10.00		27	-2.8	23	-4.9	15	-9.4	61	22	040	26	29.00	6	+0.10	30.01	FM-15	0.00	29.97
22	1653	7	OVC:08 90	10.00		26	-3.3	23	-5.2	15	-9.4	63	16	030		29.00			30.01	FM-15	0.00	29.97
22	1753	7	OVC:08 100	10.00		26	-3.3	23	-5.2	15	-9.4	63	15	020	25	28.99			30.00	FM-15	0.00	29.96
22	1853	7	FEW:02 29 BKN:07 55 OVC:08 70	9.00	-SN:03 |SN |	25	-3.9	22	-5.7	14	-10.0	63	17	030	28	29.00	3	-0.00	30.01	FM-15	T	29.97
22	1933	7	BKN:07 27 BKN:07 45 OVC:08 75	8.00	-SN:03 |SN |	25	-3.9	22	-5.6	15	-9.4	66	15	020	25	29.01				FM-16	T	29.98
22	1945	7	SCT:04 29 OVC:08 45	9.00		25	-3.9	22	-5.7	14	-10.0	63	18	030	29	29.00				FM-16	T	29.97
22	1953	7	FEW:02 28 BKN:07 47 OVC:08 80	10.00		24	-4.4	21	-6.1	14	-10.0	65	15	030	29	29.00			30.01	FM-15	T	29.97
22	2053	7	FEW:02 30 BKN:07 55 OVC:08 75	10.00		24	-4.4	21	-6.4	12	-11.1	60	21	040	26	29.01			30.02	FM-15	0.00	29.98
22	2153	7	OVC:08 65	10.00	-SN:03 |SN |	24	-4.4	20	-6.5	11	-11.7	57	17	030	30	28.99	8	+0.01	30.00	FM-15	T	29.96
22	2253	7	FEW:02 50 OVC:08 60	10.00		23	-5.0	20	-6.9	11	-11.7	60	16	030		29.01			30.01	FM-15	T	29.98
22	2353	7	OVC:08 60	10.00		24	-4.4	20	-6.6	10	-12.2	55	17	030	25	29.00			30.01	FM-15	0.00	29.97
23	0053	7	OVC:08 50	10.00		23	-5.0	19	-7.0	10	-12.2	57	15	040	26	28.99	8	+0.00	30.00	FM-15	0.00	29.96
23	0153	7	OVC:08 50	10.00		24	-4.4	20	-6.6	10	-12.2	55	14	040		28.98			29.98	FM-15	0.00	29.95
23	0253	7	OVC:08 70	10.00		25	-3.9	21	-6.1	11	-11.7	55	15	030	25	28.97			29.97	FM-15	0.00	29.94
23	0353	7	OVC:08 90	10.00		25	-3.9	22	-5.7	14	-10.0	63	21	030	28	28.95	8	+0.04	29.95	FM-15	0.00	29.92
23	0438	7	BKN:07 29 OVC:08 75	10.00		25	-3.9	22	-5.6	15	-9.4	66	15	020		28.95				FM-16		29.92
23	0453	7	BKN:07 29 OVC:08 75	10.00		25	-3.9	22	-5.4	16	-8.9	69	11	010		28.96			29.96	FM-15	0.00	29.93
23	0553	7	OVC:08 21	10.00		25	-3.9	23	-5.0	19	-7.2	78	13	010		28.96			29.96	FM-15	0.00	29.93
23	0653	7	OVC:08 17	10.00		25	-3.9	23	-5.0	19	-7.2	78	14	010		28.98	3	-0.03	29.98	FM-15	0.00	29.95
23	0753	7	SCT:04 23 OVC:08 28	10.00		25	-3.9	23	-5.1	18	-7.8	75	16	010	26	29.00			30.01	FM-15	0.00	29.97
23	0853	7	OVC:08 20	10.00		25	-3.9	23	-5.1	18	-7.8	75	17	350		29.02			30.02	FM-15	0.00	29.99
23	0953	7	OVC:08 21	9.00		24	-4.4	22	-5.5	18	-7.8	77	14	350		29.02	1	-0.04	30.03	FM-15	0.00	29.99
23	1053	7	OVC:08 23	8.00		25	-3.9	23	-5.1	18	-7.8	75	20	360	29	29.04			30.05	FM-15	0.00	30.01
23	1153	7	BKN:07 19 OVC:08 27	6.00	HZ:7 |FU |HZ	26	-3.3	23	-4.8	18	-7.8	71	21	360	25	29.04			30.04	FM-15	0.00	30.01
23	1253	7	OVC:08 23	10.00		27	-2.8	24	-4.4	18	-7.8	69	18	010	26	29.03	0	-0.01	30.04	FM-15	0.00	30.00
23	1353	7	OVC:08 23	10.00		27	-2.8	24	-4.6	17	-8.3	66	17	360		29.01			30.01	FM-15	0.00	29.98
23	1453	7	BKN:07 23	10.00		28	-2.2	24	-4.3	16	-8.9	60	14	360	23	29.01			30.01	FM-15	0.00	29.98
23	1530	7	SCT:04 25	10.00		27	-2.8	23	-4.9	15	-9.4	61	17	360	25	29.02				FM-16		29.99
23	1553	7	SCT:04 25	10.00		27	-2.8	24	-4.7	16	-8.9	63	14	350		29.03	3	-0.00	30.03	FM-15	0.00	30.00
23	1653	7	CLR:00	10.00		26	-3.3	22	-5.4	14	-10.0	60	14	350	22	29.05			30.05	FM-15	0.00	30.02
23	1753	7	CLR:00	10.00		24	-4.4	21	-6.1	14	-10.0	65	13	010		29.08			30.09	FM-15	0.00	30.05
23	1853	7	CLR:00	10.00		22	-5.6	19	-7.1	12	-11.1	66	13	360		29.09	1	-0.06	30.10	FM-15	0.00	30.06
23	1953	7	CLR:00	10.00		20	-6.7	18	-7.9	12	-11.1	71	7	330		29.11			30.12	FM-15	0.00	30.08
23	2053	7	CLR:00	10.00		19	-7.2	17	-8.3	12	-11.1	74	7	340		29.12			30.13	FM-15	0.00	30.09

23	2153	7	CLR:00	10.00		18	-7.8	16	-8.7	12	-11.1	77	5	300		29.12	1	-0.03	30.13	FM-15	0.00	30.09
23	2253	7	CLR:00	10.00		18	-7.8	16	-8.7	12	-11.1	77	0	000		29.12			30.12	FM-15	0.00	30.09
23	2353	7	CLR:00	10.00		17	-8.3	16	-9.1	12	-11.1	80	3	220		29.11			30.12	FM-15	0.00	30.08
24	0053	7	CLR:00	10.00		15	-9.4	14	-10.0	11	-11.7	84	3	250		29.10	8	+0.02	30.11	FM-15	0.00	30.07
24	0153	7	CLR:00	10.00		16	-8.9	15	-9.5	12	-11.1	84	3	240		29.11			30.12	FM-15	0.00	30.08
24	0253	7	CLR:00	10.00		15	-9.4	14	-9.9	12	-11.1	88	0	000		29.12			30.13	FM-15	0.00	30.09
24	0353	7	CLR:00	10.00		14	-10.0	13	-10.4	11	-11.7	88	3	250		29.13	1	-0.03	30.14	FM-15	0.00	30.10
24	0453	7	CLR:00	10.00		15	-9.4	14	-10.2	10	-12.2	80	0	000		29.14			30.14	FM-15	0.00	30.11
24	0553	7	CLR:00	10.00		12	-11.1	11	-11.5	9	-12.8	87	0	000		29.13			30.15	FM-15	0.00	30.10
24	0653	7	CLR:00	10.00		14	-10.0	13	-10.6	10	-12.2	84	5	170		29.15	3	-0.02	30.16	FM-15	0.00	30.12
24	0753	7	CLR:00	10.00		15	-9.4	14	-10.0	11	-11.7	84	6	170		29.17			30.18	FM-15	0.00	30.14
24	0853	7	CLR:00	10.00		18	-7.8	17	-8.5	13	-10.6	81	9	190		29.17			30.19	FM-15	0.00	30.14
24	0953	7	CLR:00	10.00		22	-5.6	20	-6.4	17	-8.3	82	7	180		29.17	0	-0.02	30.18	FM-15	0.00	30.14
24	1053	7	CLR:00	10.00		28	-2.2	25	-3.7	20	-6.7	72	8	200		29.17			30.18	FM-15	0.00	30.14
24	1153	7	CLR:00	10.00		31	-0.6	27	-3.0	18	-7.8	59	11	220		29.17			30.17	FM-15	0.00	30.14
24	1253	7	CLR:00	10.00		33	0.6	28	-2.4	17	-8.3	52	13	190		29.13	8	+0.04	30.13	FM-15	0.00	30.10
24	1353	7	CLR:00	10.00		33	0.6	28	-2.3	18	-7.8	54	17	200		29.10			30.11	FM-15	0.00	30.07
24	1453	7	CLR:00	10.00		33	0.6	28	-2.1	19	-7.2	56	15	200		29.10			30.10	FM-15	0.00	30.07
24	1553	7	CLR:00	10.00		33	0.6	28	-2.1	19	-7.2	56	13	190		29.09	6	+0.04	30.10	FM-15	0.00	30.06
24	1653	7	CLR:00	10.00		31	-0.6	27	-3.0	18	-7.8	59	10	200		29.09			30.10	FM-15	0.00	30.06
24	1753	7	CLR:00	10.00		30	-1.1	26	-3.3	18	-7.8	61	10	190		29.09			30.10	FM-15	0.00	30.06
24	1853	7	CLR:00	10.00		29	-1.7	25	-3.7	18	-7.8	63	7	170		29.10	3	-0.00	30.11	FM-15	0.00	30.07
24	1953	7	CLR:00	10.00		28	-2.2	25	-4.0	18	-7.8	66	7	180		29.10			30.11	FM-15	0.00	30.07
24	2053	7	CLR:00	10.00		28	-2.2	25	-4.0	18	-7.8	66	9	180		29.10			30.11	FM-15	0.00	30.07
24	2153	7	CLR:00	10.00		27	-2.8	24	-4.4	18	-7.8	69	8	180		29.09	8	+0.01	30.10	FM-15	0.00	30.06
24	2253	7	CLR:00	10.00		27	-2.8	24	-4.4	18	-7.8	69	8	190		29.09			30.09	FM-15	0.00	30.06
24	2353	7	CLR:00	10.00		26	-3.3	23	-4.9	17	-8.3	69	7	170		29.10			30.10	FM-15	0.00	30.07
25	0053	7	CLR:00	10.00		26	-3.3	23	-4.9	17	-8.3	69	6	170		29.10	3	-0.01	30.10	FM-15	0.00	30.07
25	0153	7	CLR:00	10.00		25	-3.9	22	-5.3	17	-8.3	72	5	140		29.10			30.10	FM-15	0.00	30.07
25	0253	7	CLR:00	10.00		25	-3.9	22	-5.3	17	-8.3	72	6	170		29.11			30.11	FM-15	0.00	30.08
25	0353	7	CLR:00	10.00		25	-3.9	22	-5.3	17	-8.3	72	5	150		29.11	0	-0.01	30.11	FM-15	0.00	30.08
25	0453	7	CLR:00	10.00		25	-3.9	22	-5.3	17	-8.3	72	6	160		29.11			30.11	FM-15	0.00	30.08
25	0553	7	CLR:00	10.00		25	-3.9	22	-5.3	17	-8.3	72	5	160		29.11			30.11	FM-15	0.00	30.08
25	0653	7	CLR:00	10.00		25	-3.9	22	-5.3	17	-8.3	72	6	160		29.12	3	-0.01	30.12	FM-15	0.00	30.09
25	0753	7	CLR:00	10.00		25	-3.9	22	-5.3	17	-8.3	72	7	160		29.12			30.12	FM-15	0.00	30.09
25	0853	7	CLR:00	10.00		26	-3.3	23	-4.8	18	-7.8	71	9	170		29.13			30.13	FM-15	0.00	30.10
25	0953	7	CLR:00	10.00		30	-1.1	27	-3.0	20	-6.7	66	10	170		29.10	8	+0.01	30.10	FM-15	0.00	30.07
25	1053	7	CLR:00	10.00		35	1.7	30	-0.9	22	-5.6	59	11	180		29.11			30.11	FM-15	0.00	30.08
25	1153	7	CLR:00	10.00		39	3.9	33	0.6	23	-5.0	53	14	180		29.09			30.08	FM-15	0.00	30.06
25	1253	7	CLR:00	10.00		43	6.1	36	2.0	24	-4.4	47	13	190		29.06	8	+0.05	30.05	FM-15	0.00	30.03
25	1353	7	CLR:00	10.00		42	5.6	35	1.5	23	-5.0	47	13	180		29.01			30.01	FM-15	0.00	29.98
25	1453	7	CLR:00	10.00		42	5.6	35	1.5	23	-5.0	47	14	170		28.99			29.98	FM-15	0.00	29.96
25	1553	7	CLR:00	10.00		42	5.6	35	1.5	23	-5.0	47	10	160		28.99	5	+0.06	29.98	FM-15	0.00	29.96
25	1653	7	CLR:00	10.00		42	5.6	35	1.5	23	-5.0	47	15	160		28.98			29.97	FM-15	0.00	29.95
25	1753	7	OVC:08 50	10.00		42	5.6	34	1.3	22	-5.6	45	11	150		28.97			29.96	FM-15	0.00	29.94
25	1853	7	BKN:07 46 OVC:08 75	10.00		43	6.1	35	1.7	22	-5.6	43	14	160		28.96	7	+0.03	29.95	FM-15	0.00	29.93
25	1953	7	OVC:08 32	10.00		41	5.0	36	2.1	28	-2.2	60	11	160		28.95			29.94	FM-15	T	29.92
25	2053	7	OVC:08 31	10.00		42	5.6	36	2.2	27	-2.8	55	11	160		28.93			29.92	FM-15	0.00	29.90
25	2153	7	OVC:08 31	10.00		43	6.1	36	2.3	26	-3.3	51	14	170		28.92	6	+0.04	29.91	FM-15	0.00	29.89
25	2253	7	OVC:08 30	10.00		44	6.7	37	2.6	26	-3.3	49	10	180		28.91			29.89	FM-15	0.00	29.88
25	2307	7	OVC:08 29	10.00		44	6.7	37	2.8	27	-2.8	51	11	180		28.91				FM-16		29.88
25	2325	7	OVC:08 30	10.00		44	6.7	38	3.2	29	-1.7	55	9	170		28.90				FM-16	T	29.87
25	2353	7	BKN:07 31 OVC:08 42	10.00		44	6.7	38	3.2	29	-1.7	55	11	180		28.90			29.88	FM-15	T	29.87
26	0053	7	OVC:08 31	10.00		46	7.8	40	4.6	33	0.6	61	11	190		28.90	6	+0.02	29.88	FM-15	0.00	29.87

26	0128	7	BKN:07 29 OVC:08 80	10.00		46	7.8	41	4.8	34	1.1	63	13	200		28.89				FM-16		29.85
26	0144	7	SCT:04 28 OVC:08 80	10.00		46	7.8	41	5.1	35	1.7	66	15	190	22	28.89				FM-16		29.85
26	0153	7	FEW:02 28 FEW:02 50 OVC:08 80	10.00		46	7.8	41	5.1	35	1.7	66	15	190	23	28.87			29.85	FM-15	0.00	29.84
26	0233	7	BKN:07 28 BKN:07 44 OVC:08 50	10.00		46	7.8	41	5.1	35	1.7	66	14	190	22	28.87				FM-16		29.84
26	0253	7	BKN:07 27 BKN:07 60 OVC:08 95	10.00		46	7.8	42	5.3	36	2.2	68	17	200	23	28.87			29.85	FM-15	0.00	29.84
26	0314	7	FEW:02 29 BKN:07 60 OVC:08 90	10.00		46	7.8	42	5.5	37	2.8	71	14	200	26	28.87				FM-16		29.84
26	0329	7	BKN:07 29 BKN:07 36 OVC:08 70	10.00		47	8.3	42	5.8	37	2.8	69	17	210	23	28.87				FM-16		29.84
26	0353	7	BKN:07 27 OVC:08 43	10.00	-RA:02 |RA |	45	7.2	42	5.7	39	3.9	80	13	200	22	28.87	5	+0.02	29.85	FM-15	0.01	29.84
26	0424	7	SCT:04 27 BKN:07 49 OVC:08 55	10.00		45	7.2	42	5.4	38	3.3	77	15	200		28.87				FM-16	T	29.84
26	0437	7	BKN:07 28 BKN:07 35 OVC:08 49	10.00		46	7.8	42	5.7	38	3.3	73	20	200	26	28.87				FM-16	T	29.84
26	0453	7	FEW:02 25 BKN:07 29 BKN:07 55	10.00		46	7.8	42	5.7	38	3.3	73	18	210	28	28.87			29.84	FM-15	T	29.83
26	0534	7	SCT:04 24 BKN:07 60 BKN:07 100	10.00		46	7.8	43	6.0	39	3.9	77	16	210	25	28.87				FM-16		29.83
26	0553	7	BKN:07 55	10.00		45	7.2	42	5.7	39	3.9	80	16	200		28.87			29.84	FM-15	0.00	29.83
26	0653	7	FEW:02 19 BKN:07 23 OVC:08 50	10.00		46	7.8	44	6.5	41	5.0	83	18	210	25	28.89	3	-0.01	29.86	FM-15	0.00	29.85
26	0753	7	SCT:04 19 OVC:08 27	10.00	-RA:02 |RA |	40	4.4	37	2.8	33	0.6	77	18	260	32	28.94			29.92	FM-15	T	29.91
26	0810	7	SCT:04 27	10.00		38	3.3	35	1.7	31	-0.6	76	23	260	31	28.96				FM-16	T	29.93
26	0840	7	BKN:07 20	10.00		37	2.8	34	1.2	30	-1.1	76	20	260	29	28.98				FM-16	T	29.95
26	0853	7	OVC:08 20	10.00		36	2.2	34	0.9	30	-1.1	79	14	250	24	28.99			29.98	FM-15	T	29.96
26	0953	7	OVC:08 20	10.00		36	2.2	33	0.7	29	-1.7	76	21	250	29	29.02	1	-0.14	30.01	FM-15	0.00	29.99
26	1053	7	OVC:08 19	10.00		36	2.2	33	0.5	28	-2.2	73	16	260	24	29.04			30.02	FM-15	0.00	30.01
26	1153	7	OVC:08 19	10.00		35	1.7	32	0.2	28	-2.2	76	15	260	30	29.06			30.04	FM-15	0.00	30.03
26	1253	7	OVC:08 19	10.00		35	1.7	32	0.2	28	-2.2	76	15	260	24	29.04	0	-0.02	30.03	FM-15	0.00	30.01
26	1353	7	OVC:08 16	10.00		34	1.1	32	-0.2	28	-2.2	79	11	250		29.06			30.05	FM-15	0.00	30.03
26	1453	7	OVC:08 23	10.00		35	1.7	32	-0.2	26	-3.3	70	13	260	20	29.07			30.06	FM-15	0.00	30.04
26	1553	7	OVC:08 25	10.00		35	1.7	31	-0.4	25	-3.9	67	15	280		29.09	3	-0.05	30.08	FM-15	0.00	30.06
26	1653	7	OVC:08 20	10.00		34	1.1	31	-0.6	26	-3.3	73	10	290		29.10			30.09	FM-15	0.00	30.07
26	1753	7	BKN:07 21 OVC:08 26	10.00		33	0.6	30	-0.9	26	-3.3	75	15	270		29.13			30.12	FM-15	0.00	30.10
26	1853	7	OVC:08 23	10.00		33	0.6	30	-1.1	25	-3.9	72	10	270		29.14	1	-0.04	30.13	FM-15	0.00	30.11
26	1953	7	OVC:08 24	10.00		32	0.0	29	-1.4	25	-3.9	75	11	270		29.15			30.14	FM-15	0.00	30.12
26	2053	7	OVC:08 19	10.00		32	0.0	29	-1.4	25	-3.9	75	8	270	20	29.17			30.16	FM-15	0.00	30.14
26	2153	7	OVC:08 20	10.00		32	0.0	29	-1.6	24	-4.4	73	11	270	21	29.17	0	-0.03	30.16	FM-15	0.00	30.14
26	2253	7	OVC:08 16	10.00		31	-0.6	29	-1.8	25	-3.9	79	16	290		29.18			30.17	FM-15	0.00	30.15
26	2353	7	OVC:08 16	10.00		30	-1.1	28	-2.1	25	-3.9	82	9	280		29.19			30.19	FM-15	0.00	30.16
27	0053	7	OVC:08 22	10.00		29	-1.7	27	-3.0	22	-5.6	75	14	270	22	29.21	3	-0.04	30.21	FM-15	0.00	30.18
27	0153	7	OVC:08 21	10.00		29	-1.7	27	-3.0	22	-5.6	75	14	280	24	29.22			30.21	FM-15	0.00	30.19
27	0253	7	OVC:08 23	10.00		28	-2.2	25	-3.7	20	-6.7	72	11	290		29.23			30.22	FM-15	0.00	30.20
27	0353	7	OVC:08 22	10.00		28	-2.2	25	-3.7	20	-6.7	72	13	280		29.23	1	-0.02	30.23	FM-15	0.00	30.20

27	0418	7	SCT:04 20	10.00		26	-3.3	24	-4.4	20	-6.7	78	11	270		29.23				FM-16		30.21
27	0453	7	OVC:08 34	10.00		27	-2.8	24	-4.2	19	-7.2	72	10	280		29.26			30.25	FM-15	0.00	30.23
27	0553	7	CLR:00	10.00		23	-5.0	21	-6.2	16	-8.9	74	9	270		29.27			30.28	FM-15	0.00	30.25
27	0653	7	CLR:00	10.00		22	-5.6	20	-6.6	16	-8.9	78	7	260		29.28	1	-0.06	30.29	FM-15	0.00	30.26
27	0753	7	CLR:00	10.00		22	-5.6	20	-6.4	17	-8.3	82	6	240		29.30			30.32	FM-15	0.00	30.28
27	0853	7	CLR:00	10.00		25	-3.9	23	-5.1	18	-7.8	75	7	230		29.30			30.31	FM-15	0.00	30.28
27	0953	7	CLR:00	10.00		28	-2.2	25	-3.9	19	-7.2	69	10	270		29.30	1	-0.01	30.31	FM-15	0.00	30.28
27	1053	7	SCT:04 22	10.00		31	-0.6	27	-2.8	19	-7.2	61	9	270	17	29.29			30.30	FM-15	0.00	30.27
27	1101	7	BKN:07 24	10.00		29	-1.7	25	-3.7	18	-7.8	63	9	250		29.30				FM-16		30.28
27	1153	7	OVC:08 27	10.00		30	-1.1	26	-3.3	18	-7.8	61	8	250		29.29			30.30	FM-15	0.00	30.27
27	1253	7	OVC:08 27	10.00		30	-1.1	26	-3.3	18	-7.8	61	8	260		29.26	8	+0.04	30.27	FM-15	0.00	30.24
27	1353	7	OVC:08 28	10.00		30	-1.1	26	-3.3	18	-7.8	61	11	280		29.23			30.24	FM-15	0.00	30.21
27	1453	7	OVC:08 26	10.00		30	-1.1	26	-3.3	18	-7.8	61	9	250		29.21			30.21	FM-15	0.00	30.18
27	1553	7	OVC:08 26	10.00		30	-1.1	26	-3.3	18	-7.8	61	10	230		29.19	6	+0.07	30.19	FM-15	0.00	30.16
27	1653	7	OVC:08 26	10.00		29	-1.7	25	-3.7	18	-7.8	63	13	200		29.19			30.19	FM-15	0.00	30.16
27	1753	7	OVC:08 28	10.00		28	-2.2	25	-4.0	18	-7.8	66	9	230		29.18			30.18	FM-15	0.00	30.15
27	1851	6	SCT:04 33	10.00		27	-3.0	24	-4.4	18	-8.0	69	6	220		29.17				FM-16		30.14
27	1853	7	SCT:04 33	10.00		26	-3.3	23	-4.9	17	-8.3	69	5	220		29.17	8	+0.02	30.18	FM-15	0.00	30.14
27	1953	7	CLR:00	10.00		24	-4.4	22	-5.7	17	-8.3	75	5	210		29.16			30.16	FM-15	0.00	30.13
27	2053	7	CLR:00	10.00		24	-4.4	22	-5.5	18	-7.8	77	3	210		29.13			30.14	FM-15	0.00	30.10
27	2153	7	CLR:00	10.00		23	-5.0	21	-5.9	18	-7.8	81	3	200		29.11	8	+0.06	30.11	FM-15	0.00	30.08
27	2253	7	CLR:00	10.00		23	-5.0	21	-5.9	18	-7.8	81	6	190		29.09			30.09	FM-15	0.00	30.06
27	2353	7	CLR:00	10.00		21	-6.1	20	-6.8	17	-8.3	85	6	200		29.08			30.08	FM-15	0.00	30.05
28	0053	7	CLR:00	10.00		22	-5.6	20	-6.4	17	-8.3	82	6	190		29.05	7	+0.06	30.06	FM-15	0.00	30.02
28	0153	7	CLR:00	9.00		22	-5.6	21	-6.2	18	-7.8	85	9	170		29.02			30.02	FM-15	0.00	29.99
28	0253	7	CLR:00	9.00		23	-5.0	22	-5.7	19	-7.2	85	9	180		28.99			29.99	FM-15	0.00	29.96
28	0353	7	BKN:07 120	10.00		25	-3.9	23	-4.8	20	-6.7	81	10	200		28.95	6	+0.10	29.95	FM-15	0.00	29.92
28	0453	7	FEW:02 120	10.00		26	-3.3	24	-4.3	21	-6.1	81	10	190		28.92			29.92	FM-15	0.00	29.89
28	0553	7	FEW:02 90 BKN:07 100	10.00		26	-3.3	24	-4.3	21	-6.1	81	10	180		28.90			29.89	FM-15	0.00	29.86
28	0653	7	BKN:07 80 OVC:08 90	10.00		27	-2.8	25	-3.7	22	-5.6	81	9	170		28.87	6	+0.08	29.87	FM-15	0.00	29.84
28	0753	7	OVC:08 75	10.00		28	-2.2	26	-3.4	22	-5.6	78	10	180		28.86			29.85	FM-15	0.00	29.82
28	0853	7	BKN:07 75	9.00		29	-1.7	27	-2.8	23	-5.0	78	7	180		28.84			29.84	FM-15	0.00	29.81
28	0953	7	CLR:00	10.00		32	0.0	29	-1.6	24	-4.4	73	11	200		28.82	8	+0.06	29.81	FM-15	0.00	29.78
28	1053	7	CLR:00	10.00		35	1.7	31	-0.8	23	-5.0	61	17	210	25	28.79			29.78	FM-15	0.00	29.75
28	1153	7	CLR:00	10.00		38	3.3	33	0.6	25	-3.9	60	16	220		28.76			29.75	FM-15	0.00	29.72
28	1253	7	CLR:00	10.00		41	5.0	35	1.7	26	-3.3	55	18	210	23	28.73	8	+0.09	29.71	FM-15	0.00	29.69
28	1353	7	CLR:00	10.00		42	5.6	36	2.2	27	-2.8	55	14	200		28.71			29.69	FM-15	0.00	29.67
28	1453	7	FEW:02 34	10.00		43	6.1	37	2.5	27	-2.8	53	20	220	26	28.70			29.68	FM-15	0.00	29.66
28	1553	7	BKN:07 38	10.00		43	6.1	37	2.7	28	-2.2	56	20	230	26	28.69	6	+0.04	29.67	FM-15	0.00	29.65
28	1653	7	OVC:08 44	10.00		43	6.1	37	2.7	28	-2.2	56	13	230		28.68			29.67	FM-15	0.00	29.64
28	1753	7	OVC:08 43	10.00		42	5.6	36	2.4	28	-2.2	58	8	240		28.69			29.67	FM-15	0.00	29.65
28	1853	7	BKN:07 47 OVC:08 60	10.00		41	5.0	36	2.3	29	-1.7	62	9	240		28.69	3	-0.00	29.67	FM-15	0.00	29.65
28	1953	7	FEW:02 40 OVC:08 49	10.00		39	3.9	36	2.3	32	0.0	76	9	250		28.71			29.69	FM-15	T	29.67
28	2053	7	OVC:08 80	10.00		38	3.3	35	1.5	30	-1.1	73	10	270		28.71			29.69	FM-15	0.00	29.67
28	2153	7	SCT:04 31 OVC:08 60	10.00		38	3.3	35	1.5	30	-1.1	73	9	290		28.71	1	-0.02	29.70	FM-15	0.00	29.67
28	2253	7	OVC:08 65	10.00		37	2.8	34	1.2	30	-1.1	76	16	310	23	28.71			29.69	FM-15	0.00	29.67
28	2353	7	BKN:07 21 OVC:08 55	10.00		36	2.2	34	0.9	30	-1.1	79	11	280		28.72			29.70	FM-15	0.00	29.68
29	0031	7	FEW:02 8 BKN:07 13 OVC:08 21	3.00	-SN:03 BR:1 |SN |	34	1.1	33	0.4	31	-0.6	89	14	310	21	28.73				FM-16	T	29.69
29	0035	7	SCT:04 8 BKN:07 13 OVC:08 23	1.75	-SN:03 BR:1 |SN |	34	1.1	33	0.4	31	-0.6	89	15	320	23	28.73				FM-16	0.01	29.69

29	0044	7	FEW:02 8 BKN:07 15 OVC:08 23	1.50	-SN:03 BR:1 |SN |	33	0.6	32	-0.1	30	-1.1	89	13	340	24	28.73				FM-16	0.01	29.69
29	0051	6	BKN:07 11 OVC:08 15	1.25	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.0	93	13	330		28.74				FM-16		29.70
29	0053	7	BKN:07 11 OVC:08 18	1.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	10	330		28.73	3	-0.02	29.71	FM-15	0.01	29.69
29	0100	7	FEW:02 7 SCT:04 13 OVC:08 18	2.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	9	320		28.73				FM-16	T	29.69
29	0108	7	FEW:02 13 BKN:07 19 OVC:08 25	9.00		32	0.0	31	-0.6	29	-1.7	88	10	320		28.73				FM-16	T	29.69
29	0137	7	FEW:02 15 SCT:04 30 OVC:08 34	8.00		32	0.0	30	-0.8	28	-2.2	85	8	320		28.73				FM-16	T	29.69
29	0150	7	BKN:07 13 BKN:07 18 OVC:08 34	6.00	-SN:03 BR:1 |SN |	32	0.0	30	-0.8	28	-2.0	87	8	310		28.73				FM-16	T	29.69
29	0153	7	BKN:07 13 BKN:07 18 OVC:08 34	6.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.6	29	-1.7	88	7	300		28.74			29.71	FM-15	T	29.70
29	0212	7	SCT:04 13 SCT:04 23 OVC:08 42	4.00	-SN:03 BR:1 |SN |	31	-0.6	30	-1.4	27	-2.8	85	11	300		28.74				FM-16	T	29.70
29	0253	7	SCT:04 47 OVC:08 70	9.00		30	-1.1	29	-1.5	28	-2.2	92	8	280		28.75			29.72	FM-15	T	29.71
29	0353	7	SCT:04 24 BKN:07 30 OVC:08 60	10.00		31	-0.6	30	-1.2	28	-2.2	89	9	290		28.75	3	-0.01	29.73	FM-15	0.00	29.71
29	0408	7	BKN:07 23 BKN:07 30 OVC:08 55	10.00		30	-1.1	29	-1.7	27	-2.8	88	7	280		28.75				FM-16		29.71
29	0451	6	FEW:02 21 BKN:07 33 OVC:08 50	10.00		30	-1.0	29	-1.7	27	-3.0	86	11	310		28.77				FM-16		29.73
29	0453	7	FEW:02 23 BKN:07 33 OVC:08 50	10.00		31	-0.6	29	-1.6	26	-3.3	82	10	310		28.77			29.75	FM-15	0.00	29.73
29	0553	7	FEW:02 20 BKN:07 39 OVC:08 55	10.00		30	-1.1	27	-2.7	22	-5.6	72	17	320	24	28.79			29.77	FM-15	T	29.75
29	0653	7	OVC:08 42	10.00		29	-1.7	26	-3.5	19	-7.2	66	22	310	28	28.83	3	-0.08	29.82	FM-15	0.00	29.79
29	0753	7	BKN:07 45	10.00		27	-2.8	24	-4.6	17	-8.3	66	17	320	25	28.86			29.85	FM-15	0.00	29.82
29	0853	7	BKN:07 35	10.00		27	-2.8	24	-4.2	19	-7.2	72	14	320	22	28.90			29.89	FM-15	0.00	29.86
29	0930	7	BKN:07 27 OVC:08 35	10.00		27	-2.8	24	-4.2	19	-7.2	72	13	340		28.91				FM-16		29.88
29	0953	7	BKN:07 27 OVC:08 32	10.00		27	-2.8	24	-4.6	17	-8.3	66	17	320	23	28.92	1	-0.10	29.91	FM-15	0.00	29.89
29	1053	7	BKN:07 27 OVC:08 32	10.00		28	-2.2	24	-4.2	17	-8.3	63	16	310	23	28.96			29.95	FM-15	0.00	29.93
29	1100	7	OVC:08 32	10.00		27	-2.8	24	-4.6	17	-8.3	66	16	300		28.96				FM-16		29.93
29	1153	7	OVC:08 32	10.00		28	-2.2	24	-4.2	17	-8.3	63	15	300		28.98			29.98	FM-15	0.00	29.95
29	1253	7	OVC:08 29	10.00		29	-1.7	25	-3.7	18	-7.8	63	14	310		28.97	0	-0.05	29.97	FM-15	0.00	29.94
29	1353	7	BKN:07 29	10.00		31	-0.6	27	-2.8	19	-7.2	61	10	310	20	28.98			29.98	FM-15	0.00	29.95
29	1403	7	SCT:04 30	10.00		30	-1.1	26	-3.3	18	-7.8	61	11	290		28.98				FM-16		29.95
29	1453	7	CLR:00	10.00		32	0.0	27	-2.6	18	-7.8	56	15	280		28.98			29.98	FM-15	0.00	29.95
29	1553	7	CLR:00	10.00		33	0.6	28	-2.3	18	-7.8	54	10	290		28.99	1	-0.01	29.98	FM-15	0.00	29.96
29	1653	7	CLR:00	10.00		33	0.6	28	-2.3	18	-7.8	54	7	260		29.00			30.00	FM-15	0.00	29.97
29	1753	7	CLR:00	10.00		30	-1.1	26	-3.5	17	-8.3	58	5	290		29.00			30.00	FM-15	0.00	29.97
29	1853	7	CLR:00	10.00		28	-2.2	24	-4.2	17	-8.3	63	0	000		29.01	1	-0.02	30.01	FM-15	0.00	29.98
29	1953	7	CLR:00	10.00		28	-2.2	25	-4.0	18	-7.8	66	0	000		29.02			30.02	FM-15	0.00	29.99
29	2053	7	CLR:00	10.00		26	-3.3	23	-4.8	18	-7.8	71	5	190		29.02			30.02	FM-15	0.00	29.99

29	2153	7	CLR:00	10.00		28	-2.2	24	-4.2	17	-8.3	63	5	160		28.99	8	+0.01	29.99	FM-15	0.00	29.96
29	2253	7	CLR:00	10.00		27	-2.8	24	-4.4	18	-7.8	69	5	160		28.99			29.99	FM-15	0.00	29.96
29	2353	7	BKN:07 100	10.00		28	-2.2	25	-3.7	20	-6.7	72	7	170		28.98			29.98	FM-15	0.00	29.95
30	0053	7	CLR:00	10.00		30	-1.1	27	-3.0	20	-6.7	66	10	160		28.95	8	+0.04	29.95	FM-15	0.00	29.92
30	0153	7	CLR:00	10.00		30	-1.1	27	-3.0	20	-6.7	66	10	170		28.93			29.93	FM-15	0.00	29.90
30	0253	7	CLR:00	10.00		29	-1.7	26	-3.4	20	-6.7	69	8	170		28.95			29.95	FM-15	0.00	29.92
30	0353	7	CLR:00	10.00		30	-1.1	27	-3.0	20	-6.7	66	10	160		28.93	8	+0.02	29.92	FM-15	0.00	29.90
30	0453	7	CLR:00	10.00		30	-1.1	27	-2.8	21	-6.1	69	9	160		28.93			29.93	FM-15	0.00	29.90
30	0553	7	CLR:00	10.00		30	-1.1	27	-2.8	21	-6.1	69	11	170		28.92			29.92	FM-15	0.00	29.89
30	0653	7	CLR:00	10.00		30	-1.1	27	-2.8	21	-6.1	69	13	170		28.90	8	+0.02	29.90	FM-15	0.00	29.87
30	0753	7	CLR:00	10.00		31	-0.6	28	-2.3	22	-5.6	69	14	160		28.90			29.90	FM-15	0.00	29.87
30	0853	7	CLR:00	10.00		35	1.7	31	-0.8	23	-5.0	61	14	180		28.89			29.87	FM-15	0.00	29.85
30	0953	7	CLR:00	10.00		38	3.3	33	0.6	25	-3.9	60	14	190		28.87	8	+0.04	29.85	FM-15	0.00	29.83
30	1053	7	CLR:00	10.00		44	6.7	37	2.8	27	-2.8	51	14	200	24	28.86			29.84	FM-15	0.00	29.82
30	1153	7	CLR:00	10.00		50	10.0	41	5.2	30	-1.1	46	15	190		28.86			29.83	FM-15	0.00	29.82
30	1253	7	CLR:00	10.00		55	12.8	44	6.8	31	-0.6	40	15	200		28.82	8	+0.05	29.79	FM-15	0.00	29.78
30	1353	7	CLR:00	10.00		57	13.9	46	7.7	33	0.6	41	21	200	25	28.78			29.75	FM-15	0.00	29.74
30	1453	7	CLR:00	10.00		57	13.9	46	7.9	34	1.1	42	15	200		28.76			29.72	FM-15	0.00	29.72
30	1553	7	CLR:00	10.00		59	15.0	47	8.4	34	1.1	39	18	200	26	28.75	6	+0.07	29.72	FM-15	0.00	29.71
30	1653	7	CLR:00	10.00		58	14.4	47	8.2	34	1.1	41	16	190	22	28.76			29.73	FM-15	0.00	29.72
30	1753	7	CLR:00	10.00		55	12.8	45	7.4	34	1.1	45	9	190		28.78			29.75	FM-15	0.00	29.74
30	1853	7	CLR:00	10.00		54	12.2	45	7.1	34	1.1	47	10	190		28.80	3	-0.05	29.77	FM-15	0.00	29.76
30	1953	7	CLR:00	10.00		52	11.1	44	6.6	34	1.1	50	10	190		28.82			29.79	FM-15	0.00	29.78
30	2053	7	CLR:00	10.00		51	10.6	43	6.3	34	1.1	52	10	200		28.83			29.80	FM-15	0.00	29.79
30	2153	7	CLR:00	10.00		52	11.1	44	6.6	34	1.1	50	14	200		28.84	1	-0.04	29.80	FM-15	0.00	29.80
30	2253	7	CLR:00	10.00		51	10.6	43	6.3	34	1.1	52	10	200		28.84			29.80	FM-15	0.00	29.80
30	2353	7	CLR:00	10.00		47	8.3	41	4.9	33	0.6	59	6	190		28.84			29.81	FM-15	0.00	29.81
31	0053	7	FEW:02 50	10.00		47	8.3	41	4.9	33	0.6	59	8	200		28.84	1	-0.01	29.81	FM-15	0.00	29.81
31	0153	7	BKN:07 50	10.00		47	8.3	41	4.9	33	0.6	59	7	200		28.84			29.81	FM-15	0.00	29.81
31	0253	7	BKN:07 50	10.00		47	8.3	41	4.9	33	0.6	59	7	190		28.84			29.80	FM-15	0.00	29.80
31	0353	7	BKN:07 41 OVC:08 50	10.00		49	9.4	42	5.7	34	1.1	56	8	190		28.83	8	+0.01	29.79	FM-15	0.00	29.79
31	0453	7	SCT:04 40 OVC:08 55	10.00		51	10.6	43	6.3	34	1.1	52	10	190		28.83			29.79	FM-15	0.00	29.79
31	0553	7	BKN:07 39 OVC:08 50	10.00		52	11.1	45	7.0	36	2.2	55	11	190		28.83			29.78	FM-15	0.00	29.79
31	0653	7	BKN:07 35 OVC:08 50	10.00		52	11.1	45	7.2	37	2.8	57	11	180		28.83	5	+0.00	29.79	FM-15	0.00	29.79
31	0753	7	SCT:04 39	10.00		52	11.1	45	7.4	38	3.3	59	14	190	23	28.83			29.79	FM-15	0.00	29.79
31	0853	7	BKN:07 47	10.00		53	11.7	47	8.4	41	5.0	64	17	190	23	28.82			29.78	FM-15	0.00	29.78
31	0953	7	BKN:07 25 OVC:08 44	10.00		55	12.8	49	9.4	43	6.1	64	15	200	23	28.81	8	+0.02	29.76	FM-15	0.00	29.77
31	1053	7	OVC:08 23	10.00		55	12.8	49	9.7	44	6.7	67	17	200	28	28.80			29.76	FM-15	0.00	29.76
31	1151	6	SCT:04 26 OVC:08 31	10.00		55	13.0	50	9.9	45	7.0	67	14	200	28	28.79				FM-16		29.75
31	1153	7	OVC:08 31	10.00		56	13.3	50	10.2	45	7.2	67	15	190	28	28.79			29.75	FM-15	0.00	29.75
31	1253	7	BKN:07 30 OVC:08 35	10.00		56	13.3	50	10.2	45	7.2	67	15	180	22	28.75	8	+0.06	29.71	FM-15	0.00	29.71
31	1353	7	FEW:02 31 OVC:08 40	10.00		58	14.4	51	10.7	45	7.2	62	16	190	22	28.71			29.67	FM-15	0.00	29.67
31	1453	7	OVC:08 39	10.00		58	14.4	51	10.7	45	7.2	62	15	200	21	28.70			29.65	FM-15	0.00	29.66
31	1553	7	OVC:08 48	10.00		59	15.0	52	11.2	46	7.8	62	13	190		28.69	6	+0.05	29.65	FM-15	0.00	29.65
31	1653	7	OVC:08 55	10.00		59	15.0	52	11.2	46	7.8	62	10	180		28.68			29.64	FM-15	0.00	29.64
31	1753	7	OVC:08 50	10.00		58	14.4	52	11.0	46	7.8	65	8	210		28.70			29.66	FM-15	0.00	29.66
31	1853	7	SCT:04 47 OVC:08 65	10.00		58	14.4	52	11.2	47	8.3	67	8	200		28.72	3	-0.03	29.68	FM-15	0.00	29.68
31	1953	7	FEW:02 48 OVC:08 75	10.00		59	15.0	53	11.5	47	8.3	64	10	190		28.72			29.67	FM-15	0.00	29.68
31	2053	7	OVC:08 75	10.00		59	15.0	53	11.5	47	8.3	64	14	190	21	28.72			29.67	FM-15	0.00	29.68

31	2153	7	FEW:02 48 SCT:04 55 OVC:08 90	10.00		60	15.6	53	11.7	47	8.3	62	18	200	26	28.71	6	+0.01	29.67	FM-15	0.00	29.67
31	2253	7	BKN:07 42 OVC:08 50	10.00		59	15.0	53	11.7	48	8.9	67	17	210	25	28.73			29.68	FM-15	0.00	29.69
31	2353	7	BKN:07 38 OVC:08 45	10.00		58	14.4	53	11.8	49	9.4	72	16	220	24	28.74			29.70	FM-15	T	29.70

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
January 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01																									01
02																									02
03																									03
04											T	T	T	T	T	T	T	T							04
05																									05
06																									06
07																									07
08								T	T	0.06s	0.05	T	0.01	T	0.02	T				T				T	08
09	T	0.06	T	0.01	T																		T	0.01	09
10	0.02	0.11	0.05	0.06	0.04	0.03	0.03	T	T	0.02	0.01	T	T	T	T	T	T	T	T	T	T	T		T	10
11	T	T	T									T	T	T	T									T	11
12	T	T	T	T	T	T	T	T	0.01	T	0.01	0.01	T	T	T	T	T	T							12
13																	T	T	T						13
14																									14
15																	T	T	0.04s	0.02	T			0.02	15
16	T										T	T	T												16
17											T	T	T	T	T	T	T	T	T	T	T	T	T		17
18																							T		18
19																									19
20									T	T	T	T	T	T	T	T	T	T	T						20
21																									21
22														T	T				T	T		T	T		22
23																									23
24																									24
25																				T				T	25
26				0.01	T			T	T																26
27																									27
28																				T					28
29	0.01	T	T			T																			29
30																									30
31																								T	31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.03	0.04	0.06	0.07	0.09	0.10	0.12	0.14	0.15	0.17	0.20	0.23
Ending Date Time (yyyy-mm-dd hh:mi)	2016-01-09 01:45	2016-01-10 01:48	2016-01-10 01:48	2016-01-10 01:53	2016-01-10 01:53	2016-01-10 02:12	2016-01-10 02:12	2016-01-10 02:12	2016-01-10 02:40	2016-01-10 03:22	2016-01-10 03:33	2016-01-10 04:27

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
February 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	57s	30	44s	15.0s				21s	0s	0741	1751	RA	T			28.96		6.1	27	270	21	300
02	57	25	41	11.9				24	0	0740	1752	TS RA BR	0.33			29.05		10.7	27	130	22	130
03	61	37	49	19.8				16	0	0739	1754	RA BR	0.47			28.74		16.6	39	220	31	220
04	37	26	32	2.7				33	0	0738	1755	SN	T			29.17		10.6	22	290	17	290
05	39	19	29	-0.5				36	0	0737	1756		0.00			29.36		6.1	19	220	14	230
06	42	21	32	2.4				33	0	0736	1757	BR HZ	0.00			29.30		6.1	19	250	14	230
07	52	25	39	9.3				26	0	0735	1758		0.00			29.05		7.9	26	220	22	210
08	43	31	37	7.1				28	0	0734	1800	RA SN FG BR	0.17			28.69		5.9	22	230	16	290
09	31	21	26	-4.0				39	0	0733	1801	SN BR	0.01			28.71		12.8	26	280	21	270
10	21	12	17	-13.2				48	0	0732	1802	SN BR UP	T			28.94		14.9	29	280	22	270
11	21	5	13	-17.3				52	0	0731	1803	SN	T			29.21		6.9	23	270	17	320
12	24	9	17	-13.5				48	0	0729	1804	SN BR	T			29.16		11.0	37	310	26	310
13	15	3	9	-21.7				56	0	0728	1806	SN	T			29.41		10.7	26	300	21	310
14	19	2*	11	-19.9				54	0	0727	1807	SN BR	T			29.40		8.1	22	110	18	110
15	34	18	26	-5.1				39	0	0726	1808	FZRA SN FG BR	0.03			29.00		6.9	18	160	14	170
16	33	30	32	0.7				33	0	0724	1809	SN BR	0.11			28.80		7.5	19	290	16	290
17	37	29	33	1.5				32	0	0723	1810	BR	T			29.13		8.3	22	290	16	280
18	37	24	31	-0.7				34	0	0722	1811		0.00			29.44		6.4	20	130	16	130
19	60	35	48	16.0				17	0	0720	1813		T			29.05		16.6	38	200	30	200
20	69*	45	57	24.8				8	0	0719	1814	BR	T			28.97		12.6	43	230	30	220
21	57	32	45	12.5				20	0	0718	1815		0.00			28.98		9.7	23	020	18	010
22	46	27	37	4.3				28	0	0716	1816		0.00			29.13		7.2	20	040	14	080
23	55	26	41	8.0				24	0	0715	1817		0.00			29.03		8.5	18	040	14	040
24	60	36	48	14.7				17	0	0714	1818	RA BR	1.07			28.46		14.1	38	240	26	240
25	36	28	32	-1.6				33	0	0712	1819	RA SN BR	0.01			28.66		17.3	35	300	25	300
26	35	26	31	-2.9				34	0	0711	1821	SN	T			29.18		9.5	31	310	25	310
27	47	29	38	3.8				27	0	0709	1822		0.00			29.12		10.8	27s	220s	22	220
28	65	37	51	16.5				14	0	0708	1823		T			28.87		16.6	42	230	31	200
29	57	37	47	12.4				18	0	0706	1824	HZ	0.11			28.88		13.9	40	240	31	240
	43.0	25.0	34.0							Monthly Averages | Totals			2.31s			29.03	30.02	10.3				
	3.4	2.1	2.7	Departure from Normal (1981-2010)									0.34s									

Degree Days	Monthly Total	Monthly Departure	Season-to-date Total	Season-to-date Departure
Heating	896	-49	3539	
Cooling	0	0	0	

Number of days with...	Temperature Max >=90°	Temperature Max <=32°	Temperature Min <=32°	Temperature Min <=0°	Precipitation >=0.01"	Precipitation >=0.1"	Snow >=1"	Weather T-Storms	Weather Heavy Fog
Heating									
Cooling	0	6	23	0	9	6			

Date of 5-sec to 3-sec wind equipment change	Sea Level Pressure		Date	Time
N/A	Maximum	30.55	18	1141
	Minimum	29.13	24	1503

Greatest... 24-Hr... Precip	Snowfall	Snow Depth
1.07		
Date		
24-25		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
February 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0026	7	SCT:04 15 BKN:07 19 OVC:08 38	10.00	-RA:02 |RA |	54	12.2	51	10.8	49	9.4	83	20	290	25	28.77				FM-16	T	29.73
01	0053	7	FEW:02 13 BKN:07 24 OVC:08 35	10.00	-RA:02 |RA |	51	10.6	49	9.4	47	8.3	86	11	280	22	28.78	3	-0.07	29.74	FM-15	T	29.74
01	0101	7	SCT:04 26 OVC:08 37	10.00		50	10.0	48	8.9	46	7.8	86	14	290	22	28.78				FM-16	T	29.74
01	0153	7	FEW:02 17 OVC:08 46	10.00	-RA:02 |RA |	48	8.9	46	7.8	44	6.7	86	14	290		28.81			29.77	FM-15	T	29.77
01	0205	7	BKN:07 15 OVC:08 47	10.00		48	8.9	46	7.8	44	6.7	86	10	300	21	28.82				FM-16	T	29.78
01	0243	7	SCT:04 23 OVC:08 55	10.00		47	8.3	44	6.8	41	5.0	80	11	300	23	28.84				FM-16	T	29.81
01	0253	7	FEW:02 23 OVC:08 60	10.00		46	7.8	44	6.5	41	5.0	83	11	300	23	28.84			29.81	FM-15	0.00	29.81
01	0313	7	BKN:07 20 OVC:08 60	10.00		46	7.8	43	6.2	40	4.4	79	15	310		28.87				FM-16		29.83
01	0353	7	SCT:04 16 BKN:07 22 OVC:08 65	8.00		44	6.7	42	5.4	39	3.9	83	11	320		28.89	3	-0.11	29.85	FM-15	T	29.85
01	0414	7	FEW:02 16 SCT:04 22 OVC:08 70	7.00		43	6.1	41	4.9	38	3.3	82	14	330		28.90				FM-16		29.86
01	0453	7	FEW:02 16 OVC:08 70	7.00		42	5.6	39	4.1	36	2.2	79	11	340		28.92			29.89	FM-15	0.00	29.89
01	0553	7	BKN:07 75 OVC:08 90	9.00		40	4.4	37	3.0	34	1.1	79	8	330		28.94			29.91	FM-15	0.00	29.91
01	0653	7	SCT:04 85	10.00		38	3.3	36	2.2	33	0.6	83	6	330		28.96	1	-0.07	29.93	FM-15	0.00	29.93
01	0721	7	BKN:07 22	10.00		38	3.3	36	2.0	32	0.0	79	7	320		28.98				FM-16		29.95
01	0753	7	BKN:07 22	10.00		38	3.3	36	2.0	32	0.0	79	8	330		28.98			29.96	FM-15	0.00	29.95
01	0853	7	OVC:08 22	10.00		38	3.3	35	1.8	31	-0.6	76	6	340		29.01			29.98	FM-15	0.00	29.98
01	0953	7	OVC:08 21	10.00		40	4.4	37	2.8	33	0.6	77	8	330		29.02	1	-0.06	30.00	FM-15	0.00	29.99
01	1053	7	OVC:08 19	10.00		41	5.0	37	2.9	32	0.0	70	7	340		29.03			30.00	FM-15	0.00	30.00
01	1153	7	BKN:07 21	10.00		41	5.0	37	2.9	32	0.0	70	0	000		29.03			30.01	FM-15	0.00	30.00
01	1232	7	FEW:02 21 SCT:04 110	10.00		42	5.6	38	3.2	32	0.0	68	7	330		29.04				FM-16		30.01
01	1253	7	FEW:02 21	10.00		42	5.6	38	3.2	32	0.0	68	6	320		29.04	3	-0.01	30.02	FM-15	0.00	30.01
01	1345	7	BKN:07 23 BKN:07 110	10.00		43	6.1	38	3.5	32	0.0	65	7	320		29.04				FM-16		30.01
01	1351	6	SCT:04 23 SCT:04 110	10.00		43	6.0	38	3.1	30	-1.0	61	5	330		29.04				FM-16		30.01
01	1353	7	SCT:04 23	10.00		43	6.1	38	3.5	32	0.0	65	0	000		29.04			30.01	FM-15	0.00	30.01
01	1453	7	CLR:00	10.00		45	7.2	39	3.9	31	-0.6	58				29.02			30.00	FM-15	0.00	29.99
01	1553	7	SCT:04 110	10.00		46	7.8	40	4.2	31	-0.6	56	9	310		29.03	5	+0.00	30.01	FM-15	0.00	30.00
01	1653	7	CLR:00	10.00		44	6.7	39	3.6	31	-0.6	60	8	360		29.05			30.03	FM-15	0.00	30.02
01	1753	7	CLR:00	10.00		40	4.4	36	2.4	31	-0.6	70	6	360		29.07			30.06	FM-15	0.00	30.04
01	1853	7	CLR:00	10.00		38	3.3	35	1.8	31	-0.6	76	0	000		29.08	1	-0.04	30.06	FM-15	0.00	30.05
01	1953	7	CLR:00	10.00		36	2.2	34	1.1	31	-0.6	82	0	000		29.11			30.09	FM-15	0.00	30.08
01	2053	7	CLR:00	10.00		35	1.7	33	0.6	30	-1.1	82	3	010		29.12			30.11	FM-15	0.00	30.09
01	2153	7	CLR:00	10.00		34	1.1	32	0.2	30	-1.1	85	0	000		29.14	1	-0.06	30.13	FM-15	0.00	30.11

01	2253	7	CLR:00	10.00		35	1.7	33	0.8	31	-0.6	85	0	000		29.15			30.14	FM-15	0.00	30.12
01	2353	7	CLR:00	10.00		31	-0.6	30	-1.0	29	-1.7	92	5	050		29.15			30.14	FM-15	0.00	30.12
02	0053	7	CLR:00	10.00		29	-1.7	28	-2.1	27	-2.8	92	6	040		29.13	8	+0.00	30.13	FM-15	0.00	30.10
02	0153	7	CLR:00	10.00		32	0.0	31	-0.6	29	-1.7	88	0	000		29.14			30.13	FM-15	0.00	30.11
02	0253	7	CLR:00	7.00		26	-3.3	26	-3.5	25	-3.9	96	3	280		29.19			30.18	FM-15	0.00	30.16
02	0353	7	CLR:00	7.00		27	-2.8	26	-3.4	24	-4.4	89	7	040		29.17	0	-0.04	30.16	FM-15	0.00	30.14
02	0453	7	CLR:00	9.00		29	-1.7	28	-2.1	27	-2.8	92	6	050		29.19			30.18	FM-15	0.00	30.16
02	0553	7	CLR:00	8.00		30	-1.1	29	-1.7	27	-2.8	88	5	070		29.19			30.19	FM-15	0.00	30.16
02	0653	7	CLR:00	7.00		29	-1.7	28	-2.1	27	-2.8	92	6	090		29.20	1	-0.03	30.20	FM-15	0.00	30.17
02	0753	7	CLR:00	6.00	BR:1 ||	29	-1.7	28	-2.3	26	-3.3	89	8	070		29.20			30.19	FM-15	0.00	30.17
02	0853	7	CLR:00	10.00		35	1.7	33	0.6	30	-1.1	82	8	090		29.17			30.16	FM-15	0.00	30.14
02	0953	7	CLR:00	10.00		38	3.3	36	2.0	32	0.0	79	9	100		29.17	6	+0.04	30.16	FM-15	0.00	30.14
02	1053	7	CLR:00	10.00		43	6.1	39	4.0	34	1.1	71	14	090		29.14			30.13	FM-15	0.00	30.11
02	1153	7	CLR:00	10.00		47	8.3	41	4.9	33	0.6	59	14	110	23	29.11			30.10	FM-15	0.00	30.08
02	1253	7	CLR:00	10.00		48	8.9	41	4.8	31	-0.6	52	14	110		29.05	8	+0.11	30.04	FM-15	0.00	30.02
02	1353	7	CLR:00	10.00		50	10.0	42	5.8	33	0.6	52	16	100		28.97			29.95	FM-15	0.00	29.94
02	1453	7	CLR:00	10.00		53	11.7	45	7.5	37	2.8	55	21	120	26	28.90			29.89	FM-15	0.00	29.87
02	1553	7	CLR:00	10.00		56	13.3	48	8.7	39	3.9	53	17	120		28.87	6	+0.19	29.85	FM-15	0.00	29.83
02	1653	7	BKN:07 85	10.00		55	12.8	48	8.7	40	4.4	57	14	130		28.86			29.83	FM-15	0.00	29.82
02	1753	7	BKN:07 65 OVC:08 85	5.00	RA:02 |RA |	53	11.7	48	9.2	44	6.7	72	13	130		28.87			29.84	FM-15	0.04	29.83
02	1853	7	BKN:07 110	10.00		53	11.7	48	9.2	44	6.7	72	14	130		28.83	8	+0.04	29.80	FM-15	T	29.79
02	1918	7	FEW:02 60 SCT:04 70 OVC:08 95	9.00	VCTS:7 -RA:02 |RA |	54	12.2	49	9.7	45	7.2	72	14	130		28.82				FM-16	T	29.78
02	1933	7	FEW:02 60 FEW:02 70 BKN:07 100	10.00		54	12.2	50	9.9	46	7.8	75	17	120		28.78				FM-16	T	29.74
02	1953	7	FEW:02 100	10.00		54	12.2	50	9.9	46	7.8	75	17	130		28.77			29.75	FM-15	T	29.73
02	2053	7	FEW:02 60 BKN:07 85 OVC:08 110	10.00	-RA:02 |RA |	55	12.8	51	10.5	47	8.3	74	9	140		28.76			29.73	FM-15	0.01	29.72
02	2153	7	SCT:04 55 OVC:08 75	4.00	RA:02 BR:1 |RA |	54	12.2	52	11.3	51	10.6	90	10	140		28.79	5	+0.04	29.75	FM-15	0.19s	29.75
02	2253	7	FEW:02 70 OVC:08 95	6.00	-RA:02 BR:1 |RA |	54	12.2	52	11.3	51	10.6	90	13	140		28.75			29.71	FM-15	0.06	29.71
02	2353	7	OVC:08 95	7.00	-RA:02 |RA |	54	12.2	52	11.3	51	10.6	90	14	140	24	28.71			29.67	FM-15	0.03	29.67
03	0053	7	SCT:04 50 OVC:08 60	8.00	-RA:02 |RA |	54	12.2	52	11.3	51	10.6	90	17	140	23	28.69	6	+0.09	29.65	FM-15	0.08	29.65
03	0153	7	FEW:02 50 BKN:07 80 OVC:08 100	10.00		54	12.2	52	11.3	51	10.6	90	18	140	25	28.64			29.60	FM-15	0.02	29.60
03	0227	7	FEW:02 9 BKN:07 14 OVC:08 47	5.00	RA:02 BR:1 |RA |	54	12.2	52	11.3	51	10.6	90	17	280	22	28.70				FM-16	0.05	29.66
03	0230	7	FEW:02 9 BKN:07 13 OVC:08 47	4.00	+RA:02 BR:1 |RA |	53	11.7	52	11.1	51	10.6	93	14	290	24	28.69				FM-16	0.08	29.65
03	0232	7	FEW:02 9 BKN:07 14 OVC:08 47	2.50	+RA:02 BR:1 |RA |	53	11.7	52	11.1	51	10.6	93	8	270	24	28.68				FM-16	0.10	29.64
03	0244	7	FEW:02 9 BKN:07 15 OVC:08 30	2.50	+RA:02 BR:1 |RA |	54	12.2	52	11.3	51	10.6	90	14	260	22	28.70				FM-16	0.17	29.66
03	0253	7	FEW:02 9 SCT:04 18 OVC:08 30	1.75	+RA:02 BR:1 |RA |	55	12.8	53	11.9	52	11.1	90	18	170	26	28.67			29.62	FM-15	0.31	29.63
03	0255	7	FEW:02 9 SCT:04 18 OVC:08 28	1.75	+RA:02 BR:1 |RA |	55	12.8	53	11.9	52	11.1	90	16	180	26	28.67				FM-16	0.01	29.63

03	0302	7	FEW:02 17 BKN:07 28 OVC:08 95	3.00	RA:02 BR:1 |RA |	56	13.3	54	12.1	52	11.1	87	14	200	22	28.67				FM-16	0.03	29.63
03	0310	7	FEW:02 20 BKN:07 50 OVC:08 100	9.00	-RA:02 |RA |	55	12.8	53	11.9	52	11.1	90	13	190		28.67				FM-16	0.03	29.63
03	0353	7	FEW:02 27 SCT:04 70 OVC:08 80	10.00		55	12.8	53	11.9	52	11.1	90	11	160		28.66	6	+0.03	29.62	FM-15	0.03	29.62
03	0453	7	SCT:04 75 OVC:08 95	10.00	-RA:02 |RA |	55	12.8	54	12.5	54	12.2	96	14	150	23	28.62			29.58	FM-15	0.03	29.58
03	0553	7	FEW:02 31 BKN:07 48	10.00		56	13.3	55	12.7	54	12.2	93	11	160		28.64			29.60	FM-15	T	29.60
03	0612	7	FEW:02 9 BKN:07 24 OVC:08 49	10.00		56	13.3	55	12.7	54	12.2	93	16	180	23	28.66				FM-16		29.62
03	0651	6	FEW:02 12 SCT:04 21 BKN:07 30	10.00		57	14.0	56	13.3	55	13.0	94	13	170		28.66				FM-16		29.62
03	0653	7	FEW:02 10 SCT:04 19 BKN:07 30	10.00		57	13.9	56	13.3	55	12.8	93	13	170		28.66	5	+0.00	29.62	FM-15	0.00	29.62
03	0716	7	FEW:02 10 SCT:04 14 BKN:07 21	10.00		57	13.9	56	13.3	55	12.8	93	15	180		28.68				FM-16		29.64
03	0732	7	BKN:07 13 BKN:07 20 OVC:08 30	10.00		57	13.9	56	13.3	55	12.8	93	13	170		28.68				FM-16		29.64
03	0751	6	SCT:04 13 BKN:07 23	10.00		57	14.0	55	13.0	54	12.0	88	13	180		28.68				FM-16		29.64
03	0753	7	SCT:04 13 SCT:04 23	10.00		57	13.9	55	13.0	54	12.2	90	14	180	21	28.68			29.64	FM-15	0.00	29.64
03	0805	7	SCT:04 13 BKN:07 23	10.00		57	13.9	55	13.0	54	12.2	90	11	180		28.69				FM-16		29.65
03	0844	7	BKN:07 13 BKN:07 18 BKN:07 24	10.00		57	13.9	55	13.0	54	12.2	90	17	180	25	28.69				FM-16		29.65
03	0853	7	BKN:07 12 BKN:07 17 OVC:08 28	10.00		57	13.9	55	13.0	54	12.2	90	16	200	25	28.71			29.66	FM-15	0.00	29.67
03	0912	7	SCT:04 11 BKN:07 16 BKN:07 27	10.00		57	13.9	55	13.0	54	12.2	90	17	190	22	28.71				FM-16		29.67
03	0922	7	BKN:07 12 OVC:08 24	10.00		57	13.9	55	13.0	54	12.2	90	17	200	23	28.71				FM-16		29.67
03	0943	6	FEW:02 12	10.00		57	13.9	55	12.7	53	11.7	87	16	180		28.70				FM-16		29.66
03	0953	6	SCT:04 16 SCT:04 22	10.00		57	13.9	55	12.7	53	11.7	87	15	200		28.69	0	-0.03	29.65	FM-15	0.00	29.65
03	1000	6	SCT:04 16 BKN:07 22	10.00		57	13.9	55	12.7	53	11.7	87	16	190		28.70				FM-16		29.66
03	1046	6	SCT:04 17	10.00		59	15.0	56	13.1	53	11.7	81	23	200	29	28.71				FM-16		29.67
03	1053	6	FEW:02 19	10.00		59	15.0	55	12.6	51	10.6	75	21	200	32	28.71			29.67	FM-15	0.00	29.67
03	1153	6	FEW:02 32 SCT:04 42 BKN:07 50	10.00	-RA:02 |RA |	58	14.4	50	10.0	42	5.6	56	25	220	38	28.72			29.67	FM-15	T	29.68
03	1253	6	CLR:00	10.00	-RA:02 |RA |	60	15.6	49	9.3	37	2.8	42	26	210	38	28.71	0	-0.01	29.66	FM-15	T	29.67
03	1353	6	CLR:00	10.00		60	15.6	48	8.9	35	1.7	39	20	230	33	28.70			29.66	FM-15	T	29.66
03	1453	6	FEW:02 60	10.00	-RA:02 |RA |	59	15.0	47	8.4	34	1.1	39	22	250	33	28.73			29.68	FM-15	T	29.69
03	1553	7	CLR:00	10.00		57	13.9	46	7.7	33	0.6	41	16	250	28	28.76	3	-0.05	29.72	FM-15	T	29.72
03	1653	7	CLR:00	10.00		53	11.7	44	6.8	34	1.1	48	18	270	25	28.80			29.76	FM-15	0.00	29.76
03	1753	7	CLR:00	10.00		48	8.9	41	5.0	32	0.0	54	20	280	28	28.84			29.81	FM-15	T	29.81
03	1853	7	CLR:00	10.00		44	6.7	39	3.8	32	0.0	63	18	280	26	28.90	3	-0.14	29.87	FM-15	0.00	29.86
03	1953	7	CLR:00	10.00		41	5.0	37	2.7	31	-0.6	67	14	290		28.93			29.91	FM-15	0.00	29.90
03	2053	7	CLR:00	10.00		39	3.9	35	1.7	29	-1.7	67	13	280	23	28.97			29.94	FM-15	0.00	29.94

03	2153	7	BKN:07 32	10.00		38	3.3	34	1.3	29	-1.7	70	11	270	20	28.99	1	-0.09	29.96	FM-15	0.00	29.96
03	2253	7	SCT:04 22 BKN:07 28 OVC:08 36	10.00		39	3.9	35	1.9	30	-1.1	70	16	290		29.01			29.98	FM-15	0.00	29.98
03	2353	7	BKN:07 19 OVC:08 26	10.00		37	2.8	35	1.6	32	0.0	82	9	260		29.04			30.02	FM-15	T	30.01
04	0053	7	SCT:04 20 BKN:07 26 OVC:08 34	10.00		36	2.2	34	0.9	30	-1.1	79	16	290		29.06	1	-0.07	30.03	FM-15	0.00	30.03
04	0143	7	SCT:04 17 OVC:08 38	10.00		35	1.7	33	0.4	29	-1.7	78	15	280		29.07				FM-16		30.04
04	0153	7	FEW:02 17 OVC:08 40	10.00		35	1.7	33	0.4	29	-1.7	78	13	270	21	29.08			30.05	FM-15	0.00	30.05
04	0253	7	OVC:08 41	10.00		34	1.1	32	-0.2	28	-2.2	79	14	270		29.11			30.09	FM-15	0.00	30.08
04	0353	7	FEW:02 16 SCT:04 21 OVC:08 39	10.00		33	0.6	31	-0.5	28	-2.2	82	13	280		29.12	1	-0.06	30.10	FM-15	0.00	30.09
04	0443	7	SCT:04 17 BKN:07 22 OVC:08 34	10.00		33	0.6	31	-0.5	28	-2.2	82	10	280		29.14				FM-16		30.11
04	0453	7	SCT:04 14 BKN:07 22 OVC:08 34	10.00		33	0.6	31	-0.5	28	-2.2	82	14	280		29.14			30.12	FM-15	0.00	30.11
04	0501	7	BKN:07 14 OVC:08 22	10.00		32	0.0	30	-0.8	28	-2.2	85	14	290		29.14				FM-16		30.11
04	0553	7	OVC:08 12	10.00		31	-0.6	30	-1.4	27	-2.8	85	11	290		29.16			30.15	FM-15	0.00	30.13
04	0614	7	OVC:08 16	10.00		31	-0.6	29	-1.6	26	-3.3	82	8	290		29.16				FM-16		30.13
04	0653	7	BKN:07 20 BKN:07 25 OVC:08 35	10.00		31	-0.6	29	-1.8	25	-3.9	79	13	280		29.17	1	-0.05	30.16	FM-15	0.00	30.14
04	0713	7	SCT:04 19 OVC:08 37	10.00		31	-0.6	29	-1.8	25	-3.9	79	9	280		29.18				FM-16		30.15
04	0753	7	SCT:04 20 BKN:07 27 OVC:08 31	10.00		31	-0.6	28	-1.9	24	-4.4	76	9	270		29.19			30.18	FM-15	0.00	30.16
04	0853	7	OVC:08 18	10.00		31	-0.6	29	-1.8	25	-3.9	79	8	280		29.22			30.21	FM-15	0.00	30.19
04	0953	7	OVC:08 21	10.00		31	-0.6	28	-1.9	24	-4.4	76	7	290		29.23	1	-0.06	30.22	FM-15	0.00	30.20
04	1053	7	OVC:08 21	10.00		31	-0.6	28	-1.9	24	-4.4	76	9	260		29.23			30.23	FM-15	0.00	30.21
04	1153	7	OVC:08 20	10.00		31	-0.6	28	-2.1	23	-5.0	72	9	260		29.23			30.23	FM-15	0.00	30.20
04	1253	7	OVC:08 22	10.00		31	-0.6	28	-2.1	23	-5.0	72	10	280		29.21	8	+0.02	30.21	FM-15	0.00	30.18
04	1341	7	SCT:04 21 OVC:08 30	10.00		31	-0.6	28	-2.1	23	-5.0	72	9	280		29.20				FM-16		30.17
04	1353	7	SCT:04 22 OVC:08 30	10.00		32	0.0	29	-1.8	23	-5.0	69	10	280		29.20			30.19	FM-15	0.00	30.17
04	1405	7	FEW:02 22 OVC:08 29	10.00		31	-0.6	28	-2.1	23	-5.0	72	11	270		29.20				FM-16		30.17
04	1453	7	BKN:07 21 OVC:08 27	10.00		30	-1.1	28	-2.5	23	-5.0	75	11	300		29.20			30.20	FM-15	0.00	30.17
04	1553	7	BKN:07 21 OVC:08 27	10.00		30	-1.1	28	-2.5	23	-5.0	75	9	290		29.23	3	-0.01	30.22	FM-15	0.00	30.20
04	1613	7	FEW:02 22 SCT:04 28 OVC:08 33	10.00		30	-1.1	27	-2.7	22	-5.6	72	13	280		29.23				FM-16		30.20
04	1653	7	OVC:08 36	10.00	-SN:03 |SN |	30	-1.1	27	-2.8	21	-6.1	69	7	280		29.23			30.24	FM-15	T	30.21
04	1753	7	FEW:02 26 FEW:02 32 OVC:08 44	10.00		30	-1.1	27	-2.8	21	-6.1	69	8	290		29.25			30.25	FM-15	0.00	30.22
04	1853	7	FEW:02 22 SCT:04 30 OVC:08 38	8.00	-SN:03 |SN |	29	-1.7	27	-3.0	22	-5.6	75	9	290		29.26	3	-0.04	30.27	FM-15	T	30.24
04	1953	7	OVC:08 41	10.00		29	-1.7	26	-3.2	21	-6.1	72	9	300		29.27			30.28	FM-15	T	30.25
04	2053	7	OVC:08 40	10.00		29	-1.7	26	-3.3	20	-6.7	69	9	300		29.28			30.29	FM-15	0.00	30.26
04	2153	7	OVC:08 37	9.00	-SN:03 |SN |	28	-2.2	25	-4.0	18	-7.8	66	11	300		29.30	2	-0.04	30.31	FM-15	T	30.28

04	2253	7	BKN:07 36	10.00		27	-2.8	24	-4.7	16	-8.9	63	14	300		29.31			30.32	FM-15	T	30.29
04	2342	7	OVC:08 29	10.00		27	-2.8	24	-4.7	16	-8.9	63	10	290		29.32				FM-16		30.30
04	2349	7	OVC:08 31	10.00		27	-3.0	24	-4.7	16	-9.0	64	9	290		29.32				FM-16		30.30
04	2353	7	OVC:08 31	10.00		27	-2.8	24	-4.7	16	-8.9	63	10	270		29.32			30.33	FM-15	0.00	30.30
05	0053	7	CLR:00	10.00		24	-4.4	21	-5.9	15	-9.4	68	9	300		29.32	0	-0.01	30.33	FM-15	0.00	30.30
05	0153	7	CLR:00	10.00		22	-5.6	20	-6.7	15	-9.4	75	7	300		29.33			30.35	FM-15	0.00	30.31
05	0253	7	CLR:00	10.00		20	-6.7	19	-7.5	15	-9.4	81	5	290		29.34			30.36	FM-15	0.00	30.32
05	0353	7	CLR:00	10.00		19	-7.2	18	-7.9	15	-9.4	84	6	290		29.34	0	-0.02	30.36	FM-15	0.00	30.32
05	0453	7	CLR:00	10.00		21	-6.1	20	-6.9	16	-8.9	81	0	000		29.36			30.37	FM-15	0.00	30.34
05	0553	7	CLR:00	10.00		21	-6.1	20	-6.9	16	-8.9	81	0	000		29.37			30.39	FM-15	0.00	30.35
05	0653	7	CLR:00	10.00		20	-6.7	19	-7.3	16	-8.9	85	0	000		29.39	3	-0.04	30.40	FM-15	0.00	30.37
05	0753	7	CLR:00	10.00		19	-7.2	18	-7.7	16	-8.9	88	3	180		29.41			30.42	FM-15	0.00	30.39
05	0853	7	CLR:00	10.00		24	-4.4	22	-5.3	19	-7.2	81	3	190		29.42			30.44	FM-15	0.00	30.40
05	0953	7	CLR:00	10.00		28	-2.2	25	-3.7	20	-6.7	72	6	210		29.43	1	-0.04	30.44	FM-15	0.00	30.41
05	1053	7	CLR:00	10.00		31	-0.6	27	-2.6	20	-6.7	64				29.44			30.45	FM-15	0.00	30.42
05	1153	7	CLR:00	10.00		34	1.1	29	-1.8	19	-7.2	54				29.42			30.43	FM-15	0.00	30.40
05	1253	7	CLR:00	10.00		36	2.2	30	-1.4	17	-8.3	46	8	230		29.39	8	+0.04	30.40	FM-15	0.00	30.37
05	1353	7	CLR:00	10.00		38	3.3	31	-0.6	18	-7.8	44	5	VRB	17	29.37			30.38	FM-15	0.00	30.35
05	1453	7	FEW:02 30	10.00		38	3.3	31	-0.4	19	-7.2	46	13	230		29.35			30.36	FM-15	0.00	30.33
05	1553	7	FEW:02 30	10.00		39	3.9	32	-0.2	18	-7.8	43	10	220		29.36	5	+0.03	30.37	FM-15	0.00	30.34
05	1653	7	CLR:00	10.00		37	2.8	30	-1.0	17	-8.3	44	10	220		29.37			30.38	FM-15	0.00	30.35
05	1753	7	CLR:00	10.00		35	1.7	29	-1.6	18	-7.8	50	7	200		29.37			30.39	FM-15	0.00	30.35
05	1853	7	BKN:07 65	10.00		36	2.2	30	-1.2	18	-7.8	48	6	180		29.38	1	-0.01	30.39	FM-15	0.00	30.36
05	1953	7	BKN:07 60	10.00		35	1.7	29	-1.4	19	-7.2	52	6	160		29.36			30.37	FM-15	0.00	30.34
05	2053	7	OVC:08 60	10.00		35	1.7	29	-1.4	19	-7.2	52	7	180		29.35			30.36	FM-15	0.00	30.33
05	2153	7	OVC:08 60	10.00		35	1.7	29	-1.4	19	-7.2	52	9	180		29.33	6	+0.04	30.34	FM-15	0.00	30.31
05	2253	7	OVC:08 60	10.00		35	1.7	29	-1.4	19	-7.2	52	9	190		29.33			30.33	FM-15	0.00	30.31
05	2353	7	CLR:00	10.00		32	0.0	28	-2.1	21	-6.1	64	6	230		29.32			30.33	FM-15	0.00	30.30
06	0053	7	CLR:00	10.00		30	-1.1	27	-2.8	21	-6.1	69	6	250		29.32	8	+0.01	30.32	FM-15	0.00	30.30
06	0153	7	BKN:07 60	10.00		29	-1.7	27	-2.8	23	-5.0	78	3	220		29.31			30.32	FM-15	0.00	30.29
06	0253	7	FEW:02 55	10.00		27	-2.8	26	-3.5	23	-5.0	85	6	290		29.33			30.33	FM-15	0.00	30.31
06	0353	7	CLR:00	8.00		25	-3.9	24	-4.4	22	-5.6	88	5	280		29.32	3	-0.00	30.33	FM-15	0.00	30.30
06	0453	7	CLR:00	8.00		27	-2.8	26	-3.5	23	-5.0	85	0	000		29.33			30.34	FM-15	0.00	30.31
06	0553	7	FEW:02 40	7.00		24	-4.4	23	-5.0	21	-6.1	88	5	290		29.34			30.35	FM-15	0.00	30.32
06	0653	7	CLR:00	7.00		25	-3.9	24	-4.4	22	-5.6	88	3	230		29.34	1	-0.01	30.35	FM-15	0.00	30.32
06	0753	7	CLR:00	4.00	BR:1 ||	24	-4.4	23	-5.0	21	-6.1	88	3	230		29.34			30.35	FM-15	0.00	30.32
06	0853	7	CLR:00	5.00	BR:1 ||	26	-3.3	25	-3.9	23	-5.0	88	5	250		29.35			30.36	FM-15	0.00	30.33
06	0953	7	CLR:00	6.00	HZ:7 |FU |HZ	31	-0.6	29	-1.8	25	-3.9	79	6	250		29.34	0	-0.01	30.35	FM-15	0.00	30.32
06	1053	7	CLR:00	10.00		34	1.1	29	-1.4	21	-6.1	59	9	240		29.35			30.35	FM-15	0.00	30.33
06	1153	7	CLR:00	10.00		38	3.3	32	-0.3	20	-6.7	48	10	280		29.33			30.34	FM-15	0.00	30.31
06	1253	7	CLR:00	10.00		39	3.9	32	-0.2	18	-7.8	43	13	240		29.30	8	+0.04	30.30	FM-15	0.00	30.28
06	1353	7	CLR:00	10.00		41	5.0	33	0.4	18	-7.8	39	8	VRB		29.26			30.27	FM-15	0.00	30.24
06	1453	7	CLR:00	10.00		41	5.0	32	0.3	17	-8.3	38	9	210		29.26			30.25	FM-15	0.00	30.23
06	1553	7	CLR:00	10.00		41	5.0	33	0.4	18	-7.8	39	13	220		29.26	5	+0.05	30.25	FM-15	0.00	30.23
06	1653	7	CLR:00	10.00		41	5.0	33	0.4	18	-7.8	39	8	230		29.26			30.26	FM-15	0.00	30.23
06	1753	7	CLR:00	10.00		39	3.9	31	-0.4	17	-8.3	41	7	230		29.26			30.26	FM-15	0.00	30.23
06	1853	7	CLR:00	10.00		37	2.8	30	-1.0	17	-8.3	44	5	190		29.26	8	+0.00	30.25	FM-15	0.00	30.23
06	1953	7	CLR:00	10.00		36	2.2	30	-1.2	18	-7.8	48	5	200		29.26			30.26	FM-15	0.00	30.23
06	2053	7	CLR:00	10.00		35	1.7	29	-1.4	19	-7.2	52	5	200		29.25			30.25	FM-15	0.00	30.22
06	2153	7	CLR:00	10.00		32	0.0	28	-2.3	20	-6.7	61	5	200		29.25	8	+0.01	30.24	FM-15	0.00	30.22
06	2253	7	CLR:00	10.00		31	-0.6	27	-2.6	20	-6.7	64	6	200		29.23			30.23	FM-15	0.00	30.20
06	2353	7	CLR:00	10.00		29	-1.7	26	-3.3	20	-6.7	69	5	200		29.23			30.22	FM-15	0.00	30.20
07	0053	7	CLR:00	10.00		28	-2.2	25	-3.7	20	-6.7	72	5	160		29.22	6	+0.03	30.21	FM-15	0.00	30.19
07	0153	7	CLR:00	10.00		28	-2.2	26	-3.5	21	-6.1	75	3	130		29.20			30.19	FM-15	0.00	30.17
07	0253	7	CLR:00	10.00		28	-2.2	26	-3.5	21	-6.1	75	3	170		29.19			30.18	FM-15	0.00	30.16
07	0353	7	CLR:00	10.00		28	-2.2	26	-3.4	22	-5.6	78	0	000		29.17	7	+0.05	30.16	FM-15	0.00	30.14
07	0453	7	CLR:00	10.00		27	-2.8	25	-3.7	22	-5.6	81	0	000		29.15			30.14	FM-15	0.00	30.12

07	0553	7	CLR:00	10.00		26	-3.3	25	-4.1	22	-5.6	84	0	000		29.13			30.12	FM-15	0.00	30.10
07	0653	7	CLR:00	10.00		26	-3.3	24	-4.3	21	-6.1	81	3	160		29.11	6	+0.06	30.11	FM-15	0.00	30.08
07	0753	7	CLR:00	10.00		27	-2.8	25	-3.7	22	-5.6	81	3	190		29.11			30.11	FM-15	0.00	30.08
07	0853	7	CLR:00	10.00		31	-0.6	29	-1.8	25	-3.9	79	8	180		29.11			30.11	FM-15	0.00	30.08
07	0953	7	CLR:00	10.00		37	2.8	33	0.4	26	-3.3	65	9	180		29.08	8	+0.03	30.07	FM-15	0.00	30.05
07	1053	7	CLR:00	10.00		44	6.7	37	2.7	26	-3.3	49	8	210		29.08			30.06	FM-15	0.00	30.05
07	1153	7	CLR:00	10.00		47	8.3	39	3.9	28	-2.2	48	9	200		29.07			30.06	FM-15	0.00	30.04
07	1253	7	CLR:00	10.00		48	8.9	39	3.9	26	-3.3	42	10	230		29.01	8	+0.07	30.00	FM-15	0.00	29.98
07	1353	7	CLR:00	10.00		50	10.0	40	4.5	26	-3.3	39	13	210		28.98			29.96	FM-15	0.00	29.95
07	1453	7	CLR:00	10.00		51	10.6	41	4.7	26	-3.3	38	21	210	26	28.93			29.92	FM-15	0.00	29.90
07	1553	7	CLR:00	10.00		51	10.6	40	4.6	25	-3.9	36	16	200	23	28.92	6	+0.09	29.91	FM-15	0.00	29.89
07	1653	7	CLR:00	10.00		49	9.4	39	3.6	23	-5.0	36	10	200		28.90			29.89	FM-15	0.00	29.87
07	1753	7	CLR:00	10.00		48	8.9	38	3.2	22	-5.6	36	11	190		28.90			29.88	FM-15	0.00	29.86
07	1853	7	CLR:00	10.00		45	7.2	36	2.3	22	-5.6	40	8	190		28.90	6	+0.03	29.88	FM-15	0.00	29.86
07	1953	7	SCT:04 100	10.00		44	6.7	36	2.0	22	-5.6	41	8	180		28.89			29.87	FM-15	0.00	29.85
07	2053	7	BKN:07 110	10.00		44	6.7	36	2.0	22	-5.6	41	10	190		28.87			29.85	FM-15	0.00	29.83
07	2153	7	SCT:04 110	10.00		44	6.7	36	2.0	22	-5.6	41	10	190		28.84	8	+0.05	29.82	FM-15	0.00	29.81
07	2253	7	OVC:08 100	10.00		44	6.7	36	2.0	22	-5.6	41	10	200		28.83			29.80	FM-15	0.00	29.79
07	2353	7	BKN:07 55 OVC:08 70	10.00		43	6.1	35	1.8	23	-5.0	45	8	210		28.81			29.78	FM-15	0.00	29.77
08	0053	7	OVC:08 46	10.00	-RA:02 |RA |	42	5.6	36	2.4	28	-2.2	58	10	220		28.79	6	+0.06	29.76	FM-15	T	29.75
08	0153	7	OVC:08 35	10.00	-RA:02 |RA |	40	4.4	38	3.2	35	1.7	83	7	210		28.77			29.73	FM-15	T	29.73
08	0253	7	FEW:02 26 OVC:08 34	10.00	-RA:02 |RA |	40	4.4	38	3.2	35	1.7	83	7	170		28.74			29.70	FM-15	T	29.70
08	0353	7	BKN:07 30 OVC:08 36	10.00	-RA:02 |RA |	40	4.4	38	3.2	35	1.7	83	5	180		28.71	8	+0.08	29.68	FM-15	T	29.67
08	0453	7	FEW:02 25 OVC:08 32	9.00	-RA:02 |RA |	38	3.3	37	2.6	35	1.7	89	3	280		28.69			29.66	FM-15	T	29.65
08	0545	7	BKN:07 22 BKN:07 27 OVC:08 80	10.00		39	3.9	37	2.9	35	1.7	86	0	000		28.68				FM-16	T	29.64
08	0553	7	BKN:07 22 OVC:08 80	10.00		37	2.8	36	2.3	35	1.7	93	6	300		28.68			29.65	FM-15	T	29.64
08	0653	7	BKN:07 14 OVC:08 22	8.00	-RA:02 |RA |	38	3.3	37	2.6	35	1.7	89	6	290		28.67	6	+0.04	29.64	FM-15	0.01	29.63
08	0722	7	BKN:07 8 OVC:08 12	6.00	-RA:02 BR:1 |RA |	37	2.8	36	2.3	35	1.7	93	6	340		28.66				FM-16	T	29.62
08	0753	7	BKN:07 8 OVC:08 12	7.00	-RA:02 |RA |	36	2.2	35	1.8	34	1.1	93	8	310		28.66			29.63	FM-15	0.01	29.62
08	0845	7	OVC:08 5	1.75	-SN:03 BR:1 |SN |	34	1.1	33	0.7	32	0.0	92	6	290		28.66				FM-16	0.02	29.62
08	0853	7	OVC:08 6	1.00	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	6	300		28.66			29.64	FM-15	0.03	29.62
08	0914	7	SCT:04 6 OVC:08 20	2.00	-SN:03 BR:1 |SN |	33	0.6	33	0.6	33	0.6	100	0	000		28.66				FM-16	T	29.62
08	0937	7	BKN:07 26 OVC:08 33	3.00	BR:1 ||	34	1.1	33	0.7	32	0.0	92	0	000		28.65				FM-16	T	29.61
08	0953	7	BKN:07 28 OVC:08 40	5.00	BR:1 ||	34	1.1	34	1.1	34	1.1	100	0	000		28.65	7	+0.01	29.63	FM-15	T	29.61
08	1051	6	BKN:07 6 OVC:08 12	8.00		37	3.0	36	2.1	34	1.0	87	8	280		28.65				FM-16		29.61
08	1053	7	BKN:07 8 OVC:08 12	9.00		37	2.8	36	2.1	34	1.1	89	6	260		28.65			29.62	FM-15	T	29.61
08	1148	7	FEW:02 10 BKN:07 17 OVC:08 21	10.00		37	3.0	36	2.1	34	1.0	87	0	000		28.64				FM-16		29.60
08	1153	7	FEW:02 10 BKN:07 15 OVC:08 65	10.00		38	3.3	36	2.4	34	1.1	86	0	000		28.64			29.62	FM-15	0.00	29.60
08	1253	7	FEW:02 10 BKN:07 15 OVC:08 65	10.00		39	3.9	37	2.7	34	1.1	82	0	000		28.62	8	+0.03	29.59	FM-15	0.00	29.58

08	1353	7	BKN:07 20 OVC:08 26	4.00	-RA:02 |RA |	37	2.8	35	1.6	32	0.0	82	0	000		28.61			29.58	FM-15	0.02	29.57
08	1403	7	FEW:02 10 OVC:08 18	0.50	SN:03 FG:2 |FG SN |	35	1.7	33	0.8	31	-0.6	85	13	280	21	28.62				FM-16	0.04	29.58
08	1413	7	VV:09 11	0.50	SN:03 FG:2 |FG SN |	33	0.6	33	0.3	32	0.0	96	11	270		28.62				FM-16	0.06	29.58
08	1422	7	VV:09 9	0.25	SN:03 FG:2 |FG SN |	33	0.6	33	0.3	32	0.0	96	10	270		28.62				FM-16	0.07	29.58
08	1453	7	FEW:02 5 BKN:07 15 OVC:08 35	3.00	-SN:03 BR:1 |SN |	34	1.1	34	0.9	33	0.6	97	6	250		28.62			29.60	FM-15	0.08	29.58
08	1517	7	SCT:04 8 OVC:08 37	8.00		35	1.7	34	1.2	33	0.6	93	8	260		28.63				FM-16	T	29.59
08	1553	7	OVC:08 43	10.00		37	2.8	36	2.1	34	1.1	89	7	280		28.63	3	-0.01	29.61	FM-15	T	29.59
08	1653	7	OVC:08 70	10.00		37	2.8	35	1.6	32	0.0	82	7	290		28.64			29.62	FM-15	0.00	29.60
08	1750	7	BKN:07 19 BKN:07 24 OVC:08 80	10.00		37	3.0	35	1.6	32	0.0	81	6	340		28.65				FM-16		29.61
08	1753	7	BKN:07 19 BKN:07 24 OVC:08 80	10.00		37	2.8	35	1.4	31	-0.6	79	8	330		28.65			29.63	FM-15	0.00	29.61
08	1813	7	FEW:02 19 SCT:04 60 OVC:08 80	10.00		35	1.7	33	0.8	31	-0.6	85	6	340		28.66				FM-16		29.62
08	1853	7	SCT:04 37 BKN:07 49 BKN:07 60	10.00		34	1.1	33	0.4	31	-0.6	89	3	350		28.67	3	-0.02	29.64	FM-15	0.00	29.63
08	1911	7	FEW:02 13 BKN:07 22 BKN:07 55	6.00	-SN:03 BR:1 |SN |	34	1.1	33	0.4	31	-0.6	89	7	320		28.67				FM-16	T	29.63
08	1920	7	SCT:04 13 OVC:08 22	1.75	-SN:03 BR:1 |SN |	34	1.1	33	0.4	31	-0.6	89	7	340		28.67				FM-16	0.02	29.63
08	1924	7	BKN:07 13 BKN:07 22 OVC:08 26	2.00	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	6	350		28.67				FM-16	0.02	29.63
08	1928	7	BKN:07 15 OVC:08 20	3.00	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	5	360		28.67				FM-16	0.02	29.63
08	1941	7	SCT:04 9 OVC:08 15	9.00		33	0.6	33	0.3	32	0.0	96	7	270		28.67				FM-16	0.02	29.63
08	1949	7	BKN:07 9 OVC:08 15	10.00		34	1.0	33	0.7	32	0.0	93	7	280		28.67				FM-16	0.02	29.63
08	1953	7	OVC:08 12	10.00		34	1.1	33	0.7	32	0.0	92	7	270		28.67			29.65	FM-15	0.02	29.63
08	2027	7	FEW:02 10 BKN:07 17 OVC:08 35	7.00	-SN:03 |SN |	33	0.6	32	0.1	31	-0.6	92	8	290		28.67				FM-16	T	29.63
08	2039	7	FEW:02 20 BKN:07 37 OVC:08 47	9.00		33	0.6	32	0.1	31	-0.6	92	9	290		28.67				FM-16	T	29.63
08	2053	7	BKN:07 36 OVC:08 49	5.00	-SN:03 BR:1 |SN |	33	0.6	32	0.1	31	-0.6	92	10	280		28.66			29.64	FM-15	T	29.62
08	2153	7	FEW:02 24 SCT:04 41 OVC:08 50	10.00		33	0.6	32	0.1	31	-0.6	92	7	270		28.66	8	+0.01	29.64	FM-15	T	29.62
08	2240	7	SCT:04 10 BKN:07 15 OVC:08 35	8.00		33	0.6	32	-0.1	30	-1.1	89	14	280		28.66				FM-16		29.62
08	2253	7	FEW:02 10 OVC:08 17	4.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	11	290		28.66			29.64	FM-15	T	29.62
08	2303	7	BKN:07 12 OVC:08 17	2.50	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	11	290		28.66				FM-16	T	29.62
08	2316	7	BKN:07 10 OVC:08 15	1.50	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	10	290		28.66				FM-16	T	29.62
08	2348	7	BKN:07 6 OVC:08 9	1.25	-SN:03 BR:1 |SN |	30	-1.0	29	-1.5	28	-2.0	93	11	300		28.66				FM-16	T	29.62
08	2353	7	OVC:08 8	1.50	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	15	300		28.65			29.63	FM-15	T	29.61

09	0013	7	BKN:07 8 OVC:08 12	2.50	-SN:03 BR:1 |SN |	30	-1.1	29	-1.5	28	-2.2	92	11	290		28.66				FM-16	T	29.62
09	0044	7	OVC:08 9	3.00	-SN:03 BR:1 |SN |	30	-1.1	29	-1.5	28	-2.2	92	14	290		28.65				FM-16	T	29.61
09	0053	7	OVC:08 8	3.00	-SN:03 BR:1 |SN |	30	-1.1	29	-1.5	28	-2.2	92	13	280		28.65	6	+0.01	29.63	FM-15	T	29.61
09	0106	7	BKN:07 8 OVC:08 12	2.50	-SN:03 BR:1 |SN |	30	-1.1	29	-1.7	27	-2.8	88	14	290		28.65				FM-16	T	29.61
09	0126	7	OVC:08 11	2.00	-SN:03 BR:1 |SN |	29	-1.7	28	-2.1	27	-2.8	92	14	280		28.65				FM-16	T	29.61
09	0135	7	OVC:08 11	3.00	-SN:03 BR:1 |SN |	29	-1.7	28	-2.3	26	-3.3	89	16	280		28.65				FM-16	T	29.61
09	0151	6	BKN:07 9 OVC:08 13	4.00	-SN:03 BR:1 |SN |	28	-2.0	28	-2.4	27	-3.0	93	16	280		28.65				FM-16		29.61
09	0153	7	OVC:08 11	4.00	-SN:03 BR:1 |SN |	29	-1.7	28	-2.3	26	-3.3	89	14	280		28.65			29.63	FM-15	T	29.61
09	0224	7	OVC:08 10	2.00	-SN:03 BR:1 |SN |	28	-2.2	27	-2.8	25	-3.9	88	15	290		28.65				FM-16	T	29.61
09	0237	7	OVC:08 10	1.50	-SN:03 BR:1 |SN |	28	-2.2	27	-2.8	25	-3.9	88	14	290		28.65				FM-16	T	29.61
09	0253	7	SCT:04 9 OVC:08 14	1.50	-SN:03 BR:1 |SN |	27	-2.8	26	-3.2	25	-3.9	92	11	290		28.65			29.63	FM-15	T	29.61
09	0305	7	SCT:04 9 OVC:08 14	2.50	-SN:03 BR:1 |SN |	27	-2.8	26	-3.2	25	-3.9	92	13	280		28.65				FM-16	T	29.61
09	0313	7	BKN:07 9 OVC:08 15	2.00	-SN:03 BR:1 |SN |	27	-2.8	26	-3.2	25	-3.9	92	11	270		28.65				FM-16	T	29.61
09	0320	7	BKN:07 9 OVC:08 15	1.75	-SN:03 BR:1 |SN |	27	-2.8	26	-3.2	25	-3.9	92	8	280		28.64				FM-16	T	29.60
09	0328	7	OVC:08 9	2.50	-SN:03 BR:1 |SN |	27	-2.8	26	-3.2	25	-3.9	92	10	280		28.64				FM-16	T	29.60
09	0335	7	OVC:08 9	4.00	-SN:03 BR:1 |SN |	27	-2.8	26	-3.2	25	-3.9	92	13	270		28.64				FM-16	T	29.60
09	0353	7	OVC:08 9	5.00	-SN:03 BR:1 |SN |	27	-2.8	26	-3.4	24	-4.4	89	9	280		28.64	7	+0.01	29.62	FM-15	T	29.60
09	0412	7	OVC:08 10	4.00	-SN:03 BR:1 |SN |	27	-2.8	26	-3.4	24	-4.4	89	16	280		28.64				FM-16	T	29.60
09	0453	7	OVC:08 12	4.00	-SN:03 BR:1 |SN |	27	-2.8	26	-3.5	23	-5.0	85	11	280		28.65			29.63	FM-15	0.01	29.61
09	0518	7	OVC:08 15	5.00	BR:1 ||	26	-3.3	25	-3.9	23	-5.0	88	13	280		28.66				FM-16	T	29.62
09	0553	7	OVC:08 16	4.00	-SN:03 BR:1 |SN |	26	-3.3	25	-3.9	23	-5.0	88	15	270	20	28.66			29.65	FM-15	T	29.62
09	0622	7	OVC:08 16	2.00	-SN:03 BR:1 |SN |	26	-3.3	25	-4.1	22	-5.6	84	13	260		28.67				FM-16	T	29.63
09	0653	7	OVC:08 16	2.50	-SN:03 BR:1 |SN |	26	-3.3	25	-4.1	22	-5.6	84	8	260		28.68	3	-0.03	29.66	FM-15	T	29.64
09	0733	7	SCT:04 9 BKN:07 13 OVC:08 20	2.00	-SN:03 BR:1 |SN |	25	-3.9	24	-4.3	23	-5.0	92	9	250		28.69				FM-16	T	29.65
09	0741	7	BKN:07 9 BKN:07 13 OVC:08 20	2.00	-SN:03 BR:1 |SN |	25	-3.9	24	-4.3	23	-5.0	92	9	250		28.68				FM-16	T	29.64
09	0750	7	OVC:08 11	1.75	-SN:03 BR:1 |SN |	25	-4.0	24	-4.6	21	-6.0	86	8	260		28.69				FM-16	T	29.65
09	0753	7	OVC:08 11	1.75	-SN:03 BR:1 |SN |	25	-3.9	24	-4.5	22	-5.6	88	10	260		28.69			29.67	FM-15	T	29.65
09	0800	7	BKN:07 9 OVC:08 15	1.50	-SN:03 BR:1 |SN |	25	-3.9	24	-4.5	22	-5.6	88	11	260		28.69				FM-16	T	29.65
09	0829	7	BKN:07 11 OVC:08 29	2.00	-SN:03 BR:1 |SN |	25	-3.9	24	-4.5	22	-5.6	88	10	250		28.70				FM-16	T	29.66
09	0842	7	SCT:04 11 OVC:08 29	1.75	-SN:03 BR:1 |SN |	24	-4.4	23	-5.0	21	-6.1	88	10	260		28.70				FM-16	T	29.66
09	0845	7	SCT:04 9 SCT:04 13 OVC:08 31	1.50	-SN:03 BR:1 |SN |	24	-4.4	23	-5.0	21	-6.1	88	10	260		28.70				FM-16	T	29.66
09	0850	7	BKN:07 9 OVC:08 24	1.50	-SN:03 BR:1 |SN |	25	-4.0	24	-4.6	21	-6.0	86	13	240		28.70				FM-16	T	29.66
09	0853	7	BKN:07 9 OVC:08 24	1.50	-SN:03 BR:1 |SN |	24	-4.4	23	-4.8	22	-5.6	91	8	240		28.70			29.69	FM-15	T	29.66
09	0904	7	BKN:07 11 BKN:07 17 OVC:08 31	2.00	-SN:03 BR:1 |SN |	24	-4.4	23	-5.0	21	-6.1	88	10	240		28.70				FM-16	T	29.66
09	0951	6	OVC:08 12	8.00		25	-4.0	23	-5.0	19	-7.0	80	13	230		28.71				FM-16		29.67
09	0953	7	OVC:08 12	8.00		24	-4.4	23	-5.0	21	-6.1	88	11	230		28.71	1	-0.03	29.69	FM-15	T	29.67
09	1053	7	OVC:08 13	8.00		26	-3.3	24	-4.3	21	-6.1	81	13	270	18	28.71			29.70	FM-15	0.00	29.67
09	1153	7	OVC:08 14	9.00		26	-3.3	24	-4.4	20	-6.7	78	15	270	22	28.71			29.70	FM-15	0.00	29.67
09	1253	7	OVC:08 14	10.00		26	-3.3	24	-4.4	20	-6.7	78	14	250		28.70	8	+0.00	29.69	FM-15	0.00	29.66
09	1300	7	OVC:08 16	10.00		26	-3.3	24	-4.4	20	-6.7	78	14	260		28.70				FM-16		29.66
09	1353	7	OVC:08 16	10.00		26	-3.3	24	-4.4	20	-6.7	78	14	260		28.70			29.69	FM-15	0.00	29.66

09	1453	7	OVC:08 18	4.00	-SN:03 |SN |	25	-3.9	23	-5.0	19	-7.2	78	17	270	23	28.72			29.70	FM-15	T	29.68
09	1515	7	OVC:08 18	1.75	-SN:03 |SN |	25	-3.9	23	-4.8	20	-6.7	81	14	260		28.72				FM-16	T	29.68
09	1533	7	OVC:08 17	3.00	-SN:03 |SN |	25	-3.9	23	-4.8	20	-6.7	81	15	260	24	28.73				FM-16	T	29.69
09	1549	7	BKN:07 17 OVC:08 23	2.00	-SN:03 |SN |	25	-4.0	23	-5.0	19	-7.0	80	15	260	22	28.73				FM-16	T	29.69
09	1553	7	BKN:07 19 OVC:08 26	2.00	-SN:03 |SN |	25	-3.9	23	-4.8	20	-6.7	81	14	260	22	28.73	1	-0.03	29.72	FM-15	T	29.69
09	1600	7	SCT:04 19 BKN:07 26 OVC:08 30	1.50	-SN:03 |SN |	25	-3.9	23	-4.8	20	-6.7	81	15	250		28.74				FM-16	T	29.70
09	1622	7	FEW:02 14 OVC:08 24	0.75	-SN:03 |SN |	25	-3.9	23	-4.8	20	-6.7	81	15	260		28.75				FM-16	T	29.71
09	1630	7	FEW:02 14 OVC:08 24	1.75	-SN:03 |SN |	25	-3.9	23	-4.8	20	-6.7	81	14	260		28.75				FM-16	T	29.71
09	1638	7	FEW:02 14 OVC:08 22	2.50	-SN:03 |SN |	25	-3.9	23	-4.8	20	-6.7	81	15	260		28.75				FM-16	T	29.71
09	1646	7	OVC:08 19	4.00	-SN:03 |SN |	25	-3.9	23	-4.8	20	-6.7	81	14	260		28.76				FM-16	T	29.72
09	1653	7	OVC:08 17	3.00	-SN:03 |SN |	25	-3.9	23	-4.8	20	-6.7	81	13	260	22	28.76			29.75	FM-15	T	29.72
09	1701	7	OVC:08 17	2.50	-SN:03 |SN |	25	-3.9	23	-4.8	20	-6.7	81	15	250		28.77				FM-16	T	29.73
09	1708	7	OVC:08 15	3.00	-SN:03 |SN |	25	-3.9	23	-4.8	20	-6.7	81	13	260		28.77				FM-16	T	29.73
09	1718	7	OVC:08 15	2.50	-SN:03 |SN |	25	-3.9	23	-4.8	20	-6.7	81	11	260		28.78				FM-16	T	29.74
09	1725	7	OVC:08 15	3.00	-SN:03 |SN |	25	-3.9	23	-4.8	20	-6.7	81	11	260		28.78				FM-16	T	29.74
09	1753	7	OVC:08 15	5.00	-SN:03 |SN |	25	-3.9	23	-4.8	20	-6.7	81	14	270		28.79			29.78	FM-15	T	29.75
09	1853	7	BKN:07 17 OVC:08 26	10.00		25	-3.9	23	-4.8	20	-6.7	81	13	270	22	28.82	1	-0.08	29.80	FM-15	T	29.78
09	1953	7	OVC:08 18	8.00	-SN:03 |SN |	24	-4.4	22	-5.3	19	-7.2	81	17	270		28.83			29.82	FM-15	T	29.79
09	2053	7	OVC:08 16	5.00	-SN:03 |SN |	23	-5.0	21	-5.9	18	-7.8	81	14	270	23	28.84			29.84	FM-15	T	29.80
09	2112	7	OVC:08 17	2.50	-SN:03 |SN |	23	-5.0	21	-5.9	18	-7.8	81	16	270	24	28.84				FM-16	T	29.81
09	2125	7	OVC:08 16	5.00	-SN:03 |SN |	23	-5.0	21	-6.0	17	-8.3	78	17	280		28.84				FM-16	T	29.81
09	2153	7	OVC:08 17	9.00		23	-5.0	21	-6.0	17	-8.3	78	11	280	24	28.84	1	-0.03	29.84	FM-15	T	29.81
09	2253	7	OVC:08 17	9.00		22	-5.6	20	-6.6	16	-8.9	78	14	270		28.86			29.85	FM-15	T	29.82
09	2330	7	SCT:04 19 OVC:08 41	10.00		21	-6.1	19	-7.1	15	-9.4	78	14	260		28.86				FM-16	T	29.82
09	2338	7	BKN:07 18 OVC:08 41	10.00		21	-6.1	19	-7.1	15	-9.4	78	17	270	25	28.86				FM-16	T	29.82
09	2353	7	OVC:08 18	10.00		21	-6.1	19	-7.1	15	-9.4	78	14	270	22	28.86			29.85	FM-15	T	29.82
10	0053	7	OVC:08 20	10.00		20	-6.7	18	-7.8	13	-10.6	74	16	260	24	28.87	1	-0.02	29.86	FM-15	T	29.83
10	0153	7	OVC:08 20	9.00	-SN:03 |SN |	18	-7.8	16	-8.7	12	-11.1	77	16	260	25	28.87			29.87	FM-15	T	29.83
10	0251	6	FEW:02 17 SCT:04 25 OVC:08 95	7.00	-SN:03 |SN |	18	-8.0	16	-8.7	12	-11.0	79	11	250		28.87				FM-16		29.83
10	0253	7	FEW:02 17 SCT:04 25 OVC:08 95	7.00	-SN:03 |SN |	17	-8.3	16	-9.1	12	-11.1	80	14	250		28.87			29.87	FM-15	T	29.83
10	0351	6	FEW:02 19 BKN:07 25 OVC:08 45	10.00	UP:09 ||	18	-8.0	16	-9.0	10	-12.0	73	13	250		28.87				FM-16		29.83
10	0353	7	FEW:02 19 BKN:07 25 OVC:08 46	10.00	UP:09 ||	17	-8.3	15	-9.2	11	-11.7	77	11	250		28.87	0	-0.00	29.87	FM-15	T	29.83
10	0453	7	OVC:08 27	7.00	-SN:03 |SN |	16	-8.9	14	-9.8	10	-12.2	77	11	250		28.87			29.88	FM-15	T	29.84
10	0526	7	OVC:08 30	5.00	-SN:03 |SN |	16	-8.9	14	-9.8	10	-12.2	77	9	250		28.89				FM-16	T	29.85
10	0553	7	OVC:08 31	4.00	-SN:03 |SN |	16	-8.9	15	-9.6	11	-11.7	80	10	250		28.89			29.89	FM-15	T	29.85
10	0653	7	OVC:08 42	4.00	-SN:03 |SN |	16	-8.9	14	-9.8	10	-12.2	77	13	240		28.90	1	-0.04	29.90	FM-15	T	29.87
10	0706	7	BKN:07 27 OVC:08 42	2.00	-SN:03 |SN |	16	-8.9	15	-9.6	11	-11.7	80	14	240		28.90				FM-16	T	29.87
10	0714	7	FEW:02 22 BKN:07 27 OVC:08 42	1.75	-SN:03 |SN |	16	-8.9	15	-9.6	11	-11.7	80	11	240		28.90				FM-16	T	29.87
10	0753	7	FEW:02 15 OVC:08 25	1.50	-SN:03 |SN |	16	-8.9	15	-9.6	11	-11.7	80	14	250		28.90			29.91	FM-15	T	29.87

10	0853	7	OVC:08 23	1.50	-SN:03 BR:1 |SN |	16	-8.9	15	-9.5	12	-11.1	84	13	260		28.91			29.92	FM-15	T	29.88
10	0941	7	BKN:07 21 OVC:08 28	2.50	-SN:03 |SN |	16	-8.9	15	-9.6	11	-11.7	80	17	270	25	28.92				FM-16	T	29.89
10	0953	7	FEW:02 15 BKN:07 21 OVC:08 29	2.00	-SN:03 |SN |	16	-8.9	15	-9.6	11	-11.7	80	17	260		28.92	3	-0.03	29.93	FM-15	T	29.89
10	1000	7	FEW:02 16 BKN:07 23 OVC:08 29	1.50	-SN:03 |SN |	17	-8.3	16	-9.1	12	-11.1	80	14	250	23	28.92				FM-16	T	29.89
10	1021	7	FEW:02 16 BKN:07 22 OVC:08 33	2.00	-SN:03 |SN |	17	-8.3	15	-9.2	11	-11.7	77	16	260		28.93				FM-16	T	29.90
10	1035	7	FEW:02 16 BKN:07 32 OVC:08 39	3.00	-SN:03 |SN |	17	-8.3	15	-9.2	11	-11.7	77	15	270		28.93				FM-16	T	29.90
10	1048	7	SCT:04 16 BKN:07 27 OVC:08 35	2.50	-SN:03 |SN |	18	-8.0	16	-8.7	12	-11.0	79	16	260	25	28.94				FM-16	T	29.91
10	1051	6	SCT:04 16 BKN:07 30 OVC:08 39	2.50	-SN:03 |SN |	18	-8.0	16	-8.7	12	-11.0	79	15	260	25	28.94				FM-16		29.91
10	1053	7	SCT:04 16 BKN:07 30 OVC:08 39	2.50	-SN:03 |SN |	17	-8.3	15	-9.2	11	-11.7	77	17	260		28.94			29.95	FM-15	T	29.91
10	1104	7	BKN:07 17 OVC:08 28	2.00	-SN:03 |SN |	18	-7.8	16	-8.7	12	-11.1	77	15	260	21	28.94				FM-16	T	29.91
10	1151	6	BKN:07 17 OVC:08 24	1.00	-SN:03 |SN |	18	-8.0	16	-9.0	10	-12.0	73	20	280	24	28.95				FM-16		29.92
10	1153	7	BKN:07 17 OVC:08 24	0.75	-SN:03 |SN |	17	-8.3	15	-9.2	11	-11.7	77	21	270	24	28.95			29.96	FM-15	T	29.92
10	1216	7	BKN:07 17 OVC:08 18	1.50	-SN:03 |SN |	18	-7.8	16	-8.7	12	-11.1	77	14	270		28.95				FM-16	T	29.92
10	1251	6	BKN:07 17 OVC:08 18	2.00	-SN:03 |SN |	18	-8.0	16	-9.0	10	-12.0	73	20	260	28	28.95				FM-16		29.92
10	1253	7	OVC:08 17	2.00	-SN:03 |SN |	18	-7.8	16	-8.8	11	-11.7	74	17	260		28.95	0	-0.01	29.96	FM-15	T	29.92
10	1305	7	OVC:08 17	1.75	-SN:03 |SN |	18	-7.8	16	-8.8	11	-11.7	74	17	270		28.95				FM-16	T	29.92
10	1343	7	OVC:08 17	3.00	-SN:03 |SN |	19	-7.2	17	-8.3	12	-11.1	74	16	250	24	28.94				FM-16	T	29.91
10	1353	7	BKN:07 21 OVC:08 27	9.00		19	-7.2	17	-8.4	11	-11.7	71	15	270		28.94			29.96	FM-15	T	29.91
10	1453	7	BKN:07 20 BKN:07 25 OVC:08 30	5.00	-SN:03 |SN |	19	-7.2	17	-8.3	12	-11.1	74	20	260	26	28.95			29.96	FM-15	T	29.92
10	1542	7	SCT:04 22 BKN:07 30 OVC:08 65	6.00	-SN:03 |SN |	19	-7.2	17	-8.4	11	-11.7	71	16	260		28.96				FM-16	T	29.93
10	1551	6	BKN:07 22 BKN:07 28 OVC:08 65	6.00	-SN:03 |SN |	18	-8.0	16	-9.0	10	-12.0	73	18	250		28.96				FM-16		29.93
10	1553	7	BKN:07 22 BKN:07 28 OVC:08 65	6.00	-SN:03 |SN |	19	-7.2	17	-8.4	11	-11.7	71	18	260		28.96	3	-0.01	29.97	FM-15	T	29.93
10	1607	7	SCT:04 24 OVC:08 30	6.00	-SN:03 |SN |	18	-7.8	16	-9.0	10	-12.2	71	18	260	28	28.97				FM-16	T	29.94
10	1632	7	OVC:08 27	6.00	-SN:03 |SN |	18	-7.8	16	-9.1	9	-12.8	68	18	260	28	28.98				FM-16	T	29.95
10	1653	7	OVC:08 27	9.00		17	-8.3	15	-9.5	9	-12.8	70	15	260	24	28.99			30.00	FM-15	T	29.96
10	1713	7	FEW:02 24 BKN:07 35 OVC:08 55	10.00		17	-8.3	15	-9.6	8	-13.3	68	16	250		29.00				FM-16		29.97
10	1753	7	OVC:08 50	10.00	-SN:03 |SN |	16	-8.9	14	-10.0	8	-13.3	71	17	260		29.02			30.03	FM-15	T	29.99
10	1853	7	OVC:08 50	10.00		16	-8.9	14	-10.2	6	-14.4	65	14	260	22	29.04	1	-0.08	30.06	FM-15	0.00	30.01
10	1953	7	CLR:00	10.00		14	-10.0	12	-10.9	7	-13.9	73	15	250	22	29.05			30.07	FM-15	0.00	30.02
10	2053	7	FEW:02 34 BKN:07 55	10.00		14	-10.0	12	-11.1	6	-14.4	71	11	260		29.07			30.08	FM-15	0.00	30.04
10	2153	7	FEW:02 60	10.00		12	-11.1	10	-12.1	4	-15.6	70	14	260	22	29.08	2	-0.04	30.10	FM-15	0.00	30.05

10	2253	7	OVC:08 50	10.00		13	-10.6	11	-11.6	5	-15.0	70	14	260		29.09			30.11	FM-15	0.00	30.06
10	2353	7	OVC:08 55	10.00		13	-10.6	11	-11.6	5	-15.0	70	14	280	22	29.09			30.11	FM-15	0.00	30.06
11	0053	7	OVC:08 55	10.00		12	-11.1	10	-12.0	5	-15.0	73	10	270		29.11	1	-0.02	30.12	FM-15	0.00	30.08
11	0153	7	OVC:08 50	10.00		12	-11.1	10	-12.0	5	-15.0	73	11	270		29.11			30.13	FM-15	0.00	30.08
11	0253	7	SCT:04 50	10.00		9	-12.8	8	-13.5	3	-16.1	77	8	260		29.11			30.13	FM-15	0.00	30.08
11	0353	7	CLR:00	10.00		8	-13.3	7	-14.0	2	-16.7	76	8	260		29.13	3	-0.02	30.15	FM-15	0.00	30.10
11	0453	7	BKN:07 55	10.00		8	-13.3	7	-14.0	2	-16.7	76	9	270		29.14			30.16	FM-15	0.00	30.11
11	0553	7	CLR:00	10.00		6	-14.4	5	-14.9	2	-16.7	83	8	280		29.16			30.19	FM-15	0.00	30.13
11	0653	7	FEW:02 55	10.00		6	-14.4	5	-14.9	2	-16.7	83	8	270		29.19	3	-0.06	30.21	FM-15	0.00	30.16
11	0753	7	OVC:08 55	10.00		9	-12.8	8	-13.3	5	-15.0	84	8	270		29.22			30.24	FM-15	0.00	30.19
11	0853	7	OVC:08 55	10.00		12	-11.1	11	-11.9	6	-14.4	77	7	280		29.23			30.26	FM-15	0.00	30.21
11	0953	7	OVC:08 60	10.00		15	-9.4	13	-10.3	9	-12.8	77	5	260		29.26	1	-0.07	30.28	FM-15	0.00	30.23
11	1053	7	SCT:04 22 BKN:07 30 OVC:08 60	10.00		17	-8.3	15	-9.4	10	-12.2	74	7	250		29.26			30.29	FM-15	0.00	30.24
11	1153	7	FEW:02 21 OVC:08 55	10.00		19	-7.2	17	-8.6	10	-12.2	68	13	280		29.26			30.29	FM-15	0.00	30.24
11	1253	7	FEW:02 27 SCT:04 39 BKN:07 50	10.00		19	-7.2	16	-8.7	9	-12.8	65	11	260		29.26	8	+0.00	30.27	FM-15	0.00	30.23
11	1353	7	BKN:07 43 OVC:08 50	10.00		19	-7.2	16	-8.8	8	-13.3	62	11	320		29.25			30.27	FM-15	0.00	30.22
11	1453	7	SCT:04 42 OVC:08 50	10.00		20	-6.7	17	-8.5	7	-13.9	57	10	280		29.26			30.28	FM-15	T	30.23
11	1553	7	BKN:07 36 OVC:08 50	9.00		20	-6.7	17	-8.3	9	-12.8	62	7	330		29.27	3	-0.02	30.30	FM-15	T	30.25
11	1632	7	SCT:04 26 BKN:07 34 OVC:08 55	1.75V	-SN:03 |SN |	19	-7.2	17	-8.3	12	-11.1	74	8	300		29.28				FM-16	T	30.26
11	1634	7	SCT:04 26 BKN:07 34 OVC:08 50	9.00	-SN:03 |SN |	19	-7.2	17	-8.4	11	-11.7	71	6	300		29.28				FM-16	T	30.26
11	1653	7	FEW:02 23 FEW:02 28 BKN:07 55	10.00		20	-6.7	17	-8.3	9	-12.8	62	10	310		29.28			30.31	FM-15	T	30.26
11	1753	7	FEW:02 36 OVC:08 46	10.00		19	-7.2	16	-8.7	9	-12.8	65	0	000		29.29			30.32	FM-15	0.00	30.27
11	1853	7	OVC:08 47	10.00		19	-7.2	16	-8.8	8	-13.3	62	0	000		29.30	1	-0.04	30.33	FM-15	0.00	30.28
11	1953	7	BKN:07 50	10.00		16	-8.9	14	-10.0	8	-13.3	71	3	270		29.31			30.34	FM-15	0.00	30.29
11	2053	7	BKN:07 46	10.00		17	-8.3	15	-9.5	9	-12.8	70	5	230		29.31			30.34	FM-15	0.00	30.29
11	2153	7	CLR:00	10.00		15	-9.4	13	-10.4	8	-13.3	74	0	000		29.30	8	+0.00	30.33	FM-15	0.00	30.28
11	2253	7	CLR:00	10.00		15	-9.4	13	-10.4	8	-13.3	74	0	000		29.29			30.32	FM-15	0.00	30.27
11	2353	7	CLR:00	10.00		13	-10.6	12	-11.2	8	-13.3	81	5	210		29.29			30.32	FM-15	0.00	30.27
12	0053	7	CLR:00	10.00		11	-11.7	10	-12.3	6	-14.4	81	0	000		29.27	8	+0.03	30.30	FM-15	0.00	30.25
12	0153	7	CLR:00	10.00		11	-11.7	10	-12.2	7	-13.9	84	0	000		29.26			30.28	FM-15	0.00	30.23
12	0253	7	CLR:00	10.00		11	-11.7	10	-12.3	6	-14.4	81	0	000		29.26			30.27	FM-15	0.00	30.23
12	0353	7	CLR:00	10.00		10	-12.2	9	-12.7	6	-14.4	84	0	000		29.23	6	+0.04	30.26	FM-15	0.00	30.21
12	0453	7	CLR:00	10.00		11	-11.7	10	-12.3	6	-14.4	81	0	000		29.22			30.24	FM-15	0.00	30.19
12	0553	7	OVC:08 120	10.00		13	-10.6	12	-11.2	8	-13.3	81	7	170		29.22			30.24	FM-15	0.00	30.19
12	0653	7	BKN:07 90 OVC:08 110	10.00		14	-10.0	13	-10.8	8	-13.3	77	7	170		29.20	8	+0.04	30.22	FM-15	0.00	30.17
12	0753	7	OVC:08 110	10.00		15	-9.4	13	-10.5	7	-13.9	70	8	180		29.19			30.21	FM-15	0.00	30.16
12	0853	7	OVC:08 100	10.00		16	-8.9	14	-10.0	8	-13.3	71	7	210		29.18			30.19	FM-15	0.00	30.15
12	0953	7	OVC:08 90	10.00		19	-7.2	16	-8.9	7	-13.9	59	9	210		29.17	8	+0.04	30.18	FM-15	0.00	30.14
12	1053	7	BKN:07 75 OVC:08 90	10.00		22	-5.6	18	-7.5	9	-12.8	57	11	210		29.15			30.16	FM-15	0.00	30.12
12	1153	7	BKN:07 70 OVC:08 85	10.00		24	-4.4	20	-6.8	9	-12.8	52	14	220		29.13			30.14	FM-15	0.00	30.10
12	1253	7	OVC:08 49	10.00		24	-4.4	20	-6.6	10	-12.2	55	14	250		29.09	8	+0.07	30.11	FM-15	0.00	30.06
12	1353	7	BKN:07 47 OVC:08 55	10.00		23	-5.0	20	-6.9	11	-11.7	60	11	260	23	29.07			30.08	FM-15	0.00	30.04

12	1453	7	SCT:04 33 BKN:07 47 OVC:08 55	10.00		24	-4.4	21	-6.4	12	-11.1	60	14	270	23	29.04			30.06	FM-15	0.00	30.01
12	1553	7	BKN:07 39 OVC:08 55	10.00		24	-4.4	21	-6.4	12	-11.1	60	18	270		29.04	6	+0.06	30.05	FM-15	0.00	30.01
12	1653	7	FEW:02 30 OVC:08 45	10.00		24	-4.4	21	-6.1	14	-10.0	65	17	280	24	29.05			30.06	FM-15	0.00	30.02
12	1743	7	FEW:02 24 BKN:07 30 OVC:08 39	2.50	-SN:03 |SN |	24	-4.4	22	-5.7	17	-8.3	75	16	280	21	29.06				FM-16	T	30.03
12	1750	7	OVC:08 28	3.00	-SN:03 |SN |	23	-5.0	21	-5.9	18	-8.0	80	13	280	21	29.06				FM-16	T	30.03
12	1753	7	BKN:07 28 OVC:08 39	3.00	-SN:03 |SN |	23	-5.0	21	-6.0	17	-8.3	78	15	270		29.06			30.08	FM-15	T	30.03
12	1803	7	OVC:08 30	4.00	-SN:03 |SN |	23	-5.0	21	-6.0	17	-8.3	78	15	270		29.06				FM-16	T	30.03
12	1807	7	OVC:08 26	2.50	-SN:03 |SN |	23	-5.0	21	-6.0	17	-8.3	78	14	280		29.06				FM-16	T	30.03
12	1823	7	SCT:04 18 OVC:08 26	7.00	-SN:03 |SN |	23	-5.0	21	-5.9	18	-7.8	81	15	280		29.07				FM-16	T	30.04
12	1831	7	BKN:07 20 OVC:08 26	2.00	-SN:03 |SN |	24	-4.4	22	-5.7	17	-8.3	75	16	290	23	29.07				FM-16	T	30.04
12	1844	7	FEW:02 5 BKN:07 13 OVC:08 19	2.00	-SN:03 BR:1 |SN |	22	-5.6	21	-6.2	18	-7.8	85	21	290	26	29.08				FM-16	T	30.05
12	1851	6	BKN:07 9 OVC:08 19	2.00	-SN:03 BR:1 |SN |	21	-6.0	20	-6.5	19	-7.0	93	22	290	30	29.08				FM-16		30.05
12	1853	7	BKN:07 9 OVC:08 19	2.00	-SN:03 BR:1 |SN |	22	-5.6	21	-6.1	19	-7.2	89	21	290	30	29.08	3	-0.03	30.09	FM-15	T	30.05
12	1900	7	BKN:07 11 OVC:08 18	0.75	-SN:03 BR:1 |SN |	22	-5.6	21	-6.2	18	-7.8	85	18	300	30	29.09				FM-16	T	30.06
12	1906	7	BKN:07 13 BKN:07 35 OVC:08 49	2.00	-SN:03 |SN |	22	-5.6	20	-6.4	17	-8.3	82	18	300	28	29.09				FM-16	T	30.06
12	1912	7	SCT:04 11 SCT:04 15 BKN:07 50	4.00	-SN:03 |SN |	21	-6.1	19	-7.1	15	-9.4	78	21	300	30	29.09				FM-16	T	30.06
12	1941	7	FEW:02 21 BKN:07 25 OVC:08 33	3.00	-SN:03 |SN |	20	-6.7	18	-7.9	12	-11.1	71	25	310	37	29.11				FM-16	T	30.08
12	1950	7	FEW:02 20 BKN:07 30 BKN:07 36	5.00	-SN:03 |SN |	19	-7.0	17	-8.6	10	-12.0	68	23	310	30	29.12				FM-16	T	30.09
12	1953	7	FEW:02 20 BKN:07 30	5.00	-SN:03 |SN |	19	-7.2	17	-8.4	11	-11.7	71	24	320	30	29.12			30.13	FM-15	T	30.09
12	2053	7	BKN:07 38 BKN:07 60	10.00		18	-7.8	15	-9.2	8	-13.3	65	17	290	25	29.16			30.17	FM-15	T	30.13
12	2153	7	SCT:04 32	7.00		17	-8.3	14	-9.7	7	-13.9	64	23	300		29.19	3	-0.06	30.20	FM-15	T	30.16
12	2251	6	BKN:07 29 BKN:07 39	8.00	-SN:03 |SN |	16	-9.0	14	-9.9	9	-13.0	73	14	310		29.21				FM-16		30.18
12	2253	7	BKN:07 29 OVC:08 39	8.00	-SN:03 |SN |	16	-8.9	14	-10.0	8	-13.3	71	11	300	22	29.21			30.22	FM-15	T	30.18
12	2324	7	OVC:08 32	8.00	-SN:03 |SN |	16	-8.9	14	-10.0	8	-13.3	71	18	300		29.22				FM-16	T	30.19
12	2353	7	FEW:02 26	10.00		15	-9.4	13	-10.5	7	-13.9	70	14	290		29.23			30.25	FM-15	T	30.21
13	0028	7	BKN:07 26	10.00		14	-10.0	12	-11.1	6	-14.4	71	15	300		29.25				FM-16		30.22
13	0046	7	FEW:02 21 SCT:04 27	10.00		14	-10.0	12	-11.1	6	-14.4	71	16	300		29.26				FM-16		30.23
13	0053	7	FEW:02 19	10.00		13	-10.6	11	-11.6	5	-15.0	70	11	300		29.26	3	-0.07	30.27	FM-15	0.00	30.23
13	0151	7	FEW:02 21 BKN:07 26 OVC:08 33	7.00	-SN:03 |SN |	14	-10.0	12	-10.9	7	-14.0	73	16	310		29.27				FM-16	T	30.25
13	0153	7	FEW:02 21 BKN:07 28 OVC:08 33	7.00	-SN:03 |SN |	14	-10.0	12	-11.1	6	-14.4	71	15	310		29.27			30.29	FM-15	T	30.25
13	0243	7	FEW:02 22 BKN:07 30 OVC:08 39	6.00	-SN:03 |SN |	13	-10.6	11	-11.7	4	-15.6	67	16	320		29.29				FM-16	T	30.27

13	0251	6	BKN:07 26 OVC:08 37	4.00	-SN:03 |SN |	12	-11.0	10	-12.2	3	-16.0	67	18	330	25	29.30				FM-16		30.28
13	0253	7	BKN:07 26 OVC:08 37	4.00	-SN:03 |SN |	13	-10.6	11	-11.7	4	-15.6	67	16	330	25	29.30			30.32	FM-15	T	30.28
13	0302	7	BKN:07 34 BKN:07 41 OVC:08 55	9.00		12	-11.1	10	-12.2	3	-16.1	67	17	350		29.31				FM-16	T	30.29
13	0353	7	CLR:00	10.00		10	-12.2	8	-13.3	0	-17.8	63	16	340		29.34	3	-0.06	30.36	FM-15	T	30.32
13	0453	7	CLR:00	10.00		7	-13.9	5	-14.8	-2	-18.9	66	9	340		29.37			30.40	FM-15	0.00	30.35
13	0553	7	CLR:00	10.00		6	-14.4	4	-15.4	-4	-20.0	63	7	310		29.40			30.43	FM-15	0.00	30.38
13	0653	7	FEW:02 27	10.00		5	-15.0	3	-15.9	-4	-20.0	66	9	320		29.42	1	-0.08	30.46	FM-15	0.00	30.40
13	0753	7	CLR:00	10.00		4	-15.6	2	-16.5	-7	-21.7	60	9	300		29.45			30.49	FM-15	0.00	30.43
13	0853	7	CLR:00	10.00		6	-14.4	4	-15.6	-6	-21.1	57	10	290		29.48			30.51	FM-15	0.00	30.46
13	0953	7	CLR:00	10.00		8	-13.3	6	-14.7	-6	-21.1	52	9	290		29.49	1	-0.07	30.53	FM-15	0.00	30.47
13	1053	7	CLR:00	10.00		10	-12.2	7	-13.7	-4	-20.0	53	10	260		29.50			30.54	FM-15	0.00	30.48
13	1153	7	FEW:02 47	10.00		11	-11.7	8	-13.2	-3	-19.4	53	13	280		29.50			30.54	FM-15	0.00	30.48
13	1253	7	SCT:04 47	10.00		13	-10.6	10	-12.3	-3	-19.4	49	11	310		29.49	8	+0.01	30.52	FM-15	0.00	30.47
13	1353	7	OVC:08 45	10.00		14	-10.0	11	-11.7	-1	-18.3	51	14	290		29.47			30.50	FM-15	0.00	30.45
13	1453	7	SCT:04 39 OVC:08 47	10.00		14	-10.0	11	-11.5	2	-16.7	58	13	290		29.48			30.51	FM-15	0.00	30.46
13	1553	7	SCT:04 41 BKN:07 50	10.00		14	-10.0	11	-11.7	-1	-18.3	51	14	290		29.48	6	+0.01	30.51	FM-15	0.00	30.46
13	1653	7	BKN:07 41 OVC:08 50	8.00	-SN:03 |SN |	14	-10.0	11	-11.5	2	-16.7	58	13	280		29.48			30.52	FM-15	T	30.46
13	1753	7	OVC:08 50	10.00		14	-10.0	11	-11.5	2	-16.7	58	13	280		29.49			30.53	FM-15	T	30.47
13	1853	7	SCT:04 50	10.00		12	-11.1	10	-12.3	2	-16.7	64	9	280		29.49	1	-0.01	30.53	FM-15	0.00	30.47
13	1953	7	CLR:00	10.00		10	-12.2	8	-13.1	2	-16.7	69	8	270		29.49			30.53	FM-15	0.00	30.47
13	2053	7	CLR:00	10.00		8	-13.3	7	-14.0	2	-16.7	76	7	280		29.49			30.53	FM-15	0.00	30.47
13	2153	7	CLR:00	10.00		8	-13.3	6	-14.2	0	-17.8	69	8	270		29.49	0	-0.00	30.53	FM-15	0.00	30.47
13	2253	7	CLR:00	10.00		5	-15.0	4	-15.7	-2	-18.9	72	5	270		29.48			30.52	FM-15	0.00	30.46
13	2353	7	CLR:00	10.00		4	-15.6	3	-16.1	-2	-18.9	76	7	270		29.48			30.52	FM-15	0.00	30.46
14	0053	7	CLR:00	10.00		5	-15.0	4	-15.7	-2	-18.9	72	8	270		29.49	5	+0.00	30.53	FM-15	0.00	30.47
14	0153	7	CLR:00	10.00		5	-15.0	4	-15.6	-1	-18.3	76	6	290		29.48			30.52	FM-15	0.00	30.46
14	0253	7	CLR:00	10.00		5	-15.0	4	-15.6	-1	-18.3	76	3	260		29.48			30.52	FM-15	0.00	30.46
14	0353	7	CLR:00	10.00		4	-15.6	3	-16.1	-1	-18.3	80	0	000		29.48	6	+0.01	30.52	FM-15	0.00	30.46
14	0453	7	CLR:00	10.00		3	-16.1	2	-16.5	-1	-18.3	83	0	000		29.47			30.50	FM-15	0.00	30.45
14	0553	7	CLR:00	10.00		3	-16.1	2	-16.5	-1	-18.3	83	0	000		29.47			30.51	FM-15	0.00	30.45
14	0653	7	CLR:00	10.00		4	-15.6	3	-16.0	0	-17.8	83	0	000		29.48	5	+0.01	30.51	FM-15	0.00	30.46
14	0753	7	CLR:00	10.00		4	-15.6	3	-16.0	0	-17.8	83	0	000		29.48			30.52	FM-15	0.00	30.46
14	0853	7	CLR:00	10.00		8	-13.3	7	-14.0	2	-16.7	76	7	140		29.48			30.52	FM-15	0.00	30.46
14	0953	7	CLR:00	10.00		11	-11.7	9	-12.6	3	-16.1	70	9	120		29.47	8	+0.01	30.50	FM-15	0.00	30.45
14	1053	7	CLR:00	10.00		14	-10.0	12	-11.3	4	-15.6	64	10	150		29.45			30.49	FM-15	0.00	30.43
14	1153	7	CLR:00	10.00		15	-9.4	12	-10.9	4	-15.6	61	11	150		29.41			30.45	FM-15	0.00	30.39
14	1253	7	CLR:00	10.00		17	-8.3	14	-10.0	4	-15.6	56	11	140		29.39	8	+0.07	30.43	FM-15	0.00	30.37
14	1353	7	CLR:00	10.00		18	-7.8	15	-9.6	4	-15.6	54	11	140		29.34			30.37	FM-15	0.00	30.32
14	1453	7	SCT:04 110	10.00		18	-7.8	15	-9.7	4	-15.6	54	13	110		29.29			30.32	FM-15	0.00	30.27
14	1553	7	BKN:07 70 OVC:08 80	10.00		18	-7.8	15	-9.6	4	-15.6	54	10	130		29.31	5	+0.08	30.35	FM-15	0.00	30.29
14	1653	7	OVC:08 34	8.00	-SN:03 |SN |	18	-7.8	15	-9.5	5	-15.0	57	11	100		29.26			30.29	FM-15	T	30.23
14	1717	7	OVC:08 28	1.75	-SN:03 |SN |	18	-7.8	15	-9.2	8	-13.3	65	11	120	22	29.27				FM-16	T	30.25
14	1736	7	VV:09 18	0.75	-SN:03 |SN |	17	-8.3	15	-9.2	11	-11.7	77	13	120		29.26				FM-16	T	30.24
14	1753	7	VV:09 16	0.75	-SN:03 |SN |	17	-8.3	16	-9.1	12	-11.1	80	11	110		29.26			30.28	FM-15	T	30.23
14	1821	7	VV:09 15	1.00	-SN:03 BR:1 |SN |	16	-8.9	15	-9.5	12	-11.1	84	11	110		29.25				FM-16	T	30.22
14	1832	7	OVC:08 14	1.25	-SN:03 BR:1 |SN |	16	-8.9	15	-9.3	13	-10.6	88	10	110		29.26				FM-16	T	30.23
14	1844	7	OVC:08 15	1.25	-SN:03 BR:1 |SN |	16	-8.9	15	-9.5	12	-11.1	84	13	110		29.26				FM-16	T	30.23
14	1853	7	OVC:08 19	1.75	-SN:03 BR:1 |SN |	16	-8.9	15	-9.5	12	-11.1	84	10	110		29.26	5	+0.05	30.29	FM-15	T	30.24
14	1951	6	OVC:08 30	1.75	-SN:03 BR:1 |SN |	16	-9.0	15	-9.5	12	-11.0	86	11	120		29.23				FM-16		30.21
14	1953	7	OVC:08 32	1.75	-SN:03 BR:1 |SN |	16	-8.9	15	-9.5	12	-11.1	84	10	110		29.23			30.27	FM-15	T	30.21

14	2002	7	OVC:08 36	2.00	-SN:03 BR:1 |SN |	16	-8.9	15	-9.5	12	-11.1	84	11	120		29.23				FM-16	T	30.20
14	2036	7	BKN:07 36 BKN:07 80 OVC:08 100	4.00	-SN:03 BR:1 |SN |	16	-8.9	15	-9.5	12	-11.1	84	13	110		29.22				FM-16	T	30.19
14	2053	7	OVC:08 90	6.00	-SN:03 BR:1 |SN |	16	-8.9	15	-9.5	12	-11.1	84	13	110		29.21			30.23	FM-15	T	30.18
14	2153	7	OVC:08 75	10.00		17	-8.3	16	-9.1	12	-11.1	80	14	120		29.17	8	+0.09	30.19	FM-15	0.00	30.14
14	2238	7	BKN:07 29 OVC:08 41	10.00		18	-7.8	16	-8.7	12	-11.1	77	9	120		29.18				FM-16		30.15
14	2253	7	OVC:08 29	10.00		18	-7.8	16	-8.7	12	-11.1	77	11	120		29.17			30.19	FM-15	0.00	30.14
14	2353	7	SCT:04 13 BKN:07 27 OVC:08 33	10.00		18	-7.8	17	-8.5	13	-10.6	81	11	130		29.15			30.16	FM-15	0.00	30.12
15	0006	7	FEW:02 13 SCT:04 32 OVC:08 39	10.00		18	-7.8	17	-8.5	13	-10.6	81	11	130		29.14				FM-16		30.11
15	0027	7	FEW:02 15 BKN:07 29 OVC:08 39	10.00		18	-7.8	17	-8.5	13	-10.6	81	13	130		29.14				FM-16		30.11
15	0053	7	BKN:07 15 OVC:08 27	10.00		19	-7.2	18	-8.0	14	-10.0	81	11	130		29.14	8	+0.03	30.16	FM-15	0.00	30.11
15	0124	7	OVC:08 14	10.00		19	-7.2	18	-8.0	14	-10.0	81	13	130		29.12				FM-16		30.09
15	0153	7	OVC:08 13	10.00		19	-7.2	18	-7.9	15	-9.4	84	9	130		29.13			30.14	FM-15	0.00	30.10
15	0253	7	OVC:08 11	8.00		20	-6.7	19	-7.3	16	-8.9	85	9	130		29.09			30.10	FM-15	0.00	30.06
15	0320	7	OVC:08 9	8.00		20	-6.7	19	-7.2	17	-8.3	89	10	130		29.08				FM-16		30.05
15	0353	7	OVC:08 7	8.00		20	-6.7	19	-7.0	18	-7.8	92	7	130		29.07	8	+0.07	30.08	FM-15	0.00	30.04
15	0438	7	OVC:08 5	2.50	BR:1 ||	20	-6.7	20	-6.8	19	-7.2	96	8	130		29.06				FM-16		30.03
15	0448	7	OVC:08 4	3.00	BR:1 ||	21	-6.0	20	-6.5	19	-7.0	93	8	130		29.05				FM-16		30.02
15	0453	7	OVC:08 4	3.00	BR:1 ||	21	-6.1	20	-6.5	19	-7.2	92	9	130		29.05			30.06	FM-15	0.00	30.02
15	0503	7	OVC:08 4	2.50	BR:1 ||	21	-6.1	20	-6.5	19	-7.2	92	9	130		29.05				FM-16		30.02
15	0538	7	OVC:08 4	3.00	BR:1 ||	22	-5.6	21	-5.9	20	-6.7	92	7	130		29.04				FM-16		30.01
15	0553	7	OVC:08 4	5.00	BR:1 ||	22	-5.6	21	-5.9	20	-6.7	92	6	140		29.04			30.05	FM-15	0.00	30.01
15	0644	6	OVC:08 4	2.50	BR:1 ||	23	-5.0	23	-5.2	22	-5.6	96	8	160		29.05				FM-16		30.02
15	0653	7	OVC:08 4	2.50	BR:1 ||	24	-4.4	23	-4.8	22	-5.6	91	8	160		29.04	5	+0.02	30.06	FM-15	0.00	30.01
15	0726	7	OVC:08 4	1.75	BR:1 ||	24	-4.4	24	-4.6	23	-5.0	96	7	140		29.03				FM-16		30.00
15	0753	6	OVC:08 5	1.75	BR:1 ||	25	-3.9	24	-4.3	23	-5.0	92	9	160		29.03			30.03	FM-15	T	30.00
15	0820	7	OVC:08 4	1.50	BR:1 ||	25	-3.9	25	-4.1	24	-4.4	96	9	160		29.03				FM-16		30.00
15	0853	7	OVC:08 4	1.50	BR:1 ||	26	-3.3	26	-3.5	25	-3.9	96	11	160		29.03			30.04	FM-15	0.00	30.00
15	0906	6	OVC:08 4	1.75	-FZ:8 RA:02 BR:1 |FZRA |	27	-2.8	27	-3.0	26	-3.3	96	10	180		29.03				FM-16		30.00
15	0910	7	OVC:08 4	2.00	BR:1 ||	27	-2.8	27	-3.0	26	-3.3	96	9	180		29.03				FM-16	T	30.00
15	0931	6	OVC:08 4	3.00	BR:1 ||	27	-2.8	26	-3.2	25	-3.9	92	11	180		29.04				FM-16		30.01
15	0948	6	BKN:07 5 OVC:08 10	3.00	BR:1 ||	27	-3.0	27	-2.8	27	-3.0	100	8	160		29.03				FM-16		30.00
15	0953	6	BKN:07 5 OVC:08 10	3.00	BR:1 ||	27	-2.8	27	-3.0	26	-3.3	96	8	170		29.02	8	+0.01	30.03	FM-15	T	29.99
15	1053	6	OVC:08 6	3.00	BR:1 ||	29	-1.7	28	-2.1	27	-2.8	92	6	180		29.02			30.02	FM-15	0.00	29.99
15	1151	6	OVC:08 5	2.50	BR:1 ||	30	-1.0	29	-1.5	28	-2.0	93	8	180		28.99				FM-16		29.96
15	1153	7	OVC:08 5	2.50	BR:1 ||	30	-1.1	29	-1.5	28	-2.2	92	10	170		28.99			30.00	FM-15	0.00	29.96
15	1253	6	OVC:08 5	3.00	BR:1 ||	31	-0.6	30	-1.0	29	-1.7	92	10	160		28.97	8	+0.06	29.97	FM-15	T	29.94
15	1353	7	OVC:08 5	3.00	BR:1 ||	32	0.0	31	-0.4	30	-1.1	92	8	170		28.94			29.94	FM-15	0.00	29.91
15	1433	6	OVC:08 4	2.50	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	9	160		28.92				FM-16		29.89
15	1451	6	OVC:08 4	1.75	BR:1 ||	32	0.0	31	-0.4	30	-1.0	93	8	160		28.92				FM-16		29.89
15	1453	6	OVC:08 4	1.50	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	9	170		28.92			29.92	FM-15	0.00	29.89
15	1531	6	OVC:08 3	0.75	BR:1 ||	33	0.6	33	0.3	32	0.0	96	8	170		28.91				FM-16		29.88
15	1553	7	OVC:08 3	0.75	BR:1 ||	33	0.6	33	0.3	32	0.0	96	7	150		28.90	6	+0.06	29.90	FM-15	0.00	29.87
15	1650	7	OVC:08 3	1.00	BR:1 ||	34	1.0	33	0.7	32	0.0	93	8	160		28.90				FM-16		29.87
15	1653	7	OVC:08 3	1.00	BR:1 ||	33	0.6	33	0.3	32	0.0	96	7	160		28.90			29.90	FM-15	0.00	29.87
15	1716	7	OVC:08 3	0.75	BR:1 ||	34	1.1	34	0.9	33	0.6	97	7	160		28.90				FM-16		29.87
15	1753	7	OVC:08 3	0.75	BR:1 ||	34	1.1	34	0.9	33	0.6	97	3	140		28.90			29.89	FM-15	0.00	29.86
15	1853	7	OVC:08 3	0.75	BR:1 ||	34	1.1	34	0.9	33	0.6	97	3	120		28.89	8	+0.02	29.88	FM-15	0.00	29.85

15	1953	7	OVC:08 2	0.50	FG:2 |FG |	33	0.6	33	0.6	33	0.6	100	0	000		28.89			29.88	FM-15	0.00	29.85
15	2004	7	VV:09 3	0.25	FG:2 |FG |	33	0.6	33	0.6	33	0.6	100	0	000		28.89				FM-16		29.85
15	2053	7	VV:09 2	0.25	-SN:03 FG:2 |FG SN |	33	0.6	33	0.6	33	0.6	100	5	100		28.87			29.86	FM-15	T	29.83
15	2118	7	VV:09 3	0.75	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	6	100		28.86				FM-16	T	29.82
15	2153	7	OVC:08 2	0.75	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	3	100		28.84	8	+0.04	29.84	FM-15	T	29.81
15	2201	7	OVC:08 2	1.00	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	3	100		28.84				FM-16	T	29.81
15	2246	7	OVC:08 2	0.75	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	0	000		28.83				FM-16	T	29.79
15	2253	7	OVC:08 2	0.75	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	0	000		28.83			29.82	FM-15	0.01	29.79
15	2320	7	VV:09 5	0.50	SN:03 FG:2 |FG SN |	32	0.0	32	0.0	32	0.0	100	0	000		28.83				FM-16	0.01	29.79
15	2345	7	BKN:07 12 OVC:08 18	0.50	-SN:03 FG:2 |FG SN |	32	0.0	32	0.0	32	0.0	100	0	000		28.82				FM-16	0.01	29.78
15	2351	6	VV:09 16	0.50	-SN:03 FG:2 |FG SN |	32	0.0	32	0.0	32	0.0	100	3	020		28.82				FM-16		29.78
15	2353	7	VV:09 16	0.50	-SN:03 FG:2 |FG SN |	32	0.0	32	0.0	32	0.0	100	3	020		28.81			29.80	FM-15	0.02	29.77
16	0053	7	FEW:02 2 OVC:08 8	0.75	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	0	000		28.78	8	+0.07	29.76	FM-15	0.01	29.74
16	0115	7	SCT:04 4 OVC:08 15	1.00	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	3	350		28.77				FM-16	0.01	29.73
16	0121	7	FEW:02 4 BKN:07 7 OVC:08 14	1.00	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	3	350		28.77				FM-16	0.01	29.73
16	0132	7	FEW:02 4 OVC:08 12	1.00	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	3	350		28.76				FM-16	0.01	29.72
16	0136	7	FEW:02 4 BKN:07 9 OVC:08 12	0.75	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	3	350		28.76				FM-16	0.01	29.72
16	0153	7	SCT:04 3 OVC:08 8	0.75	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	3	350		28.75			29.73	FM-15	0.02	29.71
16	0207	7	SCT:04 3 OVC:08 12	1.00	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	3	350		28.75				FM-16	0.01	29.71
16	0219	7	SCT:04 3 OVC:08 18	1.25	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	3	360		28.75				FM-16	0.01	29.71
16	0251	6	FEW:02 5 OVC:08 13	1.00	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	3	320		28.74				FM-16		29.70
16	0253	7	FEW:02 5 OVC:08 13	1.00	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	3	320		28.74			29.72	FM-15	0.05	29.70
16	0302	7	BKN:07 4 OVC:08 11	1.00	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	5	320		28.74				FM-16	0.01	29.70
16	0353	7	BKN:07 3 OVC:08 12	1.25	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	8	320		28.73	6	+0.05	29.71	FM-15	0.03	29.69
16	0418	7	OVC:08 3	2.00	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	8	320		28.72				FM-16	T	29.68
16	0453	7	OVC:08 4	2.50	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	6	320		28.74			29.72	FM-15	T	29.70
16	0509	7	BKN:07 4 OVC:08 28	3.00	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	6	320		28.74				FM-16	T	29.70
16	0519	7	BKN:07 4 OVC:08 28	2.50	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	7	320		28.74				FM-16	T	29.70
16	0529	7	OVC:08 4	3.00	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	7	320		28.73				FM-16	T	29.69
16	0553	7	OVC:08 4	5.00	BR:1 ||	33	0.6	33	0.3	32	0.0	96	8	330		28.73			29.71	FM-15	T	29.69
16	0653	7	OVC:08 4	5.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	11	340		28.73	1	-0.00	29.71	FM-15	0.00	29.69
16	0705	7	OVC:08 5	4.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	11	320		28.74				FM-16		29.70
16	0728	7	OVC:08 4	4.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	8	320		28.75				FM-16		29.71
16	0753	7	OVC:08 4	3.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	9	320		28.77			29.75	FM-15	0.00	29.73
16	0851	6	OVC:08 4	2.50	BR:1 ||	32	0.0	31	-0.4	30	-1.0	93	7	320		28.79				FM-16		29.75
16	0853	7	OVC:08 4	2.50	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	6	320		28.79			29.78	FM-15	0.00	29.75
16	0926	7	OVC:08 4	3.00	BR:1 ||	33	0.6	32	0.1	31	-0.6	92	8	300		28.81				FM-16		29.77
16	0953	7	OVC:08 4	3.00	BR:1 ||	33	0.6	32	0.1	31	-0.6	92	8	300		28.80	1	-0.07	29.78	FM-15	0.00	29.76
16	1000	7	OVC:08 6	2.50	BR:1 ||	33	0.6	32	0.1	31	-0.6	92	10	300		28.81				FM-16		29.77
16	1013	7	OVC:08 4	1.75	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	8	300		28.81				FM-16		29.77
16	1048	7	OVC:08 3	0.75	BR:1 ||	32	0.0	31	-0.4	30	-1.0	93	10	300		28.82				FM-16		29.78
16	1053	7	OVC:08 3	0.75	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	11	280		28.82			29.80	FM-15	0.00	29.78
16	1104	7	OVC:08 2	1.25	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	9	290		28.82				FM-16		29.78

16	1136	7	OVC:08 6	2.50	BR:1 ||	32	0.0	31	-0.4	30	-1.1	92	11	280		28.82				FM-16		29.78
16	1153	7	BKN:07 7 OVC:08 12	2.50	BR:1 ||	32	0.0	31	-0.4	30	-1.1	92	11	280		28.82			29.80	FM-15	0.00	29.78
16	1251	6	BKN:07 8 BKN:07 13 OVC:08 27	4.00	BR:1 ||	32	0.0	30	-0.8	28	-2.0	87	10	280		28.81				FM-16		29.77
16	1253	7	BKN:07 13 OVC:08 25	4.00	BR:1 ||	32	0.0	30	-0.8	28	-2.2	85	9	280		28.81	8	+0.01	29.80	FM-15	0.00	29.77
16	1351	6	BKN:07 18 OVC:08 22	9.00		32	0.0	30	-1.0	27	-3.0	80	10	280		28.80				FM-16		29.76
16	1353	7	BKN:07 14 OVC:08 20	9.00		32	0.0	30	-1.0	27	-2.8	82	14	280		28.80			29.78	FM-15	0.00	29.76
16	1448	7	BKN:07 16 OVC:08 24	9.00		32	0.0	30	-1.0	27	-3.0	80	8	300		28.79				FM-16		29.75
16	1453	7	BKN:07 16 OVC:08 24	9.00		32	0.0	30	-1.0	27	-2.8	82	9	300		28.80			29.78	FM-15	0.00	29.76
16	1553	7	BKN:07 16 OVC:08 24	8.00		32	0.0	30	-1.0	27	-2.8	82	8	300		28.81	3	-0.01	29.80	FM-15	0.00	29.77
16	1653	7	OVC:08 17	7.00		32	0.0	30	-1.2	26	-3.3	79	6	270		28.83			29.81	FM-15	0.00	29.79
16	1753	7	OVC:08 18	9.00		31	-0.6	29	-1.6	26	-3.3	82	7	270		28.86			29.85	FM-15	0.00	29.82
16	1853	7	OVC:08 20	7.00		31	-0.6	29	-1.6	26	-3.3	82	7	280		28.90	3	-0.08	29.88	FM-15	0.00	29.86
16	1953	7	OVC:08 20	7.00		31	-0.6	29	-1.6	26	-3.3	82	6	290		28.91			29.91	FM-15	0.00	29.88
16	2053	7	OVC:08 20	7.00		31	-0.6	29	-1.6	26	-3.3	82	6	270		28.92			29.91	FM-15	0.00	29.89
16	2153	7	OVC:08 21	8.00		30	-1.1	29	-1.9	26	-3.3	85	7	280		28.93	1	-0.04	29.93	FM-15	0.00	29.90
16	2253	7	OVC:08 21	10.00		30	-1.1	28	-2.3	24	-4.4	79	10	290		28.95			29.95	FM-15	0.00	29.92
16	2353	7	OVC:08 20	9.00		30	-1.1	28	-2.3	24	-4.4	79	6	300		28.95			29.95	FM-15	0.00	29.92
17	0053	7	OVC:08 21	9.00		30	-1.1	28	-2.5	23	-5.0	75	7	280		28.96	1	-0.02	29.96	FM-15	0.00	29.93
17	0153	7	OVC:08 20	10.00		30	-1.1	28	-2.5	23	-5.0	75	7	310		28.98			29.97	FM-15	0.00	29.95
17	0253	7	OVC:08 20	9.00		29	-1.7	27	-2.8	23	-5.0	78	6	280		29.00			30.00	FM-15	0.00	29.97
17	0353	7	OVC:08 21	7.00		29	-1.7	27	-2.6	24	-4.4	82	6	270		29.02	2	-0.06	30.02	FM-15	T	29.99
17	0421	7	SCT:04 22 OVC:08 33	8.00		29	-1.7	27	-2.6	24	-4.4	82	6	290		29.02				FM-16	T	29.99
17	0453	7	FEW:02 26 SCT:04 31 OVC:08 46	8.00		29	-1.7	27	-2.6	24	-4.4	82	6	280		29.04			30.03	FM-15	T	30.01
17	0553	7	FEW:02 30 BKN:07 42 OVC:08 55	5.00	BR:1 ||	29	-1.7	28	-2.5	25	-3.9	85	8	280		29.05			30.05	FM-15	0.00	30.02
17	0653	7	FEW:02 13 SCT:04 27 OVC:08 37	5.00	BR:1 ||	29	-1.7	28	-2.5	25	-3.9	85	6	250		29.08	3	-0.05	30.07	FM-15	0.00	30.05
17	0700	7	FEW:02 13 BKN:07 27 OVC:08 37	6.00	BR:1 ||	29	-1.7	28	-2.5	25	-3.9	85	7	260		29.08				FM-16		30.05
17	0751	6	OVC:08 13	3.00	BR:1 ||	30	-1.0	29	-1.7	27	-3.0	86	7	250		29.11				FM-16		30.08
17	0753	7	OVC:08 13	3.00	BR:1 ||	30	-1.1	29	-1.9	26	-3.3	85	6	260		29.11			30.10	FM-15	0.00	30.08
17	0853	7	OVC:08 11	3.00	BR:1 ||	30	-1.1	29	-1.9	26	-3.3	85	9	280		29.14			30.14	FM-15	0.00	30.11
17	0953	7	OVC:08 10	3.00	BR:1 ||	31	-0.6	30	-1.4	27	-2.8	85	9	280		29.17	3	-0.09	30.16	FM-15	0.00	30.14
17	1053	7	BKN:07 11 OVC:08 34	5.00	BR:1 ||	32	0.0	30	-0.8	28	-2.2	85	8	280		29.19			30.18	FM-15	0.00	30.16
17	1151	6	BKN:07 19	8.00		34	1.0	31	-0.4	27	-3.0	75	11	270		29.20				FM-16		30.17
17	1153	7	BKN:07 19	9.00		34	1.1	31	-0.6	26	-3.3	73	9	260		29.20			30.20	FM-15	0.00	30.17
17	1251	6	BKN:07 37	10.00		36	2.0	31	-0.8	21	-6.0	56	9	310		29.20				FM-16		30.17
17	1253	7	BKN:07 37	10.00		36	2.2	31	-0.6	22	-5.6	57	13	320		29.20	1	-0.03	30.19	FM-15	0.00	30.17
17	1353	7	BKN:07 40	10.00		36	2.2	31	-0.4	23	-5.0	59	7	340		29.20			30.19	FM-15	0.00	30.17
17	1453	7	BKN:07 40 BKN:07 49	10.00		36	2.2	31	-0.4	23	-5.0	59	13	290		29.21			30.20	FM-15	0.00	30.18
17	1553	7	BKN:07 46	10.00		36	2.2	32	-0.3	24	-4.4	62	15	290		29.23	3	-0.03	30.22	FM-15	0.00	30.20
17	1653	7	OVC:08 42	10.00		35	1.7	31	-0.6	24	-4.4	64	14	270		29.26			30.26	FM-15	0.00	30.23
17	1753	7	SCT:04 36 OVC:08 45	10.00		35	1.7	31	-0.4	25	-3.9	67	9	280		29.28			30.29	FM-15	0.00	30.26

17	1853	7	OVC:08 45	10.00		34	1.1	30	-0.9	24	-4.4	67	8	280		29.29	1	-0.07	30.30	FM-15	0.00	30.27
17	1953	7	OVC:08 48	10.00		33	0.6	30	-1.3	24	-4.4	70	6	280		29.31			30.32	FM-15	0.00	30.29
17	2053	7	OVC:08 46	10.00		33	0.6	30	-1.1	25	-3.9	72	7	260		29.33			30.33	FM-15	0.00	30.31
17	2153	7	OVC:08 43	10.00		33	0.6	30	-1.1	25	-3.9	72	6	250		29.33	1	-0.04	30.34	FM-15	0.00	30.31
17	2253	7	OVC:08 43	10.00		33	0.6	30	-1.3	24	-4.4	70	8	280		29.34			30.35	FM-15	0.00	30.32
17	2353	7	OVC:08 44	10.00		32	0.0	29	-1.4	25	-3.9	75	8	270		29.35			30.36	FM-15	0.00	30.33
18	0053	7	OVC:08 44	10.00		32	0.0	29	-1.6	24	-4.4	73	5	290		29.37	1	-0.04	30.37	FM-15	0.00	30.35
18	0153	7	OVC:08 44	10.00		31	-0.6	29	-1.9	24	-4.4	76	5	320		29.38			30.39	FM-15	0.00	30.36
18	0253	7	OVC:08 42	10.00		30	-1.1	28	-2.5	23	-5.0	75	3	300		29.39			30.40	FM-15	0.00	30.37
18	0353	7	BKN:07 42	10.00		29	-1.7	27	-3.0	22	-5.6	75	5	280		29.40	1	-0.03	30.40	FM-15	0.00	30.38
18	0453	7	OVC:08 40	9.00		29	-1.7	27	-3.0	22	-5.6	75	3	320		29.41			30.42	FM-15	0.00	30.39
18	0553	7	BKN:07 38	8.00		28	-2.2	26	-3.2	23	-5.0	81	0	000		29.43			30.44	FM-15	0.00	30.41
18	0653	6	BKN:07 37	7.00		26	-3.3	25	-3.9	23	-5.0	88	0	000		29.47	3	-0.07	30.48	FM-15	0.00	30.45
18	0753	7	FEW:02 37	7.00		25	-3.9	24	-4.3	23	-5.0	92	3	030		29.49			30.50	FM-15	0.00	30.47
18	0853	7	CLR:00	8.00		27	-2.8	26	-3.5	23	-5.0	85	7	090		29.51			30.53	FM-15	0.00	30.49
18	0953	6	CLR:00	10.00		31	-0.6	29	-1.9	24	-4.4	76	7	090		29.52	1	-0.05	30.53	FM-15	0.00	30.50
18	1053	7	FEW:02 33	10.00		33	0.6	29	-1.4	23	-5.0	66	6	090		29.53			30.54	FM-15	0.00	30.51
18	1153	6	FEW:02 35	10.00		35	1.7	31	-0.7	23	-5.0	61	3	070		29.53			30.54	FM-15	0.00	30.51
18	1253	6	SCT:04 32	9.00		36	2.2	31	-0.4	23	-5.0	59	0	000		29.52	0	-0.00	30.53	FM-15	0.00	30.50
18	1353	6	FEW:02 34	9.00		36	2.2	31	-0.4	23	-5.0	59	7	130		29.50			30.50	FM-15	0.00	30.48
18	1453	7	CLR:00	9.00		36	2.2	31	-0.4	23	-5.0	59	9	180		29.48			30.48	FM-15	0.00	30.46
18	1553	7	CLR:00	9.00		37	2.8	32	-0.3	22	-5.6	54	10	130		29.46	6	+0.06	30.47	FM-15	0.00	30.44
18	1653	7	CLR:00	10.00		36	2.2	31	-0.4	23	-5.0	59	9	120		29.44			30.45	FM-15	0.00	30.42
18	1753	7	CLR:00	10.00		36	2.2	31	-0.4	23	-5.0	59	10	120		29.42			30.43	FM-15	0.00	30.40
18	1853	7	CLR:00	10.00		34	1.1	30	-1.1	23	-5.0	64	8	110		29.41	6	+0.05	30.42	FM-15	0.00	30.39
18	1953	7	CLR:00	10.00		35	1.7	31	-0.8	23	-5.0	61	8	120		29.41			30.42	FM-15	0.00	30.39
18	2053	7	CLR:00	10.00		35	1.7	30	-0.9	22	-5.6	59	10	130		29.38			30.39	FM-15	0.00	30.36
18	2153	7	CLR:00	10.00		35	1.7	30	-0.9	22	-5.6	59	10	140		29.37	8	+0.04	30.37	FM-15	0.00	30.35
18	2253	7	CLR:00	10.00		34	1.1	30	-1.3	22	-5.6	61	11	130		29.32			30.33	FM-15	0.00	30.30
18	2353	7	CLR:00	10.00		35	1.7	30	-0.9	22	-5.6	59	13	140		29.31			30.31	FM-15	0.00	30.29
19	0053	7	CLR:00	10.00		35	1.7	31	-0.8	23	-5.0	61	10	130		29.28	6	+0.08	30.29	FM-15	0.00	30.26
19	0153	7	CLR:00	10.00		35	1.7	31	-0.8	23	-5.0	61	11	130		29.27			30.27	FM-15	0.00	30.25
19	0253	7	CLR:00	10.00		35	1.7	31	-0.8	23	-5.0	61	10	130		29.25			30.24	FM-15	0.00	30.22
19	0353	7	CLR:00	10.00		36	2.2	31	-0.4	23	-5.0	59	11	140		29.22	8	+0.07	30.21	FM-15	0.00	30.19
19	0453	7	CLR:00	10.00		36	2.2	32	-0.3	24	-4.4	62	15	140		29.19			30.18	FM-15	0.00	30.16
19	0553	7	CLR:00	10.00		35	1.7	31	-0.6	24	-4.4	64	11	130		29.17			30.16	FM-15	0.00	30.14
19	0653	7	CLR:00	10.00		36	2.2	32	-0.1	25	-3.9	64	11	140		29.15	6	+0.07	30.15	FM-15	0.00	30.12
19	0753	7	CLR:00	10.00		37	2.8	32	0.3	25	-3.9	62	11	140		29.13			30.12	FM-15	0.00	30.10
19	0853	7	CLR:00	10.00		40	4.4	35	1.6	27	-2.8	60	16	160		29.10			30.09	FM-15	0.00	30.07
19	0953	7	OVC:08 85	10.00		42	5.6	36	2.4	28	-2.2	58	17	170	24	29.07	8	+0.08	30.06	FM-15	0.00	30.04
19	1053	7	FEW:02 85	10.00		45	7.2	39	3.7	30	-1.1	56	22	170	30	29.01			30.00	FM-15	0.00	29.98
19	1153	7	FEW:02 85	10.00		50	10.0	42	5.6	32	0.0	50	21	190	30	28.98			29.96	FM-15	0.00	29.95
19	1253	7	CLR:00	10.00		55	12.8	45	7.4	34	1.1	45	29	200	38	28.92	6	+0.14	29.91	FM-15	T	29.89
19	1353	7	CLR:00	10.00		57	13.9	47	8.3	36	2.2	45	28	200	38	28.87			29.84	FM-15	0.00	29.83
19	1453	7	OVC:08 60	10.00		57	13.9	47	8.6	37	2.8	47	22	190	32	28.84			29.80	FM-15	0.00	29.80
19	1553	7	BKN:07 55	10.00		60	15.6	49	9.3	37	2.8	42	23	200	33	28.82	6	+0.11	29.78	FM-15	0.00	29.78
19	1653	7	CLR:00	10.00		60	15.6	49	9.5	38	3.3	44	21	210	31	28.82			29.78	FM-15	0.00	29.78
19	1753	7	CLR:00	10.00		57	13.9	48	8.8	38	3.3	49	15	210		28.84			29.82	FM-15	0.00	29.81
19	1853	7	BKN:07 60	10.00		56	13.3	47	8.5	38	3.3	51	14	200	25	28.86	3	-0.04	29.82	FM-15	0.00	29.82
19	1953	7	BKN:07 48 BKN:07 55	10.00		55	12.8	47	8.5	39	3.9	55	11	210		28.87			29.85	FM-15	0.00	29.84
19	2053	7	FEW:02 55 SCT:04 70	10.00		54	12.2	48	8.7	41	5.0	62	14	210		28.90			29.87	FM-15	0.00	29.87
19	2153	7	FEW:02 60	10.00		55	12.8	49	9.7	44	6.7	67	15	230		28.92	3	-0.07	29.89	FM-15	0.00	29.89
19	2253	7	CLR:00	10.00		56	13.3	50	10.2	45	7.2	67	18	240	29	28.93			29.90	FM-15	0.00	29.90
19	2353	7	CLR:00	10.00		55	12.8	49	9.4	43	6.1	64	21	250	33	28.95			29.92	FM-15	0.00	29.92
20	0053	7	CLR:00	10.00		54	12.2	47	8.4	40	4.4	59	14	250	24	28.98	3	-0.06	29.95	FM-15	0.00	29.95

20	0153	7	CLR:00	10.00		51	10.6	46	7.9	41	5.0	69	10	230		28.99			29.96	FM-15	0.00	29.96
20	0253	7	CLR:00	10.00		50	10.0	46	7.6	41	5.0	71	9	220		29.00			29.97	FM-15	0.00	29.97
20	0353	7	CLR:00	10.00		48	8.9	46	7.5	43	6.1	83	10	220		28.99	0	-0.01	29.96	FM-15	0.00	29.96
20	0453	7	CLR:00	10.00		48	8.9	46	7.5	43	6.1	83	10	220		29.00			29.97	FM-15	0.00	29.97
20	0553	7	CLR:00	10.00		46	7.8	44	6.7	42	5.6	86	6	210		29.01			29.98	FM-15	0.00	29.98
20	0653	7	CLR:00	8.00		46	7.8	45	7.2	44	6.7	93	8	220		29.01	3	-0.02	29.99	FM-15	0.00	29.98
20	0753	7	CLR:00	5.00	BR:1 ||	48	8.9	47	8.3	46	7.8	93	10	210		29.02			29.99	FM-15	0.00	29.99
20	0853	7	CLR:00	10.00		51	10.6	48	9.2	46	7.8	83	11	220		29.01			29.98	FM-15	0.00	29.98
20	0953	7	CLR:00	10.00		54	12.2	51	10.5	48	8.9	80	16	210		29.01	8	+0.00	29.98	FM-15	0.00	29.98
20	1053	7	CLR:00	10.00		59	15.0	51	10.7	44	6.7	58	15	220		29.00			29.96	FM-15	0.00	29.97
20	1153	7	CLR:00	10.00		63	17.2	52	11.2	42	5.6	47	24	230	32	28.98			29.95	FM-15	0.00	29.95
20	1253	7	CLR:00	10.00		66	18.9	52	10.8	37	2.8	34	24	230	37	28.94	8	+0.07	29.90	FM-15	T	29.91
20	1353	7	CLR:00	10.00		67	19.4	52	11.1	37	2.8	33	23	230	36	28.91			29.87	FM-15	0.00	29.88
20	1453	7	CLR:00	10.00		69	20.6	52	11.0	34	1.1	27	24	240	37	28.90			29.86	FM-15	0.00	29.87
20	1553	7	CLR:00	10.00		69	20.6	52	11.4	36	2.2	30	23	240	31	28.90	6	+0.05	29.85	FM-15	0.00	29.86
20	1653	7	CLR:00	10.00		68	20.0	51	10.7	34	1.1	28	17	250		28.90			29.87	FM-15	0.00	29.87
20	1753	7	CLR:00	10.00		65	18.3	50	10.0	34	1.1	32	13	240		28.92			29.88	FM-15	0.00	29.89
20	1853	7	CLR:00	10.00		61	16.1	49	9.4	36	2.2	39	9	230		28.94	3	-0.05	29.91	FM-15	0.00	29.91
20	1953	7	CLR:00	10.00		58	14.4	47	8.6	36	2.2	44	7	240		28.96			29.93	FM-15	0.00	29.93
20	2053	7	CLR:00	10.00		55	12.8	46	7.8	36	2.2	49	8	240		28.97			29.94	FM-15	0.00	29.94
20	2153	7	CLR:00	10.00		49	9.4	43	5.9	35	1.7	59	5	250		28.98	1	-0.04	29.96	FM-15	0.00	29.95
20	2253	7	CLR:00	10.00		49	9.4	43	5.9	35	1.7	59	3	260		28.98			29.95	FM-15	0.00	29.95
20	2353	7	CLR:00	10.00		47	8.3	42	5.4	35	1.7	63	0	000		28.98			29.95	FM-15	0.00	29.95
21	0053	7	CLR:00	10.00		45	7.2	41	4.8	35	1.7	68	3	220		28.98	8	+0.00	29.95	FM-15	0.00	29.95
21	0153	7	CLR:00	10.00		44	6.7	40	4.7	36	2.2	73	5	270		28.97			29.93	FM-15	0.00	29.94
21	0253	7	FEW:02 50	10.00		43	6.1	40	4.4	36	2.2	76	3	VRB		28.97			29.93	FM-15	0.00	29.94
21	0353	7	BKN:07 50 OVC:08 60	10.00		46	7.8	42	5.5	37	2.8	71	7	320		28.96	6	+0.02	29.93	FM-15	0.00	29.93
21	0453	7	SCT:04 55 BKN:07 90	10.00		46	7.8	41	4.8	34	1.1	63	9	350		28.96			29.93	FM-15	0.00	29.93
21	0553	7	FEW:02 95	10.00		44	6.7	39	3.8	32	0.0	63	9	360		28.97			29.93	FM-15	0.00	29.94
21	0653	7	CLR:00	10.00		43	6.1	38	3.5	32	0.0	65	8	350		28.97	1	-0.01	29.94	FM-15	0.00	29.94
21	0753	7	CLR:00	10.00		40	4.4	36	2.4	31	-0.6	70	6	360		28.98			29.95	FM-15	0.00	29.95
21	0853	7	CLR:00	10.00		43	6.1	38	3.5	32	0.0	65	11	010		28.99			29.96	FM-15	0.00	29.96
21	0953	7	CLR:00	10.00		48	8.9	42	5.4	34	1.1	58	14	360		29.00	3	-0.03	29.97	FM-15	0.00	29.97
21	1053	7	CLR:00	10.00		51	10.6	43	6.3	34	1.1	52	13	010		28.99			29.97	FM-15	0.00	29.96
21	1153	7	CLR:00	10.00		53	11.7	45	7.3	36	2.2	52	11	340		28.98			29.96	FM-15	0.00	29.95
21	1253	7	CLR:00	10.00		55	12.8	46	7.8	36	2.2	49	8	340		28.96	8	+0.04	29.93	FM-15	0.00	29.93
21	1353	7	CLR:00	10.00		55	12.8	46	7.6	35	1.7	47	6	040	16	28.95			29.92	FM-15	0.00	29.92
21	1453	7	CLR:00	10.00		56	13.3	47	8.1	36	2.2	47	10	010		28.96			29.93	FM-15	0.00	29.93
21	1553	7	CLR:00	10.00		54	12.2	45	7.3	35	1.7	49	14	360	20	28.97	3	-0.01	29.95	FM-15	0.00	29.94
21	1653	7	CLR:00	10.00		51	10.6	43	6.3	34	1.1	52	14	010		28.99			29.96	FM-15	0.00	29.96
21	1753	7	CLR:00	10.00		47	8.3	41	5.1	34	1.1	61	15	360		29.01			29.98	FM-15	0.00	29.98
21	1853	7	FEW:02 110	10.00		44	6.7	40	4.5	35	1.7	71	13	010		29.03	3	-0.06	30.01	FM-15	0.00	30.00
21	1953	7	CLR:00	10.00		41	5.0	38	3.1	33	0.6	73	13	360		29.06			30.05	FM-15	0.00	30.03
21	2053	7	CLR:00	10.00		38	3.3	36	2.2	33	0.6	83	11	350		29.08			30.06	FM-15	0.00	30.05
21	2153	7	CLR:00	10.00		36	2.2	34	1.1	31	-0.6	82	11	010		29.10	1	-0.07	30.09	FM-15	0.00	30.07
21	2253	7	CLR:00	10.00		34	1.1	32	0.2	30	-1.1	85	10	360		29.11			30.09	FM-15	0.00	30.08
21	2353	7	CLR:00	10.00		32	0.0	31	-0.6	29	-1.7	88	8	350		29.12			30.10	FM-15	0.00	30.09
22	0053	7	CLR:00	10.00		32	0.0	31	-0.6	29	-1.7	88	11	360		29.12	1	-0.02	30.10	FM-15	0.00	30.09
22	0153	7	CLR:00	10.00		31	-0.6	30	-1.0	29	-1.7	92	8	360		29.12			30.11	FM-15	0.00	30.09
22	0229	7	SCT:04 6	10.00		31	-0.6	30	-1.0	29	-1.7	92	9	010		29.12				FM-16		30.09
22	0237	7	BKN:07 6	10.00		32	0.0	31	-0.4	30	-1.1	92	9	010		29.13				FM-16		30.10
22	0253	7	OVC:08 6	10.00		32	0.0	31	-0.4	30	-1.1	92	8	010		29.13			30.11	FM-15	0.00	30.10
22	0353	7	OVC:08 8	10.00		33	0.6	32	-0.1	30	-1.1	89	9	010		29.14	3	-0.02	30.12	FM-15	0.00	30.11
22	0444	7	OVC:08 10	10.00		33	0.6	31	-0.3	29	-1.7	85	7	010		29.15				FM-16		30.12
22	0453	7	OVC:08 10	10.00		32	0.0	31	-0.6	29	-1.7	88	6	020		29.15			30.13	FM-15	0.00	30.12

22	0516	7	SCT:04 10	10.00		30	-1.1	29	-1.5	28	-2.2	92	6	030		29.15				FM-16		30.12
22	0553	7	CLR:00	10.00		30	-1.1	30	-1.3	29	-1.7	96	5	020		29.16			30.14	FM-15	0.00	30.13
22	0653	7	CLR:00	10.00		29	-1.7	29	-1.9	28	-2.2	96	0	000		29.17	1	-0.03	30.16	FM-15	0.00	30.14
22	0753	7	CLR:00	10.00		29	-1.7	29	-1.9	28	-2.2	96	3	330		29.18			30.18	FM-15	0.00	30.15
22	0853	7	CLR:00	10.00		34	1.1	32	0.0	29	-1.7	82	5	020		29.18			30.17	FM-15	0.00	30.15
22	0953	7	CLR:00	10.00		37	2.8	34	1.2	30	-1.1	76	8	040		29.17	0	-0.00	30.16	FM-15	0.00	30.14
22	1053	7	CLR:00	10.00		41	5.0	36	2.5	30	-1.1	65	5	050		29.18			30.17	FM-15	0.00	30.15
22	1153	7	FEW:02 27	10.00		44	6.7	39	3.6	31	-0.6	60	8	040	20	29.15			30.14	FM-15	0.00	30.12
22	1253	7	FEW:02 29	10.00		45	7.2	39	3.7	30	-1.1	56	9	040		29.14	8	+0.03	30.13	FM-15	0.00	30.11
22	1353	7	CLR:00	10.00		46	7.8	39	3.8	29	-1.7	51	10	090		29.12			30.11	FM-15	0.00	30.09
22	1453	7	CLR:00	10.00		45	7.2	38	3.5	29	-1.7	54	7	070		29.10			30.09	FM-15	0.00	30.07
22	1553	7	CLR:00	10.00		46	7.8	39	3.8	29	-1.7	51	9	050		29.11	5	+0.03	30.10	FM-15	0.00	30.08
22	1653	7	CLR:00	10.00		45	7.2	39	3.7	30	-1.1	56	9	050		29.10			30.09	FM-15	0.00	30.07
22	1753	7	CLR:00	10.00		42	5.6	37	2.6	29	-1.7	60	7	070		29.10			30.09	FM-15	0.00	30.07
22	1853	7	CLR:00	10.00		38	3.3	34	1.1	28	-2.2	68	6	060		29.10	5	+0.01	30.10	FM-15	0.00	30.07
22	1953	7	CLR:00	10.00		37	2.8	33	0.6	27	-2.8	67	7	020		29.11			30.10	FM-15	0.00	30.08
22	2053	7	CLR:00	10.00		37	2.8	33	0.6	27	-2.8	67	8	030		29.10			30.09	FM-15	0.00	30.07
22	2153	7	CLR:00	10.00		35	1.7	32	0.2	28	-2.2	76	9	010		29.11	2	-0.01	30.10	FM-15	0.00	30.08
22	2253	7	CLR:00	10.00		33	0.6	31	-0.7	27	-2.8	78	8	010		29.11			30.10	FM-15	0.00	30.08
22	2353	7	CLR:00	10.00		31	-0.6	29	-1.8	25	-3.9	79	8	010		29.10			30.09	FM-15	0.00	30.07
23	0053	7	CLR:00	10.00		30	-1.1	28	-2.3	24	-4.4	79	8	360		29.10	8	+0.01	30.09	FM-15	0.00	30.07
23	0153	7	CLR:00	10.00		29	-1.7	27	-2.6	24	-4.4	82	8	010		29.09			30.08	FM-15	0.00	30.06
23	0253	7	CLR:00	10.00		29	-1.7	27	-2.8	23	-5.0	78	8	010		29.08			30.07	FM-15	0.00	30.05
23	0353	7	CLR:00	10.00		27	-2.8	25	-3.7	22	-5.6	81	6	010		29.09	5	+0.01	30.08	FM-15	0.00	30.06
23	0453	7	CLR:00	10.00		26	-3.3	24	-4.3	21	-6.1	81	7	020		29.08			30.07	FM-15	0.00	30.05
23	0553	7	CLR:00	10.00		28	-2.2	26	-3.5	21	-6.1	75	10	040		29.07			30.06	FM-15	0.00	30.04
23	0653	7	CLR:00	10.00		29	-1.7	26	-3.4	20	-6.7	69	7	050		29.08	5	+0.01	30.07	FM-15	0.00	30.05
23	0753	7	CLR:00	10.00		30	-1.1	27	-2.8	21	-6.1	69	6	040		29.07			30.06	FM-15	0.00	30.04
23	0853	7	CLR:00	10.00		35	1.7	31	-0.8	23	-5.0	61	8	060		29.04			30.03	FM-15	0.00	30.01
23	0953	7	CLR:00	10.00		40	4.4	34	1.2	25	-3.9	55	8	010		29.10	3	-0.02	30.09	FM-15	0.00	30.07
23	1053	7	CLR:00	10.00		44	6.7	37	2.8	27	-2.8	51	7	050		29.08			30.07	FM-15	0.00	30.05
23	1153	7	CLR:00	10.00		48	8.9	41	4.8	31	-0.6	52	9	060		29.06			30.05	FM-15	0.00	30.03
23	1253	7	CLR:00	10.00		50	10.0	42	5.8	33	0.6	52	7	050		29.01	8	+0.09	29.99	FM-15	0.00	29.98
23	1353	7	CLR:00	10.00		54	12.2	46	7.5	36	2.2	51	11	070		28.98			29.96	FM-15	0.00	29.95
23	1453	7	CLR:00	10.00		54	12.2	46	7.5	36	2.2	51	7	060		28.97			29.95	FM-15	0.00	29.94
23	1553	7	CLR:00	10.00		55	12.8	46	7.6	35	1.7	47	8	040		28.95	6	+0.05	29.94	FM-15	0.00	29.92
23	1653	7	FEW:02 50	10.00		54	12.2	46	7.5	36	2.2	51	11	040		28.94			29.93	FM-15	0.00	29.91
23	1753	7	FEW:02 41 BKN:07 50	10.00		52	11.1	45	7.0	36	2.2	55	9	050		28.93			29.92	FM-15	0.00	29.90
23	1853	7	OVC:08 40	10.00		51	10.6	44	6.7	36	2.2	56	10	040		28.93	6	+0.02	29.91	FM-15	0.00	29.90
23	1953	7	OVC:08 42	10.00		50	10.0	44	6.4	36	2.2	59	9	020		28.91			29.90	FM-15	0.00	29.88
23	2053	7	BKN:07 50 OVC:08 60	10.00		45	7.2	41	4.8	35	1.7	68	10	360		28.90			29.88	FM-15	0.00	29.86
23	2153	7	OVC:08 44	10.00		44	6.7	40	4.2	34	1.1	68	10	010		28.90	6	+0.04	29.87	FM-15	0.00	29.86
23	2253	7	CLR:00	10.00		41	5.0	38	3.1	33	0.6	73	8	010		28.86			29.83	FM-15	0.00	29.82
23	2353	7	CLR:00	10.00		40	4.4	37	2.8	33	0.6	77	10	010		28.83			29.80	FM-15	0.00	29.79
24	0053	7	SCT:04 44 BKN:07 120	10.00		42	5.6	39	3.9	35	1.7	76	10	040		28.80	6	+0.10	29.76	FM-15	0.00	29.76
24	0153	7	SCT:04 38 OVC:08 49	10.00	-RA:02 |RA |	44	6.7	41	4.9	37	2.8	76	11	050		28.76			29.73	FM-15	T	29.72
24	0251	6	BKN:07 18 BKN:07 32 OVC:08 50	5.00	-RA:02 BR:1 |RA |	43	6.0	41	5.1	39	4.0	87	11	050		28.71				FM-16		29.67
24	0253	7	BKN:07 18 BKN:07 32 OVC:08 50	5.00	RA:02 BR:1 |RA |	42	5.6	41	4.8	39	3.9	89	10	050		28.71			29.68	FM-15	0.10	29.67
24	0315	7	SCT:04 20 BKN:07 35 OVC:08 55	4.00	RA:02 BR:1 |RA |	42	5.6	41	5.0	40	4.4	92	11	050		28.68				FM-16	0.05	29.64

24	0326	7	FEW:02 15 BKN:07 24 OVC:08 55	4.00	RA:02 BR:1 |RA |	42	5.6	41	5.0	40	4.4	92	11	050		28.67				FM-16	0.07	29.63
24	0343	7	SCT:04 7 BKN:07 13 OVC:08 24	4.00	RA:02 BR:1 |RA |	42	5.6	41	5.0	40	4.4	92	9	040		28.67				FM-16	0.11	29.63
24	0351	6	BKN:07 7 BKN:07 13 OVC:08 21	3.00	RA:02 BR:1 |RA |	43	6.0	41	5.1	39	4.0	87	11	060		28.66				FM-16		29.62
24	0353	7	BKN:07 7 BKN:07 13 OVC:08 19	3.00	RA:02 BR:1 |RA |	42	5.6	41	5.0	40	4.4	92	14	060		28.66	8	+0.14	29.62	FM-15	0.15	29.62
24	0453	7	OVC:08 6	4.00	RA:02 BR:1 |RA |	42	5.6	41	5.0	40	4.4	92	11	050		28.60			29.56	FM-15	0.15	29.56
24	0509	7	BKN:07 6 OVC:08 16	2.00	+RA:02 BR:1 |RA |	42	5.6	41	5.0	40	4.4	92	16	060		28.58				FM-16	0.12	29.54
24	0525	7	BKN:07 7 OVC:08 16	4.00	RA:02 BR:1 |RA |	42	5.6	41	5.0	40	4.4	92	14	060		28.56				FM-16	0.18	29.52
24	0553	7	BKN:07 8 OVC:08 11	5.00	RA:02 BR:1 |RA |	42	5.6	41	5.0	40	4.4	92	11	060		28.53			29.49	FM-15	0.24	29.49
24	0653	7	OVC:08 9	7.00	-RA:02 |RA |	42	5.6	41	5.0	40	4.4	92	14	070		28.48	6	+0.17	29.44	FM-15	0.05	29.44
24	0753	7	OVC:08 8	5.00	RA:02 BR:1 |RA |	43	6.1	42	5.6	41	5.0	93	13	090		28.45			29.41	FM-15	0.07	29.40
24	0853	7	OVC:08 9	6.00	-RA:02 BR:1 |RA |	45	7.2	44	6.7	43	6.1	93	15	080		28.41			29.36	FM-15	0.04	29.36
24	0932	7	BKN:07 10 OVC:08 14	10.00		46	7.8	46	7.5	45	7.2	96	10	080		28.38				FM-16	T	29.33
24	0953	7	OVC:08 10	10.00	-RA:02 |RA |	47	8.3	46	7.8	45	7.2	93	8	080		28.37	8	+0.12	29.32	FM-15	T	29.32
24	1036	7	BKN:07 8 BKN:07 12 OVC:08 16	2.00	RA:02 BR:1 |RA |	48	8.9	47	8.6	47	8.3	96	8	100		28.34				FM-16	0.08	29.29
24	1050	7	BKN:07 7 OVC:08 12	4.00	-RA:02 BR:1 |RA |	48	9.0	47	8.3	46	8.0	94	7	100		28.34				FM-16	0.10	29.29
24	1053	7	BKN:07 7 OVC:08 12	4.00	-RA:02 BR:1 |RA |	49	9.4	48	8.9	47	8.3	93	9	110		28.34			29.30	FM-15	0.11	29.29
24	1145	7	SCT:04 7 OVC:08 70	6.00	-RA:02 BR:1 |RA |	50	10.0	49	9.4	48	8.9	93	13	110		28.29				FM-16	0.04	29.24
24	1153	7	FEW:02 7 OVC:08 70	7.00	-RA:02 |RA |	50	10.0	49	9.4	48	8.9	93	11	120		28.30			29.26	FM-15	0.04	29.25
24	1253	7	SCT:04 14 SCT:04 32 OVC:08 65	7.00	-RA:02 |RA |	52	11.1	51	10.5	50	10.0	93	9	140		28.28	8	+0.06	29.23	FM-15	0.05	29.23
24	1353	7	SCT:04 14 SCT:04 70 BKN:07 120	10.00		55	12.8	53	11.9	52	11.1	90	9	140		28.20			29.15	FM-15	T	29.15
24	1453	7	SCT:04 28 SCT:04 110	10.00		60	15.6	56	13.1	52	11.1	75	16	190	23	28.19			29.13	FM-15	0.00	29.14
24	1553	7	SCT:04 33 SCT:04 47 BKN:07 75	10.00		58	14.4	53	11.7	49	9.4	72	14	190		28.20	5	+0.08	29.15	FM-15	T	29.15
24	1633	7	FEW:02 25 BKN:07 33 OVC:08 50	1.75V	-RA:02 |RA |	52	11.1	49	9.4	46	7.8	80	24	220	36	28.21				FM-16	0.05	29.16
24	1642	7	SCT:04 32 SCT:04 43 OVC:08 55	10.00		53	11.7	49	9.7	46	7.8	77	18	240	29	28.21				FM-16	0.05	29.16
24	1653	7	FEW:02 30 BKN:07 60 OVC:08 70	10.00		52	11.1	49	9.4	46	7.8	80	18	230	29	28.22			29.17	FM-15	0.05	29.17
24	1753	7	SCT:04 25 SCT:04 30 BKN:07 36	10.00		52	11.1	48	8.9	44	6.7	75	29	230	38	28.26			29.21	FM-15	T	29.21
24	1848	7	BKN:07 24 BKN:07 30 OVC:08 37	10.00		46	8.0	43	6.0	39	4.0	76	22	230	34	28.30				FM-16		29.25
24	1853	7	BKN:07 24 OVC:08 30	10.00		47	8.3	43	6.2	39	3.9	74	22	240	33	28.31	1	-0.09	29.26	FM-15	0.00	29.26

24	1953	7	OVC:08 25	10.00		45	7.2	42	5.4	38	3.3	77	15	250		28.32			29.27	FM-15	0.00	29.27
24	2053	7	BKN:07 15 BKN:07 27 OVC:08 33	10.00	-RA:02 |RA |	42	5.6	40	4.3	37	2.8	82	18	250	25	28.33			29.28	FM-15	T	29.28
24	2134	7	BKN:07 13 OVC:08 20	10.00	-RA:02 |RA |	40	4.4	39	3.7	37	2.8	89	10	250		28.34				FM-16	T	29.29
24	2153	7	OVC:08 13	6.00	-RA:02 BR:1 |RA |	39	3.9	38	3.2	36	2.2	89	18	240	26	28.35	3	-0.04	29.30	FM-15	0.01	29.30
24	2211	7	SCT:04 11 BKN:07 17 OVC:08 24	10.00		39	3.9	38	3.2	36	2.2	89	15	220		28.35				FM-16	T	29.30
24	2253	7	BKN:07 16 BKN:07 21 OVC:08 27	10.00	-RA:02 |RA |	39	3.9	37	2.9	35	1.7	86	18	210		28.35			29.30	FM-15	T	29.30
24	2314	7	BKN:07 11 BKN:07 19 OVC:08 28	9.00	-RA:02 |RA |	37	2.8	36	2.1	34	1.1	89	18	210	25	28.35				FM-16	T	29.30
24	2353	7	OVC:08 10	8.00	-RA:02 |RA |	36	2.2	35	1.8	34	1.1	93	13	220		28.35			29.31	FM-15	0.01	29.30
25	0006	7	BKN:07 8 OVC:08 13	5.00	-RA:02 BR:1 |RA |	36	2.2	35	1.8	34	1.1	93	13	210		28.35				FM-16	0.01	29.30
25	0033	7	BKN:07 7 OVC:08 15	2.50	-SN:03 BR:1 |SN |	34	1.1	33	0.7	32	0.0	92	15	290	26	28.37				FM-16	0.01	29.32
25	0051	6	SCT:04 7 BKN:07 10 OVC:08 18	2.50	-SN:03 BR:1 |SN |	34	1.0	33	0.7	32	0.0	93	10	280		28.38				FM-16		29.33
25	0053	7	SCT:04 7 BKN:07 10 OVC:08 18	2.50	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	14	280		28.38	3	-0.03	29.34	FM-15	T	29.33
25	0057	7	SCT:04 7 BKN:07 12 OVC:08 18	3.00	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	13	280		28.39				FM-16	T	29.34
25	0104	7	BKN:07 7 BKN:07 13 OVC:08 19	6.00	-SN:03 BR:1 |SN |	34	1.1	33	0.7	32	0.0	92	16	280		28.39				FM-16	T	29.34
25	0116	7	SCT:04 7 OVC:08 13	6.00	-SN:03 BR:1 |SN |	34	1.1	33	0.7	32	0.0	92	15	280		28.40				FM-16	T	29.35
25	0125	7	BKN:07 9 OVC:08 15	5.00	-SN:03 BR:1 |SN |	34	1.1	33	0.7	32	0.0	92	15	280		28.41				FM-16	T	29.36
25	0153	7	BKN:07 9 OVC:08 15	4.00	-SN:03 BR:1 |SN |	33	0.6	32	0.1	31	-0.6	92	15	280	23	28.43			29.39	FM-15	T	29.38
25	0214	7	FEW:02 9 BKN:07 14 OVC:08 21	4.00	-SN:03 BR:1 |SN |	33	0.6	32	-0.1	30	-1.1	89	15	290	24	28.44				FM-16	T	29.39
25	0250	7	FEW:02 9 BKN:07 16 OVC:08 21	7.00	-SN:03 |SN |	32	0.0	30	-0.9	28	-2.0	87	17	280	26	28.45				FM-16	T	29.40
25	0253	7	BKN:07 16 OVC:08 21	6.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.6	29	-1.7	88	21	280		28.45			29.41	FM-15	T	29.40
25	0303	7	SCT:04 14 OVC:08 20	2.50	-SN:03 BR:1 |SN |	32	0.0	31	-0.6	29	-1.7	88	20	280	25	28.46				FM-16	T	29.41
25	0310	7	BKN:07 14 OVC:08 22	1.75	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	16	280		28.47				FM-16	T	29.42
25	0314	7	FEW:02 12 BKN:07 18 OVC:08 22	2.00	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	16	280		28.47				FM-16	T	29.42
25	0317	7	BKN:07 14 OVC:08 21	1.75	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	17	270		28.47				FM-16	T	29.42
25	0329	7	FEW:02 8 BKN:07 14 OVC:08 20	1.25	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	14	280		28.48				FM-16	T	29.43
25	0344	7	BKN:07 9 OVC:08 15	1.50	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	13	280	23	28.48				FM-16	T	29.43
25	0347	7	SCT:04 9 OVC:08 15	2.00	-SN:03 BR:1 |SN |	30	-1.0	29	-1.5	28	-2.0	93	15	280	23	28.48				FM-16	T	29.44
25	0351	7	BKN:07 9 OVC:08 15	3.00	-SN:03 BR:1 |SN |	30	-1.0	29	-1.5	28	-2.0	93	14	280		28.48				FM-16	T	29.44

25	0353	7	BKN:07 9 OVC:08 15	2.50	-SN:03 BR:1 |SN |	31	-0.6	30	-1.2	28	-2.2	89	15	270		28.48	3	-0.06	29.45	FM-15	T	29.44
25	0359	7	SCT:04 9 OVC:08 15	1.25	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	16	280		28.48				FM-16	T	29.44
25	0407	7	SCT:04 7 OVC:08 14	1.00	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	15	280		28.50				FM-16	0.01	29.45
25	0411	7	FEW:02 7 BKN:07 15 OVC:08 20	2.00	-SN:03 BR:1 |SN |	31	-0.6	30	-1.2	28	-2.2	89	14	270		28.50				FM-16	0.01	29.45
25	0419	7	FEW:02 7 BKN:07 15 OVC:08 27	5.00	-SN:03 BR:1 |SN |	31	-0.6	30	-1.2	28	-2.2	89	15	280	24	28.50				FM-16	0.01	29.45
25	0439	7	BKN:07 14 OVC:08 23	6.00	-SN:03 BR:1 |SN |	31	-0.6	30	-1.2	28	-2.2	89	16	270		28.51				FM-16	0.01	29.47
25	0448	7	BKN:07 15 OVC:08 21	5.00	-SN:03 BR:1 |SN |	30	-1.0	29	-1.5	28	-2.0	93	17	270	23	28.51				FM-16	0.01	29.47
25	0453	7	BKN:07 15 OVC:08 21	4.00	-SN:03 BR:1 |SN |	31	-0.6	30	-1.2	28	-2.2	89	16	270	23	28.51			29.48	FM-15	0.01	29.47
25	0504	7	BKN:07 13 OVC:08 20	2.50	-SN:03 BR:1 |SN |	31	-0.6	30	-1.2	28	-2.2	89	15	280	23	28.53				FM-16	T	29.48
25	0514	7	FEW:02 9 BKN:07 15 OVC:08 20	1.50	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	16	270		28.53				FM-16	T	29.48
25	0528	7	FEW:02 9 BKN:07 14 OVC:08 21	1.50	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	15	270		28.53				FM-16	T	29.49
25	0553	7	BKN:07 11 OVC:08 17	1.25	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	15	270		28.53			29.50	FM-15	T	29.49
25	0601	7	SCT:04 9 OVC:08 15	1.25	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	15	270		28.54				FM-16	T	29.50
25	0618	7	FEW:02 10 SCT:04 13 OVC:08 23	2.50	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	16	280	25	28.54				FM-16	T	29.50
25	0631	7	FEW:02 9 SCT:04 19 OVC:08 31	2.50	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	16	280		28.54				FM-16	T	29.50
25	0638	7	FEW:02 12 BKN:07 35 OVC:08 44	4.00	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	16	280		28.55				FM-16	T	29.51
25	0653	7	FEW:02 19 BKN:07 35 OVC:08 43	5.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.6	29	-1.7	88	18	280		28.55	3	-0.04	29.52	FM-15	T	29.51
25	0724	7	SCT:04 18 BKN:07 24 OVC:08 36	4.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.6	29	-1.7	88	16	280	23	28.56				FM-16	T	29.52
25	0753	7	BKN:07 20 OVC:08 25	9.00		32	0.0	31	-0.6	29	-1.7	88	15	280		28.58			29.55	FM-15	T	29.54
25	0853	7	BKN:07 18 OVC:08 25	6.00	BR:1 ||	33	0.6	31	-0.3	29	-1.7	85	18	280	23	28.62			29.59	FM-15	T	29.58
25	0953	7	BKN:07 22 OVC:08 27	9.00		33	0.6	31	-0.5	28	-2.2	82	18	290	25	28.66	3	-0.10	29.63	FM-15	T	29.62
25	1053	7	BKN:07 19 OVC:08 25	7.00	-SN:03 |SN |	34	1.1	32	0.0	29	-1.7	82	17	280	24	28.69			29.67	FM-15	T	29.65
25	1113	7	BKN:07 15 OVC:08 22	1.75	-SN:03 BR:1 |SN |	33	0.6	31	-0.3	29	-1.7	85	14	290	24	28.70				FM-16	T	29.66
25	1150	6	BKN:07 10 OVC:08 17	0.75	-SN:03 BR:1 |SN |	34	1.0	32	0.2	30	-1.0	87	18	290	24	28.72				FM-16		29.68
25	1153	6	BKN:07 10 OVC:08 17	0.75	-SN:03 BR:1 |SN |	33	0.6	32	-0.1	30	-1.1	89	17	280		28.72			29.70	FM-15	T	29.68
25	1200	7	FEW:02 8 BKN:07 14 OVC:08 19	0.75	-SN:03 BR:1 |SN |	33	0.6	32	-0.1	30	-1.1	89	18	290		28.72				FM-16	T	29.68
25	1216	7	BKN:07 10 OVC:08 18	1.50	-SN:03 BR:1 |SN |	34	1.1	33	0.4	31	-0.6	89	16	290	24	28.73				FM-16	T	29.69

25	1253	7	BKN:07 13 BKN:07 18 OVC:08 23	1.25	-SN:03 BR:1 |SN |	34	1.1	33	0.4	31	-0.6	89	16	300	26	28.75	1	-0.09	29.73	FM-15	T	29.71
25	1306	7	SCT:04 10 BKN:07 15 OVC:08 19	0.75	-SN:03 BR:1 |SN |	34	1.1	33	0.4	31	-0.6	89	14	290	25	28.75				FM-16	T	29.71
25	1308	7	FEW:02 9 OVC:08 15	0.75	-SN:03 BR:1 |SN |	34	1.1	33	0.4	31	-0.6	89	16	290	25	28.75				FM-16	T	29.71
25	1314	7	OVC:08 13	1.00	-SN:03 BR:1 |SN |	34	1.1	33	0.4	31	-0.6	89	16	280	22	28.75				FM-16	T	29.71
25	1351	6	SCT:04 10 OVC:08 15	1.00	-SN:03 BR:1 |SN |	34	1.0	32	0.2	30	-1.0	87	17	290	24	28.76				FM-16		29.72
25	1353	7	BKN:07 10 OVC:08 15	1.00	-SN:03 BR:1 |SN |	34	1.1	33	0.4	31	-0.6	89	17	290	24	28.77			29.75	FM-15	T	29.73
25	1444	7	SCT:04 10 BKN:07 22 OVC:08 30	5.00	-SN:03 BR:1 |SN |	34	1.1	33	0.4	31	-0.6	89	15	290		28.79				FM-16	T	29.75
25	1453	7	SCT:04 10 BKN:07 16 OVC:08 30	3.00	-SN:03 BR:1 |SN |	34	1.1	33	0.4	31	-0.6	89	16	290	24	28.79			29.77	FM-15	T	29.75
25	1553	7	FEW:02 11 BKN:07 16 OVC:08 40	3.00	-SN:03 BR:1 |SN |	34	1.1	32	0.2	30	-1.1	85	21	310	28	28.83	3	-0.08	29.81	FM-15	T	29.79
25	1555	7	FEW:02 11 BKN:07 16 OVC:08 40	2.50	-SN:03 BR:1 |SN |	34	1.1	32	0.2	30	-1.1	85	15	300	28	28.83				FM-16	T	29.79
25	1627	7	BKN:07 10 BKN:07 15 OVC:08 21	1.00	-SN:03 BR:1 |SN |	33	0.6	32	-0.1	30	-1.1	89	20	290	29	28.86				FM-16	T	29.82
25	1629	7	BKN:07 10 BKN:07 15 OVC:08 21	0.75	-SN:03 BR:1 |SN |	33	0.6	32	-0.1	30	-1.1	89	17	290	24	28.86				FM-16	T	29.82
25	1638	7	BKN:07 10 OVC:08 17	1.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	22	300	29	28.87				FM-16	T	29.83
25	1653	7	BKN:07 12 OVC:08 19	1.00	-SN:03 BR:1 |SN |	33	0.6	32	-0.1	30	-1.1	89	17	290	25	28.87			29.87	FM-15	T	29.84
25	1715	7	BKN:07 11 OVC:08 16	0.75	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	17	290	28	28.90				FM-16	T	29.86
25	1724	7	BKN:07 11 OVC:08 20	9.00	-SN:03 |SN |	32	0.0	31	-0.4	30	-1.1	92	17	290	26	28.90				FM-16	T	29.86
25	1731	7	SCT:04 11 OVC:08 20	9.00	-SN:03 |SN |	33	0.6	31	-0.3	29	-1.7	85	15	300	26	28.90				FM-16	T	29.87
25	1753	7	OVC:08 22	9.00		33	0.6	31	-0.5	28	-2.2	82	22	300	26	28.90			29.90	FM-15	T	29.87
25	1853	7	OVC:08 26	10.00		33	0.6	31	-0.7	27	-2.8	78	11	300		28.95	1	-0.12	29.94	FM-15	T	29.92
25	1927	7	OVC:08 31	10.00		33	0.6	30	-1.1	25	-3.9	72	15	290	24	28.97				FM-16		29.94
25	1949	7	OVC:08 29	10.00		32	0.0	29	-1.4	25	-4.0	75	16	290	28	28.97				FM-16		29.94
25	1953	7	OVC:08 29	10.00		32	0.0	29	-1.8	23	-5.0	69	17	290	28	28.97			29.97	FM-15	0.00	29.94
25	2003	7	OVC:08 31	10.00		32	0.0	29	-1.8	23	-5.0	69	23	300	31	28.97				FM-16		29.94
25	2053	7	FEW:02 29 OVC:08 36	10.00		31	-0.6	28	-2.3	22	-5.6	69	20	300	29	29.00			30.00	FM-15	T	29.97
25	2151	6	OVC:08 28	9.00	-SN:03 |SN |	30	-1.0	27	-2.8	21	-6.0	69	22	300	28	29.02				FM-16		29.99
25	2153	7	OVC:08 28	9.00	-SN:03 |SN |	30	-1.1	27	-2.8	21	-6.1	69	20	300	28	29.03	3	-0.05	30.02	FM-15	T	30.00
25	2251	7	OVC:08 31	10.00	-SN:03 |SN |	28	-2.0	25	-3.9	19	-7.0	69	20	310	30	29.04				FM-16	T	30.01
25	2253	7	OVC:08 31	10.00	-SN:03 |SN |	29	-1.7	26	-3.4	20	-6.7	69	21	310	30	29.05			30.04	FM-15	T	30.02
25	2316	7	OVC:08 27	10.00		29	-1.7	26	-3.2	21	-6.1	72	17	300	25	29.05				FM-16	T	30.02
25	2353	7	OVC:08 28	10.00		28	-2.2	25	-3.7	20	-6.7	72	18	320	26	29.06			30.06	FM-15	T	30.03
26	0053	7	OVC:08 26	9.00	-SN:03 |SN |	27	-2.8	24	-4.4	18	-7.8	69	20	300	31	29.08	3	-0.03	30.07	FM-15	T	30.05
26	0153	7	OVC:08 26	10.00		27	-2.8	24	-4.4	18	-7.8	69	9	330	21	29.10			30.10	FM-15	T	30.07
26	0253	7	OVC:08 25	10.00		27	-2.8	24	-4.4	18	-7.8	69	13	320		29.11			30.10	FM-15	T	30.08
26	0353	7	OVC:08 27	9.00	-SN:03 |SN |	26	-3.3	23	-4.8	18	-7.8	71	15	340	24	29.12	1	-0.04	30.12	FM-15	T	30.09
26	0420	7	FEW:02 21 FEW:02 31 OVC:08 40	10.00		26	-3.3	23	-4.9	17	-8.3	69	9	330		29.14				FM-16	T	30.11

26	0453	7	OVC:08 46	10.00		26	-3.3	22	-5.4	14	-10.0	60	10	330	24	29.14			30.14	FM-15	T	30.11
26	0553	7	OVC:08 49	10.00		26	-3.3	22	-5.5	13	-10.6	57	13	340	21	29.18			30.18	FM-15	0.00	30.15
26	0653	7	OVC:08 50	10.00		26	-3.3	22	-5.4	14	-10.0	60	13	300		29.20	3	-0.07	30.20	FM-15	0.00	30.17
26	0753	7	OVC:08 50	10.00		26	-3.3	23	-5.2	15	-9.4	63	9	290		29.21			30.22	FM-15	0.00	30.18
26	0853	7	OVC:08 55	10.00		28	-2.2	24	-4.3	16	-8.9	60	10	290		29.23			30.24	FM-15	0.00	30.21
26	0953	7	FEW:02 31 OVC:08 55	10.00		29	-1.7	25	-3.7	18	-7.8	63	11	310		29.26	3	-0.06	30.26	FM-15	0.00	30.23
26	1053	7	FEW:02 43 OVC:08 50	10.00		30	-1.1	25	-3.8	15	-9.4	54	9	290	18	29.26			30.26	FM-15	0.00	30.23
26	1153	7	OVC:08 48	10.00		31	-0.6	25	-3.7	13	-10.6	47	14	330		29.26			30.27	FM-15	0.00	30.24
26	1253	7	OVC:08 50	10.00		34	1.1	28	-2.4	15	-9.4	46	11	VRB	30	29.25	8	+0.01	30.25	FM-15	0.00	30.22
26	1353	7	BKN:07 49	10.00		33	0.6	27	-2.8	14	-10.0	45	15	310		29.23			30.24	FM-15	0.00	30.20
26	1453	7	OVC:08 44	10.00		32	0.0	27	-3.1	15	-9.4	50	9	320		29.23			30.23	FM-15	0.00	30.20
26	1553	7	OVC:08 45	10.00		32	0.0	27	-3.1	15	-9.4	50	8	280		29.23	6	+0.02	30.23	FM-15	0.00	30.20
26	1653	7	OVC:08 46	10.00		32	0.0	27	-2.8	17	-8.3	54	9	300		29.23			30.23	FM-15	0.00	30.20
26	1753	7	OVC:08 42	10.00		31	-0.6	27	-3.0	18	-7.8	59	8	300		29.22			30.22	FM-15	0.00	30.19
26	1853	7	OVC:08 48	10.00		31	-0.6	27	-2.6	20	-6.7	64	6	260		29.22	8	+0.01	30.22	FM-15	0.00	30.19
26	1953	7	OVC:08 45	10.00		31	-0.6	28	-2.5	21	-6.1	67	6	270		29.22			30.22	FM-15	0.00	30.19
26	2053	7	OVC:08 46	10.00		31	-0.6	28	-2.5	21	-6.1	67	5	230		29.21			30.21	FM-15	0.00	30.18
26	2153	7	OVC:08 48	10.00		31	-0.6	28	-2.5	21	-6.1	67	0	000		29.20	8	+0.01	30.20	FM-15	0.00	30.17
26	2253	7	OVC:08 47	10.00		31	-0.6	28	-2.3	22	-5.6	69	5	210		29.19			30.19	FM-15	0.00	30.16
26	2353	7	OVC:08 41	10.00		31	-0.6	28	-2.3	22	-5.6	69	0	000		29.19			30.19	FM-15	0.00	30.16
27	0053	7	OVC:08 35	10.00		31	-0.6	28	-2.3	22	-5.6	69	7	240		29.19	6	+0.01	30.18	FM-15	0.00	30.16
27	0153	7	OVC:08 35	10.00		31	-0.6	28	-2.1	23	-5.0	72	11	290		29.18			30.18	FM-15	0.00	30.15
27	0253	7	FEW:02 36 OVC:08 50	10.00		30	-1.1	27	-2.8	21	-6.1	69	5	270		29.18			30.17	FM-15	0.00	30.15
27	0353	7	OVC:08 50	10.00		30	-1.1	27	-2.8	21	-6.1	69	8	270		29.17	8	+0.02	30.16	FM-15	0.00	30.14
27	0453	7	OVC:08 34	10.00		30	-1.1	27	-2.8	21	-6.1	69	6	240		29.17			30.16	FM-15	0.00	30.14
27	0553	7	OVC:08 32	10.00		30	-1.1	27	-2.8	21	-6.1	69	6	220		29.16			30.15	FM-15	0.00	30.13
27	0653	7	OVC:08 37	10.00		30	-1.1	27	-2.7	22	-5.6	72	6	260		29.16	5	+0.01	30.16	FM-15	0.00	30.13
27	0753	7	SCT:04 33	10.00		30	-1.1	27	-3.0	20	-6.7	66	9	280		29.17			30.17	FM-15	0.00	30.14
27	0853	7	CLR:00	10.00		32	0.0	28	-2.1	21	-6.1	64	13	240		29.16			30.15	FM-15	0.00	30.13
27	0953	7	CLR:00	10.00		35	1.7	30	-0.9	22	-5.6	59	10	220		29.16	8	+0.00	30.15	FM-15	0.00	30.13
27	1053	7	CLR:00	10.00		37	2.8	32	-0.3	22	-5.6	54	17	210		29.15			30.14	FM-15	0.00	30.12
27	1153	7	CLR:00	10.00		39	3.9	34	0.9	25	-3.9	57	13	220		29.14			30.13	FM-15	0.00	30.11
27	1253	7	CLR:00	10.00		42	5.6	36	2.2	27	-2.8	55	13	210		29.11	8	+0.05	30.10	FM-15	0.00	30.08
27	1353	7	CLR:00	10.00		45	7.2	38	3.3	28	-2.2	52	16	210		29.08			30.06	FM-15	0.00	30.05
27	1453	7	CLR:00	10.00		47	8.3	39	3.8	27	-2.8	46	14	230		29.07			30.06	FM-15	0.00	30.04
27	1553	7	CLR:00	10.00		47	8.3	39	3.8	27	-2.8	46	20	220	28	29.05	6	+0.06	30.03	FM-15	0.00	30.02
27	1653	7	CLR:00	10.00		47	8.3	39	3.8	27	-2.8	46	17	220	24	29.03			30.02	FM-15	0.00	30.00
27	1753	7	CLR:00	10.00		46	7.8	39	3.6	28	-2.2	50	13	220		29.03			30.02	FM-15	0.00	30.00
27	1853	7	CLR:00	10.00		43	6.1	37	2.7	28	-2.2	56	8	210		29.04	5	+0.01	30.03	FM-15	0.00	30.01
27	1953	7	CLR:00	10.00		43	6.1	37	2.9	29	-1.7	58	9	190		29.03			30.02	FM-15	0.00	30.00
27	2053	7	CLR:00	10.00		42	5.6	37	2.6	29	-1.7	60	11	190		29.01			30.00	FM-15	0.00	29.98
27	2153	7	CLR:00	10.00		41	5.0	36	2.3	29	-1.7	62	8	200		29.01	5	+0.03	30.00	FM-15	0.00	29.98
27	2253	7	CLR:00	10.00		41	5.0	36	2.3	29	-1.7	62	10	200		29.01			29.99	FM-15	0.00	29.98
27	2353	7	CLR:00	10.00		40	4.4	36	2.2	30	-1.1	68	9	190		29.00			29.98	FM-15	0.00	29.97
28	0053	7	CLR:00	10.00		39	3.9	35	1.9	30	-1.1	70	9	190		29.00	5	+0.01	29.98	FM-15	0.00	29.97
28	0153	7	CLR:00	10.00		38	3.3	35	1.5	30	-1.1	73	8	190		29.00			29.98	FM-15	0.00	29.97
28	0253	7	CLR:00	10.00		38	3.3	35	1.5	30	-1.1	73	9	190		28.97			29.95	FM-15	0.00	29.94
28	0353	7	CLR:00	10.00		37	2.8	34	1.2	30	-1.1	76	9	190		28.96	8	+0.04	29.94	FM-15	0.00	29.93
28	0453	7	CLR:00	10.00		37	2.8	34	1.2	30	-1.1	76	8	190		28.96			29.95	FM-15	0.00	29.93
28	0553	7	CLR:00	10.00		39	3.9	36	2.1	31	-0.6	73	9	190		28.96			29.94	FM-15	0.00	29.93
28	0653	7	CLR:00	10.00		39	3.9	36	2.1	31	-0.6	73	9	190		28.95	8	+0.01	29.93	FM-15	0.00	29.92
28	0753	7	CLR:00	10.00		41	5.0	37	2.9	32	0.0	70	13	200		28.94			29.93	FM-15	0.00	29.91
28	0853	7	CLR:00	10.00		46	7.8	40	4.6	33	0.6	61	16	210	28	28.93			29.91	FM-15	0.00	29.90
28	0953	7	CLR:00	10.00		51	10.6	44	6.7	36	2.2	56	16	220	24	28.92	8	+0.02	29.90	FM-15	0.00	29.89

28	1053	7	CLR:00	10.00		55	12.8	46	8.0	37	2.8	51	20	210	25	28.91			29.88	FM-15	0.00	29.88
28	1153	7	CLR:00	10.00		59	15.0	49	9.3	38	3.3	46	23	210	31	28.89			29.85	FM-15	0.00	29.85
28	1253	7	CLR:00	10.00		62	16.7	50	10.1	38	3.3	41	21	210	30	28.84	8	+0.08	29.81	FM-15	T	29.81
28	1353	7	CLR:00	10.00		63	17.2	50	9.9	36	2.2	37	25	220	33	28.80			29.77	FM-15	0.00	29.76
28	1453	7	CLR:00	10.00		65	18.3	51	10.4	36	2.2	34	30	210	39	28.77			29.73	FM-15	0.00	29.73
28	1553	7	CLR:00	10.00		65	18.3	50	10.2	35	1.7	33	18	200	36	28.73	6	+0.12	29.69	FM-15	0.00	29.69
28	1653	7	CLR:00	10.00		64	17.8	49	9.7	34	1.1	33	24	200	37	28.70			29.66	FM-15	0.00	29.66
28	1753	7	CLR:00	10.00		62	16.7	49	9.4	35	1.7	37	20	200	31	28.71			29.67	FM-15	0.00	29.67
28	1853	7	CLR:00	10.00		59	15.0	47	8.2	33	0.6	38	14	200	28	28.70	6	+0.03	29.66	FM-15	0.00	29.66
28	1953	7	CLR:00	10.00		58	14.4	46	7.8	32	0.0	38	15	210	28	28.70			29.67	FM-15	0.00	29.66
28	2053	7	FEW:02 80	10.00		57	13.9	46	7.5	32	0.0	39	20	200	26	28.68			29.64	FM-15	0.00	29.64
28	2153	7	OVC:08 70	10.00		58	14.4	46	7.6	31	-0.6	36	21	200	31	28.66	8	+0.04	29.62	FM-15	0.00	29.62
28	2253	7	OVC:08 65	10.00		58	14.4	46	7.8	32	0.0	38	21	200	33	28.65			29.60	FM-15	0.00	29.61
28	2353	7	BKN:07 60 OVC:08 70	10.00		57	13.9	46	7.7	33	0.6	41	21	210	28	28.63			29.58	FM-15	0.00	29.59
29	0053	7	BKN:07 43 BKN:07 60 OVC:08 110	10.00		55	12.8	47	8.2	38	3.3	53	21	220	32	28.62	8	+0.04	29.57	FM-15	0.00	29.58
29	0153	7	FEW:02 27 OVC:08 42	4.00	HZ:7 |FU |HZ	51	10.6	48	8.6	44	6.7	77	20	250	40	28.65			29.61	FM-15	0.05	29.61
29	0251	6	FEW:02 15 BKN:07 23 OVC:08 50	7.00		48	9.0	47	8.3	46	8.0	94	16	270		28.68				FM-16		29.64
29	0253	7	FEW:02 12 BKN:07 23 OVC:08 50	7.00		48	8.9	47	8.3	46	7.8	93	11	260	23	28.68			29.63	FM-15	0.06	29.64
29	0353	7	BKN:07 16 OVC:08 25	10.00		45	7.2	43	5.9	40	4.4	83	22	290	29	28.73	3	-0.11	29.69	FM-15	0.00	29.69
29	0425	7	SCT:04 27 SCT:04 34 OVC:08 41	10.00		42	5.6	39	4.1	36	2.2	79	23	290	31	28.77				FM-16		29.73
29	0450	7	BKN:07 18 BKN:07 24 OVC:08 42	10.00		41	5.0	39	3.8	36	2.0	81	25	310	38	28.80				FM-16		29.76
29	0453	7	BKN:07 18 OVC:08 42	10.00		40	4.4	37	3.0	34	1.1	79	25	300	38	28.80			29.77	FM-15	0.00	29.76
29	0553	7	OVC:08 15	10.00		38	3.3	36	2.4	34	1.1	86	18	310	24	28.87			29.83	FM-15	0.00	29.83
29	0600	7	OVC:08 13	10.00		38	3.3	36	2.4	34	1.1	86	17	310	24	28.87				FM-16		29.83
29	0646	7	FEW:02 13 OVC:08 19	10.00		38	3.3	36	2.2	33	0.6	83	17	270		28.90				FM-16		29.86
29	0653	7	FEW:02 11 OVC:08 18	10.00		38	3.3	36	2.2	33	0.6	83	16	280		28.90	3	-0.09	29.86	FM-15	0.00	29.86
29	0753	7	OVC:08 19	10.00		37	2.8	35	1.4	31	-0.6	79	16	270	22	28.93			29.91	FM-15	T	29.90
29	0853	7	OVC:08 26	10.00		38	3.3	35	1.5	30	-1.1	73	13	300		28.96			29.94	FM-15	0.00	29.93
29	0953	7	OVC:08 24	10.00		38	3.3	35	1.5	30	-1.1	73	20	280	24	28.99	1	-0.10	29.97	FM-15	0.00	29.96
29	1053	7	BKN:07 21 OVC:08 28	10.00		40	4.4	37	2.6	32	0.0	73	14	260		29.01			29.99	FM-15	0.00	29.98
29	1153	7	OVC:08 25	10.00		44	6.7	39	4.0	33	0.6	65	18	260	25	29.03			30.01	FM-15	0.00	30.00
29	1249	7	SCT:04 25	10.00		45	7.0	39	4.1	32	0.0	61	16	240		29.01				FM-16		29.98
29	1253	7	FEW:02 25	10.00		45	7.2	40	4.3	33	0.6	63	18	230	25	29.01	0	-0.00	29.98	FM-15	0.00	29.98
29	1353	7	CLR:00	10.00		47	8.3	40	4.7	32	0.0	56	17	230		28.98			29.95	FM-15	0.00	29.95
29	1453	7	CLR:00	10.00		50	10.0	42	5.6	32	0.0	50	15	240		29.00			29.97	FM-15	0.00	29.97
29	1553	7	CLR:00	10.00		51	10.6	43	5.9	32	0.0	48	13	230		28.99	6	+0.02	29.96	FM-15	0.00	29.96
29	1653	7	CLR:00	10.00		52	11.1	43	6.0	31	-0.6	45	17	230	26	28.99			29.97	FM-15	0.00	29.96
29	1753	7	CLR:00	10.00		51	10.6	42	5.7	31	-0.6	46	13	240		29.01			29.99	FM-15	0.00	29.98
29	1853	7	CLR:00	10.00		47	8.3	40	4.5	31	-0.6	54	8	250		29.02	3	-0.03	30.00	FM-15	0.00	29.99
29	1953	7	CLR:00	10.00		46	7.8	40	4.2	31	-0.6	56	6	210		29.02			30.01	FM-15	0.00	29.99
29	2053	7	CLR:00	10.00		44	6.7	39	3.6	31	-0.6	60	6	190		29.03			30.01	FM-15	0.00	30.00
29	2153	7	CLR:00	10.00		41	5.0	37	2.7	31	-0.6	67	5	350		29.06	3	-0.04	30.04	FM-15	0.00	30.03
29	2253	7	CLR:00	10.00		42	5.6	37	3.0	31	-0.6	65	0	000		29.07			30.05	FM-15	0.00	30.04

29	2353	7	CLR:00	10.00		38	3.3	35	1.8	31	-0.6	76	3	170		29.06			30.04	FM-15	0.00	30.03

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
February 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01	T	T		T																					01
02																		0.04	T	T	0.01	0.19s	0.06	0.03	02
03	0.08	0.02	0.31	0.03	0.03	T						T	T	T	T	T		T						T	03
04																	T		T	T		T	T		04
05																									05
06																									06
07																									07
08	T	T	T	T	T	T	0.01	0.01	0.03	T	T			0.02	0.08	T				0.02	T	T	T	T	08
09	T	T	T	T	0.01	T	T	T	T	T					T	T	T	T	T	T	T	T	T	T	09
10	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T							10
11															T	T	T								11
12																		T	T	T	T	T	T	T	12
13		T	T	T													T	T							13
14																	T	T	T	T	T				14
15								T		T			T								T	T	0.01	0.02	15
16	0.01	0.02	0.05	0.03	T	T																			16
17				T	T																				17
18																									18
19													T												19
20													T												20
21																									21
22																									22
23																									23
24		T	0.10	0.15	0.15	0.24	0.05	0.07	0.04	T	0.11	0.04	0.05	T		T	0.05	T			T	0.01	T	0.01	24
25	T	T	T	T	0.01	T	T	T	T	T	T	T	T	T	T	T	T	T	T		T	T	T	T	25
26	T	T	T	T	T																				26
27																									27
28													T												28
29		0.05	0.06					T																	29

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.07	0.12	0.16	0.18	0.27	0.29	0.32	0.33	0.36	0.41	0.48	0.54
Ending Date Time (yyyy-mm-dd hh:mi)	2016-02-03 02:51	2016-02-03 02:55	2016-02-03 02:55	2016-02-03 02:55	2016-02-03 02:56	2016-02-03 03:02	2016-02-03 03:02	2016-02-03 03:27	2016-02-24 05:30	2016-02-24 05:34	2016-02-24 06:02	2016-02-24 06:08

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
March 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	55	26	41	6.2				24	0	0705	1825	RA SN BR	0.33			28.83		12.3	47	280	35	280
02	33	22	28	-7.1				37	0	0703	1826	SN	T			29.10		9.2	34	280	25	300
03	36	21*	29	-6.5				36	0	0702	1827	SN BR UP HZ	0.02			29.13		6.3	17	170	14	170
04	35	31	33	-2.8				32	0	0700	1828	SN BR	0.05			29.12		4.7	17	010	13	010
05	41	31	36	-0.2				29	0	0659	1829	RA BR HZ	0.03			29.13		7.1	20	290	15	290
06	43	32	37	0.5				28	0	0657	1831	BR	0.00			29.26		7.2	18	180	14	210
07	64	37	51	14.1				14	0	0655	1832		T			29.11		9.2	27	220	21	220
08	73	48	61	23.8				4	0	0654	1833		0.00			29.11		10.2	32	210	23	190
09	74	53	64	26.4				1	0	0652	1834	RA BR	0.08			29.07		10.4	34	220	26	210
10	61	51	56	18.0				9	0	0651	1835	RA BR	0.79			29.05		8.2	24	360	18	350
11	58	39	48	9.6				17	0	0649	1836	BR	0.00			29.28		8.2	21	010	17	020
12	67	37	52	13.2				13	0	0648	1837	RA	T			29.18		3.5	13	010	9	010
13	57	49	53	13.8				12	0	0646	1838	RA FG BR	1.35			28.90		7.5	20	110	16	100
14	71	56	64	24.4				1	0	0644	1839	TS RA FG BR	0.25			28.74		7.2	37	220	26	230
15	65	52	58	18.0				7	0	0643	1840	RA BR	T			28.82		7.2	20	130	15	120
16	63	49	56	15.6				9	0	0641	1841	RA	T			28.75		16.2	43	240	33	240
17	61	43	52	11.2				13	0	0639	1842	RA	T			28.92		12.9	38	280	30	280
18	58	37	47	5.8				18	0	0638	1843	RA	T			29.01		10.0	37	280	28	290
19	46	28	37	-4.6				28	0	0636	1844	SN BR HZ	T			29.10		9.2	20	030	17	030
20	44	28	36	-6.0				29	0	0635	1845		0.00			29.08		7.5	23	320	17	330
21	51	24	38	-4.4				27	0	0633	1846		0.00			29.12		9.2	28	260	22	280
22	62	35	49	6.2				16	0	0631	1847	RA	T			29.02		13.6	38	200	29	210
23	64	50	57	13.8				8	0	0630	1848		0.00			28.95		12.0	31	220	24	210
24	70	49	59	15.4				6	0	0628	1849	RA BR	0.58			28.76		17.0	48	180	33	190
25	49	35	42	-2.0				23	0	0626	1850		T			28.96		10.5	29s	280s	22	280
26	60	36	48	3.6				17	0	0625	1851		0.00			29.21		4.6	14	120	10	130
27	76*	37	56	11.2				9	0	0623	1852	TS RA BR	0.87			29.03		8.5	47	230	35	230
28	57s	43	50s	4.7s				15s	0s	0622	1853	TS RA BR	0.22			28.95		16.4	47	260	32	290
29	53	34	44	-1.7				21	0	0620	1854		0.00			29.26		7.6	20	320	15	360
30	69	33	51	4.9				14	0	0618	1855	RA	T			29.09		10.4	32	220	25	220
31	69	53	61	14.6				4	0	0617	1856	TS RA BR	0.33			28.69		13.2	62s	210s	45s	210s
	57.6	38.7	48.2							Monthly Averages | Totals			4.90s			29.03	30.00	9.6				
	7.6	7.8	7.8	Departure from Normal (1981-2010)									1.91s									

Degree Days

	Monthly Total	Monthly Departure	Season-to-date Total	Season-to-date Departure
Heating	522	-240	4061	
Cooling	0	-1	0	

Number of days with...

	Temperature Max >=90°	Temperature Max <=32°	Temperature Min <=32°	Temperature Min <=0°	Precipitation >=0.01"	Precipitation >=0.1"	Snow >=1"	Weather T-Storms	Weather Heavy Fog
Heating									
Cooling	0	0	9	0	12	8			

Date of 5-sec to 3-sec wind equipment change

N/A

Sea Level Pressure

		Date	Time
Maximum	30.35	06	1034
Minimum	29.48	31	1814

Greatest...

24-Hr... Precip	24-Hr... Snowfall	Snow Depth
1.35		
Date		
13-13		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
March 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	CLR:00	10.00		38	3.3	35	1.5	30	-1.1	73	0	000		29.04	8	+0.01	30.03	FM-15	0.00	30.01
01	0153	7	CLR:00	10.00		40	4.4	37	2.6	32	0.0	73	7	160		29.03			30.01	FM-15	0.00	30.00
01	0253	7	CLR:00	10.00		40	4.4	36	2.4	31	-0.6	70	8	160		29.01			29.99	FM-15	0.00	29.98
01	0353	7	CLR:00	10.00		38	3.3	35	1.7	31	-0.6	76	5	150		28.98	8	+0.06	29.96	FM-15	0.00	29.95
01	0453	7	CLR:00	10.00		35	1.7	33	0.6	30	-1.1	82	0	000		28.97			29.95	FM-15	0.00	29.94
01	0553	7	CLR:00	10.00		34	1.1	32	0.2	30	-1.1	85	0	000		28.98			29.96	FM-15	0.00	29.95
01	0653	7	CLR:00	10.00		31	-0.6	30	-1.4	27	-2.8	85	3	030		28.97	7	+0.00	29.96	FM-15	0.00	29.94
01	0753	7	CLR:00	10.00		32	0.0	31	-0.6	29	-1.7	88	6	100		28.96			29.95	FM-15	0.00	29.93
01	0853	7	CLR:00	10.00		42	5.6	38	3.2	32	0.0	68	10	140		28.92			29.90	FM-15	0.00	29.89
01	0953	7	CLR:00	10.00		47	8.3	40	4.5	31	-0.6	54	13	160		28.87	8	+0.10	29.85	FM-15	0.00	29.84
01	1053	7	CLR:00	10.00		49	9.4	42	5.3	32	0.0	52	11	160		28.83			29.79	FM-15	0.00	29.79
01	1153	7	OVC:08 50	10.00		53	11.7	44	6.6	33	0.6	47	9	160		28.80			29.76	FM-15	0.00	29.76
01	1253	7	SCT:04 47 OVC:08 65	10.00	-RA:02 |RA |	51	10.6	45	7.2	38	3.3	61	7	150		28.73	8	+0.14	29.70	FM-15	T	29.69
01	1353	7	BKN:07 40 BKN:07 46 OVC:08 60	10.00		53	11.7	47	8.2	40	4.4	61	9	150		28.65			29.62	FM-15	0.04	29.61
01	1420	7	SCT:04 40 OVC:08 49	10.00		55	12.8	48	8.7	40	4.4	57	14	280		28.64				FM-16		29.60
01	1453	7	OVC:08 55	7.00	-RA:02 |RA |	49	9.4	47	8.1	44	6.7	83	13	290		28.63			29.60	FM-15	T	29.59
01	1553	7	FEW:02 30 BKN:07 39 OVC:08 49	3.00	RA:02 BR:1 |RA |	48	8.9	47	8.3	46	7.8	93	9	210		28.61	6	+0.13	29.57	FM-15	0.16	29.57
01	1624	7	SCT:04 7 SCT:04 30 OVC:08 43	5.00	-RA:02 BR:1 |RA |	49	9.4	48	8.9	47	8.3	93	11	210		28.58				FM-16	0.12	29.54
01	1653	7	SCT:04 11 BKN:07 38 OVC:08 60	10.00		50	10.0	49	9.4	48	8.9	93	11	190		28.56			29.52	FM-15	0.10	29.52
01	1751	6	OVC:08 11	5.00	-RA:02 BR:1 |RA |	50	10.0	49	9.4	48	9.0	94	10	260	18	28.56				FM-16		29.52
01	1753	7	OVC:08 11	4.00	-RA:02 BR:1 |RA |	50	10.0	49	9.4	48	8.9	93				28.55			29.52	FM-15	0.01	29.51
01	1807	7	SCT:04 11 BKN:07 15 OVC:08 24	2.50	-RA:02 BR:1 |RA |	50	10.0	48	9.1	47	8.3	89	22	250	34	28.55				FM-16	0.01	29.51
01	1816	7	SCT:04 9 BKN:07 15 OVC:08 24	2.00	RA:02 BR:1 |RA |	50	10.0	48	9.1	47	8.3	89	18	260	34	28.56				FM-16	0.02	29.52
01	1851	6	FEW:02 13 BKN:07 19 OVC:08 55	10.00		48	9.0	47	8.1	45	7.0	87	18	260	29	28.58				FM-16		29.54
01	1853	7	BKN:07 16 BKN:07 55 OVC:08 80	10.00		48	8.9	46	7.8	44	6.7	86	16	260	25	28.58	5	+0.03	29.55	FM-15	0.02	29.54
01	1902	7	SCT:04 18 BKN:07 60 OVC:08 95	10.00		47	8.3	46	7.5	44	6.7	90	17	260	28	28.58				FM-16		29.54
01	1951	6	BKN:07 16 OVC:08 23	10.00	-RA:02 |RA |	41	5.0	39	3.8	36	2.0	81	33	280	44	28.63				FM-16		29.59
01	1953	7	SCT:04 14 OVC:08 20	10.00	-RA:02 |RA |	40	4.4	38	3.2	35	1.7	83	31	290	44	28.65			29.63	FM-15	T	29.61
01	2053	7	OVC:08 15	9.00	-SN:03 |SN |	34	1.1	32	0.2	30	-1.1	85	31	290	40	28.73			29.70	FM-15	T	29.69
01	2118	7	OVC:08 13	9.00	-SN:03 |SN |	32	0.0	30	-0.8	28	-2.2	85	29	290	37	28.76				FM-16	T	29.72

01	2153	7	OVC:08 15	9.00	-SN:03 |SN |	30	-1.1	28	-2.3	24	-4.4	79	29	290	39	28.80	1	-0.22	29.78	FM-15	T	29.76
01	2253	7	OVC:08 20	9.00	-SN:03 |SN |	27	-2.8	25	-4.1	20	-6.7	75	28	290	37	28.87			29.85	FM-15	T	29.83
01	2353	7	OVC:08 23	9.00	-SN:03 |SN |	26	-3.3	23	-4.8	18	-7.8	71	26	290	34	28.90			29.89	FM-15	T	29.87
02	0053	7	BKN:07 29 OVC:08 37	10.00		26	-3.3	23	-5.1	16	-8.9	66	24	290	30	28.94	1	-0.15	29.93	FM-15	T	29.91
02	0105	7	OVC:08 30	9.00		25	-3.9	22	-5.4	16	-8.9	69	21	280	30	28.96				FM-16	T	29.93
02	0130	7	BKN:07 27 OVC:08 35	10.00		25	-3.9	22	-5.4	16	-8.9	69	18	290	26	28.97				FM-16	T	29.94
02	0153	7	OVC:08 27	10.00		25	-3.9	22	-5.4	16	-8.9	69	15	300		28.98			29.97	FM-15	T	29.95
02	0253	7	BKN:07 25 OVC:08 31	10.00		25	-3.9	22	-5.3	17	-8.3	72	13	300		29.01			30.00	FM-15	0.00	29.98
02	0319	7	SCT:04 26	10.00		24	-4.4	22	-5.8	16	-8.9	71	14	300	23	29.01				FM-16		29.98
02	0353	7	FEW:02 23	10.00		23	-5.0	21	-6.2	16	-8.9	74	11	290	18	29.03	1	-0.08	30.02	FM-15	0.00	30.00
02	0453	7	CLR:00	10.00		22	-5.6	20	-6.6	16	-8.9	78	9	300		29.05			30.04	FM-15	0.00	30.02
02	0553	7	BKN:07 46	10.00		22	-5.6	20	-6.7	15	-9.4	75	8	310		29.09			30.08	FM-15	0.00	30.06
02	0653	7	OVC:08 45	10.00		23	-5.0	21	-6.3	15	-9.4	72	8	330		29.11	1	-0.08	30.10	FM-15	0.00	30.08
02	0753	7	OVC:08 47	10.00		24	-4.4	21	-6.0	15	-9.4	68	7	320		29.13			30.13	FM-15	0.00	30.10
02	0853	7	SCT:04 27 OVC:08 48	10.00		25	-3.9	22	-5.4	16	-8.9	69	9	270		29.15			30.15	FM-15	0.00	30.12
02	0953	7	FEW:02 23 SCT:04 35 OVC:08 43	9.00		26	-3.3	23	-4.8	18	-7.8	71	9	270		29.15	1	-0.04	30.15	FM-15	T	30.12
02	1037	7	BKN:07 23 BKN:07 29 OVC:08 38	6.00	-SN:03 |SN |	26	-3.3	23	-4.9	17	-8.3	69	13	320		29.16				FM-16	T	30.13
02	1048	7	SCT:04 23 OVC:08 31	8.00	-SN:03 |SN |	27	-3.0	24	-4.4	18	-8.0	69	10	290		29.16				FM-16	T	30.13
02	1051	6	BKN:07 24 OVC:08 33	9.00	-SN:03 |SN |	27	-3.0	24	-4.4	18	-8.0	69	11	310		29.16				FM-16		30.13
02	1053	7	BKN:07 24 OVC:08 31	9.00		26	-3.3	23	-4.8	18	-7.8	71	11	290		29.16			30.16	FM-15	T	30.13
02	1105	7	FEW:02 21 BKN:07 31 OVC:08 36	9.00	-SN:03 |SN |	26	-3.3	23	-5.1	16	-8.9	66	15	290		29.17				FM-16	T	30.14
02	1153	7	OVC:08 34	10.00		27	-2.8	23	-5.0	14	-10.0	58	13	300		29.18			30.18	FM-15	T	30.15
02	1253	7	OVC:08 35	10.00		30	-1.1	25	-3.6	16	-8.9	56	15	270		29.16	0	-0.00	30.16	FM-15	0.00	30.13
02	1353	7	OVC:08 38	10.00		30	-1.1	25	-3.8	15	-9.4	54	18	270	23	29.16			30.16	FM-15	0.00	30.13
02	1453	7	OVC:08 38	10.00		30	-1.1	25	-3.9	14	-10.0	51	15	280	21	29.17			30.16	FM-15	0.00	30.14
02	1553	7	BKN:07 43	10.00		31	-0.6	25	-3.7	13	-10.6	47	9	290		29.16	8	+0.00	30.16	FM-15	0.00	30.13
02	1653	7	SCT:04 42	10.00		32	0.0	26	-3.2	14	-10.0	47	9	320		29.16			30.16	FM-15	0.00	30.13
02	1753	7	CLR:00	10.00		30	-1.1	25	-3.9	14	-10.0	51	10	280		29.18			30.18	FM-15	0.00	30.15
02	1853	7	CLR:00	10.00		27	-2.8	23	-4.8	15	-9.4	61	5	280		29.19	3	-0.03	30.20	FM-15	0.00	30.16
02	1953	7	CLR:00	10.00		28	-2.2	24	-4.6	14	-10.0	56	0	000		29.20			30.20	FM-15	0.00	30.17
02	2053	7	CLR:00	10.00		28	-2.2	24	-4.3	16	-8.9	60	0	000		29.20			30.21	FM-15	0.00	30.17
02	2153	7	CLR:00	10.00		25	-3.9	22	-5.4	16	-8.9	69	0	000		29.20	0	-0.01	30.20	FM-15	0.00	30.17
02	2253	7	CLR:00	10.00		23	-5.0	21	-6.2	16	-8.9	74	0	000		29.20			30.21	FM-15	0.00	30.17
02	2353	7	CLR:00	10.00		22	-5.6	20	-6.6	16	-8.9	78	0	000		29.20			30.21	FM-15	0.00	30.17
03	0053	7	CLR:00	10.00		22	-5.6	20	-6.4	17	-8.3	82	3	090		29.20	8	+0.01	30.20	FM-15	0.00	30.17
03	0153	7	CLR:00	10.00		22	-5.6	21	-6.2	18	-7.8	85	0	000		29.20			30.20	FM-15	0.00	30.17
03	0253	7	BKN:07 95	10.00		23	-5.0	21	-5.9	18	-7.8	81	3	140		29.20			30.20	FM-15	0.00	30.17
03	0353	7	OVC:08 100	10.00		23	-5.0	21	-5.9	18	-7.8	81	0	000		29.19	8	+0.01	30.19	FM-15	0.00	30.16
03	0453	7	OVC:08 100	10.00		24	-4.4	22	-5.3	19	-7.2	81	5	120		29.18			30.18	FM-15	0.00	30.15
03	0553	7	OVC:08 95	10.00		25	-3.9	23	-5.0	19	-7.2	78	6	120		29.16			30.16	FM-15	0.00	30.13
03	0653	7	BKN:07 70 OVC:08 80	10.00		26	-3.3	24	-4.6	19	-7.2	75	6	140		29.18	5	+0.01	30.19	FM-15	0.00	30.15
03	0753	7	OVC:08 75	10.00		28	-2.2	25	-3.9	19	-7.2	69	6	130		29.18			30.18	FM-15	0.00	30.15
03	0853	7	FEW:02 33 OVC:08 70	10.00		29	-1.7	26	-3.5	19	-7.2	66	6	140		29.17			30.17	FM-15	0.00	30.14
03	0953	7	OVC:08 65	10.00		31	-0.6	27	-2.8	19	-7.2	61	6	130		29.15	8	+0.03	30.15	FM-15	0.00	30.12
03	1053	7	OVC:08 55	10.00		34	1.1	29	-1.6	20	-6.7	56	7	140		29.14			30.14	FM-15	0.00	30.11

03	1153	7	OVC:08 36	10.00		35	1.7	30	-1.3	20	-6.7	54	7	170		29.14			30.14	FM-15	0.00	30.11
03	1218	7	BKN:07 28 OVC:08 37	3.00	-SN:03 |SN |	34	1.1	30	-0.9	24	-4.4	67	10	170		29.13				FM-16	T	30.10
03	1240	7	OVC:08 28	2.50	-SN:03 |SN |	33	0.6	30	-0.9	26	-3.3	75	9	180		29.12				FM-16	T	30.09
03	1251	6	BKN:07 27 OVC:08 35	3.00	-SN:03 |SN |	34	1.0	31	-0.4	27	-3.0	75	7	170		29.12				FM-16		30.09
03	1253	7	BKN:07 27 OVC:08 37	3.00	-SN:03 |SN |	33	0.6	31	-0.7	27	-2.8	78	8	170		29.12	8	+0.04	30.11	FM-15	T	30.09
03	1259	7	OVC:08 29	2.50	-SN:03 |SN |	33	0.6	31	-0.7	27	-2.8	78	7	170		29.11				FM-16	T	30.08
03	1306	7	BKN:07 29 OVC:08 37	3.00	-SN:03 |SN |	33	0.6	31	-0.7	27	-2.8	78	7	130		29.11				FM-16	T	30.08
03	1351	6	OVC:08 41	10.00		36	2.0	32	-0.1	25	-4.0	65	10	130		29.08				FM-16		30.05
03	1353	7	OVC:08 41	10.00		36	2.2	32	-0.1	25	-3.9	64	10	150		29.08			30.07	FM-15	T	30.05
03	1449	7	SCT:04 22 BKN:07 29 OVC:08 37	7.00		36	2.0	33	0.3	27	-3.0	70	9	170		29.06				FM-16		30.03
03	1453	7	SCT:04 22 BKN:07 29 OVC:08 34	6.00	HZ:7 |FU |HZ	35	1.7	32	-0.2	26	-3.3	70	9	170		29.06			30.06	FM-15	0.00	30.03
03	1553	7	SCT:04 22 OVC:08 29	1.50	-SN:03 BR:1 |SN |	33	0.6	31	-0.3	29	-1.7	85	10	180		29.07	5	+0.01	30.07	FM-15	T	30.04
03	1611	7	SCT:04 8 BKN:07 13 OVC:08 29	1.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.6	29	-1.7	88	10	180		29.07				FM-16	T	30.04
03	1627	7	SCT:04 7 BKN:07 24 OVC:08 32	1.25	-SN:03 BR:1 |SN |	32	0.0	31	-0.6	29	-1.7	88	9	160		29.07				FM-16	T	30.04
03	1651	6	FEW:02 7 OVC:08 31	1.50	-SN:03 BR:1 |SN |	32	0.0	30	-0.8	28	-2.0	87	7	150		29.07				FM-16		30.04
03	1653	7	FEW:02 7 OVC:08 33	1.50	-SN:03 BR:1 |SN |	32	0.0	31	-0.6	29	-1.7	88	9	160		29.06			30.06	FM-15	T	30.03
03	1719	7	BKN:07 8 OVC:08 33	1.50	-SN:03 BR:1 |SN |	32	0.0	31	-0.6	29	-1.7	88	7	150		29.06				FM-16	T	30.03
03	1753	7	BKN:07 8 OVC:08 33	1.50	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	7	120		29.05			30.05	FM-15	0.01	30.02
03	1800	7	BKN:07 5 OVC:08 18	0.75	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	6	120		29.05				FM-16	T	30.02
03	1826	7	SCT:04 6 OVC:08 23	1.00	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	7	120		29.05				FM-16	T	30.02
03	1847	7	BKN:07 6 OVC:08 28	2.50	-SN:03 BR:1 |SN |	30	-1.0	30	-1.1	30	-1.0	100	6	130		29.05				FM-16	T	30.02
03	1853	7	BKN:07 5 OVC:08 28	2.50	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	7	120		29.05	8	+0.02	30.04	FM-15	T	30.02
03	1931	7	BKN:07 8 OVC:08 11	3.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	6	130		29.05				FM-16	T	30.02
03	1943	7	OVC:08 10	4.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	7	130		29.05				FM-16	T	30.02
03	1951	6	BKN:07 8 OVC:08 12	4.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.0	93	6	140		29.05				FM-16		30.02
03	1953	7	OVC:08 8	4.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	8	140		29.05			30.05	FM-15	T	30.02
03	2010	7	BKN:07 8 OVC:08 12	2.50	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	7	140		29.05				FM-16	T	30.02
03	2053	7	BKN:07 7 OVC:08 11	2.50	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	5	150		29.05			30.04	FM-15	0.01	30.02
03	2101	7	BKN:07 9 OVC:08 13	3.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	5	160		29.05				FM-16	T	30.02
03	2120	7	OVC:08 11	4.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	6	150		29.05				FM-16	T	30.02
03	2144	7	BKN:07 7 OVC:08 18	8.00		32	0.0	31	-0.4	30	-1.1	92	7	170		29.05				FM-16	T	30.02
03	2153	7	BKN:07 9 OVC:08 22	9.00		32	0.0	31	-0.4	30	-1.1	92	7	160		29.05	1	-0.00	30.04	FM-15	T	30.02
03	2253	7	OVC:08 6	5.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	6	170		29.04			30.03	FM-15	0.00	30.01
03	2353	7	OVC:08 7	5.00	UP:09 BR:1 ||	32	0.0	31	-0.4	30	-1.1	92	3	180		29.04			30.03	FM-15	T	30.01
04	0009	7	OVC:08 6	2.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	5	190		29.03				FM-16	T	30.00

04	0037	7	OVC:08 6	4.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	3	190		29.03				FM-16	T	30.00
04	0053	7	OVC:08 6	4.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	3	200		29.03	6	+0.01	30.03	FM-15	T	30.00
04	0117	7	OVC:08 7	2.00	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	3	210		29.03				FM-16	T	30.00
04	0131	7	OVC:08 7	1.50	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	3	200		29.03				FM-16	0.01	30.00
04	0153	7	BKN:07 5 OVC:08 12	1.00	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	5	210		29.03			30.02	FM-15	0.01	30.00
04	0157	7	SCT:04 5 OVC:08 16	1.00	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	3	210		29.03				FM-16	T	30.00
04	0215	7	BKN:07 3 OVC:08 18	1.50	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	3	230		29.03				FM-16	T	30.00
04	0253	7	BKN:07 4 OVC:08 19	1.00	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	0	000		29.03			30.02	FM-15	0.01	30.00
04	0351	6	BKN:07 5 BKN:07 13 OVC:08 18	1.25	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.0	93	0	000		29.03				FM-16		30.00
04	0353	7	BKN:07 5 OVC:08 13	1.25	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	0	000		29.03	6	+0.01	30.02	FM-15	0.01	30.00
04	0453	7	BKN:07 5 OVC:08 26	1.75	-SN:03 BR:1 |SN |	31	-0.6	31	-0.6	31	-0.6	100	0	000		29.04			30.03	FM-15	0.01	30.01
04	0455	7	BKN:07 4 OVC:08 26	2.00	-SN:03 BR:1 |SN |	31	-0.6	31	-0.6	31	-0.6	100	3	330		29.04				FM-16	T	30.01
04	0503	7	SCT:04 4 OVC:08 30	1.75	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	5	330		29.04				FM-16	T	30.01
04	0531	7	FEW:02 4 OVC:08 36	2.50	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	3	320		29.05				FM-16	0.01	30.02
04	0543	7	SCT:04 4 OVC:08 42	3.00	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	5	330		29.05				FM-16	0.01	30.02
04	0548	7	SCT:04 4 BKN:07 12 OVC:08 42	2.50	-SN:03 BR:1 |SN |	30	-1.0	30	-1.1	30	-1.0	100	6	330		29.05				FM-16	0.01	30.02
04	0551	6	BKN:07 4 BKN:07 12 OVC:08 42	2.50	-SN:03 BR:1 |SN |	30	-1.0	30	-1.1	30	-1.0	100	5	330		29.05				FM-16		30.02
04	0553	7	BKN:07 4 BKN:07 12 OVC:08 42	2.00	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	5	320		29.06			30.05	FM-15	0.01	30.03
04	0614	7	BKN:07 4 OVC:08 12	3.00	BR:1 ||	32	0.0	31	-0.4	30	-1.1	92	5	330		29.06				FM-16	T	30.03
04	0622	7	SCT:04 4 OVC:08 12	4.00	BR:1 ||	32	0.0	31	-0.4	30	-1.1	92	5	340		29.07				FM-16	T	30.04
04	0644	7	OVC:08 16	5.00	BR:1 ||	32	0.0	31	-0.4	30	-1.1	92	7	340		29.08				FM-16	T	30.05
04	0651	6	FEW:02 7 OVC:08 16	5.00	BR:1 ||	32	0.0	31	-0.4	30	-1.0	93	9	350		29.08				FM-16		30.05
04	0653	7	FEW:02 7 OVC:08 16	5.00	BR:1 ||	32	0.0	31	-0.4	30	-1.1	92	7	340		29.08	1	-0.04	30.08	FM-15	T	30.05
04	0717	7	BKN:07 7 OVC:08 16	3.00	BR:1 ||	31	-0.6	30	-1.0	29	-1.7	92	7	010		29.08				FM-16		30.05
04	0751	6	OVC:08 11	4.00	BR:1 ||	32	0.0	30	-0.8	28	-2.0	87	9	010		29.10				FM-16		30.07
04	0753	7	OVC:08 11	4.00	BR:1 ||	31	-0.6	30	-1.0	29	-1.7	92	10	360		29.10			30.09	FM-15	0.00	30.07
04	0851	6	OVC:08 17	6.00	BR:1 ||	32	0.0	30	-0.8	28	-2.0	87	8	010		29.13				FM-16		30.10
04	0853	7	BKN:07 12 OVC:08 17	6.00	BR:1 ||	32	0.0	31	-0.6	29	-1.7	88	9	010		29.13			30.12	FM-15	0.00	30.10
04	0953	7	BKN:07 12 OVC:08 20	6.00	BR:1 ||	32	0.0	31	-0.6	29	-1.7	88	7	010		29.15	3	-0.06	30.14	FM-15	0.00	30.12
04	1051	6	SCT:04 12 OVC:08 25	7.00		34	1.0	32	-0.2	28	-2.0	81	7	360		29.16				FM-16		30.13
04	1053	7	SCT:04 12 OVC:08 25	7.00		33	0.6	31	-0.5	28	-2.2	82	8	360		29.17			30.16	FM-15	0.00	30.14
04	1125	7	BKN:07 14 OVC:08 26	7.00		33	0.6	31	-0.5	28	-2.2	82	6	360		29.17				FM-16		30.14
04	1153	7	BKN:07 14 OVC:08 28	8.00		33	0.6	31	-0.5	28	-2.2	82	7	010		29.18			30.17	FM-15	0.00	30.15

04	1253	7	BKN:07 16 OVC:08 28	8.00		34	1.1	32	-0.2	28	-2.2	79	3	360		29.17	0	-0.02	30.16	FM-15	0.00	30.14
04	1353	7	SCT:04 18 OVC:08 23	10.00		34	1.1	32	-0.2	28	-2.2	79	8	320		29.16			30.16	FM-15	0.00	30.13
04	1453	7	BKN:07 19 OVC:08 27	10.00		34	1.1	31	-0.4	27	-2.8	75	9	310		29.17			30.16	FM-15	0.00	30.14
04	1507	7	FEW:02 19 SCT:04 24 OVC:08 30	10.00		35	1.7	32	-0.2	26	-3.3	70	8	330		29.18				FM-16		30.15
04	1553	7	FEW:02 21 OVC:08 31	10.00		34	1.1	31	-0.6	26	-3.3	73	10	340		29.18	3	-0.01	30.18	FM-15	0.00	30.15
04	1653	7	OVC:08 31	10.00		34	1.1	31	-0.6	26	-3.3	73	8	320		29.19			30.19	FM-15	0.00	30.16
04	1753	7	OVC:08 30	10.00		33	0.6	30	-1.1	25	-3.9	72	6	320		29.20			30.20	FM-15	0.00	30.17
04	1826	7	FEW:02 20 OVC:08 28	10.00		33	0.6	31	-0.7	27	-2.8	78	6	340		29.21				FM-16		30.18
04	1853	7	OVC:08 28	10.00		33	0.6	30	-0.9	26	-3.3	75	5	010		29.21	3	-0.02	30.20	FM-15	0.00	30.18
04	1953	7	OVC:08 28	10.00		33	0.6	30	-1.3	24	-4.4	70	0	000		29.20			30.19	FM-15	0.00	30.17
04	2053	7	OVC:08 28	10.00		33	0.6	29	-1.4	23	-5.0	66	0	000		29.20			30.19	FM-15	0.00	30.17
04	2124	7	OVC:08 30	10.00		33	0.6	30	-1.3	24	-4.4	70	0	000		29.20				FM-16		30.17
04	2153	7	OVC:08 30	10.00		32	0.0	29	-1.6	24	-4.4	73	0	000		29.20	6	+0.01	30.19	FM-15	0.00	30.17
04	2253	7	OVC:08 30	9.00		32	0.0	29	-1.6	24	-4.4	73	0	000		29.19			30.18	FM-15	0.00	30.16
04	2353	7	OVC:08 31	9.00		31	-0.6	28	-1.9	24	-4.4	76	3	070		29.17			30.17	FM-15	0.00	30.14
05	0053	7	OVC:08 30	9.00		32	0.0	29	-1.4	25	-3.9	75	0	000		29.19	5	+0.01	30.18	FM-15	0.00	30.16
05	0145	7	OVC:08 29	9.00		32	0.0	29	-1.6	24	-4.4	73	0	000		29.19				FM-16		30.16
05	0153	7	OVC:08 31	8.00		32	0.0	29	-1.4	25	-3.9	75	0	000		29.19			30.18	FM-15	0.00	30.16
05	0253	7	OVC:08 31	8.00		31	-0.6	29	-1.6	26	-3.3	82	0	000		29.19			30.18	FM-15	0.00	30.16
05	0353	7	FEW:02 110	8.00		31	-0.6	29	-1.8	25	-3.9	79	6	120		29.15	8	+0.04	30.14	FM-15	0.00	30.12
05	0453	7	OVC:08 100	8.00		32	0.0	30	-1.2	26	-3.3	79	5	170		29.15			30.14	FM-15	0.00	30.12
05	0553	7	SCT:04 31 OVC:08 75	7.00		33	0.6	31	-0.7	27	-2.8	78	7	170		29.14			30.13	FM-15	0.00	30.11
05	0651	6	OVC:08 29	7.00		34	1.0	32	-0.2	28	-2.0	81	6	190		29.15				FM-16		30.12
05	0653	7	OVC:08 29	7.00		33	0.6	31	-0.5	28	-2.2	82	6	190		29.15	5	+0.00	30.14	FM-15	T	30.12
05	0753	7	BKN:07 24 OVC:08 50	6.00	HZ:7 |FU |HZ	33	0.6	31	-0.7	27	-2.8	78	8	180		29.14			30.14	FM-15	T	30.11
05	0802	7	FEW:02 24 OVC:08 48	6.00	HZ:7 |FU |HZ	33	0.6	31	-0.7	27	-2.8	78	7	170		29.14				FM-16		30.11
05	0832	7	BKN:07 22 OVC:08 45	7.00		33	0.6	31	-0.5	28	-2.2	82	7	170		29.14				FM-16		30.11
05	0853	7	BKN:07 23 BKN:07 36 OVC:08 44	7.00		34	1.1	32	-0.2	28	-2.2	79	9	150		29.13			30.12	FM-15	0.00	30.10
05	0951	6	OVC:08 36	6.00	HZ:7 ||HZ	37	3.0	34	1.2	30	-1.0	75	7	170		29.11				FM-16		30.08
05	0953	7	OVC:08 36	6.00	HZ:7 |FU |HZ	37	2.8	35	1.4	31	-0.6	79	7	170		29.11	8	+0.03	30.11	FM-15	0.00	30.08
05	1053	7	SCT:04 20 BKN:07 30 OVC:08 36	9.00		39	3.9	36	2.3	32	0.0	76	10	190		29.10			30.09	FM-15	0.00	30.07
05	1111	7	FEW:02 18 BKN:07 28 OVC:08 32	9.00		39	3.9	36	2.3	32	0.0	76	11	190		29.10				FM-16		30.07
05	1153	7	OVC:08 19	9.00		40	4.4	37	2.6	32	0.0	73	11	180		29.09			30.08	FM-15	0.00	30.06
05	1253	7	OVC:08 17	9.00		41	5.0	38	3.3	34	1.1	76	8	190		29.08	8	+0.04	30.07	FM-15	0.00	30.05
05	1353	7	OVC:08 17	10.00		41	5.0	38	3.3	34	1.1	76	8	180		29.06			30.05	FM-15	0.00	30.03
05	1453	7	OVC:08 18	5.00	-RA:02 |RA |	40	4.4	38	3.3	35	1.7	83	6	230		29.06			30.05	FM-15	T	30.03
05	1523	7	BKN:07 16 BKN:07 21 OVC:08 26	2.50	RA:02 BR:1 |RA |	40	4.4	38	3.5	36	2.2	86	8	240		29.06				FM-16	0.03	30.03
05	1532	7	SCT:04 15 OVC:08 23	5.00	-RA:02 BR:1 |RA |	40	4.4	38	3.5	36	2.2	86	6	260		29.06				FM-16	0.03	30.03
05	1553	7	SCT:04 13 OVC:08 21	5.00	BR:1 ||	40	4.4	39	3.7	37	2.8	89	6	250		29.06	6	+0.02	30.05	FM-15	0.03	30.03

05	1601	7	BKN:07 13 OVC:08 21	5.00	BR:1 ||	40	4.4	38	3.5	36	2.2	86	6	250		29.06				FM-16		30.03
05	1627	7	OVC:08 13	2.50	-RA:02 BR:1 |RA |	39	3.9	38	3.4	37	2.8	93	6	260		29.06				FM-16	T	30.03
05	1653	7	OVC:08 10	1.75	BR:1 ||	38	3.3	37	2.6	35	1.7	89	11	290	20	29.07			30.06	FM-15	T	30.04
05	1753	7	BKN:07 7 OVC:08 10	1.50	BR:1 ||	37	2.8	36	2.3	35	1.7	93	9	330		29.09			30.09	FM-15	0.00	30.06
05	1811	7	OVC:08 7	2.00	BR:1 ||	37	2.8	36	2.3	35	1.7	93	8	320		29.10				FM-16		30.07
05	1835	7	BKN:07 7 OVC:08 18	3.00	BR:1 ||	37	2.8	36	2.3	35	1.7	93	9	320		29.11				FM-16		30.08
05	1851	6	SCT:04 7 BKN:07 16 OVC:08 22	5.00	BR:1 ||	37	3.0	36	2.1	34	1.0	87	6	320		29.12				FM-16		30.09
05	1853	7	SCT:04 7 BKN:07 16 OVC:08 22	4.00	BR:1 ||	37	2.8	36	2.1	34	1.1	89	6	320		29.12	3	-0.06	30.11	FM-15	0.00	30.09
05	1901	7	BKN:07 7 OVC:08 20	3.00	BR:1 ||	37	2.8	36	2.1	34	1.1	89	7	320		29.12				FM-16		30.09
05	1953	7	BKN:07 7 OVC:08 20	3.00	BR:1 ||	36	2.2	35	1.5	33	0.6	89	9	320		29.15			30.14	FM-15	0.00	30.12
05	2000	7	OVC:08 14	7.00		36	2.2	35	1.5	33	0.6	89	9	320		29.15				FM-16		30.12
05	2053	7	OVC:08 10	5.00	BR:1 ||	36	2.2	35	1.5	33	0.6	89	11	320		29.17			30.16	FM-15	0.00	30.14
05	2137	7	OVC:08 9	5.00	BR:1 ||	36	2.2	35	1.5	33	0.6	89	9	330		29.19				FM-16		30.16
05	2153	7	OVC:08 8	6.00	BR:1 ||	35	1.7	34	1.2	33	0.6	93	9	340		29.19	1	-0.07	30.18	FM-15	0.00	30.16
05	2223	7	OVC:08 11	6.00	BR:1 ||	35	1.7	34	1.2	33	0.6	93	8	330		29.20				FM-16		30.17
05	2231	7	BKN:07 9 OVC:08 13	6.00	BR:1 ||	35	1.7	34	1.2	33	0.6	93	8	320		29.20				FM-16		30.17
05	2253	7	OVC:08 8	6.00	BR:1 ||	35	1.7	34	1.0	32	0.0	89	9	330		29.21			30.20	FM-15	0.00	30.18
05	2353	7	OVC:08 8	5.00	BR:1 ||	35	1.7	34	1.0	32	0.0	89	8	330		29.22			30.21	FM-15	0.00	30.19
06	0053	7	OVC:08 9	5.00	BR:1 ||	35	1.7	34	1.0	32	0.0	89	9	330		29.23	3	-0.05	30.23	FM-15	0.00	30.21
06	0153	7	OVC:08 8	4.00	BR:1 ||	34	1.1	33	0.7	32	0.0	92	9	350		29.26			30.24	FM-15	0.00	30.23
06	0253	7	OVC:08 8	4.00	BR:1 ||	34	1.1	33	0.7	32	0.0	92	7	340		29.26			30.26	FM-15	0.00	30.23
06	0353	7	OVC:08 8	6.00	BR:1 ||	34	1.1	33	0.5	31	-0.6	89	8	340		29.26	1	-0.03	30.26	FM-15	0.00	30.24
06	0437	7	OVC:08 10	7.00		34	1.1	32	0.2	30	-1.1	85	6	010		29.28				FM-16		30.26
06	0453	7	OVC:08 11	8.00		33	0.6	32	-0.1	30	-1.1	89	6	360		29.28			30.28	FM-15	0.00	30.26
06	0542	7	OVC:08 9	7.00		33	0.6	32	-0.1	30	-1.1	89	6	020		29.29				FM-16		30.27
06	0553	7	OVC:08 9	7.00		33	0.6	32	-0.1	30	-1.1	89	5	020		29.30			30.30	FM-15	0.00	30.28
06	0653	7	OVC:08 8	8.00		32	0.0	31	-0.6	29	-1.7	88	6	030		29.31	1	-0.05	30.31	FM-15	0.00	30.29
06	0753	7	OVC:08 9	7.00		33	0.6	31	-0.3	29	-1.7	85	0	000		29.33			30.33	FM-15	0.00	30.31
06	0853	7	OVC:08 8	6.00	BR:1 ||	33	0.6	31	-0.3	29	-1.7	85	0	000		29.34			30.34	FM-15	0.00	30.32
06	0953	7	OVC:08 8	5.00	BR:1 ||	34	1.1	32	0.2	30	-1.1	85	0	000		29.34	1	-0.04	30.35	FM-15	0.00	30.32
06	1028	7	OVC:08 10	7.00		34	1.1	32	0.2	30	-1.1	85	0	000		29.34				FM-16		30.32
06	1053	7	OVC:08 10	7.00		34	1.1	32	0.2	30	-1.1	85	5	230		29.34			30.34	FM-15	0.00	30.32
06	1153	7	OVC:08 12	7.00		35	1.7	33	0.6	30	-1.1	82	6	190		29.33			30.33	FM-15	0.00	30.31
06	1251	6	OVC:08 16	8.00		37	3.0	34	1.2	30	-1.0	75	8	210		29.30				FM-16		30.28
06	1253	7	OVC:08 16	8.00		37	2.8	35	1.4	31	-0.6	79	8	200		29.30	8	+0.05	30.30	FM-15	0.00	30.28
06	1353	7	OVC:08 20	10.00		40	4.4	36	2.4	31	-0.6	70	10	200		29.26			30.27	FM-15	0.00	30.24
06	1453	7	BKN:07 22	10.00		41	5.0	37	2.7	31	-0.6	67	9	170		29.27			30.27	FM-15	0.00	30.25
06	1528	7	FEW:02 23	10.00		41	5.0	37	2.7	31	-0.6	67	11	190		29.26				FM-16		30.23
06	1535	7	BKN:07 22	10.00		41	5.0	37	2.7	31	-0.6	67	9	170		29.26				FM-16		30.24
06	1553	7	SCT:04 22	10.00		42	5.6	38	3.2	32	0.0	68	10	150		29.25	6	+0.05	30.24	FM-15	0.00	30.22
06	1653	7	CLR:00	10.00		43	6.1	38	3.5	32	0.0	65	10	150		29.23			30.22	FM-15	0.00	30.20
06	1753	7	CLR:00	10.00		42	5.6	38	3.2	32	0.0	68	10	150		29.22			30.20	FM-15	0.00	30.19
06	1853	7	CLR:00	10.00		41	5.0	37	2.9	32	0.0	70	5	170		29.20	6	+0.05	30.19	FM-15	0.00	30.17
06	1953	7	CLR:00	10.00		42	5.6	38	3.2	32	0.0	68	11	170		29.18			30.17	FM-15	0.00	30.15
06	2053	7	CLR:00	10.00		41	5.0	37	2.9	32	0.0	70	8	180		29.19			30.18	FM-15	0.00	30.16
06	2153	7	CLR:00	10.00		41	5.0	37	2.9	32	0.0	70	9	170		29.18	6	+0.02	30.17	FM-15	0.00	30.15
06	2253	7	CLR:00	10.00		40	4.4	37	2.6	32	0.0	73	11	160		29.16			30.15	FM-15	0.00	30.13
06	2353	7	CLR:00	10.00		39	3.9	36	2.3	32	0.0	76	9	170		29.15			30.14	FM-15	0.00	30.12
07	0053	7	CLR:00	10.00		39	3.9	36	2.3	32	0.0	76	8	160		29.14	6	+0.04	30.13	FM-15	0.00	30.11

07	0153	7	CLR:00	10.00		38	3.3	36	2.0	32	0.0	79	7	160		29.14			30.12	FM-15	0.00	30.11
07	0253	7	CLR:00	10.00		38	3.3	36	2.0	32	0.0	79	6	170		29.13			30.11	FM-15	0.00	30.10
07	0353	7	CLR:00	10.00		38	3.3	36	2.0	32	0.0	79	5	170		29.11	8	+0.03	30.10	FM-15	0.00	30.08
07	0453	7	CLR:00	10.00		38	3.3	36	2.0	32	0.0	79	7	160		29.12			30.10	FM-15	0.00	30.09
07	0553	7	CLR:00	10.00		39	3.9	36	2.5	33	0.6	79	7	160		29.13			30.11	FM-15	0.00	30.10
07	0653	7	CLR:00	10.00		39	3.9	36	2.5	33	0.6	79	8	160		29.13	0	-0.01	30.11	FM-15	0.00	30.10
07	0753	7	CLR:00	10.00		40	4.4	37	2.8	33	0.6	77	9	180		29.14			30.12	FM-15	0.00	30.11
07	0853	7	CLR:00	10.00		45	7.2	40	4.6	34	1.1	66	10	180		29.15			30.13	FM-15	0.00	30.12
07	0953	7	CLR:00	10.00		51	10.6	43	6.3	34	1.1	52	13	180		29.15	1	-0.03	30.13	FM-15	0.00	30.12
07	1053	7	SCT:04 120	10.00		55	12.8	46	7.6	35	1.7	47	11	200		29.15			30.12	FM-15	0.00	30.12
07	1153	7	CLR:00	10.00		61	16.1	49	9.4	36	2.2	39	16	210		29.14			30.11	FM-15	0.00	30.11
07	1253	7	CLR:00	10.00		63	17.2	50	10.1	37	2.8	38	16	220	23	29.12	8	+0.04	30.09	FM-15	0.00	30.09
07	1353	7	BKN:07 100	10.00		63	17.2	50	10.1	37	2.8	38	14	220		29.10			30.07	FM-15	0.00	30.07
07	1453	7	OVC:08 100	10.00		63	17.2	50	10.1	37	2.8	38	15	210	20	29.09			30.07	FM-15	0.00	30.06
07	1553	7	OVC:08 100	10.00		63	17.2	51	10.3	38	3.3	40	10	200		29.09	6	+0.03	30.06	FM-15	0.00	30.06
07	1653	7	OVC:08 100	10.00		61	16.1	50	9.8	38	3.3	43	10	200		29.07			30.05	FM-15	0.00	30.04
07	1753	7	OVC:08 90	10.00		60	15.6	49	9.6	38	3.3	44	13	180		29.07			30.05	FM-15	T	30.04
07	1853	7	BKN:07 95	10.00		58	14.4	48	8.8	37	2.8	46	11	190		29.08	5	+0.01	30.06	FM-15	0.00	30.05
07	1953	7	FEW:02 110	10.00		57	13.9	47	8.6	37	2.8	47	11	180		29.08			30.06	FM-15	0.00	30.05
07	2053	7	CLR:00	10.00		55	12.8	46	7.8	36	2.2	49	8	190		29.09			30.06	FM-15	0.00	30.06
07	2153	7	CLR:00	10.00		53	11.7	45	7.1	35	1.7	51	3	170		29.10	3	-0.02	30.07	FM-15	0.00	30.07
07	2253	7	SCT:04 110	10.00		52	11.1	45	7.0	36	2.2	55	0	000		29.10			30.07	FM-15	0.00	30.07
07	2353	7	CLR:00	10.00		51	10.6	44	6.7	36	2.2	56	0	000		29.10			30.07	FM-15	0.00	30.07
08	0053	7	CLR:00	10.00		50	10.0	44	6.4	36	2.2	59	3	140		29.11	3	-0.01	30.07	FM-15	0.00	30.08
08	0153	7	CLR:00	10.00		50	10.0	43	6.0	34	1.1	54	3	150		29.11			30.07	FM-15	0.00	30.08
08	0253	7	CLR:00	10.00		52	11.1	43	6.4	33	0.6	49	6	160		29.11			30.08	FM-15	0.00	30.08
08	0353	7	FEW:02 60	10.00		50	10.0	43	6.0	34	1.1	54	5	160		29.11	3	-0.01	30.08	FM-15	0.00	30.08
08	0453	7	OVC:08 60	10.00		52	11.1	44	6.8	35	1.7	53	8	160		29.12			30.09	FM-15	0.00	30.09
08	0553	7	FEW:02 50 OVC:08 60	10.00		53	11.7	45	7.1	35	1.7	51	9	180		29.13			30.09	FM-15	0.00	30.10
08	0653	7	FEW:02 48 OVC:08 60	10.00		53	11.7	45	7.3	36	2.2	52	10	190		29.15	3	-0.04	30.11	FM-15	0.00	30.12
08	0753	7	BKN:07 55 OVC:08 70	10.00		54	12.2	46	8.0	38	3.3	55	8	200		29.17			30.14	FM-15	0.00	30.14
08	0853	7	OVC:08 55	10.00		55	12.8	47	8.5	39	3.9	55	10	200		29.19			30.16	FM-15	0.00	30.16
08	0953	7	OVC:08 75	10.00		59	15.0	50	10.0	41	5.0	51	14	210		29.19	1	-0.04	30.16	FM-15	0.00	30.16
08	1053	7	BKN:07 60	10.00		64	17.8	54	11.9	44	6.7	48	13	210		29.18			30.15	FM-15	0.00	30.15
08	1153	7	OVC:08 65	10.00		68	20.0	56	13.4	46	7.8	45	14	210	22	29.17			30.13	FM-15	0.00	30.14
08	1253	7	CLR:00	10.00		71	21.7	57	14.0	46	7.8	41	16	220	26	29.14	8	+0.05	30.10	FM-15	0.00	30.11
08	1353	7	CLR:00	10.00		71	21.7	57	13.8	45	7.2	39	21	180	24	29.10			30.07	FM-15	0.00	30.07
08	1453	7	CLR:00	10.00		71	21.7	56	13.1	42	5.6	35	14	190		29.09			30.05	FM-15	0.00	30.06
08	1553	7	CLR:00	10.00		72	22.2	56	13.1	41	5.0	33	15	200		29.06	6	+0.07	30.03	FM-15	0.00	30.03
08	1653	7	CLR:00	10.00		71	21.7	55	12.7	40	4.4	32	15	200	25	29.04			30.00	FM-15	0.00	30.01
08	1753	7	CLR:00	10.00		69	20.6	53	11.8	38	3.3	32	11	200	21	29.05			30.01	FM-15	0.00	30.02
08	1853	7	CLR:00	10.00		67	19.4	52	11.3	38	3.3	35	11	200		29.06	5	+0.01	30.02	FM-15	0.00	30.03
08	1953	7	CLR:00	10.00		64	17.8	51	10.6	38	3.3	38	10	180		29.04			30.01	FM-15	0.00	30.01
08	2053	7	CLR:00	10.00		62	16.7	51	10.3	39	3.9	43	9	200		29.03			29.99	FM-15	0.00	30.00
08	2153	7	CLR:00	10.00		60	15.6	50	9.8	39	3.9	46	8	210		29.06	3	-0.01	30.03	FM-15	0.00	30.03
08	2253	7	CLR:00	10.00		58	14.4	49	9.3	39	3.9	50	5	200		29.07			30.03	FM-15	0.00	30.04
08	2353	7	CLR:00	10.00		57	13.9	48	9.0	39	3.9	51	6	210		29.08			30.04	FM-15	0.00	30.05
09	0053	7	CLR:00	10.00		55	12.8	48	8.7	40	4.4	57	7	190		29.08	1	-0.01	30.04	FM-15	0.00	30.05
09	0153	7	CLR:00	10.00		54	12.2	47	8.5	40	4.4	59	8	200		29.09			30.05	FM-15	0.00	30.06
09	0253	7	CLR:00	10.00		54	12.2	47	8.5	40	4.4	59	8	210		29.08			30.03	FM-15	0.00	30.05
09	0353	7	CLR:00	10.00		54	12.2	48	8.7	41	5.0	62	8	210		29.08	8	+0.00	30.04	FM-15	0.00	30.05
09	0453	7	CLR:00	10.00		54	12.2	48	8.7	41	5.0	62	9	190		29.08			30.03	FM-15	0.00	30.05
09	0553	7	CLR:00	10.00		55	12.8	49	9.2	42	5.6	62	10	190		29.08			30.04	FM-15	0.00	30.05
09	0653	7	CLR:00	10.00		55	12.8	49	9.4	43	6.1	64	8	170		29.08	0	-0.00	30.04	FM-15	0.00	30.05

09	0753	7	CLR:00	10.00		57	13.9	51	10.5	45	7.2	64	11	170		29.09			30.05	FM-15	0.00	30.06
09	0853	7	CLR:00	10.00		63	17.2	55	12.7	48	8.9	58	14	190	23	29.09			30.05	FM-15	0.00	30.06
09	0953	7	FEW:02 110	10.00		63	17.2	55	12.7	48	8.9	58	14	200		29.12	3	-0.03	30.08	FM-15	0.00	30.09
09	1053	7	CLR:00	10.00		65	18.3	56	13.4	49	9.4	56	13	210	23	29.12			30.09	FM-15	0.00	30.09
09	1153	7	FEW:02 65	10.00		69	20.6	58	14.4	49	9.4	49	22	210	30	29.10			30.06	FM-15	0.00	30.07
09	1253	7	FEW:02 65	10.00		71	21.7	59	15.0	50	10.0	47	18	230		29.06	8	+0.05	30.03	FM-15	0.00	30.03
09	1353	7	FEW:02 50	10.00		73	22.8	60	15.5	50	10.0	44	16	230	25	29.05			30.01	FM-15	0.00	30.02
09	1453	7	FEW:02 50	10.00		71	21.7	59	14.8	49	9.4	46	18	220		29.05			30.01	FM-15	0.00	30.02
09	1553	7	BKN:07 90 OVC:08 100	10.00		70	21.1	59	14.8	50	10.0	49	14	210		29.06	5	+0.00	30.02	FM-15	T	30.03
09	1653	7	FEW:02 50 BKN:07 100	10.00		69	20.6	58	14.3	49	9.4	49	18	220		29.05			30.01	FM-15	T	30.02
09	1753	7	OVC:08 95	10.00		66	18.9	58	14.2	51	10.6	59	9	220		29.05			30.01	FM-15	T	30.02
09	1853	7	FEW:02 47 OVC:08 65	10.00	-RA:02 |RA |	61	16.1	57	13.9	54	12.2	78	10	220		29.08	3	-0.02	30.05	FM-15	0.01	30.05
09	1953	7	BKN:07 50 OVC:08 55	9.00	-RA:02 |RA |	58	14.4	57	13.8	56	13.3	93	8	270		29.09			30.06	FM-15	0.05	30.06
09	2053	7	BKN:07 50 OVC:08 60	10.00	-RA:02 |RA |	58	14.4	57	13.8	56	13.3	93	5	280		29.08			30.05	FM-15	0.01	30.05
09	2153	7	SCT:04 60 BKN:07 80 OVC:08 90	10.00		58	14.4	57	13.8	56	13.3	93	0	000		29.06	8	+0.01	30.03	FM-15	0.01	30.03
09	2253	7	BKN:07 70 OVC:08 90	9.00		57	13.9	56	13.6	56	13.3	96	0	000		29.07			30.04	FM-15	T	30.04
09	2353	7	OVC:08 70	6.00	BR:1 ||	56	13.3	55	13.0	55	12.8	97	0	000		29.08			30.04	FM-15	T	30.05
10	0053	7	OVC:08 60	6.00	BR:1 ||	57	13.9	56	13.6	56	13.3	96	0	000		29.07	0	-0.01	30.03	FM-15	0.01	30.04
10	0153	7	OVC:08 60	7.00		57	13.9	56	13.6	56	13.3	96	3	190		29.08			30.03	FM-15	T	30.05
10	0253	7	OVC:08 60	7.00		57	13.9	56	13.6	56	13.3	96	5	150		29.06			30.01	FM-15	0.00	30.03
10	0353	7	BKN:07 60 BKN:07 80 OVC:08 100	5.00	-RA:02 BR:1 |RA |	57	13.9	56	13.6	56	13.3	96	5	180		29.04	8	+0.03	30.00	FM-15	T	30.01
10	0453	7	BKN:07 43 OVC:08 50	5.00	-RA:02 BR:1 |RA |	57	13.9	56	13.6	56	13.3	96	6	170		29.05			30.01	FM-15	0.02	30.02
10	0553	7	OVC:08 42	8.00	-RA:02 |RA |	57	13.9	56	13.3	55	12.8	93	8	180		29.05			30.01	FM-15	0.04	30.02
10	0653	7	BKN:07 39 OVC:08 46	4.00	RA:02 BR:1 |RA |	57	13.9	56	13.3	55	12.8	93	7	180		29.06	1	-0.01	30.02	FM-15	0.03	30.03
10	0751	6	BKN:07 28 OVC:08 33	8.00	-RA:02 |RA |	57	14.0	56	13.3	55	13.0	94	7	200		29.05				FM-16		30.02
10	0753	7	BKN:07 28 OVC:08 33	8.00	-RA:02 |RA |	57	13.9	56	13.6	56	13.3	96	7	200		29.05			30.01	FM-15	0.02	30.02
10	0804	7	FEW:02 26 OVC:08 35	10.00		58	14.4	57	13.8	56	13.3	93	8	200		29.05				FM-16	T	30.02
10	0849	7	BKN:07 9 OVC:08 36	10.00		57	14.0	57	13.9	57	14.0	100	7	190		29.04				FM-16	T	30.01
10	0850	7	BKN:07 9 OVC:08 36	10.00		58	14.4	57	14.1	57	13.9	97	7	190		29.04			30.01	FM-15	T	30.01
10	0908	7	OVC:08 10	9.00		58	14.4	57	14.1	57	13.9	97	7	200		29.04				FM-16		30.01
10	0936	7	FEW:02 13 OVC:08 33	9.00	-RA:02 |RA |	59	15.0	58	14.4	57	13.9	93	8	190		29.04				FM-16	T	30.01
10	0953	7	FEW:02 13 FEW:02 21 OVC:08 30	9.00	-RA:02 |RA |	59	15.0	58	14.4	57	13.9	93	9	210		29.06	5	+0.00	30.02	FM-15	T	30.03
10	1009	7	FEW:02 12 OVC:08 28	10.00		60	15.6	58	14.6	57	13.9	90	13	210		29.05				FM-16	T	30.02
10	1053	7	FEW:02 14 BKN:07 22 OVC:08 28	7.00	-RA:02 |RA |	60	15.6	59	14.9	58	14.4	93	10	200		29.04			30.01	FM-15	0.02	30.01
10	1153	7	FEW:02 12 BKN:07 22 OVC:08 41	7.00	-RA:02 |RA |	60	15.6	59	14.9	58	14.4	93	9	220		29.04			30.01	FM-15	0.01	30.01
10	1251	6	BKN:07 10 OVC:08 20	6.00	-RA:02 BR:1 |RA |	61	16.0	59	14.8	57	14.0	88	10	210		29.02				FM-16		29.99

10	1253	7	SCT:04 6 BKN:07 10 OVC:08 20	6.00	-RA:02 BR:1 |RA |	60	15.6	59	15.2	59	15.0	96	11	200		29.02	8	+0.04	29.98	FM-15	0.05	29.99
10	1353	7	OVC:08 11	8.00	-RA:02 |RA |	61	16.1	59	15.1	58	14.4	90	10	240		29.00			29.96	FM-15	0.02	29.97
10	1453	7	OVC:08 10	4.00	-RA:02 BR:1 |RA |	61	16.1	60	15.5	59	15.0	93	7	220		29.00			29.97	FM-15	0.03	29.97
10	1505	7	OVC:08 9	3.00	-RA:02 BR:1 |RA |	61	16.1	60	15.5	59	15.0	93	10	210		29.01				FM-16	0.01	29.98
10	1507	7	OVC:08 9	2.50	RA:02 BR:1 |RA |	60	15.6	59	15.2	59	15.0	96	9	210		29.01				FM-16	0.02	29.98
10	1551	6	BKN:07 8 OVC:08 16	3.00	-RA:02 BR:1 |RA |	61	16.0	60	15.5	59	15.0	94	8	220		29.00				FM-16		29.97
10	1553	7	BKN:07 8 OVC:08 16	3.00	-RA:02 BR:1 |RA |	61	16.1	60	15.5	59	15.0	93	9	220		29.00	6	+0.02	29.97	FM-15	0.08	29.97
10	1630	7	OVC:08 7	2.50	RA:02 BR:1 |RA |	60	15.6	59	15.2	59	15.0	96	6	240		28.99				FM-16	0.05	29.96
10	1653	7	OVC:08 7	2.50	RA:02 BR:1 |RA |	60	15.6	59	15.2	59	15.0	96	5	250		29.00			29.96	FM-15	0.09	29.97
10	1703	7	OVC:08 7	2.50	RA:02 BR:1 |RA |	60	15.6	59	15.2	59	15.0	96	6	270		28.99				FM-16	0.02	29.96
10	1737	7	BKN:07 4 OVC:08 10	3.00	RA:02 BR:1 |RA |	59	15.0	58	14.7	58	14.4	96	8	340		29.00				FM-16	0.07	29.97
10	1753	7	BKN:07 4 OVC:08 18	4.00	-RA:02 BR:1 |RA |	59	15.0	58	14.4	57	13.9	93	8	340		29.01			29.97	FM-15	0.09	29.98
10	1853	6	BKN:07 4 OVC:08 18	5.00	RA:02 BR:1 |RA |	57	13.9	56	13.6	56	13.3	96	11	350		29.03	3	-0.03	30.00	FM-15	0.10	30.00
10	1900	6	FEW:02 8 BKN:07 14 OVC:08 23	6.00	RA:02 BR:1 |RA |	57	13.9	56	13.3	55	12.8	93	13	360		29.03				FM-16		30.00
10	1951	6	OVC:08 39	5.00	-RA:02 |RA |	55	13.0	55	12.8	55	13.0	100	7	350		29.06				FM-16		30.03
10	1953	6	OVC:08 39	7.00	-RA:02 |RA |	56	13.3	55	13.0	55	12.8	97	6	350		29.06			30.03	FM-15	0.10	30.03
10	2041	7	FEW:02 8 BKN:07 17 OVC:08 46	5.00	-RA:02 |RA |	56	13.3	55	13.0	55	12.8	97	6	340		29.07				FM-16	0.05	30.04
10	2048	7	BKN:07 5 BKN:07 11 OVC:08 46	5.00	-RA:02 |RA |	55	13.0	55	12.8	55	13.0	100	8	320		29.08				FM-16	0.05	30.05
10	2053	6	BKN:07 5 BKN:07 11 OVC:08 46	5.00	-RA:02 |RA |	56	13.3	55	13.0	55	12.8	97	11	330		29.08			30.04	FM-15	0.05	30.05
10	2153	7	SCT:04 10 BKN:07 29 OVC:08 33	10.00	-RA:02 |RA |	53	11.7	52	11.1	51	10.6	93	15	360		29.10	1	-0.06	30.06	FM-15	0.03	30.07
10	2202	7	SCT:04 10 OVC:08 33	10.00	-RA:02 |RA |	53	11.7	52	11.1	51	10.6	93	11	010		29.10				FM-16	T	30.07
10	2253	7	FEW:02 30 SCT:04 43 OVC:08 60	10.00	-RA:02 |RA |	52	11.1	51	10.5	50	10.0	93	9	010		29.10			30.07	FM-15	T	30.07
10	2353	7	OVC:08 55	10.00		52	11.1	51	10.5	50	10.0	93	5	340		29.10			30.07	FM-15	0.00	30.07
11	0053	7	SCT:04 32 OVC:08 60	10.00		51	10.6	50	10.3	50	10.0	96	10	320		29.15	3	-0.06	30.12	FM-15	0.00	30.12
11	0100	7	SCT:04 7 BKN:07 31 OVC:08 60	10.00		51	10.6	50	10.0	49	9.4	92	9	320		29.15				FM-16		30.12
11	0116	7	BKN:07 8 BKN:07 18 OVC:08 31	10.00		51	10.6	50	10.0	49	9.4	92	9	340		29.17				FM-16		30.14
11	0153	7	OVC:08 6	5.00	BR:1 ||	49	9.4	48	9.2	48	8.9	97	13	010		29.18			30.15	FM-15	0.00	30.15
11	0201	7	OVC:08 4	6.00	BR:1 ||	48	8.9	47	8.6	47	8.3	96	13	010		29.17				FM-16		30.14
11	0215	7	OVC:08 6	10.00		48	8.9	47	8.3	46	7.8	93	10	020		29.18				FM-16		30.15
11	0253	7	BKN:07 8 OVC:08 17	8.00		47	8.3	46	7.8	45	7.2	93	10	010		29.19			30.16	FM-15	0.00	30.16
11	0316	7	BKN:07 10 OVC:08 18	6.00	BR:1 ||	47	8.3	46	7.8	45	7.2	93	14	010		29.20				FM-16		30.17
11	0338	7	SCT:04 10 OVC:08 17	6.00	BR:1 ||	47	8.3	46	7.8	45	7.2	93	9	010		29.20				FM-16		30.17
11	0353	7	FEW:02 11 OVC:08 17	6.00	BR:1 ||	47	8.3	46	7.5	44	6.7	90	9	020		29.19	0	-0.04	30.16	FM-15	0.00	30.16
11	0453	7	OVC:08 20	9.00		46	7.8	45	7.0	43	6.1	89	7	020		29.22			30.19	FM-15	0.00	30.19

11	0551	6	SCT:04 23	10.00		45	7.0	43	6.2	41	5.0	87	7	020		29.25				FM-16		30.22
11	0553	7	SCT:04 23	10.00		44	6.7	43	5.9	41	5.0	89	7	020		29.26			30.23	FM-15	0.00	30.23
11	0648	7	BKN:07 18	10.00		45	7.0	42	5.7	39	4.0	81	7	010		29.29				FM-16		30.27
11	0653	7	BKN:07 18	10.00		44	6.7	42	5.6	40	4.4	85	8	010		29.29	3	-0.04	30.28	FM-15	0.00	30.27
11	0705	7	SCT:04 18	10.00		43	6.1	41	5.1	39	3.9	86	8	020		29.29				FM-16		30.27
11	0716	7	BKN:07 18	10.00		43	6.1	42	5.3	40	4.4	89	7	010		29.30				FM-16		30.28
11	0753	7	OVC:08 16	10.00		44	6.7	42	5.6	40	4.4	85	10	010		29.33			30.31	FM-15	0.00	30.31
11	0825	7	OVC:08 14	10.00		44	6.7	42	5.6	40	4.4	85	7	020		29.34				FM-16		30.32
11	0853	7	OVC:08 13	10.00		45	7.2	43	5.9	40	4.4	83	14	020		29.34			30.32	FM-15	0.00	30.32
11	0953	7	OVC:08 14	10.00		45	7.2	43	5.9	40	4.4	83	11	030		29.34	1	-0.05	30.33	FM-15	0.00	30.32
11	1053	7	OVC:08 16	10.00		47	8.3	44	6.8	41	5.0	80	10	020		29.35			30.34	FM-15	0.00	30.33
11	1140	7	SCT:04 17	10.00		49	9.4	45	7.3	41	5.0	74	7	070		29.35				FM-16		30.33
11	1153	7	FEW:02 17	10.00		49	9.4	45	7.1	40	4.4	71	7	040		29.35			30.34	FM-15	0.00	30.33
11	1253	7	CLR:00	10.00		52	11.1	46	7.7	39	3.9	61	5	040		29.35	1	-0.01	30.34	FM-15	0.00	30.33
11	1353	7	CLR:00	10.00		54	12.2	48	8.7	41	5.0	62	8	360		29.34			30.32	FM-15	0.00	30.32
11	1453	7	CLR:00	10.00		56	13.3	48	9.0	40	4.4	55	6	010		29.34			30.32	FM-15	0.00	30.32
11	1553	7	CLR:00	10.00		56	13.3	48	9.0	40	4.4	55	6	060		29.33	7	+0.03	30.31	FM-15	0.00	30.31
11	1653	7	CLR:00	10.00		57	13.9	48	9.0	39	3.9	51	8	080		29.33			30.32	FM-15	0.00	30.31
11	1753	7	CLR:00	10.00		53	11.7	49	9.2	44	6.7	72	8	020		29.32			30.31	FM-15	0.00	30.30
11	1853	7	CLR:00	10.00		48	8.9	45	7.3	42	5.6	80	7	020		29.32	8	+0.00	30.32	FM-15	0.00	30.30
11	1953	7	CLR:00	10.00		46	7.8	44	6.5	41	5.0	83	9	010		29.32			30.32	FM-15	0.00	30.30
11	2053	7	CLR:00	10.00		42	5.6	41	5.1	40	4.4	92	6	010		29.33			30.32	FM-15	0.00	30.31
11	2153	7	CLR:00	10.00		42	5.6	41	4.8	39	3.9	89	7	050		29.32	8	+0.01	30.31	FM-15	0.00	30.30
11	2253	7	CLR:00	10.00		43	6.1	41	5.1	39	3.9	86	3	050		29.33			30.32	FM-15	0.00	30.31
11	2353	7	CLR:00	10.00		40	4.4	39	3.7	37	2.8	89	7	040		29.32			30.32	FM-15	0.00	30.30
12	0053	7	CLR:00	9.00		38	3.3	37	2.9	36	2.2	93	6	010		29.30	8	+0.01	30.29	FM-15	0.00	30.28
12	0153	7	CLR:00	7.00		39	3.9	38	3.2	36	2.2	89	5	040		29.29			30.28	FM-15	0.00	30.27
12	0253	7	CLR:00	7.00		38	3.3	37	2.9	36	2.2	93	3	070		29.26			30.25	FM-15	0.00	30.24
12	0353	7	CLR:00	7.00		40	4.4	39	3.7	37	2.8	89	0	000		29.25	8	+0.06	30.23	FM-15	0.00	30.22
12	0453	7	CLR:00	7.00		41	5.0	39	4.0	37	2.8	86	0	000		29.23			30.22	FM-15	0.00	30.21
12	0553	7	CLR:00	7.00		40	4.4	39	3.7	37	2.8	89	0	000		29.22			30.19	FM-15	0.00	30.19
12	0653	7	CLR:00	7.00		41	5.0	39	4.0	37	2.8	86	0	000		29.20	7	+0.05	30.19	FM-15	0.00	30.17
12	0753	7	CLR:00	7.00		43	6.1	41	5.1	39	3.9	86	0	000		29.20			30.18	FM-15	0.00	30.17
12	0853	7	CLR:00	9.00		46	7.8	43	6.2	40	4.4	79	0	000		29.22			30.20	FM-15	0.00	30.19
12	0953	7	CLR:00	9.00		49	9.4	46	7.6	42	5.6	77	3	210		29.22	3	-0.01	30.20	FM-15	0.00	30.19
12	1053	7	CLR:00	10.00		54	12.2	48	8.9	42	5.6	64	0	000		29.22			30.19	FM-15	0.00	30.19
12	1153	7	CLR:00	10.00		59	15.0	51	10.5	43	6.1	56	3	VRB		29.19			30.16	FM-15	0.00	30.16
12	1253	7	CLR:00	10.00		62	16.7	53	11.5	44	6.7	52	6	030		29.16	8	+0.06	30.13	FM-15	0.00	30.13
12	1353	7	CLR:00	10.00		65	18.3	53	11.7	42	5.6	43	3	010		29.11			30.09	FM-15	0.00	30.08
12	1453	7	CLR:00	10.00		67	19.4	54	12.4	43	6.1	42	5	VRB		29.10			30.07	FM-15	0.00	30.07
12	1553	7	BKN:07 37 OVC:08 95	10.00		65	18.3	53	11.9	43	6.1	45	6	010		29.09	6	+0.06	30.06	FM-15	0.00	30.06
12	1653	7	OVC:08 110	10.00		63	17.2	53	11.7	44	6.7	50	8	030		29.08			30.05	FM-15	0.00	30.05
12	1753	7	OVC:08 95	10.00		61	16.1	52	11.2	44	6.7	54	5	050		29.08			30.05	FM-15	0.00	30.05
12	1853	7	OVC:08 60	10.00	-RA:02 |RA |	58	14.4	53	11.5	48	8.9	70	5	360		29.08	5	+0.01	30.06	FM-15	T	30.05
12	1953	7	OVC:08 90	10.00	-RA:02 |RA |	56	13.3	52	11.3	49	9.4	77	5	350		29.08			30.06	FM-15	T	30.05
12	2053	7	OVC:08 95	10.00		55	12.8	51	10.5	47	8.3	74	6	010		29.07			30.04	FM-15	0.00	30.04
12	2153	7	OVC:08 120	10.00		54	12.2	50	10.2	47	8.3	77	7	020		29.04	8	+0.04	30.01	FM-15	0.00	30.01
12	2253	7	BKN:07 34 BKN:07 85 OVC:08 120	10.00		55	12.8	51	10.5	47	8.3	74	5	020		29.05			30.02	FM-15	0.00	30.02
12	2350	7	OVC:08 29	10.00		55	13.0	51	10.7	48	9.0	77	0	000		29.05				FM-16		30.02
12	2353	7	OVC:08 27	10.00		55	12.8	51	10.7	48	8.9	77	3	080		29.04			30.01	FM-15	T	30.01
13	0053	7	OVC:08 27	10.00	-RA:02 |RA |	55	12.8	51	10.7	48	8.9	77	3	100		29.03	8	+0.02	29.99	FM-15	T	30.00
13	0112	7	SCT:04 27 BKN:07 70 OVC:08 90	10.00	-RA:02 |RA |	54	12.2	51	10.5	48	8.9	80	6	040		29.01				FM-16	T	29.98
13	0153	7	OVC:08 60	10.00		54	12.2	50	10.2	47	8.3	77	3	070		29.01			29.98	FM-15	0.01	29.98

13	0253	7	FEW:02 32 BKN:07 60 OVC:08 70	5.00	RA:02 |RA |	52	11.1	49	9.4	46	7.8	80	6	100		28.99			29.96	FM-15	0.06	29.96
13	0350	7	BKN:07 22 BKN:07 50 OVC:08 75	10.00	-RA:02 |RA |	52	11.0	49	9.4	46	8.0	82	7	050		28.97				FM-16	0.01	29.94
13	0353	7	BKN:07 22 BKN:07 34 OVC:08 75	10.00	-RA:02 |RA |	51	10.6	49	9.4	47	8.3	86	7	050		28.97	6	+0.05	29.93	FM-15	T	29.94
13	0439	7	OVC:08 16	2.00	+RA:02 BR:1 |RA |	50	10.0	48	9.2	47	8.3	89	3	VRB		28.98				FM-16	0.17	29.95
13	0448	6	BKN:07 14 OVC:08 20	1.50	+RA:02 BR:1 |RA |	50	10.0	49	9.4	48	9.0	94	6	050		28.96				FM-16		29.93
13	0451	6	SCT:04 12 OVC:08 18	1.25	+RA:02 BR:1 |RA |	48	9.0	48	8.9	48	9.0	100	3	050		28.97				FM-16		29.94
13	0453	6	FEW:02 12 OVC:08 18	1.25	+RA:02 BR:1 |RA |	49	9.4	48	9.2	48	8.9	97	6	040		28.97			29.94	FM-15	0.54	29.94
13	0508	7	BKN:07 10 OVC:08 20	0.75	+RA:02 BR:1 |RA |	49	9.4	48	9.2	48	8.9	97	0	000		28.99				FM-16	0.36	29.96
13	0520	7	SCT:04 12 BKN:07 17 OVC:08 75	1.75	+RA:02 BR:1 |RA |	49	9.4	48	9.2	48	8.9	97	13	070		28.96				FM-16	0.50	29.93
13	0524	7	SCT:04 12 BKN:07 23 OVC:08 75	3.00	-RA:02 BR:1 |RA |	49	9.4	48	9.2	48	8.9	97	11	070		28.96				FM-16	0.50	29.93
13	0542	7	BKN:07 12 BKN:07 21 OVC:08 75	9.00	-RA:02 |RA |	49	9.4	48	8.9	47	8.3	93	8	050		28.97				FM-16	0.50	29.94
13	0553	7	BKN:07 12 OVC:08 23	9.00	-RA:02 |RA |	49	9.4	48	8.9	47	8.3	93	10	070		28.96			29.93	FM-15	0.37	29.93
13	0633	6	BKN:07 12 BKN:07 45 OVC:08 65	2.50	RA:02 BR:1 |RA |	49	9.4	48	8.9	47	8.3	93	9	070		28.95				FM-16		29.92
13	0640	7	BKN:07 14 BKN:07 28 OVC:08 90	5.00	-RA:02 BR:1 |RA |	49	9.4	48	8.9	47	8.3	93	9	070		28.95				FM-16	0.12	29.92
13	0653	7	SCT:04 16 BKN:07 80 OVC:08 100	6.00	-RA:02 BR:1 |RA |	49	9.4	48	8.9	47	8.3	93	10	070		28.94	8	+0.02	29.91	FM-15	0.12	29.91
13	0723	7	BKN:07 20 BKN:07 70 OVC:08 95	6.00	-RA:02 BR:1 |RA |	50	10.0	49	9.4	48	8.9	93	9	080		28.95				FM-16	T	29.92
13	0739	7	FEW:02 8 BKN:07 18 OVC:08 70	2.50	RA:02 BR:1 |RA |	50	10.0	49	9.4	48	8.9	93	6	080		28.95				FM-16	0.03	29.92
13	0751	6	SCT:04 8 BKN:07 16 OVC:08 24	3.00	-RA:02 BR:1 |RA |	50	10.0	49	9.4	48	9.0	94	10	100		28.95				FM-16		29.92
13	0753	7	SCT:04 8 BKN:07 16 OVC:08 55	3.00	-RA:02 BR:1 |RA |	50	10.0	49	9.4	48	8.9	93	10	090		28.95			29.92	FM-15	0.05	29.92
13	0851	6	FEW:02 8 OVC:08 95	6.00	-RA:02 BR:1 |RA |	52	11.0	50	10.0	48	9.0	88	14	090		28.93				FM-16		29.90
13	0853	7	FEW:02 8 SCT:04 20 OVC:08 95	7.00	-RA:02 |RA |	51	10.6	50	10.3	50	10.0	96	14	090		28.93			29.90	FM-15	0.03	29.90
13	0951	6	FEW:02 8 BKN:07 26 OVC:08 70	10.00		54	12.0	53	11.6	52	11.0	94	11	100		28.92				FM-16		29.89
13	0953	7	SCT:04 8 BKN:07 26 OVC:08 70	10.00		53	11.7	52	11.1	51	10.6	93	10	100		28.92	8	+0.03	29.89	FM-15	T	29.89
13	1040	7	BKN:07 7 OVC:08 100	10.00		55	12.8	53	11.9	52	11.1	90	15	100		28.90				FM-16	T	29.86
13	1053	7	BKN:07 7 OVC:08 100	10.00		55	12.8	54	12.2	53	11.7	93	11	100		28.90			29.86	FM-15	T	29.86

13	1151	6	BKN:07 10 OVC:08 18	10.00		55	13.0	54	12.5	54	12.0	94	9	090		28.87				FM-16		29.84
13	1153	7	BKN:07 10 OVC:08 18	10.00		56	13.3	55	12.7	54	12.2	93	10	090		28.87			29.84	FM-15	T	29.84
13	1202	7	BKN:07 9 OVC:08 15	10.00		56	13.3	54	12.4	53	11.7	90	10	090		28.87				FM-16		29.84
13	1253	7	OVC:08 9	10.00		56	13.3	55	12.7	54	12.2	93	9	100		28.86	6	+0.06	29.82	FM-15	0.00	29.82
13	1353	7	OVC:08 7	10.00		56	13.3	55	12.7	54	12.2	93	9	100		28.83			29.79	FM-15	T	29.79
13	1434	7	OVC:08 7	2.50	-RA:02 BR:1 |RA |	57	13.9	56	13.3	55	12.8	93	6	080		28.82				FM-16	0.01	29.78
13	1453	7	OVC:08 5	2.50	-RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	7	070		28.81			29.77	FM-15	0.03	29.77
13	1457	7	OVC:08 3	3.00	-RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	7	070		28.81				FM-16	T	29.77
13	1553	7	OVC:08 7	4.00	BR:1 ||	56	13.3	55	13.0	55	12.8	97	9	110		28.81	6	+0.05	29.77	FM-15	0.02	29.77
13	1632	7	OVC:08 7	1.00	-RA:02 BR:1 |RA |	56	13.3	55	12.7	54	12.2	93	7	130		28.81				FM-16	0.01	29.77
13	1653	7	OVC:08 7	1.00	-RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	8	100		28.80			29.76	FM-15	0.03	29.76
13	1753	7	OVC:08 6	1.00	BR:1 ||	55	12.8	55	12.8	55	12.8	100	6	090		28.79			29.75	FM-15	0.08	29.75
13	1824	7	OVC:08 4	0.75	BR:1 |FG |	55	12.8	55	12.8	55	12.8	100	5	090		28.79				FM-16		29.75
13	1831	7	OVC:08 4	0.75	BR:1 ||	55	12.8	55	12.8	55	12.8	100	3	100		28.79				FM-16		29.75
13	1851	6	OVC:08 4	2.00	BR:1 ||	55	13.0	54	12.5	54	12.0	94	5	110		28.79				FM-16		29.75
13	1853	7	OVC:08 4	2.00	BR:1 ||	55	12.8	54	12.5	54	12.2	96	5	110		28.79	6	+0.02	29.75	FM-15	0.00	29.75
13	1951	6	BKN:07 5 BKN:07 12 OVC:08 20	2.50	-RA:02 BR:1 |RA |	55	13.0	55	12.8	55	13.0	100	5	140		28.78				FM-16		29.74
13	1953	7	BKN:07 5 BKN:07 12 OVC:08 20	2.50	-RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	3	160		28.79			29.74	FM-15	0.01	29.75
13	2027	7	SCT:04 6 OVC:08 13	4.00	BR:1 ||	56	13.3	55	13.0	55	12.8	97	6	150		28.79				FM-16	0.01	29.75
13	2053	7	SCT:04 7 BKN:07 13 OVC:08 21	4.00	BR:1 ||	56	13.3	55	13.0	55	12.8	97	6	130		28.79			29.74	FM-15	T	29.75
13	2153	7	SCT:04 7 BKN:07 13 OVC:08 21	3.00	BR:1 ||	57	13.9	56	13.6	56	13.3	96	6	180		28.79	5	+0.00	29.75	FM-15	0.00	29.75
13	2200	7	BKN:07 4 OVC:08 12	3.00	BR:1 ||	57	13.9	56	13.6	56	13.3	96	6	180		28.79				FM-16		29.75
13	2212	7	BKN:07 3 OVC:08 12	2.50	BR:1 ||	57	13.9	57	13.9	57	13.9	100	5	180		28.79				FM-16		29.75
13	2224	7	OVC:08 3	3.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	5	170		28.78				FM-16		29.74
13	2236	7	OVC:08 3	2.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	5	190		28.79				FM-16		29.75
13	2243	7	OVC:08 3	0.75	BR:1 ||	57	13.9	57	13.9	57	13.9	100	6	200		28.79				FM-16		29.75
13	2253	7	VV:09 2	0.50	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	5	180		28.79			29.75	FM-15	0.00	29.75
13	2337	7	VV:09 2	0.25	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	6	170		28.79				FM-16		29.75
13	2353	7	VV:09 2	0.25	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	6	170		28.79			29.74	FM-15	0.00	29.75
14	0009	7	VV:09 2	0.50	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	6	180		28.79				FM-16		29.75
14	0034	7	VV:09 2	0.25	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	6	170		28.79				FM-16		29.75
14	0053	7	VV:09 2	0.25	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	8	170		28.79	7	+0.00	29.74	FM-15	0.00	29.75
14	0107	7	VV:09 2	0.50	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	7	180		28.79				FM-16		29.75
14	0134	7	OVC:08 2	1.25	BR:1 ||	57	13.9	57	13.9	57	13.9	100	6	180		28.78				FM-16		29.74
14	0142	7	BKN:07 2 OVC:08 14	3.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	6	190		28.79				FM-16		29.75
14	0153	7	BKN:07 4 OVC:08 12	5.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	7	200		28.79			29.74	FM-15	0.00	29.75
14	0200	7	SCT:04 4 OVC:08 11	6.00	BR:1 ||	58	14.4	57	14.1	57	13.9	97	7	200		28.79				FM-16		29.75
14	0220	7	BKN:07 6 OVC:08 11	7.00		57	13.9	57	13.9	57	13.9	100	7	210		28.78				FM-16		29.74
14	0253	7	OVC:08 6	7.00		57	13.9	57	13.9	57	13.9	100	6	210		28.78			29.73	FM-15	0.00	29.74
14	0353	7	BKN:07 8 OVC:08 11	9.00		58	14.4	57	14.1	57	13.9	97	7	210		28.78	5	+0.01	29.73	FM-15	0.00	29.74
14	0408	7	SCT:04 7 OVC:08 17	9.00		57	13.9	57	13.9	57	13.9	100	6	200		28.78				FM-16		29.74

14	0448	7	BKN:07 13 BKN:07 60	8.00		57	14.0	56	13.3	55	13.0	94	6	200		28.78				FM-16		29.74
14	0453	7	BKN:07 13 BKN:07 60	8.00		57	13.9	56	13.6	56	13.3	96	6	190		28.78			29.74	FM-15	0.00	29.74
14	0516	7	BKN:07 7 OVC:08 10	7.00		57	13.9	56	13.6	56	13.3	96	7	190		28.78				FM-16		29.74
14	0544	7	SCT:04 7	7.00		56	13.3	55	13.0	55	12.8	97	8	190		28.78				FM-16		29.74
14	0553	7	BKN:07 7	7.00		57	13.9	56	13.3	55	12.8	93	8	200		28.78			29.74	FM-15	0.00	29.74
14	0605	7	SCT:04 7	7.00		57	13.9	56	13.6	56	13.3	96	7	200		28.78				FM-16		29.74
14	0628	7	OVC:08 5	6.00	BR:1 ||	57	13.9	56	13.6	56	13.3	96	10	210		28.79				FM-16		29.75
14	0650	7	OVC:08 4	5.00	BR:1 ||	57	14.0	56	13.3	55	13.0	94	7	220		28.80				FM-16		29.76
14	0653	7	OVC:08 4	5.00	BR:1 ||	57	13.9	56	13.6	56	13.3	96	8	210		28.80	3	-0.01	29.75	FM-15	0.00	29.76
14	0753	7	OVC:08 4	6.00	BR:1 ||	58	14.4	57	13.8	56	13.3	93	7	190		28.81			29.76	FM-15	0.00	29.77
14	0808	7	OVC:08 5	5.00	BR:1 ||	58	14.4	57	14.1	57	13.9	97	8	180		28.81				FM-16		29.77
14	0818	7	OVC:08 4	5.00	BR:1 ||	58	14.4	57	14.1	57	13.9	97	8	170		28.81				FM-16		29.77
14	0843	7	OVC:08 3	2.00	BR:1 ||	57	13.9	56	13.6	56	13.3	96	7	170		28.81				FM-16		29.77
14	0851	6	OVC:08 3	3.00	BR:1 ||	57	14.0	56	13.3	55	13.0	94	8	180		28.81				FM-16		29.77
14	0853	7	OVC:08 3	4.00	BR:1 ||	57	13.9	56	13.6	56	13.3	96	9	170		28.81			29.76	FM-15	0.00	29.77
14	0953	7	OVC:08 6	9.00		59	15.0	58	14.4	57	13.9	93	8	190		28.80	0	-0.00	29.76	FM-15	0.00	29.76
14	1037	7	BKN:07 10	10.00		63	17.2	60	15.6	58	14.4	84	6	180		28.78				FM-16		29.74
14	1053	7	SCT:04 13	10.00		65	18.3	61	16.3	59	15.0	81	7	160		28.77			29.72	FM-15	0.00	29.73
14	1153	7	FEW:02 24 SCT:04 120	10.00		68	20.0	61	16.4	57	13.9	68	7	170		28.75			29.70	FM-15	0.00	29.71
14	1253	7	SCT:04 33	10.00		69	20.6	61	16.3	56	13.3	63	11	140		28.72	6	+0.07	29.67	FM-15	0.00	29.68
14	1353	7	BKN:07 36	10.00		71	21.7	62	16.7	56	13.3	59	11	180		28.67			29.62	FM-15	0.00	29.63
14	1432	7	BKN:07 50 OVC:08 90	10.00	VCTS:7 ||	69	20.6	61	16.0	55	12.8	61	9	160		28.65				FM-16		29.61
14	1451	6	BKN:07 50 OVC:08 90	2.00	VCTS:7 -RA:02 |RA |	68	20.0	60	15.8	55	13.0	64	15	180	22	28.66				FM-16		29.62
14	1453	7	OVC:08 39	2.00	VCTS:7 -RA:02 |RA |	68	20.0	61	16.1	56	13.3	65	15	190	22	28.66			29.61	FM-15	0.04	29.62
14	1500	7	OVC:08 39	2.00	TS:7 +RA:02 |RA TS TS |	61	16.1	57	13.9	54	12.2	78	21	230	37	28.67				FM-16	0.05	29.63
14	1518	6	FEW:02 31 BKN:07 70 OVC:08 90	10.00	-RA:02 |RA |	59	15.0	56	13.4	54	12.2	83	9	220		28.68				FM-16		29.64
14	1553	6	FEW:02 80 BKN:07 110	10.00		60	15.6	58	14.3	56	13.3	86	3	190		28.67	5	+0.06	29.62	FM-15	0.06	29.63
14	1653	7	CLR:00	10.00		62	16.7	60	15.4	58	14.4	86	6	130		28.67			29.62	FM-15	0.00	29.63
14	1753	7	FEW:02 23	10.00		61	16.1	59	14.8	57	13.9	87	6	350		28.67			29.62	FM-15	0.00	29.63
14	1853	7	BKN:07 42 BKN:07 49	10.00		58	14.4	57	13.8	56	13.3	93	0	000		28.69	3	-0.03	29.65	FM-15	0.00	29.65
14	1951	6	FEW:02 22 BKN:07 28 OVC:08 38	10.00		57	14.0	56	13.3	55	13.0	94	0	000		28.71				FM-16		29.67
14	1953	7	FEW:02 22 BKN:07 28 OVC:08 43	10.00		58	14.4	57	13.8	56	13.3	93	0	000		28.71			29.66	FM-15	0.00	29.67
14	2053	7	FEW:02 22 BKN:07 28 OVC:08 43	10.00		59	15.0	57	13.7	55	12.8	87	6	250		28.72			29.68	FM-15	0.00	29.68
14	2100	7	FEW:02 27 BKN:07 50 OVC:08 60	10.00		59	15.0	57	13.7	55	12.8	87	7	250		28.72				FM-16		29.68
14	2153	7	FEW:02 19 OVC:08 55	10.00	-RA:02 |RA |	58	14.4	57	13.8	56	13.3	93	11	270		28.74	1	-0.04	29.69	FM-15	T	29.70
14	2206	7	BKN:07 19 BKN:07 49 OVC:08 55	10.00	-RA:02 |RA |	58	14.4	57	13.8	56	13.3	93	9	270		28.74				FM-16	T	29.70
14	2233	7	BKN:07 14 BKN:07 50 OVC:08 75	10.00	-RA:02 |RA |	58	14.4	57	13.8	56	13.3	93	10	280		28.75				FM-16	T	29.71

14	2253	7	SCT:04 10 BKN:07 14 OVC:08 44	9.00	-RA:02 |RA |	58	14.4	57	13.8	56	13.3	93	9	280		28.76			29.70	FM-15	T	29.72
14	2309	7	BKN:07 9 BKN:07 13 OVC:08 41	9.00	-RA:02 |RA |	58	14.4	57	13.8	56	13.3	93	8	270		28.76				FM-16	T	29.72
14	2341	7	SCT:04 7 BKN:07 12 OVC:08 24	1.75	+RA:02 BR:1 |RA |	57	13.9	56	13.6	56	13.3	96	9	280		28.76				FM-16	0.11	29.72
14	2350	7	BKN:07 9 BKN:07 14 OVC:08 19	2.00	RA:02 BR:1 |RA |	57	14.0	56	13.3	55	13.0	94	9	280		28.76				FM-16	0.14	29.72
14	2353	7	BKN:07 9 BKN:07 12 OVC:08 18	3.00	-RA:02 BR:1 |RA |	57	13.9	56	13.6	56	13.3	96	9	290		28.76			29.71	FM-15	0.15	29.72
15	0006	7	SCT:04 9 BKN:07 18 OVC:08 38	6.00	-RA:02 BR:1 |RA |	57	13.9	56	13.6	56	13.3	96	9	290		28.76				FM-16	0.01	29.72
15	0037	7	SCT:04 9 BKN:07 40 OVC:08 65	8.00		57	13.9	56	13.6	56	13.3	96	8	280		28.77				FM-16	0.01	29.73
15	0053	7	FEW:02 9 BKN:07 30 OVC:08 65	8.00		57	13.9	56	13.6	56	13.3	96	9	300		28.77	1	-0.04	29.72	FM-15	T	29.73
15	0144	7	BKN:07 12 OVC:08 33	8.00		57	13.9	56	13.3	55	12.8	93	9	290		28.79				FM-16		29.75
15	0153	7	BKN:07 12 OVC:08 35	8.00		57	13.9	56	13.3	55	12.8	93	8	300		28.79			29.74	FM-15	0.00	29.75
15	0217	7	FEW:02 11 BKN:07 16 OVC:08 100	6.00	BR:1 ||	56	13.3	55	12.7	54	12.2	93	10	300		28.79				FM-16		29.75
15	0253	7	BKN:07 19 OVC:08 26	7.00		56	13.3	54	12.4	53	11.7	90	9	320		28.79			29.74	FM-15	0.00	29.75
15	0353	7	OVC:08 19	8.00		55	12.8	53	11.9	52	11.1	90	9	320		28.80	1	-0.02	29.75	FM-15	0.00	29.76
15	0437	7	SCT:04 9 OVC:08 20	5.00	BR:1 ||	54	12.2	53	11.6	52	11.1	93	6	320		28.82				FM-16		29.78
15	0449	7	BKN:07 11 OVC:08 19	5.00	BR:1 ||	54	12.0	53	11.6	52	11.0	94	6	320		28.82				FM-16		29.78
15	0453	7	BKN:07 11 OVC:08 19	5.00	BR:1 ||	54	12.2	53	11.6	52	11.1	93	8	310		28.82			29.78	FM-15	0.00	29.78
15	0528	7	FEW:02 10 OVC:08 18	5.00	BR:1 ||	54	12.2	53	11.6	52	11.1	93	5	310		28.83				FM-16		29.79
15	0553	7	OVC:08 20	5.00	BR:1 ||	54	12.2	53	11.6	52	11.1	93	7	310		28.84			29.80	FM-15	0.00	29.80
15	0648	7	BKN:07 12 OVC:08 19	8.00		54	12.0	52	11.0	50	10.0	88	13	300		28.86				FM-16		29.82
15	0653	7	BKN:07 12 OVC:08 19	8.00		53	11.7	51	10.5	49	9.4	86	10	310		28.86	1	-0.04	29.82	FM-15	0.00	29.82
15	0753	7	OVC:08 11	7.00		52	11.1	50	10.2	49	9.4	89	6	340		28.87			29.83	FM-15	0.00	29.84
15	0853	7	OVC:08 12	6.00	BR:1 ||	53	11.7	51	10.8	50	10.0	89	6	350		28.89			29.85	FM-15	0.00	29.85
15	0920	7	OVC:08 16	7.00		53	11.7	51	10.8	50	10.0	89	6	360		28.90				FM-16		29.86
15	0941	7	OVC:08 13	8.00		53	11.7	51	10.8	50	10.0	89	5	350		28.90				FM-16		29.86
15	0953	7	OVC:08 13	9.00		53	11.7	51	10.8	50	10.0	89	3	330		28.90	1	-0.04	29.85	FM-15	0.00	29.86
15	1053	7	BKN:07 14 OVC:08 19	9.00		55	12.8	53	11.6	51	10.6	87	0	000		28.90			29.86	FM-15	0.00	29.86
15	1101	7	OVC:08 19	10.00		55	12.8	53	11.6	51	10.6	87	0	000		28.90				FM-16		29.86
15	1153	7	OVC:08 17	10.00		57	13.9	53	11.8	50	10.0	78	0	000		28.89			29.84	FM-15	0.00	29.85
15	1253	7	OVC:08 16	10.00		58	14.4	54	12.3	51	10.6	78	3	240		28.87	8	+0.02	29.83	FM-15	0.00	29.83
15	1353	7	SCT:04 16 OVC:08 22	9.00		59	15.0	55	12.6	51	10.6	75	0	000		28.86			29.82	FM-15	0.00	29.82
15	1453	7	BKN:07 22	10.00		61	16.1	56	13.3	52	11.1	72	6	100		28.84			29.79	FM-15	0.00	29.80
15	1553	7	BKN:07 27	10.00		64	17.8	57	14.0	52	11.1	65	6	VRB		28.81	8	+0.06	29.77	FM-15	0.00	29.77
15	1653	7	BKN:07 27	10.00		65	18.3	58	14.2	52	11.1	63	8	130		28.79			29.75	FM-15	0.00	29.75
15	1700	7	CLR:00	10.00		65	18.3	58	14.2	52	11.1	63	8	120		28.79				FM-16		29.75

15	1753	7	CLR:00	10.00		63	17.2	57	13.8	52	11.1	68	8	110		28.79			29.74	FM-15	0.00	29.75
15	1853	7	CLR:00	10.00		60	15.6	56	13.4	53	11.7	78	11	090		28.77	7	+0.04	29.72	FM-15	0.00	29.73
15	1953	7	CLR:00	10.00		59	15.0	55	12.9	52	11.1	78	9	090		28.77			29.72	FM-15	0.00	29.73
15	2053	7	CLR:00	10.00		57	13.9	54	12.1	51	10.6	81	8	100		28.76			29.72	FM-15	0.00	29.72
15	2153	7	CLR:00	10.00		59	15.0	55	12.6	51	10.6	75	10	110		28.74	8	+0.04	29.69	FM-15	0.00	29.70
15	2253	7	CLR:00	10.00		60	15.6	55	12.8	51	10.6	72	14	110		28.72			29.67	FM-15	0.00	29.68
15	2353	7	CLR:00	10.00		60	15.6	55	12.8	51	10.6	72	13	120		28.68			29.63	FM-15	0.00	29.64
16	0053	7	CLR:00	10.00		59	15.0	54	12.3	50	10.0	72	15	130		28.64	8	+0.09	29.59	FM-15	0.00	29.60
16	0153	7	CLR:00	10.00		59	15.0	54	12.3	50	10.0	72	11	130		28.62			29.57	FM-15	0.00	29.58
16	0253	7	CLR:00	10.00		59	15.0	54	12.3	50	10.0	72	8	150		28.60			29.55	FM-15	0.00	29.56
16	0353	7	BKN:07 60	10.00		60	15.6	55	12.5	50	10.0	70	10	170		28.59	6	+0.04	29.54	FM-15	0.00	29.55
16	0453	7	SCT:04 39 BKN:07 48	10.00		61	16.1	55	12.8	50	10.0	67	10	180		28.59			29.54	FM-15	0.00	29.55
16	0553	7	FEW:02 35 SCT:04 55 BKN:07 110	10.00		61	16.1	55	13.0	51	10.6	70	11	210		28.62			29.57	FM-15	0.00	29.58
16	0653	7	OVC:08 47	10.00		62	16.7	55	12.7	49	9.4	62	22	270	29	28.66	3	-0.06	29.61	FM-15	0.00	29.62
16	0753	7	SCT:04 39 BKN:07 55 OVC:08 100	10.00		59	15.0	53	11.5	47	8.3	64	17	260	30	28.71			29.66	FM-15	0.00	29.67
16	0853	7	FEW:02 70	10.00		59	15.0	51	10.5	43	6.1	56	17	260	29	28.76			29.71	FM-15	T	29.72
16	0953	7	CLR:00	10.00	-RA:02 |RA |	60	15.6	49	9.5	38	3.3	44	23	250	37	28.77	1	-0.11	29.72	FM-15	T	29.73
16	1053	7	CLR:00	10.00		60	15.6	49	9.5	38	3.3	44	22	240	30	28.79			29.74	FM-15	T	29.75
16	1153	7	SCT:04 65	10.00	-RA:02 |RA |	62	16.7	50	10.3	39	3.9	43	21	240	36	28.81			29.76	FM-15	T	29.77
16	1253	7	FEW:02 60 FEW:02 80	10.00	-RA:02 |RA |	62	16.7	50	10.1	38	3.3	41	31	240	38	28.81	1	-0.04	29.77	FM-15	T	29.77
16	1353	7	SCT:04 60 SCT:04 80	10.00	-RA:02 |RA |	62	16.7	49	9.6	36	2.2	38	24	250	33	28.82			29.77	FM-15	T	29.78
16	1453	7	SCT:04 80	10.00		62	16.7	48	9.0	33	0.6	34	24	220	41	28.84			29.79	FM-15	T	29.80
16	1553	7	SCT:04 85	10.00		61	16.1	46	8.0	29	-1.7	30	29	250	39	28.84	3	-0.04	29.80	FM-15	0.00	29.81
16	1653	7	SCT:04 90	10.00		61	16.1	46	8.0	29	-1.7	30	21	260	34	28.87			29.83	FM-15	0.00	29.84
16	1753	7	SCT:04 90	10.00		59	15.0	46	7.7	30	-1.1	33	17	260	25	28.90			29.85	FM-15	0.00	29.86
16	1853	7	FEW:02 90	10.00		56	13.3	44	6.5	28	-2.2	34	11	260		28.90	1	-0.06	29.86	FM-15	0.00	29.87
16	1953	7	CLR:00	10.00		54	12.2	43	6.0	28	-2.2	37	9	250		28.92			29.88	FM-15	0.00	29.89
16	2053	7	CLR:00	10.00		51	10.6	42	5.3	29	-1.7	43	6	240		28.92			29.89	FM-15	0.00	29.89
16	2153	7	CLR:00	10.00		50	10.0	42	5.4	31	-0.6	48	8	210		28.92	1	-0.02	29.89	FM-15	0.00	29.89
16	2253	7	CLR:00	10.00		50	10.0	41	5.2	30	-1.1	46	8	220		28.92			29.89	FM-15	0.00	29.89
16	2353	7	FEW:02 75 OVC:08 95	10.00		51	10.6	43	5.9	32	0.0	48	11	220		28.92			29.88	FM-15	T	29.89
17	0053	7	CLR:00	10.00		50	10.0	42	5.6	32	0.0	50	10	220		28.91	6	+0.01	29.88	FM-15	0.00	29.88
17	0153	7	FEW:02 120	10.00		50	10.0	42	5.8	33	0.6	52	10	230		28.91			29.87	FM-15	0.00	29.88
17	0253	7	CLR:00	10.00		49	9.4	42	5.3	32	0.0	52	13	270		28.91			29.87	FM-15	0.00	29.88
17	0353	7	CLR:00	10.00		46	7.8	40	4.4	32	0.0	58	8	260		28.90	6	+0.01	29.87	FM-15	0.00	29.87
17	0453	7	SCT:04 100	10.00		44	6.7	39	4.0	33	0.6	65	7	240		28.92			29.88	FM-15	0.00	29.89
17	0553	7	CLR:00	10.00		45	7.2	39	4.1	32	0.0	61	7	240		28.91			29.88	FM-15	0.00	29.88
17	0653	7	CLR:00	10.00		44	6.7	39	3.8	32	0.0	63	8	230		28.92	1	-0.02	29.89	FM-15	0.00	29.89
17	0753	7	CLR:00	10.00		48	8.9	41	5.2	33	0.6	56	11	230		28.93			29.91	FM-15	0.00	29.90
17	0853	7	CLR:00	10.00		52	11.1	43	6.4	33	0.6	49	14	240		28.94			29.91	FM-15	0.00	29.91
17	0953	7	CLR:00	10.00		55	12.8	45	7.0	32	0.0	42	21	240	26	28.94	1	-0.02	29.91	FM-15	0.00	29.91
17	1053	7	CLR:00	10.00		58	14.4	45	7.2	29	-1.7	33	11	270	28	28.93			29.90	FM-15	0.00	29.90
17	1153	7	SCT:04 60	10.00	-RA:02 |RA |	59	15.0	45	7.3	28	-2.2	31	22	270	31	28.93			29.90	FM-15	T	29.90
17	1253	7	SCT:04 80 BKN:07 100	10.00		60	15.6	46	7.6	28	-2.2	30	22	280	33	28.92	6	+0.02	29.89	FM-15	T	29.89
17	1353	7	FEW:02 75 SCT:04 90	10.00		59	15.0	45	7.0	26	-3.3	28	18	270	33	28.91			29.88	FM-15	T	29.88
17	1453	7	FEW:02 80 FEW:02 100 SCT:04 120	10.00		59	15.0	45	7.0	26	-3.3	28	24	280	34	28.90			29.87	FM-15	0.00	29.87
17	1553	7	FEW:02 90 SCT:04 120	10.00		57	13.9	43	6.3	25	-3.9	29	20	260	32	28.91	5	+0.01	29.88	FM-15	0.00	29.88

17	1653	7	FEW:02 85 SCT:04 100	10.00		57	13.9	44	6.4	26	-3.3	30	20	300	29	28.92			29.89	FM-15	0.00	29.89
17	1753	7	FEW:02 120	10.00		54	12.2	42	5.6	26	-3.3	34	14	280	23	28.93			29.91	FM-15	0.00	29.90
17	1853	7	FEW:02 120	10.00		51	10.6	41	4.9	27	-2.8	39	10	280		28.94	3	-0.03	29.92	FM-15	0.00	29.91
17	1953	7	FEW:02 120	10.00		47	8.3	39	3.7	27	-2.8	46	7	280		28.97			29.94	FM-15	0.00	29.94
17	2053	7	FEW:02 80 SCT:04 95 BKN:07 120	10.00		48	8.9	40	4.4	29	-1.7	48	10	260		28.99			29.97	FM-15	0.00	29.96
17	2153	7	FEW:02 55 FEW:02 75 OVC:08 90	10.00		50	10.0	40	4.6	27	-2.8	41	9	240		28.99	0	-0.04	29.96	FM-15	T	29.96
17	2253	7	FEW:02 90	10.00		46	7.8	38	3.4	27	-2.8	47	8	270		28.98			29.95	FM-15	0.00	29.95
17	2353	7	CLR:00	10.00		44	6.7	37	3.0	28	-2.2	53	6	260		28.97			29.95	FM-15	0.00	29.94
18	0053	7	CLR:00	10.00		42	5.6	36	2.4	28	-2.2	58	3	250		28.98	5	+0.00	29.96	FM-15	0.00	29.95
18	0153	7	CLR:00	10.00		42	5.6	36	2.4	28	-2.2	58	6	260		28.98			29.95	FM-15	0.00	29.95
18	0253	7	CLR:00	10.00		41	5.0	36	2.1	28	-2.2	60	3	250		28.97			29.95	FM-15	0.00	29.94
18	0353	7	SCT:04 100	10.00		39	3.9	35	1.5	28	-2.2	65	5	270		28.98	5	+0.01	29.95	FM-15	0.00	29.95
18	0453	7	SCT:04 100 BKN:07 120	10.00		39	3.9	35	1.5	28	-2.2	65	6	280		28.98			29.96	FM-15	0.00	29.95
18	0553	7	BKN:07 120	10.00		38	3.3	34	1.3	29	-1.7	70	7	270		28.99			29.97	FM-15	0.00	29.96
18	0653	7	BKN:07 110	10.00		40	4.4	36	2.0	29	-1.7	65	6	280		29.00	1	-0.02	29.98	FM-15	0.00	29.97
18	0753	7	CLR:00	10.00		44	6.7	39	3.8	32	0.0	63	6	240		29.01			29.99	FM-15	0.00	29.98
18	0853	7	CLR:00	10.00		51	10.6	42	5.5	30	-1.1	44	15	270		29.02			30.00	FM-15	0.00	29.99
18	0953	7	CLR:00	10.00		52	11.1	42	5.8	30	-1.1	43	18	280		29.03	1	-0.03	30.00	FM-15	0.00	30.00
18	1053	7	CLR:00	10.00		53	11.7	43	5.9	29	-1.7	40	17	290		29.05			30.02	FM-15	0.00	30.02
18	1153	7	CLR:00	10.00	-RA:02 |RA |	56	13.3	42	5.5	22	-5.6	27	22	280	33	29.05			30.02	FM-15	T	30.02
18	1253	7	CLR:00	10.00		56	13.3	42	5.5	22	-5.6	27	23	270	33	29.04	0	-0.01	30.01	FM-15	T	30.01
18	1353	7	CLR:00	10.00		58	14.4	43	6.2	23	-5.0	26	21	290	30	29.02			30.00	FM-15	T	29.99
18	1453	7	CLR:00	10.00		54	12.2	41	5.0	22	-5.6	29	17	290		29.03			30.01	FM-15	0.00	30.00
18	1553	7	CLR:00	10.00		52	11.1	40	4.5	23	-5.0	32	14	290	25	29.04	5	+0.00	30.01	FM-15	0.00	30.01
18	1653	7	CLR:00	10.00		51	10.6	40	4.4	24	-4.4	35	11	300		29.05			30.03	FM-15	0.00	30.02
18	1753	7	CLR:00	10.00		48	8.9	39	3.9	26	-3.3	42	10	340		29.05			30.03	FM-15	0.00	30.02
18	1853	7	FEW:02 50	10.00		45	7.2	38	3.5	29	-1.7	54	8	010		29.04	0	-0.00	30.02	FM-15	0.00	30.01
18	1953	7	SCT:04 50	10.00		44	6.7	38	3.2	29	-1.7	55	3	330		29.08			30.06	FM-15	0.00	30.05
18	2053	7	CLR:00	10.00		41	5.0	36	2.3	29	-1.7	62	7	360		29.09			30.06	FM-15	0.00	30.06
18	2153	7	CLR:00	10.00		40	4.4	36	2.0	29	-1.7	65	5	020		29.09	1	-0.05	30.07	FM-15	0.00	30.06
18	2253	7	CLR:00	10.00		41	5.0	36	2.3	29	-1.7	62	0	000		29.10			30.08	FM-15	0.00	30.07
18	2353	7	BKN:07 110	10.00		40	4.4	36	2.4	31	-0.6	70	6	050		29.11			30.09	FM-15	0.00	30.08
19	0053	7	OVC:08 110	10.00		41	5.0	37	2.7	31	-0.6	67	8	050		29.11	0	-0.02	30.08	FM-15	0.00	30.08
19	0153	7	CLR:00	10.00		40	4.4	36	2.4	31	-0.6	70	9	040		29.09			30.07	FM-15	0.00	30.06
19	0253	7	SCT:04 100	10.00		39	3.9	36	2.1	31	-0.6	73	9	040		29.08			30.06	FM-15	0.00	30.05
19	0353	7	BKN:07 100 OVC:08 120	10.00		38	3.3	35	1.8	31	-0.6	76	8	050		29.07	6	+0.04	30.05	FM-15	0.00	30.04
19	0453	7	OVC:08 100	10.00		38	3.3	35	1.8	31	-0.6	76	8	060		29.08			30.06	FM-15	0.00	30.05
19	0553	7	OVC:08 85	10.00		37	2.8	34	1.2	30	-1.1	76	8	050		29.09			30.08	FM-15	0.00	30.06
19	0653	7	OVC:08 70	10.00		37	2.8	34	1.0	29	-1.7	73	9	060		29.09	0	-0.02	30.07	FM-15	0.00	30.06
19	0753	7	BKN:07 70 OVC:08 85	10.00		36	2.2	33	0.3	27	-2.8	70	10	070		29.10			30.09	FM-15	0.00	30.07
19	0853	7	BKN:07 28 OVC:08 36	4.00	-SN:03 |SN |	36	2.2	33	0.5	28	-2.2	73	9	040		29.13			30.12	FM-15	T	30.10
19	0859	7	OVC:08 26	1.75	-SN:03 |SN |	35	1.7	32	0.2	28	-2.2	76	8	050		29.13				FM-16	T	30.10
19	0951	6	FEW:02 11 BKN:07 24 OVC:08 30	2.00	-SN:03 BR:1 |SN |	36	2.0	34	0.9	30	-1.0	81	7	030		29.13				FM-16		30.10
19	0953	7	FEW:02 11 BKN:07 26 OVC:08 39	2.00	-SN:03 BR:1 |SN |	35	1.7	33	0.8	31	-0.6	85	6	020		29.14	1	-0.05	30.12	FM-15	T	30.11
19	1053	7	SCT:04 13 BKN:07 24 OVC:08 80	2.00	-SN:03 |SN |	36	2.2	34	1.1	31	-0.6	82	6	040		29.13			30.12	FM-15	T	30.10

19	1100	7	BKN:07 24 OVC:08 80	5.00	HZ:7 |FU |HZ	36	2.2	34	1.1	31	-0.6	82	7	040		29.13				FM-16	T	30.10
19	1153	7	BKN:07 16 BKN:07 44 OVC:08 55	10.00		39	3.9	36	2.3	32	0.0	76	6	010		29.13			30.12	FM-15	0.00	30.10
19	1253	7	BKN:07 24	10.00		42	5.6	37	3.0	31	-0.6	65	8	360		29.11	8	+0.02	30.10	FM-15	0.00	30.08
19	1353	7	BKN:07 24	10.00		43	6.1	37	2.7	28	-2.2	56	9	340		29.09			30.07	FM-15	0.00	30.06
19	1400	7	BKN:07 34	10.00		44	6.7	37	3.0	28	-2.2	53	6	020		29.09				FM-16		30.06
19	1453	7	BKN:07 41 OVC:08 90	10.00		44	6.7	37	2.8	27	-2.8	51	8	360		29.10			30.08	FM-15	0.00	30.07
19	1553	7	SCT:04 41 OVC:08 85	10.00		45	7.2	38	3.3	28	-2.2	52	13	360	17	29.10	6	+0.02	30.08	FM-15	0.00	30.07
19	1653	7	FEW:02 60 FEW:02 90	10.00		44	6.7	36	2.5	25	-3.9	47	11	360		29.09			30.08	FM-15	0.00	30.06
19	1753	7	CLR:00	10.00		40	4.4	34	1.2	25	-3.9	55	15	360		29.10			30.09	FM-15	0.00	30.07
19	1853	7	CLR:00	10.00		37	2.8	32	0.3	25	-3.9	62	13	340		29.12	3	-0.03	30.11	FM-15	0.00	30.09
19	1953	7	BKN:07 80	10.00		34	1.1	30	-1.1	23	-5.0	64	10	340		29.14			30.14	FM-15	0.00	30.11
19	2053	7	CLR:00	10.00		32	0.0	28	-2.0	22	-5.6	66	13	360		29.16			30.15	FM-15	0.00	30.13
19	2153	7	CLR:00	10.00		30	-1.1	27	-2.8	21	-6.1	69	8	360		29.15	0	-0.02	30.14	FM-15	0.00	30.12
19	2253	7	CLR:00	10.00		29	-1.7	26	-3.2	21	-6.1	72	8	360		29.14			30.14	FM-15	0.00	30.11
19	2353	7	CLR:00	10.00		28	-2.2	25	-3.7	20	-6.7	72	8	350		29.13			30.13	FM-15	0.00	30.10
20	0053	7	OVC:08 85	10.00		29	-1.7	26	-3.2	21	-6.1	72	6	360		29.13	6	+0.02	30.12	FM-15	0.00	30.10
20	0153	7	OVC:08 85	10.00		30	-1.1	27	-2.8	21	-6.1	69	8	010		29.12			30.11	FM-15	0.00	30.09
20	0253	7	OVC:08 85	10.00		31	-0.6	28	-2.5	21	-6.1	67	8	360		29.10			30.09	FM-15	0.00	30.07
20	0353	7	OVC:08 85	10.00		31	-0.6	28	-2.5	21	-6.1	67	10	010		29.09	6	+0.04	30.08	FM-15	0.00	30.06
20	0453	7	OVC:08 90	10.00		31	-0.6	28	-2.1	23	-5.0	72	8	010		29.09			30.08	FM-15	0.00	30.06
20	0553	7	OVC:08 90	10.00		31	-0.6	28	-2.1	23	-5.0	72	8	360		29.09			30.09	FM-15	0.00	30.06
20	0653	7	OVC:08 90	10.00		30	-1.1	28	-2.5	23	-5.0	75	7	360		29.09	8	+0.00	30.09	FM-15	0.00	30.06
20	0753	7	CLR:00	10.00		31	-0.6	28	-2.1	23	-5.0	72	10	010		29.09			30.08	FM-15	0.00	30.06
20	0853	7	CLR:00	10.00		35	1.7	31	-0.6	24	-4.4	64	8	350		29.09			30.08	FM-15	0.00	30.06
20	0953	7	CLR:00	10.00		37	2.8	32	0.1	24	-4.4	59	5	010		29.09	6	+0.01	30.08	FM-15	0.00	30.06
20	1053	7	CLR:00	10.00		39	3.9	33	0.7	24	-4.4	55	6	360		29.08			30.07	FM-15	0.00	30.05
20	1153	7	FEW:02 36 OVC:08 100	10.00		42	5.6	35	1.9	25	-3.9	51	7	350		29.06			30.05	FM-15	0.00	30.03
20	1253	7	BKN:07 41 BKN:07 110	10.00		43	6.1	36	2.2	25	-3.9	49	13	340		29.05	6	+0.04	30.04	FM-15	0.00	30.02
20	1353	7	BKN:07 35 OVC:08 44	10.00		40	4.4	34	1.2	25	-3.9	55	13	320		29.04			30.03	FM-15	0.00	30.01
20	1453	7	OVC:08 43	10.00		42	5.6	35	1.7	24	-4.4	49	13	VRB	21	29.03			30.02	FM-15	0.00	30.00
20	1553	7	BKN:07 49 BKN:07 55	10.00		43	6.1	36	2.0	24	-4.4	47	9	350		29.02	8	+0.03	30.01	FM-15	0.00	29.99
20	1653	7	BKN:07 50 OVC:08 95	10.00		42	5.6	35	1.7	24	-4.4	49	10	360		29.03			30.02	FM-15	0.00	30.00
20	1753	7	FEW:02 44 OVC:08 100	10.00		39	3.9	33	0.4	22	-5.6	50	8	360		29.05			30.04	FM-15	0.00	30.02
20	1853	7	OVC:08 100	10.00		37	2.8	32	-0.1	23	-5.0	57	11	030		29.06	3	-0.04	30.05	FM-15	0.00	30.03
20	1953	7	FEW:02 100 SCT:04 120	10.00		34	1.1	30	-1.3	22	-5.6	61	6	010		29.08			30.07	FM-15	0.00	30.05
20	2053	7	FEW:02 60	10.00		34	1.1	29	-1.4	21	-6.1	59	3	350		29.09			30.09	FM-15	0.00	30.06
20	2153	7	CLR:00	10.00		34	1.1	30	-1.3	22	-5.6	61	0	000		29.09	1	-0.03	30.08	FM-15	0.00	30.06
20	2253	7	CLR:00	10.00		31	-0.6	28	-2.5	21	-6.1	67	0	000		29.09			30.08	FM-15	0.00	30.06
20	2353	7	CLR:00	10.00		29	-1.7	26	-3.2	21	-6.1	72	3	280		29.08			30.07	FM-15	0.00	30.05
21	0053	7	CLR:00	10.00		28	-2.2	26	-3.5	21	-6.1	75	6	280		29.08	6	+0.01	30.07	FM-15	0.00	30.05
21	0153	7	CLR:00	10.00		27	-2.8	25	-4.1	20	-6.7	75	7	290		29.08			30.07	FM-15	0.00	30.05
21	0253	7	CLR:00	10.00		26	-3.3	24	-4.4	20	-6.7	78	7	290		29.08			30.07	FM-15	0.00	30.05
21	0353	7	CLR:00	10.00		26	-3.3	24	-4.3	21	-6.1	81	9	280		29.08	3	-0.00	30.08	FM-15	0.00	30.05
21	0453	7	CLR:00	10.00		26	-3.3	24	-4.4	20	-6.7	78	8	290		29.10			30.09	FM-15	0.00	30.07
21	0553	7	CLR:00	10.00		25	-3.9	23	-4.8	20	-6.7	81	8	290		29.12			30.11	FM-15	0.00	30.09
21	0653	7	CLR:00	10.00		25	-3.9	23	-4.8	20	-6.7	81	7	290		29.14	3	-0.05	30.14	FM-15	0.00	30.11
21	0753	7	CLR:00	10.00		30	-1.1	27	-2.7	22	-5.6	72	7	290		29.15			30.15	FM-15	0.00	30.12

21	0853	7	CLR:00	10.00		35	1.7	30	-0.9	22	-5.6	59	7	290		29.17			30.16	FM-15	0.00	30.14
21	0953	7	FEW:02 44	10.00		38	3.3	32	0.1	22	-5.6	52	7	240		29.19	1	-0.05	30.18	FM-15	0.00	30.16
21	1053	7	CLR:00	10.00		42	5.6	34	1.2	21	-6.1	43	11	300		29.19			30.18	FM-15	0.00	30.16
21	1153	7	SCT:04 49	10.00		45	7.2	37	2.6	24	-4.4	44	17	280		29.18			30.16	FM-15	0.00	30.15
21	1253	7	BKN:07 55	10.00		46	7.8	37	2.8	23	-5.0	40	16	260	24	29.15	8	+0.04	30.14	FM-15	0.00	30.12
21	1353	7	BKN:07 60	10.00		48	8.9	38	3.5	24	-4.4	39	16	270	24	29.13			30.12	FM-15	0.00	30.10
21	1453	7	BKN:07 65	10.00		49	9.4	38	3.5	22	-5.6	35	18	270		29.11			30.10	FM-15	0.00	30.08
21	1553	7	BKN:07 65	10.00		50	10.0	39	4.0	23	-5.0	35	17	280	23	29.11	6	+0.04	30.09	FM-15	0.00	30.08
21	1653	7	SCT:04 65	10.00		49	9.4	39	3.7	23	-5.0	36	17	280		29.11			30.10	FM-15	0.00	30.08
21	1753	7	FEW:02 65	10.00		48	8.9	37	3.0	21	-6.1	34	15	290	24	29.11			30.10	FM-15	0.00	30.08
21	1853	7	CLR:00	10.00		43	6.1	35	1.8	23	-5.0	45	8	280		29.12	3	-0.01	30.11	FM-15	0.00	30.09
21	1953	7	CLR:00	10.00		41	5.0	34	1.4	24	-4.4	51	3	260		29.13			30.12	FM-15	0.00	30.10
21	2053	7	BKN:07 60	10.00		42	5.6	35	1.5	23	-5.0	47	5	240		29.15			30.14	FM-15	0.00	30.12
21	2153	7	CLR:00	10.00		39	3.9	33	0.7	24	-4.4	55	0	000		29.14	0	-0.02	30.13	FM-15	0.00	30.11
21	2253	7	CLR:00	10.00		38	3.3	33	0.4	24	-4.4	57	0	000		29.15			30.13	FM-15	0.00	30.12
21	2353	7	CLR:00	10.00		36	2.2	32	-0.3	24	-4.4	62	5	200		29.13			30.12	FM-15	0.00	30.10
22	0053	7	CLR:00	10.00		37	2.8	32	0.3	25	-3.9	62	3	220		29.14	5	+0.00	30.13	FM-15	0.00	30.11
22	0153	7	CLR:00	10.00		37	2.8	33	0.4	26	-3.3	65	3	220		29.15			30.13	FM-15	0.00	30.12
22	0253	7	CLR:00	10.00		35	1.7	32	-0.2	26	-3.3	70	0	000		29.14			30.12	FM-15	0.00	30.11
22	0353	7	FEW:02 110	10.00		36	2.2	32	0.1	26	-3.3	67	6	190		29.14	8	+0.01	30.12	FM-15	0.00	30.11
22	0453	7	OVC:08 100	10.00		37	2.8	33	0.6	27	-2.8	67	6	180		29.12			30.11	FM-15	0.00	30.09
22	0553	7	BKN:07 90	10.00		37	2.8	33	0.6	27	-2.8	67	7	170		29.12			30.10	FM-15	0.00	30.09
22	0653	7	CLR:00	10.00		37	2.8	33	0.6	27	-2.8	67	9	170		29.11	6	+0.03	30.09	FM-15	0.00	30.08
22	0753	7	CLR:00	10.00		39	3.9	35	1.5	28	-2.2	65	10	180		29.10			30.09	FM-15	0.00	30.07
22	0853	7	CLR:00	10.00		44	6.7	38	3.4	30	-1.1	58	11	190		29.08			30.06	FM-15	0.00	30.05
22	0953	7	CLR:00	10.00		50	10.0	42	5.4	31	-0.6	48	21	210	30	29.08	8	+0.03	30.06	FM-15	0.00	30.05
22	1053	7	CLR:00	10.00		55	12.8	45	7.0	32	0.0	42	21	210	26	29.05			30.03	FM-15	0.00	30.02
22	1153	7	CLR:00	10.00		57	13.9	45	7.3	31	-0.6	37	20	200	30	29.02			30.00	FM-15	0.00	29.99
22	1253	7	CLR:00	10.00		59	15.0	46	7.7	30	-1.1	33	20	220	37	28.99	8	+0.09	29.96	FM-15	T	29.96
22	1353	7	CLR:00	10.00		59	15.0	46	7.7	30	-1.1	33	25	200	32	28.95			29.93	FM-15	T	29.92
22	1453	7	CLR:00	10.00	-RA:02 |RA |	61	16.1	47	8.2	30	-1.1	31	22	210	33	28.93			29.90	FM-15	T	29.90
22	1553	7	CLR:00	10.00		61	16.1	47	8.2	30	-1.1	31	20	190	34	28.90	8	+0.09	29.87	FM-15	T	29.86
22	1653	7	CLR:00	10.00		61	16.1	46	8.0	29	-1.7	30	18	200	26	28.87			29.85	FM-15	0.00	29.84
22	1753	6	CLR:00	10.00		61	16.1	46	7.9	28	-2.2	29	18	190		28.87			29.83	FM-15	0.00	29.83
22	1853	6	CLR:00	10.00		60	15.6	45	7.4	27	-2.8	28	17	190	26	28.86	6	+0.04	29.82	FM-15	0.00	29.82
22	1953	6	CLR:00	10.00		59	15.0	45	7.3	28	-2.2	31	15	190	25	28.87			29.83	FM-15	0.00	29.83
22	2053	6	CLR:00	10.00		58	14.4	45	7.1	28	-2.2	32	14	190		28.87			29.83	FM-15	0.00	29.83
22	2153	6	CLR:00	10.00		58	14.4	45	7.1	28	-2.2	32	16	200	21	28.87	2	-0.02	29.84	FM-15	0.00	29.84
22	2253	6	CLR:00	10.00		57	13.9	45	7.0	29	-1.7	34	11	190		28.89			29.85	FM-15	0.00	29.85
22	2353	6	CLR:00	10.00		56	13.3	44	6.7	29	-1.7	36	13	200		28.90			29.86	FM-15	0.00	29.87
23	0053	6	CLR:00	10.00		55	12.8	44	6.4	29	-1.7	37	10	190		28.90	1	-0.03	29.87	FM-15	0.00	29.87
23	0153	6	CLR:00	10.00		54	12.2	43	6.3	30	-1.1	40	7	180		28.91			29.88	FM-15	0.00	29.88
23	0253	6	CLR:00	10.00		53	11.7	43	6.0	30	-1.1	41	8	190		28.91			29.88	FM-15	0.00	29.88
23	0353	7	CLR:00	10.00		53	11.7	43	6.2	31	-0.6	43	10	190		28.92	3	-0.02	29.89	FM-15	0.00	29.89
23	0453	7	CLR:00	10.00		52	11.1	43	6.0	31	-0.6	45	11	200		28.93			29.90	FM-15	0.00	29.90
23	0553	7	CLR:00	10.00		52	11.1	43	6.0	31	-0.6	45	13	200		28.94			29.91	FM-15	0.00	29.91
23	0653	7	CLR:00	10.00		51	10.6	42	5.7	31	-0.6	46	13	200		28.96	3	-0.04	29.93	FM-15	0.00	29.93
23	0753	6	CLR:00	10.00		53	11.7	44	6.6	33	0.6	47	10	200		28.97			29.93	FM-15	0.00	29.94
23	0853	7	CLR:00	10.00		56	13.3	46	7.7	34	1.1	44	14	200		28.99			29.95	FM-15	0.00	29.96
23	0953	7	CLR:00	10.00		59	15.0	48	9.1	37	2.8	44	18	220	25	28.99	1	-0.03	29.96	FM-15	0.00	29.96
23	1053	7	CLR:00	10.00		62	16.7	51	10.5	40	4.4	44	21	220	29	28.99			29.96	FM-15	0.00	29.96
23	1153	7	BKN:07 50	10.00		63	17.2	52	11.2	42	5.6	47	18	210	26	28.98			29.95	FM-15	0.00	29.95
23	1253	7	OVC:08 48	10.00		62	16.7	52	11.2	43	6.1	50	20	220	28	28.98	8	+0.01	29.94	FM-15	0.00	29.95
23	1353	7	OVC:08 42	10.00		61	16.1	52	11.0	43	6.1	52	18	230	28	28.98			29.94	FM-15	0.00	29.95
23	1453	7	OVC:08 38	10.00		60	15.6	52	11.0	44	6.7	56	15	210	28	28.97			29.94	FM-15	0.00	29.94
23	1553	7	BKN:07 42 OVC:08 50	10.00		60	15.6	52	11.2	45	7.2	58	20	220	26	28.96	8	+0.02	29.93	FM-15	0.00	29.93

23	1653	7	OVC:08 46	10.00		60	15.6	52	11.2	45	7.2	58	14	200		28.96			29.92	FM-15	0.00	29.93
23	1753	7	OVC:08 49	10.00		60	15.6	52	11.0	44	6.7	56	11	200	17	28.97			29.93	FM-15	0.00	29.94
23	1853	7	OVC:08 43	10.00		59	15.0	52	11.0	45	7.2	60	11	190		28.96	3	-0.01	29.93	FM-15	0.00	29.93
23	1953	7	OVC:08 50	10.00		59	15.0	52	11.0	45	7.2	60	9	180		28.96			29.93	FM-15	0.00	29.93
23	2053	7	BKN:07 45 OVC:08 50	10.00		57	13.9	51	10.5	45	7.2	64	5	170		28.97			29.94	FM-15	0.00	29.94
23	2153	7	SCT:04 60	10.00		53	11.7	49	9.4	45	7.2	74	0	000		28.97	0	-0.00	29.93	FM-15	0.00	29.94
23	2253	7	OVC:08 60	10.00		56	13.3	50	10.2	45	7.2	67	5	150		28.96			29.92	FM-15	0.00	29.93
23	2353	7	OVC:08 60	10.00		56	13.3	50	10.2	45	7.2	67	7	150		28.94			29.91	FM-15	0.00	29.91
24	0053	7	OVC:08 60	10.00		57	13.9	50	10.2	44	6.7	62	10	160		28.93	8	+0.04	29.89	FM-15	0.00	29.90
24	0153	7	OVC:08 60	10.00		56	13.3	50	9.9	44	6.7	65	13	170		28.91			29.88	FM-15	0.00	29.88
24	0253	7	OVC:08 60	10.00		57	13.9	50	10.0	43	6.1	60	14	180		28.90			29.87	FM-15	0.00	29.87
24	0353	7	OVC:08 70	10.00		58	14.4	51	10.5	44	6.7	60	13	170		28.89	8	+0.04	29.84	FM-15	0.00	29.85
24	0453	7	OVC:08 65	10.00		59	15.0	52	11.0	45	7.2	60	15	170		28.87			29.83	FM-15	0.00	29.84
24	0553	7	OVC:08 70	10.00		59	15.0	52	11.0	45	7.2	60	14	170		28.87			29.82	FM-15	0.00	29.83
24	0653	7	OVC:08 70	10.00		58	14.4	51	10.7	45	7.2	62	11	170		28.86	7	+0.03	29.81	FM-15	0.00	29.82
24	0753	7	BKN:07 60 OVC:08 80	10.00		58	14.4	51	10.7	45	7.2	62	11	170		28.84			29.80	FM-15	0.00	29.80
24	0853	7	BKN:07 65 OVC:08 85	10.00		59	15.0	52	11.2	46	7.8	62	15	170		28.81			29.76	FM-15	0.00	29.77
24	0953	7	OVC:08 90	10.00		65	18.3	56	13.4	49	9.4	56	16	180	26	28.78	8	+0.08	29.73	FM-15	0.00	29.74
24	1053	7	SCT:04 41 SCT:04 80	10.00		67	19.4	57	14.1	50	10.0	55	21	180	38	28.74			29.69	FM-15	0.00	29.70
24	1153	7	SCT:04 47 BKN:07 80	10.00		70	21.1	59	15.1	51	10.6	51	21	190	36	28.69			29.64	FM-15	T	29.65
24	1253	7	BKN:07 47 BKN:07 55 OVC:08 100	10.00		70	21.1	59	15.1	51	10.6	51	24	190	37	28.66	6	+0.12	29.60	FM-15	0.00	29.62
24	1353	7	BKN:07 50 OVC:08 60	10.00		69	20.6	58	14.6	50	10.0	51	25	190	34	28.61			29.56	FM-15	0.00	29.57
24	1453	7	OVC:08 50	10.00	-RA:02 |RA |	68	20.0	59	14.9	52	11.1	57	24	190	34	28.57			29.52	FM-15	T	29.53
24	1553	7	SCT:04 47 OVC:08 70	10.00	-RA:02 |RA |	66	18.9	58	14.5	52	11.1	61	23	190	39	28.57	6	+0.09	29.52	FM-15	T	29.53
24	1644	7	BKN:07 28 OVC:08 39	10.00	-RA:02 |RA |	64	17.8	58	14.6	54	12.2	70	28	190	41	28.56				FM-16	T	29.52
24	1653	7	BKN:07 28 OVC:08 34	10.00	-RA:02 |RA |	64	17.8	58	14.6	54	12.2	70	23	190	41	28.56			29.51	FM-15	T	29.52
24	1753	7	SCT:04 22 OVC:08 28	2.00	-RA:02 BR:1 |RA |	61	16.1	58	14.2	55	12.8	81	24	200	37	28.57			29.52	FM-15	0.03	29.53
24	1822	7	FEW:02 15 BKN:07 31 OVC:08 50	2.00	-RA:02 BR:1 |RA |	60	15.6	58	14.3	56	13.3	86	16	200	30	28.58				FM-16	0.04	29.54
24	1828	7	FEW:02 17 BKN:07 25 OVC:08 45	10.00	-RA:02 |RA |	60	15.6	58	14.3	56	13.3	86	18	190	31	28.58				FM-16	0.04	29.54
24	1853	7	SCT:04 18 BKN:07 23 OVC:08 28	4.00	-RA:02 BR:1 |RA |	59	15.0	57	14.0	56	13.3	90	20	200	29	28.58	3	-0.01	29.53	FM-15	0.05	29.54
24	1903	7	FEW:02 9 BKN:07 15 OVC:08 21	4.00	-RA:02 BR:1 |RA |	59	15.0	57	14.0	56	13.3	90	20	260	28	28.61				FM-16	0.01	29.57
24	1907	7	SCT:04 9 OVC:08 19	1.75	+RA:02 BR:1 |RA |	57	13.9	56	13.3	55	12.8	93	28	230	34	28.61				FM-16	0.17	29.57
24	1921	7	FEW:02 9 BKN:07 28 OVC:08 39	3.00	-RA:02 BR:1 |RA |	56	13.3	55	12.7	54	12.2	93	16	220	28	28.61				FM-16	0.38	29.57
24	1932	7	SCT:04 30 BKN:07 37 OVC:08 48	7.00	-RA:02 |RA |	56	13.3	55	12.7	54	12.2	93	14	210		28.62				FM-16	0.39	29.58
24	1953	7	FEW:02 36 BKN:07 48 OVC:08 55	5.00	RA:02 BR:1 |RA |	56	13.3	55	12.7	54	12.2	93	13	210		28.60			29.56	FM-15	0.43	29.56

24	2053	7	FEW:02 12 BKN:07 42 OVC:08 70	10.00		56	13.3	54	12.4	53	11.7	90	11	220		28.63			29.58	FM-15	0.07	29.59
24	2115	7	SCT:04 11 BKN:07 26 OVC:08 39	10.00		55	12.8	54	12.2	53	11.7	93	11	210		28.63				FM-16	T	29.59
24	2151	7	BKN:07 14 BKN:07 21 OVC:08 30	10.00		55	13.0	53	11.9	52	11.0	88	18	290	25	28.65				FM-16	T	29.61
24	2153	7	BKN:07 14 BKN:07 21 OVC:08 30	10.00		54	12.2	52	11.3	51	10.6	90	18	290	25	28.65	2	-0.07	29.60	FM-15	T	29.61
24	2157	7	SCT:04 14 OVC:08 21	10.00		54	12.2	51	10.8	49	9.4	83	15	290	25	28.65				FM-16		29.61
24	2219	7	SCT:04 21 BKN:07 32 OVC:08 39	10.00		53	11.7	49	9.7	46	7.8	77	17	270		28.67				FM-16	T	29.63
24	2253	7	SCT:04 48 OVC:08 60	10.00		52	11.1	48	8.9	44	6.7	75	13	260		28.68			29.63	FM-15	T	29.64
24	2353	7	FEW:02 27 OVC:08 75	10.00		50	10.0	47	8.1	43	6.1	77	16	290		28.70			29.65	FM-15	0.00	29.66
25	0037	7	SCT:04 21 BKN:07 25 OVC:08 90	10.00		49	9.4	46	7.8	43	6.1	80	14	290		28.72				FM-16		29.68
25	0053	7	BKN:07 19 BKN:07 25 OVC:08 37	10.00		48	8.9	46	7.5	43	6.1	83	14	290		28.72	1	-0.07	29.67	FM-15	0.00	29.68
25	0120	7	FEW:02 21 SCT:04 26 OVC:08 40	10.00		47	8.3	44	6.7	41	5.0	80	13	280		28.73				FM-16		29.69
25	0144	7	BKN:07 20 BKN:07 27 OVC:08 41	10.00		46	7.8	43	6.2	40	4.4	79	17	290	25	28.74				FM-16		29.70
25	0153	7	BKN:07 20 OVC:08 41	10.00		45	7.2	42	5.7	39	3.9	80	16	290	25	28.75			29.71	FM-15	0.00	29.71
25	0220	7	SCT:04 19 OVC:08 43	10.00		44	6.7	41	5.2	38	3.3	79	16	270	25	28.76				FM-16		29.72
25	0253	7	FEW:02 19 SCT:04 25 OVC:08 43	10.00		43	6.1	40	4.6	37	2.8	80	20	280	29	28.78			29.73	FM-15	0.00	29.74
25	0323	7	SCT:04 19 BKN:07 24 OVC:08 38	10.00		42	5.6	40	4.3	37	2.8	82	16	290		28.79				FM-16		29.75
25	0353	7	SCT:04 17 BKN:07 24 OVC:08 40	10.00		42	5.6	39	4.1	36	2.2	79	16	280	24	28.80	1	-0.08	29.76	FM-15	0.00	29.76
25	0423	7	SCT:04 23 OVC:08 46	10.00		41	5.0	38	3.6	35	1.7	79	15	290		28.82				FM-16		29.78
25	0434	7	BKN:07 21 OVC:08 46	10.00		40	4.4	38	3.2	35	1.7	83	14	280		28.83				FM-16		29.79
25	0453	7	BKN:07 20 BKN:07 25 OVC:08 48	10.00		39	3.9	37	2.7	34	1.1	82	23	280	30	28.84			29.80	FM-15	0.00	29.80
25	0553	7	BKN:07 15 OVC:08 23	10.00		38	3.3	36	2.2	33	0.6	83	14	300		28.87			29.83	FM-15	0.00	29.83
25	0558	7	OVC:08 14	10.00		38	3.3	36	2.2	33	0.6	83	10	300		28.87				FM-16		29.83
25	0644	7	SCT:04 13 OVC:08 18	10.00		38	3.3	36	2.0	32	0.0	79	13	300		28.90				FM-16		29.87
25	0653	7	OVC:08 18	10.00		38	3.3	36	2.0	32	0.0	79	10	300		28.90	3	-0.11	29.88	FM-15	0.00	29.87
25	0734	7	OVC:08 13	10.00		37	2.8	35	1.6	32	0.0	82	17	290		28.94				FM-16		29.91
25	0753	7	OVC:08 12	10.00		36	2.2	34	1.3	32	0.0	86	16	300		28.96			29.94	FM-15	0.00	29.93
25	0853	7	OVC:08 12	10.00		37	2.8	35	1.9	33	0.6	86	15	320		28.99			29.97	FM-15	0.00	29.96
25	0953	7	OVC:08 14	10.00		37	2.8	35	1.6	32	0.0	82	11	320		29.03	1	-0.12	30.01	FM-15	0.00	30.00
25	1022	7	OVC:08 9	10.00		36	2.2	34	1.3	32	0.0	86	13	340		29.05				FM-16	T	30.02

25	1053	7	OVC:08 9	10.00		35	1.7	33	0.8	31	-0.6	85	10	340		29.06			30.04	FM-15	T	30.03
25	1151	6	OVC:08 14	10.00		37	3.0	34	1.2	30	-1.0	75	10	330		29.06				FM-16		30.03
25	1153	6	OVC:08 14	10.00		37	2.8	35	1.4	31	-0.6	79	13	340		29.06			30.04	FM-15	0.00	30.03
25	1231	7	OVC:08 15	10.00		37	2.8	34	1.2	30	-1.1	76	11	350		29.07				FM-16		30.04
25	1253	7	OVC:08 17	10.00		38	3.3	35	1.8	31	-0.6	76	10	360		29.08	1	-0.05	30.06	FM-15	0.00	30.05
25	1353	7	OVC:08 21	10.00		38	3.3	35	1.5	30	-1.1	73	11	330	18	29.08			30.06	FM-15	0.00	30.05
25	1453	7	OVC:08 21	10.00		38	3.3	34	1.1	28	-2.2	68	10	300		29.09			30.07	FM-15	0.00	30.06
25	1553	7	OVC:08 22	10.00		38	3.3	34	1.1	28	-2.2	68	6	VRB		29.11	3	-0.03	30.09	FM-15	0.00	30.08
25	1653	7	OVC:08 22	10.00		38	3.3	34	1.1	28	-2.2	68	7	020		29.12			30.11	FM-15	0.00	30.09
25	1753	7	OVC:08 23	10.00		38	3.3	34	1.1	28	-2.2	68	7	040		29.15			30.13	FM-15	0.00	30.12
25	1853	7	OVC:08 23	10.00		37	2.8	33	0.8	28	-2.2	70	7	030		29.15	1	-0.04	30.14	FM-15	0.00	30.12
25	1953	7	OVC:08 22	10.00		37	2.8	33	0.8	28	-2.2	70	7	110		29.18			30.17	FM-15	0.00	30.15
25	2053	7	OVC:08 22	10.00		36	2.2	33	0.3	27	-2.8	70	5	080		29.19			30.18	FM-15	0.00	30.16
25	2153	7	OVC:08 22	10.00		37	2.8	33	0.8	28	-2.2	70	0	000		29.21	1	-0.06	30.20	FM-15	0.00	30.18
25	2253	7	OVC:08 22	10.00		37	2.8	34	1.0	29	-1.7	73	0	000		29.21			30.20	FM-15	0.00	30.18
25	2353	7	OVC:08 22	10.00		37	2.8	33	0.8	28	-2.2	70	3	070		29.21			30.20	FM-15	0.00	30.18
26	0053	7	OVC:08 21	10.00		37	2.8	33	0.8	28	-2.2	70	3	120		29.21	2	-0.00	30.20	FM-15	0.00	30.18
26	0153	7	OVC:08 21	10.00		36	2.2	33	0.7	29	-1.7	76	5	080		29.21			30.20	FM-15	0.00	30.18
26	0253	7	OVC:08 20	10.00		37	2.8	34	1.0	29	-1.7	73	3	100		29.20			30.19	FM-15	0.00	30.17
26	0353	7	OVC:08 20	10.00		36	2.2	33	0.7	29	-1.7	76	5	130		29.20	7	+0.01	30.19	FM-15	0.00	30.17
26	0453	7	OVC:08 20	10.00		37	2.8	34	1.2	30	-1.1	76	6	100		29.21			30.20	FM-15	0.00	30.18
26	0553	7	OVC:08 18	10.00		37	2.8	34	1.2	30	-1.1	76	9	140		29.23			30.22	FM-15	0.00	30.20
26	0653	7	OVC:08 18	10.00		37	2.8	34	1.2	30	-1.1	76	7	130		29.23	1	-0.03	30.23	FM-15	0.00	30.20
26	0753	7	OVC:08 18	10.00		38	3.3	35	1.8	31	-0.6	76	9	120		29.26			30.24	FM-15	0.00	30.23
26	0853	7	BKN:07 18	10.00		39	3.9	36	2.1	31	-0.6	73	0	000		29.26			30.26	FM-15	0.00	30.24
26	0923	7	SCT:04 19	10.00		42	5.6	38	3.2	32	0.0	68	0	000		29.26				FM-16		30.23
26	0953	7	CLR:00	10.00		43	6.1	38	3.5	32	0.0	65	0	000		29.26	0	-0.02	30.25	FM-15	0.00	30.23
26	1053	7	CLR:00	10.00		46	7.8	40	4.6	33	0.6	61	3	VRB		29.26			30.24	FM-15	0.00	30.23
26	1153	7	CLR:00	10.00		50	10.0	43	6.0	34	1.1	54	6	VRB		29.22			30.21	FM-15	0.00	30.19
26	1253	7	CLR:00	10.00		53	11.7	45	7.1	35	1.7	51	7	130		29.21	8	+0.05	30.19	FM-15	0.00	30.18
26	1353	7	CLR:00	10.00		56	13.3	46	7.9	35	1.7	46	7	090		29.19			30.17	FM-15	0.00	30.16
26	1453	7	CLR:00	10.00		58	14.4	47	8.2	34	1.1	41	3	VRB		29.18			30.16	FM-15	0.00	30.15
26	1553	7	CLR:00	10.00		59	15.0	48	8.7	35	1.7	41	5	VRB		29.18	5	+0.02	30.16	FM-15	0.00	30.15
26	1653	7	CLR:00	10.00		59	15.0	47	8.1	32	0.0	36	0	000		29.18			30.15	FM-15	0.00	30.15
26	1753	7	CLR:00	10.00		58	14.4	46	7.8	32	0.0	38	6	120		29.18			30.16	FM-15	0.00	30.15
26	1853	7	CLR:00	10.00		55	12.8	45	7.2	33	0.6	44	6	110		29.19	3	-0.01	30.16	FM-15	0.00	30.16
26	1953	7	CLR:00	10.00		51	10.6	43	5.9	32	0.0	48	5	050		29.18			30.16	FM-15	0.00	30.15
26	2053	7	CLR:00	10.00		50	10.0	42	5.4	31	-0.6	48	0	000		29.17			30.16	FM-15	0.00	30.14
26	2153	7	CLR:00	10.00		49	9.4	42	5.3	32	0.0	52	3	090		29.17	6	+0.02	30.15	FM-15	0.00	30.14
26	2253	7	CLR:00	10.00		48	8.9	41	5.0	32	0.0	54	6	110		29.17			30.15	FM-15	0.00	30.14
26	2353	7	CLR:00	10.00		44	6.7	39	3.6	31	-0.6	60	6	100		29.17			30.15	FM-15	0.00	30.14
27	0053	7	CLR:00	10.00		45	7.2	39	3.7	30	-1.1	56	3	090		29.18	3	-0.01	30.15	FM-15	0.00	30.15
27	0153	7	CLR:00	10.00		44	6.7	39	3.6	31	-0.6	60	3	070		29.17			30.14	FM-15	0.00	30.14
27	0253	7	CLR:00	10.00		44	6.7	38	3.4	30	-1.1	58	0	000		29.15			30.12	FM-15	0.00	30.12
27	0353	7	CLR:00	10.00		39	3.9	36	2.1	31	-0.6	73	0	000		29.15	6	+0.03	30.12	FM-15	0.00	30.12
27	0453	7	CLR:00	10.00		40	4.4	37	2.6	32	0.0	73	0	000		29.14			30.12	FM-15	0.00	30.11
27	0553	7	CLR:00	10.00		38	3.3	36	2.0	32	0.0	79	0	000		29.14			30.11	FM-15	0.00	30.11
27	0653	7	CLR:00	10.00		40	4.4	36	2.4	31	-0.6	70	5	120		29.13	8	+0.01	30.11	FM-15	0.00	30.10
27	0753	7	CLR:00	10.00		46	7.8	41	5.1	35	1.7	66	5	110		29.12			30.10	FM-15	0.00	30.09
27	0853	7	CLR:00	10.00		53	11.7	46	7.7	38	3.3	57	7	150		29.12			30.10	FM-15	0.00	30.09
27	0953	7	CLR:00	10.00		58	14.4	49	9.5	40	4.4	51	6	VRB		29.12	6	+0.01	30.09	FM-15	0.00	30.09
27	1053	7	CLR:00	10.00		64	17.8	54	12.2	45	7.2	50	9	180		29.09			30.06	FM-15	0.00	30.06
27	1153	7	CLR:00	10.00		69	20.6	58	14.6	50	10.0	51	10	210	16	29.04			30.01	FM-15	0.00	30.01
27	1253	7	CLR:00	10.00		74	23.3	62	16.5	53	11.7	48	13	180		29.00	8	+0.11	29.97	FM-15	0.00	29.97
27	1353	7	FEW:02 50	10.00		75	23.9	62	16.4	52	11.1	45	17	190		28.97			29.93	FM-15	0.00	29.94
27	1453	7	FEW:02 50	10.00		74	23.3	62	16.5	53	11.7	48	14	200	20	28.93			29.89	FM-15	0.00	29.90
27	1553	7	FEW:02 55	10.00		75	23.9	62	16.4	52	11.1	45	16	160	25	28.91	6	+0.09	29.88	FM-15	0.00	29.88

27	1653	7	FEW:02 80	10.00		74	23.3	62	16.5	53	11.7	48	13	180	24	28.89			29.85	FM-15	0.00	29.85
27	1753	7	SCT:04 75	10.00		72	22.2	60	15.8	52	11.1	50	15	190	22	28.84			29.81	FM-15	0.00	29.81
27	1853	7	FEW:02 50	10.00		70	21.1	60	15.6	53	11.7	55	7	190		28.82	8	+0.11	29.78	FM-15	0.00	29.78
27	1953	7	FEW:02 55 SCT:04 70	10.00		69	20.6	60	15.4	53	11.7	57	10	190		28.79			29.75	FM-15	0.00	29.75
27	2053	7	CLR:00	10.00		68	20.0	60	15.5	54	12.2	61	14	190		28.77			29.72	FM-15	0.00	29.73
27	2153	7	CLR:00	10.00		67	19.4	59	15.3	54	12.2	63	10	180	21	28.73	8	+0.08	29.68	FM-15	0.00	29.69
27	2253	7	SCT:04 46 BKN:07 55 OVC:08 90	10.00	-RA:02 |RA |	65	18.3	59	15.1	55	12.8	70	10	190		28.71			29.65	FM-15	T	29.67
27	2300	7	SCT:04 46 BKN:07 60 OVC:08 70	10.00	VCTS:7 -RA:02 |RA |	65	18.3	59	15.1	55	12.8	70	10	200		28.71				FM-16	T	29.67
27	2321	7	SCT:04 28 BKN:07 40 OVC:08 65	3.00	TS:7 +RA:02 BR:1 |RA TS |	60	15.6	58	14.6	57	13.9	90	13	210	25	28.73				FM-16	0.14	29.69
27	2329	7	SCT:04 22 BKN:07 32 OVC:08 41	2.50	TS:7 +RA:02 BR:1 |RA TS |	60	15.6	58	14.3	56	13.3	86	18	220	31	28.75				FM-16	0.24	29.71
27	2333	7	BKN:07 20 BKN:07 26 OVC:08 39	0.75	TS:7 +RA:02 BR:1 |RA TS |	59	15.0	58	14.4	57	13.9	93	31	230	47	28.75				FM-16	0.52	29.71
27	2348	7	FEW:02 21 OVC:08 30	1.50	VCTS:7 +RA:02 BR:1 |RA |	57	14.0	56	13.3	55	13.0	94	15	260	28	28.74				FM-16	0.80	29.70
27	2351	6	FEW:02 17 FEW:02 21 OVC:08 35	2.50	VCTS:7 +RA:02 BR:1 |RA |	57	14.0	56	13.3	55	13.0	94	16	260	28	28.74				FM-16		29.70
27	2353	7	FEW:02 21 OVC:08 35	2.50	VCTS:7 +RA:02 BR:1 |RA |	57	13.9	56	13.3	55	12.8	93	16	260	23	28.74			29.69	FM-15	0.87	29.70
28	0000	7	OVC:08 43	3.00	VCTS:7 +RA:02 BR:1 |RA |	57	13.9	56	13.3	55	12.8	93	13	250	22	28.74				FM-16	0.05	29.70
28	0012	7	BKN:07 55 OVC:08 70	3.00	+RA:02 BR:1 |RA |	56	13.3	55	12.7	54	12.2	93	9	240		28.73				FM-16	0.11	29.69
28	0045	7	FEW:02 13 BKN:07 24 OVC:08 30	4.00	-RA:02 BR:1 |RA |	52	11.1	50	10.0	48	8.9	86	24	300	43	28.75				FM-16	0.20	29.71
28	0053	7	FEW:02 13 FEW:02 20 OVC:08 27	7.00	-RA:02 |RA |	51	10.6	49	9.4	47	8.3	86	18	300	39	28.76	3	-0.03	29.71	FM-15	0.18	29.72
28	0112	7	SCT:04 27 BKN:07 37 OVC:08 49	5.00	RA:02 BR:1 |RA |	51	10.6	49	9.4	47	8.3	86	11	290	22	28.76				FM-16	0.03	29.72
28	0153	7	FEW:02 50 BKN:07 80 OVC:08 100	10.00		50	10.0	48	8.9	46	7.8	86	7	250		28.74			29.69	FM-15	0.04	29.70
28	0233	7	SCT:04 18 BKN:07 23 OVC:08 35	10.00		50	10.0	48	8.9	46	7.8	86	14	260	24	28.77				FM-16		29.73
28	0253	7	OVC:08 16	9.00	-RA:02 |RA |	49	9.4	47	8.3	45	7.2	86	22	270	34	28.77			29.72	FM-15	T	29.73
28	0333	7	FEW:02 20 SCT:04 33 BKN:07 42	10.00	-RA:02 |RA |	47	8.3	45	7.0	42	5.6	83	24	280	32	28.80				FM-16	T	29.76
28	0353	7	FEW:02 23 BKN:07 33 OVC:08 50	10.00		47	8.3	44	6.8	41	5.0	80	24	280	34	28.81	3	-0.04	29.76	FM-15	T	29.77
28	0412	7	BKN:07 22 OVC:08 32	10.00		47	8.3	44	6.5	40	4.4	77	21	280	30	28.82				FM-16	T	29.78
28	0441	7	SCT:04 22 OVC:08 31	10.00		46	7.8	43	6.2	40	4.4	79	15	270	26	28.84				FM-16	T	29.80
28	0453	7	SCT:04 24 OVC:08 31	10.00		46	7.8	43	6.0	39	3.9	77	15	270	29	28.84			29.80	FM-15	T	29.81
28	0516	7	BKN:07 26 BKN:07 33 OVC:08 43	10.00		46	7.8	43	6.0	39	3.9	77	11	260	26	28.86				FM-16		29.82

28	0549	7	SCT:04 22 BKN:07 30 OVC:08 40	10.00		45	7.0	42	5.7	39	4.0	81	20	260	31	28.87				FM-16		29.84
28	0553	7	FEW:02 19 SCT:04 28 OVC:08 38	10.00		45	7.2	42	5.7	39	3.9	80	17	270	31	28.87			29.84	FM-15	0.00	29.84
28	0653	7	SCT:04 24 BKN:07 39 BKN:07 47	10.00		45	7.2	42	5.7	39	3.9	80	16	270	25	28.90	1	-0.06	29.86	FM-15	0.00	29.87
28	0753	7	FEW:02 25 BKN:07 35 OVC:08 42	10.00		45	7.2	42	5.7	39	3.9	80	17	270	25	28.92			29.89	FM-15	0.00	29.89
28	0808	7	FEW:02 20 BKN:07 26 OVC:08 36	10.00		45	7.2	42	5.7	39	3.9	80	17	270	29	28.93				FM-16		29.90
28	0825	7	SCT:04 23 OVC:08 32	10.00		46	7.8	42	5.7	38	3.3	73	18	270	28	28.94				FM-16		29.91
28	0853	7	FEW:02 24 FEW:02 29 OVC:08 39	10.00		46	7.8	42	5.7	38	3.3	73	18	280		28.95			29.91	FM-15	0.00	29.92
28	0953	7	FEW:02 24 OVC:08 33	10.00		47	8.3	43	6.0	38	3.3	71	25	270	32	28.96	1	-0.04	29.93	FM-15	T	29.93
28	1002	7	BKN:07 29 OVC:08 36	10.00	-RA:02 |RA |	47	8.3	43	6.0	38	3.3	71	20	270	30	28.97				FM-16	T	29.94
28	1014	7	FEW:02 26 OVC:08 32	10.00		47	8.3	43	6.0	38	3.3	71	21	270	31	28.97				FM-16	T	29.94
28	1053	7	SCT:04 29 OVC:08 37	10.00	-RA:02 |RA |	49	9.4	44	6.6	38	3.3	66	26	280	32	28.98			29.95	FM-15	T	29.95
28	1153	7	BKN:07 28 OVC:08 38	10.00	-RA:02 |RA |	48	8.9	43	6.1	37	2.8	66	24	280	33	29.01			29.98	FM-15	T	29.98
28	1200	7	BKN:07 30 OVC:08 38	10.00	-RA:02 |RA |	48	8.9	43	6.1	37	2.8	66	28	280	34	29.00				FM-16	T	29.97
28	1253	7	FEW:02 29 OVC:08 37	10.00		49	9.4	43	6.4	37	2.8	64	20	290	30	29.03	3	-0.06	30.00	FM-15	T	30.00
28	1353	7	FEW:02 29 OVC:08 37	10.00		49	9.4	43	6.4	37	2.8	64	20	280	30	29.04			30.01	FM-15	T	30.01
28	1453	7	OVC:08 36	10.00		49	9.4	43	6.2	36	2.2	61	18	290		29.05			30.02	FM-15	0.00	30.02
28	1553	7	OVC:08 31	10.00		48	8.9	43	6.1	37	2.8	66	17	280	25	29.06	3	-0.04	30.03	FM-15	T	30.03
28	1651	6	BKN:07 27 OVC:08 33	10.00		48	9.0	43	6.1	37	3.0	66	16	290		29.08				FM-16		30.05
28	1653	7	BKN:07 27 OVC:08 33	10.00		48	8.9	43	6.3	38	3.3	68	14	290		29.08			30.06	FM-15	0.00	30.05
28	1748	7	SCT:04 28 BKN:07 35 OVC:08 44	10.00		46	8.0	42	5.5	37	3.0	71	15	320		29.10				FM-16		30.07
28	1753	7	SCT:04 29 BKN:07 39 OVC:08 46	10.00		47	8.3	42	5.8	37	2.8	69	9	320		29.11			30.09	FM-15	0.00	30.08
28	1853	7	SCT:04 28 BKN:07 34 OVC:08 43	10.00		46	7.8	42	5.5	37	2.8	71	10	320		29.12	1	-0.04	30.10	FM-15	0.00	30.09
28	1953	7	SCT:04 28 BKN:07 34 OVC:08 44	10.00		45	7.2	41	5.2	37	2.8	74	10	330		29.14			30.12	FM-15	0.00	30.11
28	2053	7	SCT:04 28 OVC:08 38	10.00		45	7.2	41	5.2	37	2.8	74	13	320		29.17			30.14	FM-15	0.00	30.14
28	2153	7	OVC:08 36	10.00		44	6.7	40	4.5	35	1.7	71	10	320		29.18	1	-0.05	30.16	FM-15	0.00	30.15
28	2253	7	OVC:08 47	10.00		44	6.7	40	4.3	34	1.1	68	14	330		29.17			30.15	FM-15	0.00	30.14
28	2353	7	OVC:08 45	10.00		43	6.1	39	4.0	34	1.1	71	8	310		29.19			30.16	FM-15	0.00	30.16
29	0053	7	OVC:08 44	10.00		42	5.6	39	3.9	35	1.7	76	6	310		29.19	3	-0.01	30.17	FM-15	0.00	30.16
29	0153	7	FEW:02 19 OVC:08 44	10.00		42	5.6	39	4.1	36	2.2	79	7	330		29.20			30.17	FM-15	0.00	30.17
29	0253	7	OVC:08 45	10.00		41	5.0	38	3.6	35	1.7	79	10	320		29.20			30.19	FM-15	0.00	30.17
29	0353	7	FEW:02 44	10.00		39	3.9	37	2.9	35	1.7	86	10	320		29.21	3	-0.02	30.19	FM-15	0.00	30.18

29	0453	7	CLR:00	10.00		37	2.8	36	2.1	34	1.1	89	7	320		29.23			30.21	FM-15	0.00	30.20
29	0553	7	CLR:00	10.00		36	2.2	35	1.5	33	0.6	89	7	320		29.26			30.24	FM-15	0.00	30.23
29	0653	7	CLR:00	9.00		35	1.7	34	1.2	33	0.6	93	8	320		29.27	3	-0.06	30.27	FM-15	0.00	30.25
29	0753	7	CLR:00	10.00		39	3.9	37	2.7	34	1.1	82	9	330		29.30			30.29	FM-15	0.00	30.28
29	0853	7	CLR:00	10.00		42	5.6	38	3.4	33	0.6	71	9	350		29.31			30.30	FM-15	0.00	30.29
29	0953	7	CLR:00	10.00		45	7.2	40	4.3	33	0.6	63	8	350		29.32	1	-0.05	30.32	FM-15	0.00	30.30
29	1053	7	CLR:00	10.00		48	8.9	40	4.4	29	-1.7	48	9	350		29.33			30.32	FM-15	0.00	30.31
29	1153	7	CLR:00	10.00		50	10.0	40	4.7	27	-2.8	41	10	340		29.32			30.31	FM-15	0.00	30.30
29	1253	7	CLR:00	10.00		51	10.6	42	5.3	29	-1.7	43	11	040		29.31	8	+0.01	30.30	FM-15	0.00	30.29
29	1353	7	CLR:00	10.00		50	10.0	40	4.7	27	-2.8	41	6	VRB	17	29.30			30.29	FM-15	0.00	30.28
29	1453	7	CLR:00	10.00		52	11.1	42	5.4	28	-2.2	40	3	VRB		29.28			30.27	FM-15	0.00	30.26
29	1553	7	CLR:00	10.00		53	11.7	43	6.1	30	-1.1	41	8	340		29.27	6	+0.04	30.26	FM-15	0.00	30.25
29	1653	7	CLR:00	10.00		53	11.7	43	5.9	29	-1.7	40	7	VRB		29.26			30.26	FM-15	0.00	30.24
29	1753	7	CLR:00	10.00		51	10.6	42	5.3	29	-1.7	43	7	020		29.26			30.25	FM-15	0.00	30.24
29	1853	7	CLR:00	10.00		46	7.8	39	4.0	30	-1.1	54	8	020		29.26	6	+0.01	30.25	FM-15	0.00	30.24
29	1953	7	CLR:00	10.00		43	6.1	37	2.9	29	-1.7	58	7	020		29.26			30.26	FM-15	0.00	30.24
29	2053	7	CLR:00	10.00		41	5.0	36	2.1	28	-2.2	60	7	030		29.26			30.26	FM-15	0.00	30.24
29	2153	7	CLR:00	10.00		41	5.0	35	1.7	26	-3.3	55	6	050		29.26	8	+0.01	30.24	FM-15	0.00	30.23
29	2253	7	CLR:00	10.00		40	4.4	35	1.4	26	-3.3	58	6	050		29.26			30.25	FM-15	0.00	30.24
29	2353	7	CLR:00	10.00		39	3.9	34	1.1	26	-3.3	60	5	060		29.26			30.26	FM-15	0.00	30.24
30	0053	7	CLR:00	10.00		36	2.2	32	0.1	26	-3.3	67	6	080		29.25	8	+0.01	30.24	FM-15	0.00	30.22
30	0153	7	CLR:00	10.00		36	2.2	32	-0.1	25	-3.9	64	5	090		29.23			30.22	FM-15	0.00	30.20
30	0253	7	CLR:00	10.00		35	1.7	31	-0.4	25	-3.9	67	5	100		29.22			30.20	FM-15	0.00	30.19
30	0353	7	CLR:00	10.00		37	2.8	32	-0.1	23	-5.0	57	5	110		29.21	6	+0.05	30.19	FM-15	0.00	30.18
30	0453	7	CLR:00	10.00		35	1.7	31	-0.8	23	-5.0	61	5	100		29.20			30.19	FM-15	0.00	30.17
30	0553	7	CLR:00	10.00		36	2.2	31	-0.4	23	-5.0	59	6	120		29.19			30.17	FM-15	0.00	30.16
30	0653	7	CLR:00	10.00		36	2.2	32	-0.1	25	-3.9	64	7	120		29.19	6	+0.02	30.17	FM-15	0.00	30.16
30	0753	7	CLR:00	10.00		43	6.1	37	2.7	28	-2.2	56	8	130		29.18			30.16	FM-15	0.00	30.15
30	0853	7	CLR:00	10.00		48	8.9	40	4.4	29	-1.7	48	10	150		29.15			30.13	FM-15	0.00	30.12
30	0953	7	CLR:00	10.00		52	11.1	42	5.8	30	-1.1	43	14	180		29.13	8	+0.06	30.11	FM-15	0.00	30.10
30	1053	7	CLR:00	10.00		58	14.4	47	8.2	34	1.1	41	13	160		29.10			30.08	FM-15	0.00	30.07
30	1153	7	CLR:00	10.00		62	16.7	49	9.7	36	2.2	38	14	190		29.07			30.05	FM-15	0.00	30.04
30	1253	7	CLR:00	10.00		66	18.9	52	11.1	38	3.3	36	13	200	26	29.03	8	+0.10	30.00	FM-15	0.00	30.00
30	1353	7	CLR:00	10.00		68	20.0	53	11.7	39	3.9	35	20	190	31	28.99			29.96	FM-15	0.00	29.96
30	1453	7	BKN:07 100	10.00		68	20.0	53	11.7	39	3.9	35	16	210	25	28.97			29.94	FM-15	0.00	29.94
30	1553	7	OVC:08 95	10.00		68	20.0	53	11.7	39	3.9	35	18	210	26	28.95	6	+0.08	29.92	FM-15	0.00	29.92
30	1653	7	BKN:07 90	10.00		69	20.6	54	12.0	39	3.9	33	18	200	24	28.91			29.88	FM-15	0.00	29.88
30	1753	7	CLR:00	10.00		68	20.0	53	11.5	38	3.3	33	15	190	21	28.90			29.88	FM-15	0.00	29.87
30	1853	7	OVC:08 100	10.00		67	19.4	52	11.3	38	3.3	35	11	190		28.90	6	+0.05	29.87	FM-15	0.00	29.87
30	1953	7	OVC:08 85	10.00		66	18.9	52	11.0	38	3.3	36	8	190		28.90			29.87	FM-15	0.00	29.87
30	2053	7	BKN:07 65 OVC:08 85	10.00		65	18.3	52	11.0	39	3.9	39	9	180		28.89			29.85	FM-15	0.00	29.85
30	2153	7	SCT:04 75 OVC:08 90	10.00		64	17.8	51	10.8	39	3.9	40	8	150		28.86	8	+0.05	29.81	FM-15	0.00	29.82
30	2253	7	OVC:08 80	10.00		65	18.3	51	10.6	37	2.8	36	9	190		28.84			29.79	FM-15	0.00	29.80
30	2353	7	OVC:08 70	10.00	-RA:02 |RA |	61	16.1	53	11.4	45	7.2	56	7	220		28.87			29.82	FM-15	T	29.83
31	0002	7	BKN:07 70 OVC:08 100	10.00	VCTS:7 -RA:02 |RA |	60	15.6	53	11.5	46	7.8	60	7	180		28.87				FM-16	T	29.83
31	0033	7	FEW:02 42 OVC:08 90	9.00	-RA:02 |RA |	58	14.4	52	11.2	47	8.3	67	10	210	21	28.84				FM-16	0.03	29.81
31	0053	7	FEW:02 47 BKN:07 80 OVC:08 100	6.00	-RA:02 |RA |	56	13.3	52	11.0	48	8.9	75	0	000		28.81	8	+0.04	29.77	FM-15	0.06s	29.77
31	0153	7	OVC:08 60	7.00	-RA:02 |RA |	55	12.8	52	11.3	50	10.0	83	5	200		28.83			29.78	FM-15	0.04	29.79
31	0253	7	OVC:08 60	10.00	-RA:02 |RA |	57	13.9	52	11.0	47	8.3	69	18	200	26	28.81			29.76	FM-15	0.02	29.77
31	0353	7	FEW:02 70 OVC:08 90	10.00	-RA:02 |RA |	56	13.3	51	10.7	47	8.3	72	14	190		28.77	8	+0.05	29.72	FM-15	0.01	29.73
31	0453	7	OVC:08 90	10.00		58	14.4	52	11.0	46	7.8	65	16	190	33	28.74			29.69	FM-15	T	29.70

31	0553	7	FEW:02 50 BKN:07 75 OVC:08 90	10.00	-RA:02 |RA |	59	15.0	52	10.9	45	7.2	60	15	190	25	28.74			29.68	FM-15	T	29.70
31	0653	7	SCT:04 47 BKN:07 60 OVC:08 75	6.00	-RA:02 |RA |	56	13.3	51	10.7	47	8.3	72	16	200		28.75	5	+0.02	29.70	FM-15	0.01	29.71
31	0753	7	FEW:02 55 BKN:07 90 OVC:08 110	10.00	-RA:02 |RA |	54	12.2	51	10.8	49	9.4	83	6	180		28.73			29.69	FM-15	0.04	29.69
31	0853	7	SCT:04 46 SCT:04 60 OVC:08 80	7.00	-RA:02 |RA |	55	12.8	51	10.7	48	8.9	77	9	140		28.71			29.67	FM-15	0.01	29.67
31	0953	7	SCT:04 55 BKN:07 70 OVC:08 85	6.00	-RA:02 |RA |	56	13.3	51	10.7	47	8.3	72	11	160		28.67	8	+0.08	29.62	FM-15	0.03	29.63
31	1051	6	BKN:07 28 OVC:08 35	4.00	-RA:02 |RA |	55	13.0	52	11.3	50	10.0	82	14	190	21	28.68				FM-16		29.64
31	1053	7	BKN:07 28 OVC:08 35	4.00	-RA:02 |RA |	55	12.8	52	11.3	50	10.0	83	14	190	21	28.68			29.63	FM-15	0.05	29.64
31	1118	7	SCT:04 17 OVC:08 22	2.00	-RA:02 BR:1 |RA |	57	13.9	55	13.0	54	12.2	90	18	190	30	28.67				FM-16	0.01	29.63
31	1150	7	OVC:08 13	2.50	-RA:02 BR:1 |RA |	57	14.0	56	13.3	55	13.0	94	15	200	25	28.66				FM-16	0.03	29.62
31	1153	7	OVC:08 13	2.50	-RA:02 BR:1 |RA |	58	14.4	57	13.8	56	13.3	93	20	200	26	28.66			29.61	FM-15	0.04	29.62
31	1200	7	OVC:08 13	10.00		58	14.4	57	13.8	56	13.3	93	20	200	28	28.66				FM-16	0.01	29.62
31	1221	7	OVC:08 15	10.00		60	15.6	58	14.6	57	13.9	90	18	200	31	28.66				FM-16	0.01	29.62
31	1253	7	BKN:07 19 OVC:08 27	10.00		62	16.7	60	15.4	58	14.4	86	22	190	32	28.64	8	+0.03	29.59	FM-15	0.00	29.60
31	1353	7	BKN:07 23 OVC:08 34	10.00		64	17.8	60	15.8	58	14.4	81	23	200	31	28.63			29.58	FM-15	0.00	29.59
31	1451	6	SCT:04 26 OVC:08 33	10.00		66	19.0	61	15.9	57	14.0	73	22	190	29	28.60				FM-16		29.56
31	1453	7	SCT:04 26 OVC:08 31	10.00		67	19.4	62	16.4	58	14.4	73	20	200	29	28.60			29.55	FM-15	T	29.56
31	1505	7	BKN:07 29 OVC:08 35	10.00		67	19.4	62	16.4	58	14.4	73	21	200	29	28.59				FM-16		29.55
31	1536	7	OVC:08 32	10.00		68	20.0	62	16.7	58	14.4	70	16	200	28	28.59				FM-16		29.55
31	1553	7	BKN:07 31 OVC:08 40	10.00		69	20.6	62	16.9	58	14.4	68	18	200	30	28.58	8	+0.06	29.53	FM-15	0.00	29.54
31	1653	7	BKN:07 36 OVC:08 44	10.00		69	20.6	62	16.9	58	14.4	68	20	200	31	28.59			29.54	FM-15	T	29.55
31	1753	7	FEW:02 100 SCT:04 120	10.00		69	20.6	62	16.6	57	13.9	66	28	190	41	28.56			29.50	FM-15	T	29.52
31	1853	7	SCT:04 90 BKN:07 110	10.00		62	16.7	58	14.4	55	12.8	78	10	190	23	28.59	3	-0.01	29.54	FM-15	0.01	29.55
31	1953	7	BKN:07 80 OVC:08 100	10.00	-RA:02 |RA |	61	16.1	58	14.2	55	12.8	81	8	220		28.61			29.56	FM-15	T	29.57
31	2049	7	OVC:08 55	10.00	TS:7 -RA:02 |RA TS TS |	59	15.0	57	13.7	55	13.0	88	0	000		28.59				FM-16	T	29.55
31	2053	7	OVC:08 55	10.00	TS:7 -RA:02 |RA TS TS |	58	14.4	57	13.8	56	13.3	93	9	310		28.60			29.55	FM-15	T	29.56
31	2104	7	SCT:04 16 OVC:08 50	10.00	VCTS:7 -RA:02 |RA |	59	15.0	57	14.0	56	13.3	90	15	300		28.63				FM-16	T	29.59
31	2109	7	SCT:04 16 BKN:07 23 OVC:08 50	10.00	VCTS:7 -RA:02 SQ:2 |SQ RA |	60	15.6	58	14.3	56	13.3	86	24	VRB	46	28.62				FM-16	0.01	29.58
31	2118	7	FEW:02 18 BKN:07 23 OVC:08 50	10.00	-RA:02 |RA |	59	15.0	57	13.7	55	12.8	87	15	280	37	28.63				FM-16	0.01	29.59
31	2127	7	SCT:04 20 BKN:07 32 OVC:08 38	10.00	RA:02 |RA |	59	15.0	57	13.7	55	12.8	87	15	VRB	25	28.62				FM-16	0.01	29.58
31	2153	7	FEW:02 34 BKN:07 100 OVC:08 120	10.00	-RA:02 |RA |	59	15.0	56	13.4	54	12.2	83	7	220		28.60	6	+0.01	29.55	FM-15	0.01	29.56

31	2253	7	FEW:02 55 FEW:02 75 OVC:08 95	10.00	-RA:02 |RA |	59	15.0	57	13.7	55	12.8	87	3	VRB		28.60			29.55	FM-15	T	29.56
31	2337	7	BKN:07 15 OVC:08 85	10.00		60	15.6	58	14.3	56	13.3	86	7	220		28.62				FM-16	T	29.58
31	2351	6	SCT:04 15 OVC:08 85	10.00		59	15.0	57	13.7	55	13.0	88	6	250		28.62				FM-16		29.58
31	2353	7	SCT:04 15 OVC:08 90	10.00		59	15.0	57	14.0	56	13.3	90	5	260		28.62			29.57	FM-15	0.00	29.58

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
March 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01													T	0.04	T	0.16	0.10	0.01	0.02	T	T	T	T	T	01
02	T	T								T	T	T													02
03													T	T		T	T	0.01	T	T	0.01	T		T	03
04	T	0.01	0.01	0.01	0.01	0.01	T																		04
05							T	T							T	0.03	T								05
06																									06
07																		T							07
08																									08
09																T	T	T	0.01	0.05	0.01	0.01	T	T	09
10	0.01	T		T	0.02	0.04	0.03	0.02	T	T	0.02	0.01	0.05	0.02	0.03	0.08	0.09	0.09	0.10	0.10	0.05	0.03	T		10
11																									11
12																			T	T				T	12
13	T	0.01	0.06	T	0.54	0.37	0.12	0.05	0.03	T	T	T		T	0.03	0.02	0.03	0.08		0.01	T				13
14															0.04	0.06						T	T	0.15	14
15	T																								15
16									T	T	T	T	T	T	T									T	16
17												T	T	T								T			17
18												T	T	T											18
19									T	T	T														19
20																									20
21																									21
22													T	T	T	T									22
23																									23
24												T			T	T	T	0.03	0.05	0.43	0.07	T	T		24
25											T														25
26																									26
27																							T	0.87	27
28	0.18	0.04	T	T	T					T	T	T	T	T		T									28
29																									29
30																								T	30
31	0.06s	0.04	0.02	0.01	T	T	0.01	0.04	0.01	0.03	0.05	0.04			T		T	T	0.01	T	T	0.01	T		31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.32	0.51	0.60	0.63	0.70	0.83	0.91	0.98	1.03	1.05	1.09	1.09
Ending Date Time (yyyy-mm-dd hh:mi)	2016-03-27 23:34	2016-03-27 23:38	2016-03-27 23:41	2016-03-27 23:47	2016-03-27 23:55	2016-03-13 05:16	2016-03-28 00:07	2016-03-28 00:25	2016-03-28 00:36	2016-03-28 01:06	2016-03-28 01:21	2016-03-28 01:21

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
April 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	61	44	53	6.2				12	0	0615	1857	RA BR	0.13			28.72		13.8	37	250	28	260
02										0613	1859	RA	0.00s			28.72			*		*	
03										0612	1900		0.00			29.02			8s	280s	8s	280s
04										0610	1901	RA BR	0.00s			28.97			26	330	21	350
05	43s	21*	32s	-16.4s				33s	0s	0609	1902		0.00			29.39		6.3	17	040	13	050
06	64	33	49	0.2				16	0	0607	1903	TS RA BR	0.14			28.92		16.2	42	200	31	280
07	47	34	40	-9.1				25	0	0606	1904	RA SN BR	0.07			28.61		15.0	39	270	29	290
08	41	29	35	-14.5				30	0	0604	1905	RA SN BR	0.10			28.82		11.5	30	280	23	280
09	37	24	31	-18.9				34	0	0602	1906	SN BR	0.02			29.05		11.9	34s	310s	26	340
10	55	24	40	-10.2				25	0	0601	1907	RA	0.11			29.16		12.0	30	160	22	160
11	57	42	50	-0.6				15	0	0559	1908	RA BR	0.67			28.93		11.5	29	230	24	220
12	50	32	41	-9.9				24	0	0558	1909		0.00			29.26		8.4	23	310	18	310
13	58	30	44	-7.3				21	0	0556	1910		0.00			29.34		7.3	22	090	17	080
14	66	31	49	-2.6				16	0	0555	1911		0.00			29.26		8.1	18	050	14	040
15	74	39	56	4.1				9	0	0553	1912		0.00			29.24		6.5	17	090	13	090
16	75	48	62	9.7				3	0	0552	1913		0.00			29.33		4.2	15	090	12	090
17	80	49	64	11.4				1	0	0550	1914		0.00			29.38		3.5	13	010	10	110
18	81	49	65	12.1				0	0	0549	1915		0.00			29.32		2.2	14	250	9	310
19	71	53	62	8.8				3	0	0547	1916		0.00			29.21		7.6	19	010	16	010
20	77	45	61	7.4				4	0	0546	1917		0.00			29.17		8.5	18	070	15	070
21	71	57	64	10.1				1	0	0545	1918	TS RA BR	0.12			28.97		7.0	33	240	24	260
22	69	49	59	4.8				6	0	0543	1919	RA BR	0.02			28.92		10.4	27	360	21	010
23	60	43	52	-2.5				13	0	0542	1920	BR HZ	0.00			29.13		9.7	25	020	20	360
24	72	37	55	0.2				10	0	0540	1921		0.00			29.10		3.0	16	190	12	220
25	81*	46	64	8.9				1	0	0539	1922		0.00			28.92		8.1	32	230	22	210
26	80	49	64	8.6				1	0	0538	1923	TS RA BR HZ	0.12			28.80		10.2	28	020	22	010
27	61	45	53	-2.7				12	0	0536	1924	RA BR HZ	0.01			28.91		7.1	16	030	14	020
28	63	47	55	-1.0				10	0	0535	1925	RA BR	0.07			28.89		5.7	15	030	13	010
29	60	47	54	-2.2				11	0	0534	1926	BR	T			29.04		6.8	17	030	14	030
30	58	41	49	-7.5				16	0	0533	1927	RA BR HZ	0.46			29.09		7.1	18	110	14	110
	63.4	40.3	51.9							Monthly Averages | Totals			2.04s			29.05	30.04	8.5				
	0.2	-0.4	0.0	Departure from Normal (1981-2010)									-1.38s									

Degree Days

	Monthly Total	Monthly Departure	Season-to-date Total	Season-to-date Departure
Heating	354	-48	4415	
Cooling	0	-10	0	

Number of days with...

Temperature Max >=90°	Temperature Max <=32°	Temperature Min <=32°	Temperature Min <=0°	Precipitation >=0.01"	Precipitation >=0.1"	Snow >=1"	Weather T-Storms	Weather Heavy Fog
				13	8			

Date of 5-sec to 3-sec wind equipment change

N/A

Sea Level Pressure

		Date	Time
Maximum	30.51	05	0911
Minimum	29.45	06	2334

Greatest...

24-Hr... Precip	24-Hr... Snowfall	Snow Depth
0.76s		
Date		
10-11		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
April 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0018	7	FEW:02 22 BKN:07 27 OVC:08 100	10.00		59	15.0	57	14.0	56	13.3	90	9	230		28.63				FM-16		29.59
01	0053	7	SCT:04 17 BKN:07 24 OVC:08 49	10.00		59	15.0	57	13.7	55	12.8	87	10	260		28.64	3	-0.04	29.59	FM-15	T	29.60
01	0151	7	OVC:08 30	3.00	RA:02 BR:1 |RA |	57	14.0	55	13.0	54	12.0	88	10	260		28.67				FM-16	0.07	29.63
01	0153	7	BKN:07 30 BKN:07 38 OVC:08 75	4.00	RA:02 BR:1 |RA |	57	13.9	55	12.7	53	11.7	87	13	260		28.67			29.62	FM-15	0.09	29.63
01	0253	7	FEW:02 23 OVC:08 85	10.00		54	12.2	52	11.3	51	10.6	90	9	300		28.64			29.59	FM-15	0.02	29.60
01	0353	7	OVC:08 70	10.00		53	11.7	50	10.2	48	8.9	83	6	240		28.66	5	+0.01	29.61	FM-15	0.00	29.62
01	0453	7	OVC:08 70	9.00	-RA:02 |RA |	51	10.6	49	9.4	47	8.3	86	11	310		28.65			29.60	FM-15	0.02	29.61
01	0553	7	SCT:04 80	10.00		48	8.9	44	6.8	40	4.4	74	9	270		28.69			29.64	FM-15	T	29.65
01	0653	7	CLR:00	10.00		45	7.2	43	5.9	40	4.4	83	6	270		28.72	3	-0.06	29.68	FM-15	0.00	29.68
01	0753	7	CLR:00	10.00		49	9.4	45	7.1	40	4.4	71	10	280		28.74			29.70	FM-15	0.00	29.70
01	0853	7	CLR:00	10.00		51	10.6	46	7.9	41	5.0	69	15	270	23	28.73			29.69	FM-15	0.00	29.69
01	0953	7	SCT:04 30	10.00		52	11.1	46	7.9	40	4.4	64	17	250	26	28.75	2	-0.03	29.71	FM-15	0.00	29.71
01	1053	7	FEW:02 34	10.00		55	12.8	48	8.7	40	4.4	57	21	270	25	28.75			29.71	FM-15	0.00	29.71
01	1153	7	FEW:02 37	10.00		56	13.3	48	9.0	40	4.4	55	14	260	24	28.76			29.71	FM-15	0.00	29.72
01	1253	7	SCT:04 46 BKN:07 60	10.00		57	13.9	48	9.0	39	3.9	51	10	240	24	28.75	0	-0.00	29.71	FM-15	0.00	29.71
01	1353	7	BKN:07 55 OVC:08 75	10.00		57	13.9	48	8.8	38	3.3	49	15	260	24	28.74			29.69	FM-15	0.00	29.70
01	1453	7	FEW:02 55 SCT:04 70 SCT:04 100	10.00		60	15.6	49	9.5	38	3.3	44	25	230	33	28.73			29.68	FM-15	0.00	29.69
01	1553	7	SCT:04 60 BKN:07 80 BKN:07 95	10.00		55	12.8	49	9.2	42	5.6	62	16	280		28.76	3	-0.01	29.72	FM-15	T	29.72
01	1653	7	FEW:02 55 FEW:02 75 SCT:04 90	10.00		57	13.9	49	9.7	42	5.6	58	17	290		28.76			29.71	FM-15	T	29.72
01	1753	7	CLR:00	10.00		54	12.2	46	7.5	36	2.2	51	24	280	31	28.78			29.74	FM-15	T	29.74
01	1853	7	CLR:00	10.00		50	10.0	42	5.6	32	0.0	50	17	280	26	28.80	3	-0.04	29.77	FM-15	T	29.76
01	1953	7	CLR:00	10.00		47	8.3	41	4.9	33	0.6	59	9	260		28.84			29.81	FM-15	0.00	29.80
01	2053	6														28.84				FM-15	0.00	29.81
01	2153	7														28.84	0	-0.04		FM-15	0.00	29.80
01	2253	7														28.83				FM-15	0.00	29.79
01	2353	7														28.80				FM-15	0.00	29.76
02	0053	7														28.81	5	+0.03		FM-15	0.00	29.77
02	0153	7														28.78				FM-15	0.00	29.74
02	0253	7														28.78				FM-15	0.00	29.74
02	0353	7														28.77	6	+0.04		FM-15	0.00	29.73
02	0453	7														28.77				FM-15	0.00	29.73
02	0553	6														28.79				FM-15	0.00	29.75
02	0653	6														28.79	2	-0.02		FM-15	0.00	29.75
02	0753	7	CLR:00	10.00		*	*	*	*	*	*	*	21	270		28.78				FM-15	0.00	29.74
02	0853	7	CLR:00	10.00		*	*	*	*	*	*	*	21	270	31	28.75				FM-15	0.00	29.71

02	0953	7	CLR:00	10.00		*	*	*	*	*	*	*	22	270	32	28.73	8	+0.06		FM-15	0.00	29.69
02	1053	7	SCT:04 50	10.00		*	*	*	*	*	*	*	22	270	33	28.70				FM-15	0.00	29.66
02	1153	6	SCT:04 50 BKN:07 120	10.00									28	260	36	28.66				FM-15	0.00	29.62
02	1253	6	SCT:04 36 BKN:07 50 BKN:07 120	10.00									24	260	37	28.59	8	+0.14		FM-15	0.00	29.55
02	1353	6	SCT:04 35 OVC:08 55	10.00									24	250	37	28.54				FM-15	0.00	29.50
02	1453	7	SCT:04 20 BKN:07 46 OVC:08 55	9.00	-RA:02 |RA |								23	260	39	28.54				FM-15		29.50
02	1553	7	SCT:04 15 BKN:07 30 OVC:08 55	8.00	-RA:02 |RA |								25	260	55	28.55	5	+0.04		FM-15		29.51
02	1653	7	SCT:04 39 SCT:04 50	10.00									28	250	44	28.57				FM-15		29.53
02	1753	7	SCT:04 45 SCT:04 50	10.00									28	270	44	28.63				FM-15		29.59
02	1853	7	SCT:04 30 SCT:04 41	10.00									28	270	41	28.69				FM-15	0.00	29.65
02	1953	7		10.00									23	290	32	28.76				FM-15	0.00	29.72
02	2053	7		10.00									23	320	32	28.84				FM-15	0.00	29.80
02	2153	7														28.89	1	-0.19		FM-15	0.00	29.85
02	2253	7														28.92				FM-15	0.00	29.89
02	2353	7														28.95				FM-15	0.00	29.92
03	0053	7														28.98	1	-0.10		FM-15	0.00	29.95
03	0153	7														29.00				FM-15	0.00	29.97
03	0253	7														29.02				FM-15	0.00	29.99
03	0353	7														29.04	2	-0.06		FM-15	0.00	30.01
03	0453	7														29.06				FM-15	0.00	30.03
03	0553	7	CLR:00	10.00									8	270		29.10				FM-15	0.00	30.07
03	0653	6	CLR:00	10.00												29.12	2	-0.08		FM-15	0.00	30.09
03	0753	7	SCT:04 100	10.00									7	270		29.14				FM-15	0.00	30.11
03	0853	7	FEW:02 30 BKN:07 100	10.00									8	280		29.14				FM-15	0.00	30.11
03	0953	7	FEW:02 30 BKN:07 100	10.00									8	280		29.15	3	-0.03		FM-15	0.00	30.12
03	1053	7	FEW:02 36	10.00									11	240		29.14				FM-15	0.00	30.11
03	1153	7	CLR:00	10.00									15	240		29.10				FM-15	0.00	30.07
03	1253	7	CLR:00	10.00									16	230	25	29.07	8	+0.08		FM-15	0.00	30.04
03	1353	7	CLR:00	10.00									15	230	23	29.03				FM-15	0.00	30.00
03	1453	7	CLR:00	10.00									16	230	26	28.98				FM-15	0.00	29.95
03	1553	7	CLR:00	10.00									15	230	25	28.95	6	+0.12		FM-15	0.00	29.92
03	1653	6														28.92				FM-15	0.00	29.89
03	1753	6														28.90				FM-15	0.00	29.86
03	1853	6														28.87	6	+0.08		FM-15	0.00	29.84
03	1953	6														28.86				FM-15	0.00	29.82
03	2053	6														28.87				FM-15	0.00	29.83
03	2153	6														28.86	6	+0.02		FM-15	0.00	29.82
03	2253	7														28.83				FM-15	0.00	29.79
03	2353	7														28.83				FM-15	0.00	29.79
04	0053	7														28.81	6	+0.05		FM-15	0.00	29.77
04	0153	7														28.80				FM-15	0.00	29.76
04	0253	7														28.79				FM-15	0.00	29.75
04	0353	7														28.79	6	+0.02		FM-15	0.00	29.75
04	0453	7														28.78				FM-15	0.00	29.74
04	0553	7	BKN:07 90	10.00									13	230		28.80				FM-15	0.00	29.76
04	0653	7	BKN:07 70	10.00									14	220		28.82	3	-0.03		FM-15		29.78
04	0753	7	BKN:07 70	10.00									11	230		28.83				FM-15		29.79

04	0853	7	BKN:07 42 BKN:07 55 OVC:08 70	8.00	-RA:02 |RA |								20	320		28.89				FM-15		29.85
04	0929	7	BKN:07 11 OVC:08 42	5.00	-RA:02 |RA |								18	350		28.90				FM-16		29.86
04	0953	7	BKN:07 11 OVC:08 48	5.00	BR:1 ||								20	350		28.93	3	-0.12		FM-15		29.90
04	1053	7	BKN:07 11 OVC:08 40	7.00		39	3.9	37	2.7	34	1.1	82	20	340	24	28.96				FM-15	0.00	29.93
04	1153	7	BKN:07 11 OVC:08 40	9.00		38	3.3	36	2.0	32	0.0	79	16	350		29.00				FM-15	0.00	29.97
04	1253	7	OVC:08 13	7.00		37	2.8	35	1.6	32	0.0	82	14	360		29.03	3	-0.09		FM-15	0.00	30.00
04	1353	7	OVC:08 13	10.00		36	2.2	34	0.9	30	-1.1	79	13	360		29.06				FM-15	0.00	30.03
04	1453	7	OVC:08 14	10.00		36	2.2	34	0.9	30	-1.1	79	18	350		29.08				FM-15	0.00	30.05
04	1553	7	OVC:08 14	10.00		34	1.1	32	0.0	29	-1.7	82	14	340		29.10	1	-0.06		FM-15	0.00	30.07
04	1653	7	OVC:08 11	10.00		33	0.6	31	-0.5	28	-2.2	82	13	360		29.12				FM-15	0.00	30.09
04	1753	7	OVC:08 13	10.00		32	0.0	30	-1.2	26	-3.3	79	16	010		29.16				FM-15	0.00	30.13
04	1800	7	BKN:07 15 OVC:08 21	10.00		32	0.0	30	-1.2	26	-3.3	79	15	360		29.17				FM-16		30.14
04	1834	7	OVC:08 14	10.00		31	-0.6	29	-1.8	25	-3.9	79	9	360		29.19				FM-16		30.16
04	1853	7	OVC:08 18	10.00		31	-0.6	29	-1.8	25	-3.9	79	13	360		29.20	3	-0.10		FM-15	0.00	30.17
04	1918	7	FEW:02 21 BKN:07 33 OVC:08 44	10.00		31	-0.6	28	-2.1	23	-5.0	72	13	010		29.21				FM-16		30.18
04	1953	7	BKN:07 30 OVC:08 44	10.00		31	-0.6	28	-2.3	22	-5.6	69	11	010		29.23				FM-15	0.00	30.20
04	2053	7	OVC:08 55	10.00		30	-1.1	27	-2.7	22	-5.6	72	9	010		29.26				FM-15	0.00	30.23
04	2153	7	OVC:08 55	10.00		30	-1.1	27	-2.8	21	-6.1	69	11	020		29.27	1	-0.08		FM-15	0.00	30.25
04	2253	7	OVC:08 31	10.00		30	-1.1	27	-2.8	21	-6.1	69	9	010		29.29			30.30	FM-15	0.00	30.27
04	2318	7	FEW:02 23 BKN:07 29 OVC:08 60	10.00		30	-1.1	27	-2.6	22	-5.6	72	13	020		29.30				FM-16		30.28
04	2327	7	FEW:02 23 BKN:07 32 OVC:08 60	10.00		29	-1.7	27	-3.0	22	-5.6	75	10	010		29.31				FM-16		30.29
04	2353	7	OVC:08 60	10.00		29	-1.7	26	-3.2	21	-6.1	72	10	010		29.32			30.32	FM-15	0.00	30.30
05	0053	7	BKN:07 35 BKN:07 45 OVC:08 60	10.00		28	-2.2	25	-3.9	19	-7.2	69	6	010		29.34	1	-0.06	30.34	FM-15	0.00	30.32
05	0153	7	FEW:02 38 BKN:07 60	10.00		27	-2.8	24	-4.2	19	-7.2	72	8	010		29.35			30.36	FM-15	0.00	30.33
05	0253	7	FEW:02 32 OVC:08 60	10.00		27	-2.8	24	-4.4	18	-7.8	69	7	010		29.37			30.38	FM-15	0.00	30.35
05	0353	7	OVC:08 60	10.00		26	-3.3	23	-4.9	17	-8.3	69	8	360		29.39	3	-0.05	30.40	FM-15	0.00	30.37
05	0453	7	FEW:02 55	10.00		24	-4.4	22	-5.8	16	-8.9	71	9	010		29.41			30.42	FM-15	0.00	30.39
05	0553	7	CLR:00	10.00		21	-6.1	19	-7.1	15	-9.4	78	7	020		29.43			30.45	FM-15	0.00	30.41
05	0653	7	CLR:00	10.00		24	-4.4	22	-5.8	16	-8.9	71	6	020		29.46	3	-0.07	30.47	FM-15	0.00	30.44
05	0753	7	FEW:02 29	10.00		27	-2.8	23	-5.0	14	-10.0	58	10	040		29.49			30.50	FM-15	0.00	30.47
05	0853	7	FEW:02 29	10.00		29	-1.7	24	-4.2	14	-10.0	54	11	040		29.49			30.50	FM-15	0.00	30.47
05	0953	7	FEW:02 29	10.00		31	-0.6	26	-3.5	14	-10.0	49	5	VRB		29.49	1	-0.03	30.50	FM-15	0.00	30.47
05	1053	7	CLR:00	10.00		33	0.6	27	-2.8	14	-10.0	45	7	VRB		29.49			30.50	FM-15	0.00	30.47
05	1153	7	CLR:00	10.00		35	1.7	28	-2.0	15	-9.4	44	8	VRB		29.48			30.49	FM-15	0.00	30.46
05	1253	7	CLR:00	10.00		37	2.8	29	-1.5	14	-10.0	39	5	VRB		29.46	8	+0.03	30.47	FM-15	0.00	30.44
05	1353	7	CLR:00	10.00		38	3.3	30	-1.0	15	-9.4	39	0	000		29.45			30.45	FM-15	0.00	30.43
05	1453	7	CLR:00	10.00		40	4.4	32	-0.2	16	-8.9	38	6	200		29.42			30.43	FM-15	0.00	30.40
05	1553	7	CLR:00	10.00		41	5.0	32	-0.1	14	-10.0	33	3	270		29.41	8	+0.05	30.41	FM-15	0.00	30.39
05	1653	7	CLR:00	10.00		41	5.0	32	-0.3	13	-10.6	32	3	150		29.39			30.39	FM-15	0.00	30.37
05	1753	7	CLR:00	10.00		41	5.0	32	-0.3	13	-10.6	32	7	180		29.37			30.38	FM-15	0.00	30.35
05	1853	7	CLR:00	10.00		39	3.9	30	-0.9	13	-10.6	34	5	130		29.34	8	+0.06	30.35	FM-15	0.00	30.32
05	1953	7	CLR:00	10.00		37	2.8	30	-1.3	15	-9.4	41	6	180		29.34			30.35	FM-15	0.00	30.32
05	2053	7	CLR:00	10.00		36	2.2	29	-1.7	15	-9.4	42	7	130		29.32			30.32	FM-15	0.00	30.30

05	2153	7	CLR:00	10.00		35	1.7	28	-2.1	14	-10.0	42	6	120		29.30	8	+0.04	30.31	FM-15	0.00	30.28
05	2253	7	CLR:00	10.00		34	1.1	28	-2.5	14	-10.0	44	6	130		29.26			30.27	FM-15	0.00	30.24
05	2353	7	CLR:00	10.00		33	0.6	27	-2.8	14	-10.0	45	6	130		29.25			30.24	FM-15	0.00	30.22
06	0053	7	CLR:00	10.00		33	0.6	27	-2.8	14	-10.0	45	7	120		29.21	6	+0.10	30.20	FM-15	0.00	30.18
06	0153	7	CLR:00	10.00		35	1.7	28	-2.2	14	-10.0	42	10	130		29.15			30.14	FM-15	0.00	30.12
06	0253	7	CLR:00	10.00		36	2.2	29	-1.8	14	-10.0	40	6	140		29.16			30.15	FM-15	0.00	30.13
06	0353	7	FEW:02 120	10.00		34	1.1	28	-2.4	15	-9.4	46	6	130		29.14	6	+0.06	30.13	FM-15	0.00	30.11
06	0453	7	CLR:00	10.00		35	1.7	28	-2.0	15	-9.4	44	9	130		29.11			30.09	FM-15	0.00	30.08
06	0553	7	CLR:00	10.00		36	2.2	29	-1.7	15	-9.4	42	9	130		29.06			30.05	FM-15	0.00	30.03
06	0653	7	OVC:08 110	10.00		38	3.3	30	-0.9	16	-8.9	41	9	140		29.05	6	+0.09	30.04	FM-15	0.00	30.02
06	0753	7	OVC:08 110	10.00		41	5.0	32	0.3	17	-8.3	38	11	150		29.04			30.02	FM-15	0.00	30.01
06	0853	7	CLR:00	10.00		45	7.2	35	1.8	19	-7.2	35	18	160	34	28.96			29.95	FM-15	0.00	29.93
06	0953	7	CLR:00	10.00		48	8.9	38	3.2	22	-5.6	36	20	190	29	28.92	8	+0.13	29.90	FM-15	0.00	29.89
06	1053	7	CLR:00	10.00		51	10.6	40	4.6	25	-3.9	36	15	170	24	28.89			29.85	FM-15	0.00	29.85
06	1153	7	CLR:00	10.00		61	16.1	47	8.2	30	-1.1	31	16	170	24	28.84			29.81	FM-15	0.00	29.80
06	1253	7	FEW:02 60 BKN:07 80 BKN:07 90	10.00	-RA:02 |RA |	63	17.2	47	8.5	29	-1.7	28	28	200	37	28.79	8	+0.14	29.75	FM-15	T	29.75
06	1320	7	BKN:07 70 BKN:07 90 BKN:07 110	10.00	TS:7 -RA:02 |RA TS TS |	61	16.1	47	8.6	32	0.0	34	24	190	33	28.77				FM-16	T	29.73
06	1336	7	SCT:04 60 BKN:07 75	10.00	VCTS:7 ||	63	17.2	49	9.3	33	0.6	33	24	190	31	28.75				FM-16	T	29.71
06	1353	7	SCT:04 65 BKN:07 80 BKN:07 90	10.00	VCTS:7 -RA:02 |RA |	63	17.2	49	9.7	35	1.7	35	31	210	38	28.74			29.70	FM-15	T	29.70
06	1400	7	SCT:04 65 BKN:07 80 BKN:07 100	10.00	-RA:02 |RA |	62	16.7	49	9.4	35	1.7	37	25	200	39	28.74				FM-16	T	29.70
06	1409	7	BKN:07 70 BKN:07 90	6.00	TS:7 -RA:02 |RA TS TS |	56	13.3	48	9.0	40	4.4	55	28	200	41	28.74				FM-16	0.02	29.70
06	1426	7	SCT:04 70 OVC:08 90	10.00	VCTS:7 -RA:02 |RA |	56	13.3	49	9.4	42	5.6	60	18	190	31	28.73				FM-16	0.03	29.69
06	1437	7	SCT:04 75 OVC:08 100	10.00		57	13.9	49	9.5	41	5.0	55	18	190		28.73				FM-16	0.03	29.69
06	1453	7	OVC:08 110	10.00		59	15.0	50	9.7	40	4.4	49	23	190	31	28.71			29.68	FM-15	0.03	29.67
06	1553	7	OVC:08 80	10.00		59	15.0	50	10.0	41	5.0	51	16	190	24	28.71	6	+0.08	29.67	FM-15	0.00	29.67
06	1653	7	OVC:08 65	10.00	-RA:02 |RA |	59	15.0	50	10.2	42	5.6	54	16	190	25	28.69			29.65	FM-15	0.01	29.65
06	1753	7	BKN:07 60 OVC:08 75	6.00	-RA:02 |RA |	56	13.3	50	10.2	45	7.2	67	17	190	29	28.67			29.63	FM-15	0.01	29.63
06	1853	7	BKN:07 60 OVC:08 80	10.00	-RA:02 |RA |	53	11.7	50	10.2	48	8.9	83	18	190	26	28.64	8	+0.07	29.60	FM-15	0.01	29.60
06	1953	7	FEW:02 24 SCT:04 31 OVC:08 65	10.00	-RA:02 |RA |	53	11.7	50	10.2	48	8.9	83	17	180	25	28.61			29.57	FM-15	T	29.57
06	2053	7	FEW:02 24 SCT:04 31 OVC:08 65	10.00	-RA:02 |RA |	53	11.7	50	10.2	48	8.9	83	17	190	32	28.59			29.56	FM-15	0.01	29.55
06	2153	7	FEW:02 24 SCT:04 31 OVC:08 65	6.00	-RA:02 BR:1 |RA |	52	11.1	50	10.0	48	8.9	86	21	180	28	28.55	8	+0.08	29.52	FM-15	0.03	29.51
06	2213	7	BKN:07 23 BKN:07 33 OVC:08 40	10.00		51	10.6	49	9.7	48	8.9	89	17	170	26	28.54				FM-16	0.01	29.50
06	2253	7	BKN:07 17 OVC:08 27	10.00	-RA:02 |RA |	51	10.6	49	9.7	48	8.9	89	20	170	29	28.51			29.46	FM-15	T	29.46
06	2339	7	FEW:02 10 BKN:07 14 OVC:08 32	5.00	RA:02 BR:1 |RA |	50	10.0	48	9.1	47	8.3	89	25	260	34	28.51				FM-16	0.03	29.47
06	2345	7	FEW:02 9 BKN:07 28 OVC:08 37	8.00	-RA:02 |RA |	49	9.4	47	8.3	45	7.2	86	29	270	34	28.53				FM-16	0.03	29.48

06	2351	6	SCT:04 12 BKN:07 32 OVC:08 55	10.00	-RA:02 |RA |	48	9.0	47	8.1	45	7.0	87	26	270	38	28.53				FM-16		29.49
06	2353	7	SCT:04 12 BKN:07 32 OVC:08 55	10.00	-RA:02 |RA |	48	8.9	46	7.8	44	6.7	86	29	280	38	28.53			29.48	FM-15	0.04	29.49
07	0035	7	SCT:04 16 BKN:07 25 OVC:08 50	10.00	-RA:02 |RA |	46	7.8	45	7.0	43	6.1	89	15	250		28.55				FM-16	0.02	29.51
07	0053	7	SCT:04 16 BKN:07 24 OVC:08 50	10.00	-RA:02 |RA |	46	7.8	44	6.7	42	5.6	86	15	250	28	28.56	3	-0.00	29.51	FM-15	0.01	29.52
07	0153	7	OVC:08 19	10.00		46	7.8	44	6.5	41	5.0	83	15	220		28.57			29.52	FM-15	0.00	29.53
07	0225	7	SCT:04 19 SCT:04 28 OVC:08 36	10.00	-RA:02 |RA |	46	7.8	44	6.5	41	5.0	83	15	230	25	28.57				FM-16	T	29.53
07	0240	7	SCT:04 19 BKN:07 28 OVC:08 36	10.00		46	7.8	44	6.5	41	5.0	83	16	230	22	28.57				FM-16	T	29.53
07	0253	7	FEW:02 20 BKN:07 29 OVC:08 33	10.00		46	7.8	44	6.5	41	5.0	83	15	230		28.56			29.52	FM-15	T	29.52
07	0307	7	FEW:02 23 SCT:04 29 OVC:08 33	10.00		46	7.8	44	6.5	41	5.0	83	14	220		28.56				FM-16		29.52
07	0351	6	BKN:07 26 OVC:08 35	7.00	-RA:02 |RA |	45	7.0	43	6.2	41	5.0	87	14	220	24	28.56				FM-16		29.52
07	0353	7	SCT:04 24 BKN:07 29 OVC:08 35	6.00	-RA:02 BR:1 |RA |	45	7.2	44	6.4	42	5.6	90	14	220		28.56	0	-0.00	29.52	FM-15	0.01s	29.52
07	0429	7	FEW:02 8 BKN:07 12 OVC:08 24	4.00	-RA:02 BR:1 |RA |	45	7.2	44	6.4	42	5.6	90	10	230		28.56				FM-16	0.02	29.52
07	0450	7	BKN:07 6 OVC:08 15	3.00	-RA:02 BR:1 |RA |	45	7.0	44	6.7	43	6.0	93	11	240		28.56				FM-16	0.04	29.52
07	0453	7	BKN:07 8 OVC:08 15	3.00	-RA:02 BR:1 |RA |	44	6.7	44	6.4	43	6.1	96	9	240		28.56			29.52	FM-15	0.03	29.52
07	0457	7	SCT:04 8 BKN:07 15 OVC:08 24	4.00	-RA:02 BR:1 |RA |	44	6.7	44	6.4	43	6.1	96	10	240		28.56				FM-16	T	29.52
07	0553	7	SCT:04 7 BKN:07 16 OVC:08 28	9.00	-RA:02 |RA |	45	7.2	44	6.7	43	6.1	93	9	220		28.56			29.52	FM-15	T	29.52
07	0614	7	SCT:04 8 BKN:07 30 OVC:08 36	10.00	-RA:02 |RA |	45	7.2	44	6.7	43	6.1	93	9	220		28.56				FM-16	T	29.52
07	0651	6	SCT:04 23 BKN:07 28 OVC:08 46	6.00	BR:1 ||	45	7.0	44	6.7	43	6.0	93	9	210		28.55				FM-16		29.51
07	0653	7	SCT:04 23 BKN:07 28 OVC:08 36	6.00	BR:1 ||	45	7.2	44	6.7	43	6.1	93	10	210		28.55	8	+0.01	29.51	FM-15	0.01	29.51
07	0718	7	FEW:02 23 SCT:04 28 OVC:08 37	8.00		45	7.2	44	6.4	42	5.6	90	9	230		28.55				FM-16		29.51
07	0753	7	SCT:04 20 BKN:07 50 OVC:08 55	8.00		45	7.2	44	6.7	43	6.1	93	8	210		28.54			29.50	FM-15	0.00	29.50
07	0803	7	SCT:04 14 BKN:07 18 OVC:08 60	9.00		46	7.8	45	7.0	43	6.1	89	9	210		28.53				FM-16		29.49
07	0851	6	BKN:07 12 OVC:08 17	6.00	BR:1 ||	46	8.0	45	7.0	43	6.0	87	9	240		28.53				FM-16		29.48
07	0853	7	BKN:07 12 BKN:07 17 OVC:08 24	6.00	BR:1 ||	46	7.8	45	7.0	43	6.1	89	13	240		28.53			29.48	FM-15	0.00	29.48

07	0953	6	FEW:02 18 BKN:07 45 OVC:08 55	10.00		45	7.2	43	5.9	40	4.4	83	15	260	23	28.53	5	+0.01	29.49	FM-15	0.00	29.49
07	1009	6	FEW:02 14 BKN:07 20 OVC:08 55	10.00		44	6.7	42	5.4	39	3.9	83	25	290	32	28.53				FM-16		29.49
07	1040	7	FEW:02 16 BKN:07 44 OVC:08 49	10.00		44	6.7	41	5.1	38	3.3	79	20	300	26	28.55				FM-16		29.51
07	1053	7	SCT:04 20 BKN:07 28 OVC:08 49	10.00		44	6.7	41	5.1	38	3.3	79	17	280	29	28.55			29.51	FM-15	0.00	29.51
07	1112	7	SCT:04 20 BKN:07 31 OVC:08 35	10.00		43	6.1	40	4.6	37	2.8	80	21	290	28	28.55				FM-16		29.51
07	1153	7	SCT:04 21 OVC:08 43	10.00		43	6.1	40	4.4	36	2.2	76	17	270	31	28.56			29.53	FM-15	0.00	29.52
07	1206	7	BKN:07 15 BKN:07 25 OVC:08 43	10.00		41	5.0	39	3.8	36	2.2	82	22	300	28	28.58				FM-16		29.54
07	1253	7	SCT:04 15 BKN:07 27 OVC:08 35	5.00	BR:1 ||	40	4.4	38	3.5	36	2.2	86	18	280	29	28.59	3	-0.06	29.56	FM-15	0.00	29.55
07	1337	7	FEW:02 19 SCT:04 30 OVC:08 38	10.00	-RA:02 |RA |	40	4.4	37	3.0	34	1.1	79	24	280	32	28.59				FM-16	T	29.55
07	1353	7	SCT:04 19 BKN:07 40 OVC:08 48	10.00		40	4.4	37	3.0	34	1.1	79	21	280	33	28.60			29.57	FM-15	T	29.56
07	1407	7	BKN:07 19 BKN:07 24 OVC:08 41	10.00		41	5.0	38	3.6	35	1.7	79	18	280	26	28.60				FM-16		29.56
07	1429	7	SCT:04 17 SCT:04 36 OVC:08 49	10.00		41	5.0	38	3.6	35	1.7	79	16	280	22	28.60				FM-16	T	29.56
07	1453	7	SCT:04 21 SCT:04 29 OVC:08 60	10.00		41	5.0	38	3.3	34	1.1	76	21	280	29	28.61			29.58	FM-15	T	29.57
07	1553	7	FEW:02 28 BKN:07 47 OVC:08 85	10.00		42	5.6	38	3.4	33	0.6	71	22	280	29	28.63	3	-0.03	29.59	FM-15	0.00	29.59
07	1653	7	FEW:02 27 SCT:04 36 OVC:08 90	10.00		41	5.0	37	2.9	32	0.0	70	17	270	26	28.65			29.62	FM-15	0.00	29.61
07	1753	7	FEW:02 18 BKN:07 40 OVC:08 75	9.00	-SN:03 |SN |	36	2.2	34	1.3	32	0.0	86	18	270		28.69			29.66	FM-15	T	29.65
07	1853	7	FEW:02 27 BKN:07 65 OVC:08 90	9.00		37	2.8	35	1.6	32	0.0	82	15	280		28.72	3	-0.09	29.69	FM-15	T	29.68
07	1941	7	SCT:04 15 BKN:07 23 OVC:08 32	7.00	-RA:02 |RA |	36	2.2	34	1.3	32	0.0	86	14	290		28.74				FM-16	0.01	29.70
07	1953	7	BKN:07 15 OVC:08 21	9.00	-SN:03 |SN |	36	2.2	34	1.3	32	0.0	86	17	300		28.75			29.72	FM-15	0.01	29.71
07	2053	7	BKN:07 15 OVC:08 21	10.00		35	1.7	33	0.6	30	-1.1	82	16	290		28.77			29.74	FM-15	T	29.73
07	2100	7	FEW:02 48 FEW:02 60 OVC:08 95	10.00		35	1.7	33	0.6	30	-1.1	82	16	290	24	28.77				FM-16		29.73
07	2153	7	BKN:07 75	10.00		34	1.1	32	-0.2	28	-2.2	79	15	290	25	28.78	1	-0.06	29.76	FM-15	0.00	29.74
07	2253	7	SCT:04 26 SCT:04 39 OVC:08 48	10.00		35	1.7	33	0.4	29	-1.7	78	13	280		28.78			29.76	FM-15	0.00	29.74

07	2353	7	SCT:04 27 BKN:07 33 OVC:08 48	10.00		34	1.1	32	0.0	29	-1.7	82	10	280		28.80			29.77	FM-15	0.00	29.76
08	0033	7	BKN:07 26 OVC:08 50	10.00		35	1.7	32	0.2	28	-2.2	76	14	290		28.80				FM-16		29.76
08	0042	7	SCT:04 26 BKN:07 39 OVC:08 48	10.00		35	1.7	32	0.0	27	-2.8	72	16	300	22	28.80				FM-16		29.76
08	0053	7	FEW:02 27 BKN:07 41 OVC:08 48	10.00		34	1.1	31	-0.4	27	-2.8	75	14	300		28.81	3	-0.02	29.78	FM-15	0.00	29.77
08	0153	7	FEW:02 32 OVC:08 42	10.00		34	1.1	31	-0.6	26	-3.3	73	10	290		28.81			29.79	FM-15	0.00	29.77
08	0228	7	BKN:07 27 OVC:08 37	10.00		34	1.1	31	-0.4	27	-2.8	75	11	290		28.81				FM-16		29.77
08	0253	7	OVC:08 29	10.00		34	1.1	31	-0.4	27	-2.8	75	11	280		28.82			29.79	FM-15	0.00	29.78
08	0312	7	SCT:04 29 OVC:08 41	10.00		34	1.1	31	-0.6	26	-3.3	73	11	290		28.82				FM-16		29.78
08	0353	7	OVC:08 35	10.00		34	1.1	31	-0.8	25	-3.9	70	10	290		28.83	3	-0.02	29.80	FM-15	0.00	29.79
08	0413	7	BKN:07 26 OVC:08 32	10.00		34	1.1	31	-0.6	26	-3.3	73	10	280		28.83				FM-16		29.79
08	0441	7	FEW:02 20 OVC:08 32	10.00		33	0.6	30	-1.1	25	-3.9	72	14	280		28.83				FM-16		29.79
08	0453	7	BKN:07 34	10.00		32	0.0	29	-1.4	25	-3.9	75	14	280		28.83			29.81	FM-15	0.00	29.79
08	0553	7	CLR:00	10.00		30	-1.1	28	-2.3	24	-4.4	79	7	280		28.83			29.82	FM-15	0.00	29.79
08	0653	7	CLR:00	10.00		31	-0.6	29	-1.8	25	-3.9	79	10	270		28.84	3	-0.02	29.83	FM-15	0.00	29.81
08	0753	7	CLR:00	10.00		35	1.7	32	0.0	27	-2.8	72	10	280		28.86			29.84	FM-15	0.00	29.82
08	0853	7	CLR:00	10.00		37	2.8	33	0.4	26	-3.3	65	13	290		28.86			29.84	FM-15	0.00	29.82
08	0953	7	BKN:07 35 BKN:07 43	10.00		38	3.3	33	0.8	26	-3.3	62	10	270		28.87	1	-0.02	29.85	FM-15	0.00	29.83
08	1053	7	SCT:04 33 OVC:08 42	10.00		39	3.9	34	1.3	27	-2.8	62	10	280		28.87			29.85	FM-15	0.00	29.84
08	1153	7	BKN:07 36 OVC:08 47	10.00		39	3.9	35	1.5	28	-2.2	65	11	250		28.87			29.85	FM-15	0.00	29.83
08	1253	7	SCT:04 24 OVC:08 34	10.00		39	3.9	35	1.9	30	-1.1	70	8	240		28.86	8	+0.01	29.84	FM-15	T	29.82
08	1303	7	BKN:07 24 OVC:08 34	8.00	-SN:03 |SN |	39	3.9	36	2.1	31	-0.6	73	10	240		28.86				FM-16	T	29.82
08	1353	7	SCT:04 17 BKN:07 24 OVC:08 42	10.00	-RA:02 |RA |	39	3.9	37	2.7	34	1.1	82	11	240	17	28.84			29.83	FM-15	0.01	29.81
08	1451	6	SCT:04 21 BKN:07 35 OVC:08 45	10.00	-RA:02 |RA |	39	4.0	37	2.7	34	1.0	81	10	220		28.84				FM-16		29.80
08	1453	7	SCT:04 21 BKN:07 35 OVC:08 45	10.00	-RA:02 |RA |	39	3.9	37	2.7	34	1.1	82	10	230		28.84			29.81	FM-15	T	29.80
08	1530	7	BKN:07 22 BKN:07 29 OVC:08 35	10.00	-RA:02 |RA |	40	4.4	37	2.8	33	0.6	77	9	230		28.82				FM-16	T	29.78
08	1553	7	BKN:07 21 OVC:08 35	10.00	-RA:02 |RA |	40	4.4	37	3.0	34	1.1	79	10	230		28.81	8	+0.05	29.79	FM-15	T	29.77
08	1653	7	BKN:07 21 OVC:08 35	10.00		39	3.9	37	2.9	35	1.7	86	6	220		28.79			29.77	FM-15	0.02	29.75
08	1700	7	SCT:04 16 OVC:08 40	10.00		39	3.9	37	2.9	35	1.7	86	0	000		28.79				FM-16		29.75
08	1751	6	BKN:07 16 OVC:08 25	4.00	-RA:02 BR:1 |RA |	39	4.0	38	3.2	36	2.0	87	13	220		28.78				FM-16		29.74
08	1753	7	OVC:08 16	4.00	-RA:02 BR:1 |RA |	39	3.9	37	2.9	35	1.7	86	10	240		28.79			29.77	FM-15	0.06	29.75
08	1851	6	BKN:07 10 OVC:08 55	7.00	-RA:02 |RA |	36	2.0	35	1.8	34	1.0	93	15	220		28.79				FM-16		29.75
08	1853	7	BKN:07 10 OVC:08 55	8.00	-RA:02 |RA |	36	2.2	35	1.8	34	1.1	93	15	230		28.79	5	+0.02	29.77	FM-15	0.01	29.75

08	1953	7	BKN:07 10 OVC:08 55	10.00	-RA:02 |RA |	38	3.3	36	2.4	34	1.1	86	13	260	23	28.80			29.78	FM-15	T	29.76
08	2000	7	BKN:07 15 OVC:08 26	10.00	-RA:02 |RA |	37	2.8	36	2.1	34	1.1	89	16	260	24	28.80				FM-16	T	29.76
08	2053	7	SCT:04 18 BKN:07 26 OVC:08 43	10.00		37	2.8	35	1.6	32	0.0	82	17	270	26	28.80			29.78	FM-15	T	29.76
08	2153	7	BKN:07 15 BKN:07 22 OVC:08 32	7.00	-SN:03 |SN |	34	1.1	33	0.7	32	0.0	92	16	290		28.80	1	-0.01	29.78	FM-15	T	29.76
08	2201	7	BKN:07 11 BKN:07 16 OVC:08 30	8.00	-SN:03 |SN |	34	1.1	33	0.4	31	-0.6	89	18	290	25	28.81				FM-16	T	29.77
08	2231	7	FEW:02 12 FEW:02 17 SCT:04 100	10.00		33	0.6	32	-0.1	30	-1.1	89	13	270		28.81				FM-16	T	29.77
08	2253	7	CLR:00	10.00		33	0.6	31	-0.3	29	-1.7	85	13	270		28.80			29.78	FM-15	T	29.76
08	2353	7	CLR:00	10.00		32	0.0	30	-1.0	27	-2.8	82	13	270		28.80			29.78	FM-15	0.00	29.76
09	0053	7	CLR:00	10.00		32	0.0	30	-1.2	26	-3.3	79	11	280	23	28.80	5	+0.00	29.78	FM-15	0.00	29.76
09	0153	7	FEW:02 28 OVC:08 100	10.00		31	-0.6	29	-1.8	25	-3.9	79	13	280		28.80			29.78	FM-15	0.00	29.76
09	0241	7	BKN:07 28 BKN:07 34 OVC:08 100	10.00		32	0.0	29	-1.6	24	-4.4	73	16	300	29	28.80				FM-16		29.76
09	0253	7	BKN:07 26 OVC:08 34	10.00		32	0.0	29	-1.6	24	-4.4	73	17	290	24	28.80			29.78	FM-15	0.00	29.76
09	0310	7	FEW:02 25 OVC:08 36	10.00		31	-0.6	28	-2.0	24	-4.4	76	15	280	29	28.80				FM-16		29.76
09	0353	7	SCT:04 26 BKN:07 33 OVC:08 46	10.00		31	-0.6	28	-2.0	24	-4.4	76	17	280	26	28.81	3	-0.01	29.79	FM-15	0.00	29.77
09	0416	7	BKN:07 22 BKN:07 34 OVC:08 45	10.00		31	-0.6	28	-2.0	24	-4.4	76	18	280	26	28.82				FM-16		29.78
09	0453	7	BKN:07 17 OVC:08 24	8.00	-SN:03 |SN |	30	-1.1	29	-1.9	26	-3.3	85	14	280		28.83			29.81	FM-15	T	29.79
09	0524	7	BKN:07 14 BKN:07 19 OVC:08 26	3.00	-SN:03 BR:1 |SN |	30	-1.1	29	-1.9	26	-3.3	85	14	280		28.84				FM-16	T	29.81
09	0532	7	FEW:02 9 BKN:07 14 OVC:08 23	2.00	-SN:03 BR:1 |SN |	30	-1.1	29	-1.9	26	-3.3	85	16	300		28.86				FM-16	T	29.82
09	0537	7	SCT:04 9 BKN:07 14 OVC:08 20	0.75	-SN:03 BR:1 |SN |	29	-1.7	28	-2.1	27	-2.8	92	15	330	24	28.86				FM-16	T	29.82
09	0549	7	FEW:02 7 BKN:07 14 OVC:08 20	2.00	-SN:03 BR:1 |SN |	28	-2.0	28	-2.4	27	-3.0	93	11	340	21	28.87				FM-16	T	29.84
09	0553	7	FEW:02 9 BKN:07 14 OVC:08 21	3.00	-SN:03 BR:1 |SN |	29	-1.7	28	-2.3	26	-3.3	89	16	340		28.89			29.87	FM-15	T	29.85
09	0610	7	FEW:02 10 BKN:07 15 OVC:08 39	9.00		28	-2.2	26	-3.2	23	-5.0	81	15	340	28	28.90				FM-16	T	29.87
09	0630	7	BKN:07 19 OVC:08 24	1.75	-SN:03 |SN |	28	-2.2	26	-3.4	22	-5.6	78	21	340	31	28.92				FM-16	T	29.89
09	0641	7	FEW:02 12 OVC:08 18	0.75	-SN:03 |SN |	27	-2.8	25	-3.7	22	-5.6	81	16	340	34	28.94				FM-16	T	29.91
09	0649	7	FEW:02 12 OVC:08 19	1.00	-SN:03 BR:1 |SN |	27	-3.0	25	-3.9	21	-6.0	80	21	330	29	28.95				FM-16	T	29.92
09	0653	7	OVC:08 19	1.50	-SN:03 BR:1 |SN |	26	-3.3	25	-4.1	22	-5.6	84	16	330	30	28.96	1	-0.13	29.95	FM-15	T	29.93
09	0705	7	SCT:04 16 SCT:04 20 OVC:08 25	2.00	-SN:03 |SN |	26	-3.3	24	-4.3	21	-6.1	81	17	330	29	28.97				FM-16	T	29.94

09	0714	7	SCT:04 16 OVC:08 25	1.25	-SN:03 BR:1 |SN |	26	-3.3	25	-4.1	22	-5.6	84	15	320	24	28.98				FM-16	T	29.95
09	0742	7	BKN:07 15 BKN:07 20 OVC:08 26	3.00	-SN:03 BR:1 |SN |	26	-3.3	25	-4.1	22	-5.6	84	17	320	29	29.01				FM-16	T	29.98
09	0751	6	BKN:07 14 BKN:07 20 OVC:08 24	3.00	-SN:03 |SN |	27	-3.0	25	-3.9	21	-6.0	80	20	320	26	29.01				FM-16		29.98
09	0753	7	BKN:07 14 BKN:07 20 OVC:08 26	3.00	-SN:03 |SN |	27	-2.8	25	-3.7	22	-5.6	81	21	320	26	29.01			30.00	FM-15	T	29.98
09	0809	7	BKN:07 16 OVC:08 24	10.00		27	-2.8	25	-3.7	22	-5.6	81	16	320	25	29.02				FM-16	T	29.99
09	0853	7	BKN:07 20 OVC:08 25	10.00		28	-2.2	25	-3.7	20	-6.7	72	16	320	32	29.06			30.05	FM-15	T	30.03
09	0953	7	BKN:07 24 OVC:08 31	10.00		29	-1.7	26	-3.3	20	-6.7	69	21	310	30	29.11	3	-0.10	30.10	FM-15	T	30.08
09	1020	7	FEW:02 25 OVC:08 35	9.00	-SN:03 |SN |	30	-1.1	27	-2.8	21	-6.1	69	18	330	30	29.13				FM-16	T	30.10
09	1053	7	SCT:04 27 SCT:04 34 OVC:08 42	10.00		31	-0.6	28	-2.5	21	-6.1	67	25	310	32	29.15			30.14	FM-15	T	30.12
09	1110	7	BKN:07 27 BKN:07 35 BKN:07 42	10.00		31	-0.6	28	-2.5	21	-6.1	67	20	310	25	29.16				FM-16	T	30.13
09	1119	7	SCT:04 29 BKN:07 38 BKN:07 45	10.00		33	0.6	30	-1.3	24	-4.4	70	18	320		29.15				FM-16	T	30.12
09	1128	7	BKN:07 29 BKN:07 34 OVC:08 41	10.00		32	0.0	28	-2.0	22	-5.6	66	15	310	24	29.16				FM-16	T	30.13
09	1135	7	BKN:07 30 BKN:07 41	10.00		32	0.0	28	-2.0	22	-5.6	66	22	320	28	29.15				FM-16	T	30.12
09	1153	7	BKN:07 32 OVC:08 42	10.00		32	0.0	28	-2.1	21	-6.1	64	21	320	26	29.16			30.15	FM-15	T	30.13
09	1253	7	SCT:04 35 OVC:08 47	9.00		32	0.0	28	-2.1	21	-6.1	64	14	310		29.18	1	-0.07	30.17	FM-15	T	30.15
09	1349	7	SCT:04 26 BKN:07 34 OVC:08 49	1.75V	-SN:03 |SN |	30	-1.0	28	-2.1	25	-4.0	80	14	300	23	29.19				FM-16	T	30.16
09	1353	7	SCT:04 30 BKN:07 40 OVC:08 65	1.75	-SN:03 |SN |	31	-0.6	29	-1.8	25	-3.9	79	11	290		29.19			30.18	FM-15	T	30.16
09	1357	7	FEW:02 26 BKN:07 36 OVC:08 65	5.00	-SN:03 |SN |	32	0.0	29	-1.6	24	-4.4	73	13	300		29.19				FM-16	T	30.16
09	1428	7	BKN:07 29 BKN:07 37 OVC:08 45	5.00	-SN:03 |SN |	30	-1.1	28	-2.3	24	-4.4	79	13	350	22	29.19				FM-16	T	30.16
09	1432	7	SCT:04 29 BKN:07 37 OVC:08 60	5.00	-SN:03 |SN |	32	0.0	29	-1.6	24	-4.4	73	9	330	22	29.19				FM-16	T	30.16
09	1453	7	FEW:02 29 BKN:07 35 BKN:07 41	9.00		36	2.2	31	-0.8	21	-6.1	55	14	320	25	29.19			30.18	FM-15	T	30.16
09	1530	7	FEW:02 28 SCT:04 34 BKN:07 41	9.00		33	0.6	29	-1.8	21	-6.1	61	17	330	22	29.19				FM-16	T	30.16
09	1548	7	BKN:07 25 BKN:07 31 OVC:08 38	9.00	-SN:03 |SN |	34	1.0	31	-0.7	25	-4.0	70	9	340		29.20				FM-16	0.01	30.17
09	1553	7	BKN:07 25 BKN:07 33 OVC:08 41	9.00	-SN:03 |SN |	34	1.1	31	-0.7	25	-3.9	70	9	340		29.20	3	-0.01	30.20	FM-15	0.01	30.17
09	1653	7	BKN:07 50	10.00		35	1.7	30	-1.1	21	-6.1	57	9	310		29.22			30.22	FM-15	T	30.19

09	1731	7	SCT:04 21 BKN:07 30 OVC:08 43	1.75	-SN:03 |SN |	31	-0.6	28	-2.1	23	-5.0	72	7	330	18	29.23				FM-16	T	30.21
09	1735	7	SCT:04 17 BKN:07 30 OVC:08 42	0.75	-SN:03 |SN |	30	-1.1	28	-2.3	24	-4.4	79	3	300		29.23				FM-16	0.01	30.21
09	1741	7	SCT:04 17 BKN:07 24 BKN:07 42	5.00	-SN:03 |SN |	30	-1.1	28	-2.3	24	-4.4	79	0	000		29.23				FM-16	0.01	30.21
09	1753	7	BKN:07 26 BKN:07 40	7.00		32	0.0	28	-2.0	22	-5.6	66	9	340		29.23			30.24	FM-15	0.01	30.21
09	1851	6	FEW:02 30 BKN:07 55 BKN:07 70	10.00		30	-1.0	27	-2.8	21	-6.0	69	5	320		29.26				FM-16		30.23
09	1853	7	FEW:02 30 BKN:07 55 BKN:07 70	10.00		30	-1.1	27	-2.7	22	-5.6	72	3	340		29.26	3	-0.06	30.26	FM-15	0.00	30.23
09	1950	7	FEW:02 9 FEW:02 25	6.00	BR:1 ||	27	-3.0	26	-3.2	25	-4.0	93	6	040		29.27				FM-16		30.25
09	1953	7	FEW:02 9 SCT:04 25 SCT:04 55	7.00		27	-2.8	26	-3.2	25	-3.9	92	5	040		29.27			30.29	FM-15	0.00	30.25
09	2053	7	CLR:00	10.00		26	-3.3	25	-3.9	23	-5.0	88	3	050		29.29			30.30	FM-15	0.00	30.27
09	2153	7	FEW:02 60	8.00		27	-2.8	26	-3.2	25	-3.9	92	0	000		29.30	3	-0.03	30.31	FM-15	0.00	30.28
09	2253	7	SCT:04 55	5.00	BR:1 ||	26	-3.3	25	-3.7	24	-4.4	92	0	000		29.30			30.32	FM-15	0.00	30.28
09	2353	7	CLR:00	5.00	BR:1 ||	25	-3.9	25	-4.1	24	-4.4	96	0	000		29.30			30.31	FM-15	0.00	30.28
10	0053	7	CLR:00	10.00		25	-3.9	24	-4.3	23	-5.0	92	5	130		29.28	8	+0.02	30.29	FM-15	0.00	30.26
10	0153	7	CLR:00	10.00		25	-3.9	24	-4.4	22	-5.6	88	8	130		29.26			30.27	FM-15	0.00	30.24
10	0253	7	CLR:00	10.00		25	-3.9	24	-4.6	21	-6.1	85	6	130		29.27			30.28	FM-15	0.00	30.25
10	0353	7	CLR:00	10.00		25	-3.9	24	-4.6	21	-6.1	85	8	130		29.27	6	+0.01	30.28	FM-15	0.00	30.25
10	0453	7	BKN:07 110	10.00		27	-2.8	25	-3.7	22	-5.6	81	7	130		29.26			30.27	FM-15	0.00	30.24
10	0553	7	OVC:08 65	10.00		28	-2.2	26	-3.4	22	-5.6	78	10	160		29.28			30.29	FM-15	0.00	30.26
10	0653	7	OVC:08 65	10.00		28	-2.2	26	-3.2	23	-5.0	81	13	160		29.29	3	-0.02	30.29	FM-15	0.00	30.27
10	0753	7	SCT:04 60 OVC:08 75	10.00		29	-1.7	27	-2.6	24	-4.4	82	10	160		29.28			30.29	FM-15	T	30.26
10	0853	7	BKN:07 70	10.00		32	0.0	29	-1.6	24	-4.4	73	15	150		29.26			30.27	FM-15	0.00	30.24
10	0953	7	FEW:02 100	10.00		35	1.7	31	-0.8	23	-5.0	61	18	150	26	29.23	8	+0.06	30.23	FM-15	0.00	30.20
10	1053	7	FEW:02 55 BKN:07 85 OVC:08 110	10.00		36	2.2	31	-0.6	22	-5.6	57	18	150	25	29.21			30.20	FM-15	0.00	30.18
10	1153	7	OVC:08 85	10.00		39	3.9	33	0.7	24	-4.4	55	16	170		29.18			30.17	FM-15	0.00	30.15
10	1253	7	BKN:07 70 OVC:08 85	10.00		44	6.7	37	2.7	26	-3.3	49	15	160	24	29.13	8	+0.10	30.12	FM-15	0.00	30.10
10	1353	7	SCT:04 41 OVC:08 65	10.00		46	7.8	38	3.1	25	-3.9	44	16	170	25	29.11			30.10	FM-15	0.00	30.08
10	1453	7	OVC:08 60	10.00		51	10.6	41	4.9	27	-2.8	39	17	160	21	29.07			30.06	FM-15	0.00	30.04
10	1553	7	OVC:08 60	10.00		53	11.7	42	5.7	28	-2.2	38	15	150	24	29.03	8	+0.10	30.01	FM-15	0.00	30.00
10	1653	7	OVC:08 70	10.00		54	12.2	43	6.1	29	-1.7	38	17	160	24	28.98			29.97	FM-15	0.00	29.95
10	1753	7	OVC:08 80	10.00		54	12.2	44	6.5	31	-0.6	42	14	160		28.97			29.95	FM-15	0.00	29.94
10	1853	7	OVC:08 65	10.00		54	12.2	44	6.5	31	-0.6	42	14	170		28.96	6	+0.06	29.95	FM-15	0.00	29.93
10	1953	7	OVC:08 60	9.00	-RA:02 |RA |	50	10.0	45	7.1	39	3.9	66	9	170		28.96			29.95	FM-15	0.02	29.93
10	2053	7	OVC:08 50	7.00	-RA:02 |RA |	48	8.9	45	7.0	41	5.0	77	7	150		28.97			29.95	FM-15	0.05	29.94
10	2153	7	FEW:02 48 BKN:07 55 OVC:08 75	9.00	-RA:02 |RA |	48	8.9	46	7.5	43	6.1	83	10	170		28.96	0	-0.00	29.95	FM-15	0.03	29.93
10	2253	7	OVC:08 55	10.00		50	10.0	48	8.9	46	7.8	86	10	170		28.95			29.93	FM-15	0.01	29.92
10	2353	7	OVC:08 65	10.00		52	11.1	49	9.7	47	8.3	83	9	180		28.95			29.93	FM-15	T	29.92
11	0053	7	BKN:07 80 OVC:08 110	10.00		52	11.1	48	9.2	45	7.2	77	11	190		28.93	6	+0.03	29.91	FM-15	T	29.90
11	0153	7	BKN:07 75 OVC:08 100	10.00		52	11.1	48	8.6	43	6.1	72	10	190		28.91			29.88	FM-15	0.00	29.88

11	0253	7	BKN:07 65 OVC:08 85	10.00		52	11.1	47	8.4	42	5.6	69	9	190		28.91			29.88	FM-15	0.01	29.88
11	0353	7	BKN:07 50 OVC:08 80	10.00		53	11.7	47	8.2	40	4.4	61	13	190		28.91	5	+0.02	29.88	FM-15	T	29.88
11	0453	7	OVC:08 44	10.00	-RA:02 |RA |	51	10.6	47	8.1	42	5.6	71	17	200	22	28.92			29.88	FM-15	T	29.89
11	0553	7	BKN:07 46 OVC:08 80	7.00	-RA:02 |RA |	49	9.4	47	8.3	45	7.2	86	14	190		28.92			29.89	FM-15	0.02	29.89
11	0653	7	OVC:08 80	7.00	-RA:02 |RA |	50	10.0	48	8.6	45	7.2	83	14	190		28.93	1	-0.01	29.90	FM-15	0.04	29.90
11	0753	7	SCT:04 45 SCT:04 65 OVC:08 85	4.00	RA:02 BR:1 |RA |	50	10.0	48	8.6	45	7.2	83	15	200	28	28.94			29.91	FM-15	0.04	29.91
11	0853	7	SCT:04 19 BKN:07 60 OVC:08 80	7.00	-RA:02 |RA |	50	10.0	48	8.9	46	7.8	86	13	190		28.94			29.91	FM-15	0.04	29.91
11	0900	7	BKN:07 19 OVC:08 60	9.00	-RA:02 |RA |	50	10.0	48	9.2	47	8.3	89	14	200		28.93				FM-16	T	29.90
11	0953	7	OVC:08 21	10.00	-RA:02 |RA |	52	11.1	49	9.7	47	8.3	83	13	200		28.93	0	-0.00	29.90	FM-15	0.01	29.90
11	1053	7	BKN:07 22 OVC:08 41	10.00		57	13.9	53	11.8	50	10.0	78	14	220	29	28.91			29.88	FM-15	0.00	29.88
11	1153	7	OVC:08 29	10.00	-RA:02 |RA |	56	13.3	53	11.8	51	10.6	84	15	220		28.92			29.89	FM-15	0.02	29.89
11	1204	7	OVC:08 30	10.00	-RA:02 |RA |	56	13.3	53	11.5	50	10.0	81	15	220	24	28.92				FM-16	T	29.89
11	1253	7	OVC:08 30	5.00	-RA:02 |RA |	57	13.9	54	12.4	52	11.1	83	8	230		28.91	6	+0.01	29.88	FM-15	0.03	29.88
11	1351	6	BKN:07 29 BKN:07 34 OVC:08 45	5.00	-RA:02 BR:1 |RA |	55	13.0	53	11.9	52	11.0	88	15	220	26	28.92				FM-16		29.89
11	1353	7	SCT:04 27 BKN:07 32 OVC:08 55	5.00	-RA:02 BR:1 |RA |	56	13.3	54	12.1	52	11.1	87	11	230	26	28.92			29.89	FM-15	0.05	29.89
11	1420	7	BKN:07 14 BKN:07 70 OVC:08 80	7.00	-RA:02 |RA |	55	12.8	53	11.9	52	11.1	90	15	210		28.92				FM-16	0.03	29.89
11	1442	7	BKN:07 12 OVC:08 20	2.00	RA:02 BR:1 |RA |	54	12.2	53	11.6	52	11.1	93	13	210	21	28.91				FM-16	0.09	29.88
11	1453	7	BKN:07 12 BKN:07 19 OVC:08 80	3.00	-RA:02 BR:1 |RA |	54	12.2	53	11.9	53	11.7	97	13	220		28.91			29.88	FM-15	0.11	29.88
11	1500	7	BKN:07 11 BKN:07 16 OVC:08 80	2.00	-RA:02 BR:1 |RA |	54	12.2	53	11.9	53	11.7	97	14	210		28.92				FM-16	T	29.89
11	1503	7	SCT:04 8 BKN:07 13 OVC:08 80	5.00	-RA:02 BR:1 |RA |	54	12.2	53	11.9	53	11.7	97	11	210		28.92				FM-16	T	29.89
11	1551	6	SCT:04 13 BKN:07 41 OVC:08 75	5.00	-RA:02 BR:1 |RA |	55	13.0	53	11.9	52	11.0	88	10	220		28.91				FM-16		29.88
11	1553	7	SCT:04 13 BKN:07 41 OVC:08 75	5.00	-RA:02 BR:1 |RA |	55	12.8	54	12.2	53	11.7	93	11	220		28.91	8	+0.01	29.88	FM-15	0.08	29.88
11	1602	7	BKN:07 11 BKN:07 41 OVC:08 70	3.00	RA:02 BR:1 |RA |	55	12.8	54	12.2	53	11.7	93	9	230		28.91				FM-16	0.01	29.88
11	1653	7	OVC:08 11	8.00	-RA:02 |RA |	55	12.8	54	12.2	53	11.7	93	9	240		28.90			29.87	FM-15	0.03	29.87
11	1732	7	FEW:02 7 BKN:07 15 OVC:08 80	7.00	-RA:02 |RA |	53	11.7	52	11.1	51	10.6	93	10	300		28.91				FM-16	0.04	29.88
11	1743	7	SCT:04 14 OVC:08 80	5.00	RA:02 BR:1 |RA |	52	11.1	51	10.8	51	10.6	97	10	300		28.91				FM-16	0.05	29.88
11	1753	7	FEW:02 19 SCT:04 40 OVC:08 80	8.00	-RA:02 |RA |	52	11.1	51	10.5	50	10.0	93	11	290		28.92			29.89	FM-15	0.05	29.89
11	1853	7	OVC:08 70	7.00	-RA:02 |RA |	50	10.0	49	9.4	48	8.9	93	9	290		28.94	3	-0.03	29.91	FM-15	0.10	29.91
11	1953	7	FEW:02 43 OVC:08 70	10.00	-RA:02 |RA |	49	9.4	47	8.6	46	7.8	90	5	250		28.95			29.93	FM-15	0.04	29.92

11	2053	7	BKN:07 47 OVC:08 55	10.00		49	9.4	48	8.9	47	8.3	93	6	260		28.98			29.96	FM-15	0.00	29.95
11	2153	7	SCT:04 24 SCT:04 55	10.00		48	8.9	46	7.8	44	6.7	86	10	310		29.02	3	-0.07	29.99	FM-15	0.00	29.99
11	2204	7	BKN:07 24	10.00		47	8.3	43	6.3	39	3.9	74	13	330	25	29.03				FM-16		30.00
11	2242	7	FEW:02 31 BKN:07 40	10.00		44	6.7	40	4.3	34	1.1	68	15	340	24	29.05				FM-16		30.02
11	2253	7	BKN:07 38	10.00		44	6.7	40	4.3	34	1.1	68	14	330		29.07			30.04	FM-15	0.00	30.04
11	2353	7	OVC:08 43	10.00		42	5.6	37	3.0	31	-0.6	65	10	340	21	29.09			30.07	FM-15	0.00	30.06
12	0053	7	CLR:00	10.00		40	4.4	36	2.0	29	-1.7	65	10	340		29.11	1	-0.09	30.08	FM-15	0.00	30.08
12	0153	7	CLR:00	10.00		37	2.8	34	1.0	29	-1.7	73	6	330		29.13			30.10	FM-15	0.00	30.10
12	0253	7	CLR:00	10.00		35	1.7	32	0.2	28	-2.2	76	5	330		29.14			30.12	FM-15	0.00	30.11
12	0353	7	CLR:00	10.00		35	1.7	32	0.0	27	-2.8	72	6	330		29.17	3	-0.06	30.15	FM-15	0.00	30.14
12	0453	7	CLR:00	10.00		34	1.1	31	-0.4	27	-2.8	75	7	330		29.19			30.17	FM-15	0.00	30.16
12	0553	7	CLR:00	10.00		33	0.6	30	-0.9	26	-3.3	75	6	320		29.22			30.20	FM-15	0.00	30.19
12	0653	7	CLR:00	10.00		34	1.1	31	-0.6	26	-3.3	73	6	310		29.26	3	-0.09	30.24	FM-15	0.00	30.23
12	0753	7	CLR:00	10.00		38	3.3	33	0.8	26	-3.3	62	10	320		29.28			30.27	FM-15	0.00	30.26
12	0853	7	CLR:00	10.00		40	4.4	34	1.2	25	-3.9	55	10	340		29.30			30.29	FM-15	0.00	30.28
12	0953	7	CLR:00	10.00		43	6.1	37	2.5	27	-2.8	53	10	350	17	29.32	1	-0.06	30.31	FM-15	0.00	30.30
12	1053	7	CLR:00	10.00		44	6.7	36	2.5	25	-3.9	47	13	330	21	29.32			30.31	FM-15	0.00	30.30
12	1153	7	FEW:02 45	10.00		44	6.7	36	2.5	25	-3.9	47	7	340	17	29.32			30.32	FM-15	0.00	30.30
12	1253	7	SCT:04 45	10.00		46	7.8	38	3.5	27	-2.8	47	14	360		29.32	1	-0.01	30.32	FM-15	0.00	30.30
12	1353	7	FEW:02 48	10.00		47	8.3	39	3.8	27	-2.8	46	13	020	16	29.33			30.32	FM-15	0.00	30.31
12	1453	7	FEW:02 49	10.00		46	7.8	38	3.3	26	-3.3	46	13	320	16	29.32			30.31	FM-15	0.00	30.30
12	1553	7	FEW:02 50	10.00		48	8.9	39	4.1	27	-2.8	44	10	360	18	29.31	8	+0.01	30.31	FM-15	0.00	30.29
12	1653	7	CLR:00	10.00		46	7.8	38	3.5	27	-2.8	47	8	020		29.33			30.32	FM-15	0.00	30.31
12	1753	7	CLR:00	10.00		47	8.3	39	3.8	27	-2.8	46	7	330		29.33			30.32	FM-15	0.00	30.31
12	1853	7	CLR:00	10.00		44	6.7	37	2.9	27	-2.8	51	7	030		29.34	1	-0.02	30.34	FM-15	0.00	30.32
12	1953	7	CLR:00	10.00		42	5.6	36	2.1	26	-3.3	53	6	040		29.34			30.34	FM-15	0.00	30.32
12	2053	7	CLR:00	10.00		39	3.9	34	1.1	26	-3.3	60	7	030		29.36			30.36	FM-15	0.00	30.34
12	2153	7	CLR:00	10.00		39	3.9	34	1.3	27	-2.8	62	8	050		29.37	1	-0.03	30.36	FM-15	0.00	30.35
12	2253	7	CLR:00	10.00		36	2.2	32	0.1	26	-3.3	67	7	060		29.36			30.36	FM-15	0.00	30.34
12	2353	7	CLR:00	10.00		35	1.7	31	-0.4	25	-3.9	67	8	070		29.37			30.37	FM-15	0.00	30.35
13	0053	7	CLR:00	10.00		34	1.1	31	-0.7	25	-3.9	70	6	070		29.38	3	-0.01	30.38	FM-15	0.00	30.36
13	0153	7	CLR:00	10.00		34	1.1	31	-0.7	25	-3.9	70	3	080		29.38			30.38	FM-15	0.00	30.36
13	0253	7	CLR:00	10.00		34	1.1	31	-0.7	25	-3.9	70	5	070		29.39			30.38	FM-15	0.00	30.37
13	0353	7	CLR:00	10.00		34	1.1	30	-1.1	23	-5.0	64	3	080		29.39	2	-0.01	30.39	FM-15	0.00	30.37
13	0453	7	CLR:00	10.00		31	-0.6	28	-2.3	22	-5.6	69	7	070		29.39			30.39	FM-15	0.00	30.37
13	0553	7	CLR:00	10.00		32	0.0	29	-1.8	23	-5.0	69	5	090		29.41			30.41	FM-15	0.00	30.39
13	0653	7	CLR:00	10.00		33	0.6	30	-1.1	25	-3.9	72	7	090		29.41	0	-0.01	30.40	FM-15	0.00	30.39
13	0753	7	CLR:00	10.00		40	4.4	34	1.1	24	-4.4	53	11	100		29.40			30.40	FM-15	0.00	30.38
13	0853	7	CLR:00	10.00		43	6.1	36	2.0	24	-4.4	47	13	090	21	29.41			30.40	FM-15	0.00	30.39
13	0953	7	CLR:00	10.00		45	7.2	37	2.6	24	-4.4	44	14	080		29.38	8	+0.03	30.37	FM-15	0.00	30.36
13	1053	7	CLR:00	10.00		47	8.3	38	3.4	25	-3.9	42	14	090		29.35			30.34	FM-15	0.00	30.33
13	1153	7	CLR:00	10.00		50	10.0	40	4.3	25	-3.9	38	10	110		29.33			30.32	FM-15	0.00	30.31
13	1253	7	CLR:00	10.00		52	11.1	41	4.9	25	-3.9	35	6	040		29.33	5	+0.04	30.33	FM-15	0.00	30.31
13	1353	7	CLR:00	10.00		53	11.7	40	4.7	22	-5.6	30	3	VRB		29.31			30.30	FM-15	0.00	30.29
13	1453	7	CLR:00	10.00		56	13.3	43	6.2	26	-3.3	32	0	000		29.29			30.28	FM-15	0.00	30.27
13	1553	7	CLR:00	10.00		56	13.3	43	6.4	27	-2.8	33	9	020		29.27	6	+0.06	30.26	FM-15	0.00	30.25
13	1653	7	CLR:00	10.00		55	12.8	42	5.6	24	-4.4	30	8	060		29.26			30.26	FM-15	0.00	30.24
13	1753	7	CLR:00	10.00		55	12.8	42	5.6	24	-4.4	30	8	080		29.26			30.25	FM-15	0.00	30.24
13	1853	7	CLR:00	10.00		51	10.6	40	4.4	24	-4.4	35	9	040		29.26	8	+0.02	30.25	FM-15	0.00	30.23
13	1953	7	CLR:00	10.00		49	9.4	39	3.8	24	-4.4	38	6	030		29.26			30.26	FM-15	0.00	30.24
13	2053	7	CLR:00	10.00		44	6.7	39	3.6	31	-0.6	60	7	030		29.27			30.27	FM-15	0.00	30.25
13	2153	7	CLR:00	10.00		39	3.9	35	1.9	30	-1.1	70	8	010		29.27	1	-0.02	30.27	FM-15	0.00	30.25
13	2253	7	CLR:00	10.00		39	3.9	35	1.7	29	-1.7	67	7	020		29.27			30.26	FM-15	0.00	30.25
13	2353	7	CLR:00	10.00		38	3.3	34	1.3	29	-1.7	70	6	020		29.27			30.26	FM-15	0.00	30.25

14	0053	7	CLR:00	10.00		35	1.7	32	0.2	28	-2.2	76	7	030		29.27	6	+0.01	30.26	FM-15	0.00	30.25
14	0153	7	CLR:00	10.00		38	3.3	34	1.2	28	-2.2	68	6	040		29.26			30.25	FM-15	0.00	30.24
14	0253	7	CLR:00	10.00		36	2.2	33	0.3	27	-2.8	70	6	030		29.26			30.25	FM-15	0.00	30.24
14	0353	7	CLR:00	10.00		34	1.1	31	-0.5	26	-3.3	73	5	010		29.27	5	+0.00	30.26	FM-15	0.00	30.25
14	0453	7	CLR:00	10.00		32	0.0	30	-1.2	26	-3.3	79	7	010		29.27			30.26	FM-15	0.00	30.25
14	0553	7	CLR:00	10.00		33	0.6	30	-0.9	26	-3.3	75	6	360		29.28			30.27	FM-15	0.00	30.26
14	0653	7	CLR:00	10.00		35	1.7	32	0.2	28	-2.2	76	6	360		29.29	3	-0.02	30.28	FM-15	0.00	30.27
14	0753	7	CLR:00	10.00		43	6.1	38	3.1	30	-1.1	60	6	040		29.29			30.28	FM-15	0.00	30.27
14	0853	7	CLR:00	10.00		49	9.4	40	4.5	28	-2.2	44	9	040		29.30			30.29	FM-15	0.00	30.28
14	0953	7	CLR:00	10.00		54	12.2	42	5.8	27	-2.8	35	9	030		29.30	1	-0.01	30.29	FM-15	0.00	30.28
14	1053	7	CLR:00	10.00		58	14.4	44	6.9	27	-2.8	31	9	020		29.30			30.28	FM-15	0.00	30.28
14	1153	7	CLR:00	10.00		59	15.0	44	6.9	25	-3.9	27	9	070		29.28			30.27	FM-15	0.00	30.26
14	1253	7	CLR:00	10.00		62	16.7	46	7.5	24	-4.4	23	9	070		29.26	8	+0.04	30.25	FM-15	0.00	30.24
14	1353	7	CLR:00	10.00		64	17.8	47	8.5	27	-2.8	25	10	040		29.25			30.22	FM-15	0.00	30.22
14	1453	7	CLR:00	10.00		66	18.9	49	9.4	29	-1.7	25	10	050		29.23			30.21	FM-15	0.00	30.20
14	1553	7	CLR:00	10.00		65	18.3	49	9.5	31	-0.6	28	10	020		29.22	6	+0.05	30.20	FM-15	0.00	30.19
14	1653	7	CLR:00	10.00		65	18.3	49	9.6	32	0.0	29	11	VRB		29.21			30.19	FM-15	0.00	30.18
14	1753	7	CLR:00	10.00		63	17.2	48	9.1	32	0.0	31	8	040		29.21			30.19	FM-15	0.00	30.18
14	1853	7	CLR:00	10.00		59	15.0	47	8.1	32	0.0	36	9	050		29.20	7	+0.01	30.18	FM-15	0.00	30.17
14	1953	7	CLR:00	10.00		55	12.8	44	6.8	31	-0.6	40	6	020		29.21			30.19	FM-15	0.00	30.18
14	2053	7	CLR:00	10.00		50	10.0	44	6.7	37	2.8	61	9	360		29.23			30.20	FM-15	0.00	30.20
14	2153	7	CLR:00	10.00		47	8.3	42	5.6	36	2.2	66	9	010		29.23	1	-0.03	30.21	FM-15	0.00	30.21
14	2253	7	CLR:00	10.00		47	8.3	42	5.6	36	2.2	66	9	020		29.23			30.20	FM-15	0.00	30.20
14	2353	7	CLR:00	10.00		44	6.7	39	4.0	33	0.6	65	7	020		29.23			30.21	FM-15	0.00	30.21
15	0053	7	CLR:00	10.00		42	5.6	38	3.2	32	0.0	68	7	020		29.23	8	+0.01	30.20	FM-15	0.00	30.20
15	0153	7	CLR:00	10.00		43	6.1	38	3.5	32	0.0	65	8	050		29.21			30.18	FM-15	0.00	30.18
15	0253	7	CLR:00	10.00		40	4.4	36	2.4	31	-0.6	70	7	020		29.20			30.17	FM-15	0.00	30.17
15	0353	7	CLR:00	10.00		41	5.0	37	2.7	31	-0.6	67	6	360		29.21	5	+0.02	30.18	FM-15	0.00	30.18
15	0453	7	CLR:00	10.00		39	3.9	36	2.1	31	-0.6	73	7	020		29.22			30.20	FM-15	0.00	30.19
15	0553	7	CLR:00	10.00		41	5.0	37	2.7	31	-0.6	67	6	030		29.23			30.22	FM-15	0.00	30.21
15	0653	7	CLR:00	10.00		44	6.7	40	4.5	35	1.7	71	5	050		29.26	3	-0.05	30.24	FM-15	0.00	30.23
15	0753	7	CLR:00	10.00		51	10.6	44	6.7	36	2.2	56	6	080		29.26			30.24	FM-15	0.00	30.24
15	0853	7	CLR:00	10.00		58	14.4	48	8.8	37	2.8	46	9	130		29.26			30.24	FM-15	0.00	30.24
15	0953	7	CLR:00	10.00		62	16.7	51	10.3	39	3.9	43	9	160		29.27	2	-0.01	30.25	FM-15	0.00	30.25
15	1053	7	CLR:00	10.00		64	17.8	51	10.8	39	3.9	40	7	110		29.27			30.25	FM-15	0.00	30.25
15	1153	7	CLR:00	10.00		67	19.4	54	12.0	41	5.0	39	7	150		29.26			30.24	FM-15	0.00	30.24
15	1253	7	CLR:00	10.00		70	21.1	55	12.7	41	5.0	35	7	120		29.26	8	+0.01	30.23	FM-15	0.00	30.23
15	1353	7	CLR:00	10.00		72	22.2	56	13.6	43	6.1	35	10	100		29.25			30.22	FM-15	0.00	30.22
15	1453	7	CLR:00	10.00		73	22.8	56	13.4	41	5.0	32	8	130		29.23			30.21	FM-15	0.00	30.21
15	1553	7	CLR:00	10.00		73	22.8	55	12.7	38	3.3	28	9	110		29.23	6	+0.03	30.20	FM-15	0.00	30.20
15	1653	7	CLR:00	10.00		73	22.8	55	12.7	38	3.3	28	3	VRB		29.23			30.20	FM-15	0.00	30.20
15	1753	7	CLR:00	10.00		71	21.7	56	13.1	42	5.6	35	7	080		29.23			30.20	FM-15	0.00	30.20
15	1853	7	CLR:00	10.00		67	19.4	53	11.7	40	4.4	37	5	090		29.23	3	-0.00	30.20	FM-15	0.00	30.20
15	1953	7	CLR:00	10.00		66	18.9	51	10.7	36	2.2	33	5	080		29.25			30.21	FM-15	0.00	30.22
15	2053	7	CLR:00	10.00		63	17.2	50	10.1	37	2.8	38	5	060		29.26			30.23	FM-15	0.00	30.23
15	2153	7	CLR:00	10.00		63	17.2	50	9.9	36	2.2	37	5	060		29.26	1	-0.04	30.24	FM-15	0.00	30.24
15	2253	7	CLR:00	10.00		60	15.6	48	9.2	36	2.2	41	5	060		29.27			30.24	FM-15	0.00	30.25
15	2353	7	CLR:00	10.00		57	13.9	47	8.4	36	2.2	45	6	050		29.27			30.24	FM-15	0.00	30.25
16	0053	7	CLR:00	10.00		55	12.8	46	7.8	36	2.2	49	5	060		29.28	3	-0.01	30.25	FM-15	0.00	30.26
16	0153	7	CLR:00	10.00		52	11.1	45	7.0	36	2.2	55	6	060		29.27			30.24	FM-15	0.00	30.25
16	0253	7	CLR:00	10.00		53	11.7	44	6.9	34	1.1	48	6	100		29.28			30.25	FM-15	0.00	30.26
16	0353	7	CLR:00	10.00		54	12.2	44	6.9	33	0.6	45	3	080		29.29	3	-0.01	30.26	FM-15	0.00	30.27
16	0453	7	CLR:00	10.00		52	11.1	43	6.4	33	0.6	49	5	090		29.31			30.28	FM-15	0.00	30.29
16	0553	7	CLR:00	10.00		51	10.6	43	6.1	33	0.6	50	3	100		29.33			30.31	FM-15	0.00	30.31
16	0653	7	CLR:00	10.00		50	10.0	44	6.9	38	3.3	63	5	090		29.35	3	-0.06	30.33	FM-15	0.00	30.33
16	0753	7	CLR:00	10.00		57	13.9	47	8.6	37	2.8	47	6	130		29.36			30.34	FM-15	0.00	30.34
16	0853	7	CLR:00	10.00		62	16.7	50	9.9	37	2.8	40	8	160		29.37			30.35	FM-15	0.00	30.35

16	0953	7	CLR:00	10.00		65	18.3	52	10.8	38	3.3	37	7	200		29.38	1	-0.03	30.35	FM-15	0.00	30.36
16	1053	7	CLR:00	10.00		68	20.0	53	11.6	38	3.3	33	5	160		29.38			30.35	FM-15	0.00	30.36
16	1153	7	CLR:00	10.00		70	21.1	54	12.3	39	3.9	32	5	VRB		29.37			30.34	FM-15	0.00	30.35
16	1253	7	CLR:00	10.00		72	22.2	55	12.5	38	3.3	29	6	VRB		29.36	8	+0.02	30.32	FM-15	0.00	30.34
16	1353	7	CLR:00	10.00		74	23.3	55	12.8	37	2.8	26	5	050		29.35			30.32	FM-15	0.00	30.33
16	1453	7	CLR:00	10.00		75	23.9	55	12.8	36	2.2	24	0	000		29.33			30.30	FM-15	0.00	30.31
16	1553	7	CLR:00	10.00		74	23.3	55	12.6	36	2.2	25	0	000		29.32	8	+0.04	30.29	FM-15	0.00	30.30
16	1653	7	CLR:00	10.00		74	23.3	55	12.8	37	2.8	26	0	000		29.32			30.29	FM-15	0.00	30.30
16	1753	7	CLR:00	10.00		73	22.8	56	13.2	40	4.4	30	5	110		29.32			30.29	FM-15	0.00	30.30
16	1853	7	CLR:00	10.00		69	20.6	53	11.8	38	3.3	32	5	090		29.33	3	-0.01	30.30	FM-15	0.00	30.31
16	1953	7	CLR:00	10.00		68	20.0	52	11.2	36	2.2	31	3	030		29.34			30.32	FM-15	0.00	30.32
16	2053	7	CLR:00	10.00		64	17.8	50	10.2	36	2.2	35	0	000		29.35			30.32	FM-15	0.00	30.33
16	2153	7	CLR:00	10.00		62	16.7	50	10.1	38	3.3	41	6	040		29.36	1	-0.03	30.33	FM-15	0.00	30.34
16	2253	7	CLR:00	10.00		59	15.0	49	9.3	38	3.3	46	6	050		29.36			30.33	FM-15	0.00	30.34
16	2353	7	CLR:00	10.00		58	14.4	48	8.9	37	2.8	46	5	050		29.37			30.34	FM-15	0.00	30.35
17	0053	7	CLR:00	10.00		55	12.8	47	8.1	37	2.8	51	6	040		29.37	2	-0.01	30.34	FM-15	0.00	30.35
17	0153	7	CLR:00	10.00		56	13.3	47	8.1	36	2.2	47	5	030		29.37			30.34	FM-15	0.00	30.35
17	0253	7	CLR:00	10.00		56	13.3	46	7.9	35	1.7	46	3	010		29.37			30.34	FM-15	0.00	30.35
17	0353	7	CLR:00	10.00		51	10.6	44	6.7	36	2.2	56	3	020		29.38	3	-0.01	30.35	FM-15	0.00	30.36
17	0453	7	CLR:00	10.00		51	10.6	44	6.5	35	1.7	54	5	360		29.40			30.37	FM-15	0.00	30.38
17	0553	7	CLR:00	10.00		51	10.6	44	6.5	35	1.7	54	5	010		29.41			30.38	FM-15	0.00	30.39
17	0653	7	CLR:00	10.00		52	11.1	47	8.2	41	5.0	66	5	360		29.43	3	-0.04	30.40	FM-15	0.00	30.41
17	0753	7	CLR:00	10.00		59	15.0	50	10.0	41	5.0	51	3	070		29.44			30.41	FM-15	0.00	30.42
17	0853	7	CLR:00	10.00		66	18.9	53	11.8	41	5.0	40	0	000		29.44			30.42	FM-15	0.00	30.42
17	0953	7	CLR:00	10.00		70	21.1	54	12.3	39	3.9	32	5	040		29.45	1	-0.02	30.42	FM-15	0.00	30.43
17	1053	7	CLR:00	10.00		74	23.3	55	13.0	38	3.3	27	0	000		29.44			30.41	FM-15	0.00	30.42
17	1153	7	CLR:00	10.00		76	24.4	55	13.0	36	2.2	23	0	000		29.42			30.39	FM-15	0.00	30.40
17	1253	7	CLR:00	10.00		78	25.6	57	13.9	38	3.3	24	3	360		29.40	8	+0.04	30.37	FM-15	0.00	30.38
17	1353	7	CLR:00	10.00		79	26.1	58	14.5	40	4.4	25	3	VRB		29.38			30.35	FM-15	0.00	30.36
17	1453	7	CLR:00	10.00		79	26.1	57	13.9	37	2.8	22	0	000		29.36			30.33	FM-15	0.00	30.34
17	1553	7	CLR:00	10.00		79	26.1	58	14.7	41	5.0	26	7	090		29.34	6	+0.06	30.31	FM-15	0.00	30.32
17	1653	7	CLR:00	10.00		79	26.1	58	14.3	39	3.9	24	6	140		29.34			30.31	FM-15	0.00	30.32
17	1753	7	CLR:00	10.00		78	25.6	58	14.7	42	5.6	28	3	120		29.34			30.31	FM-15	0.00	30.32
17	1853	7	CLR:00	10.00		73	22.8	56	13.2	40	4.4	30	6	030		29.33	6	+0.01	30.30	FM-15	0.00	30.31
17	1953	7	CLR:00	10.00		71	21.7	54	12.1	37	2.8	29	3	030		29.34			30.31	FM-15	0.00	30.32
17	2053	7	CLR:00	10.00		67	19.4	52	11.1	37	2.8	33	0	000		29.35			30.32	FM-15	0.00	30.33
17	2153	7	CLR:00	10.00		62	16.7	52	11.2	43	6.1	50	6	030		29.36	2	-0.03	30.33	FM-15	0.00	30.34
17	2253	7	CLR:00	10.00		62	16.7	52	11.0	42	5.6	48	3	030		29.35			30.32	FM-15	0.00	30.33
17	2353	7	CLR:00	10.00		60	15.6	51	10.5	42	5.6	52	5	350		29.36			30.32	FM-15	0.00	30.34
18	0053	7	CLR:00	10.00		58	14.4	50	10.0	42	5.6	56	5	360		29.37	3	-0.01	30.33	FM-15	0.00	30.35
18	0153	7	CLR:00	10.00		55	12.8	49	9.2	42	5.6	62	0	000		29.36			30.33	FM-15	0.00	30.34
18	0253	7	CLR:00	10.00		52	11.1	48	8.7	43	6.1	72	3	350		29.36			30.33	FM-15	0.00	30.34
18	0353	7	CLR:00	10.00		52	11.1	46	7.9	40	4.4	64	3	010		29.35	6	+0.01	30.32	FM-15	0.00	30.33
18	0453	7	CLR:00	10.00		50	10.0	46	7.6	41	5.0	71	0	000		29.35			30.32	FM-15	0.00	30.33
18	0553	7	CLR:00	10.00		49	9.4	46	7.8	43	6.1	80	0	000		29.36			30.32	FM-15	0.00	30.34
18	0653	7	CLR:00	10.00		52	11.1	49	9.4	46	7.8	80	0	000		29.36	3	-0.01	30.34	FM-15	0.00	30.34
18	0753	7	CLR:00	10.00		61	16.1	53	11.7	46	7.8	58	0	000		29.37			30.34	FM-15	0.00	30.35
18	0853	7	CLR:00	10.00		68	20.0	53	11.6	38	3.3	33	6	140		29.38			30.35	FM-15	0.00	30.36
18	0953	7	CLR:00	10.00		73	22.8	56	13.2	40	4.4	30	0	000		29.37	0	-0.01	30.34	FM-15	0.00	30.35
18	1053	7	CLR:00	10.00		76	24.4	57	14.0	41	5.0	29	0	000		29.37			30.34	FM-15	0.00	30.35
18	1153	7	CLR:00	10.00		78	25.6	58	14.5	41	5.0	27	0	000		29.35			30.32	FM-15	0.00	30.33
18	1253	7	CLR:00	10.00		79	26.1	58	14.5	40	4.4	25	3	VRB		29.33	8	+0.04	30.29	FM-15	0.00	30.31
18	1353	7	CLR:00	10.00		80	26.7	60	15.3	43	6.1	27	7	250		29.30			30.27	FM-15	0.00	30.28
18	1453	7	CLR:00	10.00		81	27.2	59	14.9	40	4.4	23	5	010		29.27			30.23	FM-15	0.00	30.25
18	1553	7	CLR:00	10.00		80	26.7	58	14.3	38	3.3	22	3	180		29.26	6	+0.07	30.22	FM-15	0.00	30.23
18	1653	7	CLR:00	10.00		81	27.2	59	14.9	40	4.4	23	0	000		29.25			30.21	FM-15	0.00	30.22
18	1753	7	CLR:00	10.00		79	26.1	61	16.0	47	8.3	32	0	000		29.23			30.20	FM-15	0.00	30.21

18	1853	7	CLR:00	10.00		77	25.0	57	13.8	39	3.9	26	0	000		29.23	6	+0.03	30.19	FM-15	0.00	30.20
18	1953	7	CLR:00	10.00		73	22.8	55	12.9	39	3.9	29	0	000		29.23			30.19	FM-15	0.00	30.20
18	2053	7	CLR:00	10.00		69	20.6	54	12.4	41	5.0	36	5	270		29.23			30.19	FM-15	0.00	30.21
18	2153	7	CLR:00	10.00		65	18.3	54	12.0	43	6.1	45	5	330		29.23	1	-0.01	30.19	FM-15	0.00	30.21
18	2253	7	CLR:00	10.00		63	17.2	52	11.2	42	5.6	47	3	260		29.23			30.18	FM-15	0.00	30.20
18	2353	7	CLR:00	10.00		64	17.8	54	12.0	44	6.7	48	3	300		29.22			30.18	FM-15	0.00	30.19
19	0053	7	CLR:00	10.00		58	14.4	51	10.7	45	7.2	62	3	280		29.21	8	+0.02	30.17	FM-15	0.00	30.18
19	0153	7	CLR:00	10.00		60	15.6	52	11.2	45	7.2	58	5	280		29.20			30.15	FM-15	0.00	30.17
19	0253	7	CLR:00	10.00		56	13.3	50	10.2	45	7.2	67	3	280		29.20			30.15	FM-15	0.00	30.17
19	0353	7	CLR:00	10.00		57	13.9	50	10.0	43	6.1	60	0	000		29.19	6	+0.02	30.15	FM-15	0.00	30.16
19	0453	7	CLR:00	10.00		56	13.3	49	9.7	43	6.1	62	0	000		29.19			30.15	FM-15	0.00	30.16
19	0553	7	CLR:00	10.00		57	13.9	50	10.0	43	6.1	60	0	000		29.20			30.15	FM-15	0.00	30.17
19	0653	7	CLR:00	10.00		58	14.4	52	11.0	46	7.8	65	6	330		29.21	3	-0.02	30.17	FM-15	0.00	30.18
19	0753	7	CLR:00	10.00		61	16.1	54	12.0	47	8.3	60	8	350		29.22			30.18	FM-15	0.00	30.19
19	0853	7	CLR:00	10.00		63	17.2	55	12.7	48	8.9	58	8	350		29.23			30.19	FM-15	0.00	30.20
19	0953	7	CLR:00	10.00		64	17.8	55	12.7	47	8.3	54	7	010		29.23	1	-0.02	30.19	FM-15	0.00	30.21
19	1053	7	CLR:00	10.00		65	18.3	57	13.7	50	10.0	59	7	360		29.23			30.20	FM-15	0.00	30.21
19	1153	7	CLR:00	10.00		67	19.4	58	14.2	50	10.0	55	7	360		29.25			30.21	FM-15	0.00	30.22
19	1253	7	CLR:00	10.00		69	20.6	59	15.2	52	11.1	55				29.23	8	+0.01	30.19	FM-15	0.00	30.20
19	1353	7	CLR:00	10.00		70	21.1	60	15.7	53	11.7	55	9	350		29.23			30.19	FM-15	0.00	30.20
19	1453	7	CLR:00	10.00		69	20.6	59	15.2	52	11.1	55	14	360		29.22			30.18	FM-15	0.00	30.19
19	1553	7	CLR:00	10.00		67	19.4	58	14.2	50	10.0	55	14	010		29.20	8	+0.02	30.16	FM-15	0.00	30.17
19	1653	7	CLR:00	10.00		70	21.1	58	14.6	49	9.4	47	9	030		29.20			30.16	FM-15	0.00	30.17
19	1753	7	CLR:00	10.00		66	18.9	55	12.9	46	7.8	49	13	020		29.20			30.16	FM-15	0.00	30.17
19	1853	7	CLR:00	10.00		62	16.7	51	10.5	40	4.4	44	10	030		29.21	3	-0.00	30.17	FM-15	0.00	30.18
19	1953	7	CLR:00	10.00		60	15.6	52	11.0	44	6.7	56	8	030		29.22			30.18	FM-15	0.00	30.19
19	2053	7	CLR:00	10.00		60	15.6	52	11.0	44	6.7	56	10	050		29.23			30.19	FM-15	0.00	30.20
19	2153	7	CLR:00	10.00		59	15.0	51	10.5	43	6.1	56	11	040		29.23	1	-0.03	30.20	FM-15	0.00	30.21
19	2253	7	CLR:00	10.00		57	13.9	49	9.3	40	4.4	53	11	060		29.23			30.21	FM-15	0.00	30.21
19	2353	7	CLR:00	10.00		55	12.8	46	7.6	35	1.7	47	10	060		29.23			30.21	FM-15	0.00	30.21
20	0053	7	CLR:00	10.00		52	11.1	43	6.2	32	0.0	47	8	070		29.23	0	-0.00	30.20	FM-15	0.00	30.21
20	0153	7	CLR:00	10.00		52	11.1	43	6.0	31	-0.6	45	8	060		29.23			30.20	FM-15	0.00	30.20
20	0253	7	CLR:00	10.00		48	8.9	41	4.8	31	-0.6	52	7	050		29.23			30.19	FM-15	0.00	30.20
20	0353	7	CLR:00	10.00		47	8.3	40	4.5	31	-0.6	54	8	050		29.22	8	+0.02	30.19	FM-15	0.00	30.19
20	0453	7	CLR:00	10.00		47	8.3	40	4.3	30	-1.1	52	5	060		29.21			30.18	FM-15	0.00	30.18
20	0553	7	CLR:00	10.00		46	7.8	39	4.0	30	-1.1	54	7	060		29.22			30.19	FM-15	0.00	30.19
20	0653	7	CLR:00	10.00		50	10.0	41	5.2	30	-1.1	46	6	070		29.23	3	-0.02	30.21	FM-15	0.00	30.21
20	0753	7	CLR:00	10.00		54	12.2	43	6.3	30	-1.1	40	10	080		29.23			30.21	FM-15	0.00	30.21
20	0853	7	CLR:00	10.00		59	15.0	47	8.1	32	0.0	36	8	090		29.22			30.19	FM-15	0.00	30.19
20	0953	7	CLR:00	10.00		63	17.2	49	9.3	33	0.6	33	10	110		29.22	7	+0.03	30.18	FM-15	0.00	30.19
20	1053	7	CLR:00	10.00		66	18.9	51	10.5	35	1.7	32	10	090		29.20			30.16	FM-15	0.00	30.17
20	1153	7	CLR:00	10.00		70	21.1	53	11.8	37	2.8	30	9	110		29.19			30.16	FM-15	0.00	30.16
20	1253	7	CLR:00	10.00		72	22.2	53	11.7	34	1.1	25	9	090		29.18	8	+0.04	30.14	FM-15	0.00	30.15
20	1353	7	CLR:00	10.00		75	23.9	55	12.6	35	1.7	23	10	090		29.14			30.10	FM-15	0.00	30.11
20	1453	7	CLR:00	10.00		76	24.4	55	12.6	34	1.1	22	10	080		29.12			30.08	FM-15	0.00	30.09
20	1553	7	CLR:00	10.00		77	25.0	56	13.2	36	2.2	23	9	080		29.08	8	+0.09	30.05	FM-15	0.00	30.05
20	1653	7	CLR:00	10.00		76	24.4	56	13.4	38	3.3	25	10	110		29.07			30.03	FM-15	0.00	30.04
20	1753	7	CLR:00	10.00		74	23.3	57	14.0	43	6.1	33	9	090		29.06			30.02	FM-15	0.00	30.03
20	1853	7	CLR:00	10.00		69	20.6	54	12.4	41	5.0	36	7	090		29.05	6	+0.04	30.01	FM-15	0.00	30.02
20	1953	7	CLR:00	10.00		65	18.3	52	11.3	40	4.4	40	6	070		29.04			30.00	FM-15	0.00	30.01
20	2053	7	CLR:00	10.00		65	18.3	51	10.8	38	3.3	37	8	090		29.03			30.00	FM-15	0.00	30.00
20	2153	7	CLR:00	10.00		64	17.8	51	10.4	37	2.8	37	9	090		29.03	6	+0.02	29.98	FM-15	0.00	30.00
20	2253	7	CLR:00	10.00		66	18.9	51	10.4	35	1.7	32	10	110		29.01			29.97	FM-15	0.00	29.98
20	2353	7	CLR:00	10.00		65	18.3	50	9.8	33	0.6	31	9	110		29.00			29.96	FM-15	0.00	29.97
21	0053	7	FEW:02 120	10.00		65	18.3	49	9.4	31	-0.6	28	8	110		28.98	8	+0.05	29.93	FM-15	0.00	29.95
21	0153	7	BKN:07 110	10.00		66	18.9	49	9.7	31	-0.6	27	9	120		28.96			29.91	FM-15	0.00	29.93
21	0253	7	SCT:04 120	10.00		66	18.9	50	10.2	34	1.1	30	7	150		28.95			29.90	FM-15	0.00	29.92

21	0353	7	FEW:02 70 BKN:07 95	10.00		61	16.1	50	9.8	38	3.3	43	3	280		28.98	3	-0.00	29.94	FM-15	0.00	29.95
21	0453	7	FEW:02 70 FEW:02 80 OVC:08 100	10.00		64	17.8	53	11.9	44	6.7	48	5	330		28.97			29.93	FM-15	0.00	29.94
21	0553	7	OVC:08 110	10.00		59	15.0	53	11.5	47	8.3	64	5	020		28.96			29.92	FM-15	T	29.93
21	0653	7	OVC:08 75	10.00		61	16.1	55	12.8	50	10.0	67	6	230		28.98	5	+0.01	29.93	FM-15	T	29.95
21	0753	7	FEW:02 80 OVC:08 100	10.00	-RA:02 |RA |	61	16.1	54	12.5	49	9.4	65	9	200		29.00			29.96	FM-15	T	29.97
21	0853	7	FEW:02 65 OVC:08 85	10.00		64	17.8	56	13.5	50	10.0	60	8	150		28.98			29.94	FM-15	T	29.95
21	0953	7	BKN:07 70 BKN:07 85 OVC:08 100	10.00		67	19.4	57	13.9	49	9.4	53	14	200		28.99	1	-0.01	29.95	FM-15	T	29.96
21	1053	7	FEW:02 60 SCT:04 80 OVC:08 95	10.00		68	20.0	58	14.7	51	10.6	55	7	250		28.98			29.93	FM-15	T	29.95
21	1153	7	FEW:02 36 OVC:08 85	10.00		67	19.4	59	15.0	53	11.7	61	10	220		28.99			29.95	FM-15	0.01	29.96
21	1253	7	OVC:08 80	10.00		68	20.0	59	15.2	53	11.7	59	7	240		28.97	8	+0.02	29.92	FM-15	T	29.94
21	1353	7	FEW:02 70 OVC:08 90	10.00		70	21.1	60	15.6	53	11.7	55	7	200		28.94			29.90	FM-15	T	29.91
21	1453	7	SCT:04 100	10.00		71	21.7	60	15.3	51	10.6	49	13	180		28.92			29.87	FM-15	0.00	29.89
21	1553	7	BKN:07 110	10.00		71	21.7	59	15.0	50	10.0	47	11	200	22	28.90	6	+0.07	29.85	FM-15	0.00	29.87
21	1653	7	SCT:04 60 OVC:08 80	10.00	-RA:02 |RA |	64	17.8	58	14.6	54	12.2	70	11	220		28.92			29.88	FM-15	0.02	29.89
21	1753	7	FEW:02 55 SCT:04 75 BKN:07 90	10.00		63	17.2	59	15.3	57	13.9	81	6	280		28.92			29.88	FM-15	0.01	29.89
21	1823	7	SCT:04 40 BKN:07 60 OVC:08 120	1.75	-RA:02 |RA |	62	16.7	59	14.7	56	13.3	80	23	260	33	28.94				FM-16	0.05	29.91
21	1833	7	FEW:02 40 BKN:07 90 OVC:08 110	4.00	-RA:02 BR:1 |RA |	61	16.1	59	14.8	57	13.9	87	17	250	26	28.95				FM-16	0.06	29.92
21	1851	7	FEW:02 44 BKN:07 60 OVC:08 75	5.00	VCTS:7 RA:02 BR:1 |RA |	61	16.0	58	14.2	55	13.0	83	10	220		28.95				FM-16	0.08	29.92
21	1853	7	FEW:02 44 BKN:07 60 OVC:08 75	4.00	VCTS:7 -RA:02 BR:1 |RA |	60	15.6	58	14.3	56	13.3	86	7	210	18	28.95	0	-0.02	29.91	FM-15	0.08	29.92
21	1906	7	FEW:02 47 BKN:07 80 OVC:08 110	10.00	-RA:02 |RA |	60	15.6	57	14.0	55	12.8	84	3	180		28.93				FM-16	T	29.90
21	1953	7	FEW:02 75 OVC:08 100	10.00		59	15.0	57	13.7	55	12.8	87	0	000		28.92			29.89	FM-15	T	29.89
21	2053	7	OVC:08 85	10.00	-RA:02 |RA |	59	15.0	56	13.4	54	12.2	83	6	290		28.94			29.90	FM-15	T	29.91
21	2153	7	OVC:08 80	10.00		59	15.0	56	13.4	54	12.2	83	5	180		28.94	5	+0.01	29.90	FM-15	0.00	29.91
21	2253	7	OVC:08 80	10.00		58	14.4	56	13.2	54	12.2	87	0	000		28.93			29.89	FM-15	0.00	29.90
21	2353	7	OVC:08 70	10.00		59	15.0	56	13.4	54	12.2	83	6	170		28.93			29.89	FM-15	0.00	29.90
22	0053	7	BKN:07 70 OVC:08 95	10.00		59	15.0	56	13.4	54	12.2	83	6	160		28.92	8	+0.02	29.88	FM-15	0.00	29.89
22	0153	7	BKN:07 50 OVC:08 70	10.00		59	15.0	56	13.4	54	12.2	83	6	170		28.91			29.87	FM-15	0.00	29.88
22	0253	7	BKN:07 30 OVC:08 37	10.00	-RA:02 |RA |	58	14.4	56	13.2	54	12.2	87	6	170		28.90			29.86	FM-15	T	29.87
22	0310	7	OVC:08 29	10.00		58	14.4	56	13.5	55	12.8	90	6	160		28.90				FM-16	T	29.87
22	0351	6	FEW:02 7 OVC:08 24	10.00		57	14.0	56	13.3	55	13.0	94	7	160		28.90				FM-16		29.87
22	0353	7	FEW:02 7 OVC:08 24	10.00		58	14.4	56	13.5	55	12.8	90	7	160		28.90	7	+0.02	29.85	FM-15	0.00	29.87
22	0413	7	BKN:07 6 OVC:08 19	9.00		57	13.9	56	13.6	56	13.3	96	7	170		28.90				FM-16		29.87

22	0424	7	SCT:04 6 OVC:08 19	9.00		57	13.9	56	13.6	56	13.3	96	9	170		28.90				FM-16		29.86
22	0453	7	FEW:02 7 FEW:02 17 SCT:04 60	8.00		57	13.9	56	13.3	55	12.8	93	8	170		28.90			29.85	FM-15	0.00	29.86
22	0553	7	CLR:00	7.00		56	13.3	55	13.0	55	12.8	97	5	150		28.90			29.86	FM-15	0.00	29.87
22	0653	7	FEW:02 70 OVC:08 90	6.00	-RA:02 BR:1 |RA |	57	13.9	56	13.6	56	13.3	96	7	160		28.90	3	-0.01	29.87	FM-15	T	29.87
22	0753	7	FEW:02 27 OVC:08 60	9.00		59	15.0	57	14.1	56	13.3	90	9	190		28.92			29.88	FM-15	T	29.89
22	0807	7	SCT:04 11 BKN:07 26 OVC:08 60	9.00		59	15.0	58	14.4	57	13.9	93	8	200		28.92				FM-16		29.89
22	0821	7	BKN:07 11 BKN:07 16 OVC:08 27	10.00		59	15.0	57	14.1	56	13.3	90	8	200		28.92				FM-16		29.89
22	0853	7	BKN:07 12 BKN:07 18 OVC:08 65	10.00		61	16.1	59	14.8	57	13.9	87	7	220		28.92			29.88	FM-15	0.00	29.89
22	0917	7	SCT:04 14 BKN:07 26 OVC:08 65	10.00		61	16.1	58	14.5	56	13.3	84	10	240		28.92				FM-16		29.89
22	0929	7	BKN:07 14 BKN:07 26 OVC:08 35	10.00		61	16.1	58	14.5	56	13.3	84	10	250		28.92				FM-16		29.89
22	0941	7	SCT:04 14 BKN:07 36 OVC:08 45	10.00		62	16.7	59	14.7	56	13.3	80	7	240		28.92				FM-16		29.89
22	0948	7	BKN:07 16 BKN:07 25 OVC:08 46	10.00		63	17.0	58	14.7	55	13.0	77	11	250		28.93				FM-16		29.90
22	0953	7	BKN:07 16 BKN:07 25 OVC:08 46	10.00		62	16.7	59	14.7	56	13.3	80	10	260		28.93	3	-0.01	29.89	FM-15	0.01s	29.90
22	1053	7	SCT:04 19 BKN:07 26 OVC:08 38	10.00		61	16.1	57	13.9	54	12.2	78	16	290		28.94			29.90	FM-15	0.01	29.91
22	1107	7	FEW:02 20 SCT:04 28 BKN:07 37	10.00		64	17.8	59	14.9	55	12.8	73	13	290		28.93				FM-16		29.90
22	1153	7	BKN:07 27	10.00		65	18.3	59	14.8	54	12.2	68	6	VRB		28.93			29.90	FM-15	0.00	29.90
22	1251	6	BKN:07 32 BKN:07 55	10.00		66	19.0	58	14.5	52	11.0	60	10	290		28.93				FM-16		29.90
22	1253	7	BKN:07 32 BKN:07 55	10.00		68	20.0	59	14.9	52	11.1	57	11	280		28.93	0	-0.00	29.89	FM-15	0.00	29.90
22	1353	7	BKN:07 37 BKN:07 45 BKN:07 60	10.00		65	18.3	58	14.3	52	11.1	63	9	330		28.93			29.89	FM-15	0.00	29.90
22	1453	7	SCT:04 33 BKN:07 50	10.00		68	20.0	59	15.2	53	11.7	59	7	VRB		28.92			29.88	FM-15	0.00	29.89
22	1553	7	SCT:04 38	10.00		67	19.4	58	14.7	52	11.1	59	11	340		28.91	8	+0.02	29.87	FM-15	0.00	29.88
22	1653	7	FEW:02 32	10.00		66	18.9	58	14.5	52	11.1	61	14	320		28.93			29.88	FM-15	0.00	29.90
22	1753	7	FEW:02 24	10.00		62	16.7	57	13.9	53	11.7	73	14	330	18	28.93			29.90	FM-15	0.00	29.90
22	1840	7	SCT:04 19 BKN:07 28 BKN:07 38	10.00		61	16.1	57	13.9	54	12.2	78	15	010		28.94				FM-16		29.91
22	1853	7	BKN:07 16 BKN:07 28 BKN:07 40	10.00		59	15.0	56	13.4	54	12.2	83	15	350		28.95	1	-0.04	29.91	FM-15	0.00	29.92
22	1905	7	BKN:07 14 OVC:08 42	10.00		59	15.0	56	13.4	54	12.2	83	13	360	22	28.95				FM-16		29.92
22	1953	7	OVC:08 13	10.00		58	14.4	55	12.9	53	11.7	84	15	020	26	28.97			29.93	FM-15	0.00	29.94
22	2053	7	BKN:07 13 OVC:08 22	10.00		54	12.2	51	10.8	49	9.4	83	13	360	22	29.00			29.97	FM-15	0.00	29.97

22	2105	7	BKN:07 15 OVC:08 22	9.00		54	12.2	51	10.8	49	9.4	83	16	010	23	29.01				FM-16		29.98
22	2136	7	SCT:04 21 BKN:07 35 OVC:08 49	9.00		54	12.2	51	10.5	48	8.9	80	16	010		29.03				FM-16		30.00
22	2153	7	FEW:02 36 OVC:08 55	8.00		53	11.7	50	10.0	47	8.3	80	14	010		29.03	3	-0.08	30.00	FM-15	0.00	30.00
22	2251	6	BKN:07 16 BKN:07 70 OVC:08 100	8.00		52	11.0	49	9.4	46	8.0	82	13	020	21	29.04				FM-16		30.01
22	2253	7	BKN:07 16 OVC:08 70	8.00		51	10.6	48	9.2	46	7.8	83	14	010	21	29.05			30.01	FM-15	T	30.02
22	2324	7	OVC:08 14	7.00		50	10.0	48	8.6	45	7.2	83	15	360	24	29.04				FM-16	T	30.01
22	2353	7	OVC:08 13	7.00		49	9.4	47	8.1	44	6.7	83	17	010	26	29.06			30.03	FM-15	T	30.03
23	0053	7	OVC:08 11	5.00	BR:1 ||	47	8.3	45	7.3	43	6.1	86	15	020	24	29.07	1	-0.04	30.03	FM-15	0.00	30.04
23	0109	7	OVC:08 9	5.00	BR:1 ||	47	8.3	45	7.3	43	6.1	86	14	360		29.07				FM-16		30.04
23	0153	7	OVC:08 9	4.00	BR:1 ||	47	8.3	45	7.3	43	6.1	86	10	010		29.06			30.03	FM-15	0.00	30.03
23	0211	7	OVC:08 10	4.00	BR:1 ||	47	8.3	45	7.3	43	6.1	86	10	020		29.06				FM-16		30.03
23	0253	7	OVC:08 11	6.00	HZ:7 |FU |HZ	47	8.3	44	6.8	41	5.0	80	15	360	22	29.06			30.03	FM-15	0.00	30.03
23	0353	7	OVC:08 10	5.00	BR:1 ||	45	7.2	43	6.2	41	5.0	86	10	360		29.08	3	-0.01	30.05	FM-15	0.00	30.05
23	0407	7	OVC:08 9	5.00	BR:1 ||	45	7.2	43	6.2	41	5.0	86	10	360		29.08				FM-16		30.05
23	0453	7	OVC:08 9	6.00	BR:1 ||	45	7.2	43	6.2	41	5.0	86	11	010		29.10			30.06	FM-15	0.00	30.07
23	0553	7	OVC:08 9	6.00	BR:1 ||	44	6.7	42	5.6	40	4.4	85	11	360		29.11			30.09	FM-15	0.00	30.08
23	0651	6	OVC:08 10	7.00		45	7.0	42	5.7	39	4.0	81	9	010		29.14				FM-16		30.11
23	0653	7	OVC:08 10	7.00		44	6.7	42	5.6	40	4.4	85	11	020		29.14	3	-0.06	30.11	FM-15	0.00	30.11
23	0732	7	OVC:08 9	8.00		44	6.7	42	5.6	40	4.4	85	10	360		29.15				FM-16		30.12
23	0745	7	OVC:08 10	8.00		44	6.7	42	5.6	40	4.4	85	10	360		29.15				FM-16		30.12
23	0753	7	OVC:08 10	8.00		44	6.7	42	5.6	40	4.4	85	10	360		29.15			30.13	FM-15	0.00	30.12
23	0839	7	OVC:08 9	7.00		44	6.7	42	5.4	39	3.9	83	10	350		29.16				FM-16		30.13
23	0851	6	OVC:08 10	8.00		45	7.0	42	5.7	39	4.0	81	13	340		29.16				FM-16		30.13
23	0853	7	OVC:08 10	8.00		44	6.7	42	5.6	40	4.4	85	10	350		29.16			30.14	FM-15	0.00	30.13
23	0953	7	OVC:08 11	7.00		45	7.2	42	5.7	39	3.9	80	11	360		29.18	3	-0.04	30.16	FM-15	0.00	30.15
23	1053	7	OVC:08 12	8.00		46	7.8	43	6.2	40	4.4	79	9	340		29.19			30.16	FM-15	0.00	30.16
23	1151	6	OVC:08 22	10.00		52	11.0	47	8.2	41	5.0	67	11	360		29.19				FM-16		30.16
23	1153	7	OVC:08 22	10.00		51	10.6	46	7.9	41	5.0	69	9	340		29.19			30.16	FM-15	0.00	30.16
23	1251	6	SCT:04 25	10.00		54	12.0	49	9.2	43	6.0	67	11	010	23	29.18				FM-16		30.15
23	1253	7	BKN:07 25	10.00		53	11.7	47	8.4	41	5.0	64	9	010	23	29.18	0	-0.00	30.16	FM-15	0.00	30.15
23	1332	7	SCT:04 25	10.00		54	12.2	48	8.7	41	5.0	62	13	VRB	20	29.18				FM-16		30.15
23	1353	7	FEW:02 28	10.00		55	12.8	48	9.0	41	5.0	59	11	050	20	29.17			30.14	FM-15	0.00	30.14
23	1453	7	CLR:00	10.00		57	13.9	49	9.2	40	4.4	53	11	360		29.15			30.12	FM-15	0.00	30.12
23	1553	7	CLR:00	10.00		58	14.4	49	9.5	40	4.4	51	7	030		29.14	6	+0.05	30.11	FM-15	0.00	30.11
23	1653	7	CLR:00	10.00		59	15.0	49	9.5	39	3.9	48	7	360		29.13			30.11	FM-15	0.00	30.10
23	1753	7	CLR:00	10.00		58	14.4	48	8.8	37	2.8	46	8	030		29.13			30.10	FM-15	0.00	30.10
23	1853	7	CLR:00	10.00		54	12.2	46	7.8	37	2.8	53	9	360		29.12	8	+0.01	30.10	FM-15	0.00	30.09
23	1953	7	CLR:00	10.00		49	9.4	43	6.2	36	2.2	61	8	360		29.12			30.10	FM-15	0.00	30.09
23	2053	7	CLR:00	10.00		47	8.3	42	5.4	35	1.7	63	7	360		29.14			30.11	FM-15	0.00	30.11
23	2153	7	CLR:00	10.00		45	7.2	41	4.8	35	1.7	68	8	360		29.14	3	-0.01	30.12	FM-15	0.00	30.11
23	2253	7	CLR:00	10.00		45	7.2	40	4.6	34	1.1	66	6	020		29.13			30.11	FM-15	0.00	30.10
23	2353	7	CLR:00	10.00		44	6.7	40	4.5	35	1.7	71	5	040		29.14			30.11	FM-15	0.00	30.11
24	0053	7	CLR:00	10.00		43	6.1	39	4.0	34	1.1	71	5	050		29.14	3	-0.00	30.11	FM-15	0.00	30.11
24	0153	7	CLR:00	10.00		42	5.6	38	3.4	33	0.6	71	3	050		29.13			30.11	FM-15	0.00	30.10
24	0253	7	CLR:00	10.00		42	5.6	38	3.4	33	0.6	71	0	000		29.14			30.11	FM-15	0.00	30.11
24	0353	7	CLR:00	10.00		40	4.4	36	2.4	31	-0.6	70	0	000		29.14	3	-0.00	30.12	FM-15	0.00	30.11
24	0453	7	CLR:00	10.00		40	4.4	37	2.8	33	0.6	77	0	000		29.14			30.11	FM-15	0.00	30.11
24	0553	7	CLR:00	10.00		39	3.9	36	2.3	32	0.0	76	0	000		29.15			30.13	FM-15	0.00	30.12
24	0653	7	CLR:00	10.00		42	5.6	39	4.1	36	2.2	79	0	000		29.17	3	-0.03	30.14	FM-15	0.00	30.14
24	0753	7	CLR:00	10.00		49	9.4	42	5.3	32	0.0	52	8	140		29.17			30.15	FM-15	0.00	30.14
24	0853	7	CLR:00	10.00		53	11.7	44	6.4	32	0.0	45	7	150		29.17			30.14	FM-15	0.00	30.14

24	0953	7	CLR:00	10.00		57	13.9	46	7.9	34	1.1	42	0	000		29.15	8	+0.02	30.12	FM-15	0.00	30.12
24	1053	7	CLR:00	10.00		60	15.6	49	9.4	37	2.8	42	5	140		29.13			30.11	FM-15	0.00	30.10
24	1153	7	CLR:00	10.00		63	17.2	51	10.3	38	3.3	40	3	VRB		29.11			30.09	FM-15	0.00	30.08
24	1253	7	CLR:00	10.00		66	18.9	52	11.1	38	3.3	36	0	000		29.09	8	+0.06	30.06	FM-15	0.00	30.06
24	1353	7	CLR:00	10.00		68	20.0	54	12.0	40	4.4	36	3	VRB		29.07			30.03	FM-15	0.00	30.04
24	1453	7	CLR:00	10.00		68	20.0	53	11.5	38	3.3	33	3	VRB		29.04			30.01	FM-15	0.00	30.01
24	1553	7	CLR:00	10.00		70	21.1	54	12.4	40	4.4	34	6	200		29.03	6	+0.06	29.99	FM-15	0.00	30.00
24	1653	7	CLR:00	10.00		71	21.7	55	12.9	41	5.0	34	5	180		29.01			29.97	FM-15	0.00	29.98
24	1753	7	CLR:00	10.00		69	20.6	55	12.9	43	6.1	39	7	220		29.00			29.97	FM-15	0.00	29.97
24	1853	7	CLR:00	10.00		69	20.6	54	12.2	40	4.4	35	5	140		29.00	6	+0.03	29.96	FM-15	0.00	29.97
24	1953	7	CLR:00	10.00		67	19.4	53	11.5	39	3.9	36	5	150		29.00			29.97	FM-15	0.00	29.97
24	2053	7	CLR:00	10.00		61	16.1	50	10.3	40	4.4	46	5	120		29.00			29.97	FM-15	0.00	29.97
24	2153	7	CLR:00	10.00		60	15.6	50	10.2	41	5.0	50	3	130		29.00	0	-0.00	29.96	FM-15	0.00	29.97
24	2253	7	CLR:00	10.00		58	14.4	49	9.3	39	3.9	50	0	000		28.99			29.96	FM-15	0.00	29.96
24	2353	7	CLR:00	10.00		56	13.3	47	8.5	38	3.3	51	0	000		28.99			29.96	FM-15	0.00	29.96
25	0053	7	CLR:00	10.00		52	11.1	46	7.7	39	3.9	61	0	000		28.99	6	+0.01	29.96	FM-15	0.00	29.96
25	0153	7	CLR:00	10.00		50	10.0	45	7.4	40	4.4	68	0	000		28.98			29.94	FM-15	0.00	29.95
25	0253	7	CLR:00	10.00		49	9.4	45	7.1	40	4.4	71	0	000		28.98			29.94	FM-15	0.00	29.95
25	0353	7	CLR:00	10.00		50	10.0	45	7.1	39	3.9	66	0	000		28.97	6	+0.02	29.94	FM-15	0.00	29.94
25	0453	7	CLR:00	10.00		47	8.3	43	6.0	38	3.3	71	0	000		28.99			29.95	FM-15	0.00	29.96
25	0553	7	CLR:00	10.00		49	9.4	44	6.8	39	3.9	69	3	120		28.98			29.95	FM-15	0.00	29.95
25	0653	7	CLR:00	10.00		52	11.1	48	8.6	43	6.1	72	0	000		28.98	0	-0.00	29.94	FM-15	0.00	29.95
25	0753	7	OVC:08 70	10.00		59	15.0	50	10.0	41	5.0	51	5	150		28.98			29.94	FM-15	0.00	29.95
25	0853	7	SCT:04 75	10.00		65	18.3	53	11.9	43	6.1	45	6	160		28.97			29.93	FM-15	0.00	29.94
25	0953	7	CLR:00	10.00		70	21.1	58	14.3	48	8.9	46	9	200		28.95	8	+0.02	29.91	FM-15	0.00	29.92
25	1053	7	CLR:00	10.00		75	23.9	61	16.1	51	10.6	43	10	220		28.93			29.88	FM-15	0.00	29.90
25	1153	7	SCT:04 70 BKN:07 85	10.00		76	24.4	62	16.6	52	11.1	43	11	240	20	28.91			29.87	FM-15	0.00	29.88
25	1253	7	SCT:04 70 BKN:07 90	10.00		78	25.6	63	17.0	52	11.1	40	15	240		28.90	6	+0.05	29.86	FM-15	0.00	29.87
25	1353	7	SCT:04 70	10.00		79	26.1	63	17.2	52	11.1	39	16	200	25	28.89			29.84	FM-15	0.00	29.85
25	1453	7	FEW:02 70	10.00		80	26.7	63	17.1	51	10.6	37	17	210	24	28.86			29.81	FM-15	0.00	29.82
25	1553	7	SCT:04 70	10.00		80	26.7	62	16.9	50	10.0	35	18	230	24	28.84	6	+0.07	29.79	FM-15	0.00	29.81
25	1653	7	FEW:02 80	10.00		79	26.1	62	16.4	49	9.4	35	18	210	28	28.83			29.78	FM-15	0.00	29.79
25	1753	7	SCT:04 80 SCT:04 90	10.00		78	25.6	61	16.2	49	9.4	36	13	220	25	28.83			29.78	FM-15	0.00	29.79
25	1853	7	FEW:02 85	10.00		76	24.4	60	15.6	48	8.9	37	13	230	22	28.82	6	+0.02	29.77	FM-15	0.00	29.78
25	1953	7	BKN:07 100	10.00		74	23.3	60	15.4	49	9.4	41	9	210		28.83			29.77	FM-15	0.00	29.79
25	2053	7	BKN:07 110	10.00		71	21.7	59	15.0	50	10.0	47	8	220		28.83			29.78	FM-15	0.00	29.79
25	2153	7	CLR:00	10.00		70	21.1	58	14.5	49	9.4	47	8	210		28.82	8	+0.01	29.76	FM-15	0.00	29.78
25	2253	7	CLR:00	10.00		67	19.4	57	14.1	50	10.0	55	7	210		28.81			29.75	FM-15	0.00	29.77
25	2353	7	CLR:00	10.00		66	18.9	57	13.9	50	10.0	56	7	200		28.79			29.73	FM-15	0.00	29.75
26	0053	7	CLR:00	10.00		65	18.3	57	13.7	50	10.0	59	8	190		28.78	7	+0.04	29.72	FM-15	0.00	29.74
26	0153	7	CLR:00	10.00		64	17.8	56	13.5	50	10.0	60	9	200		28.78			29.72	FM-15	0.00	29.74
26	0253	7	CLR:00	10.00		62	16.7	56	13.3	51	10.6	67	8	200		28.78			29.72	FM-15	0.00	29.74
26	0353	7	CLR:00	10.00		61	16.1	55	13.0	51	10.6	70	7	200		28.77	7	+0.01	29.71	FM-15	0.00	29.73
26	0419	7	FEW:02 70 FEW:02 110	10.00	VCTS:7 ||	64	17.8	57	13.7	51	10.6	63	8	220		28.76				FM-16		29.72
26	0441	7	BKN:07 60	10.00	TS:7 |TS TS |	65	18.3	58	14.2	52	11.1	63	11	240		28.78				FM-16		29.74
26	0453	7	FEW:02 46 BKN:07 60 OVC:08 100	10.00	TS:7 -RA:02 |RA TS TS |	65	18.3	58	14.2	52	11.1	63	6	VRB		28.80			29.74	FM-15	T	29.76
26	0500	7	SCT:04 38 BKN:07 55 OVC:08 70	10.00	VCTS:7 -RA:02 |RA |	64	17.8	58	14.3	53	11.7	68	13	040		28.80				FM-16	T	29.76
26	0516	7	BKN:07 36 OVC:08 100	10.00	TS:7 |TS TS |	64	17.8	59	14.9	55	12.8	73	7	VRB	28	28.80				FM-16	T	29.76
26	0530	7	OVC:08 36	10.00		65	18.3	59	15.1	55	12.8	70	13	290	20	28.81				FM-16	T	29.77
26	0550	7	OVC:08 36	10.00	VCTS:7 ||	63	17.0	58	14.7	55	13.0	77	6	050		28.81				FM-16	T	29.77

26	0553	7	OVC:08 36	10.00	VCTS:7 ||	63	17.2	59	15.0	56	13.3	78	7	050		28.82			29.75	FM-15	T	29.78
26	0619	7	OVC:08 34	10.00		61	16.1	59	14.8	57	13.9	87	7	110		28.82				FM-16		29.78
26	0653	7	OVC:08 32	10.00		62	16.7	59	15.1	57	13.9	84	5	VRB		28.82	1	-0.02	29.76	FM-15	0.00	29.78
26	0753	7	BKN:07 32 BKN:07 60	10.00		67	19.4	60	15.6	55	12.8	66	9	220		28.82			29.76	FM-15	0.00	29.78
26	0853	7	FEW:02 28 FEW:02 55	10.00		72	22.2	64	17.8	59	15.0	64	16	260	21	28.82			29.76	FM-15	0.00	29.78
26	0953	7	FEW:02 30 SCT:04 65	10.00		74	23.3	66	18.8	61	16.1	64	13	260		28.82	1	-0.00	29.76	FM-15	0.00	29.78
26	1053	7	SCT:04 36 BKN:07 50	10.00		76	24.4	67	19.2	61	16.1	60	13	270		28.81			29.75	FM-15	0.00	29.77
26	1153	7	FEW:02 42 BKN:07 50 BKN:07 70	10.00		76	24.4	66	18.9	60	15.6	58	8	290		28.81			29.75	FM-15	0.00	29.77
26	1253	7	SCT:04 55 BKN:07 75	10.00		78	25.6	67	19.3	60	15.6	54	11	290		28.80	7	+0.02	29.74	FM-15	0.00	29.76
26	1303	7	SCT:04 55 SCT:04 70 BKN:07 80	10.00	VCTS:7 ||	77	25.0	66	18.8	59	15.0	54	14	310		28.80				FM-16		29.76
26	1323	7	FEW:02 39 SCT:04 65 BKN:07 80	7.00	-RA:02 |RA |	69	20.6	64	17.8	61	16.1	76	10	250		28.80				FM-16	0.11	29.76
26	1353	7	SCT:04 65 SCT:04 75 BKN:07 90	10.00		76	24.4	68	20.1	64	17.8	67	9	280		28.80			29.74	FM-15	0.12	29.76
26	1453	7	BKN:07 70	10.00		79	26.1	66	19.1	59	15.0	50	14	280		28.78			29.72	FM-15	0.00	29.74
26	1543	7	FEW:02 55 BKN:07 75	10.00		76	24.4	67	19.2	61	16.1	60	10	360		28.78				FM-16		29.74
26	1553	7	SCT:04 60 BKN:07 70	10.00		75	23.9	66	19.0	61	16.1	62	13	010		28.78	5	+0.02	29.72	FM-15	0.00	29.74
26	1653	7	CLR:00	9.00		68	20.0	61	16.4	57	13.9	68	15	010		28.80			29.74	FM-15	0.00	29.76
26	1700	7	CLR:00	9.00	VCTS:7 ||	67	19.4	62	16.5	58	14.4	73	18	010		28.80				FM-16		29.76
26	1715	7	FEW:02 75	8.00		65	18.3	60	15.4	56	13.3	73	16	010	23	28.81				FM-16		29.77
26	1725	7	BKN:07 80	7.00	VCTS:7 ||	63	17.2	59	15.0	56	13.3	78	13	020		28.83				FM-16		29.79
26	1753	7	FEW:02 16 OVC:08 80	6.00	VCTS:7 HZ:7 |FU |HZ	61	16.1	57	13.9	54	12.2	78	11	360		28.84			29.80	FM-15	0.00	29.81
26	1845	7	FEW:02 55 SCT:04 95	5.00	HZ:7 |FU |HZ	58	14.4	55	12.6	52	11.1	81	11	350		28.84				FM-16		29.80
26	1853	7	FEW:02 100	5.00	HZ:7 |FU |HZ	58	14.4	55	12.6	52	11.1	81	11	360		28.84	0	-0.06	29.79	FM-15	0.00	29.80
26	1953	7	CLR:00	6.00	BR:1 ||	54	12.2	52	11.0	50	10.0	87	11	350		28.84			29.80	FM-15	0.00	29.81
26	2053	7	CLR:00	7.00		52	11.1	49	9.7	47	8.3	83	13	010		28.86			29.81	FM-15	0.00	29.82
26	2153	7	FEW:02 55 SCT:04 95	8.00		50	10.0	48	8.9	46	7.8	86	10	360		28.89	3	-0.05	29.84	FM-15	0.00	29.85
26	2253	7	FEW:02 55	7.00		50	10.0	48	8.9	46	7.8	86	8	010		28.90			29.85	FM-15	0.00	29.86
26	2349	7	BKN:07 12 OVC:08 100	8.00		48	9.0	47	8.1	45	7.0	87	10	360		28.90				FM-16		29.87
26	2353	7	BKN:07 11 OVC:08 100	8.00		49	9.4	47	8.3	45	7.2	86	9	010		28.90			29.86	FM-15	0.00	29.87
27	0044	7	FEW:02 11 OVC:08 43	9.00		48	8.9	46	7.8	44	6.7	86	9	010		28.90				FM-16		29.87
27	0053	7	BKN:07 11 OVC:08 43	9.00		48	8.9	46	7.8	44	6.7	86	13	360		28.91	1	-0.02	29.87	FM-15	0.00	29.88
27	0127	7	SCT:04 11 OVC:08 37	10.00		48	8.9	46	7.5	43	6.1	83	9	010		28.90				FM-16		29.87
27	0148	7	FEW:02 11 BKN:07 24 OVC:08 35	10.00		48	9.0	46	7.5	43	6.0	82	11	020		28.89				FM-16		29.85
27	0153	7	BKN:07 21 BKN:07 26 OVC:08 48	10.00		47	8.3	45	7.0	42	5.6	83	11	030		28.89			29.84	FM-15	0.00	29.85
27	0215	7	SCT:04 21 BKN:07 35 OVC:08 48	10.00		47	8.3	45	7.0	42	5.6	83	10	010		28.89				FM-16		29.85

27	0251	6	BKN:07 20 OVC:08 31	10.00		46	8.0	44	6.5	41	5.0	82	13	030		28.89				FM-16		29.85
27	0253	7	BKN:07 20 OVC:08 31	10.00		47	8.3	44	6.8	41	5.0	80	11	040		28.89			29.84	FM-15	0.00	29.85
27	0353	7	OVC:08 24	10.00		46	7.8	44	6.5	41	5.0	83	10	020		28.90	3	-0.00	29.85	FM-15	0.00	29.86
27	0432	7	BKN:07 14 OVC:08 19	9.00		46	7.8	44	6.5	41	5.0	83	8	030		28.92				FM-16		29.89
27	0453	7	BKN:07 14 OVC:08 20	9.00		46	7.8	44	6.5	41	5.0	83	5	030		28.92			29.88	FM-15	0.00	29.89
27	0500	7	FEW:02 14 OVC:08 20	9.00		46	7.8	44	6.5	41	5.0	83	8	020		28.92				FM-16		29.89
27	0528	7	BKN:07 14 OVC:08 19	8.00		45	7.2	43	6.2	41	5.0	86	7	350		28.94				FM-16		29.91
27	0551	6	SCT:04 13 OVC:08 19	6.00	BR:1 ||	45	7.0	43	6.2	41	5.0	87	8	010		28.94				FM-16		29.91
27	0553	7	OVC:08 16	6.00	BR:1 ||	45	7.2	43	6.2	41	5.0	86	8	010		28.93			29.90	FM-15	0.00	29.90
27	0641	7	OVC:08 14	4.00	BR:1 ||	45	7.2	43	6.2	41	5.0	86	8	360		28.93				FM-16		29.90
27	0653	7	OVC:08 12	4.00	BR:1 ||	45	7.2	43	6.2	41	5.0	86	8	360		28.94	1	-0.05	29.91	FM-15	0.00	29.91
27	0728	7	BKN:07 9 OVC:08 13	4.00	BR:1 ||	45	7.2	44	6.4	42	5.6	90	7	360		28.95				FM-16		29.92
27	0753	7	OVC:08 9	4.00	BR:1 ||	46	7.8	44	6.7	42	5.6	86	9	010		28.95			29.92	FM-15	0.00	29.92
27	0830	7	OVC:08 10	5.00	HZ:7 |FU |HZ	46	7.8	44	6.5	41	5.0	83	8	040		28.95				FM-16		29.92
27	0853	7	OVC:08 11	5.00	BR:1 ||	46	7.8	44	6.7	42	5.6	86	6	050		28.94			29.91	FM-15	0.00	29.91
27	0953	7	OVC:08 12	5.00	HZ:7 |FU |HZ	48	8.9	45	7.3	42	5.6	80	6	060		28.92	8	+0.01	29.90	FM-15	0.00	29.89
27	1053	7	OVC:08 14	7.00		52	11.1	48	8.9	44	6.7	75	7	070		28.92			29.89	FM-15	0.00	29.89
27	1133	7	OVC:08 15	8.00		54	12.2	49	9.4	44	6.7	69	5	VRB		28.93				FM-16		29.90
27	1153	7	OVC:08 16	8.00		54	12.2	49	9.7	45	7.2	72	6	050		28.93			29.90	FM-15	0.00	29.90
27	1230	7	FEW:02 17 OVC:08 30	10.00		56	13.3	51	10.5	46	7.8	70	8	VRB		28.91				FM-16		29.88
27	1249	7	BKN:07 18 OVC:08 30	10.00		55	13.0	50	10.2	46	8.0	72	7	060		28.90				FM-16		29.87
27	1253	7	BKN:07 18 OVC:08 30	10.00		55	12.8	50	9.9	45	7.2	69	7	050		28.91	8	+0.01	29.88	FM-15	0.00	29.88
27	1353	7	OVC:08 18	10.00		56	13.3	51	10.7	47	8.3	72	8	080		28.91			29.88	FM-15	0.00	29.88
27	1453	7	BKN:07 24 OVC:08 30	10.00		59	15.0	54	12.0	49	9.4	69	8	050		28.90			29.87	FM-15	0.00	29.87
27	1551	6	OVC:08 32	10.00		61	16.0	54	12.2	48	9.0	63	5	020		28.90				FM-16		29.87
27	1553	7	OVC:08 32	10.00		60	15.6	54	12.3	49	9.4	67	6	020		28.91	0	-0.00	29.88	FM-15	0.00	29.88
27	1653	7	SCT:04 24 OVC:08 37	10.00		60	15.6	54	12.3	49	9.4	67	0	000		28.92			29.89	FM-15	0.00	29.89
27	1753	7	SCT:04 36 BKN:07 44	10.00		61	16.1	55	12.8	50	10.0	67	6	060		28.90			29.86	FM-15	0.00	29.86
27	1853	7	SCT:04 60 SCT:04 110	10.00		59	15.0	54	12.0	49	9.4	69	6	080		28.89	8	+0.03	29.85	FM-15	0.00	29.85
27	1953	7	CLR:00	10.00		58	14.4	53	11.8	49	9.4	72	8	070		28.87			29.83	FM-15	T	29.83
27	2043	7	BKN:07 29	10.00		59	15.0	53	11.7	48	8.9	67	6	120		28.89				FM-16		29.85
27	2051	6	BKN:07 30	10.00		59	15.0	53	11.7	48	9.0	68	6	110		28.89				FM-16		29.85
27	2053	7	OVC:08 30	10.00		59	15.0	53	11.7	48	8.9	67	6	110		28.89			29.85	FM-15	0.00	29.85
27	2153	7	BKN:07 31 OVC:08 110	10.00		59	15.0	53	11.7	48	8.9	67	3	110		28.90	3	-0.02	29.87	FM-15	0.00	29.87
27	2251	6	OVC:08 28	10.00	-RA:02 |RA |	57	14.0	52	11.2	48	9.0	72	5	070		28.90				FM-16		29.87
27	2253	7	OVC:08 28	10.00	-RA:02 |RA |	57	13.9	53	11.8	50	10.0	78	6	060		28.90			29.87	FM-15	T	29.87
27	2325	7	OVC:08 31	9.00	-RA:02 |RA |	56	13.3	53	11.8	51	10.6	84	6	050		28.90				FM-16	0.01	29.87
27	2353	7	OVC:08 31	10.00	-RA:02 |RA |	54	12.2	51	10.5	48	8.9	80	7	050		28.90			29.87	FM-15	0.01	29.87
28	0002	7	OVC:08 29	10.00	-RA:02 |RA |	54	12.2	50	10.2	47	8.3	77	7	050		28.90				FM-16	T	29.86
28	0032	7	OVC:08 30	10.00	-RA:02 |RA |	52	11.1	49	9.4	46	7.8	80	6	040		28.90				FM-16	T	29.86
28	0053	7	OVC:08 31	10.00		52	11.1	49	9.4	46	7.8	80	7	020		28.89	8	+0.02	29.85	FM-15	T	29.85
28	0153	7	BKN:07 30 OVC:08 100	10.00	-RA:02 |RA |	51	10.6	48	8.6	44	6.7	77	6	030		28.87			29.83	FM-15	T	29.83

28	0224	7	BKN:07 28 BKN:07 48 OVC:08 90	10.00		51	10.6	48	8.6	44	6.7	77	3	040		28.87				FM-16	T	29.84
28	0253	7	BKN:07 27 OVC:08 95	10.00	-RA:02 |RA |	50	10.0	47	8.4	44	6.7	80	6	060		28.84			29.81	FM-15	0.01	29.81
28	0353	7	OVC:08 24	10.00	-RA:02 |RA |	50	10.0	48	8.6	45	7.2	83	3	310		28.87	5	+0.01	29.83	FM-15	0.02	29.83
28	0426	7	SCT:04 23 OVC:08 95	8.00	-RA:02 |RA |	49	9.4	47	8.1	44	6.7	83	8	040		28.86				FM-16	0.03	29.82
28	0453	7	OVC:08 95	10.00	-RA:02 |RA |	48	8.9	46	7.5	43	6.1	83	8	040		28.86			29.82	FM-15	0.04	29.82
28	0528	7	BKN:07 16 OVC:08 95	10.00	-RA:02 |RA |	47	8.3	45	7.0	42	5.6	83	9	040		28.86				FM-16	T	29.82
28	0553	7	OVC:08 15	10.00		47	8.3	45	7.0	42	5.6	83	5	020		28.87			29.84	FM-15	T	29.84
28	0650	7	BKN:07 14 OVC:08 20	10.00		48	9.0	45	7.0	41	5.0	76	7	060		28.89				FM-16		29.85
28	0653	7	BKN:07 14 OVC:08 20	10.00		48	8.9	45	7.0	41	5.0	77	7	060		28.89	0	-0.02	29.85	FM-15	0.00	29.85
28	0753	7	OVC:08 14	10.00		49	9.4	45	7.3	41	5.0	74	5	080		28.90			29.87	FM-15	0.00	29.87
28	0853	7	OVC:08 12	10.00		51	10.6	47	8.1	42	5.6	71	3	020		28.91			29.88	FM-15	T	29.88
28	0953	7	OVC:08 11	10.00		54	12.2	49	9.7	45	7.2	72	5	060		28.90	0	-0.02	29.86	FM-15	0.00	29.87
28	1053	7	OVC:08 13	10.00		54	12.2	49	9.7	45	7.2	72	9	050		28.87			29.84	FM-15	0.00	29.84
28	1122	7	SCT:04 12	10.00		57	13.9	52	11.2	48	8.9	72	5	VRB		28.89				FM-16		29.85
28	1153	7	BKN:07 14	10.00		59	15.0	54	12.0	49	9.4	69	0	000		28.89			29.85	FM-15	0.00	29.85
28	1221	7	BKN:07 17	10.00		61	16.1	54	12.5	49	9.4	65	3	VRB		28.89				FM-16		29.85
28	1253	7	OVC:08 18	10.00		62	16.7	56	13.3	51	10.6	67	3	VRB		28.89	6	+0.02	29.85	FM-15	0.00	29.85
28	1353	7	OVC:08 20	10.00		63	17.2	57	13.8	52	11.1	68	0	000		28.90			29.85	FM-15	0.00	29.86
28	1453	7	OVC:08 20	8.00	-RA:02 |RA |	61	16.1	56	13.3	52	11.1	72	6	360		28.89			29.85	FM-15	T	29.85
28	1553	7	OVC:08 18	10.00		62	16.7	57	13.9	53	11.7	73	7	020		28.87	8	+0.01	29.84	FM-15	0.00	29.84
28	1653	7	BKN:07 21	9.00		62	16.7	57	13.9	53	11.7	73	7	030		28.87			29.84	FM-15	0.00	29.84
28	1721	7	SCT:04 20	9.00		62	16.7	57	13.9	53	11.7	73	6	020		28.87				FM-16		29.84
28	1751	6	BKN:07 22	8.00		63	17.0	58	14.4	54	12.0	73	10	020		28.89				FM-16		29.85
28	1753	7	BKN:07 22	8.00		63	17.2	58	14.4	54	12.2	73	8	020		28.90			29.85	FM-15	0.00	29.86
28	1853	7	BKN:07 28	8.00		59	15.0	55	12.9	52	11.1	78	10	020		28.90	3	-0.02	29.87	FM-15	T	29.87
28	1900	7	FEW:02 27 OVC:08 100	9.00	-RA:02 |RA |	59	15.0	55	12.9	52	11.1	78	9	020		28.90				FM-16	T	29.87
28	1907	7	BKN:07 28	9.00	-RA:02 |RA |	59	15.0	55	12.9	52	11.1	78	8	020		28.91				FM-16	T	29.88
28	1953	7	SCT:04 18 OVC:08 28	7.00		56	13.3	54	12.4	53	11.7	90	8	010		28.93			29.90	FM-15	T	29.90
28	2013	7	FEW:02 27 BKN:07 65	7.00		56	13.3	54	12.4	53	11.7	90	9	010		28.93				FM-16		29.90
28	2053	7	SCT:04 16 BKN:07 100	7.00		55	12.8	53	11.9	52	11.1	90	8	330		28.95			29.92	FM-15	0.00	29.92
28	2101	7	BKN:07 16 BKN:07 100	7.00		56	13.3	54	12.1	52	11.1	87	5	330		28.96				FM-16		29.93
28	2153	7	BKN:07 21 OVC:08 95	7.00		54	12.2	52	11.3	51	10.6	90	7	360		28.97	1	-0.07	29.94	FM-15	0.00	29.94
28	2251	6	BKN:07 11 BKN:07 23	6.00	BR:1 ||	52	11.0	50	10.0	48	9.0	88	6	360		28.97				FM-16		29.94
28	2253	7	BKN:07 11 BKN:07 23	6.00	BR:1 ||	51	10.6	50	10.0	49	9.4	92	6	360		28.97			29.94	FM-15	0.00	29.94
28	2341	7	SCT:04 10 BKN:07 90	5.00	BR:1 ||	51	10.6	50	10.0	49	9.4	92	5	340		28.97				FM-16		29.94
28	2353	7	BKN:07 90	5.00	BR:1 ||	52	11.1	51	10.5	50	10.0	93	3	330		28.97			29.94	FM-15	0.00	29.94
29	0024	7	BKN:07 10 OVC:08 90	5.00	BR:1 ||	52	11.1	51	10.5	50	10.0	93	3	320		28.98				FM-16		29.95
29	0053	7	OVC:08 10	5.00	BR:1 ||	51	10.6	50	10.0	49	9.4	92	0	000		28.97	3	-0.00	29.94	FM-15	0.00	29.94
29	0128	7	SCT:04 10 BKN:07 70 OVC:08 95	4.00	BR:1 ||	51	10.6	50	10.0	49	9.4	92	3	300		28.97				FM-16		29.94
29	0153	7	FEW:02 49 BKN:07 70 OVC:08 90	4.00	BR:1 ||	51	10.6	50	10.0	49	9.4	92	7	300		28.97			29.94	FM-15	0.00	29.94

29	0203	7	BKN:07 8 BKN:07 48 OVC:08 85	4.00	BR:1 ||	51	10.6	50	10.0	49	9.4	92	10	310		28.98				FM-16		29.95
29	0253	7	OVC:08 6	4.00	BR:1 ||	51	10.6	50	10.0	49	9.4	92	6	320		28.99			29.96	FM-15	T	29.96
29	0353	7	OVC:08 5	3.00	BR:1 ||	51	10.6	50	10.0	49	9.4	92	6	340		29.00	3	-0.02	29.96	FM-15	0.00	29.97
29	0453	7	OVC:08 5	4.00	BR:1 ||	50	10.0	49	9.4	48	8.9	93	8	330		29.00			29.96	FM-15	0.00	29.97
29	0540	7	OVC:08 4	2.00	BR:1 ||	49	9.4	48	9.2	48	8.9	97	7	320		29.01				FM-16		29.98
29	0553	7	OVC:08 4	2.00	BR:1 ||	49	9.4	48	9.2	48	8.9	97	5	300		29.02			29.99	FM-15	0.00	29.99
29	0642	7	OVC:08 4	3.00	BR:1 ||	49	9.4	48	9.2	48	8.9	97	5	280		29.03				FM-16		30.00
29	0653	7	OVC:08 4	3.00	BR:1 ||	49	9.4	48	8.9	47	8.3	93	7	280		29.04	3	-0.04	30.01	FM-15	0.00	30.01
29	0704	7	OVC:08 4	2.00	BR:1 ||	49	9.4	48	9.2	48	8.9	97	7	300		29.04				FM-16		30.01
29	0717	7	OVC:08 4	1.75	BR:1 ||	49	9.4	48	9.2	48	8.9	97	5	320		29.04				FM-16		30.01
29	0746	7	OVC:08 4	2.00	BR:1 ||	49	9.4	48	9.2	48	8.9	97	5	310		29.04				FM-16		30.01
29	0753	7	OVC:08 4	2.00	BR:1 ||	49	9.4	48	9.2	48	8.9	97	5	310		29.04			30.01	FM-15	0.00	30.01
29	0818	7	OVC:08 4	4.00	BR:1 ||	49	9.4	48	9.2	48	8.9	97	9	270		29.05				FM-16		30.02
29	0836	7	OVC:08 5	5.00	BR:1 ||	49	9.4	48	8.9	47	8.3	93	7	260		29.05				FM-16		30.02
29	0853	7	OVC:08 5	6.00	BR:1 ||	49	9.4	48	8.9	47	8.3	93	9	270		29.05			30.03	FM-15	0.00	30.02
29	0953	7	OVC:08 6	7.00		50	10.0	49	9.4	48	8.9	93	9	300		29.06	3	-0.02	30.03	FM-15	0.00	30.03
29	1053	7	OVC:08 7	8.00		50	10.0	48	9.2	47	8.3	89	6	320		29.06			30.03	FM-15	0.00	30.03
29	1128	7	OVC:08 10	10.00		52	11.1	49	9.7	47	8.3	83	6	290		29.06				FM-16		30.03
29	1153	7	OVC:08 12	10.00		52	11.1	49	9.7	47	8.3	83	0	000		29.05			30.02	FM-15	0.00	30.02
29	1253	7	BKN:07 20 OVC:08 55	10.00		57	13.9	52	11.3	48	8.9	72	9	280		29.06	3	-0.00	30.03	FM-15	0.00	30.03
29	1353	7	BKN:07 24 BKN:07 39 OVC:08 60	10.00		60	15.6	54	12.0	48	8.9	65	9	330		29.05			30.02	FM-15	0.00	30.02
29	1451	6	FEW:02 24 OVC:08 31	10.00		57	14.0	51	10.7	46	8.0	67	10	350		29.06				FM-16		30.03
29	1453	7	FEW:02 24 OVC:08 31	10.00		58	14.4	53	11.5	48	8.9	70	13	340		29.06			30.03	FM-15	0.00	30.03
29	1553	7	SCT:04 26 OVC:08 31	10.00		58	14.4	53	11.5	48	8.9	70	5	VRB		29.08	3	-0.01	30.04	FM-15	0.00	30.05
29	1600	7	OVC:08 24	10.00		58	14.4	53	11.5	48	8.9	70	8	320		29.08				FM-16		30.05
29	1653	7	BKN:07 22 OVC:08 42	10.00		56	13.3	51	10.7	47	8.3	72	7	360		29.08			30.04	FM-15	0.00	30.05
29	1751	6	FEW:02 22	10.00		54	12.0	50	9.9	46	8.0	77	11	030		29.09				FM-16		30.06
29	1753	7	FEW:02 20	10.00		54	12.2	50	10.2	47	8.3	77	13	020		29.09			30.06	FM-15	0.00	30.06
29	1853	7	FEW:02 17	9.00		52	11.1	49	9.4	46	7.8	80	10	020		29.10	3	-0.02	30.07	FM-15	0.00	30.07
29	1953	7	SCT:04 22	10.00		50	10.0	48	8.6	45	7.2	83	7	030		29.12			30.10	FM-15	0.00	30.09
29	2001	7	BKN:07 22	10.00		50	10.0	48	8.6	45	7.2	83	7	010		29.13				FM-16		30.10
29	2053	7	OVC:08 21	10.00		51	10.6	48	8.6	44	6.7	77	9	030		29.17			30.14	FM-15	0.00	30.14
29	2153	7	OVC:08 24	10.00		50	10.0	46	7.9	42	5.6	74	6	050		29.18	1	-0.07	30.15	FM-15	0.00	30.15
29	2223	7	SCT:04 27	10.00		49	9.4	45	7.3	41	5.0	74	7	020		29.17				FM-16		30.14
29	2253	7	CLR:00	10.00		48	8.9	45	7.0	41	5.0	77	3	030		29.16			30.13	FM-15	0.00	30.13
29	2353	7	CLR:00	10.00		47	8.3	45	7.0	42	5.6	83	6	040		29.14			30.12	FM-15	0.00	30.11
30	0053	7	CLR:00	10.00		47	8.3	44	6.8	41	5.0	80	6	050		29.15	5	+0.02	30.13	FM-15	0.00	30.12
30	0153	7	CLR:00	10.00		46	7.8	44	6.5	41	5.0	83	6	060		29.12			30.09	FM-15	0.00	30.09
30	0253	7	CLR:00	10.00		45	7.2	43	5.9	40	4.4	83	8	050		29.10			30.07	FM-15	0.00	30.07
30	0353	7	CLR:00	10.00		42	5.6	41	5.0	40	4.4	92	5	090		29.11	5	+0.04	30.08	FM-15	0.00	30.08
30	0406	7	FEW:02 9	10.00		42	5.6	41	4.8	39	3.9	89	5	080		29.11				FM-16		30.08
30	0453	7	BKN:07 9	10.00		44	6.7	43	5.9	41	5.0	89	5	090		29.12			30.09	FM-15	0.00	30.09
30	0553	7	OVC:08 9	10.00		45	7.2	44	6.4	42	5.6	90	9	090		29.12			30.09	FM-15	0.00	30.09
30	0653	7	OVC:08 9	10.00		46	7.8	44	6.7	42	5.6	86	7	080		29.13	3	-0.03	30.11	FM-15	0.00	30.10
30	0753	7	OVC:08 9	6.00	BR:1 ||	47	8.3	45	7.3	43	6.1	86	8	090		29.12			30.10	FM-15	0.00	30.09
30	0823	7	BKN:07 10 OVC:08 80	6.00	BR:1 ||	48	8.9	46	7.8	44	6.7	86	7	080		29.12				FM-16		30.09
30	0840	7	SCT:04 10 OVC:08 80	6.00	HZ:7 |FU |HZ	48	8.9	46	7.5	43	6.1	83	7	110		29.11				FM-16		30.08
30	0853	7	OVC:08 75	7.00		50	10.0	47	8.4	44	6.7	80	7	100		29.11			30.09	FM-15	0.00	30.08

30	0953	7	BKN:07 80	9.00		52	11.1	48	9.2	45	7.2	77	9	080		29.08	8	+0.05	30.06	FM-15	0.00	30.05
30	1053	7	OVC:08 70	7.00	-RA:02 |RA |	53	11.7	50	10.0	47	8.3	80	5	060		29.08			30.06	FM-15	T	30.05
30	1153	7	OVC:08 70	4.00	-RA:02 |RA |	53	11.7	50	10.2	48	8.9	83	3	070		29.10			30.08	FM-15	0.03	30.07
30	1253	7	SCT:04 11 BKN:07 39 OVC:08 90	5.00	-RA:02 BR:1 |RA |	54	12.2	52	11.0	50	10.0	87	3	190		29.11	3	-0.03	30.08	FM-15	0.01	30.08
30	1336	7	FEW:02 9 BKN:07 70 OVC:08 85	4.00	-RA:02 BR:1 |RA |	54	12.2	52	11.3	51	10.6	90	7	100		29.08				FM-16	0.03	30.05
30	1353	7	FEW:02 8 SCT:04 70 OVC:08 90	3.00	-RA:02 BR:1 |RA |	54	12.2	52	11.3	51	10.6	90	8	090		29.07			30.04	FM-15	0.05	30.04
30	1446	7	OVC:08 85	2.50	-RA:02 BR:1 |RA |	55	12.8	54	12.2	53	11.7	93	9	080		29.04				FM-16	0.05	30.01
30	1453	7	OVC:08 90	2.50	-RA:02 BR:1 |RA |	54	12.2	53	11.6	52	11.1	93	7	080		29.04			30.01	FM-15	0.05	30.01
30	1551	7	FEW:02 7 OVC:08 95	2.50	-RA:02 BR:1 |RA |	55	13.0	54	12.5	54	12.0	94	10	120		29.00				FM-16	0.02	29.97
30	1553	7	FEW:02 7 OVC:08 95	2.50	-RA:02 BR:1 |RA |	56	13.3	55	12.7	54	12.2	93	11	110		29.00	6	+0.06	29.98	FM-15	0.02	29.97
30	1600	7	FEW:02 7 OVC:08 95	5.00	-RA:02 BR:1 |RA |	55	12.8	54	12.2	53	11.7	93	10	120		29.00				FM-16	T	29.97
30	1653	7	FEW:02 11 SCT:04 75 OVC:08 90	5.00	-RA:02 BR:1 |RA |	56	13.3	55	12.7	54	12.2	93	9	110		28.99			29.97	FM-15	0.02	29.96
30	1753	7	SCT:04 11 BKN:07 31 OVC:08 90	7.00	-RA:02 |RA |	56	13.3	55	12.7	54	12.2	93	10	120		28.97			29.94	FM-15	T	29.94
30	1818	7	SCT:04 9 BKN:07 31 OVC:08 70	1.75	+RA:02 BR:1 |RA |	56	13.3	55	12.7	54	12.2	93	7	300		29.00				FM-16	0.05	29.97
30	1827	7	BKN:07 7 OVC:08 31	1.00	+RA:02 BR:1 |RA |	55	12.8	54	12.5	54	12.2	96	0	000		29.01				FM-16	0.11	29.98
30	1843	7	OVC:08 8	3.00	-RA:02 BR:1 |RA |	55	12.8	54	12.5	54	12.2	96	3	050		28.99				FM-16	0.15	29.96
30	1851	6	BKN:07 10 OVC:08 13	3.00	-RA:02 BR:1 |RA |	55	13.0	54	12.5	54	12.0	94	5	090		28.99				FM-16		29.96
30	1853	7	OVC:08 10	3.00	-RA:02 BR:1 |RA |	55	12.8	54	12.5	54	12.2	96	0	000		28.99	5	+0.01	29.96	FM-15	0.16	29.96
30	1953	7	OVC:08 10	3.00	-RA:02 BR:1 |RA |	56	13.3	55	12.7	54	12.2	93	7	130		28.98			29.95	FM-15	0.03	29.95
30	2041	7	BKN:07 8 BKN:07 75 OVC:08 90	3.00	-RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	5	140		28.97				FM-16	0.07	29.94
30	2053	7	OVC:08 5	4.00	-RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	6	150		28.96			29.93	FM-15	0.07	29.93
30	2153	7	OVC:08 5	5.00	BR:1 ||	57	13.9	56	13.6	56	13.3	96	8	160		28.95	6	+0.04	29.92	FM-15	T	29.92
30	2253	7	OVC:08 4	6.00	-RA:02 BR:1 |RA |	57	13.9	56	13.6	56	13.3	96	11	170		28.94			29.91	FM-15	0.02	29.91
30	2337	7	OVC:08 5	6.00	BR:1 ||	58	14.4	57	14.1	57	13.9	97	10	170		28.92				FM-16	T	29.89
30	2353	7	OVC:08 5	6.00	BR:1 ||	58	14.4	57	14.1	57	13.9	97	8	170		28.92			29.88	FM-15	T	29.89

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
April 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01	T	0.09	0.02		0.02	T										T	T	T	T						01
02																									02
03																									03
04																									04
05																									05
06													T	T	0.03		0.01	0.01	0.01	T	0.01	0.03	T	0.04	06
07	0.01		T	0.01s	0.03	T	0.01							T	T			T	T	0.01	T				07
08													T	0.01	T	T	0.02	0.06	0.01	T	T	T	T		08
09					T	T	T	T	T	T	T	T	T	T	T	0.01	T	0.01							09
10								T												0.02	0.05	0.03	0.01	T	10
11	T		0.01	T	T	0.02	0.04	0.04	0.04	0.01		0.02	0.03	0.05	0.11	0.08	0.03	0.05	0.10	0.04					11
12																									12
13																									13
14																									14
15																									15
16																									16
17																									17
18																									18
19																									19
20																									20
21						T	T	T	T	T	T	0.01	T	T			0.02	0.01	0.08	T	T				21
22			T				T	T		0.01s	0.01												T	T	22
23																									23
24																									24
25																									25
26					T	T								0.12											26
27																				T			T	0.01	27
28	T	T	0.01	0.02	0.04	T			T						T				T	T					28
29			T																						29
30											T	0.03	0.01	0.05	0.05	0.02	0.02	T	0.16	0.03	0.07	T	0.02	T	30

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.09	0.11	0.11	0.13	0.15	0.16	0.16	0.16	0.18	0.20	0.24	0.26
Ending Date Time (yyyy-mm-dd hh:mi)	2016-04-26 13:16	2016-04-26 13:21	2016-04-26 13:21	2016-04-30 18:33	2016-04-30 18:33	2016-04-30 18:48	2016-04-30 18:48	2016-04-30 18:48	2016-04-11 16:03	2016-04-30 20:05	2016-04-30 20:35	2016-04-30 20:45

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
May 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	77	57	67	10.2				0	2	0531	1928	TS RA BR	0.29			28.94		6.5	18	210	15	040
02	60	50	55	-2.1				10	0	0530	1929	TS RA BR	0.10			28.96		6.5	24	270	17	270
03	60	46	53	-4.4				12	0	0529	1930	RA	T			28.92		5.5	16	010	12	330
04	62	42	52	-5.7				13	0	0528	1931	RA BR	0.02			28.73		9.8	31	240	23	240
05	62	39	51	-7.0				14	0	0526	1932	RA BR	0.03			28.80		9.8	30	350	22	010
06	69	44	57	-1.2				8	0	0525	1933		0.00			28.92		9.5	28	330	21	310
07	75	44	60	1.5				5	0	0524	1934	RA	T			28.77		8.5	32	280	21	280
08	68	44	56	-2.8				9	0	0523	1935		0.00			28.95		6.0	25	230	21	220
09	57	44	51	-8.1				14	0	0522	1936	RA BR	0.08			29.08		4.4	15	070	12	110
10	72	51	62	2.6				3	0	0521	1937	TS RA BR	0.21			29.08		7.0	23	130	18	120
11	75	55	65	5.3				0	0	0520	1938	RA FG BR	0.17			29.09		3.9	13	300	10	290
12	78	58	68	8.0				0	3	0519	1939	RA BR	0.24			29.01		8.4	36	310	29	300
13	66	54	60	-0.2				5	0	0518	1940	RA	0.08			28.98		9.4	25	270	20	270
14	57	42	50	-10.5				15	0	0517	1941	RA BR	0.17			28.89		12.7	34s	300s	25	270
15	53	36	45	-15.8				20	0	0516	1942	RA	T			29.08		13.5	33	290	26	290
16	64	33*	49	-12.1				16	0	0515	1943		0.00			29.23		6.6	23	200	16	210
17	59	50	55	-6.4				10	0	0514	1944	RA BR	0.08			29.21		2.3	12	220	9	210
18	67	49	58	-3.7				7	0	0514	1944	RA BR	0.05			29.15		8.6	21	030	15	360
19	70	43	56	-6.0				9	0	0513	1945		0.00			29.20		5.6	18	070	14	070
20	72	47	59	-3.3				6	0	0512	1946	RA BR	0.18			29.15		7.7	24	090	20	100
21	62	49	55	-7.6				10	0	0511	1947	RA BR	0.46			29.00		8.7	22	010	17	360
22	73	45	59	-4.0				6	0	0510	1948		0.00			29.00		8.2	25	010	20	010
23	76	44	60	-3.3				5	0	0510	1949		0.00			29.06		2.5	13	010	9	120
25	82	50s	66s	2.4s				0s	1s	0508	1951					29.11		8.5	21	170	17	170
27	88*	65	76	12.1				0	11	0507	1952					29.05		7.7	23	230	18	180
28	86	67	76	11.8				0	11	0507	1953	TS RA	0.54			29.10		5.8	25	180	20	230
29	84	66	75	10.5				0	10	0506	1954	TS RA BR	0.03			29.10		7.0	25	230	18	230
30	85	61	73	8.2				0	8	0506	1954	BR	0.00			29.04		3.3	20	320	14	330
31	87	59	73	7.8				0	8	0505	1955		0.00			29.02		3.5	16	040	13	040
	70.6	49.4	60.0							Monthly Averages | Totals			0.57s			29.02	29.99	7.2				
	-1.9	-0.5	-1.2	Departure from Normal (1981-2010)									-3.84s									

Degree Days	Monthly		Season-to-date		Number of days with... Temperature				Precipitation		Snow	Weather	
	Total	Departure	Total	Departure	Max		Min						
Heating	200	31	4615		>=90°	<=32°	<=32°	<=0°	>=0.01"	>=0.1"	>=1"	T-Storms	Heavy Fog
Cooling	55	3	55		0	0	0	0	2	1			

Date of 5-sec to 3-sec wind equipment change	Sea Level Pressure				Greatest...		
			Date	Time	24-Hr...		Snow Depth
N/A	Maximum	30.27	16	0929	Precip	Snowfall	
	Minimum	29.60	04	1222	0.54		
					Date		
					28-28		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
May 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	OVC:08 6	5.00	BR:1 ||	59	15.0	58	14.7	58	14.4	96	8	190		28.93	5	+0.02	29.90	FM-15	0.00	29.90
01	0153	7	OVC:08 5	5.00	-RA:02 BR:1 |RA |	59	15.0	58	14.7	58	14.4	96	6	200		28.92			29.89	FM-15	T	29.89
01	0253	7	OVC:08 5	5.00	BR:1 ||	59	15.0	58	14.7	58	14.4	96	7	190		28.91			29.88	FM-15	0.00	29.88
01	0353	7	OVC:08 6	5.00	BR:1 ||	59	15.0	58	14.7	58	14.4	96	5	190		28.90	6	+0.03	29.87	FM-15	0.00	29.87
01	0453	7	OVC:08 6	5.00	BR:1 ||	59	15.0	58	14.7	58	14.4	96	8	190		28.92			29.88	FM-15	0.00	29.89
01	0553	7	BKN:07 7 OVC:08 15	5.00	BR:1 ||	60	15.6	59	14.9	58	14.4	93	7	200		28.94			29.91	FM-15	0.00	29.91
01	0558	7	FEW:02 7 SCT:04 13 OVC:08 18	4.00	BR:1 ||	59	15.0	58	14.7	58	14.4	96	6	200		28.95				FM-16		29.92
01	0650	7	OVC:08 13	5.00	BR:1 ||	61	16.0	60	15.5	59	15.0	94	3	210		28.96				FM-16		29.93
01	0653	7	OVC:08 13	5.00	BR:1 ||	60	15.6	59	15.2	59	15.0	96	3	210		28.96	1	-0.05	29.93	FM-15	0.00	29.93
01	0737	7	SCT:04 10 OVC:08 15	5.00	BR:1 ||	62	16.7	61	16.0	60	15.6	93	5	220		28.96				FM-16		29.93
01	0753	7	BKN:07 15	6.00	BR:1 ||	62	16.7	61	16.0	60	15.6	93	3	210		28.96			29.92	FM-15	0.00	29.93
01	0803	7	OVC:08 13	6.00	BR:1 ||	63	17.2	61	16.2	60	15.6	90	6	190		28.96				FM-16		29.93
01	0851	6	SCT:04 12 OVC:08 31	6.00	BR:1 ||	63	17.0	62	16.6	61	16.0	94	9	200		28.98				FM-16		29.95
01	0853	7	SCT:04 12 BKN:07 31 OVC:08 60	6.00	BR:1 ||	63	17.2	62	16.6	61	16.1	93	7	200		28.98			29.94	FM-15	0.00	29.95
01	0911	7	FEW:02 7 SCT:04 30 OVC:08 60	6.00	BR:1 ||	64	17.8	62	16.8	61	16.1	90	8	190		28.98				FM-16		29.95
01	0926	7	BKN:07 8 OVC:08 60	6.00	BR:1 ||	65	18.3	63	17.3	62	16.7	90	7	200		28.98				FM-16		29.95
01	0946	7	BKN:07 10 OVC:08 14	9.00		66	18.9	63	17.2	61	16.1	84	8	210		28.98				FM-16		29.95
01	0953	7	OVC:08 10	10.00		66	18.9	63	17.2	61	16.1	84	9	210		28.98	3	-0.01	29.94	FM-15	0.00	29.95
01	1051	6	SCT:04 14 BKN:07 22	10.00		66	19.0	64	17.9	63	17.0	88	8	200		28.97				FM-16		29.94
01	1053	7	SCT:04 14 BKN:07 22	10.00		68	20.0	64	17.9	62	16.7	81	8	200		28.97			29.93	FM-15	0.00	29.94
01	1128	7	FEW:02 18 SCT:04 27 BKN:07 34	10.00		69	20.6	64	17.8	61	16.1	76	10	220		28.97				FM-16		29.94
01	1153	7	FEW:02 21 SCT:04 37	10.00		70	21.1	64	18.0	61	16.1	73	9	190		28.97			29.93	FM-15	0.00	29.94
01	1253	7	FEW:02 28	10.00		74	23.3	65	18.5	60	15.6	62	6	270		28.95	8	+0.04	29.90	FM-15	0.00	29.92
01	1353	7	SCT:04 38	10.00		76	24.4	66	18.9	60	15.6	58	8	230		28.93			29.89	FM-15	0.00	29.90
01	1453	7	SCT:04 47 BKN:07 60	10.00		77	25.0	66	18.8	59	15.0	54	9	240	16	28.93			29.88	FM-15	0.00	29.90
01	1553	7	FEW:02 40 SCT:04 47 BKN:07 60	10.00		71	21.7	64	17.6	59	15.0	66	7	010		28.92	8	+0.03	29.87	FM-15	0.00	29.89
01	1653	7	SCT:04 60	10.00		75	23.9	65	18.1	58	14.4	55	7	350		28.93			29.88	FM-15	0.00	29.90
01	1753	7	SCT:04 60	10.00		71	21.7	64	17.9	60	15.6	68	7	050		28.92			29.88	FM-15	0.00	29.89
01	1853	7	BKN:07 65	10.00		68	20.0	64	17.9	62	16.7	81	3	030		28.91	8	+0.01	29.87	FM-15	0.01	29.88
01	1953	7	CLR:00	10.00		64	17.8	62	16.4	60	15.6	87	6	010		28.93			29.89	FM-15	0.00	29.90
01	2051	6	SCT:04 90	7.00	TS:7 |TS |	59	15.0	58	14.4	57	14.0	94	9	360		28.93				FM-16		29.90

01	2053	7	FEW:02 6 SCT:04 90	7.00	TS:7 |TS TS |	59	15.0	58	14.4	57	13.9	93	9	020		28.93			29.89	FM-15	0.00	29.90
01	2112	7	BKN:07 6 BKN:07 85	5.00	TS:7 -RA:02 BR:1 |RA TS |	58	14.4	57	13.8	56	13.3	93	5	010		28.93				FM-16	T	29.90
01	2131	7	BKN:07 5 BKN:07 22 OVC:08 33	1.00	TS:7 +RA:02 BR:1 |RA TS |	58	14.4	57	14.1	57	13.9	97	10	330		28.94				FM-16	0.27	29.91
01	2139	7	SCT:04 5 BKN:07 31 OVC:08 85	3.00	TS:7 -RA:02 BR:1 |RA TS |	58	14.4	57	14.1	57	13.9	97	10	050		28.92				FM-16	0.28	29.89
01	2151	6	FEW:02 6 BKN:07 70 OVC:08 110	7.00	VCTS:7 ||	57	14.0	57	13.9	57	14.0	100	7	360		28.93				FM-16		29.90
01	2153	7	FEW:02 17 BKN:07 70 OVC:08 110	7.00	VCTS:7 ||	58	14.4	57	14.1	57	13.9	97	6	330		28.93	1	-0.02	29.89	FM-15	0.28	29.90
01	2215	7	FEW:02 60 OVC:08 100	6.00	-RA:02 BR:1 |RA |	58	14.4	57	14.1	57	13.9	97	3	020		28.92				FM-16	T	29.89
01	2253	7	OVC:08 90	7.00		58	14.4	57	14.1	57	13.9	97	5	060		28.90			29.85	FM-15	T	29.86
01	2341	7	SCT:04 4 SCT:04 36 OVC:08 65	7.00		57	13.9	56	13.6	56	13.3	96	3	320		28.90				FM-16		29.87
01	2350	7	BKN:07 5 OVC:08 65	6.00	BR:1 ||	57	14.0	57	13.9	57	14.0	100	5	310		28.91				FM-16		29.88
01	2353	7	BKN:07 5 OVC:08 65	7.00		58	14.4	57	14.1	57	13.9	97	3	320		28.91			29.87	FM-15	0.00	29.88
02	0046	7	BKN:07 5 OVC:08 90	3.00	TS:7 RA:02 BR:1 |RA TS |	58	14.4	57	14.1	57	13.9	97	7	300		28.92				FM-16	0.03	29.89
02	0051	6	BKN:07 5 BKN:07 30 OVC:08 90	2.50	TS:7 +RA:02 BR:1 |RA TS |	57	14.0	57	13.9	57	14.0	100	3	300		28.92				FM-16		29.89
02	0053	7	SCT:04 5 BKN:07 34 OVC:08 90	2.50	TS:7 +RA:02 BR:1 |RA TS |	58	14.4	58	14.4	58	14.4	100	0	000		28.92	1	-0.03	29.88	FM-15	0.07	29.89
02	0108	7	FEW:02 4 BKN:07 60 OVC:08 75	7.00	-RA:02 |RA |	60	15.6	58	14.6	57	13.9	90	11	250	24	28.93				FM-16	0.02	29.90
02	0153	7	FEW:02 70 SCT:04 80 OVC:08 95	10.00	-RA:02 |RA |	59	15.0	57	14.1	56	13.3	90	3	270		28.91			29.86	FM-15	0.02	29.88
02	0253	7	SCT:04 55 BKN:07 70 OVC:08 110	10.00		58	14.4	57	13.8	56	13.3	93	0	000		28.90			29.85	FM-15	T	29.86
02	0324	7	BKN:07 18 OVC:08 90	10.00	-RA:02 |RA |	58	14.4	57	13.8	56	13.3	93	3	320		28.92				FM-16	T	29.89
02	0339	7	BKN:07 12 OVC:08 19	10.00		58	14.4	57	13.8	56	13.3	93	9	320		28.91				FM-16	T	29.88
02	0351	6	SCT:04 8 OVC:08 14	10.00		57	14.0	56	13.3	55	13.0	94	10	330		28.91				FM-16		29.88
02	0353	7	SCT:04 8 OVC:08 14	10.00		57	13.9	56	13.3	55	12.8	93	11	330		28.92	5	+0.01	29.87	FM-15	0.01	29.89
02	0400	7	BKN:07 6 OVC:08 12	10.00		56	13.3	55	12.7	54	12.2	93	9	320		28.92				FM-16		29.89
02	0409	7	BKN:07 4 OVC:08 10	8.00		55	12.8	54	12.2	53	11.7	93	8	350		28.92				FM-16		29.89
02	0429	7	OVC:08 5	8.00		54	12.2	53	11.6	52	11.1	93	7	350		28.93				FM-16		29.90
02	0453	7	OVC:08 7	9.00		54	12.2	53	11.6	52	11.1	93	6	360		28.93			29.88	FM-15	0.00	29.90
02	0542	7	OVC:08 10	6.00	BR:1 ||	53	11.7	52	11.4	52	11.1	96	0	000		28.93				FM-16		29.90
02	0551	6	OVC:08 9	6.00	BR:1 ||	54	12.0	53	11.6	52	11.0	94	0	000		28.94				FM-16		29.91
02	0553	7	OVC:08 9	7.00		53	11.7	52	11.4	52	11.1	96	0	000		28.94			29.90	FM-15	0.00	29.91
02	0653	7	OVC:08 8	8.00		55	12.8	54	12.2	53	11.7	93	3	220		28.95	1	-0.03	29.91	FM-15	0.00	29.92
02	0728	7	OVC:08 4	2.50	BR:1 ||	55	12.8	54	12.5	54	12.2	96	8	300		28.96				FM-16		29.93
02	0737	7	OVC:08 4	1.50	BR:1 ||	55	12.8	54	12.5	54	12.2	96	8	290		28.97				FM-16		29.94
02	0751	6	OVC:08 3	2.50	BR:1 ||	55	13.0	54	12.5	54	12.0	94	8	290		28.97				FM-16		29.94

02	0753	7	OVC:08 3	2.50	BR:1 ||	55	12.8	54	12.5	54	12.2	96	8	290		28.97			29.94	FM-15	0.00	29.94
02	0800	7	OVC:08 3	4.00	BR:1 ||	55	12.8	54	12.5	54	12.2	96	8	300		28.98				FM-16		29.95
02	0835	7	OVC:08 5	8.00		54	12.2	53	11.6	52	11.1	93	10	330		28.99				FM-16		29.96
02	0853	7	OVC:08 5	4.00	BR:1 ||	53	11.7	52	11.1	51	10.6	93	9	320		29.01			29.97	FM-15	0.00	29.98
02	0953	7	BKN:07 7 OVC:08 19	10.00		54	12.2	52	11.3	51	10.6	90	6	340		29.01	1	-0.06	29.98	FM-15	0.00	29.98
02	1053	7	BKN:07 9 OVC:08 24	10.00		56	13.3	54	12.1	52	11.1	87	0	000		29.00			29.96	FM-15	0.00	29.97
02	1101	7	OVC:08 10	10.00		56	13.3	53	11.8	51	10.6	84	0	000		29.01				FM-16		29.98
02	1151	6	BKN:07 16 BKN:07 39 BKN:07 55	10.00		61	16.0	57	13.9	54	12.0	77	8	010		28.97				FM-16		29.94
02	1153	7	BKN:07 16 BKN:07 39 BKN:07 55	10.00		60	15.6	56	13.4	53	11.7	78	10	360		28.97			29.94	FM-15	0.00	29.94
02	1253	7	BKN:07 16 OVC:08 29	10.00		58	14.4	54	12.3	51	10.6	78	8	310		29.00	5	+0.01	29.96	FM-15	0.00	29.97
02	1353	7	SCT:04 16 BKN:07 28	10.00		59	15.0	55	12.9	52	11.1	78	8	340		28.99			29.96	FM-15	0.00	29.96
02	1400	7	SCT:04 16 BKN:07 50	10.00		59	15.0	55	12.9	52	11.1	78	7	350		28.98				FM-16		29.95
02	1425	7	BKN:07 17 OVC:08 50	10.00		58	14.4	55	12.6	52	11.1	81	9	330		28.99				FM-16		29.96
02	1453	7	BKN:07 16 OVC:08 55	10.00		58	14.4	55	12.6	52	11.1	81	10	360		28.99			29.96	FM-15	0.00	29.96
02	1524	7	BKN:07 14 OVC:08 45	10.00		57	13.9	54	12.1	51	10.6	81	10	350		28.97				FM-16		29.94
02	1553	7	BKN:07 14 OVC:08 32	10.00		56	13.3	53	11.5	50	10.0	81	11	350		28.98	8	+0.02	29.94	FM-15	0.00	29.95
02	1653	7	BKN:07 14 BKN:07 120	10.00		56	13.3	53	11.5	50	10.0	81	10	020		28.97			29.93	FM-15	0.00	29.94
02	1711	7	FEW:02 14 BKN:07 50 OVC:08 120	10.00		55	12.8	52	11.3	50	10.0	83	9	010		28.97				FM-16		29.94
02	1753	7	FEW:02 45 BKN:07 50	10.00		55	12.8	52	11.0	49	9.4	80	8	360		28.96			29.93	FM-15	0.00	29.93
02	1853	7	OVC:08 50	10.00		54	12.2	51	10.8	49	9.4	83	8	360		28.97	5	+0.00	29.94	FM-15	0.00	29.94
02	1953	7	OVC:08 55	10.00		53	11.7	50	10.2	48	8.9	83	7	360		28.97			29.94	FM-15	0.00	29.94
02	2053	7	OVC:08 60	10.00		52	11.1	49	9.7	47	8.3	83	6	010		28.97			29.93	FM-15	0.00	29.94
02	2127	7	BKN:07 17 OVC:08 60	10.00		52	11.1	50	10.0	48	8.9	86	7	360		28.98				FM-16		29.95
02	2153	7	OVC:08 18	10.00		52	11.1	50	10.0	48	8.9	86	7	360		28.98	3	-0.01	29.95	FM-15	0.00	29.95
02	2251	7	SCT:04 17 OVC:08 60	10.00		52	11.0	49	9.4	46	8.0	82	6	010		28.97				FM-16		29.94
02	2253	7	BKN:07 17 OVC:08 60	10.00		51	10.6	48	9.2	46	7.8	83	8	010		28.97			29.94	FM-15	0.00	29.94
02	2301	7	FEW:02 17 OVC:08 60	10.00		51	10.6	48	9.2	46	7.8	83	8	020		28.97				FM-16		29.94
02	2353	7	OVC:08 60	10.00		50	10.0	48	8.6	45	7.2	83	7	020		28.97			29.94	FM-15	0.00	29.94
03	0053	7	OVC:08 60	10.00		50	10.0	48	8.6	45	7.2	83	5	020		28.95	8	+0.02	29.92	FM-15	0.00	29.92
03	0153	7	OVC:08 60	10.00		49	9.4	47	8.1	44	6.7	83	6	020		28.94			29.91	FM-15	0.00	29.91
03	0253	7	OVC:08 60	10.00		49	9.4	47	8.3	45	7.2	86	5	360		28.94			29.91	FM-15	0.00	29.91
03	0353	7	BKN:07 60 BKN:07 120	10.00		47	8.3	46	7.5	44	6.7	90	6	360		28.93	6	+0.02	29.91	FM-15	0.00	29.90
03	0453	7	SCT:04 60 OVC:08 110	10.00		47	8.3	46	7.5	44	6.7	90	6	020		28.93			29.91	FM-15	0.00	29.90
03	0553	7	FEW:02 60 SCT:04 100	8.00		47	8.3	46	7.5	44	6.7	90	5	020		28.93			29.91	FM-15	T	29.90
03	0653	7	OVC:08 65	10.00		48	8.9	46	7.8	44	6.7	86	6	020		28.94	3	-0.00	29.91	FM-15	0.00	29.91
03	0753	7	OVC:08 65	10.00		50	10.0	47	8.1	43	6.1	77	6	020		28.94			29.91	FM-15	0.00	29.91
03	0853	7	BKN:07 41 OVC:08 70	10.00		52	11.1	48	8.9	44	6.7	75	5	040		28.94			29.91	FM-15	0.00	29.91

03	0953	7	OVC:08 70	10.00		54	12.2	49	9.4	44	6.7	69	5	VRB		28.93	8	+0.00	29.90	FM-15	0.00	29.90
03	1053	7	OVC:08 80	10.00		56	13.3	50	9.9	44	6.7	65	6	070		28.92			29.89	FM-15	0.00	29.89
03	1153	7	SCT:04 32 BKN:07 43 OVC:08 85	10.00		59	15.0	51	10.7	44	6.7	58	7	360		28.91			29.88	FM-15	0.00	29.88
03	1253	7	OVC:08 34	10.00		59	15.0	52	11.2	46	7.8	62	9	010		28.90	8	+0.03	29.87	FM-15	0.00	29.87
03	1353	7	OVC:08 36	10.00		58	14.4	51	10.7	45	7.2	62	5	350		28.90			29.86	FM-15	0.00	29.86
03	1453	7	BKN:07 40 OVC:08 60	10.00	-RA:02 |RA |	57	13.9	52	11.2	48	8.9	72	9	350		28.90			29.85	FM-15	T	29.86
03	1553	7	OVC:08 37	10.00		58	14.4	52	11.0	46	7.8	65	8	330		28.89	8	+0.02	29.85	FM-15	T	29.85
03	1653	7	OVC:08 48	10.00		58	14.4	51	10.7	45	7.2	62	6	290		28.87			29.84	FM-15	0.00	29.84
03	1753	7	SCT:04 37 OVC:08 55	10.00		58	14.4	52	11.0	46	7.8	65	7	270		28.87			29.84	FM-15	0.00	29.84
03	1853	7	FEW:02 36 BKN:07 60 OVC:08 80	10.00		56	13.3	51	10.5	46	7.8	70	5	280		28.87	6	+0.01	29.84	FM-15	0.00	29.84
03	1953	7	BKN:07 60 OVC:08 80	10.00		55	12.8	50	10.2	46	7.8	72	6	280		28.87			29.84	FM-15	0.00	29.84
03	2053	7	OVC:08 85	10.00		54	12.2	50	10.2	47	8.3	77	5	280		28.87			29.84	FM-15	0.00	29.84
03	2153	7	OVC:08 90	10.00		54	12.2	50	10.2	47	8.3	77	3	230		28.87	8	+0.00	29.83	FM-15	0.00	29.84
03	2253	7	BKN:07 85	10.00		52	11.1	49	9.4	46	7.8	80	5	250		28.86			29.81	FM-15	0.00	29.82
03	2353	7	OVC:08 90	10.00		50	10.0	48	8.9	46	7.8	86	0	000		28.84			29.80	FM-15	0.00	29.80
04	0053	7	CLR:00	10.00		49	9.4	47	8.6	46	7.8	90	5	250		28.82	6	+0.05	29.78	FM-15	0.00	29.78
04	0153	7	CLR:00	8.00		48	8.9	47	8.1	45	7.2	89	3	260		28.80			29.76	FM-15	0.00	29.76
04	0253	7	CLR:00	7.00		44	6.7	43	6.1	42	5.6	93	5	230		28.78			29.74	FM-15	0.00	29.74
04	0353	7	CLR:00	7.00		47	8.3	46	7.5	44	6.7	90	5	190		28.76	6	+0.06	29.72	FM-15	0.00	29.72
04	0453	7	CLR:00	6.00	BR:1 ||	46	7.8	45	7.2	44	6.7	93	6	200		28.76			29.72	FM-15	0.00	29.72
04	0553	7	CLR:00	5.00	BR:1 ||	47	8.3	46	7.8	45	7.2	93	7	190		28.75			29.71	FM-15	0.00	29.71
04	0653	7	CLR:00	5.00	BR:1 ||	49	9.4	48	8.9	47	8.3	93	6	190		28.74	8	+0.02	29.70	FM-15	0.00	29.70
04	0753	7	CLR:00	9.00		54	12.2	51	10.5	48	8.9	80	9	220		28.73			29.69	FM-15	0.00	29.69
04	0853	7	FEW:02 110	10.00		58	14.4	53	11.5	48	8.9	70	8	180		28.71			29.67	FM-15	0.00	29.67
04	0953	7	FEW:02 100	10.00		61	16.1	54	12.0	47	8.3	60	11	190	18	28.69	8	+0.05	29.65	FM-15	0.00	29.65
04	1053	7	FEW:02 41 SCT:04 70 OVC:08 100	10.00		61	16.1	52	10.9	43	6.1	52	15	240	22	28.68			29.63	FM-15	T	29.64
04	1153	7	FEW:02 41 BKN:07 80 OVC:08 110	10.00		59	15.0	51	10.4	43	6.1	56	16	230	24	28.67			29.62	FM-15	0.00	29.63
04	1253	7	SCT:04 39 BKN:07 75 OVC:08 100	10.00		59	15.0	51	10.7	44	6.7	58	18	240	28	28.65	8	+0.04	29.61	FM-15	0.00	29.61
04	1353	7	FEW:02 31 OVC:08 80	10.00		56	13.3	50	9.9	44	6.7	65	15	240	23	28.66			29.62	FM-15	0.00	29.62
04	1453	7	SCT:04 26 SCT:04 50 OVC:08 65	10.00	-RA:02 |RA |	52	11.1	48	9.1	45	7.2	77	18	270	25	28.67			29.63	FM-15	T	29.63
04	1503	7	BKN:07 26 BKN:07 34 OVC:08 65	7.00	RA:02 |RA |	50	10.0	47	8.6	45	7.2	83	13	260	21	28.68				FM-16	T	29.64
04	1512	7	SCT:04 26 OVC:08 36	3.00	-RA:02 BR:1 |RA |	50	10.0	48	9.2	47	8.3	89	9	260		28.67				FM-16	0.01	29.63
04	1553	7	SCT:04 19 OVC:08 50	10.00		51	10.6	49	9.7	48	8.9	89	6	270		28.68	1	-0.02	29.64	FM-15	0.02	29.64
04	1602	7	BKN:07 15 BKN:07 20 OVC:08 50	10.00		51	10.6	49	9.7	48	8.9	89	8	290		28.68				FM-16		29.64
04	1622	7	FEW:02 15 SCT:04 20 OVC:08 39	10.00	-RA:02 |RA |	51	10.6	48	9.1	46	7.8	83	8	290		28.68				FM-16	T	29.64
04	1653	7	FEW:02 17 BKN:07 34 OVC:08 45	10.00		52	11.1	49	9.7	47	8.3	83	6	280		28.69			29.65	FM-15	T	29.65

04	1753	7	FEW:02 32 BKN:07 95	10.00		52	11.1	47	8.4	42	5.6	69	17	290		28.70			29.66	FM-15	0.00	29.66
04	1853	7	CLR:00	10.00		50	10.0	45	7.3	40	4.4	68	14	310		28.72	3	-0.04	29.68	FM-15	0.00	29.68
04	1953	7	BKN:07 50	10.00		48	8.9	44	6.8	40	4.4	74	13	300		28.73			29.69	FM-15	0.00	29.69
04	2053	7	FEW:02 21 OVC:08 48	10.00		47	8.3	44	6.5	40	4.4	77	13	310		28.75			29.71	FM-15	0.00	29.71
04	2106	7	BKN:07 22 OVC:08 49	10.00		47	8.3	43	6.3	39	3.9	74	14	300		28.75				FM-16		29.71
04	2138	7	SCT:04 23 OVC:08 48	10.00		46	7.8	43	6.0	39	3.9	77	9	280		28.76				FM-16		29.72
04	2145	7	BKN:07 23 OVC:08 48	10.00		46	7.8	42	5.7	38	3.3	73	9	300		28.76				FM-16		29.72
04	2153	7	BKN:07 24 OVC:08 48	10.00		46	7.8	42	5.5	37	2.8	71	10	290		28.76	1	-0.04	29.72	FM-15	0.00	29.72
04	2201	7	SCT:04 24 OVC:08 48	10.00		46	7.8	41	5.3	36	2.2	68	14	300		28.76				FM-16		29.72
04	2253	7	OVC:08 43	10.00		45	7.2	41	4.8	35	1.7	68	10	310		28.75			29.71	FM-15	0.00	29.71
04	2353	7	CLR:00	10.00		42	5.6	39	3.6	34	1.1	73	0	000		28.76			29.72	FM-15	0.00	29.72
05	0053	7	OVC:08 42	10.00		44	6.7	40	4.7	36	2.2	73	6	330		28.76	5	+0.00	29.72	FM-15	0.00	29.72
05	0153	7	CLR:00	10.00		40	4.4	37	3.0	34	1.1	79	6	330		28.75			29.71	FM-15	0.00	29.71
05	0253	7	BKN:07 42	10.00		39	3.9	37	2.9	35	1.7	86	5	300		28.74			29.71	FM-15	0.00	29.70
05	0353	7	OVC:08 40	10.00		40	4.4	38	3.5	36	2.2	86	8	350		28.76	5	+0.00	29.72	FM-15	0.00	29.72
05	0453	7	OVC:08 39	10.00		42	5.6	40	4.3	37	2.8	82	7	330		28.77			29.74	FM-15	0.00	29.73
05	0553	7	BKN:07 36	10.00		42	5.6	40	4.6	38	3.3	85	9	330		28.78			29.75	FM-15	0.00	29.74
05	0653	7	OVC:08 30	10.00		43	6.1	41	5.1	39	3.9	86	7	310		28.80	3	-0.04	29.76	FM-15	0.00	29.76
05	0709	7	BKN:07 22 OVC:08 30	10.00		44	6.7	42	5.6	40	4.4	85	6	320		28.80				FM-16		29.76
05	0753	7	OVC:08 15	10.00		44	6.7	42	5.6	40	4.4	85	9	310		28.81			29.78	FM-15	0.00	29.77
05	0810	7	BKN:07 10 OVC:08 13	3.00	BR:1 ||	44	6.7	43	5.9	41	5.0	89	7	310		28.82				FM-16		29.78
05	0817	7	BKN:07 10 OVC:08 13	2.50	-RA:02 BR:1 |RA |	44	6.7	43	5.9	41	5.0	89	8	310		28.82				FM-16	T	29.78
05	0829	7	OVC:08 9	2.50	-RA:02 BR:1 |RA |	44	6.7	43	6.1	42	5.6	93	8	310		28.83				FM-16	T	29.79
05	0853	7	OVC:08 8	2.50	-RA:02 BR:1 |RA |	44	6.7	43	6.1	42	5.6	93	9	310		28.83			29.80	FM-15	T	29.79
05	0915	7	OVC:08 8	8.00	-RA:02 |RA |	45	7.2	44	6.4	42	5.6	90	9	310		28.83				FM-16	0.01	29.79
05	0953	7	OVC:08 7	6.00	-RA:02 BR:1 |RA |	47	8.3	46	7.8	45	7.2	93	9	320		28.83	1	-0.04	29.80	FM-15	0.03	29.79
05	1053	7	OVC:08 9	8.00		50	10.0	48	8.9	46	7.8	86	9	360		28.84			29.80	FM-15	T	29.80
05	1143	7	OVC:08 10	6.00	BR:1 ||	50	10.0	48	8.9	46	7.8	86	10	350		28.84				FM-16		29.80
05	1153	7	OVC:08 12	5.00	BR:1 ||	51	10.6	49	9.4	47	8.3	86	9	360		28.84			29.81	FM-15	0.00	29.80
05	1253	7	OVC:08 14	7.00		53	11.7	50	10.2	48	8.9	83	7	340		28.84	0	-0.00	29.80	FM-15	0.00	29.80
05	1300	7	OVC:08 16	9.00		55	12.8	51	10.7	48	8.9	77	9	330		28.84				FM-16		29.80
05	1353	7	OVC:08 19	10.00		54	12.2	50	10.2	47	8.3	77	10	340		28.84			29.82	FM-15	0.00	29.81
05	1453	7	BKN:07 21 OVC:08 28	10.00		56	13.3	52	11.0	48	8.9	75	11	360	20	28.84			29.81	FM-15	0.00	29.80
05	1541	7	BKN:07 35	10.00		59	15.0	52	11.2	46	7.8	62	18	010	28	28.83				FM-16		29.79
05	1553	7	BKN:07 35	10.00		58	14.4	52	11.0	46	7.8	65	17	360		28.84	8	+0.00	29.80	FM-15	0.00	29.80
05	1653	7	BKN:07 42 BKN:07 50	10.00		61	16.1	52	11.2	44	6.7	54	23	340	30	28.83			29.80	FM-15	0.00	29.79
05	1753	7	CLR:00	10.00		60	15.6	51	10.7	43	6.1	53	16	020	26	28.84			29.80	FM-15	0.00	29.80
05	1853	7	FEW:02 46	10.00		58	14.4	50	10.0	42	5.6	56	18	010		28.86	3	-0.02	29.82	FM-15	0.00	29.82
05	1953	7	CLR:00	10.00		55	12.8	48	8.9	41	5.0	59	9	010		28.87			29.83	FM-15	0.00	29.83
05	2053	7	SCT:04 90	10.00		52	11.1	47	8.1	41	5.0	66	7	340		28.87			29.85	FM-15	0.00	29.84
05	2153	7	FEW:02 90	10.00		52	11.1	47	8.1	41	5.0	66	8	320		28.90	3	-0.04	29.86	FM-15	0.00	29.86
05	2253	7	FEW:02 90	10.00		50	10.0	45	7.4	40	4.4	68	8	320		28.90			29.87	FM-15	0.00	29.86
05	2353	7	OVC:08 90	10.00		50	10.0	45	7.4	40	4.4	68	7	330		28.90			29.87	FM-15	0.00	29.87
06	0053	7	OVC:08 95	10.00		50	10.0	45	7.1	39	3.9	66	10	330		28.90	1	-0.01	29.87	FM-15	0.00	29.87
06	0153	7	OVC:08 100	10.00		50	10.0	44	6.9	38	3.3	63	11	340		28.90			29.87	FM-15	0.00	29.86
06	0253	7	OVC:08 95	10.00		48	8.9	43	6.3	38	3.3	68	9	350		28.90			29.87	FM-15	0.00	29.87
06	0353	7	FEW:02 90	10.00		47	8.3	42	5.8	37	2.8	69	8	330		28.91	3	-0.01	29.88	FM-15	0.00	29.88

06	0453	7	CLR:00	10.00		46	7.8	42	5.7	38	3.3	73	7	330		28.92			29.89	FM-15	0.00	29.89
06	0553	7	CLR:00	10.00		46	7.8	42	5.5	37	2.8	71	8	340		28.94			29.91	FM-15	0.00	29.91
06	0653	7	CLR:00	10.00		50	10.0	44	6.9	38	3.3	63	10	340		28.95	1	-0.04	29.91	FM-15	0.00	29.92
06	0753	7	CLR:00	10.00		54	12.2	47	8.4	40	4.4	59	7	350		28.96			29.93	FM-15	0.00	29.93
06	0853	7	CLR:00	10.00		58	14.4	50	9.7	41	5.0	53	11	340		28.97			29.94	FM-15	0.00	29.94
06	0953	7	CLR:00	10.00		61	16.1	51	10.5	41	5.0	48	10	340		28.97	1	-0.03	29.94	FM-15	0.00	29.94
06	1053	7	CLR:00	10.00		64	17.8	52	11.2	41	5.0	43	14	350	23	28.97			29.94	FM-15	0.00	29.94
06	1153	7	CLR:00	10.00		66	18.9	53	11.9	42	5.6	42	13	340	21	28.96			29.92	FM-15	0.00	29.93
06	1253	7	FEW:02 60	10.00		68	20.0	55	12.6	43	6.1	40	11	VRB		28.93	8	+0.04	29.90	FM-15	0.00	29.90
06	1353	7	SCT:04 60	10.00		67	19.4	53	11.9	41	5.0	39	13	360	21	28.92			29.88	FM-15	0.00	29.89
06	1453	7	BKN:07 70	10.00		69	20.6	55	12.9	43	6.1	39	16	340	24	28.90			29.86	FM-15	0.00	29.87
06	1553	7	SCT:04 65	10.00		68	20.0	54	12.0	40	4.4	36	15	340	23	28.89	8	+0.05	29.85	FM-15	0.00	29.85
06	1653	7	SCT:04 65	10.00		67	19.4	53	11.7	40	4.4	37	15	330	24	28.89			29.84	FM-15	0.00	29.85
06	1753	7	FEW:02 70	10.00		66	18.9	52	11.0	38	3.3	36	16	330	21	28.87			29.84	FM-15	0.00	29.84
06	1853	7	CLR:00	10.00		65	18.3	52	11.2	40	4.4	40	10	330		28.89	5	+0.00	29.85	FM-15	0.00	29.85
06	1953	7	FEW:02 70	10.00		60	15.6	50	10.0	40	4.4	47	3	360		28.90			29.86	FM-15	0.00	29.86
06	2053	7	CLR:00	10.00		60	15.6	50	9.8	39	3.9	46	3	360		28.90			29.85	FM-15	0.00	29.86
06	2153	7	CLR:00	10.00		54	12.2	48	8.9	42	5.6	64	0	000		28.90	0	-0.01	29.85	FM-15	0.00	29.86
06	2253	7	CLR:00	10.00		52	11.1	48	8.9	44	6.7	75	5	260		28.89			29.85	FM-15	0.00	29.85
06	2353	7	CLR:00	10.00		52	11.1	48	8.6	43	6.1	72	0	000		28.87			29.83	FM-15	0.00	29.84
07	0053	7	CLR:00	10.00		48	8.9	45	7.3	42	5.6	80	5	240		28.86	8	+0.04	29.81	FM-15	0.00	29.82
07	0153	7	CLR:00	10.00		47	8.3	45	7.0	42	5.6	83	0	000		28.84			29.80	FM-15	0.00	29.80
07	0253	7	CLR:00	10.00		48	8.9	45	7.3	42	5.6	80	6	250		28.84			29.79	FM-15	0.00	29.80
07	0353	7	CLR:00	10.00		49	9.4	45	7.1	40	4.4	71	0	000		28.83	6	+0.03	29.78	FM-15	0.00	29.79
07	0453	7	CLR:00	10.00		44	6.7	42	5.6	40	4.4	85	3	110		28.82			29.78	FM-15	0.00	29.78
07	0553	7	CLR:00	10.00		46	7.8	44	6.5	41	5.0	83	3	130		28.81			29.77	FM-15	0.00	29.77
07	0653	7	CLR:00	10.00		53	11.7	48	9.2	44	6.7	72	5	190		28.81	6	+0.01	29.76	FM-15	0.00	29.77
07	0753	7	SCT:04 120	10.00		57	13.9	51	10.4	45	7.2	64	7	190		28.78			29.73	FM-15	0.00	29.74
07	0853	7	CLR:00	10.00		63	17.2	55	12.7	48	8.9	58	10	200		28.76			29.71	FM-15	0.00	29.72
07	0953	7	CLR:00	10.00		66	18.9	57	13.7	49	9.4	54	10	220		28.75	6	+0.06	29.71	FM-15	0.00	29.71
07	1053	7	CLR:00	10.00		65	18.3	57	13.7	50	10.0	59	8	190		28.73			29.68	FM-15	0.00	29.69
07	1153	7	OVC:08 100	10.00	-RA:02 |RA |	65	18.3	58	14.2	52	11.1	63	5	190		28.74			29.69	FM-15	T	29.70
07	1253	7	OVC:08 100	10.00		67	19.4	59	15.0	53	11.7	61	8	240		28.73	6	+0.02	29.69	FM-15	T	29.69
07	1353	7	OVC:08 90	10.00		66	18.9	60	15.3	55	12.8	68	5	160		28.73			29.69	FM-15	T	29.69
07	1453	7	BKN:07 100 BKN:07 120	10.00		69	20.6	63	17.2	59	15.0	70	8	180		28.70			29.65	FM-15	T	29.66
07	1553	7	BKN:07 100	10.00		72	22.2	63	17.2	57	13.9	59	8	230		28.68	8	+0.05	29.64	FM-15	0.00	29.64
07	1653	7	BKN:07 100	10.00		73	22.8	62	16.8	55	12.8	53	17	260	25	28.68			29.63	FM-15	0.00	29.64
07	1753	7	BKN:07 60 BKN:07 100	10.00		73	22.8	62	16.5	54	12.2	51	11	280		28.68			29.63	FM-15	0.00	29.64
07	1853	7	FEW:02 49 SCT:04 95	10.00		71	21.7	62	16.4	55	12.8	57	18	270	25	28.68	6	+0.00	29.63	FM-15	0.00	29.64
07	1953	7	CLR:00	10.00		67	19.4	59	15.0	53	11.7	61	11	280		28.71			29.66	FM-15	0.00	29.67
07	2053	7	FEW:02 75 FEW:02 100	10.00		64	17.8	57	14.0	52	11.1	65	17	300	32	28.75			29.70	FM-15	0.00	29.71
07	2153	7	OVC:08 49	10.00		62	16.7	55	12.7	49	9.4	62	14	310		28.78	1	-0.10	29.72	FM-15	0.00	29.74
07	2251	6	OVC:08 29	10.00		61	16.0	53	11.7	46	8.0	59	15	010		28.79				FM-16		29.75
07	2253	7	OVC:08 29	10.00		59	15.0	52	11.2	46	7.8	62	13	360		28.79			29.74	FM-15	0.00	29.75
07	2303	7	OVC:08 31	10.00		59	15.0	52	11.2	46	7.8	62	16	010		28.79				FM-16		29.75
07	2353	7	OVC:08 40	10.00		56	13.3	49	9.4	42	5.6	60	10	360		28.81			29.77	FM-15	0.00	29.77
08	0053	7	BKN:07 49	10.00		54	12.2	46	7.5	36	2.2	51	7	360		28.84	3	-0.06	29.80	FM-15	0.00	29.81
08	0153	7	OVC:08 60	10.00		52	11.1	45	7.2	37	2.8	57	8	340		28.87			29.82	FM-15	0.00	29.83
08	0253	7	SCT:04 60	10.00		50	10.0	44	6.9	38	3.3	63	8	320		28.89			29.84	FM-15	0.00	29.85
08	0353	7	BKN:07 41	10.00		48	8.9	43	6.3	38	3.3	68	5	320		28.90	1	-0.05	29.85	FM-15	0.00	29.86
08	0453	7	CLR:00	10.00		45	7.2	42	5.4	38	3.3	77	6	340		28.90			29.86	FM-15	0.00	29.87
08	0553	7	CLR:00	10.00		45	7.2	42	5.5	38	3.3	77	5	340		28.92			29.88	FM-15	0.00	29.89
08	0653	7	CLR:00	10.00		50	10.0	46	7.8	42	5.6	74	0	000		28.96	3	-0.07	29.93	FM-15	0.00	29.93
08	0753	7	CLR:00	10.00		54	12.2	47	8.4	40	4.4	59	3	360		28.98			29.95	FM-15	0.00	29.95

08	0853	7	CLR:00	10.00		57	13.9	49	9.2	40	4.4	53	0	000		28.99			29.96	FM-15	0.00	29.96
08	0953	7	CLR:00	10.00		60	15.6	50	10.2	41	5.0	50	6	240		29.01	1	-0.04	29.97	FM-15	0.00	29.98
08	1053	7	CLR:00	10.00		63	17.2	50	10.1	37	2.8	38	0	000		29.00			29.96	FM-15	0.00	29.97
08	1153	7	CLR:00	10.00		64	17.8	51	10.6	38	3.3	38	6	250		29.01			29.97	FM-15	0.00	29.98
08	1253	7	FEW:02 70	10.00		66	18.9	51	10.6	36	2.2	33	3	VRB		28.98	8	+0.02	29.95	FM-15	0.00	29.95
08	1353	7	FEW:02 80 SCT:04 95	10.00		66	18.9	51	10.4	35	1.7	32	6	240		28.98			29.94	FM-15	0.00	29.95
08	1453	7	BKN:07 80	10.00		65	18.3	51	10.8	38	3.3	37	11	200		28.96			29.93	FM-15	0.00	29.93
08	1553	7	FEW:02 80	10.00		66	18.9	52	10.8	37	2.8	34	10	220		28.94	8	+0.04	29.91	FM-15	0.00	29.91
08	1653	7	CLR:00	10.00		64	17.8	51	10.4	37	2.8	37	14	210		28.96			29.93	FM-15	0.00	29.93
08	1753	7	CLR:00	10.00		62	16.7	52	11.2	43	6.1	50	15	230		28.97			29.94	FM-15	0.00	29.94
08	1853	7	CLR:00	10.00		58	14.4	51	10.7	45	7.2	62	14	240		29.00	3	-0.06	29.97	FM-15	0.00	29.97
08	1953	7	CLR:00	10.00		54	12.2	49	9.4	44	6.7	69	7	250		29.02			29.99	FM-15	0.00	29.99
08	2053	7	CLR:00	10.00		52	11.1	48	8.9	44	6.7	75	6	230		29.04			30.01	FM-15	0.00	30.01
08	2153	7	CLR:00	10.00		51	10.6	47	8.4	43	6.1	74	0	000		29.04	1	-0.04	30.01	FM-15	0.00	30.01
08	2253	7	CLR:00	10.00		49	9.4	46	7.6	42	5.6	77	5	190		29.04			30.01	FM-15	0.00	30.01
08	2353	7	FEW:02 110	10.00		48	8.9	46	7.5	43	6.1	83	0	000		29.04			30.00	FM-15	0.00	30.01
09	0053	7	BKN:07 80	10.00		46	7.8	44	6.7	42	5.6	86	0	000		29.04	5	+0.00	30.01	FM-15	0.00	30.01
09	0153	7	OVC:08 75	10.00		47	8.3	46	7.5	44	6.7	90	3	010		29.03			30.00	FM-15	0.00	30.00
09	0253	7	BKN:07 70 OVC:08 100	10.00		47	8.3	46	7.5	44	6.7	90	0	000		29.03			30.00	FM-15	0.00	30.00
09	0353	7	BKN:07 60 OVC:08 70	10.00		50	10.0	48	8.9	46	7.8	86	0	000		29.04	5	+0.01	30.00	FM-15	0.00	30.01
09	0453	7	OVC:08 60	10.00		50	10.0	48	9.2	47	8.3	89	0	000		29.04			30.01	FM-15	0.00	30.01
09	0553	7	OVC:08 60	10.00		51	10.6	49	9.4	47	8.3	86	0	000		29.07			30.04	FM-15	0.00	30.04
09	0653	7	OVC:08 100	10.00	-RA:02 |RA |	52	11.1	50	10.0	48	8.9	86	6	190		29.08	3	-0.04	30.05	FM-15	T	30.05
09	0753	7	BKN:07 50 OVC:08 85	10.00	-RA:02 |RA |	52	11.1	49	9.7	47	8.3	83	0	000		29.10			30.07	FM-15	T	30.07
09	0853	7	OVC:08 45	3.00	RA:02 BR:1 |RA |	50	10.0	49	9.4	48	8.9	93	0	000		29.13			30.10	FM-15	0.04	30.10
09	0953	7	BKN:07 43 OVC:08 60	6.00	-RA:02 BR:1 |RA |	51	10.6	49	9.7	48	8.9	89	0	000		29.14	1	-0.06	30.12	FM-15	0.01	30.11
09	1053	7	OVC:08 41	10.00		52	11.1	50	10.0	48	8.9	86	6	070		29.14			30.11	FM-15	T	30.11
09	1153	7	OVC:08 38	10.00		53	11.7	50	10.2	48	8.9	83	7	090		29.13			30.10	FM-15	0.00	30.10
09	1253	7	SCT:04 44 OVC:08 90	10.00		55	12.8	51	10.5	47	8.3	74	8	090		29.12	6	+0.02	30.10	FM-15	0.00	30.09
09	1353	7	FEW:02 45 OVC:08 75	10.00		54	12.2	49	9.7	45	7.2	72	10	100		29.13			30.10	FM-15	0.00	30.10
09	1453	7	OVC:08 60	10.00		56	13.3	50	10.2	45	7.2	67	5	080		29.13			30.10	FM-15	0.00	30.10
09	1553	7	BKN:07 47 OVC:08 55	10.00		55	12.8	50	10.2	46	7.8	72	6	080		29.14	3	-0.01	30.11	FM-15	T	30.11
09	1653	7	FEW:02 46 OVC:08 60	10.00		54	12.2	50	10.2	47	8.3	77	8	080		29.11			30.08	FM-15	T	30.08
09	1753	7	OVC:08 60	10.00		54	12.2	50	10.2	47	8.3	77	10	100		29.11			30.08	FM-15	0.00	30.08
09	1853	7	OVC:08 55	10.00	-RA:02 |RA |	53	11.7	50	10.0	47	8.3	80	9	100		29.11	5	+0.02	30.08	FM-15	T	30.08
09	1953	7	OVC:08 55	10.00	-RA:02 |RA |	52	11.1	50	10.2	49	9.4	89	5	060		29.10			30.07	FM-15	0.01	30.07
09	2053	7	BKN:07 75 OVC:08 90	10.00	-RA:02 |RA |	51	10.6	50	10.0	49	9.4	92	6	060		29.10			30.08	FM-15	T	30.07
09	2153	7	BKN:07 100	9.00	-RA:02 |RA |	52	11.1	50	10.2	49	9.4	89	6	080		29.11	5	+0.00	30.08	FM-15	T	30.08
09	2253	7	FEW:02 80 OVC:08 110	10.00	-RA:02 |RA |	52	11.1	50	10.2	49	9.4	89	5	110		29.11			30.08	FM-15	T	30.08
09	2353	7	OVC:08 90	7.00	-RA:02 |RA |	51	10.6	50	10.0	49	9.4	92	6	080		29.12			30.10	FM-15	0.02	30.09
10	0053	7	FEW:02 70 OVC:08 90	9.00	-RA:02 |RA |	51	10.6	50	10.0	49	9.4	92	5	100		29.12	0	-0.01	30.09	FM-15	T	30.09
10	0153	7	FEW:02 60 BKN:07 75 OVC:08 90	5.00	RA:02 BR:1 |RA |	51	10.6	50	10.3	50	10.0	96	6	090		29.11			30.08	FM-15	0.03	30.08
10	0253	7	FEW:02 44 OVC:08 100	8.00	-RA:02 |RA |	51	10.6	50	10.3	50	10.0	96	3	110		29.10			30.07	FM-15	0.01	30.07
10	0353	7	BKN:07 48 OVC:08 100	7.00	-RA:02 |RA |	51	10.6	50	10.3	50	10.0	96	5	090		29.11	5	+0.01	30.08	FM-15	T	30.08

10	0453	7	BKN:07 44 OVC:08 110	5.00	BR:1 ||	52	11.1	51	10.5	50	10.0	93	3	080		29.11			30.08	FM-15	T	30.08
10	0543	7	BKN:07 120	2.50	BR:1 ||	51	10.6	50	10.3	50	10.0	96	3	110		29.12				FM-16		30.09
10	0553	7	BKN:07 110	2.50	BR:1 ||	51	10.6	50	10.3	50	10.0	96	5	100		29.12			30.09	FM-15	0.00	30.09
10	0611	7	BKN:07 110	1.75	BR:1 ||	51	10.6	50	10.3	50	10.0	96	5	070		29.12				FM-16		30.09
10	0619	7	SCT:04 110	2.00	BR:1 ||	51	10.6	50	10.3	50	10.0	96	6	080		29.11				FM-16		30.08
10	0630	7	FEW:02 110	1.75	BR:1 ||	52	11.1	51	10.8	51	10.6	97	5	080		29.11				FM-16		30.08
10	0645	7	CLR:00	2.50	BR:1 ||	52	11.1	51	10.8	51	10.6	97	5	100		29.11				FM-16		30.08
10	0651	6	CLR:00	3.00	BR:1 ||	54	12.0	53	11.6	52	11.0	94	5	110		29.12				FM-16		30.09
10	0653	7	FEW:02 44	3.00	BR:1 ||	53	11.7	52	11.4	52	11.1	96	5	120		29.12	0	-0.01	30.09	FM-15	0.00	30.09
10	0753	7	CLR:00	5.00	BR:1 ||	54	12.2	53	11.6	52	11.1	93	9	100		29.12			30.09	FM-15	0.00	30.09
10	0853	7	SCT:04 110	10.00		59	15.0	56	13.4	54	12.2	83	10	120		29.11			30.09	FM-15	0.00	30.08
10	0953	7	FEW:02 60 SCT:04 75	10.00		63	17.2	58	14.7	55	12.8	75	15	120		29.10	8	+0.01	30.07	FM-15	0.00	30.07
10	1053	7	BKN:07 43 OVC:08 70	10.00	-RA:02 |RA |	64	17.8	59	14.9	55	12.8	73	11	120		29.10			30.06	FM-15	T	30.07
10	1153	7	FEW:02 39 BKN:07 90	10.00		68	20.0	61	16.4	57	13.9	68	14	120		29.07			30.04	FM-15	0.01	30.04
10	1253	7	BKN:07 90 BKN:07 110	10.00		71	21.7	63	17.3	58	14.4	63	9	140		29.06	8	+0.04	30.02	FM-15	0.00	30.03
10	1353	7	SCT:04 38 BKN:07 47 OVC:08 80	9.00	-RA:02 |RA |	68	20.0	63	17.3	60	15.6	76	8	160		29.05			30.01	FM-15	T	30.02
10	1453	7	SCT:04 43 BKN:07 55 OVC:08 95	6.00	-RA:02 |RA |	68	20.0	65	18.3	63	17.2	84	7	120		29.04			30.01	FM-15	0.02	30.01
10	1553	7	FEW:02 48 OVC:08 95	9.00		67	19.4	65	18.4	64	17.8	91	7	130		29.04	5	+0.01	30.01	FM-15	0.05	30.01
10	1653	7	FEW:02 34 SCT:04 90 BKN:07 110	10.00		70	21.1	65	18.4	62	16.7	76	5	180		29.03			29.99	FM-15	T	30.00
10	1753	7	FEW:02 26 FEW:02 31	10.00		70	21.1	65	18.3	62	16.7	76	5	140		29.02			29.98	FM-15	0.00	29.99
10	1853	7	SCT:04 25 SCT:04 30 BKN:07 42	10.00		69	20.6	65	18.1	62	16.7	78	6	150		29.04	5	+0.01	30.00	FM-15	0.00	30.01
10	1906	7	SCT:04 20 BKN:07 30 BKN:07 42	4.00	TS:7 +RA:02 |RA TS TS |	68	20.0	65	18.3	63	17.2	84	9	170		29.05				FM-16	0.02	30.02
10	1951	6	FEW:02 20 BKN:07 30	10.00		64	18.0	60	15.5	57	14.0	78	9	190		29.05				FM-16		30.02
10	1953	7	FEW:02 20 BKN:07 30	10.00		64	17.8	60	15.8	58	14.4	81	8	190		29.05			30.01	FM-15	0.09	30.02
10	2053	7	FEW:02 100	10.00		61	16.1	59	14.8	57	13.9	87	3	170		29.05			30.02	FM-15	0.00	30.02
10	2153	7	CLR:00	10.00		60	15.6	58	14.6	57	13.9	90	8	170		29.06	1	-0.02	30.02	FM-15	0.00	30.03
10	2253	7	CLR:00	10.00		60	15.6	58	14.6	57	13.9	90	7	170		29.06			30.02	FM-15	0.00	30.03
10	2353	7	BKN:07 110	10.00	-RA:02 |RA |	60	15.6	59	14.9	58	14.4	93	5	160		29.05			30.01	FM-15	T	30.02
11	0026	7	FEW:02 7 SCT:04 80	10.00		59	15.0	58	14.4	57	13.9	93	5	130		29.05				FM-16	T	30.02
11	0053	7	FEW:02 6 SCT:04 80	9.00		59	15.0	58	14.4	57	13.9	93	6	160		29.05	5	+0.01	30.01	FM-15	0.00	30.02
11	0153	7	OVC:08 50	9.00		59	15.0	58	14.7	58	14.4	96	6	170		29.05			30.01	FM-15	0.00	30.02
11	0253	7	BKN:07 49 OVC:08 60	7.00		59	15.0	58	14.4	57	13.9	93	3	080		29.06			30.01	FM-15	0.00	30.03
11	0344	7	SCT:04 60 BKN:07 110	2.50	BR:1 ||	57	13.9	57	13.9	57	13.9	100	0	000		29.07				FM-16		30.04
11	0351	7	FEW:02 60 FEW:02 95 BKN:07 110	4.00	BR:1 ||	57	14.0	56	13.3	55	13.0	94	0	000		29.07				FM-16		30.04
11	0353	7	FEW:02 60 BKN:07 110	3.00	BR:1 ||	57	13.9	56	13.6	56	13.3	96	3	120		29.07	0	-0.01	30.03	FM-15	0.00	30.04
11	0406	7	SCT:04 110	1.75	BR:1 ||	57	13.9	57	13.9	57	13.9	100	0	000		29.07				FM-16		30.04

11	0410	7	FEW:02 3 SCT:04 110	0.50	FG:2 |FG |	56	13.3	56	13.3	56	13.3	100	0	000		29.06				FM-16		30.03
11	0416	7	VV:09 2	0.25	FG:2 |FG |	55	12.8	55	12.8	55	12.8	100	0	000		29.06				FM-16		30.03
11	0423	7	FEW:02 2 SCT:04 46	0.50	FG:2 |FG |	56	13.3	56	13.3	56	13.3	100	3	080		29.07				FM-16		30.04
11	0440	7	FEW:02 2 BKN:07 42	0.25	FG:2 |FG |	55	12.8	55	12.8	55	12.8	100	0	000		29.07				FM-16		30.04
11	0451	6	BKN:07 38 OVC:08 45	0.50	FG:2 |FG |	57	14.0	56	13.3	55	13.0	94	0	000		29.07				FM-16		30.04
11	0453	7	BKN:07 38 OVC:08 45	0.75	BR:1 ||	57	13.9	57	13.9	57	13.9	100	0	000		29.08			30.03	FM-15	0.00	30.05
11	0500	7	OVC:08 39	1.50	BR:1 ||	57	13.9	57	13.9	57	13.9	100	3	080		29.08				FM-16		30.05
11	0507	7	FEW:02 29 OVC:08 39	3.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	3	090		29.08				FM-16		30.05
11	0523	7	FEW:02 25 BKN:07 29 OVC:08 44	4.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	0	000		29.09				FM-16		30.06
11	0553	7	OVC:08 17	9.00		58	14.4	58	14.4	58	14.4	100	5	130		29.09			30.05	FM-15	T	30.06
11	0626	7	OVC:08 16	2.50	RA:02 BR:1 |RA |	59	15.0	58	14.7	58	14.4	96	6	130		29.10				FM-16	0.05	30.07
11	0635	7	OVC:08 16	6.00	-RA:02 BR:1 |RA |	59	15.0	58	14.7	58	14.4	96	5	150		29.11				FM-16	0.05	30.08
11	0644	7	OVC:08 14	8.00	-RA:02 |RA |	59	15.0	58	14.7	58	14.4	96	5	140		29.11				FM-16	0.05	30.08
11	0653	7	OVC:08 14	9.00	-RA:02 |RA |	59	15.0	58	14.7	58	14.4	96	6	130		29.11	3	-0.04	30.07	FM-15	0.05	30.08
11	0731	7	OVC:08 14	1.50	RA:02 BR:1 |RA |	59	15.0	58	14.7	58	14.4	96	5	140		29.11				FM-16	0.08	30.08
11	0748	7	OVC:08 14	2.50	-RA:02 BR:1 |RA |	61	16.0	60	15.5	59	15.0	94	6	140		29.11				FM-16	0.10	30.08
11	0751	6	OVC:08 14	3.00	-RA:02 BR:1 |RA |	61	16.0	60	15.5	59	15.0	94	7	140		29.11				FM-16		30.08
11	0753	7	OVC:08 14	2.50	-RA:02 BR:1 |RA |	60	15.6	59	15.2	59	15.0	96	7	150		29.11			30.07	FM-15	0.11	30.08
11	0834	7	BKN:07 5 OVC:08 14	2.50	BR:1 ||	60	15.6	59	15.2	59	15.0	96	6	170		29.11				FM-16	0.01	30.08
11	0851	6	BKN:07 5 OVC:08 13	5.00	BR:1 ||	61	16.0	60	15.5	59	15.0	94	7	160		29.11				FM-16		30.08
11	0853	7	BKN:07 5 OVC:08 13	5.00	BR:1 ||	61	16.1	60	15.5	59	15.0	93	8	160		29.11			30.08	FM-15	0.01	30.08
11	0953	7	OVC:08 7	5.00	BR:1 ||	62	16.7	61	16.0	60	15.6	93	7	150		29.10	8	+0.01	30.07	FM-15	0.00	30.07
11	1053	7	OVC:08 10	8.00		65	18.3	62	16.7	60	15.6	84	3	230		29.12			30.08	FM-15	0.00	30.09
11	1153	7	SCT:04 12 OVC:08 14	10.00		66	18.9	62	16.9	60	15.6	81	0	000		29.13			30.09	FM-15	0.00	30.10
11	1200	7	FEW:02 12 OVC:08 18	10.00		66	18.9	62	16.9	60	15.6	81	0	000		29.13				FM-16		30.10
11	1253	7	BKN:07 18 OVC:08 26	9.00		67	19.4	63	17.1	60	15.6	79	3	300		29.14	1	-0.04	30.10	FM-15	0.00	30.11
11	1353	7	BKN:07 19 BKN:07 25 OVC:08 39	10.00		68	20.0	63	17.3	60	15.6	76	3	290		29.13			30.09	FM-15	0.00	30.10
11	1426	7	SCT:04 21 BKN:07 39	9.00		70	21.1	64	18.0	61	16.1	73	0	000		29.12				FM-16		30.09
11	1451	6	BKN:07 25 BKN:07 38	10.00		72	22.0	66	19.1	63	17.0	73	0	000		29.11				FM-16		30.08
11	1453	7	BKN:07 25 BKN:07 38	10.00		72	22.2	66	18.8	62	16.7	71	0	000		29.11			30.06	FM-15	0.00	30.08
11	1553	7	BKN:07 25 BKN:07 35	10.00		73	22.8	64	18.0	59	15.0	62	7	280		29.09	8	+0.05	30.04	FM-15	0.00	30.06
11	1600	7	SCT:04 35	10.00		73	22.8	64	18.0	59	15.0	62	8	300		29.08				FM-16		30.05
11	1653	7	SCT:04 35	10.00		74	23.3	65	18.2	59	15.0	60	8	290		29.08			30.03	FM-15	0.00	30.05
11	1753	7	CLR:00	10.00		73	22.8	64	18.0	59	15.0	62	5	260		29.08			30.04	FM-15	0.00	30.05
11	1853	7	CLR:00	10.00		71	21.7	64	17.6	59	15.0	66	0	000		29.07	6	+0.01	30.03	FM-15	0.00	30.04
11	1953	7	CLR:00	10.00		67	19.4	62	16.8	59	15.0	76	0	000		29.09			30.05	FM-15	0.00	30.06
11	2053	7	CLR:00	10.00		64	17.8	60	15.8	58	14.4	81	3	090		29.09			30.05	FM-15	0.00	30.06
11	2153	7	CLR:00	10.00		64	17.8	60	15.8	58	14.4	81	3	110		29.09	0	-0.01	30.05	FM-15	0.00	30.06
11	2253	7	CLR:00	10.00		63	17.2	61	15.9	59	15.0	87	7	120		29.07			30.03	FM-15	0.00	30.04
11	2353	7	CLR:00	10.00		61	16.1	59	15.1	58	14.4	90	5	090		29.08			30.04	FM-15	0.00	30.05

12	0053	7	BKN:07 46 BKN:07 55 OVC:08 75	10.00		63	17.2	61	15.9	59	15.0	87	3	120		29.08	5	+0.01	30.04	FM-15	0.00	30.05
12	0153	7	SCT:04 42	10.00		62	16.7	60	15.7	59	15.0	90	3	090		29.06			30.02	FM-15	0.00	30.03
12	0253	7	SCT:04 40 BKN:07 65	10.00		65	18.3	62	16.7	60	15.6	84	6	160		29.06			30.02	FM-15	0.00	30.03
12	0353	7	BKN:07 37	10.00		64	17.8	62	16.4	60	15.6	87	5	150		29.06	6	+0.02	30.01	FM-15	0.00	30.03
12	0453	7	FEW:02 90	10.00		63	17.2	61	16.2	60	15.6	90	6	150		29.04			30.00	FM-15	0.00	30.01
12	0553	7	CLR:00	6.00	BR:1 ||	62	16.7	60	15.7	59	15.0	90	5	150		29.04			29.99	FM-15	0.00	30.01
12	0653	7	FEW:02 100	8.00		64	17.8	62	16.8	61	16.1	90	8	150		29.05	5	+0.01	30.01	FM-15	0.00	30.02
12	0753	7	CLR:00	10.00		66	18.9	63	17.2	61	16.1	84	9	190		29.05			30.01	FM-15	0.00	30.02
12	0853	7	CLR:00	10.00		68	20.0	63	17.3	60	15.6	76	10	230		29.07			30.03	FM-15	0.00	30.04
12	0953	7	CLR:00	10.00		71	21.7	64	17.9	60	15.6	68	9	230		29.07	1	-0.01	30.02	FM-15	0.00	30.04
12	1053	7	CLR:00	10.00		74	23.3	65	18.2	59	15.0	60	11	220		29.04			30.00	FM-15	0.00	30.01
12	1153	7	CLR:00	10.00		74	23.3	65	18.2	59	15.0	60	7	190		29.03			29.98	FM-15	0.00	30.00
12	1253	7	FEW:02 39	10.00		78	25.6	67	19.6	61	16.1	56	13	220	21	29.01	6	+0.06	29.96	FM-15	0.00	29.98
12	1353	7	FEW:02 36 BKN:07 120	10.00		77	25.0	67	19.4	61	16.1	58	9	200		29.00			29.95	FM-15	0.00	29.97
12	1453	7	SCT:04 37 BKN:07 120	10.00		77	25.0	67	19.7	62	16.7	60	11	200		28.97			29.92	FM-15	0.00	29.94
12	1553	7	FEW:02 34	10.00		76	24.4	67	19.2	61	16.1	60	13	190		28.94	8	+0.07	29.89	FM-15	0.00	29.91
12	1653	7	CLR:00	10.00		76	24.4	65	18.6	59	15.0	56	10	200		28.93			29.88	FM-15	0.00	29.90
12	1753	7	CLR:00	10.00		75	23.9	66	18.7	60	15.6	60	9	200		28.91			29.86	FM-15	0.00	29.88
12	1853	7	CLR:00	10.00		73	22.8	65	18.3	60	15.6	64	7	VRB		28.90	6	+0.04	29.85	FM-15	0.00	29.87
12	1953	7	CLR:00	10.00		71	21.7	64	17.9	60	15.6	68	9	210		28.90			29.85	FM-15	0.00	29.87
12	2053	7	BKN:07 85	10.00		71	21.7	64	17.9	60	15.6	68	14	240		28.91			29.85	FM-15	0.00	29.88
12	2112	7	BKN:07 20 BKN:07 35 OVC:08 90	10.00	-RA:02 |RA |	65	18.3	61	16.0	58	14.4	78	22	290	36	28.93				FM-16	T	29.90
12	2138	7	FEW:02 20 BKN:07 47 OVC:08 55	6.00	-RA:02 BR:1 |RA |	63	17.2	61	16.2	60	15.6	90	10	300		28.94				FM-16	0.05	29.91
12	2153	7	FEW:02 45 OVC:08 55	8.00	-RA:02 |RA |	62	16.7	61	16.0	60	15.6	93	6	300		28.94	3	-0.04	29.89	FM-15	0.06	29.91
12	2249	7	FEW:02 7 BKN:07 15 OVC:08 32	3.00	RA:02 BR:1 |RA |	63	17.0	62	16.6	61	16.0	94	5	220		28.93				FM-16	0.06	29.90
12	2253	7	BKN:07 9 BKN:07 15 OVC:08 33	4.00	-RA:02 BR:1 |RA |	62	16.7	61	16.3	61	16.1	96	10	250	17	28.93			29.88	FM-15	0.07	29.90
12	2303	7	FEW:02 9 BKN:07 12 OVC:08 19	6.00	RA:02 BR:1 |RA |	62	16.7	60	15.7	59	15.0	90	14	300	22	28.93				FM-16	0.01	29.90
12	2314	7	SCT:04 10 BKN:07 20 OVC:08 60	5.00	RA:02 BR:1 |RA |	60	15.6	59	14.9	58	14.4	93	14	310	24	28.93				FM-16	0.04	29.90
12	2330	7	SCT:04 22 BKN:07 43 OVC:08 85	5.00	RA:02 BR:1 |RA |	59	15.0	57	14.1	56	13.3	90	16	320		28.93				FM-16	0.07	29.90
12	2353	7	FEW:02 43 BKN:07 70 OVC:08 85	7.00	-RA:02 |RA |	58	14.4	56	13.5	55	12.8	90	8	320		28.94			29.89	FM-15	0.11	29.91
13	0053	7	FEW:02 50 SCT:04 70 OVC:08 90	7.00	-RA:02 |RA |	58	14.4	57	14.1	57	13.9	97	0	000		28.92	8	+0.01	29.88	FM-15	0.08	29.89
13	0153	7	SCT:04 30 OVC:08 70	10.00		60	15.6	59	15.2	59	15.0	96	8	240		28.93			29.88	FM-15	T	29.90
13	0200	7	FEW:02 6 SCT:04 30 OVC:08 75	10.00		60	15.6	59	15.2	59	15.0	96	7	250		28.92				FM-16		29.89
13	0253	7	OVC:08 100	8.00		60	15.6	59	14.9	58	14.4	93	8	270		28.93			29.88	FM-15	0.00	29.90
13	0353	7	CLR:00	10.00		57	13.9	55	13.0	54	12.2	90	9	270		28.94	3	-0.01	29.89	FM-15	0.00	29.91

13	0453	7	OVC:08 70	10.00		56	13.3	54	12.4	53	11.7	90	11	280		28.96			29.92	FM-15	0.00	29.93
13	0553	7	FEW:02 60	10.00		54	12.2	52	11.0	50	10.0	87	10	270		28.98			29.94	FM-15	0.00	29.95
13	0653	7	CLR:00	10.00		56	13.3	53	11.6	50	10.0	81	11	270		29.00	3	-0.06	29.96	FM-15	0.00	29.97
13	0753	7	SCT:04 30	10.00		57	13.9	52	11.2	48	8.9	72	14	290		29.02			29.98	FM-15	0.00	29.99
13	0853	7	BKN:07 26	10.00		59	15.0	54	12.0	49	9.4	69	14	290		29.03			29.99	FM-15	0.00	30.00
13	0945	7	BKN:07 30	10.00		61	16.1	55	12.5	49	9.4	65	14	260		29.04				FM-16		30.01
13	0953	7	BKN:07 30	10.00		61	16.1	54	12.2	48	8.9	63	13	300		29.04	1	-0.04	30.00	FM-15	0.00	30.01
13	1053	7	BKN:07 37	10.00		63	17.2	54	12.4	47	8.3	56	11	290		29.03			29.99	FM-15	0.00	30.00
13	1153	7	BKN:07 37	10.00		62	16.7	54	12.0	46	7.8	56	14	270	20	29.03			29.99	FM-15	0.00	30.00
13	1253	7	SCT:04 39 OVC:08 50	10.00		63	17.2	54	12.5	47	8.3	56	15	290		29.04	3	-0.00	30.00	FM-15	0.00	30.01
13	1353	7	SCT:04 42 BKN:07 50	10.00		65	18.3	56	13.2	48	8.9	54	13	270		29.04			30.00	FM-15	0.00	30.01
13	1453	7	OVC:08 48	10.00		64	17.8	55	12.7	47	8.3	54	15	290	18	29.02			29.98	FM-15	0.00	29.99
13	1553	7	BKN:07 46	10.00		65	18.3	55	12.7	46	7.8	51	10	290	20	29.00	8	+0.04	29.96	FM-15	0.00	29.97
13	1653	7	FEW:02 47	10.00		66	18.9	56	13.1	47	8.3	50	8	270		28.99			29.96	FM-15	0.00	29.96
13	1753	7	FEW:02 47	10.00		64	17.8	54	12.4	46	7.8	52	7	250		28.99			29.96	FM-15	0.00	29.96
13	1853	7	SCT:04 48	10.00		62	16.7	54	12.0	46	7.8	56	8	270		28.98	8	+0.02	29.94	FM-15	0.00	29.95
13	1953	7	FEW:02 50	10.00		60	15.6	53	11.5	46	7.8	60	5	220		28.97			29.93	FM-15	0.00	29.94
13	2053	7	CLR:00	10.00		59	15.0	52	11.2	46	7.8	62	3	180		28.95			29.91	FM-15	0.00	29.92
13	2153	7	CLR:00	10.00		57	13.9	51	10.7	46	7.8	67	6	200		28.96	5	+0.02	29.92	FM-15	0.00	29.93
13	2253	7	CLR:00	10.00		56	13.3	51	10.7	47	8.3	72	6	200		28.93			29.90	FM-15	0.00	29.90
13	2353	7	CLR:00	10.00		55	12.8	51	10.5	47	8.3	74	6	200		28.91			29.87	FM-15	0.00	29.88
14	0053	7	CLR:00	10.00		56	13.3	52	11.0	48	8.9	75	7	200		28.87	8	+0.09	29.83	FM-15	0.00	29.84
14	0153	7	CLR:00	10.00		57	13.9	52	11.0	47	8.3	69	8	190		28.83			29.79	FM-15	0.00	29.79
14	0253	7	BKN:07 100	10.00		57	13.9	52	11.2	48	8.9	72	10	190		28.81			29.77	FM-15	0.00	29.77
14	0353	7	OVC:08 80	10.00	-RA:02 |RA |	56	13.3	52	11.3	49	9.4	77	11	190		28.77	6	+0.10	29.72	FM-15	0.01	29.73
14	0453	7	BKN:07 40 OVC:08 50	3.00	RA:02 BR:1 |RA |	54	12.2	52	11.3	51	10.6	90	14	200		28.77			29.72	FM-15	0.06	29.73
14	0553	7	BKN:07 30 BKN:07 34 OVC:08 60	6.00	-RA:02 BR:1 |RA |	54	12.2	53	11.6	52	11.1	93	11	220	22	28.76			29.71	FM-15	0.08	29.72
14	0613	7	SCT:04 20 BKN:07 29 OVC:08 70	9.00	-RA:02 |RA |	55	12.8	53	11.9	52	11.1	90	13	210		28.75				FM-16	0.01	29.71
14	0651	6	OVC:08 14	10.00		55	13.0	53	11.9	52	11.0	88	13	250		28.76				FM-16		29.72
14	0653	7	OVC:08 14	9.00	-RA:02 |RA |	55	12.8	53	11.9	52	11.1	90	11	250		28.76	5	+0.01	29.72	FM-15	T	29.72
14	0715	7	BKN:07 13 BKN:07 17 OVC:08 41	8.00	-RA:02 |RA |	51	10.6	49	9.4	47	8.3	86	17	300	33	28.80				FM-16	T	29.76
14	0719	7	FEW:02 13 BKN:07 24 OVC:08 41	9.00	-RA:02 |RA |	51	10.6	49	9.4	47	8.3	86	18	300	30	28.79				FM-16	T	29.75
14	0753	7	BKN:07 19 OVC:08 46	10.00		49	9.4	47	8.1	44	6.7	83	16	290	25	28.83			29.79	FM-15	T	29.79
14	0848	7	BKN:07 14 OVC:08 20	10.00	-RA:02 |RA |	48	9.0	46	7.5	43	6.0	82	21	280	31	28.84				FM-16	T	29.80
14	0853	7	BKN:07 14 OVC:08 18	10.00	-RA:02 |RA |	47	8.3	45	7.3	43	6.1	86	20	280	30	28.84			29.80	FM-15	T	29.80
14	0951	6	BKN:07 23 BKN:07 36 OVC:08 44	10.00		50	10.0	46	7.6	41	5.0	71	18	300	25	28.86				FM-16		29.82
14	0953	7	BKN:07 25 BKN:07 36 OVC:08 44	10.00		50	10.0	46	7.6	41	5.0	71	20	290	25	28.86	3	-0.02	29.82	FM-15	T	29.82
14	1053	7	BKN:07 29 OVC:08 35	10.00		48	8.9	44	6.6	39	3.9	71	16	300		28.87			29.85	FM-15	T	29.84
14	1153	7	BKN:07 29 OVC:08 35	10.00		50	10.0	45	7.1	39	3.9	66	11	290	25	28.90			29.86	FM-15	T	29.87
14	1200	7	BKN:07 33 OVC:08 50	10.00		49	9.4	44	6.6	38	3.3	66	17	300	22	28.90				FM-16		29.87

14	1253	7	FEW:02 31 BKN:07 40 OVC:08 60	10.00		49	9.4	44	6.6	38	3.3	66	11	290	22	28.91	1	-0.06	29.88	FM-15	T	29.88
14	1353	7	SCT:04 35 SCT:04 47 OVC:08 70	10.00		51	10.6	45	7.2	38	3.3	61	16	280	26	28.92			29.89	FM-15	0.00	29.89
14	1453	7	FEW:02 30 BKN:07 43 OVC:08 50	10.00	-RA:02 |RA |	45	7.2	43	5.9	40	4.4	83	14	300		28.95			29.92	FM-15	0.01	29.92
14	1553	7	SCT:04 23 BKN:07 30 OVC:08 47	10.00		46	7.8	43	6.0	39	3.9	77	13	290		28.96	3	-0.05	29.94	FM-15	T	29.93
14	1603	7	FEW:02 18 BKN:07 23 OVC:08 30	5.00	RA:02 |RA |	44	6.7	41	5.2	38	3.3	79	20	300	34	28.97				FM-16	0.01	29.94
14	1623	7	FEW:02 19 BKN:07 36 OVC:08 46	9.00		45	7.2	42	5.5	38	3.3	77	15	280	21	28.98				FM-16	0.01	29.95
14	1653	7	SCT:04 29 BKN:07 38 OVC:08 46	10.00		45	7.2	41	5.2	37	2.8	74	17	270	25	28.99			29.96	FM-15	0.01	29.96
14	1753	7	BKN:07 35 BKN:07 46 OVC:08 60	10.00		46	7.8	41	5.1	35	1.7	66	14	280	24	29.00			29.98	FM-15	0.00	29.97
14	1853	7	SCT:04 45 OVC:08 60	10.00		45	7.2	41	4.8	35	1.7	68	16	300	25	29.01	1	-0.05	29.99	FM-15	0.00	29.98
14	1953	7	SCT:04 50 OVC:08 60	10.00		44	6.7	40	4.2	34	1.1	68	10	280		29.02			30.00	FM-15	0.00	29.99
14	2053	7	BKN:07 37 OVC:08 50	10.00		44	6.7	40	4.3	34	1.1	68	13	290		29.04			30.01	FM-15	0.00	30.01
14	2153	7	FEW:02 24 SCT:04 33 OVC:08 40	10.00		42	5.6	39	4.1	36	2.2	79	8	290		29.05	1	-0.04	30.03	FM-15	T	30.02
14	2253	7	OVC:08 60	10.00		42	5.6	39	3.6	34	1.1	73	8	270		29.05			30.03	FM-15	0.00	30.02
14	2353	7	OVC:08 60	10.00		42	5.6	38	3.4	33	0.6	71	9	270		29.05			30.03	FM-15	0.00	30.02
15	0053	7	OVC:08 60	10.00		42	5.6	39	3.6	34	1.1	73	9	260		29.05	2	-0.00	30.03	FM-15	0.00	30.02
15	0153	7	OVC:08 60	10.00		42	5.6	39	3.6	34	1.1	73	10	270		29.05			30.03	FM-15	0.00	30.02
15	0253	7	FEW:02 38 OVC:08 65	10.00		42	5.6	39	3.6	34	1.1	73	7	270		29.04			30.03	FM-15	0.00	30.01
15	0353	7	FEW:02 42 SCT:04 50 OVC:08 70	10.00		41	5.0	38	3.6	35	1.7	79	7	260		29.06	3	-0.00	30.04	FM-15	T	30.03
15	0453	7	OVC:08 75	10.00		41	5.0	38	3.6	35	1.7	79	6	280		29.06			30.04	FM-15	0.00	30.03
15	0553	7	OVC:08 80	10.00		41	5.0	38	3.6	35	1.7	79	5	270		29.06			30.04	FM-15	0.00	30.03
15	0653	7	BKN:07 55 BKN:07 75	10.00		42	5.6	38	3.2	32	0.0	68	15	280	23	29.08	3	-0.02	30.06	FM-15	0.00	30.05
15	0753	7	SCT:04 80	10.00		46	7.8	39	4.0	30	-1.1	54	15	280	22	29.09			30.07	FM-15	0.00	30.06
15	0853	7	SCT:04 80	10.00		47	8.3	38	3.6	26	-3.3	44	21	300	29	29.09			30.07	FM-15	0.00	30.06
15	0953	7	SCT:04 60	10.00		49	9.4	40	4.2	26	-3.3	41	23	290	30	29.09	0	-0.01	30.06	FM-15	T	30.06
15	1053	7	BKN:07 60 BKN:07 70	10.00		49	9.4	40	4.5	28	-2.2	44	18	300	32	29.11			30.09	FM-15	0.00	30.08
15	1153	7	BKN:07 65	10.00		49	9.4	40	4.4	27	-2.8	43	20	300	31	29.11			30.09	FM-15	T	30.08
15	1253	7	BKN:07 70	10.00	-RA:02 |RA |	51	10.6	41	5.1	28	-2.2	41	21	310	31	29.09	0	-0.01	30.07	FM-15	T	30.06
15	1353	7	OVC:08 70	10.00		50	10.0	40	4.6	27	-2.8	41	20	300	26	29.11			30.09	FM-15	T	30.08
15	1453	7	BKN:07 70 OVC:08 80	10.00		52	11.1	42	5.6	29	-1.7	41	15	300	23	29.10			30.08	FM-15	0.00	30.07
15	1553	7	SCT:04 60 OVC:08 85	10.00		51	10.6	42	5.5	30	-1.1	44	11	290	21	29.10	0	-0.00	30.07	FM-15	0.00	30.07
15	1653	7	SCT:04 60 OVC:08 80	10.00		51	10.6	42	5.5	30	-1.1	44	13	300		29.10			30.07	FM-15	0.00	30.07
15	1753	7	SCT:04 65 OVC:08 80	10.00		52	11.1	43	6.0	31	-0.6	45	11	300		29.10			30.08	FM-15	0.00	30.07

15	1853	7	FEW:02 60 OVC:08 80	10.00		51	10.6	42	5.5	30	-1.1	44	16	290	24	29.11	3	-0.02	30.09	FM-15	0.00	30.08
15	1953	7	FEW:02 70	10.00		48	8.9	40	4.6	30	-1.1	50	18	300	23	29.14			30.12	FM-15	0.00	30.11
15	2053	7	CLR:00	10.00		45	7.2	37	2.6	24	-4.4	44	17	320	24	29.18			30.16	FM-15	0.00	30.15
15	2153	7	CLR:00	10.00		41	5.0	35	1.7	26	-3.3	55	9	310		29.21	2	-0.09	30.19	FM-15	0.00	30.18
15	2253	7	CLR:00	10.00		39	3.9	34	1.1	26	-3.3	60	8	280		29.23			30.21	FM-15	0.00	30.20
15	2353	7	CLR:00	10.00		37	2.8	33	0.6	27	-2.8	67	8	280		29.23			30.22	FM-15	0.00	30.20
16	0053	7	CLR:00	10.00		34	1.1	31	-0.4	27	-2.8	75	6	280		29.23	0	-0.02	30.22	FM-15	0.00	30.20
16	0153	7	CLR:00	10.00		34	1.1	31	-0.4	27	-2.8	75	6	250		29.23			30.22	FM-15	0.00	30.21
16	0253	7	CLR:00	10.00		35	1.7	32	0.0	27	-2.8	72	3	250		29.23			30.22	FM-15	0.00	30.21
16	0353	7	CLR:00	10.00		36	2.2	33	0.3	27	-2.8	70	0	000		29.23	1	-0.01	30.22	FM-15	0.00	30.21
16	0453	7	CLR:00	10.00		33	0.6	31	-0.7	27	-2.8	78	3	160		29.23			30.23	FM-15	0.00	30.21
16	0553	7	CLR:00	10.00		35	1.7	32	0.2	28	-2.2	76	6	170		29.25			30.24	FM-15	0.00	30.22
16	0653	7	CLR:00	10.00		41	5.0	36	2.3	29	-1.7	62	6	190		29.27	3	-0.04	30.26	FM-15	0.00	30.25
16	0753	7	CLR:00	10.00		47	8.3	40	4.3	30	-1.1	52	5	190		29.28			30.27	FM-15	0.00	30.26
16	0853	7	CLR:00	10.00		52	11.1	43	6.2	32	0.0	47	8	210		29.29			30.27	FM-15	0.00	30.27
16	0953	7	CLR:00	10.00		57	13.9	45	7.4	31	-0.6	37	9	210		29.27	0	-0.01	30.26	FM-15	0.00	30.25
16	1053	7	CLR:00	10.00		58	14.4	46	7.8	32	0.0	38	13	270	17	29.27			30.25	FM-15	0.00	30.25
16	1153	7	CLR:00	10.00		59	15.0	46	7.7	30	-1.1	33	7	VRB	21	29.26			30.24	FM-15	0.00	30.23
16	1253	7	CLR:00	10.00		61	16.1	47	8.4	31	-0.6	32	11	220	18	29.23	8	+0.04	30.22	FM-15	0.00	30.21
16	1353	7	CLR:00	10.00		62	16.7	48	9.1	33	0.6	34	13	230	17	29.23			30.20	FM-15	0.00	30.20
16	1453	7	CLR:00	10.00		63	17.2	49	9.5	34	1.1	34	9	260	20	29.23			30.20	FM-15	0.00	30.20
16	1553	7	CLR:00	10.00		63	17.2	49	9.3	33	0.6	33	9	VRB		29.21	6	+0.03	30.19	FM-15	0.00	30.18
16	1653	7	CLR:00	10.00		62	16.7	48	9.1	33	0.6	34	9	220		29.20			30.18	FM-15	0.00	30.17
16	1753	7	CLR:00	10.00		61	16.1	48	9.0	34	1.1	36	7	240		29.19			30.17	FM-15	0.00	30.16
16	1853	7	CLR:00	10.00		60	15.6	47	8.4	32	0.0	35	6	220		29.20	5	+0.01	30.17	FM-15	0.00	30.17
16	1953	7	CLR:00	10.00		58	14.4	46	8.0	33	0.6	39	5	190		29.20			30.17	FM-15	0.00	30.17
16	2053	7	CLR:00	10.00		57	13.9	47	8.2	35	1.7	44	6	200		29.21			30.18	FM-15	0.00	30.18
16	2153	7	OVC:08 110	10.00		56	13.3	46	7.9	35	1.7	46	6	200		29.21	3	-0.01	30.18	FM-15	0.00	30.18
16	2253	7	BKN:07 120	10.00		56	13.3	46	7.9	35	1.7	46	5	220		29.21			30.18	FM-15	0.00	30.18
16	2353	7	OVC:08 110	10.00		55	12.8	46	7.8	36	2.2	49	3	200		29.21			30.18	FM-15	0.00	30.18
17	0053	7	OVC:08 100	10.00		55	12.8	46	7.8	36	2.2	49	3	210		29.21	6	+0.00	30.18	FM-15	0.00	30.18
17	0153	7	SCT:04 50 BKN:07 70 OVC:08 80	10.00		55	12.8	46	8.0	37	2.8	51	8	220		29.20			30.17	FM-15	0.00	30.17
17	0253	7	OVC:08 55	10.00	-RA:02 |RA |	54	12.2	46	8.0	38	3.3	55	0	000		29.21			30.17	FM-15	T	30.18
17	0353	7	SCT:04 55 OVC:08 80	10.00		52	11.1	47	8.2	41	5.0	66	8	210		29.21	3	-0.00	30.18	FM-15	T	30.18
17	0453	7	BKN:07 80 OVC:08 100	10.00	-RA:02 |RA |	51	10.6	47	8.4	43	6.1	74	3	310		29.21			30.18	FM-15	T	30.18
17	0553	7	BKN:07 60 OVC:08 80	10.00	-RA:02 |RA |	51	10.6	48	8.9	45	7.2	80	0	000		29.23			30.20	FM-15	T	30.20
17	0653	7	OVC:08 50	10.00		52	11.1	49	9.4	46	7.8	80	0	000		29.25	3	-0.04	30.22	FM-15	T	30.22
17	0753	7	OVC:08 50	10.00		53	11.7	49	9.2	44	6.7	72	3	240		29.26			30.23	FM-15	T	30.23
17	0853	7	BKN:07 50 BKN:07 85	10.00		54	12.2	49	9.4	44	6.7	69	0	000		29.25			30.22	FM-15	0.00	30.22
17	0953	7	FEW:02 65 FEW:02 80 BKN:07 100	10.00		55	12.8	49	9.7	44	6.7	67	3	280		29.25	1	-0.00	30.22	FM-15	0.00	30.22
17	1053	7	SCT:04 60 BKN:07 80	10.00		57	13.9	49	9.5	41	5.0	55	0	000		29.26			30.23	FM-15	0.00	30.23
17	1153	7	SCT:04 42	10.00		57	13.9	49	9.5	41	5.0	55	6	120		29.25			30.22	FM-15	0.00	30.22
17	1253	7	OVC:08 60	10.00	-RA:02 |RA |	58	14.4	50	10.2	43	6.1	58	5	230		29.23	8	+0.01	30.20	FM-15	T	30.21
17	1353	7	BKN:07 41 BKN:07 90	10.00		58	14.4	50	10.2	43	6.1	58	0	000		29.22			30.19	FM-15	T	30.19
17	1453	7	BKN:07 41 OVC:08 50	10.00		57	13.9	50	10.2	44	6.7	62	0	000		29.20			30.17	FM-15	T	30.17
17	1553	7	SCT:04 40 BKN:07 50 OVC:08 90	10.00		58	14.4	50	10.2	43	6.1	58	0	000		29.18	8	+0.05	30.15	FM-15	T	30.15

17	1653	7	FEW:02 80 SCT:04 100	10.00		58	14.4	50	10.2	43	6.1	58	0	000		29.17			30.14	FM-15	0.00	30.14
17	1753	7	FEW:02 43 SCT:04 50 BKN:07 120	10.00		58	14.4	51	10.7	45	7.2	62	3	010		29.16			30.13	FM-15	0.00	30.13
17	1853	7	OVC:08 100	10.00		56	13.3	51	10.5	46	7.8	70	3	040		29.16	5	+0.02	30.13	FM-15	0.00	30.13
17	1953	7	OVC:08 60	9.00	-RA:02 |RA |	55	12.8	51	10.5	47	8.3	74	0	000		29.18			30.15	FM-15	0.01	30.15
17	2053	7	SCT:04 50 OVC:08 60	8.00	-RA:02 |RA |	53	11.7	52	11.1	51	10.6	93	0	000		29.18			30.15	FM-15	0.03	30.15
17	2153	7	BKN:07 60 OVC:08 110	7.00		52	11.1	51	10.8	51	10.6	97	0	000		29.18	1	-0.02	30.15	FM-15	T	30.15
17	2253	7	OVC:08 55	4.00	-RA:02 BR:1 |RA |	52	11.1	51	10.8	51	10.6	97	3	340		29.19			30.16	FM-15	0.01	30.16
17	2353	7	FEW:02 50 BKN:07 65 OVC:08 85	6.00	-RA:02 BR:1 |RA |	52	11.1	51	10.5	50	10.0	93	6	010		29.17			30.14	FM-15	0.03	30.14
18	0053	7	BKN:07 50 OVC:08 70	5.00	-RA:02 BR:1 |RA |	52	11.1	51	10.5	50	10.0	93	7	360		29.17	8	+0.01	30.14	FM-15	0.01	30.14
18	0153	7	OVC:08 50	6.00	-RA:02 BR:1 |RA |	52	11.1	51	10.5	50	10.0	93	8	020		29.15			30.12	FM-15	T	30.12
18	0253	7	SCT:04 20 OVC:08 55	8.00		51	10.6	50	10.0	49	9.4	92	7	010		29.15			30.12	FM-15	T	30.12
18	0304	7	BKN:07 18 OVC:08 55	7.00		51	10.6	50	10.0	49	9.4	92	7	010		29.15				FM-16		30.12
18	0335	7	FEW:02 22 SCT:04 30 OVC:08 48	5.00	-RA:02 BR:1 |RA |	51	10.6	50	10.0	49	9.4	92	11	030		29.16				FM-16	0.02	30.13
18	0353	7	FEW:02 26 OVC:08 48	8.00	-RA:02 |RA |	50	10.0	49	9.4	48	8.9	93	9	020		29.16	5	+0.00	30.13	FM-15	0.02	30.13
18	0453	7	FEW:02 43 OVC:08 50	6.00	-RA:02 BR:1 |RA |	50	10.0	49	9.4	48	8.9	93	6	010		29.16			30.14	FM-15	0.02	30.13
18	0553	7	OVC:08 60	7.00		49	9.4	48	8.9	47	8.3	93	7	010		29.18			30.15	FM-15	T	30.15
18	0653	7	BKN:07 70 OVC:08 90	9.00		50	10.0	48	9.2	47	8.3	89	7	020		29.18	3	-0.01	30.15	FM-15	T	30.15
18	0753	7	FEW:02 110	10.00		53	11.7	50	10.0	47	8.3	80	7	040		29.18			30.16	FM-15	0.00	30.15
18	0853	7	CLR:00	10.00		57	13.9	52	11.0	47	8.3	69	10	050		29.19			30.16	FM-15	0.00	30.16
18	0953	7	CLR:00	10.00		61	16.1	52	11.2	44	6.7	54	11	060		29.18	0	-0.00	30.15	FM-15	0.00	30.15
18	1053	7	SCT:04 43	10.00		63	17.2	54	12.2	46	7.8	54	10	VRB	16	29.18			30.15	FM-15	0.00	30.15
18	1153	7	SCT:04 46	10.00		65	18.3	54	12.4	45	7.2	49	14	020	18	29.17			30.14	FM-15	0.00	30.14
18	1253	7	BKN:07 47 OVC:08 55	10.00		62	16.7	53	11.7	45	7.2	54	9	020		29.16	8	+0.02	30.12	FM-15	0.00	30.13
18	1353	7	OVC:08 65	10.00		64	17.8	54	12.2	45	7.2	50	6	030		29.15			30.12	FM-15	0.00	30.12
18	1453	7	SCT:04 48 OVC:08 60	10.00		63	17.2	54	12.0	45	7.2	52	11	030		29.14			30.11	FM-15	0.00	30.11
18	1553	7	BKN:07 60	10.00		66	18.9	54	12.4	44	6.7	45	9	VRB		29.13	8	+0.03	30.09	FM-15	0.00	30.10
18	1653	7	BKN:07 70	10.00		64	17.8	54	11.9	44	6.7	48	8	010		29.13			30.10	FM-15	0.00	30.10
18	1753	7	OVC:08 80	10.00		62	16.7	53	11.5	44	6.7	52	9	010		29.13			30.09	FM-15	0.00	30.10
18	1853	7	FEW:02 55 BKN:07 75	10.00		61	16.1	52	11.2	44	6.7	54	13	360		29.14	3	-0.01	30.11	FM-15	0.00	30.11
18	1953	7	OVC:08 55	10.00		60	15.6	50	10.3	41	5.0	50	14	010		29.16			30.12	FM-15	0.00	30.13
18	2053	7	BKN:07 60	10.00		55	12.8	48	8.7	40	4.4	57	8	360		29.18			30.14	FM-15	0.00	30.15
18	2153	7	OVC:08 60	10.00		54	12.2	47	8.5	40	4.4	59	7	360		29.19	1	-0.04	30.15	FM-15	0.00	30.16
18	2253	7	OVC:08 70	10.00		54	12.2	47	8.5	40	4.4	59	6	360		29.19			30.15	FM-15	0.00	30.16
18	2353	7	FEW:02 50 OVC:08 70	10.00		52	11.1	46	7.7	39	3.9	61	3	350		29.19			30.15	FM-15	0.00	30.16
19	0053	7	BKN:07 50 OVC:08 60	10.00		50	10.0	45	7.4	40	4.4	68	3	320		29.19	3	-0.01	30.16	FM-15	0.00	30.16
19	0153	7	FEW:02 50	10.00		48	8.9	44	6.6	39	3.9	71	6	360		29.18			30.15	FM-15	0.00	30.15
19	0253	7	CLR:00	10.00		47	8.3	43	6.0	38	3.3	71	3	360		29.18			30.15	FM-15	0.00	30.15
19	0353	7	CLR:00	10.00		45	7.2	42	5.5	38	3.3	77	5	360		29.19	5	+0.00	30.16	FM-15	0.00	30.16
19	0453	7	SCT:04 60	10.00		44	6.7	41	5.2	38	3.3	79	6	010		29.19			30.16	FM-15	0.00	30.16
19	0553	7	CLR:00	10.00		44	6.7	42	5.4	39	3.9	83	7	360		29.21			30.18	FM-15	0.00	30.18
19	0653	7	CLR:00	10.00		51	10.6	46	7.9	41	5.0	69	5	020		29.23	3	-0.04	30.19	FM-15	0.00	30.20

19	0753	7	CLR:00	10.00		56	13.3	49	9.2	41	5.0	57	5	050		29.23			30.20	FM-15	0.00	30.21
19	0853	7	CLR:00	10.00		61	16.1	51	10.5	41	5.0	48	8	030		29.23			30.21	FM-15	0.00	30.21
19	0953	7	CLR:00	10.00		63	17.2	51	10.6	39	3.9	41	3	VRB		29.23	1	-0.02	30.21	FM-15	0.00	30.21
19	1053	7	CLR:00	10.00		65	18.3	52	11.3	40	4.4	40	7	050		29.23			30.20	FM-15	0.00	30.21
19	1153	7	CLR:00	10.00		66	18.9	53	11.5	40	4.4	39	8	040		29.22			30.19	FM-15	0.00	30.19
19	1253	7	CLR:00	10.00		68	20.0	54	12.2	41	5.0	38	8	070		29.21	8	+0.04	30.17	FM-15	0.00	30.18
19	1353	7	SCT:04 65	10.00		69	20.6	55	12.7	42	5.6	38	0	000		29.19			30.16	FM-15	0.00	30.16
19	1453	7	SCT:04 65	10.00		67	19.4	54	12.4	43	6.1	42	6	010		29.18			30.15	FM-15	0.00	30.15
19	1553	7	SCT:04 70	10.00		69	20.6	54	12.0	39	3.9	33	7	VRB		29.17	6	+0.03	30.14	FM-15	0.00	30.14
19	1653	7	FEW:02 70	10.00		69	20.6	54	12.2	40	4.4	35	6	340		29.18			30.15	FM-15	0.00	30.15
19	1753	7	CLR:00	10.00		68	20.0	54	12.2	41	5.0	38	8	040		29.20			30.16	FM-15	0.00	30.17
19	1853	7	CLR:00	10.00		65	18.3	52	11.3	40	4.4	40	6	040		29.18	0	-0.01	30.15	FM-15	0.00	30.15
19	1953	7	CLR:00	10.00		61	16.1	50	10.3	40	4.4	46	6	040		29.19			30.15	FM-15	0.00	30.16
19	2053	7	CLR:00	10.00		56	13.3	49	9.2	41	5.0	57	7	040		29.21			30.17	FM-15	0.00	30.18
19	2153	7	CLR:00	10.00		56	13.3	48	9.0	40	4.4	55	7	050		29.22	3	-0.04	30.18	FM-15	0.00	30.19
19	2253	7	CLR:00	10.00		54	12.2	47	8.2	39	3.9	57	6	060		29.21			30.18	FM-15	0.00	30.18
19	2353	7	CLR:00	10.00		53	11.7	46	7.7	38	3.3	57	5	070		29.21			30.18	FM-15	0.00	30.18
20	0053	7	CLR:00	10.00		53	11.7	46	7.5	37	2.8	55	3	060		29.21	6	+0.01	30.17	FM-15	0.00	30.18
20	0153	7	CLR:00	10.00		50	10.0	44	6.9	38	3.3	63	3	060		29.20			30.16	FM-15	0.00	30.17
20	0253	7	CLR:00	10.00		49	9.4	44	6.6	38	3.3	66	5	040		29.19			30.16	FM-15	0.00	30.16
20	0353	7	CLR:00	10.00		47	8.3	43	6.0	38	3.3	71	5	070		29.20	5	+0.01	30.17	FM-15	0.00	30.17
20	0453	7	CLR:00	10.00		49	9.4	44	6.6	38	3.3	66	0	000		29.21			30.18	FM-15	0.00	30.18
20	0553	7	CLR:00	10.00		48	8.9	44	6.8	40	4.4	74	6	040		29.22			30.19	FM-15	0.00	30.19
20	0653	7	CLR:00	10.00		53	11.7	49	9.2	44	6.7	72	6	080		29.23	1	-0.03	30.19	FM-15	0.00	30.20
20	0753	7	CLR:00	10.00		58	14.4	50	10.2	43	6.1	58	5	070		29.23			30.20	FM-15	0.00	30.20
20	0853	7	CLR:00	10.00		63	17.2	53	11.5	43	6.1	48	8	080		29.22			30.18	FM-15	0.00	30.19
20	0953	7	CLR:00	10.00		66	18.9	54	12.2	43	6.1	43	11	080		29.21	8	+0.01	30.18	FM-15	0.00	30.18
20	1053	7	CLR:00	10.00		68	20.0	56	13.1	45	7.2	44	11	080		29.19			30.16	FM-15	0.00	30.16
20	1153	7	CLR:00	10.00		69	20.6	57	14.1	48	8.9	47	11	080		29.16			30.12	FM-15	0.00	30.13
20	1253	7	CLR:00	10.00		71	21.7	59	14.8	49	9.4	46	11	110		29.13	8	+0.08	30.09	FM-15	0.00	30.10
20	1353	7	FEW:02 60	10.00		72	22.2	59	15.0	49	9.4	44	14	110	22	29.11			30.07	FM-15	0.00	30.08
20	1453	7	BKN:07 70	10.00		71	21.7	59	14.8	49	9.4	46	11	090		29.10			30.07	FM-15	0.00	30.07
20	1553	7	BKN:07 60 BKN:07 80 BKN:07 120	10.00		71	21.7	58	14.5	48	8.9	44	11	110		29.09	6	+0.04	30.05	FM-15	0.00	30.06
20	1653	7	OVC:08 55	10.00		70	21.1	58	14.6	49	9.4	47	10	100		29.08			30.04	FM-15	0.00	30.05
20	1753	7	BKN:07 55 OVC:08 110	10.00		68	20.0	57	14.1	49	9.4	51	8	090		29.06			30.02	FM-15	0.00	30.03
20	1853	7	OVC:08 90	10.00	-RA:02 |RA |	66	18.9	59	14.8	53	11.7	63	3	170		29.07	5	+0.02	30.03	FM-15	0.01	30.04
20	1953	7	OVC:08 85	8.00	-RA:02 |RA |	61	16.1	59	14.8	57	13.9	87	6	120		29.07			30.04	FM-15	0.04	30.04
20	2053	7	OVC:08 100	10.00	-RA:02 |RA |	60	15.6	59	14.9	58	14.4	93	10	090		29.05			30.01	FM-15	0.03	30.02
20	2153	7	SCT:04 41 BKN:07 49 OVC:08 60	7.00	-RA:02 |RA |	58	14.4	56	13.5	55	12.8	90	7	080		29.07	3	-0.00	30.03	FM-15	0.02	30.04
20	2253	7	FEW:02 34 BKN:07 44 OVC:08 85	9.00		57	13.9	56	13.3	55	12.8	93	9	070		29.05			30.01	FM-15	0.01	30.02
20	2332	7	SCT:04 16 BKN:07 28 OVC:08 44	8.00	-RA:02 |RA |	57	13.9	56	13.3	55	12.8	93	7	050		29.05				FM-16	0.01	30.02
20	2353	7	BKN:07 16 OVC:08 28	3.00	RA:02 BR:1 |RA |	57	13.9	56	13.3	55	12.8	93	7	050		29.04			30.00	FM-15	0.07	30.01
21	0000	7	BKN:07 15 OVC:08 24	2.50	RA:02 BR:1 |RA |	57	13.9	56	13.3	55	12.8	93	8	040		29.04				FM-16	0.02	30.01
21	0014	7	SCT:04 10 OVC:08 15	3.00	-RA:02 BR:1 |RA |	57	13.9	56	13.3	55	12.8	93	7	040		29.03				FM-16	0.04	30.00
21	0020	7	BKN:07 8 OVC:08 15	3.00	RA:02 BR:1 |RA |	57	13.9	56	13.3	55	12.8	93	8	040		29.03				FM-16	0.05	30.00
21	0053	7	OVC:08 6	2.50	-RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	8	040		29.02	6	+0.05	29.98	FM-15	0.07	29.99
21	0102	7	OVC:08 6	3.00	-RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	9	030		29.02				FM-16	0.01	29.99

21	0126	7	BKN:07 5 OVC:08 10	2.50	RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	6	050		29.01				FM-16	0.05	29.98
21	0138	7	BKN:07 5 OVC:08 10	1.50	+RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	9	030		29.01				FM-16	0.11	29.98
21	0149	7	BKN:07 5 OVC:08 10	2.50	-RA:02 BR:1 |RA |	55	13.0	55	12.8	55	13.0	100	9	020		29.00				FM-16	0.12	29.97
21	0153	7	BKN:07 5 OVC:08 10	3.00	-RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	9	020		29.00			29.96	FM-15	0.12	29.97
21	0211	7	BKN:07 6 OVC:08 10	2.50	RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	10	030		28.99				FM-16	0.03	29.96
21	0222	7	SCT:04 6 OVC:08 12	2.50	RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	10	030		28.99				FM-16	0.05	29.96
21	0230	7	FEW:02 6 BKN:07 13 OVC:08 19	3.00	-RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	10	030		28.99				FM-16	0.06	29.96
21	0235	7	FEW:02 6 SCT:04 13 OVC:08 19	2.50	+RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	10	030		28.99				FM-16	0.10	29.96
21	0245	7	BKN:07 19 OVC:08 39	1.75	+RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	10	040		28.99				FM-16	0.17	29.96
21	0251	6	FEW:02 4 BKN:07 19 OVC:08 39	2.00	RA:02 BR:1 |RA |	55	13.0	55	12.8	55	13.0	100	8	030		28.99				FM-16		29.96
21	0253	7	FEW:02 4 OVC:08 19	2.00	RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	9	030		28.99			29.94	FM-15	0.20	29.96
21	0303	7	BKN:07 6 OVC:08 19	3.00	RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	8	020		28.98				FM-16	0.01	29.95
21	0353	7	OVC:08 5	4.00	-RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	9	020		28.98	8	+0.02	29.93	FM-15	0.02	29.95
21	0453	7	OVC:08 6	8.00		56	13.3	55	13.0	55	12.8	97	8	030		28.97			29.93	FM-15	T	29.94
21	0553	7	OVC:08 5	6.00	BR:1 ||	57	13.9	56	13.6	56	13.3	96	6	360		28.97			29.93	FM-15	T	29.94
21	0653	7	OVC:08 5	4.00	-RA:02 BR:1 |RA |	57	13.9	56	13.6	56	13.3	96	6	350		28.98	3	-0.01	29.94	FM-15	0.02	29.95
21	0729	7	OVC:08 5	2.50	BR:1 ||	57	13.9	56	13.6	56	13.3	96	9	340		28.98				FM-16	T	29.95
21	0746	7	OVC:08 4	1.75	-RA:02 BR:1 |RA |	57	13.9	56	13.6	56	13.3	96	9	350		28.99				FM-16	T	29.96
21	0753	7	OVC:08 4	1.75	BR:1 ||	57	13.9	56	13.6	56	13.3	96	9	350		28.99			29.95	FM-15	T	29.96
21	0809	7	OVC:08 4	2.00	BR:1 ||	57	13.9	56	13.6	56	13.3	96	9	350		28.99				FM-16		29.96
21	0853	7	OVC:08 5	2.00	-RA:02 BR:1 |RA |	58	14.4	57	14.1	57	13.9	97	9	360		28.99			29.95	FM-15	0.01	29.96
21	0953	7	OVC:08 6	5.00	-RA:02 BR:1 |RA |	59	15.0	58	14.4	57	13.9	93	8	350		28.99	0	-0.00	29.95	FM-15	0.01	29.96
21	1053	7	BKN:07 6 OVC:08 12	4.00	BR:1 ||	60	15.6	59	14.9	58	14.4	93	10	350		28.98			29.95	FM-15	0.00	29.95
21	1142	7	BKN:07 7 OVC:08 13	2.50	BR:1 ||	60	15.6	59	14.9	58	14.4	93	11	350		28.99				FM-16	T	29.96
21	1151	7	BKN:07 7 OVC:08 13	3.00	BR:1 ||	61	16.0	59	14.8	57	14.0	88	9	350		28.99				FM-16	T	29.96
21	1153	7	BKN:07 7 OVC:08 11	3.00	BR:1 ||	60	15.6	59	14.9	58	14.4	93	11	350		28.99			29.96	FM-15	T	29.96
21	1202	7	BKN:07 7 OVC:08 13	2.50	-RA:02 BR:1 |RA |	59	15.0	58	14.4	57	13.9	93	11	340		28.99				FM-16	T	29.96
21	1210	7	BKN:07 7 OVC:08 11	4.00	BR:1 ||	59	15.0	58	14.4	57	13.9	93	10	350		28.99				FM-16	T	29.96
21	1253	7	OVC:08 9	4.00	BR:1 ||	59	15.0	57	14.1	56	13.3	90	13	350		28.99	1	-0.01	29.96	FM-15	T	29.96
21	1306	7	OVC:08 9	10.00		59	15.0	57	14.1	56	13.3	90	9	360		28.99				FM-16		29.96
21	1353	7	OVC:08 9	10.00	-RA:02 |RA |	59	15.0	57	14.1	56	13.3	90	11	350		29.00			29.97	FM-15	T	29.97
21	1400	7	BKN:07 14 OVC:08 22	5.00	-RA:02 BR:1 |RA |	59	15.0	57	14.1	56	13.3	90	9	350	18	29.00				FM-16	T	29.97
21	1409	7	BKN:07 14 OVC:08 22	2.00	-RA:02 BR:1 |RA |	58	14.4	57	13.8	56	13.3	93	16	350		29.01				FM-16	0.01	29.98
21	1451	6	BKN:07 28 OVC:08 34	5.00	-RA:02 BR:1 |RA |	57	14.0	56	13.3	55	13.0	94	13	350		29.01				FM-16		29.98
21	1453	7	BKN:07 28 OVC:08 34	4.00	-RA:02 BR:1 |RA |	58	14.4	56	13.5	55	12.8	90	9	350		29.01			29.98	FM-15	0.01	29.98
21	1539	7	SCT:04 43 OVC:08 55	10.00		59	15.0	56	13.4	54	12.2	83	14	010		29.00				FM-16	T	29.97

21	1553	7	SCT:04 48 OVC:08 60	10.00		60	15.6	57	13.7	54	12.2	80	14	010		29.00	0	-0.01	29.97	FM-15	T	29.97
21	1653	7	FEW:02 48 OVC:08 60	10.00		61	16.1	55	13.1	51	10.6	70	9	350		29.01			29.97	FM-15	T	29.98
21	1753	7	OVC:08 70	10.00		62	16.7	55	13.0	50	10.0	65	9	350		29.00			29.97	FM-15	0.00	29.97
21	1853	7	BKN:07 85	10.00		61	16.1	55	12.8	50	10.0	67	8	350		29.01	1	-0.01	29.98	FM-15	0.00	29.98
21	1953	7	CLR:00	10.00		58	14.4	53	11.8	49	9.4	72	7	320		29.03			29.99	FM-15	0.00	30.00
21	2053	7	BKN:07 110	10.00		58	14.4	53	11.8	49	9.4	72	6	330		29.02			29.99	FM-15	0.00	29.99
21	2153	7	FEW:02 120	10.00		56	13.3	52	11.3	49	9.4	77	7	320		29.02	1	-0.01	29.99	FM-15	0.00	29.99
21	2253	7	CLR:00	10.00		51	10.6	49	9.7	48	8.9	89	7	290		29.01			29.98	FM-15	0.00	29.98
21	2353	7	CLR:00	10.00		51	10.6	49	9.4	47	8.3	86	5	300		29.01			29.98	FM-15	0.00	29.98
22	0053	7	CLR:00	10.00		50	10.0	48	8.9	46	7.8	86	6	310		29.01	5	+0.01	29.98	FM-15	0.00	29.98
22	0153	7	CLR:00	10.00		47	8.3	46	7.8	45	7.2	93	6	300		29.01			29.98	FM-15	0.00	29.98
22	0253	7	CLR:00	10.00		48	8.9	46	7.8	44	6.7	86	9	300		29.00			29.97	FM-15	0.00	29.97
22	0353	7	CLR:00	10.00		50	10.0	48	8.6	45	7.2	83	6	290		29.01	5	+0.01	29.98	FM-15	0.00	29.98
22	0453	7	CLR:00	10.00		46	7.8	45	7.2	44	6.7	93	5	280		29.01			29.98	FM-15	0.00	29.98
22	0553	7	CLR:00	10.00		48	8.9	46	7.8	44	6.7	86	0	000		29.02			29.99	FM-15	0.00	29.99
22	0653	7	CLR:00	10.00		52	11.1	49	9.4	46	7.8	80	7	310		29.03	3	-0.02	30.00	FM-15	0.00	30.00
22	0753	7	BKN:07 95	10.00		59	15.0	52	11.2	46	7.8	62	7	320		29.02			29.99	FM-15	0.00	29.99
22	0853	7	BKN:07 100	10.00		62	16.7	54	12.5	48	8.9	60	3	VRB		29.02			29.99	FM-15	0.00	29.99
22	0953	7	SCT:04 100	10.00		67	19.4	57	14.2	50	10.0	55	7	320		29.02	6	+0.01	29.98	FM-15	0.00	29.99
22	1053	7	FEW:02 90	10.00		70	21.1	58	14.3	48	8.9	46	11	320	18	29.01			29.98	FM-15	0.00	29.98
22	1153	7	FEW:02 90	10.00		71	21.7	57	14.0	46	7.8	41	13	340	20	29.00			29.97	FM-15	0.00	29.97
22	1253	7	SCT:04 80	10.00		72	22.2	58	14.5	47	8.3	41	11	330		29.00	8	+0.02	29.96	FM-15	0.00	29.97
22	1353	7	SCT:04 65 BKN:07 80	10.00		73	22.8	59	15.2	49	9.4	43	8	360	21	28.99			29.95	FM-15	0.00	29.96
22	1453	7	FEW:02 65	10.00		73	22.8	59	15.0	48	8.9	41	16	350	23	28.98			29.95	FM-15	0.00	29.95
22	1553	7	FEW:02 65	10.00		72	22.2	58	14.5	47	8.3	41	11	360		28.98	6	+0.02	29.94	FM-15	0.00	29.95
22	1653	7	CLR:00	10.00		69	20.6	56	13.3	45	7.2	42	11	350		28.98			29.94	FM-15	0.00	29.95
22	1753	7	CLR:00	10.00		69	20.6	56	13.6	46	7.8	44	13	360	21	28.98			29.94	FM-15	0.00	29.95
22	1853	7	CLR:00	10.00		67	19.4	56	13.1	46	7.8	47	14	010	22	28.98	3	-0.01	29.95	FM-15	0.00	29.95
22	1953	7	CLR:00	10.00		62	16.7	53	11.7	45	7.2	54	8	020		29.00			29.96	FM-15	0.00	29.97
22	2053	7	CLR:00	10.00		57	13.9	50	10.2	44	6.7	62	7	020		29.02			29.99	FM-15	0.00	29.99
22	2153	7	CLR:00	10.00		55	12.8	49	9.7	44	6.7	67	7	020		29.04	2	-0.05	30.00	FM-15	0.00	30.01
22	2253	7	CLR:00	10.00		52	11.1	48	8.9	44	6.7	75	6	010		29.04			30.01	FM-15	0.00	30.01
22	2353	7	CLR:00	10.00		53	11.7	48	8.9	43	6.1	69	6	340		29.04			30.00	FM-15	0.00	30.01
23	0053	7	CLR:00	10.00		49	9.4	46	7.6	42	5.6	77	6	350		29.05	3	-0.01	30.01	FM-15	0.00	30.02
23	0153	7	CLR:00	10.00		48	8.9	45	7.0	41	5.0	77	5	350		29.04			30.00	FM-15	0.00	30.01
23	0253	7	CLR:00	10.00		47	8.3	44	6.8	41	5.0	80	3	320		29.04			30.00	FM-15	0.00	30.01
23	0353	7	CLR:00	10.00		46	7.8	44	6.5	41	5.0	83	3	350		29.05	3	-0.00	30.01	FM-15	0.00	30.02
23	0453	7	CLR:00	10.00		46	7.8	43	6.2	40	4.4	79	0	000		29.05			30.02	FM-15	0.00	30.02
23	0553	7	CLR:00	10.00		46	7.8	44	6.7	42	5.6	86	0	000		29.07			30.04	FM-15	0.00	30.04
23	0653	7	CLR:00	10.00		53	11.7	49	9.4	45	7.2	74	0	000		29.10	3	-0.05	30.06	FM-15	0.00	30.07
23	0753	7	CLR:00	10.00		59	15.0	52	11.0	45	7.2	60	0	000		29.11			30.08	FM-15	0.00	30.08
23	0853	7	CLR:00	10.00		64	17.8	54	12.2	45	7.2	50	0	000		29.13			30.10	FM-15	0.00	30.10
23	0953	7	CLR:00	10.00		68	20.0	57	14.1	49	9.4	51	0	000		29.12	0	-0.02	30.09	FM-15	0.00	30.09
23	1053	7	CLR:00	10.00		70	21.1	57	14.1	47	8.3	44	5	350		29.11			30.08	FM-15	0.00	30.08
23	1153	7	CLR:00	10.00		72	22.2	58	14.5	47	8.3	41	5	040		29.10			30.06	FM-15	0.00	30.07
23	1253	7	CLR:00	10.00		73	22.8	58	14.7	47	8.3	40	6	340		29.08	8	+0.04	30.04	FM-15	0.00	30.05
23	1353	7	FEW:02 60	10.00		74	23.3	59	14.9	47	8.3	38	6	120		29.06			30.03	FM-15	0.00	30.03
23	1453	7	CLR:00	10.00		75	23.9	60	15.6	49	9.4	40	7	150		29.04			30.01	FM-15	0.00	30.01
23	1553	7	CLR:00	10.00		75	23.9	60	15.6	49	9.4	40	5	100		29.02	7	+0.06	29.98	FM-15	0.00	29.99
23	1653	7	SCT:04 65	10.00		76	24.4	61	15.8	49	9.4	39	3	VRB		29.02			29.98	FM-15	0.00	29.99
23	1753	7	BKN:07 70	10.00		75	23.9	60	15.6	49	9.4	40	0	000		29.02			29.98	FM-15	0.00	29.99
23	1853	7	CLR:00	10.00		75	23.9	60	15.4	48	8.9	39	0	000		29.03	3	-0.00	29.98	FM-15	0.00	30.00
23	1953	7	CLR:00	10.00		71	21.7	58	14.5	48	8.9	44	5	210		29.04			29.99	FM-15	0.00	30.01
23	2053	7	CLR:00	10.00		64	17.8	56	13.2	49	9.4	58	0	000		29.05			30.01	FM-15	0.00	30.02

23	2153	7	CLR:00	10.00		60	15.6	55	12.5	50	10.0	70	3	280		29.07	3	-0.04	30.03	FM-15	0.00	30.04
23	2253	6	CLR:00	10.00		60	15.6	55	12.5	50	10.0	70	0	000		29.06			30.02	FM-15	0.00	30.03
23	2353	7	CLR:00	10.00		57	13.9	53	11.5	49	9.4	74	0	000		29.06			30.02	FM-15	0.00	30.03
24	0053	7	CLR:00	10.00		59	15.0	54	12.0	49	9.4	69	0	000		29.06	8	+0.01	30.01	FM-15		30.03
24	0153	7	CLR:00	10.00		57	13.9	53	11.5	49	9.4	74	0	000		29.05			30.01	FM-15		30.02
24	0253	7	CLR:00	10.00		54	12.2	51	10.8	49	9.4	83	0	000		29.06			30.01	FM-15		30.03
24	0353	7	CLR:00	10.00		52	11.1	50	10.2	49	9.4	89	0	000		29.07	3	-0.01	30.03	FM-15		30.04
24	0453	7	CLR:00	10.00		51	10.6	50	10.0	49	9.4	92	0	000		29.09			30.04	FM-15		30.06
24	0553	7	CLR:00	8.00		53	11.7	51	10.8	50	10.0	89	0	000		29.11			30.06	FM-15		30.08
24	0653	7	CLR:00	10.00		61	16.1	57	13.6	53	11.7	75	3	210		29.12	3	-0.06	30.08	FM-15		30.09
24	0753	7	CLR:00	10.00		65	18.3	58	14.5	53	11.7	66	0	000		29.14			30.09	FM-15		30.11
24	0853	7	CLR:00	10.00		71	21.7	61	15.9	53	11.7	53	6	270		29.14			30.10	FM-15		30.11
24	0953	7	CLR:00	10.00		74	23.3	61	16.2	52	11.1	46	9	230		29.14	0	-0.01	30.09	FM-15		30.11
24	1053	7	CLR:00	10.00		76	24.4	61	16.4	51	10.6	42	6	VRB		29.14			30.10	FM-15		30.11
24	1153	7	CLR:00	10.00		77	25.0	61	16.3	50	10.0	39	9	220	21	29.13			30.09	FM-15		30.10
24	1253	7	CLR:00	10.00		79	26.1	63	17.2	52	11.1	39	14	240		29.12	8	+0.01	30.08	FM-15		30.09
24	1353	7	CLR:00	10.00		80	26.7	63	17.2	51	10.6	37	9	240		29.10			30.06	FM-15		30.07
24	1453	7	CLR:00	10.00		80	26.7	62	16.9	50	10.0	35	8	230		29.10			30.06	FM-15		30.07
24	1553	7	CLR:00	10.00		81	27.2	62	16.6	48	8.9	32	6	200		29.09	6	+0.03	30.05	FM-15		30.06
24	1653	7	CLR:00	10.00		81	27.2	61	16.4	47	8.3	30	10	240		29.07			30.03	FM-15		30.04
24	1753	7	CLR:00	10.00		80	26.7	62	16.4	48	8.9	33	8	230		29.08			30.03	FM-15		30.05
24	1853	7	CLR:00	10.00		77	25.0	60	15.8	48	8.9	36	7	210		29.09	5	+0.00	30.04	FM-15		30.06
24	1953	7	CLR:00	10.00		74	23.3	59	14.9	47	8.3	38	5	210		29.09			30.05	FM-15		30.06
24	2053	7	CLR:00	10.00		72	22.2	59	14.8	48	8.9	43	6	220		29.11			30.06	FM-15		30.08
24	2153	7	CLR:00	10.00		68	20.0	57	13.9	48	8.9	49	5	190		29.12	3	-0.03	30.07	FM-15		30.09
25	0454	7		10.00		57	13.9	54	12.4	52	11.1	83	3	130		29.15			30.11	FM-15		30.12
25	0553	7	CLR:00	10.00		57	13.9	54	12.4	52	11.1	83	0	000		29.16			30.11	FM-15		30.13
25	0653	7	CLR:00	10.00		63	17.2	58	14.4	54	12.2	73	3	140		29.16			30.11	FM-15		30.13
25	0753	7	CLR:00	10.00		68	20.0	60	15.5	54	12.2	61	6	200		29.17			30.12	FM-15		30.14
25	0853	7	CLR:00	10.00		73	22.8	62	16.8	55	12.8	53	9	190		29.18			30.13	FM-15		30.15
25	0953	7	CLR:00	10.00		78	25.6	64	17.8	55	12.8	45	13	190		29.17	0	-0.01	30.11	FM-15		30.14
25	1053	7	SCT:04 75 OVC:08 90	10.00		79	26.1	65	18.3	56	13.3	45	10	230		29.18			30.12	FM-15		30.15
25	1153	7	BKN:07 60 BKN:07 75 BKN:07 100	10.00		80	26.7	65	18.2	55	12.8	42	13	210		29.17			30.12	FM-15		30.14
25	1253	7	FEW:02 55 SCT:04 70 OVC:08 100	10.00		76	24.4	64	17.7	56	13.3	50	9	200		29.17	8	+0.00	30.12	FM-15		30.14
25	1353	7	OVC:08 100	10.00		76	24.4	64	17.7	56	13.3	50	7	180		29.16			30.11	FM-15		30.13
25	1453	7	SCT:04 110	10.00		80	26.7	66	19.1	58	14.4	47	13	190		29.14			30.09	FM-15		30.11
25	1553	7	CLR:00	10.00		82	27.8	67	19.7	59	15.0	46	11	200		29.12	8	+0.05	30.06	FM-15		30.09
25	1653	7	CLR:00	10.00		81	27.2	67	19.2	58	14.4	45	15	160	21	29.10			30.06	FM-15		30.07
25	1753	7	CLR:00	10.00		78	25.6	66	18.7	58	14.4	50	15	160		29.09			30.05	FM-15		30.06
25	1853	7	CLR:00	10.00		77	25.0	65	18.5	58	14.4	52	10	150		29.08	8	+0.04	30.03	FM-15		30.05
25	1953	7	CLR:00	10.00		76	24.4	65	18.3	58	14.4	54	10	160		29.08			30.03	FM-15		30.05
25	2053	7	SCT:04 60	10.00		74	23.3	65	18.5	60	15.6	62	7	160		29.10			30.05	FM-15		30.07
25	2153	7	CLR:00	10.00		73	22.8	66	18.6	61	16.1	66	9	170		29.10	2	-0.03	30.05	FM-15		30.07
26	0053	7	CLR:00	10.00		68	20.0	64	17.9	62	16.7	81	7	180		29.09			30.04	FM-15		30.06
26	0153	6	FEW:02 90	10.00		67	19.4	64	17.7	62	16.7	84	5	180		29.09			30.03	FM-15		30.06
26	0253	6	BKN:07 80	10.00		67	19.4	65	18.1	63	17.2	87	6	200		29.08			30.03	FM-15		30.05
26	0353	6	SCT:04 90	10.00		67	19.4	65	18.1	63	17.2	87	9	200		29.08	5	+0.00	30.03	FM-15		30.05
26	0553	7	CLR:00	10.00		67	19.4	64	17.7	62	16.7	84	7	180		29.08			30.03	FM-15		30.05
26	0653	7	CLR:00	9.00		68	20.0	65	18.3	63	17.2	84	7	180		29.09			30.04	FM-15		30.06
26	0753	7	CLR:00	10.00		70	21.1	66	18.7	63	17.2	79	13	210		29.11			30.06	FM-15		30.08
26	0853	7	SCT:04 20	10.00		71	21.7	67	19.2	64	17.8	79	11	210		29.09			30.04	FM-15		30.06
26	0953	7	SCT:04 20	10.00		75	23.9	69	20.3	65	18.3	71	11	200		29.08	8	+0.01	30.03	FM-15		30.05
26	1051	6	BKN:07 27	10.00		77	25.0	69	20.3	64	18.0	65	16	220		29.08				FM-16		30.05

26	1053	7	BKN:07 27	10.00		77	25.0	69	20.3	64	17.8	64	17	230		29.08			30.03	FM-15		30.05
26	1153	7	BKN:07 35	10.00		80	26.7	71	21.5	66	18.9	62	16	210		29.07				FM-15		30.04
26	1253	7	OVC:08 35	10.00		78	25.6	70	20.9	65	18.3	64	13	220		29.08	8	+0.00	30.03	FM-15		30.05
26	1353	7	OVC:08 36	10.00		78	25.6	70	20.8	65	18.3	64	11	210		29.06			30.01	FM-15		30.03
26	1453	7	SCT:04 37 BKN:07 46 BKN:07 55	10.00		80	26.7	71	21.5	66	18.9	62	14	170		29.03			29.98	FM-15		30.00
26	1553	7	SCT:04 37 BKN:07 45 BKN:07 55	10.00		81	27.2	71	21.7	66	18.9	61	15	190		29.01	8	+0.06	29.96	FM-15		29.98
26	1653	7	BKN:07 39 OVC:08 60	10.00		80	26.7	71	21.5	66	18.9	62	13	170	22	29.01			29.96	FM-15		29.98
26	1753	7	FEW:02 32	10.00		79	26.1	70	21.4	66	18.9	65	11	180		29.00			29.95	FM-15		29.97
26	1853	7	SCT:04 32 BKN:07 39 OVC:08 46	10.00		78	25.6	71	21.5	67	19.4	69	11	190	20	29.00	5	+0.01	29.95	FM-15		29.97
26	1953	7	CLR:00	10.00		76	24.4	69	20.8	66	18.9	72	13	180		28.99			29.94	FM-15		29.96
26	2053	7	CLR:00	10.00		74	23.3	69	20.5	66	18.9	76	9	190		29.01			29.96	FM-15		29.98
26	2153	7	CLR:00	10.00		72	22.2	68	20.1	66	18.9	82	7	200		29.06	3	-0.05	30.01	FM-15		30.03
27	0353	7				65	18.3	63	17.3	62	16.7	90	8	190		29.06			30.01	FM-15		30.03
27	0453	7	CLR:00	10.00		65	18.3	63	17.3	62	16.7	90	7	180		29.06			30.01	FM-15	0.00	30.03
27	0553	7	CLR:00	10.00		65	18.3	63	17.0	61	16.1	87	6	190		29.07			30.02	FM-15	0.00	30.04
27	0653	7	CLR:00	10.00		67	19.4	64	17.7	62	16.7	84	6	200		29.07	3	-0.01	30.02	FM-15	0.00	30.04
27	0753	7	CLR:00	10.00		72	22.2	66	19.1	63	17.2	73	9	210		29.07			30.02	FM-15	0.00	30.04
27	0853	7	CLR:00	10.00		74	23.3	67	19.5	63	17.2	69	8	210		29.08			30.02	FM-15	0.00	30.05
27	0953	7	CLR:00	10.00		78	25.6	70	20.8	65	18.3	64	8	200		29.07	0	-0.00	30.02	FM-15	0.00	30.04
27	1053	6	CLR:00	10.00		80	26.7	69	20.6	63	17.2	56	5	230		29.07			30.01	FM-15	0.00	30.04
27	1153	6	CLR:00	10.00		82	27.8	70	21.2	64	17.8	55	9	180		29.07			30.01	FM-15	0.00	30.04
27	1253	6	FEW:02 49	10.00		84	28.9	71	21.6	64	17.8	51	10	190		29.07	6	+0.01	30.01	FM-15	0.00	30.04
27	1353	6	SCT:04 60	10.00		86	30.0	71	21.9	64	17.8	48	10	210		29.04			29.98	FM-15	0.00	30.01
27	1453	6	FEW:02 65	10.00		87	30.6	71	21.5	62	16.7	43	9	220		29.03			29.97	FM-15	0.00	30.00
27	1553	6	SCT:04 70	10.00		88	31.1	70	21.3	61	16.1	40	8	210		29.02	6	+0.04	29.96	FM-15	0.00	29.99
27	1653	6	SCT:04 65	10.00		87	30.6	70	21.2	61	16.1	42	8	220		29.01			29.95	FM-15	0.00	29.98
27	1753	6	CLR:00	10.00		85	29.4	69	20.8	61	16.1	45	9	210		29.00			29.95	FM-15	0.00	29.97
27	1853	6	FEW:02 60	10.00		84	28.9	70	21.0	62	16.7	48	6	190		29.01	5	+0.01	29.95	FM-15	0.00	29.98
27	1953	6	CLR:00	10.00		82	27.8	69	20.6	62	16.7	51	7	180		29.02			29.96	FM-15	0.00	29.99
27	2053	7	CLR:00	10.00		80	26.7	68	20.3	62	16.7	54	7	190		29.03			29.98	FM-15	0.00	30.00
27	2153	7	CLR:00	10.00		79	26.1	69	20.4	63	17.2	58	7	180		29.05	3	-0.04	29.99	FM-15	0.00	30.02
27	2253	7	CLR:00	10.00		76	24.4	68	19.8	63	17.2	64	6	180		29.06			30.01	FM-15	0.00	30.03
27	2353	7	CLR:00	10.00		75	23.9	67	19.6	63	17.2	66	3	180		29.07			30.01	FM-15	0.00	30.04
28	0053	7	CLR:00	10.00		74	23.3	68	19.8	64	17.8	71	5	180		29.07	1	-0.01	30.01	FM-15	0.00	30.04
28	0153	7	FEW:02 55	10.00		68	20.0	65	18.3	63	17.2	84	6	120		29.06			30.01	FM-15	0.00	30.03
28	0253	7	BKN:07 110	10.00		70	21.1	66	19.0	64	17.8	82	3	120		29.06			30.01	FM-15	0.00	30.03
28	0353	7	CLR:00	10.00		70	21.1	66	19.0	64	17.8	82	3	150		29.07	3	-0.00	30.01	FM-15	0.00	30.04
28	0453	7	CLR:00	10.00		71	21.7	67	19.5	65	18.3	81	5	140		29.08			30.02	FM-15	0.00	30.05
28	0553	7	CLR:00	10.00		71	21.7	68	19.9	66	18.9	84	7	170		29.10			30.05	FM-15	0.00	30.07
28	0653	7	CLR:00	10.00		72	22.2	68	20.1	66	18.9	82	6	160		29.11	3	-0.04	30.06	FM-15	0.00	30.08
28	0753	7	FEW:02 60 OVC:08 110	10.00		73	22.8	68	19.9	65	18.3	76	8	190		29.13			30.08	FM-15	0.00	30.10
28	0853	7	FEW:02 65 BKN:07 110	10.00		75	23.9	69	20.6	66	18.9	74	9	190		29.14			30.09	FM-15	0.00	30.11
28	0953	7	SCT:04 60 BKN:07 75	10.00		80	26.7	71	21.5	66	18.9	62	10	210		29.15	1	-0.04	30.10	FM-15	0.00	30.12
28	1053	7	SCT:04 75	10.00		82	27.8	72	22.2	67	19.4	60	5	210		29.15			30.10	FM-15	0.00	30.12
28	1153	7	FEW:02 45	10.00		84	28.9	72	22.2	66	18.9	55	5	VRB		29.14			30.09	FM-15	0.00	30.11
28	1253	7	FEW:02 48 SCT:04 65 SCT:04 75	10.00		86	30.0	73	22.5	66	18.9	51	10	180		29.11	8	+0.04	30.06	FM-15	0.00	30.08

28	1353	7	SCT:04 47 SCT:04 75 BKN:07 110	10.00		83	28.3	72	22.0	66	18.9	57	5	260		29.11			30.06	FM-15	0.00	30.08
28	1422	7	FEW:02 41 SCT:04 80 BKN:07 120	2.50	TS:7 -RA:02 |RA TS TS |	79	26.1	70	21.0	65	18.3	62	20	230		29.12				FM-16	0.04	30.09
28	1430	7	FEW:02 44 BKN:07 60 BKN:07 80	1.25	TS:7 RA:02 |RA TS TS |	73	22.8	70	21.0	68	20.0	84	16	230		29.11				FM-16	0.09	30.08
28	1433	7	FEW:02 42 BKN:07 60 OVC:08 120	5.00	RA:02 |RA |	73	22.8	70	21.0	68	20.0	84	13	240		29.11				FM-16	0.11	30.08
28	1453	7	FEW:02 21 SCT:04 60	10.00		76	24.4	68	20.2	64	17.8	67	6	VRB		29.10			30.05	FM-15	0.22	30.07
28	1505	7	FEW:02 8 SCT:04 49 BKN:07 60	10.00	VCTS:7 ||	74	23.3	69	20.8	67	19.4	79	6	030		29.11				FM-16		30.08
28	1531	7	FEW:02 19 BKN:07 47 OVC:08 65	2.50	TS:7 RA:02 |RA TS TS |	72	22.2	68	19.7	65	18.3	79	15	190		29.13				FM-16	0.09	30.10
28	1553	7	BKN:07 37 BKN:07 48 OVC:08 110	3.00	-RA:02 |RA |	71	21.7	67	19.2	64	17.8	79	9	VRB		29.12	3	-0.01	30.07	FM-15	0.32	30.09
28	1557	7	SCT:04 37 BKN:07 80 OVC:08 110	5.00	TS:7 -RA:02 |RA TS TS |	70	21.1	67	19.3	65	18.3	84	3	VRB		29.12				FM-16	0.01	30.09
28	1626	7	FEW:02 70 BKN:07 100 BKN:07 120	10.00		71	21.7	68	20.2	67	19.4	87	5	030		29.10				FM-16	0.01	30.07
28	1653	7	SCT:04 120	10.00		72	22.2	69	20.8	68	20.0	87	7	070		29.10			30.05	FM-15	T	30.07
28	1753	7	CLR:00	10.00		74	23.3	71	21.5	69	20.6	85	5	060		29.11			30.06	FM-15	0.00	30.08
28	1853	7	CLR:00	10.00		74	23.3	71	21.5	69	20.6	85	5	040		29.13	3	-0.00	30.08	FM-15	0.00	30.10
28	1923	7	FEW:02 75 FEW:02 100	10.00	VCTS:7 ||	73	22.8	70	21.0	68	20.0	84	5	100		29.13				FM-16		30.10
28	1938	7	FEW:02 70	10.00		73	22.8	70	21.3	69	20.6	87	5	090		29.13				FM-16		30.10
28	1953	7	SCT:04 110	10.00		73	22.8	70	21.3	69	20.6	87	3	090		29.12			30.07	FM-15	0.00	30.09
28	2053	7	CLR:00	10.00		72	22.2	68	19.7	65	18.3	79	5	130		29.12			30.07	FM-15	0.00	30.09
28	2153	7	CLR:00	10.00		71	21.7	67	19.5	65	18.3	81	6	180		29.12	8	+0.01	30.07	FM-15	0.00	30.09
28	2253	7	CLR:00	10.00		69	20.6	66	19.1	65	18.3	87	0	000		29.12			30.06	FM-15	0.00	30.09
28	2353	7	CLR:00	8.00		68	20.0	67	19.3	66	18.9	93	0	000		29.13			30.07	FM-15	0.00	30.10
29	0053	7	CLR:00	8.00		67	19.4	66	18.7	65	18.3	93	0	000		29.13	3	-0.01	30.08	FM-15	0.00	30.10
29	0153	7	CLR:00	7.00		67	19.4	66	19.1	66	18.9	97	0	000		29.13			30.08	FM-15	0.00	30.10
29	0253	7	OVC:08 120	4.00	BR:1 ||	67	19.4	66	19.1	66	18.9	97	0	000		29.13			30.08	FM-15	0.00	30.10
29	0353	7	BKN:07 120	6.00	BR:1 ||	67	19.4	66	19.1	66	18.9	97	3	110		29.12	8	+0.01	30.08	FM-15	0.00	30.09
29	0453	7	BKN:07 100	10.00		68	20.0	65	18.6	64	17.8	87	0	000		29.13			30.08	FM-15	0.00	30.10
29	0551	6	CLR:00	2.50	BR:1 ||	66	19.0	65	18.2	64	18.0	94	0	000		29.14				FM-16		30.11
29	0553	7	CLR:00	5.00	BR:1 ||	66	18.9	65	18.5	65	18.3	96	0	000		29.14			30.09	FM-15	0.00	30.11
29	0603	7	CLR:00	5.00	BR:1 ||	67	19.4	66	19.1	66	18.9	97	3	170		29.14				FM-16		30.11
29	0653	7	CLR:00	7.00		71	21.7	68	19.9	66	18.9	84	6	160		29.14	0	-0.01	30.09	FM-15	0.00	30.11
29	0753	7	CLR:00	10.00		73	22.8	68	20.3	66	18.9	79	3	190		29.15			30.10	FM-15	0.00	30.12
29	0853	7	FEW:02 120	10.00		73	22.8	68	19.9	65	18.3	76	7	170		29.15			30.10	FM-15	0.00	30.12
29	0953	7	BKN:07 120	10.00		74	23.3	68	20.1	65	18.3	74	8	160		29.14	8	+0.00	30.09	FM-15	0.00	30.11
29	1053	7	BKN:07 110	10.00		76	24.4	69	20.8	66	18.9	72	9	180		29.14			30.09	FM-15	0.00	30.11
29	1153	7	CLR:00	10.00		78	25.6	71	21.5	67	19.4	69	8	180		29.13			30.08	FM-15	0.00	30.10
29	1253	7	CLR:00	10.00		80	26.7	71	21.5	66	18.9	62	8	180		29.12	8	+0.01	30.07	FM-15	0.00	30.09
29	1353	7	CLR:00	10.00		81	27.2	70	21.1	64	17.8	57	15	170		29.11			30.06	FM-15	0.00	30.08
29	1453	7	CLR:00	10.00		83	28.3	72	22.0	66	18.9	57	13	200		29.08			30.03	FM-15	0.00	30.05
29	1553	7	CLR:00	10.00		83	28.3	72	22.0	66	18.9	57	10	180		29.04	8	+0.07	29.99	FM-15	0.00	30.01
29	1653	7	CLR:00	10.00		83	28.3	71	21.7	65	18.3	55	14	160		29.02			29.97	FM-15	0.00	29.99
29	1753	7	BKN:07 50	10.00		79	26.1	70	21.4	66	18.9	65	13	230		29.04			29.98	FM-15	T	30.01

29	1814	7	FEW:02 50 SCT:04 90	10.00	TS:7 |TS TS |	74	23.3	65	18.2	59	15.0	60	9	210		29.03				FM-16	T	30.00
29	1829	7	CLR:00	10.00		73	22.8	65	18.3	60	15.6	64	9	200		29.03				FM-16	T	30.00
29	1853	7	CLR:00	10.00		73	22.8	64	18.0	59	15.0	62	7	210		29.03	6	+0.01	29.98	FM-15	T	30.00
29	1953	7	FEW:02 100	10.00		72	22.2	63	17.2	57	13.9	59	7	200		29.04			29.98	FM-15	0.00	30.01
29	2053	7	BKN:07 65 OVC:08 95	10.00	-RA:02 |RA |	72	22.2	65	18.1	60	15.6	66	8	160		29.04			29.99	FM-15	0.01	30.01
29	2151	6	FEW:02 55 BKN:07 100 OVC:08 120	10.00	VCTS:7 -RA:02 |RA |	70	21.0	64	18.0	61	16.0	73	11	170		29.06				FM-16		30.03
29	2153	7	FEW:02 55 SCT:04 75 BKN:07 110	10.00	VCTS:7 -RA:02 |RA |	70	21.1	64	18.0	61	16.1	73	11	170		29.06	3	-0.04	30.01	FM-15	0.02	30.03
29	2213	7	SCT:04 70 BKN:07 110	10.00		70	21.1	64	18.0	61	16.1	73	10	170		29.07				FM-16	T	30.04
29	2253	7	FEW:02 110	10.00		68	20.0	64	17.9	62	16.7	81	8	160		29.05			30.00	FM-15	0.00	30.02
29	2353	7	SCT:04 70	10.00		68	20.0	65	18.3	63	17.2	84	9	190		29.05			30.00	FM-15	0.00	30.02
30	0053	7	BKN:07 75	10.00		67	19.4	64	17.7	62	16.7	84	7	220		29.04	6	+0.02	29.99	FM-15	0.00	30.01
30	0153	7	CLR:00	10.00		65	18.3	63	17.0	61	16.1	87	3	220		29.04			29.99	FM-15	0.00	30.01
30	0253	7	SCT:04 85	10.00		63	17.2	62	16.6	61	16.1	93	0	000		29.04			29.99	FM-15	0.00	30.01
30	0353	7	CLR:00	7.00		63	17.2	62	16.6	61	16.1	93	0	000		29.04	5	+0.01	29.99	FM-15	0.00	30.01
30	0453	7	CLR:00	8.00		62	16.7	61	16.3	61	16.1	96	0	000		29.05			30.00	FM-15	0.00	30.02
30	0553	7	CLR:00	5.00	BR:1 ||	63	17.2	62	16.9	62	16.7	97	0	000		29.06			30.01	FM-15	0.00	30.03
30	0653	7	CLR:00	10.00		69	20.6	65	18.1	62	16.7	78	5	340		29.06	3	-0.02	30.02	FM-15	0.00	30.03
30	0753	7	CLR:00	10.00		73	22.8	66	18.9	62	16.7	69	3	010		29.07			30.02	FM-15	0.00	30.04
30	0853	7	CLR:00	10.00		76	24.4	67	19.2	61	16.1	60	3	020		29.08			30.03	FM-15	0.00	30.05
30	0953	7	CLR:00	10.00		78	25.6	67	19.3	60	15.6	54	7	010		29.07	0	-0.01	30.02	FM-15	0.00	30.04
30	1053	7	CLR:00	10.00		80	26.7	67	19.6	60	15.6	51	5	VRB		29.08			30.03	FM-15	0.00	30.05
30	1153	7	FEW:02 50	10.00		82	27.8	67	19.7	59	15.0	46	11	320		29.07			30.02	FM-15	0.00	30.04
30	1253	7	SCT:04 60 BKN:07 75	10.00		82	27.8	67	19.7	59	15.0	46	7	330		29.06	8	+0.01	30.01	FM-15	0.00	30.03
30	1353	7	FEW:02 60	10.00		82	27.8	67	19.7	59	15.0	46	6	VRB		29.04			29.99	FM-15	0.00	30.01
30	1453	7	CLR:00	10.00		84	28.9	68	19.8	58	14.4	41	7	340		29.03			29.98	FM-15	0.00	30.00
30	1553	7	CLR:00	10.00		84	28.9	67	19.2	56	13.3	38	0	000		29.02	6	+0.04	29.96	FM-15	0.00	29.99
30	1653	7	CLR:00	10.00		83	28.3	65	18.5	54	12.2	37	7	330		29.01			29.96	FM-15	0.00	29.98
30	1753	7	CLR:00	10.00		84	28.9	67	19.5	57	13.9	40	3	340		29.00			29.95	FM-15	0.00	29.97
30	1853	7	CLR:00	10.00		80	26.7	66	19.1	58	14.4	47	3	350		29.00	6	+0.02	29.95	FM-15	0.00	29.97
30	1953	7	CLR:00	10.00		76	24.4	63	17.2	54	12.2	47	0	000		29.00			29.95	FM-15	0.00	29.97
30	2053	7	CLR:00	10.00		73	22.8	63	17.1	56	13.3	55	0	000		29.00			29.96	FM-15	0.00	29.97
30	2153	7	CLR:00	10.00		70	21.1	61	15.9	54	12.2	57	0	000		29.02	3	-0.02	29.97	FM-15	0.00	29.99
30	2253	7	CLR:00	10.00		69	20.6	61	16.0	55	12.8	61	0	000		29.01			29.96	FM-15	0.00	29.98
30	2353	7	CLR:00	10.00		67	19.4	61	15.9	56	13.3	68	0	000		29.01			29.96	FM-15	0.00	29.98
31	0053	7	CLR:00	10.00		64	17.8	59	15.2	56	13.3	75	0	000		29.01	7	+0.01	29.96	FM-15	0.00	29.98
31	0153	7	CLR:00	10.00		65	18.3	60	15.7	57	13.9	76	0	000		29.01			29.96	FM-15	0.00	29.98
31	0253	7	CLR:00	10.00		63	17.2	60	15.3	57	13.9	81	0	000		29.01			29.96	FM-15	0.00	29.98
31	0353	7	CLR:00	10.00		62	16.7	59	15.1	57	13.9	84	0	000		29.01	2	-0.00	29.96	FM-15	0.00	29.98
31	0453	7	CLR:00	10.00		61	16.1	59	15.1	58	14.4	90	0	000		29.02			29.97	FM-15	0.00	29.99
31	0553	7	CLR:00	10.00		62	16.7	60	15.7	59	15.0	90	0	000		29.02			29.97	FM-15	0.00	29.99
31	0653	7	CLR:00	10.00		67	19.4	64	17.7	62	16.7	84	0	000		29.04	3	-0.03	29.99	FM-15	0.00	30.01
31	0753	7	CLR:00	10.00		72	22.2	66	19.1	63	17.2	73	0	000		29.04			29.99	FM-15	0.00	30.01
31	0853	7	CLR:00	10.00		77	25.0	67	19.4	61	16.1	58	0	000		29.05			30.00	FM-15	0.00	30.02
31	0953	7	CLR:00	10.00		80	26.7	68	20.3	62	16.7	54	0	000		29.04	0	-0.00	29.99	FM-15	0.00	30.01
31	1053	7	CLR:00	10.00		85	29.4	68	20.0	58	14.4	40	0	000		29.04			29.99	FM-15	0.00	30.01
31	1153	7	CLR:00	10.00		85	29.4	68	20.2	59	15.0	42	6	270		29.03			29.98	FM-15	0.00	30.00
31	1253	7	CLR:00	10.00		85	29.4	66	19.1	55	12.8	36	0	000		29.02	8	+0.02	29.97	FM-15	0.00	29.99
31	1353	7	CLR:00	10.00		85	29.4	67	19.7	57	13.9	39	8	010		29.01			29.96	FM-15	0.00	29.98
31	1453	7	FEW:02 65	10.00		87	30.6	69	20.3	58	14.4	37	5	290		29.01			29.96	FM-15	0.00	29.98
31	1553	7	FEW:02 65	10.00		85	29.4	67	19.4	56	13.3	37	9	VRB		28.99	8	+0.03	29.94	FM-15	0.00	29.96

31	1653	7	FEW:02 70	10.00		84	28.9	68	20.1	59	15.0	43	6	020		28.99			29.94	FM-15	0.00	29.96
31	1753	7	CLR:00	10.00		83	28.3	67	19.3	57	13.9	41	9	020		28.99			29.93	FM-15	0.00	29.96
31	1853	7	CLR:00	10.00		79	26.1	66	19.2	59	15.0	50	9	030		29.00	3	-0.00	29.95	FM-15	0.00	29.97
31	1953	7	CLR:00	10.00		77	25.0	66	18.8	59	15.0	54	8	050		29.01			29.96	FM-15	0.00	29.98
31	2053	7	CLR:00	10.00		75	23.9	64	17.5	56	13.3	52	9	050		29.02			29.97	FM-15	0.00	29.99
31	2153	7	CLR:00	10.00		71	21.7	63	17.0	57	13.9	61	6	060		29.03	1	-0.04	29.98	FM-15	0.00	30.00
31	2253	7	CLR:00	10.00		70	21.1	61	16.2	55	12.8	59	6	060		29.04			29.98	FM-15	0.00	30.01
31	2353	7	CLR:00	10.00		70	21.1	61	16.2	55	12.8	59	5	070		29.04			29.99	FM-15	0.00	30.01

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
May 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01		T																	0.01			0.28	T		01
02	0.07	0.02	T	0.01																					02
03						T									T	T									03
04											T				T	0.02	T								04
05									T	0.03	T														05
06																									06
07												T	T	T	T										07
08																									08
09							T	T	0.04	0.01	T					T	T		T	0.01	T	T	T	0.02	09
10	T	0.03	0.01	T	T						T	0.01		T	0.02	0.05	T			0.09				T	10
11						T	0.05	0.11	0.01																11
12																						0.06	0.07	0.11	12
13	0.08	T																							13
14				0.01	0.06	0.08	T	T	T	T	T	T	T		0.01	T	0.01					T			14
15				T						T		T	T	T											15
16																									16
17			T	T	T	T	T	T					T	T	T	T				0.01	0.03	T	0.01	0.03	17
18	0.01	T	T	0.02	0.02	T	T																		18
19																									19
20																			0.01	0.04	0.03	0.02	0.01	0.07	20
21	0.07	0.12	0.20	0.02	T	T	0.02	T	0.01	0.01		T	T	T	0.01	T	T								21
22																									22
23																									23
24																							M	M	24
25	M	M	M	M																			M	M	25
26					M																		M	M	26
27	M	M	M																						27
28															0.22	0.32	T								28
29																		T	T		0.01	0.02			29
30																									30
31																									31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.12	0.16	0.23	0.30	0.32	0.32	0.32	0.45	0.54	0.54	0.54	0.54
Ending Date Time (yyyy-mm-dd hh:mi)	2016-05-28 15:34	2016-05-28 15:37	2016-05-28 15:43	2016-05-28 15:48	2016-05-28 15:55	2016-05-28 15:55	2016-05-28 15:55	2016-05-28 15:48	2016-05-28 15:55	2016-05-28 15:55	2016-05-28 15:55	2016-05-28 15:55

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
June 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	88	61	74	7.9				0	9	0505	1956	TS RA	0.06			29.02		5.0	30	170	23	160
02	83	67	75	8.6				0	10	0505	1957	RA BR				29.03		4.5	17	240	13	290
03	85	66	75	8.2				0	10	0504	1957	BR	0.00			29.07		4.6	15	300	10	290
04	80	66	73	5.9				0	8	0504	1958	TS RA FG BR	1.30			28.95		6.1	21	250	16	230
05	80	64	72	4.6				0	7	0504	1958	TS RA BR	0.07			28.74		11.4	40	280	31	290
06	84	59	72	4.3				0	7	0503	1959	TS RA	0.08			28.75		11.3	33	230	26	230
07	71	57	64	-4.0				1	0	0503	2000		0.00			28.77		10.4	28	300	22	320
08	72	51	62	-6.3				3	0	0503	2000		0.00			28.97		9.2	28	280	20	310
09	77	46*	62	-6.6				3	0	0503	2001					29.07		5.5	15	320	12	340
10	80	64	72	3.1				0	7	0503	2001	RA BR	0.15			29.09		6.9	21	220	16	250
11	91	67	79	9.8				0	14	0503	2002		0.00			29.03		11.4	28	270	21	270
12	83	58	70	0.5				0	5	0503	2002		T			29.03		9.3	22	320	16	350
13	82	50	66	-3.8				0	1	0503	2003		0.00			29.06		2.7	11	160	8	040
14	83	60	72	1.9				0	7	0503	2003		T			29.00		6.4	19	110	13	110
15	88	67	77	6.7				0	12	0503	2003	TS RA BR	0.58			28.90		6.8	39	020	25	020
16	84	65	74	3.4				0	9	0503	2004	BR	T			28.79		11.6	34	290	25	290
17	85	65	75	4.2				0	10	0503	2004	BR	0.00			28.95		9.2	26	040	22	030
18	87	60	74	2.9				0	9	0503	2004		0.00			29.21		4.2	19s	090s	13	150
19	88	62	75	3.7				0	10	0503	2005		0.00			29.31		7.6	24	190	18	150
20	90	70	80	8.4				0	15	0503	2005		0.00			29.17		9.8	28	260	21	230
21	86	66	76	4.2				0	11	0504	2005		T			28.97		10.2	31	290	25	290
22	78	58	68	-4.0				0	3	0504	2005	TS RA	0.08			29.00		5.3	20	220	16	230
23	86	65	75	2.8				0	10	0504	2005	TS RA BR	2.92			28.91		8.4	34	120	30	130
24	83	63	73	0.6				0	8	0504	2005	BR	0.00			29.05		6.9	19	360	15	010
25	88	57	73	0.4				0	8	0505	2005		0.00			29.15		2.4	12	270	8	030
26	91*	66	79	6.2				0	14	0505	2006	TS RA BR	0.92			29.11		7.4	31	300	21	290
27	88	72	80	7.1				0	15	0505	2005	RA BR	0.11			29.05		5.4	20	320	16	320
28	80	60	70	-3.1				0	5	0506	2005		0.00			29.04		9.9	25	310	18	320
29	77	57	67	-6.2				0	2	0506	2005		T			29.10		4.9	19	350	13	300
30	81	54	67	-6.4				0	2	0507	2005		0.00			29.07		3.6	15	220	12	340
	83.3	61.4	72.4							Monthly Averages | Totals			4.76s			29.01	29.96	7.4				
	2.6	1.7	2.2	Departure from Normal (1981-2010)									0.27s									

Degree Days

	Monthly Total	Monthly Departure	Season-to-date Total	Season-to-date Departure
Heating	8	-17	4623	
Cooling	229	48	284	

Number of days with...

Temperature Max >=90°	Temperature Max <=32°	Temperature Min <=32°	Temperature Min <=0°	Precipitation >=0.01"	Precipitation >=0.1"	Snow >=1"	Weather T-Storms	Weather Heavy Fog
3	0	0	0	6	5			

Date of 5-sec to 3-sec wind equipment change

N/A

Sea Level Pressure

		Date	Time
Maximum	30.33	19	0939
Minimum	29.59	06	1821

Greatest...

24-Hr... Precip	24-Hr... Snowfall	Snow Depth
3.00		
Date		
22-23		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
June 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	CLR:00	10.00		67	19.4	60	15.6	55	12.8	66	6	080		29.03	0	-0.00	29.98	FM-15	0.00	30.00
01	0153	7	CLR:00	10.00		65	18.3	59	15.1	55	12.8	70	0	000		29.02			29.97	FM-15	0.00	29.99
01	0253	7	CLR:00	10.00		64	17.8	58	14.6	54	12.2	70	5	020		29.03			29.97	FM-15	0.00	30.00
01	0353	7	CLR:00	10.00		64	17.8	58	14.3	53	11.7	68	3	050		29.03	3	-0.00	29.98	FM-15	0.00	30.00
01	0453	7	CLR:00	10.00		62	16.7	57	14.1	54	12.2	75	0	000		29.04			29.99	FM-15	0.00	30.01
01	0553	7	CLR:00	10.00		63	17.2	58	14.7	55	12.8	75	0	000		29.05			30.00	FM-15	0.00	30.02
01	0653	7	CLR:00	10.00		67	19.4	61	15.9	56	13.3	68	3	070		29.05	1	-0.01	30.00	FM-15	0.00	30.02
01	0753	7	CLR:00	10.00		71	21.7	63	17.3	58	14.4	63	0	000		29.06			30.01	FM-15	0.00	30.03
01	0853	7	CLR:00	10.00		76	24.4	65	18.6	59	15.0	56	0	000		29.05			30.00	FM-15	0.00	30.02
01	0953	7	CLR:00	10.00		81	27.2	68	20.1	61	16.1	51	8	110		29.04	8	+0.01	29.99	FM-15	0.00	30.01
01	1053	7	CLR:00	10.00		83	28.3	68	19.9	59	15.0	44	6	120		29.03			29.98	FM-15	0.00	30.00
01	1153	7	FEW:02 70	10.00		85	29.4	66	18.9	54	12.2	35	5	VRB		29.02			29.97	FM-15	0.00	29.99
01	1253	7	SCT:04 70	10.00		84	28.9	67	19.5	57	13.9	40	6	190		29.01	8	+0.04	29.96	FM-15	0.00	29.98
01	1353	7	CLR:00	10.00		86	30.0	67	19.6	56	13.3	36	5	200		28.99			29.94	FM-15	0.00	29.96
01	1453	7	SCT:04 75	10.00		86	30.0	68	20.1	58	14.4	39	11	180	16	28.98			29.93	FM-15	0.00	29.95
01	1553	7	BKN:07 90 BKN:07 120	10.00		85	29.4	68	20.2	59	15.0	42	8	160		28.97	8	+0.04	29.91	FM-15	0.00	29.94
01	1653	7	FEW:02 70	10.00		85	29.4	69	20.5	60	15.6	43	7	160		28.95			29.90	FM-15	0.00	29.92
01	1753	7	FEW:02 120	10.00		84	28.9	68	20.1	59	15.0	43	5	160		28.94			29.89	FM-15	0.00	29.91
01	1853	7	FEW:02 70 FEW:02 85 OVC:08 110	10.00	VCTS:7 -RA:02 |RA |	75	23.9	69	20.3	65	18.3	71	9	190		28.97	3	-0.01	29.92	FM-15	T	29.94
01	1905	7	SCT:04 90 OVC:08 110	6.00	TS:7 -RA:02 |RA TS TS |	74	23.3	68	20.1	65	18.3	74	13	180	21	28.97				FM-16	0.01	29.94
01	1924	7	BKN:07 75 OVC:08 95	9.00	-RA:02 |RA |	74	23.3	68	20.1	65	18.3	74	9	160		28.98				FM-16	0.01	29.95
01	1953	7	OVC:08 65	10.00		73	22.8	68	20.3	66	18.9	79	6	100		28.97			29.92	FM-15	0.01	29.94
01	2020	7	OVC:08 60	5.00	TS:7 -RA:02 |RA TS TS |	74	23.3	69	20.4	66	18.9	76	22	170	30	28.98				FM-16	0.04	29.95
01	2053	7	BKN:07 70 OVC:08 85	10.00	TS:7 |TS TS |	73	22.8	68	20.3	66	18.9	79	7	310		28.99			29.94	FM-15	0.05	29.96
01	2100	7	OVC:08 70	10.00	VCTS:7 ||	76	24.4	68	19.8	63	17.2	64	9	320		28.99				FM-16		29.96
01	2118	7	BKN:07 65	10.00		74	23.3	68	19.8	64	17.8	71	6	360		28.99				FM-16		29.96
01	2126	7	SCT:04 65	10.00	TS:7 |TS TS |	73	22.8	67	19.6	64	17.8	74	8	360		28.99				FM-16		29.96
01	2149	7	FEW:02 65	10.00		73	23.0	67	19.3	63	17.0	69	8	010		29.00				FM-16		29.97
01	2153	7	FEW:02 65	10.00		72	22.2	66	19.1	63	17.2	73	8	010		29.00	1	-0.03	29.94	FM-15	0.00	29.97
01	2253	7	FEW:02 110	10.00		72	22.2	66	18.7	62	16.7	71	5	310		29.00			29.94	FM-15	0.00	29.97
01	2353	7	FEW:02 90	10.00		71	21.7	67	19.2	64	17.8	79	3	210		29.00			29.95	FM-15	0.00	29.97
02	0053	7	FEW:02 55 SCT:04 70 BKN:07 90	6.00	-RA:02 |RA |	70	21.1	66	19.0	64	17.8	82	8	240		29.00	2	-0.00	29.95	FM-15	0.01	29.97
02	0153	7	BKN:07 55 BKN:07 70 OVC:08 100	10.00		69	20.6	66	19.1	65	18.3	87	8	220		29.01			29.96	FM-15	T	29.98
02	0253	7	FEW:02 70	9.00		67	19.4	66	18.7	65	18.3	93	6	270		29.00			29.95	FM-15		29.97
02	0353	7		10.00		68	20.0	66	18.9	65	18.3	90	7	290		29.00			29.95	FM-15		29.97
02	0453	7	CLR:00	8.00		67	19.4	66	18.7	65	18.3	93	0	000		29.02			29.97	FM-15	0.00	29.99
02	0553	7	CLR:00	6.00	BR:1 ||	68	20.0	66	18.9	65	18.3	90	3	210		29.05			29.99	FM-15	0.00	30.02
02	0653	7	CLR:00	6.00	BR:1 ||	70	21.1	67	19.7	66	18.9	87	3	250		29.06	1	-0.05	30.00	FM-15	0.00	30.03
02	0753	7	CLR:00	8.00		72	22.2	69	20.4	67	19.4	84	3	250		29.07			30.01	FM-15	0.00	30.04

02	0853	7	CLR:00	10.00		75	23.9	69	20.6	66	18.9	74	0	000		29.07			30.02	FM-15	0.00	30.04
02	0953	7	FEW:02 40	10.00		76	24.4	68	20.2	64	17.8	67	3	270		29.08	1	-0.02	30.03	FM-15	0.00	30.05
02	1053	7	FEW:02 34	10.00		79	26.1	70	21.4	66	18.9	65	3	VRB		29.08			30.03	FM-15	0.00	30.05
02	1153	7	SCT:04 34	10.00		80	26.7	70	20.9	64	17.8	58	0	000		29.08			30.02	FM-15	0.00	30.05
02	1253	7	SCT:04 50	10.00		82	27.8	69	20.6	62	16.7	51	0	000		29.06	8	+0.02	30.01	FM-15	0.00	30.03
02	1353	7	BKN:07 31	10.00		82	27.8	70	21.2	64	17.8	55	6	220		29.04			29.98	FM-15	0.00	30.01
02	1453	7	OVC:08 100	10.00		81	27.2	70	21.1	64	17.8	57	6	200		29.02			29.97	FM-15	0.00	29.99
02	1553	7	SCT:04 50 OVC:08 95	10.00		79	26.1	70	21.0	65	18.3	62	8	200		29.02	6	+0.03	29.97	FM-15	0.00	29.99
02	1653	7	FEW:02 60 SCT:04 100	10.00		79	26.1	69	20.7	64	17.8	60	6	190		29.01			29.96	FM-15	0.00	29.98
02	1753	7	CLR:00	10.00		80	26.7	70	21.2	65	18.3	60	6	240		29.00			29.95	FM-15	0.00	29.97
02	1853	7	OVC:08 80	10.00		75	23.9	69	20.3	65	18.3	71	3	280		29.00	5	+0.02	29.96	FM-15	0.00	29.97
02	1953	7	CLR:00	10.00		76	24.4	68	19.8	63	17.2	64	5	240		29.02			29.97	FM-15	0.00	29.99
02	2053	7	FEW:02 60 FEW:02 80	10.00		75	23.9	68	20.0	64	17.8	69	7	220		29.04			29.99	FM-15	0.00	30.01
02	2153	7	BKN:07 55	10.00		74	23.3	69	20.5	66	18.9	76	8	250		29.05	1	-0.04	30.00	FM-15	0.00	30.02
02	2253	7	BKN:07 60 BKN:07 70	10.00		72	22.2	68	20.1	66	18.9	82	7	220		29.06			30.01	FM-15	0.00	30.03
02	2353	7	FEW:02 50	10.00		69	20.6	66	19.1	65	18.3	87	0	000		29.05			30.00	FM-15	0.00	30.02
03	0053	7	BKN:07 60 OVC:08 90	10.00		71	21.7	67	19.5	65	18.3	81	5	210		29.06	1	-0.01	30.01	FM-15	0.00	30.03
03	0153	7	BKN:07 65 OVC:08 90	10.00		70	21.1	67	19.3	65	18.3	84	6	210		29.05			30.00	FM-15	0.00	30.02
03	0253	7	FEW:02 70 OVC:08 90	8.00		69	20.6	67	19.5	66	18.9	90	5	260		29.05			30.00	FM-15	0.00	30.02
03	0353	7	FEW:02 60 BKN:07 100	6.00	BR:1 ||	69	20.6	67	19.5	66	18.9	90	3	220		29.04	6	+0.02	29.99	FM-15	0.00	30.01
03	0453	7	FEW:02 60	6.00	BR:1 ||	66	18.9	65	18.2	64	17.8	93	5	320		29.05			30.00	FM-15	0.00	30.02
03	0553	7	OVC:08 65	10.00		67	19.4	63	17.4	61	16.1	81	6	350		29.06			30.01	FM-15	0.00	30.03
03	0653	7	OVC:08 65	10.00		68	20.0	61	16.4	57	13.9	68	7	010		29.08	3	-0.04	30.03	FM-15	0.00	30.05
03	0753	7	FEW:02 65	10.00		70	21.1	63	17.4	59	15.0	68	6	360		29.09			30.04	FM-15	0.00	30.06
03	0853	7	CLR:00	10.00		73	22.8	64	17.7	58	14.4	59	7	030		29.10			30.05	FM-15	0.00	30.07
03	0953	7	CLR:00	10.00		76	24.4	64	17.7	56	13.3	50	7	030		29.10	1	-0.02	30.05	FM-15	0.00	30.07
03	1053	7	FEW:02 80	10.00		77	25.0	64	17.9	56	13.3	48	5	VRB		29.10			30.06	FM-15	0.00	30.07
03	1153	7	FEW:02 70	10.00		78	25.6	64	17.8	55	12.8	45	6	080		29.10			30.05	FM-15	0.00	30.07
03	1253	7	CLR:00	10.00		82	27.8	66	18.9	56	13.3	41	0	000		29.09	8	+0.01	30.03	FM-15	0.00	30.06
03	1353	7	FEW:02 60	10.00		83	28.3	66	19.0	56	13.3	40	7	300		29.07			30.02	FM-15	0.00	30.04
03	1453	7	FEW:02 60	10.00		84	28.9	65	18.4	53	11.7	34	5	220		29.06			30.00	FM-15	0.00	30.03
03	1553	7	CLR:00	10.00		85	29.4	66	19.1	55	12.8	36	3	350		29.04	6	+0.05	29.99	FM-15	0.00	30.01
03	1653	7	FEW:02 75	10.00		85	29.4	66	18.9	54	12.2	35	8	340		29.03			29.98	FM-15	0.00	30.00
03	1753	7	CLR:00	10.00		81	27.2	65	18.1	54	12.2	39	6	010		29.03			29.98	FM-15	0.00	30.00
03	1853	7	CLR:00	10.00		79	26.1	64	18.0	55	12.8	44	0	000		29.03	5	+0.01	29.98	FM-15	0.00	30.00
03	1953	7	CLR:00	10.00		78	25.6	62	16.8	51	10.6	39	0	000		29.04			29.98	FM-15	0.00	30.01
03	2053	7	CLR:00	10.00		74	23.3	62	16.8	54	12.2	50	0	000		29.04			29.99	FM-15	0.00	30.01
03	2153	7	CLR:00	10.00		74	23.3	63	17.0	55	12.8	52	3	020		29.05	3	-0.02	30.00	FM-15	0.00	30.02
03	2253	7	CLR:00	10.00		71	21.7	63	17.0	57	13.9	61	5	040		29.05			30.00	FM-15	0.00	30.02
03	2353	7	CLR:00	10.00		72	22.2	62	16.9	56	13.3	57	7	060		29.05			29.99	FM-15	0.00	30.02
04	0053	7	BKN:07 120	10.00		71	21.7	63	17.0	57	13.9	61	7	070		29.03	8	+0.02	29.98	FM-15	0.00	30.00
04	0153	7	OVC:08 110	10.00		70	21.1	62	16.8	57	13.9	64	3	080		29.03			29.98	FM-15	0.00	30.00
04	0253	7	OVC:08 80	10.00		69	20.6	62	16.9	58	14.4	68	3	070		29.02			29.97	FM-15	0.00	29.99
04	0353	7	OVC:08 100	10.00		68	20.0	62	16.7	58	14.4	70	6	070		29.01	8	+0.01	29.96	FM-15	T	29.98
04	0453	7	FEW:02 75 OVC:08 100	10.00		67	19.4	63	17.1	60	15.6	79	5	030		29.02			29.96	FM-15	0.00	29.99
04	0553	7	BKN:07 70 OVC:08 95	10.00	-RA:02 |RA |	67	19.4	63	17.1	60	15.6	79	3	360		29.04			29.99	FM-15	T	30.01
04	0653	7	SCT:04 85 OVC:08 110	7.00	-RA:02 |RA |	66	18.9	64	17.5	62	16.7	87	3	010		29.04	1	-0.02	29.99	FM-15	0.02	30.01

04	0753	7	FEW:02 65 SCT:04 85 OVC:08 110	10.00	-RA:02 |RA |	68	20.0	64	17.9	62	16.7	81	5	020		29.03			29.98	FM-15	T	30.00
04	0853	7	FEW:02 55 OVC:08 80	10.00		70	21.1	66	19.0	64	17.8	82	6	090		29.02			29.97	FM-15	T	29.99
04	0953	7	SCT:04 75 SCT:04 95	10.00		71	21.7	65	18.5	62	16.7	73	6	070		29.00	8	+0.04	29.95	FM-15	T	29.97
04	1053	7	BKN:07 100	10.00		74	23.3	68	19.8	64	17.8	71	5	VRB		28.98			29.93	FM-15	T	29.95
04	1153	7	BKN:07 70 OVC:08 90	10.00		77	25.0	68	20.0	63	17.2	62	7	130		28.96			29.91	FM-15	0.00	29.93
04	1253	7	SCT:04 65 SCT:04 95	10.00		79	26.1	69	20.7	64	17.8	60	9	190		28.93	8	+0.06	29.88	FM-15	0.00	29.90
04	1353	7	BKN:07 85	10.00		79	26.1	69	20.7	64	17.8	60	10	180		28.91			29.85	FM-15	0.00	29.88
04	1453	7	BKN:07 90 BKN:07 110	10.00		78	25.6	69	20.5	64	17.8	62	7	150		28.90			29.83	FM-15	T	29.86
04	1553	7	BKN:07 55 OVC:08 100	10.00		78	25.6	69	20.5	64	17.8	62	7	180		28.87	6	+0.07	29.81	FM-15	0.00	29.83
04	1606	7	BKN:07 50 OVC:08 100	7.00	VCTS:7 -RA:02 |RA |	77	25.0	70	21.0	66	18.9	69	5	220		28.87				FM-16	T	29.83
04	1621	7	BKN:07 50 BKN:07 70 OVC:08 85	3.00	RA:02 |RA |	74	23.3	69	20.8	67	19.4	79	3	300		28.86				FM-16	0.02	29.82
04	1623	7	BKN:07 50 BKN:07 80 OVC:08 100	2.50	VCTS:7 RA:02 |RA |	74	23.3	69	20.8	67	19.4	79	5	310		28.86				FM-16	0.03	29.82
04	1631	7	SCT:04 50 BKN:07 80 OVC:08 95	3.00	TS:7 RA:02 BR:1 |RA TS |	72	22.2	69	20.8	68	20.0	87	7	320		28.86				FM-16	0.05	29.82
04	1637	7	FEW:02 30 BKN:07 50 OVC:08 85	1.75	TS:7 +RA:02 BR:1 |RA TS |	71	21.7	69	20.6	68	20.0	90	10	290		28.87				FM-16	0.09	29.83
04	1649	7	BKN:07 32 BKN:07 75 OVC:08 90	0.25	TS:7 +RA:02 FG:2 |FG RA TS |	70	21.0	69	20.4	68	20.0	94	16	240		28.87				FM-16	0.47	29.83
04	1651	6	BKN:07 29 OVC:08 75	0.25	TS:7 +RA:02 FG:2 |FG RA TS |	70	21.0	69	20.4	68	20.0	94	15	220		28.87				FM-16		29.83
04	1653	7	BKN:07 26 BKN:07 31 OVC:08 75	0.25	TS:7 +RA:02 FG:2 |FG RA TS |	70	21.1	69	20.7	69	20.6	97	11	210		28.87			29.81	FM-15	0.80	29.83
04	1710	7	BKN:07 19 BKN:07 30 OVC:08 65	0.50	TS:7 RA:02 FG:2 |FG RA TS |	68	20.0	67	19.3	66	18.9	93	9	040		28.84				FM-16	0.38	29.80
04	1715	7	BKN:07 19 BKN:07 44 OVC:08 70	2.50V	TS:7 -RA:02 BR:1 |RA TS |	68	20.0	67	19.3	66	18.9	93	8	060		28.84				FM-16	0.39	29.81
04	1718	7	SCT:04 19 BKN:07 44 OVC:08 80	5.00	TS:7 -RA:02 BR:1 |RA TS |	68	20.0	67	19.3	66	18.9	93	6	050		28.84				FM-16	0.39	29.81
04	1727	7	SCT:04 28 BKN:07 44 OVC:08 80	2.50V	VCTS:7 +RA:02 BR:1 |RA |	68	20.0	67	19.3	66	18.9	93	8	180		28.84				FM-16	0.44	29.81
04	1734	7	SCT:04 35 BKN:07 46 OVC:08 80	3.00	-RA:02 BR:1 |RA |	68	20.0	67	19.3	66	18.9	93	6	150		28.84				FM-16	0.45	29.81
04	1753	7	FEW:02 21 BKN:07 33 OVC:08 48	10.00	-RA:02 |RA |	69	20.6	67	19.5	66	18.9	90	6	080		28.84			29.79	FM-15	0.31	29.80
04	1806	7	SCT:04 19 BKN:07 29 OVC:08 90	10.00	-RA:02 |RA |	69	20.6	67	19.5	66	18.9	90	0	000		28.84				FM-16	0.01	29.80
04	1819	7	SCT:04 22 OVC:08 90	10.00		69	20.6	67	19.5	66	18.9	90	3	100		28.84				FM-16	0.01	29.80
04	1853	7	OVC:08 95	10.00	-RA:02 |RA |	69	20.6	68	19.8	67	19.4	93	0	000		28.82	8	+0.04	29.77	FM-15	0.01	29.78
04	1953	7	OVC:08 70	10.00		69	20.6	68	20.2	68	20.0	96	0	000		28.83			29.77	FM-15	T	29.79

04	2053	7	SCT:04 32 BKN:07 49 OVC:08 95	6.00	-RA:02 BR:1 |RA |	70	21.1	69	20.4	68	20.0	93	7	170		28.82			29.76	FM-15	0.12	29.78
04	2143	7	FEW:02 8 BKN:07 39 OVC:08 85	6.00	-RA:02 BR:1 |RA |	69	20.6	68	19.8	67	19.4	93	13	180		28.81				FM-16	0.02	29.77
04	2153	7	FEW:02 8 OVC:08 39	8.00	-RA:02 |RA |	69	20.6	68	19.8	67	19.4	93	11	170		28.80	8	+0.02	29.75	FM-15	0.03	29.76
04	2214	7	SCT:04 8 BKN:07 18 OVC:08 39	5.00	-RA:02 BR:1 |RA |	69	20.6	68	19.8	67	19.4	93	10	190		28.80				FM-16	0.01	29.76
04	2224	7	FEW:02 7 BKN:07 11 OVC:08 19	5.00	-RA:02 BR:1 |RA |	68	20.0	67	19.6	67	19.4	96	11	190		28.80				FM-16	0.02	29.76
04	2237	7	BKN:07 9 OVC:08 13	5.00	-RA:02 BR:1 |RA |	69	20.6	68	19.8	67	19.4	93	9	200		28.81				FM-16	0.02	29.77
04	2251	6	SCT:04 5 BKN:07 11 OVC:08 26	8.00		70	21.0	67	19.7	66	19.0	88	9	190		28.80				FM-16		29.76
04	2253	7	FEW:02 5 BKN:07 9 OVC:08 26	8.00		69	20.6	68	19.8	67	19.4	93	11	190		28.80			29.74	FM-15	0.01	29.76
04	2300	7	SCT:04 7 BKN:07 18 OVC:08 38	8.00		68	20.0	67	19.6	67	19.4	96	8	190		28.79				FM-16		29.75
04	2322	7	BKN:07 8 BKN:07 12 OVC:08 19	7.00	-RA:02 |RA |	69	20.6	68	20.2	68	20.0	96	9	220		28.79				FM-16	T	29.75
04	2353	7	BKN:07 7 BKN:07 12 OVC:08 22	9.00		69	20.6	68	20.2	68	20.0	96	8	250		28.80			29.73	FM-15	T	29.76
05	0020	7	BKN:07 10 OVC:08 21	10.00		69	20.6	68	19.8	67	19.4	93	8	260		28.78				FM-16		29.74
05	0036	7	FEW:02 10 BKN:07 22 OVC:08 28	10.00		68	20.0	66	18.9	65	18.3	90	9	240		28.79				FM-16		29.75
05	0051	6	FEW:02 21 SCT:04 27 BKN:07 100	10.00		66	19.0	65	18.2	64	18.0	94	7	240		28.78				FM-16		29.74
05	0053	7	FEW:02 21 SCT:04 27 BKN:07 100	10.00		67	19.4	66	18.7	65	18.3	93	7	240		28.79	8	+0.02	29.72	FM-15	0.00	29.75
05	0153	7	CLR:00	10.00		66	18.9	65	18.2	64	17.8	93	5	230		28.77			29.71	FM-15	0.00	29.73
05	0253	7	CLR:00	10.00		65	18.3	64	17.6	63	17.2	93	6	210		28.77			29.71	FM-15	0.00	29.73
05	0340	7	BKN:07 11	10.00		65	18.3	64	18.0	64	17.8	97	6	210		28.76				FM-16		29.72
05	0353	7	OVC:08 11	10.00		65	18.3	64	18.0	64	17.8	97	7	200		28.77	6	+0.02	29.71	FM-15	0.00	29.73
05	0453	7	BKN:07 10 BKN:07 19 OVC:08 110	8.00	-RA:02 |RA |	66	18.9	65	18.2	64	17.8	93	6	210		28.76			29.71	FM-15	T	29.72
05	0537	7	SCT:04 9 OVC:08 17	5.00	-RA:02 BR:1 |RA |	66	18.9	65	18.5	65	18.3	96	7	200		28.77				FM-16	0.02	29.73
05	0546	7	BKN:07 11 OVC:08 19	2.50	-RA:02 BR:1 |RA |	66	18.9	65	18.5	65	18.3	96	7	200		28.78				FM-16	0.02	29.74
05	0551	6	SCT:04 9 OVC:08 14	2.50	-RA:02 BR:1 |RA |	66	19.0	65	18.2	64	18.0	94	7	210		28.78				FM-16		29.74
05	0553	7	BKN:07 9 OVC:08 14	2.50	-RA:02 BR:1 |RA |	66	18.9	65	18.5	65	18.3	96	7	200		28.78			29.72	FM-15	0.03	29.74
05	0613	7	BKN:07 9 OVC:08 14	5.00	BR:1 ||	66	18.9	65	18.5	65	18.3	96	7	190		28.77				FM-16	T	29.73
05	0653	7	BKN:07 9 BKN:07 23 OVC:08 90	5.00	BR:1 ||	66	18.9	65	18.5	65	18.3	96	6	190		28.76	8	+0.00	29.71	FM-15	T	29.72
05	0718	7	SCT:04 7 BKN:07 95	7.00		67	19.4	66	19.1	66	18.9	97	9	200		28.76				FM-16		29.72

05	0726	7	BKN:07 7 BKN:07 95	7.00		67	19.4	66	19.1	66	18.9	97	8	220		28.76				FM-16		29.72
05	0753	7	BKN:07 9	7.00		68	20.0	67	19.3	66	18.9	93	9	220		28.76			29.71	FM-15	0.00	29.72
05	0820	7	OVC:08 12	7.00		69	20.6	67	19.5	66	18.9	90	11	210		28.76				FM-16		29.72
05	0853	7	BKN:07 14	10.00		70	21.1	67	19.3	65	18.3	84	10	230		28.76			29.70	FM-15	0.00	29.72
05	0951	6	BKN:07 21	10.00		73	23.0	67	19.6	64	18.0	74	15	230		28.75				FM-16		29.71
05	0953	7	BKN:07 21	10.00		74	23.3	68	20.1	65	18.3	74	14	230		28.75	8	+0.02	29.69	FM-15	0.00	29.71
05	1053	7	BKN:07 21	10.00		76	24.4	69	20.5	65	18.3	69	15	220	22	28.74			29.68	FM-15	0.00	29.70
05	1100	7	FEW:02 28 SCT:04 37 BKN:07 47	10.00		76	24.4	68	19.8	63	17.2	64	14	250	23	28.74				FM-16		29.70
05	1153	7	SCT:04 36 SCT:04 49 BKN:07 70	10.00		78	25.6	68	20.2	63	17.2	60	16	240	24	28.73			29.66	FM-15	0.00	29.69
05	1253	7	FEW:02 40 SCT:04 110	10.00		79	26.1	69	20.7	64	17.8	60	17	200	25	28.69	8	+0.06	29.63	FM-15	0.00	29.65
05	1344	7	SCT:04 42 BKN:07 60 OVC:08 90	10.00	TS:7 -RA:02 |RA TS TS |	68	20.0	64	17.6	61	16.1	78	14	270		28.72				FM-16	0.01	29.68
05	1353	7	FEW:02 40 BKN:07 50 OVC:08 80	4.00	TS:7 RA:02 |RA TS TS |	68	20.0	64	17.9	62	16.7	81	11	230	21	28.72			29.67	FM-15	0.03	29.68
05	1409	7	FEW:02 55 SCT:04 85 SCT:04 110	10.00		72	22.2	68	19.7	65	18.3	79	8	220		28.71				FM-16	T	29.67
05	1453	7	SCT:04 37 BKN:07 50 BKN:07 60	9.00	-RA:02 |RA |	72	22.2	67	19.4	64	17.8	76	17	280	30	28.70			29.65	FM-15	0.01	29.66
05	1505	7	SCT:04 37 BKN:07 50 BKN:07 75	10.00		73	22.8	68	19.9	65	18.3	76	9	270		28.70				FM-16	T	29.66
05	1553	7	CLR:00	10.00	-RA:02 |RA |	78	25.6	66	19.0	59	15.0	52	28	280	34	28.70	0	-0.01	29.64	FM-15	T	29.66
05	1653	7	FEW:02 60	10.00		77	25.0	66	19.1	60	15.6	56	21	290	26	28.70			29.64	FM-15	T	29.66
05	1753	7	FEW:02 47 FEW:02 55	10.00		76	24.4	65	18.6	59	15.0	56	20	280	31	28.72			29.66	FM-15	0.00	29.68
05	1853	7	CLR:00	10.00		74	23.3	64	17.9	58	14.4	57	11	270	23	28.74	3	-0.04	29.68	FM-15	T	29.70
05	1953	7	CLR:00	10.00		72	22.2	63	17.2	57	13.9	59	10	270		28.75			29.70	FM-15	0.00	29.71
05	2053	7	CLR:00	10.00		68	20.0	61	16.4	57	13.9	68	8	270		28.78			29.72	FM-15	0.00	29.74
05	2153	7	CLR:00	10.00		67	19.4	62	16.5	58	14.4	73	8	240		28.79	3	-0.05	29.73	FM-15	0.00	29.75
05	2253	7	CLR:00	10.00		67	19.4	62	16.5	58	14.4	73	8	230		28.79			29.73	FM-15	0.00	29.75
05	2353	7	CLR:00	10.00		65	18.3	61	16.0	58	14.4	78	7	220		28.80			29.74	FM-15	0.00	29.76
06	0053	7	CLR:00	10.00		66	18.9	61	16.2	58	14.4	75	11	230		28.80	3	-0.01	29.74	FM-15	0.00	29.76
06	0153	7	CLR:00	10.00		65	18.3	61	16.0	58	14.4	78	9	230		28.81			29.75	FM-15	0.00	29.77
06	0253	7	BKN:07 80	10.00		65	18.3	61	16.0	58	14.4	78	9	240		28.81			29.75	FM-15	0.00	29.77
06	0353	7	FEW:02 75 BKN:07 95	10.00		64	17.8	60	15.8	58	14.4	81	8	260		28.80	0	-0.00	29.75	FM-15	0.00	29.76
06	0453	7	BKN:07 90	10.00		64	17.8	60	15.8	58	14.4	81	8	240		28.80			29.74	FM-15	0.00	29.76
06	0553	7	FEW:02 85	10.00		64	17.8	60	15.8	58	14.4	81	6	230		28.81			29.75	FM-15	0.00	29.77
06	0653	7	SCT:04 80 OVC:08 100	10.00		67	19.4	62	16.8	59	15.0	76	15	240	20	28.81	3	-0.00	29.75	FM-15	0.00	29.77
06	0753	7	BKN:07 70	10.00		69	20.6	63	17.2	59	15.0	70	11	230		28.81			29.75	FM-15	0.00	29.77
06	0853	7	SCT:04 70	10.00		73	22.8	64	18.0	59	15.0	62	15	230		28.81			29.75	FM-15	0.00	29.77
06	0953	7	FEW:02 95	10.00		76	24.4	66	18.9	60	15.6	58	15	220		28.80	8	+0.01	29.74	FM-15	0.00	29.76
06	1053	7	FEW:02 95	10.00		78	25.6	66	19.0	59	15.0	52	17	250	25	28.79			29.73	FM-15	0.00	29.75
06	1153	7	FEW:02 50	10.00		80	26.7	67	19.3	59	15.0	49	14	240	23	28.78			29.71	FM-15	0.00	29.74
06	1253	7	SCT:04 60 BKN:07 100	10.00		81	27.2	67	19.2	58	14.4	45	15	240	24	28.75	8	+0.05	29.69	FM-15	0.00	29.71
06	1353	7	SCT:04 70	10.00		83	28.3	67	19.3	57	13.9	41	15	240	25	28.73			29.66	FM-15	0.00	29.69
06	1453	7	FEW:02 85 BKN:07 110	10.00		82	27.8	66	19.1	57	13.9	42	21	220	29	28.70			29.64	FM-15	0.00	29.66
06	1553	7	SCT:04 100	10.00		81	27.2	66	18.6	56	13.3	42	20	220	25	28.69	6	+0.06	29.62	FM-15	0.00	29.65

06	1651	6	SCT:04 80 SCT:04 100	10.00	VCTS:7 ||	81	27.0	65	18.4	55	13.0	42	20	230	26	28.67				FM-16		29.63
06	1653	7	FEW:02 70 SCT:04 90 BKN:07 120	10.00	VCTS:7 ||	81	27.2	65	18.4	55	12.8	41	20	230	28	28.67			29.61	FM-15	0.00	29.63
06	1711	7	FEW:02 65 SCT:04 80 BKN:07 100	10.00	-RA:02 |RA |	78	25.6	65	18.4	57	13.9	48	7	VRB	22	28.67				FM-16	T	29.63
06	1724	7	FEW:02 60 FEW:02 80 OVC:08 110	10.00	VCTS:7 -RA:02 |RA |	77	25.0	65	18.5	58	14.4	52	11	250		28.68				FM-16	T	29.64
06	1729	7	FEW:02 37 BKN:07 100 OVC:08 120	10.00	TS:7 -RA:02 |RA TS TS |	73	22.8	64	17.7	58	14.4	59	17	280	31	28.67				FM-16	0.07	29.63
06	1743	7	FEW:02 35 BKN:07 65 OVC:08 100	10.00	TS:7 -RA:02 |RA TS TS |	70	21.1	65	18.3	62	16.7	76	9	290		28.67				FM-16	0.08	29.63
06	1753	7	FEW:02 35 BKN:07 80 OVC:08 95	10.00	TS:7 -RA:02 |RA TS TS |	71	21.7	66	18.9	63	17.2	76	7	290		28.66			29.61	FM-15	0.08	29.62
06	1801	7	BKN:07 75 BKN:07 95 BKN:07 110	10.00	VCTS:7 ||	73	22.8	67	19.3	63	17.2	71	5	240		28.66				FM-16	T	29.62
06	1808	7	FEW:02 65 SCT:04 80 BKN:07 110	10.00		73	22.8	66	18.9	62	16.7	69	17	230	23	28.66				FM-16	T	29.62
06	1853	7	BKN:07 75 BKN:07 90	10.00		76	24.4	65	18.3	58	14.4	54	16	210	23	28.66	6	+0.02	29.60	FM-15	0.00	29.62
06	1953	7	CLR:00	10.00		74	23.3	64	17.9	58	14.4	57	9	230		28.67			29.61	FM-15	0.00	29.63
06	2053	7	CLR:00	10.00		69	20.6	60	15.7	54	12.2	59	6	250		28.67			29.61	FM-15	0.00	29.63
06	2153	7	CLR:00	10.00		64	17.8	59	14.9	55	12.8	73	5	020		28.71	3	-0.05	29.65	FM-15	0.00	29.67
06	2253	7	CLR:00	10.00		59	15.0	57	13.7	55	12.8	87	0	000		28.71			29.65	FM-15	0.00	29.67
06	2353	7	CLR:00	10.00		61	16.1	58	14.2	55	12.8	81	0	000		28.72			29.66	FM-15	0.00	29.68
07	0053	7	FEW:02 100	10.00		58	14.4	57	13.8	56	13.3	93	0	000		28.72	1	-0.01	29.66	FM-15	0.00	29.68
07	0153	7	SCT:04 110	10.00		60	15.6	58	14.3	56	13.3	86	3	270		28.71			29.65	FM-15	0.00	29.67
07	0253	7	FEW:02 100 SCT:04 120	10.00		58	14.4	56	13.5	55	12.8	90	3	300		28.71			29.65	FM-15	0.00	29.67
07	0353	7	SCT:04 110	10.00		58	14.4	57	13.8	56	13.3	93	5	290		28.71	5	+0.01	29.65	FM-15	0.00	29.67
07	0453	7	BKN:07 110	10.00		59	15.0	56	13.1	53	11.7	81	7	320		28.73			29.67	FM-15	0.00	29.69
07	0553	7	SCT:04 100	10.00		58	14.4	55	12.9	53	11.7	84	7	320		28.73			29.68	FM-15	0.00	29.69
07	0653	7	SCT:04 90 BKN:07 110	10.00		61	16.1	56	13.3	52	11.1	72	8	320		28.75	2	-0.04	29.69	FM-15	0.00	29.71
07	0753	7	CLR:00	10.00		65	18.3	59	14.8	54	12.2	68	9	310		28.76			29.70	FM-15	0.00	29.72
07	0853	7	CLR:00	10.00		67	19.4	58	14.7	52	11.1	59	15	310		28.76			29.70	FM-15	0.00	29.72
07	0953	7	CLR:00	10.00		69	20.6	60	15.4	53	11.7	57	13	330		28.76	1	-0.01	29.70	FM-15	0.00	29.72
07	1053	7	BKN:07 45	10.00		69	20.6	59	15.1	52	11.1	55	15	330	22	28.77			29.72	FM-15	0.00	29.73
07	1153	7	SCT:04 44 SCT:04 50 BKN:07 70	10.00		68	20.0	58	14.6	51	10.6	55	17	310	24	28.78			29.72	FM-15	0.00	29.74
07	1253	7	FEW:02 60 BKN:07 70	10.00		71	21.7	60	15.6	52	11.1	51	16	310		28.79	1	-0.02	29.73	FM-15	0.00	29.75
07	1353	7	FEW:02 50 BKN:07 65	10.00		68	20.0	57	13.8	48	8.9	49	21	320	26	28.79			29.74	FM-15	0.00	29.75
07	1453	7	FEW:02 48 OVC:08 60	10.00		67	19.4	57	13.6	48	8.9	51	16	330	28	28.81			29.76	FM-15	0.00	29.77
07	1553	7	OVC:08 65	10.00		67	19.4	57	13.9	49	9.4	53	11	330	23	28.82	2	-0.04	29.77	FM-15	0.00	29.78
07	1653	7	OVC:08 65	10.00		66	18.9	57	13.9	50	10.0	56	14	300		28.83			29.78	FM-15	0.00	29.79
07	1753	7	OVC:08 70	10.00		66	18.9	57	13.7	49	9.4	54	10	320		28.83			29.78	FM-15	0.00	29.79
07	1853	7	BKN:07 75	10.00		66	18.9	57	13.9	50	10.0	56	14	280		28.84	3	-0.02	29.79	FM-15	0.00	29.80
07	1953	7	BKN:07 75	10.00		63	17.2	55	12.7	48	8.9	58	8	290		28.84			29.80	FM-15	0.00	29.81
07	2053	7	OVC:08 75	10.00		62	16.7	55	12.7	49	9.4	62	8	290		28.86			29.81	FM-15	0.00	29.82
07	2153	7	OVC:08 70	10.00		62	16.7	55	13.0	50	10.0	65	7	290		28.87	3	-0.04	29.83	FM-15	0.00	29.84

07	2253	7	CLR:00	10.00		60	15.6	54	12.3	49	9.4	67	10	310		28.87			29.83	FM-15	0.00	29.84
07	2353	7	CLR:00	10.00		58	14.4	52	11.2	47	8.3	67	10	310		28.89			29.84	FM-15	0.00	29.85
08	0053	7	SCT:04 46 BKN:07 60	10.00		55	12.8	51	10.5	47	8.3	74	8	300		28.89	0	-0.01	29.84	FM-15	0.00	29.85
08	0153	7	FEW:02 70	10.00		54	12.2	50	9.9	46	7.8	75	7	290		28.89			29.84	FM-15	0.00	29.85
08	0253	7	FEW:02 70	10.00		52	11.1	49	9.7	47	8.3	83	8	300		28.90			29.85	FM-15	0.00	29.86
08	0353	7	CLR:00	10.00		53	11.7	50	9.9	47	8.3	80	8	300		28.90	3	-0.02	29.87	FM-15	0.00	29.87
08	0453	7	CLR:00	10.00		52	11.1	49	9.7	47	8.3	83	9	310		28.94			29.90	FM-15	0.00	29.91
08	0553	7	CLR:00	10.00		52	11.1	49	9.7	47	8.3	83	8	300		28.97			29.93	FM-15	0.00	29.94
08	0653	7	CLR:00	10.00		55	12.8	50	10.2	46	7.8	72	10	310		28.99	1	-0.08	29.95	FM-15	0.00	29.96
08	0753	7	CLR:00	10.00		57	13.9	51	10.5	45	7.2	64	11	290		29.01			29.98	FM-15	0.00	29.98
08	0853	7	FEW:02 40	10.00		60	15.6	51	10.7	43	6.1	53	13	320		29.02			29.98	FM-15	0.00	29.99
08	0953	7	SCT:04 50	10.00		61	16.1	52	11.0	43	6.1	52	15	300		29.03	1	-0.04	29.99	FM-15	0.00	30.00
08	1053	7	BKN:07 60	10.00		65	18.3	54	12.2	44	6.7	47	14	330	23	29.02			29.98	FM-15	0.00	29.99
08	1153	7	BKN:07 55	10.00		64	17.8	53	11.5	42	5.6	45	10	310		29.01			29.98	FM-15	0.00	29.98
08	1253	7	SCT:04 55	10.00		66	18.9	54	12.4	44	6.7	45	6	300	17	29.01	6	+0.02	29.98	FM-15	0.00	29.98
08	1353	7	SCT:04 60	10.00		70	21.1	56	13.6	45	7.2	41	14	300		29.00			29.96	FM-15	0.00	29.97
08	1453	7	SCT:04 65	10.00		70	21.1	56	13.1	43	6.1	38	10	330		29.00			29.96	FM-15	0.00	29.97
08	1553	7	FEW:02 70	10.00		71	21.7	56	13.6	44	6.7	38	15	300		28.99	7	+0.02	29.95	FM-15	0.00	29.96
08	1653	7	FEW:02 70	10.00		71	21.7	56	13.3	43	6.1	36	8	320		28.99			29.95	FM-15	0.00	29.96
08	1753	7	CLR:00	10.00		71	21.7	56	13.3	43	6.1	36	13	290	25	28.98			29.95	FM-15	0.00	29.95
08	1853	7	CLR:00	10.00		68	20.0	55	12.9	44	6.7	42	10	310		28.99	5	+0.00	29.95	FM-15	0.00	29.96
08	1953	7	CLR:00	10.00		65	18.3	54	12.2	44	6.7	47	5	300		29.00			29.96	FM-15	0.00	29.97
08	2053	7	CLR:00	10.00		64	17.8	53	11.7	43	6.1	46	3	240		29.00			29.96	FM-15	0.00	29.97
08	2153	7	CLR:00	10.00		59	15.0	52	11.0	45	7.2	60	3	310		29.02	3	-0.03	29.98	FM-15	0.00	29.99
08	2253	7	CLR:00	10.00		58	14.4	51	10.5	44	6.7	60	6	310		29.03			29.99	FM-15	0.00	30.00
08	2353	7	CLR:00	10.00		59	15.0	51	10.5	43	6.1	56	5	280		29.03			29.99	FM-15	0.00	30.00
09	0053	7	CLR:00	10.00		55	12.8	48	9.0	41	5.0	59	5	270		29.04	1	-0.02	30.00	FM-15		30.01
09	0153	7	CLR:00	10.00		52	11.1	46	7.9	40	4.4	64	7	290		29.05			30.01	FM-15		30.02
09	0253	7	CLR:00	10.00		51	10.6	46	7.6	40	4.4	66	6	290		29.05			30.01	FM-15		30.02
09	0353	7	CLR:00	10.00		49	9.4	44	6.8	39	3.9	69	7	290		29.06	3	-0.02	30.03	FM-15		30.03
09	0453	7	CLR:00	10.00		47	8.3	43	6.3	39	3.9	74	7	290		29.08			30.04	FM-15		30.05
09	0553	7	CLR:00	10.00		48	8.9	44	6.8	40	4.4	74	7	310		29.10			30.06	FM-15		30.07
09	0653	7	CLR:00	10.00		55	12.8	48	9.0	41	5.0	59	8	330		29.12	3	-0.06	30.09	FM-15		30.09
09	0753	7	CLR:00	10.00		60	15.6	51	10.7	43	6.1	53	6	340		29.13			30.09	FM-15		30.10
09	0853	7	CLR:00	10.00		63	17.2	54	12.2	46	7.8	54	0	000		29.14			30.09	FM-15		30.11
09	0953	7	CLR:00	10.00		66	18.9	55	12.7	45	7.2	47	3	VRB		29.13	0	-0.01	30.09	FM-15		30.10
09	1053	7	CLR:00	10.00		69	20.6	57	13.8	47	8.3	45	9	320		29.13			30.09	FM-15		30.10
09	1153	7	CLR:00	10.00		71	21.7	58	14.3	47	8.3	42	9	320		29.13			30.09	FM-15		30.10
09	1253	7	CLR:00	10.00		72	22.2	58	14.5	47	8.3	41	3	VRB		29.11	8	+0.02	30.07	FM-15		30.08
09	1353	7	CLR:00	10.00		73	22.8	59	15.0	48	8.9	41				29.10			30.06	FM-15		30.07
09	1453	7	FEW:02 110	10.00		74	23.3	60	15.4	49	9.4	41	8	340		29.08			30.04	FM-15	0.00	30.05
09	1553	7	FEW:02 95	10.00		76	24.4	61	16.1	50	10.0	40	10	360		29.06	8	+0.04	30.02	FM-15	0.00	30.03
09	1653	7	FEW:02 120	10.00		75	23.9	60	15.4	48	8.9	39	6	330		29.05			30.02	FM-15	0.00	30.02
09	1753	7	SCT:04 110	10.00		74	23.3	60	15.7	50	10.0	43	5	320		29.04			30.01	FM-15	0.00	30.01
09	1853	7	FEW:02 120	10.00		71	21.7	61	16.1	54	12.2	55	5	100		29.03	8	+0.03	29.99	FM-15	0.00	30.00
09	1953	7	SCT:04 110	10.00		72	22.2	58	14.3	46	7.8	40	0	000		29.03			29.99	FM-15	0.00	30.00
09	2053	7	BKN:07 75 BKN:07 120	10.00		68	20.0	59	15.2	53	11.7	59	3	100		29.05			30.01	FM-15	0.00	30.02
09	2153	7	OVC:08 90	10.00		71	21.7	58	14.5	48	8.9	44	5	130		29.06	3	-0.03	30.02	FM-15	0.00	30.03
09	2253	7	OVC:08 75	10.00		70	21.1	59	14.8	50	10.0	49	3	190		29.07			30.02	FM-15	0.00	30.04
09	2353	7	OVC:08 70	10.00		69	20.6	59	14.9	51	10.6	53	3	190		29.08			30.03	FM-15	0.00	30.05
10	0053	7	OVC:08 70	10.00		67	19.4	59	15.3	54	12.2	63	0	000		29.08	1	-0.01	30.03	FM-15	0.00	30.05
10	0153	7	BKN:07 70 OVC:08 85	10.00		68	20.0	58	14.7	51	10.6	55	3	180		29.07			30.02	FM-15	0.00	30.04
10	0253	7	OVC:08 65	10.00		67	19.4	58	14.7	52	11.1	59	5	130		29.07			30.03	FM-15	0.00	30.04
10	0353	7	OVC:08 80	10.00		67	19.4	58	14.7	52	11.1	59	0	000		29.07	6	+0.01	30.02	FM-15	0.00	30.04

10	0453	7	FEW:02 65 SCT:04 90	10.00		65	18.3	58	14.3	52	11.1	63	0	000		29.08			30.03	FM-15	0.00	30.05
10	0553	7	OVC:08 70	10.00		66	18.9	59	15.1	54	12.2	65	6	140		29.09			30.05	FM-15	0.00	30.06
10	0653	7	OVC:08 80	10.00		67	19.4	60	15.6	55	12.8	66	5	160		29.10	1	-0.03	30.06	FM-15	0.00	30.07
10	0753	7	OVC:08 70	10.00		69	20.6	62	16.6	57	13.9	66	6	220		29.12			30.08	FM-15	0.00	30.09
10	0853	7	SCT:04 80 BKN:07 100	10.00		74	23.3	64	17.9	58	14.4	57	7	260		29.13			30.08	FM-15	0.00	30.10
10	0953	7	BKN:07 80	10.00		73	22.8	65	18.3	60	15.6	64	13	240		29.14	1	-0.04	30.10	FM-15	0.00	30.11
10	1053	7	FEW:02 80 SCT:04 80	10.00		76	24.4	68	19.8	63	17.2	64	15	230		29.14			30.09	FM-15	0.00	30.11
10	1153	7	FEW:02 26 SCT:04 60 OVC:08 90	10.00		75	23.9	68	20.0	64	17.8	69	13	240		29.13			30.09	FM-15	T	30.10
10	1253	7	SCT:04 25 BKN:07 50 OVC:08 110	2.00	-RA:02 BR:1 |RA |	71	21.7	68	20.2	67	19.4	87	6	260		29.15	3	-0.00	30.10	FM-15	0.05	30.12
10	1257	7	BKN:07 23 BKN:07 48 OVC:08 90	2.50	+RA:02 BR:1 |RA |	70	21.1	68	20.0	67	19.4	90	7	260		29.15				FM-16	T	30.12
10	1304	7	SCT:04 15 BKN:07 22 OVC:08 90	2.50	-RA:02 BR:1 |RA |	71	21.7	68	20.2	67	19.4	87	9	230		29.14				FM-16	0.01	30.11
10	1321	7	SCT:04 15 BKN:07 21 OVC:08 48	7.00	-RA:02 |RA |	70	21.1	68	20.0	67	19.4	90	9	250		29.14				FM-16	0.04	30.11
10	1332	7	FEW:02 14 BKN:07 41 OVC:08 50	3.00	+RA:02 BR:1 |RA |	69	20.6	67	19.5	66	18.9	90	9	240		29.13				FM-16	0.10	30.10
10	1353	7	OVC:08 44	10.00		71	21.7	69	20.6	68	20.0	90	8	230		29.13			30.08	FM-15	0.10	30.10
10	1453	7	SCT:04 20 BKN:07 49	10.00		75	23.9	71	21.7	69	20.6	82	9	210		29.10			30.05	FM-15	0.00	30.07
10	1553	7	FEW:02 23	10.00		79	26.1	72	22.0	68	20.0	69	10	240		29.08	6	+0.07	30.02	FM-15	0.00	30.05
10	1653	7	FEW:02 30 SCT:04 36	10.00		79	26.1	71	21.7	67	19.4	67	8	250		29.07			30.02	FM-15	0.00	30.04
10	1753	7	BKN:07 33	10.00		80	26.7	71	21.9	67	19.4	64	8	240		29.05			30.01	FM-15	0.00	30.02
10	1853	7	CLR:00	10.00		79	26.1	70	21.4	66	18.9	65	7	220		29.06	5	+0.02	30.01	FM-15	0.00	30.03
10	1953	7	CLR:00	10.00		76	24.4	70	21.2	67	19.4	74	10	220		29.05			30.00	FM-15	0.00	30.02
10	2053	7	SCT:04 65	10.00		74	23.3	69	20.8	67	19.4	79	8	220		29.05			30.00	FM-15	0.00	30.02
10	2153	7	CLR:00	10.00		73	22.8	68	20.3	66	18.9	79	6	200		29.07	3	-0.01	30.02	FM-15	0.00	30.04
10	2253	7	CLR:00	10.00		72	22.2	68	20.1	66	18.9	82	7	180		29.07			30.02	FM-15	0.00	30.04
10	2353	7	CLR:00	10.00		71	21.7	68	19.9	66	18.9	84	8	170		29.07			30.02	FM-15	0.00	30.04
11	0053	7	CLR:00	10.00		71	21.7	67	19.5	65	18.3	81	9	210		29.07	8	+0.00	30.02	FM-15	0.00	30.04
11	0153	7	CLR:00	10.00		69	20.6	66	19.1	65	18.3	87	7	200		29.06			30.01	FM-15	0.00	30.03
11	0253	7	CLR:00	10.00		68	20.0	65	18.6	64	17.8	87	6	210		29.04			30.00	FM-15	0.00	30.01
11	0353	7	CLR:00	10.00		70	21.1	66	18.7	63	17.2	79	9	240		29.04	6	+0.02	29.99	FM-15	0.00	30.01
11	0453	7	CLR:00	10.00		71	21.7	66	18.9	63	17.2	76	8	240		29.04			29.99	FM-15	0.00	30.01
11	0553	7	CLR:00	10.00		70	21.1	66	18.7	63	17.2	79	7	240		29.05			30.00	FM-15	0.00	30.02
11	0653	7	CLR:00	10.00		74	23.3	68	19.8	64	17.8	71	8	240		29.05	3	-0.01	30.00	FM-15	0.00	30.02
11	0753	7	CLR:00	10.00		78	25.6	70	20.8	65	18.3	64	10	250		29.05			30.00	FM-15	0.00	30.02
11	0853	7	CLR:00	10.00		81	27.2	72	22.0	67	19.4	62	13	260	21	29.06			30.01	FM-15	0.00	30.03
11	0953	7	CLR:00	10.00		84	28.9	73	22.5	67	19.4	57	14	260		29.05	8	+0.00	29.99	FM-15	0.00	30.02
11	1053	7	CLR:00	10.00		87	30.6	74	23.3	68	20.0	53	14	240		29.06			30.00	FM-15	0.00	30.03
11	1153	7	FEW:02 40	10.00		89	31.7	73	23.0	66	18.9	47	16	260	23	29.05			29.99	FM-15	0.00	30.02
11	1253	7	SCT:04 60	10.00		89	31.7	74	23.3	67	19.4	48	13	260	25	29.03	8	+0.01	29.98	FM-15	0.00	30.00
11	1353	7	SCT:04 65	10.00		89	31.7	73	22.7	65	18.3	45	17	280	26	29.02			29.96	FM-15	0.00	29.99
11	1453	7	SCT:04 65	10.00		90	32.2	73	22.9	65	18.3	44	15	270	25	29.01			29.95	FM-15	0.00	29.98
11	1553	7	FEW:02 70	10.00		91	32.8	73	23.0	65	18.3	42	17	250	25	29.00	6	+0.04	29.94	FM-15	0.00	29.97
11	1653	7	FEW:02 70	10.00		89	31.7	73	22.7	65	18.3	45	13	250	23	28.99			29.94	FM-15	0.00	29.96
11	1753	7	SCT:04 70 SCT:04 80	10.00		88	31.1	73	22.5	65	18.3	46	16	240	22	28.99			29.93	FM-15	0.00	29.96
11	1853	7	SCT:04 75	10.00		86	30.0	73	22.5	66	18.9	51	13	240		28.99	6	+0.01	29.93	FM-15	0.00	29.96

11	1953	7	CLR:00	10.00		85	29.4	72	22.0	65	18.3	51	9	240		28.99			29.93	FM-15	0.00	29.96
11	2053	7	CLR:00	10.00		83	28.3	71	21.7	65	18.3	55	9	230		29.00			29.94	FM-15	0.00	29.97
11	2153	7	CLR:00	10.00		82	27.8	71	21.5	65	18.3	56	9	240		29.01	3	-0.02	29.95	FM-15	0.00	29.98
11	2253	7	CLR:00	10.00		80	26.7	69	20.6	63	17.2	56	10	240		29.00			29.94	FM-15	0.00	29.97
11	2353	7	SCT:04 70	10.00		79	26.1	69	20.4	63	17.2	58	11	240		29.01			29.95	FM-15	0.00	29.98
12	0053	7	CLR:00	10.00		77	25.0	68	20.0	63	17.2	62	9	250		29.01	8	+0.00	29.95	FM-15	0.00	29.98
12	0153	7	FEW:02 60	10.00		76	24.4	68	19.8	63	17.2	64	8	250		29.00			29.94	FM-15	0.00	29.97
12	0253	7	BKN:07 90	10.00		76	24.4	68	19.8	63	17.2	64	8	260		28.99			29.93	FM-15	0.00	29.96
12	0353	7	BKN:07 85	10.00		75	23.9	67	19.6	63	17.2	66	9	270		28.99	6	+0.01	29.93	FM-15	0.00	29.96
12	0453	7	BKN:07 60 OVC:08 75	10.00		74	23.3	69	20.5	66	18.9	76	8	280		29.00			29.94	FM-15	T	29.97
12	0553	7	FEW:02 70	10.00		74	23.3	69	20.5	66	18.9	76	8	310		29.03			29.97	FM-15	0.00	30.00
12	0653	7	FEW:02 50	10.00		77	25.0	70	21.3	67	19.4	71	9	320		29.03	1	-0.03	29.97	FM-15	0.00	30.00
12	0753	7	CLR:00	10.00		78	25.6	70	21.2	66	18.9	67	9	350		29.04			29.98	FM-15	0.00	30.01
12	0853	7	CLR:00	10.00		78	25.6	69	20.5	64	17.8	62	9	360		29.06			30.01	FM-15	0.00	30.03
12	0953	7	CLR:00	10.00		77	25.0	66	18.8	59	15.0	54	13	340		29.07	1	-0.04	30.01	FM-15	0.00	30.04
12	1053	7	CLR:00	10.00		78	25.6	66	18.7	58	14.4	50	9	350		29.08			30.03	FM-15	0.00	30.05
12	1153	7	CLR:00	10.00		78	25.6	65	18.4	57	13.9	48	14	330	22	29.08			30.03	FM-15	0.00	30.05
12	1253	7	CLR:00	10.00		80	26.7	64	17.7	53	11.7	39	8	350		29.07	8	+0.00	30.01	FM-15	0.00	30.04
12	1353	7	CLR:00	10.00		82	27.8	62	16.8	48	8.9	31	13	360	20	29.07			30.02	FM-15	0.00	30.04
12	1453	7	CLR:00	10.00		83	28.3	61	16.3	45	7.2	26	14	010	21	29.07			30.01	FM-15	0.00	30.04
12	1553	7	CLR:00	10.00		83	28.3	61	16.1	44	6.7	25	13	010		29.05	8	+0.01	29.99	FM-15	0.00	30.02
12	1653	7	CLR:00	10.00		81	27.2	61	15.9	45	7.2	28	11	010		29.05			29.99	FM-15	0.00	30.02
12	1753	7	CLR:00	10.00		78	25.6	61	16.0	48	8.9	35	7	030		29.05			29.99	FM-15	0.00	30.02
12	1853	7	CLR:00	10.00		76	24.4	60	15.6	48	8.9	37	10	350		29.05	3	-0.00	30.00	FM-15	0.00	30.02
12	1953	7	CLR:00	10.00		71	21.7	56	13.6	44	6.7	38	8	020		29.07			30.02	FM-15	0.00	30.04
12	2053	7	CLR:00	10.00		67	19.4	56	13.4	47	8.3	49	8	040		29.08			30.03	FM-15	0.00	30.05
12	2153	7	CLR:00	10.00		65	18.3	54	12.4	45	7.2	49	5	030		29.11	3	-0.06	30.06	FM-15	0.00	30.08
12	2253	7	CLR:00	10.00		62	16.7	53	11.5	44	6.7	52	6	030		29.10			30.05	FM-15	0.00	30.07
12	2353	7	CLR:00	10.00		59	15.0	51	10.7	44	6.7	58	7	030		29.09			30.04	FM-15	0.00	30.06
13	0053	7	CLR:00	10.00		58	14.4	51	10.5	44	6.7	60	6	050		29.09	6	+0.02	30.04	FM-15	0.00	30.06
13	0153	7	CLR:00	10.00		55	12.8	49	9.7	44	6.7	67	5	030		29.08			30.04	FM-15	0.00	30.05
13	0253	7	CLR:00	10.00		55	12.8	49	9.7	44	6.7	67	0	000		29.10			30.05	FM-15	0.00	30.07
13	0353	7	CLR:00	10.00		54	12.2	49	9.7	45	7.2	72	5	270		29.11	3	-0.02	30.07	FM-15	0.00	30.08
13	0453	7	CLR:00	10.00		53	11.7	49	9.7	46	7.8	77	0	000		29.13			30.09	FM-15	0.00	30.10
13	0553	7	CLR:00	10.00		52	11.1	50	10.0	48	8.9	86	0	000		29.14			30.10	FM-15	0.00	30.11
13	0653	7	CLR:00	10.00		58	14.4	53	11.8	49	9.4	72	0	000		29.14	1	-0.02	30.09	FM-15	0.00	30.11
13	0753	7	CLR:00	10.00		62	16.7	54	12.5	48	8.9	60	8	100		29.13			30.09	FM-15	0.00	30.10
13	0853	7	CLR:00	10.00		66	18.9	56	13.4	48	8.9	52	5	270		29.16			30.11	FM-15	0.00	30.13
13	0953	7	CLR:00	10.00		67	19.4	56	13.4	47	8.3	49	0	000		29.14	8	+0.00	30.09	FM-15	0.00	30.11
13	1053	7	CLR:00	10.00		70	21.1	58	14.3	48	8.9	46	5	VRB		29.10			30.06	FM-15	0.00	30.07
13	1153	7	CLR:00	10.00		73	22.8	59	15.2	49	9.4	43	3	VRB		29.09			30.05	FM-15	0.00	30.06
13	1253	7	CLR:00	10.00		76	24.4	61	16.1	50	10.0	40	0	000		29.06	6	+0.07	30.02	FM-15	0.00	30.03
13	1353	7	CLR:00	10.00		78	25.6	61	16.0	48	8.9	35	7	360		29.04			30.00	FM-15	0.00	30.01
13	1453	7	CLR:00	10.00		78	25.6	62	16.5	50	10.0	37	3	140		29.03			29.98	FM-15	0.00	30.00
13	1553	7	CLR:00	10.00		80	26.7	62	16.7	49	9.4	34	0	000		29.01	6	+0.05	29.96	FM-15	0.00	29.98
13	1653	7	CLR:00	10.00		81	27.2	61	16.4	47	8.3	30	5	VRB		29.00			29.95	FM-15	0.00	29.97
13	1753	7	CLR:00	10.00		81	27.2	62	16.8	49	9.4	33	3	360		28.98			29.94	FM-15	0.00	29.95
13	1853	7	CLR:00	10.00		79	26.1	62	16.4	49	9.4	35	3	100		28.97	8	+0.04	29.92	FM-15	0.00	29.94
13	1953	7	CLR:00	10.00		76	24.4	61	15.8	49	9.4	39	0	000		28.96			29.92	FM-15	0.00	29.93
13	2053	7	CLR:00	10.00		75	23.9	60	15.6	49	9.4	40	3	220		28.96			29.91	FM-15	0.00	29.93
13	2153	7	CLR:00	10.00		69	20.6	59	14.9	51	10.6	53	0	000		28.96	5	+0.00	29.92	FM-15	0.00	29.93
13	2253	7	CLR:00	10.00		68	20.0	59	15.2	53	11.7	59	0	000		28.97			29.93	FM-15	0.00	29.94
13	2353	7	CLR:00	10.00		64	17.8	58	14.6	54	12.2	70	5	010		28.98			29.93	FM-15	0.00	29.95
14	0053	7	CLR:00	10.00		64	17.8	57	13.8	51	10.6	63	8	070		29.00	3	-0.04	29.95	FM-15	0.00	29.97
14	0153	7	OVC:08 70	10.00		64	17.8	56	13.2	49	9.4	58	9	060		29.01			29.96	FM-15	0.00	29.98
14	0253	7	CLR:00	10.00		62	16.7	54	12.2	47	8.3	58	6	080		29.01			29.96	FM-15	0.00	29.98

14	0353	7	CLR:00	10.00		62	16.7	54	12.0	46	7.8	56	7	100		29.01	0	-0.00	29.96	FM-15	0.00	29.98
14	0453	7	OVC:08 70	10.00		62	16.7	54	12.2	47	8.3	58	7	100		29.02			29.97	FM-15	0.00	29.99
14	0553	7	SCT:04 75	10.00		62	16.7	54	12.2	47	8.3	58	8	110		29.03			29.98	FM-15	0.00	30.00
14	0653	7	CLR:00	10.00		64	17.8	55	12.9	48	8.9	56	8	100		29.04	1	-0.03	29.99	FM-15	0.00	30.01
14	0753	7	CLR:00	10.00		67	19.4	57	13.6	48	8.9	51	10	100		29.04			29.99	FM-15	0.00	30.01
14	0853	7	CLR:00	10.00		70	21.1	59	14.8	50	10.0	49	11	130		29.04			29.98	FM-15	0.00	30.01
14	0953	7	CLR:00	10.00		74	23.3	61	16.2	52	11.1	46	9	100		29.04	1	-0.00	29.99	FM-15	0.00	30.01
14	1053	7	CLR:00	10.00		75	23.9	62	16.4	52	11.1	45	8	100		29.03			29.98	FM-15	0.00	30.00
14	1153	7	CLR:00	10.00		78	25.6	64	17.6	54	12.2	43	5	090		29.02			29.97	FM-15	0.00	29.99
14	1253	7	CLR:00	10.00		80	26.7	65	18.2	55	12.8	42	8	090		29.00	8	+0.04	29.96	FM-15	0.00	29.97
14	1353	7	CLR:00	10.00		81	27.2	65	18.4	55	12.8	41	6	VRB		29.00			29.95	FM-15	0.00	29.97
14	1453	7	FEW:02 120	10.00		81	27.2	65	18.1	54	12.2	39	0	000		28.98			29.94	FM-15	0.00	29.95
14	1553	7	FEW:02 49 SCT:04 95 BKN:07 110	10.00		81	27.2	65	18.4	55	12.8	41	3	080		28.97	8	+0.04	29.92	FM-15	0.00	29.94
14	1653	7	FEW:02 49 SCT:04 90 BKN:07 110	10.00		81	27.2	66	18.7	56	13.3	42	5	090		28.95			29.91	FM-15	0.00	29.92
14	1753	7	FEW:02 44 FEW:02 90 SCT:04 110	10.00		78	25.6	68	20.2	63	17.2	60	0	000		28.96			29.91	FM-15	T	29.93
14	1853	7	BKN:07 110	10.00		77	25.0	66	19.1	60	15.6	56	3	080		28.95	6	+0.01	29.91	FM-15	T	29.92
14	1953	7	OVC:08 100	10.00		77	25.0	65	18.5	58	14.4	52	6	100		28.95			29.91	FM-15	0.00	29.92
14	2053	7	BKN:07 100 OVC:08 110	10.00		75	23.9	65	18.4	59	15.0	58	6	100		28.96			29.91	FM-15	0.00	29.93
14	2153	7	SCT:04 75 SCT:04 100	10.00		73	22.8	65	18.3	60	15.6	64	7	100		28.97	3	-0.02	29.92	FM-15	0.00	29.94
14	2253	7	CLR:00	10.00		70	21.1	64	17.7	60	15.6	71	7	110		28.95			29.90	FM-15	0.00	29.92
14	2353	7	CLR:00	10.00		69	20.6	63	17.2	59	15.0	70	7	100		28.94			29.89	FM-15	0.00	29.91
15	0053	7	CLR:00	10.00		68	20.0	62	16.7	58	14.4	70	3	150		28.95	5	+0.02	29.90	FM-15	0.00	29.92
15	0153	7	CLR:00	10.00		68	20.0	61	16.4	57	13.9	68	3	090		28.94			29.89	FM-15	0.00	29.91
15	0253	7	CLR:00	10.00		67	19.4	61	16.2	57	13.9	71	0	000		28.92			29.87	FM-15	0.00	29.89
15	0353	7	OVC:08 85	10.00		69	20.6	63	17.2	59	15.0	70	5	110		28.92	5	+0.02	29.87	FM-15	0.00	29.89
15	0453	7	OVC:08 85	10.00		69	20.6	63	17.2	59	15.0	70	3	100		28.93			29.88	FM-15	0.00	29.90
15	0553	7	FEW:02 95 SCT:04 120	10.00		70	21.1	63	17.4	59	15.0	68	6	140		28.93			29.88	FM-15	0.00	29.90
15	0653	7	CLR:00	10.00		73	22.8	65	18.3	60	15.6	64	5	190		28.93	3	-0.01	29.88	FM-15	0.00	29.90
15	0753	7	CLR:00	10.00		74	23.3	65	18.5	60	15.6	62	7	160		28.93			29.88	FM-15	0.00	29.90
15	0853	7	BKN:07 95	10.00		75	23.9	67	19.3	62	16.7	64	6	170		28.93			29.88	FM-15	0.00	29.90
15	0953	7	BKN:07 60 BKN:07 80	10.00		77	25.0	69	20.3	64	17.8	64	7	140		28.91	8	+0.02	29.86	FM-15	0.00	29.88
15	1019	7	FEW:02 43 BKN:07 55 OVC:08 75	10.00	VCTS:7 ||	77	25.0	69	20.3	64	17.8	64	7	200		28.91				FM-16		29.88
15	1026	7	FEW:02 29 BKN:07 39 OVC:08 65	2.00	TS:7 -RA:02 |RA TS TS |	75	23.9	69	20.3	65	18.3	71	13	270	17	28.95				FM-16	0.08	29.92
15	1033	7	SCT:04 29 BKN:07 39 OVC:08 50	1.00	TS:7 +RA:02 |RA TS TS |	71	21.7	68	19.9	66	18.9	84	9	320		28.94				FM-16	0.14	29.91
15	1042	7	SCT:04 29 BKN:07 39 OVC:08 120	3.00	TS:7 -RA:02 BR:1 |RA TS |	71	21.7	69	20.6	68	20.0	90	5	050		28.93				FM-16	0.16	29.90
15	1053	7	SCT:04 29 BKN:07 43 BKN:07 80	9.00	TS:7 -RA:02 |RA TS TS |	73	22.8	71	21.7	70	21.1	90	7	080		28.93			29.88	FM-15	0.16	29.90
15	1101	7	SCT:04 32 BKN:07 80 BKN:07 110	10.00	VCTS:7 -RA:02 |RA |	73	22.8	70	21.3	69	20.6	87	5	100		28.93				FM-16	T	29.90
15	1110	7	SCT:04 25 BKN:07 36 BKN:07 55	9.00	TS:7 -RA:02 |RA TS TS |	72	22.2	70	21.1	69	20.6	91	5	090		28.94				FM-16	T	29.91

15	1150	7	FEW:02 34 SCT:04 70	8.00		75	24.0	73	22.8	72	22.0	89	14	120		28.87				FM-16	0.19	29.84
15	1153	7	FEW:02 31	8.00		76	24.4	73	22.9	72	22.2	88	13	130		28.87			29.82	FM-15	0.19	29.84
15	1253	7	FEW:02 20	10.00		80	26.7	74	23.6	72	22.2	76	10	190		28.90	5	+0.04	29.83	FM-15	0.00	29.86
15	1353	7	SCT:04 27 BKN:07 55	10.00		84	28.9	76	24.6	73	22.8	70	10	210		28.87			29.80	FM-15	0.00	29.83
15	1453	7	FEW:02 30 SCT:04 41 SCT:04 50	10.00		85	29.4	77	24.7	73	22.8	68	10	210		28.84			29.78	FM-15	0.00	29.81
15	1553	7	SCT:04 38	10.00		88	31.1	76	24.5	71	21.7	57	14	230		28.82	8	+0.08	29.75	FM-15	0.00	29.78
15	1653	7	SCT:04 42	10.00		87	30.6	76	24.3	71	21.7	59	11	220		28.81			29.75	FM-15	0.00	29.77
15	1753	7	CLR:00	10.00		85	29.4	75	23.7	70	21.1	61	9	230		28.81			29.74	FM-15	0.00	29.77
15	1804	7	SCT:04 50	10.00	VCTS:7 ||	84	28.9	74	23.5	70	21.1	63	7	250		28.82				FM-16		29.78
15	1826	7	BKN:07 43 BKN:07 50	10.00	TS:7 |TS TS |	78	25.6	67	19.3	60	15.6	54	18	360	29	28.83				FM-16		29.79
15	1853	7	OVC:08 45	10.00	TS:7 |TS TS |	76	24.4	66	18.9	60	15.6	58	13	360	30	28.86	3	-0.04	29.80	FM-15	0.13	29.82
15	1900	7	SCT:04 26 OVC:08 45	1.75	TS:7 +RA:02 |RA TS TS |	73	22.8	66	18.9	62	16.7	69	14	060		28.86				FM-16	0.15	29.82
15	1912	7	FEW:02 24 SCT:04 47 OVC:08 55	3.00	TS:7 -RA:02 BR:1 |RA TS |	68	20.0	65	18.6	64	17.8	87	17	080	31	28.84				FM-16	0.22	29.80
15	1917	7	FEW:02 24 SCT:04 45 OVC:08 55	8.00	VCTS:7 -RA:02 |RA |	68	20.0	65	18.6	64	17.8	87	15	100		28.83				FM-16	0.22	29.79
15	1930	7	SCT:04 43 OVC:08 55	10.00	TS:7 -RA:02 |RA TS TS |	69	20.6	66	19.1	65	18.3	87	6	070		28.86				FM-16	0.23	29.82
15	1951	6	SCT:04 41 BKN:07 50 OVC:08 100	10.00	VCTS:7 ||	70	21.0	66	19.0	64	18.0	83	3	120		28.86				FM-16		29.82
15	1953	7	SCT:04 41 BKN:07 50 OVC:08 100	10.00	VCTS:7 ||	69	20.6	66	19.1	65	18.3	87	3	100		28.86			29.80	FM-15	0.10	29.82
15	2010	7	FEW:02 49 FEW:02 65 BKN:07 110	10.00		68	20.0	67	19.3	66	18.9	93	5	090		28.84				FM-16		29.81
15	2053	7	CLR:00	10.00		68	20.0	67	19.3	66	18.9	93	0	000		28.83			29.77	FM-15	0.00	29.79
15	2153	7	FEW:02 46	10.00		70	21.1	68	20.0	67	19.4	90	6	230		28.84	5	+0.01	29.78	FM-15	0.00	29.81
15	2253	7	CLR:00	10.00		70	21.1	68	20.0	67	19.4	90	5	170		28.83			29.78	FM-15	0.00	29.79
15	2353	7	CLR:00	10.00		70	21.1	67	19.7	66	18.9	87	7	230		28.84			29.78	FM-15	0.00	29.80
16	0053	7	CLR:00	10.00		68	20.0	65	18.6	64	17.8	87	6	240		28.83	6	+0.01	29.77	FM-15	0.00	29.79
16	0153	7	CLR:00	10.00		67	19.4	65	18.1	63	17.2	87	6	250		28.83			29.76	FM-15	0.00	29.79
16	0253	7	CLR:00	10.00		67	19.4	65	18.1	63	17.2	87	6	210		28.84			29.78	FM-15	0.00	29.80
16	0353	7	CLR:00	10.00		66	18.9	65	18.2	64	17.8	93	6	200		28.82	8	+0.01	29.76	FM-15	0.00	29.78
16	0453	7	CLR:00	10.00		66	18.9	65	18.2	64	17.8	93	6	190		28.81			29.75	FM-15	0.00	29.77
16	0553	7	CLR:00	6.00	BR:1 ||	66	18.9	65	18.2	64	17.8	93	8	190		28.81			29.75	FM-15	0.00	29.77
16	0653	7	SCT:04 70	7.00		69	20.6	67	19.5	66	18.9	90	8	200		28.81	6	+0.02	29.74	FM-15	0.00	29.77
16	0753	7	CLR:00	10.00		73	22.8	70	21.0	68	20.0	84	8	220		28.80			29.74	FM-15	0.00	29.76
16	0851	6	BKN:07 19	10.00		77	25.0	72	22.4	70	21.0	79	10	240		28.79				FM-16		29.75
16	0853	7	BKN:07 19	10.00		77	25.0	72	22.0	69	20.6	77	9	250		28.79			29.73	FM-15	0.00	29.75
16	0953	7	OVC:08 19	10.00		77	25.0	72	22.4	70	21.1	79	9	270		28.79	6	+0.02	29.72	FM-15	0.00	29.75
16	1053	7	BKN:07 21	10.00		81	27.2	74	23.4	71	21.7	72	13	240		28.76			29.70	FM-15	0.00	29.72
16	1105	7	SCT:04 21	10.00		81	27.2	74	23.4	71	21.7	72	11	250		28.76				FM-16		29.72
16	1153	7	FEW:02 30 SCT:04 36 SCT:04 65	10.00		83	28.3	73	22.7	68	20.0	61	18	280	25	28.75			29.69	FM-15	0.00	29.71
16	1253	7	BKN:07 70	10.00		82	27.8	71	21.9	66	18.9	58	18	280		28.74	6	+0.04	29.68	FM-15	0.00	29.70
16	1353	7	FEW:02 47 BKN:07 65	10.00		82	27.8	70	21.2	64	17.8	55	17	290	32	28.74			29.67	FM-15	T	29.70
16	1453	7	BKN:07 70	10.00		81	27.2	69	20.7	63	17.2	54	22	290	31	28.75			29.68	FM-15	0.00	29.71
16	1553	7	BKN:07 70 OVC:08 85	10.00		77	25.0	68	20.0	63	17.2	62	13	320		28.77	3	-0.02	29.71	FM-15	0.00	29.73

16	1653	7	BKN:07 65 OVC:08 85	10.00		75	23.9	67	19.6	63	17.2	66	10	320		28.77			29.72	FM-15	0.00	29.73
16	1753	7	SCT:04 37 SCT:04 46 OVC:08 85	10.00		76	24.4	68	19.8	63	17.2	64	17	310	22	28.77			29.72	FM-15	0.00	29.73
16	1853	7	SCT:04 45	10.00		74	23.3	66	18.8	61	16.1	64	14	330	24	28.78	1	-0.01	29.72	FM-15	0.00	29.74
16	1953	7	SCT:04 25	10.00		70	21.1	65	18.3	62	16.7	76	16	310	25	28.80			29.74	FM-15	0.00	29.76
16	2031	7	BKN:07 23	10.00		70	21.1	65	18.3	62	16.7	76	10	330	20	28.82				FM-16		29.78
16	2053	7	OVC:08 21	10.00		69	20.6	65	18.1	62	16.7	78	16	310	22	28.82			29.76	FM-15	0.00	29.78
16	2153	7	BKN:07 17	10.00		67	19.4	63	17.4	61	16.1	81	15	330		28.84	3	-0.06	29.78	FM-15	0.00	29.80
16	2253	7	BKN:07 20 OVC:08 30	10.00		67	19.4	64	17.7	62	16.7	84	10	310		28.84			29.79	FM-15	0.00	29.81
16	2310	7	BKN:07 13 OVC:08 18	10.00		66	18.9	64	17.5	62	16.7	87	13	300		28.84				FM-16		29.81
16	2338	7	OVC:08 9	4.00	BR:1 ||	65	18.3	64	17.6	63	17.2	93	10	310		28.84				FM-16		29.81
16	2353	7	OVC:08 7	6.00	BR:1 ||	65	18.3	64	17.6	63	17.2	93	7	300		28.86			29.80	FM-15	0.00	29.82
17	0053	7	OVC:08 6	9.00		66	18.9	65	18.2	64	17.8	93	7	310		28.86	1	-0.01	29.80	FM-15	0.00	29.82
17	0153	7	BKN:07 8 OVC:08 22	10.00		67	19.4	66	18.7	65	18.3	93	6	330		28.86			29.80	FM-15	0.00	29.82
17	0201	7	SCT:04 10 BKN:07 22 OVC:08 47	10.00		67	19.4	66	18.7	65	18.3	93	8	330		28.86				FM-16		29.82
17	0208	7	BKN:07 10 BKN:07 22 OVC:08 47	9.00		67	19.4	66	18.7	65	18.3	93	7	330		28.84				FM-16		29.81
17	0228	7	BKN:07 9 BKN:07 55	8.00		67	19.4	66	18.7	65	18.3	93	9	340		28.86				FM-16		29.82
17	0245	7	SCT:04 9 OVC:08 28	7.00		67	19.4	66	18.7	65	18.3	93	7	350		28.86				FM-16		29.82
17	0253	7	FEW:02 9 BKN:07 27	7.00		67	19.4	65	18.4	64	17.8	91	8	330		28.86			29.79	FM-15	0.00	29.82
17	0306	7	FEW:02 17 SCT:04 27 BKN:07 85	6.00	BR:1 ||	67	19.4	65	18.4	64	17.8	91	8	330		28.86				FM-16		29.82
17	0323	7	BKN:07 15 BKN:07 85	6.00	BR:1 ||	67	19.4	65	18.4	64	17.8	91	9	340		28.86				FM-16		29.82
17	0353	7	FEW:02 10 OVC:08 15	5.00	BR:1 ||	67	19.4	65	18.4	64	17.8	91	8	350		28.87	3	-0.01	29.81	FM-15	0.00	29.83
17	0424	7	OVC:08 14	6.00	BR:1 ||	67	19.4	65	18.4	64	17.8	91	10	360		28.87				FM-16		29.84
17	0453	7	OVC:08 13	7.00		67	19.4	65	18.1	63	17.2	87	9	360		28.89			29.83	FM-15	0.00	29.85
17	0553	7	SCT:04 12	8.00		67	19.4	65	18.1	63	17.2	87	7	360		28.91			29.86	FM-15	0.00	29.88
17	0643	7	BKN:07 13	10.00		67	19.4	64	17.7	62	16.7	84	9	010		28.93				FM-16		29.90
17	0653	7	OVC:08 13	10.00		67	19.4	64	17.7	62	16.7	84	9	010		28.94	3	-0.08	29.89	FM-15	0.00	29.91
17	0753	7	OVC:08 12	10.00		68	20.0	65	18.3	63	17.2	84	9	010		28.96			29.91	FM-15	0.00	29.93
17	0828	7	BKN:07 16	10.00		71	21.7	67	19.2	64	17.8	79	7	020		28.96				FM-16		29.93
17	0853	7	BKN:07 20 BKN:07 24 OVC:08 29	10.00		73	22.8	68	19.9	65	18.3	76	10	010		28.97			29.93	FM-15	0.00	29.94
17	0937	7	SCT:04 24 BKN:07 30	10.00		76	24.4	68	20.2	64	17.8	67	11	040		28.99				FM-16		29.96
17	0953	7	FEW:02 29	10.00		77	25.0	68	20.0	63	17.2	62	13	050		28.99	1	-0.05	29.94	FM-15	0.00	29.96
17	1053	7	CLR:00	10.00		80	26.7	69	20.6	63	17.2	56	10	070		28.99			29.94	FM-15	0.00	29.96
17	1153	7	CLR:00	10.00		82	27.8	70	20.9	63	17.2	53	15	060	26	29.00			29.94	FM-15	0.00	29.97
17	1253	7	FEW:02 60	10.00		84	28.9	68	20.1	59	15.0	43	15	070	24	29.00	3	-0.01	29.95	FM-15	0.00	29.97
17	1353	7	BKN:07 60	10.00		84	28.9	68	20.1	59	15.0	43	10	070	22	29.01			29.95	FM-15	0.00	29.98
17	1453	7	BKN:07 65	10.00		83	28.3	67	19.6	58	14.4	43	11	080		29.00			29.95	FM-15	0.00	29.97
17	1553	7	BKN:07 65	10.00		82	27.8	66	19.1	57	13.9	42	15	020	20	29.00	8	+0.00	29.95	FM-15	0.00	29.97
17	1653	7	SCT:04 65	10.00		83	28.3	67	19.3	57	13.9	41	8	030		29.01			29.96	FM-15	0.00	29.98
17	1753	7	FEW:02 70	10.00		81	27.2	66	19.0	57	13.9	44	8	040		29.03			29.98	FM-15	0.00	30.00
17	1853	7	CLR:00	10.00		80	26.7	64	17.9	54	12.2	41	9	030		29.04	3	-0.04	29.99	FM-15	0.00	30.01
17	1953	7	CLR:00	10.00		75	23.9	63	17.0	54	12.2	48	8	020		29.05			30.00	FM-15	0.00	30.02

17	2053	7	CLR:00	10.00		74	23.3	59	15.2	48	8.9	40	8	040		29.08			30.03	FM-15	0.00	30.05
17	2153	7	FEW:02 70	10.00		72	22.2	59	14.8	48	8.9	43	8	040		29.11	3	-0.06	30.06	FM-15	0.00	30.08
17	2253	7	CLR:00	10.00		70	21.1	58	14.3	48	8.9	46	5	060		29.12			30.07	FM-15	0.00	30.09
17	2353	7	CLR:00	10.00		67	19.4	57	13.9	49	9.4	53	5	040		29.13			30.08	FM-15	0.00	30.10
18	0053	7	CLR:00	10.00		65	18.3	57	13.7	50	10.0	59	5	040		29.13	1	-0.02	30.07	FM-15	0.00	30.10
18	0153	7	CLR:00	10.00		65	18.3	57	14.0	51	10.6	61	5	020		29.14			30.09	FM-15	0.00	30.11
18	0253	7	CLR:00	10.00		64	17.8	57	13.8	51	10.6	63	5	050		29.15			30.10	FM-15	0.00	30.12
18	0353	7	CLR:00	10.00		62	16.7	57	13.9	53	11.7	73	0	000		29.17	3	-0.04	30.12	FM-15	0.00	30.14
18	0453	7	FEW:02 80	10.00		61	16.1	57	13.6	53	11.7	75	3	030		29.20			30.15	FM-15	0.00	30.17
18	0553	7	CLR:00	10.00		63	17.2	58	14.4	54	12.2	73	0	000		29.21			30.16	FM-15	0.00	30.18
18	0653	7	CLR:00	10.00		67	19.4	62	16.5	58	14.4	73	3	070		29.22	1	-0.05	30.17	FM-15	0.00	30.19
18	0753	7	CLR:00	10.00		72	22.2	64	17.8	59	15.0	64	3	080		29.26			30.21	FM-15	0.00	30.23
18	0853	7	CLR:00	10.00		76	24.4	64	18.0	57	13.9	52	7	100		29.27			30.23	FM-15	0.00	30.25
18	0953	7	CLR:00	10.00		78	25.6	65	18.1	56	13.3	47	3	VRB		29.28	1	-0.07	30.24	FM-15	0.00	30.26
18	1053	7	CLR:00	10.00		81	27.2	64	17.9	53	11.7	38	0	000		29.28			30.24	FM-15	0.00	30.26
18	1153	7	CLR:00	10.00		83	28.3	65	18.3	53	11.7	36	7	140	20	29.26			30.22	FM-15	0.00	30.24
18	1253	7	FEW:02 75	10.00		84	28.9	65	18.5	53	11.7	34	0	000		29.26	8	+0.02	30.22	FM-15	0.00	30.24
18	1353	7	CLR:00	10.00		85	29.4	66	18.9	54	12.2	35	8	090		29.26			30.21	FM-15	0.00	30.23
18	1453	7	BKN:07 75	10.00		83	28.3	65	18.3	53	11.7	36	3	160		29.26			30.21	FM-15	0.00	30.23
18	1553	7	FEW:02 75	10.00		85	29.4	67	19.4	56	13.3	37	8	100		29.25	7	+0.01	30.20	FM-15	0.00	30.22
18	1653	7	FEW:02 75	10.00		84	28.9	66	19.0	55	12.8	37	6	080		29.25			30.20	FM-15	0.00	30.22
18	1753	7	SCT:04 75	10.00		84	28.9	66	19.0	55	12.8	37	3	VRB		29.25			30.20	FM-15	0.00	30.22
18	1853	7	SCT:04 80	10.00		82	27.8	65	18.3	54	12.2	38	8	120		29.26	3	-0.00	30.21	FM-15	0.00	30.23
18	1953	7	CLR:00	10.00		80	26.7	65	18.2	55	12.8	42	6	140		29.26			30.22	FM-15	0.00	30.24
18	2053	7	CLR:00	10.00		78	25.6	64	17.8	55	12.8	45	6	170		29.27			30.23	FM-15	0.00	30.25
18	2153	7	CLR:00	10.00		75	23.9	63	17.3	55	12.8	50	7	190		29.29	3	-0.04	30.25	FM-15	0.00	30.27
18	2253	7	CLR:00	10.00		75	23.9	64	17.5	56	13.3	52	5	170		29.30			30.26	FM-15	0.00	30.28
18	2353	7	CLR:00	10.00		70	21.1	62	16.8	57	13.9	64	0	000		29.30			30.26	FM-15	0.00	30.28
19	0053	7	CLR:00	10.00		68	20.0	62	16.7	58	14.4	70	0	000		29.30	0	-0.01	30.26	FM-15	0.00	30.28
19	0153	7	CLR:00	10.00		68	20.0	62	16.7	58	14.4	70	0	000		29.30			30.26	FM-15	0.00	30.28
19	0253	7	CLR:00	10.00		66	18.9	61	16.3	58	14.4	75	0	000		29.30			30.26	FM-15	0.00	30.28
19	0353	7	CLR:00	10.00		64	17.8	60	15.8	58	14.4	81	0	000		29.31	3	-0.01	30.27	FM-15	0.00	30.29
19	0453	7	CLR:00	10.00		65	18.3	61	16.0	58	14.4	78	0	000		29.32			30.28	FM-15	0.00	30.30
19	0553	7	CLR:00	10.00		67	19.4	63	17.1	60	15.6	79	5	150		29.34			30.30	FM-15	0.00	30.32
19	0653	7	CLR:00	10.00		69	20.6	64	17.5	60	15.6	73	6	150		29.35	3	-0.04	30.31	FM-15	0.00	30.33
19	0753	7	CLR:00	10.00		73	22.8	64	17.7	58	14.4	59	7	180		29.36			30.32	FM-15	0.00	30.34
19	0853	7	CLR:00	10.00		75	23.9	64	17.8	57	13.9	54	8	150		29.37			30.33	FM-15	0.00	30.35
19	0953	7	CLR:00	10.00		79	26.1	64	18.0	55	12.8	44	10	170		29.36	0	-0.00	30.32	FM-15	0.00	30.34
19	1053	7	CLR:00	10.00		82	27.8	66	18.6	55	12.8	40	10	150		29.34			30.30	FM-15	0.00	30.32
19	1153	7	CLR:00	10.00		84	28.9	66	18.7	54	12.2	36	14	160	18	29.33			30.29	FM-15	0.00	30.31
19	1253	7	CLR:00	10.00		85	29.4	66	18.6	53	11.7	33	14	180		29.31	8	+0.04	30.27	FM-15	0.00	30.29
19	1353	7	CLR:00	10.00		87	30.6	68	19.8	56	13.3	35	13	200	20	29.29			30.25	FM-15	0.00	30.27
19	1453	7	CLR:00	10.00		87	30.6	68	20.1	57	13.9	36	9	220	17	29.28			30.23	FM-15	0.00	30.26
19	1553	7	FEW:02 70	10.00		86	30.0	69	20.4	59	15.0	40	10	180	21	29.26	6	+0.05	30.22	FM-15	0.00	30.24
19	1653	7	BKN:07 65 BKN:07 80	10.00		87	30.6	70	20.9	60	15.6	40	10	160		29.26			30.21	FM-15	0.00	30.23
19	1753	7	SCT:04 60	10.00		86	30.0	70	21.0	61	16.1	43	9	190		29.25			30.20	FM-15	0.00	30.22
19	1853	7	CLR:00	10.00		84	28.9	69	20.4	60	15.6	44	11	190		29.26	5	+0.01	30.20	FM-15	0.00	30.23
19	1953	7	CLR:00	10.00		82	27.8	66	19.2	57	13.9	42	10	180		29.26			30.22	FM-15	0.00	30.24
19	2053	7	CLR:00	10.00		80	26.7	66	18.8	57	13.9	45	8	180		29.26			30.22	FM-15	0.00	30.24
19	2153	7	CLR:00	10.00		78	25.6	65	18.4	57	13.9	48	8	170		29.27	1	-0.02	30.22	FM-15	0.00	30.25
19	2253	7	CLR:00	10.00		76	24.4	64	18.0	57	13.9	52	9	170		29.26			30.21	FM-15	0.00	30.23
19	2353	7	FEW:02 47 FEW:02 55	10.00		75	23.9	64	17.5	56	13.3	52	9	180		29.25			30.19	FM-15	0.00	30.22
20	0053	7	SCT:04 41 BKN:07 80	10.00		75	23.9	63	17.3	55	12.8	50	8	180		29.25	5	+0.03	30.19	FM-15	0.00	30.22
20	0153	7	CLR:00	10.00		73	22.8	63	17.1	56	13.3	55	7	200		29.25			30.19	FM-15	0.00	30.22

20	0253	7	CLR:00	10.00		71	21.7	63	17.0	57	13.9	61	5	190		29.25			30.20	FM-15	0.00	30.22
20	0353	7	CLR:00	10.00		71	21.7	64	17.6	59	15.0	66	7	200		29.25	0	-0.00	30.19	FM-15	0.00	30.22
20	0453	7	SCT:04 95	10.00		70	21.1	64	18.0	61	16.1	73	6	190		29.25			30.19	FM-15	0.00	30.22
20	0553	7	FEW:02 100	10.00		71	21.7	66	18.9	63	17.2	76	6	200		29.26			30.20	FM-15	0.00	30.23
20	0653	7	FEW:02 70 BKN:07 100	10.00		74	23.3	69	20.5	66	18.9	76	6	VRB		29.25	0	-0.00	30.19	FM-15	0.00	30.22
20	0753	7	BKN:07 50 BKN:07 60	10.00		77	25.0	71	21.7	68	20.0	74	6	220		29.25			30.19	FM-15	0.00	30.22
20	0853	7	SCT:04 46	10.00		81	27.2	73	22.7	69	20.6	67	9	250		29.23			30.18	FM-15	0.00	30.20
20	0953	7	SCT:04 70	10.00		83	28.3	74	23.4	70	21.1	65	13	270		29.22	8	+0.04	30.16	FM-15	0.00	30.19
20	1053	7	CLR:00	10.00		85	29.4	75	23.7	70	21.1	61	14	240	22	29.20			30.14	FM-15	0.00	30.17
20	1153	7	SCT:04 44	10.00		87	30.6	74	23.4	68	20.0	53	17	240		29.18			30.12	FM-15	0.00	30.15
20	1253	7	FEW:02 44 SCT:04 55	10.00		88	31.1	74	23.5	68	20.0	52	16	240	23	29.15	8	+0.06	30.09	FM-15	0.00	30.12
20	1353	7	FEW:02 49	10.00		87	30.6	75	23.7	69	20.6	55	13	260	23	29.14			30.09	FM-15	0.00	30.11
20	1453	7	FEW:02 50 FEW:02 60 SCT:04 110	10.00		90	32.2	75	23.8	68	20.0	48	16	240	26	29.11			30.06	FM-15	0.00	30.08
20	1553	7	FEW:02 60	10.00		89	31.7	74	23.3	67	19.4	48	15	230		29.10	8	+0.06	30.04	FM-15	0.00	30.07
20	1653	7	CLR:00	10.00		87	30.6	73	23.0	67	19.4	51	14	250	23	29.08			30.02	FM-15	0.00	30.05
20	1753	7	CLR:00	10.00		86	30.0	73	22.5	66	18.9	51	14	230		29.04			29.98	FM-15	0.00	30.01
20	1853	7	CLR:00	10.00		84	28.9	72	22.2	66	18.9	55	10	250		29.05	5	+0.05	29.99	FM-15	0.00	30.02
20	1953	7	FEW:02 44 BKN:07 55 BKN:07 80	10.00		83	28.3	72	22.4	67	19.4	59	7	270		29.05			29.99	FM-15	0.00	30.02
20	2053	7	BKN:07 60	10.00		81	27.2	72	22.0	67	19.4	62	9	240		29.04			29.99	FM-15	0.00	30.01
20	2153	7	CLR:00	10.00		79	26.1	71	21.7	67	19.4	67	7	270		29.05	3	-0.00	29.99	FM-15	0.00	30.02
20	2253	7	CLR:00	10.00		75	23.9	69	20.6	66	18.9	74	7	280		29.04			29.98	FM-15	0.00	30.01
20	2353	7	CLR:00	10.00		74	23.3	69	20.5	66	18.9	76	6	250		29.04			29.98	FM-15	0.00	30.01
21	0053	7	CLR:00	10.00		74	23.3	69	20.8	67	19.4	79	7	250		29.03	7	+0.02	29.97	FM-15	0.00	30.00
21	0153	7	CLR:00	10.00		74	23.3	70	21.1	68	20.0	82	11	270		29.02			29.96	FM-15	0.00	29.99
21	0253	7	FEW:02 75	10.00		72	22.2	69	20.4	67	19.4	84	6	270		29.01			29.95	FM-15	0.00	29.98
21	0353	7	SCT:04 40	10.00		72	22.2	68	20.1	66	18.9	82	6	320		29.00	6	+0.02	29.95	FM-15	0.00	29.97
21	0453	7	OVC:08 33	10.00		72	22.2	68	20.1	66	18.9	82	6	300		29.00			29.94	FM-15	0.00	29.97
21	0510	7	BKN:07 23 OVC:08 29	10.00		72	22.2	69	20.4	67	19.4	84	5	290		29.00				FM-16		29.97
21	0553	7	OVC:08 19	10.00		72	22.2	69	20.4	67	19.4	84	6	270		29.00			29.95	FM-15	0.00	29.97
21	0636	7	OVC:08 30	10.00		73	22.8	69	20.6	67	19.4	81	8	280		29.00				FM-16		29.97
21	0653	7	OVC:08 31	10.00		74	23.3	70	21.1	68	20.0	82	8	270		29.00	6	+0.00	29.94	FM-15	0.00	29.97
21	0753	7	FEW:02 16 BKN:07 32	10.00		75	23.9	70	21.3	68	20.0	79	8	310		29.00			29.94	FM-15	0.00	29.97
21	0826	7	BKN:07 21 BKN:07 32	10.00		75	23.9	70	21.3	68	20.0	79	5	300		29.00				FM-16		29.97
21	0853	7	BKN:07 22 OVC:08 28	10.00		76	24.4	70	21.2	67	19.4	74	7	350		28.99			29.93	FM-15	0.00	29.96
21	0953	7	BKN:07 25 OVC:08 110	10.00		77	25.0	70	21.3	67	19.4	71	3	280		28.99	6	+0.01	29.94	FM-15	0.00	29.96
21	1015	7	SCT:04 25 BKN:07 32 OVC:08 110	10.00		77	25.0	70	21.0	66	18.9	69	7	300		28.99				FM-16		29.96
21	1053	7	FEW:02 100	10.00		80	26.7	71	21.5	66	18.9	62	6	VRB		28.98			29.93	FM-15	0.00	29.95
21	1153	7	FEW:02 35 SCT:04 50	10.00		81	27.2	71	21.7	66	18.9	61	10	250		28.98			29.93	FM-15	0.00	29.95
21	1253	7	CLR:00	10.00		85	29.4	68	20.0	58	14.4	40	16	260	24	28.96	8	+0.04	29.90	FM-15	0.00	29.93
21	1353	7	CLR:00	10.00		86	30.0	66	19.0	54	12.2	33	16	280	24	28.93			29.87	FM-15	0.00	29.90
21	1453	7	CLR:00	10.00		85	29.4	65	18.1	51	10.6	31	23	270	30	28.92			29.87	FM-15	T	29.89
21	1553	7	CLR:00	10.00		85	29.4	65	18.3	52	11.1	32	21	280	29	28.91	6	+0.04	29.85	FM-15	0.00	29.88
21	1653	7	CLR:00	10.00		83	28.3	64	17.7	51	10.6	33	15	300	30	28.91			29.85	FM-15	T	29.88
21	1753	7	CLR:00	10.00		82	27.8	64	17.8	52	11.1	35	20	310	24	28.91			29.85	FM-15	T	29.88
21	1853	7	CLR:00	10.00		80	26.7	63	17.1	51	10.6	37	18	300	25	28.92	3	-0.01	29.86	FM-15	0.00	29.89

21	1953	7	CLR:00	10.00		75	23.9	63	16.9	54	12.2	48	9	290		28.93			29.88	FM-15	0.00	29.90
21	2053	7	CLR:00	10.00		72	22.2	62	16.9	56	13.3	57	6	300		28.95			29.90	FM-15	0.00	29.92
21	2153	7	BKN:07 60	10.00		73	22.8	63	17.4	57	13.9	57	7	300		28.99	3	-0.06	29.93	FM-15	0.00	29.96
21	2253	7	CLR:00	10.00		70	21.1	58	14.6	49	9.4	47	6	320		28.99			29.94	FM-15	0.00	29.96
21	2353	7	CLR:00	10.00		68	20.0	57	13.9	48	8.9	49	5	310		29.00			29.94	FM-15	0.00	29.97
22	0053	7	CLR:00	10.00		67	19.4	57	13.6	48	8.9	51	3	250		28.99	0	-0.00	29.93	FM-15	0.00	29.96
22	0153	7	CLR:00	10.00		63	17.2	56	13.2	50	10.0	63	3	230		28.99			29.94	FM-15	0.00	29.96
22	0253	7	CLR:00	10.00		62	16.7	55	13.0	50	10.0	65	0	000		28.99			29.94	FM-15	0.00	29.96
22	0353	7	CLR:00	10.00		60	15.6	55	12.8	51	10.6	72	3	200		28.97	8	+0.01	29.92	FM-15	0.00	29.94
22	0453	7	CLR:00	10.00		60	15.6	55	12.5	50	10.0	70	0	000		28.99			29.94	FM-15	0.00	29.96
22	0553	7	CLR:00	10.00		59	15.0	55	12.9	52	11.1	78	0	000		28.98			29.94	FM-15	0.00	29.95
22	0653	7	CLR:00	10.00		65	18.3	60	15.4	56	13.3	73	0	000		29.03	3	-0.05	29.98	FM-15	0.00	30.00
22	0753	7	CLR:00	10.00		67	19.4	60	15.6	55	12.8	66	6	200		29.03			29.98	FM-15	0.00	30.00
22	0853	7	CLR:00	10.00		69	20.6	59	15.1	52	11.1	55	6	200		29.03			29.98	FM-15	0.00	30.00
22	0953	7	BKN:07 80	10.00		72	22.2	61	16.1	53	11.7	52	5	200		29.05	3	-0.02	30.00	FM-15	0.00	30.02
22	1053	7	OVC:08 70	10.00		72	22.2	65	18.1	60	15.6	66	7	220		29.05			30.00	FM-15	0.00	30.02
22	1153	7	FEW:02 48 BKN:07 65 OVC:08 120	10.00	-RA:02 |RA |	74	23.3	66	19.1	62	16.7	67	6	280		29.04			29.99	FM-15	T	30.01
22	1253	7	OVC:08 110	10.00		74	23.3	65	18.5	60	15.6	62	5	240		29.02	8	+0.03	29.97	FM-15	T	29.99
22	1353	7	FEW:02 65 OVC:08 100	10.00		74	23.3	66	18.8	61	16.1	64	5	VRB		29.02			29.97	FM-15	T	29.99
22	1453	7	BKN:07 90	10.00		76	24.4	67	19.5	62	16.7	62	11	240		29.00			29.95	FM-15	0.00	29.97
22	1553	7	SCT:04 75	10.00		76	24.4	68	19.8	63	17.2	64	9	220		28.98	8	+0.04	29.94	FM-15	0.00	29.95
22	1653	7	FEW:02 70	10.00		76	24.4	68	19.8	63	17.2	64	10	200		28.98			29.94	FM-15	0.00	29.95
22	1753	7	CLR:00	10.00		78	25.6	69	20.5	64	17.8	62	11	230		28.98			29.94	FM-15	0.00	29.95
22	1853	7	CLR:00	10.00		76	24.4	68	20.2	64	17.8	67	9	220		28.98	5	+0.00	29.93	FM-15	0.00	29.95
22	1953	7	FEW:02 120	10.00		74	23.3	68	19.8	64	17.8	71	6	210		28.97			29.92	FM-15	0.00	29.94
22	2053	7	FEW:02 65 SCT:04 80	10.00		74	23.3	68	20.1	65	18.3	74	5	200		28.97			29.92	FM-15	0.00	29.94
22	2153	7	BKN:07 65 OVC:08 90	10.00		74	23.3	68	20.1	65	18.3	74	6	190		28.97	6	+0.01	29.92	FM-15	0.00	29.94
22	2245	7	OVC:08 50	10.00	TS:7 |TS TS |	73	22.8	68	20.3	66	18.9	79	8	150		28.93				FM-16		29.90
22	2253	7	OVC:08 48	4.00	TS:7 RA:02 |RA TS TS |	72	22.2	69	20.4	67	19.4	84	8	140		28.92			29.87	FM-15	0.05	29.89
22	2319	7	FEW:02 22 BKN:07 40 OVC:08 46	10.00	VCTS:7 ||	72	22.2	69	20.8	68	20.0	87	5	080		28.91				FM-16	0.01	29.88
22	2338	7	FEW:02 11 BKN:07 28 OVC:08 40	8.00	VCTS:7 -RA:02 |RA |	71	21.7	70	20.9	69	20.6	94	13	130		28.89				FM-16	0.03	29.85
22	2353	7	SCT:04 10 BKN:07 24 OVC:08 29	7.00	VCTS:7 ||	71	21.7	70	20.9	69	20.6	94	3	VRB		28.91			29.86	FM-15	0.03	29.88
22	2356	7	BKN:07 10 BKN:07 21 OVC:08 26	7.00	TS:7 |TS TS |	71	21.7	70	20.9	69	20.6	94	7	290		28.92				FM-16		29.89
23	0041	7	BKN:07 9 OVC:08 24	4.00	TS:7 +RA:02 BR:1 |RA TS |	69	20.6	68	19.8	67	19.4	93	15	040	30	28.93				FM-16	0.12	29.90
23	0053	7	SCT:04 7 BKN:07 11 OVC:08 24	3.00	TS:7 +RA:02 BR:1 |RA TS |	67	19.4	66	19.1	66	18.9	97	14	010	20	28.95	5	+0.02	29.90	FM-15	0.40s	29.92
23	0059	7	SCT:04 7 BKN:07 18 OVC:08 34	2.00	TS:7 +RA:02 BR:1 |RA TS |	67	19.4	66	19.1	66	18.9	97	15	010		28.96				FM-16	0.14	29.93
23	0106	7	FEW:02 9 BKN:07 18 OVC:08 37	1.25	TS:7 +RA:02 BR:1 |RA TS |	66	18.9	66	18.9	66	18.9	100	15	080		28.91				FM-16	0.30	29.88
23	0115	7	FEW:02 7 BKN:07 20 OVC:08 45	3.00	TS:7 RA:02 BR:1 |RA TS |	67	19.4	66	19.1	66	18.9	97	14	010		28.94				FM-16	0.33	29.91

23	0125	7	FEW:02 7 BKN:07 23 OVC:08 46	1.50	TS:7 +RA:02 BR:1 |RA TS |	66	18.9	65	18.5	65	18.3	96	20	020		28.96				FM-16	0.57	29.93
23	0133	7	FEW:02 7 BKN:07 13 OVC:08 43	0.75	TS:7 +RA:02 BR:1 |RA TS |	65	18.3	65	18.3	65	18.3	100	15	010	32	28.98				FM-16	0.94	29.95
23	0151	6	FEW:02 6 OVC:08 11	1.00	TS:7 +RA:02 BR:1 |RA TS |	64	18.0	64	17.8	64	18.0	100	13	080		28.93				FM-16		29.90
23	0153	7	FEW:02 6 OVC:08 11	1.00	TS:7 +RA:02 BR:1 |RA TS |	65	18.3	65	18.3	65	18.3	100	13	080		28.92			29.87	FM-15	1.85	29.89
23	0206	7	FEW:02 10 BKN:07 21 OVC:08 65	2.00	TS:7 +RA:02 BR:1 |RA TS |	65	18.3	65	18.3	65	18.3	100	11	100		28.90				FM-16	0.15	29.87
23	0209	7	FEW:02 4 BKN:07 23 OVC:08 65	3.00	TS:7 RA:02 BR:1 |RA TS |	65	18.3	65	18.3	65	18.3	100	9	110		28.91				FM-16	0.16	29.88
23	0220	7	FEW:02 4 BKN:07 29 OVC:08 47	1.75	TS:7 +RA:02 BR:1 |RA TS |	65	18.3	65	18.3	65	18.3	100	5	340		28.96				FM-16	0.32	29.93
23	0231	7	FEW:02 4 BKN:07 21 OVC:08 65	0.75	TS:7 +RA:02 BR:1 |RA TS |	65	18.3	64	18.0	64	17.8	97	17	120	31	28.82s				FM-16	0.74	29.78s
23	0237	7	FEW:02 4 BKN:07 23 BKN:07 42	2.50	TS:7 -RA:02 BR:1 |RA TS |	65	18.3	65	18.3	65	18.3	100	11	050	28	28.89				FM-16	0.74	29.85
23	0244	7	FEW:02 6 BKN:07 16 BKN:07 37	10.00	TS:7 -RA:02 |RA TS TS |	65	18.3	65	18.3	65	18.3	100	10	210		28.92				FM-16	0.74	29.89
23	0251	6	BKN:07 9 BKN:07 19 BKN:07 90	10.00	TS:7 -RA:02 |RA TS |	64	18.0	64	17.8	64	18.0	100	7	190		28.92				FM-16		29.89
23	0253	7	BKN:07 7 BKN:07 21 BKN:07 90	10.00	TS:7 -RA:02 |RA TS TS |	65	18.3	65	18.3	65	18.3	100	10	180		28.91			29.86	FM-15	0.63	29.88
23	0304	7	BKN:07 7 BKN:07 38	10.00	-RA:02 |RA |	65	18.3	64	18.0	64	17.8	97	11	160		28.90				FM-16	T	29.87
23	0333	7	BKN:07 7 OVC:08 70	10.00	VCTS:7 -RA:02 |RA |	65	18.3	65	18.3	65	18.3	100	11	160		28.90				FM-16	T	29.87
23	0348	7	OVC:08 6	10.00	-RA:02 |RA |	64	18.0	64	17.8	64	18.0	100	8	160		28.90				FM-16	0.01	29.87
23	0353	7	BKN:07 6 OVC:08 29	10.00	-RA:02 |RA |	66	18.9	65	18.5	65	18.3	96	9	160		28.90	6	+0.02	29.85	FM-15	0.01	29.87
23	0408	7	BKN:07 6 OVC:08 42	10.00	VCTS:7 ||	66	18.9	65	18.5	65	18.3	96	10	180		28.90				FM-16	T	29.87
23	0442	7	OVC:08 6	10.00		66	18.9	65	18.5	65	18.3	96	9	160		28.90				FM-16	0.01	29.86
23	0453	7	BKN:07 6 OVC:08 100	10.00		66	18.9	65	18.5	65	18.3	96	8	140		28.89			29.83	FM-15	0.01	29.85
23	0509	7	SCT:04 7 BKN:07 85 BKN:07 110	10.00		66	18.9	65	18.5	65	18.3	96	7	110		28.89				FM-16		29.85
23	0553	7	BKN:07 24 BKN:07 39 OVC:08 60	10.00		67	19.4	66	18.7	65	18.3	93	6	150		28.89			29.83	FM-15	T	29.85
23	0653	7	BKN:07 22 OVC:08 55	10.00		67	19.4	66	19.1	66	18.9	97	7	170		28.89	6	+0.02	29.83	FM-15	0.00	29.85
23	0702	7	SCT:04 20 OVC:08 50	10.00		67	19.4	66	19.1	66	18.9	97	7	160		28.90				FM-16		29.86
23	0753	7	OVC:08 41	10.00		68	20.0	67	19.6	67	19.4	96	9	180		28.90			29.84	FM-15	0.02	29.86
23	0851	6	OVC:08 29	10.00		70	21.0	67	19.7	66	19.0	88	8	180		28.90				FM-16		29.86
23	0853	7	OVC:08 29	10.00		69	20.6	68	20.2	68	20.0	96	6	180		28.90			29.84	FM-15	0.00	29.86
23	0953	7	OVC:08 25	10.00		71	21.7	69	20.6	68	20.0	90	7	180		28.90	0	-0.00	29.84	FM-15	0.00	29.86
23	1027	7	FEW:02 9 OVC:08 22	10.00		72	22.2	70	21.1	69	20.6	91	10	170		28.90				FM-16		29.86

23	1041	7	BKN:07 9 BKN:07 15 OVC:08 22	10.00		72	22.2	70	21.1	69	20.6	91	10	180		28.90				FM-16		29.86
23	1053	7	BKN:07 9 BKN:07 15 OVC:08 22	10.00		73	22.8	71	21.7	70	21.1	90	9	180		28.90			29.84	FM-15	0.00	29.86
23	1151	6	FEW:02 15 BKN:07 26 OVC:08 36	10.00		75	24.0	73	22.8	72	22.0	89	7	200		28.89				FM-16		29.85
23	1153	7	FEW:02 15 BKN:07 26 OVC:08 36	10.00		77	25.0	74	23.1	72	22.2	85	8	190		28.89			29.83	FM-15	0.00	29.85
23	1229	7	SCT:04 28 SCT:04 33 BKN:07 40	10.00		80	26.7	75	24.0	73	22.8	79	7	200		28.87				FM-16		29.84
23	1253	7	FEW:02 19 SCT:04 26 BKN:07 41	10.00		81	27.2	75	24.1	73	22.8	77	3	VRB		28.87	8	+0.02	29.82	FM-15	T	29.84
23	1331	7	SCT:04 23 BKN:07 28 BKN:07 39	10.00		82	27.8	76	24.6	74	23.3	77	0	000		28.87				FM-16		29.83
23	1353	7	FEW:02 23 SCT:04 30 SCT:04 34	10.00		84	28.9	77	25.0	74	23.3	72	6	360		28.86			29.80	FM-15	0.00	29.82
23	1453	7	FEW:02 28 FEW:02 36 BKN:07 47	10.00		84	28.9	76	24.6	73	22.8	70	10	360		28.84			29.79	FM-15	0.00	29.81
23	1553	7	SCT:04 34	10.00		84	28.9	75	23.9	71	21.7	65	15	340	24	28.84	6	+0.03	29.79	FM-15	0.00	29.81
23	1653	7	FEW:02 30 SCT:04 36	10.00		83	28.3	75	23.7	71	21.7	67	10	330	24	28.87			29.80	FM-15	0.00	29.83
23	1751	6	BKN:07 25	10.00		81	27.0	73	23.1	70	21.0	70	13	350	22	28.89				FM-16		29.85
23	1753	7	BKN:07 25	10.00		80	26.7	73	22.5	69	20.6	69	10	350		28.89			29.83	FM-15	0.00	29.85
23	1853	7	BKN:07 25	10.00		76	24.4	71	21.8	69	20.6	79	9	010		28.93	3	-0.09	29.88	FM-15	0.00	29.90
23	1953	7	BKN:07 25	10.00		74	23.3	70	21.1	68	20.0	82	11	020		28.94			29.89	FM-15	0.00	29.91
23	2000	7	SCT:04 40	10.00		74	23.3	70	21.1	68	20.0	82	9	360		28.94				FM-16		29.91
23	2053	7	BKN:07 42	10.00		72	22.2	69	20.8	68	20.0	87	7	350		28.95			29.91	FM-15	0.00	29.92
23	2153	7	BKN:07 46	10.00		70	21.1	68	20.0	67	19.4	90	7	360		28.96	3	-0.03	29.91	FM-15	0.00	29.93
23	2253	7	CLR:00	10.00		68	20.0	67	19.3	66	18.9	93	7	360		28.95			29.91	FM-15	0.00	29.92
23	2353	7	SCT:04 13	10.00		68	20.0	67	19.3	66	18.9	93	5	020		28.97			29.92	FM-15	0.00	29.94
24	0002	7	BKN:07 13	10.00		69	20.6	68	19.8	67	19.4	93	5	010		28.97				FM-16		29.94
24	0028	7	OVC:08 15	10.00		69	20.6	68	19.8	67	19.4	93	6	010		28.98				FM-16		29.95
24	0053	7	BKN:07 17 OVC:08 24	10.00		69	20.6	68	19.8	67	19.4	93	6	030		28.98	3	-0.02	29.93	FM-15	0.00	29.95
24	0153	7	BKN:07 27	10.00		67	19.4	66	18.7	65	18.3	93	5	350		29.00			29.94	FM-15	0.00	29.97
24	0200	7	SCT:04 27	10.00		67	19.4	66	18.7	65	18.3	93	3	340		28.99				FM-16		29.96
24	0253	7	CLR:00	8.00		66	18.9	65	18.2	64	17.8	93	7	010		28.97			29.92	FM-15	0.00	29.94
24	0353	7	CLR:00	6.00	BR:1 ||	66	18.9	65	18.5	65	18.3	96	6	360		28.97	8	+0.01	29.92	FM-15	0.00	29.94
24	0451	6	BKN:07 23	6.00	BR:1 ||	66	19.0	65	18.2	64	18.0	94	5	360		29.00				FM-16		29.97
24	0453	7	BKN:07 23	7.00		66	18.9	65	18.5	65	18.3	96	6	010		29.00			29.95	FM-15	0.00	29.97
24	0550	7	OVC:08 30	8.00		68	20.0	65	18.6	64	18.0	88	0	000		29.02				FM-16		29.99
24	0553	7	OVC:08 30	8.00		68	20.0	66	18.9	65	18.3	90	3	360		29.02			29.97	FM-15	0.00	29.99
24	0653	7	FEW:02 30 SCT:04 35 BKN:07 110	10.00		68	20.0	64	17.9	62	16.7	81	6	020		29.04	1	-0.04	29.99	FM-15	0.00	30.01
24	0753	7	FEW:02 24 BKN:07 90 BKN:07 110	10.00		69	20.6	63	17.2	59	15.0	70	7	030		29.05			30.00	FM-15	0.00	30.02
24	0853	7	FEW:02 17 FEW:02 110	10.00		73	22.8	64	18.0	59	15.0	62	7	030		29.06			30.01	FM-15	0.00	30.03
24	0953	7	BKN:07 110	10.00		75	23.9	65	18.4	59	15.0	58	8	040		29.07	1	-0.04	30.02	FM-15	0.00	30.04
24	1053	7	FEW:02 110	10.00		77	25.0	67	19.4	61	16.1	58	5	VRB		29.08			30.03	FM-15	0.00	30.05
24	1153	7	SCT:04 90	10.00		80	26.7	68	20.3	62	16.7	54	9	010		29.08			30.02	FM-15	0.00	30.05

24	1253	7	CLR:00	10.00		81	27.2	68	20.1	61	16.1	51	8	350		29.08	1	-0.00	30.03	FM-15	0.00	30.05
24	1353	7	CLR:00	10.00		81	27.2	67	19.5	59	15.0	47	6	360		29.08			30.03	FM-15	0.00	30.05
24	1453	7	CLR:00	10.00		82	27.8	67	19.4	58	14.4	44	7	340		29.08			30.03	FM-15	0.00	30.05
24	1553	7	CLR:00	10.00		83	28.3	67	19.6	58	14.4	43				29.09	3	-0.01	30.03	FM-15	0.00	30.06
24	1653	7	CLR:00	10.00		82	27.8	65	18.6	55	12.8	40	9	340		29.08			30.03	FM-15	0.00	30.05
24	1753	7	CLR:00	10.00		82	27.8	66	18.9	56	13.3	41	8	030		29.08			30.03	FM-15	0.00	30.05
24	1853	7	CLR:00	10.00		79	26.1	65	18.6	57	13.9	47	10	010		29.09	5	+0.00	30.03	FM-15	0.00	30.06
24	1953	7	CLR:00	10.00		73	22.8	62	16.8	55	12.8	53	8	360		29.09			30.04	FM-15	0.00	30.06
24	2053	7	CLR:00	10.00		71	21.7	61	15.9	53	11.7	53	9	360		29.11			30.06	FM-15	0.00	30.08
24	2153	7	CLR:00	10.00		67	19.4	59	15.0	53	11.7	61	8	010		29.12	3	-0.04	30.08	FM-15	0.00	30.09
24	2253	7	CLR:00	10.00		65	18.3	58	14.5	53	11.7	66	7	360		29.13			30.08	FM-15	0.00	30.10
24	2353	7	CLR:00	10.00		64	17.8	58	14.3	53	11.7	68	5	360		29.14			30.09	FM-15	0.00	30.11
25	0053	7	CLR:00	10.00		63	17.2	57	14.1	53	11.7	70	0	000		29.15	3	-0.02	30.10	FM-15	0.00	30.12
25	0153	7	CLR:00	10.00		60	15.6	57	13.7	54	12.2	80	0	000		29.15			30.10	FM-15	0.00	30.12
25	0253	7	CLR:00	10.00		59	15.0	56	13.2	53	11.7	81	3	310		29.14			30.10	FM-15	0.00	30.11
25	0353	7	CLR:00	10.00		58	14.4	55	12.6	52	11.1	81	5	340		29.14	8	+0.00	30.09	FM-15	0.00	30.11
25	0453	7	CLR:00	10.00		57	13.9	54	12.1	51	10.6	81	5	360		29.16			30.11	FM-15	0.00	30.13
25	0553	7	CLR:00	10.00		59	15.0	55	12.9	52	11.1	78	3	010		29.17			30.12	FM-15	0.00	30.14
25	0653	7	CLR:00	10.00		65	18.3	58	14.5	53	11.7	66	0	000		29.18	1	-0.04	30.13	FM-15	0.00	30.15
25	0753	7	CLR:00	10.00		71	21.7	61	15.9	53	11.7	53	0	000		29.19			30.15	FM-15	0.00	30.16
25	0853	7	CLR:00	10.00		73	22.8	63	17.1	56	13.3	55	0	000		29.20			30.15	FM-15	0.00	30.17
25	0953	7	CLR:00	10.00		77	25.0	65	18.2	57	13.9	50	0	000		29.20	0	-0.02	30.15	FM-15	0.00	30.17
25	1053	7	CLR:00	10.00		81	27.2	66	19.0	57	13.9	44	3	VRB		29.19			30.14	FM-15	0.00	30.16
25	1153	7	CLR:00	10.00		84	28.9	68	19.8	58	14.4	41	5	330		29.19			30.14	FM-15	0.00	30.16
25	1253	7	CLR:00	10.00		84	28.9	68	19.8	58	14.4	41	7	290		29.18	6	+0.01	30.13	FM-15	0.00	30.15
25	1353	7	CLR:00	10.00		84	28.9	66	19.0	55	12.8	37	3	310		29.17			30.12	FM-15	0.00	30.14
25	1453	7	CLR:00	10.00		86	30.0	67	19.6	56	13.3	36	3	250		29.17			30.11	FM-15	0.00	30.14
25	1553	7	CLR:00	10.00		88	31.1	68	19.9	56	13.3	34	3	VRB		29.15	7	+0.03	30.10	FM-15	0.00	30.12
25	1653	7	CLR:00	10.00		86	30.0	66	19.1	54	12.2	33	5	310		29.15			30.10	FM-15	0.00	30.12
25	1753	7	CLR:00	10.00		87	30.6	67	19.2	54	12.2	32	0	000		29.14			30.09	FM-15	0.00	30.11
25	1853	7	CLR:00	10.00		83	28.3	69	20.5	61	16.1	48	6	040		29.13	7	+0.02	30.08	FM-15	0.00	30.10
25	1953	7	CLR:00	10.00		79	26.1	67	19.2	59	15.0	50	7	070		29.13			30.08	FM-15	0.00	30.10
25	2053	7	CLR:00	8.00		75	23.9	66	18.7	60	15.6	60	0	000		29.14			30.09	FM-15	0.00	30.11
25	2153	7	CLR:00	10.00		74	23.3	65	18.5	60	15.6	62	0	000		29.15	3	-0.01	30.09	FM-15	0.00	30.12
25	2253	7	CLR:00	10.00		73	22.8	66	18.6	61	16.1	66	0	000		29.16			30.11	FM-15	0.00	30.13
25	2353	7	CLR:00	10.00		69	20.6	64	17.8	61	16.1	76	0	000		29.16			30.11	FM-15	0.00	30.13
26	0053	7	CLR:00	10.00		70	21.1	64	18.0	61	16.1	73	0	000		29.17	1	-0.02	30.11	FM-15	0.00	30.14
26	0153	7	CLR:00	10.00		66	18.9	63	17.2	61	16.1	84	5	140		29.15			30.10	FM-15	0.00	30.12
26	0253	7	CLR:00	10.00		68	20.0	64	17.9	62	16.7	81	3	190		29.15			30.10	FM-15	0.00	30.12
26	0353	7	CLR:00	10.00		71	21.7	66	18.9	63	17.2	76	6	170		29.15	6	+0.01	30.10	FM-15	0.00	30.12
26	0453	7	CLR:00	10.00		70	21.1	66	19.0	64	17.8	82	5	170		29.15			30.09	FM-15	0.00	30.12
26	0553	7	CLR:00	10.00		70	21.1	67	19.3	65	18.3	84	5	170		29.14			30.09	FM-15	0.00	30.11
26	0653	7	CLR:00	10.00		74	23.3	69	20.8	67	19.4	79	6	200		29.15	3	-0.00	30.10	FM-15	0.00	30.12
26	0753	7	CLR:00	10.00		78	25.6	71	21.9	68	20.0	71	6	190		29.17			30.11	FM-15	0.00	30.14
26	0853	7	CLR:00	10.00		81	27.2	72	22.4	68	20.0	65	9	200		29.17			30.11	FM-15	0.00	30.14
26	0953	7	CLR:00	10.00		83	28.3	73	23.0	69	20.6	63	10	180		29.16	0	-0.01	30.10	FM-15	0.00	30.13
26	1053	7	SCT:04 42	10.00		86	30.0	74	23.5	69	20.6	57	7	VRB		29.16			30.10	FM-15	0.00	30.13
26	1153	7	FEW:02 43 FEW:02 50	10.00		87	30.6	75	24.0	70	21.1	57	11	190	20	29.14			30.08	FM-15	0.00	30.11
26	1253	7	SCT:04 47 BKN:07 60	10.00		87	30.6	75	23.7	69	20.6	55	9	190		29.12	8	+0.04	30.06	FM-15	0.00	30.09
26	1353	7	BKN:07 55	10.00		90	32.2	75	24.1	69	20.6	50	7	200		29.11			30.05	FM-15	0.00	30.08
26	1453	7	SCT:04 55	10.00		90	32.2	75	24.1	69	20.6	50	11	190		29.08			30.03	FM-15	0.00	30.05
26	1553	7	SCT:04 50	10.00		90	32.2	75	24.1	69	20.6	50	11	160		29.06	8	+0.06	30.00	FM-15	0.00	30.03
26	1653	7	SCT:04 55 SCT:04 75	10.00		89	31.7	75	24.0	69	20.6	52	11	200		29.03			29.97	FM-15	0.00	30.00
26	1753	7	SCT:04 55 BKN:07 80	10.00		88	31.1	75	23.8	69	20.6	54	14	170		29.02			29.97	FM-15	0.00	29.99

26	1853	7	SCT:04 50	10.00		87	30.6	75	24.0	70	21.1	57	9	190		29.02	6	+0.03	29.97	FM-15	0.00	29.99
26	1928	7	BKN:07 49 OVC:08 60	10.00	VCTS:7 ||	86	30.0	75	23.9	70	21.1	59	9	180		29.03				FM-16		30.00
26	1951	6	BKN:07 49 OVC:08 80	10.00	TS:7 |TS |	84	29.0	74	23.5	70	21.0	62	21	230	26	29.04				FM-16		30.01
26	1953	7	BKN:07 49 OVC:08 80	10.00	TS:7 -RA:02 |RA TS TS |	84	28.9	74	23.5	70	21.1	63	17	210	26	29.04			29.98	FM-15	T	30.01
26	2017	7	BKN:07 49 OVC:08 80	1.75	TS:7 -RA:02 BR:1 |RA TS |	75	23.9	72	22.4	71	21.7	88	15	340	31	29.05				FM-16	0.22	30.02
26	2019	7	BKN:07 29 OVC:08 65	2.00	TS:7 -RA:02 BR:1 |RA TS |	76	24.4	73	22.6	71	21.7	85	8	VRB	24	29.06				FM-16	0.28	30.03
26	2026	7	BKN:07 29 OVC:08 65	0.75	TS:7 +RA:02 BR:1 |RA TS |	76	24.4	73	22.9	72	22.2	88	20	120	24	29.03				FM-16	0.56	30.00
26	2033	7	BKN:07 21 OVC:08 65	4.00	TS:7 -RA:02 BR:1 |RA TS |	77	25.0	72	22.0	69	20.6	77	5	VRB	25	29.06				FM-16	0.57	30.03
26	2048	7	SCT:04 19 BKN:07 33 OVC:08 60	10.00	VCTS:7 ||	75	24.0	73	22.8	72	22.0	89	0	000		29.07				FM-16	0.57	30.04
26	2053	7	SCT:04 19 BKN:07 33 OVC:08 60	10.00	VCTS:7 ||	75	23.9	73	22.8	72	22.2	90	0	000		29.07			30.02	FM-15	0.57	30.04
26	2141	7	SCT:04 27 SCT:04 44 BKN:07 55	1.00	TS:7 RA:02 BR:1 |RA TS |	76	24.4	73	22.9	72	22.2	88	20	270	28	29.10				FM-16	0.04	30.07
26	2151	6	BKN:07 31 BKN:07 49 BKN:07 70	0.75	TS:7 +RA:02 BR:1 |RA TS |	73	23.0	71	21.7	70	21.0	89	3	VRB		29.08				FM-16		30.05
26	2153	7	FEW:02 28 BKN:07 38 OVC:08 80	4.00	TS:7 +RA:02 BR:1 |RA TS |	74	23.3	71	21.9	70	21.1	88	6	040		29.08	1	-0.04	30.02	FM-15	0.33	30.05
26	2250	7	FEW:02 55 SCT:04 70 SCT:04 85	9.00	-RA:02 |RA |	73	23.0	72	22.4	72	22.0	94	8	220		29.12				FM-16	0.05	30.09
26	2253	7	SCT:04 55 SCT:04 70 SCT:04 85	9.00	-RA:02 |RA |	73	22.8	72	22.4	72	22.2	96	9	220		29.12			30.07	FM-15	0.02	30.09
26	2353	7	SCT:04 110	10.00		74	23.3	73	22.6	72	22.2	94	0	000		29.09			30.03	FM-15	T	30.06
27	0053	7	FEW:02 95 FEW:02 120	9.00		74	23.3	73	23.0	73	22.8	97	3	190		29.06	8	+0.01	30.01	FM-15	0.00	30.03
27	0153	7	SCT:04 46 BKN:07 55	3.00	BR:1 ||	73	22.8	73	22.8	73	22.8	100	3	250		29.05			29.98	FM-15	T	30.02
27	0253	7	OVC:08 48	10.00		73	22.8	72	22.0	71	21.7	94	3	260		29.05			29.99	FM-15	0.00	30.02
27	0353	7	BKN:07 48 BKN:07 60 OVC:08 100	9.00		72	22.2	71	21.9	71	21.7	97	3	260		29.07	3	-0.00	30.01	FM-15	0.00	30.04
27	0453	7	BKN:07 46 BKN:07 80	10.00		73	22.8	72	22.0	71	21.7	94	5	280		29.07			30.01	FM-15	T	30.04
27	0527	7	FEW:02 40 BKN:07 46 OVC:08 55	1.50	+RA:02 BR:1 |RA |	72	22.2	71	21.9	71	21.7	97	3	210		29.08				FM-16	0.06	30.05
27	0539	7	BKN:07 47 BKN:07 70 OVC:08 100	4.00	-RA:02 |RA |	72	22.2	69	20.4	67	19.4	84	5	VRB		29.07				FM-16	0.11	30.04
27	0553	7	FEW:02 43 SCT:04 60 BKN:07 100	10.00		72	22.2	71	21.5	70	21.1	94	0	000		29.08			30.02	FM-15	0.11	30.05
27	0653	7	CLR:00	10.00		74	23.3	72	22.2	71	21.7	91	0	000		29.08	3	-0.02	30.03	FM-15	0.00	30.05
27	0735	7	SCT:04 6	10.00		76	24.4	73	22.6	71	21.7	85	3	240		29.10				FM-16		30.07
27	0753	7	SCT:04 10	10.00		76	24.4	73	22.6	71	21.7	85	3	270		29.10			30.04	FM-15	0.00	30.07
27	0853	7	SCT:04 10	10.00		79	26.1	72	22.4	69	20.6	72	3	340		29.09			30.04	FM-15	0.00	30.06
27	0953	7	CLR:00	10.00		81	27.2	73	22.7	69	20.6	67	5	330		29.09	0	-0.00	30.03	FM-15	0.00	30.06
27	1053	7	CLR:00	10.00		83	28.3	72	22.0	66	18.9	57	0	000		29.09			30.04	FM-15	0.00	30.06
27	1153	7	FEW:02 47	10.00		85	29.4	72	22.4	66	18.9	53	8	290		29.09			30.03	FM-15	0.00	30.06
27	1253	7	CLR:00	10.00		86	30.0	69	20.4	59	15.0	40	13	310		29.06	8	+0.02	30.01	FM-15	0.00	30.03

27	1353	7	CLR:00	10.00		87	30.6	68	20.0	57	13.9	36	8	330		29.04			29.99	FM-15	0.00	30.01
27	1453	7	CLR:00	10.00		88	31.1	69	20.8	59	15.0	38	11	320		29.03			29.97	FM-15	0.00	30.00
27	1553	7	CLR:00	10.00		87	30.6	68	20.0	57	13.9	36	11	340		29.01	6	+0.06	29.95	FM-15	0.00	29.98
27	1653	7	CLR:00	10.00		86	30.0	69	20.7	60	15.6	42	5	330		29.01			29.95	FM-15	0.00	29.98
27	1753	7	CLR:00	10.00		88	31.1	69	20.8	59	15.0	38	8	330		29.00			29.95	FM-15	0.00	29.97
27	1853	7	CLR:00	10.00		84	28.9	69	20.7	61	16.1	46	7	290		29.01	3	-0.01	29.96	FM-15	0.00	29.98
27	1953	7	CLR:00	10.00		84	28.9	69	20.4	60	15.6	44	3	240		29.01			29.95	FM-15	0.00	29.98
27	2053	7	CLR:00	10.00		81	27.2	69	20.4	62	16.7	53	6	240		29.02			29.96	FM-15	0.00	29.99
27	2153	7	FEW:02 100	10.00		78	25.6	68	19.9	62	16.7	58	5	240		29.03	3	-0.01	29.97	FM-15	0.00	30.00
27	2253	7	SCT:04 75	10.00		77	25.0	67	19.4	61	16.1	58	6	240		29.02			29.96	FM-15	0.00	29.99
27	2353	7	SCT:04 80 SCT:04 100	10.00		75	23.9	67	19.3	62	16.7	64	8	290		29.01			29.96	FM-15	0.00	29.98
28	0053	7	SCT:04 70	10.00		74	23.3	67	19.5	63	17.2	69	7	310		29.01	6	+0.02	29.95	FM-15	0.00	29.98
28	0153	7	CLR:00	10.00		73	22.8	66	18.9	62	16.7	69	9	340		29.01			29.95	FM-15	0.00	29.98
28	0253	7	CLR:00	10.00		71	21.7	65	18.2	61	16.1	71	9	330		29.02			29.96	FM-15	0.00	29.99
28	0353	7	CLR:00	10.00		69	20.6	64	17.8	61	16.1	76	7	320		29.03	3	-0.02	29.97	FM-15	0.00	30.00
28	0453	7	CLR:00	10.00		68	20.0	63	17.3	60	15.6	76	8	330		29.04			29.98	FM-15	0.00	30.01
28	0553	7	CLR:00	10.00		67	19.4	63	17.1	60	15.6	79	7	330		29.05			29.99	FM-15	0.00	30.02
28	0653	7	CLR:00	10.00		70	21.1	64	18.0	61	16.1	73	8	320		29.06	1	-0.03	30.00	FM-15	0.00	30.03
28	0753	7	CLR:00	10.00		72	22.2	65	18.4	61	16.1	68	7	310		29.07			30.01	FM-15	0.00	30.04
28	0853	7	CLR:00	10.00		75	23.9	66	18.7	60	15.6	60	9	310		29.07			30.01	FM-15	0.00	30.04
28	0953	7	CLR:00	10.00		76	24.4	65	18.6	59	15.0	56	13	330		29.07	1	-0.01	30.01	FM-15	0.00	30.04
28	1053	7	SCT:04 44	10.00		77	25.0	65	18.5	58	14.4	52	13	290		29.07			30.01	FM-15	0.00	30.04
28	1153	7	FEW:02 49 FEW:02 55	10.00		78	25.6	66	18.7	58	14.4	50	9	300		29.07			30.02	FM-15	0.00	30.04
28	1253	7	FEW:02 50 BKN:07 65	10.00		77	25.0	65	18.5	58	14.4	52	10	280		29.06	8	+0.01	30.01	FM-15	0.00	30.03
28	1353	7	SCT:04 50 BKN:07 70	10.00		78	25.6	66	18.7	58	14.4	50	14	320	21	29.05			29.99	FM-15	0.00	30.02
28	1453	7	FEW:02 46 SCT:04 60 SCT:04 80	10.00		80	26.7	67	19.3	59	15.0	49	9	320		29.04			29.99	FM-15	0.00	30.01
28	1553	7	FEW:02 49 SCT:04 65 SCT:04 80	10.00		78	25.6	66	18.7	58	14.4	50	10	310		29.04	6	+0.02	29.99	FM-15	0.00	30.01
28	1653	7	SCT:04 55 BKN:07 75	10.00		77	25.0	65	18.2	57	13.9	50	11	330		29.04			29.98	FM-15	0.00	30.01
28	1753	7	SCT:04 46 BKN:07 60	10.00		77	25.0	66	18.8	59	15.0	54	16	330	21	29.03			29.98	FM-15	0.00	30.00
28	1853	7	CLR:00	10.00		73	22.8	62	16.8	55	12.8	53	17	330	24	29.04	3	-0.00	29.99	FM-15	0.00	30.01
28	1953	7	CLR:00	10.00		69	20.6	61	16.0	55	12.8	61	11	320		29.05			30.00	FM-15	0.00	30.02
28	2053	7	CLR:00	10.00		66	18.9	59	15.1	54	12.2	65	10	320		29.06			30.01	FM-15	0.00	30.03
28	2153	7	CLR:00	10.00		64	17.8	58	14.6	54	12.2	70	8	330		29.08	3	-0.04	30.03	FM-15	0.00	30.05
28	2253	7	CLR:00	10.00		62	16.7	57	13.9	53	11.7	73	8	320		29.08			30.03	FM-15	0.00	30.05
28	2353	7	SCT:04 36	10.00		60	15.6	57	13.7	54	12.2	80	6	330		29.08			30.03	FM-15	0.00	30.05
29	0053	7	FEW:02 48	10.00		60	15.6	57	13.7	54	12.2	80	5	330		29.08	8	+0.00	30.03	FM-15	0.00	30.05
29	0153	7	FEW:02 32	10.00		58	14.4	56	13.5	55	12.8	90	5	010		29.07			30.03	FM-15	0.00	30.04
29	0253	7	BKN:07 47	10.00		59	15.0	57	14.1	56	13.3	90	5	320		29.08			30.03	FM-15	0.00	30.05
29	0353	7	OVC:08 49	10.00		60	15.6	58	14.6	57	13.9	90	3	010		29.08	3	-0.01	30.04	FM-15	0.00	30.05
29	0453	7	BKN:07 50	10.00		59	15.0	57	14.1	56	13.3	90	5	010		29.09			30.05	FM-15	0.00	30.06
29	0553	7	OVC:08 50	10.00		61	16.1	59	14.8	57	13.9	87	6	360		29.11			30.06	FM-15	0.00	30.08
29	0653	7	FEW:02 23 OVC:08 50	10.00		62	16.7	59	15.1	57	13.9	84	6	330		29.11	1	-0.03	30.07	FM-15	0.00	30.08
29	0753	7	SCT:04 40	10.00		65	18.3	60	15.4	56	13.3	73	3	VRB		29.12			30.08	FM-15	0.00	30.09
29	0853	7	SCT:04 47	10.00		64	17.8	60	15.5	57	13.9	78	8	340		29.14			30.10	FM-15	0.00	30.11
29	0953	7	SCT:04 27 BKN:07 50	10.00		67	19.4	60	15.6	55	12.8	66	7	320		29.14	1	-0.02	30.09	FM-15	0.00	30.11
29	1053	7	SCT:04 48	10.00		70	21.1	61	16.2	55	12.8	59	9	020		29.13			30.09	FM-15	0.00	30.10
29	1153	7	FEW:02 42	10.00		71	21.7	61	15.9	53	11.7	53	8	VRB		29.12			30.08	FM-15	0.00	30.09

29	1253	7	SCT:04 48	10.00		73	22.8	61	16.0	52	11.1	48	7	320		29.12	5	+0.01	30.08	FM-15	0.00	30.09
29	1353	7	SCT:04 48	10.00		75	23.9	62	16.4	52	11.1	45	8	010		29.12			30.07	FM-15	0.00	30.09
29	1453	7	SCT:04 48	10.00		74	23.3	60	15.7	50	10.0	43				29.10			30.06	FM-15	0.00	30.07
29	1553	7	CLR:00	10.00		76	24.4	61	16.4	51	10.6	42	8	310		29.09	8	+0.03	30.04	FM-15	0.00	30.06
29	1653	7	CLR:00	10.00		76	24.4	60	15.6	48	8.9	37	3	360		29.08			30.04	FM-15	0.00	30.05
29	1753	7	CLR:00	10.00		75	23.9	61	15.9	50	10.0	41	6	300		29.08			30.03	FM-15	0.00	30.05
29	1853	7	CLR:00	10.00		74	23.3	60	15.7	50	10.0	43	5	330		29.08	6	+0.01	30.03	FM-15	0.00	30.05
29	1953	7	CLR:00	10.00		68	20.0	58	14.7	51	10.6	55	6	020		29.08			30.03	FM-15	0.00	30.05
29	2053	7	CLR:00	10.00		69	20.6	58	14.3	49	9.4	49	0	000		29.09			30.04	FM-15	T	30.06
29	2153	7	CLR:00	10.00		63	17.2	56	13.5	51	10.6	65	0	000		29.11	3	-0.02	30.06	FM-15	0.00	30.08
29	2253	7	CLR:00	10.00		63	17.2	56	13.5	51	10.6	65	0	000		29.11			30.07	FM-15	0.00	30.08
29	2353	7	CLR:00	10.00		60	15.6	56	13.4	53	11.7	78	0	000		29.10			30.06	FM-15	0.00	30.07
30	0053	7	CLR:00	10.00		61	16.1	57	13.6	53	11.7	75	0	000		29.10	8	+0.01	30.06	FM-15	0.00	30.07
30	0153	7	CLR:00	10.00		59	15.0	55	12.9	52	11.1	78	0	000		29.10			30.06	FM-15	0.00	30.07
30	0253	7	CLR:00	10.00		59	15.0	55	12.9	52	11.1	78	0	000		29.10			30.06	FM-15	0.00	30.07
30	0353	7	CLR:00	10.00		59	15.0	55	12.9	52	11.1	78	0	000		29.09	8	+0.01	30.05	FM-15	0.00	30.06
30	0453	7	CLR:00	10.00		56	13.3	54	12.1	52	11.1	87	0	000		29.10			30.06	FM-15	0.00	30.07
30	0553	7	CLR:00	10.00		56	13.3	54	12.1	52	11.1	87	0	000		29.10			30.06	FM-15	0.00	30.07
30	0653	7	CLR:00	10.00		62	16.7	59	14.7	56	13.3	80	3	300		29.12	3	-0.02	30.07	FM-15	0.00	30.09
30	0753	7	CLR:00	10.00		67	19.4	60	15.3	54	12.2	63	0	000		29.12			30.07	FM-15	0.00	30.09
30	0853	7	CLR:00	10.00		71	21.7	61	16.1	54	12.2	55	0	000		29.11			30.07	FM-15	0.00	30.08
30	0953	7	CLR:00	10.00		75	23.9	61	15.9	50	10.0	41	3	010		29.11	8	+0.01	30.06	FM-15	0.00	30.08
30	1053	7	CLR:00	10.00		76	24.4	61	15.9	49	9.4	39	6	320		29.10			30.05	FM-15	0.00	30.07
30	1153	7	CLR:00	10.00		77	25.0	61	16.3	50	10.0	39	5	050		29.08			30.04	FM-15	0.00	30.05
30	1253	7	FEW:02 65	10.00		79	26.1	62	16.5	49	9.4	35	5	220		29.07	8	+0.04	30.02	FM-15	0.00	30.04
30	1353	7	FEW:02 65	10.00		79	26.1	62	16.5	49	9.4	35	7	280		29.05			30.00	FM-15	0.00	30.02
30	1453	7	FEW:02 75	10.00		81	27.2	63	17.1	50	10.0	34	3	260		29.04			29.99	FM-15	0.00	30.01
30	1553	7	CLR:00	10.00		80	26.7	62	16.9	50	10.0	35	7	220		29.03	6	+0.04	29.98	FM-15	0.00	30.00
30	1653	7	FEW:02 75	10.00		78	25.6	62	16.8	51	10.6	39	7	170		29.03			29.99	FM-15	0.00	30.00
30	1753	7	CLR:00	10.00		77	25.0	62	16.8	52	11.1	42	7	170		29.01			29.97	FM-15	0.00	29.98
30	1853	7	CLR:00	10.00		76	24.4	61	16.4	51	10.6	42	8	180		29.01	8	+0.02	29.97	FM-15	0.00	29.98
30	1953	7	CLR:00	10.00		74	23.3	61	15.9	51	10.6	45	7	170		29.01			29.96	FM-15	0.00	29.98
30	2053	7	CLR:00	10.00		73	22.8	61	16.3	53	11.7	50	5	180		29.02			29.97	FM-15	0.00	29.99
30	2153	7	CLR:00	10.00		71	21.7	61	16.1	54	12.2	55	5	200		29.03	3	-0.02	29.98	FM-15	0.00	30.00
30	2253	7	CLR:00	10.00		70	21.1	61	16.2	55	12.8	59	5	200		29.02			29.97	FM-15	0.00	29.99
30	2353	7	FEW:02 120	10.00		69	20.6	61	16.0	55	12.8	61	5	180		29.01			29.96	FM-15	0.00	29.98

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
June 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01																			T	0.01	0.05				01
02	0.01	T																							02
03																									03
04				T		T	0.02	T	T	T	T				T		0.80	0.31	0.01	T	0.12	0.03	0.01	T	04
05					T	0.03	T							0.03	0.01	T	T		T						05
06																		0.08							06
07																									07
08																									08
09																									09
10												T	0.05	0.10											10
11																									11
12					T																				12
13																									13
14																		T	T						14
15											0.16	0.19							0.13	0.10					15
16														T											16
17																									17
18																									18
19																									19
20																									20
21															T		T	T							21
22												T	T	T									0.05	0.03	22
23	0.40s	1.85	0.63	0.01	0.01	T		0.02					T												23
24																									24
25																									25
26																				T	0.57	0.33	0.02	T	26
27		T			T	0.11																			27
28																									28
29																					T				29
30																									30

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.35	0.59	0.83	1.03	1.41	1.67	1.91	2.29	2.66	2.87	2.88	2.88
Ending Date Time (yyyy-mm-dd hh:mi)	2016-06-23 01:40	2016-06-23 01:41	2016-06-23 01:41	2016-06-23 01:42	2016-06-23 01:51	2016-06-23 02:00	2016-06-23 02:26	2016-06-23 02:29	2016-06-23 02:29	2016-06-23 02:29	2016-06-23 02:47	2016-06-23 02:47

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
July 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	82	62	72	-1.5				0	7	0507	2005	TS RA	0.03			29.00		8.2	22	310	17	340
02	74	55*	64	-9.6				1	0	0508	2005		0.00			29.16		4.6	15	110	12	100
03	74	60	67	-6.7				0	2	0508	2005	RA	T			29.13		4.4	20	230	16	230
04	73	62	68	-5.8				0	3	0509	2005	RA BR	T			28.97		5.8	15	110	12	120
05	85	67	76	2.1				0	11	0509	2004	RA BR	0.04			28.94		6.0	19	280	15	270
06	89	63	76	2.0				0	11	0510	2004	TS RA	0.06			28.94		6.6	34s	240s	28	240
07	88	70	79	5.0				0	14	0511	2004	TS BR	0.00			28.92		6.6	19	330	15	240
08	85	73	79	4.9				0	14	0511	2003		T			28.89		10.1	21	240	16	210
09	82	63	73	-1.1				0	8	0512	2003		0.00			28.95		8.5	25	290	18	290
10	85	61	73	-1.2				0	8	0513	2002		0.00			29.07		4.0	12	320	9	320
11	87	63	75	0.8				0	10	0513	2002		0.00			29.10		4.7	16	150	12	200
12	88	66	77	2.8				0	12	0514	2002		0.00			29.02		7.4	22	210	17	210
13	91	69	80	5.7				0	15	0515	2001	TS RA BR	0.24			29.02		10.2	41	270	33	270
14	87	68	78	3.7				0	13	0516	2000	RA	0.02			28.97		8.9	25	280	18	270
15	87	67	77	2.7				0	12	0516	2000	TS RA BR	0.04			29.00		8.5	24	270	18	280
16	81	65	73	-1.3				0	8	0517	1959		T			29.10		5.3	21	250	13	290
17	87	60	74	-0.3				0	9	0518	1959	FG BR	0.00			29.17		7.5	26	220	20	200
18	87	69	78	3.7				0	13	0519	1958	TS RA BR	0.17			29.16		8.7	33	200	24	190
19	86	68	77	2.8				0	12	0520	1957		0.00			29.23		5.4	16	330	12	320
20	89	63	76	1.8				0	11	0520	1956		0.00			29.25		4.1	12	120	10	090
21	90	65	77	2.8				0	12	0521	1956	BR	0.00			29.18		6.5	21	240	16	230
22	86	70	78	3.8				0	13	0522	1955	TS RA FG BR	0.42			29.07		7.1	30s	340s	22	330
23	91	70	81	6.9				0	16	0523	1954	BR HZ	0.00			29.03		3.5	17	290	13	280
24	93*	72	82	7.9				0	17	0524	1953	TS RA	T			29.02		5.4	26	360	18	350
25	91	75	83	8.9				0	18	0525	1952	BR	0.00			29.00		7.0	20	290	16	350
26	88	73	81	7.0				0	16	0526	1951	RA	T			29.05		4.7	14	320	12	320
27	91	71	81	7.0				0	16	0527	1950	HZ	0.00			29.02		2.9	14	030	10	290
28	83	67	75	1.1				0	10	0527	1950	TS RA FG BR	0.33			28.94		4.1	18	180	15	180
29	82	65	73	-0.9				0	8	0528	1949	TS RA FG BR HZ	0.03			28.96		2.9	24	230	18	230
30	86	68	77	3.1				0	12	0529	1947	TS RA BR	0.41			28.97		6.1	20s	280s	16	240
31	86	65	75	1.2				0	10	0530	1946	FG BR	T			29.03		4.5	19	230	15	230
	85.6	66.3	76.0									**Monthly Averages | Totals**	1.79s			29.04	29.99	6.3				
	1.3	2.5	1.9									**Departure from Normal (1981-2010)**	-2.58s									

Degree Days

	Monthly		Season-to-date	
	Total	Departure	Total	Departure
Heating	0	-1	0	
Cooling	340	59	624	

Number of days with...

Temperature				Precipitation		Snow	Weather	
Max		Min						
>=90°	<=32°	<=32°	<=0°	>=0.01"	>=0.1"	>=1"	T-Storms	Heavy Fog
				10s	4s			

Date of 5-sec to 3-sec wind equipment change

N/A

Sea Level Pressure

		Date	Time
Maximum	30.27	20	0821
Minimum	29.79	08	1923

Greatest...

24-Hr...		Snow Depth
Precip	Snowfall	
0.42		
Date		
22-22		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
July 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	OVC:08 110	10.00		68	20.0	61	16.1	56	13.3	65	6	200		28.98	8	+0.05	29.93	FM-15	0.00	29.95
01	0153	7	CLR:00	10.00		67	19.4	61	15.9	56	13.3	68	5	190		28.97			29.92	FM-15	0.00	29.94
01	0253	7	FEW:02 100	10.00		65	18.3	60	15.4	56	13.3	73	6	190		28.96			29.91	FM-15	0.00	29.93
01	0353	7	OVC:08 85	10.00		67	19.4	61	16.2	57	13.9	71	5	200		28.96	6	+0.02	29.91	FM-15	0.00	29.93
01	0453	7	OVC:08 70	10.00	-RA:02 |RA |	67	19.4	61	16.2	57	13.9	71	5	190		28.98			29.93	FM-15	T	29.95
01	0553	7	OVC:08 60	10.00		66	18.9	62	16.9	60	15.6	81	5	200		28.98			29.93	FM-15	T	29.95
01	0653	7	OVC:08 55	10.00		67	19.4	63	17.1	60	15.6	79	7	200		28.97	0	-0.01	29.92	FM-15	0.00	29.94
01	0751	6	BKN:07 48	10.00	VCTS:7 ||	70	21.0	63	17.4	59	15.0	69	7	210		28.98				FM-16		29.95
01	0753	7	OVC:08 48	10.00	VCTS:7 ||	68	20.0	63	17.0	59	15.0	73	7	210		28.98			29.93	FM-15	0.00	29.95
01	0814	7	SCT:04 50 BKN:07 90 OVC:08 110	5.00	TS:7 RA:02 |RA TS TS |	66	18.9	63	17.2	61	16.1	84	11	220		28.99				FM-16	0.03	29.96
01	0824	7	FEW:02 55 SCT:04 90 OVC:08 110	10.00	-RA:02 |RA |	66	18.9	64	17.5	62	16.7	87	9	230		28.99				FM-16	0.03	29.96
01	0853	7	FEW:02 47 OVC:08 110	10.00		68	20.0	65	18.3	63	17.2	84	9	230		28.99			29.94	FM-15	0.03	29.96
01	0953	7	FEW:02 44 FEW:02 90	10.00		73	22.8	67	19.6	64	17.8	74	8	250		28.99	0	-0.01	29.94	FM-15	0.00	29.96
01	1022	7	BKN:07 25 BKN:07 29	10.00		72	22.2	67	19.4	64	17.8	76	9	230		28.99				FM-16		29.96
01	1053	7	OVC:08 26	10.00		73	22.8	67	19.6	64	17.8	74	11	230		29.00			29.95	FM-15	0.00	29.97
01	1128	7	SCT:04 26 OVC:08 45	10.00		75	23.9	68	20.0	64	17.8	69	13	270		29.00				FM-16		29.97
01	1153	7	FEW:02 29 BKN:07 47	10.00		76	24.4	68	20.2	64	17.8	67	10	270		29.00			29.95	FM-15	0.00	29.97
01	1253	7	FEW:02 36	10.00		79	26.1	69	20.4	63	17.2	58	10	240		29.00	0	-0.01	29.94	FM-15	0.00	29.97
01	1353	7	FEW:02 40 SCT:04 49 BKN:07 65	10.00		77	25.0	67	19.7	62	16.7	60	14	320	22	28.99			29.95	FM-15	0.00	29.96
01	1453	7	SCT:04 60 SCT:04 75	10.00		78	25.6	66	19.0	59	15.0	52	13	320		29.00			29.95	FM-15	0.00	29.97
01	1553	7	SCT:04 55	10.00		80	26.7	66	19.1	58	14.4	47	11	340		29.00	3	-0.01	29.95	FM-15	0.00	29.97
01	1653	7	CLR:00	10.00		78	25.6	65	18.4	57	13.9	48	9	320	18	29.02			29.96	FM-15	0.00	29.99
01	1753	7	FEW:02 60	10.00		76	24.4	63	17.4	55	12.8	48	13	310		29.03			29.98	FM-15	0.00	30.00
01	1853	7	CLR:00	10.00		75	23.9	63	17.0	54	12.2	48	10	340		29.03	1	-0.03	29.98	FM-15	0.00	30.00
01	1953	7	CLR:00	10.00		72	22.2	60	15.8	52	11.1	50	8	340		29.04			29.99	FM-15	0.00	30.01
01	2053	7	CLR:00	10.00		70	21.1	60	15.6	53	11.7	55	7	330		29.06			30.01	FM-15	0.00	30.03
01	2153	7	CLR:00	10.00		67	19.4	59	15.0	53	11.7	61	7	330		29.09	3	-0.06	30.04	FM-15	0.00	30.06
01	2253	7	CLR:00	10.00		65	18.3	58	14.5	53	11.7	66	7	320		29.10			30.06	FM-15	0.00	30.07
01	2353	7	CLR:00	10.00		62	16.7	57	13.9	53	11.7	73	5	320		29.12			30.08	FM-15	0.00	30.09
02	0053	7	CLR:00	10.00		59	15.0	55	12.9	52	11.1	78	6	310		29.12	1	-0.03	30.08	FM-15	0.00	30.09
02	0153	7	CLR:00	10.00		59	15.0	55	12.9	52	11.1	78	7	330		29.12			30.08	FM-15	0.00	30.09
02	0253	7	CLR:00	10.00		59	15.0	55	12.9	52	11.1	78	6	330		29.12			30.08	FM-15	0.00	30.09
02	0353	7	CLR:00	10.00		57	13.9	54	12.4	52	11.1	83	6	350		29.14	3	-0.01	30.09	FM-15	0.00	30.11
02	0453	7	CLR:00	10.00		55	12.8	53	11.9	52	11.1	90	6	010		29.15			30.11	FM-15	0.00	30.12
02	0553	7	CLR:00	10.00		57	13.9	55	12.7	53	11.7	87	0	000		29.17			30.12	FM-15	0.00	30.14
02	0653	7	CLR:00	10.00		62	16.7	59	14.8	56	13.3	80	3	090		29.19	3	-0.05	30.14	FM-15	0.00	30.16
02	0753	7	CLR:00	10.00		65	18.3	60	15.7	57	13.9	76	8	090		29.19			30.15	FM-15	0.00	30.16

02	0853	7	CLR:00	10.00		68	20.0	60	15.8	55	12.8	63	8	100		29.20			30.16	FM-15	0.00	30.17
02	0953	7	SCT:04 34	10.00		70	21.1	61	15.9	54	12.2	57	3	130		29.20	1	-0.01	30.16	FM-15	0.00	30.17
02	1053	7	SCT:04 43	10.00		71	21.7	61	15.9	53	11.7	53	3	300		29.20			30.16	FM-15	0.00	30.17
02	1153	7	CLR:00	10.00		71	21.7	61	16.1	54	12.2	55	3	VRB		29.19			30.15	FM-15	0.00	30.16
02	1253	7	BKN:07 44	10.00		72	22.2	62	16.6	55	12.8	55	6	030		29.18	8	+0.02	30.14	FM-15	0.00	30.15
02	1353	7	CLR:00	10.00		72	22.2	61	16.4	54	12.2	53	3	160		29.18			30.14	FM-15	0.00	30.15
02	1453	7	FEW:02 50	10.00		73	22.8	62	16.8	55	12.8	53	3	070		29.16			30.12	FM-15	0.00	30.13
02	1553	7	CLR:00	10.00		73	22.8	63	17.1	56	13.3	55	7	060		29.16	8	+0.02	30.11	FM-15	0.00	30.13
02	1653	7	FEW:02 49	10.00		72	22.2	62	16.9	56	13.3	57	7	040		29.16			30.11	FM-15	0.00	30.13
02	1753	7	BKN:07 49	10.00		72	22.2	62	16.9	56	13.3	57	6	010		29.17			30.12	FM-15	0.00	30.14
02	1853	7	CLR:00	10.00		70	21.1	62	16.8	57	13.9	64	5	010		29.17	3	-0.01	30.13	FM-15	0.00	30.14
02	1953	7	CLR:00	10.00		67	19.4	61	15.9	56	13.3	68	6	030		29.17			30.12	FM-15	0.00	30.14
02	2053	7	CLR:00	10.00		67	19.4	61	15.9	56	13.3	68	3	050		29.16			30.12	FM-15	0.00	30.13
02	2153	7	CLR:00	10.00		66	18.9	61	15.9	57	13.9	73	0	000		29.16	7	+0.01	30.11	FM-15	0.00	30.13
02	2253	7	CLR:00	10.00		67	19.4	61	15.9	56	13.3	68	3	090		29.16			30.12	FM-15	0.00	30.13
02	2353	7	CLR:00	10.00		66	18.9	60	15.6	56	13.3	70	3	110		29.17			30.12	FM-15	0.00	30.14
03	0053	7	CLR:00	10.00		63	17.2	60	15.3	57	13.9	81	3	040		29.15	8	+0.00	30.11	FM-15	0.00	30.12
03	0153	7	BKN:07 120	10.00		64	17.8	59	15.2	56	13.3	75	3	040		29.15			30.10	FM-15	0.00	30.12
03	0253	7	CLR:00	10.00		63	17.2	59	15.0	56	13.3	78	0	000		29.14			30.10	FM-15	0.00	30.11
03	0353	7	CLR:00	10.00		61	16.1	59	14.8	57	13.9	87	0	000		29.13	8	+0.02	30.09	FM-15	0.00	30.10
03	0453	7	CLR:00	10.00		61	16.1	58	14.5	56	13.3	84	0	000		29.14			30.10	FM-15	0.00	30.11
03	0553	7	CLR:00	10.00		62	16.7	59	14.7	56	13.3	80	0	000		29.15			30.11	FM-15	0.00	30.12
03	0653	7	BKN:07 120	10.00		63	17.2	60	15.6	58	14.4	84	3	050		29.16	1	-0.02	30.11	FM-15	0.00	30.13
03	0753	7	SCT:04 110	10.00		65	18.3	61	16.0	58	14.4	78	0	000		29.17			30.13	FM-15	0.00	30.14
03	0853	7	OVC:08 100	10.00		66	18.9	61	16.3	58	14.4	75	0	000		29.18			30.13	FM-15	0.00	30.15
03	0953	7	OVC:08 90	10.00		69	20.6	61	16.0	55	12.8	61	5	110		29.16	0	-0.00	30.12	FM-15	0.00	30.13
03	1053	7	OVC:08 80	10.00		71	21.7	62	16.4	55	12.8	57	5	110		29.16			30.11	FM-15	0.00	30.13
03	1153	7	OVC:08 75	10.00		71	21.7	62	16.4	55	12.8	57	5	120		29.16			30.11	FM-15	0.00	30.13
03	1253	7	BKN:07 42 BKN:07 95	10.00		74	23.3	63	17.3	56	13.3	54	5	VRB		29.14	8	+0.02	30.10	FM-15	0.00	30.11
03	1353	7	SCT:04 45 BKN:07 85	10.00		73	22.8	62	16.8	55	12.8	53	7	110		29.13			30.09	FM-15	0.00	30.10
03	1453	7	SCT:04 18 OVC:08 42	10.00		68	20.0	64	17.6	61	16.1	78	9	200		29.15			30.11	FM-15	T	30.12
03	1553	7	FEW:02 49 SCT:04 90 BKN:07 110	10.00	-RA:02 |RA |	66	18.9	63	17.2	61	16.1	84	7	160		29.12	8	+0.02	30.08	FM-15	T	30.09
03	1653	7	FEW:02 49 BKN:07 60 BKN:07 75	10.00		65	18.3	61	16.3	59	15.0	81	7	200		29.13			30.09	FM-15	T	30.10
03	1753	7	FEW:02 65 FEW:02 80 SCT:04 120	10.00		65	18.3	61	16.3	59	15.0	81	8	130		29.11			30.07	FM-15	0.00	30.08
03	1853	7	FEW:02 15 SCT:04 49 BKN:07 85	10.00		65	18.3	62	16.7	60	15.6	84	8	160		29.11	8	+0.01	30.07	FM-15	0.00	30.08
03	1953	7	BKN:07 100	10.00		65	18.3	61	16.0	58	14.4	78	8	140		29.08			30.04	FM-15	T	30.05
03	2053	7	OVC:08 37	10.00		65	18.3	61	16.0	58	14.4	78	6	150		29.10			30.06	FM-15	0.00	30.07
03	2153	7	OVC:08 100	10.00		64	17.8	60	15.8	58	14.4	81	6	120		29.10	6	+0.01	30.05	FM-15	T	30.07
03	2253	7	BKN:07 100 OVC:08 120	10.00		64	17.8	60	15.8	58	14.4	81	6	100		29.07			30.02	FM-15	0.00	30.04
03	2353	7	FEW:02 100 FEW:02 120	10.00		63	17.2	60	15.6	58	14.4	84	6	100		29.06			30.02	FM-15	0.00	30.03
04	0053	7	FEW:02 100 BKN:07 120	10.00		63	17.2	60	15.3	57	13.9	81	8	130		29.06	6	+0.04	30.01	FM-15	0.00	30.03
04	0153	7	SCT:04 46 BKN:07 55 OVC:08 95	10.00		63	17.2	60	15.3	57	13.9	81	5	130		29.05			30.00	FM-15	0.00	30.02
04	0253	7	OVC:08 38	10.00	-RA:02 |RA |	63	17.2	60	15.6	58	14.4	84	5	090		29.02			29.98	FM-15	T	29.99

04	0353	7	SCT:04 32 BKN:07 65 OVC:08 95	10.00		63	17.2	60	15.3	57	13.9	81	7	090		29.01	6	+0.05	29.97	FM-15	0.00	29.98
04	0429	7	OVC:08 29	10.00		63	17.2	60	15.3	57	13.9	81	7	100		29.01				FM-16		29.98
04	0451	6	OVC:08 30	10.00		63	17.0	60	15.3	57	14.0	83	7	080		29.01				FM-16		29.98
04	0453	7	OVC:08 30	10.00		63	17.2	60	15.6	58	14.4	84	7	090		29.01			29.96	FM-15	0.00	29.98
04	0553	7	OVC:08 31	10.00		63	17.2	60	15.6	58	14.4	84	6	070		29.00			29.96	FM-15	0.00	29.97
04	0653	7	BKN:07 32 OVC:08 44	10.00		65	18.3	61	16.0	58	14.4	78	6	090		28.99	6	+0.02	29.95	FM-15	0.00	29.96
04	0753	7	SCT:04 32 OVC:08 46	10.00		66	18.9	62	16.9	60	15.6	81	8	090		28.99			29.95	FM-15	0.00	29.96
04	0829	7	FEW:02 13 BKN:07 26 OVC:08 31	10.00		65	18.3	63	17.0	61	16.1	87	8	110		28.99				FM-16		29.96
04	0853	7	FEW:02 11 BKN:07 21 OVC:08 26	10.00		65	18.3	63	17.3	62	16.7	90	8	100		28.98			29.94	FM-15	0.00	29.95
04	0925	7	BKN:07 10 OVC:08 17	10.00		66	18.9	64	17.9	63	17.2	90	8	110		28.98				FM-16		29.95
04	0953	7	OVC:08 10	10.00		66	18.9	64	17.9	63	17.2	90	7	080		28.98	8	+0.01	29.94	FM-15	0.00	29.95
04	1001	7	BKN:07 8 OVC:08 14	10.00		66	18.9	64	17.9	63	17.2	90	8	090		28.98				FM-16		29.95
04	1053	7	OVC:08 9	10.00		68	20.0	65	18.3	63	17.2	84	8	140		28.98			29.93	FM-15	0.00	29.95
04	1100	7	OVC:08 12	10.00		68	20.0	65	18.3	63	17.2	84	9	170		28.98				FM-16		29.95
04	1153	7	OVC:08 11	9.00		68	20.0	65	18.6	64	17.8	87	5	140		28.97			29.93	FM-15	T	29.94
04	1253	7	OVC:08 11	10.00		70	21.1	67	19.3	65	18.3	84	5	060		28.94	8	+0.04	29.89	FM-15	T	29.91
04	1353	7	OVC:08 13	10.00		72	22.2	68	20.1	66	18.9	82	9	180		28.93			29.88	FM-15	0.00	29.90
04	1453	7	OVC:08 11	10.00	-RA:02 |RA |	70	21.1	67	19.7	66	18.9	87	5	160		28.93			29.88	FM-15	T	29.90
04	1545	7	OVC:08 9	8.00	-RA:02 |RA |	70	21.1	69	20.4	68	20.0	93	7	210		28.94				FM-16	T	29.91
04	1553	7	OVC:08 9	8.00	-RA:02 |RA |	70	21.1	69	20.4	68	20.0	93	6	180		28.94	3	-0.01	29.90	FM-15	T	29.91
04	1653	7	OVC:08 9	10.00		71	21.7	69	20.6	68	20.0	90	5	200		28.92			29.88	FM-15	T	29.89
04	1751	6	OVC:08 11	10.00		72	22.0	69	20.8	68	20.0	88	0	000		28.90				FM-16		29.86
04	1753	7	OVC:08 11	10.00	-RA:02 |RA |	72	22.2	69	20.8	68	20.0	87	0	000		28.90			29.85	FM-15	T	29.86
04	1853	7	OVC:08 11	10.00		72	22.2	70	21.1	69	20.6	91	3	180		28.89	6	+0.06	29.84	FM-15	T	29.85
04	1941	7	BKN:07 9 BKN:07 15 OVC:08 19	9.00		72	22.2	70	21.1	69	20.6	91	5	190		28.89				FM-16	T	29.85
04	1949	7	BKN:07 12 BKN:07 19 OVC:08 27	9.00		72	22.0	71	21.5	70	21.0	94	5	190		28.89				FM-16	T	29.85
04	1951	6	FEW:02 9 BKN:07 12 OVC:08 29	9.00		72	22.0	71	21.5	70	21.0	94	5	190		28.89				FM-16		29.85
04	1953	7	FEW:02 9 BKN:07 12 OVC:08 29	9.00		72	22.2	70	21.1	69	20.6	91	5	200		28.89			29.84	FM-15	T	29.85
04	2003	7	SCT:04 13 BKN:07 29	8.00		72	22.2	70	21.1	69	20.6	91	5	180		28.89				FM-16		29.85
04	2011	7	FEW:02 13 BKN:07 30 BKN:07 60	8.00		72	22.2	70	21.1	69	20.6	91	5	140		28.87				FM-16		29.84
04	2031	7	FEW:02 10 BKN:07 23 OVC:08 65	7.00		72	22.2	71	21.5	70	21.1	94	3	200		28.90				FM-16		29.86
04	2042	7	BKN:07 10 BKN:07 15 OVC:08 45	8.00		72	22.2	71	21.5	70	21.1	94	3	200		28.90				FM-16		29.86
04	2051	7	SCT:04 10 BKN:07 23 OVC:08 80	8.00		72	22.0	71	21.5	70	21.0	94	3	200		28.90				FM-16		29.86
04	2053	7	SCT:04 10 BKN:07 27 OVC:08 80	8.00		72	22.2	71	21.5	70	21.1	94	5	200		28.90			29.85	FM-15	0.00	29.86

04	2055	7	SCT:04 9 BKN:07 31 OVC:08 80	7.00		72	22.2	71	21.5	70	21.1	94	3	190		28.90				FM-16		29.86
04	2102	7	SCT:04 11 BKN:07 21 OVC:08 80	7.00		72	22.2	71	21.5	70	21.1	94	3	190		28.90				FM-16		29.86
04	2133	7	SCT:04 10 SCT:04 49 BKN:07 65	7.00		72	22.2	71	21.5	70	21.1	94	5	200		28.90				FM-16		29.87
04	2150	7	SCT:04 10 BKN:07 26 OVC:08 65	6.00	BR:1 ||	72	22.0	71	21.5	70	21.0	94	6	210		28.91				FM-16		29.88
04	2153	7	SCT:04 10 BKN:07 27 OVC:08 60	6.00	BR:1 ||	72	22.2	71	21.5	70	21.1	94	6	210		28.91	1	-0.02	29.86	FM-15	0.00	29.88
04	2212	7	FEW:02 11 BKN:07 42 OVC:08 55	8.00		72	22.2	71	21.5	70	21.1	94	5	230		28.90				FM-16		29.87
04	2237	7	SCT:04 18 BKN:07 23 OVC:08 50	10.00		73	22.8	71	21.7	70	21.1	90	6	220		28.91				FM-16		29.88
04	2253	7	BKN:07 15 OVC:08 23	10.00		73	22.8	70	21.3	69	20.6	87	8	230		28.90			29.85	FM-15	0.00	29.87
04	2314	7	FEW:02 9 SCT:04 15 BKN:07 23	10.00		72	22.2	70	21.1	69	20.6	91	6	230		28.90				FM-16		29.87
04	2322	7	FEW:02 15 BKN:07 55	10.00		72	22.2	70	21.1	69	20.6	91	6	230		28.90				FM-16		29.87
04	2353	7	BKN:07 14 BKN:07 50	10.00		71	21.7	70	20.9	69	20.6	94	6	230		28.90			29.85	FM-15	0.00	29.87
04	2357	7	SCT:04 14 BKN:07 48	10.00		71	21.7	70	21.3	70	21.1	96	6	220		28.90				FM-16		29.87
05	0004	7	FEW:02 8 SCT:04 14 BKN:07 46	10.00		72	22.2	71	21.5	70	21.1	94	6	230		28.90				FM-16		29.87
05	0012	7	FEW:02 8 BKN:07 12 OVC:08 46	10.00		72	22.2	71	21.5	70	21.1	94	6	230		28.90				FM-16		29.87
05	0021	7	FEW:02 9 BKN:07 30 OVC:08 46	10.00		72	22.2	71	21.5	70	21.1	94	7	230		28.90				FM-16		29.86
05	0053	7	SCT:04 7 OVC:08 49	10.00		72	22.2	71	21.5	70	21.1	94	6	220		28.90	5	+0.01	29.85	FM-15	0.00	29.87
05	0106	7	BKN:07 7 OVC:08 49	10.00		72	22.2	71	21.5	70	21.1	94	5	240		28.90				FM-16		29.87
05	0132	7	SCT:04 7 OVC:08 49	9.00		72	22.2	71	21.5	70	21.1	94	6	230		28.90				FM-16		29.87
05	0153	7	OVC:08 48	9.00		72	22.2	71	21.5	70	21.1	94	5	250		28.91			29.86	FM-15	0.00	29.88
05	0202	7	FEW:02 9 OVC:08 47	8.00		71	21.7	70	21.3	70	21.1	96	5	240		28.91				FM-16		29.88
05	0226	7	BKN:07 9 BKN:07 14 OVC:08 47	9.00		72	22.2	71	21.5	70	21.1	94	6	230		28.90				FM-16		29.87
05	0231	7	SCT:04 9 BKN:07 19 OVC:08 47	9.00		72	22.2	71	21.5	70	21.1	94	7	220		28.90				FM-16		29.87
05	0253	7	BKN:07 14 BKN:07 46 OVC:08 80	9.00		72	22.2	71	21.5	70	21.1	94	6	230		28.91			29.86	FM-15	0.00	29.88
05	0323	7	OVC:08 15	9.00		72	22.2	71	21.5	70	21.1	94	5	230		28.91				FM-16		29.88
05	0353	7	BKN:07 17 OVC:08 22	8.00		72	22.2	71	21.5	70	21.1	94	3	250		28.91	1	-0.01	29.86	FM-15	0.00	29.88
05	0414	7	FEW:02 14 SCT:04 22 OVC:08 41	8.00		72	22.2	71	21.5	70	21.1	94	3	230		28.91				FM-16		29.88

05	0449	7	FEW:02 9 BKN:07 46 OVC:08 55	3.00	-RA:02 BR:1 |RA |	72	22.0	71	21.5	70	21.0	94	3	220		28.91				FM-16	0.03	29.88
05	0453	7	FEW:02 9 SCT:04 25 OVC:08 49	3.00	-RA:02 BR:1 |RA |	72	22.2	71	21.5	70	21.1	94	3	240		28.92			29.87	FM-15	0.03	29.89
05	0504	7	FEW:02 9 BKN:07 24 OVC:08 60	4.00	-RA:02 BR:1 |RA |	71	21.7	70	21.3	70	21.1	96	5	230		28.92				FM-16	T	29.89
05	0553	7	BKN:07 26 OVC:08 60	4.00	BR:1 ||	71	21.7	70	21.3	70	21.1	96	3	240		28.92			29.87	FM-15	0.01	29.89
05	0620	7	SCT:04 29 BKN:07 49 OVC:08 95	4.00	BR:1 ||	72	22.2	71	21.5	70	21.1	94	3	240		28.93				FM-16		29.90
05	0636	7	BKN:07 25 OVC:08 50	5.00	-RA:02 BR:1 |RA |	72	22.2	71	21.5	70	21.1	94	3	250		28.93				FM-16	T	29.90
05	0653	7	OVC:08 27	4.00	-RA:02 BR:1 |RA |	72	22.2	71	21.9	71	21.7	97	5	240		28.94	3	-0.02	29.89	FM-15	T	29.91
05	0723	7	FEW:02 6 OVC:08 23	5.00	-RA:02 BR:1 |RA |	72	22.2	71	21.9	71	21.7	97	3	280		28.94				FM-16	T	29.91
05	0753	7	FEW:02 8 BKN:07 25 OVC:08 30	9.00		74	23.3	71	21.8	70	21.1	88	5	310		28.95			29.90	FM-15	T	29.92
05	0817	7	FEW:02 12 OVC:08 30	10.00		74	23.3	71	21.5	69	20.6	85	6	300		28.95				FM-16		29.92
05	0830	7	BKN:07 13 OVC:08 28	10.00		74	23.3	71	21.5	69	20.6	85	6	330		28.95				FM-16		29.92
05	0837	7	SCT:04 15 SCT:04 22 OVC:08 28	10.00		75	23.9	71	21.7	69	20.6	82	7	330		28.95				FM-16		29.92
05	0853	7	SCT:04 17 BKN:07 23 OVC:08 28	10.00		74	23.3	70	21.1	68	20.0	82	8	320		28.95			29.90	FM-15	0.00	29.92
05	0953	7	SCT:04 22 BKN:07 27 OVC:08 55	10.00		77	25.0	71	21.7	68	20.0	74	6	330		28.95	1	-0.02	29.90	FM-15	0.00	29.92
05	1051	6	SCT:04 26 OVC:08 60	10.00		79	26.0	72	22.0	68	20.0	70	6	290		28.97				FM-16		29.94
05	1053	7	SCT:04 24 BKN:07 30 OVC:08 60	10.00		79	26.1	72	22.0	68	20.0	69	6	310		28.97			29.91	FM-15	0.00	29.94
05	1153	7	BKN:07 33 OVC:08 60	10.00		80	26.7	72	22.2	68	20.0	67	8	290		28.97			29.91	FM-15	0.00	29.94
05	1253	7	FEW:02 30 OVC:08 50	10.00		80	26.7	72	22.2	68	20.0	67	6	280		28.97	0	-0.01	29.91	FM-15	0.00	29.94
05	1353	7	FEW:02 31 BKN:07 55	10.00		82	27.8	73	22.9	69	20.6	65	7	270		28.95			29.90	FM-15	0.00	29.92
05	1453	7	SCT:04 40 BKN:07 49 BKN:07 55	10.00		83	28.3	72	22.4	67	19.4	59	11	260	17	28.95			29.90	FM-15	0.00	29.92
05	1553	7	SCT:04 43 BKN:07 50	10.00		82	27.8	72	22.2	67	19.4	60	13	280		28.95	6	+0.02	29.89	FM-15	0.00	29.92
05	1653	7	FEW:02 44 BKN:07 60	10.00		83	28.3	72	22.4	67	19.4	59	11	240		28.95			29.89	FM-15	0.00	29.92
05	1753	7	BKN:07 60	10.00		81	27.2	71	21.7	66	18.9	61	8	250		28.95			29.90	FM-15	0.00	29.92
05	1853	7	CLR:00	10.00		81	27.2	70	21.1	64	17.8	57	10	260		28.96	3	-0.01	29.91	FM-15	0.00	29.93
05	1953	7	CLR:00	10.00		76	24.4	68	20.2	64	17.8	67	8	270		28.96			29.91	FM-15	0.00	29.93
05	2053	7	CLR:00	10.00		74	23.3	68	19.8	64	17.8	71	3	260		28.96			29.91	FM-15	0.00	29.93
05	2153	7	CLR:00	10.00		73	22.8	67	19.6	64	17.8	74	5	230		28.96	3	-0.00	29.91	FM-15	0.00	29.93
05	2253	7	CLR:00	10.00		72	22.2	67	19.4	64	17.8	76	0	000		28.98			29.93	FM-15	0.00	29.95
05	2353	7	CLR:00	10.00		68	20.0	65	18.3	63	17.2	84	0	000		28.98			29.92	FM-15	0.00	29.95
06	0053	7	CLR:00	10.00		67	19.4	65	18.4	64	17.8	91	5	220		28.98	1	-0.01	29.93	FM-15	0.00	29.95
06	0153	7	CLR:00	10.00		67	19.4	65	18.4	64	17.8	91	0	000		28.98			29.93	FM-15	0.00	29.95
06	0253	7	CLR:00	10.00		65	18.3	64	17.6	63	17.2	93	0	000		28.99			29.94	FM-15	0.00	29.96

06	0353	7	CLR:00	10.00		64	17.8	63	17.1	62	16.7	93	0	000		28.98	0	-0.00	29.93	FM-15	0.00	29.95
06	0453	7	CLR:00	10.00		64	17.8	63	17.1	62	16.7	93	0	000		28.98			29.93	FM-15	0.00	29.95
06	0553	7	CLR:00	10.00		66	18.9	65	18.2	64	17.8	93	5	180		28.98			29.93	FM-15	0.00	29.95
06	0653	7	FEW:02 29 FEW:02 34 SCT:04 47	10.00		71	21.7	67	19.5	65	18.3	81	3	180		28.98	5	+0.00	29.93	FM-15	0.00	29.95
06	0753	7	CLR:00	10.00		76	24.4	70	21.2	67	19.4	74	5	180		28.98			29.93	FM-15	0.00	29.95
06	0853	7	BKN:07 31 BKN:07 46	10.00		78	25.6	72	22.2	69	20.6	74	5	180		28.98			29.92	FM-15	0.00	29.95
06	0927	7	BKN:07 29 BKN:07 42	10.00		79	26.1	73	22.7	70	21.1	74	8	180		28.97				FM-16		29.94
06	0936	7	SCT:04 29	10.00		80	26.7	74	23.2	71	21.7	74	6	170		28.97				FM-16		29.94
06	0953	7	CLR:00	10.00		82	27.8	74	23.6	71	21.7	69	8	200		28.96	8	+0.01	29.91	FM-15	0.00	29.93
06	1053	7	BKN:07 35	10.00		84	28.9	76	24.6	73	22.8	70	9	200		28.96			29.90	FM-15	0.00	29.93
06	1115	7	BKN:07 29 BKN:07 33 BKN:07 55	10.00		83	28.3	76	24.4	73	22.8	72	13	190		28.96				FM-16		29.93
06	1153	7	BKN:07 27 BKN:07 35 OVC:08 44	10.00		84	28.9	76	24.6	73	22.8	70	13	200	18	28.95			29.89	FM-15	0.00	29.92
06	1248	7	SCT:04 27 BKN:07 35	9.00	VCTS:7 ||	86	30.0	77	24.9	73	23.0	66	17	210	26	28.92				FM-16		29.89
06	1253	7	SCT:04 29 BKN:07 37 BKN:07 60	9.00	VCTS:7 ||	86	30.0	77	24.9	73	22.8	65	15	220	26	28.92	8	+0.04	29.87	FM-15	0.00	29.89
06	1325	7	SCT:04 38 SCT:04 48	10.00	TS:7 |TS TS |	87	30.6	76	24.7	72	22.2	61	22	210	28	28.90				FM-16		29.87
06	1335	7	FEW:02 22 BKN:07 37 BKN:07 50	1.00	TS:7 +RA:02 |RA TS TS |	76	24.4	73	22.6	71	21.7	85	14	190	34	28.92				FM-16	0.06	29.89
06	1353	7	FEW:02 27 SCT:04 41 BKN:07 49	8.00	VCTS:7 ||	77	25.0	74	23.1	72	22.2	85	11	210		28.91			29.86	FM-15	0.06	29.88
06	1426	7	FEW:02 36 BKN:07 44 BKN:07 70	10.00		77	25.0	74	23.5	73	22.8	88	10	200		28.89				FM-16		29.85
06	1453	7	FEW:02 34	10.00		76	24.4	73	22.6	71	21.7	85	9	200		28.87			29.83	FM-15	T	29.84
06	1553	7	CLR:00	10.00		78	25.6	73	22.5	70	21.1	76	10	200		28.90	5	+0.04	29.84	FM-15	0.00	29.86
06	1653	7	CLR:00	10.00		81	27.2	73	23.1	70	21.1	69	10	210		28.90			29.84	FM-15	0.00	29.86
06	1753	7	CLR:00	10.00		81	27.2	75	23.8	72	22.2	74	8	240		28.90			29.84	FM-15	0.00	29.86
06	1853	7	CLR:00	10.00		83	28.3	75	23.7	71	21.7	67	8	250		28.89	8	+0.00	29.83	FM-15	0.00	29.85
06	1953	7	CLR:00	10.00		80	26.7	74	23.2	71	21.7	74	6	250		28.89			29.83	FM-15	0.00	29.85
06	2053	7	CLR:00	10.00		78	25.6	72	22.2	69	20.6	74	7	260		28.89			29.83	FM-15	0.00	29.85
06	2153	7	CLR:00	10.00		76	24.4	71	21.8	69	20.6	79	5	240		28.90	3	-0.01	29.84	FM-15	0.00	29.87
06	2253	7	CLR:00	10.00		75	23.9	71	21.7	69	20.6	82	3	210		28.90			29.85	FM-15	0.00	29.87
06	2353	7	CLR:00	10.00		71	21.7	70	20.9	69	20.6	94	3	230		28.91			29.85	FM-15	0.00	29.88
07	0053	7	CLR:00	10.00		71	21.7	70	20.9	69	20.6	94	5	250		28.91	0	-0.01	29.85	FM-15	0.00	29.88
07	0153	7	CLR:00	10.00		71	21.7	70	20.9	69	20.6	94	5	210		28.90			29.85	FM-15	0.00	29.87
07	0253	7	CLR:00	8.00		71	21.7	70	20.9	69	20.6	94	5	220		28.90			29.84	FM-15	0.00	29.86
07	0353	7	CLR:00	7.00		71	21.7	70	20.9	69	20.6	94	6	210		28.89	6	+0.02	29.83	FM-15	0.00	29.85
07	0453	7	CLR:00	7.00		71	21.7	70	20.9	69	20.6	94	7	210		28.90			29.84	FM-15	0.00	29.86
07	0521	7	SCT:04 7	6.00	BR:1 ||	71	21.7	70	20.9	69	20.6	94	5	180		28.90				FM-16		29.87
07	0531	7	BKN:07 7	5.00	BR:1 ||	70	21.1	69	20.7	69	20.6	97	6	190		28.90				FM-16		29.87
07	0553	7	OVC:08 7	5.00	BR:1 ||	71	21.7	70	20.9	69	20.6	94	7	220		28.91			29.85	FM-15	0.00	29.88
07	0653	7	OVC:08 7	8.00		72	22.2	71	21.5	70	21.1	94	6	260		28.93	3	-0.04	29.88	FM-15	0.00	29.90
07	0753	7	OVC:08 7	8.00		73	22.8	71	21.7	70	21.1	90	6	210		28.93			29.88	FM-15	0.00	29.90
07	0853	7	BKN:07 9 BKN:07 36	9.00		76	24.4	73	22.9	72	22.2	88	5	210		28.94			29.88	FM-15	0.00	29.91
07	0903	7	BKN:07 11 BKN:07 45	9.00		76	24.4	73	22.9	72	22.2	88	3	VRB		28.94				FM-16		29.91

07	0910	7	BKN:07 9 BKN:07 45	9.00		77	25.0	73	22.7	71	21.7	82	0	000		28.93				FM-16		29.90
07	0953	7	SCT:04 12	10.00		78	25.6	74	23.3	72	22.2	82	6	240		28.93	8	+0.00	29.87	FM-15	0.00	29.90
07	1009	7	BKN:07 16	10.00		80	26.7	75	24.0	73	22.8	79	6	240		28.94				FM-16		29.91
07	1039	7	SCT:04 16 SCT:04 44	10.00		81	27.2	75	24.1	73	22.8	77	5	VRB		28.93				FM-16		29.90
07	1051	6	SCT:04 20 BKN:07 27 BKN:07 44	10.00		81	27.0	75	23.8	72	22.0	74	7	200		28.92				FM-16		29.89
07	1053	7	SCT:04 20 SCT:04 27 BKN:07 42	10.00		81	27.2	75	24.1	73	22.8	77	7	240		28.92			29.87	FM-15	0.00	29.89
07	1141	7	BKN:07 28 BKN:07 32 OVC:08 39	10.00		82	27.8	74	23.6	71	21.7	69	7	VRB		28.91				FM-16		29.88
07	1153	7	BKN:07 28 OVC:08 35	10.00		82	27.8	74	23.2	70	21.1	67	8	270		28.91			29.86	FM-15	0.00	29.88
07	1223	7	SCT:04 32 BKN:07 45	10.00		84	28.9	75	23.9	71	21.7	65	10	260		28.92				FM-16		29.89
07	1253	7	BKN:07 35	10.00		85	29.4	75	23.7	70	21.1	61	8	220		28.91	5	+0.01	29.86	FM-15	0.00	29.88
07	1353	7	SCT:04 38 BKN:07 49	10.00		87	30.6	75	24.0	70	21.1	57	9	240		28.91			29.85	FM-15	0.00	29.88
07	1453	7	SCT:04 46 SCT:04 55	10.00		88	31.1	75	24.2	70	21.1	55	8	230		28.90			29.84	FM-15	0.00	29.87
07	1553	7	BKN:07 43 BKN:07 50	10.00		87	30.6	76	24.3	71	21.7	59	10	240		28.90	8	+0.02	29.83	FM-15	0.00	29.86
07	1633	7	SCT:04 35 BKN:07 45	10.00	VCTS:7 ||	86	30.0	76	24.5	72	22.2	63	10	230		28.89				FM-16		29.85
07	1648	7	SCT:04 36 SCT:04 45	10.00		84	29.0	76	24.2	72	22.0	66	10	260		28.87				FM-16		29.84
07	1651	6	FEW:02 36 SCT:04 45	10.00	VCTS:7 ||	84	29.0	76	24.2	72	22.0	66	9	260		28.89				FM-16		29.85
07	1653	7	FEW:02 36 SCT:04 45	10.00	VCTS:7 ||	85	29.4	76	24.4	72	22.2	65	13	280		28.90			29.83	FM-15	0.00	29.86
07	1728	7	SCT:04 33 BKN:07 41 BKN:07 48	10.00		82	27.8	73	22.9	69	20.6	65	0	000		28.90				FM-16		29.87
07	1753	7	SCT:04 35 BKN:07 45 BKN:07 50	10.00		79	26.1	71	21.7	67	19.4	67	0	000		28.91			29.86	FM-15	0.00	29.88
07	1853	7	SCT:04 32	10.00		81	27.2	73	23.1	70	21.1	69	5	110		28.90	0	-0.03	29.84	FM-15	0.00	29.87
07	1953	7	CLR:00	9.00		82	27.8	74	23.6	71	21.7	69	8	210		28.90			29.84	FM-15	0.00	29.86
07	2053	7	CLR:00	10.00		79	26.1	74	23.1	71	21.7	77	7	210		28.90			29.84	FM-15	0.00	29.87
07	2153	7	CLR:00	10.00		78	25.6	73	22.9	71	21.7	79	7	210		28.92	3	-0.03	29.87	FM-15	0.00	29.89
07	2253	7	CLR:00	10.00		76	24.4	73	22.6	71	21.7	85	7	200		28.92			29.87	FM-15	0.00	29.89
07	2353	7	FEW:02 50	10.00		76	24.4	73	22.6	71	21.7	85	7	200		28.90			29.85	FM-15	0.00	29.87
08	0053	7	CLR:00	10.00		75	23.9	72	22.4	71	21.7	88	9	150		28.87	8	+0.06	29.80	FM-15	0.00	29.83
08	0153	7	BKN:07 100	10.00		74	23.3	72	22.2	71	21.7	91	7	200		28.87			29.81	FM-15	0.00	29.84
08	0253	7	CLR:00	10.00		74	23.3	71	21.8	70	21.1	88	9	220		28.87			29.80	FM-15	0.00	29.83
08	0312	7	BKN:07 23	10.00		74	23.3	71	21.8	70	21.1	88	10	240		28.87				FM-16		29.83
08	0351	6	SCT:04 23 BKN:07 65 OVC:08 80	10.00		73	23.0	71	21.7	70	21.0	89	16	240	21	28.87				FM-16		29.83
08	0353	7	SCT:04 23 BKN:07 70 OVC:08 80	10.00		74	23.3	71	21.5	69	20.6	85	14	250	21	28.87	6	+0.01	29.80	FM-15	0.00	29.83
08	0403	7	BKN:07 23 BKN:07 70 OVC:08 85	10.00		74	23.3	71	21.5	69	20.6	85	14	240		28.87				FM-16		29.83
08	0453	7	OVC:08 18	10.00		74	23.3	71	21.5	69	20.6	85	11	240		28.89			29.82	FM-15	0.00	29.85
08	0553	7	BKN:07 16 BKN:07 22 OVC:08 28	10.00		73	22.8	70	21.3	69	20.6	87	10	240		28.90			29.83	FM-15	0.00	29.86

08	0634	7	OVC:08 14	10.00		73	22.8	70	21.3	69	20.6	87	9	250		28.90				FM-16		29.86
08	0653	7	BKN:07 15 OVC:08 22	10.00		74	23.3	71	21.5	69	20.6	85	9	250		28.90	1	-0.03	29.84	FM-15	0.00	29.86
08	0720	7	OVC:08 14	10.00		74	23.3	71	21.8	70	21.1	88	8	270		28.90				FM-16		29.87
08	0753	7	BKN:07 14	10.00		76	24.4	72	22.2	70	21.1	82	10	280		28.90			29.83	FM-15	0.00	29.86
08	0803	7	BKN:07 15	10.00		75	23.9	72	22.0	70	21.1	84	11	270		28.90				FM-16		29.87
08	0853	7	SCT:04 17 OVC:08 23	10.00		76	24.4	72	22.2	70	21.1	82	10	250		28.90			29.85	FM-15	0.00	29.87
08	0953	7	BKN:07 17 OVC:08 29	10.00		76	24.4	72	22.2	70	21.1	82	11	250		28.92	3	-0.03	29.87	FM-15	0.00	29.89
08	1032	7	FEW:02 19 SCT:04 25 OVC:08 34	10.00		78	25.6	73	22.9	71	21.7	79	7	260		28.92				FM-16		29.89
08	1043	7	SCT:04 21 BKN:07 27 OVC:08 34	10.00		77	25.0	72	22.4	70	21.1	79	8	260		28.91				FM-16		29.88
08	1051	6	FEW:02 21 SCT:04 27 OVC:08 34	10.00		81	27.0	75	23.8	72	22.0	74	8	250		28.91				FM-16		29.88
08	1053	7	SCT:04 21 SCT:04 27 OVC:08 36	10.00		79	26.1	74	23.1	71	21.7	77	7	250		28.91			29.86	FM-15	0.00	29.88
08	1101	7	BKN:07 23 OVC:08 34	10.00		79	26.1	74	23.1	71	21.7	77	9	260		28.91				FM-16		29.88
08	1145	7	SCT:04 26 BKN:07 37	10.00		82	27.8	74	23.6	71	21.7	69	9	280		28.91				FM-16		29.88
08	1153	7	FEW:02 26 BKN:07 39	10.00		82	27.8	74	23.2	70	21.1	67	9	270		28.90			29.85	FM-15	0.00	29.87
08	1253	7	BKN:07 36	10.00		83	28.3	74	23.4	70	21.1	65	15	240		28.93	3	-0.01	29.88	FM-15	0.00	29.90
08	1353	7	FEW:02 36 BKN:07 50	10.00		82	27.8	73	22.9	69	20.6	65	13	240		28.91			29.86	FM-15	0.00	29.88
08	1453	7	CLR:00	10.00		84	28.9	74	23.5	70	21.1	63	7	250		28.87			29.80	FM-15	0.00	29.83
08	1553	7	CLR:00	10.00		84	28.9	74	23.5	70	21.1	63	9	250		28.86	6	+0.08	29.79	FM-15	0.00	29.82
08	1653	7	SCT:04 40	10.00		84	28.9	74	23.2	69	20.6	61	10	240		28.87			29.80	FM-15	0.00	29.83
08	1753	7	FEW:02 40	10.00		84	28.9	74	23.2	69	20.6	61	10	230		28.87			29.80	FM-15	0.00	29.83
08	1853	7	CLR:00	10.00		82	27.8	75	23.9	72	22.2	72	10	210		28.86	8	+0.00	29.79	FM-15	0.00	29.82
08	1953	7	FEW:02 37	10.00		79	26.1	74	23.1	71	21.7	77	10	210		28.87			29.80	FM-15	0.00	29.83
08	2053	7	CLR:00	10.00		78	25.6	74	23.3	72	22.2	82	11	220		28.89			29.83	FM-15	0.00	29.85
08	2120	7	BKN:07 29 BKN:07 35	10.00		78	25.6	74	23.3	72	22.2	82	14	220		28.90				FM-16		29.86
08	2140	7	SCT:04 29	10.00		77	25.0	74	23.1	72	22.2	85	11	220		28.90				FM-16		29.86
08	2153	7	CLR:00	10.00		77	25.0	74	23.1	72	22.2	85	10	230		28.90	2	-0.04	29.84	FM-15	0.00	29.86
08	2253	7	CLR:00	10.00		75	23.9	73	22.8	72	22.2	90	7	220		28.87			29.82	FM-15	0.00	29.84
08	2353	7	FEW:02 35 SCT:04 80 SCT:04 95	10.00		74	23.3	72	22.2	71	21.7	91	9	280		28.87			29.82	FM-15	T	29.84
09	0053	7	CLR:00	10.00		71	21.7	69	20.6	68	20.0	90	7	270		28.89	5	+0.01	29.83	FM-15	0.00	29.85
09	0153	7	CLR:00	10.00		69	20.6	67	19.5	66	18.9	90	3	250		28.90			29.84	FM-15	0.00	29.86
09	0253	7	CLR:00	10.00		68	20.0	67	19.3	66	18.9	93	3	250		28.90			29.84	FM-15	0.00	29.86
09	0353	7	CLR:00	10.00		68	20.0	65	18.6	64	17.8	87	6	250		28.90	1	-0.01	29.84	FM-15	0.00	29.87
09	0453	7	CLR:00	10.00		64	17.8	63	17.1	62	16.7	93	6	270		28.92			29.87	FM-15	0.00	29.89
09	0553	7	CLR:00	10.00		65	18.3	63	17.3	62	16.7	90	6	260		28.94			29.88	FM-15	0.00	29.91
09	0653	7	CLR:00	10.00		69	20.6	66	18.8	64	17.8	84	6	260		28.95	1	-0.05	29.90	FM-15	0.00	29.92
09	0753	7	CLR:00	10.00		72	22.2	67	19.4	64	17.8	76	8	280		28.96			29.90	FM-15	0.00	29.93
09	0853	7	FEW:02 30	10.00		74	23.3	68	19.8	64	17.8	71	7	280		28.96			29.91	FM-15	0.00	29.93
09	0953	7	FEW:02 35 BKN:07 45	10.00		75	23.9	67	19.6	63	17.2	66	10	250		28.97	3	-0.02	29.91	FM-15	0.00	29.94
09	1053	7	SCT:04 37 BKN:07 49 BKN:07 60	10.00		76	24.4	67	19.5	62	16.7	62	9	280		28.98			29.93	FM-15	0.00	29.95

09	1153	7	SCT:04 41 BKN:07 65	10.00		79	26.1	69	20.7	64	17.8	60	16	270	22	28.98			29.92	FM-15	0.00	29.95
09	1253	7	SCT:04 41 BKN:07 75	10.00		79	26.1	69	20.4	63	17.2	58	14	270	18	28.97	0	-0.00	29.92	FM-15	0.00	29.94
09	1353	7	SCT:04 46 BKN:07 70 BKN:07 80	10.00		79	26.1	68	20.1	62	16.7	56	10	280	25	28.97			29.92	FM-15	0.00	29.94
09	1453	7	FEW:02 47 BKN:07 55 BKN:07 75	10.00		80	26.7	68	20.2	62	16.7	54	13	290		28.97			29.92	FM-15	0.00	29.94
09	1553	7	BKN:07 65	10.00		79	26.1	66	19.2	59	15.0	50	9	290		28.98	3	-0.01	29.93	FM-15	0.00	29.95
09	1653	7	SCT:04 55 BKN:07 70	10.00		78	25.6	67	19.3	60	15.6	54	13	310		28.98			29.93	FM-15	0.00	29.95
09	1753	7	FEW:02 50 SCT:04 65	10.00		79	26.1	67	19.5	60	15.6	52	14	330	21	28.98			29.93	FM-15	0.00	29.95
09	1853	7	CLR:00	10.00		76	24.4	65	18.3	58	14.4	54	15	310	22	29.00	3	-0.02	29.95	FM-15	0.00	29.97
09	1953	7	CLR:00	10.00		74	23.3	64	17.9	58	14.4	57	10	320		29.01			29.96	FM-15	0.00	29.98
09	2053	7	CLR:00	10.00		71	21.7	63	17.3	58	14.4	63	7	320		29.02			29.97	FM-15	0.00	29.99
09	2153	7	CLR:00	10.00		69	20.6	63	17.2	59	15.0	70	3	320		29.04	3	-0.04	29.99	FM-15	0.00	30.01
09	2253	7	CLR:00	10.00		65	18.3	61	16.3	59	15.0	81	5	290		29.04			30.00	FM-15	0.00	30.01
09	2353	7	CLR:00	10.00		64	17.8	61	16.1	59	15.0	84	5	270		29.05			30.00	FM-15	0.00	30.02
10	0053	7	CLR:00	10.00		62	16.7	60	15.7	59	15.0	90	6	290		29.05	1	-0.01	30.00	FM-15	0.00	30.02
10	0153	7	CLR:00	10.00		62	16.7	60	15.7	59	15.0	90	6	290		29.04			30.00	FM-15	0.00	30.01
10	0253	7	CLR:00	10.00		61	16.1	60	15.5	59	15.0	93	6	310		29.05			30.01	FM-15	0.00	30.02
10	0353	7	CLR:00	10.00		63	17.2	61	16.2	60	15.6	90	6	330		29.06	3	-0.01	30.01	FM-15	0.00	30.03
10	0453	7	CLR:00	10.00		62	16.7	61	16.0	60	15.6	93	3	340		29.06			30.02	FM-15	0.00	30.03
10	0553	7	CLR:00	9.00		62	16.7	61	16.0	60	15.6	93	3	290		29.08			30.03	FM-15	0.00	30.05
10	0653	7	CLR:00	10.00		66	18.9	64	17.5	62	16.7	87	3	330		29.09	3	-0.03	30.04	FM-15	0.00	30.06
10	0753	7	CLR:00	10.00		71	21.7	67	19.2	64	17.8	79	6	030		29.11			30.06	FM-15	0.00	30.08
10	0853	7	CLR:00	10.00		72	22.2	67	19.4	64	17.8	76	0	000		29.12			30.07	FM-15	0.00	30.09
10	0953	7	FEW:02 28	10.00		76	24.4	68	19.8	63	17.2	64	5	VRB		29.12	0	-0.02	30.06	FM-15	0.00	30.09
10	1053	7	FEW:02 34	10.00		78	25.6	68	19.9	62	16.7	58	3	200		29.11			30.06	FM-15	0.00	30.08
10	1153	7	SCT:04 30	10.00		80	26.7	68	20.3	62	16.7	54	0	000		29.09			30.05	FM-15	0.00	30.06
10	1253	7	SCT:04 50	10.00		80	26.7	67	19.6	60	15.6	51	5	280		29.10	5	+0.01	30.05	FM-15	0.00	30.07
10	1353	7	BKN:07 55	10.00		81	27.2	67	19.2	58	14.4	45	3	030		29.09			30.04	FM-15	0.00	30.06
10	1453	7	SCT:04 55	10.00		82	27.8	67	19.7	59	15.0	46	7	330		29.08			30.03	FM-15	0.00	30.05
10	1553	7	SCT:04 55	10.00		84	28.9	69	20.7	61	16.1	46	6	320		29.07	8	+0.03	30.02	FM-15	0.00	30.04
10	1653	7	CLR:00	10.00		84	28.9	68	19.8	58	14.4	41	5	280		29.07			30.02	FM-15	0.00	30.04
10	1753	7	FEW:02 55	10.00		83	28.3	68	20.2	60	15.6	46	7	020		29.05			30.00	FM-15	0.00	30.02
10	1853	7	CLR:00	10.00		81	27.2	69	20.4	62	16.7	53	6	010		29.05	5	+0.02	30.01	FM-15	0.00	30.02
10	1953	7	CLR:00	10.00		76	24.4	65	18.6	59	15.0	56	0	000		29.06			30.01	FM-15	0.00	30.03
10	2053	7	CLR:00	10.00		74	23.3	65	18.2	59	15.0	60	0	000		29.07			30.02	FM-15	0.00	30.04
10	2153	7	CLR:00	10.00		72	22.2	65	18.1	60	15.6	66	0	000		29.08	3	-0.02	30.03	FM-15	0.00	30.05
10	2253	7	FEW:02 60	10.00		75	23.9	66	19.0	61	16.1	62	7	150		29.09			30.03	FM-15	0.00	30.06
10	2353	7	BKN:07 60	10.00		74	23.3	66	18.8	61	16.1	64	3	180		29.10			30.04	FM-15	0.00	30.07
11	0053	7	CLR:00	10.00		72	22.2	65	18.4	61	16.1	68	0	000		29.08	0	-0.00	30.03	FM-15	0.00	30.05
11	0153	7	CLR:00	10.00		67	19.4	64	17.7	62	16.7	84	3	090		29.08			30.03	FM-15	0.00	30.05
11	0253	7	CLR:00	10.00		66	18.9	64	17.5	62	16.7	87	0	000		29.09			30.04	FM-15	0.00	30.06
11	0353	7	CLR:00	10.00		65	18.3	63	17.3	62	16.7	90	0	000		29.10	3	-0.02	30.05	FM-15	0.00	30.07
11	0453	7	CLR:00	10.00		64	17.8	63	17.1	62	16.7	93	3	080		29.11			30.06	FM-15	0.00	30.08
11	0553	7	CLR:00	10.00		63	17.2	62	16.6	61	16.1	93	0	000		29.12			30.06	FM-15	0.00	30.09
11	0653	7	CLR:00	10.00		69	20.6	66	19.1	65	18.3	87	0	000		29.12	3	-0.02	30.07	FM-15	0.00	30.09
11	0700	7	FEW:02 2	10.00		70	21.1	67	19.3	65	18.3	84	0	000		29.12				FM-16		30.09
11	0753	7	CLR:00	10.00		75	23.9	68	20.0	64	17.8	69	0	000		29.13			30.08	FM-15	0.00	30.10
11	0853	7	CLR:00	10.00		79	26.1	69	20.7	64	17.8	60	0	000		29.13			30.07	FM-15	0.00	30.10
11	0953	7	CLR:00	10.00		81	27.2	69	20.7	63	17.2	54	7	220		29.13	1	-0.01	30.08	FM-15	0.00	30.10
11	1053	7	FEW:02 46	10.00		81	27.2	69	20.7	63	17.2	54	9	210		29.12			30.07	FM-15	0.00	30.09
11	1153	7	FEW:02 50	10.00		85	29.4	71	21.4	63	17.2	48	10	220		29.13			30.07	FM-15	0.00	30.10

11	1253	7	SCT:04 55	10.00		86	30.0	70	21.3	62	16.7	45	8	210		29.13	5	+0.00	30.07	FM-15	0.00	30.10
11	1353	7	SCT:04 60	10.00		87	30.6	71	21.5	62	16.7	43	7	VRB		29.10			30.04	FM-15	0.00	30.07
11	1453	7	BKN:07 60	10.00		86	30.0	70	21.3	62	16.7	45	9	210		29.09			30.03	FM-15	0.00	30.06
11	1553	7	FEW:02 65	10.00		85	29.4	69	20.8	61	16.1	45	3	220		29.08	6	+0.05	30.03	FM-15	0.00	30.05
11	1653	7	CLR:00	10.00		86	30.0	71	21.6	63	17.2	46	7	200		29.07			30.01	FM-15	0.00	30.04
11	1753	7	CLR:00	10.00		85	29.4	70	21.1	62	16.7	46	7	180		29.05			30.00	FM-15	0.00	30.02
11	1853	7	CLR:00	10.00		83	28.3	69	20.8	62	16.7	49	6	160		29.06	5	+0.01	30.01	FM-15	0.00	30.03
11	1953	7	CLR:00	10.00		82	27.8	69	20.3	61	16.1	49	7	170		29.06			30.01	FM-15	0.00	30.03
11	2053	7	CLR:00	10.00		81	27.2	68	20.1	61	16.1	51	7	170		29.06			30.00	FM-15	0.00	30.03
11	2153	7	CLR:00	10.00		79	26.1	68	19.8	61	16.1	54	9	170		29.07	3	-0.01	30.01	FM-15	0.00	30.04
11	2253	7	CLR:00	10.00		77	25.0	67	19.7	62	16.7	60	6	180		29.06			30.00	FM-15	0.00	30.03
11	2353	7	CLR:00	10.00		76	24.4	67	19.5	62	16.7	62	3	170		29.05			30.00	FM-15	0.00	30.02
12	0053	7	CLR:00	10.00		71	21.7	65	18.6	62	16.7	73	0	000		29.05	6	+0.02	29.99	FM-15	0.00	30.02
12	0153	7	CLR:00	10.00		71	21.7	66	18.9	63	17.2	76	3	120		29.04			29.98	FM-15	0.00	30.01
12	0253	7	CLR:00	10.00		69	20.6	65	18.5	63	17.2	81	3	140		29.04			29.99	FM-15	0.00	30.01
12	0353	7	CLR:00	10.00		68	20.0	65	18.3	63	17.2	84	0	000		29.05	5	+0.00	29.99	FM-15	0.00	30.02
12	0453	7	CLR:00	10.00		67	19.4	65	18.1	63	17.2	87	0	000		29.05			29.99	FM-15	0.00	30.02
12	0553	7	CLR:00	9.00		67	19.4	65	18.1	63	17.2	87	0	000		29.05			29.99	FM-15	0.00	30.02
12	0619	7	SCT:04 2	8.00		68	20.0	65	18.6	64	17.8	87	5	070		29.06				FM-16		30.03
12	0653	7	CLR:00	9.00		71	21.7	67	19.5	65	18.3	81	3	080		29.07	3	-0.02	30.01	FM-15	0.00	30.04
12	0753	7	CLR:00	10.00		76	24.4	69	20.5	65	18.3	69	5	140		29.07			30.01	FM-15	0.00	30.04
12	0853	7	CLR:00	10.00		80	26.7	71	21.9	67	19.4	64	6	190		29.07			30.01	FM-15	0.00	30.04
12	0953	7	CLR:00	10.00		81	27.2	72	22.4	68	20.0	65	6	150		29.06	8	+0.01	30.00	FM-15	0.00	30.03
12	1053	7	FEW:02 33	10.00		85	29.4	75	23.7	70	21.1	61	10	180		29.05			29.99	FM-15	0.00	30.02
12	1153	7	BKN:07 40 BKN:07 50 OVC:08 70	10.00		84	28.9	74	23.2	69	20.6	61	11	180		29.03			29.97	FM-15	0.00	30.00
12	1253	7	FEW:02 44 SCT:04 60	10.00		87	30.6	75	23.7	69	20.6	55	11	190	20	29.00	8	+0.05	29.95	FM-15	0.00	29.97
12	1353	7	FEW:02 45 SCT:04 60 BKN:07 75	10.00		86	30.0	74	23.2	68	20.0	55	13	190		29.01			29.95	FM-15	0.00	29.98
12	1453	7	BKN:07 44 BKN:07 50	10.00		88	31.1	75	24.2	70	21.1	55	15	200	21	28.99			29.93	FM-15	0.00	29.96
12	1553	7	SCT:04 43 SCT:04 60	10.00		87	30.6	76	24.3	71	21.7	59	13	210	18	28.98	8	+0.03	29.92	FM-15	0.00	29.95
12	1653	7	SCT:04 48	10.00		86	30.0	74	23.5	69	20.6	57	11	200		28.96			29.90	FM-15	0.00	29.93
12	1753	7	CLR:00	10.00		83	28.3	75	23.7	71	21.7	67	15	210		28.94			29.89	FM-15	0.00	29.91
12	1853	7	CLR:00	10.00		82	27.8	74	23.2	70	21.1	67	9	210		28.97	5	+0.01	29.91	FM-15	0.00	29.94
12	1953	7	CLR:00	10.00		81	27.2	73	23.1	70	21.1	69	11	230		29.00			29.95	FM-15	0.00	29.97
12	2053	7	FEW:02 28 FEW:02 36	10.00		79	26.1	74	23.1	71	21.7	77	6	200		29.00			29.94	FM-15	0.00	29.97
12	2153	7	CLR:00	10.00		78	25.6	73	22.6	70	21.1	76	8	220		29.03	1	-0.06	29.97	FM-15	0.00	30.00
12	2253	7	CLR:00	10.00		76	24.4	72	22.2	70	21.1	82	8	200		29.04			29.98	FM-15	0.00	30.01
12	2353	7	CLR:00	10.00		75	23.9	72	22.0	70	21.1	84	8	200		29.03			29.98	FM-15	0.00	30.00
13	0053	7	CLR:00	10.00		74	23.3	71	21.8	70	21.1	88	8	210		29.04	1	-0.01	29.98	FM-15	0.00	30.01
13	0153	7	CLR:00	10.00		73	22.8	71	21.7	70	21.1	90	8	210		29.03			29.98	FM-15	0.00	30.00
13	0253	7	FEW:02 16	10.00		73	22.8	71	21.7	70	21.1	90	6	220		29.04			29.98	FM-15	0.00	30.01
13	0306	7	BKN:07 16	10.00		73	22.8	71	21.7	70	21.1	90	5	200		29.03				FM-16		30.00
13	0344	7	FEW:02 10 SCT:04 16	10.00		72	22.2	71	21.5	70	21.1	94	5	200		29.03				FM-16		30.00
13	0353	7	FEW:02 16	10.00		72	22.2	71	21.5	70	21.1	94	6	190		29.03	7	+0.00	29.98	FM-15	0.00	30.00
13	0451	6	FEW:02 8	10.00		72	22.0	71	21.5	70	21.0	94	6	190		29.05				FM-16		30.02
13	0453	7	FEW:02 8	10.00		72	22.2	71	21.5	70	21.1	94	6	190		29.05			29.99	FM-15	0.00	30.02
13	0515	7	BKN:07 7	9.00		72	22.2	71	21.5	70	21.1	94	6	190		29.05				FM-16		30.02
13	0540	7	SCT:04 7	8.00		72	22.2	71	21.5	70	21.1	94	6	200		29.05				FM-16		30.02
13	0553	7	BKN:07 7	8.00		72	22.2	71	21.9	71	21.7	97	6	200		29.05			30.00	FM-15	0.00	30.02
13	0653	7	BKN:07 7	10.00		74	23.3	72	22.2	71	21.7	91	8	220		29.06	1	-0.02	30.00	FM-15	0.00	30.03
13	0726	7	FEW:02 8	10.00		76	24.4	73	22.6	71	21.7	85	8	240		29.06				FM-16		30.03

13	0753	7	FEW:02 12	10.00		77	25.0	74	23.1	72	22.2	85	7	210		29.07			30.01	FM-15	0.00	30.04
13	0853	7	FEW:02 17	10.00		80	26.7	74	23.6	72	22.2	76	7	250		29.06			30.01	FM-15	0.00	30.03
13	0913	7	SCT:04 16 BKN:07 28	10.00		80	26.7	75	24.0	73	22.8	79	6	270		29.07				FM-16		30.04
13	0921	7	FEW:02 17 SCT:04 28	10.00		81	27.2	75	24.1	73	22.8	77	7	270		29.07				FM-16		30.04
13	0953	7	SCT:04 21 BKN:07 31	10.00		84	28.9	77	25.0	74	23.3	72	8	250		29.07	1	-0.01	30.01	FM-15	0.00	30.04
13	1053	7	FEW:02 30 SCT:04 35	10.00		87	30.6	78	25.4	74	23.3	65	11	240		29.06			30.00	FM-15	0.00	30.03
13	1153	7	SCT:04 35 SCT:04 43	10.00		87	30.6	76	24.7	72	22.2	61	11	250		29.03			29.98	FM-15	0.00	30.00
13	1253	7	SCT:04 41	10.00		89	31.7	76	24.6	71	21.7	55	16	240	23	29.03	6	+0.04	29.97	FM-15	0.00	30.00
13	1353	7	FEW:02 45 BKN:07 60	10.00		89	31.7	76	24.3	70	21.1	53	11	240	23	29.03			29.97	FM-15	0.00	30.00
13	1453	7	FEW:02 47 BKN:07 65	10.00		90	32.2	77	25.1	72	22.2	56	10	250		29.00			29.94	FM-15	0.00	29.97
13	1553	7	SCT:04 50 BKN:07 70	10.00		89	31.7	75	24.0	69	20.6	52	11	230	20	28.98	8	+0.05	29.92	FM-15	0.00	29.95
13	1653	7	SCT:04 55	10.00		90	32.2	76	24.5	70	21.1	52	11	210		28.94			29.89	FM-15	0.00	29.91
13	1753	7	FEW:02 70	10.00		88	31.1	75	24.2	70	21.1	55	13	220		28.94			29.88	FM-15	0.00	29.91
13	1835	7	FEW:02 55	10.00	VCTS:7 ||	87	30.6	76	24.3	71	21.7	59	16	210	25	28.94				FM-16		29.91
13	1853	7	FEW:02 55 SCT:04 70 BKN:07 110	10.00	TS:7 |TS TS |	87	30.6	76	24.3	71	21.7	59	13	190	22	28.94	6	+0.04	29.88	FM-15	0.00	29.91
13	1913	7	FEW:02 47 FEW:02 55 SCT:04 110	10.00		87	30.6	76	24.7	72	22.2	61	11	210		28.95				FM-16		29.92
13	1951	6	FEW:02 41 SCT:04 50	10.00	VCTS:7 ||	82	28.0	73	22.5	68	20.0	62	21	280	32	28.97				FM-16		29.94
13	1953	7	SCT:04 41 SCT:04 50	10.00	VCTS:7 ||	81	27.2	72	22.0	67	19.4	62	28	280	38	28.97			29.91	FM-15	T	29.94
13	2000	7	FEW:02 41 SCT:04 50 BKN:07 80	10.00	VCTS:7 -RA:02 |RA |	80	26.7	70	21.2	65	18.3	60	18	280	39	28.96				FM-16	T	29.93
13	2008	7	FEW:02 45 SCT:04 60 BKN:07 110	10.00		78	25.6	70	20.8	65	18.3	64	17	260	25	28.96				FM-16	T	29.93
13	2053	7	CLR:00	10.00		77	25.0	69	20.3	64	17.8	64	9	250		28.97			29.91	FM-15	T	29.94
13	2153	7	FEW:02 48 BKN:07 90 OVC:08 110	10.00	-RA:02 |RA |	70	21.1	67	19.7	66	18.9	87	8	270		29.02	3	-0.08	29.97	FM-15	0.04	29.99
13	2232	7	FEW:02 19 BKN:07 75 OVC:08 110	1.50	-RA:02 BR:1 |RA |	70	21.1	67	19.7	66	18.9	87	18	270	36	29.04				FM-16	0.11	30.01
13	2253	7	FEW:02 19 SCT:04 75 BKN:07 110	8.00	-RA:02 |RA |	70	21.1	68	20.0	67	19.4	90	9	210		29.02			29.96	FM-15	0.15	29.99
13	2353	7	FEW:02 120	10.00	-RA:02 |RA |	69	20.6	68	20.2	68	20.0	96	10	190		28.96			29.90	FM-15	0.05	29.93
14	0053	7	FEW:02 34 BKN:07 100	10.00		70	21.1	68	20.0	67	19.4	90	8	190		28.96	6	+0.07	29.90	FM-15	0.00	29.93
14	0153	7	BKN:07 120	10.00		70	21.1	68	20.0	67	19.4	90	10	220		28.95			29.90	FM-15	0.00	29.92
14	0253	7	SCT:04 65 BKN:07 120	10.00		70	21.1	68	20.0	67	19.4	90	13	230	18	28.95			29.89	FM-15	0.00	29.92
14	0329	7	BKN:07 12	10.00		70	21.1	68	20.0	67	19.4	90	14	240		28.96				FM-16		29.93
14	0340	7	SCT:04 12 BKN:07 30	10.00		70	21.1	68	20.0	67	19.4	90	11	240		28.96				FM-16		29.93
14	0353	7	FEW:02 12 FEW:02 30 SCT:04 110	10.00		69	20.6	68	19.8	67	19.4	93	13	240		28.95	5	+0.00	29.90	FM-15	0.00	29.92
14	0434	7	BKN:07 16	10.00		69	20.6	68	19.8	67	19.4	93	7	230		28.96				FM-16		29.93
14	0451	6	SCT:04 17	10.00		70	21.0	67	19.7	66	19.0	88	6	240		28.96				FM-16		29.93
14	0453	7	SCT:04 17	10.00		69	20.6	67	19.5	66	18.9	90	7	240		28.96			29.90	FM-15	0.00	29.93

14	0553	7	CLR:00	10.00		68	20.0	67	19.6	67	19.4	96	6	190		28.96			29.91	FM-15	0.00	29.93
14	0653	7	CLR:00	9.00		70	21.1	68	20.0	67	19.4	90	9	210		28.98	3	-0.02	29.92	FM-15	0.00	29.95
14	0753	7	SCT:04 11	10.00		73	22.8	69	20.6	67	19.4	81	14	230		28.99			29.93	FM-15	0.00	29.96
14	0851	7	BKN:07 19	10.00		75	24.0	70	21.3	68	20.0	78	11	260		28.98				FM-16		29.95
14	0853	7	BKN:07 19	10.00		75	23.9	70	21.3	68	20.0	79	9	260		28.98			29.93	FM-15	0.00	29.95
14	0920	7	SCT:04 20	10.00		77	25.0	71	21.7	68	20.0	74	13	280		28.98				FM-16		29.95
14	0953	7	FEW:02 24	10.00		79	26.1	73	22.7	70	21.1	74	8	270	16	28.98	5	+0.01	29.93	FM-15	0.00	29.95
14	1053	7	CLR:00	10.00		82	27.8	74	23.2	70	21.1	67	9	270		28.97			29.91	FM-15	0.00	29.94
14	1153	7	SCT:04 34 BKN:07 42	10.00		82	27.8	73	22.5	68	20.0	63	15	270	23	28.98			29.93	FM-15	0.00	29.95
14	1253	7	FEW:02 33	10.00		84	28.9	74	23.2	69	20.6	61	10	260		28.97	6	+0.01	29.92	FM-15	0.00	29.94
14	1353	7	FEW:02 44 SCT:04 55 SCT:04 65	10.00		85	29.4	73	23.0	68	20.0	57	14	260	20	28.96			29.90	FM-15	0.00	29.93
14	1453	7	SCT:04 42 BKN:07 70 OVC:08 80	10.00		83	28.3	73	22.7	68	20.0	61	8	260		28.94			29.89	FM-15	0.00	29.91
14	1553	7	FEW:02 28 BKN:07 90 OVC:08 110	10.00	-RA:02 |RA |	79	26.1	74	23.4	72	22.2	79	9	260		28.93	6	+0.04	29.88	FM-15	0.02	29.90
14	1653	7	BKN:07 48 BKN:07 65 OVC:08 120	10.00		76	24.4	71	21.8	69	20.6	79	6	300		28.97			29.91	FM-15	T	29.94
14	1753	7	FEW:02 27 SCT:04 44 OVC:08 80	10.00		77	25.0	72	22.0	69	20.6	77	8	220		28.96			29.91	FM-15	T	29.93
14	1853	7	FEW:02 110	10.00		76	24.4	71	21.8	69	20.6	79	7	210		28.95	0	-0.02	29.90	FM-15	0.00	29.92
14	1953	7	SCT:04 120	10.00		75	23.9	71	21.7	69	20.6	82	6	190		28.95			29.90	FM-15	0.00	29.92
14	2053	7	CLR:00	10.00		73	22.8	71	21.7	70	21.1	90	6	210		28.97			29.91	FM-15	0.00	29.94
14	2153	7	CLR:00	10.00		72	22.2	71	21.5	70	21.1	94	6	200		28.98	3	-0.03	29.93	FM-15	0.00	29.95
14	2253	7	CLR:00	10.00		71	21.7	70	21.3	70	21.1	96	8	200		28.98			29.92	FM-15	0.00	29.95
14	2353	7	CLR:00	10.00		71	21.7	70	20.9	69	20.6	94	6	210		28.99			29.93	FM-15	0.00	29.96
15	0053	7	CLR:00	10.00		70	21.1	69	20.7	69	20.6	97	6	200		28.98	0	-0.00	29.93	FM-15	0.00	29.95
15	0153	7	CLR:00	9.00		70	21.1	69	20.4	68	20.0	93	6	210		28.98			29.93	FM-15	0.00	29.95
15	0253	7	FEW:02 80 SCT:04 95	9.00		70	21.1	69	20.7	69	20.6	97	6	220		28.98			29.92	FM-15	0.00	29.95
15	0325	7	FEW:02 15 SCT:04 44 SCT:04 70	3.00	TS:7 +RA:02 BR:1 |RA TS |	71	21.7	70	20.9	69	20.6	94	11	270	17	28.98				FM-16	0.04	29.95
15	0343	7	FEW:02 42 SCT:04 60	10.00		69	20.6	65	18.5	63	17.2	81	7	240		28.98				FM-16	0.04	29.95
15	0353	7	FEW:02 60	10.00		68	20.0	66	18.9	65	18.3	90	5	250		28.98	5	+0.01	29.93	FM-15	0.04	29.95
15	0453	7	CLR:00	5.00	BR:1 ||	70	21.1	69	20.7	69	20.6	97	5	230		29.00			29.94	FM-15	0.00	29.97
15	0527	7	CLR:00	2.50	BR:1 ||	69	20.6	69	20.6	69	20.6	100	5	230		29.00				FM-16		29.97
15	0541	7	SCT:04 50	3.00	BR:1 ||	70	21.1	69	20.7	69	20.6	97	6	220		29.01				FM-16		29.98
15	0553	7	BKN:07 48 BKN:07 60	4.00	BR:1 ||	70	21.1	69	20.7	69	20.6	97	5	230		29.01			29.96	FM-15	0.00	29.98
15	0653	7	CLR:00	5.00	BR:1 ||	72	22.2	71	21.5	70	21.1	94	7	240		29.02	1	-0.04	29.97	FM-15	0.00	29.99
15	0753	7	CLR:00	10.00		75	23.9	71	21.7	69	20.6	82	7	270		29.04			29.98	FM-15	0.00	30.01
15	0853	7	BKN:07 50	10.00		77	25.0	71	21.7	68	20.0	74	8	260		29.04			29.99	FM-15	0.00	30.01
15	0953	7	FEW:02 50	10.00		81	27.2	72	22.4	68	20.0	65	13	270	18	29.04	0	-0.02	29.98	FM-15	0.00	30.01
15	1053	7	FEW:02 50	10.00		81	27.2	70	21.1	64	17.8	57	11	270	18	29.04			29.98	FM-15	0.00	30.01
15	1153	7	SCT:04 49 BKN:07 60	10.00		84	28.9	71	21.6	64	17.8	51	9	230		29.03			29.98	FM-15	0.00	30.00
15	1253	7	BKN:07 55	10.00		84	28.9	71	21.9	65	18.3	53	11	280		29.02	8	+0.02	29.96	FM-15	0.00	29.99
15	1353	7	SCT:04 50 BKN:07 65	10.00		83	28.3	71	21.4	64	17.8	53	16	240	21	29.01			29.96	FM-15	0.00	29.98
15	1453	7	FEW:02 55	10.00		87	30.6	71	21.8	63	17.2	45	15	290	24	29.02			29.96	FM-15	0.00	29.99
15	1553	7	FEW:02 60	10.00		86	30.0	71	21.6	63	17.2	46	11	300		28.99	8	+0.03	29.93	FM-15	0.00	29.96
15	1653	7	CLR:00	10.00		85	29.4	70	21.1	62	16.7	46	16	290	20	28.98			29.93	FM-15	0.00	29.95
15	1753	7	CLR:00	10.00		83	28.3	69	20.5	61	16.1	48	13	290	21	28.97			29.92	FM-15	0.00	29.94

15	1853	7	CLR:00	10.00		82	27.8	69	20.3	61	16.1	49	10	280		28.99	3	-0.01	29.94	FM-15	0.00	29.96
15	1953	7	CLR:00	10.00		78	25.6	67	19.6	61	16.1	56	7	290		29.00			29.95	FM-15	0.00	29.97
15	2053	7	CLR:00	10.00		76	24.4	66	18.9	60	15.6	58	5	300		29.02			29.97	FM-15	0.00	29.99
15	2153	7	BKN:07 60 OVC:08 75	10.00		75	23.9	66	19.0	61	16.1	62	5	300		29.04	3	-0.05	29.99	FM-15	0.00	30.01
15	2253	7	BKN:07 65 BKN:07 80	10.00		74	23.3	65	18.5	60	15.6	62	5	310		29.05			30.00	FM-15	0.00	30.02
15	2353	7	SCT:04 55 SCT:04 75	10.00		73	22.8	65	18.3	60	15.6	64	3	260		29.06			30.01	FM-15	0.00	30.03
16	0053	7	BKN:07 50	10.00		70	21.1	64	17.7	60	15.6	71	6	320		29.06	0	-0.01	30.01	FM-15	0.00	30.03
16	0153	7	FEW:02 50	10.00		69	20.6	64	17.5	60	15.6	73	7	340		29.06			30.01	FM-15	0.00	30.03
16	0253	7	FEW:02 50	10.00		67	19.4	63	17.1	60	15.6	79	3	350		29.06			30.00	FM-15	0.00	30.03
16	0353	7	SCT:04 60	10.00		66	18.9	62	16.9	60	15.6	81	3	320		29.07	3	-0.01	30.01	FM-15	0.00	30.04
16	0453	7	CLR:00	10.00		66	18.9	63	17.2	61	16.1	84	6	320		29.07			30.02	FM-15	0.00	30.04
16	0553	7	FEW:02 42	10.00		65	18.3	63	17.0	61	16.1	87	6	320		29.09			30.04	FM-15	0.00	30.06
16	0625	7	FEW:02 2 SCT:04 41 BKN:07 55	10.00		66	18.9	63	17.2	61	16.1	84	6	340		29.10				FM-16		30.07
16	0653	7	CLR:00	10.00		67	19.4	64	17.7	62	16.7	84	3	360		29.12	3	-0.05	30.06	FM-15	0.00	30.09
16	0753	7	CLR:00	10.00		71	21.7	66	18.9	63	17.2	76	5	010		29.12			30.07	FM-15	0.00	30.09
16	0853	7	CLR:00	10.00		73	22.8	66	18.9	62	16.7	69	6	030		29.13			30.08	FM-15	0.00	30.10
16	0953	7	CLR:00	10.00		76	24.4	67	19.5	62	16.7	62	7	350		29.14	3	-0.02	30.09	FM-15	0.00	30.11
16	1053	7	SCT:04 38 BKN:07 50	10.00		78	25.6	68	19.9	62	16.7	58	6	340		29.14			30.09	FM-15	0.00	30.11
16	1153	7	SCT:04 45 BKN:07 55	10.00		78	25.6	67	19.3	60	15.6	54	9	300		29.13			30.08	FM-15	0.00	30.10
16	1253	7	FEW:02 43 BKN:07 55	10.00		77	25.0	67	19.7	62	16.7	60	10	340		29.14	5	+0.00	30.09	FM-15	0.00	30.11
16	1353	7	FEW:02 36	10.00		79	26.1	69	20.7	64	17.8	60	10	350		29.14			30.09	FM-15	0.00	30.11
16	1453	7	FEW:02 40 BKN:07 55	10.00		80	26.7	68	20.3	62	16.7	54	8	300		29.13			30.08	FM-15	0.00	30.10
16	1553	7	SCT:04 49	10.00		80	26.7	66	19.1	58	14.4	47	3	VRB		29.11	8	+0.03	30.06	FM-15	0.00	30.08
16	1653	7	SCT:04 50	10.00		81	27.2	68	20.1	61	16.1	51	6	280		29.10			30.05	FM-15	0.00	30.07
16	1753	7	SCT:04 50	10.00		81	27.2	68	20.1	61	16.1	51	9	300		29.10			30.05	FM-15	0.00	30.07
16	1853	7	SCT:04 50	10.00		79	26.1	68	19.8	61	16.1	54	7	300		29.12	3	-0.01	30.07	FM-15	0.00	30.09
16	1953	7	FEW:02 50	10.00		77	25.0	66	19.1	60	15.6	56	0	000		29.12			30.07	FM-15	0.00	30.09
16	2053	7	CLR:00	10.00		73	22.8	66	18.6	61	16.1	66	3	330		29.15			30.10	FM-15	T	30.12
16	2153	7	CLR:00	10.00		70	21.1	64	18.0	61	16.1	73	3	270		29.15	1	-0.03	30.10	FM-15	0.00	30.12
16	2253	7	CLR:00	10.00		68	20.0	64	17.6	61	16.1	78	0	000		29.16			30.11	FM-15	0.00	30.13
16	2353	7	FEW:02 48	10.00		69	20.6	64	17.8	61	16.1	76	0	000		29.16			30.11	FM-15	0.00	30.13
17	0053	7	CLR:00	10.00		66	18.9	63	17.2	61	16.1	84	0	000		29.17	3	-0.02	30.12	FM-15	0.00	30.14
17	0153	7	CLR:00	10.00		63	17.2	62	16.6	61	16.1	93	0	000		29.17			30.12	FM-15	0.00	30.14
17	0253	7	CLR:00	10.00		63	17.2	61	16.2	60	15.6	90	0	000		29.17			30.12	FM-15	0.00	30.14
17	0353	7	CLR:00	10.00		61	16.1	60	15.8	60	15.6	97	3	270		29.19	3	-0.02	30.14	FM-15	0.00	30.16
17	0453	7	CLR:00	10.00		62	16.7	61	16.3	61	16.1	96	0	000		29.18			30.13	FM-15	0.00	30.15
17	0530	7	CLR:00	1.00	BR:1 ||	61	16.1	61	16.1	61	16.1	100	0	000		29.19				FM-16		30.16
17	0532	7	CLR:00	0.25	FG:2 |FG |	60	15.6	60	15.6	60	15.6	100	0	000		29.19				FM-16		30.16
17	0553	7	CLR:00	0.50	FG:2 |FG |	60	15.6	60	15.6	60	15.6	100	0	000		29.19			30.14	FM-15	0.00	30.16
17	0602	7	CLR:00	10.00		61	16.1	61	16.1	61	16.1	100	0	000		29.19				FM-16		30.16
17	0653	7	CLR:00	10.00		67	19.4	65	18.1	63	17.2	87	0	000		29.20	3	-0.02	30.15	FM-15	0.00	30.17
17	0753	7	CLR:00	10.00		73	22.8	67	19.3	63	17.2	71	0	000		29.22			30.17	FM-15	0.00	30.19
17	0853	7	CLR:00	10.00		76	24.4	67	19.2	61	16.1	60	8	180		29.22			30.16	FM-15	0.00	30.19
17	0953	7	CLR:00	10.00		79	26.1	69	20.4	63	17.2	58	9	210		29.22	1	-0.01	30.17	FM-15	0.00	30.19
17	1053	7	CLR:00	10.00		82	27.8	69	20.6	62	16.7	51	7	200		29.22			30.17	FM-15	0.00	30.19
17	1153	7	CLR:00	10.00		85	29.4	70	20.8	61	16.1	45	10	220	16	29.22			30.16	FM-15	0.00	30.19
17	1253	7	CLR:00	10.00		85	29.4	71	21.8	64	17.8	50	10	230		29.20	8	+0.02	30.15	FM-15	0.00	30.17
17	1353	7	CLR:00	10.00		85	29.4	71	21.7	64	17.8	50	13	190		29.18			30.13	FM-15	0.00	30.15
17	1453	7	CLR:00	10.00		86	30.0	72	22.2	65	18.3	49	16	220	23	29.17			30.12	FM-15	0.00	30.14
17	1553	7	SCT:04 47	10.00		85	29.4	73	22.7	67	19.4	55	13	230	21	29.17	5	+0.03	30.12	FM-15	0.00	30.14

17	1653	7	CLR:00	10.00		87	30.6	74	23.3	68	20.0	53	16	220		29.13			30.08	FM-15	0.00	30.10
17	1753	7	CLR:00	10.00		85	29.4	73	22.7	67	19.4	55	15	220		29.12			30.06	FM-15	0.00	30.09
17	1853	7	CLR:00	10.00		83	28.3	73	22.7	68	20.0	61	14	200		29.13	5	+0.04	30.08	FM-15	0.00	30.10
17	1953	7	CLR:00	10.00		82	27.8	73	22.9	69	20.6	65	10	190		29.13			30.07	FM-15	0.00	30.10
17	2053	7	BKN:07 100	10.00		81	27.2	73	22.7	69	20.6	67	9	200		29.15			30.09	FM-15	0.00	30.12
17	2153	7	BKN:07 95 BKN:07 110	10.00		80	26.7	73	22.5	69	20.6	69	9	200		29.17	3	-0.04	30.11	FM-15	0.00	30.14
17	2253	7	SCT:04 95	10.00		80	26.7	73	22.5	69	20.6	69	9	190		29.17			30.11	FM-15	0.00	30.14
17	2353	7	BKN:07 100	10.00		79	26.1	73	22.7	70	21.1	74	7	200		29.18			30.12	FM-15	0.00	30.15
18	0053	7	SCT:04 95	10.00		79	26.1	73	22.7	70	21.1	74	9	200		29.17	8	+0.00	30.11	FM-15	0.00	30.14
18	0153	7	SCT:04 95 SCT:04 110	10.00		78	25.6	73	22.6	70	21.1	76	7	200		29.15			30.09	FM-15	0.00	30.12
18	0253	7	CLR:00	10.00		76	24.4	72	22.2	70	21.1	82	6	190		29.15			30.09	FM-15	0.00	30.12
18	0353	7	CLR:00	10.00		76	24.4	72	22.2	70	21.1	82	7	190		29.13	6	+0.04	30.07	FM-15	0.00	30.10
18	0453	7	CLR:00	10.00		76	24.4	73	22.6	71	21.7	85	6	210		29.15			30.09	FM-15	0.00	30.12
18	0523	7	BKN:07 65 BKN:07 80	10.00	VCTS:7 ||	76	24.4	73	22.6	71	21.7	85	6	240		29.16				FM-16		30.13
18	0541	7	BKN:07 18 BKN:07 32 OVC:08 65	10.00	VCTS:7 -RA:02 |RA |	73	22.8	70	21.0	68	20.0	84	17	340	25	29.17				FM-16	0.01	30.14
18	0551	7	BKN:07 20 OVC:08 33	7.00	TS:7 -RA:02 |RA TS TS |	72	22.0	69	20.8	68	20.0	88	9	330	18	29.17				FM-16	0.04	30.14
18	0553	7	BKN:07 20 OVC:08 31	9.00	TS:7 -RA:02 |RA TS TS |	71	21.7	69	20.6	68	20.0	90	9	330	18	29.17			30.11	FM-15	0.05	30.14
18	0614	7	FEW:02 19 OVC:08 23	1.75	TS:7 +RA:02 BR:1 |RA TS |	70	21.1	69	20.4	68	20.0	93	11	330	23	29.18				FM-16	0.09	30.15
18	0622	7	FEW:02 12 OVC:08 25	2.00	TS:7 +RA:02 BR:1 |RA TS |	70	21.1	69	20.4	68	20.0	93	10	310		29.18				FM-16	0.10	30.15
18	0631	7	FEW:02 12 BKN:07 23 OVC:08 65	5.00	TS:7 RA:02 BR:1 |RA TS |	70	21.1	69	20.7	69	20.6	97	6	270		29.18				FM-16	0.10	30.15
18	0639	7	FEW:02 21 BKN:07 46 OVC:08 65	2.50	TS:7 +RA:02 BR:1 |RA TS |	70	21.1	70	21.1	70	21.1	100	7	240		29.18				FM-16	0.10	30.15
18	0653	7	BKN:07 55 BKN:07 75 OVC:08 110	3.00	VCTS:7 -RA:02 BR:1 |RA |	71	21.7	70	21.3	70	21.1	96	9	280		29.17	1	-0.02	30.12	FM-15	0.10	30.14
18	0701	7	FEW:02 55 SCT:04 75 BKN:07 110	3.00	-RA:02 BR:1 |RA |	71	21.7	70	21.3	70	21.1	96	11	270		29.18				FM-16	0.01	30.15
18	0753	7	FEW:02 75 BKN:07 95 OVC:08 110	5.00	RA:02 BR:1 |RA |	70	21.1	67	19.7	66	18.9	87	8	250		29.21			30.16	FM-15	T	30.18
18	0853	7	SCT:04 110	10.00		73	22.8	68	19.9	65	18.3	76	16	220		29.18			30.13	FM-15	0.01	30.15
18	0908	7	BKN:07 110	10.00	-RA:02 |RA |	71	21.7	68	19.9	66	18.9	84	18	170	25	29.13				FM-16	T	30.10
18	0927	7	FEW:02 75 BKN:07 100 BKN:07 120	10.00		73	22.8	67	19.6	64	17.8	74	8	280	25	29.13				FM-16	T	30.10
18	0953	7	FEW:02 80 SCT:04 100	10.00		73	22.8	68	20.3	66	18.9	79	6	020		29.16	8	+0.01	30.11	FM-15	T	30.13
18	1053	7	CLR:00	10.00		78	25.6	71	21.5	67	19.4	69	9	360		29.18			30.12	FM-15	0.01	30.15
18	1153	7	CLR:00	10.00		82	27.8	73	22.5	68	20.0	63	14	270	20	29.20			30.14	FM-15	0.00	30.17
18	1253	7	CLR:00	10.00		83	28.3	72	22.0	66	18.9	57	10	260	17	29.19	0	-0.03	30.13	FM-15	0.00	30.16
18	1353	7	CLR:00	10.00		86	30.0	74	23.2	68	20.0	55	9	290		29.18			30.13	FM-15	0.00	30.15
18	1453	7	CLR:00	10.00		86	30.0	74	23.2	68	20.0	55	13	280		29.19			30.13	FM-15	0.00	30.16
18	1553	7	CLR:00	10.00		86	30.0	74	23.2	68	20.0	55	10	290		29.17	8	+0.02	30.11	FM-15	0.00	30.14
18	1653	7	FEW:02 42	10.00		84	28.9	74	23.2	69	20.6	61	8	260		29.16			30.11	FM-15	0.00	30.13
18	1753	7	FEW:02 39	10.00		83	28.3	74	23.4	70	21.1	65	9	270		29.15			30.10	FM-15	0.00	30.12
18	1853	7	BKN:07 39	10.00		81	27.2	74	23.1	70	21.1	69	9	290		29.17	5	+0.00	30.11	FM-15	0.00	30.14
18	1953	7	CLR:00	10.00		79	26.1	73	22.7	70	21.1	74	8	290		29.16			30.11	FM-15	0.00	30.13
18	2053	7	CLR:00	10.00		76	24.4	73	22.6	71	21.7	85	6	280		29.18			30.13	FM-15	0.00	30.15

18	2153	7	CLR:00	10.00		76	24.4	73	22.6	71	21.7	85	8	300		29.21	3	-0.04	30.16	FM-15	0.00	30.18
18	2253	7	BKN:07 120	10.00		76	24.4	73	22.6	71	21.7	85	9	300		29.22			30.16	FM-15	0.00	30.19
18	2353	7	CLR:00	10.00		74	23.3	72	22.2	71	21.7	91	6	290		29.22			30.16	FM-15	0.00	30.19
19	0053	7	CLR:00	10.00		72	22.2	71	21.5	70	21.1	94	6	290		29.22	0	-0.01	30.16	FM-15	0.00	30.19
19	0153	7	FEW:02 49	10.00		72	22.2	71	21.5	70	21.1	94	6	320		29.22			30.16	FM-15	0.00	30.19
19	0253	7	CLR:00	7.00		71	21.7	70	21.3	70	21.1	96	8	310		29.23			30.17	FM-15	0.00	30.20
19	0353	7	CLR:00	8.00		71	21.7	70	20.9	69	20.6	94	6	330		29.23	0	-0.01	30.17	FM-15	0.00	30.20
19	0453	7	CLR:00	7.00		69	20.6	68	20.2	68	20.0	96	6	330		29.23			30.18	FM-15	0.00	30.21
19	0553	7	CLR:00	7.00		69	20.6	68	19.8	67	19.4	93	6	310		29.26			30.21	FM-15	0.00	30.23
19	0653	7	CLR:00	10.00		71	21.7	68	20.2	67	19.4	87	6	300		29.27	3	-0.05	30.23	FM-15	0.00	30.25
19	0753	7	CLR:00	10.00		74	23.3	69	20.5	66	18.9	76	3	020		29.27			30.23	FM-15	0.00	30.25
19	0853	7	CLR:00	10.00		78	25.6	70	21.2	66	18.9	67	0	000		29.28			30.24	FM-15	0.00	30.26
19	0953	7	CLR:00	10.00		80	26.7	70	21.2	65	18.3	60	0	000		29.27	0	-0.01	30.23	FM-15	0.00	30.25
19	1053	7	CLR:00	10.00		82	27.8	70	21.2	64	17.8	55	0	000		29.27			30.22	FM-15	0.00	30.25
19	1153	7	CLR:00	10.00		84	28.9	69	20.7	61	16.1	46	5	VRB		29.26			30.22	FM-15	0.00	30.24
19	1253	7	FEW:02 55	10.00		84	28.9	70	21.0	62	16.7	48	7	VRB		29.25	8	+0.03	30.20	FM-15	0.00	30.22
19	1353	7	FEW:02 55	10.00		85	29.4	70	21.1	62	16.7	46	5	340		29.25			30.19	FM-15	0.00	30.22
19	1453	7	FEW:02 60	10.00		84	28.9	69	20.7	61	16.1	46	9	340		29.23			30.19	FM-15	0.00	30.21
19	1553	7	CLR:00	10.00		85	29.4	70	21.1	62	16.7	46	9	350		29.23	8	+0.02	30.18	FM-15	0.00	30.20
19	1653	7	CLR:00	10.00		85	29.4	70	20.8	61	16.1	45	9	360		29.22			30.16	FM-15	0.00	30.19
19	1753	7	CLR:00	10.00		84	28.9	69	20.4	60	15.6	44	9	330		29.21			30.16	FM-15	0.00	30.18
19	1853	7	CLR:00	10.00		81	27.2	68	19.8	60	15.6	49	9	330		29.21	5	+0.01	30.16	FM-15	0.00	30.18
19	1953	7	CLR:00	10.00		78	25.6	67	19.3	60	15.6	54	7	330		29.22			30.16	FM-15	0.00	30.19
19	2053	7	CLR:00	10.00		77	25.0	66	19.1	60	15.6	56	5	350		29.22			30.17	FM-15	0.00	30.19
19	2153	7	CLR:00	10.00		75	23.9	66	18.7	60	15.6	60	3	340		29.23	3	-0.02	30.18	FM-15	0.00	30.21
19	2253	7	CLR:00	10.00		72	22.2	67	19.4	64	17.8	76	3	340		29.25			30.20	FM-15	0.00	30.22
19	2353	7	CLR:00	10.00		70	21.1	66	18.7	63	17.2	79	3	030		29.26			30.20	FM-15	0.00	30.23
20	0053	7	CLR:00	10.00		70	21.1	65	18.4	62	16.7	76	8	090		29.26	1	-0.03	30.21	FM-15	0.00	30.24
20	0153	7	CLR:00	10.00		67	19.4	64	17.7	62	16.7	84	0	000		29.26			30.22	FM-15	0.00	30.24
20	0253	7	CLR:00	10.00		66	18.9	63	17.2	61	16.1	84	5	040		29.27			30.23	FM-15	0.00	30.25
20	0353	7	CLR:00	10.00		65	18.3	63	17.0	61	16.1	87	5	030		29.27	1	-0.01	30.23	FM-15	0.00	30.25
20	0453	7	CLR:00	10.00		65	18.3	63	17.3	62	16.7	90	3	060		29.26			30.22	FM-15	0.00	30.24
20	0553	7	CLR:00	9.00		65	18.3	63	17.0	61	16.1	87	0	000		29.27			30.23	FM-15	0.00	30.25
20	0653	7	CLR:00	10.00		69	20.6	65	18.2	62	16.7	78	0	000		29.29	3	-0.02	30.25	FM-15	0.00	30.27
20	0753	7	CLR:00	10.00		73	22.8	66	19.0	62	16.7	69	0	000		29.31			30.27	FM-15	0.00	30.29
20	0853	7	CLR:00	10.00		77	25.0	68	20.0	63	17.2	62	5	150		29.30			30.26	FM-15	0.00	30.28
20	0953	7	CLR:00	10.00		80	26.7	69	20.6	63	17.2	56	7	130		29.28	8	+0.01	30.24	FM-15	0.00	30.26
20	1053	7	CLR:00	10.00		82	27.8	69	20.6	62	16.7	51	5	080		29.27			30.23	FM-15	0.00	30.25
20	1153	7	CLR:00	10.00		84	28.9	70	21.3	63	17.2	49	5	VRB		29.27			30.22	FM-15	0.00	30.25
20	1253	7	FEW:02 55	10.00		87	30.6	71	21.5	62	16.7	43	5	020		29.26	8	+0.02	30.21	FM-15	0.00	30.24
20	1353	7	SCT:04 65	10.00		88	31.1	71	21.6	62	16.7	42	0	000		29.23			30.19	FM-15	0.00	30.21
20	1453	7	BKN:07 70	10.00		88	31.1	71	21.9	63	17.2	43	3	VRB		29.23			30.18	FM-15	0.00	30.20
20	1553	7	BKN:07 70	10.00		89	31.7	70	21.2	60	15.6	38	5	VRB		29.23	6	+0.04	30.18	FM-15	0.00	30.20
20	1653	7	FEW:02 70	10.00		88	31.1	70	21.1	60	15.6	39	6	010		29.22			30.17	FM-15	0.00	30.19
20	1753	7	BKN:07 70	10.00		85	29.4	72	22.1	65	18.3	51	8	070		29.21			30.16	FM-15	0.00	30.18
20	1853	7	CLR:00	10.00		82	27.8	71	21.9	66	18.9	58	7	100		29.21	6	+0.02	30.15	FM-15	0.00	30.18
20	1953	7	CLR:00	10.00		80	26.7	70	21.2	65	18.3	60	6	120		29.21			30.15	FM-15	0.00	30.18
20	2053	7	SCT:04 60	10.00		80	26.7	70	20.9	64	17.8	58	6	150		29.22			30.16	FM-15	0.00	30.19
20	2153	7	CLR:00	10.00		79	26.1	69	20.7	64	17.8	60	5	160		29.22	3	-0.01	30.16	FM-15	0.00	30.19
20	2253	7	CLR:00	10.00		77	25.0	69	20.7	65	18.3	66	3	180		29.23			30.17	FM-15	0.00	30.20
20	2353	7	CLR:00	10.00		76	24.4	68	20.2	64	17.8	67	5	180		29.23			30.17	FM-15	0.00	30.20
21	0053	7	CLR:00	10.00		75	23.9	67	19.7	63	17.2	66	3	190		29.22	8	+0.00	30.16	FM-15	0.00	30.19
21	0153	7	CLR:00	10.00		73	22.8	67	19.6	64	17.8	74	3	200		29.20			30.15	FM-15	0.00	30.17
21	0253	7	CLR:00	10.00		69	20.6	66	18.8	64	17.8	84	3	120		29.21			30.15	FM-15	0.00	30.18
21	0353	7	CLR:00	10.00		68	20.0	65	18.6	64	17.8	87	0	000		29.21	5	+0.01	30.15	FM-15	0.00	30.18
21	0453	7	CLR:00	8.00		66	18.9	65	18.5	65	18.3	96	0	000		29.22			30.16	FM-15	0.00	30.19
21	0551	6	FEW:02 2	6.00	BR:1 ||	66	19.0	65	18.2	64	18.0	94	0	000		29.22				FM-16		30.19

21	0553	7	FEW:02 2	6.00	BR:1 ||	66	18.9	65	18.5	65	18.3	96	0	000		29.22			30.17	FM-15	0.00	30.19
21	0653	7	CLR:00	9.00		73	22.8	69	20.6	67	19.4	81	3	150		29.22	0	-0.01	30.17	FM-15	0.00	30.19
21	0753	7	CLR:00	10.00		76	24.4	70	21.2	67	19.4	74	6	200		29.23			30.17	FM-15	0.00	30.20
21	0853	7	CLR:00	10.00		81	27.2	70	21.4	65	18.3	58	8	190		29.22			30.17	FM-15	0.00	30.19
21	0953	7	CLR:00	10.00		84	28.9	71	21.9	65	18.3	53	10	220		29.21	8	+0.01	30.15	FM-15	0.00	30.18
21	1053	7	CLR:00	10.00		86	30.0	73	22.9	67	19.4	53	9	210		29.19			30.14	FM-15	0.00	30.16
21	1153	7	FEW:02 47	10.00		88	31.1	73	22.9	66	18.9	48	14	210	17	29.20			30.14	FM-15	0.00	30.17
21	1253	7	BKN:07 50	10.00		88	31.1	74	23.5	68	20.0	52	13	220	20	29.19	6	+0.01	30.13	FM-15	0.00	30.16
21	1353	7	FEW:02 50	10.00		88	31.1	74	23.2	67	19.4	50	8	240	16	29.17			30.11	FM-15	0.00	30.14
21	1453	7	CLR:00	10.00		89	31.7	74	23.3	67	19.4	48	10	180	20	29.13			30.07	FM-15	0.00	30.10
21	1553	7	FEW:02 50	10.00		88	31.1	74	23.2	67	19.4	50	6	VRB		29.13	5	+0.06	30.08	FM-15	0.00	30.10
21	1653	7	BKN:07 55	10.00		87	30.6	75	23.7	69	20.6	55	9	260		29.13			30.08	FM-15	0.00	30.10
21	1753	7	CLR:00	10.00		87	30.6	75	23.7	69	20.6	55	8	240		29.13			30.08	FM-15	0.00	30.10
21	1853	7	CLR:00	10.00		86	30.0	74	23.5	69	20.6	57	9	230		29.10	8	+0.03	30.05	FM-15	0.00	30.07
21	1953	7	CLR:00	10.00		84	28.9	74	23.2	69	20.6	61	9	200		29.06			30.00	FM-15	0.00	30.03
21	2053	7	CLR:00	10.00		83	28.3	74	23.4	70	21.1	65	5	190		29.08			30.02	FM-15	0.00	30.05
21	2153	7	CLR:00	10.00		79	26.1	72	22.4	69	20.6	72	5	230		29.10	5	+0.01	30.04	FM-15	0.00	30.07
21	2253	7	CLR:00	10.00		78	25.6	73	22.6	70	21.1	76	6	240		29.09			30.03	FM-15	0.00	30.06
21	2353	7	CLR:00	10.00		74	23.3	71	21.9	70	21.1	88	8	270		29.11			30.06	FM-15	0.00	30.08
22	0053	7	CLR:00	10.00		73	22.8	70	21.3	69	20.6	87	5	220		29.10	0	-0.01	30.05	FM-15	0.00	30.07
22	0153	7	CLR:00	10.00		71	21.7	69	20.6	68	20.0	90	0	000		29.09			30.04	FM-15	0.00	30.06
22	0253	7	CLR:00	10.00		72	22.2	69	20.8	68	20.0	87	3	140		29.08			30.02	FM-15	0.00	30.05
22	0353	7	CLR:00	10.00		73	22.8	70	21.0	68	20.0	84	7	190		29.06	8	+0.04	30.01	FM-15	0.00	30.03
22	0453	7	CLR:00	10.00		72	22.2	69	20.8	68	20.0	87	6	200		29.06			30.00	FM-15	0.00	30.03
22	0553	7	CLR:00	10.00		72	22.2	69	20.4	67	19.4	84	3	190		29.06			30.01	FM-15	0.00	30.03
22	0653	7	SCT:04 100	10.00		76	24.4	71	21.9	69	20.6	79	6	230		29.07	3	-0.01	30.01	FM-15	0.00	30.04
22	0753	7	BKN:07 100	10.00		80	26.7	74	23.6	72	22.2	76	3	220		29.07			30.01	FM-15	0.00	30.04
22	0853	7	FEW:02 24 BKN:07 35 BKN:07 50	8.00		80	26.7	76	24.3	74	23.3	82	9	300		29.09			30.03	FM-15	0.00	30.06
22	0903	7	FEW:02 21 BKN:07 29 OVC:08 50	9.00	VCTS:7 ||	79	26.1	75	23.8	73	22.8	82	18	330	23	29.10				FM-16		30.07
22	0908	7	FEW:02 21 BKN:07 39 OVC:08 55	10.00	TS:7 -RA:02 |RA TS TS |	78	25.6	74	23.3	72	22.2	82	18	330	25	29.09				FM-16	T	30.06
22	0914	7	SCT:04 21 BKN:07 29 OVC:08 55	1.50	TS:7 +RA:02 BR:1 |RA TS |	74	23.3	71	21.9	70	21.1	88	17	330	25	29.10				FM-16	T	30.07
22	0922	7	BKN:07 20 BKN:07 26 OVC:08 55	0.50	TS:7 +RA:02 FG:2 |FG RA TS |	73	22.8	72	22.0	71	21.7	94	11	330	31	29.09				FM-16		30.06
22	0928	7	BKN:07 26 BKN:07 41 OVC:08 100	2.50	TS:7 -RA:02 BR:1 |RA TS |	73	22.8	72	22.0	71	21.7	94	6	290		29.10				FM-16		30.07
22	0935	7	SCT:04 22 BKN:07 80 OVC:08 100	10.00	TS:7 -RA:02 |RA TS TS |	73	22.8	72	22.4	72	22.2	96	0	000		29.10				FM-16		30.07
22	0953	7	FEW:02 80 BKN:07 110	9.00	TS:7 -RA:02 |RA TS TS |	74	23.3	73	22.6	72	22.2	94	9	160		29.10	3	-0.03	30.04	FM-15	T	30.07
22	1015	7	BKN:07 110	5.00	-RA:02 BR:1 |RA |	74	23.3	73	22.6	72	22.2	94	10	210		29.07				FM-16		30.04
22	1053	7	FEW:02 100 BKN:07 120	7.00	-RA:02 |RA |	74	23.3	73	23.0	73	22.8	97	13	170		29.09			30.03	FM-15		30.06
22	1118	7	FEW:02 8 FEW:02 120	9.00		74	23.3	73	23.0	73	22.8	97	10	180		29.10				FM-16		30.07
22	1153	7	FEW:02 37 SCT:04 45 BKN:07 65	10.00	-RA:02 |RA |	74	23.3	72	22.2	71	21.7	91	14	210		29.11			30.06	FM-15		30.08
22	1253	7	FEW:02 85	10.00		76	24.4	73	22.9	72	22.2	88	7	180		29.10	3	-0.01	30.05	FM-15	0.42	30.07
22	1353	7	CLR:00	10.00		79	26.1	74	23.1	71	21.7	77	7	220		29.08			30.03	FM-15	0.00	30.05
22	1453	7	CLR:00	10.00		86	30.0	74	23.5	69	20.6	57	9	250		29.04			29.98	FM-15	0.00	30.01

22	1553	7	CLR:00	10.00		85	29.4	76	24.4	72	22.2	65	10	260		29.05	5	+0.05	29.99	FM-15	0.00	30.02
22	1653	7	SCT:04 33	10.00		86	30.0	76	24.5	72	22.2	63	10	240		29.04			29.98	FM-15	0.00	30.01
22	1753	7	CLR:00	10.00		84	28.9	75	23.9	71	21.7	65	9	230		29.02			29.97	FM-15	0.00	29.99
22	1853	7	CLR:00	10.00		83	28.3	75	23.7	71	21.7	67	7	230		29.02	5	+0.03	29.96	FM-15	0.00	29.99
22	1953	7	CLR:00	10.00		80	26.7	74	23.6	72	22.2	76	8	220		29.02			29.96	FM-15	0.00	29.99
22	2053	7	CLR:00	10.00		78	25.6	74	23.3	72	22.2	82	6	200		29.03			29.98	FM-15	0.00	30.00
22	2153	7	CLR:00	10.00		77	25.0	74	23.5	73	22.8	88	7	210		29.05	3	-0.03	30.00	FM-15	0.00	30.02
22	2253	7	CLR:00	10.00		76	24.4	74	23.3	73	22.8	91	6	230		29.06			30.01	FM-15	0.00	30.03
22	2353	7	CLR:00	10.00		76	24.4	73	22.9	72	22.2	88	7	240		29.06			30.01	FM-15	0.00	30.03
23	0053	7	CLR:00	10.00		75	23.9	72	22.4	71	21.7	88	6	240		29.05	8	+0.00	30.00	FM-15	0.00	30.02
23	0153	7	CLR:00	9.00		74	23.3	72	22.2	71	21.7	91	6	250		29.04			29.99	FM-15	0.00	30.01
23	0253	7	CLR:00	7.00		72	22.2	71	21.5	70	21.1	94	3	290		29.04			29.98	FM-15	0.00	30.01
23	0353	7	CLR:00	7.00		73	22.8	72	22.0	71	21.7	94	0	000		29.04	5	+0.01	29.99	FM-15	0.00	30.01
23	0453	7	CLR:00	4.00	BR:1 ||	70	21.1	70	21.1	70	21.1	100	0	000		29.05			30.00	FM-15	0.00	30.02
23	0456	7	CLR:00	1.50	BR:1 ||	70	21.1	70	21.1	70	21.1	100	0	000		29.05				FM-16		30.02
23	0513	7	CLR:00	2.50	BR:1 ||	71	21.7	70	21.3	70	21.1	96	0	000		29.05				FM-16		30.02
23	0520	7	CLR:00	3.00	BR:1 ||	70	21.1	69	20.7	69	20.6	97	0	000		29.05				FM-16		30.02
23	0553	7	CLR:00	5.00	BR:1 ||	71	21.7	71	21.7	71	21.7	100	3	210		29.05			30.00	FM-15	0.00	30.02
23	0609	7	CLR:00	5.00	BR:1 ||	72	22.2	71	21.9	71	21.7	97	3	200		29.06				FM-16		30.03
23	0653	7	CLR:00	5.00	BR:1 ||	74	23.3	73	22.6	72	22.2	94	0	000		29.05	0	-0.00	29.99	FM-15	0.00	30.02
23	0753	7	CLR:00	5.00	HZ:7 |FU |HZ	78	25.6	75	23.6	73	22.8	85	0	000		29.06			30.00	FM-15	0.00	30.03
23	0853	7	CLR:00	10.00		83	28.3	76	24.4	73	22.8	72	0	000		29.06			30.00	FM-15	0.00	30.03
23	0953	7	SCT:04 33	10.00		85	29.4	76	24.4	72	22.2	65	0	000		29.05	0	-0.01	30.00	FM-15	0.00	30.02
23	1053	7	SCT:04 33	10.00		88	31.1	76	24.5	71	21.7	57	5	VRB		29.05			29.99	FM-15	0.00	30.02
23	1153	7	FEW:02 41	10.00		87	30.6	76	24.4	71	21.7	59	7	VRB		29.04			29.98	FM-15	0.00	30.01
23	1253	7	BKN:07 44	10.00		88	31.1	77	24.8	72	22.2	59	8	270		29.04	6	+0.02	29.98	FM-15	0.00	30.01
23	1353	7	SCT:04 48	10.00		90	32.2	78	25.5	73	22.8	58	10	240		29.03			29.97	FM-15	0.00	30.00
23	1453	7	SCT:04 45	10.00		90	32.2	77	25.1	72	22.2	56	9	290		29.02			29.96	FM-15	0.00	29.99
23	1553	7	FEW:02 42	10.00		90	32.2	78	25.5	73	22.8	58	8	260	17	29.01	8	+0.02	29.95	FM-15	0.00	29.98
23	1653	7	FEW:02 47	10.00		89	31.7	76	24.6	71	21.7	55	8	290		29.00			29.94	FM-15	0.00	29.97
23	1753	7	CLR:00	10.00		89	31.7	76	24.6	71	21.7	55	5	290		28.99			29.93	FM-15	0.00	29.96
23	1853	7	CLR:00	10.00		87	30.6	76	24.3	71	21.7	59	3	320		29.00	5	+0.01	29.94	FM-15	0.00	29.97
23	1953	7	CLR:00	10.00		85	29.4	75	23.7	70	21.1	61	0	000		29.00			29.94	FM-15	0.00	29.97
23	2053	7	CLR:00	10.00		83	28.3	75	23.7	71	21.7	67	3	240		29.02			29.96	FM-15	0.00	29.99
23	2153	7	CLR:00	10.00		81	27.2	75	23.8	72	22.2	74	0	000		29.04	3	-0.04	29.98	FM-15	0.00	30.01
23	2253	7	CLR:00	10.00		78	25.6	74	23.3	72	22.2	82	0	000		29.04			29.98	FM-15	0.00	30.01
23	2353	7	CLR:00	10.00		79	26.1	74	23.4	72	22.2	79	0	000		29.03			29.97	FM-15	0.00	30.00
24	0053	7	CLR:00	10.00		77	25.0	74	23.5	73	22.8	88	0	000		29.03	5	+0.01	29.97	FM-15	0.00	30.00
24	0153	7	CLR:00	10.00		76	24.4	73	22.9	72	22.2	88	0	000		29.03			29.97	FM-15	0.00	30.00
24	0253	7	CLR:00	10.00		75	23.9	73	22.8	72	22.2	90	0	000		29.02			29.96	FM-15	0.00	29.99
24	0353	7	CLR:00	10.00		75	23.9	73	22.8	72	22.2	90	3	190		29.02	8	+0.01	29.96	FM-15	0.00	29.99
24	0453	7	CLR:00	9.00		72	22.2	71	21.9	71	21.7	97	0	000		29.03			29.98	FM-15	0.00	30.00
24	0553	7	FEW:02 47	10.00		74	23.3	73	22.6	72	22.2	94	3	110		29.03			29.97	FM-15	0.00	30.00
24	0653	7	FEW:02 47	10.00		78	25.6	75	24.0	74	23.3	87	0	000		29.03	0	-0.01	29.97	FM-15	0.00	30.00
24	0753	7	FEW:02 55	9.00		82	27.8	77	25.0	75	23.9	79	6	230		29.04			29.98	FM-15	0.00	30.01
24	0853	7	CLR:00	10.00		85	29.4	78	25.5	75	23.9	72	8	250		29.05			29.99	FM-15	0.00	30.02
24	0953	7	CLR:00	10.00		88	31.1	78	25.6	74	23.3	63	10	240		29.05	1	-0.02	29.99	FM-15	0.00	30.02
24	1053	7	SCT:04 120	10.00		86	30.0	77	25.3	74	23.3	67	9	250		29.05			29.99	FM-15	0.00	30.02
24	1153	7	SCT:04 120	10.00		89	31.7	78	25.3	73	22.8	59	13	240		29.04			29.98	FM-15	0.00	30.01
24	1253	7	FEW:02 41 SCT:04 60	10.00		90	32.2	79	25.8	74	23.3	59	11	270		29.03	8	+0.02	29.98	FM-15	0.00	30.00
24	1353	7	FEW:02 44 FEW:02 120	10.00		93	33.9	79	26.3	74	23.3	54	9	240		29.03			29.97	FM-15	0.00	30.00
24	1453	7	SCT:04 47	10.00		83	28.3	76	24.4	73	22.8	72	18	350	26	29.04			29.99	FM-15	0.00	30.01
24	1458	7	FEW:02 47	10.00	VCTS:7 ||	82	27.8	75	23.9	72	22.2	72	14	350	26	29.05				FM-16		30.02
24	1553	7	FEW:02 70 SCT:04 90 BKN:07 110	10.00	VCTS:7 -RA:02 |RA |	77	25.0	74	23.5	73	22.8	88	7	020		29.04	3	-0.00	29.98	FM-15	T	30.01

24	1601	7	FEW:02 70 FEW:02 90 BKN:07 110	10.00	-RA:02 |RA |	78	25.6	75	23.6	73	22.8	85	8	010		29.03				FM-16	T	30.00
24	1653	7	CLR:00	10.00		82	27.8	76	24.3	73	22.8	74	6	040		29.01			29.95	FM-15	T	29.98
24	1753	7	CLR:00	10.00		84	28.9	76	24.6	73	22.8	70	0	000		29.01			29.95	FM-15	0.00	29.98
24	1853	7	CLR:00	10.00		85	29.4	77	24.7	73	22.8	68	6	180		29.00	6	+0.04	29.94	FM-15	0.00	29.97
24	1953	7	CLR:00	10.00		84	28.9	76	24.6	73	22.8	70	3	180		29.00			29.94	FM-15	0.00	29.97
24	2053	7	CLR:00	10.00		83	28.3	76	24.4	73	22.8	72	6	150		29.00			29.94	FM-15	0.00	29.97
24	2153	7	CLR:00	10.00		80	26.7	75	24.0	73	22.8	79	0	000		29.02	3	-0.01	29.96	FM-15	0.00	29.99
24	2253	7	CLR:00	10.00		80	26.7	75	24.0	73	22.8	79	5	150		29.01			29.95	FM-15	0.00	29.98
24	2353	7	CLR:00	10.00		78	25.6	75	23.6	73	22.8	85	5	170		29.01			29.95	FM-15	0.00	29.98
25	0053	7	CLR:00	10.00		76	24.4	74	23.3	73	22.8	91	3	210		29.01	5	+0.00	29.95	FM-15	0.00	29.98
25	0153	7	CLR:00	10.00		77	25.0	74	23.5	73	22.8	88	0	000		29.01			29.96	FM-15	0.00	29.98
25	0253	7	CLR:00	10.00		78	25.6	75	24.0	74	23.3	87	6	220		29.00			29.95	FM-15	0.00	29.97
25	0353	7	CLR:00	9.00		78	25.6	75	24.0	74	23.3	87	6	210		29.00	8	+0.01	29.94	FM-15	0.00	29.97
25	0453	7	CLR:00	8.00		78	25.6	75	24.0	74	23.3	87	7	190		28.99			29.94	FM-15	0.00	29.96
25	0553	7	CLR:00	5.00	BR:1 ||	78	25.6	76	24.4	75	23.9	90	6	220		29.01			29.95	FM-15	0.00	29.98
25	0653	7	CLR:00	7.00		80	26.7	76	24.7	75	23.9	85	8	230		29.01	3	-0.01	29.95	FM-15	0.00	29.98
25	0753	7	CLR:00	10.00		82	27.8	76	24.7	74	23.3	77	15	270		29.02			29.96	FM-15	0.00	29.99
25	0853	7	CLR:00	10.00		84	28.9	77	25.0	74	23.3	72	8	270		29.01			29.96	FM-15	0.00	29.98
25	0953	7	CLR:00	10.00		86	30.0	76	24.5	72	22.2	63	10	280		29.03	3	-0.02	29.97	FM-15	0.00	30.00
25	1053	7	CLR:00	10.00		87	30.6	76	24.4	71	21.7	59	8	280		29.03			29.97	FM-15	0.00	30.00
25	1153	7	FEW:02 65	10.00		89	31.7	76	24.3	70	21.1	53	11	270		29.03			29.97	FM-15	0.00	30.00
25	1253	7	CLR:00	10.00		90	32.2	75	24.1	69	20.6	50	14	290		29.02	8	+0.01	29.96	FM-15	0.00	29.99
25	1353	7	FEW:02 47	10.00		89	31.7	76	24.3	70	21.1	53	13	290		29.01			29.95	FM-15	0.00	29.98
25	1433	7	SCT:04 49	10.00		88	31.1	77	25.2	73	22.8	61	16	330		29.00				FM-16		29.97
25	1453	7	FEW:02 48	10.00		89	31.7	76	24.6	71	21.7	55	8	360		28.99			29.93	FM-15	0.00	29.96
25	1553	7	CLR:00	10.00		89	31.7	76	24.3	70	21.1	53	6	280		28.99	6	+0.04	29.93	FM-15	0.00	29.96
25	1653	7	CLR:00	10.00		89	31.7	75	24.0	69	20.6	52	8	340		28.98			29.91	FM-15	0.00	29.95
25	1753	7	CLR:00	10.00		85	29.4	75	23.7	70	21.1	61	5	010		28.98			29.92	FM-15	0.00	29.95
25	1853	7	CLR:00	10.00		86	30.0	75	23.9	70	21.1	59	0	000		28.99	3	-0.00	29.93	FM-15	0.00	29.96
25	1953	7	CLR:00	10.00		83	28.3	73	22.7	68	20.0	61	5	290		29.00			29.94	FM-15	0.00	29.97
25	2053	7	CLR:00	10.00		79	26.1	72	22.4	69	20.6	72	6	270		29.02			29.96	FM-15	0.00	29.99
25	2153	7	CLR:00	10.00		79	26.1	72	22.4	69	20.6	72	5	300		29.02	1	-0.04	29.96	FM-15	0.00	29.99
25	2253	7	CLR:00	10.00		79	26.1	73	22.7	70	21.1	74	6	320		29.02			29.96	FM-15	0.00	29.99
25	2353	7	CLR:00	10.00		77	25.0	72	22.4	70	21.1	79	6	320		29.02			29.96	FM-15	0.00	29.99
26	0053	7	CLR:00	10.00		77	25.0	72	22.4	70	21.1	79	6	320		29.02	1	-0.00	29.96	FM-15	0.00	29.99
26	0153	7	CLR:00	10.00		76	24.4	72	22.2	70	21.1	82	7	320		29.04			29.98	FM-15	0.00	30.01
26	0253	7	CLR:00	10.00		75	23.9	71	21.7	69	20.6	82	6	330		29.04			29.98	FM-15	0.00	30.01
26	0353	7	CLR:00	10.00		74	23.3	70	21.1	68	20.0	82	8	350		29.04	1	-0.01	29.98	FM-15	0.00	30.01
26	0453	7	CLR:00	10.00		74	23.3	70	21.1	68	20.0	82	3	330		29.06			30.00	FM-15	0.00	30.03
26	0553	7	CLR:00	10.00		73	22.8	70	21.0	68	20.0	84	5	360		29.07			30.02	FM-15	0.00	30.04
26	0653	7	CLR:00	10.00		75	23.9	70	21.3	68	20.0	79	7	010		29.08	1	-0.04	30.03	FM-15	0.00	30.05
26	0753	7	CLR:00	10.00		78	25.6	72	22.2	69	20.6	74	5	050		29.08			30.02	FM-15	0.00	30.05
26	0853	7	CLR:00	10.00		81	27.2	73	22.7	69	20.6	67	5	VRB		29.07			30.02	FM-15	0.00	30.04
26	0953	7	CLR:00	10.00		84	28.9	73	22.9	68	20.0	59	3	080		29.08	5	+0.00	30.02	FM-15	0.00	30.05
26	1053	7	FEW:02 44	10.00		85	29.4	73	23.0	68	20.0	57	5	140		29.08			30.02	FM-15	0.00	30.05
26	1153	7	SCT:04 47	10.00		85	29.4	73	22.7	67	19.4	55	3	050		29.08			30.02	FM-15	0.00	30.05
26	1253	7	FEW:02 45	10.00		87	30.6	74	23.3	68	20.0	53	0	000		29.06	8	+0.02	30.00	FM-15	0.00	30.03
26	1353	7	FEW:02 49 FEW:02 65	10.00		87	30.6	73	23.0	67	19.4	51	5	010		29.04			29.98	FM-15	0.00	30.01
26	1453	7	CLR:00	10.00		86	30.0	73	22.5	66	18.9	51	0	000		29.04			29.98	FM-15	0.00	30.01
26	1553	7	SCT:04 49	10.00		86	30.0	74	23.2	68	20.0	55	8	020		29.01	8	+0.04	29.96	FM-15	0.00	29.98
26	1653	7	OVC:08 48	10.00		84	28.9	74	23.2	69	20.6	61	3	020		29.02			29.97	FM-15	0.00	29.99
26	1753	7	SCT:04 48 OVC:08 110	10.00	-RA:02 |RA |	81	27.2	72	22.4	68	20.0	65	7	320		29.01			29.96	FM-15	T	29.98
26	1853	7	FEW:02 45	10.00		81	27.2	72	22.4	68	20.0	65	5	330		29.02	3	-0.01	29.97	FM-15	T	29.99
26	1953	7	SCT:04 42	10.00		79	26.1	72	22.0	68	20.0	69	3	330		29.03			29.98	FM-15	0.00	30.00

26	2053	7	CLR:00	10.00		78	25.6	72	22.2	69	20.6	74	3	240		29.04			29.99	FM-15	0.00	30.01
26	2153	7	SCT:04 110	10.00		76	24.4	71	21.9	69	20.6	79	5	300		29.04	1	-0.02	29.99	FM-15	0.00	30.01
26	2253	7	FEW:02 46 BKN:07 120	10.00		76	24.4	72	22.2	70	21.1	82	5	360		29.04			29.98	FM-15	0.00	30.01
26	2353	7	BKN:07 50	10.00		76	24.4	69	20.8	66	18.9	72	8	030		29.04			29.98	FM-15	0.00	30.01
27	0053	7	OVC:08 50	10.00		75	23.9	67	19.6	63	17.2	66	5	090		29.04	5	+0.00	29.99	FM-15	0.00	30.01
27	0153	7	OVC:08 50	10.00		74	23.3	68	20.1	65	18.3	74	5	070		29.03			29.98	FM-15	0.00	30.00
27	0253	7	FEW:02 46 BKN:07 55	10.00		74	23.3	66	19.1	62	16.7	67	5	070		29.03			29.97	FM-15	0.00	30.00
27	0353	7	BKN:07 55	10.00		72	22.2	66	19.1	63	17.2	73	5	040		29.03	5	+0.01	29.97	FM-15	0.00	30.00
27	0453	7	OVC:08 55	10.00		72	22.2	66	19.1	63	17.2	73	5	040		29.04			29.98	FM-15	0.00	30.01
27	0553	7	CLR:00	10.00		72	22.2	66	18.7	62	16.7	71	0	000		29.04			29.99	FM-15	0.00	30.01
27	0644	7	CLR:00	2.50	HZ:7 |FU |HZ	74	23.3	68	19.8	64	17.8	71	0	000		29.06				FM-16		30.03
27	0651	6	FEW:02 42	10.00		75	24.0	68	20.0	64	18.0	69	0	000		29.06				FM-16		30.03
27	0653	7	SCT:04 42	10.00		75	23.9	68	20.0	64	17.8	69	0	000		29.06	3	-0.03	30.01	FM-15	0.00	30.03
27	0753	7	BKN:07 42 BKN:07 50	10.00		76	24.4	68	20.2	64	17.8	67	0	000		29.07			30.01	FM-15	0.00	30.04
27	0853	7	FEW:02 50	10.00		79	26.1	70	21.4	66	18.9	65	3	030		29.06			30.00	FM-15	0.00	30.03
27	0953	7	CLR:00	10.00		84	28.9	72	22.2	66	18.9	55	0	000		29.04	8	+0.02	29.99	FM-15	0.00	30.01
27	1053	7	CLR:00	10.00		85	29.4	72	22.1	65	18.3	51	0	000		29.04			29.98	FM-15	0.00	30.01
27	1153	7	BKN:07 50 BKN:07 65	10.00		86	30.0	72	22.2	65	18.3	49	5	070		29.04			29.99	FM-15	0.00	30.01
27	1253	7	FEW:02 70	10.00		87	30.6	72	22.1	64	17.8	46	0	000		29.03	8	+0.02	29.97	FM-15	0.00	30.00
27	1353	7	SCT:04 55	10.00		87	30.6	72	22.4	65	18.3	48	8	280		29.01			29.96	FM-15	0.00	29.98
27	1453	7	FEW:02 60	10.00		90	32.2	73	22.8	65	18.3	44	6	290		28.99			29.93	FM-15	0.00	29.96
27	1553	7	BKN:07 65 BKN:07 75	10.00		88	31.1	73	22.5	65	18.3	46	3	350		28.98	8	+0.05	29.92	FM-15	0.00	29.95
27	1653	7	BKN:07 60 BKN:07 75	10.00		88	31.1	73	22.5	65	18.3	46	5	080		28.96			29.91	FM-15	0.00	29.93
27	1753	7	SCT:04 65 BKN:07 80	10.00		88	31.1	74	23.2	67	19.4	50	7	080		28.96			29.91	FM-15	0.00	29.93
27	1853	7	BKN:07 55 OVC:08 70	10.00		86	30.0	74	23.2	68	20.0	55	5	020		28.96	6	+0.01	29.90	FM-15	0.00	29.93
27	1953	7	BKN:07 55 BKN:07 75	10.00		81	27.2	71	21.7	66	18.9	61	5	020		28.96			29.90	FM-15	0.00	29.93
27	2053	7	FEW:02 45	10.00		79	26.1	70	21.4	66	18.9	65	0	000		28.97			29.91	FM-15	0.00	29.94
27	2153	7	CLR:00	10.00		80	26.7	71	21.5	66	18.9	62	0	000		28.98	3	-0.02	29.92	FM-15	0.00	29.95
27	2253	7	CLR:00	10.00		79	26.1	70	21.0	65	18.3	62	0	000		28.98			29.92	FM-15	0.00	29.95
27	2353	7	CLR:00	10.00		77	25.0	71	21.7	68	20.0	74	0	000		28.98			29.92	FM-15	0.00	29.95
28	0053	7	FEW:02 110	10.00		77	25.0	70	21.3	67	19.4	71	3	050		28.96	8	+0.02	29.90	FM-15	0.00	29.93
28	0153	7	FEW:02 70	10.00		76	24.4	71	21.5	68	20.0	77	3	060		28.96			29.90	FM-15	0.00	29.93
28	0253	7	FEW:02 120	10.00	-RA:02 |RA |	75	23.9	69	20.6	66	18.9	74	5	070		28.93			29.88	FM-15	T	29.90
28	0353	7	FEW:02 120	10.00		74	23.3	69	20.4	66	18.9	76	3	040		28.93	8	+0.03	29.87	FM-15	T	29.90
28	0453	7	FEW:02 100 SCT:04 120	10.00		75	23.9	69	20.3	65	18.3	71	5	080		28.92			29.86	FM-15	0.00	29.89
28	0553	7	FEW:02 80 BKN:07 110	10.00		74	23.3	70	21.1	68	20.0	82	0	000		28.93			29.87	FM-15	T	29.90
28	0653	7	SCT:04 48 OVC:08 100	8.00		76	24.4	73	22.9	72	22.2	88	11	210		28.96	3	-0.03	29.90	FM-15	0.00	29.93
28	0753	7	BKN:07 48 OVC:08 85	10.00		74	23.3	71	21.8	70	21.1	88	7	230		28.97			29.91	FM-15	T	29.94
28	0853	7	FEW:02 36 SCT:04 46 OVC:08 65	10.00		74	23.3	71	21.8	70	21.1	88	7	240		28.95			29.90	FM-15	T	29.92
28	0953	7	FEW:02 70 BKN:07 100	10.00		77	25.0	72	22.4	70	21.1	79	5	260		28.93	8	+0.02	29.88	FM-15	0.00	29.90
28	1053	7	SCT:04 50 BKN:07 70	10.00		79	26.1	73	22.7	70	21.1	74	10	250		28.95			29.89	FM-15	0.00	29.92
28	1153	7	FEW:02 42 SCT:04 49 OVC:08 70	10.00	-RA:02 |RA |	77	25.0	74	23.1	72	22.2	85	9	180		28.94			29.89	FM-15	T	29.91

28	1253	7	OVC:08 70	10.00		77	25.0	73	22.7	71	21.7	82	5	180		28.93	8	+0.00	29.88	FM-15	T	29.90
28	1353	7	FEW:02 16 OVC:08 85	10.00		79	26.1	74	23.1	71	21.7	77	5	190		28.91			29.86	FM-15	0.00	29.88
28	1453	7	SCT:04 21 BKN:07 90	10.00		81	27.2	73	23.1	70	21.1	69	0	000		28.90			29.85	FM-15	0.00	29.87
28	1553	7	SCT:04 29 BKN:07 36 OVC:08 95	10.00		83	28.3	75	23.7	71	21.7	67	0	000		28.90	6	+0.04	29.83	FM-15	0.00	29.86
28	1653	7	SCT:04 33	10.00		81	27.2	74	23.4	71	21.7	72	3	VRB		28.90			29.83	FM-15	0.00	29.86
28	1751	7	BKN:07 36 BKN:07 50 OVC:08 90	10.00	TS:7 -RA:02 |RA TS TS |	81	27.0	75	23.8	72	22.0	74	6	090		28.90				FM-16	T	29.87
28	1753	7	SCT:04 32 BKN:07 39 OVC:08 90	10.00	TS:7 -RA:02 |RA TS TS |	80	26.7	74	23.2	71	21.7	74	5	080		28.90			29.85	FM-15	T	29.87
28	1815	7	BKN:07 27 BKN:07 33 OVC:08 40	5.00	TS:7 -RA:02 BR:1 |RA TS |	76	24.4	74	23.3	73	22.8	91	13	210		28.91				FM-16	T	29.88
28	1825	7	BKN:07 27 OVC:08 34	1.50	TS:7 RA:02 BR:1 |RA TS |	74	23.3	73	22.6	72	22.2	94	11	200		28.92				FM-16	0.11	29.89
28	1831	7	SCT:04 23 OVC:08 30	0.50	TS:7 +RA:02 FG:2 |FG RA TS |	73	22.8	72	22.4	72	22.2	96	13	160		28.92				FM-16	0.27	29.89
28	1838	7	SCT:04 23 BKN:07 28 OVC:08 35	0.75	TS:7 +RA:02 BR:1 |RA TS |	72	22.2	71	21.9	71	21.7	97	14	190		28.92				FM-16	0.33	29.89
28	1842	7	SCT:04 23 BKN:07 30 OVC:08 35	1.50	TS:7 RA:02 BR:1 |RA TS |	72	22.2	71	21.5	70	21.1	94	11	180		28.92				FM-16	0.33	29.89
28	1845	7	SCT:04 21 BKN:07 29 OVC:08 120	3.00	TS:7 -RA:02 BR:1 |RA TS |	72	22.2	71	21.5	70	21.1	94	14	180		28.92				FM-16	0.33	29.89
28	1851	6	FEW:02 21 SCT:04 29 BKN:07 37	10.00	TS:7 -RA:02 |RA TS |	72	22.0	71	21.5	70	21.0	94	10	190		28.92				FM-16		29.89
28	1853	7	FEW:02 21 SCT:04 29 BKN:07 37	10.00	TS:7 -RA:02 |RA TS TS |	72	22.2	71	21.5	70	21.1	94	8	190		28.92	3	-0.03	29.87	FM-15	0.33	29.89
28	1900	7	FEW:02 21 SCT:04 33 BKN:07 120	10.00	VCTS:7 ||	72	22.2	71	21.5	70	21.1	94	8	190		28.92				FM-16	T	29.89
28	1928	7	FEW:02 120	10.00		72	22.2	70	21.1	69	20.6	91	0	000		28.93				FM-16	T	29.90
28	1953	7	CLR:00	10.00		72	22.2	71	21.5	70	21.1	94	3	210		28.93			29.88	FM-15	0.00	29.90
28	2053	7	CLR:00	6.00	BR:1 ||	70	21.1	69	20.7	69	20.6	97	0	000		28.93			29.88	FM-15	0.00	29.90
28	2124	7	CLR:00	1.75	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		28.93				FM-16		29.90
28	2137	7	CLR:00	2.00V	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		28.94				FM-16		29.91
28	2151	6	CLR:00	1.00V	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		28.94				FM-16		29.91
28	2153	7	CLR:00	0.75V	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		28.94	3	-0.02	29.89	FM-15	0.00	29.91
28	2202	7	CLR:00	2.50V	BR:1 ||	69	20.6	68	20.2	68	20.0	96	0	000		28.95				FM-16		29.92
28	2209	7	CLR:00	5.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		28.94				FM-16		29.91
28	2217	7	CLR:00	1.75	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		28.95				FM-16		29.92
28	2227	7	CLR:00	0.50	FG:2 |FG |	68	20.0	68	20.0	68	20.0	100	0	000		28.95				FM-16		29.92
28	2250	7	CLR:00	1.00	BR:1 ||	70	21.0	70	21.1	70	21.0	100	0	000		28.95				FM-16		29.92
28	2251	6	CLR:00	0.75	BR:1 ||	70	21.0	70	21.1	70	21.0	100	0	000		28.95				FM-16		29.92
28	2253	7	CLR:00	0.75	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		28.95			29.90	FM-15	0.00	29.92
28	2321	7	VV:09 2	0.25	FG:2 |FG |	68	20.0	68	20.0	68	20.0	100	0	000		28.95				FM-16		29.92
28	2331	7	VV:09 2	1.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		28.95				FM-16		29.92
28	2333	7	FEW:02 2	2.50	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		28.95				FM-16		29.92
28	2340	7	FEW:02 2	7.00		69	20.6	69	20.6	69	20.6	100	0	000		28.94				FM-16		29.91
28	2353	7	CLR:00	9.00		68	20.0	68	20.0	68	20.0	100	0	000		28.93			29.88	FM-15	0.00	29.90
29	0028	7	CLR:00	2.50	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		28.94				FM-16		29.91
29	0038	7	CLR:00	3.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	0	000		28.94				FM-16		29.91
29	0053	7	CLR:00	2.50V	BR:1 ||	67	19.4	67	19.4	67	19.4	100	0	000		28.94	5	+0.00	29.90	FM-15	0.00	29.91

29	0103	7	CLR:00	1.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	0	000		28.95				FM-16		29.92
29	0116	7	CLR:00	0.25	FG:2 |FG |	67	19.4	67	19.4	67	19.4	100	0	000		28.95				FM-16		29.92
29	0149	7	VV:09 2	0.25	FG:2 |FG |	66	19.0	66	18.9	66	19.0	100	0	000		28.95				FM-16		29.92
29	0153	7	CLR:00	0.25	FG:2 |FG |	68	20.0	68	20.0	68	20.0	100	0	000		28.95			29.90	FM-15	0.00	29.92
29	0209	7	CLR:00	0.75	BR:1 ||	68	20.0	67	19.6	67	19.4	96	0	000		28.94				FM-16		29.91
29	0220	7	CLR:00	2.00	BR:1 ||	68	20.0	67	19.6	67	19.4	96	3	110		28.94				FM-16		29.91
29	0228	7	CLR:00	0.75	BR:1 ||	68	20.0	67	19.6	67	19.4	96	0	000		28.94				FM-16		29.91
29	0241	7	VV:09 2	0.25	FG:2 |FG |	66	18.9	66	18.9	66	18.9	100	0	000		28.94				FM-16		29.91
29	0251	6	VV:09 2	0.50	FG:2 |FG |	66	19.0	66	18.9	66	19.0	100	0	000		28.94				FM-16		29.91
29	0253	7	VV:09 2	0.75	BR:1 ||	66	18.9	66	18.9	66	18.9	100	0	000		28.94			29.89	FM-15	0.00	29.91
29	0302	7	VV:09 2	0.25	FG:2 |FG |	66	18.9	66	18.9	66	18.9	100	0	000		28.94				FM-16		29.91
29	0327	7	VV:09 2	0.50	FG:2 |FG |	66	18.9	66	18.9	66	18.9	100	0	000		28.95				FM-16		29.92
29	0337	7	VV:09 1	0.50	FG:2 |FG |	68	20.0	68	20.0	68	20.0	100	0	000		28.95				FM-16		29.92
29	0349	7	VV:09 1	0.25	FG:2 |FG |	68	20.0	68	20.0	68	20.0	100	0	000		28.95				FM-16		29.92
29	0353	7	VV:09 1	0.25	FG:2 |FG |	68	20.0	68	20.0	68	20.0	100	3	160		28.95	3	-0.00	29.90	FM-15	0.00	29.92
29	0405	7	VV:09 1	1.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	0	000		28.95				FM-16		29.92
29	0411	7	VV:09 2	0.50	FG:2 |FG |	67	19.4	67	19.4	67	19.4	100	0	000		28.95				FM-16		29.92
29	0418	7	VV:09 1	0.25	FG:2 |FG |	66	18.9	66	18.9	66	18.9	100	0	000		28.95				FM-16		29.92
29	0427	7	VV:09 2	0.25	FG:2 |FG |	66	18.9	66	18.9	66	18.9	100	3	050		28.95				FM-16		29.92
29	0437	7	VV:09 1	0.25	FG:2 |FG |	66	18.9	66	18.9	66	18.9	100	5	050		28.95				FM-16		29.92
29	0446	7	VV:09 1	0.75	BR:1 ||	66	18.9	66	18.9	66	18.9	100	0	000		28.95				FM-16		29.92
29	0448	7	VV:09 2	1.00	BR:1 ||	66	19.0	66	18.9	66	19.0	100	0	000		28.96				FM-16		29.93
29	0451	6	VV:09 1	1.00	BR:1 ||	66	19.0	66	18.9	66	19.0	100	0	000		28.96				FM-16		29.93
29	0453	7	VV:09 2	0.75	BR:1 ||	67	19.4	67	19.4	67	19.4	100	0	000		28.96			29.91	FM-15	0.00	29.93
29	0502	7	VV:09 1	0.25	FG:2 |FG |	67	19.4	67	19.4	67	19.4	100	3	130		28.96				FM-16		29.93
29	0553	7	VV:09 1	0.00	FG:2 |FG |	67	19.4	67	19.4	67	19.4	100	0	000		28.96			29.91	FM-15	0.00	29.93
29	0617	7	VV:09 2	0.00	FG:2 |FG |	67	19.4	67	19.4	67	19.4	100	0	000		28.98				FM-16		29.95
29	0633	7	VV:09 2	1.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		28.98				FM-16		29.95
29	0640	7	FEW:02 3	2.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	3	170		28.98				FM-16		29.95
29	0651	7	FEW:02 3	3.00	BR:1 ||	70	21.0	70	21.1	70	21.0	100	5	170		28.98				FM-16		29.95
29	0653	7	FEW:02 3	3.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	5	170		28.98	0	-0.02	29.93	FM-15	0.00	29.95
29	0707	7	BKN:07 3	2.50	BR:1 ||	69	20.6	69	20.6	69	20.6	100	5	180		28.98				FM-16		29.95
29	0718	7	BKN:07 3	1.25	BR:1 ||	70	21.1	70	21.1	70	21.1	100	5	180		28.98				FM-16		29.95
29	0729	7	OVC:08 2	2.00	BR:1 ||	70	21.1	70	21.1	70	21.1	100	5	190		28.98				FM-16		29.95
29	0753	7	OVC:08 2	2.00	BR:1 ||	70	21.1	70	21.1	70	21.1	100	0	000		28.98			29.93	FM-15	0.00	29.95
29	0755	7	OVC:08 2	0.25	FG:2 |FG |	70	21.1	70	21.1	70	21.1	100	0	000		28.98				FM-16		29.95
29	0803	7	OVC:08 2	0.50	FG:2 |FG |	71	21.7	71	21.7	71	21.7	100	3	130		28.98				FM-16		29.95
29	0833	7	OVC:08 2	0.25	FG:2 |FG |	71	21.7	71	21.7	71	21.7	100	6	130		28.98				FM-16		29.95
29	0851	7	OVC:08 2	1.75	BR:1 ||	72	22.0	72	22.2	72	22.0	100	6	130		28.98				FM-16		29.95
29	0853	7	OVC:08 2	1.75	BR:1 ||	72	22.2	71	21.9	71	21.7	97	6	140		28.98			29.93	FM-15	0.00	29.95
29	0919	7	OVC:08 4	2.50	BR:1 ||	73	22.8	72	22.0	71	21.7	94	5	150		28.98				FM-16		29.95
29	0936	7	OVC:08 5	2.50	BR:1 ||	73	22.8	72	22.0	71	21.7	94	0	000		28.98				FM-16		29.95
29	0946	7	OVC:08 5	3.00	BR:1 ||	74	23.3	73	22.6	72	22.2	94	6	120		28.98				FM-16		29.95
29	0953	7	OVC:08 6	3.00	BR:1 ||	74	23.3	73	22.6	72	22.2	94	7	100		28.99	1	-0.00	29.94	FM-15	0.00	29.96
29	1051	6	OVC:08 10	6.00	HZ:7 ||HZ	77	25.0	74	23.1	72	22.0	83	6	150		29.00				FM-16		29.97
29	1053	7	OVC:08 10	6.00	BR:1 ||	76	24.4	73	22.9	72	22.2	88	3	VRB		29.00			29.95	FM-15	0.00	29.97
29	1153	7	BKN:07 12	6.00	HZ:7 |FU |HZ	79	26.1	75	23.8	73	22.8	82	9	150		28.99			29.93	FM-15	0.00	29.96
29	1207	7	SCT:04 12	8.00		79	26.1	74	23.4	72	22.2	79	7	VRB		28.99				FM-16		29.96
29	1253	7	CLR:00	9.00		81	27.2	73	23.1	70	21.1	69				28.96	8	+0.03	29.91	FM-15	0.00	29.93
29	1315	7	FEW:02 26 FEW:02 90	9.00	VCTS:7 ||	80	26.7	74	23.2	71	21.7	74	9	200		28.98				FM-16		29.95
29	1339	7	FEW:02 20 FEW:02 55 BKN:07 90	7.00	-RA:02 |RA |	77	25.0	73	22.7	71	21.7	82	18	230	24	28.98				FM-16	0.01	29.95
29	1353	7	BKN:07 85 OVC:08 110	8.00	-RA:02 |RA |	74	23.3	71	21.8	70	21.1	88	9	230		28.98			29.93	FM-15	0.02	29.95
29	1453	7	CLR:00	10.00		74	23.3	71	21.8	70	21.1	88	8	200		28.94			29.90	FM-15	0.01	29.91
29	1553	7	FEW:02 120	10.00		77	25.0	72	22.0	69	20.6	77	5	220		28.94	8	+0.02	29.89	FM-15	0.00	29.91

29	1653	7	CLR:00	10.00		79	26.1	72	22.0	68	20.0	69	0	000		28.94			29.89	FM-15	0.00	29.91
29	1753	7	CLR:00	10.00		79	26.1	71	21.7	67	19.4	67	0	000		28.94			29.89	FM-15	0.00	29.91
29	1853	7	CLR:00	10.00		77	25.0	72	22.4	70	21.1	79	0	000		28.95	3	-0.01	29.90	FM-15	0.00	29.92
29	1953	7	CLR:00	10.00		77	25.0	70	21.3	67	19.4	71	0	000		28.96			29.91	FM-15	0.00	29.93
29	2053	7	CLR:00	10.00		75	23.9	69	20.6	66	18.9	74	0	000		28.97			29.92	FM-15	T	29.94
29	2153	7	FEW:02 110	10.00		73	22.8	69	20.6	67	19.4	81	5	040		28.98	3	-0.03	29.93	FM-15	0.00	29.95
29	2253	7	FEW:02 75 FEW:02 120	10.00		74	23.3	72	22.2	71	21.7	91	3	120		28.97			29.92	FM-15	0.00	29.94
29	2353	7	OVC:08 110	10.00		72	22.2	70	21.1	69	20.6	91	3	230		28.97			29.92	FM-15	T	29.94
30	0053	7	BKN:07 120	10.00		73	22.8	72	22.0	71	21.7	94	8	160		28.96	8	+0.02	29.91	FM-15	0.00	29.93
30	0117	7	FEW:02 7 BKN:07 120	8.00		73	22.8	72	22.4	72	22.2	96	7	150		28.95				FM-16		29.92
30	0153	7	OVC:08 110	10.00		72	22.2	71	21.5	70	21.1	94	3	130		28.94			29.89	FM-15	0.00	29.91
30	0253	7	FEW:02 100 SCT:04 120	10.00		71	21.7	70	20.9	69	20.6	94	5	120		28.94			29.88	FM-15	0.00	29.91
30	0353	7	FEW:02 15	10.00		71	21.7	70	20.9	69	20.6	94	5	150		28.94	5	+0.02	29.89	FM-15	0.00	29.91
30	0411	7	BKN:07 15	10.00		71	21.7	70	20.9	69	20.6	94	3	150		28.94				FM-16		29.91
30	0438	7	BKN:07 14	10.00		72	22.2	71	21.5	70	21.1	94	0	000		28.95				FM-16		29.92
30	0453	7	BKN:07 14	10.00		71	21.7	70	20.9	69	20.6	94	3	220		28.96			29.91	FM-15	0.00	29.93
30	0553	7	OVC:08 13	10.00		71	21.7	70	20.9	69	20.6	94	5	160		28.97			29.92	FM-15	0.00	29.94
30	0624	7	OVC:08 15	9.00		71	21.7	70	20.9	69	20.6	94	6	190		28.98				FM-16		29.95
30	0651	6	OVC:08 14	3.00	BR:1 ||	72	22.0	71	21.5	70	21.0	94	5	190		28.99				FM-16		29.96
30	0653	7	OVC:08 14	3.00	BR:1 ||	71	21.7	70	21.3	70	21.1	96	5	200		28.99	1	-0.05	29.93	FM-15	0.00	29.96
30	0727	7	OVC:08 15	8.00		72	22.2	71	21.5	70	21.1	94	6	180		28.98				FM-16		29.95
30	0753	7	BKN:07 17	10.00		73	22.8	71	21.7	70	21.1	90	5	180		28.98			29.93	FM-15	0.00	29.95
30	0805	7	SCT:04 17 SCT:04 85	10.00		75	23.9	72	22.0	70	21.1	84	6	190		28.98				FM-16		29.95
30	0853	7	CLR:00	10.00		76	24.4	72	22.2	70	21.1	82	6	190		28.99			29.93	FM-15	0.00	29.96
30	0953	7	SCT:04 18	10.00		79	26.1	74	23.1	71	21.7	77	3	200		28.99	3	-0.00	29.93	FM-15	0.00	29.96
30	1051	6	SCT:04 24 BKN:07 29	10.00		81	27.0	73	23.1	70	21.0	70	6	250		29.00				FM-16		29.97
30	1053	7	BKN:07 26 BKN:07 45	10.00		81	27.2	73	23.1	70	21.1	69	3	VRB		29.00			29.94	FM-15	0.00	29.97
30	1115	7	SCT:04 26 BKN:07 34	10.00		82	27.8	74	23.2	70	21.1	67	8	230		29.00				FM-16		29.97
30	1153	7	SCT:04 28 BKN:07 43	10.00		82	27.8	74	23.6	71	21.7	69	9	230		28.99			29.94	FM-15	0.00	29.96
30	1253	7	SCT:04 26 SCT:04 33	10.00		84	28.9	76	24.2	72	22.2	67	13	230		28.98	8	+0.01	29.93	FM-15	0.00	29.95
30	1353	7	FEW:02 33	10.00		84	28.9	74	23.5	70	21.1	63	8	230		28.97			29.92	FM-15	0.00	29.94
30	1453	7	SCT:04 39 BKN:07 55	10.00		86	30.0	75	23.9	70	21.1	59	10	250		28.95			29.89	FM-15	0.00	29.92
30	1553	7	SCT:04 40	10.00		85	29.4	73	23.0	68	20.0	57	10	270	21	28.95	5	+0.03	29.90	FM-15	0.00	29.92
30	1653	7	FEW:02 41	10.00		86	30.0	74	23.2	68	20.0	55	8	250		28.95			29.90	FM-15	0.00	29.92
30	1753	7	FEW:02 48 FEW:02 70 BKN:07 110	10.00		83	28.3	73	22.7	68	20.0	61	8	250		28.95			29.90	FM-15	T	29.92
30	1853	7	BKN:07 47 BKN:07 70 OVC:08 120	10.00		76	24.4	73	22.6	71	21.7	85	10	020		28.96	3	-0.00	29.91	FM-15	0.06	29.93
30	1953	7	SCT:04 38 BKN:07 50 BKN:07 100	10.00		74	23.3	71	21.8	70	21.1	88	9	100		28.97			29.92	FM-15	0.00	29.94
30	2053	7	SCT:04 36 BKN:07 47 OVC:08 110	9.00	-RA:02 |RA |	73	22.8	71	21.7	70	21.1	90	0	000		29.00			29.95	FM-15	0.02	29.97
30	2107	7	BKN:07 28 BKN:07 48 OVC:08 75	1.50	+RA:02 BR:1 |RA |	72	22.2	71	21.5	70	21.1	94	8	310		29.01				FM-16	0.23	29.98

30	2118	7	FEW:02 26 BKN:07 33 OVC:08 75	2.00	-RA:02 BR:1 |RA |	72	22.2	71	21.5	70	21.1	94	6	090		29.00				FM-16	0.34	29.97
30	2126	7	BKN:07 31 BKN:07 60 OVC:08 75	10.00	-RA:02 |RA |	71	21.7	70	21.3	70	21.1	96	6	030		29.01				FM-16	0.34	29.98
30	2142	7	FEW:02 43 BKN:07 65 BKN:07 80	10.00	VCTS:7 ||	71	21.7	70	20.9	69	20.6	94	8	050		29.01				FM-16	0.34	29.98
30	2151	6	SCT:04 60 BKN:07 75	10.00		72	22.0	71	21.5	70	21.0	94	9	030		29.01				FM-16		29.98
30	2153	7	SCT:04 60 SCT:04 75	10.00		72	22.2	70	21.1	69	20.6	91	9	030		29.01	1	-0.05	29.95	FM-15	0.33	29.98
30	2253	7	FEW:02 75	10.00		70	21.1	69	20.7	69	20.6	97	0	000		29.01			29.96	FM-15	0.00	29.98
30	2353	7	SCT:04 70	10.00		70	21.1	69	20.7	69	20.6	97	0	000		29.01			29.95	FM-15	0.00	29.98
31	0053	7	FEW:02 80	10.00		70	21.1	69	20.7	69	20.6	97	0	000		29.00	8	+0.01	29.94	FM-15	0.00	29.97
31	0129	7	CLR:00	1.75	BR:1 ||	67	19.4	67	19.4	67	19.4	100	0	000		29.00				FM-16		29.97
31	0141	7	CLR:00	3.00	BR:1 ||	69	20.6	68	20.2	68	20.0	96	0	000		28.99				FM-16		29.96
31	0151	6	CLR:00	2.50	BR:1 ||	70	21.0	70	21.1	70	21.0	100	3	240		28.99				FM-16		29.96
31	0153	7	CLR:00	2.50	BR:1 ||	69	20.6	69	20.6	69	20.6	100	3	250		28.99			29.94	FM-15	0.00	29.96
31	0200	7	CLR:00	3.00	BR:1 ||	69	20.6	68	20.2	68	20.0	96	5	240		28.99				FM-16		29.96
31	0215	7	CLR:00	1.75	BR:1 ||	68	20.0	68	20.0	68	20.0	100	3	240		28.99				FM-16		29.96
31	0224	7	CLR:00	3.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	3	230		28.99				FM-16		29.96
31	0232	7	CLR:00	1.75	BR:1 ||	66	18.9	66	18.9	66	18.9	100	3	260		28.98				FM-16		29.95
31	0251	7	CLR:00	3.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		28.98				FM-16		29.95
31	0253	7	CLR:00	3.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		28.98			29.93	FM-15	0.00	29.95
31	0300	7	CLR:00	1.75	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		28.98				FM-16		29.95
31	0308	7	CLR:00	0.50	FG:2 |FG |	68	20.0	68	20.0	68	20.0	100	0	000		28.98				FM-16		29.95
31	0315	7	CLR:00	0.25	FG:2 |FG |	67	19.4	67	19.4	67	19.4	100	0	000		28.98				FM-16		29.95
31	0325	7	VV:09 3	0.25	FG:2 |FG |	67	19.4	67	19.4	67	19.4	100	5	290		28.99				FM-16		29.96
31	0331	7	VV:09 3	1.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	5	280		28.99				FM-16		29.96
31	0334	7	FEW:02 3	2.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	3	280		28.99				FM-16		29.96
31	0340	7	VV:09 3	1.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	3	280		28.99				FM-16		29.96
31	0348	7	CLR:00	0.50	FG:2 |FG |	66	19.0	66	18.9	66	19.0	100	0	000		28.99				FM-16		29.96
31	0351	6	CLR:00	0.25	FG:2 |FG |	66	19.0	66	18.9	66	19.0	100	0	000		28.99				FM-16		29.96
31	0353	7	CLR:00	0.25	FG:2 |FG |	67	19.4	67	19.4	67	19.4	100	3	280		28.99	5	+0.00	29.94	FM-15	0.00	29.96
31	0402	7	CLR:00	0.50	FG:2 |FG |	68	20.0	68	20.0	68	20.0	100	0	000		28.99				FM-16		29.96
31	0411	7	VV:09 3	0.25	FG:2 |FG |	67	19.4	67	19.4	67	19.4	100	0	000		28.99				FM-16		29.96
31	0426	7	VV:09 4	1.00V	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		29.00				FM-16		29.97
31	0432	7	FEW:02 4	2.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		29.00				FM-16		29.97
31	0441	7	VV:09 4	1.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	0	000		29.00				FM-16		29.97
31	0448	7	CLR:00	0.25	FG:2 |FG |	66	19.0	66	18.9	66	19.0	100	0	000		29.00				FM-16		29.97
31	0453	7	VV:09 3	0.25	FG:2 |FG |	66	18.9	66	18.9	66	18.9	100	0	000		29.01			29.95	FM-15	0.00	29.98
31	0545	7	SCT:04 2 SCT:04 70	0.50	FG:2 |FG |	65	18.3	65	18.3	65	18.3	100	0	000		29.02				FM-16		29.99
31	0551	6	SCT:04 2 SCT:04 70	0.25	FG:2 |FG |	66	19.0	66	18.9	66	19.0	100	0	000		29.03				FM-16		30.00
31	0553	7	SCT:04 2 BKN:07 70	0.25	FG:2 |FG |	66	18.9	65	18.5	65	18.3	96	0	000		29.03			29.98	FM-15	0.00	30.00
31	0618	7	FEW:02 4 FEW:02 70 SCT:04 80	0.50	FG:2 |FG |	67	19.4	67	19.4	67	19.4	100	0	000		29.03				FM-16		30.00
31	0623	7	FEW:02 4 SCT:04 80	2.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	0	000		29.03				FM-16		30.00
31	0630	7	BKN:07 80	6.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		29.03				FM-16		30.00
31	0653	7	OVC:08 75	6.00	BR:1 ||	71	21.7	70	20.9	69	20.6	94	0	000		29.04	3	-0.04	29.99	FM-15	0.00	30.01
31	0753	7	FEW:02 75	8.00		73	22.8	71	21.7	70	21.1	90	6	320		29.05			30.00	FM-15	0.00	30.02
31	0853	7	CLR:00	10.00		77	25.0	73	22.7	71	21.7	82	5	330		29.06			30.01	FM-15	0.00	30.03
31	0953	7	SCT:04 22 BKN:07 37	10.00		80	26.7	73	22.9	70	21.1	71	6	240		29.06	1	-0.02	30.01	FM-15	0.00	30.03

31	1053	7	FEW:02 31 SCT:04 35 SCT:04 48	10.00		82	27.8	73	22.5	68	20.0	63	6	310		29.06			30.01	FM-15	0.00	30.03
31	1153	7	FEW:02 80	10.00		84	28.9	73	22.9	68	20.0	59	8	VRB		29.04			29.99	FM-15	0.00	30.01
31	1253	7	SCT:04 42 SCT:04 50 BKN:07 85	10.00		82	27.8	71	21.5	65	18.3	56	9	240		29.05	5	+0.01	29.99	FM-15	0.00	30.02
31	1353	7	FEW:02 45 FEW:02 50 BKN:07 85	10.00		86	30.0	73	22.5	66	18.9	51	10	210		29.04			29.98	FM-15	0.00	30.01
31	1453	7	FEW:02 50 FEW:02 65	10.00		85	29.4	72	22.4	66	18.9	53	10	260		29.03			29.97	FM-15	0.00	30.00
31	1553	7	FEW:02 75	10.00		85	29.4	72	22.4	66	18.9	53	11	280		29.02	6	+0.02	29.97	FM-15	0.00	29.99
31	1653	7	SCT:04 46 BKN:07 95	10.00		82	27.8	72	22.2	67	19.4	60	5	300		29.02			29.97	FM-15	0.00	29.99
31	1753	7	FEW:02 50 BKN:07 70	10.00		82	27.8	72	22.2	67	19.4	60	3	300		29.02			29.97	FM-15	0.00	29.99
31	1853	7	SCT:04 49 BKN:07 60 BKN:07 70	10.00		83	28.3	73	22.7	68	20.0	61	0	000		29.02	5	+0.00	29.97	FM-15	0.00	29.99
31	1953	7	CLR:00	10.00		78	25.6	70	21.2	66	18.9	67	5	330		29.04			29.99	FM-15	0.00	30.01
31	2053	7	FEW:02 60	10.00		77	25.0	70	21.3	67	19.4	71	0	000		29.05			30.00	FM-15	0.00	30.02
31	2153	7	FEW:02 60 BKN:07 100	10.00		73	22.8	71	21.7	70	21.1	90	5	010		29.07	1	-0.04	30.01	FM-15	T	30.04
31	2253	7	FEW:02 45 SCT:04 110	10.00		73	22.8	70	21.3	69	20.6	87	8	030		29.08			30.03	FM-15	0.00	30.05
31	2353	7	CLR:00	10.00		71	21.7	70	20.9	69	20.6	94	3	060		29.08			30.02	FM-15	0.00	30.05

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
July 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01					T	T			0.03																01
02																									02
03															T	T	T			T		T			03
04			T									T	T		T	T	T	T	T	T					04
05					0.03	0.01	T	T																	05
06														0.06	T										06
07																									07
08																								T	08
09																									09
10																									10
11																									11
12																									12
13																				T	T	0.04	0.15	0.05	13
14																0.02	T	T							14
15				0.04																					15
16																					T				16
17																									17
18						0.05	0.10	T	0.01	T	0.01														18
19																									19
20																									20
21																									21
22										T			0.42												22
23																									23
24																T	T								24
25																									25
26																		T	T						26
27																									27
28			T	T		T		T	T			T	T					T	0.33						28
29														0.02	0.01						T			T	29
30																		T	0.06		0.02	0.33			30
31																						T			31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
Ending Date Time (yyyy-mm-dd hh:mi)	2016-07-22 12:46	2016-07-22 12:46	2016-07-22 12:46	2016-07-22 12:46	2016-07-22 12:46	2016-07-22 12:46	2016-07-22 12:46	2016-07-22 12:46	2016-07-22 12:46	2016-07-22 12:46	2016-07-22 12:46	2016-07-22 12:46

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
August 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	87	67	77	3.2				0	12	0531	1945	RA FG BR	0.24			29.08		2.3	16	180	12	330
02	89	66	78	4.3				0	13	0532	1944	FG BR	0.00			29.09		4.0	19	360	14	340
03	90	66	78	4.3				0	13	0533	1943		0.00			29.08		4.5	18	140	14	150
04	87	70	79	5.4				0	14	0534	1942		0.00			29.05		5.1	18	170	15	170
05	91	73	82	8.4				0	17	0535	1941		0.00			28.95		7.8	20	230	16	230
06	85	69	77	3.5				0	12	0536	1940		0.02			28.95		7.5	19	320	15	330
07	88	61	74	0.6				0	9	0537	1938		0.00			29.03		4.7	17	030	14	020
08	85	65	75	1.6				0	10	0538	1937		0.00			29.06		7.7	19	030	14	040
09	90	68	79	5.7				0	14	0539	1936	TS RA BR	0.09			29.06		5.9	21s	230s	16	240
10	87	74	81	7.8				0	16	0540	1935	TS	0.08			29.13		5.1	17	270	12	220
11	93	73	83	9.8				0	18	0541	1933	TS	T			29.08		7.7	27	240	22	240
12	93*	76	84	10.9				0	19	0542	1932	TS	0.01			28.97		9.5	27	210	20	220
13	90	75	82	9.0				0	17	0543	1931	TS RA BR	0.28			28.94		10.8	35	210	25	220
14	78	70	74	1.1				0	9	0543	1929	TS RA BR	1.49			29.08		4.7	17	220	13	230
15	83	71	77	4.2				0	12	0544	1928	TS RA FG BR	0.59			29.18		4.5	17	240	15	240
16	84	72	78	5.3				0	13	0545	1927	RA BR	0.25			29.10		10.8	34	220	25	220
17	83	71	77	4.4				0	12	0546	1925	RA BR	0.22			29.15		4.9	13	270	10	260
18	85	67	76	3.5				0	11	0547	1924	BR HZ	0.00			29.11		4.6	18	220	14	220
19	86	68	77	4.6				0	12	0548	1922	BR	0.00			29.02		4.9	20	300	17	310
20	83	68	75	2.7				0	10	0549	1921	TS RA BR HZ	0.12			28.88		8.6	33	230	24	220
21	79	61	70	-2.2				0	5	0550	1920		0.00			28.90		10.3	26	270	22	280
22	78	54*	66	-6.0				0	1	0551	1918		0.00			29.19		4.3	25	290	13	300
23	82	56	69	-2.9				0	4	0552	1917		0.00			29.29		3.1	15	210	13	210
24	85	61	73	1.3				0	8	0553	1915	TS RA	0.04			29.18		8.9	40	230	23	240
25	89	72	81	9.4				0	16	0554	1914	TS RA BR	0.38			29.08		7.9	42	240	32	240
26	88	70	79	7.6				0	14	0555	1912	BR	0.00			29.15		3.4	16	030	13	020
27	92	68	80	8.8				0	15	0556	1911	TS RA BR	0.03			29.15		5.7	46	270	37	270
28	91	67	79	8.0				0	14	0557	1909	TS BR	0.00			29.21		2.6	24	240	18	250
29	88	69	79	8.2				0	14	0558	1907		0.00			29.23		6.5	17	310	12	030
30	89	61	75	4.4				0	10	0559	1906		0.00			29.16		3.4	11	300	9	290
31	85	70	77	6.7				0	12	0600	1904		T			29.02		5.4	24	320	20	320
	86.5	67.7	77.1							Monthly Averages | Totals			T			29.08	30.03	6.0				
	3.5	5.7	4.6	Departure from Normal (1981-2010)									-3.39									

Degree Days

	Monthly Total	Monthly Departure	Season-to-date Total	Season-to-date Departure
Heating	0	-5	0	
Cooling	376	139	1000	

Number of days with...

	Temperature Max >=90°	Temperature Max <=32°	Temperature Min <=32°	Temperature Min <=0°	Precipitation >=0.01"	Precipitation >=0.1"	Snow >=1"	Weather T-Storms	Weather Heavy Fog
Heating									
Cooling	8	0	0	0	0s	0s			

Date of 5-sec to 3-sec wind equipment change

N/A

Sea Level Pressure

		Date	Time
Maximum	30.30	23	1107
Minimum	29.71	20	2241

Greatest...

24-Hr... Precip	24-Hr... Snowfall	Snow Depth
T		
Date		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
August 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	CLR:00	9.00		70	21.1	69	20.7	69	20.6	97	0	000		29.07	0	-0.00	30.02	FM-15	0.00	30.04
01	0153	7	CLR:00	9.00		70	21.1	69	20.7	69	20.6	97	0	000		29.07			30.02	FM-15	0.00	30.04
01	0224	7	CLR:00	0.75V	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		29.07				FM-16		30.04
01	0239	7	CLR:00	2.50	BR:1 ||	68	20.0	68	20.0	68	20.0	100	3	350		29.07				FM-16		30.04
01	0251	6	CLR:00	1.75	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		29.07				FM-16		30.04
01	0253	7	CLR:00	1.25	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		29.07			30.01	FM-15	0.00	30.04
01	0301	7	CLR:00	0.50	FG:2 |FG |	68	20.0	68	20.0	68	20.0	100	0	000		29.07				FM-16		30.04
01	0316	7	CLR:00	1.25	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		29.07				FM-16		30.04
01	0338	7	CLR:00	0.75	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		29.07				FM-16		30.04
01	0345	7	CLR:00	2.00V	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		29.08				FM-16		30.05
01	0351	6	CLR:00	4.00	BR:1 ||	70	21.0	70	21.1	70	21.0	100	0	000		29.08				FM-16		30.05
01	0353	7	CLR:00	6.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		29.08	3	-0.01	30.02	FM-15	0.00	30.05
01	0413	7	CLR:00	1.75	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		29.08				FM-16		30.05
01	0426	7	CLR:00	3.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		29.08				FM-16		30.05
01	0429	7	CLR:00	1.50	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		29.08				FM-16		30.05
01	0445	7	CLR:00	3.00	BR:1 ||	69	20.6	68	20.2	68	20.0	96	0	000		29.08				FM-16		30.05
01	0453	7	CLR:00	2.50	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		29.08			30.03	FM-15	0.00	30.05
01	0501	7	CLR:00	1.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	3	290		29.08				FM-16		30.05
01	0506	7	VV:09 2	0.50	FG:2 |FG |	67	19.4	67	19.4	67	19.4	100	0	000		29.08				FM-16		30.05
01	0513	7	VV:09 2	0.25	FG:2 |FG |	67	19.4	67	19.4	67	19.4	100	0	000		29.08				FM-16		30.05
01	0529	7	VV:09 2	0.50	FG:2 |FG |	68	20.0	68	20.0	68	20.0	100	0	000		29.09				FM-16		30.06
01	0543	7	CLR:00	0.50	FG:2 |FG |	67	19.4	67	19.4	67	19.4	100	3	300		29.09				FM-16		30.06
01	0551	6	CLR:00	1.50	BR:1 ||	66	19.0	66	18.9	66	19.0	100	3	280		29.10				FM-16		30.07
01	0553	7	CLR:00	1.75	BR:1 ||	67	19.4	67	19.4	67	19.4	100	0	000		29.10			30.05	FM-15	0.00	30.07
01	0605	7	CLR:00	2.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		29.10				FM-16		30.07
01	0608	7	CLR:00	0.75	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		29.10				FM-16		30.07
01	0623	7	CLR:00	2.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		29.10				FM-16		30.07
01	0641	7	CLR:00	3.00	BR:1 ||	70	21.1	70	21.1	70	21.1	100	0	000		29.10				FM-16		30.07
01	0653	7	CLR:00	6.00	BR:1 ||	71	21.7	70	21.3	70	21.1	96	0	000		29.11	3	-0.03	30.05	FM-15	0.00	30.08
01	0753	7	CLR:00	10.00		75	23.9	72	22.0	70	21.1	84	0	000		29.11			30.05	FM-15	0.00	30.08
01	0853	7	CLR:00	10.00		78	25.6	73	22.9	71	21.7	79	0	000		29.11			30.06	FM-15	0.00	30.08
01	0953	7	SCT:04 30	10.00		81	27.2	72	22.4	68	20.0	65	0	000		29.11	3	-0.00	30.06	FM-15	0.00	30.08
01	1053	7	SCT:04 34 BKN:07 49	10.00		81	27.2	72	22.4	68	20.0	65	6	330		29.12			30.07	FM-15	0.00	30.09
01	1153	7	SCT:04 36 BKN:07 65	10.00		82	27.8	72	22.2	67	19.4	60	3	050		29.12			30.07	FM-15	0.00	30.09
01	1253	7	CLR:00	10.00		85	29.4	72	22.4	66	18.9	53	0	000		29.11	8	+0.00	30.06	FM-15	0.00	30.08
01	1353	7	SCT:04 49	10.00		87	30.6	73	22.7	66	18.9	50	7	240		29.10			30.04	FM-15	0.00	30.07
01	1453	7	BKN:07 47 BKN:07 55 BKN:07 100	10.00		86	30.0	73	22.9	67	19.4	53	9	330		29.08			30.02	FM-15	0.00	30.05
01	1553	7	BKN:07 95	10.00		84	28.9	73	22.9	68	20.0	59	3	040		29.07	6	+0.04	30.01	FM-15	0.00	30.04
01	1653	7	FEW:02 65 BKN:07 100	10.00		84	28.9	75	23.9	71	21.7	65	0	000		29.06			30.00	FM-15	T	30.03
01	1753	7	FEW:02 55 FEW:02 70 SCT:04 100	10.00		83	28.3	72	22.0	66	18.9	57	6	170		29.04			29.99	FM-15	T	30.01
01	1853	7	BKN:07 55 BKN:07 95	10.00	-RA:02 |RA |	79	26.1	73	22.7	70	21.1	74	6	130		29.05	5	+0.02	30.00	FM-15	0.02	30.02

01	1953	7	FEW:02 46 BKN:07 80	7.00	-RA:02 |RA |	73	22.8	70	21.0	68	20.0	84	6	VRB		29.07			30.01	FM-15	0.22	30.04
01	2053	7	SCT:04 60 BKN:07 90	10.00		75	23.9	70	21.3	68	20.0	79	6	210		29.09			30.03	FM-15	T	30.06
01	2153	7	SCT:04 60	10.00		73	22.8	72	22.0	71	21.7	94	5	270		29.09	1	-0.04	30.04	FM-15	0.00	30.06
01	2253	7	OVC:08 40	9.00		74	23.3	73	22.6	72	22.2	94	0	000		29.11			30.06	FM-15	0.00	30.08
01	2353	7	BKN:07 36	9.00		75	23.9	72	22.4	71	21.7	88	0	000		29.11			30.06	FM-15	0.00	30.08
02	0053	7	SCT:04 38	9.00		72	22.2	71	21.5	70	21.1	94	3	360		29.11	0	-0.01	30.05	FM-15	0.00	30.08
02	0153	7	SCT:04 48	8.00		72	22.2	71	21.5	70	21.1	94	0	000		29.10			30.04	FM-15	0.00	30.07
02	0253	7	CLR:00	7.00		69	20.6	68	20.2	68	20.0	96	3	360		29.10			30.04	FM-15	0.00	30.07
02	0353	7	CLR:00	10.00		70	21.1	69	20.4	68	20.0	93	0	000		29.09	6	+0.01	30.04	FM-15	0.00	30.06
02	0453	7	CLR:00	6.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	0	000		29.09			30.03	FM-15	0.00	30.06
02	0545	7	CLR:00	1.25	BR:1 ||	66	18.9	66	18.9	66	18.9	100	0	000		29.10				FM-16		30.07
02	0551	6	CLR:00	0.50	FG:2 |FG |	66	19.0	66	18.9	66	19.0	100	3	020		29.09				FM-16		30.06
02	0553	7	CLR:00	0.75	BR:1 ||	67	19.4	67	19.4	67	19.4	100	3	020		29.09			30.04	FM-15	0.00	30.06
02	0557	7	CLR:00	2.50	BR:1 ||	66	18.9	66	18.9	66	18.9	100	5	030		29.09				FM-16		30.06
02	0604	7	CLR:00	4.00	BR:1 ||	67	19.4	66	19.1	66	18.9	97	5	040		29.09				FM-16		30.06
02	0653	7	CLR:00	6.00	BR:1 ||	71	21.7	70	20.9	69	20.6	94	3	040		29.10	3	-0.01	30.05	FM-15	0.00	30.07
02	0753	7	CLR:00	10.00		75	23.9	71	21.7	69	20.6	82	0	000		29.11			30.06	FM-15	0.00	30.08
02	0853	7	CLR:00	10.00		78	25.6	72	22.2	69	20.6	74	5	020		29.12			30.06	FM-15	0.00	30.09
02	0953	7	CLR:00	10.00		81	27.2	73	22.7	69	20.6	67	0	000		29.12	2	-0.02	30.07	FM-15	0.00	30.09
02	1053	7	CLR:00	10.00		83	28.3	72	22.0	66	18.9	57	0	000		29.12			30.06	FM-15	0.00	30.09
02	1153	7	FEW:02 45	10.00		85	29.4	73	22.7	67	19.4	55	6	010		29.12			30.06	FM-15	0.00	30.09
02	1253	7	FEW:02 49	10.00		86	30.0	73	22.5	66	18.9	51	5	VRB		29.11	8	+0.01	30.06	FM-15	0.00	30.08
02	1353	7	FEW:02 49	10.00		88	31.1	73	22.9	66	18.9	48	9	020		29.10			30.04	FM-15	0.00	30.07
02	1453	7	FEW:02 55	10.00		88	31.1	74	23.2	67	19.4	50	11	360		29.09			30.03	FM-15	0.00	30.06
02	1553	7	FEW:02 60	10.00		88	31.1	71	21.9	63	17.2	43	10	320		29.08	6	+0.04	30.02	FM-15	0.00	30.05
02	1653	7	FEW:02 100	10.00		88	31.1	70	21.3	61	16.1	40	7	020		29.07			30.02	FM-15	0.00	30.04
02	1753	7	FEW:02 100	10.00		87	30.6	72	22.1	64	17.8	46	7	360		29.06			30.01	FM-15	0.00	30.03
02	1853	7	CLR:00	10.00		84	28.9	71	21.9	65	18.3	53	5	020		29.05	8	+0.02	30.00	FM-15	0.00	30.02
02	1953	7	CLR:00	10.00		81	27.2	68	19.8	60	15.6	49	5	340		29.06			30.01	FM-15	0.00	30.03
02	2053	7	CLR:00	10.00		77	25.0	68	20.0	63	17.2	62	0	000		29.07			30.02	FM-15	0.00	30.04
02	2153	7	CLR:00	10.00		75	23.9	68	20.0	64	17.8	69	5	010		29.09	3	-0.04	30.03	FM-15	0.00	30.06
02	2253	7	CLR:00	10.00		73	22.8	68	19.9	65	18.3	76	3	050		29.09			30.04	FM-15	0.00	30.06
02	2353	7	CLR:00	10.00		73	22.8	68	20.3	66	18.9	79	5	360		29.09			30.03	FM-15	0.00	30.06
03	0053	7	CLR:00	10.00		72	22.2	68	20.1	66	18.9	82	5	350		29.09	1	-0.00	30.03	FM-15	0.00	30.06
03	0153	7	CLR:00	10.00		70	21.1	67	19.7	66	18.9	87	3	350		29.09			30.03	FM-15	0.00	30.06
03	0253	7	CLR:00	10.00		69	20.6	67	19.5	66	18.9	90	5	360		29.09			30.03	FM-15	0.00	30.06
03	0353	7	CLR:00	10.00		68	20.0	66	18.9	65	18.3	90	5	360		29.08	6	+0.01	30.03	FM-15	0.00	30.05
03	0453	7	CLR:00	10.00		68	20.0	66	18.9	65	18.3	90	3	340		29.09			30.03	FM-15	0.00	30.06
03	0553	7	CLR:00	10.00		67	19.4	66	18.7	65	18.3	93	3	350		29.10			30.04	FM-15	0.00	30.07
03	0653	7	CLR:00	10.00		71	21.7	68	20.2	67	19.4	87	5	020		29.10	3	-0.02	30.05	FM-15	0.00	30.07
03	0753	7	CLR:00	10.00		76	24.4	70	21.2	67	19.4	74	0	000		29.11			30.06	FM-15	0.00	30.08
03	0853	7	CLR:00	10.00		81	27.2	72	22.4	68	20.0	65	0	000		29.12			30.06	FM-15	0.00	30.09
03	0953	7	CLR:00	10.00		85	29.4	72	22.1	65	18.3	51	6	080		29.11	0	-0.01	30.05	FM-15	0.00	30.08
03	1053	7	CLR:00	10.00		87	30.6	72	22.1	64	17.8	46	5	020		29.10			30.05	FM-15	0.00	30.07
03	1153	7	FEW:02 60	10.00		87	30.6	71	21.8	63	17.2	45	3	060		29.09			30.03	FM-15	0.00	30.06
03	1253	7	BKN:07 65 BKN:07 75 OVC:08 90	10.00		85	29.4	72	22.1	65	18.3	51	5	070		29.08	8	+0.02	30.03	FM-15	0.00	30.05
03	1353	7	CLR:00	10.00		89	31.7	72	22.4	64	17.8	43	3	VRB		29.07			30.01	FM-15	0.00	30.04
03	1453	7	SCT:04 70	10.00		89	31.7	72	22.4	64	17.8	43	6	090		29.06			30.00	FM-15	0.00	30.03
03	1553	7	SCT:04 70	10.00		87	30.6	73	22.7	66	18.9	50	3	350		29.05	6	+0.04	29.99	FM-15	0.00	30.02
03	1653	7	CLR:00	10.00		87	30.6	71	21.5	62	16.7	43	3	120		29.04			29.99	FM-15	0.00	30.01
03	1753	7	BKN:07 70	10.00		84	28.9	73	22.5	67	19.4	57	7	260		29.04			29.99	FM-15	0.00	30.01
03	1853	7	BKN:07 70	10.00		83	28.3	73	22.7	68	20.0	61	6	290		29.04	6	+0.01	29.99	FM-15	0.00	30.01
03	1953	7	FEW:02 70	10.00		80	26.7	71	21.9	67	19.4	64	5	010		29.04			29.99	FM-15	0.00	30.01
03	2053	7	BKN:07 95	10.00		79	26.1	71	21.7	67	19.4	67	3	030		29.05			29.99	FM-15	0.00	30.02

03	2153	7	FEW:02 100	10.00		80	26.7	71	21.9	67	19.4	64	7	110		29.05	3	-0.01	29.99	FM-15	0.00	30.02
03	2253	7	CLR:00	10.00		79	26.1	72	22.4	69	20.6	72	8	160		29.06			30.00	FM-15	0.00	30.03
03	2353	7	CLR:00	10.00		77	25.0	72	22.4	70	21.1	79	9	150		29.07			30.01	FM-15	0.00	30.04
04	0053	7	CLR:00	10.00		76	24.4	71	21.9	69	20.6	79	7	150		29.06	0	-0.01	30.01	FM-15	0.00	30.03
04	0153	7	CLR:00	10.00		75	23.9	71	21.7	69	20.6	82	6	150		29.06			30.00	FM-15	0.00	30.03
04	0253	7	CLR:00	10.00		74	23.3	71	21.5	69	20.6	85	3	140		29.05			29.99	FM-15	0.00	30.02
04	0353	7	CLR:00	10.00		71	21.7	69	20.6	68	20.0	90	5	080		29.05	8	+0.01	30.00	FM-15	0.00	30.02
04	0453	7	SCT:04 100	10.00		72	22.2	70	21.1	69	20.6	91	6	100		29.06			30.00	FM-15	0.00	30.03
04	0553	7	BKN:07 95	10.00		71	21.7	70	20.9	69	20.6	94	5	080		29.07			30.02	FM-15	0.00	30.04
04	0653	7	CLR:00	10.00		74	23.3	71	21.9	70	21.1	88	8	120		29.07	1	-0.02	30.02	FM-15	0.00	30.04
04	0753	7	CLR:00	10.00		76	24.4	71	21.9	69	20.6	79	9	120		29.08			30.03	FM-15	0.00	30.05
04	0853	7	BKN:07 90	10.00		77	25.0	72	22.4	70	21.1	79	5	120		29.08			30.03	FM-15	0.00	30.05
04	0953	7	SCT:04 21 OVC:08 80	10.00		78	25.6	72	22.2	69	20.6	74	7	140		29.09	1	-0.01	30.03	FM-15	0.00	30.06
04	1053	7	SCT:04 22 BKN:07 80	10.00		82	27.8	74	23.2	70	21.1	67	0	000		29.08			30.02	FM-15	0.00	30.05
04	1143	7	BKN:07 29	10.00		82	27.8	74	23.2	70	21.1	67	7	110		29.07				FM-16		30.04
04	1153	7	BKN:07 32	10.00		82	27.8	74	23.2	70	21.1	67	3	080		29.07			30.01	FM-15	0.00	30.04
04	1253	7	BKN:07 34	10.00		85	29.4	75	23.7	70	21.1	61	5	110		29.05	8	+0.03	30.00	FM-15	0.00	30.02
04	1353	7	BKN:07 39	10.00		86	30.0	75	23.9	70	21.1	59	5	090		29.03			29.98	FM-15	0.00	30.00
04	1453	7	BKN:07 43 BKN:07 55 OVC:08 85	10.00		85	29.4	74	23.4	69	20.6	59	5	VRB		29.02			29.96	FM-15	0.00	29.99
04	1553	7	SCT:04 44	10.00		85	29.4	75	23.7	70	21.1	61	5	100		29.01	6	+0.04	29.95	FM-15	0.00	29.98
04	1653	7	SCT:04 44 SCT:04 110	10.00		87	30.6	75	24.0	70	21.1	57	6	110		29.00			29.94	FM-15	0.00	29.97
04	1753	7	FEW:02 45 SCT:04 55	10.00		85	29.4	75	23.7	70	21.1	61	9	100		28.99			29.94	FM-15	0.00	29.96
04	1853	7	FEW:02 75	10.00		83	28.3	73	22.7	68	20.0	61	5	130		29.00	5	+0.01	29.94	FM-15	0.00	29.97
04	1953	7	CLR:00	10.00		80	26.7	73	22.9	70	21.1	71	0	000		28.99			29.93	FM-15	0.00	29.96
04	2053	7	CLR:00	10.00		79	26.1	73	22.7	70	21.1	74	5	120		28.99			29.93	FM-15	0.00	29.96
04	2153	7	FEW:02 41	10.00		78	25.6	73	22.9	71	21.7	79	5	100		28.99	5	+0.01	29.94	FM-15	0.00	29.96
04	2253	7	CLR:00	10.00		77	25.0	73	22.7	71	21.7	82	5	130		29.00			29.94	FM-15	0.00	29.97
04	2353	7	FEW:02 42	10.00		79	26.1	74	23.4	72	22.2	79	7	170		29.00			29.94	FM-15	0.00	29.97
05	0053	7	FEW:02 46 FEW:02 60	10.00		77	25.0	74	23.1	72	22.2	85	8	170		28.99	0	-0.00	29.93	FM-15	0.00	29.96
05	0153	7	CLR:00	10.00		76	24.4	73	22.9	72	22.2	88	8	170		28.98			29.92	FM-15	0.00	29.95
05	0253	7	CLR:00	10.00		74	23.3	73	22.6	72	22.2	94	6	170		28.97			29.91	FM-15	0.00	29.94
05	0353	7	CLR:00	10.00		73	22.8	72	22.0	71	21.7	94	5	190		28.97	6	+0.02	29.91	FM-15	0.00	29.94
05	0453	7	CLR:00	10.00		73	22.8	72	22.0	71	21.7	94	3	180		28.96			29.91	FM-15	0.00	29.93
05	0553	7	CLR:00	8.00		73	22.8	72	22.0	71	21.7	94	7	170		28.98			29.92	FM-15	0.00	29.95
05	0653	7	CLR:00	10.00		74	23.3	72	22.2	71	21.7	91	8	180		28.98	3	-0.01	29.92	FM-15	0.00	29.95
05	0753	7	FEW:02 18	10.00		76	24.4	73	22.6	71	21.7	85	7	190		28.98			29.92	FM-15	0.00	29.95
05	0853	7	CLR:00	10.00		79	26.1	74	23.4	72	22.2	79	7	200		28.97			29.91	FM-15	0.00	29.94
05	0953	7	BKN:07 44	10.00		82	27.8	76	24.3	73	22.8	74	6	220		28.98	3	-0.00	29.93	FM-15	0.00	29.95
05	1053	7	SCT:04 26 SCT:04 44	10.00		84	28.9	76	24.6	73	22.8	70	5	210		28.98			29.92	FM-15	0.00	29.95
05	1153	7	SCT:04 31	10.00		86	30.0	76	24.5	72	22.2	63	7	250		28.96			29.90	FM-15	0.00	29.93
05	1253	7	FEW:02 37 SCT:04 55 SCT:04 95	10.00		88	31.1	77	24.8	72	22.2	59	11	180	18	28.94	8	+0.04	29.88	FM-15	0.00	29.91
05	1353	7	SCT:04 41 SCT:04 50	10.00		89	31.7	77	25.0	72	22.2	57	11	240		28.92			29.86	FM-15	0.00	29.89
05	1453	7	SCT:04 46	10.00		90	32.2	77	25.1	72	22.2	56	9	250		28.91			29.85	FM-15	0.00	29.88
05	1553	7	FEW:02 50 SCT:04 60 SCT:04 70	10.00		89	31.7	75	24.0	69	20.6	52	9	230	17	28.90	7	+0.05	29.83	FM-15	0.00	29.86
05	1653	7	CLR:00	10.00		89	31.7	76	24.3	70	21.1	53	9	220	18	28.89			29.83	FM-15	0.00	29.85
05	1753	7	FEW:02 55	10.00		89	31.7	75	24.0	69	20.6	52	14	230		28.89			29.82	FM-15	0.00	29.85

05	1853	7	FEW:02 60 SCT:04 95	10.00		87	30.6	75	24.0	70	21.1	57	8	220		28.89	6	+0.01	29.82	FM-15	0.00	29.85
05	1953	7	SCT:04 60	10.00		85	29.4	76	24.4	72	22.2	65	10	220		28.89			29.83	FM-15	0.00	29.85
05	2053	7	BKN:07 50 BKN:07 60	10.00		83	28.3	75	24.1	72	22.2	70	10	220		28.90			29.84	FM-15	0.00	29.87
05	2153	7	CLR:00	10.00		81	27.2	75	24.1	73	22.8	77	8	250		28.90	1	-0.03	29.84	FM-15	0.00	29.87
05	2253	7	FEW:02 47 SCT:04 75 BKN:07 90	10.00		78	25.6	75	23.6	73	22.8	85	5	260		28.90			29.85	FM-15	0.00	29.87
05	2353	7	SCT:04 41 BKN:07 60 BKN:07 85	10.00		78	25.6	74	23.3	72	22.2	82	5	270		28.92			29.86	FM-15	0.00	29.89
06	0053	7	FEW:02 43 BKN:07 60 OVC:08 80	10.00		78	25.6	74	23.3	72	22.2	82	9	290		28.92	0	-0.01	29.86	FM-15	0.00	29.89
06	0153	7	BKN:07 34 BKN:07 43 OVC:08 55	10.00		78	25.6	74	23.3	72	22.2	82	8	320		28.92			29.86	FM-15	T	29.89
06	0253	7	FEW:02 26 BKN:07 32 OVC:08 46	10.00		75	23.9	72	22.4	71	21.7	88	9	330		28.92			29.86	FM-15	0.02	29.89
06	0353	7	OVC:08 32	10.00		74	23.3	70	21.1	68	20.0	82	8	320		28.92	3	-0.01	29.86	FM-15	0.00	29.89
06	0453	7	OVC:08 44	10.00		74	23.3	69	20.4	66	18.9	76	8	330		28.93			29.87	FM-15	0.00	29.90
06	0553	7	BKN:07 60 OVC:08 80	10.00		72	22.2	68	20.1	66	18.9	82	8	330		28.94			29.88	FM-15	0.00	29.91
06	0653	7	CLR:00	10.00		71	21.7	67	19.2	64	17.8	79	11	330		28.95	3	-0.03	29.90	FM-15	0.00	29.92
06	0753	7	CLR:00	10.00		73	22.8	67	19.6	64	17.8	74	9	340		28.96			29.91	FM-15	0.00	29.93
06	0853	7	CLR:00	10.00		75	23.9	69	20.3	65	18.3	71	7	340		28.96			29.91	FM-15	0.00	29.93
06	0953	7	FEW:02 26	10.00		78	25.6	70	21.2	66	18.9	67	7	310		28.97	1	-0.01	29.91	FM-15	0.00	29.94
06	1053	7	SCT:04 35 BKN:07 42	10.00		78	25.6	70	20.8	65	18.3	64	5	330		28.97			29.91	FM-15	0.00	29.94
06	1153	7	FEW:02 36	10.00		82	27.8	70	20.9	63	17.2	53	6	360		28.96			29.91	FM-15	0.00	29.93
06	1253	7	SCT:04 49 BKN:07 60	10.00		81	27.2	69	20.4	62	16.7	53	8	330		28.96	6	+0.01	29.91	FM-15	0.00	29.93
06	1353	7	SCT:04 49	10.00		83	28.3	71	21.4	64	17.8	53	9	020		28.96			29.90	FM-15	0.00	29.93
06	1453	7	SCT:04 60	10.00		84	28.9	70	21.3	63	17.2	49	8	300		28.94			29.88	FM-15	0.00	29.91
06	1553	7	FEW:02 60	10.00		85	29.4	70	21.1	62	16.7	46	11	320		28.93	7	+0.03	29.88	FM-15	0.00	29.90
06	1653	7	CLR:00	10.00		82	27.8	69	20.3	61	16.1	49	8	320		28.92			29.86	FM-15	0.00	29.89
06	1753	7	FEW:02 60	10.00		83	28.3	68	19.9	59	15.0	44	10	330		28.92			29.87	FM-15	0.00	29.89
06	1853	7	CLR:00	10.00		81	27.2	67	19.2	58	14.4	45	10	320		28.94	3	-0.01	29.88	FM-15	0.00	29.91
06	1953	7	CLR:00	10.00		76	24.4	65	18.3	58	14.4	54	7	340		28.96			29.91	FM-15	0.00	29.93
06	2053	7	CLR:00	10.00		75	23.9	65	18.4	59	15.0	58	5	350		28.97			29.92	FM-15	0.00	29.94
06	2153	7	CLR:00	10.00		72	22.2	64	17.8	59	15.0	64	5	010		28.98	1	-0.04	29.93	FM-15	0.00	29.95
06	2253	7	CLR:00	10.00		71	21.7	64	17.9	60	15.6	68	3	350		28.99			29.94	FM-15	0.00	29.96
06	2353	7	CLR:00	10.00		69	20.6	64	17.5	60	15.6	73	0	000		29.00			29.94	FM-15	0.00	29.97
07	0053	7	CLR:00	10.00		67	19.4	63	17.1	60	15.6	79	0	000		28.99	0	-0.01	29.94	FM-15	0.00	29.96
07	0153	7	CLR:00	10.00		65	18.3	63	17.0	61	16.1	87	0	000		28.99			29.94	FM-15	0.00	29.96
07	0253	7	CLR:00	10.00		66	18.9	63	17.2	61	16.1	84	0	000		28.99			29.94	FM-15	0.00	29.96
07	0353	7	CLR:00	10.00		65	18.3	63	17.0	61	16.1	87	0	000		29.01	3	-0.01	29.96	FM-15	0.00	29.98
07	0453	7	CLR:00	10.00		63	17.2	62	16.6	61	16.1	93	3	350		29.03			29.98	FM-15	0.00	30.00
07	0553	7	CLR:00	10.00		63	17.2	62	16.6	61	16.1	93	3	020		29.04			29.99	FM-15	0.00	30.01
07	0653	7	CLR:00	10.00		67	19.4	64	17.7	62	16.7	84	0	000		29.05	1	-0.04	30.00	FM-15	0.00	30.02
07	0753	7	CLR:00	10.00		73	22.8	66	18.9	62	16.7	69	5	010		29.06			30.01	FM-15	0.00	30.03
07	0853	7	CLR:00	10.00		76	24.4	65	18.6	59	15.0	56	0	000		29.05			30.00	FM-15	0.00	30.02
07	0953	7	CLR:00	10.00		79	26.1	67	19.5	60	15.6	52	0	000		29.06	3	-0.01	30.01	FM-15	0.00	30.03
07	1053	7	FEW:02 55	10.00		81	27.2	67	19.5	59	15.0	47	0	000		29.07			30.01	FM-15	0.00	30.04
07	1153	7	BKN:07 60	10.00		83	28.3	67	19.3	57	13.9	41	5	VRB		29.06			30.01	FM-15	0.00	30.03
07	1253	7	SCT:04 65	10.00		85	29.4	67	19.7	57	13.9	39	3	VRB		29.06	8	+0.01	30.01	FM-15	0.00	30.03
07	1353	7	FEW:02 80	10.00		87	30.6	68	19.8	56	13.3	35	7	010		29.04			29.99	FM-15	0.00	30.01
07	1453	7	SCT:04 80	10.00		83	28.3	67	19.6	58	14.4	43	9	350		29.03			29.97	FM-15	0.00	30.00

07	1553	7	CLR:00	10.00		87	30.6	67	19.5	55	12.8	34	7	350		29.02	6	+0.04	29.97	FM-15	0.00	29.99
07	1653	7	SCT:04 80	10.00		87	30.6	69	20.6	59	15.0	39	7	020		29.01			29.96	FM-15	0.00	29.98
07	1753	7	FEW:02 65 SCT:04 85	10.00		86	30.0	69	20.7	60	15.6	42	10	030		29.00			29.95	FM-15	0.00	29.97
07	1853	7	FEW:02 85	10.00		81	27.2	69	20.4	62	16.7	53	8	020		29.01	5	+0.01	29.96	FM-15	0.00	29.98
07	1953	7	FEW:02 65	10.00		78	25.6	67	19.3	60	15.6	54	10	030		29.03			29.97	FM-15	0.00	30.00
07	2053	7	CLR:00	10.00		75	23.9	65	18.1	58	14.4	55	9	030		29.04			29.99	FM-15	0.00	30.01
07	2153	7	CLR:00	10.00		73	22.8	63	17.4	57	13.9	57	9	050		29.05	1	-0.04	29.99	FM-15	0.00	30.02
07	2253	7	CLR:00	10.00		72	22.2	63	17.2	57	13.9	59	8	050		29.05			30.00	FM-15	0.00	30.02
07	2353	7	CLR:00	10.00		73	22.8	63	17.1	56	13.3	55	9	050		29.06			30.01	FM-15	0.00	30.03
08	0053	7	CLR:00	10.00		71	21.7	63	17.0	57	13.9	61	7	050		29.07	1	-0.02	30.01	FM-15	0.00	30.04
08	0153	7	CLR:00	10.00		71	21.7	63	17.0	57	13.9	61	8	050		29.06			30.01	FM-15	0.00	30.03
08	0253	7	CLR:00	10.00		69	20.6	62	16.9	58	14.4	68	7	060		29.06			30.01	FM-15	0.00	30.03
08	0353	7	CLR:00	10.00		68	20.0	62	16.7	58	14.4	70	9	070		29.06	8	+0.01	30.00	FM-15	0.00	30.03
08	0453	7	CLR:00	10.00		66	18.9	61	16.3	58	14.4	75	5	060		29.07			30.01	FM-15	0.00	30.04
08	0553	7	CLR:00	10.00		66	18.9	62	16.6	59	15.0	78	5	060		29.08			30.03	FM-15	0.00	30.05
08	0653	7	CLR:00	10.00		68	20.0	63	17.0	59	15.0	73	6	050		29.09	1	-0.03	30.04	FM-15	0.00	30.06
08	0753	7	CLR:00	10.00		71	21.7	64	17.9	60	15.6	68	9	070		29.10			30.05	FM-15	0.00	30.07
08	0853	7	CLR:00	10.00		73	22.8	66	18.6	61	16.1	66	8	050		29.09			30.04	FM-15	0.00	30.06
08	0953	7	CLR:00	10.00		77	25.0	66	19.1	60	15.6	56	10	040		29.11	3	-0.01	30.06	FM-15	0.00	30.08
08	1053	7	CLR:00	10.00		77	25.0	66	18.8	59	15.0	54	13	030		29.09			30.04	FM-15	0.00	30.06
08	1153	7	CLR:00	10.00		79	26.1	67	19.5	60	15.6	52	10	040		29.08			30.03	FM-15	0.00	30.05
08	1253	7	CLR:00	10.00		82	27.8	70	20.9	63	17.2	53	9	040		29.08	6	+0.02	30.03	FM-15	0.00	30.05
08	1353	7	CLR:00	10.00		83	28.3	69	20.8	62	16.7	49	10	060		29.07			30.01	FM-15	0.00	30.04
08	1453	7	CLR:00	10.00		84	28.9	70	21.0	62	16.7	48	7	050		29.05			30.00	FM-15	0.00	30.02
08	1553	7	CLR:00	10.00		84	28.9	69	20.4	60	15.6	44	9	080		29.04	8	+0.04	29.98	FM-15	0.00	30.01
08	1653	7	CLR:00	10.00		85	29.4	69	20.5	60	15.6	43	9	060		29.03			29.97	FM-15	0.00	30.00
08	1753	7	CLR:00	10.00		84	28.9	70	21.0	62	16.7	48	8	060		29.02			29.97	FM-15	0.00	29.99
08	1853	7	CLR:00	10.00		80	26.7	68	20.3	62	16.7	54	7	080		29.02	5	+0.02	29.97	FM-15	0.00	29.99
08	1953	7	BKN:07 60	10.00		79	26.1	68	20.1	62	16.7	56	5	060		29.02			29.97	FM-15	0.00	29.99
08	2053	7	FEW:02 55 SCT:04 70	10.00		77	25.0	67	19.4	61	16.1	58	6	060		29.04			29.99	FM-15	0.00	30.01
08	2153	7	CLR:00	10.00		75	23.9	66	19.0	61	16.1	62	6	070		29.05	3	-0.03	29.99	FM-15	0.00	30.02
08	2253	7	CLR:00	10.00		75	23.9	66	19.0	61	16.1	62	7	100		29.06			30.01	FM-15	0.00	30.03
08	2353	7	FEW:02 65	10.00		75	23.9	66	19.0	61	16.1	62	6	120		29.06			30.01	FM-15	0.00	30.03
09	0053	7	OVC:08 65	10.00		74	23.3	67	19.5	63	17.2	69	6	110		29.06	1	-0.01	30.01	FM-15	0.00	30.03
09	0153	7	CLR:00	10.00		71	21.7	66	18.9	63	17.2	76	5	100		29.05			30.00	FM-15	0.00	30.02
09	0253	7	CLR:00	10.00		70	21.1	67	19.3	65	18.3	84	5	100		29.06			30.00	FM-15	0.00	30.03
09	0353	7	FEW:02 40	10.00		69	20.6	67	19.5	66	18.9	90	6	080		29.05	7	+0.01	30.00	FM-15	0.00	30.02
09	0453	7	SCT:04 50	10.00		68	20.0	67	19.3	66	18.9	93	5	090		29.06			30.01	FM-15	0.00	30.03
09	0553	7	SCT:04 49	10.00		69	20.6	67	19.5	66	18.9	90	3	100		29.07			30.02	FM-15	0.00	30.04
09	0653	7	CLR:00	10.00		72	22.2	69	20.4	67	19.4	84	5	110		29.07	1	-0.02	30.02	FM-15	0.00	30.04
09	0753	7	CLR:00	10.00		75	23.9	70	21.3	68	20.0	79	8	140		29.08			30.03	FM-15	0.00	30.05
09	0853	7	CLR:00	10.00		78	25.6	72	22.2	69	20.6	74	8	170		29.09			30.03	FM-15	0.00	30.06
09	0953	7	FEW:02 60	10.00		80	26.7	73	22.9	70	21.1	71	9	130		29.08	0	-0.01	30.03	FM-15	0.00	30.05
09	1053	6	FEW:02 60	10.00		82	27.8	74	23.2	70	21.1	67	0	000		29.08			30.03	FM-15	0.00	30.05
09	1153	7	SCT:04 31 BKN:07 60	10.00		85	29.4	76	24.4	72	22.2	65	6	130		29.07			30.02	FM-15	0.00	30.04
09	1253	7	SCT:04 33 BKN:07 70	10.00		88	31.1	77	25.2	73	22.8	61	7	210		29.07	8	+0.02	30.01	FM-15	0.00	30.04
09	1353	7	BKN:07 38	10.00		87	30.6	76	24.7	72	22.2	61	7	190		29.05			29.99	FM-15	0.00	30.02
09	1453	7	FEW:02 38 FEW:02 80	10.00		89	31.7	77	25.0	72	22.2	57	7	200		29.03			29.98	FM-15	0.00	30.00
09	1553	7	FEW:02 50 SCT:04 60 BKN:07 75	10.00		90	32.2	78	25.5	73	22.8	58	10	130		29.02	6	+0.04	29.96	FM-15	0.00	29.99
09	1642	7	BKN:07 41 OVC:08 50	10.00	VCTS:7 -RA:02 |RA |	86	30.0	77	24.9	73	22.8	65	11	200		29.03				FM-16	T	30.00

09	1653	7	SCT:04 39 BKN:07 46 OVC:08 75	6.00	VCTS:7 -RA:02 BR:1 |RA |	83	28.3	77	24.8	74	23.3	74	14	210		29.04			29.98	FM-15	0.01	30.01
09	1704	7	FEW:02 36 BKN:07 80 OVC:08 110	4.00	TS:7 RA:02 BR:1 |RA TS |	80	26.7	77	25.1	76	24.4	87	14	250	22	29.04				FM-16	0.02	30.01
09	1712	7	FEW:02 49 BKN:07 95 OVC:08 120	1.75	TS:7 RA:02 BR:1 |RA TS |	77	25.0	76	24.6	76	24.4	96	10	270		29.03				FM-16	0.06	30.00
09	1724	7	FEW:02 50 BKN:07 90 OVC:08 110	4.00	TS:7 RA:02 BR:1 |RA TS |	77	25.0	76	24.6	76	24.4	96	5	240		29.03				FM-16	0.09	30.00
09	1732	7	FEW:02 50 OVC:08 90	4.00	VCTS:7 -RA:02 BR:1 |RA |	77	25.0	76	24.6	76	24.4	96	3	260		29.05				FM-16	0.09	30.02
09	1753	7	FEW:02 50 BKN:07 90 BKN:07 110	8.00	VCTS:7 ||	77	25.0	76	24.6	76	24.4	96	3	280		29.04			29.99	FM-15	0.08	30.01
09	1805	7	SCT:04 70 BKN:07 95	9.00		78	25.6	77	24.8	76	24.4	93	5	280		29.05				FM-16		30.02
09	1853	7	FEW:02 23 FEW:02 75 SCT:04 100	10.00		78	25.6	76	24.4	75	23.9	90	5	360		29.05	1	-0.03	30.00	FM-15	0.00	30.02
09	1953	7	FEW:02 120	10.00		78	25.6	76	24.4	75	23.9	90	3	220		29.06			30.01	FM-15	0.00	30.03
09	2053	7	SCT:04 80	10.00		78	25.6	75	24.0	74	23.3	87	5	170		29.07			30.01	FM-15	0.00	30.04
09	2153	7	FEW:02 48 FEW:02 65	10.00		78	25.6	75	24.0	74	23.3	87	6	170		29.09	3	-0.04	30.03	FM-15	0.00	30.06
09	2253	7	CLR:00	10.00		77	25.0	75	23.8	74	23.3	90	6	170		29.09			30.03	FM-15	0.00	30.06
09	2353	7	CLR:00	10.00		76	24.4	73	22.6	71	21.7	85	5	170		29.10			30.04	FM-15	0.00	30.07
10	0053	7	FEW:02 70 OVC:08 90	10.00		76	24.4	72	22.2	70	21.1	82	6	190		29.10	3	-0.01	30.04	FM-15	0.00	30.07
10	0153	7	CLR:00	10.00		75	23.9	72	22.4	71	21.7	88	5	170		29.09			30.03	FM-15	0.00	30.06
10	0253	7	BKN:07 55 OVC:08 65	10.00		75	23.9	73	22.8	72	22.2	90	6	170		29.10			30.03	FM-15	0.00	30.07
10	0353	7	BKN:07 65 OVC:08 100	10.00		75	23.9	73	22.8	72	22.2	90	5	170		29.10	5	+0.00	30.04	FM-15	0.00	30.07
10	0453	7	FEW:02 55 OVC:08 100	10.00		75	23.9	73	22.8	72	22.2	90	5	180		29.11			30.06	FM-15	0.00	30.08
10	0553	7	SCT:04 44 BKN:07 100 OVC:08 110	8.00		75	23.9	74	23.1	73	22.8	94	0	000		29.12			30.07	FM-15	0.00	30.09
10	0653	7	BKN:07 40 BKN:07 48 OVC:08 70	10.00		76	24.4	74	23.3	73	22.8	91	0	000		29.14	3	-0.04	30.09	FM-15	0.00	30.11
10	0753	7	SCT:04 36 BKN:07 46 BKN:07 75	10.00		77	25.0	74	23.5	73	22.8	88	3	130		29.16			30.10	FM-15	0.00	30.13
10	0814	7	BKN:07 28 BKN:07 36 OVC:08 45	10.00		77	25.0	74	23.5	73	22.8	88	3	240		29.16				FM-16		30.13
10	0837	7	BKN:07 28 OVC:08 37	10.00	VCTS:7 ||	77	25.0	75	23.8	74	23.3	90	0	000		29.17				FM-16		30.14
10	0844	7	BKN:07 30 BKN:07 37 OVC:08 110	10.00	VCTS:7 ||	77	25.0	75	23.8	74	23.3	90	0	000		29.16				FM-16		30.13
10	0851	6	BKN:07 32 OVC:08 110	10.00		77	25.0	74	23.5	73	23.0	89	0	000		29.16				FM-16		30.13
10	0853	7	BKN:07 32 OVC:08 110	10.00		77	25.0	75	23.8	74	23.3	90	0	000		29.16			30.10	FM-15	0.00	30.13
10	0953	7	BKN:07 60	10.00		79	26.1	76	24.2	74	23.3	85	5	170		29.17	3	-0.02	30.12	FM-15	0.00	30.14
10	1053	7	FEW:02 44 BKN:07 70 OVC:08 95	10.00		80	26.7	76	24.7	75	23.9	85	8	190		29.18			30.13	FM-15	0.00	30.15

10	1153	7	FEW:02 18 SCT:04 37 BKN:07 60	10.00	VCTS:7 ||	80	26.7	76	24.7	75	23.9	85	9	220		29.18			30.12	FM-15	0.08	30.15
10	1223	7	FEW:02 15 SCT:04 39 BKN:07 65	10.00		81	27.2	77	25.2	76	24.4	85	7	210		29.17				FM-16	T	30.14
10	1253	7	FEW:02 15 BKN:07 39 OVC:08 55	10.00		81	27.2	77	24.9	75	23.9	82	7	210		29.17	8	+0.00	30.11	FM-15	T	30.14
10	1353	7	FEW:02 15 SCT:04 110	10.00		82	27.8	76	24.7	74	23.3	77	7	200		29.16			30.10	FM-15	0.00	30.13
10	1453	7	OVC:08 110	10.00		83	28.3	75	24.1	72	22.2	70	7	240		29.15			30.09	FM-15	0.00	30.12
10	1553	7	FEW:02 110	10.00		85	29.4	77	24.8	73	22.8	68	5	190		29.13	8	+0.04	30.08	FM-15	0.00	30.10
10	1653	7	CLR:00	10.00		86	30.0	77	25.3	74	23.3	67	7	250		29.13			30.07	FM-15	0.00	30.10
10	1753	7	CLR:00	10.00		85	29.4	77	25.1	74	23.3	70	8	240		29.12			30.06	FM-15	0.00	30.09
10	1853	7	OVC:08 120	10.00		84	28.9	78	25.7	76	24.4	77	6	240		29.13	5	+0.00	30.08	FM-15	0.00	30.10
10	1953	7	CLR:00	10.00		81	27.2	77	24.9	75	23.9	82	5	210		29.13			30.08	FM-15	0.00	30.10
10	2053	7	CLR:00	10.00		81	27.2	77	24.9	75	23.9	82	3	210		29.14			30.08	FM-15	0.00	30.11
10	2153	7	CLR:00	10.00		79	26.1	76	24.6	75	23.9	88	0	000		29.14	3	-0.01	30.08	FM-15	0.00	30.11
10	2253	7	CLR:00	10.00		79	26.1	76	24.6	75	23.9	88	7	220		29.14			30.09	FM-15	0.00	30.11
10	2353	7	CLR:00	10.00		78	25.6	75	23.6	73	22.8	85	5	200		29.13			30.07	FM-15	0.00	30.10
11	0053	7	FEW:02 120	10.00		75	23.9	73	22.8	72	22.2	90	0	000		29.14	5	+0.00	30.08	FM-15	0.00	30.11
11	0153	7	FEW:02 120	10.00		76	24.4	73	22.9	72	22.2	88	0	000		29.13			30.08	FM-15	0.00	30.10
11	0253	7	CLR:00	10.00		75	23.9	74	23.1	73	22.8	94	0	000		29.14			30.08	FM-15	T	30.11
11	0353	7	OVC:08 110	10.00		74	23.3	73	22.6	72	22.2	94	0	000		29.13	8	+0.01	30.07	FM-15	0.00	30.10
11	0453	7	CLR:00	10.00		75	23.9	73	22.8	72	22.2	90	0	000		29.13			30.07	FM-15	0.00	30.10
11	0553	7	BKN:07 110	10.00		74	23.3	73	22.6	72	22.2	94	0	000		29.13			30.08	FM-15	0.00	30.10
11	0653	7	CLR:00	10.00		75	23.9	74	23.1	73	22.8	94	0	000		29.14	3	-0.01	30.09	FM-15	0.00	30.11
11	0753	7	FEW:02 120	10.00		81	27.2	77	24.9	75	23.9	82	7	160		29.14			30.09	FM-15	0.00	30.11
11	0853	7	CLR:00	10.00		85	29.4	79	25.9	76	24.4	75	8	200		29.14			30.08	FM-15	0.00	30.11
11	0953	7	FEW:02 28 BKN:07 100	10.00		87	30.6	78	25.4	74	23.3	65	10	210		29.13	8	+0.01	30.07	FM-15	0.00	30.10
11	1053	7	FEW:02 34 FEW:02 46 SCT:04 75	10.00		88	31.1	78	25.6	74	23.3	63	8	190		29.12			30.06	FM-15	0.00	30.09
11	1153	7	SCT:04 34	10.00		91	32.8	78	25.6	73	22.8	56	11	190		29.09			30.03	FM-15	0.00	30.06
11	1253	7	BKN:07 34	10.00		91	32.8	78	25.6	73	22.8	56	11	230		29.08	8	+0.05	30.02	FM-15	0.00	30.05
11	1301	7	BKN:07 43	10.00	VCTS:7 ||	91	32.8	78	25.6	73	22.8	56	10	240	18	29.07				FM-16		30.04
11	1309	7	BKN:07 43	10.00		93	33.9	79	26.3	74	23.3	54	8	VRB		29.07				FM-16		30.04
11	1353	7	BKN:07 43	10.00		89	31.7	78	25.3	73	22.8	59	11	200		29.06			30.00	FM-15	0.00	30.03
11	1453	7	BKN:07 45	10.00		92	33.3	77	25.1	71	21.7	51	15	230		29.04			29.98	FM-15	0.00	30.01
11	1553	7	CLR:00	10.00		92	33.3	77	25.1	71	21.7	51	17	230		29.02	8	+0.06	29.96	FM-15	0.00	29.99
11	1653	7	FEW:02 42 SCT:04 70	10.00		88	31.1	77	25.2	73	22.8	61	21	230	26	29.02			29.96	FM-15	0.00	29.99
11	1753	7	CLR:00	10.00		88	31.1	77	25.2	73	22.8	61	13	220		29.02			29.96	FM-15	0.00	29.99
11	1853	7	CLR:00	10.00		87	30.6	77	25.0	73	22.8	63	15	230	21	29.01	8	+0.01	29.95	FM-15	0.00	29.98
11	1953	7	CLR:00	10.00		85	29.4	77	25.1	74	23.3	70	8	210		29.01			29.96	FM-15	0.00	29.98
11	2053	7	FEW:02 65 FEW:02 100	10.00		84	28.9	77	25.0	74	23.3	72	7	210		29.02			29.96	FM-15	0.00	29.99
11	2153	7	SCT:04 90 OVC:08 100	10.00		83	28.3	77	24.8	74	23.3	74	8	180		29.02	1	-0.01	29.96	FM-15	0.00	29.99
11	2253	7	FEW:02 110	10.00		82	27.8	76	24.7	74	23.3	77	6	210		29.01			29.96	FM-15	0.00	29.98
11	2353	7	BKN:07 95	10.00		81	27.2	76	24.5	74	23.3	79	7	200		29.01			29.95	FM-15	0.00	29.98
12	0053	7	OVC:08 100	10.00		80	26.7	75	24.0	73	22.8	79	8	220		29.02	5	+0.00	29.96	FM-15	0.00	29.99
12	0153	7	OVC:08 100	10.00		80	26.7	75	24.0	73	22.8	79	8	210		29.01			29.95	FM-15	0.00	29.98
12	0253	7	OVC:08 100	10.00		79	26.1	75	23.8	73	22.8	82	7	210		29.00			29.94	FM-15	0.00	29.97
12	0353	7	OVC:08 110	10.00		80	26.7	74	23.6	72	22.2	76	9	230		28.98	8	+0.03	29.92	FM-15	0.00	29.95
12	0453	7	CLR:00	10.00		77	25.0	74	23.1	72	22.2	85	6	200		28.99			29.93	FM-15	0.00	29.96
12	0553	7	CLR:00	10.00		77	25.0	74	23.1	72	22.2	85	6	220		29.00			29.94	FM-15	0.00	29.97
12	0653	7	CLR:00	10.00		79	26.1	75	23.8	73	22.8	82	6	230		29.01	1	-0.02	29.95	FM-15	0.00	29.98

12	0753	7	CLR:00	10.00		82	27.8	75	23.9	72	22.2	72	9	220		29.01			29.95	FM-15	0.00	29.98
12	0853	7	OVC:08 49	10.00		84	28.9	77	25.0	74	23.3	72	9	200		29.01			29.96	FM-15	0.00	29.98
12	0953	7	SCT:04 49	10.00		86	30.0	78	25.6	75	23.9	70	8	230		29.01	0	-0.00	29.95	FM-15	0.00	29.98
12	1053	7	SCT:04 36 BKN:07 43 BKN:07 50	10.00		87	30.6	77	25.0	73	22.8	63	15	220		28.99			29.93	FM-15	0.00	29.96
12	1153	7	FEW:02 41 FEW:02 60	10.00		90	32.2	77	24.8	71	21.7	54	14	240		28.98			29.91	FM-15	0.00	29.95
12	1253	7	FEW:02 42	10.00		92	33.3	78	25.8	73	22.8	54	13	230	20	28.95	8	+0.06	29.89	FM-15	0.00	29.92
12	1353	7	FEW:02 43 BKN:07 60	10.00		92	33.3	77	25.1	71	21.7	51	15	210	24	28.95			29.88	FM-15	0.00	29.92
12	1453	7	FEW:02 43 SCT:04 80 BKN:07 95	10.00		92	33.3	79	26.1	74	23.3	56	14	210		28.93			29.87	FM-15	0.00	29.90
12	1553	7	SCT:04 100	10.00		92	33.3	78	25.4	72	22.2	52	17	210	24	28.92	8	+0.03	29.86	FM-15	0.00	29.89
12	1622	7	FEW:02 48 BKN:07 100	10.00	VCTS:7 ||	90	32.2	77	24.8	71	21.7	54	14	220	24	28.93				FM-16		29.90
12	1653	7	SCT:04 44 BKN:07 100	10.00		84	28.9	76	24.6	73	22.8	70	11	280		28.93			29.87	FM-15	0.00	29.90
12	1753	7	OVC:08 110	10.00		83	28.3	79	25.9	77	25.0	82	5	250		28.92			29.86	FM-15	0.01	29.89
12	1853	7	BKN:07 100	10.00		86	30.0	76	24.5	72	22.2	63	11	200		28.91	8	+0.01	29.85	FM-15	0.00	29.88
12	1953	7	BKN:07 110	10.00		85	29.4	76	24.4	72	22.2	65	9	200		28.93			29.87	FM-15	0.00	29.90
12	2053	7	BKN:07 95	10.00		84	28.9	76	24.6	73	22.8	70	7	210		28.95			29.89	FM-15	0.00	29.92
12	2153	7	BKN:07 95 OVC:08 120	10.00		84	28.9	76	24.6	73	22.8	70	6	190		28.95	1	-0.04	29.89	FM-15	0.00	29.92
12	2253	7	BKN:07 100 BKN:07 120	10.00		84	28.9	77	25.0	74	23.3	72	7	190		28.94			29.88	FM-15	0.00	29.91
12	2353	7	BKN:07 100	10.00		83	28.3	77	24.8	74	23.3	74	8	200		28.94			29.88	FM-15	0.00	29.91
13	0053	7	OVC:08 100	10.00		82	27.8	76	24.6	74	23.3	77	7	200		28.94	5	+0.01	29.88	FM-15	0.00	29.91
13	0153	7	OVC:08 110	10.00		82	27.8	76	24.3	73	22.8	74	7	200		28.92			29.86	FM-15	0.00	29.89
13	0253	7	BKN:07 80	10.00		81	27.2	76	24.5	74	23.3	79	7	180		28.92			29.86	FM-15	0.00	29.89
13	0353	7	BKN:07 80	10.00		80	26.7	76	24.3	74	23.3	82	10	190		28.92	6	+0.02	29.85	FM-15	0.00	29.89
13	0453	7	CLR:00	10.00		78	25.6	75	23.6	73	22.8	85	8	190		28.92			29.87	FM-15	0.00	29.89
13	0553	7	SCT:04 49 SCT:04 80	10.00		77	25.0	74	23.5	73	22.8	88	8	190		28.93			29.87	FM-15	0.00	29.90
13	0653	7	FEW:02 47 OVC:08 85	10.00		79	26.1	75	23.8	73	22.8	82	10	200		28.94	3	-0.02	29.88	FM-15	0.00	29.91
13	0753	7	BKN:07 43	10.00		81	27.2	76	24.5	74	23.3	79	13	200		28.95			29.89	FM-15	0.00	29.92
13	0853	7	FEW:02 80 OVC:08 95	10.00		82	27.8	76	24.6	74	23.3	77	11	190		28.94			29.88	FM-15	0.00	29.91
13	0953	7	FEW:02 31 SCT:04 75 BKN:07 95	10.00		86	30.0	77	24.9	73	22.8	65	18	200	24	28.94	8	+0.00	29.88	FM-15	0.00	29.91
13	1053	7	BKN:07 36 OVC:08 95	10.00		87	30.6	76	24.7	72	22.2	61	20	220	29	28.94			29.88	FM-15	0.00	29.91
13	1153	7	BKN:07 34 OVC:08 90	10.00		88	31.1	77	25.2	73	22.8	61	18	230	23	28.93			29.86	FM-15	0.00	29.90
13	1253	7	SCT:04 37 BKN:07 43 BKN:07 55	10.00		89	31.7	77	25.0	72	22.2	57	16	220	33	28.91	8	+0.03	29.85	FM-15	0.00	29.88
13	1353	7	FEW:02 39 SCT:04 60 SCT:04 100	10.00		87	30.6	76	24.7	72	22.2	61	21	200	29	28.92			29.85	FM-15	0.00	29.89
13	1451	6	SCT:04 37 BKN:07 55 BKN:07 70	3.00	VCTS:7 -RA:02 |RA |	81	27.0	75	24.1	73	23.0	79	21	260	31	28.93				FM-16		29.90
13	1453	7	SCT:04 37 BKN:07 50 BKN:07 70	5.00	VCTS:7 RA:02 |RA |	80	26.7	75	24.0	73	22.8	79	18	260	31	28.93			29.87	FM-15	0.07	29.90
13	1501	7	SCT:04 34 BKN:07 46 OVC:08 85	2.50V	VCTS:7 RA:02 BR:1 |RA |	78	25.6	76	24.4	75	23.9	90	13	270		28.92				FM-16	0.03	29.89

13	1503	7	SCT:04 34 BKN:07 46 OVC:08 85	3.00	-RA:02 BR:1 |RA |	78	25.6	76	24.4	75	23.9	90	9	250		28.92				FM-16	0.03	29.89
13	1512	7	SCT:04 30 BKN:07 37 OVC:08 65	10.00	TS:7 -RA:02 |RA TS TS |	79	26.1	77	24.9	76	24.4	90	16	230	23	28.92				FM-16	0.03	29.89
13	1521	7	FEW:02 21 BKN:07 33 OVC:08 46	2.50	TS:7 +RA:02 BR:1 |RA TS |	77	25.0	76	24.2	75	23.9	94	18	220	34	28.93				FM-16	0.09	29.90
13	1523	7	FEW:02 12 BKN:07 29 OVC:08 44	1.75	TS:7 +RA:02 BR:1 |RA TS |	77	25.0	76	24.2	75	23.9	94	13	240	34	28.93				FM-16	0.12	29.90
13	1531	7	FEW:02 12 BKN:07 29 OVC:08 65	3.00	TS:7 -RA:02 BR:1 |RA TS |	77	25.0	76	24.2	75	23.9	94	9	220		28.92				FM-16	0.13	29.89
13	1536	7	SCT:04 29 SCT:04 50 BKN:07 60	3.00	VCTS:7 -RA:02 BR:1 |RA |	77	25.0	76	24.6	76	24.4	96	7	230		28.92				FM-16	0.13	29.89
13	1550	7	FEW:02 18 BKN:07 65 OVC:08 90	10.00		79	26.0	76	24.5	75	24.0	89	6	260		28.93				FM-16	0.13	29.90
13	1553	7	BKN:07 65 BKN:07 80 OVC:08 90	10.00		78	25.6	77	24.8	76	24.4	93	7	250		28.93	1	-0.01	29.87	FM-15	0.11	29.90
13	1651	7	SCT:04 60 OVC:08 75	10.00	VCTS:7 ||	79	26.0	76	24.5	75	24.0	89	5	240		28.94				FM-16		29.91
13	1653	7	FEW:02 55 OVC:08 75	10.00	VCTS:7 ||	79	26.1	77	24.9	76	24.4	90	5	240		28.94			29.88	FM-15	0.00	29.91
13	1707	7	SCT:04 32 SCT:04 45 OVC:08 75	10.00		79	26.1	77	24.9	76	24.4	90	7	220		28.94				FM-16		29.91
13	1715	7	FEW:02 31 BKN:07 70 OVC:08 85	10.00	VCTS:7 -RA:02 |RA |	79	26.1	77	24.9	76	24.4	90	6	230		28.94				FM-16	T	29.91
13	1742	7	FEW:02 33 BKN:07 60 BKN:07 80	10.00		80	26.7	77	25.1	76	24.4	87	6	240		28.95				FM-16	0.01	29.92
13	1753	7	BKN:07 60 BKN:07 80	10.00		79	26.1	77	24.9	76	24.4	90	6	260		28.94			29.89	FM-15	0.01	29.91
13	1832	7	FEW:02 39 SCT:04 46 BKN:07 100	10.00	VCTS:7 ||	80	26.7	76	24.7	75	23.9	85	7	260		28.95				FM-16		29.92
13	1848	7	FEW:02 26 SCT:04 43 BKN:07 100	2.50	TS:7 -RA:02 |RA TS TS |	79	26.0	75	23.8	73	23.0	84	9	240		28.95				FM-16	T	29.92
13	1853	7	FEW:02 13 SCT:04 20 BKN:07 42	1.50V	TS:7 -RA:02 BR:1 |RA TS |	79	26.1	76	24.5	75	23.9	88	11	170		28.95	3	-0.01	29.89	FM-15	0.07	29.92
13	1902	7	FEW:02 11 SCT:04 20 BKN:07 35	3.00	TS:7 -RA:02 BR:1 |RA TS |	77	25.0	76	24.2	75	23.9	94	8	240		28.95				FM-16	0.01	29.92
13	1905	7	SCT:04 15 SCT:04 31 BKN:07 40	7.00	-RA:02 |RA |	77	25.0	76	24.2	75	23.9	94	7	VRB		28.96				FM-16	0.01	29.93
13	1953	7	FEW:02 29 SCT:04 41 BKN:07 70	8.00	-RA:02 |RA |	77	25.0	76	24.2	75	23.9	94	7	250		28.96			29.91	FM-15	0.01	29.93
13	2053	7	FEW:02 50	10.00		76	24.4	74	23.3	73	22.8	91	8	240		28.99			29.93	FM-15	0.01	29.96
13	2153	7	FEW:02 25 FEW:02 49	10.00		75	23.9	74	23.5	74	23.3	96	7	210		29.00	3	-0.05	29.94	FM-15	0.00	29.97
13	2253	7	SCT:04 29	10.00	-RA:02 |RA |	75	23.9	74	23.5	74	23.3	96	6	210		29.01			29.95	FM-15	T	29.98
13	2323	7	FEW:02 22 BKN:07 29	10.00		76	24.4	75	23.7	74	23.3	94	7	210		29.01				FM-16	T	29.98

13	2351	6	FEW:02 24 BKN:07 32 OVC:08 60	10.00		75	24.0	74	23.1	73	23.0	94	9	220		29.01				FM-16		29.98
13	2353	7	FEW:02 10 BKN:07 35 OVC:08 60	10.00		76	24.4	75	23.7	74	23.3	94	9	220		29.01			29.95	FM-15	0.00	29.98
14	0051	6	FEW:02 15 BKN:07 21	10.00		75	24.0	74	23.1	73	23.0	94	8	250		29.01				FM-16		29.98
14	0053	7	FEW:02 15 BKN:07 21	10.00		75	23.9	74	23.1	73	22.8	94	8	240		29.01	1	-0.01	29.95	FM-15	0.00	29.98
14	0141	7	BKN:07 14 OVC:08 25	10.00		75	23.9	74	23.1	73	22.8	94	9	240		29.01				FM-16		29.98
14	0151	7	BKN:07 16 BKN:07 25 BKN:07 110	10.00		73	23.0	72	22.4	72	22.0	94	7	250		29.00				FM-16		29.97
14	0153	7	BKN:07 16 BKN:07 25 BKN:07 110	10.00		74	23.3	73	22.6	72	22.2	94	8	240		29.00			29.95	FM-15	0.00	29.97
14	0231	7	BKN:07 13 OVC:08 18	10.00		75	23.9	74	23.1	73	22.8	94	6	230		29.01				FM-16		29.98
14	0253	7	OVC:08 11	10.00		75	23.9	74	23.1	73	22.8	94	5	240		29.01			29.96	FM-15	T	29.98
14	0329	7	SCT:04 10 OVC:08 20	10.00		74	23.3	73	23.0	73	22.8	97	5	220		29.02				FM-16	T	29.99
14	0339	7	BKN:07 11 OVC:08 20	10.00		75	23.9	74	23.1	73	22.8	94	5	230		29.02				FM-16	T	29.99
14	0353	7	BKN:07 11 OVC:08 19	10.00		74	23.3	73	23.0	73	22.8	97	5	210		29.02	3	-0.02	29.97	FM-15	T	29.99
14	0404	7	SCT:04 9 OVC:08 17	10.00		74	23.3	73	23.0	73	22.8	97	7	200		29.03				FM-16		30.00
14	0421	7	FEW:02 9 BKN:07 14 OVC:08 80	10.00		74	23.3	73	23.0	73	22.8	97	6	210		29.03				FM-16		30.00
14	0443	7	BKN:07 9 BKN:07 13	10.00		74	23.3	73	23.0	73	22.8	97	7	210		29.03				FM-16		30.00
14	0453	7	BKN:07 9 BKN:07 50	10.00		74	23.3	73	23.0	73	22.8	97	5	220		29.03			29.98	FM-15	0.00	30.00
14	0503	7	SCT:04 9 OVC:08 55	10.00		74	23.3	73	23.0	73	22.8	97	5	230		29.03				FM-16		30.00
14	0529	7	BKN:07 15 OVC:08 55	10.00		74	23.3	73	23.0	73	22.8	97	5	210		29.05				FM-16		30.02
14	0551	6	SCT:04 16 OVC:08 50	10.00		73	23.0	73	22.8	73	23.0	100	5	230		29.05				FM-16		30.02
14	0553	7	SCT:04 16 OVC:08 50	10.00		74	23.3	73	23.0	73	22.8	97	5	230		29.05			30.00	FM-15	0.00	30.02
14	0631	7	SCT:04 9 BKN:07 13 OVC:08 60	10.00		74	23.3	73	23.0	73	22.8	97	6	200		29.07				FM-16		30.04
14	0653	7	SCT:04 11 BKN:07 50 OVC:08 110	10.00		75	23.9	74	23.1	73	22.8	94	7	220		29.07	3	-0.04	30.01	FM-15	0.00	30.04
14	0707	7	BKN:07 9 BKN:07 49 OVC:08 65	10.00		75	23.9	74	23.1	73	22.8	94	5	220		29.07				FM-16		30.04
14	0726	7	OVC:08 11	10.00	-RA:02 |RA |	75	23.9	74	23.1	73	22.8	94	5	240		29.07				FM-16	T	30.04
14	0744	7	BKN:07 9 OVC:08 45	3.00	RA:02 BR:1 |RA |	75	23.9	74	23.1	73	22.8	94	3	230		29.07				FM-16	0.01	30.04
14	0753	7	BKN:07 9 OVC:08 45	4.00	-RA:02 BR:1 |RA |	75	23.9	74	23.5	74	23.3	96	5	240		29.08			30.02	FM-15	0.02	30.05
14	0842	7	FEW:02 7 BKN:07 11 OVC:08 40	2.50V	TS:7 -RA:02 BR:1 |RA TS |	75	23.9	74	23.1	73	22.8	94	6	240		29.09				FM-16	0.03	30.06
14	0844	7	BKN:07 9 BKN:07 17 OVC:08 40	1.75	TS:7 +RA:02 BR:1 |RA TS |	74	23.3	73	23.0	73	22.8	97	5	260		29.09				FM-16	0.04	30.06

14	0851	6	BKN:07 9 BKN:07 17 OVC:08 40	0.50s	TS:7 s +RA:02 s BR:1 s |s RA s TS s |	73	23.0	73	22.8	73	23.0	100	6	310		29.09				FM-16		30.06
14	0853	7	BKN:07 9 BKN:07 17 OVC:08 40	0.50s	TS:7 s +RA:02 s BR:1 s |s RA s TS s |	74	23.3	73	23.0	73	22.8	97	6	310		29.09			30.04	FM-15	0.18	30.06
14	0855	7	FEW:02 11 BKN:07 22 OVC:08 40	0.50s	VCTS:7 s +RA:02 s BR:1 s |s RA s |	74	23.3	73	23.0	73	22.8	97	5	310		29.09				FM-16	0.01	30.06
14	0859	7	BKN:07 9 BKN:07 22 OVC:08 40	1.00	VCTS:7 RA:02 BR:1 |RA |	73	22.8	73	22.8	73	22.8	100	6	280		29.09				FM-16	0.01	30.06
14	0909	7	BKN:07 9 BKN:07 22 OVC:08 40	3.00	VCTS:7 RA:02 BR:1 |RA |	73	22.8	72	22.0	71	21.7	94	5	320		29.09				FM-16	0.03	30.06
14	0917	7	BKN:07 9 BKN:07 24 OVC:08 55	1.75	-RA:02 BR:1 |RA |	72	22.2	71	21.9	71	21.7	97	5	270		29.10				FM-16	0.07	30.07
14	0922	7	BKN:07 9 BKN:07 24 OVC:08 55	0.75	VCTS:7 +RA:02 BR:1 |RA |	72	22.2	72	22.2	72	22.2	100	3	230		29.10				FM-16	0.12	30.07
14	0944	7	BKN:07 9 BKN:07 24 OVC:08 55	1.00	+RA:02 BR:1 |RA |	72	22.2	72	22.2	72	22.2	100	3	240		29.10				FM-16	0.30	30.07
14	0951	6	FEW:02 4 BKN:07 47 OVC:08 60	1.25	+RA:02 BR:1 |RA |	72	22.0	72	22.2	72	22.0	100	3	240		29.10				FM-16		30.07
14	0953	7	FEW:02 4 BKN:07 47 OVC:08 60	1.25	+RA:02 BR:1 |RA |	72	22.2	72	22.2	72	22.2	100	3	260		29.10	3	-0.04	30.05	FM-15	0.40	30.07
14	1002	7	FEW:02 4 BKN:07 47 OVC:08 65	0.75	VCTS:7 RA:02 BR:1 |RA |	72	22.2	71	21.9	71	21.7	97	7	220		29.12				FM-16	0.09	30.09
14	1033	7	BKN:07 34 BKN:07 43 OVC:08 70	2.50	VCTS:7 RA:02 BR:1 |RA |	71	21.7	71	21.7	71	21.7	100	7	290		29.12				FM-16	0.44	30.09
14	1040	7	FEW:02 17 BKN:07 34 OVC:08 55	5.00	RA:02 BR:1 |RA |	71	21.7	71	21.7	71	21.7	100	7	280		29.13				FM-16	0.44	30.10
14	1047	7	SCT:04 15 BKN:07 24 OVC:08 55	1.50	RA:02 BR:1 |RA |	72	22.0	72	22.2	72	22.0	100	5	280		29.13				FM-16	0.51	30.10
14	1051	6	SCT:04 13 BKN:07 20 OVC:08 55	0.75	VCTS:7 +RA:02 BR:1 |RA |	72	22.0	72	22.2	72	22.0	100	7	290		29.13				FM-16		30.10
14	1053	7	SCT:04 8 BKN:07 18 OVC:08 55	0.75	VCTS:7 +RA:02 BR:1 |RA |	71	21.7	71	21.7	71	21.7	100	7	290		29.13			30.08	FM-15	0.52	30.10
14	1102	7	FEW:02 5 BKN:07 13 OVC:08 32	1.50	VCTS:7 RA:02 BR:1 |RA |	72	22.2	71	21.9	71	21.7	97	10	280		29.14				FM-16	0.04	30.11
14	1106	7	FEW:02 5 SCT:04 12 OVC:08 20	0.75	VCTS:7 +RA:02 BR:1 |RA |	71	21.7	71	21.7	71	21.7	100	6	310		29.13				FM-16	0.12	30.10
14	1116	7	FEW:02 7 BKN:07 24 OVC:08 55	0.75	+RA:02 BR:1 |RA |	71	21.7	70	21.3	70	21.1	96	3	320		29.13				FM-16	0.20	30.10
14	1122	7	FEW:02 9 BKN:07 28 OVC:08 100	2.00	RA:02 BR:1 |RA |	71	21.7	70	21.3	70	21.1	96	0	000		29.13				FM-16	0.21	30.10
14	1134	7	SCT:04 7 BKN:07 33 OVC:08 95	1.00	RA:02 BR:1 |RA |	71	21.7	71	21.7	71	21.7	100	3	270		29.13				FM-16	0.24	30.10
14	1153	7	FEW:02 7 BKN:07 70 OVC:08 100	1.00	-RA:02 BR:1 |RA |	71	21.7	70	21.3	70	21.1	96	5	240		29.13			30.08	FM-15	0.29	30.10

14	1200	7	FEW:02 7 SCT:04 65 OVC:08 95	4.00	RA:02 BR:1 |RA |	71	21.7	70	21.3	70	21.1	96	3	240		29.12				FM-16	0.02	30.09
14	1253	7	SCT:04 6 BKN:07 46 OVC:08 110	5.00	-RA:02 BR:1 |RA |	72	22.2	71	21.9	71	21.7	97	8	200		29.14	1	-0.03	30.09	FM-15	0.04	30.11
14	1312	7	BKN:07 8 OVC:08 110	5.00	-RA:02 BR:1 |RA |	72	22.2	71	21.9	71	21.7	97	7	210		29.14				FM-16	0.01	30.11
14	1330	7	SCT:04 8 BKN:07 95 OVC:08 110	5.00	RA:02 BR:1 |RA |	72	22.2	71	21.9	71	21.7	97	7	190		29.14				FM-16	0.03	30.11
14	1353	7	FEW:02 6 BKN:07 90 OVC:08 110	5.00	-RA:02 BR:1 |RA |	73	22.8	72	22.0	71	21.7	94	8	230		29.14			30.09	FM-15	0.03	30.11
14	1444	7	BKN:07 11 BKN:07 29 BKN:07 70	10.00	-RA:02 |RA |	74	23.3	72	22.2	71	21.7	91	6	270		29.12				FM-16	0.01	30.09
14	1451	6	SCT:04 9 BKN:07 13 BKN:07 70	10.00	-RA:02 |RA |	73	23.0	72	22.4	72	22.0	94	5	280		29.12				FM-16		30.09
14	1453	7	SCT:04 9 BKN:07 13 BKN:07 70	10.00	-RA:02 |RA |	74	23.3	73	22.6	72	22.2	94	5	270		29.12			30.07	FM-15	0.01	30.09
14	1508	7	FEW:02 11 OVC:08 60	10.00		75	23.9	72	22.4	71	21.7	88	6	250		29.12				FM-16	T	30.09
14	1553	7	FEW:02 10 SCT:04 65	10.00		75	23.9	73	22.8	72	22.2	90	5	250		29.12	8	+0.02	30.06	FM-15	T	30.09
14	1653	7	FEW:02 10 SCT:04 65	10.00		77	25.0	74	23.1	72	22.2	85	5	250		29.10			30.05	FM-15	0.00	30.07
14	1753	7	SCT:04 10 BKN:07 65	10.00		77	25.0	74	23.1	72	22.2	85	6	270		29.11			30.06	FM-15	0.00	30.08
14	1819	7	BKN:07 10 OVC:08 20	10.00		77	25.0	74	23.1	72	22.2	85	6	280		29.11				FM-16		30.08
14	1851	6	SCT:04 16 BKN:07 55	10.00		75	24.0	73	22.8	72	22.0	89	0	000		29.12				FM-16		30.09
14	1853	7	SCT:04 16 BKN:07 55	10.00		76	24.4	73	22.9	72	22.2	88	0	000		29.12	3	-0.00	30.06	FM-15	0.00	30.09
14	1953	7	FEW:02 10 BKN:07 48 OVC:08 60	10.00		76	24.4	73	22.9	72	22.2	88	3	160		29.14			30.08	FM-15	0.00	30.11
14	2053	7	BKN:07 55	10.00		74	23.3	73	22.6	72	22.2	94	0	000		29.16			30.11	FM-15	0.00	30.13
14	2153	7	BKN:07 60	10.00		75	23.9	73	22.8	72	22.2	90	6	170		29.15	0	-0.04	30.10	FM-15	0.00	30.12
14	2253	7	FEW:02 50 SCT:04 85	10.00		74	23.3	73	22.6	72	22.2	94	5	170		29.15			30.10	FM-15	0.00	30.12
14	2353	7	SCT:04 80	10.00		73	22.8	72	22.4	72	22.2	96	0	000		29.17			30.12	FM-15	0.00	30.14
15	0049	7	SCT:04 8 BKN:07 60 BKN:07 100	10.00		73	23.0	72	22.4	72	22.0	94	3	340		29.17				FM-16		30.14
15	0053	7	BKN:07 8 BKN:07 60 BKN:07 100	10.00		73	22.8	73	22.8	73	22.8	100	0	000		29.17	0	-0.02	30.12	FM-15	0.00	30.14
15	0102	7	SCT:04 8 SCT:04 60 OVC:08 90	10.00		74	23.3	73	23.0	73	22.8	97	0	000		29.17				FM-16		30.14
15	0153	7	FEW:02 9 SCT:04 85	10.00		72	22.2	72	22.2	72	22.2	100	0	000		29.16			30.11	FM-15	0.00	30.13
15	0253	7	SCT:04 7 BKN:07 75	9.00		72	22.2	71	21.9	71	21.7	97	0	000		29.16			30.11	FM-15	0.00	30.13
15	0306	7	BKN:07 7 BKN:07 75	8.00		72	22.2	71	21.9	71	21.7	97	3	330		29.16				FM-16		30.13
15	0351	6	FEW:02 9 BKN:07 70 OVC:08 90	10.00		73	23.0	72	22.4	72	22.0	94	5	330		29.18				FM-16		30.15

15	0353	7	FEW:02 9 BKN:07 70 OVC:08 90	10.00		73	22.8	72	22.4	72	22.2	96	5	330		29.18	2	-0.01	30.13	FM-15	0.00	30.15
15	0453	7	SCT:04 11 BKN:07 70 OVC:08 85	10.00		73	22.8	72	22.4	72	22.2	96	6	330		29.19			30.14	FM-15	0.00	30.16
15	0501	7	BKN:07 11 BKN:07 70 OVC:08 80	10.00		73	22.8	72	22.4	72	22.2	96	5	340		29.19				FM-16		30.16
15	0523	7	SCT:04 12 SCT:04 60	10.00		72	22.2	71	21.9	71	21.7	97	5	030		29.19				FM-16		30.16
15	0553	7	BKN:07 60 BKN:07 70	9.00		72	22.2	72	22.2	72	22.2	100	5	090		29.19			30.14	FM-15	0.00	30.16
15	0653	7	FEW:02 60 FEW:02 100	8.00		73	22.8	72	22.4	72	22.2	96	0	000		29.20	3	-0.03	30.15	FM-15	0.00	30.17
15	0711	7	BKN:07 60 BKN:07 75	2.50	VCTS:7 -RA:02 BR:1 |RA |	73	22.8	72	22.4	72	22.2	96	8	250		29.23				FM-16	0.02	30.20
15	0722	7	FEW:02 10 SCT:04 28 OVC:08 60	1.00	VCTS:7 +RA:02 BR:1 |RA |	73	22.8	73	22.8	73	22.8	100	13	250		29.25				FM-16	0.18	30.22
15	0725	7	FEW:02 10 BKN:07 26 OVC:08 60	0.50	VCTS:7 +RA:02 FG:2 |FG RA |	72	22.2	72	22.2	72	22.2	100	13	240		29.25				FM-16	0.26	30.22
15	0730	7	FEW:02 9 BKN:07 30 OVC:08 60	0.50	VCTS:7 +RA:02 FG:2 |FG RA |	72	22.2	72	22.2	72	22.2	100	0	000		29.23				FM-16	0.31	30.20
15	0739	7	FEW:02 11 BKN:07 37 OVC:08 110	2.00	VCTS:7 RA:02 BR:1 |RA |	72	22.2	71	21.9	71	21.7	97	3	090		29.22				FM-16	0.34	30.19
15	0751	6	SCT:04 35 BKN:07 100 BKN:07 120	4.00	VCTS:7 RA:02 BR:1 |RA |	72	22.0	72	22.2	72	22.0	100	5	120		29.22				FM-16		30.19
15	0753	7	FEW:02 39 OVC:08 100	4.00	VCTS:7 RA:02 BR:1 |RA |	71	21.7	71	21.7	71	21.7	100	5	110		29.22			30.16	FM-15	0.41	30.19
15	0832	7	FEW:02 80 OVC:08 100	4.00	RA:02 BR:1 |RA |	71	21.7	70	21.3	70	21.1	96	6	110		29.22				FM-16	0.15	30.19
15	0841	7	FEW:02 80 BKN:07 110	6.00	TS:7 -RA:02 BR:1 |RA TS |	71	21.7	70	21.3	70	21.1	96	6	110		29.22				FM-16	0.16	30.19
15	0851	6	BKN:07 110	8.00	-RA:02 |RA |	72	22.0	71	21.5	70	21.0	94	5	100		29.22				FM-16		30.19
15	0853	7	BKN:07 110	9.00	-RA:02 |RA |	71	21.7	70	21.3	70	21.1	96	5	100		29.22			30.17	FM-15	0.16	30.19
15	0953	7	FEW:02 42 FEW:02 75 OVC:08 110	10.00	-RA:02 |RA |	73	22.8	71	21.7	70	21.1	90	3	170		29.22	1	-0.02	30.17	FM-15	0.01	30.19
15	1053	7	FEW:02 65	10.00		76	24.4	73	22.6	71	21.7	85	5	220		29.23			30.19	FM-15	T	30.21
15	1153	7	SCT:04 20 BKN:07 100	10.00		78	25.6	73	22.6	70	21.1	76	3	VRB		29.23			30.18	FM-15	0.00	30.20
15	1253	7	CLR:00	10.00		79	26.1	72	22.4	69	20.6	72	0	000		29.22	8	+0.00	30.16	FM-15	0.00	30.19
15	1319	7	BKN:07 24	10.00		80	26.7	74	23.2	71	21.7	74	6	080		29.21				FM-16		30.18
15	1339	7	SCT:04 25	10.00		80	26.7	73	22.9	70	21.1	71	3	140		29.21				FM-16		30.18
15	1353	7	SCT:04 27 SCT:04 50	10.00		80	26.7	73	22.9	70	21.1	71	0	000		29.21			30.16	FM-15	0.00	30.18
15	1453	7	SCT:04 27 BKN:07 50	10.00		81	27.2	74	23.1	70	21.1	69	5	070		29.19			30.14	FM-15	0.00	30.16
15	1553	7	CLR:00	10.00		82	27.8	74	23.2	70	21.1	67	6	060		29.17	8	+0.04	30.12	FM-15	0.00	30.14
15	1653	7	FEW:02 27	10.00		82	27.8	73	22.9	69	20.6	65	5	070		29.17			30.11	FM-15	0.00	30.14
15	1753	7	CLR:00	10.00		81	27.2	74	23.4	71	21.7	72	8	100		29.15			30.10	FM-15	0.00	30.12
15	1853	7	FEW:02 48	10.00		78	25.6	73	22.9	71	21.7	79	8	110		29.15	7	+0.02	30.09	FM-15	0.01	30.12
15	1953	7	CLR:00	10.00		77	25.0	74	23.1	72	22.2	85	9	110		29.15			30.10	FM-15	0.00	30.12
15	2053	7	CLR:00	10.00		76	24.4	73	22.6	71	21.7	85	9	110		29.14			30.09	FM-15	0.00	30.11
15	2153	7	CLR:00	10.00		75	23.9	71	21.7	69	20.6	82	7	130		29.15	8	+0.00	30.09	FM-15	0.00	30.12
15	2253	7	FEW:02 30 SCT:04 110	10.00		75	23.9	72	22.0	70	21.1	84	8	160		29.14			30.09	FM-15	0.00	30.11
15	2353	7	CLR:00	10.00		74	23.3	71	21.9	70	21.1	88	8	140		29.13			30.08	FM-15	0.00	30.10

16	0053	7	BKN:07 110	10.00		74	23.3	72	22.2	71	21.7	91	10	160		29.11	8	+0.03	30.06	FM-15	0.00	30.08
16	0129	7	FEW:02 8 SCT:04 95 OVC:08 110	10.00		74	23.3	73	22.6	72	22.2	94	10	160		29.11				FM-16		30.08
16	0153	7	FEW:02 8 BKN:07 95	10.00		73	22.8	72	22.4	72	22.2	96	11	170		29.11			30.05	FM-15	0.00	30.08
16	0253	7	FEW:02 9 FEW:02 50	10.00		73	22.8	72	22.0	71	21.7	94	11	180		29.11			30.06	FM-15	0.00	30.08
16	0353	7	SCT:04 50 BKN:07 60	10.00		73	22.8	71	21.7	70	21.1	90	11	180		29.11	8	+0.01	30.05	FM-15	0.00	30.08
16	0453	7	FEW:02 12	10.00		72	22.2	71	21.5	70	21.1	94	9	190		29.11			30.05	FM-15	0.00	30.08
16	0553	7	FEW:02 12 SCT:04 47	10.00		72	22.2	71	21.5	70	21.1	94	9	180		29.11			30.06	FM-15	0.00	30.08
16	0626	7	FEW:02 8 BKN:07 40	10.00		72	22.2	71	21.5	70	21.1	94	10	210		29.12				FM-16		30.09
16	0653	7	FEW:02 9 BKN:07 43	8.00	-RA:02 |RA |	73	22.8	71	21.7	70	21.1	90	10	210		29.12	3	-0.02	30.07	FM-15	T	30.09
16	0753	7	FEW:02 45 OVC:08 95	10.00		74	23.3	72	22.2	71	21.7	91	11	190		29.12			30.07	FM-15	T	30.09
16	0846	7	BKN:07 17 BKN:07 42 OVC:08 85	6.00	-RA:02 BR:1 |RA |	76	24.4	73	22.9	72	22.2	88	14	210		29.12				FM-16	T	30.09
16	0853	7	BKN:07 15 BKN:07 42 OVC:08 80	9.00	-RA:02 |RA |	76	24.4	73	22.9	72	22.2	88	11	210		29.12			30.07	FM-15	0.01	30.09
16	0913	7	SCT:04 16 BKN:07 41 OVC:08 110	6.00	-RA:02 BR:1 |RA |	75	23.9	74	23.1	73	22.8	94	13	200	21	29.11				FM-16	0.02	30.08
16	0953	7	SCT:04 17 SCT:04 24 BKN:07 75	10.00		80	26.7	76	24.3	74	23.3	82	13	210	23	29.12	8	+0.01	30.06	FM-15	0.01	30.09
16	1001	7	SCT:04 17 BKN:07 26	10.00		79	26.1	76	24.2	74	23.3	85	13	210		29.12				FM-16		30.09
16	1053	7	FEW:02 22 SCT:04 28 BKN:07 32	10.00		83	28.3	77	24.8	74	23.3	74	21	200	28	29.12			30.06	FM-15	0.00	30.09
16	1153	7	FEW:02 30 SCT:04 37 BKN:07 60	10.00		83	28.3	75	23.7	71	21.7	67	20	230	31	29.10			30.04	FM-15	0.00	30.07
16	1253	7	SCT:04 35 BKN:07 45	10.00		84	28.9	76	24.2	72	22.2	67	20	230	28	29.10	8	+0.02	30.04	FM-15	0.00	30.07
16	1321	7	FEW:02 18 BKN:07 28 BKN:07 33	10.00	-RA:02 |RA |	78	25.6	73	22.9	71	21.7	79	15	270	29	29.11				FM-16	T	30.08
16	1332	7	SCT:04 16 OVC:08 28	2.00	+RA:02 BR:1 |RA |	73	22.8	72	22.4	72	22.2	96	15	270	32	29.12				FM-16	0.21	30.09
16	1345	7	SCT:04 16 SCT:04 28 BKN:07 110	5.00	-RA:02 BR:1 |RA |	74	23.3	73	22.6	72	22.2	94	10	250		29.11				FM-16	0.21	30.08
16	1353	7	FEW:02 16 BKN:07 110	5.00	BR:1 ||	75	23.9	74	23.1	73	22.8	94	9	250		29.11			30.06	FM-15	0.21	30.08
16	1453	7	FEW:02 22	10.00		79	26.1	74	23.4	72	22.2	79	15	270	22	29.08			30.03	FM-15	0.00	30.05
16	1553	7	FEW:02 26 SCT:04 70 BKN:07 100	10.00		79	26.1	73	22.7	70	21.1	74	11	250		29.10	1	-0.00	30.04	FM-15	0.00	30.07
16	1617	7	BKN:07 26 BKN:07 43 OVC:08 70	6.00	RA:02 |RA |	75	23.9	72	22.0	70	21.1	84	14	280	20	29.10				FM-16	0.01	30.07
16	1625	7	SCT:04 26 BKN:07 43 OVC:08 60	6.00	-RA:02 BR:1 |RA |	74	23.3	72	22.2	71	21.7	91	9	280		29.11				FM-16	0.02	30.08
16	1653	7	FEW:02 65 BKN:07 110	10.00		75	23.9	72	22.4	71	21.7	88	7	250		29.10			30.05	FM-15	0.02	30.07
16	1753	7	SCT:04 60	10.00		75	23.9	73	22.8	72	22.2	90	8	240		29.10			30.05	FM-15	T	30.07

16	1853	7	BKN:07 70	10.00		75	23.9	73	22.8	72	22.2	90	6	230		29.11	3	-0.02	30.06	FM-15	T	30.08
16	1953	7	BKN:07 55	10.00		74	23.3	73	22.6	72	22.2	94	6	210		29.13			30.08	FM-15	0.00	30.10
16	2053	7	SCT:04 100	10.00		74	23.3	73	22.6	72	22.2	94	6	230		29.15			30.10	FM-15	0.00	30.12
16	2153	7	CLR:00	10.00		74	23.3	73	22.6	72	22.2	94	9	230		29.16	1	-0.04	30.11	FM-15	0.00	30.13
16	2251	6	FEW:02 8	10.00		73	23.0	72	22.4	72	22.0	94	7	230		29.16				FM-16		30.13
16	2253	7	FEW:02 8	10.00		73	22.8	72	22.4	72	22.2	96	7	220		29.16			30.11	FM-15	0.00	30.13
16	2321	7	BKN:07 8	10.00		73	22.8	72	22.4	72	22.2	96	8	250		29.17				FM-16		30.14
16	2339	7	SCT:04 8 BKN:07 100	10.00	-RA:02 |RA |	73	22.8	72	22.4	72	22.2	96	7	260		29.18				FM-16	T	30.15
16	2353	7	FEW:02 8 FEW:02 90 SCT:04 110	10.00		73	22.8	72	22.4	72	22.2	96	6	260		29.18			30.13	FM-15	T	30.15
17	0053	7	BKN:07 11 BKN:07 60	10.00		73	22.8	72	22.4	72	22.2	96	7	260		29.18	0	-0.02	30.12	FM-15	0.00	30.15
17	0103	7	SCT:04 11 BKN:07 100	10.00		73	22.8	72	22.4	72	22.2	96	9	270		29.18				FM-16		30.15
17	0153	7	FEW:02 11 SCT:04 110	8.00	-RA:02 |RA |	73	22.8	72	22.0	71	21.7	94	8	260		29.17			30.12	FM-15	0.01	30.14
17	0222	7	BKN:07 11	10.00	-RA:02 |RA |	73	22.8	72	22.4	72	22.2	96	6	260		29.17				FM-16	0.01	30.14
17	0253	7	OVC:08 11	10.00		73	22.8	72	22.4	72	22.2	96	7	240		29.17			30.12	FM-15	0.01	30.14
17	0345	7	SCT:04 12 SCT:04 70 OVC:08 85	10.00		72	22.2	71	21.9	71	21.7	97	8	230		29.17				FM-16	T	30.14
17	0353	7	SCT:04 12 BKN:07 70 OVC:08 85	10.00		72	22.2	71	21.9	71	21.7	97	7	230		29.17	6	+0.01	30.12	FM-15	T	30.14
17	0404	7	BKN:07 11 OVC:08 80	10.00		72	22.2	71	21.9	71	21.7	97	7	230		29.17				FM-16		30.14
17	0412	7	SCT:04 11 BKN:07 44 OVC:08 80	10.00		72	22.2	71	21.9	71	21.7	97	7	250		29.17				FM-16		30.14
17	0453	7	FEW:02 33 FEW:02 49 OVC:08 65	5.00	-RA:02 BR:1 |RA |	72	22.2	71	21.9	71	21.7	97	5	250		29.17			30.12	FM-15	0.03	30.14
17	0511	7	FEW:02 6 BKN:07 12 OVC:08 65	5.00	-RA:02 BR:1 |RA |	72	22.2	71	21.9	71	21.7	97	7	270		29.17				FM-16	0.01	30.14
17	0530	7	SCT:04 6 BKN:07 10 OVC:08 47	2.00	RA:02 BR:1 |RA |	72	22.2	71	21.9	71	21.7	97	5	280		29.17				FM-16	0.05	30.14
17	0538	7	BKN:07 6 BKN:07 10 OVC:08 48	3.00	-RA:02 BR:1 |RA |	72	22.2	71	21.9	71	21.7	97	3	260		29.17				FM-16	0.05	30.14
17	0542	7	BKN:07 4 BKN:07 10 OVC:08 48	1.75	+RA:02 BR:1 |RA |	72	22.2	71	21.9	71	21.7	97	5	280		29.17				FM-16	0.09	30.14
17	0551	7	BKN:07 4 BKN:07 11 OVC:08 17	2.00	-RA:02 BR:1 |RA |	72	22.0	72	22.2	72	22.0	100	5	250		29.17				FM-16	0.11	30.14
17	0553	7	BKN:07 4 OVC:08 13	1.50	-RA:02 BR:1 |RA |	72	22.2	71	21.9	71	21.7	97	3	250		29.17			30.12	FM-15	0.11	30.14
17	0611	7	OVC:08 5	3.00	-RA:02 BR:1 |RA |	71	21.7	71	21.7	71	21.7	100	6	240		29.17				FM-16	T	30.14
17	0653	7	OVC:08 5	8.00	-RA:02 |RA |	71	21.7	71	21.7	71	21.7	100	7	230		29.18	3	-0.01	30.13	FM-15	0.01	30.15
17	0732	7	BKN:07 11	8.00	-RA:02 |RA |	71	21.7	70	21.3	70	21.1	96	5	250		29.18				FM-16	T	30.15
17	0753	7	FEW:02 8 BKN:07 13 OVC:08 26	7.00	-RA:02 |RA |	71	21.7	70	21.3	70	21.1	96	5	260		29.19			30.14	FM-15	0.01	30.16
17	0813	7	BKN:07 8 OVC:08 24	2.00	-RA:02 BR:1 |RA |	71	21.7	70	21.3	70	21.1	96	3	260		29.19				FM-16	0.02	30.16
17	0833	7	BKN:07 8 BKN:07 12 OVC:08 22	5.00	BR:1 ||	71	21.7	70	21.3	70	21.1	96	3	280		29.19				FM-16	0.03	30.16

17	0853	7	BKN:07 8 BKN:07 20 OVC:08 26	10.00		71	21.7	70	21.3	70	21.1	96	3	280		29.19			30.14	FM-15	0.03	30.16
17	0920	7	SCT:04 8 BKN:07 21 OVC:08 26	6.00	-RA:02 BR:1 |RA |	73	22.8	72	22.0	71	21.7	94	5	250		29.19				FM-16	T	30.16
17	0931	7	BKN:07 8 BKN:07 19 OVC:08 36	6.00	-RA:02 BR:1 |RA |	73	22.8	71	21.7	70	21.1	90	3	VRB		29.19				FM-16	T	30.16
17	0953	7	SCT:04 6 BKN:07 12 OVC:08 60	8.00	-RA:02 |RA |	72	22.2	71	21.9	71	21.7	97	5	340		29.19	1	-0.01	30.14	FM-15	0.01	30.16
17	1004	7	BKN:07 6 BKN:07 12 OVC:08 60	7.00		72	22.2	71	21.9	71	21.7	97	5	340		29.19				FM-16	T	30.16
17	1053	7	BKN:07 6 BKN:07 12 OVC:08 60	7.00		72	22.2	71	21.9	71	21.7	97	3	320		29.18			30.13	FM-15	T	30.15
17	1100	7	BKN:07 26 OVC:08 60	10.00		72	22.2	71	21.9	71	21.7	97	3	290		29.17				FM-16		30.14
17	1107	7	FEW:02 6 BKN:07 26 OVC:08 60	10.00		73	22.8	72	22.0	71	21.7	94	5	270		29.17				FM-16		30.14
17	1153	7	FEW:02 6 BKN:07 26 OVC:08 60	10.00		75	23.9	72	22.4	71	21.7	88	7	250		29.16			30.11	FM-15	0.00	30.13
17	1253	7	FEW:02 10 BKN:07 24 OVC:08 60	10.00		79	26.1	74	23.1	71	21.7	77	6	240		29.14	8	+0.05	30.09	FM-15	0.00	30.11
17	1300	7	FEW:02 23 OVC:08 75	10.00		79	26.1	74	23.1	71	21.7	77	3	VRB		29.14				FM-16		30.11
17	1353	7	SCT:04 21 OVC:08 80	10.00		80	26.7	73	22.9	70	21.1	71	3	270		29.12			30.06	FM-15	0.00	30.09
17	1453	7	FEW:02 26 SCT:04 60	10.00		81	27.2	74	23.1	70	21.1	69	3	VRB		29.10			30.04	FM-15	0.00	30.07
17	1553	7	FEW:02 30 FEW:02 36 SCT:04 70	10.00		81	27.2	74	23.1	70	21.1	69	3	320		29.09	6	+0.05	30.04	FM-15	0.00	30.06
17	1653	7	SCT:04 32	10.00		83	28.3	74	23.4	70	21.1	65	0	000		29.09			30.04	FM-15	0.00	30.06
17	1753	7	CLR:00	10.00		80	26.7	73	22.9	70	21.1	71	6	270		29.09			30.04	FM-15	0.00	30.06
17	1853	7	CLR:00	10.00		79	26.1	73	22.7	70	21.1	74	5	270		29.09	1	-0.00	30.04	FM-15	0.00	30.06
17	1953	7	FEW:02 31	10.00		76	24.4	72	22.2	70	21.1	82	5	280		29.12			30.07	FM-15	0.00	30.09
17	2053	7	CLR:00	10.00		75	23.9	72	22.0	70	21.1	84	5	250		29.12			30.07	FM-15	0.00	30.09
17	2153	7	CLR:00	10.00		75	23.9	72	22.0	70	21.1	84	6	230		29.12	1	-0.03	30.07	FM-15	0.00	30.09
17	2253	7	CLR:00	10.00		73	22.8	71	21.7	70	21.1	90	5	260		29.13			30.08	FM-15	0.00	30.10
17	2353	7	CLR:00	10.00		72	22.2	71	21.5	70	21.1	94	6	280		29.14			30.09	FM-15	0.00	30.11
18	0053	7	CLR:00	10.00		70	21.1	69	20.7	69	20.6	97	6	270		29.13	0	-0.00	30.08	FM-15	0.00	30.10
18	0153	7	CLR:00	9.00		69	20.6	68	20.2	68	20.0	96	3	290		29.13			30.08	FM-15	0.00	30.10
18	0253	7	CLR:00	7.00		69	20.6	68	20.2	68	20.0	96	3	260		29.13			30.08	FM-15	0.00	30.10
18	0353	7	CLR:00	6.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	5	240		29.14	3	-0.01	30.09	FM-15	0.00	30.11
18	0453	7	CLR:00	5.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	5	220		29.14			30.09	FM-15	0.00	30.11
18	0553	7	CLR:00	3.00	BR:1 ||	69	20.6	68	20.2	68	20.0	96	0	000		29.15			30.10	FM-15	0.00	30.12
18	0651	7	FEW:02 6	3.00	BR:1 ||	70	21.0	70	21.1	70	21.0	100	0	000		29.16				FM-16		30.13
18	0653	7	FEW:02 18	3.00	BR:1 ||	70	21.1	69	20.7	69	20.6	97	0	000		29.16	1	-0.02	30.11	FM-15	0.00	30.13
18	0717	7	FEW:02 19	3.00	BR:1 ||	71	21.7	70	21.3	70	21.1	96	0	000		29.16				FM-16		30.13
18	0751	6	BKN:07 18	7.00		73	23.0	71	21.7	70	21.0	89	3	240		29.17				FM-16		30.14
18	0753	7	BKN:07 18	7.00		73	22.8	71	21.7	70	21.1	90	3	260		29.17			30.12	FM-15	0.00	30.14
18	0851	6	OVC:08 13	8.00		73	23.0	71	21.7	70	21.0	89	0	000		29.16				FM-16		30.13
18	0853	7	OVC:08 13	8.00		74	23.3	71	21.9	70	21.1	88	0	000		29.16			30.11	FM-15	0.00	30.13
18	0940	7	OVC:08 15	8.00		75	23.9	72	22.0	70	21.1	84	0	000		29.16				FM-16		30.13
18	0953	7	OVC:08 16	9.00		76	24.4	73	22.6	71	21.7	85	3	280		29.16	1	-0.00	30.11	FM-15	0.00	30.13
18	1053	7	BKN:07 20	10.00		78	25.6	73	22.9	71	21.7	79	3	290		29.16			30.10	FM-15	0.00	30.13

18	1151	6	FEW:02 25 BKN:07 110	10.00		81	27.0	75	23.8	72	22.0	74	5	VRB		29.14				FM-16		30.11
18	1153	7	FEW:02 25 BKN:07 110	10.00		82	27.8	74	23.6	71	21.7	69	5	250		29.14			30.09	FM-15	0.00	30.11
18	1253	7	BKN:07 30	10.00		82	27.8	73	22.9	69	20.6	65	8	240		29.12	8	+0.04	30.07	FM-15	0.00	30.09
18	1353	7	FEW:02 33 FEW:02 60	10.00		83	28.3	74	23.4	70	21.1	65	8	260		29.11			30.06	FM-15	0.00	30.08
18	1453	7	FEW:02 34	10.00		85	29.4	75	23.7	70	21.1	61	9	250		29.09			30.04	FM-15	0.00	30.06
18	1553	7	FEW:02 38 FEW:02 50	10.00		84	28.9	74	23.2	69	20.6	61	10	220		29.07	8	+0.05	30.02	FM-15	0.00	30.04
18	1653	7	FEW:02 55	10.00		83	28.3	73	22.7	68	20.0	61	10	220		29.07			30.02	FM-15	0.00	30.04
18	1753	7	SCT:04 120	10.00		82	27.8	73	22.5	68	20.0	63	8	240		29.06			30.01	FM-15	0.00	30.03
18	1853	7	FEW:02 60 BKN:07 120	10.00		81	27.2	73	22.7	69	20.6	67	0	000		29.06	5	+0.01	30.01	FM-15	0.00	30.03
18	1953	7	CLR:00	10.00		76	24.4	72	22.2	70	21.1	82	3	030		29.05			30.00	FM-15	0.00	30.02
18	2053	7	CLR:00	10.00		74	23.3	71	21.8	70	21.1	88	3	070		29.06			30.01	FM-15	0.00	30.03
18	2153	7	CLR:00	10.00		75	23.9	71	21.7	69	20.6	82	5	150		29.07	3	-0.01	30.02	FM-15	0.00	30.04
18	2253	7	CLR:00	6.00	HZ:7 |FU |HZ	74	23.3	70	21.1	68	20.0	82	5	170		29.06			30.01	FM-15	0.00	30.03
18	2353	7	CLR:00	10.00		73	22.8	70	21.3	69	20.6	87	5	190		29.07			30.01	FM-15	0.00	30.04
19	0053	7	CLR:00	10.00		73	22.8	71	21.7	70	21.1	90	5	230		29.06	6	+0.01	30.01	FM-15	0.00	30.03
19	0153	7	CLR:00	9.00		70	21.1	69	20.7	69	20.6	97	0	000		29.06			30.01	FM-15	0.00	30.03
19	0253	7	CLR:00	8.00		70	21.1	69	20.7	69	20.6	97	3	150		29.06			30.00	FM-15	0.00	30.03
19	0353	7	FEW:02 47	7.00		71	21.7	70	21.3	70	21.1	96	5	210		29.05	8	+0.01	30.00	FM-15	0.00	30.02
19	0453	7	BKN:07 38	5.00	BR:1 ||	69	20.6	68	20.2	68	20.0	96	0	000		29.05			30.00	FM-15	0.00	30.02
19	0553	7	CLR:00	3.00	BR:1 ||	70	21.1	69	20.7	69	20.6	97	0	000		29.05			29.99	FM-15	0.00	30.02
19	0653	7	FEW:02 47	3.00	BR:1 ||	71	21.7	70	21.3	70	21.1	96	5	160		29.05	8	+0.00	29.99	FM-15	0.00	30.02
19	0753	7	CLR:00	4.00	BR:1 ||	74	23.3	72	22.2	71	21.7	91	6	180		29.04			29.98	FM-15	0.00	30.01
19	0853	7	FEW:02 41	6.00	BR:1 ||	76	24.4	73	22.9	72	22.2	88	5	210		29.02			29.97	FM-15	0.00	29.99
19	0953	7	FEW:02 17	9.00		81	27.2	75	24.1	73	22.8	77	8	200		29.03	5	+0.01	29.98	FM-15	0.00	30.00
19	1030	7	BKN:07 20 BKN:07 29	10.00		82	27.8	76	24.3	73	22.8	74	8	250		29.04				FM-16		30.01
19	1044	7	SCT:04 20 SCT:04 31	10.00		78	25.6	73	22.9	71	21.7	79	10	230		29.04				FM-16		30.01
19	1053	7	FEW:02 20 SCT:04 30	10.00		81	27.2	75	24.1	73	22.8	77	10	230		29.04			29.99	FM-15	0.00	30.01
19	1153	7	SCT:04 27	10.00		83	28.3	75	23.7	71	21.7	67	9	200		29.03			29.97	FM-15	0.00	30.00
19	1253	7	SCT:04 33	10.00		85	29.4	75	23.7	70	21.1	61	9	240		29.01	8	+0.01	29.96	FM-15	0.00	29.98
19	1353	7	FEW:02 38 SCT:04 47 BKN:07 70	10.00		83	28.3	74	23.4	70	21.1	65	9	250		29.00			29.95	FM-15	0.00	29.97
19	1453	7	FEW:02 39 SCT:04 46 BKN:07 80	10.00		84	28.9	74	23.2	69	20.6	61	10	240		28.97			29.91	FM-15	0.00	29.94
19	1553	7	CLR:00	10.00		85	29.4	75	23.7	70	21.1	61	9	250		28.95	8	+0.06	29.90	FM-15	0.00	29.92
19	1653	7	FEW:02 41	10.00		85	29.4	74	23.4	69	20.6	59	8	270		28.97			29.92	FM-15	0.00	29.94
19	1753	7	FEW:02 42	10.00		77	25.0	70	21.0	66	18.9	69	14	310		28.95			29.90	FM-15	0.00	29.92
19	1853	7	CLR:00	10.00		76	24.4	70	21.2	67	19.4	74	0	000		28.94	8	+0.01	29.88	FM-15	0.00	29.91
19	1953	7	FEW:02 42	10.00		75	23.9	70	21.0	67	19.4	76	0	000		28.94			29.89	FM-15	0.00	29.91
19	2053	7	CLR:00	10.00		71	21.7	68	20.2	67	19.4	87	3	270		28.95			29.90	FM-15	0.00	29.92
19	2153	7	CLR:00	10.00		73	22.8	70	21.3	69	20.6	87	0	000		28.96	3	-0.02	29.90	FM-15	0.00	29.93
19	2253	7	CLR:00	10.00		71	21.7	69	20.6	68	20.0	90	0	000		28.96			29.91	FM-15	0.00	29.93
19	2353	7	CLR:00	10.00		71	21.7	69	20.6	68	20.0	90	0	000		28.97			29.92	FM-15	0.00	29.94
20	0053	7	CLR:00	10.00		71	21.7	69	20.6	68	20.0	90	0	000		28.97	0	-0.01	29.91	FM-15	0.00	29.94
20	0153	7	CLR:00	10.00		70	21.1	69	20.4	68	20.0	93	0	000		28.95			29.90	FM-15	0.00	29.92
20	0253	7	CLR:00	7.00		68	20.0	67	19.6	67	19.4	96	3	140		28.95			29.89	FM-15	0.00	29.92
20	0353	7	CLR:00	6.00	BR:1 ||	71	21.7	70	21.3	70	21.1	96	3	190		28.95	6	+0.02	29.89	FM-15	0.00	29.92
20	0453	7	FEW:02 34	7.00		71	21.7	70	20.9	69	20.6	94	3	190		28.94			29.88	FM-15	0.00	29.91
20	0553	7	CLR:00	3.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	3	150		28.94			29.88	FM-15	0.00	29.91
20	0642	7	CLR:00	2.50	BR:1 ||	70	21.1	69	20.7	69	20.6	97	5	150		28.93				FM-16		29.90

20	0653	7	CLR:00	2.50	BR:1 ||	71	21.7	70	21.3	70	21.1	96	6	150		28.93	6	+0.02	29.88	FM-15	0.00	29.90
20	0721	7	FEW:02 6 SCT:04 35	3.00	BR:1 ||	72	22.2	71	21.5	70	21.1	94	5	160		28.92				FM-16		29.89
20	0733	7	FEW:02 6 SCT:04 35	2.50	BR:1 ||	72	22.2	71	21.5	70	21.1	94	6	150		28.92				FM-16		29.89
20	0751	6	SCT:04 6	3.00	BR:1 ||	73	23.0	72	22.4	72	22.0	94	6	140		28.91				FM-16		29.88
20	0753	7	SCT:04 6	3.00	BR:1 ||	73	22.8	72	22.0	71	21.7	94	6	150		28.91			29.86	FM-15	0.00	29.88
20	0851	6	BKN:07 8	5.00	BR:1 ||	73	23.0	72	22.4	72	22.0	94	8	170		28.90				FM-16		29.87
20	0853	7	BKN:07 8	5.00	BR:1 ||	74	23.3	72	22.2	71	21.7	91	8	160		28.90			29.85	FM-15	0.00	29.87
20	0943	7	OVC:08 10	5.00	BR:1 ||	76	24.4	73	22.9	72	22.2	88	9	180		28.90				FM-16		29.86
20	0953	7	OVC:08 10	5.00	HZ:7 |FU |HZ	76	24.4	73	22.6	71	21.7	85	8	160		28.90	6	+0.03	29.84	FM-15	0.00	29.87
20	1033	7	BKN:07 15	7.00		77	25.0	74	23.1	72	22.2	85	10	200		28.90				FM-16		29.86
20	1053	7	BKN:07 15	7.00		79	26.1	74	23.1	71	21.7	77	14	170		28.89			29.83	FM-15	0.00	29.85
20	1100	7	FEW:02 16 SCT:04 23 BKN:07 36	10.00		80	26.7	74	23.2	71	21.7	74	11	190		28.89				FM-16		29.85
20	1142	7	BKN:07 25 BKN:07 35 BKN:07 48	10.00		80	26.7	73	22.9	70	21.1	71	14	160	20	28.87				FM-16		29.83
20	1153	7	BKN:07 25 BKN:07 30 BKN:07 50	10.00		81	27.2	73	23.0	70	21.1	69	13	170		28.86			29.80	FM-15	0.00	29.82
20	1200	7	SCT:04 25 BKN:07 30 OVC:08 50	10.00		81	27.2	73	23.0	70	21.1	69	11	170		28.86				FM-16		29.82
20	1220	7	BKN:07 27 BKN:07 35 OVC:08 44	10.00		80	26.7	73	22.9	70	21.1	71	14	200		28.86				FM-16		29.82
20	1251	6	SCT:04 29 BKN:07 36 BKN:07 60	10.00		82	28.0	75	23.9	72	22.0	70	13	170		28.84				FM-16		29.81
20	1253	7	FEW:02 29 SCT:04 36 BKN:07 60	10.00		83	28.3	75	23.7	71	21.7	67	14	170		28.84	8	+0.06	29.78	FM-15	0.00	29.81
20	1353	7	FEW:02 32 BKN:07 65	10.00		82	27.8	74	23.2	70	21.1	67	14	170		28.82			29.76	FM-15	T	29.78
20	1438	7	SCT:04 36 OVC:08 60	10.00	VCTS:7 ||	81	27.2	73	22.7	69	20.6	67	14	170	23	28.81				FM-16	T	29.77
20	1448	7	SCT:04 28 BKN:07 44 OVC:08 65	7.00	TS:7 -RA:02 |RA TS TS |	81	27.0	73	23.0	70	21.0	70	21	200	28	28.82				FM-16	0.01	29.78
20	1451	7	FEW:02 19 BKN:07 38 OVC:08 65	1.50	TS:7 +RA:02 |RA TS TS |	75	24.0	73	22.8	72	22.0	89	22	220	32	28.83				FM-16	0.08	29.79
20	1453	7	FEW:02 11 BKN:07 32 OVC:08 65	1.25	TS:7 +RA:02 BR:1 |RA TS |	74	23.3	73	22.6	72	22.2	94	22	210	32	28.83			29.77	FM-15	0.10	29.79
20	1505	7	FEW:02 16 BKN:07 39 OVC:08 110	3.00	TS:7 -RA:02 BR:1 |RA TS |	74	23.3	73	23.0	73	22.8	97	8	180		28.82				FM-16	0.03	29.78
20	1517	7	SCT:04 9 SCT:04 18 BKN:07 39	10.00	VCTS:7 ||	75	23.9	74	23.1	73	22.8	94	11	150		28.81				FM-16	0.03	29.77
20	1527	7	FEW:02 9 SCT:04 110	10.00		76	24.4	74	23.3	73	22.8	91	11	180		28.81				FM-16	0.03	29.77
20	1553	7	SCT:04 70 BKN:07 100	10.00		76	24.4	74	23.3	73	22.8	91	9	160		28.79	8	+0.03	29.73	FM-15	0.01	29.75
20	1653	7	FEW:02 80 BKN:07 95	10.00		79	26.1	76	24.2	74	23.3	85	10	170		28.78			29.72	FM-15	0.00	29.74
20	1753	7	FEW:02 22 SCT:04 33	10.00		78	25.6	75	24.0	74	23.3	87	7	170		28.78			29.71	FM-15	0.01	29.74
20	1810	7	FEW:02 19 BKN:07 25 BKN:07 29	10.00		78	25.6	75	24.0	74	23.3	87	15	170		28.77				FM-16		29.73

20	1827	7	FEW:02 19 SCT:04 25 BKN:07 48	10.00		76	24.4	73	22.9	72	22.2	88	11	190		28.78				FM-16		29.74
20	1853	7	BKN:07 43 BKN:07 50	10.00		75	23.9	73	22.8	72	22.2	90	9	200		28.79	5	+0.01	29.72	FM-15	T	29.75
20	1953	7	FEW:02 110	10.00		75	23.9	73	22.8	72	22.2	90	11	180		28.79			29.72	FM-15	T	29.75
20	2053	7	SCT:04 13 BKN:07 90 OVC:08 110	10.00		75	23.9	73	22.8	72	22.2	90	11	190		28.80			29.74	FM-15	0.00	29.76
20	2117	7	BKN:07 13 BKN:07 39 OVC:08 95	10.00		75	23.9	73	22.8	72	22.2	90	9	200		28.80				FM-16		29.76
20	2153	7	BKN:07 11 BKN:07 110	10.00	-RA:02 |RA |	74	23.3	73	22.6	72	22.2	94	13	200		28.79	1	-0.00	29.73	FM-15	T	29.75
20	2253	7	OVC:08 12	10.00		74	23.3	73	22.6	72	22.2	94	10	220		28.78			29.72	FM-15	T	29.74
20	2316	7	SCT:04 12 BKN:07 60 OVC:08 80	10.00		74	23.3	73	22.6	72	22.2	94	9	220		28.79				FM-16		29.75
20	2337	7	BKN:07 12 BKN:07 65 OVC:08 80	10.00		73	22.8	72	22.0	71	21.7	94	8	220		28.78				FM-16		29.74
20	2353	7	SCT:04 11 BKN:07 32	10.00		73	22.8	72	22.0	71	21.7	94	8	230		28.79			29.72	FM-15	0.00	29.75
21	0053	7	SCT:04 26 SCT:04 42 OVC:08 75	10.00		72	22.2	71	21.5	70	21.1	94	10	250		28.80	3	-0.01	29.73	FM-15	0.00	29.76
21	0153	7	FEW:02 60	10.00		71	21.7	70	20.9	69	20.6	94	9	250		28.80			29.73	FM-15	0.00	29.76
21	0253	7	CLR:00	10.00		70	21.1	69	20.7	69	20.6	97	7	250		28.80			29.74	FM-15	0.00	29.76
21	0333	7	BKN:07 15	10.00		70	21.1	69	20.7	69	20.6	97	7	260		28.81				FM-16		29.77
21	0353	7	BKN:07 15 BKN:07 75	10.00		70	21.1	69	20.4	68	20.0	93	8	280		28.81	3	-0.01	29.74	FM-15	0.00	29.77
21	0401	7	SCT:04 15 BKN:07 70	10.00		70	21.1	69	20.4	68	20.0	93	9	270		28.81				FM-16		29.77
21	0436	7	FEW:02 9 BKN:07 18 BKN:07 70	10.00		70	21.1	69	20.4	68	20.0	93	7	280		28.81				FM-16		29.77
21	0451	6	FEW:02 9 SCT:04 21 BKN:07 70	10.00		70	21.0	69	20.4	68	20.0	94	9	290		28.82				FM-16		29.78
21	0453	7	FEW:02 10 SCT:04 21 BKN:07 75	10.00		70	21.1	69	20.4	68	20.0	93	8	290		28.82			29.75	FM-15	0.00	29.78
21	0553	7	OVC:08 80	10.00		69	20.6	68	19.8	67	19.4	93	9	280		28.84			29.79	FM-15	0.00	29.81
21	0653	7	FEW:02 24 OVC:08 80	10.00		68	20.0	65	18.6	64	17.8	87	10	300		28.89	3	-0.08	29.83	FM-15	0.00	29.85
21	0753	7	FEW:02 85	10.00		69	20.6	66	18.8	64	17.8	84	11	280		28.90			29.84	FM-15	0.00	29.86
21	0853	7	CLR:00	10.00		69	20.6	65	18.5	63	17.2	81	10	280		28.91			29.86	FM-15	0.00	29.88
21	0953	7	FEW:02 25	10.00		71	21.7	65	18.5	62	16.7	73	11	280		28.92	1	-0.05	29.87	FM-15	0.00	29.89
21	1053	7	FEW:02 25	10.00		74	23.3	65	18.5	60	15.6	62	10	280		28.93			29.88	FM-15	0.00	29.90
21	1153	7	SCT:04 40 SCT:04 47	10.00		76	24.4	67	19.2	61	16.1	60	9	260	20	28.94			29.89	FM-15	0.00	29.91
21	1253	7	BKN:07 44	10.00		77	25.0	66	19.1	60	15.6	56	17	280	22	28.94	1	-0.02	29.89	FM-15	0.00	29.91
21	1353	7	SCT:04 46	10.00		77	25.0	66	18.8	59	15.0	54	14	290	24	28.95			29.89	FM-15	0.00	29.92
21	1453	7	SCT:04 50	10.00		79	26.1	67	19.5	60	15.6	52	14	300	20	28.94			29.89	FM-15	0.00	29.91
21	1553	7	SCT:04 50 SCT:04 60	10.00		78	25.6	66	18.7	58	14.4	50	16	290	23	28.95	3	-0.01	29.90	FM-15	0.00	29.92
21	1653	7	SCT:04 60	10.00		75	23.9	64	17.8	57	13.9	54	13	300		28.97			29.91	FM-15	0.00	29.94
21	1753	7	SCT:04 49	10.00		76	24.4	65	18.3	58	14.4	54	13	280	18	28.97			29.92	FM-15	0.00	29.94
21	1853	7	CLR:00	10.00		73	22.8	64	17.7	58	14.4	59	9	290		28.99	3	-0.04	29.94	FM-15	0.00	29.96
21	1953	7	CLR:00	10.00		69	20.6	62	16.6	57	13.9	66	7	290		29.02			29.97	FM-15	0.00	29.99
21	2053	7	CLR:00	10.00		67	19.4	61	16.2	57	13.9	71	9	290		29.05			30.00	FM-15	0.00	30.02
21	2153	7	CLR:00	10.00		64	17.8	60	15.5	57	13.9	78	7	280		29.07	1	-0.08	30.03	FM-15	0.00	30.04

21	2253	7	CLR:00	10.00		63	17.2	60	15.3	57	13.9	81	7	300		29.09			30.04	FM-15	0.00	30.06
21	2353	7	CLR:00	10.00		61	16.1	58	14.5	56	13.3	84	6	290		29.10			30.06	FM-15	0.00	30.07
22	0053	7	CLR:00	10.00		59	15.0	57	14.1	56	13.3	90	6	280		29.11	1	-0.04	30.07	FM-15	0.00	30.08
22	0153	7	CLR:00	10.00		59	15.0	57	13.7	55	12.8	87	6	290		29.12			30.07	FM-15	0.00	30.09
22	0253	7	CLR:00	10.00		57	13.9	56	13.3	55	12.8	93	6	300		29.12			30.08	FM-15	0.00	30.09
22	0353	7	CLR:00	10.00		57	13.9	55	13.0	54	12.2	90	5	310		29.13	3	-0.02	30.09	FM-15	0.00	30.10
22	0453	7	CLR:00	10.00		54	12.2	54	12.2	54	12.2	100	3	270		29.14			30.10	FM-15	0.00	30.11
22	0553	7	CLR:00	10.00		56	13.3	55	12.7	54	12.2	93	0	000		29.17			30.12	FM-15	0.00	30.14
22	0653	7	CLR:00	10.00		60	15.6	58	14.6	57	13.9	90	0	000		29.19	3	-0.06	30.15	FM-15	0.00	30.16
22	0753	7	CLR:00	10.00		65	18.3	61	16.0	58	14.4	78	5	350		29.21			30.17	FM-15	0.00	30.18
22	0853	7	CLR:00	10.00		68	20.0	63	17.0	59	15.0	73	3	VRB		29.23			30.19	FM-15	0.00	30.20
22	0953	7	FEW:02 30	10.00		70	21.1	63	17.1	58	14.4	66	3	320		29.25	1	-0.05	30.20	FM-15	0.00	30.22
22	1053	7	FEW:02 30	10.00		73	22.8	62	16.8	55	12.8	53	8	350		29.23			30.20	FM-15	0.00	30.21
22	1153	7	SCT:04 46	10.00		74	23.3	64	17.6	57	13.9	56	8	330		29.23			30.20	FM-15	0.00	30.21
22	1253	7	SCT:04 55	10.00		75	23.9	62	16.4	52	11.1	45	7	310		29.23	8	+0.01	30.19	FM-15	0.00	30.21
22	1353	7	SCT:04 55	10.00		75	23.9	62	16.4	52	11.1	45	5	330		29.23			30.19	FM-15	0.00	30.21
22	1453	7	SCT:04 55	10.00		75	23.9	63	17.0	54	12.2	48	8	280		29.23			30.19	FM-15	0.00	30.20
22	1553	7	SCT:04 55	10.00		77	25.0	64	17.6	55	12.8	47	8	270		29.23	8	+0.01	30.18	FM-15	0.00	30.20
22	1653	7	CLR:00	10.00		76	24.4	62	16.9	53	11.7	45	7	310		29.22			30.18	FM-15	0.00	30.19
22	1753	7	CLR:00	10.00		75	23.9	62	16.7	53	11.7	46	7	260		29.22			30.18	FM-15	0.00	30.19
22	1853	7	CLR:00	10.00		72	22.2	61	16.4	54	12.2	53	5	320		29.23	3	-0.01	30.19	FM-15	0.00	30.20
22	1953	7	CLR:00	10.00		69	20.6	60	15.4	53	11.7	57	3	010		29.23			30.20	FM-15	0.00	30.21
22	2053	7	CLR:00	10.00		65	18.3	60	15.4	56	13.3	73	0	000		29.26			30.22	FM-15	0.00	30.23
22	2153	7	CLR:00	10.00		67	19.4	60	15.6	55	12.8	66	0	000		29.26	1	-0.04	30.22	FM-15	0.00	30.24
22	2253	7	CLR:00	10.00		62	16.7	59	14.8	56	13.3	80	0	000		29.26			30.23	FM-15	0.00	30.24
22	2353	7	CLR:00	10.00		62	16.7	59	14.8	56	13.3	80	0	000		29.27			30.23	FM-15	0.00	30.25
23	0053	7	CLR:00	10.00		60	15.6	58	14.3	56	13.3	86	0	000		29.28	3	-0.02	30.24	FM-15	0.00	30.26
23	0153	7	CLR:00	10.00		58	14.4	56	13.5	55	12.8	90	0	000		29.29			30.25	FM-15	0.00	30.27
23	0253	7	CLR:00	10.00		59	15.0	57	14.1	56	13.3	90	0	000		29.29			30.26	FM-15	0.00	30.27
23	0353	7	CLR:00	10.00		58	14.4	57	13.8	56	13.3	93	0	000		29.30	1	-0.01	30.26	FM-15	0.00	30.28
23	0453	7	CLR:00	10.00		57	13.9	56	13.3	55	12.8	93	0	000		29.31			30.27	FM-15	0.00	30.29
23	0553	7	CLR:00	10.00		57	13.9	56	13.6	56	13.3	96	0	000		29.31			30.28	FM-15	0.00	30.29
23	0653	7	CLR:00	10.00		60	15.6	59	14.9	58	14.4	93	0	000		29.33	3	-0.03	30.29	FM-15	0.00	30.31
23	0753	7	CLR:00	10.00		67	19.4	62	16.5	58	14.4	73	3	120		29.33			30.30	FM-15	0.00	30.31
23	0853	7	CLR:00	10.00		72	22.2	64	17.5	58	14.4	61	5	130		29.34			30.30	FM-15	0.00	30.32
23	0953	7	CLR:00	10.00		75	23.9	65	18.1	58	14.4	55	6	170		29.33	0	-0.01	30.29	FM-15	0.00	30.31
23	1053	7	CLR:00	10.00		76	24.4	64	17.7	56	13.3	50	6	VRB		29.33			30.30	FM-15	0.00	30.31
23	1153	7	CLR:00	10.00		78	25.6	65	18.1	56	13.3	47				29.32			30.28	FM-15	0.00	30.30
23	1253	7	SCT:04 50	10.00		79	26.1	65	18.6	57	13.9	47	9	190		29.31	8	+0.02	30.27	FM-15	0.00	30.29
23	1353	7	FEW:02 50	10.00		80	26.7	66	19.1	58	14.4	47	10	210		29.29			30.26	FM-15	0.00	30.27
23	1453	7	FEW:02 50	10.00		80	26.7	66	18.8	57	13.9	45	5	VRB		29.27			30.23	FM-15	0.00	30.25
23	1553	7	CLR:00	10.00		81	27.2	67	19.3	58	14.4	45	5	VRB		29.26	6	+0.04	30.22	FM-15	0.00	30.24
23	1653	7	CLR:00	10.00		80	26.7	65	18.5	56	13.3	44	6	190		29.26			30.22	FM-15	0.00	30.24
23	1753	7	CLR:00	10.00		79	26.1	65	18.3	56	13.3	45	7	210		29.26			30.22	FM-15	0.00	30.23
23	1853	7	CLR:00	10.00		76	24.4	65	18.3	58	14.4	54	6	200		29.26	5	+0.00	30.23	FM-15	0.00	30.24
23	1953	7	CLR:00	10.00		75	23.9	65	18.1	58	14.4	55	3	190		29.26			30.22	FM-15	0.00	30.24
23	2053	7	CLR:00	10.00		71	21.7	63	17.3	58	14.4	63	0	000		29.26			30.23	FM-15	0.00	30.24
23	2153	7	CLR:00	10.00		68	20.0	63	17.0	59	15.0	73	0	000		29.26	3	-0.00	30.23	FM-15	0.00	30.24
23	2253	7	CLR:00	10.00		67	19.4	63	17.1	60	15.6	79	0	000		29.26			30.22	FM-15	0.00	30.23
23	2353	7	CLR:00	10.00		65	18.3	62	16.7	60	15.6	84	0	000		29.25			30.20	FM-15	0.00	30.22
24	0053	7	CLR:00	10.00		64	17.8	62	16.4	60	15.6	87	0	000		29.23	6	+0.03	30.20	FM-15	0.00	30.21
24	0153	7	CLR:00	10.00		64	17.8	62	16.4	60	15.6	87	0	000		29.23			30.19	FM-15	0.00	30.21
24	0253	7	CLR:00	10.00		64	17.8	62	16.8	61	16.1	90	0	000		29.23			30.19	FM-15	0.00	30.21
24	0353	7	CLR:00	10.00		63	17.2	62	16.6	61	16.1	93	0	000		29.23	6	+0.01	30.19	FM-15	0.00	30.21
24	0453	7	CLR:00	10.00		63	17.2	62	16.6	61	16.1	93	3	120		29.23			30.18	FM-15	0.00	30.20
24	0553	7	CLR:00	10.00		63	17.2	61	16.2	60	15.6	90	0	000		29.23			30.20	FM-15	0.00	30.21
24	0653	7	CLR:00	10.00		66	18.9	63	17.2	61	16.1	84	3	150		29.25	3	-0.01	30.20	FM-15	0.00	30.22

24	0753	7	CLR:00	10.00		69	20.6	65	18.2	62	16.7	78	7	170		29.25			30.20	FM-15	0.00	30.22
24	0853	7	CLR:00	10.00		71	21.7	65	18.6	62	16.7	73	8	180		29.23			30.19	FM-15	0.00	30.20
24	0953	7	BKN:07 50	10.00		74	23.3	67	19.5	63	17.2	69	9	180		29.23	8	+0.02	30.18	FM-15	0.00	30.20
24	1053	7	FEW:02 60	10.00		79	26.1	70	21.0	65	18.3	62	11	190		29.22			30.17	FM-15	0.00	30.19
24	1153	7	SCT:04 32 BKN:07 41 BKN:07 55	10.00		81	27.2	72	22.0	67	19.4	62	11	200	20	29.21			30.16	FM-15	0.00	30.18
24	1253	7	SCT:04 43	10.00		83	28.3	74	23.4	70	21.1	65	11	190		29.18	8	+0.05	30.13	FM-15	0.00	30.15
24	1353	7	BKN:07 43	10.00		82	27.8	74	23.2	70	21.1	67	13	190	18	29.16			30.11	FM-15	0.00	30.13
24	1453	7	SCT:04 34	10.00		83	28.3	74	23.4	70	21.1	65	15	190		29.13			30.08	FM-15	0.00	30.10
24	1553	7	BKN:07 47	10.00		82	27.8	74	23.6	71	21.7	69	13	180		29.13	6	+0.05	30.08	FM-15	0.00	30.10
24	1653	7	FEW:02 46 SCT:04 110	10.00		81	27.2	74	23.4	71	21.7	72	13	190		29.12			30.07	FM-15	0.00	30.09
24	1753	7	FEW:02 31 SCT:04 41 BKN:07 120	10.00		81	27.2	74	23.4	71	21.7	72	10	180		29.10			30.06	FM-15	T	30.07
24	1853	7	FEW:02 50 FEW:02 80 SCT:04 90	10.00	-RA:02 |RA |	79	26.1	74	23.4	72	22.2	79	9	170		29.10	6	+0.03	30.05	FM-15	T	30.07
24	1953	7	CLR:00	10.00		78	25.6	74	23.3	72	22.2	82	10	170		29.09			30.04	FM-15	T	30.06
24	2053	7	FEW:02 50 BKN:07 60	10.00		78	25.6	74	23.3	72	22.2	82	11	170		29.09			30.04	FM-15	0.00	30.06
24	2153	7	SCT:04 44 BKN:07 55 OVC:08 70	10.00	-RA:02 |RA |	79	26.1	74	23.4	72	22.2	79	10	170		29.08	6	+0.02	30.02	FM-15	T	30.05
24	2253	7	FEW:02 45 BKN:07 60 OVC:08 110	10.00		79	26.1	74	23.4	72	22.2	79	14	190	23	29.06			30.00	FM-15	T	30.03
24	2353	7	FEW:02 34 BKN:07 65 OVC:08 100	9.00	TS:7 -RA:02 |RA TS TS |	78	25.6	75	23.6	73	22.8	85	14	220	23	29.07			30.01	FM-15	0.04	30.04
25	0001	7	SCT:04 24 BKN:07 36 OVC:08 90	1.75V	TS:7 +RA:02 BR:1 |RA TS |	76	24.4	74	23.3	73	22.8	91	30	240	41	29.10				FM-16	0.10	30.07
25	0011	7	BKN:07 27 BKN:07 36 OVC:08 75	1.25	+RA:02 BR:1 |RA |	73	22.8	72	22.0	71	21.7	94	17	250	30	29.10				FM-16	0.29	30.07
25	0019	7	FEW:02 21 BKN:07 38 OVC:08 100	1.75	+RA:02 BR:1 |RA |	73	22.8	72	22.0	71	21.7	94	17	230	24	29.08				FM-16	0.37	30.05
25	0022	7	FEW:02 21 BKN:07 38 OVC:08 90	2.00V	TS:7 +RA:02 BR:1 |RA TS |	72	22.2	71	21.9	71	21.7	97	16	230	24	29.09				FM-16	0.38	30.06
25	0031	7	SCT:04 39 BKN:07 70 OVC:08 120	6.00	TS:7 RA:02 BR:1 |RA TS |	72	22.2	71	21.9	71	21.7	97	14	220		29.08				FM-16	0.41	30.05
25	0051	6	SCT:04 60	10.00	VCTS:7 ||	72	22.0	71	21.5	70	21.0	94	8	230		29.08				FM-16		30.05
25	0053	7	FEW:02 45 BKN:07 60	10.00	VCTS:7 ||	72	22.2	71	21.5	70	21.1	94	9	230		29.08	3	-0.01	30.03	FM-15	0.37	30.05
25	0121	7	SCT:04 36 BKN:07 43 OVC:08 60	10.00		73	22.8	72	22.0	71	21.7	94	10	230		29.08				FM-16		30.05
25	0153	7	OVC:08 36	10.00	-RA:02 |RA |	73	22.8	72	22.0	71	21.7	94	8	220		29.07			30.02	FM-15	T	30.04
25	0202	7	SCT:04 28 OVC:08 34	10.00	VCTS:7 ||	73	22.8	72	22.0	71	21.7	94	8	210		29.08				FM-16	T	30.05
25	0213	7	BKN:07 28 BKN:07 36 OVC:08 50	10.00	TS:7 |TS TS |	73	22.8	72	22.0	71	21.7	94	6	240		29.07				FM-16	T	30.04
25	0220	7	SCT:04 28 BKN:07 34 OVC:08 55	10.00	TS:7 |TS TS |	73	22.8	72	22.0	71	21.7	94	7	230		29.08				FM-16	T	30.05
25	0234	7	SCT:04 32 BKN:07 47 OVC:08 60	10.00	VCTS:7 ||	73	22.8	72	22.4	72	22.2	96	7	220		29.08				FM-16	T	30.05

25	0251	6	BKN:07 33 OVC:08 41	10.00		73	23.0	72	22.4	72	22.0	94	7	240		29.08				FM-16		30.05
25	0253	7	BKN:07 33 OVC:08 41	10.00		73	22.8	72	22.0	71	21.7	94	7	230		29.08			30.03	FM-15	T	30.05
25	0319	7	SCT:04 22 BKN:07 27 OVC:08 33	10.00		73	22.8	72	22.4	72	22.2	96	0	000		29.09				FM-16	T	30.06
25	0353	7	BKN:07 18 OVC:08 25	10.00		73	22.8	72	22.4	72	22.2	96	3	190		29.10	3	-0.01	30.04	FM-15	0.01	30.07
25	0437	7	SCT:04 19 BKN:07 32 BKN:07 39	10.00		73	22.8	72	22.4	72	22.2	96	5	200		29.10				FM-16		30.07
25	0453	7	FEW:02 18 BKN:07 30	10.00		73	22.8	72	22.4	72	22.2	96	5	190		29.09			30.03	FM-15	0.00	30.06
25	0507	7	FEW:02 20 BKN:07 28	10.00		73	22.8	72	22.4	72	22.2	96	6	200		29.09				FM-16		30.06
25	0553	7	SCT:04 19 BKN:07 26	10.00		73	22.8	72	22.4	72	22.2	96	0	000		29.09			30.04	FM-15	0.00	30.06
25	0604	7	FEW:02 19 SCT:04 25	10.00		73	22.8	72	22.4	72	22.2	96	3	250		29.10				FM-16		30.07
25	0653	7	CLR:00	10.00		74	23.3	73	23.0	73	22.8	97	5	210		29.11	3	-0.01	30.06	FM-15	0.00	30.08
25	0715	7	BKN:07 12	10.00		76	24.4	75	23.7	74	23.3	94	5	220		29.11				FM-16		30.08
25	0738	7	SCT:04 12	10.00		77	25.0	76	24.2	75	23.9	94	6	230		29.11				FM-16		30.08
25	0753	7	FEW:02 12	10.00		77	25.0	76	24.2	75	23.9	94	6	250		29.11			30.05	FM-15	0.00	30.08
25	0853	7	FEW:02 12	10.00		81	27.2	77	25.2	76	24.4	85	9	210		29.09			30.03	FM-15	0.00	30.06
25	0918	7	BKN:07 14	10.00		81	27.2	77	24.9	75	23.9	82	9	240		29.09				FM-16		30.06
25	0934	7	BKN:07 16	10.00		81	27.2	77	24.9	75	23.9	82	9	240		29.10				FM-16		30.07
25	0942	7	BKN:07 14 OVC:08 20	10.00		81	27.2	77	25.2	76	24.4	85	8	220		29.10				FM-16		30.07
25	0951	6	OVC:08 15	10.00		82	28.0	78	25.8	77	25.0	84	7	250		29.10				FM-16		30.07
25	0953	7	OVC:08 15	10.00		82	27.8	78	25.8	77	25.0	85	7	250		29.09	5	+0.01	30.04	FM-15	0.00	30.06
25	1053	7	FEW:02 17 BKN:07 24	10.00		84	28.9	79	26.1	77	25.0	80	9	210		29.10			30.04	FM-15	0.00	30.07
25	1153	7	BKN:07 24 BKN:07 36	10.00		85	29.4	78	25.5	75	23.9	72	9	240		29.10			30.04	FM-15	0.00	30.07
25	1251	6	SCT:04 28 BKN:07 36	10.00		86	30.0	78	25.6	75	24.0	70	11	210		29.09				FM-16		30.06
25	1253	7	SCT:04 28 BKN:07 36	10.00		86	30.0	79	26.0	76	24.4	72	10	210		29.09	8	+0.01	30.03	FM-15	0.00	30.06
25	1353	7	BKN:07 30	10.00		88	31.1	79	26.3	76	24.4	68	11	220		29.08			30.02	FM-15	0.00	30.05
25	1453	7	BKN:07 30	10.00		87	30.6	78	25.8	75	23.9	67	13	240	20	29.07			30.01	FM-15	0.00	30.04
25	1553	7	CLR:00	10.00		87	30.6	78	25.8	75	23.9	67	14	230		29.06	6	+0.02	30.01	FM-15	0.00	30.03
25	1653	7	SCT:04 30	10.00		88	31.1	79	25.9	75	23.9	66	15	250		29.06			30.00	FM-15	0.00	30.03
25	1753	7	CLR:00	10.00		87	30.6	77	25.1	73	22.8	63	14	240		29.05			29.99	FM-15	0.00	30.02
25	1853	7	CLR:00	10.00		85	29.4	77	24.8	73	22.8	68	10	230		29.06	5	+0.01	30.00	FM-15	0.00	30.03
25	1953	7	CLR:00	10.00		83	28.3	76	24.4	73	22.8	72	7	230		29.06			30.01	FM-15	0.00	30.03
25	2053	7	CLR:00	10.00		79	26.1	75	23.8	73	22.8	82	3	260		29.09			30.03	FM-15	0.00	30.06
25	2153	7	CLR:00	10.00		77	25.0	74	23.5	73	22.8	88	6	290		29.09	1	-0.04	30.03	FM-15	0.00	30.06
25	2253	7	CLR:00	10.00		76	24.4	73	22.9	72	22.2	88	5	310		29.09			30.04	FM-15	0.00	30.06
25	2353	7	CLR:00	10.00		76	24.4	73	22.9	72	22.2	88	3	270		29.11			30.05	FM-15	0.00	30.08
26	0053	7	CLR:00	10.00		75	23.9	73	22.8	72	22.2	90	3	240		29.12	3	-0.02	30.06	FM-15	0.00	30.09
26	0153	7	CLR:00	10.00		73	22.8	72	22.0	71	21.7	94	0	000		29.12			30.07	FM-15	0.00	30.09
26	0253	7	BKN:07 46	10.00		73	22.8	72	22.0	71	21.7	94	0	000		29.13			30.08	FM-15	0.00	30.10
26	0353	7	SCT:04 55	10.00		73	22.8	72	22.0	71	21.7	94	0	000		29.14	1	-0.02	30.09	FM-15	0.00	30.11
26	0453	7	CLR:00	8.00		71	21.7	71	21.7	71	21.7	100	0	000		29.14			30.08	FM-15	0.00	30.11
26	0519	7	CLR:00	1.75V	BR:1 ||	71	21.7	71	21.7	71	21.7	100	3	270		29.15				FM-16		30.12
26	0523	7	CLR:00	3.00	BR:1 ||	71	21.7	71	21.7	71	21.7	100	3	270		29.15				FM-16		30.12
26	0553	7	CLR:00	6.00	BR:1 ||	70	21.1	70	21.1	70	21.1	100	0	000		29.15			30.10	FM-15	0.00	30.12
26	0653	7	CLR:00	9.00		73	22.8	72	22.4	72	22.2	96	0	000		29.17	3	-0.03	30.11	FM-15	0.00	30.14
26	0753	7	CLR:00	10.00		77	25.0	73	22.7	71	21.7	82	3	010		29.18			30.12	FM-15	0.00	30.15

26	0853	7	CLR:00	10.00		79	26.1	74	23.4	72	22.2	79	0	000		29.19			30.14	FM-15	0.00	30.16
26	0953	7	FEW:02 19	10.00		80	26.7	74	23.2	71	21.7	74	0	000		29.20	1	-0.03	30.14	FM-15	0.00	30.17
26	1053	7	CLR:00	10.00		83	28.3	75	23.7	71	21.7	67	0	000		29.18			30.12	FM-15	0.00	30.15
26	1153	7	SCT:04 33 BKN:07 80	10.00		86	30.0	76	24.6	72	22.2	63	9	270		29.18			30.13	FM-15	0.00	30.15
26	1253	7	CLR:00	10.00		86	30.0	76	24.2	71	21.7	61	0	000		29.17	6	+0.03	30.11	FM-15	0.00	30.14
26	1353	7	SCT:04 36 SCT:04 43	10.00		87	30.6	77	25.1	73	22.8	63	9	300		29.16			30.10	FM-15	0.00	30.13
26	1453	7	FEW:02 36	10.00		88	31.1	77	24.9	72	22.2	59	7	360		29.14			30.09	FM-15	0.00	30.11
26	1553	7	BKN:07 39	10.00		87	30.6	76	24.7	72	22.2	61	7	030		29.13	8	+0.04	30.07	FM-15	0.00	30.10
26	1653	7	CLR:00	10.00		86	30.0	75	23.9	70	21.1	59	9	020		29.13			30.08	FM-15	0.00	30.10
26	1753	7	CLR:00	10.00		84	28.9	74	23.5	70	21.1	63	8	010		29.13			30.08	FM-15	0.00	30.10
26	1853	7	CLR:00	10.00		79	26.1	72	22.4	69	20.6	72	6	020		29.14	3	-0.01	30.09	FM-15	0.00	30.11
26	1953	7	CLR:00	10.00		77	25.0	71	21.7	68	20.0	74	5	010		29.16			30.11	FM-15	0.00	30.13
26	2053	7	CLR:00	10.00		77	25.0	71	21.7	68	20.0	74	3	020		29.18			30.13	FM-15	0.00	30.15
26	2153	7	CLR:00	10.00		76	24.4	71	21.9	69	20.6	79	5	020		29.19	1	-0.04	30.13	FM-15	0.00	30.16
26	2253	7	CLR:00	10.00		73	22.8	70	21.3	69	20.6	87	6	090		29.16			30.11	FM-15	0.00	30.13
26	2353	7	CLR:00	10.00		74	23.3	70	21.1	68	20.0	82	0	000		29.16			30.11	FM-15	0.00	30.13
27	0053	7	CLR:00	10.00		73	22.8	69	20.6	67	19.4	81	3	090		29.16	6	+0.02	30.11	FM-15	0.00	30.13
27	0153	7	CLR:00	10.00		71	21.7	68	19.9	66	18.9	84	5	020		29.16			30.11	FM-15	0.00	30.13
27	0253	7	CLR:00	10.00		70	21.1	67	19.3	65	18.3	84	3	030		29.17			30.11	FM-15	0.00	30.14
27	0353	7	CLR:00	10.00		71	21.7	67	19.5	65	18.3	81	3	070		29.16	8	+0.01	30.10	FM-15	0.00	30.13
27	0453	7	CLR:00	10.00		71	21.7	67	19.2	64	17.8	79	3	100		29.15			30.10	FM-15	0.00	30.12
27	0553	7	CLR:00	10.00		69	20.6	66	18.8	64	17.8	84	0	000		29.17			30.11	FM-15	0.00	30.14
27	0653	7	CLR:00	10.00		71	21.7	68	20.2	67	19.4	87	3	040		29.17	3	-0.01	30.12	FM-15	0.00	30.14
27	0753	7	CLR:00	10.00		74	23.3	69	20.8	67	19.4	79	6	130		29.18			30.13	FM-15	0.00	30.15
27	0853	7	CLR:00	10.00		78	25.6	72	22.2	69	20.6	74	8	140		29.19			30.14	FM-15	0.00	30.16
27	0953	7	CLR:00	10.00		83	28.3	75	24.1	72	22.2	70	7	150		29.18	0	-0.01	30.13	FM-15	0.00	30.15
27	1053	7	CLR:00	10.00		86	30.0	77	24.9	73	22.8	65	10	140		29.18			30.12	FM-15	0.00	30.15
27	1153	7	FEW:02 36	10.00		87	30.6	77	25.1	73	22.8	63	10	150		29.16			30.10	FM-15	0.00	30.13
27	1253	7	SCT:04 39	10.00		88	31.1	77	24.9	72	22.2	59	10	170	20	29.14	8	+0.05	30.08	FM-15	0.00	30.11
27	1353	7	SCT:04 47	10.00		88	31.1	76	24.5	71	21.7	57	8	190		29.13			30.08	FM-15	0.00	30.10
27	1453	7	FEW:02 49	10.00		90	32.2	77	24.8	71	21.7	54	9	200		29.12			30.07	FM-15	0.00	30.09
27	1545	7	FEW:02 36 BKN:07 50	10.00	VCTS:7 -RA:02 |RA |	78	25.6	71	21.9	68	20.0	71	30	260	46	29.17				FM-16	T	30.14
27	1553	7	FEW:02 20 BKN:07 50 OVC:08 65	5.00	VCTS:7 -RA:02 |RA |	74	23.3	69	20.8	67	19.4	79	30	270	46	29.17	3	-0.04	30.12	FM-15	0.01	30.14
27	1611	7	FEW:02 31 BKN:07 80 OVC:08 100	5.00	TS:7 RA:02 BR:1 |RA TS |	72	22.2	71	21.5	70	21.1	94	22	290	33	29.16				FM-16	0.02	30.13
27	1639	7	FEW:02 90 SCT:04 120	10.00	VCTS:7 ||	74	23.3	71	21.9	70	21.1	88	6	310		29.16				FM-16	0.02	30.13
27	1651	6	FEW:02 120	10.00		73	23.0	71	21.7	70	21.0	89	8	330		29.16				FM-16		30.13
27	1653	7	FEW:02 120	10.00		74	23.3	71	21.5	69	20.6	85	6	320		29.16			30.11	FM-15	0.02	30.13
27	1753	7	CLR:00	10.00		75	23.9	72	22.4	71	21.7	88	7	090		29.14			30.09	FM-15	0.00	30.11
27	1853	7	FEW:02 110	10.00		75	23.9	72	22.0	70	21.1	84	3	040		29.15	5	+0.03	30.09	FM-15	0.00	30.12
27	1953	7	CLR:00	10.00		73	22.8	71	21.7	70	21.1	90	0	000		29.18			30.13	FM-15	0.00	30.15
27	2053	7	CLR:00	10.00		72	22.2	71	21.5	70	21.1	94	0	000		29.18			30.13	FM-15	0.00	30.15
27	2153	7	CLR:00	10.00		71	21.7	70	21.3	70	21.1	96	0	000		29.18	0	-0.03	30.13	FM-15	0.00	30.15
27	2253	7	CLR:00	10.00		71	21.7	70	21.3	70	21.1	96	0	000		29.18			30.13	FM-15	0.00	30.15
27	2353	7	CLR:00	10.00		70	21.1	69	20.7	69	20.6	97	0	000		29.19			30.13	FM-15	0.00	30.16
28	0053	7	CLR:00	10.00		70	21.1	69	20.7	69	20.6	97	0	000		29.18	0	-0.00	30.12	FM-15	0.00	30.15
28	0153	7	CLR:00	6.00	BR:1 ||	70	21.1	70	21.1	70	21.1	100	0	000		29.18			30.12	FM-15	0.00	30.15
28	0218	7	CLR:00	1.75	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		29.18				FM-16		30.15
28	0229	7	CLR:00	3.00	BR:1 ||	70	21.1	70	21.1	70	21.1	100	0	000		29.18				FM-16		30.15
28	0253	7	CLR:00	7.00		69	20.6	69	20.6	69	20.6	100	0	000		29.18			30.12	FM-15	0.00	30.15
28	0351	6	CLR:00	2.00V	BR:1 ||	70	21.0	70	21.1	70	21.0	100	0	000		29.19				FM-16		30.16

28	0353	7	CLR:00	1.50V	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		29.19	3	-0.01	30.14	FM-15	0.00	30.16
28	0402	7	CLR:00	4.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		29.19				FM-16		30.16
28	0431	7	CLR:00	1.25	BR:1 ||	69	20.6	68	20.2	68	20.0	96	0	000		29.19				FM-16		30.16
28	0443	7	CLR:00	4.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		29.19				FM-16		30.16
28	0450	7	CLR:00	1.25	BR:1 ||	68	20.0	68	20.0	68	20.0	100	3	350		29.20				FM-16		30.17
28	0453	7	CLR:00	0.75	BR:1 ||	68	20.0	68	20.0	68	20.0	100	3	340		29.20			30.15	FM-15	0.00	30.17
28	0504	7	CLR:00	2.50	BR:1 ||	68	20.0	68	20.0	68	20.0	100	3	330		29.20				FM-16		30.17
28	0511	7	CLR:00	9.00		68	20.0	68	20.0	68	20.0	100	3	340		29.21				FM-16		30.18
28	0553	7	CLR:00	6.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		29.22			30.17	FM-15	0.00	30.19
28	0653	7	CLR:00	9.00		71	21.7	70	21.3	70	21.1	96	0	000		29.23	3	-0.04	30.19	FM-15	0.00	30.21
28	0753	7	CLR:00	10.00		74	23.3	72	22.2	71	21.7	91	0	000		29.25			30.20	FM-15	0.00	30.22
28	0853	7	FEW:02 45	10.00		77	25.0	73	22.7	71	21.7	82	3	110		29.26			30.21	FM-15	0.00	30.23
28	0953	7	FEW:02 43	10.00		82	27.8	74	23.2	70	21.1	67	0	000		29.26	0	-0.02	30.20	FM-15	0.00	30.23
28	1053	7	CLR:00	10.00		85	29.4	74	23.4	69	20.6	59	5	040		29.26			30.21	FM-15	0.00	30.23
28	1153	7	CLR:00	10.00		86	30.0	75	23.9	70	21.1	59	5	310		29.23			30.19	FM-15	0.00	30.21
28	1253	7	CLR:00	10.00		88	31.1	76	24.2	70	21.1	55	0	000		29.23	8	+0.03	30.17	FM-15	0.00	30.20
28	1353	7	SCT:04 43	10.00		89	31.7	76	24.3	70	21.1	53	3	VRB		29.21			30.16	FM-15	0.00	30.18
28	1453	7	CLR:00	10.00		90	32.2	76	24.5	70	21.1	52	3	310		29.18			30.12	FM-15	0.00	30.15
28	1553	7	SCT:04 46 SCT:04 55 SCT:04 110	10.00		89	31.7	77	25.0	72	22.2	57	0	000		29.18	6	+0.05	30.12	FM-15	0.00	30.15
28	1650	7	CLR:00	10.00	VCTS:7 ||	90s	32.0s	78	25.5	73	23.0	59	6	350		29.18				FM-16		30.15
28	1653	7	SCT:04 55	10.00	VCTS:7 ||	89	31.7	78	25.4	73	22.8	59	9	350		29.18			30.12	FM-15	0.00	30.15
28	1753	7	BKN:07 38	10.00	VCTS:7 ||	84	28.9	73	22.9	68	20.0	59	3	VRB		29.17			30.12	FM-15	0.00	30.14
28	1851	6	CLR:00	10.00		81	27.0	70	21.1	64	18.0	58	7	150		29.20				FM-16		30.17
28	1853	7	CLR:00	10.00		80	26.7	70	21.2	65	18.3	60	6	150		29.20	3	-0.02	30.15	FM-15	0.00	30.17
28	1953	7	CLR:00	10.00		75	23.9	70	21.3	68	20.0	79	0	000		29.21			30.16	FM-15	0.00	30.18
28	2053	7	CLR:00	10.00		75	23.9	70	21.3	68	20.0	79	3	320		29.23			30.17	FM-15	0.00	30.20
28	2153	7	FEW:02 32	10.00		76	24.4	71	21.9	69	20.6	79	13	300		29.23	2	-0.03	30.18	FM-15	0.00	30.20
28	2253	7	CLR:00	10.00		75	23.9	70	21.3	68	20.0	79	0	000		29.23			30.19	FM-15	0.00	30.21
28	2353	7	CLR:00	10.00		74	23.3	71	21.5	69	20.6	85	5	120		29.25			30.19	FM-15	0.00	30.22
29	0053	7	CLR:00	10.00		74	23.3	72	22.2	71	21.7	91	5	010		29.23	8	+0.00	30.18	FM-15	0.00	30.20
29	0153	7	CLR:00	10.00		74	23.3	72	22.2	71	21.7	91	3	010		29.22			30.16	FM-15	0.00	30.19
29	0253	7	CLR:00	10.00		74	23.3	72	22.2	71	21.7	91	6	020		29.22			30.16	FM-15	0.00	30.19
29	0353	7	CLR:00	10.00		73	22.8	71	21.7	70	21.1	90	8	010		29.22	5	+0.01	30.17	FM-15	0.00	30.19
29	0453	7	CLR:00	10.00		73	22.8	71	21.7	70	21.1	90	7	020		29.23			30.17	FM-15	0.00	30.20
29	0553	7	CLR:00	10.00		73	22.8	71	21.7	70	21.1	90	7	020		29.23			30.18	FM-15	0.00	30.21
29	0653	7	CLR:00	10.00		73	22.8	71	21.7	70	21.1	90	3	350		29.26	3	-0.03	30.20	FM-15	0.00	30.23
29	0753	7	CLR:00	10.00		76	24.4	72	22.2	70	21.1	82	5	040		29.26			30.22	FM-15	0.00	30.24
29	0853	7	CLR:00	10.00		79	26.1	74	23.1	71	21.7	77	9	050		29.27			30.23	FM-15	0.00	30.25
29	0953	7	CLR:00	10.00		81	27.2	75	23.8	72	22.2	74	8	080		29.27	0	-0.02	30.22	FM-15	0.00	30.25
29	1053	7	FEW:02 26	10.00		83	28.3	75	24.1	72	22.2	70	7	VRB		29.27			30.22	FM-15	0.00	30.25
29	1153	7	BKN:07 33	10.00		84	28.9	76	24.3	72	22.2	67	8	VRB		29.27			30.22	FM-15	0.00	30.25
29	1253	7	FEW:02 39 SCT:04 46	10.00		86	30.0	75	23.9	70	21.1	59	8	020		29.27	5	+0.00	30.22	FM-15	0.00	30.25
29	1353	7	CLR:00	10.00		86	30.0	74	23.2	68	20.0	55	3	VRB		29.26			30.21	FM-15	0.00	30.23
29	1453	7	FEW:02 46	10.00		87	30.6	74	23.4	68	20.0	53	8	070		29.23			30.18	FM-15	0.00	30.20
29	1553	7	SCT:04 45	10.00		87	30.6	75	23.7	69	20.6	55	8	060		29.22	7	+0.06	30.16	FM-15	0.00	30.19
29	1653	7	CLR:00	10.00		86	30.0	73	22.9	67	19.4	53	7	020		29.20			30.15	FM-15	0.00	30.17
29	1753	7	CLR:00	10.00		84	28.9	73	22.5	67	19.4	57	7	020		29.20			30.14	FM-15	0.00	30.17
29	1853	7	CLR:00	10.00		80	26.7	71	21.5	66	18.9	62	5	030		29.21	5	+0.01	30.15	FM-15	0.00	30.18
29	1953	7	CLR:00	10.00		77	25.0	71	21.7	68	20.0	74	8	010		29.22			30.17	FM-15	0.00	30.19
29	2053	7	CLR:00	10.00		74	23.3	69	20.8	67	19.4	79	7	020		29.23			30.18	FM-15	0.00	30.20
29	2153	7	CLR:00	10.00		73	22.8	69	20.6	67	19.4	81	8	030		29.23	0	-0.02	30.17	FM-15	0.00	30.20
29	2253	7	CLR:00	10.00		71	21.7	68	19.9	66	18.9	84	6	050		29.22			30.17	FM-15	0.00	30.19
29	2353	7	CLR:00	10.00		69	20.6	66	18.8	64	17.8	84	5	030		29.22			30.16	FM-15	0.00	30.19
30	0053	7	CLR:00	10.00		69	20.6	66	18.8	64	17.8	84	0	000		29.22	5	+0.01	30.16	FM-15	0.00	30.19

30	0153	7	CLR:00	10.00		68	20.0	64	17.6	61	16.1	78	5	030		29.22			30.16	FM-15	0.00	30.19
30	0253	7	CLR:00	10.00		65	18.3	62	16.7	60	15.6	84	5	360		29.22			30.17	FM-15	0.00	30.19
30	0353	7	CLR:00	10.00		64	17.8	62	16.8	61	16.1	90	3	010		29.22	0	-0.00	30.17	FM-15	0.00	30.19
30	0453	7	CLR:00	10.00		64	17.8	62	16.8	61	16.1	90	0	000		29.21			30.16	FM-15	0.00	30.18
30	0553	7	CLR:00	10.00		61	16.1	60	15.8	60	15.6	97	5	360		29.21			30.16	FM-15	0.00	30.18
30	0653	7	CLR:00	10.00		65	18.3	63	17.3	62	16.7	90	3	350		29.21	5	+0.01	30.16	FM-15	0.00	30.18
30	0753	7	CLR:00	10.00		71	21.7	65	18.6	62	16.7	73	0	000		29.21			30.16	FM-15	0.00	30.18
30	0853	7	CLR:00	10.00		76	24.4	67	19.5	62	16.7	62	0	000		29.21			30.16	FM-15	0.00	30.18
30	0953	7	CLR:00	10.00		81	27.2	70	21.1	64	17.8	57	0	000		29.20	8	+0.01	30.15	FM-15	0.00	30.17
30	1053	7	CLR:00	10.00		83	28.3	69	20.8	62	16.7	49	5	170		29.20			30.15	FM-15	0.00	30.17
30	1153	7	CLR:00	10.00		85	29.4	70	20.8	61	16.1	45	3	VRB		29.18			30.13	FM-15	0.00	30.15
30	1253	7	CLR:00	10.00		86	30.0	70	21.0	61	16.1	43	5	270		29.17	8	+0.03	30.12	FM-15	0.00	30.14
30	1353	7	CLR:00	10.00		87	30.6	70	21.2	61	16.1	42	7	200		29.15			30.10	FM-15	0.00	30.12
30	1453	7	CLR:00	10.00		88	31.1	69	20.5	58	14.4	36	5	360		29.13			30.08	FM-15	0.00	30.10
30	1553	7	CLR:00	10.00		87	30.6	70	20.9	60	15.6	40	5	190		29.11	8	+0.06	30.05	FM-15	0.00	30.08
30	1653	7	CLR:00	10.00		87	30.6	71	21.8	63	17.2	45	6	240		29.09			30.04	FM-15	0.00	30.06
30	1753	7	CLR:00	10.00		83	28.3	70	21.1	63	17.2	51	8	270		29.09			30.04	FM-15	0.00	30.06
30	1853	7	CLR:00	10.00		80	26.7	69	20.6	63	17.2	56	3	270		29.08	6	+0.03	30.03	FM-15	0.00	30.05
30	1953	7	CLR:00	10.00		78	25.6	69	20.5	64	17.8	62	3	330		29.09			30.04	FM-15	0.00	30.06
30	2053	7	CLR:00	10.00		75	23.9	68	20.0	64	17.8	69	0	000		29.10			30.04	FM-15	0.00	30.07
30	2153	7	CLR:00	10.00		75	23.9	69	20.3	65	18.3	71	3	010		29.10	1	-0.02	30.05	FM-15	0.00	30.07
30	2253	7	CLR:00	10.00		75	23.9	70	21.0	67	19.4	76	3	280		29.09			30.03	FM-15	0.00	30.06
30	2353	7	CLR:00	10.00		73	22.8	69	20.6	67	19.4	81	5	290		29.08			30.03	FM-15	0.00	30.05
31	0053	7	CLR:00	10.00		74	23.3	69	20.5	66	18.9	76	0	000		29.07	6	+0.03	30.02	FM-15		30.04
31	0153	7	CLR:00	10.00		73	22.8	69	20.6	67	19.4	81	0	000		29.06			30.01	FM-15		30.03
31	0253	7	FEW:02 120	10.00		71	21.7	68	20.2	67	19.4	87	0	000		29.05			30.00	FM-15		30.02
31	0353	7	SCT:04 100 OVC:08 110	10.00		71	21.7	70	20.9	69	20.6	94	3	320		29.05	6	+0.02	29.99	FM-15		30.02
31	0453	7	OVC:08 95	10.00		72	22.2	70	21.1	69	20.6	91	0	000		29.05			29.99	FM-15		30.02
31	0553	7	OVC:08 90	10.00		72	22.2	70	21.1	69	20.6	91	0	000		29.05			30.00	FM-15		30.02
31	0653	7	FEW:02 70 BKN:07 90	10.00		73	22.8	70	21.3	69	20.6	87	5	330		29.05	3	-0.00	30.00	FM-15		30.02
31	0753	7	BKN:07 70	10.00		76	24.4	72	22.2	70	21.1	82	0	000		29.05			30.00	FM-15		30.02
31	0853	7	CLR:00	10.00		77	25.0	71	21.7	68	20.0	74	7	320		29.04			29.99	FM-15		30.01
31	0953	7	CLR:00	10.00		80	26.7	72	22.2	68	20.0	67	5	290		29.04	8	+0.01	29.98	FM-15		30.01
31	1053	7	CLR:00	10.00		83	28.3	73	23.0	69	20.6	63	8	230		29.02			29.97	FM-15		29.99
31	1153	7	FEW:02 34	10.00		83	28.3	73	23.0	69	20.6	63	9	270	17	29.01			29.96	FM-15	0.00	29.98
31	1253	7	BKN:07 100	10.00		81	27.2	73	23.1	70	21.1	69	10	300		29.00			29.94	FM-15	0.00	29.97
31	1353	7	FEW:02 36 SCT:04 60 SCT:04 110	10.00		83	28.3	73	23.0	69	20.6	63	9	280		28.98			29.92	FM-15	0.00	29.95
31	1453	7	FEW:02 35 SCT:04 47 BKN:07 90	10.00		79	26.1	74	23.1	71	21.7	77	11	310		28.97			29.92	FM-15	T	29.94
31	1553	7	FEW:02 33 FEW:02 60 BKN:07 100	10.00		79	26.1	73	22.7	70	21.1	74	10	320		28.97	6	+0.03	29.92	FM-15	T	29.94
31	1653	7	BKN:07 100 BKN:07 110	10.00		81	27.2	73	22.7	69	20.6	67	5	290		28.96			29.91	FM-15	0.00	29.93
31	1753	7	FEW:02 30 SCT:04 50 BKN:07 70	10.00		77	25.0	70	21.3	67	19.4	71	7	030		28.97			29.91	FM-15	0.00	29.94
31	1853	7	FEW:02 32 FEW:02 43 SCT:04 100	10.00		76	24.4	71	21.5	68	20.0	77	3	350		28.97	6	+0.00	29.91	FM-15	0.00	29.94
31	1953	7	FEW:02 46	10.00		76	24.4	72	22.2	70	21.1	82	5	340		28.98			29.93	FM-15	0.00	29.95
31	2053	7	SCT:04 42	10.00		73	22.8	71	21.7	70	21.1	90	7	010		29.00			29.95	FM-15	0.00	29.97
31	2153	7	FEW:02 45 SCT:04 50	10.00		73	22.8	70	21.3	69	20.6	87	7	010		29.01	1	-0.04	29.96	FM-15	0.00	29.98
31	2253	7	CLR:00	10.00		72	22.2	70	21.1	69	20.6	91	8	010		29.01			29.95	FM-15	0.00	29.98

31	2353	7	FEW:02 90	10.00		70	21.1	67	19.3	65	18.3	84	10	020		29.01			29.96	FM-15	0.00	29.98

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
August 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01																	T	T	0.02	0.22	T				01
02																									02
03																									03
04																									04
05																									05
06		T	0.02																						06
07																									07
08																									08
09																	0.01	0.08							09
10												0.08	T												10
11			T																						11
12																		0.01							12
13															0.07	0.11		0.01	0.07	0.01	0.01		T		13
14			T	T				0.02	0.18	0.40	0.52	0.29	0.04	0.03	0.01	T									14
15								0.41	0.16	0.01	T								0.01						15
16							T	T	0.01	0.01				0.21			0.02	T	T					T	16
17		0.01	0.01	T	0.03	0.11	0.01	0.01	0.03	0.01	T														17
18																									18
19																									19
20														T	0.10	0.01		0.01	T	T		T	T		20
21																									21
22																									22
23																									23
24																		T	T	T		T	T	0.04	24
25	0.37	T	T	0.01																					25
26																									26
27																0.01	0.02								27
28																									28
29																									29
30																									30
31															T	T									31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)												
Ending Date Time (yyyy-mm-dd hh:mi)												

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
September 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	78s	59	69s	-1.1s				0s	4s	0601	1903		0.00			29.07		10.0	24	010	20	010
02	79	57	68	-1.9				0	3	0602	1901		0.00			29.18		9.4	26	040	20	040
03	80	54	67	-2.6				0	2	0603	1859		0.00			29.20		5.1	17	030	13	060
04	83	55	69	-0.3				0	4	0603	1858		0.00			29.23		3.6	14	130	12	120
05	88	56	72	3.0				0	7	0604	1856		0.00			29.23		2.9	15	240	12	230
06	91	64	78	9.3				0	13	0605	1855		0.00			29.20		6.4	21s	240s	18	230
07	92*	70	81	12.6				0	16	0606	1853		0.00			29.13		9.1	25	230	20	230
08	90	72	81	12.9				0	16	0607	1851	RA BR	0.59			28.99		11.3	30	220	24	210
09	86	70	78	10.2				0	13	0608	1850	RA BR HZ	0.30			29.01		4.1	14	190	10	180
10	89	61	75	7.6				0	10	0609	1848	TS RA BR	0.80			28.95		11.3	36	280	28	210
11	75	55	65	-2.1				0	0	0610	1846		0.00			29.18		4.9	14	010	12	360
12	80	53	67	0.3				0	2	0611	1845		0.00			29.20		2.0	13	100	9	090
13	84	54	69	2.6				0	4	0612	1843	FG BR	0.00			29.15		3.3	15	240	13	220
14	80	58	69	3.0				0	4	0613	1841		0.00			29.18		6.7	20	360	16	360
15	78	55	67	1.4				0	2	0614	1840		0.00			29.23		5.5	15	010	12	040
16	85	56	70	4.8				0	5	0615	1838	HZ	T			29.13		4.4	17	210	13	200
17	81	70	75	10.2				0	10	0616	1836	TS RA BR	0.27			29.05		9.4	36	220	26	220
18	81	66	73	8.6				0	8	0617	1835	TS BR	0.02			29.03		3.3	19	140	15	140
19	84	62	73	9.0				0	8	0618	1833	FG BR	0.00			29.07		2.3	16	010	9	020
20	88	57	73	9.4				0	8	0619	1831	BR	0.00			29.17		0.9	10	110	7	110
21	87	56	72	8.8				0	7	0620	1830		0.00			29.21		2.3	14	320	10	020
22	87	58	73	10.2				0	8	0621	1828		0.00			29.14		2.3	12	160	10	180
23	89	63	76	13.6				0	11	0622	1826		0.00			29.09		2.7	13	330	12	320
24	79	60	70	8.0				0	5	0622	1825	BR	0.00			29.16		6.4	17	030	13	030
25	81	52	66	4.4				0	1	0624	1823		0.00			29.15		3.7	12	120	9	130
26	68	53	61	-0.1				4	0	0624	1822	RA BR	0.15			29.02		6.9	32	310	25	310
27	74	48*	61	0.3				4	0	0625	1820		T			28.95		10.0	36	230	26	230
28	59	54	56	-4.3				9	0	0626	1818	TS RA BR	1.32			28.90		5.8	20	100	17	100
29	68	56	62	2.1				3	0	0627	1817	TS RA FG BR	0.55			29.07		4.8	16	030	13	300
30	64	59	62	2.5				3	0	0628	1815	TS RA BR	0.96			29.07		6.3	24	020	18	020
	80.9	58.8	69.9							Monthly Averages | Totals			4.96s			29.11	30.07	5.6				
	4.2	5.1	4.7	Departure from Normal (1981-2010)									2.04s									

Degree Days	Monthly		Season-to-date		Number of days with... Temperature				Precipitation		Snow	Weather	
	Total	Departure	Total	Departure	Max		Min						
Heating	24	-57	24		>=90°	<=32°	<=32°	<=0°	>=0.01"	>=0.1"	>=1"	T-Storms	Heavy Fog
Cooling	169	82	1169		3	0	0	0	9	8			

Date of 5-sec to 3-sec wind equipment change	Sea Level Pressure				Greatest... 24-Hr...		
			Date	Time	Precip	Snowfall	Snow Depth
N/A	Maximum	30.25	05	0957	1.50s		
	Minimum	29.74	10	1519			
					Date		
					29-30		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
September 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	BKN:07 34	10.00		68	20.0	64	17.9	62	16.7	81	9	020		29.02	3	-0.01	29.97	FM-15	0.00	29.99
01	0153	7	BKN:07 38	10.00		66	18.9	64	17.5	62	16.7	87	7	360		29.02			29.97	FM-15	0.00	29.99
01	0253	7	OVC:08 42	10.00		66	18.9	63	17.2	61	16.1	84	8	010		29.02			29.97	FM-15	0.00	29.99
01	0353	7	SCT:04 48 OVC:08 60	10.00		66	18.9	62	16.9	60	15.6	81	8	360		29.03	3	-0.01	29.98	FM-15	0.00	30.00
01	0453	7	OVC:08 65	10.00		65	18.3	60	15.7	57	13.9	76	10	010		29.04			29.99	FM-15	0.00	30.01
01	0553	7	FEW:02 65	10.00		63	17.2	59	15.0	56	13.3	78	9	360		29.05			30.00	FM-15	0.00	30.02
01	0653	7	CLR:00	10.00		63	17.2	60	15.3	57	13.9	81	7	010		29.06	1	-0.04	30.02	FM-15	0.00	30.03
01	0753	7	CLR:00	10.00		67	19.4	62	16.5	58	14.4	73	9	010		29.08			30.03	FM-15	0.00	30.05
01	0853	7	CLR:00	10.00		70	21.1	63	17.4	59	15.0	68	13	040		29.09			30.04	FM-15	0.00	30.06
01	0953	7	FEW:02 30	10.00		72	22.2	64	17.8	59	15.0	64	14	020		29.09	1	-0.03	30.04	FM-15	0.00	30.06
01	1053	7	FEW:02 35 FEW:02 50	10.00		74	23.3	64	17.6	57	13.9	56	11	030		29.09			30.04	FM-15	0.00	30.06
01	1153	7	BKN:07 42	10.00		75	23.9	64	17.5	56	13.3	52	9	VRB		29.08			30.03	FM-15	0.00	30.05
01	1253	7	FEW:02 35 BKN:07 55	10.00		74	23.3	62	16.5	53	11.7	48	15	360	20	29.08	8	+0.01	30.03	FM-15	0.00	30.05
01	1353	7	SCT:04 60	10.00		76	24.4	64	17.7	56	13.3	50	14	010	22	29.08			30.03	FM-15	0.00	30.05
01	1453	7	BKN:07 65	10.00		77	25.0	64	17.6	55	12.8	47	13	330		29.07			30.03	FM-15	0.00	30.04
01	1553	7	FEW:02 49	10.00		77	25.0	65	18.2	57	13.9	50	8	340		29.07	6	+0.01	30.02	FM-15	0.00	30.04
01	1653	7	FEW:02 47 SCT:04 65 BKN:07 80	10.00		73	22.8	63	17.4	57	13.9	57	13	360		29.08			30.04	FM-15	0.00	30.05
01	1753	7	FEW:02 80	10.00		72	22.2	64	17.5	58	14.4	61	13	020	21	29.09			30.04	FM-15	0.00	30.06
01	1853	7	CLR:00	10.00		69	20.6	62	16.6	57	13.9	66	11	010		29.11	3	-0.03	30.06	FM-15	0.00	30.08
01	1953	7	CLR:00	10.00		66	18.9	61	16.3	58	14.4	75	8	020		29.13			30.09	FM-15	0.00	30.10
01	2053	7	CLR:00	10.00		64	17.8	60	15.5	57	13.9	78	9	010		29.15			30.11	FM-15	0.00	30.12
01	2153	7	CLR:00	10.00		63	17.2	60	15.3	57	13.9	81	9	020		29.16	1	-0.05	30.11	FM-15	0.00	30.13
01	2253	7	CLR:00	10.00		61	16.1	58	14.5	56	13.3	84	6	020		29.17			30.12	FM-15	0.00	30.14
01	2353	7	CLR:00	10.00		59	15.0	57	14.1	56	13.3	90	7	010		29.17			30.13	FM-15	0.00	30.14
02	0053	7	CLR:00	10.00		58	14.4	57	13.8	56	13.3	93	6	010		29.17	0	-0.01	30.13	FM-15	0.00	30.14
02	0153	7	CLR:00	10.00		59	15.0	58	14.4	57	13.9	93	7	010		29.16			30.12	FM-15	0.00	30.13
02	0253	7	CLR:00	10.00		58	14.4	57	14.1	57	13.9	97	6	010		29.17			30.12	FM-15	0.00	30.14
02	0353	7	CLR:00	10.00		58	14.4	57	14.1	57	13.9	97	3	350		29.18	3	-0.01	30.14	FM-15	0.00	30.15
02	0453	7	SCT:04 65	10.00		59	15.0	58	14.4	57	13.9	93	7	360		29.19			30.15	FM-15	0.00	30.16
02	0553	7	CLR:00	10.00		57	13.9	57	13.9	57	13.9	100	6	020		29.20			30.16	FM-15	0.00	30.17
02	0653	7	CLR:00	10.00		60	15.6	59	14.9	58	14.4	93	5	020		29.21	1	-0.03	30.17	FM-15	0.00	30.18
02	0753	7	CLR:00	10.00		64	17.8	61	16.1	59	15.0	84	7	070		29.21			30.17	FM-15	0.00	30.18
02	0853	7	CLR:00	10.00		68	20.0	63	17.0	59	15.0	73	7	060		29.22			30.18	FM-15	0.00	30.19
02	0953	7	SCT:04 35	10.00		72	22.2	64	17.5	58	14.4	61	11	070		29.23	3	-0.02	30.18	FM-15	0.00	30.20
02	1053	7	SCT:04 39	10.00		72	22.2	63	17.2	57	13.9	59	10	060		29.23			30.19	FM-15	0.00	30.20
02	1153	7	SCT:04 43	10.00		75	23.9	64	17.5	56	13.3	52	11	050	21	29.21			30.17	FM-15	0.00	30.18
02	1253	7	SCT:04 47	10.00		77	25.0	64	17.6	55	12.8	47	16	060	23	29.20	8	+0.03	30.15	FM-15	0.00	30.17
02	1353	7	BKN:07 55	10.00		75	23.9	63	17.2	55	12.8	50	11	060	22	29.19			30.14	FM-15	0.00	30.16
02	1453	7	FEW:02 50 BKN:07 60	10.00		79	26.1	65	18.6	57	13.9	47	14	070		29.17			30.12	FM-15	0.00	30.14
02	1553	7	BKN:07 55	10.00		77	25.0	64	17.9	56	13.3	48	13	030	23	29.15	8	+0.04	30.11	FM-15	0.00	30.12
02	1653	7	FEW:02 55	10.00		76	24.4	63	17.4	55	12.8	48	14	050		29.14			30.10	FM-15	0.00	30.11
02	1753	7	CLR:00	10.00		74	23.3	62	16.8	54	12.2	50	11	040		29.14			30.10	FM-15	0.00	30.11

02	1853	7	FEW:02 50	10.00		70	21.1	64	17.7	60	15.6	71	13	360		29.14	5	+0.01	30.10	FM-15	0.00	30.11
02	1953	7	CLR:00	10.00		67	19.4	62	16.8	59	15.0	76	13	010		29.17			30.13	FM-15	0.00	30.14
02	2053	7	CLR:00	10.00		65	18.3	61	16.0	58	14.4	78	9	020		29.19			30.14	FM-15	0.00	30.16
02	2153	7	CLR:00	10.00		64	17.8	60	15.5	57	13.9	78	9	030		29.19	1	-0.05	30.15	FM-15	0.00	30.16
02	2253	7	CLR:00	10.00		63	17.2	58	14.7	55	12.8	75	10	040		29.20			30.16	FM-15	0.00	30.17
02	2353	7	CLR:00	10.00		61	16.1	57	13.9	54	12.2	78	7	030		29.20			30.16	FM-15	0.00	30.17
03	0053	7	CLR:00	10.00		60	15.6	56	13.4	53	11.7	78	7	030		29.20	0	-0.01	30.16	FM-15	0.00	30.17
03	0153	7	CLR:00	10.00		59	15.0	56	13.4	54	12.2	83	6	030		29.19			30.15	FM-15	0.00	30.16
03	0253	7	CLR:00	10.00		56	13.3	54	12.4	53	11.7	90	6	010		29.19			30.14	FM-15	0.00	30.16
03	0353	7	CLR:00	10.00		56	13.3	54	12.4	53	11.7	90	5	350		29.18	6	+0.02	30.14	FM-15	0.00	30.15
03	0453	7	CLR:00	10.00		54	12.2	53	11.9	53	11.7	97	5	360		29.19			30.15	FM-15	0.00	30.16
03	0553	7	CLR:00	10.00		54	12.2	53	11.6	52	11.1	93	6	350		29.20			30.16	FM-15	0.00	30.17
03	0653	7	CLR:00	10.00		58	14.4	56	13.5	55	12.8	90	6	360		29.23	3	-0.05	30.19	FM-15	0.00	30.20
03	0753	7	CLR:00	10.00		62	16.7	59	14.8	56	13.3	80	7	030		29.23			30.20	FM-15	0.00	30.21
03	0853	7	CLR:00	10.00		67	19.4	62	16.5	58	14.4	73	5	050		29.25			30.21	FM-15	0.00	30.22
03	0953	7	CLR:00	10.00		72	22.2	64	17.5	58	14.4	61	3	050		29.25	0	-0.02	30.21	FM-15	0.00	30.22
03	1053	7	CLR:00	10.00		75	23.9	64	17.8	57	13.9	54	6	VRB		29.23			30.19	FM-15	0.00	30.21
03	1153	7	SCT:04 50	10.00		78	25.6	65	18.1	56	13.3	47	9	070		29.22			30.18	FM-15	0.00	30.19
03	1253	7	SCT:04 55	10.00		79	26.1	64	18.0	55	12.8	44	10	100		29.22	6	+0.03	30.17	FM-15	0.00	30.19
03	1353	7	FEW:02 55	10.00		80	26.7	65	18.2	55	12.8	42	6	VRB		29.21			30.16	FM-15	0.00	30.18
03	1453	7	CLR:00	10.00		79	26.1	64	18.0	55	12.8	44	5	VRB		29.18			30.13	FM-15	0.00	30.15
03	1553	7	CLR:00	10.00		79	26.1	64	18.0	55	12.8	44	7	090		29.17	6	+0.05	30.13	FM-15	0.00	30.14
03	1653	7	CLR:00	10.00		79	26.1	65	18.3	56	13.3	45	5	090		29.17			30.13	FM-15	0.00	30.14
03	1753	7	CLR:00	10.00		77	25.0	64	17.9	56	13.3	48	6	030		29.17			30.13	FM-15	0.00	30.14
03	1853	7	FEW:02 55	10.00		73	22.8	63	17.1	56	13.3	55	5	100		29.18	3	-0.01	30.14	FM-15	0.00	30.15
03	1953	7	CLR:00	10.00		70	21.1	62	16.5	56	13.3	61	0	000		29.19			30.15	FM-15	0.00	30.16
03	2053	7	CLR:00	10.00		68	20.0	61	16.1	56	13.3	65	0	000		29.20			30.16	FM-15	0.00	30.17
03	2153	7	CLR:00	10.00		63	17.2	58	14.7	55	12.8	75	3	010		29.21	1	-0.03	30.16	FM-15	0.00	30.18
03	2253	7	CLR:00	10.00		62	16.7	59	15.1	57	13.9	84	3	030		29.21			30.17	FM-15	0.00	30.18
03	2353	7	CLR:00	10.00		61	16.1	58	14.5	56	13.3	84	3	020		29.22			30.17	FM-15	0.00	30.19
04	0053	7	CLR:00	10.00		59	15.0	57	14.1	56	13.3	90	5	020		29.22	0	-0.01	30.18	FM-15	0.00	30.19
04	0153	7	CLR:00	10.00		59	15.0	57	13.7	55	12.8	87	3	020		29.22			30.17	FM-15	0.00	30.19
04	0253	7	CLR:00	10.00		59	15.0	57	13.7	55	12.8	87	3	020		29.22			30.18	FM-15	0.00	30.19
04	0353	7	CLR:00	10.00		57	13.9	55	13.0	54	12.2	90	5	010		29.23	3	-0.02	30.19	FM-15	0.00	30.21
04	0453	7	FEW:02 55	10.00		57	13.9	55	13.0	54	12.2	90	5	360		29.25			30.21	FM-15	0.00	30.22
04	0553	7	CLR:00	10.00		56	13.3	55	12.7	54	12.2	93	3	010		29.26			30.21	FM-15	0.00	30.23
04	0653	7	CLR:00	10.00		58	14.4	56	13.5	55	12.8	90	0	000		29.26	3	-0.04	30.23	FM-15	0.00	30.24
04	0753	7	CLR:00	10.00		64	17.8	60	15.8	58	14.4	81	0	000		29.27			30.24	FM-15	0.00	30.25
04	0853	7	CLR:00	10.00		69	20.6	62	16.9	58	14.4	68	3	080		29.27			30.24	FM-15	0.00	30.25
04	0953	7	CLR:00	10.00		75	23.9	65	18.1	58	14.4	55	3	VRB		29.28	3	-0.01	30.24	FM-15	0.00	30.26
04	1053	7	CLR:00	10.00		78	25.6	65	18.4	57	13.9	48				29.27			30.23	FM-15	0.00	30.25
04	1153	7	CLR:00	10.00		81	27.2	66	18.7	56	13.3	42	5	VRB		29.27			30.23	FM-15	0.00	30.25
04	1253	7	CLR:00	10.00		81	27.2	66	18.7	56	13.3	42	3	VRB		29.26	8	+0.03	30.21	FM-15	0.00	30.23
04	1353	7	CLR:00	10.00		82	27.8	65	18.6	55	12.8	40	0	000		29.23			30.19	FM-15	0.00	30.21
04	1453	7	CLR:00	10.00		82	27.8	65	18.3	54	12.2	38	6	080		29.23			30.18	FM-15	0.00	30.20
04	1553	7	CLR:00	10.00		82	27.8	65	18.6	55	12.8	40	7	100		29.22	6	+0.04	30.17	FM-15	0.00	30.19
04	1653	7	CLR:00	10.00		81	27.2	65	18.4	55	12.8	41	6	140		29.22			30.17	FM-15	0.00	30.19
04	1753	7	CLR:00	10.00		80	26.7	65	18.5	56	13.3	44	7	110		29.22			30.17	FM-15	0.00	30.19
04	1853	7	CLR:00	10.00		76	24.4	64	17.7	56	13.3	50	5	110		29.22	3	-0.00	30.18	FM-15	0.00	30.19
04	1953	7	CLR:00	10.00		71	21.7	63	17.0	57	13.9	61	5	090		29.23			30.19	FM-15	0.00	30.21
04	2053	7	CLR:00	10.00		68	20.0	62	16.7	58	14.4	70	5	090		29.25			30.21	FM-15	0.00	30.22
04	2153	7	CLR:00	10.00		68	20.0	61	16.4	57	13.9	68	3	090		29.26	1	-0.04	30.21	FM-15	0.00	30.23
04	2253	7	CLR:00	10.00		66	18.9	60	15.6	56	13.3	70	0	000		29.26			30.21	FM-15	0.00	30.23
04	2353	7	CLR:00	10.00		64	17.8	59	15.2	56	13.3	75	0	000		29.25			30.21	FM-15	0.00	30.22
05	0053	7	CLR:00	10.00		62	16.7	59	15.1	57	13.9	84	0	000		29.25	8	+0.01	30.20	FM-15	0.00	30.22
05	0153	7	CLR:00	10.00		63	17.2	60	15.3	57	13.9	81	0	000		29.23			30.19	FM-15	0.00	30.21
05	0253	7	CLR:00	10.00		61	16.1	59	15.1	58	14.4	90	0	000		29.25			30.20	FM-15	0.00	30.22

05	0353	7	CLR:00	10.00		60	15.6	58	14.6	57	13.9	90	0	000		29.25	5	+0.00	30.20	FM-15	0.00	30.22
05	0453	7	CLR:00	10.00		58	14.4	57	14.1	57	13.9	97	0	000		29.26			30.21	FM-15	0.00	30.23
05	0553	7	CLR:00	7.00		57	13.9	56	13.6	56	13.3	96	0	000		29.26			30.23	FM-15	0.00	30.24
05	0653	7	CLR:00	8.00		59	15.0	58	14.4	57	13.9	93	0	000		29.28	3	-0.04	30.24	FM-15	0.00	30.26
05	0753	7	CLR:00	10.00		66	18.9	63	17.2	61	16.1	84	3	090		29.28			30.25	FM-15	0.00	30.26
05	0853	7	CLR:00	10.00		72	22.2	66	18.8	62	16.7	71	0	000		29.29			30.25	FM-15	0.00	30.27
05	0953	7	CLR:00	10.00		78	25.6	67	19.6	61	16.1	56	3	190		29.29	0	-0.01	30.25	FM-15	0.00	30.27
05	1053	7	CLR:00	10.00		82	27.8	68	19.7	59	15.0	46	6	220		29.28			30.24	FM-15	0.00	30.26
05	1153	7	CLR:00	10.00		83	28.3	68	20.2	60	15.6	46	0	000		29.26			30.22	FM-15	0.00	30.24
05	1253	7	CLR:00	10.00		85	29.4	68	20.3	59	15.0	42	0	000		29.26	8	+0.04	30.21	FM-15	0.00	30.23
05	1353	7	CLR:00	10.00		87	30.6	70	20.9	60	15.6	40	7	240		29.23			30.19	FM-15	0.00	30.21
05	1453	7	CLR:00	10.00		87	30.6	70	21.2	61	16.1	42	10	270		29.22			30.16	FM-15	0.00	30.19
05	1553	7	FEW:02 65	10.00		87	30.6	70	20.9	60	15.6	40	6	210		29.20	6	+0.06	30.15	FM-15	0.00	30.17
05	1653	7	CLR:00	10.00		86	30.0	70	21.0	61	16.1	43	5	230		29.20			30.15	FM-15	0.00	30.17
05	1753	7	CLR:00	10.00		84	28.9	70	21.0	62	16.7	48	7	210		29.19			30.14	FM-15	0.00	30.16
05	1853	7	CLR:00	10.00		82	27.8	69	20.6	62	16.7	51	5	210		29.18	6	+0.02	30.14	FM-15	0.00	30.15
05	1953	7	CLR:00	10.00		76	24.4	67	19.5	62	16.7	62	3	200		29.20			30.15	FM-15	0.00	30.17
05	2053	7	CLR:00	10.00		79	26.1	68	20.1	62	16.7	56	6	170		29.21			30.15	FM-15	0.00	30.18
05	2153	7	CLR:00	10.00		76	24.4	67	19.2	61	16.1	60	5	160		29.21	1	-0.03	30.16	FM-15	0.00	30.18
05	2253	7	CLR:00	10.00		71	21.7	65	18.2	61	16.1	71	0	000		29.22			30.17	FM-15	0.00	30.19
05	2353	7	CLR:00	10.00		71	21.7	65	18.6	62	16.7	73	3	160		29.23			30.17	FM-15	0.00	30.20
06	0053	7	FEW:02 80	10.00		71	21.7	66	18.9	63	17.2	76	5	150		29.23	1	-0.02	30.18	FM-15	0.00	30.20
06	0153	7	FEW:02 70	10.00		69	20.6	65	18.2	62	16.7	78	3	170		29.22			30.17	FM-15	0.00	30.19
06	0253	7	FEW:02 65	10.00		66	18.9	64	17.5	62	16.7	87	0	000		29.21			30.16	FM-15	0.00	30.18
06	0353	7	CLR:00	10.00		67	19.4	65	18.1	63	17.2	87	0	000		29.21	5	+0.02	30.16	FM-15	0.00	30.18
06	0453	7	CLR:00	10.00		67	19.4	65	18.4	64	17.8	91	3	170		29.21			30.16	FM-15	0.00	30.18
06	0553	7	CLR:00	10.00		67	19.4	65	18.4	64	17.8	91	0	000		29.21			30.16	FM-15	0.00	30.18
06	0653	7	CLR:00	10.00		68	20.0	66	19.0	65	18.3	90	5	150		29.22	3	-0.00	30.17	FM-15	0.00	30.19
06	0753	7	CLR:00	10.00		75	23.9	69	20.6	66	18.9	74	0	000		29.22			30.16	FM-15	0.00	30.19
06	0853	7	CLR:00	10.00		79	26.1	72	22.0	68	20.0	69	8	270		29.22			30.16	FM-15	0.00	30.19
06	0953	7	CLR:00	10.00		84	28.9	74	23.6	70	21.1	63	9	230		29.22	3	-0.00	30.17	FM-15	0.00	30.19
06	1053	7	FEW:02 40	10.00		87	30.6	75	24.0	70	21.1	57	14	270		29.23			30.17	FM-15	0.00	30.20
06	1153	7	FEW:02 45 SCT:04 55	10.00		88	31.1	75	23.8	69	20.6	54	9	230		29.22			30.16	FM-15	0.00	30.19
06	1253	7	FEW:02 48 SCT:04 60	10.00		90	32.2	75	24.1	69	20.6	50	11	250	20	29.21	8	+0.01	30.15	FM-15	0.00	30.18
06	1353	7	SCT:04 50	10.00		90	32.2	75	23.8	68	20.0	48	8	270		29.19			30.14	FM-15	0.00	30.16
06	1453	7	FEW:02 50 BKN:07 100 BKN:07 120	10.00		88	31.1	75	23.8	69	20.6	54	11	270		29.17			30.12	FM-15	0.00	30.14
06	1553	7	FEW:02 55	10.00		90	32.2	75	23.8	68	20.0	48	9	270	22	29.15	8	+0.06	30.09	FM-15	0.00	30.12
06	1653	7	CLR:00	10.00		89	31.7	75	23.7	68	20.0	50	13	260	20	29.14			30.09	FM-15	0.00	30.11
06	1753	7	CLR:00	10.00		87	30.6	73	23.0	67	19.4	51	11	250		29.14			30.09	FM-15	0.00	30.11
06	1853	7	CLR:00	10.00		83	28.3	73	22.7	68	20.0	61	7	240		29.14	6	+0.01	30.09	FM-15	0.00	30.11
06	1953	7	CLR:00	10.00		81	27.2	72	22.4	68	20.0	65	5	220		29.15			30.09	FM-15	0.00	30.12
06	2053	7	CLR:00	10.00		80	26.7	72	22.2	68	20.0	67	6	230		29.16			30.11	FM-15	0.00	30.13
06	2153	7	CLR:00	10.00		79	26.1	72	22.0	68	20.0	69	6	230		29.17	3	-0.03	30.11	FM-15	0.00	30.14
06	2253	7	CLR:00	10.00		77	25.0	71	21.7	68	20.0	74	6	230		29.16			30.10	FM-15	0.00	30.13
06	2353	7	CLR:00	10.00		76	24.4	71	21.5	68	20.0	77	5	230		29.16			30.10	FM-15	0.00	30.13
07	0053	7	CLR:00	10.00		74	23.3	70	21.1	68	20.0	82	6	250		29.16	6	+0.01	30.10	FM-15	0.00	30.13
07	0153	7	CLR:00	10.00		74	23.3	70	21.1	68	20.0	82	7	260		29.14			30.09	FM-15	0.00	30.11
07	0253	7	CLR:00	10.00		72	22.2	69	20.8	68	20.0	87	5	260		29.15			30.09	FM-15	0.00	30.12
07	0353	7	CLR:00	10.00		73	22.8	70	21.0	68	20.0	84	6	240		29.15	5	+0.00	30.09	FM-15	0.00	30.12
07	0453	7	CLR:00	9.00		71	21.7	68	20.2	67	19.4	87	5	250		29.15			30.09	FM-15	0.00	30.12
07	0553	7	CLR:00	10.00		71	21.7	69	20.6	68	20.0	90	6	240		29.16			30.11	FM-15	0.00	30.13
07	0653	7	CLR:00	9.00		72	22.2	70	21.1	69	20.6	91	6	240		29.17	3	-0.02	30.12	FM-15	0.00	30.14
07	0753	7	CLR:00	10.00		76	24.4	71	21.9	69	20.6	79	8	250		29.18			30.12	FM-15	0.00	30.15
07	0853	7	CLR:00	10.00		81	27.2	74	23.1	70	21.1	69	10	260		29.18			30.12	FM-15	0.00	30.15

07	0953	7	FEW:02 50	10.00		85	29.4	76	24.4	72	22.2	65	10	270		29.18	3	-0.01	30.13	FM-15	0.00	30.15
07	1053	7	CLR:00	10.00		87	30.6	77	25.1	73	22.8	63	10	240		29.17			30.11	FM-15	0.00	30.14
07	1153	7	SCT:04 39 SCT:04 47 BKN:07 60	10.00		88	31.1	77	24.9	72	22.2	59	8	250		29.15			30.09	FM-15	0.00	30.12
07	1253	7	BKN:07 38	10.00		90	32.2	77	24.8	71	21.7	54	15	240		29.13	8	+0.05	30.07	FM-15	0.00	30.10
07	1353	7	FEW:02 42	10.00		91	32.8	78	25.3	72	22.2	54	13	230	22	29.11			30.05	FM-15	0.00	30.08
07	1453	7	FEW:02 45	10.00		91	32.8	77	24.9	71	21.7	52	15	230		29.09			30.03	FM-15	0.00	30.06
07	1553	7	FEW:02 44	10.00		90	32.2	77	24.8	71	21.7	54	14	240		29.08	6	+0.05	30.02	FM-15	0.00	30.05
07	1653	7	FEW:02 46	10.00		89	31.7	76	24.7	71	21.7	55	17	240	23	29.07			30.01	FM-15	0.00	30.04
07	1753	7	CLR:00	10.00		88	31.1	75	24.2	70	21.1	55	15	220	22	29.06			30.00	FM-15	0.00	30.03
07	1853	7	CLR:00	10.00		85	29.4	75	23.7	70	21.1	61	10	240		29.06	5	+0.02	30.01	FM-15	0.00	30.03
07	1953	7	CLR:00	10.00		83	28.3	75	23.7	71	21.7	67	6	220		29.08			30.03	FM-15	0.00	30.05
07	2053	7	CLR:00	10.00		81	27.2	74	23.4	71	21.7	72	7	220		29.08			30.02	FM-15	0.00	30.05
07	2153	7	CLR:00	10.00		78	25.6	73	22.9	71	21.7	79	6	210		29.07	0	-0.01	30.01	FM-15	0.00	30.04
07	2253	7	CLR:00	10.00		78	25.6	73	22.9	71	21.7	79	7	210		29.06			30.01	FM-15	0.00	30.03
07	2353	7	CLR:00	10.00		77	25.0	72	22.4	70	21.1	79	8	200		29.05			29.99	FM-15	0.00	30.02
08	0053	7	CLR:00	10.00		76	24.4	71	21.5	68	20.0	77	10	200		29.04	8	+0.03	29.98	FM-15	0.00	30.01
08	0153	7	CLR:00	10.00		76	24.4	71	21.5	68	20.0	77	9	220		29.03			29.97	FM-15	0.00	30.00
08	0253	7	CLR:00	10.00		74	23.3	70	21.1	68	20.0	82	9	210		29.02			29.96	FM-15	0.00	29.99
08	0353	7	CLR:00	10.00		75	23.9	70	21.3	68	20.0	79	9	220		29.01	6	+0.03	29.96	FM-15	0.00	29.98
08	0453	7	CLR:00	10.00		74	23.3	70	21.1	68	20.0	82	7	210		29.01			29.95	FM-15	0.00	29.98
08	0553	7	CLR:00	10.00		73	22.8	70	21.0	68	20.0	84	6	210		29.02			29.96	FM-15	0.00	29.99
08	0653	7	CLR:00	10.00		74	23.3	71	21.5	69	20.6	85	8	200		29.02	3	-0.01	29.97	FM-15	0.00	29.99
08	0753	7	CLR:00	10.00		77	25.0	72	22.4	70	21.1	79	8	210		29.02			29.96	FM-15	0.00	29.99
08	0853	7	CLR:00	10.00		81	27.2	73	23.1	70	21.1	69	11	210		29.01			29.95	FM-15	0.00	29.98
08	0953	7	CLR:00	10.00		84	28.9	75	23.9	71	21.7	65	13	210	22	29.00	8	+0.03	29.94	FM-15	0.00	29.97
08	1053	7	CLR:00	10.00		84	28.9	75	23.9	71	21.7	65	14	210		29.00			29.94	FM-15	0.00	29.97
08	1153	7	FEW:02 32	10.00		86	30.0	76	24.5	72	22.2	63	17	210	23	28.99			29.93	FM-15	0.00	29.96
08	1253	7	FEW:02 38	10.00		86	30.0	76	24.5	72	22.2	63	16	240	23	28.98	8	+0.01	29.92	FM-15	0.00	29.95
08	1353	7	SCT:04 36	10.00		87	30.6	76	24.7	72	22.2	61	14	220	24	28.96			29.90	FM-15	0.00	29.93
08	1453	7	CLR:00	10.00		90	32.2	77	25.1	72	22.2	56	20	230	28	28.93			29.87	FM-15	0.00	29.90
08	1553	7	SCT:04 45	10.00		87	30.6	76	24.3	71	21.7	59	17	230	24	28.92	6	+0.06	29.86	FM-15	0.00	29.89
08	1653	7	CLR:00	10.00		88	31.1	76	24.5	71	21.7	57	18	240		28.90			29.85	FM-15	0.00	29.87
08	1753	7	SCT:04 100	10.00		86	30.0	76	24.2	71	21.7	61	13	210		28.91			29.85	FM-15	0.00	29.88
08	1853	7	CLR:00	10.00		85	29.4	75	24.0	71	21.7	63	11	220		28.92	3	-0.00	29.86	FM-15	0.00	29.89
08	1953	7	BKN:07 44 BKN:07 50	10.00		83	28.3	75	23.7	71	21.7	67	8	250		28.94			29.89	FM-15	0.00	29.91
08	2017	7	SCT:04 39 BKN:07 75	10.00		81	27.2	73	23.1	70	21.1	69	13	320		28.96				FM-16		29.93
08	2042	7	BKN:07 23 BKN:07 31 OVC:08 70	10.00	-RA:02 |RA |	78	25.6	73	22.9	71	21.7	79	14	300	26	28.98				FM-16	T	29.95
08	2053	7	BKN:07 23 BKN:07 31 OVC:08 65	10.00	-RA:02 |RA |	76	24.4	73	22.6	71	21.7	85	13	290		28.98			29.93	FM-15	T	29.95
08	2153	7	BKN:07 23 BKN:07 34 OVC:08 80	9.00	-RA:02 |RA |	74	23.3	73	22.6	72	22.2	94	5	280		28.99	1	-0.07	29.93	FM-15	0.01	29.96
08	2200	7	OVC:08 60	10.00	-RA:02 |RA |	74	23.3	73	22.6	72	22.2	94	6	350		28.98				FM-16	T	29.95
08	2253	7	FEW:02 45 SCT:04 70 OVC:08 80	8.00	-RA:02 |RA |	73	22.8	72	22.4	72	22.2	96	6	300		29.00			29.94	FM-15	0.02	29.97
08	2309	7	FEW:02 8 BKN:07 47 OVC:08 80	3.00	-RA:02 BR:1 |RA |	73	22.8	72	22.4	72	22.2	96	6	270		29.00				FM-16	0.04	29.97
08	2326	7	SCT:04 8 BKN:07 14 OVC:08 46	2.50	+RA:02 BR:1 |RA |	73	22.8	72	22.4	72	22.2	96	6	210		29.01				FM-16	0.11	29.98

08	2335	7	SCT:04 7 BKN:07 12 OVC:08 46	3.00	RA:02 BR:1 |RA |	73	22.8	73	22.8	73	22.8	100	6	210		29.01				FM-16	0.14	29.98
08	2339	7	BKN:07 9 BKN:07 18 OVC:08 29	2.00	+RA:02 BR:1 |RA |	73	22.8	72	22.4	72	22.2	96	6	210		29.00				FM-16	0.18	29.97
08	2346	7	FEW:02 7 BKN:07 11 OVC:08 27	1.00	+RA:02 BR:1 |RA |	73	22.8	72	22.4	72	22.2	96	6	200		29.00				FM-16	0.32	29.97
08	2351	7	SCT:04 7 SCT:04 11 OVC:08 20	0.75	+RA:02 BR:1 |RA |	73	23.0	73	22.8	73	23.0	100	8	180		29.00				FM-16	0.47	29.97
08	2353	7	FEW:02 7 SCT:04 11 OVC:08 20	0.75	+RA:02 BR:1 |RA |	73	22.8	73	22.8	73	22.8	100	8	190		29.00			29.95	FM-15	0.56	29.97
09	0003	7	FEW:02 11 BKN:07 20 OVC:08 47	2.00	RA:02 BR:1 |RA |	73	22.8	73	22.8	73	22.8	100	9	210		29.00				FM-16	0.07	29.97
09	0024	7	FEW:02 17 BKN:07 35 OVC:08 46	2.50	+RA:02 BR:1 |RA |	73	22.8	73	22.8	73	22.8	100	7	220		29.00				FM-16	0.22	29.97
09	0050	7	FEW:02 31 BKN:07 60 OVC:08 80	4.00	RA:02 BR:1 |RA |	72	22.0	72	22.2	72	22.0	100	6	270		29.00				FM-16	0.33	29.97
09	0053	7	FEW:02 27 BKN:07 60 OVC:08 80	5.00	-RA:02 BR:1 |RA |	72	22.2	72	22.2	72	22.2	100	7	270		28.99	8	+0.00	29.94	FM-15	0.28	29.96
09	0153	7	CLR:00	9.00	-RA:02 |RA |	72	22.2	71	21.9	71	21.7	97	5	270		28.99			29.93	FM-15	0.02	29.96
09	0253	7	CLR:00	10.00		71	21.7	71	21.7	71	21.7	100	5	270		29.00			29.95	FM-15	T	29.97
09	0328	7	FEW:02 5 BKN:07 90	10.00		71	21.7	71	21.7	71	21.7	100	3	270		29.00				FM-16		29.97
09	0353	7	SCT:04 5 SCT:04 90	10.00		71	21.7	71	21.7	71	21.7	100	0	000		29.00	3	-0.01	29.95	FM-15	0.00	29.97
09	0401	7	BKN:07 5	10.00		71	21.7	70	21.3	70	21.1	96	0	000		29.01				FM-16		29.98
09	0453	7	OVC:08 5	10.00		71	21.7	71	21.7	71	21.7	100	3	270		29.01			29.95	FM-15	0.00	29.98
09	0518	7	OVC:08 4	10.00		72	22.2	71	21.9	71	21.7	97	3	230		29.02				FM-16		29.99
09	0553	7	OVC:08 4	8.00		71	21.7	71	21.7	71	21.7	100	0	000		29.02			29.96	FM-15	0.00	29.99
09	0645	7	OVC:08 5	7.00		72	22.2	71	21.9	71	21.7	97	0	000		29.02				FM-16		29.99
09	0653	7	OVC:08 5	8.00	-RA:02 |RA |	72	22.2	71	21.9	71	21.7	97	0	000		29.02	3	-0.02	29.97	FM-15	T	29.99
09	0753	7	OVC:08 5	7.00		72	22.2	71	21.9	71	21.7	97	0	000		29.03			29.98	FM-15	0.00	30.00
09	0853	7	BKN:07 5 OVC:08 9	7.00		73	22.8	72	22.4	72	22.2	96	3	180		29.04			29.98	FM-15	0.00	30.01
09	0953	7	BKN:07 5 OVC:08 9	10.00		76	24.4	73	22.9	72	22.2	88	0	000		29.05	3	-0.02	30.00	FM-15	0.00	30.02
09	1038	7	SCT:04 11 SCT:04 49 OVC:08 60	10.00		78	25.6	74	23.3	72	22.2	82	5	210		29.05				FM-16		30.02
09	1053	7	SCT:04 13 OVC:08 60	10.00		78	25.6	74	23.3	72	22.2	82	5	230		29.04			29.99	FM-15	0.00	30.01
09	1100	7	BKN:07 13 OVC:08 60	6.00	HZ:7 |FU |HZ	78	25.6	73	22.9	71	21.7	79	0	000		29.04				FM-16		30.01
09	1151	6	BKN:07 20 OVC:08 60	8.00		79	26.0	74	23.4	72	22.0	79	3	210		29.03				FM-16		30.00
09	1153	7	BKN:07 20 OVC:08 60	10.00		80	26.7	74	23.2	71	21.7	74	0	000		29.03			29.98	FM-15	0.00	30.00
09	1232	7	BKN:07 2 BKN:07 45	10.00		83	28.3	75	23.7	71	21.7	67	6	220		29.02				FM-16		29.99
09	1239	7	BKN:07 20 BKN:07 45	10.00		81	27.2	74	23.1	70	21.1	69	5	170		29.02				FM-16		29.99
09	1253	7	BKN:07 20 BKN:07 45	10.00		82	27.8	75	23.9	72	22.2	72	7	190		29.02	8	+0.03	29.96	FM-15	0.00	29.99
09	1351	6	BKN:07 30 BKN:07 60	10.00		82	28.0	75	23.9	72	22.0	70	9	200		29.01				FM-16		29.98

09	1353	7	BKN:07 30 BKN:07 60	10.00		84	28.9	75	23.9	71	21.7	65	8	190		29.00			29.95	FM-15	0.00	29.97
09	1453	7	*	10.00		83	28.3	74	23.4	70	21.1	65	5	220		28.99			29.94	FM-15	0.00	29.96
09	1553	7	FEW:02 41 FEW:02 50	10.00		85	29.4	74	23.4	69	20.6	59	0	000		28.99	6	+0.03	29.93	FM-15	0.00	29.96
09	1653	7	FEW:02 40 FEW:02 50 SCT:04 60	10.00		85	29.4	74	23.4	69	20.6	59	9	270		28.99			29.93	FM-15	0.00	29.96
09	1753	7	SCT:04 50	10.00		83	28.3	73	23.0	69	20.6	63	8	230		29.00			29.94	FM-15	0.00	29.97
09	1853	7	SCT:04 50	10.00		81	27.2	73	23.1	70	21.1	69	5	210		29.01	3	-0.02	29.95	FM-15	0.00	29.98
09	1953	7	CLR:00	10.00		79	26.1	72	22.4	69	20.6	72	5	200		29.02			29.96	FM-15	0.00	29.99
09	2053	7	CLR:00	10.00		77	25.0	72	22.0	69	20.6	77	5	190		29.02			29.97	FM-15	0.00	29.99
09	2153	7	CLR:00	10.00		77	25.0	72	22.4	70	21.1	79	7	160		29.01	0	-0.00	29.96	FM-15	0.00	29.98
09	2253	7	BKN:07 40	10.00		76	24.4	72	22.2	70	21.1	82	7	170		29.01			29.95	FM-15	0.00	29.98
09	2353	7	CLR:00	10.00		76	24.4	73	22.6	71	21.7	85	7	180		28.98			29.92	FM-15	0.00	29.95
10	0053	7	SCT:04 55	10.00		75	23.9	72	22.4	71	21.7	88	9	170		28.97	8	+0.04	29.91	FM-15	0.00	29.94
10	0153	7	SCT:04 50 OVC:08 90	10.00		75	23.9	73	22.8	72	22.2	90	11	170		28.96			29.91	FM-15	T	29.93
10	0253	7	FEW:02 50 SCT:04 85 BKN:07 120	10.00		75	23.9	73	22.8	72	22.2	90	8	180		28.95			29.89	FM-15	0.00	29.92
10	0353	7	FEW:02 85	10.00		74	23.3	72	22.2	71	21.7	91	8	200		28.95	6	+0.02	29.89	FM-15	0.00	29.92
10	0453	7	CLR:00	10.00		74	23.3	72	22.2	71	21.7	91	9	180		28.94			29.89	FM-15	0.00	29.91
10	0553	7	FEW:02 70	10.00		74	23.3	71	21.8	70	21.1	88	9	170		28.94			29.88	FM-15	0.00	29.91
10	0653	7	CLR:00	10.00		74	23.3	71	21.5	69	20.6	85	11	190		28.95	5	+0.00	29.89	FM-15	0.00	29.92
10	0753	7	CLR:00	10.00		76	24.4	71	21.8	69	20.6	79	14	210		28.96			29.91	FM-15	0.00	29.93
10	0853	7	FEW:02 30	10.00		79	26.1	73	22.7	70	21.1	74	10	220		28.96			29.91	FM-15	0.00	29.93
10	0953	7	BKN:07 27	10.00		81	27.2	73	23.1	70	21.1	69	13	200		28.97	1	-0.02	29.91	FM-15	0.00	29.94
10	1002	7	BKN:07 27	10.00		81	27.2	74	23.4	71	21.7	72	14	200		28.97				FM-16		29.94
10	1053	7	SCT:04 29	10.00		83	28.3	75	23.7	71	21.7	67	17	200	26	28.95			29.89	FM-15	0.00	29.92
10	1153	7	SCT:04 31	10.00		86	30.0	77	24.9	73	22.8	65	15	190	26	28.91			29.85	FM-15	0.00	29.88
10	1253	7	SCT:04 39 BKN:07 47	10.00		86	30.0	76	24.5	72	22.2	63	17	220		28.90	6	+0.07	29.84	FM-15	0.00	29.87
10	1353	7	FEW:02 46 FEW:02 70	10.00		88	31.1	77	24.8	72	22.2	59	17	190	29	28.87			29.81	FM-15	0.00	29.84
10	1453	7	SCT:04 45 SCT:04 75	10.00		88	31.1	76	24.5	71	21.7	57	18	200	30	28.83			29.76	FM-15	T	29.79
10	1553	7	BKN:07 47 BKN:07 60 BKN:07 90	10.00		86	30.0	74	23.5	69	20.6	57	25	280	36	28.87	5	+0.04	29.80	FM-15	T	29.83
10	1558	7	FEW:02 29 BKN:07 45 OVC:08 90	10.00	VCTS:7 -RA:02 |RA |	78	25.6	71	21.5	67	19.4	69	20	280	36	28.89				FM-16	T	29.85
10	1610	7	FEW:02 13 BKN:07 36 OVC:08 47	1.75V	VCTS:7 RA:02 BR:1 |RA |	73	22.8	70	21.3	69	20.6	87	9	VRB	36	28.90				FM-16	0.11	29.86
10	1622	7	BKN:07 9 BKN:07 29 OVC:08 37	0.75	VCTS:7 +RA:02 BR:1 |RA |	72	22.2	71	21.9	71	21.7	97	7	270		28.90				FM-16	0.30	29.86
10	1627	7	SCT:04 9 BKN:07 14 OVC:08 35	1.00	VCTS:7 +RA:02 BR:1 |RA |	72	22.2	71	21.9	71	21.7	97	13	280		28.90				FM-16	0.37	29.86
10	1633	7	SCT:04 7 BKN:07 37 OVC:08 75	1.00	VCTS:7 +RA:02 BR:1 |RA |	72	22.2	71	21.9	71	21.7	97	9	280		28.89				FM-16	0.44	29.85
10	1643	7	FEW:02 9 BKN:07 46 OVC:08 75	3.00	TS:7 RA:02 BR:1 |RA TS |	72	22.2	71	21.9	71	21.7	97	14	290	23	28.90				FM-16	0.47	29.86
10	1653	7	SCT:04 49 OVC:08 80	2.50	TS:7 RA:02 BR:1 |RA TS |	72	22.2	71	21.9	71	21.7	97	7	270		28.91			29.86	FM-15	0.52	29.88

10	1707	7	SCT:04 15 BKN:07 38 OVC:08 80	3.00	TS:7 -RA:02 BR:1 |RA TS |	73	22.8	72	22.4	72	22.2	96	6	230		28.92				FM-16	0.02	29.89
10	1711	7	BKN:07 13 BKN:07 38 OVC:08 80	3.00	VCTS:7 RA:02 BR:1 |RA |	73	22.8	72	22.4	72	22.2	96	7	250		28.93				FM-16	0.03	29.90
10	1718	7	BKN:07 10 BKN:07 18 OVC:08 80	2.50	VCTS:7 RA:02 BR:1 |RA |	73	22.8	72	22.0	71	21.7	94	7	260		28.93				FM-16	0.06	29.90
10	1727	7	BKN:07 8 BKN:07 14 OVC:08 19	2.50	VCTS:7 +RA:02 BR:1 |RA |	72	22.2	72	22.2	72	22.2	100	8	320		28.94				FM-16	0.09	29.91
10	1729	7	SCT:04 8 BKN:07 12 OVC:08 18	3.00	VCTS:7 RA:02 BR:1 |RA |	72	22.2	71	21.9	71	21.7	97	9	320		28.94				FM-16	0.09	29.91
10	1744	7	BKN:07 12 BKN:07 42 OVC:08 80	7.00	RA:02 |RA |	69	20.6	68	19.8	67	19.4	93	17	310		28.95				FM-16	0.12	29.92
10	1751	6	SCT:04 12 BKN:07 44 OVC:08 80	4.00	RA:02 BR:1 |RA |	70	21.0	67	19.7	66	19.0	88	10	320	22	28.96				FM-16		29.93
10	1753	7	SCT:04 12 BKN:07 44 OVC:08 70	4.00	RA:02 BR:1 |RA |	68	20.0	67	19.3	66	18.9	93	10	320		28.97			29.92	FM-15	0.15	29.94
10	1853	7	FEW:02 80 BKN:07 110	4.00	RA:02 BR:1 |RA |	68	20.0	67	19.6	67	19.4	96	3	250		28.98	1	-0.11	29.93	FM-15	0.12	29.95
10	1953	7	FEW:02 110	10.00		68	20.0	67	19.6	67	19.4	96	7	240		28.99			29.94	FM-15	0.01	29.96
10	2053	7	SCT:04 29 BKN:07 65	10.00		68	20.0	67	19.6	67	19.4	96	6	240		29.02			29.97	FM-15	0.00	29.99
10	2153	7	BKN:07 50 OVC:08 70	10.00		68	20.0	66	18.9	65	18.3	90	10	280		29.05	3	-0.07	30.00	FM-15	0.00	30.02
10	2253	7	CLR:00	10.00		65	18.3	62	16.7	60	15.6	84	8	300		29.08			30.03	FM-15	0.00	30.05
10	2353	7	CLR:00	10.00		61	16.1	59	15.1	58	14.4	90	6	310		29.08			30.03	FM-15	0.00	30.05
11	0053	7	CLR:00	10.00		60	15.6	59	14.9	58	14.4	93	6	290		29.10	1	-0.06	30.05	FM-15	0.00	30.07
11	0153	7	CLR:00	10.00		58	14.4	57	14.1	57	13.9	97	6	270		29.10			30.05	FM-15	0.00	30.07
11	0253	7	CLR:00	10.00		56	13.3	56	13.3	56	13.3	100	6	280		29.11			30.06	FM-15	0.00	30.08
11	0353	7	CLR:00	10.00		57	13.9	56	13.6	56	13.3	96	5	280		29.13	3	-0.02	30.08	FM-15	0.00	30.10
11	0453	7	CLR:00	10.00		57	13.9	56	13.6	56	13.3	96	3	300		29.15			30.11	FM-15	0.00	30.12
11	0553	7	CLR:00	10.00		56	13.3	56	13.3	56	13.3	100	5	310		29.17			30.14	FM-15	0.00	30.14
11	0653	7	CLR:00	10.00		58	14.4	57	14.1	57	13.9	97	6	310		29.21	3	-0.08	30.17	FM-15	0.00	30.18
11	0753	7	SCT:04 11	10.00		61	16.1	59	15.1	58	14.4	90	7	350		29.22			30.18	FM-15	0.00	30.19
11	0853	7	SCT:04 15	10.00		64	17.8	60	15.5	57	13.9	78	9	360		29.23			30.20	FM-15	0.00	30.21
11	0953	7	CLR:00	10.00		67	19.4	61	15.9	56	13.3	68	8	360		29.25	1	-0.04	30.20	FM-15	0.00	30.22
11	1053	7	FEW:02 29	10.00		69	20.6	61	16.0	55	12.8	61	7	360		29.25			30.21	FM-15	0.00	30.22
11	1153	7	FEW:02 35	10.00		70	21.1	61	16.2	55	12.8	59	6	250		29.25			30.21	FM-15	0.00	30.22
11	1253	7	SCT:04 43	10.00		72	22.2	61	16.4	54	12.2	53	6	310		29.23	8	+0.01	30.19	FM-15	0.00	30.20
11	1353	7	BKN:07 50	10.00		74	23.3	61	16.0	51	10.6	45	0	000		29.23			30.19	FM-15	0.00	30.20
11	1453	7	SCT:04 55	10.00		74	23.3	61	16.0	51	10.6	45	3	VRB		29.22			30.18	FM-15	0.00	30.19
11	1553	7	BKN:07 60	10.00		74	23.3	61	16.0	51	10.6	45	6	300		29.21	8	+0.02	30.17	FM-15	0.00	30.18
11	1653	7	CLR:00	10.00		74	23.3	61	16.0	51	10.6	45	6	320		29.20			30.16	FM-15	0.00	30.17
11	1753	7	CLR:00	10.00		72	22.2	60	15.5	51	10.6	48	3	320		29.20			30.16	FM-15	0.00	30.17
11	1853	7	CLR:00	10.00		66	18.9	58	14.2	51	10.6	59	6	340		29.20	5	+0.00	30.16	FM-15	0.00	30.17
11	1953	7	CLR:00	10.00		63	17.2	57	14.1	53	11.7	70	5	010		29.21			30.17	FM-15	0.00	30.18
11	2053	7	CLR:00	10.00		63	17.2	57	13.8	52	11.1	68	3	360		29.22			30.18	FM-15	0.00	30.19
11	2153	7	CLR:00	10.00		61	16.1	57	13.6	53	11.7	75	5	010		29.22	1	-0.01	30.18	FM-15	0.00	30.19
11	2253	7	CLR:00	10.00		60	15.6	56	13.4	53	11.7	78	0	000		29.23			30.18	FM-15	0.00	30.20
11	2353	7	CLR:00	10.00		59	15.0	56	13.4	54	12.2	83	3	060		29.23			30.19	FM-15	0.00	30.20
12	0053	7	CLR:00	10.00		58	14.4	55	12.9	53	11.7	84	5	070		29.23	0	-0.01	30.19	FM-15	0.00	30.20
12	0153	7	CLR:00	10.00		57	13.9	54	12.4	52	11.1	83	5	050		29.22			30.18	FM-15	0.00	30.19
12	0253	7	CLR:00	10.00		56	13.3	54	12.4	53	11.7	90	3	050		29.22			30.18	FM-15	0.00	30.19
12	0353	7	CLR:00	10.00		57	13.9	55	12.7	53	11.7	87	0	000		29.22	6	+0.01	30.18	FM-15	0.00	30.19

12	0453	7	CLR:00	10.00		55	12.8	54	12.2	53	11.7	93	0	000		29.22			30.18	FM-15	0.00	30.19
12	0553	7	CLR:00	10.00		53	11.7	52	11.1	51	10.6	93	0	000		29.23			30.19	FM-15	0.00	30.20
12	0653	7	CLR:00	10.00		56	13.3	55	12.7	54	12.2	93	0	000		29.23	3	-0.02	30.21	FM-15	0.00	30.21
12	0753	7	CLR:00	10.00		62	16.7	59	14.8	56	13.3	80	0	000		29.25			30.21	FM-15	0.00	30.22
12	0853	7	CLR:00	10.00		67	19.4	61	16.2	57	13.9	71	3	110		29.25			30.21	FM-15	0.00	30.22
12	0953	7	CLR:00	10.00		71	21.7	63	17.0	57	13.9	61	6	150		29.25	0	-0.01	30.21	FM-15	0.00	30.22
12	1053	7	FEW:02 40	10.00		74	23.3	62	16.8	54	12.2	50	5	VRB		29.23			30.19	FM-15	0.00	30.20
12	1153	7	CLR:00	10.00		76	24.4	63	17.4	55	12.8	48	8	090		29.22			30.18	FM-15	0.00	30.19
12	1253	7	CLR:00	10.00		77	25.0	64	17.6	55	12.8	47	6	130		29.20	8	+0.05	30.16	FM-15	0.00	30.17
12	1353	7	CLR:00	10.00		78	25.6	64	17.6	54	12.2	43	3	060		29.18			30.14	FM-15	0.00	30.15
12	1453	7	CLR:00	10.00		79	26.1	64	17.8	54	12.2	42	0	000		29.16			30.12	FM-15	0.00	30.13
12	1553	7	CLR:00	10.00		80	26.7	64	17.7	53	11.7	39	0	000		29.15	6	+0.05	30.11	FM-15	0.00	30.12
12	1653	7	CLR:00	10.00		78	25.6	64	17.6	54	12.2	43	3	060		29.14			30.10	FM-15	0.00	30.11
12	1753	7	CLR:00	10.00		77	25.0	65	18.5	58	14.4	52	0	000		29.13			30.09	FM-15	0.00	30.10
12	1853	7	CLR:00	10.00		74	23.3	63	17.0	55	12.8	52	0	000		29.13	6	+0.02	30.09	FM-15	0.00	30.10
12	1953	7	CLR:00	10.00		70	21.1	62	16.5	56	13.3	61	0	000		29.15			30.11	FM-15	0.00	30.12
12	2053	7	CLR:00	10.00		67	19.4	61	15.9	56	13.3	68	0	000		29.15			30.10	FM-15	0.00	30.12
12	2153	7	CLR:00	10.00		65	18.3	60	15.4	56	13.3	73	0	000		29.14	0	-0.01	30.10	FM-15	0.00	30.11
12	2253	7	CLR:00	10.00		62	16.7	59	14.7	56	13.3	80	0	000		29.15			30.11	FM-15	0.00	30.12
12	2353	7	CLR:00	10.00		61	16.1	59	14.8	57	13.9	87	0	000		29.15			30.10	FM-15	0.00	30.12
13	0053	7	CLR:00	10.00		59	15.0	58	14.4	57	13.9	93	0	000		29.14	0	-0.00	30.10	FM-15	0.00	30.11
13	0153	7	CLR:00	10.00		58	14.4	57	13.8	56	13.3	93	0	000		29.14			30.09	FM-15	0.00	30.11
13	0253	7	CLR:00	10.00		58	14.4	57	13.8	56	13.3	93	0	000		29.14			30.09	FM-15	0.00	30.11
13	0353	7	CLR:00	2.00V	BR:1 ||	57	13.9	56	13.6	56	13.3	96	0	000		29.15	3	-0.00	30.10	FM-15	0.00	30.12
13	0400	7	CLR:00	1.50V	BR:1 ||	57	13.9	56	13.6	56	13.3	96	0	000		29.15				FM-16		30.12
13	0406	7	CLR:00	3.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	0	000		29.15				FM-16		30.12
13	0453	7	CLR:00	7.00		56	13.3	55	13.0	55	12.8	97	0	000		29.15			30.10	FM-15	0.00	30.12
13	0517	7	CLR:00	1.50V	BR:1 ||	56	13.3	56	13.3	56	13.3	100	0	000		29.15				FM-16		30.12
13	0519	7	VV:09 2	0.50V	FG:2 |FG |	55	12.8	55	12.8	55	12.8	100	0	000		29.15				FM-16		30.12
13	0532	7	CLR:00	1.00	BR:1 ||	55	12.8	55	12.8	55	12.8	100	0	000		29.15				FM-16		30.12
13	0540	7	CLR:00	6.00	BR:1 ||	55	12.8	55	12.8	55	12.8	100	0	000		29.15				FM-16		30.12
13	0551	6	CLR:00	2.00V		55	13.0	55	12.8	55	13.0	100	0	000		29.15				FM-16		30.12
13	0553	7	CLR:00	10.00		56	13.3	55	13.0	55	12.8	97	0	000		29.15			30.11	FM-15	0.00	30.12
13	0653	7	CLR:00	10.00		56	13.3	55	13.0	55	12.8	97	0	000		29.17	3	-0.02	30.13	FM-15	0.00	30.14
13	0753	7	CLR:00	10.00		64	17.8	62	16.8	61	16.1	90	3	130		29.18			30.13	FM-15	0.00	30.15
13	0853	7	CLR:00	10.00		70	21.1	64	17.7	60	15.6	71	7	170		29.19			30.14	FM-15	0.00	30.16
13	0953	7	CLR:00	10.00		75	23.9	66	19.0	61	16.1	62	3	210		29.20	3	-0.03	30.16	FM-15	0.00	30.17
13	1053	7	CLR:00	10.00		78	25.6	66	18.7	58	14.4	50	5	VRB		29.19			30.15	FM-15	0.00	30.16
13	1153	7	CLR:00	10.00		80	26.7	65	18.5	56	13.3	44	9	VRB		29.18			30.13	FM-15	0.00	30.15
13	1253	7	CLR:00	10.00		81	27.2	65	18.4	55	12.8	41	7	260		29.17	8	+0.04	30.12	FM-15	0.00	30.14
13	1353	7	CLR:00	10.00		82	27.8	65	18.6	55	12.8	40	6	200		29.15			30.11	FM-15	0.00	30.12
13	1453	7	CLR:00	10.00		83	28.3	65	18.3	53	11.7	36	6	240		29.13			30.09	FM-15	0.00	30.10
13	1553	7	CLR:00	10.00		83	28.3	65	18.5	54	12.2	37	0	000		29.13	6	+0.04	30.09	FM-15	0.00	30.10
13	1653	7	CLR:00	10.00		82	27.8	65	18.6	55	12.8	40	7	210		29.13			30.09	FM-15	0.00	30.10
13	1753	7	CLR:00	10.00		81	27.2	65	18.4	55	12.8	41	6	240		29.13			30.09	FM-15	0.00	30.10
13	1853	7	CLR:00	10.00		76	24.4	63	17.4	55	12.8	48	5	240		29.14	3	-0.01	30.10	FM-15	0.00	30.11
13	1953	7	CLR:00	10.00		74	23.3	63	17.0	55	12.8	52	5	230		29.15			30.11	FM-15	0.00	30.12
13	2053	7	CLR:00	10.00		69	20.6	61	16.3	56	13.3	63	3	220		29.15			30.10	FM-15	0.00	30.12
13	2153	7	CLR:00	10.00		67	19.4	61	16.2	57	13.9	71	3	240		29.16	1	-0.02	30.11	FM-15	0.00	30.13
13	2253	7	CLR:00	10.00		68	20.0	60	15.8	55	12.8	63	0	000		29.16			30.11	FM-15	0.00	30.13
13	2353	7	CLR:00	10.00		64	17.8	59	15.2	56	13.3	75	3	260		29.16			30.11	FM-15	0.00	30.13
14	0053	7	CLR:00	10.00		64	17.8	60	15.8	58	14.4	81	0	000		29.16	3	-0.00	30.11	FM-15	0.00	30.13
14	0153	7	CLR:00	10.00		59	15.0	57	14.1	56	13.3	90	6	280		29.16			30.11	FM-15	0.00	30.13
14	0253	7	CLR:00	10.00		63	17.2	60	15.3	57	13.9	81	0	000		29.16			30.11	FM-15	0.00	30.13
14	0353	7	CLR:00	10.00		62	16.7	60	15.4	58	14.4	86	0	000		29.16	3	-0.00	30.11	FM-15	0.00	30.13
14	0453	7	CLR:00	10.00		62	16.7	60	15.4	58	14.4	86	3	190		29.18			30.13	FM-15	0.00	30.15
14	0553	7	CLR:00	10.00		61	16.1	59	15.1	58	14.4	90	5	320		29.19			30.14	FM-15	0.00	30.16

14	0653	7	CLR:00	10.00		63	17.2	61	15.9	59	15.0	87	6	160		29.20	1	-0.04	30.16	FM-15	0.00	30.17
14	0753	7	CLR:00	10.00		68	20.0	64	17.6	61	16.1	78	3	170		29.20			30.15	FM-15	0.00	30.17
14	0853	7	CLR:00	10.00		72	22.2	66	19.1	63	17.2	73	3	240		29.22			30.17	FM-15	0.00	30.19
14	0953	7	SCT:04 24 BKN:07 110	10.00		76	24.4	69	20.5	65	18.3	69	7	240		29.22	3	-0.02	30.18	FM-15	0.00	30.19
14	1053	7	SCT:04 110	10.00		79	26.1	71	21.7	67	19.4	67	5	VRB		29.22			30.17	FM-15	0.00	30.19
14	1153	7	SCT:04 110	10.00		80	26.7	71	21.9	67	19.4	64	8	350		29.21			30.17	FM-15	0.00	30.18
14	1253	7	FEW:02 26 SCT:04 70 BKN:07 90	10.00		78	25.6	71	21.9	68	20.0	71	8	330		29.20	8	+0.02	30.16	FM-15	0.00	30.17
14	1353	7	FEW:02 46 SCT:04 75 SCT:04 120	10.00		78	25.6	71	21.9	68	20.0	71	8	340		29.20			30.15	FM-15	0.00	30.17
14	1453	7	SCT:04 46	10.00		79	26.1	72	22.0	68	20.0	69	9	360		29.18			30.14	FM-15	0.00	30.15
14	1553	7	BKN:07 27	10.00		78	25.6	71	21.5	67	19.4	69	11	360		29.18	6	+0.03	30.13	FM-15	0.00	30.15
14	1653	7	FEW:02 21 BKN:07 34	10.00		75	23.9	70	21.0	67	19.4	76	16	360		29.19			30.14	FM-15	0.00	30.16
14	1753	7	FEW:02 18 SCT:04 26	10.00		72	22.2	68	19.7	65	18.3	79	13	020		29.20			30.16	FM-15	0.00	30.17
14	1834	7	BKN:07 18	10.00		70	21.1	67	19.3	65	18.3	84	14	010		29.21				FM-16		30.18
14	1853	7	OVC:08 20	10.00		69	20.6	66	18.8	64	17.8	84	11	010		29.21	1	-0.03	30.16	FM-15	0.00	30.18
14	1936	7	SCT:04 24	10.00		68	20.0	65	18.3	63	17.2	84	11	030		29.22				FM-16		30.19
14	1953	7	CLR:00	10.00		68	20.0	64	17.6	61	16.1	78	9	030		29.22			30.18	FM-15	0.00	30.19
14	2053	7	CLR:00	10.00		66	18.9	62	16.9	60	15.6	81	9	040		29.23			30.20	FM-15	0.00	30.21
14	2153	7	CLR:00	10.00		65	18.3	62	16.7	60	15.6	84	7	040		29.25	1	-0.04	30.20	FM-15	0.00	30.22
14	2253	7	CLR:00	10.00		63	17.2	61	15.9	59	15.0	87	7	050		29.25			30.20	FM-15	0.00	30.22
14	2353	7	CLR:00	10.00		61	16.1	59	15.1	58	14.4	90	5	020		29.26			30.22	FM-15	0.00	30.23
15	0053	7	CLR:00	10.00		61	16.1	59	14.8	57	13.9	87	7	030		29.26	0	-0.01	30.21	FM-15	0.00	30.23
15	0153	7	CLR:00	10.00		60	15.6	58	14.6	57	13.9	90	3	010		29.26			30.22	FM-15	0.00	30.23
15	0253	7	CLR:00	10.00		58	14.4	57	13.8	56	13.3	93	6	030		29.26			30.22	FM-15	0.00	30.23
15	0353	7	CLR:00	10.00		58	14.4	56	13.5	55	12.8	90	6	020		29.26	7	+0.01	30.21	FM-15	0.00	30.23
15	0453	7	CLR:00	10.00		56	13.3	55	13.0	55	12.8	97	6	010		29.25			30.21	FM-15	0.00	30.22
15	0553	7	CLR:00	10.00		56	13.3	55	12.7	54	12.2	93	6	010		29.26			30.22	FM-15	0.00	30.23
15	0653	7	CLR:00	10.00		58	14.4	56	13.5	55	12.8	90	6	030		29.27	3	-0.02	30.24	FM-15	0.00	30.25
15	0753	7	CLR:00	10.00		62	16.7	59	15.1	57	13.9	84	6	050		29.27			30.24	FM-15	0.00	30.25
15	0853	7	CLR:00	10.00		65	18.3	60	15.7	57	13.9	76	5	060		29.27			30.24	FM-15	0.00	30.25
15	0953	7	CLR:00	10.00		68	20.0	61	16.4	57	13.9	68	8	040		29.27	0	-0.00	30.23	FM-15	0.00	30.25
15	1053	7	CLR:00	10.00		71	21.7	63	17.0	57	13.9	61	7	040		29.26			30.22	FM-15	0.00	30.24
15	1153	7	CLR:00	10.00		74	23.3	63	17.0	55	12.8	52	5	020		29.26			30.21	FM-15	0.00	30.23
15	1253	7	CLR:00	10.00		76	24.4	64	17.7	56	13.3	50	5	VRB		29.23	8	+0.04	30.19	FM-15	0.00	30.21
15	1353	7	CLR:00	10.00		76	24.4	62	16.9	53	11.7	45	5	VRB		29.22			30.17	FM-15	0.00	30.19
15	1453	7	CLR:00	10.00		75	23.9	62	16.7	53	11.7	46	7	020		29.20			30.16	FM-15	0.00	30.17
15	1553	7	CLR:00	10.00		74	23.3	62	16.5	53	11.7	48	6	060		29.19	6	+0.04	30.15	FM-15	0.00	30.16
15	1653	7	CLR:00	10.00		75	23.9	62	16.7	53	11.7	46	6	070		29.19			30.14	FM-15	0.00	30.16
15	1753	7	CLR:00	10.00		73	22.8	62	16.6	54	12.2	51	7	080		29.18			30.14	FM-15	0.00	30.15
15	1853	7	CLR:00	10.00		68	20.0	60	15.8	55	12.8	63	7	040		29.18	5	+0.01	30.15	FM-15	0.00	30.15
15	1953	7	CLR:00	10.00		68	20.0	60	15.5	54	12.2	61	5	040		29.21			30.17	FM-15	0.00	30.18
15	2053	7	CLR:00	10.00		64	17.8	57	14.0	52	11.1	65	6	060		29.20			30.16	FM-15	0.00	30.17
15	2153	7	CLR:00	10.00		63	17.2	57	13.8	52	11.1	68	6	060		29.20	0	-0.02	30.16	FM-15	0.00	30.17
15	2253	7	CLR:00	10.00		63	17.2	56	13.5	51	10.6	65	5	070		29.20			30.16	FM-15	0.00	30.17
15	2353	7	CLR:00	10.00		61	16.1	56	13.3	52	11.1	72	0	000		29.19			30.15	FM-15	0.00	30.16
16	0053	7	CLR:00	10.00		59	15.0	56	13.2	53	11.7	81	3	010		29.19	8	+0.01	30.14	FM-15	0.00	30.16
16	0153	7	CLR:00	10.00		58	14.4	55	12.9	53	11.7	84	3	030		29.18			30.14	FM-15	0.00	30.15
16	0253	7	CLR:00	10.00		58	14.4	55	12.9	53	11.7	84	3	360		29.17			30.12	FM-15	0.00	30.14
16	0353	7	CLR:00	10.00		57	13.9	55	12.7	53	11.7	87	0	000		29.16	6	+0.02	30.12	FM-15	0.00	30.13
16	0453	7	CLR:00	10.00		57	13.9	55	12.7	53	11.7	87	0	000		29.16			30.12	FM-15	0.00	30.13
16	0553	7	CLR:00	10.00		58	14.4	56	13.2	54	12.2	87	0	000		29.17			30.13	FM-15	0.00	30.14
16	0653	7	CLR:00	10.00		58	14.4	56	13.2	54	12.2	87	0	000		29.19	3	-0.02	30.15	FM-15	0.00	30.16

16	0751	6	CLR:00	2.50	HZ:7 ||HZ	64	18.0	60	15.5	57	14.0	78	0	000		29.19				FM-16		30.16
16	0753	7	CLR:00	10.00		64	17.8	60	15.8	58	14.4	81	0	000		29.19			30.15	FM-15	0.00	30.16
16	0805	7	CLR:00	10.00		65	18.3	61	16.3	59	15.0	81	3	110		29.19				FM-16		30.16
16	0853	7	CLR:00	10.00		69	20.6	64	17.5	60	15.6	73	3	130		29.19			30.14	FM-15	0.00	30.16
16	0953	7	CLR:00	10.00		74	23.3	67	19.5	63	17.2	69	6	VRB		29.19	2	-0.00	30.15	FM-15	0.00	30.16
16	1053	7	CLR:00	10.00		78	25.6	70	20.9	65	18.3	64	5	VRB		29.17			30.12	FM-15	0.00	30.14
16	1153	7	CLR:00	10.00		79	26.1	70	21.0	65	18.3	62	7	170		29.14			30.10	FM-15	0.00	30.11
16	1253	7	CLR:00	10.00		82	27.8	70	21.2	64	17.8	55	7	VRB		29.13	6	+0.06	30.08	FM-15	0.00	30.10
16	1353	7	CLR:00	10.00		83	28.3	71	21.4	64	17.8	53	6	VRB		29.10			30.06	FM-15	0.00	30.07
16	1453	7	CLR:00	10.00		85	29.4	71	21.7	64	17.8	50	7	VRB		29.09			30.04	FM-15	0.00	30.06
16	1553	7	CLR:00	10.00		85	29.4	71	21.7	64	17.8	50	8	180		29.08	6	+0.05	30.03	FM-15	0.00	30.05
16	1653	7	CLR:00	10.00		85	29.4	72	22.1	65	18.3	51	8	190		29.06			30.01	FM-15	0.00	30.03
16	1753	7	BKN:07 55	10.00		83	28.3	71	21.4	64	17.8	53	7	160		29.06			30.01	FM-15	0.00	30.03
16	1853	7	FEW:02 55	10.00		81	27.2	70	21.4	65	18.3	58	6	180		29.05	6	+0.03	30.01	FM-15	0.00	30.02
16	1953	7	CLR:00	10.00		80	26.7	70	21.2	65	18.3	60	6	160		29.06			30.01	FM-15	0.00	30.03
16	2053	7	CLR:00	10.00		80	26.7	71	21.5	66	18.9	62	6	170		29.06			30.01	FM-15	T	30.03
16	2153	7	FEW:02 120	10.00		78	25.6	71	21.5	67	19.4	69	5	190		29.07	3	-0.02	30.02	FM-15	0.00	30.04
16	2253	7	SCT:04 110	10.00		77	25.0	71	21.7	68	20.0	74	5	170		29.07			30.02	FM-15	0.00	30.04
16	2353	7	BKN:07 80 BKN:07 100	10.00		76	24.4	71	21.5	68	20.0	77	6	170		29.07			30.01	FM-15	0.00	30.04
17	0053	7	SCT:04 90 BKN:07 100	10.00		75	23.9	70	21.3	68	20.0	79	6	170		29.06	8	+0.01	30.00	FM-15	0.00	30.03
17	0153	7	BKN:07 100	10.00		76	24.4	71	21.5	68	20.0	77	8	170		29.05			29.99	FM-15	0.00	30.02
17	0253	7	OVC:08 100	10.00		75	23.9	70	21.3	68	20.0	79	8	180		29.04			29.98	FM-15	0.00	30.01
17	0353	7	OVC:08 85	10.00		74	23.3	70	21.1	68	20.0	82	6	170		29.04	5	+0.01	29.99	FM-15	0.00	30.01
17	0453	7	BKN:07 46 OVC:08 50	10.00		73	22.8	70	21.0	68	20.0	84	5	210		29.06			30.00	FM-15	0.00	30.03
17	0502	7	BKN:07 46 OVC:08 60	10.00	VCTS:7 ||	73	22.8	70	21.0	68	20.0	84	6	220		29.06				FM-16		30.03
17	0519	7	FEW:02 25 BKN:07 43 OVC:08 70	4.00	TS:7 +RA:02 BR:1 |RA TS |	72	22.2	70	21.1	69	20.6	91	11	180		29.07				FM-16	0.04	30.04
17	0533	7	SCT:04 29 BKN:07 38 OVC:08 70	2.50V	VCTS:7 +RA:02 BR:1 |RA |	71	21.7	70	21.3	70	21.1	96	8	210		29.08				FM-16	0.09	30.05
17	0540	7	FEW:02 29 BKN:07 45 OVC:08 55	1.75	+RA:02 BR:1 |RA |	70	21.1	70	21.1	70	21.1	100	7	200		29.07				FM-16	0.16	30.04
17	0547	7	FEW:02 29 BKN:07 41 OVC:08 70	2.00	VCTS:7 RA:02 BR:1 |RA |	72	22.0	71	21.5	70	21.0	94	7	160		29.06				FM-16	0.20	30.03
17	0553	7	FEW:02 29 BKN:07 46 OVC:08 55	2.50	VCTS:7 RA:02 BR:1 |RA |	71	21.7	70	21.3	70	21.1	96	5	180		29.06			30.01	FM-15	0.22	30.03
17	0559	7	FEW:02 46 BKN:07 55 OVC:08 65	6.00	RA:02 BR:1 |RA |	71	21.7	70	21.3	70	21.1	96	6	200		29.06				FM-16	T	30.03
17	0653	7	BKN:07 60	7.00		71	21.7	70	21.3	70	21.1	96	3	120		29.06	1	-0.02	30.01	FM-15	T	30.03
17	0753	7	SCT:04 65 SCT:04 85	7.00		71	21.7	70	21.3	70	21.1	96	8	150		29.07			30.01	FM-15	0.00	30.04
17	0853	7	FEW:02 14 SCT:04 20 BKN:07 70	10.00		74	23.3	71	21.8	70	21.1	88	13	200	23	29.06			30.01	FM-15	0.00	30.03
17	0953	7	SCT:04 65	10.00		76	24.4	72	22.2	70	21.1	82	11	190		29.06	8	+0.00	30.01	FM-15	0.00	30.03
17	1053	7	FEW:02 40	10.00		79	26.1	72	22.4	69	20.6	72	17	210	24	29.05			29.99	FM-15	0.00	30.02
17	1153	7	BKN:07 40	10.00		80	26.7	71	21.9	67	19.4	64	24	230	33	29.04			29.99	FM-15	0.00	30.01
17	1253	7	SCT:04 40	10.00		79	26.1	71	21.7	67	19.4	67	15	240	23	29.04	6	+0.03	29.98	FM-15	0.00	30.01
17	1353	7	FEW:02 29 BKN:07 55 OVC:08 75	10.00	-RA:02 |RA |	76	24.4	71	21.5	68	20.0	77	11	240		29.03			29.98	FM-15	T	30.00
17	1453	7	OVC:08 50	10.00		77	25.0	71	21.7	68	20.0	74	11	240		29.02			29.96	FM-15	T	29.99

17	1553	7	OVC:08 60	10.00		77	25.0	71	21.7	68	20.0	74	10	200		29.01	8	+0.03	29.95	FM-15	0.00	29.98
17	1653	7	OVC:08 60	10.00		78	25.6	70	21.2	66	18.9	67	14	220	23	29.01			29.96	FM-15	0.00	29.98
17	1753	7	BKN:07 31 BKN:07 36 OVC:08 47	10.00	-RA:02 |RA |	72	22.2	70	21.1	69	20.6	91	6	270		29.02			29.98	FM-15	0.05	29.99
17	1802	7	BKN:07 29 OVC:08 37	8.00	-RA:02 |RA |	71	21.7	70	21.3	70	21.1	96	6	280		29.03				FM-16	T	30.00
17	1853	7	OVC:08 24	10.00		72	22.2	70	21.1	69	20.6	91	8	220		29.03	3	-0.03	29.98	FM-15	T	30.00
17	1929	7	OVC:08 32	10.00		72	22.2	69	20.8	68	20.0	87	8	220		29.04				FM-16		30.01
17	1953	7	BKN:07 38 BKN:07 60 OVC:08 90	10.00		72	22.2	69	20.8	68	20.0	87	10	210		29.04			29.99	FM-15	0.00	30.01
17	2053	7	OVC:08 80	10.00		71	21.7	69	20.6	68	20.0	90	5	210		29.05			30.00	FM-15	0.00	30.02
17	2151	7	BKN:07 24 BKN:07 75 OVC:08 90	10.00		72	22.0	71	21.5	70	21.0	94	6	200		29.05				FM-16		30.02
17	2153	7	BKN:07 24 BKN:07 75 OVC:08 90	10.00		71	21.7	70	20.9	69	20.6	94	6	200		29.05	1	-0.01	30.00	FM-15	0.00	30.02
17	2210	7	FEW:02 11 SCT:04 24 OVC:08 85	10.00		70	21.1	69	20.7	69	20.6	97	6	210		29.05				FM-16		30.02
17	2253	7	FEW:02 10 OVC:08 80	10.00		70	21.1	69	20.7	69	20.6	97	7	210		29.05			30.00	FM-15	0.00	30.02
17	2349	7	BKN:07 9 OVC:08 75	10.00		70	21.0	70	21.1	70	21.0	100	7	220		29.05				FM-16		30.02
17	2353	7	BKN:07 9 OVC:08 75	10.00		70	21.1	69	20.7	69	20.6	97	8	210		29.05			30.00	FM-15	0.00	30.02
18	0018	7	SCT:04 9 OVC:08 80	10.00		70	21.1	69	20.7	69	20.6	97	7	210		29.05				FM-16		30.02
18	0042	7	SCT:04 11 BKN:07 24 OVC:08 80	10.00		70	21.1	69	20.7	69	20.6	97	8	210		29.05				FM-16		30.02
18	0053	7	SCT:04 10 BKN:07 26 OVC:08 80	10.00		70	21.1	69	20.7	69	20.6	97	8	230		29.05	0	-0.00	30.00	FM-15	0.00	30.02
18	0117	7	SCT:04 29 OVC:08 80	10.00		71	21.7	70	20.9	69	20.6	94	7	250		29.04				FM-16		30.01
18	0153	7	SCT:04 10 OVC:08 80	10.00		70	21.1	69	20.7	69	20.6	97	5	240		29.04			29.99	FM-15	0.00	30.01
18	0212	7	BKN:07 10 OVC:08 80	10.00		71	21.7	70	20.9	69	20.6	94	6	230		29.04				FM-16		30.01
18	0251	7	BKN:07 9 OVC:08 14	9.00		70	21.0	70	21.1	70	21.0	100	6	230		29.04				FM-16		30.01
18	0253	7	BKN:07 9 OVC:08 14	9.00		70	21.1	69	20.7	69	20.6	97	5	230		29.04			29.98	FM-15	0.00	30.01
18	0259	7	SCT:04 9 BKN:07 15 OVC:08 80	9.00		70	21.1	69	20.7	69	20.6	97	6	250		29.03				FM-16		30.00
18	0315	7	SCT:04 15 OVC:08 80	8.00		70	21.1	69	20.7	69	20.6	97	5	250		29.03				FM-16		30.00
18	0322	7	BKN:07 13 OVC:08 80	7.00		70	21.1	69	20.7	69	20.6	97	5	250		29.03				FM-16		30.00
18	0353	7	BKN:07 11 OVC:08 75	7.00		70	21.1	69	20.7	69	20.6	97	5	230		29.03	8	+0.01	29.98	FM-15	0.00	30.00
18	0439	7	SCT:04 10 OVC:08 75	6.00	BR:1 ||	70	21.1	69	20.7	69	20.6	97	5	220		29.03				FM-16		30.00
18	0451	6	FEW:02 8 OVC:08 75	6.00	BR:1 ||	70	21.0	70	21.1	70	21.0	100	3	240		29.03				FM-16		30.00
18	0453	7	FEW:02 8 OVC:08 75	6.00	BR:1 ||	70	21.1	69	20.7	69	20.6	97	3	240		29.04			29.98	FM-15	0.00	30.01
18	0540	7	FEW:02 8 BKN:07 22 OVC:08 75	6.00	BR:1 ||	69	20.6	68	20.2	68	20.0	96	0	000		29.04				FM-16		30.01

18	0551	7	SCT:04 21 OVC:08 70	6.00	BR:1 ||	70	21.0	69	20.4	68	20.0	94	3	290		29.04				FM-16		30.01
18	0553	7	SCT:04 21 OVC:08 75	6.00	BR:1 ||	69	20.6	68	20.2	68	20.0	96	3	290		29.04			29.99	FM-15	0.00	30.01
18	0637	7	FEW:02 19 BKN:07 75	2.50	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		29.04				FM-16		30.01
18	0644	7	BKN:07 75	5.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		29.05				FM-16		30.02
18	0653	7	BKN:07 70	5.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		29.05	3	-0.01	30.00	FM-15	0.00	30.02
18	0728	7	FEW:02 6 BKN:07 15 OVC:08 70	4.00	BR:1 ||	70	21.1	69	20.7	69	20.6	97	0	000		29.05				FM-16		30.02
18	0753	7	SCT:04 5 SCT:04 16 BKN:07 70	6.00	BR:1 ||	71	21.7	70	20.9	69	20.6	94	3	110		29.04			30.00	FM-15	0.00	30.01
18	0806	7	BKN:07 7 OVC:08 70	7.00		71	21.7	70	20.9	69	20.6	94	3	VRB		29.05				FM-16		30.02
18	0853	7	BKN:07 9 OVC:08 18	8.00		73	22.8	70	21.3	69	20.6	87	3	220		29.05			30.01	FM-15	0.00	30.02
18	0943	7	FEW:02 45 BKN:07 70	10.00		74	23.3	70	21.1	68	20.0	82	0	000		29.06				FM-16		30.03
18	0953	7	SCT:04 70	10.00		75	23.9	70	21.3	68	20.0	79	0	000		29.05	3	-0.01	30.01	FM-15	0.00	30.02
18	1051	6	BKN:07 20	10.00		75	24.0	70	21.3	68	20.0	78	3	190		29.05				FM-16		30.02
18	1053	7	SCT:04 20	10.00		76	24.4	71	21.5	68	20.0	77	3	160		29.05			30.00	FM-15	0.00	30.02
18	1153	7	FEW:02 25 FEW:02 45	10.00		78	25.6	71	21.9	68	20.0	71	0	000		29.04			29.99	FM-15	0.00	30.01
18	1253	7	FEW:02 33	10.00		79	26.1	70	21.4	66	18.9	65	7	200		29.03	8	+0.02	29.98	FM-15	0.00	30.00
18	1353	7	SCT:04 38 BKN:07 85	10.00		81	27.2	71	21.7	66	18.9	61	0	000		29.01			29.95	FM-15	0.00	29.98
18	1453	7	FEW:02 49 SCT:04 65 SCT:04 110	10.00		79	26.1	72	22.0	68	20.0	69	0	000		28.99			29.94	FM-15	0.02	29.96
18	1553	7	FEW:02 44 SCT:04 70 BKN:07 90	10.00		79	26.1	71	21.7	67	19.4	67	0	000		28.98	6	+0.05	29.93	FM-15	T	29.95
18	1653	7	CLR:00	10.00		77	25.0	70	21.0	66	18.9	69	7	100		28.97			29.92	FM-15	0.00	29.94
18	1751	6	CLR:00	10.00	VCTS:7 ||	75	24.0	69	20.6	66	19.0	74	8	170		28.97				FM-16		29.94
18	1753	7	CLR:00	10.00	VCTS:7 ||	75	23.9	70	21.0	67	19.4	76	8	160		28.97			29.92	FM-15	0.00	29.94
18	1823	7	FEW:02 50 SCT:04 60	10.00		74	23.3	69	20.8	67	19.4	79	6	190		28.99				FM-16		29.96
18	1853	7	SCT:04 37 BKN:07 46	10.00		72	22.2	69	20.8	68	20.0	87	3	040		29.00	3	-0.01	29.95	FM-15	0.00	29.97
18	1953	7	BKN:07 50 OVC:08 70	10.00		73	22.8	68	20.3	66	18.9	79	6	130		29.02			29.97	FM-15	0.00	29.99
18	2053	7	BKN:07 55 BKN:07 100	10.00		72	22.2	68	20.1	66	18.9	82	6	160		29.03			29.98	FM-15	0.00	30.00
18	2153	7	FEW:02 100	10.00		70	21.1	68	20.0	67	19.4	90	0	000		29.03	0	-0.04	29.98	FM-15	0.00	30.00
18	2253	7	FEW:02 100	10.00		68	20.0	67	19.6	67	19.4	96	0	000		29.04			29.99	FM-15	0.00	30.01
18	2353	7	CLR:00	10.00		69	20.6	68	19.8	67	19.4	93	0	000		29.04			29.99	FM-15	0.00	30.01
19	0053	7	CLR:00	8.00		66	18.9	66	18.9	66	18.9	100	3	010		29.03	8	+0.00	29.98	FM-15	0.00	30.00
19	0114	7	CLR:00	1.75	BR:1 ||	66	18.9	66	18.9	66	18.9	100	0	000		29.03				FM-16		30.00
19	0137	7	CLR:00	0.50	FG:2 |FG |	65	18.3	65	18.3	65	18.3	100	0	000		29.03				FM-16		30.00
19	0142	7	VV:09 2	0.25	FG:2 |FG |	65	18.3	65	18.3	65	18.3	100	0	000		29.03				FM-16		30.00
19	0150	7	VV:09 2	1.00	BR:1 ||	64	18.0	64	17.8	64	18.0	100	0	000		29.03				FM-16		30.00
19	0151	6	FEW:02 2	1.50	BR:1 ||	66	19.0	66	18.9	66	19.0	100	0	000		29.03				FM-16		30.00
19	0153	7	FEW:02 2	2.50	BR:1 ||	66	18.9	66	18.9	66	18.9	100	0	000		29.03			29.98	FM-15	0.00	30.00
19	0204	7	VV:09 2	0.75	BR:1 ||	65	18.3	65	18.3	65	18.3	100	0	000		29.03				FM-16		30.00
19	0217	7	CLR:00	0.50	FG:2 |FG |	65	18.3	65	18.3	65	18.3	100	0	000		29.03				FM-16		30.00
19	0226	7	CLR:00	0.25	FG:2 |FG |	65	18.3	65	18.3	65	18.3	100	0	000		29.03				FM-16		30.00
19	0250	7	VV:09 3	0.25	FG:2 |FG |	63	17.0	63	17.2	63	17.0	100	0	000		29.03				FM-16		30.00
19	0253	7	VV:09 3	0.25	FG:2 |FG |	63	17.2	63	17.2	63	17.2	100	0	000		29.03			29.98	FM-15	0.00	30.00
19	0343	7	CLR:00	0.25	FG:2 |FG |	63	17.2	63	17.2	63	17.2	100	3	020		29.03				FM-16		30.00

19	0351	6	VV:09 3	0.25	FG:2 |FG |	64	18.0	64	17.8	64	18.0	100	3	020		29.03				FM-16		30.00
19	0353	7	VV:09 2	0.25	FG:2 |FG |	64	17.8	64	17.8	64	17.8	100	0	000		29.04	3	-0.00	29.99	FM-15	0.00	30.01
19	0406	7	VV:09 1	0.25	FG:2 |FG |	63	17.2	63	17.2	63	17.2	100	0	000		29.04				FM-16		30.01
19	0453	7	VV:09 1	0.00	FG:2 |FG |	65	18.3	65	18.3	65	18.3	100	0	000		29.05			30.00	FM-15	0.00	30.02
19	0500	7	VV:09 2	0.25	FG:2 |FG |	65	18.3	65	18.3	65	18.3	100	0	000		29.05				FM-16		30.02
19	0553	7	VV:09 2	0.25	FG:2 |FG |	65	18.3	65	18.3	65	18.3	100	3	350		29.07			30.02	FM-15	0.00	30.04
19	0653	7	VV:09 2	0.00	FG:2 |FG |	65	18.3	65	18.3	65	18.3	100	3	070		29.09	3	-0.05	30.04	FM-15	0.00	30.06
19	0753	7	VV:09 2	0.25	FG:2 |FG |	65	18.3	65	18.3	65	18.3	100	0	000		29.10			30.06	FM-15	0.00	30.07
19	0812	7	OVC:08 2	1.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	0	000		29.10				FM-16		30.07
19	0828	7	BKN:07 2	3.00	BR:1 ||	66	18.9	66	18.9	66	18.9	100	0	000		29.11				FM-16		30.08
19	0849	7	SCT:04 3	7.00		66	19.0	66	18.9	66	19.0	100	0	000		29.11				FM-16		30.08
19	0853	7	FEW:02 3	7.00		69	20.6	67	19.5	66	18.9	90	0	000		29.11			30.06	FM-15	0.00	30.08
19	0953	7	CLR:00	10.00		74	23.3	69	20.5	66	18.9	76	0	000		29.12	2	-0.02	30.07	FM-15	0.00	30.09
19	1053	7	CLR:00	10.00		78	25.6	69	20.5	64	17.8	62	8	020		29.11			30.06	FM-15	0.00	30.08
19	1153	7	CLR:00	10.00		80	26.7	68	20.3	62	16.7	54	7	030		29.10			30.05	FM-15	0.00	30.07
19	1253	7	SCT:04 47	10.00		81	27.2	68	20.1	61	16.1	51	7	VRB		29.10	8	+0.03	30.04	FM-15	0.00	30.07
19	1353	7	FEW:02 55	10.00		83	28.3	68	19.9	59	15.0	44	6	340		29.08			30.03	FM-15	0.00	30.05
19	1453	7	FEW:02 55	10.00		83	28.3	68	19.9	59	15.0	44	3	VRB		29.08			30.03	FM-15	0.00	30.05
19	1553	7	CLR:00	10.00		83	28.3	65	18.2	53	11.7	36	0	000		29.08	6	+0.01	30.03	FM-15	0.00	30.05
19	1653	7	CLR:00	10.00		83	28.3	67	19.6	58	14.4	43	3	030		29.07			30.02	FM-15	0.00	30.04
19	1753	7	CLR:00	10.00		81	27.2	66	19.0	57	13.9	44	0	000		29.08			30.03	FM-15	0.00	30.05
19	1853	7	CLR:00	10.00		75	23.9	64	17.5	56	13.3	52	3	340		29.09	3	-0.01	30.04	FM-15	0.00	30.06
19	1953	7	CLR:00	10.00		69	20.6	63	17.2	59	15.0	70	3	320		29.12			30.07	FM-15	0.00	30.09
19	2053	7	CLR:00	10.00		67	19.4	62	16.8	59	15.0	76	0	000		29.12			30.08	FM-15	0.00	30.09
19	2153	7	CLR:00	10.00		68	20.0	62	16.7	58	14.4	70	3	090		29.11	0	-0.02	30.06	FM-15	0.00	30.08
19	2253	7	CLR:00	10.00		63	17.2	60	15.3	57	13.9	81	0	000		29.14			30.10	FM-15	0.00	30.11
19	2353	7	CLR:00	10.00		65	18.3	61	16.0	58	14.4	78	0	000		29.15			30.10	FM-15	0.00	30.12
20	0053	7	CLR:00	10.00		62	16.7	60	15.4	58	14.4	86	0	000		29.14	0	-0.03	30.09	FM-15	0.00	30.11
20	0153	7	CLR:00	10.00		60	15.6	59	14.9	58	14.4	93	3	290		29.14			30.10	FM-15	0.00	30.11
20	0253	7	CLR:00	10.00		59	15.0	58	14.7	58	14.4	96	0	000		29.15			30.11	FM-15	0.00	30.12
20	0353	7	CLR:00	10.00		61	16.1	60	15.8	60	15.6	97	0	000		29.17	3	-0.03	30.12	FM-15	0.00	30.14
20	0453	7	CLR:00	10.00		60	15.6	59	14.9	58	14.4	93	0	000		29.17			30.13	FM-15	0.00	30.14
20	0515	7	CLR:00	1.75V	BR:1 ||	57	13.9	57	13.9	57	13.9	100	0	000		29.18				FM-16		30.15
20	0520	7	CLR:00	3.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	0	000		29.18				FM-16		30.15
20	0553	7	CLR:00	7.00		58	14.4	58	14.4	58	14.4	100	0	000		29.18			30.13	FM-15	0.00	30.15
20	0653	7	CLR:00	8.00		58	14.4	58	14.4	58	14.4	100	0	000		29.20	3	-0.03	30.16	FM-15	0.00	30.17
20	0753	7	CLR:00	10.00		66	18.9	64	17.5	62	16.7	87	0	000		29.21			30.17	FM-15	0.00	30.18
20	0853	7	CLR:00	10.00		72	22.2	66	19.1	63	17.2	73	0	000		29.22			30.17	FM-15	0.00	30.19
20	0953	7	CLR:00	10.00		77	25.0	65	18.5	58	14.4	52	0	000		29.22	1	-0.02	30.17	FM-15	0.00	30.19
20	1053	7	CLR:00	10.00		81	27.2	68	20.1	61	16.1	51	0	000		29.21			30.17	FM-15	0.00	30.18
20	1153	7	CLR:00	10.00		82	27.8	65	18.6	55	12.8	40	0	000		29.21			30.16	FM-15	0.00	30.18
20	1253	7	CLR:00	10.00		84	28.9	65	18.4	53	11.7	34	0	000		29.20	7	+0.03	30.15	FM-15	0.00	30.17
20	1353	7	CLR:00	10.00		86	30.0	67	19.3	55	12.8	35	3	VRB		29.18			30.13	FM-15	0.00	30.15
20	1453	7	CLR:00	10.00		87	30.6	64	18.0	49	9.4	27	0	000		29.17			30.12	FM-15	0.00	30.14
20	1553	7	CLR:00	10.00		86	30.0	64	17.6	48	8.9	27	3	100		29.17	6	+0.03	30.11	FM-15	0.00	30.14
20	1653	7	CLR:00	10.00		85	29.4	66	18.6	53	11.7	33	0	000		29.17			30.11	FM-15	0.00	30.14
20	1753	7	CLR:00	10.00		82	27.8	66	19.2	57	13.9	42	3	030		29.17			30.12	FM-15	0.00	30.14
20	1853	7	CLR:00	10.00		78	25.6	64	17.8	55	12.8	45	0	000		29.17	3	-0.01	30.13	FM-15	0.00	30.14
20	1953	7	CLR:00	10.00		72	22.2	62	16.6	55	12.8	55	0	000		29.19			30.14	FM-15	0.00	30.16
20	2053	7	CLR:00	10.00		70	21.1	62	16.5	56	13.3	61	3	330		29.19			30.14	FM-15	0.00	30.16
20	2153	7	CLR:00	10.00		68	20.0	61	16.4	57	13.9	68	0	000		29.19	0	-0.01	30.14	FM-15	0.00	30.16
20	2253	7	CLR:00	10.00		66	18.9	61	15.9	57	13.9	73	0	000		29.20			30.14	FM-15	0.00	30.17
20	2353	7	CLR:00	10.00		65	18.3	61	16.0	58	14.4	78	3	010		29.20			30.15	FM-15	0.00	30.17
21	0053	7	CLR:00	10.00		64	17.8	60	15.8	58	14.4	81	3	040		29.19	0	-0.00	30.14	FM-15	0.00	30.16
21	0153	7	CLR:00	10.00		62	16.7	60	15.4	58	14.4	86	3	010		29.20			30.15	FM-15	0.00	30.17
21	0253	7	CLR:00	10.00		62	16.7	60	15.4	58	14.4	86	3	010		29.20			30.16	FM-15	0.00	30.17
21	0353	7	CLR:00	10.00		60	15.6	59	14.9	58	14.4	93	0	000		29.20	0	-0.01	30.15	FM-15	0.00	30.17

21	0453	7	CLR:00	10.00		59	15.0	58	14.4	57	13.9	93	0	000		29.21			30.16	FM-15	0.00	30.18
21	0553	7	CLR:00	10.00		56	13.3	56	13.3	56	13.3	100	3	340		29.22			30.18	FM-15	0.00	30.19
21	0653	7	CLR:00	10.00		59	15.0	58	14.4	57	13.9	93	3	020		29.23	3	-0.04	30.20	FM-15	0.00	30.21
21	0753	7	CLR:00	10.00		67	19.4	63	17.4	61	16.1	81	0	000		29.25			30.20	FM-15	0.00	30.22
21	0853	7	CLR:00	10.00		72	22.2	66	18.8	62	16.7	71	3	090		29.25			30.20	FM-15	0.00	30.22
21	0953	7	CLR:00	10.00		76	24.4	68	19.8	63	17.2	64	0	000		29.26	3	-0.02	30.21	FM-15	0.00	30.23
21	1053	7	CLR:00	10.00		80	26.7	68	20.3	62	16.7	54	0	000		29.26			30.21	FM-15	0.00	30.23
21	1153	7	CLR:00	10.00		83	28.3	67	19.3	57	13.9	41	0	000		29.25			30.20	FM-15	0.00	30.22
21	1253	7	CLR:00	10.00		84	28.9	67	19.5	57	13.9	40	0	000		29.23	8	+0.02	30.19	FM-15	0.00	30.21
21	1353	7	CLR:00	10.00		86	30.0	68	19.9	57	13.9	37	8	320		29.21			30.16	FM-15	0.00	30.18
21	1453	7	CLR:00	10.00		87	30.6	69	20.3	58	14.4	37	7	020		29.19			30.14	FM-15	0.00	30.16
21	1553	7	CLR:00	10.00		86	30.0	68	19.9	57	13.9	37	5	110		29.17	6	+0.06	30.12	FM-15	0.00	30.14
21	1653	7	CLR:00	10.00		85	29.4	68	20.3	59	15.0	42	5	060		29.17			30.12	FM-15	0.00	30.14
21	1753	7	CLR:00	10.00		84	28.9	68	19.8	58	14.4	41	0	000		29.17			30.13	FM-15	0.00	30.14
21	1853	7	CLR:00	10.00		78	25.6	66	19.0	59	15.0	52	0	000		29.18	3	-0.01	30.14	FM-15	0.00	30.15
21	1953	7	CLR:00	10.00		75	23.9	66	18.7	60	15.6	60	3	110		29.18			30.14	FM-15	0.00	30.15
21	2053	7	CLR:00	10.00		73	22.8	64	18.0	59	15.0	62	3	100		29.17			30.12	FM-15	0.00	30.14
21	2153	7	CLR:00	10.00		70	21.1	64	18.0	61	16.1	73	0	000		29.17	7	+0.00	30.12	FM-15	0.00	30.14
21	2253	7	CLR:00	10.00		69	20.6	64	17.8	61	16.1	76	3	080		29.17			30.12	FM-15	0.00	30.14
21	2353	7	CLR:00	10.00		66	18.9	63	17.2	61	16.1	84	0	000		29.17			30.12	FM-15	0.00	30.14
22	0053	7	CLR:00	10.00		65	18.3	62	16.7	60	15.6	84	3	020		29.17	8	+0.01	30.11	FM-15	0.00	30.14
22	0153	7	CLR:00	10.00		65	18.3	62	16.7	60	15.6	84	0	000		29.17			30.12	FM-15	0.00	30.14
22	0253	7	CLR:00	10.00		63	17.2	62	16.6	61	16.1	93	0	000		29.16			30.11	FM-15	0.00	30.13
22	0353	7	CLR:00	10.00		61	16.1	60	15.8	60	15.6	97	0	000		29.16	8	+0.01	30.11	FM-15	0.00	30.13
22	0453	7	CLR:00	10.00		59	15.0	58	14.7	58	14.4	96	3	350		29.16			30.12	FM-15	0.00	30.13
22	0553	7	CLR:00	10.00		59	15.0	58	14.7	58	14.4	96	5	360		29.19			30.14	FM-15	0.00	30.16
22	0653	7	CLR:00	8.00		60	15.6	59	15.2	59	15.0	96	3	020		29.19	1	-0.03	30.14	FM-15	0.00	30.16
22	0753	7	CLR:00	10.00		67	19.4	65	18.1	63	17.2	87	0	000		29.18			30.14	FM-15	0.00	30.15
22	0853	7	CLR:00	10.00		74	23.3	67	19.5	63	17.2	69	3	VRB		29.17			30.12	FM-15	0.00	30.14
22	0953	7	CLR:00	10.00		78	25.6	68	20.2	63	17.2	60	7	VRB		29.17	6	+0.02	30.12	FM-15	0.00	30.14
22	1053	7	CLR:00	10.00		81	27.2	69	20.4	62	16.7	53	0	000		29.17			30.12	FM-15	0.00	30.14
22	1153	7	CLR:00	10.00		83	28.3	68	19.9	59	15.0	44	0	000		29.16			30.11	FM-15	0.00	30.13
22	1253	7	CLR:00	10.00		85	29.4	68	20.3	59	15.0	42	8	100		29.15	8	+0.02	30.09	FM-15	0.00	30.12
22	1353	7	CLR:00	10.00		86	30.0	69	20.4	59	15.0	40	5	250		29.12			30.06	FM-15	0.00	30.09
22	1453	7	CLR:00	10.00		87	30.6	68	20.0	57	13.9	36	0	000		29.10			30.05	FM-15	0.00	30.07
22	1553	7	CLR:00	10.00		87	30.6	68	19.8	56	13.3	35	0	000		29.08	6	+0.06	30.03	FM-15	0.00	30.05
22	1653	7	CLR:00	10.00		86	30.0	68	19.9	57	13.9	37	0	000		29.07			30.02	FM-15	0.00	30.04
22	1753	7	CLR:00	10.00		80	26.7	68	20.3	62	16.7	54	6	070		29.08			30.03	FM-15	0.00	30.05
22	1853	7	CLR:00	10.00		76	24.4	66	18.9	60	15.6	58	3	060		29.08	6	+0.00	30.03	FM-15	0.00	30.05
22	1953	7	CLR:00	10.00		74	23.3	65	18.5	60	15.6	62	3	080		29.08			30.03	FM-15	0.00	30.05
22	2053	7	CLR:00	10.00		73	22.8	65	18.3	60	15.6	64	0	000		29.09			30.03	FM-15	0.00	30.06
22	2153	7	CLR:00	10.00		72	22.2	65	18.4	61	16.1	68	3	190		29.09	3	-0.01	30.04	FM-15	0.00	30.06
22	2253	7	CLR:00	10.00		71	21.7	65	18.2	61	16.1	71	0	000		29.09			30.04	FM-15	0.00	30.06
22	2353	7	CLR:00	10.00		69	20.6	65	18.1	62	16.7	78	0	000		29.09			30.04	FM-15	0.00	30.06
23	0053	7	CLR:00	10.00		69	20.6	65	18.1	62	16.7	78	0	000		29.09	3	-0.00	30.04	FM-15	0.00	30.06
23	0153	7	CLR:00	10.00		68	20.0	64	17.9	62	16.7	81	0	000		29.10			30.04	FM-15	0.00	30.07
23	0253	7	CLR:00	10.00		70	21.1	66	18.7	63	17.2	79	0	000		29.08			30.03	FM-15	0.00	30.05
23	0353	7	CLR:00	10.00		64	17.8	62	16.8	61	16.1	90	0	000		29.09	5	+0.00	30.04	FM-15	0.00	30.06
23	0453	7	CLR:00	10.00		65	18.3	63	17.0	61	16.1	87	0	000		29.10			30.04	FM-15	0.00	30.07
23	0553	7	CLR:00	10.00		64	17.8	62	16.8	61	16.1	90	0	000		29.11			30.06	FM-15	0.00	30.08
23	0653	7	CLR:00	8.00		63	17.2	62	16.9	62	16.7	97	0	000		29.12	2	-0.02	30.07	FM-15	0.00	30.09
23	0753	7	CLR:00	8.00		69	20.6	67	19.5	66	18.9	90	0	000		29.12			30.07	FM-15	0.00	30.09
23	0853	7	CLR:00	10.00		75	23.9	68	20.0	64	17.8	69	0	000		29.13			30.08	FM-15	0.00	30.10
23	0953	7	CLR:00	10.00		80	26.7	70	20.9	64	17.8	58	0	000		29.13	3	-0.01	30.08	FM-15	0.00	30.10
23	1053	7	CLR:00	10.00		85	29.4	71	21.4	63	17.2	48	5	280		29.12			30.07	FM-15	0.00	30.09
23	1153	7	CLR:00	10.00		86	30.0	70	21.3	62	16.7	45	5	340		29.12			30.06	FM-15	0.00	30.09
23	1253	7	CLR:00	10.00		87	30.6	71	21.5	62	16.7	43	0	000		29.10	8	+0.04	30.04	FM-15	0.00	30.07

23	1353	7	CLR:00	10.00		89	31.7	72	22.1	63	17.2	42	3	VRB		29.08			30.02	FM-15	0.00	30.05
23	1453	7	BKN:07 70	10.00		87	30.6	71	21.8	63	17.2	45	5	330		29.06			30.00	FM-15	0.00	30.03
23	1553	7	FEW:02 70	10.00		88	31.1	71	21.9	63	17.2	43	6	310		29.05	6	+0.04	30.00	FM-15	0.00	30.02
23	1653	7	CLR:00	10.00		85	29.4	71	21.7	64	17.8	50	6	340		29.05			30.00	FM-15	0.00	30.02
23	1753	7	CLR:00	10.00		82	27.8	70	20.9	63	17.2	53	5	020		29.06			30.01	FM-15	0.00	30.03
23	1853	7	CLR:00	10.00		83	28.3	69	20.5	61	16.1	48	0	000		29.06	3	-0.01	30.01	FM-15	0.00	30.03
23	1953	7	CLR:00	10.00		77	25.0	68	20.0	63	17.2	62	6	350		29.07			30.02	FM-15	0.00	30.04
23	2053	7	FEW:02 100	10.00		74	23.3	68	19.8	64	17.8	71	7	020		29.08			30.03	FM-15	0.00	30.05
23	2153	7	FEW:02 70	10.00		71	21.7	67	19.2	64	17.8	79	7	360		29.10	3	-0.04	30.05	FM-15	0.00	30.07
23	2253	7	FEW:02 100	10.00		70	21.1	66	19.0	64	17.8	82	6	350		29.11			30.06	FM-15	0.00	30.08
23	2353	7	OVC:08 110	10.00		70	21.1	67	19.7	66	18.9	87	6	360		29.12			30.06	FM-15	0.00	30.09
24	0053	7	CLR:00	6.00	BR:1 ||	69	20.6	68	20.2	68	20.0	96	8	010		29.12	1	-0.02	30.07	FM-15	0.00	30.09
24	0153	7	CLR:00	5.00	BR:1 ||	69	20.6	68	20.2	68	20.0	96	8	010		29.13			30.07	FM-15	0.00	30.10
24	0236	7	BKN:07 13	5.00	BR:1 ||	69	20.6	68	20.2	68	20.0	96	9	010		29.13				FM-16		30.10
24	0253	7	OVC:08 13	5.00	BR:1 ||	69	20.6	68	20.2	68	20.0	96	8	010		29.14			30.09	FM-15	0.00	30.11
24	0320	7	SCT:04 14	5.00	BR:1 ||	68	20.0	67	19.6	67	19.4	96	5	010		29.14				FM-16		30.11
24	0353	7	CLR:00	5.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	6	360		29.14	0	-0.01	30.08	FM-15	0.00	30.11
24	0433	7	SCT:04 8	4.00	BR:1 ||	66	18.9	66	18.9	66	18.9	100	5	360		29.15				FM-16		30.12
24	0442	7	BKN:07 8	4.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	3	010		29.14				FM-16		30.11
24	0453	7	SCT:04 8 BKN:07 12	4.00	BR:1 ||	67	19.4	66	19.1	66	18.9	97	5	360		29.14			30.09	FM-15	0.00	30.11
24	0553	7	BKN:07 11	4.00	BR:1 ||	66	18.9	66	18.9	66	18.9	100	5	360		29.16			30.11	FM-15	0.00	30.13
24	0653	7	OVC:08 13	3.00	BR:1 ||	68	20.0	67	19.6	67	19.4	96	5	360		29.18	3	-0.04	30.13	FM-15	0.00	30.15
24	0753	7	OVC:08 13	5.00	BR:1 ||	69	20.6	68	19.8	67	19.4	93	5	010		29.20			30.15	FM-15	0.00	30.17
24	0814	7	OVC:08 16	6.00	BR:1 ||	69	20.6	67	19.5	66	18.9	90	3	020		29.20				FM-16		30.17
24	0838	7	SCT:04 21	7.00		71	21.7	68	20.2	67	19.4	87	5	030		29.20				FM-16		30.17
24	0853	7	SCT:04 15	8.00		71	21.7	68	19.9	66	18.9	84	7	050		29.20			30.15	FM-15	0.00	30.17
24	0943	7	BKN:07 20	10.00		72	22.2	68	20.1	66	18.9	82	6	050		29.21				FM-16		30.18
24	0953	7	BKN:07 17 BKN:07 22 OVC:08 29	10.00		73	22.8	68	20.3	66	18.9	79	6	030		29.21	1	-0.03	30.16	FM-15	0.00	30.18
24	1053	7	OVC:08 22	10.00		74	23.3	69	20.5	66	18.9	76	7	070		29.22			30.17	FM-15	0.00	30.19
24	1153	7	OVC:08 26	10.00		74	23.3	68	20.1	65	18.3	74	5	020		29.22			30.17	FM-15	0.00	30.19
24	1228	7	OVC:08 33	10.00		75	23.9	69	20.3	65	18.3	71	5	010		29.21				FM-16		30.18
24	1251	6	OVC:08 29	10.00		75	24.0	68	20.0	64	18.0	69	7	010		29.20				FM-16		30.17
24	1253	7	OVC:08 29	10.00		76	24.4	69	20.5	65	18.3	69	8	010		29.20	6	+0.01	30.15	FM-15	0.00	30.17
24	1351	6	OVC:08 37	10.00		75	24.0	67	19.7	63	17.0	65	3	020		29.19				FM-16		30.16
24	1353	7	SCT:04 33 BKN:07 41	10.00		76	24.4	68	19.8	63	17.2	64	5	050		29.19			30.14	FM-15	0.00	30.16
24	1453	7	SCT:04 39	10.00		78	25.6	67	19.6	61	16.1	56	6	010		29.17			30.12	FM-15	0.00	30.14
24	1553	7	CLR:00	10.00		78	25.6	67	19.3	60	15.6	54	6	050		29.16	6	+0.04	30.11	FM-15	0.00	30.13
24	1653	7	CLR:00	10.00		78	25.6	67	19.3	60	15.6	54	9	010		29.16			30.11	FM-15	0.00	30.13
24	1753	7	CLR:00	10.00		75	23.9	65	18.4	59	15.0	58	8	010		29.16			30.11	FM-15	0.00	30.13
24	1853	7	CLR:00	10.00		69	20.6	63	17.2	59	15.0	70	7	020		29.16	2	-0.01	30.12	FM-15	0.00	30.13
24	1953	7	CLR:00	10.00		68	20.0	63	17.0	59	15.0	73	7	020		29.17			30.13	FM-15	0.00	30.14
24	2053	7	CLR:00	10.00		66	18.9	61	16.3	58	14.4	75	6	030		29.19			30.14	FM-15	0.00	30.16
24	2153	7	CLR:00	10.00		64	17.8	59	15.2	56	13.3	75	7	040		29.19	1	-0.02	30.14	FM-15	0.00	30.16
24	2253	7	CLR:00	10.00		62	16.7	57	14.2	54	12.2	75	7	050		29.20			30.15	FM-15	0.00	30.17
24	2353	7	CLR:00	10.00		60	15.6	57	13.7	54	12.2	80	7	050		29.20			30.16	FM-15	0.00	30.17
25	0053	7	CLR:00	10.00		59	15.0	56	13.2	53	11.7	81	6	060		29.21	1	-0.01	30.16	FM-15	0.00	30.18
25	0153	7	CLR:00	10.00		58	14.4	55	12.9	53	11.7	84	5	050		29.22			30.17	FM-15	0.00	30.19
25	0253	7	CLR:00	10.00		56	13.3	54	12.1	52	11.1	87	3	050		29.21			30.16	FM-15	0.00	30.18
25	0353	7	CLR:00	10.00		54	12.2	53	11.6	52	11.1	93	5	040		29.19	8	+0.01	30.15	FM-15	0.00	30.16
25	0453	7	CLR:00	10.00		55	12.8	53	11.6	51	10.6	87	5	050		29.20			30.15	FM-15	0.00	30.17
25	0553	7	CLR:00	10.00		53	11.7	52	11.1	51	10.6	93	0	000		29.20			30.15	FM-15	0.00	30.17
25	0653	7	CLR:00	10.00		53	11.7	52	11.1	51	10.6	93	5	050		29.20	3	-0.01	30.17	FM-15	0.00	30.17
25	0753	7	CLR:00	10.00		59	15.0	55	12.9	52	11.1	78	0	000		29.20			30.16	FM-15	0.00	30.17
25	0853	7	CLR:00	10.00		63	17.2	58	14.4	54	12.2	73	0	000		29.21			30.17	FM-15	0.00	30.18

25	0953	7	CLR:00	10.00		68	20.0	61	16.4	57	13.9	68	0	000		29.20	0	-0.00	30.16	FM-15	0.00	30.17
25	1053	7	CLR:00	10.00		72	22.2	64	17.8	59	15.0	64	6	090		29.20			30.15	FM-15	0.00	30.17
25	1153	7	CLR:00	10.00		75	23.9	64	17.8	57	13.9	54	3	VRB		29.18			30.13	FM-15	0.00	30.15
25	1253	7	CLR:00	10.00		77	25.0	64	17.9	56	13.3	48	5	220		29.16	8	+0.04	30.12	FM-15	0.00	30.13
25	1353	7	CLR:00	10.00		79	26.1	64	17.8	54	12.2	42	5	320		29.14			30.09	FM-15	0.00	30.11
25	1453	7	CLR:00	10.00		80	26.7	64	17.9	54	12.2	41	0	000		29.12			30.07	FM-15	0.00	30.09
25	1553	7	CLR:00	10.00		80	26.7	65	18.5	56	13.3	44	3	130		29.11	6	+0.05	30.06	FM-15	0.00	30.08
25	1653	7	CLR:00	10.00		80	26.7	65	18.2	55	12.8	42	3	090		29.09			30.05	FM-15	0.00	30.06
25	1753	7	CLR:00	10.00		76	24.4	64	17.7	56	13.3	50	8	090		29.08			30.04	FM-15	0.00	30.05
25	1853	7	CLR:00	10.00		72	22.2	61	16.3	54	12.2	53	6	100		29.08	6	+0.02	30.04	FM-15	0.00	30.05
25	1953	7	CLR:00	10.00		71	21.7	61	15.9	53	11.7	53	7	120		29.08			30.04	FM-15	0.00	30.05
25	2053	7	CLR:00	10.00		71	21.7	60	15.3	51	10.6	49	6	130		29.08			30.03	FM-15	0.00	30.05
25	2153	7	CLR:00	10.00		70	21.1	58	14.6	49	9.4	47	5	140		29.07	8	+0.01	30.02	FM-15	0.00	30.04
25	2253	7	CLR:00	10.00		69	20.6	58	14.3	49	9.4	49	5	160		29.07			30.02	FM-15	0.00	30.04
25	2353	7	CLR:00	10.00		66	18.9	57	13.7	49	9.4	54	0	000		29.06			30.01	FM-15	0.00	30.03
26	0053	7	CLR:00	10.00		65	18.3	57	13.7	50	10.0	59	3	150		29.05	8	+0.02	30.00	FM-15	0.00	30.02
26	0153	7	SCT:04 100	10.00		65	18.3	57	14.0	51	10.6	61	3	150		29.03			29.98	FM-15	0.00	30.00
26	0253	7	CLR:00	10.00		61	16.1	57	13.6	53	11.7	75	3	120		29.00			29.95	FM-15	0.00	29.97
26	0353	7	CLR:00	10.00		63	17.2	57	13.8	52	11.1	68	0	000		28.99	6	+0.06	29.94	FM-15	0.00	29.96
26	0453	7	CLR:00	10.00		64	17.8	57	13.8	51	10.6	63	6	150		28.97			29.92	FM-15	0.00	29.94
26	0553	7	CLR:00	10.00		65	18.3	57	14.0	51	10.6	61	7	160		28.96			29.91	FM-15	0.00	29.93
26	0653	7	CLR:00	10.00		65	18.3	59	14.8	54	12.2	68	6	180		28.96	6	+0.02	29.91	FM-15	0.00	29.93
26	0753	7	OVC:08 55	10.00		67	19.4	63	17.4	61	16.1	81	6	240		28.99			29.94	FM-15	0.00	29.96
26	0808	7	SCT:04 17 BKN:07 25 OVC:08 55	10.00		68	20.0	64	17.9	62	16.7	81	8	260		29.00				FM-16		29.97
26	0835	7	BKN:07 18 OVC:08 24	10.00	-RA:02 |RA |	65	18.3	60	15.4	56	13.3	73	18	310	32	29.03				FM-16	T	30.00
26	0853	7	SCT:04 23 OVC:08 29	10.00		65	18.3	59	15.1	55	12.8	70	15	320	25	29.03			29.98	FM-15	T	30.00
26	0912	7	BKN:07 31 OVC:08 35	10.00		64	17.8	59	14.9	55	12.8	73	10	320	18	29.04				FM-16		30.01
26	0953	7	BKN:07 39 BKN:07 49 OVC:08 65	3.00	RA:02 BR:1 |RA |	62	16.7	60	15.4	58	14.4	86	7	340		29.04	1	-0.08	30.00	FM-15	0.07s	30.01
26	1053	7	FEW:02 50 SCT:04 65 OVC:08 80	9.00	-RA:02 |RA |	62	16.7	60	15.7	59	15.0	90	0	000		29.04			29.99	FM-15	0.03	30.01
26	1153	7	SCT:04 19 SCT:04 90 OVC:08 110	10.00	-RA:02 |RA |	62	16.7	61	16.3	61	16.1	96	7	210		29.04			30.00	FM-15	0.04	30.01
26	1202	7	BKN:07 15 BKN:07 90 OVC:08 110	9.00	-RA:02 |RA |	62	16.7	61	16.3	61	16.1	96	8	220		29.05				FM-16	T	30.02
26	1251	6	SCT:04 13 OVC:08 24	10.00		61	16.0	59	14.8	57	14.0	88	13	280		29.04				FM-16		30.01
26	1253	7	SCT:04 13 OVC:08 24	10.00		61	16.1	59	15.1	58	14.4	90	13	280		29.04	3	-0.00	30.00	FM-15	0.01	30.01
26	1326	7	SCT:04 25 SCT:04 31	10.00		63	17.2	61	15.9	59	15.0	87	10	280		29.03				FM-16		30.00
26	1338	7	SCT:04 22 BKN:07 29	10.00		63	17.2	60	15.3	57	13.9	81	14	270		29.03				FM-16		30.00
26	1351	6	SCT:04 29	10.00		63	17.0	60	15.3	57	14.0	83	11	280		29.03				FM-16		30.00
26	1353	7	SCT:04 29	10.00		63	17.2	60	15.3	57	13.9	81	11	280		29.03			29.99	FM-15	0.00	30.00
26	1440	7	BKN:07 27 BKN:07 32	10.00		65	18.3	60	15.7	57	13.9	76	10	280		29.01				FM-16		29.98
26	1451	6	SCT:04 27 BKN:07 31	10.00		66	19.0	60	15.3	55	13.0	68	11	270		29.01				FM-16		29.98
26	1453	7	SCT:04 26 BKN:07 31	10.00		66	18.9	60	15.6	56	13.3	70	11	270		29.01			29.97	FM-15	0.00	29.98
26	1553	7	FEW:02 26	10.00		67	19.4	58	14.4	51	10.6	57	11	290		29.00	7	+0.04	29.96	FM-15	0.00	29.97

26	1653	7	CLR:00	10.00		65	18.3	56	13.4	49	9.4	56	11	270		29.01			29.97	FM-15	0.00	29.98
26	1753	7	CLR:00	10.00		64	17.8	55	12.9	48	8.9	56	7	240		29.02			29.98	FM-15	0.00	29.99
26	1853	7	CLR:00	10.00		61	16.1	54	12.2	48	8.9	63	6	200		29.03	1	-0.03	29.99	FM-15	0.00	30.00
26	1953	7	CLR:00	10.00		58	14.4	53	11.5	48	8.9	70	6	200		29.04			30.01	FM-15	0.00	30.01
26	2053	7	CLR:00	10.00		56	13.3	52	11.3	49	9.4	77	7	220		29.05			30.02	FM-15	0.00	30.02
26	2153	7	CLR:00	10.00		55	12.8	52	11.0	49	9.4	80	6	210		29.05	0	-0.01	30.01	FM-15	0.00	30.02
26	2253	7	CLR:00	10.00		54	12.2	51	10.8	49	9.4	83	6	210		29.04			30.01	FM-15	0.00	30.01
26	2353	7	CLR:00	10.00		53	11.7	51	10.5	49	9.4	86	7	200		29.04			30.00	FM-15	0.00	30.01
27	0053	7	CLR:00	10.00		53	11.7	51	10.5	49	9.4	86	7	190		29.03	6	+0.02	30.00	FM-15	0.00	30.00
27	0153	7	CLR:00	10.00		52	11.1	50	10.2	49	9.4	89	7	210		29.03			29.99	FM-15	0.00	30.00
27	0253	7	CLR:00	10.00		51	10.6	50	10.0	49	9.4	92	6	230		29.01			29.98	FM-15	0.00	29.98
27	0353	7	CLR:00	10.00		50	10.0	49	9.4	48	8.9	93	6	220		29.01	7	+0.02	29.97	FM-15	0.00	29.98
27	0453	7	CLR:00	10.00		49	9.4	48	8.9	47	8.3	93	5	210		29.00			29.97	FM-15	0.00	29.97
27	0553	7	CLR:00	10.00		48	8.9	47	8.6	47	8.3	96	5	210		29.00			29.97	FM-15	0.00	29.97
27	0653	7	CLR:00	10.00		50	10.0	48	8.9	46	7.8	86	5	170		28.99	8	+0.01	29.96	FM-15	0.00	29.96
27	0753	7	CLR:00	10.00		54	12.2	51	10.5	48	8.9	80	7	200		28.99			29.95	FM-15	0.00	29.96
27	0853	7	CLR:00	10.00		60	15.6	54	12.3	49	9.4	67	9	200		28.99			29.95	FM-15	0.00	29.96
27	0953	7	CLR:00	10.00		66	18.9	56	13.4	48	8.9	52	13	220		28.97	8	+0.01	29.94	FM-15	0.00	29.94
27	1053	7	CLR:00	10.00		70	21.1	56	13.3	44	6.7	39	20	220	26	28.95			29.91	FM-15	0.00	29.92
27	1153	7	CLR:00	10.00		71	21.7	55	12.9	41	5.0	34	16	230	29	28.92			29.88	FM-15	0.00	29.89
27	1253	7	CLR:00	10.00		73	22.8	56	13.1	40	4.4	30	20	230	26	28.90	6	+0.07	29.86	FM-15	T	29.87
27	1353	7	SCT:04 75	10.00		73	22.8	56	13.3	41	5.0	32	16	230	30	28.89			29.84	FM-15	0.00	29.85
27	1453	7	SCT:04 75	10.00		73	22.8	56	13.5	42	5.6	33	13	230	26	28.87			29.83	FM-15	0.00	29.84
27	1553	7	FEW:02 75	10.00		72	22.2	56	13.5	43	6.1	35	16	220	22	28.86	6	+0.05	29.82	FM-15	0.00	29.82
27	1653	7	CLR:00	10.00		71	21.7	56	13.5	44	6.7	38	14	210	22	28.86			29.82	FM-15	0.00	29.82
27	1753	7	FEW:02 80	10.00		70	21.1	56	13.3	44	6.7	39	11	210		28.87			29.82	FM-15	0.00	29.83
27	1853	7	CLR:00	10.00		66	18.9	54	12.4	44	6.7	45	8	210		28.87	3	-0.02	29.84	FM-15	0.00	29.84
27	1953	7	CLR:00	10.00		64	17.8	54	12.2	45	7.2	50	9	200		28.90			29.85	FM-15	0.00	29.86
27	2053	7	CLR:00	10.00		63	17.2	53	11.9	45	7.2	52	8	200		28.90			29.85	FM-15	0.00	29.87
27	2153	7	CLR:00	10.00		61	16.1	53	11.5	45	7.2	56	7	200		28.90	1	-0.03	29.85	FM-15	0.00	29.87
27	2253	7	CLR:00	10.00		60	15.6	52	11.2	45	7.2	58	7	200		28.90			29.85	FM-15	0.00	29.87
27	2353	7	CLR:00	10.00		59	15.0	52	11.0	45	7.2	60	7	190		28.90			29.85	FM-15	0.00	29.86
28	0053	7	CLR:00	10.00		59	15.0	52	11.2	46	7.8	62	7	180		28.90	8	+0.01	29.85	FM-15	0.00	29.86
28	0153	7	CLR:00	10.00		56	13.3	51	10.5	46	7.8	70	6	160		28.90			29.85	FM-15	0.00	29.86
28	0253	7	CLR:00	10.00		56	13.3	51	10.5	46	7.8	70	5	180		28.89			29.84	FM-15	0.00	29.85
28	0353	7	CLR:00	10.00		56	13.3	51	10.5	46	7.8	70	5	160		28.89	8	+0.01	29.84	FM-15	0.00	29.85
28	0453	7	CLR:00	10.00		55	12.8	50	10.2	46	7.8	72	7	150		28.87			29.83	FM-15	0.00	29.84
28	0553	7	SCT:04 95	10.00		56	13.3	51	10.5	46	7.8	70	7	160		28.87			29.82	FM-15	0.00	29.83
28	0653	7	OVC:08 95	10.00		57	13.9	51	10.7	46	7.8	67	3	VRB		28.87	5	+0.01	29.83	FM-15	0.00	29.84
28	0753	7	FEW:02 60 OVC:08 75	4.00	RA:02 BR:1 |RA |	54	12.2	52	11.3	51	10.6	90	5	060		28.91			29.87	FM-15	0.03	29.88
28	0853	7	FEW:02 36 OVC:08 70	3.00	-RA:02 BR:1 |RA |	54	12.2	53	11.9	53	11.7	97	0	000		28.93			29.89	FM-15	0.05	29.90
28	0951	7	FEW:02 32 SCT:04 43 OVC:08 60	1.50	RA:02 BR:1 |RA |	54	12.0	54	12.2	54	12.0	100	0	000		28.95				FM-16	0.24	29.92
28	0953	7	SCT:04 34 BKN:07 46 OVC:08 60	2.00	+RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	5	VRB		28.95	1	-0.08	29.92	FM-15	0.30	29.92
28	1053	7	SCT:04 55 OVC:08 75	2.50	+RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	10	090		28.94			29.91	FM-15	0.19	29.91
28	1122	7	SCT:04 3 BKN:07 70 OVC:08 100	5.00	-RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	15	090		28.91				FM-16	0.08	29.88
28	1153	7	SCT:04 3 BKN:07 70 OVC:08 100	5.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	15	110		28.90			29.87	FM-15	0.07	29.87
28	1253	7	OVC:08 80	10.00	-RA:02 |RA |	58	14.4	57	13.8	56	13.3	93	10	100		28.90	6	+0.06	29.86	FM-15	T	29.87

28	1321	7	SCT:04 42 BKN:07 55 OVC:08 95	10.00	VCTS:7 -RA:02 |RA |	57	13.9	56	13.3	55	12.8	93	7	100		28.92				FM-16	T	29.89
28	1325	7	BKN:07 40 BKN:07 50 OVC:08 95	1.75	VCTS:7 -RA:02 BR:1 |RA |	57	13.9	56	13.3	55	12.8	93	7	120		28.92				FM-16	0.01	29.89
28	1335	7	SCT:04 32 BKN:07 40 OVC:08 50	2.00	VCTS:7 +RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	5	100		28.92				FM-16	0.17	29.89
28	1353	7	OVC:08 38	2.00	-RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	6	040		28.91			29.88	FM-15	0.32	29.88
28	1400	7	OVC:08 38	3.00	-RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	3	050		28.92				FM-16	0.03	29.89
28	1451	6	BKN:07 21 OVC:08 27	5.00	-RA:02 BR:1 |RA |	55	13.0	55	12.8	55	13.0	100	3	080		28.93				FM-16		29.90
28	1453	7	BKN:07 21 OVC:08 27	5.00	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	3	070		28.93			29.90	FM-15	0.12	29.90
28	1526	7	FEW:02 20 BKN:07 36 OVC:08 75	3.00	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	6	100		28.93				FM-16	0.08	29.90
28	1553	7	FEW:02 30 BKN:07 37 OVC:08 75	5.00	-RA:02 BR:1 |RA |	57	13.9	56	13.6	56	13.3	96	9	080		28.93	0	-0.04	29.90	FM-15	0.14	29.90
28	1637	7	BKN:07 19 OVC:08 70	7.00	-RA:02 |RA |	56	13.3	56	13.3	56	13.3	100	7	080		28.93				FM-16	0.08	29.90
28	1653	7	OVC:08 19	6.00	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	7	080		28.93			29.90	FM-15	0.09	29.90
28	1723	7	SCT:04 22 BKN:07 31 OVC:08 110	10.00		56	13.3	56	13.3	56	13.3	100	9	070		28.92				FM-16	0.02	29.89
28	1734	7	SCT:04 20 OVC:08 28	10.00		57	13.9	56	13.6	56	13.3	96	9	080		28.92				FM-16	0.02	29.89
28	1751	7	SCT:04 7 BKN:07 16 OVC:08 28	10.00	-RA:02 |RA |	57	14.0	57	13.9	57	14.0	100	3	090		28.95				FM-16	0.02	29.92
28	1753	7	SCT:04 7 BKN:07 16 OVC:08 28	10.00	-RA:02 |RA |	57	13.9	57	13.9	57	13.9	100	3	080		28.94			29.91	FM-15	0.01	29.91
28	1813	7	BKN:07 7 OVC:08 15	10.00		57	13.9	56	13.6	56	13.3	96	8	090		28.95				FM-16	T	29.92
28	1851	6	SCT:04 15 OVC:08 21	10.00		57	14.0	57	13.9	57	14.0	100	7	100		28.95				FM-16		29.92
28	1853	7	SCT:04 15 OVC:08 21	10.00		57	13.9	57	13.9	57	13.9	100	7	100		28.95	1	-0.01	29.92	FM-15	0.00	29.92
28	1933	7	SCT:04 20 SCT:04 80	10.00		56	13.3	56	13.3	56	13.3	100	7	120		28.95				FM-16		29.92
28	1953	7	FEW:02 18 BKN:07 80	10.00		56	13.3	56	13.3	56	13.3	100	6	100		28.95			29.92	FM-15	0.00	29.92
28	2053	7	FEW:02 17 OVC:08 80	10.00		56	13.3	55	13.0	55	12.8	97	3	070		28.96			29.93	FM-15	0.00	29.93
28	2153	7	CLR:00	9.00		55	12.8	55	12.8	55	12.8	100	5	110		28.97	3	-0.02	29.94	FM-15	0.00	29.94
28	2212	7	BKN:07 17	10.00		56	13.3	55	13.0	55	12.8	97	0	000		28.97				FM-16		29.94
28	2253	7	OVC:08 20	10.00		56	13.3	55	13.0	55	12.8	97	6	150		28.97			29.94	FM-15	0.00	29.94
28	2324	7	BKN:07 10 OVC:08 21	10.00		56	13.3	56	13.3	56	13.3	100	5	120		28.98				FM-16		29.95
28	2336	7	OVC:08 9	10.00		56	13.3	56	13.3	56	13.3	100	6	130		28.98				FM-16		29.95
28	2353	7	OVC:08 8	10.00		56	13.3	56	13.3	56	13.3	100	3	130		28.98			29.95	FM-15	0.00	29.95
29	0053	7	OVC:08 6	10.00		57	13.9	56	13.6	56	13.3	96	5	120		28.99	3	-0.02	29.96	FM-15	0.00	29.96
29	0151	6	SCT:04 5 BKN:07 11 OVC:08 20	10.00		57	14.0	56	13.3	55	13.0	94	6	140		29.00				FM-16		29.97
29	0153	7	SCT:04 5 BKN:07 11 OVC:08 20	10.00		57	13.9	56	13.6	56	13.3	96	5	130		29.00			29.96	FM-15	0.00	29.97
29	0206	7	BKN:07 5 BKN:07 10 OVC:08 18	10.00		57	13.9	56	13.6	56	13.3	96	5	130		28.99				FM-16		29.96

29	0253	6	BKN:07 5 OVC:08 16	10.00		57	13.9	56	13.6	56	13.3	96	0	000		29.00			29.96	FM-15	0.00	29.97
29	0329	7	BKN:07 10 OVC:08 16	9.00		56	13.3	56	13.3	56	13.3	100	5	240		29.00				FM-16		29.97
29	0342	7	SCT:04 10 BKN:07 16 OVC:08 21	10.00		56	13.3	56	13.3	56	13.3	100	0	000		29.00				FM-16		29.97
29	0353	7	SCT:04 12 OVC:08 21	10.00		56	13.3	56	13.3	56	13.3	100	3	210		29.00	3	-0.01	29.97	FM-15	0.00	29.97
29	0453	7	FEW:02 12 OVC:08 29	10.00		56	13.3	55	13.0	55	12.8	97	0	000		29.02			29.98	FM-15	0.00	29.99
29	0517	7	FEW:02 13 OVC:08 30	7.00		56	13.3	56	13.3	56	13.3	100	5	050		29.04				FM-16		30.01
29	0553	7	SCT:04 11 OVC:08 31	6.00	BR:1 ||	56	13.3	56	13.3	56	13.3	100	0	000		29.05			30.02	FM-15	0.00	30.02
29	0604	7	BKN:07 11 BKN:07 19 OVC:08 31	7.00		57	13.9	56	13.6	56	13.3	96	0	000		29.06				FM-16		30.03
29	0628	7	OVC:08 32	6.00	BR:1 ||	56	13.3	56	13.3	56	13.3	100	3	280		29.06				FM-16	T	30.03
29	0653	7	SCT:04 18 OVC:08 35	6.00	BR:1 ||	57	13.9	56	13.6	56	13.3	96	3	300		29.07	3	-0.07	30.04	FM-15	T	30.04
29	0753	7	FEW:02 13 SCT:04 19 OVC:08 40	6.00	BR:1 ||	58	14.4	57	14.1	57	13.9	97	0	000		29.09			30.06	FM-15	0.00	30.06
29	0853	7	FEW:02 13 SCT:04 19 OVC:08 40	10.00		59	15.0	58	14.4	57	13.9	93	8	110		29.10			30.07	FM-15	0.00	30.07
29	0857	7	BKN:07 8 OVC:08 40	10.00		59	15.0	58	14.4	57	13.9	93	7	100		29.10				FM-16		30.07
29	0951	6	BKN:07 13 BKN:07 60	10.00		63	17.0	60	15.3	57	14.0	83	6	120		29.10				FM-16		30.07
29	0953	7	BKN:07 13 BKN:07 60	10.00		62	16.7	59	15.1	57	13.9	84	6	130		29.11	1	-0.03	30.07	FM-15	0.00	30.08
29	1053	7	BKN:07 15 BKN:07 30	10.00		64	17.8	59	15.2	56	13.3	75	7	080		29.11			30.07	FM-15	0.00	30.08
29	1153	7	BKN:07 15 BKN:07 30	10.00		67	19.4	61	16.2	57	13.9	71	6	010		29.10			30.06	FM-15	0.00	30.07
29	1200	7	SCT:04 24 BKN:07 30	10.00		66	18.9	60	15.6	56	13.3	70	5	VRB		29.10				FM-16		30.07
29	1253	7	SCT:04 24 BKN:07 30	10.00		66	18.9	60	15.6	56	13.3	70	5	050		29.11	3	-0.00	30.07	FM-15	0.00	30.08
29	1353	7	BKN:07 37 OVC:08 60	10.00		66	18.9	61	15.9	57	13.9	73	5	340		29.09			30.06	FM-15	T	30.06
29	1453	7	OVC:08 31	10.00	-RA:02 |RA |	63	17.2	60	15.6	58	14.4	84	7	280		29.10			30.06	FM-15	T	30.07
29	1512	7	BKN:07 29 OVC:08 38	3.00	+RA:02 BR:1 |RA |	62	16.7	60	15.4	58	14.4	86	7	260		29.10				FM-16	0.06	30.07
29	1522	7	FEW:02 18 BKN:07 25 OVC:08 36	0.75	+RA:02 BR:1 |RA |	60	15.6	59	14.9	58	14.4	93	6	010		29.11				FM-16	0.21	30.08
29	1533	7	FEW:02 8 BKN:07 14 OVC:08 26	0.50	+RA:02 FG:2 |FG RA |	59	15.0	59	15.0	59	15.0	100	6	280		29.11				FM-16	0.47	30.08
29	1544	7	BKN:07 13 BKN:07 18 OVC:08 26	2.00	VCTS:7 RA:02 BR:1 |RA |	58	14.4	57	14.1	57	13.9	97	10	290		29.10				FM-16	0.54	30.07
29	1551	6	BKN:07 11 BKN:07 18 OVC:08 27	4.00	VCTS:7 -RA:02 BR:1 |RA |	57	14.0	57	13.9	57	14.0	100	11	290		29.10				FM-16		30.07
29	1553	7	BKN:07 11 OVC:08 27	5.00	VCTS:7 -RA:02 BR:1 |RA |	58	14.4	57	14.1	57	13.9	97	11	300		29.10	5	+0.01	30.07	FM-15	0.54	30.07
29	1603	7	SCT:04 11 BKN:07 22 OVC:08 33	10.00	-RA:02 |RA |	59	15.0	58	14.4	57	13.9	93	8	300		29.11				FM-16	T	30.08

29	1620	7	FEW:02 22 SCT:04 30	10.00		59	15.0	58	14.7	58	14.4	96	8	290		29.10				FM-16	T	30.07
29	1653	7	SCT:04 95	10.00		61	16.1	60	15.8	60	15.6	97	9	310		29.09			30.05	FM-15	T	30.06
29	1711	7	FEW:02 9 BKN:07 20 BKN:07 90	10.00		61	16.1	60	15.8	60	15.6	97	8	310		29.09				FM-16		30.06
29	1725	7	BKN:07 10 BKN:07 15 BKN:07 21	10.00		60	15.6	59	15.2	59	15.0	96	7	300		29.09				FM-16		30.06
29	1751	6	SCT:04 9 OVC:08 13	10.00		63	17.0	62	16.6	61	16.0	94	9	010		29.10				FM-16		30.07
29	1753	7	SCT:04 9 OVC:08 13	10.00		62	16.7	61	16.0	60	15.6	93	10	010		29.10			30.06	FM-15	0.00	30.07
29	1848	7	SCT:04 13 BKN:07 25 BKN:07 31	10.00		61	16.0	60	15.5	59	15.0	94	6	330		29.11				FM-16		30.08
29	1851	6	SCT:04 13 SCT:04 25 BKN:07 31	10.00		61	16.0	60	15.5	59	15.0	94	8	320		29.10				FM-16		30.07
29	1853	7	SCT:04 13 SCT:04 25 BKN:07 100	10.00		60	15.6	59	15.2	59	15.0	96	8	330		29.11	0	-0.01	30.07	FM-15	0.00	30.08
29	1953	7	SCT:04 23 BKN:07 80 OVC:08 95	10.00	-RA:02 |RA |	60	15.6	59	15.2	59	15.0	96	6	010		29.13			30.10	FM-15	T	30.10
29	2011	7	BKN:07 21 BKN:07 65 OVC:08 80	10.00	-RA:02 |RA |	60	15.6	60	15.6	60	15.6	100	6	040		29.13				FM-16	T	30.10
29	2043	7	FEW:02 19 BKN:07 85 OVC:08 100	9.00		60	15.6	60	15.6	60	15.6	100	8	030		29.11				FM-16	T	30.08
29	2053	7	FEW:02 20 SCT:04 65 OVC:08 85	8.00		60	15.6	60	15.6	60	15.6	100	7	040		29.11			30.08	FM-15	T	30.08
29	2153	7	OVC:08 90	10.00	-RA:02 |RA |	60	15.6	60	15.6	60	15.6	100	5	050		29.11	0	-0.00	30.07	FM-15	0.01	30.08
29	2253	7	BKN:07 80	8.00		60	15.6	60	15.6	60	15.6	100	0	000		29.09			30.05	FM-15	T	30.06
29	2326	7	BKN:07 13 OVC:08 80	6.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	0	000		29.10				FM-16		30.07
29	2353	7	BKN:07 12 OVC:08 70	9.00	-RA:02 |RA |	61	16.1	60	15.8	60	15.6	97	0	000		29.10			30.06	FM-15	T	30.07
30	0010	7	SCT:04 12 BKN:07 75 OVC:08 90	6.00	-RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	0	000		29.09				FM-16	0.01	30.06
30	0038	7	BKN:07 14 BKN:07 41 OVC:08 90	7.00		60	15.6	60	15.6	60	15.6	100	0	000		29.08				FM-16	0.01	30.05
30	0053	7	OVC:08 14	8.00		60	15.6	60	15.6	60	15.6	100	3	210		29.09	6	+0.02	30.05	FM-15	0.02	30.06
30	0111	7	BKN:07 7 OVC:08 12	4.00	RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	3	270		29.09				FM-16	0.03	30.06
30	0153	7	OVC:08 9	9.00	-RA:02 |RA |	61	16.1	60	15.8	60	15.6	97	0	000		29.09			30.04	FM-15	0.03	30.06
30	0211	7	OVC:08 10	10.00		61	16.1	60	15.8	60	15.6	97	6	050		29.09				FM-16	T	30.06
30	0232	7	SCT:04 11 OVC:08 23	10.00		61	16.1	60	15.8	60	15.6	97	5	050		29.08				FM-16	T	30.05
30	0253	7	SCT:04 13 OVC:08 26	10.00		61	16.1	60	15.8	60	15.6	97	7	060		29.08			30.04	FM-15	T	30.05
30	0300	7	BKN:07 12 OVC:08 26	10.00		61	16.1	60	15.8	60	15.6	97	7	080		29.08				FM-16		30.05
30	0331	7	BKN:07 15 OVC:08 120	10.00		61	16.1	60	15.8	60	15.6	97	6	060		29.06				FM-16		30.03
30	0351	6	OVC:08 14	10.00		61	16.0	61	16.1	61	16.0	100	7	070		29.07				FM-16		30.04
30	0353	7	OVC:08 14	10.00		61	16.1	60	15.8	60	15.6	97	8	070		29.07	8	+0.02	30.03	FM-15	0.00	30.04
30	0453	7	OVC:08 12	10.00		62	16.7	61	16.0	60	15.6	93	11	080		29.05			30.01	FM-15	0.00	30.02
30	0553	7	OVC:08 11	10.00		62	16.7	61	16.3	61	16.1	96	10	090		29.06			30.02	FM-15	0.00	30.03
30	0653	7	OVC:08 12	10.00		62	16.7	61	16.0	60	15.6	93	8	120		29.09	3	-0.02	30.05	FM-15	0.00	30.06

30	0753	7	BKN:07 14 OVC:08 20	10.00	-RA:02 |RA |	61	16.1	60	15.8	60	15.6	97	9	070		29.07			30.04	FM-15	0.02	30.04
30	0853	7	OVC:08 10	10.00		61	16.1	60	15.8	60	15.6	97	9	100		29.09			30.06	FM-15	T	30.06
30	0928	7	OVC:08 11	10.00	VCTS:7 ||	61	16.1	60	15.8	60	15.6	97	8	060		29.07				FM-16		30.04
30	0938	6	OVC:08 12	10.00	TS:7 -RA:02 |RA TS |	61	16.1	60	15.8	60	15.6	97	10	090		29.08				FM-16		30.05
30	0953	7	OVC:08 12	5.00	TS:7 -RA:02 BR:1 |RA TS |	61	16.1	60	15.8	60	15.6	97	7	120		29.10	3	-0.01	30.07	FM-15	0.04	30.07
30	1029	7	BKN:07 11 BKN:07 16 OVC:08 70	10.00	VCTS:7 ||	61	16.1	60	15.8	60	15.6	97	9	040		29.08				FM-16	T	30.05
30	1039	7	BKN:07 11 BKN:07 16 OVC:08 70	10.00	TS:7 |TS TS |	61	16.1	60	15.8	60	15.6	97	5	090		29.09				FM-16	T	30.06
30	1051	6	BKN:07 16 BKN:07 55 OVC:08 70	10.00	TS:7 |TS |	61	16.0	61	16.1	61	16.0	100	0	000		29.09				FM-16		30.06
30	1053	7	BKN:07 16 BKN:07 55 OVC:08 70	10.00	TS:7 |TS TS |	61	16.1	60	15.8	60	15.6	97	3	140		29.10			30.06	FM-15	0.08	30.07
30	1101	7	BKN:07 18 OVC:08 60	0.75	TS:7 +RA:02 BR:1 |RA TS |	61	16.1	60	15.8	60	15.6	97	6	080		29.09				FM-16	0.18	30.06
30	1108	7	BKN:07 18 OVC:08 60	4.00	TS:7 +RA:02 BR:1 |RA TS |	60	15.6	60	15.6	60	15.6	100	15	050		29.08				FM-16	0.32	30.05
30	1135	7	BKN:07 18 OVC:08 60	4.00	VCTS:7 -RA:02 BR:1 |RA |	60	15.6	59	15.2	59	15.0	96	7	050		29.08				FM-16	0.36	30.05
30	1145	7	BKN:07 18 OVC:08 60	4.00	RA:02 BR:1 |RA |	60	15.6	59	14.9	58	14.4	93	7	070		29.09				FM-16	0.37	30.06
30	1153	7	BKN:07 18 OVC:08 60	3.00	RA:02 BR:1 |RA |	60	15.6	59	15.2	59	15.0	96	7	040		29.08			30.04	FM-15	0.34	30.05
30	1155	7	SCT:04 24 BKN:07 55 OVC:08 75	2.50	+RA:02 BR:1 |RA |	60	15.6	59	15.2	59	15.0	96	9	030		29.08				FM-16	0.01	30.05
30	1228	7	SCT:04 60 SCT:04 70 OVC:08 90	7.00	-RA:02 |RA |	61	16.1	60	15.8	60	15.6	97	11	020		29.06				FM-16	0.04	30.03
30	1239	7	FEW:02 60 BKN:07 90 OVC:08 110	8.00	VCTS:7 -RA:02 |RA |	61	16.1	60	15.8	60	15.6	97	9	040		29.06				FM-16	0.05	30.03
30	1253	7	FEW:02 60 BKN:07 90 OVC:08 110	8.00	VCTS:7 RA:02 |RA |	61	16.1	61	16.1	61	16.1	100	5	040		29.06	8	+0.04	30.03	FM-15	0.07	30.03
30	1303	7	FEW:02 29 BKN:07 65 OVC:08 95	2.00	TS:7 +RA:02 BR:1 |RA TS |	60	15.6	60	15.6	60	15.6	100	3	030		29.07				FM-16	0.05	30.04
30	1311	7	FEW:02 26 BKN:07 49 OVC:08 75	5.00	TS:7 +RA:02 BR:1 |RA TS |	60	15.6	60	15.6	60	15.6	100	6	030		29.06				FM-16	0.08	30.03
30	1334	7	FEW:02 24 BKN:07 46 OVC:08 80	5.00	VCTS:7 +RA:02 BR:1 |RA |	61	16.1	61	16.1	61	16.1	100	10	020		29.04				FM-16	0.23	30.01
30	1341	7	FEW:02 24 BKN:07 43 OVC:08 80	5.00	RA:02 BR:1 |RA |	61	16.1	61	16.1	61	16.1	100	7	010		29.04				FM-16	0.24	30.01
30	1353	7	FEW:02 34 BKN:07 50 OVC:08 70	5.00	-RA:02 BR:1 |RA |	61	16.1	61	16.1	61	16.1	100	3	VRB		29.05			30.01	FM-15	0.26	30.02
30	1409	7	SCT:04 22 BKN:07 38 OVC:08 70	2.00	VCTS:7 -RA:02 BR:1 |RA |	61	16.1	61	16.1	61	16.1	100	7	VRB		29.06				FM-16	0.07	30.03
30	1428	7	FEW:02 20 BKN:07 65 OVC:08 90	4.00	VCTS:7 RA:02 BR:1 |RA |	61	16.1	60	15.8	60	15.6	97	16	030	23	29.02				FM-16	0.13	29.99
30	1443	7	FEW:02 50 BKN:07 95 OVC:08 110	5.00	TS:7 -RA:02 BR:1 |RA TS |	61	16.1	60	15.8	60	15.6	97	14	030	20	29.02				FM-16	0.13	29.99

30	1453	7	FEW:02 70 BKN:07 90 OVC:08 110	10.00	VCTS:7 -RA:02 |RA |	62	16.7	61	16.0	60	15.6	93	9	040		29.03			29.99	FM-15	0.09	30.00
30	1501	7	FEW:02 35 BKN:07 90 OVC:08 110	10.00	TS:7 -RA:02 |RA TS TS |	63	17.2	62	16.6	61	16.1	93	6	060		29.03				FM-16	T	30.00
30	1508	7	FEW:02 15 BKN:07 90 OVC:08 110	10.00	VCTS:7 ||	63	17.2	62	16.6	61	16.1	93	7	060		29.03				FM-16	T	30.00
30	1517	7	FEW:02 15 BKN:07 90 OVC:08 110	10.00		63	17.2	62	16.6	61	16.1	93	8	050		29.03				FM-16	T	30.00
30	1553	7	BKN:07 60 OVC:08 70	10.00		64	17.8	62	16.8	61	16.1	90	8	060		29.04	5	+0.02	30.00	FM-15	0.01	30.01
30	1651	6	BKN:07 23 OVC:08 30	10.00		63	17.0	61	15.9	59	15.0	88	8	040		29.04				FM-16		30.01
30	1653	7	BKN:07 23 OVC:08 30	10.00		63	17.2	61	16.2	60	15.6	90	8	030		29.04			30.00	FM-15	0.00	30.01
30	1753	7	SCT:04 15 BKN:07 23 OVC:08 29	10.00		63	17.2	62	16.6	61	16.1	93	3	360		29.05			30.01	FM-15	0.00	30.02
30	1853	7	OVC:08 15	10.00		62	16.7	61	16.3	61	16.1	96	6	030		29.05	1	-0.01	30.01	FM-15	0.00	30.02
30	1953	7	BKN:07 15 OVC:08 25	10.00		62	16.7	62	16.7	62	16.7	100	6	050		29.05			30.01	FM-15	0.00	30.02
30	2021	7	OVC:08 13	10.00		63	17.2	62	16.9	62	16.7	97	3	050		29.05				FM-16		30.02
30	2053	7	OVC:08 11	10.00		62	16.7	62	16.7	62	16.7	100	5	060		29.05			30.01	FM-15	0.00	30.02
30	2153	7	OVC:08 10	10.00		62	16.7	61	16.3	61	16.1	96	6	100		29.05	3	-0.01	30.01	FM-15	0.00	30.02
30	2217	7	BKN:07 9 OVC:08 13	10.00		62	16.7	62	16.7	62	16.7	100	6	110		29.05				FM-16		30.02
30	2253	7	BKN:07 7 BKN:07 13 OVC:08 22	10.00		62	16.7	62	16.7	62	16.7	100	3	150		29.05			30.01	FM-15	0.00	30.02
30	2300	7	SCT:04 7 BKN:07 17 OVC:08 22	10.00		62	16.7	61	16.3	61	16.1	96	5	170		29.05				FM-16		30.02
30	2353	7	BKN:07 22 BKN:07 27 OVC:08 35	10.00		60	15.6	59	15.2	59	15.0	96	5	180		29.06			30.03	FM-15	0.00	30.03

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
September 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01																									01
02																									02
03																									03
04																									04
05																									05
06																									06
07																									07
08																					T	0.01	0.02	0.56	08
09	0.28	0.02	T				T																		09
10		T													T	T	0.52	0.15	0.12	0.01					10
11																									11
12																									12
13																									13
14																									14
15																									15
16																					T				16
17						0.22	T							T	T			0.05	T						17
18															0.02	T									18
19																									19
20																									20
21																									21
22																									22
23																									23
24																									24
25																									25
26									T	0.07s	0.03	0.04	0.01												26
27													T												27
28								0.03	0.05	0.30	0.19	0.07	T	0.32	0.12	0.14	0.09	0.01							28
29							T							T	T	0.54	T			T	T	0.01	T	T	29
30	0.02	0.03	T					0.02	T	0.04	0.08	0.34	0.07	0.26	0.09	0.01									30

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.21	0.29	0.35	0.43	0.51	0.58	0.66	0.74	0.81	0.85	0.87	0.88
Ending Date Time (yyyy-mm-dd hh:mi)	2016-09-30 11:03	2016-09-30 11:07	2016-09-08 23:54	2016-09-29 15:34	2016-09-29 15:36	2016-09-09 00:19	2016-09-09 00:34	2016-09-09 00:42	2016-09-09 00:39	2016-09-09 00:53	2016-09-09 01:06	2016-09-09 01:31

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
October 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	68	51	60	0.9				5	0	0629	1813	FG BR	T			29.07		5.8	20	210	16	200
02	72	51	62	3.3				3	0	0630	1812	BR	T			29.06		6.8	19	240	15	290
03	73	50	62	3.7				3	0	0631	1810	FG BR	0.00			29.11		2.5	12	360	9	010
04	78	51	65	7.1				0	0	0632	1809	BR	0.00			29.15		6.6	19	120	14	120
05	79	59	69	11.5				0	4	0633	1807		0.00			29.16		8.7	19	170	15	160
06	80	57	69	11.9				0	4	0634	1805		0.00			29.21		5.7	15	130	13	140
07	80	52	66	9.3				0	1	0635	1804		0.00			29.13		5.5	20	150	15	140
08	66	50	58	1.7				7	0	0636	1802		T			29.18		13.4	30	340	22	350
09	64	40	52	-4.0				13	0	0637	1801		0.00			29.33		6.6	21	360	16	350
10	66	40	53	-2.6				12	0	0638	1759		0.00			29.40		2.6	12	080	8	040
11	67	42	55	-0.2				10	0	0639	1758		0.00			29.31		4.0	15	150	10	140
12	79	48	64	9.1				1	0	0641	1756		T			29.16		8.6	29	230	21	200
13	66	43	55	0.5				10	0	0642	1754	RA BR	0.04			29.21		7.4	27	270	20	330
14	64	37	51	-3.2				14	0	0643	1753		0.00			29.33		4.4	16	100	14	090
15	78	43	61	7.2				4	0	0644	1751		0.00			29.21		7.1	23	220	18	200
16	80	59	70	16.5				0	5	0645	1750		T			29.08		8.7	27	230	21	230
17	82	65	73	19.8				0	8	0646	1749		T			28.94		11.9	34	180	23	190
18	82*	66	74	21.2				0	9	0647	1747	RA	0.01			28.85		13.0	36	220	28	230
19	78	58	68	15.5				0	3	0648	1746	TS RA BR	0.61			29.05		5.5	29	320	24	310
20	63	54	58	5.8				7	0	0649	1744	TS RA BR	0.50			28.98		7.1	27	350	20	010
21	54	46	50	-1.9				15	0	0650	1743	RA BR	0.30			28.94		15.0	37	340	25	340
22	51	38	45	-6.5				20	0	0651	1742		T			29.05		9.4	30	290	23	300
23	71	41	56	4.8				9	0	0652	1740		0.00			29.04		10.9	30	240	24	230
24	59	39	49	-1.9				16	0	0653	1739		0.00			29.21		7.8	27	320	18	350
25	54	35*	45	-5.6				20	0	0655	1738		0.00			29.41		5.1	16	060	13	060
26	54	40	47	-3.3				18	0	0656	1736	RA	T			29.31		9.1	25	090	18	090
27	60	46	53	3.0				12	0	0657	1735	RA	0.06			29.13		10.7	32	290	25	280
28	59	37	48	-1.6				17	0	0658	1734		0.00			29.28		5.6	16	170	13	170
29	77	47	62	12.7				3	0	0659	1732		0.00			29.09		9.3	28	240	21	240
30	71	45	58	9.0				7	0	0700	1731	RA BR	0.02			29.07		9.7	24	010	18	010
31	59	45	52	3.3				13	0	0701	1730		0.00			29.20		6.7	18	130	13	110
	68.8	47.6	58.2									**Monthly Averages | Totals**	1.54s			29.15	30.12	7.8				
	4.4	4.7	4.6									**Departure from Normal (1981-2010)**	-0.96s									

Degree Days

	Monthly		Season-to-date	
	Total	Departure	Total	Departure
Heating	244	-119	268	
Cooling	34	22	1203	

Number of days with...

Temperature				Precipitation		Snow	Weather	
Max		Min						
>=90°	<=32°	<=32°	<=0°	>=0.01"	>=0.1"	>=1"	T-Storms	Heavy Fog
0	0	0	0	7	3			

Date of 5-sec to 3-sec wind equipment change

N/A

Sea Level Pressure

		Date	Time
Maximum	30.46	25	0946
Minimum	29.77	18	1502

Greatest...

24-Hr...		Snow Depth
Precip	Snowfall	
1.00s		
Date		
19-20		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
October 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0007	7	FEW:02 24 BKN:07 31 BKN:07 38	10.00		60	15.6	59	14.9	58	14.4	93	5	160		29.07				FM-16		30.04
01	0053	7	SCT:04 31 BKN:07 39	10.00		58	14.4	57	14.1	57	13.9	97	7	180		29.07	3	-0.02	30.03	FM-15	0.00	30.04
01	0153	7	CLR:00	8.00		56	13.3	55	13.0	55	12.8	97	0	000		29.06			30.03	FM-15	0.00	30.03
01	0253	7	CLR:00	4.00	BR:1 ||	55	12.8	55	12.8	55	12.8	100	3	160		29.07			30.03	FM-15	0.00	30.04
01	0313	7	CLR:00	1.50	BR:1 ||	52	11.1	52	11.1	52	11.1	100	3	110		29.08				FM-16		30.05
01	0321	7	CLR:00	0.50	FG:2 |FG |	52	11.1	52	11.1	52	11.1	100	0	000		29.08				FM-16		30.05
01	0326	7	VV:09 2	0.25	FG:2 |FG |	53	11.7	53	11.7	53	11.7	100	0	000		29.08				FM-16		30.05
01	0353	7	VV:09 2	0.25	FG:2 |FG |	54	12.2	54	12.2	54	12.2	100	3	150		29.08	3	-0.01	30.05	FM-15	0.00	30.05
01	0412	7	VV:09 1	0.25	FG:2 |FG |	53	11.7	53	11.7	53	11.7	100	3	100		29.08				FM-16		30.05
01	0453	7	VV:09 1	0.25	FG:2 |FG |	53	11.7	53	11.7	53	11.7	100	3	120		29.08			30.04	FM-15	0.00	30.05
01	0511	7	BKN:07 1 OVC:08 80	0.50	FG:2 |FG |	52	11.1	52	11.1	52	11.1	100	0	000		29.08				FM-16		30.05
01	0514	7	SCT:04 1 OVC:08 80	0.25	FG:2 |FG |	52	11.1	52	11.1	52	11.1	100	0	000		29.08				FM-16		30.05
01	0522	7	BKN:07 2 OVC:08 80	0.25	FG:2 |FG |	52	11.1	52	11.1	52	11.1	100	0	000		29.08				FM-16		30.05
01	0532	7	SCT:04 2 OVC:08 80	0.25	FG:2 |FG |	52	11.1	52	11.1	52	11.1	100	0	000		29.08				FM-16		30.05
01	0544	7	BKN:07 3 OVC:08 80	0.25	FG:2 |FG |	52	11.1	52	11.1	52	11.1	100	3	110		29.08				FM-16		30.05
01	0551	7	FEW:02 3 BKN:07 80	0.25	FG:2 |FG |	52	11.0	52	11.1	52	11.0	100	3	110		29.08				FM-16		30.05
01	0553	7	FEW:02 3 BKN:07 80	0.25	FG:2 |FG |	52	11.1	52	11.1	52	11.1	100	3	100		29.08			30.05	FM-15	0.00	30.05
01	0620	7	FEW:02 3 BKN:07 80	0.75	BR:1 ||	51	10.6	51	10.6	51	10.6	100	5	110		29.08				FM-16		30.05
01	0628	7	BKN:07 80	3.00	BR:1 ||	51	10.6	51	10.6	51	10.6	100	3	130		29.09				FM-16		30.06
01	0653	7	BKN:07 75	3.00	BR:1 ||	53	11.7	53	11.7	53	11.7	100	5	120		29.09	3	-0.01	30.06	FM-15	0.00	30.06
01	0753	7	SCT:04 70	7.00		57	13.9	56	13.6	56	13.3	96	6	140		29.10			30.06	FM-15	0.00	30.07
01	0853	7	FEW:02 40	10.00		60	15.6	57	14.0	55	12.8	84	8	170		29.10			30.06	FM-15	0.00	30.07
01	0953	7	FEW:02 18 OVC:08 45	10.00		61	16.1	58	14.2	55	12.8	81	7	160		29.10	1	-0.01	30.06	FM-15	0.00	30.07
01	1053	7	CLR:00	10.00		62	16.7	59	14.7	56	13.3	80	7	150		29.09			30.05	FM-15	0.00	30.06
01	1153	7	SCT:04 23 SCT:04 80	10.00		63	17.2	59	15.0	56	13.3	78	8	190		29.09			30.05	FM-15	0.00	30.06
01	1253	7	BKN:07 70	10.00		64	17.8	59	14.9	55	12.8	73	11	180		29.07	8	+0.03	30.03	FM-15	0.00	30.04
01	1353	7	FEW:02 27	10.00		68	20.0	61	16.1	56	13.3	65	10	170		29.05			30.01	FM-15	0.00	30.02
01	1453	7	FEW:02 34 BKN:07 70 OVC:08 85	10.00		65	18.3	59	14.8	54	12.2	68	8	180		29.05			30.01	FM-15	0.00	30.02
01	1553	7	FEW:02 31 FEW:02 55 OVC:08 100	10.00		66	18.9	60	15.6	56	13.3	70	7	170		29.04	6	+0.02	30.01	FM-15	T	30.01
01	1653	7	FEW:02 38 OVC:08 95	10.00		65	18.3	59	15.1	55	12.8	70	7	160		29.04			30.01	FM-15	0.00	30.01
01	1753	7	OVC:08 80	10.00		64	17.8	59	15.2	56	13.3	75	6	160		29.05			30.01	FM-15	0.00	30.02

01	1853	7	FEW:02 46 BKN:07 55 OVC:08 90	10.00		62	16.7	59	15.1	57	13.9	84	6	200		29.05	3	-0.01	30.02	FM-15	T	30.02
01	1953	7	CLR:00	10.00		60	15.6	58	14.6	57	13.9	90	5	180		29.05			30.02	FM-15	0.00	30.02
01	2053	7	SCT:04 85	10.00		60	15.6	58	14.6	57	13.9	90	5	170		29.06			30.02	FM-15	0.00	30.03
01	2153	7	FEW:02 90	10.00		60	15.6	58	14.6	57	13.9	90	3	200		29.06	2	-0.00	30.02	FM-15	0.00	30.03
01	2253	7	BKN:07 95	10.00		59	15.0	58	14.4	57	13.9	93	7	170		29.05			30.01	FM-15	0.00	30.02
01	2353	7	FEW:02 60 FEW:02 95 SCT:04 110	10.00		58	14.4	57	14.1	57	13.9	97	5	160		29.05			30.01	FM-15	0.00	30.02
02	0053	7	FEW:02 70 BKN:07 100 BKN:07 110	10.00		58	14.4	57	14.1	57	13.9	97	6	160		29.04	6	+0.01	30.01	FM-15	T	30.01
02	0153	7	SCT:04 10 BKN:07 47 OVC:08 60	10.00		58	14.4	57	14.1	57	13.9	97	6	190		29.05			30.01	FM-15	T	30.02
02	0202	7	BKN:07 10 BKN:07 47 OVC:08 60	9.00		58	14.4	57	14.1	57	13.9	97	6	210		29.05				FM-16		30.02
02	0213	7	OVC:08 9	9.00		59	15.0	58	14.7	58	14.4	96	6	220		29.05				FM-16		30.02
02	0235	7	SCT:04 11 SCT:04 18 BKN:07 37	9.00		58	14.4	57	14.1	57	13.9	97	7	220		29.05				FM-16		30.02
02	0251	6	SCT:04 19 BKN:07 28 OVC:08 36	8.00		59	15.0	58	14.4	57	14.0	94	6	200		29.05				FM-16		30.02
02	0253	7	SCT:04 19 BKN:07 29 OVC:08 36	8.00		59	15.0	58	14.7	58	14.4	96	6	190		29.05			30.01	FM-15	0.00	30.02
02	0323	7	BKN:07 14 BKN:07 21	8.00		58	14.4	58	14.4	58	14.4	100	7	190		29.05				FM-16		30.02
02	0332	7	BKN:07 16 BKN:07 25	8.00		58	14.4	58	14.4	58	14.4	100	6	200		29.05				FM-16		30.02
02	0353	7	OVC:08 15	8.00		59	15.0	58	14.7	58	14.4	96	8	220		29.05	1	-0.01	30.01	FM-15	0.00	30.02
02	0404	7	BKN:07 13 OVC:08 20	8.00		59	15.0	58	14.7	58	14.4	96	6	220		29.05				FM-16		30.02
02	0433	7	SCT:04 10 BKN:07 16 BKN:07 95	7.00		59	15.0	58	14.7	58	14.4	96	7	210		29.05				FM-16		30.02
02	0440	7	FEW:02 10 BKN:07 41 BKN:07 95	6.00	BR:1 ||	58	14.4	58	14.4	58	14.4	100	6	210		29.05				FM-16		30.02
02	0453	7	SCT:04 39 BKN:07 95	6.00	BR:1 ||	58	14.4	57	14.1	57	13.9	97	5	210		29.05			30.01	FM-15	0.00	30.02
02	0553	7	SCT:04 60 OVC:08 80	6.00	BR:1 ||	59	15.0	58	14.7	58	14.4	96	3	200		29.06			30.02	FM-15	0.00	30.03
02	0636	7	SCT:04 7 BKN:07 80	4.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	3	190		29.06				FM-16		30.03
02	0645	7	SCT:04 7 SCT:04 10 BKN:07 17	3.00	BR:1 ||	58	14.4	58	14.4	58	14.4	100	5	190		29.06				FM-16		30.03
02	0651	6	SCT:04 6 BKN:07 10 BKN:07 17	3.00	BR:1 ||	57	14.0	57	13.9	57	14.0	100	5	190		29.06				FM-16		30.03
02	0653	7	SCT:04 6 BKN:07 10 BKN:07 16	3.00	BR:1 ||	58	14.4	58	14.4	58	14.4	100	6	180		29.06	3	-0.01	30.03	FM-15	0.00	30.03
02	0721	7	OVC:08 8	4.00	BR:1 ||	58	14.4	58	14.4	58	14.4	100	8	190		29.07				FM-16		30.04
02	0753	7	OVC:08 11	5.00	BR:1 ||	59	15.0	58	14.7	58	14.4	96	7	200		29.07			30.03	FM-15	0.00	30.04
02	0828	7	OVC:08 15	6.00	BR:1 ||	60	15.6	59	14.9	58	14.4	93	6	230		29.07				FM-16		30.04
02	0844	7	FEW:02 8 BKN:07 17 OVC:08 60	7.00		61	16.1	60	15.5	59	15.0	93	6	220		29.08				FM-16		30.05

02	0853	7	FEW:02 9 BKN:07 19 OVC:08 90	7.00		62	16.7	60	15.7	59	15.0	90	7	220		29.08			30.04	FM-15	0.00	30.05
02	0900	7	SCT:04 9 BKN:07 14 OVC:08 60	7.00		61	16.1	60	15.5	59	15.0	93	7	230		29.08				FM-16		30.05
02	0953	7	BKN:07 14 OVC:08 18	9.00		64	17.8	62	16.4	60	15.6	87	7	210		29.08	2	-0.01	30.04	FM-15	0.00	30.05
02	1016	7	BKN:07 15 BKN:07 22 BKN:07 50	10.00		64	17.8	61	16.1	59	15.0	84	8	220		29.08				FM-16		30.05
02	1046	7	FEW:02 17 BKN:07 43 OVC:08 50	10.00		66	18.9	61	16.3	58	14.4	75	8	230		29.08				FM-16		30.05
02	1053	7	FEW:02 19 SCT:04 40 BKN:07 47	10.00		67	19.4	62	16.8	59	15.0	76	8	230		29.08			30.04	FM-15	0.00	30.05
02	1153	7	SCT:04 28 BKN:07 60	10.00		70	21.1	63	17.1	58	14.4	66	15	240		29.07			30.03	FM-15	0.00	30.04
02	1253	7	FEW:02 32	10.00		70	21.1	62	16.8	57	13.9	64	11	260		29.06	8	+0.01	30.02	FM-15	0.00	30.03
02	1353	7	BKN:07 42	10.00		68	20.0	60	15.5	54	12.2	61	11	290		29.05			30.01	FM-15	0.00	30.02
02	1453	7	SCT:04 47 BKN:07 60	10.00		70	21.1	60	15.6	53	11.7	55	10	310		29.05			30.01	FM-15	0.00	30.02
02	1553	7	CLR:00	10.00		71	21.7	61	15.9	53	11.7	53	8	300		29.04	6	+0.02	30.00	FM-15	0.00	30.01
02	1653	7	CLR:00	10.00		70	21.1	61	15.9	54	12.2	57	10	310		29.05			30.01	FM-15	0.00	30.02
02	1753	7	FEW:02 90	10.00		66	18.9	58	14.5	52	11.1	61	5	330		29.06			30.02	FM-15	0.00	30.03
02	1853	7	CLR:00	10.00		60	15.6	56	13.4	53	11.7	78	5	340		29.07	3	-0.03	30.03	FM-15	0.00	30.04
02	1953	7	CLR:00	10.00		61	16.1	56	13.3	52	11.1	72	3	340		29.08			30.04	FM-15	0.00	30.05
02	2053	7	FEW:02 100	10.00		58	14.4	55	12.9	53	11.7	84	3	290		29.10			30.06	FM-15	0.00	30.07
02	2153	7	FEW:02 48	10.00		56	13.3	54	12.4	53	11.7	90	5	280		29.10	1	-0.03	30.06	FM-15	0.00	30.07
02	2253	7	FEW:02 80	10.00		58	14.4	56	13.2	54	12.2	87	5	340		29.11			30.07	FM-15	0.00	30.08
02	2353	7	CLR:00	10.00		54	12.2	53	11.9	53	11.7	97	3	240		29.10			30.06	FM-15	0.00	30.07
03	0053	7	FEW:02 42	9.00		54	12.2	54	12.2	54	12.2	100	0	000		29.10	1	-0.00	30.06	FM-15	0.00	30.07
03	0153	7	CLR:00	10.00		53	11.7	53	11.7	53	11.7	100	3	310		29.11			30.07	FM-15	0.00	30.08
03	0253	7	FEW:02 43 OVC:08 65	9.00		55	12.8	54	12.5	54	12.2	96	5	340		29.11			30.07	FM-15	0.00	30.08
03	0351	7	CLR:00	1.75	BR:1 ||	52	11.0	52	11.1	52	11.0	100	6	340		29.10				FM-16		30.07
03	0353	7	CLR:00	1.50	BR:1 ||	51	10.6	51	10.6	51	10.6	100	5	330		29.10	8	+0.01	30.06	FM-15	0.00	30.07
03	0359	7	CLR:00	3.00	BR:1 ||	52	11.1	52	11.1	52	11.1	100	0	000		29.10				FM-16		30.07
03	0453	7	CLR:00	6.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	0	000		29.10			30.06	FM-15	0.00	30.07
03	0538	7	CLR:00	0.75	BR:1 ||	50	10.0	50	10.0	50	10.0	100	3	260		29.11				FM-16		30.08
03	0551	7	CLR:00	8.00		50	10.0	50	10.0	50	10.0	100	0	000		29.11				FM-16		30.08
03	0553	7	CLR:00	8.00		50	10.0	50	10.0	50	10.0	100	0	000		29.11			30.08	FM-15	0.00	30.08
03	0618	7	CLR:00	0.25	FG:2 |FG |	50	10.0	50	10.0	50	10.0	100	3	340		29.12				FM-16		30.09
03	0626	7	CLR:00	0.50	FG:2 |FG |	51	10.6	51	10.6	51	10.6	100	0	000		29.12				FM-16		30.09
03	0648	7	CLR:00	2.50	BR:1 ||	54	12.0	54	12.2	54	12.0	100	0	000		29.12				FM-16		30.09
03	0653	7	CLR:00	2.50	BR:1 ||	53	11.7	53	11.7	53	11.7	100	0	000		29.12	3	-0.01	30.09	FM-15	0.00	30.09
03	0736	7	SCT:04 3	1.75s	FG:2 s |FG s |	54	12.2	54	12.2	54	12.2	100	0	000		29.14				FM-16		30.11
03	0742	7	BKN:07 2	0.25	FG:2 |FG |	54	12.2	54	12.2	54	12.2	100	0	000		29.14				FM-16		30.11
03	0753	7	VV:09 2	0.00	FG:2 |FG |	55	12.8	55	12.8	55	12.8	100	3	350		29.13			30.10	FM-15	0.00	30.10
03	0853	7	VV:09 2	0.25	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	3	320		29.14			30.11	FM-15	0.00	30.11
03	0906	7	VV:09 2	0.50	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	3	020		29.15				FM-16		30.12
03	0930	7	OVC:08 2	2.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	6	360		29.15				FM-16		30.12
03	0945	7	OVC:08 3	4.00	BR:1 ||	58	14.4	58	14.4	58	14.4	100	5	360		29.15				FM-16		30.12
03	0951	6	OVC:08 5	4.00	BR:1 ||	57	14.0	57	13.9	57	14.0	100	3	020		29.15				FM-16		30.12
03	0953	7	OVC:08 5	4.00	BR:1 ||	59	15.0	58	14.7	58	14.4	96	5	010		29.15	1	-0.03	30.12	FM-15	0.00	30.12
03	1028	7	FEW:02 6 SCT:04 15	7.00		63	17.2	61	15.9	59	15.0	87	0	000		29.15				FM-16		30.12
03	1053	7	FEW:02 9	9.00		65	18.3	61	16.3	59	15.0	81	3	020		29.14			30.11	FM-15	0.00	30.11
03	1153	7	SCT:04 19	10.00		68	20.0	62	16.7	58	14.4	70	0	000		29.13			30.10	FM-15	0.00	30.10

03	1253	7	SCT:04 22	10.00		69	20.6	62	16.6	57	13.9	66	0	000		29.12	8	+0.03	30.08	FM-15	0.00	30.09
03	1353	7	SCT:04 34	10.00		70	21.1	62	16.5	56	13.3	61	0	000		29.10			30.06	FM-15	0.00	30.07
03	1453	7	BKN:07 65	10.00		72	22.2	62	16.6	55	12.8	55	5	350		29.10			30.06	FM-15	0.00	30.07
03	1553	7	FEW:02 65	10.00		72	22.2	62	16.9	56	13.3	57	5	330		29.09	6	+0.03	30.05	FM-15	0.00	30.06
03	1653	7	FEW:02 65	10.00		72	22.2	61	16.3	54	12.2	53	3	340		29.09			30.05	FM-15	0.00	30.06
03	1753	7	CLR:00	10.00		67	19.4	60	15.6	55	12.8	66	3	010		29.09			30.06	FM-15	0.00	30.06
03	1853	7	CLR:00	10.00		62	16.7	58	14.4	55	12.8	78	0	000		29.11	3	-0.01	30.07	FM-15	0.00	30.08
03	1953	7	CLR:00	10.00		60	15.6	57	14.0	55	12.8	84	5	030		29.11			30.08	FM-15	0.00	30.08
03	2053	7	CLR:00	10.00		58	14.4	56	13.2	54	12.2	87	0	000		29.13			30.10	FM-15	0.00	30.10
03	2153	7	CLR:00	10.00		57	13.9	55	13.0	54	12.2	90	3	040		29.13	1	-0.03	30.10	FM-15	0.00	30.10
03	2253	7	CLR:00	10.00		55	12.8	54	12.2	53	11.7	93	3	040		29.14			30.11	FM-15	0.00	30.11
03	2353	7	CLR:00	10.00		55	12.8	53	11.9	52	11.1	90	5	060		29.15			30.11	FM-15	0.00	30.12
04	0053	7	CLR:00	10.00		54	12.2	53	11.6	52	11.1	93	6	060		29.15	1	-0.01	30.11	FM-15	0.00	30.12
04	0153	7	CLR:00	10.00		54	12.2	53	11.9	53	11.7	97	5	070		29.16			30.12	FM-15	0.00	30.13
04	0253	7	CLR:00	10.00		54	12.2	54	12.2	54	12.2	100	5	060		29.16			30.12	FM-15	0.00	30.13
04	0353	7	CLR:00	8.00		54	12.2	53	11.9	53	11.7	97	5	060		29.16	1	-0.01	30.12	FM-15	0.00	30.13
04	0453	7	CLR:00	7.00		53	11.7	52	11.4	52	11.1	96	5	060		29.17			30.13	FM-15	0.00	30.14
04	0553	7	CLR:00	8.00		53	11.7	52	11.4	52	11.1	96	5	080		29.18			30.15	FM-15	0.00	30.15
04	0653	7	CLR:00	6.00	BR:1 ||	52	11.1	52	11.1	52	11.1	100	3	070		29.19	3	-0.04	30.16	FM-15	0.00	30.16
04	0753	7	CLR:00	9.00		59	15.0	57	13.7	55	12.8	87	0	000		29.20			30.16	FM-15	0.00	30.17
04	0853	7	CLR:00	10.00		63	17.2	59	15.0	56	13.3	78	6	090		29.20			30.16	FM-15	0.00	30.17
04	0953	7	CLR:00	10.00		68	20.0	61	16.1	56	13.3	65	8	120		29.20	0	-0.00	30.16	FM-15	0.00	30.17
04	1053	7	CLR:00	10.00		71	21.7	62	16.7	56	13.3	59	11	110		29.18			30.14	FM-15	0.00	30.15
04	1153	7	CLR:00	10.00		73	22.8	62	16.8	55	12.8	53	8	110		29.17			30.13	FM-15	0.00	30.14
04	1253	7	CLR:00	10.00		76	24.4	64	18.0	57	13.9	52	10	090		29.16	8	+0.04	30.11	FM-15	0.00	30.13
04	1353	7	BKN:07 75	10.00		76	24.4	64	17.7	56	13.3	50	8	160		29.14			30.10	FM-15	0.00	30.11
04	1453	7	FEW:02 60	10.00		77	25.0	64	17.6	55	12.8	47	8	100		29.13			30.09	FM-15	0.00	30.10
04	1553	7	CLR:00	10.00		78	25.6	64	17.6	54	12.2	43	10	120		29.12	6	+0.04	30.08	FM-15	0.00	30.09
04	1653	7	FEW:02 60	10.00		77	25.0	64	17.6	55	12.8	47	10	140		29.12			30.08	FM-15	0.00	30.09
04	1753	7	FEW:02 60	10.00		72	22.2	62	16.9	56	13.3	57	7	110		29.12			30.08	FM-15	0.00	30.09
04	1853	7	CLR:00	10.00		70	21.1	62	16.5	56	13.3	61	5	110		29.13	3	-0.01	30.09	FM-15	0.00	30.10
04	1953	7	CLR:00	10.00		65	18.3	60	15.7	57	13.9	76	6	090		29.13			30.09	FM-15	0.00	30.10
04	2053	7	CLR:00	10.00		64	17.8	60	15.5	57	13.9	78	7	110		29.14			30.09	FM-15	0.00	30.11
04	2153	7	CLR:00	10.00		63	17.2	60	15.3	57	13.9	81	7	110		29.14	3	-0.01	30.10	FM-15	0.00	30.11
04	2253	7	CLR:00	10.00		63	17.2	60	15.3	57	13.9	81	7	110		29.15			30.10	FM-15	0.00	30.12
04	2353	7	CLR:00	10.00		63	17.2	59	15.0	56	13.3	78	8	120		29.15			30.11	FM-15	0.00	30.12
05	0053	7	CLR:00	10.00		64	17.8	59	15.2	56	13.3	75	9	120		29.15	0	-0.01	30.10	FM-15	0.00	30.12
05	0153	7	CLR:00	10.00		64	17.8	59	15.2	56	13.3	75	8	130		29.17			30.12	FM-15	0.00	30.14
05	0253	7	CLR:00	10.00		62	16.7	59	14.8	56	13.3	80	9	130		29.17			30.12	FM-15	0.00	30.14
05	0353	7	CLR:00	10.00		61	16.1	58	14.5	56	13.3	84	9	120		29.18	1	-0.03	30.13	FM-15	0.00	30.15
05	0453	7	CLR:00	10.00		60	15.6	58	14.3	56	13.3	86	8	120		29.19			30.15	FM-15	0.00	30.16
05	0553	7	CLR:00	10.00		60	15.6	58	14.3	56	13.3	86	8	130		29.21			30.16	FM-15	0.00	30.18
05	0653	7	CLR:00	10.00		59	15.0	57	14.1	56	13.3	90	8	130		29.22	1	-0.04	30.17	FM-15	0.00	30.19
05	0753	7	CLR:00	10.00		62	16.7	59	14.8	56	13.3	80	7	130		29.23			30.19	FM-15	0.00	30.20
05	0853	7	SCT:04 75	10.00		65	18.3	60	15.4	56	13.3	73	11	150		29.23			30.19	FM-15	0.00	30.20
05	0953	7	CLR:00	10.00		68	20.0	61	16.4	57	13.9	68	11	160	18	29.23	0	-0.01	30.19	FM-15	0.00	30.20
05	1053	7	CLR:00	10.00		71	21.7	63	17.3	58	14.4	63	9	150		29.21			30.17	FM-15	0.00	30.18
05	1153	7	CLR:00	10.00		74	23.3	65	18.2	59	15.0	60	13	160		29.19			30.15	FM-15	0.00	30.16
05	1253	7	CLR:00	10.00		76	24.4	65	18.6	59	15.0	56	9	150		29.17	8	+0.05	30.13	FM-15	0.00	30.14
05	1353	7	CLR:00	10.00		78	25.6	67	19.3	60	15.6	54	8	140		29.16			30.11	FM-15	0.00	30.13
05	1453	7	CLR:00	10.00		79	26.1	67	19.2	59	15.0	50	11	150		29.14			30.09	FM-15	0.00	30.11
05	1553	7	CLR:00	10.00		78	25.6	66	18.7	58	14.4	50	11	150		29.13	6	+0.04	30.08	FM-15	0.00	30.10
05	1653	7	CLR:00	10.00		78	25.6	66	19.0	59	15.0	52	10	150		29.13			30.09	FM-15	0.00	30.10
05	1753	7	CLR:00	10.00		76	24.4	65	18.3	58	14.4	54	9	160		29.13			30.09	FM-15	0.00	30.10
05	1853	7	CLR:00	10.00		73	22.8	64	17.7	58	14.4	59	7	140		29.15	3	-0.02	30.11	FM-15	0.00	30.12
05	1953	7	CLR:00	10.00		71	21.7	63	17.0	57	13.9	61	6	150		29.17			30.12	FM-15	0.00	30.14
05	2053	7	CLR:00	10.00		68	20.0	61	16.4	57	13.9	68	8	130		29.17			30.13	FM-15	0.00	30.14

05	2153	7	CLR:00	10.00		68	20.0	61	16.1	56	13.3	65	7	140		29.18	1	-0.03	30.14	FM-15	0.00	30.15
05	2253	7	CLR:00	10.00		67	19.4	60	15.6	55	12.8	66	6	150		29.19			30.14	FM-15	0.00	30.16
05	2353	7	CLR:00	10.00		65	18.3	59	15.1	55	12.8	70	3	130		29.20			30.15	FM-15	0.00	30.17
06	0053	7	CLR:00	10.00		62	16.7	58	14.4	55	12.8	78	5	120		29.20	2	-0.02	30.16	FM-15	0.00	30.17
06	0153	7	CLR:00	10.00		60	15.6	57	14.0	55	12.8	84	5	120		29.21			30.16	FM-15	0.00	30.18
06	0253	7	CLR:00	10.00		59	15.0	57	13.7	55	12.8	87	5	110		29.20			30.16	FM-15	0.00	30.17
06	0353	7	CLR:00	10.00		58	14.4	56	13.2	54	12.2	87	5	120		29.21	1	-0.00	30.16	FM-15	0.00	30.18
06	0453	7	FEW:02 47	10.00		57	13.9	55	13.0	54	12.2	90	5	100		29.21			30.17	FM-15	0.00	30.18
06	0553	7	CLR:00	10.00		57	13.9	55	13.0	54	12.2	90	5	120		29.22			30.18	FM-15	0.00	30.19
06	0653	7	BKN:07 47 OVC:08 55	10.00		60	15.6	57	14.0	55	12.8	84	5	140		29.23	3	-0.03	30.19	FM-15	0.00	30.21
06	0753	7	FEW:02 60	10.00		62	16.7	59	14.8	56	13.3	80	5	130		29.25			30.20	FM-15	0.00	30.22
06	0853	7	CLR:00	10.00		66	18.9	60	15.6	56	13.3	70	7	160		29.25			30.20	FM-15	0.00	30.22
06	0953	7	CLR:00	10.00		69	20.6	62	16.6	57	13.9	66	6	120		29.26	3	-0.02	30.22	FM-15	0.00	30.23
06	1053	7	BKN:07 60	10.00		71	21.7	63	17.0	57	13.9	61	6	180		29.26			30.22	FM-15	0.00	30.23
06	1153	7	CLR:00	10.00		74	23.3	64	17.6	57	13.9	56	11	140		29.25			30.21	FM-15	0.00	30.22
06	1253	7	CLR:00	10.00		76	24.4	65	18.3	58	14.4	54	9	160		29.23	8	+0.02	30.20	FM-15	0.00	30.21
06	1353	7	CLR:00	10.00		78	25.6	66	19.0	59	15.0	52	8	120		29.22			30.17	FM-15	0.00	30.19
06	1453	7	CLR:00	10.00		79	26.1	67	19.2	59	15.0	50	3	070		29.22			30.17	FM-15	0.00	30.19
06	1553	7	CLR:00	10.00		80	26.7	67	19.4	59	15.0	49	6	160		29.21	6	+0.04	30.16	FM-15	0.00	30.18
06	1653	7	CLR:00	10.00		78	25.6	67	19.3	60	15.6	54	8	100		29.20			30.15	FM-15	0.00	30.17
06	1753	7	CLR:00	10.00		74	23.3	65	18.5	60	15.6	62	6	110		29.20			30.16	FM-15	0.00	30.17
06	1853	7	CLR:00	10.00		72	22.2	64	17.8	59	15.0	64	5	100		29.21	5	+0.00	30.16	FM-15	0.00	30.18
06	1953	7	CLR:00	10.00		69	20.6	64	17.5	60	15.6	73	6	110		29.20			30.16	FM-15	0.00	30.17
06	2053	7	CLR:00	10.00		64	17.8	60	15.8	58	14.4	81	6	110		29.20			30.16	FM-15	0.00	30.17
06	2153	7	CLR:00	10.00		65	18.3	61	16.0	58	14.4	78	6	100		29.19	8	+0.01	30.15	FM-15	0.00	30.16
06	2253	7	CLR:00	10.00		65	18.3	60	15.7	57	13.9	76	7	120		29.17			30.13	FM-15	0.00	30.14
06	2353	7	CLR:00	10.00		64	17.8	59	15.2	56	13.3	75	0	000		29.17			30.13	FM-15	0.00	30.14
07	0053	7	CLR:00	10.00		62	16.7	59	14.8	56	13.3	80	0	000		29.17	6	+0.03	30.12	FM-15	0.00	30.14
07	0153	7	CLR:00	10.00		57	13.9	56	13.3	55	12.8	93	3	090		29.18			30.13	FM-15	0.00	30.15
07	0253	7	CLR:00	10.00		56	13.3	55	12.7	54	12.2	93	3	080		29.17			30.12	FM-15	0.00	30.14
07	0353	7	CLR:00	10.00		55	12.8	54	12.2	53	11.7	93	3	090		29.17	1	-0.01	30.13	FM-15	0.00	30.14
07	0453	7	CLR:00	10.00		54	12.2	53	11.9	53	11.7	97	7	120		29.17			30.13	FM-15	0.00	30.14
07	0553	7	CLR:00	10.00		58	14.4	55	12.9	53	11.7	84	7	130		29.17			30.13	FM-15	0.00	30.14
07	0653	7	CLR:00	10.00		57	13.9	55	13.0	54	12.2	90	7	130		29.17	6	+0.00	30.13	FM-15	0.00	30.14
07	0753	7	CLR:00	10.00		60	15.6	57	14.0	55	12.8	84	7	120		29.18			30.14	FM-15	0.00	30.15
07	0853	7	CLR:00	10.00		64	17.8	60	15.5	57	13.9	78	6	160		29.17			30.13	FM-15	0.00	30.14
07	0953	7	CLR:00	10.00		68	20.0	62	16.7	58	14.4	70	7	180		29.15	8	+0.02	30.11	FM-15	0.00	30.12
07	1053	7	CLR:00	10.00		71	21.7	64	17.6	59	15.0	66	7	140		29.14			30.10	FM-15	0.00	30.11
07	1153	7	CLR:00	10.00		74	23.3	65	18.5	60	15.6	62	9	170		29.13			30.09	FM-15	0.00	30.10
07	1253	7	CLR:00	10.00		77	25.0	66	19.1	60	15.6	56	8	140		29.11	8	+0.04	30.06	FM-15	0.00	30.08
07	1353	7	CLR:00	10.00		79	26.1	66	19.2	59	15.0	50	5	VRB		29.08			30.04	FM-15	0.00	30.05
07	1453	7	FEW:02 49	10.00		80	26.7	68	19.9	61	16.1	52	8	170		29.07			30.03	FM-15	0.00	30.04
07	1553	7	BKN:07 47	10.00		80	26.7	69	20.6	63	17.2	56	7	130		29.06	6	+0.05	30.02	FM-15	0.00	30.03
07	1653	7	CLR:00	10.00		77	25.0	69	20.3	64	17.8	64	15	140		29.06			30.02	FM-15	0.00	30.03
07	1753	7	CLR:00	10.00		75	23.9	67	19.6	63	17.2	66	7	140		29.06			30.02	FM-15	0.00	30.03
07	1853	7	CLR:00	10.00		72	22.2	66	19.1	63	17.2	73	7	150		29.08	3	-0.01	30.03	FM-15	0.00	30.05
07	1953	7	CLR:00	10.00		69	20.6	65	18.5	63	17.2	81	5	120		29.09			30.04	FM-15	0.00	30.06
07	2053	7	CLR:00	10.00		69	20.6	65	18.5	63	17.2	81	3	150		29.08			30.03	FM-15	0.00	30.05
07	2153	7	CLR:00	10.00		62	16.7	62	16.7	62	16.7	100	0	000		29.08	1	-0.00	30.04	FM-15	0.00	30.05
07	2253	7	BKN:07 35 BKN:07 44 OVC:08 55	10.00		65	18.3	64	17.7	63	17.2	93	0	000		29.09			30.05	FM-15	0.00	30.06
07	2353	7	FEW:02 22 FEW:02 32 SCT:04 60	10.00		65	18.3	64	18.0	64	17.8	97	0	000		29.08			30.03	FM-15	0.00	30.05

08	0007	7	BKN:07 21 BKN:07 32 BKN:07 60	10.00		65	18.3	64	17.7	63	17.2	93	0	000		29.08				FM-16		30.05
08	0035	7	SCT:04 21 SCT:04 60	10.00		65	18.3	63	17.3	62	16.7	90	9	330		29.08				FM-16		30.05
08	0053	7	FEW:02 25	10.00		65	18.3	63	17.0	61	16.1	87	11	340		29.09	1	-0.01	30.04	FM-15	0.00	30.06
08	0122	7	FEW:02 12 SCT:04 18 BKN:07 26	10.00		64	17.8	62	16.8	61	16.1	90	10	340	20	29.10				FM-16		30.07
08	0153	7	FEW:02 12 SCT:04 22 OVC:08 27	10.00		63	17.2	61	16.2	60	15.6	90	13	320		29.11			30.06	FM-15	0.00	30.08
08	0219	7	BKN:07 14 OVC:08 22	10.00		62	16.7	60	15.7	59	15.0	90	10	320		29.11				FM-16		30.08
08	0251	6	OVC:08 15	10.00		61	16.0	58	14.2	55	13.0	83	14	320		29.12				FM-16		30.09
08	0253	7	BKN:07 15 OVC:08 27	10.00		60	15.6	58	14.3	56	13.3	86	16	330	23	29.12			30.07	FM-15	0.00	30.09
08	0353	7	FEW:02 15 OVC:08 28	10.00		58	14.4	55	12.6	52	11.1	81	20	340	30	29.13	3	-0.02	30.09	FM-15	0.00	30.10
08	0444	7	OVC:08 30	10.00		57	13.9	54	12.1	51	10.6	81	14	330	25	29.15				FM-16		30.12
08	0453	7	OVC:08 31	10.00		56	13.3	53	11.6	50	10.0	81	17	330		29.15			30.10	FM-15	0.00	30.12
08	0553	7	BKN:07 38	10.00		55	12.8	52	11.0	49	9.4	80	16	340	21	29.17			30.13	FM-15	0.00	30.14
08	0653	7	CLR:00	10.00		52	11.1	49	9.4	46	7.8	80	14	350		29.19	3	-0.06	30.16	FM-15	0.00	30.16
08	0753	7	CLR:00	10.00		53	11.7	49	9.2	44	6.7	72	13	350		29.21			30.17	FM-15	0.00	30.18
08	0853	7	CLR:00	10.00		55	12.8	49	9.4	43	6.1	64	17	350	26	29.21			30.18	FM-15	0.00	30.18
08	0953	7	CLR:00	10.00		58	14.4	50	10.0	42	5.6	56	18	340	25	29.23	1	-0.03	30.19	FM-15	T	30.20
08	1053	7	CLR:00	10.00		60	15.6	51	10.7	43	6.1	53	15	350	23	29.22			30.18	FM-15	0.00	30.19
08	1153	7	CLR:00	10.00		63	17.2	52	11.0	41	5.0	45	16	340	24	29.21			30.17	FM-15	0.00	30.18
08	1253	7	CLR:00	10.00		64	17.8	52	11.2	41	5.0	43	13	340		29.21	6	+0.02	30.17	FM-15	0.00	30.18
08	1353	7	CLR:00	10.00		66	18.9	53	11.7	41	5.0	40	18	340		29.20			30.16	FM-15	0.00	30.17
08	1453	7	CLR:00	10.00		65	18.3	51	10.8	38	3.3	37	16	330	26	29.19			30.16	FM-15	T	30.16
08	1553	7	CLR:00	10.00		64	17.8	51	10.6	38	3.3	38	17	340	23	29.20	5	+0.01	30.17	FM-15	0.00	30.17
08	1653	7	CLR:00	10.00		63	17.2	50	10.1	37	2.8	38	15	320	24	29.21			30.17	FM-15	0.00	30.18
08	1753	7	CLR:00	10.00		61	16.1	50	9.8	38	3.3	43	9	330		29.22			30.18	FM-15	0.00	30.19
08	1853	7	CLR:00	10.00		56	13.3	48	8.8	39	3.9	53	6	320		29.23	3	-0.02	30.20	FM-15	0.00	30.20
08	1953	7	CLR:00	10.00		55	12.8	48	8.7	40	4.4	57	7	320		29.23			30.21	FM-15	0.00	30.20
08	2053	7	CLR:00	10.00		52	11.1	46	7.9	40	4.4	64	5	290		29.23			30.21	FM-15	0.00	30.21
08	2153	7	CLR:00	10.00		53	11.7	47	8.2	40	4.4	61	9	320		29.25	3	-0.02	30.22	FM-15	0.00	30.22
08	2253	7	CLR:00	10.00		53	11.7	47	8.2	40	4.4	61	9	340		29.26			30.22	FM-15	0.00	30.23
08	2353	7	CLR:00	10.00		51	10.6	46	7.6	40	4.4	66	11	340		29.26			30.23	FM-15	0.00	30.23
09	0053	7	CLR:00	10.00		49	9.4	44	6.6	38	3.3	66	13	340		29.26	1	-0.02	30.23	FM-15	0.00	30.24
09	0153	7	CLR:00	10.00		48	8.9	43	6.1	37	2.8	66	9	350		29.28			30.26	FM-15	0.00	30.26
09	0253	7	CLR:00	10.00		46	7.8	42	5.5	37	2.8	71	9	350		29.29			30.27	FM-15	0.00	30.27
09	0353	7	CLR:00	10.00		44	6.7	41	4.9	37	2.8	76	6	340		29.31	1	-0.05	30.29	FM-15	0.00	30.29
09	0453	7	CLR:00	10.00		43	6.1	40	4.6	37	2.8	80	5	330		29.31			30.29	FM-15	0.00	30.29
09	0553	7	CLR:00	10.00		43	6.1	40	4.6	37	2.8	80	3	330		29.33			30.32	FM-15	0.00	30.31
09	0653	7	CLR:00	10.00		41	5.0	39	4.0	37	2.8	86	5	350		29.35	3	-0.04	30.34	FM-15	0.00	30.33
09	0753	7	CLR:00	10.00		46	7.8	43	6.2	40	4.4	79	6	360		29.37			30.35	FM-15	0.00	30.35
09	0853	7	CLR:00	10.00		50	10.0	46	7.6	41	5.0	71	6	350		29.39			30.37	FM-15	0.00	30.37
09	0953	7	CLR:00	10.00		53	11.7	47	8.4	41	5.0	64	7	040		29.39	1	-0.04	30.37	FM-15	0.00	30.37
09	1053	7	CLR:00	10.00		55	12.8	49	9.2	42	5.6	62	5	360		29.38			30.36	FM-15	0.00	30.36
09	1153	7	CLR:00	10.00		58	14.4	50	10.0	42	5.6	56	6	320		29.37			30.35	FM-15	0.00	30.35
09	1253	7	CLR:00	10.00		60	15.6	51	10.7	43	6.1	53	8	340		29.36	8	+0.03	30.34	FM-15	0.00	30.34
09	1353	7	CLR:00	10.00		62	16.7	52	11.0	42	5.6	48	10	330		29.34			30.32	FM-15	0.00	30.32
09	1453	7	CLR:00	10.00		63	17.2	52	11.2	42	5.6	47	5	320		29.33			30.31	FM-15	0.00	30.31
09	1553	7	CLR:00	10.00		63	17.2	52	11.2	42	5.6	47	11	320		29.33	5	+0.02	30.32	FM-15	0.00	30.31
09	1653	7	CLR:00	10.00		61	16.1	51	10.7	42	5.6	50	9	340		29.34			30.32	FM-15	0.00	30.32
09	1753	7	CLR:00	10.00		56	13.3	49	9.5	42	5.6	60	5	010		29.35			30.34	FM-15	0.00	30.33
09	1853	7	CLR:00	10.00		51	10.6	47	8.1	42	5.6	71	7	010		29.35	1	-0.02	30.35	FM-15	0.00	30.33

09	1953	7	CLR:00	10.00		51	10.6	46	7.6	40	4.4	66	8	020		29.37			30.36	FM-15	0.00	30.35
09	2053	7	CLR:00	10.00		48	8.9	44	6.8	40	4.4	74	7	020		29.38			30.37	FM-15	0.00	30.36
09	2153	7	CLR:00	10.00		47	8.3	44	6.5	40	4.4	77	7	050		29.39	1	-0.04	30.38	FM-15	0.00	30.37
09	2253	7	CLR:00	10.00		46	7.8	43	6.2	40	4.4	79	3	040		29.39			30.37	FM-15	0.00	30.37
09	2353	7	CLR:00	10.00		44	6.7	42	5.6	40	4.4	85	0	000		29.39			30.37	FM-15	0.00	30.37
10	0053	7	CLR:00	10.00		43	6.1	42	5.4	40	4.4	89	0	000		29.38	8	+0.01	30.37	FM-15	0.00	30.36
10	0153	7	CLR:00	10.00		42	5.6	42	5.3	41	5.0	96	5	320		29.39			30.38	FM-15	0.00	30.37
10	0253	7	CLR:00	10.00		41	5.0	41	4.7	40	4.4	96	0	000		29.40			30.39	FM-15	0.00	30.38
10	0353	7	CLR:00	10.00		41	5.0	41	4.7	40	4.4	96	5	020		29.41	1	-0.02	30.39	FM-15	0.00	30.39
10	0453	7	CLR:00	10.00		42	5.6	41	4.8	39	3.9	89	0	000		29.42			30.40	FM-15	0.00	30.40
10	0553	7	CLR:00	10.00		42	5.6	41	5.1	40	4.4	92	0	000		29.44			30.42	FM-15	0.00	30.42
10	0653	7	CLR:00	9.00		41	5.0	41	5.0	41	5.0	100	0	000		29.45	3	-0.04	30.44	FM-15	0.00	30.43
10	0753	7	CLR:00	10.00		46	7.8	45	7.2	44	6.7	93	0	000		29.46			30.45	FM-15	0.00	30.44
10	0853	7	CLR:00	10.00		51	10.6	48	9.2	46	7.8	83	5	090		29.47			30.46	FM-15	0.00	30.45
10	0953	7	CLR:00	10.00		55	12.8	49	9.7	44	6.7	67	6	110		29.47	1	-0.02	30.46	FM-15	0.00	30.45
10	1053	7	CLR:00	10.00		59	15.0	51	10.7	44	6.7	58	7	040		29.46			30.44	FM-15	0.00	30.44
10	1153	7	CLR:00	10.00		61	16.1	53	11.5	45	7.2	56	8	090		29.44			30.42	FM-15	0.00	30.42
10	1253	7	CLR:00	10.00		63	17.2	53	11.7	44	6.7	50	5	070		29.42	8	+0.05	30.40	FM-15	0.00	30.40
10	1353	7	CLR:00	10.00		64	17.8	53	11.7	43	6.1	46	3	VRB		29.40			30.38	FM-15	0.00	30.38
10	1453	7	CLR:00	10.00		65	18.3	54	12.2	44	6.7	47	0	000		29.38			30.36	FM-15	0.00	30.36
10	1553	7	CLR:00	10.00		65	18.3	53	11.7	42	5.6	43	0	000		29.37	6	+0.04	30.35	FM-15	0.00	30.35
10	1653	7	CLR:00	10.00		64	17.8	53	11.7	43	6.1	46	0	000		29.37			30.35	FM-15	0.00	30.35
10	1753	7	CLR:00	10.00		60	15.6	51	10.7	43	6.1	53	6	100		29.37			30.35	FM-15	0.00	30.35
10	1853	7	CLR:00	10.00		58	14.4	50	10.2	43	6.1	58	3	100		29.37	5	+0.00	30.36	FM-15	0.00	30.35
10	1953	7	CLR:00	10.00		53	11.7	48	8.9	43	6.1	69	0	000		29.38			30.36	FM-15	0.00	30.36
10	2053	7	CLR:00	10.00		52	11.1	47	8.4	42	5.6	69	5	100		29.38			30.36	FM-15	0.00	30.36
10	2153	7	CLR:00	10.00		51	10.6	47	8.1	42	5.6	71	3	100		29.38	1	-0.01	30.36	FM-15	0.00	30.36
10	2253	7	CLR:00	10.00		50	10.0	46	7.9	42	5.6	74	0	000		29.38			30.36	FM-15	0.00	30.36
10	2353	7	CLR:00	10.00		47	8.3	44	6.8	41	5.0	80	3	120		29.37			30.35	FM-15	0.00	30.35
11	0053	7	CLR:00	10.00		46	7.8	43	6.2	40	4.4	79	3	130		29.37	8	+0.01	30.35	FM-15	0.00	30.35
11	0153	7	CLR:00	10.00		50	10.0	46	7.6	41	5.0	71	5	140		29.37			30.35	FM-15	0.00	30.35
11	0253	7	CLR:00	10.00		45	7.2	43	6.2	41	5.0	86	5	100		29.36			30.34	FM-15	0.00	30.34
11	0353	7	CLR:00	10.00		47	8.3	44	6.8	41	5.0	80	0	000		29.36	5	+0.00	30.34	FM-15	0.00	30.34
11	0453	7	CLR:00	10.00		45	7.2	43	6.2	41	5.0	86	0	000		29.38			30.36	FM-15	0.00	30.36
11	0553	7	CLR:00	10.00		44	6.7	43	6.1	42	5.6	93	5	090		29.36			30.35	FM-15	0.00	30.34
11	0653	7	CLR:00	10.00		44	6.7	43	6.1	42	5.6	93	0	000		29.36	8	+0.01	30.35	FM-15	0.00	30.34
11	0753	7	CLR:00	10.00		48	8.9	47	8.1	45	7.2	89	0	000		29.37			30.36	FM-15	0.00	30.35
11	0853	7	CLR:00	10.00		52	11.1	48	8.9	44	6.7	75	0	000		29.38			30.37	FM-15	0.00	30.36
11	0953	7	CLR:00	10.00		55	12.8	48	9.0	41	5.0	59	6	150		29.36	0	-0.01	30.35	FM-15	0.00	30.34
11	1053	7	CLR:00	10.00		57	13.9	50	10.0	43	6.1	60	5	090		29.34			30.33	FM-15	0.00	30.32
11	1153	7	CLR:00	10.00		60	15.6	51	10.7	43	6.1	53	5	180		29.34			30.32	FM-15	0.00	30.32
11	1253	7	CLR:00	10.00		63	17.2	52	11.2	42	5.6	47	3	VRB		29.31	8	+0.06	30.29	FM-15	0.00	30.29
11	1353	7	CLR:00	10.00		65	18.3	53	11.5	41	5.0	42	6	VRB		29.28			30.26	FM-15	0.00	30.26
11	1453	7	CLR:00	10.00		66	18.9	54	12.4	44	6.7	45	7	140		29.27			30.24	FM-15	0.00	30.25
11	1553	7	CLR:00	10.00		66	18.9	54	12.4	44	6.7	45	7	160		29.26	6	+0.06	30.22	FM-15	0.00	30.23
11	1653	7	CLR:00	10.00		66	18.9	54	12.4	44	6.7	45	8	150		29.25			30.22	FM-15	0.00	30.22
11	1753	7	CLR:00	10.00		64	17.8	54	12.4	46	7.8	52	9	130		29.25			30.22	FM-15	0.00	30.22
11	1853	7	CLR:00	10.00		61	16.1	55	12.5	49	9.4	65	8	130		29.23	8	+0.02	30.21	FM-15	0.00	30.21
11	1953	7	CLR:00	10.00		59	15.0	54	12.3	50	10.0	72	7	150		29.23			30.21	FM-15	0.00	30.21
11	2053	7	CLR:00	10.00		58	14.4	54	12.1	50	10.0	75	5	130		29.23			30.21	FM-15	0.00	30.21
11	2153	7	CLR:00	10.00		54	12.2	51	10.8	49	9.4	83	3	120		29.23	2	-0.00	30.21	FM-15	0.00	30.21
11	2253	7	CLR:00	10.00		52	11.1	50	10.2	49	9.4	89	0	000		29.23			30.22	FM-15	0.00	30.21
11	2353	7	CLR:00	10.00		50	10.0	49	9.7	49	9.4	96	0	000		29.23			30.21	FM-15	0.00	30.21
12	0053	7	CLR:00	10.00		54	12.2	52	11.0	50	10.0	87	5	160		29.23	8	+0.01	30.19	FM-15	0.00	30.20
12	0153	7	CLR:00	10.00		50	10.0	49	9.7	49	9.4	96	0	000		29.23			30.20	FM-15	0.00	30.20
12	0253	7	CLR:00	9.00		48	8.9	48	8.9	48	8.9	100	0	000		29.21			30.18	FM-15	0.00	30.18
12	0353	7	CLR:00	10.00		49	9.4	49	9.4	49	9.4	100	0	000		29.22	5	+0.01	30.19	FM-15	0.00	30.19

12	0453	7	CLR:00	10.00		50	10.0	49	9.4	48	8.9	93	3	150		29.23			30.20	FM-15	0.00	30.20
12	0553	7	CLR:00	10.00		52	11.1	50	10.2	49	9.4	89	6	160		29.23			30.20	FM-15	0.00	30.21
12	0653	7	CLR:00	10.00		50	10.0	49	9.4	48	8.9	93	5	150		29.23	1	-0.02	30.21	FM-15	0.00	30.21
12	0753	7	CLR:00	10.00		54	12.2	51	10.8	49	9.4	83	8	170		29.25			30.21	FM-15	0.00	30.22
12	0853	7	CLR:00	10.00		59	15.0	54	12.3	50	10.0	72	10	180		29.23			30.20	FM-15	0.00	30.21
12	0953	7	CLR:00	10.00		64	17.8	57	14.0	52	11.1	65	7	VRB		29.21	8	+0.02	30.18	FM-15	0.00	30.18
12	1053	7	CLR:00	10.00		69	20.6	59	15.2	52	11.1	55	11	200		29.19			30.16	FM-15	0.00	30.16
12	1153	7	CLR:00	10.00		74	23.3	61	16.2	52	11.1	46	9	170		29.16			30.13	FM-15	0.00	30.13
12	1253	7	CLR:00	10.00		78	25.6	61	16.0	48	8.9	35	10	200		29.13	8	+0.08	30.09	FM-15	0.00	30.10
12	1353	7	CLR:00	10.00		78	25.6	61	16.3	49	9.4	36	17	210	29	29.11			30.06	FM-15	0.00	30.08
12	1453	7	CLR:00	10.00		79	26.1	62	16.7	50	10.0	36	13	200		29.10			30.06	FM-15	0.00	30.07
12	1553	7	CLR:00	10.00		77	25.0	61	16.1	49	9.4	37	17	240	24	29.09	6	+0.04	30.05	FM-15	0.00	30.06
12	1653	7	CLR:00	10.00		75	23.9	61	15.9	50	10.0	41	15	200	23	29.07			30.03	FM-15	0.00	30.04
12	1753	7	CLR:00	10.00		72	22.2	59	15.0	49	9.4	44	10	180		29.06			30.03	FM-15	0.00	30.03
12	1853	7	SCT:04 65	10.00		71	21.7	58	14.5	48	8.9	44	11	180		29.06	6	+0.03	30.03	FM-15	0.00	30.03
12	1953	7	OVC:08 70	10.00		70	21.1	58	14.3	48	8.9	46	10	190		29.06			30.03	FM-15	0.00	30.03
12	2053	7	BKN:07 65 OVC:08 90	10.00		69	20.6	58	14.3	49	9.4	49	10	220		29.08			30.03	FM-15	T	30.05
12	2153	7	OVC:08 65	10.00		67	19.4	57	14.2	50	10.0	55	10	210		29.08	0	-0.01	30.03	FM-15	0.00	30.05
12	2253	7	FEW:02 55 BKN:07 80 OVC:08 110	10.00		65	18.3	58	14.3	52	11.1	63	7	220		29.07			30.02	FM-15	0.00	30.04
12	2353	7	BKN:07 35 BKN:07 43 OVC:08 85	10.00		65	18.3	58	14.5	53	11.7	66	9	220		29.06			30.01	FM-15	0.00	30.03
13	0053	7	SCT:04 42 OVC:08 60	10.00	-RA:02 |RA |	63	17.2	60	15.3	57	13.9	81	13	260		29.06	5	+0.01	30.02	FM-15	T	30.03
13	0153	7	BKN:07 32 BKN:07 39 OVC:08 75	10.00		61	16.1	60	15.5	59	15.0	93	9	270		29.07			30.02	FM-15	0.03	30.04
13	0215	7	BKN:07 12 BKN:07 24 OVC:08 32	10.00		61	16.1	60	15.5	59	15.0	93	9	260		29.07				FM-16		30.04
13	0253	7	BKN:07 10 BKN:07 15 OVC:08 24	10.00		61	16.1	60	15.8	60	15.6	97	15	290		29.07			30.02	FM-15	0.00	30.04
13	0301	7	BKN:07 8 BKN:07 14 OVC:08 29	8.00		60	15.6	59	15.2	59	15.0	96	10	290		29.08				FM-16		30.05
13	0308	7	BKN:07 10 BKN:07 14 OVC:08 21	5.00	BR:1 ||	60	15.6	59	15.2	59	15.0	96	11	290		29.08				FM-16		30.05
13	0337	7	FEW:02 7 SCT:04 13 OVC:08 21	10.00		57	13.9	56	13.3	55	12.8	93	11	320		29.09				FM-16	0.01	30.06
13	0353	7	FEW:02 18 OVC:08 25	10.00		57	13.9	56	13.3	55	12.8	93	10	320		29.10	3	-0.04	30.06	FM-15	0.01	30.07
13	0423	7	BKN:07 12 OVC:08 29	10.00		56	13.3	55	12.7	54	12.2	93	11	300		29.12				FM-16		30.09
13	0441	7	SCT:04 13 BKN:07 31 OVC:08 49	10.00		56	13.3	55	12.7	54	12.2	93	10	320		29.12				FM-16		30.09
13	0453	7	SCT:04 13 BKN:07 31 OVC:08 50	10.00	-RA:02 |RA |	56	13.3	55	12.7	54	12.2	93	8	320		29.13			30.09	FM-15	T	30.10
13	0504	7	BKN:07 13 OVC:08 50	10.00	-RA:02 |RA |	56	13.3	55	12.7	54	12.2	93	13	310		29.13				FM-16	T	30.10
13	0528	7	BKN:07 18 OVC:08 95	10.00		55	12.8	54	12.2	53	11.7	93	11	320		29.14				FM-16	T	30.11
13	0543	7	BKN:07 13 BKN:07 18 OVC:08 100	10.00		55	12.8	54	12.2	53	11.7	93	10	320	22	29.15				FM-16	T	30.12

13	0553	7	BKN:07 13 OVC:08 18	10.00		55	12.8	53	11.9	52	11.1	90	13	330		29.16			30.11	FM-15	T	30.13
13	0653	7	OVC:08 13	10.00		54	12.2	52	11.3	51	10.6	90	9	340		29.20	3	-0.09	30.16	FM-15	0.00	30.17
13	0753	7	OVC:08 11	10.00		53	11.7	51	10.5	49	9.4	86	10	350		29.23			30.19	FM-15	0.00	30.20
13	0853	7	OVC:08 11	10.00		53	11.7	50	10.2	48	8.9	83	11	340		29.25			30.22	FM-15	0.00	30.22
13	0951	6	OVC:08 20	10.00		54	12.0	50	10.0	46	8.0	77	9	350		29.26				FM-16		30.24
13	0953	7	OVC:08 20	10.00		54	12.2	50	10.2	47	8.3	77	8	340		29.26	1	-0.07	30.24	FM-15	0.00	30.24
13	1053	7	OVC:08 22	10.00		54	12.2	50	10.0	46	7.8	75	9	330		29.27			30.25	FM-15	0.00	30.25
13	1151	7	SCT:04 27 BKN:07 34	10.00		55	13.0	50	10.2	46	8.0	72	7	350		29.28				FM-16		30.26
13	1153	7	SCT:04 27 BKN:07 34	10.00		56	13.3	51	10.5	46	7.8	70	3	350		29.28			30.26	FM-15	0.00	30.26
13	1253	7	SCT:04 36	10.00		59	15.0	51	10.5	43	6.1	56	0	000		29.27	8	+0.00	30.24	FM-15	0.00	30.25
13	1353	7	FEW:02 45	10.00		60	15.6	51	10.5	42	5.6	52	9	290		29.27			30.24	FM-15	0.00	30.25
13	1453	7	CLR:00	10.00		61	16.1	51	10.3	40	4.4	46	9	360		29.27			30.24	FM-15	0.00	30.25
13	1553	7	CLR:00	10.00		61	16.1	50	9.8	38	3.3	43	7	320		29.27	6	+0.00	30.24	FM-15	0.00	30.25
13	1653	7	CLR:00	10.00		60	15.6	50	10.0	40	4.4	47	7	010		29.26			30.24	FM-15	0.00	30.24
13	1753	7	CLR:00	10.00		57	13.9	48	8.8	38	3.3	49	0	000		29.27			30.25	FM-15	0.00	30.25
13	1853	7	CLR:00	10.00		53	11.7	47	8.2	40	4.4	61	3	360		29.29	3	-0.02	30.27	FM-15	0.00	30.27
13	1953	7	CLR:00	10.00		50	10.0	46	7.6	41	5.0	71	3	360		29.31			30.29	FM-15	0.00	30.29
13	2053	7	CLR:00	10.00		48	8.9	44	6.8	40	4.4	74	3	360		29.32			30.30	FM-15	0.00	30.30
13	2153	7	CLR:00	10.00		46	7.8	43	6.2	40	4.4	79	3	030		29.33	1	-0.04	30.32	FM-15	0.00	30.31
13	2253	7	CLR:00	10.00		44	6.7	42	5.6	40	4.4	85	7	060		29.33			30.32	FM-15	0.00	30.31
13	2353	7	CLR:00	10.00		43	6.1	42	5.4	40	4.4	89	6	070		29.33			30.32	FM-15	0.00	30.31
14	0053	7	CLR:00	10.00		44	6.7	42	5.6	40	4.4	85	3	070		29.34	3	-0.01	30.32	FM-15	0.00	30.32
14	0153	7	CLR:00	10.00		43	6.1	42	5.4	40	4.4	89	0	000		29.35			30.34	FM-15	0.00	30.33
14	0253	7	CLR:00	10.00		41	5.0	40	4.5	39	3.9	93	0	000		29.35			30.33	FM-15	0.00	30.33
14	0353	7	CLR:00	10.00		42	5.6	41	4.8	39	3.9	89	0	000		29.35	1	-0.01	30.33	FM-15	0.00	30.33
14	0453	7	CLR:00	10.00		38	3.3	38	3.3	38	3.3	100	0	000		29.35			30.34	FM-15	0.00	30.33
14	0553	7	CLR:00	10.00		39	3.9	39	3.6	38	3.3	96	3	020		29.36			30.35	FM-15	0.00	30.34
14	0653	7	CLR:00	10.00		39	3.9	39	3.6	38	3.3	96	0	000		29.36	3	-0.01	30.35	FM-15	0.00	30.34
14	0753	7	CLR:00	10.00		43	6.1	42	5.6	41	5.0	93	0	000		29.37			30.37	FM-15	0.00	30.35
14	0853	7	CLR:00	10.00		48	8.9	45	7.3	42	5.6	80	6	110		29.38			30.37	FM-15	0.00	30.36
14	0953	7	CLR:00	10.00		54	12.2	49	9.2	43	6.1	67	5	100		29.39	1	-0.02	30.37	FM-15	0.00	30.37
14	1053	7	CLR:00	10.00		56	13.3	49	9.5	42	5.6	60	8	130		29.37			30.36	FM-15	0.00	30.35
14	1153	7	CLR:00	10.00		59	15.0	51	10.5	43	6.1	56	10	080		29.35			30.33	FM-15	0.00	30.33
14	1253	7	CLR:00	10.00		61	16.1	51	10.5	41	5.0	48	10	110		29.32	8	+0.06	30.30	FM-15	0.00	30.30
14	1353	7	CLR:00	10.00		62	16.7	51	10.5	40	4.4	44	9	150		29.29			30.27	FM-15	0.00	30.27
14	1453	7	CLR:00	10.00		62	16.7	50	10.1	38	3.3	41	5	100		29.27			30.26	FM-15	0.00	30.25
14	1553	7	CLR:00	10.00		62	16.7	51	10.3	39	3.9	43	7	110		29.28	5	+0.05	30.26	FM-15	0.00	30.26
14	1653	7	CLR:00	10.00		61	16.1	51	10.5	41	5.0	48	7	150		29.29			30.27	FM-15	0.00	30.27
14	1753	7	CLR:00	10.00		58	14.4	50	10.0	42	5.6	56	6	120		29.26			30.24	FM-15	0.00	30.24
14	1853	7	CLR:00	10.00		54	12.2	48	8.9	42	5.6	64	3	100		29.27	8	+0.00	30.26	FM-15	0.00	30.25
14	1953	7	CLR:00	10.00		51	10.6	47	8.4	43	6.1	74	5	130		29.28			30.27	FM-15	0.00	30.26
14	2053	7	CLR:00	10.00		49	9.4	46	7.6	42	5.6	77	3	070		29.28			30.27	FM-15	0.00	30.26
14	2153	7	CLR:00	10.00		44	6.7	43	5.9	41	5.0	89	0	000		29.28	1	-0.01	30.27	FM-15	0.00	30.26
14	2253	7	CLR:00	10.00		49	9.4	45	7.1	40	4.4	71	7	140		29.26			30.24	FM-15	0.00	30.24
14	2353	7	CLR:00	10.00		51	10.6	46	7.6	40	4.4	66	8	130		29.26			30.23	FM-15	0.00	30.23
15	0053	7	CLR:00	10.00		50	10.0	45	7.4	40	4.4	68	0	000		29.25	6	+0.04	30.22	FM-15	0.00	30.22
15	0153	7	CLR:00	10.00		46	7.8	43	6.2	40	4.4	79	3	110		29.23			30.22	FM-15	0.00	30.21
15	0253	7	CLR:00	10.00		44	6.7	42	5.6	40	4.4	85	3	110		29.22			30.19	FM-15	0.00	30.19
15	0353	7	CLR:00	10.00		45	7.2	43	6.2	41	5.0	86	3	080		29.23	5	+0.02	30.20	FM-15	0.00	30.20
15	0453	7	CLR:00	10.00		44	6.7	43	5.9	41	5.0	89	0	000		29.25			30.22	FM-15	0.00	30.22
15	0553	7	CLR:00	10.00		46	7.8	44	6.7	42	5.6	86	5	130		29.26			30.23	FM-15	0.00	30.23
15	0653	7	FEW:02 70 BKN:07 80	10.00		48	8.9	46	7.8	44	6.7	86	5	130		29.26	1	-0.03	30.23	FM-15	0.00	30.23
15	0753	7	BKN:07 75 OVC:08 90	10.00		51	10.6	48	9.2	46	7.8	83	5	130		29.26			30.24	FM-15	0.00	30.23

15	0853	7	BKN:07 75 OVC:08 100	10.00		54	12.2	51	10.8	49	9.4	83	6	140		29.26			30.24	FM-15	0.00	30.23
15	0953	7	OVC:08 110	10.00		58	14.4	55	12.6	52	11.1	81	8	150		29.26	0	-0.00	30.23	FM-15	0.00	30.23
15	1053	7	CLR:00	10.00		64	17.8	59	14.9	55	12.8	73	11	180		29.25			30.21	FM-15	0.00	30.22
15	1153	7	SCT:04 70	10.00		68	20.0	61	16.4	57	13.9	68	9	210		29.23			30.20	FM-15	0.00	30.20
15	1253	7	BKN:07 110	10.00		72	22.2	64	17.8	59	15.0	64	8	170		29.20	8	+0.06	30.16	FM-15	0.00	30.17
15	1353	7	FEW:02 43	10.00		76	24.4	66	18.9	60	15.6	58	10	150		29.17			30.13	FM-15	0.00	30.14
15	1446	7	BKN:07 45	10.00		77	25.0	66	19.1	60	15.6	56	15	210		29.16				FM-16		30.13
15	1453	7	BKN:07 45	10.00		77	25.0	66	19.1	60	15.6	56	13	200	22	29.16			30.12	FM-15	0.00	30.13
15	1553	7	SCT:04 46	10.00		77	25.0	66	18.8	59	15.0	54	14	210		29.14	6	+0.05	30.11	FM-15	0.00	30.11
15	1653	7	BKN:07 50	10.00		74	23.3	66	18.8	61	16.1	64	9	160		29.14			30.11	FM-15	0.00	30.11
15	1753	7	SCT:04 50	10.00		72	22.2	65	18.1	60	15.6	66	11	150		29.14			30.10	FM-15	0.00	30.11
15	1853	7	OVC:08 55	10.00		71	21.7	64	17.9	60	15.6	68	10	160		29.15	3	-0.01	30.12	FM-15	0.00	30.12
15	1953	7	BKN:07 60	10.00		68	20.0	63	17.3	60	15.6	76	7	170		29.16			30.12	FM-15	0.00	30.13
15	2053	7	CLR:00	10.00		66	18.9	62	16.9	60	15.6	81	7	160		29.16			30.13	FM-15	0.00	30.13
15	2153	7	CLR:00	10.00		65	18.3	62	16.7	60	15.6	84	8	170		29.16	0	-0.00	30.12	FM-15	0.00	30.13
15	2253	7	CLR:00	10.00		64	17.8	62	16.4	60	15.6	87	7	170		29.16			30.11	FM-15	0.00	30.13
15	2353	7	CLR:00	10.00		63	17.2	61	16.2	60	15.6	90	7	170		29.14			30.10	FM-15	0.00	30.11
16	0053	7	CLR:00	10.00		62	16.7	60	15.7	59	15.0	90	6	170		29.14	8	+0.01	30.09	FM-15	0.00	30.11
16	0153	7	CLR:00	10.00		61	16.1	60	15.5	59	15.0	93	5	180		29.14			30.09	FM-15	0.00	30.11
16	0253	7	CLR:00	10.00		60	15.6	59	14.9	58	14.4	93	6	160		29.13			30.08	FM-15	0.00	30.10
16	0353	7	CLR:00	8.00		59	15.0	58	14.7	58	14.4	96	5	170		29.13	5	+0.01	30.09	FM-15	0.00	30.10
16	0453	7	OVC:08 95	10.00		60	15.6	59	14.9	58	14.4	93	5	170		29.13			30.09	FM-15	0.00	30.10
16	0553	7	FEW:02 65	10.00		61	16.1	59	15.1	58	14.4	90	7	170		29.13			30.09	FM-15	0.00	30.10
16	0653	7	CLR:00	10.00		60	15.6	58	14.6	57	13.9	90	7	190		29.13	8	+0.00	30.09	FM-15	0.00	30.10
16	0753	7	CLR:00	10.00		61	16.1	59	14.8	57	13.9	87	7	190		29.14			30.09	FM-15	0.00	30.11
16	0853	7	CLR:00	10.00		66	18.9	62	16.6	59	15.0	78	9	200		29.14			30.10	FM-15	0.00	30.11
16	0953	7	CLR:00	10.00		69	20.6	63	17.2	59	15.0	70	13	220		29.13	8	+0.00	30.09	FM-15	0.00	30.10
16	1053	7	CLR:00	10.00		74	23.3	65	18.2	59	15.0	60	14	210		29.12			30.07	FM-15	0.00	30.09
16	1153	7	CLR:00	10.00		77	25.0	65	18.5	58	14.4	52	16	230		29.10			30.06	FM-15	0.00	30.07
16	1253	7	CLR:00	10.00		79	26.1	66	18.9	58	14.4	49	14	230	22	29.08	8	+0.05	30.03	FM-15	0.00	30.05
16	1353	7	FEW:02 50	10.00		78	25.6	67	19.3	60	15.6	54	10	260		29.06			30.02	FM-15	0.00	30.03
16	1453	7	FEW:02 50	10.00		77	25.0	66	18.8	59	15.0	54	11	250		29.05			30.01	FM-15	0.00	30.02
16	1553	7	FEW:02 120	10.00		76	24.4	65	18.6	59	15.0	56	8	210		29.03	8	+0.05	29.98	FM-15	0.00	30.00
16	1653	7	FEW:02 55 OVC:08 100	10.00		76	24.4	65	18.6	59	15.0	56	9	200		29.01			29.96	FM-15	T	29.98
16	1753	7	OVC:08 100	10.00		74	23.3	65	18.2	59	15.0	60	7	200		29.01			29.96	FM-15	0.00	29.98
16	1853	7	BKN:07 90 OVC:08 100	10.00		74	23.3	65	18.2	59	15.0	60	7	200		29.01	5	+0.01	29.97	FM-15	0.00	29.98
16	1953	7	SCT:04 60 BKN:07 85 OVC:08 110	10.00		73	22.8	64	18.0	59	15.0	62	8	200		29.02			29.97	FM-15	0.00	29.99
16	2053	7	BKN:07 60 OVC:08 90	10.00		71	21.7	63	17.3	58	14.4	63	8	200		29.02			29.97	FM-15	0.00	29.99
16	2153	7	SCT:04 55 OVC:08 80	10.00		70	21.1	63	17.4	59	15.0	68	9	200		29.01	0	-0.00	29.96	FM-15	0.00	29.98
16	2253	7	SCT:04 55 OVC:08 80	10.00		71	21.7	64	17.6	59	15.0	66	10	200	20	29.01			29.96	FM-15	0.00	29.98
16	2353	7	BKN:07 75 BKN:07 120	10.00		68	20.0	63	17.0	59	15.0	73	9	200		29.01			29.96	FM-15	0.00	29.98
17	0053	7	OVC:08 80	10.00		68	20.0	63	17.0	59	15.0	73	7	210		29.01	0	-0.00	29.96	FM-15	0.00	29.98
17	0153	7	OVC:08 85	10.00		68	20.0	63	17.3	60	15.6	76	6	210		29.01			29.96	FM-15	0.00	29.98
17	0253	7	FEW:02 70 OVC:08 90	10.00		68	20.0	63	17.3	60	15.6	76	8	220		29.01			29.96	FM-15	0.00	29.98
17	0353	7	FEW:02 90	10.00		66	18.9	62	16.6	59	15.0	78	7	200		29.00	8	+0.01	29.95	FM-15	0.00	29.97
17	0453	7	BKN:07 55 OVC:08 70	10.00		66	18.9	62	16.9	60	15.6	81	7	180		29.00			29.95	FM-15	0.00	29.97
17	0553	7	FEW:02 50 SCT:04 65 OVC:08 80	10.00		65	18.3	62	16.7	60	15.6	84	7	190		29.00			29.95	FM-15	0.00	29.97

17	0653	7	BKN:07 60 OVC:08 80	10.00		65	18.3	62	16.7	60	15.6	84	9	190		29.00	8	+0.00	29.95	FM-15	0.00	29.97
17	0753	7	BKN:07 80	10.00		65	18.3	62	16.7	60	15.6	84	10	200		29.00			29.96	FM-15	0.00	29.97
17	0853	7	OVC:08 80	10.00		68	20.0	64	17.6	61	16.1	78	13	210		29.00			29.95	FM-15	0.00	29.97
17	0953	7	CLR:00	10.00		72	22.2	66	19.1	63	17.2	73	13	190		28.98	8	+0.02	29.93	FM-15	0.00	29.95
17	1053	7	CLR:00	10.00		77	25.0	67	19.7	62	16.7	60	15	210	24	28.96			29.91	FM-15	T	29.93
17	1153	7	CLR:00	10.00		79	26.1	68	20.1	62	16.7	56	20	200	28	28.94			29.89	FM-15	0.00	29.91
17	1253	7	CLR:00	10.00		81	27.2	69	20.4	62	16.7	53	16	200	24	28.90	8	+0.07	29.85	FM-15	0.00	29.87
17	1353	7	SCT:04 50	10.00		80	26.7	68	19.9	61	16.1	52	15	200	26	28.89			29.83	FM-15	0.00	29.85
17	1453	7	FEW:02 49	10.00		81	27.2	68	20.1	61	16.1	51	21	210	29	28.87			29.80	FM-15	0.00	29.83
17	1553	7	SCT:04 50	10.00		81	27.2	68	19.8	60	15.6	49	20	190	28	28.84	6	+0.06	29.78	FM-15	0.00	29.81
17	1653	7	CLR:00	10.00		80	26.7	67	19.6	60	15.6	51	16	190		28.84			29.78	FM-15	0.00	29.80
17	1753	7	CLR:00	10.00		77	25.0	67	19.4	61	16.1	58	10	190		28.84			29.79	FM-15	0.00	29.81
17	1853	7	CLR:00	10.00		76	24.4	66	18.9	60	15.6	58	10	180		28.86	3	-0.01	29.80	FM-15	0.00	29.82
17	1953	7	CLR:00	10.00		74	23.3	65	18.5	60	15.6	62	11	180		28.86			29.80	FM-15	0.00	29.82
17	2053	7	CLR:00	10.00		72	22.2	65	18.1	60	15.6	66	13	180		28.84			29.79	FM-15	0.00	29.81
17	2153	7	CLR:00	10.00		71	21.7	64	17.9	60	15.6	68	10	190		28.84	5	+0.01	29.80	FM-15	0.00	29.81
17	2253	7	CLR:00	10.00		70	21.1	64	17.7	60	15.6	71	10	190		28.84			29.78	FM-15	0.00	29.80
17	2353	7	CLR:00	10.00		69	20.6	64	17.5	60	15.6	73	13	200		28.84			29.78	FM-15	0.00	29.81
18	0053	7	CLR:00	10.00		70	21.1	63	17.4	59	15.0	68	11	190		28.84	5	+0.01	29.78	FM-15	0.00	29.81
18	0153	7	CLR:00	10.00		69	20.6	63	17.2	59	15.0	70	10	200		28.84			29.79	FM-15	0.00	29.81
18	0253	7	CLR:00	10.00		67	19.4	62	16.8	59	15.0	76	8	160		28.84			29.78	FM-15	0.00	29.81
18	0353	7	CLR:00	10.00		66	18.9	62	16.6	59	15.0	78	9	170		28.86	3	-0.01	29.79	FM-15	0.00	29.82
18	0453	7	CLR:00	10.00		66	18.9	62	16.6	59	15.0	78	10	180		28.84			29.79	FM-15	0.00	29.81
18	0553	7	CLR:00	10.00		66	18.9	62	16.6	59	15.0	78	11	190		28.84			29.79	FM-15	0.00	29.81
18	0653	7	CLR:00	10.00		67	19.4	62	16.8	59	15.0	76	13	200		28.84	5	+0.00	29.80	FM-15	0.00	29.81
18	0753	7	CLR:00	10.00		69	20.6	64	17.5	60	15.6	73	16	200	23	28.86			29.80	FM-15	0.00	29.82
18	0853	7	CLR:00	10.00		72	22.2	65	18.4	61	16.1	68	15	210	24	28.87			29.80	FM-15	0.00	29.83
18	0953	7	FEW:02 46	10.00	-RA:02 |RA |	76	24.4	67	19.5	62	16.7	62	16	230	29	28.87	1	-0.01	29.80	FM-15	T	29.83
18	1053	7	CLR:00	10.00		79	26.1	69	20.4	63	17.2	58	23	220	29	28.84			29.79	FM-15	0.00	29.81
18	1153	7	FEW:02 41 SCT:04 49	10.00		80	26.7	69	20.6	63	17.2	56	22	220	36	28.86			29.79	FM-15	0.00	29.82
18	1253	7	FEW:02 42 SCT:04 55	10.00		80	26.7	69	20.6	63	17.2	56	21	230	31	28.84	8	+0.03	29.78	FM-15	0.00	29.80
18	1353	7	OVC:08 42	10.00		80	26.7	70	20.9	64	17.8	58	17	220	29	28.83			29.77	FM-15	0.00	29.79
18	1453	7	OVC:08 45	10.00		80	26.7	70	20.9	64	17.8	58	11	230	22	28.84			29.78	FM-15	0.00	29.80
18	1553	7	OVC:08 48	10.00		79	26.1	70	21.0	65	18.3	62	13	230		28.84	3	-0.01	29.79	FM-15	0.00	29.81
18	1653	7	FEW:02 40 BKN:07 48 OVC:08 60	10.00		78	25.6	70	21.2	66	18.9	67	17	240		28.87			29.82	FM-15	0.00	29.84
18	1753	7	OVC:08 38	10.00		76	24.4	69	20.8	66	18.9	72	9	220		28.87			29.83	FM-15	0.00	29.84
18	1853	7	BKN:07 41 BKN:07 50 OVC:08 95	10.00		77	25.0	69	20.7	65	18.3	66	10	220		28.90	1	-0.05	29.84	FM-15	0.00	29.86
18	1953	7	FEW:02 44 SCT:04 60 OVC:08 95	10.00		75	23.9	69	20.6	66	18.9	74	10	200		28.90			29.84	FM-15	0.00	29.86
18	2053	7	BKN:07 47 OVC:08 60	10.00		75	23.9	69	20.6	66	18.9	74	13	220		28.91			29.85	FM-15	0.00	29.88
18	2153	7	BKN:07 34 BKN:07 41 OVC:08 49	8.00	-RA:02 |RA |	73	22.8	69	20.6	67	19.4	81	13	250		28.93	3	-0.04	29.88	FM-15	0.01s	29.90
18	2253	7	BKN:07 60 OVC:08 85	10.00		71	21.7	69	20.6	68	20.0	90	7	250		28.94			29.88	FM-15	T	29.91
18	2353	7	FEW:02 30 SCT:04 43 OVC:08 75	10.00		70	21.1	69	20.4	68	20.0	93	6	270		28.94			29.89	FM-15	0.00	29.91
19	0051	6	BKN:07 26	10.00		70	21.0	69	20.4	68	20.0	94	5	220		28.96				FM-16		29.93
19	0053	7	BKN:07 26 BKN:07 31	10.00		70	21.1	69	20.4	68	20.0	93	5	220		28.96	3	-0.03	29.91	FM-15	0.00	29.93

19	0153	7	BKN:07 20 BKN:07 27	9.00		69	20.6	68	20.2	68	20.0	96	6	320		28.98			29.93	FM-15	0.00	29.95
19	0205	7	FEW:02 18	10.00		68	20.0	67	19.6	67	19.4	96	6	320		28.98				FM-16		29.95
19	0253	7	CLR:00	8.00		67	19.4	66	19.1	66	18.9	97	7	340		28.99			29.94	FM-15	0.00	29.96
19	0329	7	BKN:07 28	8.00		67	19.4	66	19.1	66	18.9	97	7	340		29.01				FM-16		29.98
19	0343	7	FEW:02 11 SCT:04 28	7.00		66	18.9	65	18.5	65	18.3	96	8	340		29.01				FM-16		29.98
19	0351	7	SCT:04 11 BKN:07 28	8.00		66	19.0	65	18.2	64	18.0	94	10	350		29.01				FM-16		29.98
19	0353	7	SCT:04 11 BKN:07 28	8.00		66	18.9	65	18.5	65	18.3	96	8	350		29.02	1	-0.04	29.96	FM-15	0.00	29.99
19	0401	7	SCT:04 11	8.00		66	18.9	65	18.5	65	18.3	96	8	350		29.02				FM-16		29.99
19	0408	7	BKN:07 11	8.00		65	18.3	64	18.0	64	17.8	97	8	340		29.02				FM-16		29.99
19	0453	7	OVC:08 11	10.00		64	17.8	63	17.4	63	17.2	96	9	350		29.04			30.00	FM-15	0.00	30.01
19	0542	7	SCT:04 11	9.00		62	16.7	61	16.3	61	16.1	96	6	360		29.07				FM-16		30.04
19	0553	7	FEW:02 12	9.00		61	16.1	60	15.8	60	15.6	97	8	020		29.07			30.02	FM-15	0.00	30.04
19	0653	7	CLR:00	10.00		59	15.0	58	14.7	58	14.4	96	3	010		29.09	1	-0.07	30.04	FM-15	0.00	30.06
19	0753	7	CLR:00	10.00		61	16.1	60	15.5	59	15.0	93	5	360		29.10			30.06	FM-15	0.00	30.07
19	0853	7	CLR:00	10.00		65	18.3	63	17.0	61	16.1	87	6	050		29.12			30.07	FM-15	0.00	30.09
19	0953	7	CLR:00	10.00		68	20.0	64	17.9	62	16.7	81	0	000		29.11	0	-0.02	30.07	FM-15	0.00	30.08
19	1053	7	CLR:00	10.00		70	21.1	64	18.0	61	16.1	73	0	000		29.12			30.07	FM-15	0.00	30.09
19	1153	7	CLR:00	10.00		74	23.3	66	18.8	61	16.1	64	0	000		29.12			30.07	FM-15	0.00	30.09
19	1253	7	CLR:00	10.00		75	23.9	65	18.4	59	15.0	58	0	000		29.11	8	+0.00	30.06	FM-15	0.00	30.08
19	1353	7	FEW:02 38	10.00		77	25.0	67	19.4	61	16.1	58	5	030		29.09			30.04	FM-15	0.00	30.06
19	1453	7	BKN:07 120	10.00		76	24.4	65	18.6	59	15.0	56	0	000		29.08			30.03	FM-15	0.00	30.05
19	1553	7	FEW:02 120	10.00		76	24.4	65	18.6	59	15.0	56	0	000		29.07	6	+0.04	30.02	FM-15	0.00	30.04
19	1653	7	BKN:07 120	10.00		72	22.2	65	18.1	60	15.6	66	6	040		29.06			30.01	FM-15	0.00	30.03
19	1753	7	CLR:00	10.00		69	20.6	62	16.9	58	14.4	68	7	050		29.05			30.01	FM-15	0.00	30.02
19	1853	7	CLR:00	10.00		69	20.6	61	16.3	56	13.3	63	7	040		29.08	3	-0.00	30.03	FM-15	0.00	30.05
19	1953	7	FEW:02 60 SCT:04 90 BKN:07 120	10.00	-RA:02 |RA |	68	20.0	61	16.4	57	13.9	68	9	070		29.06			30.01	FM-15	T	30.03
19	2053	7	OVC:08 42	10.00	-RA:02 |RA |	66	18.9	61	16.3	58	14.4	75	8	030		29.06			30.02	FM-15	T	30.03
19	2105	7	OVC:08 42	10.00	VCTS:7 -RA:02 |RA |	66	18.9	62	16.6	59	15.0	78	11	330		29.08				FM-16	T	30.05
19	2121	7	OVC:08 41	2.00	TS:7 +RA:02 BR:1 |RA TS |	62	16.7	61	16.0	60	15.6	93	22	320		29.10				FM-16	0.13	30.07
19	2138	7	BKN:07 23 OVC:08 40	1.25	TS:7 +RA:02 BR:1 |RA TS |	60	15.6	60	15.6	60	15.6	100	20	360		29.11				FM-16	0.43	30.08
19	2149	7	BKN:07 30 BKN:07 40 OVC:08 70	2.00	TS:7 +RA:02 BR:1 |RA TS |	61	16.0	61	16.1	61	16.0	100	15	040		29.10				FM-16	0.53	30.07
19	2150	7	BKN:07 30 BKN:07 40 OVC:08 70	2.50	TS:7 RA:02 BR:1 |RA TS |	61	16.1	60	15.8	60	15.6	97	15	040		29.10	3	-0.02	30.06	FM-15	0.56s	30.07
19	2152	7	BKN:07 32 BKN:07 40 OVC:08 70	3.00	TS:7 RA:02 BR:1 |RA TS |	61	16.1	60	15.8	60	15.6	97	15	050		29.10				FM-16	0.01	30.07
19	2211	7	FEW:02 55 BKN:07 100 OVC:08 120	5.00	VCTS:7 RA:02 BR:1 |RA |	61	16.1	60	15.8	60	15.6	97	13	070	18	29.07				FM-16	0.05	30.04
19	2231	7	BKN:07 100 OVC:08 120	5.00	TS:7 -RA:02 BR:1 |RA TS |	61	16.1	61	16.1	61	16.1	100	9	070		29.04				FM-16	0.08	30.01
19	2253	7	FEW:02 41 BKN:07 110	10.00	TS:7 -RA:02 |RA TS TS |	62	16.7	62	16.7	62	16.7	100	13	100		29.04			30.00	FM-15	0.05	30.01
19	2300	7	FEW:02 38 BKN:07 110	10.00		62	16.7	62	16.7	62	16.7	100	10	090		29.03				FM-16	T	30.00
19	2353	7	BKN:07 47 BKN:07 55	8.00		62	16.7	62	16.7	62	16.7	100	7	090		29.00			29.96	FM-15	0.00	29.97
20	0051	6	BKN:07 29 BKN:07 36 OVC:08 80	9.00		63	17.0	63	17.2	63	17.0	100	6	330		29.02				FM-16		29.99

20	0053	7	SCT:04 27 BKN:07 33 OVC:08 48	9.00		63	17.2	62	16.9	62	16.7	97	6	330		29.02	5	+0.08	29.97	FM-15	0.00	29.99
20	0100	7	FEW:02 10 BKN:07 29 OVC:08 46	9.00		63	17.2	62	16.9	62	16.7	97	3	360		29.01				FM-16		29.98
20	0153	7	BKN:07 23 BKN:07 90	6.00	-RA:02 BR:1 |RA |	63	17.2	63	17.2	63	17.2	100	5	360		29.00			29.95	FM-15	T	29.97
20	0226	7	SCT:04 20 BKN:07 60 OVC:08 90	7.00	-RA:02 |RA |	62	16.7	62	16.7	62	16.7	100	3	110		29.00				FM-16	0.01	29.97
20	0253	7	SCT:04 55 SCT:04 90 BKN:07 120	4.00	BR:1 ||	62	16.7	62	16.7	62	16.7	100	5	300		29.00			29.95	FM-15	0.01	29.97
20	0331	7	FEW:02 10 BKN:07 49 OVC:08 70	5.00	VCTS:7 -RA:02 BR:1 |RA |	62	16.7	62	16.7	62	16.7	100	11	290		29.02				FM-16	0.02	29.99
20	0335	7	SCT:04 8 BKN:07 23 OVC:08 60	6.00	VCTS:7 BR:1 ||	62	16.7	62	16.7	62	16.7	100	11	290		29.03				FM-16	0.02	30.00
20	0345	7	SCT:04 4 BKN:07 10 OVC:08 50	6.00	VCTS:7 -RA:02 BR:1 |RA |	62	16.7	62	16.7	62	16.7	100	8	310		29.02				FM-16	0.02	29.99
20	0353	7	SCT:04 4 BKN:07 10 OVC:08 49	7.00	VCTS:7 -RA:02 |RA |	62	16.7	62	16.7	62	16.7	100	6	330		29.02	3	-0.00	29.98	FM-15	0.02	29.99
20	0358	7	BKN:07 4 BKN:07 8 OVC:08 49	7.00		61	16.1	61	16.1	61	16.1	100	7	330		29.02				FM-16	T	29.99
20	0415	7	BKN:07 3 BKN:07 12 OVC:08 48	1.75	+RA:02 BR:1 |RA |	61	16.1	61	16.1	61	16.1	100	8	300		29.04				FM-16	0.10	30.01
20	0428	7	BKN:07 3 BKN:07 15 OVC:08 60	3.00	-RA:02 BR:1 |RA |	61	16.1	61	16.1	61	16.1	100	6	330		29.03				FM-16	0.18	30.00
20	0437	7	SCT:04 3 BKN:07 28 OVC:08 65	7.00	-RA:02 |RA |	61	16.1	61	16.1	61	16.1	100	6	350		29.03				FM-16	0.19	30.00
20	0446	7	FEW:02 3 BKN:07 65 OVC:08 80	9.00		61	16.1	61	16.1	61	16.1	100	6	020		29.02				FM-16	0.19	29.99
20	0453	7	SCT:04 3 BKN:07 65 OVC:08 80	8.00		61	16.1	61	16.1	61	16.1	100	6	360		29.02			29.97	FM-15	0.19	29.99
20	0504	7	BKN:07 3 BKN:07 70 OVC:08 80	8.00		60	15.6	60	15.6	60	15.6	100	6	020		29.01				FM-16		29.98
20	0553	7	OVC:08 4	8.00		61	16.1	61	16.1	61	16.1	100	5	040		29.01			29.97	FM-15	0.00	29.98
20	0653	7	OVC:08 3	4.00	BR:1 ||	61	16.1	61	16.1	61	16.1	100	5	320		29.01	6	+0.02	29.96	FM-15	0.00	29.98
20	0705	7	OVC:08 2	2.50	BR:1 ||	61	16.1	61	16.1	61	16.1	100	3	320		29.01				FM-16		29.98
20	0721	7	OVC:08 2	3.00	BR:1 ||	61	16.1	61	16.1	61	16.1	100	0	000		29.00				FM-16		29.97
20	0753	7	OVC:08 3	4.00	BR:1 ||	61	16.1	61	16.1	61	16.1	100	5	330		29.01			29.97	FM-15	0.00	29.98
20	0853	7	OVC:08 4	6.00	-RA:02 BR:1 |RA |	62	16.7	61	16.3	61	16.1	96	3	320		29.01			29.97	FM-15	T	29.98
20	0953	7	OVC:08 4	5.00	-RA:02 BR:1 |RA |	61	16.1	60	15.8	60	15.6	97	6	340		29.01	0	-0.00	29.97	FM-15	0.03s	29.98
20	1017	7	BKN:07 5 BKN:07 50 OVC:08 90	5.00	RA:02 BR:1 |RA |	61	16.1	61	16.1	61	16.1	100	3	350		29.00				FM-16	0.02	29.97
20	1053	7	BKN:07 6 OVC:08 80	9.00	-RA:02 |RA |	62	16.7	61	16.3	61	16.1	96	3	350		29.00			29.96	FM-15	0.03	29.97
20	1153	7	OVC:08 5	10.00		62	16.7	61	16.3	61	16.1	96	0	000		28.99			29.95	FM-15	0.00	29.96
20	1253	7	OVC:08 5	6.00	-RA:02 BR:1 |RA |	62	16.7	61	16.3	61	16.1	96	0	000		28.99	6	+0.02	29.95	FM-15	0.02	29.96
20	1353	7	BKN:07 7 OVC:08 100	6.00	-RA:02 BR:1 |RA |	62	16.7	61	16.3	61	16.1	96	10	310		28.96			29.92	FM-15	0.05	29.93
20	1453	7	OVC:08 5	10.00		62	16.7	61	16.3	61	16.1	96	5	350		28.95			29.91	FM-15	0.01	29.92

20	1553	7	OVC:08 6	10.00		61	16.1	60	15.8	60	15.6	97	9	340		28.94	6	+0.04	29.90	FM-15	T	29.91
20	1653	7	OVC:08 6	10.00		59	15.0	58	14.7	58	14.4	96	11	350		28.94			29.91	FM-15	0.01	29.91
20	1753	7	OVC:08 5	5.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	11	340		28.94			29.91	FM-15	0.00	29.91
20	1853	7	OVC:08 6	10.00	-RA:02 |RA |	57	13.9	57	13.9	57	13.9	100	7	360		28.93	8	+0.02	29.89	FM-15	0.01	29.90
20	1953	7	OVC:08 8	10.00	-RA:02 |RA |	58	14.4	58	14.4	58	14.4	100	9	340		28.92			29.88	FM-15	T	29.89
20	2043	7	OVC:08 10	10.00	-RA:02 |RA |	57	13.9	56	13.6	56	13.3	96	13	010		28.90				FM-16	T	29.87
20	2053	7	OVC:08 10	10.00	-RA:02 |RA |	57	13.9	56	13.6	56	13.3	96	14	360		28.91			29.87	FM-15	0.01	29.88
20	2151	6	BKN:07 8 OVC:08 17	3.00	+RA:02 BR:1 |RA |	55	13.0	55	12.8	55	13.0	100	15	340		28.93				FM-16		29.90
20	2153	7	BKN:07 8 OVC:08 17	3.00	RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	14	350		28.92	5	+0.00	29.89	FM-15	0.06s	29.89
20	2158	7	SCT:04 8 BKN:07 11 OVC:08 17	2.50	+RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	16	360	22	28.91				FM-16	0.02	29.88
20	2213	7	BKN:07 8 OVC:08 13	3.00	-RA:02 BR:1 |RA |	55	12.8	54	12.5	54	12.2	96	17	350		28.92				FM-16	0.03	29.89
20	2253	7	BKN:07 9 BKN:07 13 OVC:08 34	10.00	-RA:02 |RA |	54	12.2	54	12.2	54	12.2	100	13	350	23	28.91			29.88	FM-15	0.02	29.88
20	2300	7	OVC:08 11	10.00	-RA:02 |RA |	54	12.2	54	12.2	54	12.2	100	13	330	20	28.92				FM-16	T	29.89
20	2335	7	SCT:04 10 BKN:07 50 OVC:08 90	6.00	RA:02 BR:1 |RA |	54	12.2	53	11.9	53	11.7	97	15	010		28.90				FM-16	0.03	29.86
20	2349	7	SCT:04 10 BKN:07 14 OVC:08 90	10.00	-RA:02 |RA |	54	12.0	54	12.2	54	12.0	100	17	360		28.89				FM-16	0.03	29.85
20	2351	6	SCT:04 8 BKN:07 14 OVC:08 90	10.00	-RA:02 |RA |	54	12.0	54	12.2	54	12.0	100	15	360		28.89				FM-16		29.85
20	2353	7	SCT:04 8 BKN:07 14 OVC:08 90	10.00	-RA:02 |RA |	54	12.2	53	11.9	53	11.7	97	15	360		28.89			29.85	FM-15	0.03	29.85
21	0008	7	BKN:07 9 BKN:07 14 OVC:08 85	10.00	-RA:02 |RA |	54	12.2	53	11.9	53	11.7	97	14	360		28.89				FM-16	0.01	29.85
21	0015	7	BKN:07 11 BKN:07 23 OVC:08 85	10.00	-RA:02 |RA |	54	12.2	53	11.9	53	11.7	97	13	360		28.89				FM-16	0.01	29.85
21	0053	7	BKN:07 9 BKN:07 49 OVC:08 60	6.00	RA:02 BR:1 |RA |	54	12.2	53	11.9	53	11.7	97	17	360	22	28.89	6	+0.03	29.85	FM-15	0.04	29.85
21	0121	7	OVC:08 10	10.00	-RA:02 |RA |	54	12.2	53	11.9	53	11.7	97	18	360		28.89				FM-16	0.02	29.85
21	0151	6	SCT:04 13 OVC:08 22	10.00	-RA:02 |RA |	54	12.0	53	11.6	52	11.0	94	17	360		28.87				FM-16		29.84
21	0153	7	SCT:04 13 OVC:08 22	10.00	-RA:02 |RA |	54	12.2	53	11.6	52	11.1	93	17	010		28.87			29.83	FM-15	0.01	29.84
21	0235	7	BKN:07 13 BKN:07 23 OVC:08 80	10.00	-RA:02 |RA |	54	12.2	53	11.9	53	11.7	97	13	360		28.87				FM-16	0.02	29.84
21	0253	7	BKN:07 13 OVC:08 17	10.00	-RA:02 |RA |	54	12.2	53	11.9	53	11.7	97	15	010	25	28.84			29.80	FM-15	0.03	29.81
21	0353	7	OVC:08 12	10.00	-RA:02 |RA |	53	11.7	52	11.4	52	11.1	96	17	340	24	28.87	5	+0.02	29.83	FM-15	T	29.83
21	0453	7	OVC:08 11	9.00	-RA:02 |RA |	52	11.1	51	10.8	51	10.6	97	21	340	26	28.87			29.84	FM-15	T	29.84
21	0511	7	OVC:08 9	4.00	RA:02 BR:1 |RA |	51	10.6	50	10.3	50	10.0	96	18	340	26	28.90				FM-16	0.01	29.86
21	0525	7	OVC:08 11	3.00	RA:02 BR:1 |RA |	51	10.6	50	10.3	50	10.0	96	20	350	28	28.90				FM-16	0.03	29.86
21	0553	7	BKN:07 10 OVC:08 15	10.00	-RA:02 |RA |	50	10.0	49	9.7	49	9.4	96	14	330	24	28.90			29.87	FM-15	0.06	29.87
21	0653	7	OVC:08 10	10.00	-RA:02 |RA |	48	8.9	47	8.6	47	8.3	96	22	340	33	28.90	0	-0.03	29.86	FM-15	0.02	29.86
21	0753	7	OVC:08 9	8.00	RA:02 |RA |	48	8.9	47	8.6	47	8.3	96	20	340	29	28.91			29.88	FM-15	0.01	29.88
21	0853	7	OVC:08 8	5.00	RA:02 BR:1 |RA |	48	8.9	47	8.3	46	7.8	93	15	320	24	28.95			29.92	FM-15	0.04	29.92
21	0953	7	OVC:08 8	10.00	-RA:02 |RA |	48	8.9	47	8.6	47	8.3	96	15	330	25	28.97	3	-0.08	29.94	FM-15	0.06	29.94
21	1053	7	OVC:08 9	10.00	-RA:02 |RA |	48	8.9	47	8.6	47	8.3	96	17	330	23	28.97			29.94	FM-15	0.03	29.94

21	1153	7	OVC:08 9	10.00	-RA:02 |RA |	48	8.9	47	8.6	47	8.3	96	14	320	24	28.98			29.95	FM-15	T	29.95
21	1253	7	OVC:08 10	10.00		48	8.9	47	8.3	46	7.8	93	14	330	24	28.97	8	+0.00	29.94	FM-15	0.00	29.94
21	1353	7	OVC:08 15	10.00		50	10.0	48	8.9	46	7.8	86	14	330	24	28.97			29.94	FM-15	T	29.94
21	1453	7	OVC:08 18	10.00		50	10.0	48	8.6	45	7.2	83	18	320	23	28.98			29.96	FM-15	0.00	29.95
21	1540	7	SCT:04 21 BKN:07 90 BKN:07 110	10.00		52	11.1	48	9.2	45	7.2	77	14	330	24	28.98				FM-16		29.95
21	1553	7	FEW:02 21 SCT:04 31 BKN:07 95	10.00		52	11.1	48	9.2	45	7.2	77	13	330	25	28.99	3	-0.01	29.96	FM-15	0.00	29.96
21	1618	7	BKN:07 21 OVC:08 30	10.00		52	11.1	48	9.2	45	7.2	77	17	320	24	28.99				FM-16		29.96
21	1651	6	SCT:04 27 BKN:07 37 OVC:08 44	10.00		52	11.0	48	9.2	45	7.0	77	14	340		29.00				FM-16		29.97
21	1653	7	SCT:04 27 BKN:07 31 OVC:08 40	10.00		52	11.1	48	8.9	44	6.7	75	14	320	23	29.00			29.97	FM-15	0.00	29.97
21	1753	7	FEW:02 28 OVC:08 49	10.00		50	10.0	47	8.4	44	6.7	80	13	310		29.02			29.99	FM-15	0.00	29.99
21	1853	7	OVC:08 50	10.00		50	10.0	47	8.1	43	6.1	77	17	310	24	29.02	1	-0.04	30.00	FM-15	0.00	29.99
21	1953	7	SCT:04 33 OVC:08 55	10.00		49	9.4	46	7.6	42	5.6	77	13	320		29.03			30.00	FM-15	0.00	30.00
21	2053	7	OVC:08 55	10.00		48	8.9	45	7.3	42	5.6	80	11	330		29.03			30.00	FM-15	0.00	30.00
21	2153	7	OVC:08 60	10.00		47	8.3	45	7.0	42	5.6	83	11	330	20	29.03	0	-0.01	30.00	FM-15	0.00	30.00
21	2253	7	OVC:08 55	10.00		46	7.8	44	6.5	41	5.0	83	9	320		29.03			30.01	FM-15	0.00	30.00
21	2353	7	OVC:08 49	10.00		47	8.3	44	6.8	41	5.0	80	8	330		29.02			30.00	FM-15	0.00	29.99
22	0053	7	OVC:08 55	10.00		46	7.8	44	6.5	41	5.0	83	8	320		29.02	8	+0.00	30.00	FM-15	0.00	29.99
22	0153	7	OVC:08 55	10.00		45	7.2	43	5.9	40	4.4	83	8	320		29.02			30.00	FM-15	0.00	29.99
22	0253	7	OVC:08 50	10.00		45	7.2	43	5.9	40	4.4	83	8	310		29.02			29.99	FM-15	0.00	29.99
22	0353	7	OVC:08 49	10.00		45	7.2	43	5.9	40	4.4	83	8	330		29.02	5	+0.00	30.00	FM-15	0.00	29.99
22	0453	7	OVC:08 48	10.00		45	7.2	42	5.7	39	3.9	80	11	330		29.03			30.01	FM-15	0.00	30.00
22	0553	7	BKN:07 45	10.00		44	6.7	40	4.3	34	1.1	68	8	320		29.04			30.02	FM-15	0.00	30.01
22	0653	7	CLR:00	10.00		40	4.4	37	2.8	33	0.6	77	5	290		29.04	0	-0.01	30.02	FM-15	0.00	30.01
22	0753	7	CLR:00	10.00		43	6.1	40	4.4	36	2.2	76	9	290		29.05			30.03	FM-15	0.00	30.02
22	0853	7	CLR:00	10.00		45	7.2	41	5.2	37	2.8	74	15	310		29.07			30.04	FM-15	0.00	30.04
22	0953	7	FEW:02 28 BKN:07 34	10.00		48	8.9	42	5.6	35	1.7	61	14	340	24	29.07	1	-0.03	30.05	FM-15	0.00	30.04
22	1053	7	SCT:04 41	10.00		49	9.4	43	5.9	35	1.7	59	17	330	23	29.07			30.04	FM-15	0.00	30.04
22	1153	7	BKN:07 42	10.00		48	8.9	42	5.6	35	1.7	61	15	320	24	29.08			30.05	FM-15	T	30.05
22	1253	7	OVC:08 43	10.00		50	10.0	44	6.4	36	2.2	59	14	310	25	29.06	8	+0.01	30.03	FM-15	T	30.03
22	1353	7	OVC:08 44	10.00		50	10.0	44	6.4	36	2.2	59	16	300		29.05			30.03	FM-15	T	30.02
22	1453	7	OVC:08 45	10.00		51	10.6	44	6.7	36	2.2	56	15	310	23	29.05			30.02	FM-15	0.00	30.02
22	1553	7	BKN:07 47	10.00		51	10.6	44	6.9	37	2.8	59	13	310		29.06	5	+0.01	30.03	FM-15	0.00	30.03
22	1653	7	FEW:02 46	10.00		50	10.0	44	6.7	37	2.8	61	8	290		29.06			30.03	FM-15	0.00	30.03
22	1753	7	CLR:00	10.00		46	7.8	42	5.5	37	2.8	71	6	280		29.06			30.04	FM-15	0.00	30.03
22	1853	7	CLR:00	10.00		45	7.2	41	5.2	37	2.8	74	3	250		29.07	3	-0.01	30.05	FM-15	0.00	30.04
22	1953	7	CLR:00	10.00		45	7.2	42	5.5	38	3.3	77	6	240		29.07			30.05	FM-15	0.00	30.04
22	2053	7	BKN:07 95	10.00		44	6.7	41	5.2	38	3.3	79	5	250		29.07			30.05	FM-15	0.00	30.04
22	2153	7	OVC:08 95	10.00		46	7.8	43	6.0	39	3.9	77	5	240		29.07	7	+0.00	30.05	FM-15	0.00	30.04
22	2253	7	SCT:04 90	10.00		44	6.7	41	5.2	38	3.3	79	6	270		29.07			30.04	FM-15	0.00	30.04
22	2353	7	SCT:04 65	10.00		44	6.7	42	5.4	39	3.9	83	5	250		29.08			30.06	FM-15	0.00	30.05
23	0053	7	CLR:00	10.00		45	7.2	42	5.7	39	3.9	80	5	230		29.09	3	-0.02	30.06	FM-15	0.00	30.06
23	0153	7	OVC:08 75	10.00		44	6.7	42	5.4	39	3.9	83	5	230		29.09			30.07	FM-15	0.00	30.06
23	0253	7	FEW:02 65	10.00		44	6.7	41	5.2	38	3.3	79	5	260		29.09			30.07	FM-15	0.00	30.06
23	0353	7	FEW:02 60	10.00		45	7.2	42	5.7	39	3.9	80	5	240		29.09	0	-0.01	30.07	FM-15	0.00	30.06
23	0453	7	FEW:02 55	10.00		45	7.2	42	5.7	39	3.9	80	6	240		29.09			30.07	FM-15	0.00	30.06
23	0553	7	CLR:00	10.00		45	7.2	42	5.7	39	3.9	80	8	240		29.10			30.08	FM-15	0.00	30.07
23	0653	7	CLR:00	10.00		45	7.2	43	5.9	40	4.4	83	9	240		29.10	3	-0.01	30.09	FM-15	0.00	30.07

23	0753	7	CLR:00	10.00		47	8.3	44	6.8	41	5.0	80	10	240		29.11			30.09	FM-15	0.00	30.08
23	0853	7	CLR:00	10.00		52	11.1	48	8.6	43	6.1	72	11	240		29.12			30.10	FM-15	0.00	30.09
23	0953	7	CLR:00	10.00		57	13.9	51	10.5	45	7.2	64	11	250		29.11	0	-0.01	30.09	FM-15	0.00	30.08
23	1053	7	CLR:00	10.00		61	16.1	53	11.7	46	7.8	58	11	230		29.09			30.06	FM-15	0.00	30.06
23	1153	7	CLR:00	10.00		65	18.3	55	12.9	47	8.3	52	10	220		29.08			30.04	FM-15	0.00	30.05
23	1253	7	CLR:00	10.00		67	19.4	56	13.4	47	8.3	49	14	230		29.03	8	+0.08	30.00	FM-15	0.00	30.00
23	1353	7	CLR:00	10.00		69	20.6	57	14.1	48	8.9	47	18	220	25	29.00			29.96	FM-15	0.00	29.97
23	1453	7	CLR:00	10.00		70	21.1	57	14.1	47	8.3	44	17	220	28	28.97			29.94	FM-15	0.00	29.94
23	1553	7	CLR:00	10.00		70	21.1	58	14.3	48	8.9	46	18	220	24	28.96	6	+0.07	29.93	FM-15	0.00	29.93
23	1653	7	CLR:00	10.00		69	20.6	58	14.3	49	9.4	49	14	220	25	28.95			29.91	FM-15	0.00	29.92
23	1753	7	CLR:00	10.00		66	18.9	57	13.7	49	9.4	54	11	220		28.94			29.91	FM-15	0.00	29.91
23	1853	7	CLR:00	10.00		64	17.8	56	13.5	50	10.0	60	9	210		28.94	6	+0.03	29.91	FM-15	0.00	29.91
23	1953	7	CLR:00	10.00		64	17.8	56	13.2	49	9.4	58	15	230		28.94			29.90	FM-15	0.00	29.91
23	2053	7	CLR:00	10.00		63	17.2	55	13.0	49	9.4	60	15	230	24	28.97			29.93	FM-15	0.00	29.94
23	2153	7	BKN:07 55	10.00		63	17.2	55	13.0	49	9.4	60	11	250		28.98	3	-0.04	29.94	FM-15	0.00	29.95
23	2253	7	CLR:00	10.00		61	16.1	54	12.5	49	9.4	65	10	270		29.00			29.96	FM-15	0.00	29.97
23	2353	7	CLR:00	10.00		59	15.0	54	12.0	49	9.4	69	10	260		29.01			29.97	FM-15	0.00	29.98
24	0053	7	CLR:00	10.00		57	13.9	53	11.5	49	9.4	74	9	270		29.03	2	-0.06	29.99	FM-15	0.00	30.00
24	0153	7	CLR:00	10.00		54	12.2	51	10.8	49	9.4	83	8	270		29.05			30.01	FM-15	0.00	30.02
24	0253	7	CLR:00	10.00		51	10.6	49	9.7	48	8.9	89	6	290		29.07			30.03	FM-15	0.00	30.04
24	0353	7	CLR:00	10.00		50	10.0	49	9.4	48	8.9	93	7	290		29.09	3	-0.05	30.05	FM-15	0.00	30.06
24	0453	7	CLR:00	10.00		52	11.1	50	10.0	48	8.9	86	9	330		29.12			30.09	FM-15	0.00	30.09
24	0531	7	BKN:07 17	10.00		52	11.1	50	10.2	49	9.4	89	9	350		29.15				FM-16		30.12
24	0544	7	SCT:04 17	10.00		50	10.0	49	9.4	48	8.9	93	6	340		29.15				FM-16		30.12
24	0553	7	FEW:02 17	10.00		50	10.0	49	9.4	48	8.9	93	7	330		29.16			30.13	FM-15	0.00	30.13
24	0653	7	BKN:07 41	9.00		50	10.0	49	9.4	48	8.9	93	10	340		29.19	1	-0.10	30.16	FM-15	0.00	30.16
24	0753	7	BKN:07 45	10.00		50	10.0	48	8.6	45	7.2	83	11	340		29.23			30.20	FM-15	0.00	30.20
24	0853	7	SCT:04 40	10.00		52	11.1	48	8.9	44	6.7	75	11	350		29.26			30.23	FM-15	0.00	30.23
24	0953	7	FEW:02 29	10.00		53	11.7	48	8.7	42	5.6	66	10	330		29.27	1	-0.09	30.25	FM-15	0.00	30.25
24	1053	7	BKN:07 41	10.00		55	12.8	48	8.7	40	4.4	57	10	340	20	29.28			30.26	FM-15	0.00	30.26
24	1153	7	BKN:07 42	10.00		56	13.3	48	9.0	40	4.4	55	15	340	21	29.29			30.27	FM-15	0.00	30.27
24	1253	7	FEW:02 41	10.00		56	13.3	49	9.2	41	5.0	57	16	340	23	29.29	1	-0.02	30.27	FM-15	0.00	30.27
24	1353	7	BKN:07 44	10.00		57	13.9	49	9.3	40	4.4	53	16	340	20	29.29			30.27	FM-15	0.00	30.27
24	1453	7	FEW:02 45	10.00		58	14.4	49	9.3	39	3.9	50	13	330		29.29			30.27	FM-15	0.00	30.27
24	1553	7	CLR:00	10.00		56	13.3	48	8.8	39	3.9	53	11	320		29.30	3	-0.01	30.28	FM-15	0.00	30.28
24	1653	7	CLR:00	10.00		55	12.8	47	8.5	39	3.9	55	7	340		29.31			30.29	FM-15	0.00	30.29
24	1753	7	CLR:00	10.00		51	10.6	45	7.2	38	3.3	61	5	340		29.31			30.29	FM-15	0.00	30.29
24	1853	7	CLR:00	10.00		50	10.0	44	6.9	38	3.3	63	3	340		29.33	3	-0.03	30.32	FM-15	0.00	30.31
24	1953	7	CLR:00	10.00		45	7.2	42	5.7	39	3.9	80	0	000		29.35			30.34	FM-15	0.00	30.33
24	2053	7	CLR:00	10.00		45	7.2	43	5.9	40	4.4	83	0	000		29.36			30.35	FM-15	0.00	30.34
24	2153	7	CLR:00	10.00		41	5.0	41	4.7	40	4.4	96	0	000		29.37	1	-0.04	30.36	FM-15	0.00	30.35
24	2253	7	CLR:00	10.00		40	4.4	40	4.2	39	3.9	97	0	000		29.36			30.35	FM-15	0.00	30.34
24	2353	7	CLR:00	10.00		39	3.9	39	3.9	39	3.9	100	0	000		29.37			30.36	FM-15	0.00	30.35
25	0053	7	CLR:00	10.00		39	3.9	39	3.9	39	3.9	100	0	000		29.38	3	-0.01	30.37	FM-15	0.00	30.36
25	0153	7	CLR:00	10.00		39	3.9	39	3.6	38	3.3	96	5	010		29.38			30.37	FM-15	0.00	30.36
25	0253	7	CLR:00	10.00		37	2.8	37	2.5	36	2.2	96	0	000		29.38			30.37	FM-15	0.00	30.36
25	0353	7	CLR:00	8.00		37	2.8	37	2.5	36	2.2	96	0	000		29.38	3	-0.01	30.37	FM-15	0.00	30.36
25	0453	7	CLR:00	10.00		36	2.2	36	2.2	36	2.2	100	6	010		29.40			30.40	FM-15	0.00	30.38
25	0553	7	CLR:00	10.00		36	2.2	36	2.0	35	1.7	97	8	010		29.42			30.41	FM-15	0.00	30.40
25	0653	7	CLR:00	10.00		37	2.8	36	2.3	35	1.7	93	3	010		29.42	1	-0.04	30.42	FM-15	0.00	30.40
25	0753	7	CLR:00	10.00		39	3.9	38	3.2	36	2.2	89	3	010		29.45			30.45	FM-15	0.00	30.43
25	0853	7	CLR:00	10.00		45	7.2	43	5.9	40	4.4	83	7	050		29.46			30.45	FM-15	0.00	30.44
25	0953	7	CLR:00	10.00		49	9.4	45	7.1	40	4.4	71	7	010		29.46	0	-0.04	30.45	FM-15	0.00	30.44
25	1053	7	CLR:00	10.00		51	10.6	46	7.7	40	4.4	66	6	340		29.45			30.44	FM-15	0.00	30.43
25	1153	7	CLR:00	10.00		52	11.1	45	7.0	36	2.2	55	5	VRB		29.45			30.44	FM-15	0.00	30.43
25	1253	7	CLR:00	10.00		53	11.7	44	6.7	33	0.6	47	6	070		29.42	8	+0.04	30.41	FM-15	0.00	30.40
25	1353	7	CLR:00	10.00		54	12.2	46	7.6	36	2.2	51	6	350		29.40			30.39	FM-15	0.00	30.38

25	1453	7	CLR:00	10.00		54	12.2	46	7.6	36	2.2	51	3	VRB		29.40			30.39	FM-15	0.00	30.38
25	1553	7	CLR:00	10.00		53	11.7	46	7.5	37	2.8	55	5	020		29.39	6	+0.02	30.38	FM-15	0.00	30.37
25	1653	7	CLR:00	10.00		50	10.0	44	6.9	38	3.3	63	5	350		29.39			30.38	FM-15	0.00	30.37
25	1753	7	CLR:00	10.00		48	8.9	43	5.9	36	2.2	63	6	010		29.39			30.39	FM-15	0.00	30.37
25	1853	7	CLR:00	10.00		48	8.9	43	5.9	36	2.2	63	5	010		29.41	3	-0.01	30.40	FM-15	0.00	30.39
25	1953	7	OVC:08 110	10.00		48	8.9	43	5.9	36	2.2	63	5	010		29.42			30.41	FM-15	0.00	30.40
25	2053	7	CLR:00	10.00		48	8.9	42	5.4	34	1.1	58	11	060		29.42			30.41	FM-15	0.00	30.40
25	2153	7	BKN:07 100	10.00		47	8.3	42	5.4	35	1.7	63	8	060		29.43	1	-0.02	30.42	FM-15	0.00	30.41
25	2253	7	CLR:00	10.00		44	6.7	40	4.5	35	1.7	71	8	090		29.43			30.42	FM-15	0.00	30.41
25	2353	7	CLR:00	10.00		44	6.7	40	4.7	36	2.2	73	6	080		29.42			30.40	FM-15	0.00	30.40
26	0053	7	BKN:07 95 OVC:08 120	10.00		45	7.2	41	4.8	35	1.7	68	8	070		29.40	8	+0.02	30.39	FM-15	0.00	30.38
26	0153	7	OVC:08 90	10.00		45	7.2	41	4.8	35	1.7	68	6	090		29.41			30.40	FM-15	0.00	30.39
26	0253	7	OVC:08 95	10.00		45	7.2	41	4.8	35	1.7	68	7	090		29.41			30.40	FM-15	0.00	30.39
26	0353	7	FEW:02 95	10.00		42	5.6	39	3.9	35	1.7	76	6	060		29.40	8	+0.00	30.39	FM-15	0.00	30.38
26	0453	7	FEW:02 90	10.00		41	5.0	38	3.6	35	1.7	79	7	070		29.40			30.39	FM-15	0.00	30.38
26	0553	7	SCT:04 80	10.00		41	5.0	38	3.6	35	1.7	79	7	080		29.40			30.39	FM-15	0.00	30.38
26	0653	7	CLR:00	10.00		43	6.1	40	4.2	35	1.7	74	11	090		29.38	8	+0.02	30.37	FM-15	0.00	30.36
26	0753	7	OVC:08 85	10.00		44	6.7	40	4.7	36	2.2	73	10	080		29.40			30.39	FM-15	0.00	30.38
26	0853	7	OVC:08 90	10.00	-RA:02 |RA |	44	6.7	41	4.9	37	2.8	76	8	080		29.41			30.40	FM-15	T	30.39
26	0953	7	OVC:08 85	10.00	-RA:02 |RA |	45	7.2	42	5.5	38	3.3	77	10	080		29.40	0	-0.02	30.39	FM-15	T	30.38
26	1053	7	OVC:08 70	10.00		45	7.2	42	5.7	39	3.9	80	13	080		29.36			30.36	FM-15	T	30.34
26	1153	7	FEW:02 80	10.00		48	8.9	43	6.3	38	3.3	68	17	090	25	29.33			30.32	FM-15	0.00	30.31
26	1253	7	CLR:00	10.00		51	10.6	45	7.4	39	3.9	64	14	100		29.29	7	+0.11	30.27	FM-15	0.00	30.27
26	1353	7	CLR:00	10.00		51	10.6	45	7.2	38	3.3	61	11	100		29.25			30.23	FM-15	0.00	30.22
26	1453	7	CLR:00	10.00		52	11.1	46	7.9	40	4.4	64	11	090		29.23			30.21	FM-15	0.00	30.20
26	1553	7	BKN:07 60	10.00		53	11.7	47	8.4	41	5.0	64	9	090		29.22	6	+0.08	30.19	FM-15	0.00	30.19
26	1653	7	CLR:00	10.00		53	11.7	46	8.0	39	3.9	59	9	100		29.21			30.19	FM-15	0.00	30.18
26	1753	7	CLR:00	10.00		49	9.4	45	7.1	40	4.4	71	9	090		29.20			30.18	FM-15	0.00	30.17
26	1853	7	FEW:02 55	10.00		48	8.9	44	6.6	39	3.9	71	9	100		29.19	8	+0.03	30.17	FM-15	0.00	30.16
26	1953	7	CLR:00	10.00		49	9.4	44	6.8	39	3.9	69	9	110		29.17			30.14	FM-15	0.00	30.14
26	2053	7	CLR:00	10.00		49	9.4	44	6.8	39	3.9	69	8	110		29.14			30.12	FM-15	0.00	30.11
26	2153	7	FEW:02 70	10.00		50	10.0	44	6.9	38	3.3	63	9	120		29.13	6	+0.06	30.10	FM-15	0.00	30.10
26	2253	7	SCT:04 75	10.00		51	10.6	45	7.2	38	3.3	61	8	130		29.11			30.09	FM-15	0.00	30.08
26	2353	7	FEW:02 60 BKN:07 75 OVC:08 110	10.00	-RA:02 |RA |	51	10.6	45	7.4	39	3.9	64	0	000		29.11			30.08	FM-15	T	30.08
27	0053	7	OVC:08 90	10.00	-RA:02 |RA |	48	8.9	46	7.8	44	6.7	86	0	000		29.09	7	+0.04	30.06	FM-15	0.01	30.06
27	0153	7	OVC:08 80	10.00	-RA:02 |RA |	48	8.9	46	7.8	44	6.7	86	5	150		29.07			30.04	FM-15	T	30.04
27	0253	7	OVC:08 80	10.00	-RA:02 |RA |	50	10.0	48	8.9	46	7.8	86	8	160		29.04			30.01	FM-15	0.02	30.01
27	0353	7	FEW:02 31 BKN:07 85 OVC:08 110	10.00		51	10.6	49	9.4	47	8.3	86	7	190		29.03	6	+0.06	30.00	FM-15	0.00	30.00
27	0453	7	BKN:07 35 OVC:08 80	10.00		53	11.7	51	10.5	49	9.4	86	7	190		29.02			29.99	FM-15	0.00	29.99
27	0539	7	SCT:04 22 BKN:07 27 OVC:08 65	9.00	-RA:02 |RA |	54	12.2	52	11.0	50	10.0	87	9	210		29.02				FM-16	T	29.99
27	0553	7	BKN:07 22 OVC:08 29	10.00		54	12.2	52	11.3	51	10.6	90	8	200		29.02			29.99	FM-15	T	29.99
27	0653	7	OVC:08 19	10.00		58	14.4	56	13.2	54	12.2	87	9	220		29.03	5	+0.00	30.00	FM-15	0.03	30.00
27	0753	7	OVC:08 16	10.00		59	15.0	57	13.7	55	12.8	87	10	230		29.04			30.01	FM-15	0.00	30.01
27	0830	7	OVC:08 13	10.00		60	15.6	58	14.6	57	13.9	90	11	250		29.06				FM-16		30.03
27	0851	6	BKN:07 15 OVC:08 20	7.00	-RA:02 |RA |	61	16.0	59	14.8	57	14.0	88	9	260		29.07				FM-16		30.04
27	0853	7	BKN:07 15 BKN:07 20 OVC:08 27	7.00	-RA:02 |RA |	60	15.6	58	14.6	57	13.9	90	11	260		29.07			30.03	FM-15	T	30.04
27	0949	7	SCT:04 22 OVC:08 33	10.00	-RA:02 |RA |	57	14.0	54	12.4	52	11.0	82	23	270		29.08				FM-16	T	30.05

27	0953	7	FEW:02 22 BKN:07 33 OVC:08 60	10.00	-RA:02 |RA |	57	13.9	54	12.4	52	11.1	83	17	270	29	29.08	1	-0.04	30.06	FM-15	T	30.05
27	1015	7	BKN:07 15 BKN:07 22 OVC:08 32	10.00		55	12.8	52	11.3	50	10.0	83	18	290		29.10				FM-16	T	30.07
27	1053	7	OVC:08 19	10.00	-RA:02 |RA |	54	12.2	51	10.8	49	9.4	83	18	280	32	29.11			30.08	FM-15	T	30.08
27	1153	7	OVC:08 18	10.00		54	12.2	51	10.8	49	9.4	83	20	280	24	29.12			30.09	FM-15	T	30.09
27	1253	7	OVC:08 24	10.00		53	11.7	49	9.4	45	7.2	74	20	290	31	29.14	1	-0.05	30.11	FM-15	T	30.11
27	1353	7	OVC:08 28	10.00		53	11.7	49	9.2	44	6.7	72	16	290	24	29.15			30.12	FM-15	0.00	30.12
27	1453	7	OVC:08 28	10.00		53	11.7	48	8.9	43	6.1	69	16	290		29.17			30.14	FM-15	0.00	30.14
27	1525	7	BKN:07 30	10.00		52	11.1	47	8.4	42	5.6	69	15	290		29.18				FM-16		30.15
27	1553	7	OVC:08 30	10.00		52	11.1	47	8.4	42	5.6	69	15	300	24	29.19	3	-0.06	30.17	FM-15	0.00	30.16
27	1607	7	OVC:08 29	10.00		51	10.6	47	8.4	43	6.1	74	11	300	21	29.20				FM-16		30.17
27	1653	7	OVC:08 29	10.00		50	10.0	46	7.6	41	5.0	71	13	290		29.21			30.18	FM-15	0.00	30.18
27	1753	7	OVC:08 29	10.00		49	9.4	45	7.3	41	5.0	74	9	310		29.23			30.22	FM-15	0.00	30.21
27	1810	7	OVC:08 30	10.00		49	9.4	45	7.3	41	5.0	74	8	300		29.25				FM-16		30.22
27	1848	7	OVC:08 29	10.00		48	9.0	45	7.0	41	5.0	76	8	330		29.26				FM-16		30.23
27	1853	7	OVC:08 29	10.00		49	9.4	45	7.3	41	5.0	74	9	320		29.26	1	-0.05	30.23	FM-15	0.00	30.23
27	1953	7	OVC:08 26	10.00		48	8.9	44	6.8	40	4.4	74	9	320		29.26			30.24	FM-15	0.00	30.24
27	2053	7	OVC:08 29	10.00		48	8.9	44	6.8	40	4.4	74	10	320		29.28			30.26	FM-15	0.00	30.26
27	2153	7	OVC:08 29	10.00		47	8.3	43	6.3	39	3.9	74	7	330		29.29	1	-0.04	30.27	FM-15	0.00	30.27
27	2253	7	OVC:08 28	10.00		47	8.3	43	6.0	38	3.3	71	7	310		29.29			30.27	FM-15	0.00	30.27
27	2353	7	OVC:08 29	10.00		47	8.3	43	6.0	38	3.3	71	5	280		29.28			30.27	FM-15	0.00	30.26
28	0053	7	OVC:08 28	10.00		47	8.3	43	6.3	39	3.9	74	6	320		29.29	3	-0.00	30.28	FM-15	0.00	30.27
28	0153	7	OVC:08 29	10.00		46	7.8	43	6.0	39	3.9	77	6	320		29.29			30.28	FM-15	0.00	30.27
28	0253	7	OVC:08 28	10.00		45	7.2	43	5.9	40	4.4	83	0	000		29.29			30.28	FM-15	0.00	30.27
28	0346	7	SCT:04 28	10.00		45	7.2	43	5.9	40	4.4	83	0	000		29.29				FM-16		30.27
28	0353	7	FEW:02 28	10.00		45	7.2	43	5.9	40	4.4	83	0	000		29.29	8	+0.00	30.27	FM-15	0.00	30.27
28	0453	7	FEW:02 27	10.00		41	5.0	40	4.5	39	3.9	93	0	000		29.32			30.31	FM-15	0.00	30.30
28	0553	7	CLR:00	10.00		42	5.6	41	5.1	40	4.4	92	0	000		29.34			30.33	FM-15	0.00	30.32
28	0653	7	CLR:00	10.00		38	3.3	38	3.3	38	3.3	100	3	270		29.35	1	-0.06	30.34	FM-15	0.00	30.33
28	0753	7	CLR:00	10.00		39	3.9	39	3.6	38	3.3	96	0	000		29.37			30.37	FM-15	0.00	30.35
28	0853	7	CLR:00	10.00		47	8.3	44	6.8	41	5.0	80	0	000		29.37			30.36	FM-15	0.00	30.35
28	0953	7	FEW:02 24	10.00		50	10.0	45	7.1	39	3.9	66	6	170		29.37	0	-0.02	30.35	FM-15	0.00	30.35
28	1053	7	CLR:00	10.00		52	11.1	46	7.9	40	4.4	64	6	180		29.36			30.35	FM-15	0.00	30.34
28	1153	7	CLR:00	10.00		54	12.2	48	8.9	42	5.6	64	9	180		29.33			30.32	FM-15	0.00	30.31
28	1253	7	CLR:00	10.00		56	13.3	49	9.5	42	5.6	60	9	160		29.29	8	+0.07	30.28	FM-15	0.00	30.27
28	1353	7	CLR:00	10.00		57	13.9	50	9.7	42	5.6	58	8	190		29.27			30.25	FM-15	0.00	30.25
28	1453	7	CLR:00	10.00		58	14.4	50	10.0	42	5.6	56	11	170		29.25			30.22	FM-15	0.00	30.22
28	1553	7	CLR:00	10.00		58	14.4	50	10.0	42	5.6	56	10	160		29.23	6	+0.06	30.22	FM-15	0.00	30.21
28	1653	7	CLR:00	10.00		58	14.4	50	10.2	43	6.1	58	8	160		29.23			30.21	FM-15	0.00	30.20
28	1753	7	CLR:00	10.00		56	13.3	50	10.0	44	6.7	65	6	150		29.23			30.20	FM-15	0.00	30.20
28	1853	7	CLR:00	10.00		55	12.8	49	9.7	44	6.7	67	6	160		29.22	7	+0.02	30.20	FM-15	0.00	30.19
28	1953	7	CLR:00	10.00		55	12.8	49	9.7	44	6.7	67	8	170		29.21			30.19	FM-15	0.00	30.18
28	2053	7	CLR:00	10.00		53	11.7	49	9.2	44	6.7	72	7	190		29.21			30.18	FM-15	0.00	30.18
28	2153	7	CLR:00	10.00		52	11.1	48	8.9	44	6.7	75	8	180		29.19	8	+0.02	30.16	FM-15	0.00	30.16
28	2253	7	CLR:00	10.00		52	11.1	48	8.9	44	6.7	75	8	170		29.18			30.15	FM-15	0.00	30.15
28	2353	7	CLR:00	10.00		51	10.6	48	8.6	44	6.7	77	9	180		29.16			30.13	FM-15	0.00	30.13
29	0053	7	CLR:00	10.00		50	10.0	47	8.4	44	6.7	80	8	170		29.16	6	+0.03	30.13	FM-15	0.00	30.13
29	0153	7	CLR:00	10.00		49	9.4	47	8.1	44	6.7	83	6	190		29.15			30.12	FM-15	0.00	30.12
29	0253	7	CLR:00	10.00		49	9.4	47	8.1	44	6.7	83	7	170		29.13			30.10	FM-15	0.00	30.10
29	0353	7	CLR:00	10.00		49	9.4	47	8.1	44	6.7	83	6	180		29.12	6	+0.04	30.09	FM-15	0.00	30.09
29	0453	7	CLR:00	10.00		48	8.9	46	7.8	44	6.7	86	3	170		29.13			30.10	FM-15	0.00	30.10
29	0553	7	CLR:00	10.00		48	8.9	47	8.1	45	7.2	89	6	170		29.12			30.09	FM-15	0.00	30.09
29	0653	7	FEW:02 60	10.00		50	10.0	48	8.9	46	7.8	86	6	190		29.11	8	+0.01	30.08	FM-15	0.00	30.08
29	0753	7	SCT:04 65	10.00		53	11.7	50	10.2	48	8.9	83	7	200		29.11			30.09	FM-15	0.00	30.08
29	0853	7	OVC:08 55	10.00		61	16.1	57	13.6	53	11.7	75	10	220		29.11			30.08	FM-15	0.00	30.08

29	0953	7	SCT:04 60	10.00		66	18.9	60	15.3	55	12.8	68	15	240		29.10	8	+0.01	30.06	FM-15	0.00	30.07
29	1053	7	BKN:07 55 BKN:07 75	10.00		72	22.2	64	17.5	58	14.4	61	13	240		29.09			30.05	FM-15	0.00	30.06
29	1153	7	BKN:07 55	10.00		76	24.4	65	18.3	58	14.4	54	14	220		29.08			30.03	FM-15	0.00	30.05
29	1253	7	BKN:07 60	10.00		75	23.9	64	17.8	57	13.9	54	13	240		29.05	8	+0.05	30.01	FM-15	0.00	30.02
29	1353	7	SCT:04 60	10.00		77	25.0	65	18.5	58	14.4	52	14	240		29.03			29.99	FM-15	0.00	30.00
29	1453	7	FEW:02 65	10.00		77	25.0	65	18.5	58	14.4	52	15	230	24	29.02			29.98	FM-15	0.00	29.99
29	1553	7	CLR:00	10.00		77	25.0	65	18.5	58	14.4	52	14	230		29.01	6	+0.04	29.97	FM-15	0.00	29.98
29	1653	7	OVC:08 65	10.00		76	24.4	64	18.0	57	13.9	52	10	230		29.02			29.98	FM-15	0.00	29.99
29	1753	7	OVC:08 70	10.00		74	23.3	63	17.3	56	13.3	54	11	220		29.03			29.99	FM-15	0.00	30.00
29	1853	7	SCT:04 70	10.00		71	21.7	62	16.7	56	13.3	59	10	220		29.05	3	-0.03	30.01	FM-15	0.00	30.02
29	1953	7	CLR:00	10.00		70	21.1	62	16.5	56	13.3	61	14	220	23	29.02			29.98	FM-15	0.00	29.99
29	2053	7	CLR:00	10.00		67	19.4	61	15.9	56	13.3	68	8	250		29.05			30.01	FM-15	0.00	30.02
29	2153	7	CLR:00	10.00		67	19.4	61	15.9	56	13.3	68	6	240		29.06	3	-0.01	30.02	FM-15	0.00	30.03
29	2253	7	CLR:00	10.00		65	18.3	60	15.4	56	13.3	73	6	220		29.07			30.02	FM-15	0.00	30.04
29	2353	7	CLR:00	10.00		63	17.2	59	15.0	56	13.3	78	3	220		29.06			30.01	FM-15	0.00	30.03
30	0053	7	CLR:00	10.00		61	16.1	58	14.2	55	12.8	81	5	190		29.06	8	+0.00	30.01	FM-15	0.00	30.03
30	0153	7	FEW:02 60	10.00		61	16.1	58	14.5	56	13.3	84	6	200		29.05			30.00	FM-15	0.00	30.02
30	0253	7	CLR:00	10.00		61	16.1	58	14.5	56	13.3	84	5	180		29.03			29.99	FM-15	0.00	30.00
30	0353	7	CLR:00	10.00		60	15.6	57	14.0	55	12.8	84	5	190		29.02	8	+0.04	29.97	FM-15	0.00	29.99
30	0453	7	BKN:07 70	10.00		62	16.7	59	14.7	56	13.3	80	8	220		29.01			29.96	FM-15	0.00	29.98
30	0553	7	OVC:08 70	10.00		63	17.2	59	15.0	56	13.3	78	8	220		29.00			29.96	FM-15	0.00	29.97
30	0653	7	OVC:08 70	10.00		63	17.2	60	15.3	57	13.9	81	9	230		29.00	6	+0.02	29.95	FM-15	0.00	29.97
30	0753	7	BKN:07 100	10.00		65	18.3	60	15.7	57	13.9	76	10	240		29.00			29.96	FM-15	0.00	29.97
30	0853	7	SCT:04 100	10.00		67	19.4	62	16.5	58	14.4	73	8	260		29.01			29.97	FM-15	0.00	29.98
30	0953	7	CLR:00	10.00		70	21.1	63	17.4	59	15.0	68	16	280	23	29.02	1	-0.02	29.97	FM-15	0.00	29.99
30	1053	7	FEW:02 30	10.00		70	21.1	63	17.4	59	15.0	68	11	310		29.03			29.98	FM-15	0.00	30.00
30	1151	6	OVC:08 29	10.00		68	20.0	63	17.0	59	15.0	73	11	330		29.04				FM-16		30.01
30	1153	7	OVC:08 29	10.00		68	20.0	63	17.0	59	15.0	73	10	330		29.04			29.99	FM-15	0.00	30.01
30	1243	7	SCT:04 26 OVC:08 30	10.00		66	18.9	62	16.6	59	15.0	78	11	330		29.04				FM-16		30.01
30	1253	7	SCT:04 22 BKN:07 26 OVC:08 30	10.00		65	18.3	61	16.0	58	14.4	78	13	350		29.05	3	-0.03	30.01	FM-15	0.00	30.02
30	1326	7	FEW:02 22 SCT:04 30 OVC:08 42	10.00		63	17.2	60	15.3	57	13.9	81	10	360		29.05				FM-16		30.02
30	1353	7	FEW:02 14 OVC:08 44	5.00	-RA:02 BR:1 |RA |	59	15.0	58	14.4	57	13.9	93	13	340		29.06			30.02	FM-15	0.02	30.03
30	1413	7	BKN:07 12 BKN:07 46 OVC:08 60	10.00		59	15.0	57	14.1	56	13.3	90	15	350		29.06				FM-16	T	30.03
30	1451	6	BKN:07 9 OVC:08 45	10.00		55	13.0	54	12.5	54	12.0	94	11	350		29.08				FM-16		30.05
30	1453	7	OVC:08 9	10.00		56	13.3	55	12.7	54	12.2	93	10	360		29.08			30.04	FM-15	T	30.05
30	1531	7	OVC:08 11	10.00		57	13.9	55	13.0	54	12.2	90	14	340		29.09				FM-16		30.06
30	1553	7	OVC:08 12	10.00		56	13.3	54	12.4	53	11.7	90	13	350		29.10	3	-0.06	30.07	FM-15	0.00	30.07
30	1631	7	SCT:04 13 OVC:08 21	10.00		56	13.3	54	12.1	52	11.1	87	15	350		29.11				FM-16		30.08
30	1653	7	SCT:04 14 OVC:08 22	10.00		55	12.8	53	11.6	51	10.6	87	14	360		29.12			30.08	FM-15	0.00	30.09
30	1753	7	OVC:08 17	10.00		54	12.2	51	10.8	49	9.4	83	13	350		29.15			30.11	FM-15	0.00	30.12
30	1853	7	OVC:08 21	10.00		53	11.7	50	10.2	48	8.9	83	15	010	20	29.17	3	-0.07	30.14	FM-15	0.00	30.14
30	1953	7	OVC:08 22	10.00		52	11.1	49	9.4	46	7.8	80	13	010		29.19			30.16	FM-15	0.00	30.16
30	2053	7	OVC:08 18	10.00		51	10.6	48	9.2	46	7.8	83	9	020		29.20			30.17	FM-15	0.00	30.17
30	2153	7	OVC:08 22	10.00		50	10.0	48	8.9	46	7.8	86	9	020		29.22	1	-0.04	30.18	FM-15	0.00	30.19
30	2232	7	SCT:04 28	10.00		47	8.3	46	7.5	44	6.7	90	7	020		29.22				FM-16		30.19
30	2253	7	CLR:00	10.00		46	7.8	45	7.2	44	6.7	93	6	010		29.22			30.19	FM-15	0.00	30.19
30	2348	7	BKN:07 29	10.00		45	7.0	44	6.7	43	6.0	93	5	010		29.22				FM-16		30.19

30	2353	7	BKN:07 28	10.00		45	7.2	45	7.0	44	6.7	97	5	010		29.22			30.19	FM-15	0.00	30.19
31	0053	7	OVC:08 28	10.00		48	8.9	47	8.3	46	7.8	93	7	360		29.23	3	-0.00	30.19	FM-15	0.00	30.20
31	0153	7	OVC:08 28	10.00		48	8.9	47	8.3	46	7.8	93	6	010		29.23			30.20	FM-15	0.00	30.20
31	0253	7	OVC:08 25	10.00		48	8.9	46	7.5	43	6.1	83	6	050		29.23			30.20	FM-15	0.00	30.20
31	0353	7	OVC:08 27	10.00		48	8.9	45	7.0	41	5.0	77	8	090		29.22	8	+0.01	30.19	FM-15	0.00	30.19
31	0453	7	OVC:08 26	10.00		48	8.9	44	6.8	40	4.4	74	7	100		29.22			30.20	FM-15	0.00	30.19
31	0553	7	OVC:08 26	10.00		47	8.3	43	6.3	39	3.9	74	5	090		29.23			30.22	FM-15	0.00	30.21
31	0653	7	OVC:08 27	10.00		47	8.3	44	6.5	40	4.4	77	5	090		29.23	1	-0.02	30.22	FM-15	0.00	30.21
31	0753	7	OVC:08 26	10.00		47	8.3	44	6.5	40	4.4	77	6	100		29.25			30.22	FM-15	0.00	30.22
31	0853	7	OVC:08 26	10.00		48	8.9	44	6.6	39	3.9	71	8	130		29.26			30.24	FM-15	0.00	30.23
31	0949	7	SCT:04 25	10.00		50	10.0	46	7.6	41	5.0	71	9	110		29.25				FM-16		30.22
31	0953	7	FEW:02 25	10.00		50	10.0	46	7.6	41	5.0	71	10	110		29.25	1	-0.00	30.23	FM-15	0.00	30.22
31	1053	7	CLR:00	10.00		52	11.1	47	8.2	41	5.0	66	10	120		29.25			30.22	FM-15	0.00	30.22
31	1153	7	CLR:00	10.00		54	12.2	49	9.2	43	6.1	67	7	VRB		29.23			30.20	FM-15	0.00	30.20
31	1253	7	CLR:00	10.00		56	13.3	49	9.7	43	6.1	62	6	170		29.21	8	+0.04	30.18	FM-15	0.00	30.18
31	1353	7	CLR:00	10.00		57	13.9	50	10.0	43	6.1	60	6	140		29.18			30.15	FM-15	0.00	30.15
31	1453	7	CLR:00	10.00		58	14.4	50	10.2	43	6.1	58	6	110		29.16			30.13	FM-15	0.00	30.13
31	1553	7	CLR:00	10.00		57	13.9	50	10.2	44	6.7	62	9	100		29.16	6	+0.04	30.13	FM-15	0.00	30.13
31	1653	7	FEW:02 50	10.00		55	12.8	49	9.4	43	6.1	64	6	110		29.15			30.12	FM-15	0.00	30.12
31	1753	7	CLR:00	10.00		52	11.1	48	8.6	43	6.1	72	6	100		29.14			30.12	FM-15	0.00	30.11
31	1835	7	BKN:07 26	10.00		53	11.7	48	8.9	43	6.1	69	7	110		29.14				FM-16		30.11
31	1853	7	OVC:08 25	10.00		53	11.7	48	8.9	43	6.1	69	7	110		29.14	6	+0.01	30.12	FM-15	0.00	30.11
31	1953	7	OVC:08 22	10.00		53	11.7	48	8.9	43	6.1	69	6	090		29.14			30.12	FM-15	0.00	30.11
31	2053	7	OVC:08 21	10.00		53	11.7	48	8.9	43	6.1	69	6	110		29.12			30.09	FM-15	0.00	30.09
31	2153	7	OVC:08 20	10.00		52	11.1	48	8.9	44	6.7	75	6	100		29.12	5	+0.02	30.10	FM-15	0.00	30.09
31	2237	7	SCT:04 18	10.00		51	10.6	47	8.4	43	6.1	74	6	120		29.12				FM-16		30.09
31	2253	7	CLR:00	10.00		51	10.6	47	8.4	43	6.1	74	6	120		29.11			30.09	FM-15	0.00	30.08
31	2353	7	CLR:00	10.00		52	11.1	48	8.9	44	6.7	75	8	130		29.11			30.08	FM-15	0.00	30.08

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
October 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01																T			T						01
02	T	T																							02
03																									03
04																									04
05																									05
06																									06
07																									07
08										T					T										08
09																									09
10																									10
11																									11
12																					T				12
13	T	0.03		0.01	T	T																			13
14																									14
15																									15
16																	T								16
17											T														17
18										T												0.01s	T		18
19																				T	T	0.56s	0.05		19
20		T	0.01	0.02	0.19				T	0.03s	0.03		0.02	0.05	0.01	T	0.01		0.01	T	0.01	0.06s	0.02	0.03	20
21	0.04	0.01	0.03	T	T	0.06	0.02	0.01	0.04	0.06	0.03	T		T											21
22												T	T	T											22
23																									23
24																									24
25																									25
26									T	T	T													T	26
27	0.01	T	0.02			T	0.03		T	T	T	T	T												27
28																									28
29																									29
30														0.02	T										30
31																									31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.16	0.26	0.33	0.37	0.50	0.54	0.58	0.61	0.61	0.61	0.61	0.61
Ending Date Time (yyyy-mm-dd hh:mi)	2016-10-19 21:39	2016-10-19 21:40	2016-10-19 21:42	2016-10-19 21:41	2016-10-19 21:42	2016-10-19 21:58	2016-10-19 22:06	2016-10-19 22:27	2016-10-19 22:27	2016-10-19 22:27	2016-10-19 22:27	2016-10-19 22:27

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
November 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	80*	50	65	16.6				0	0	0702	1729		0.00			29.10		8.1	32	230	25	230
02	79	55	67	19.0				0	2	0704	1728		0.00			29.21		6.6	23	210	17	230
03	70	49	59	11.3				6	0	0705	1727	BR	0.02			29.14		8.3	23	240	17	340
04	59	41	50	2.6				15	0	0706	1725	BR	0.00			29.34		6.1	17	320	14	010
05	62	34	48	1.0				17	0	0707	1724	FG BR	0.00			29.38		2.5	12	280	9	270
06	68	36	52	5.3				13	0	0708	1723		0.00			29.38		0.3	8	320	6	170
07	70	39	55	8.7				10	0	0709	1722	BR	0.00			29.38		3.8	17	140	13	140
08	63	38	50	4.0				15	0	0710	1721	RA BR HZ	0.16			29.21		5.8	23	330	17	320
09	49	35	42	-3.6				23	0	0712	1720		T			29.18		9.5	25	310	20	330
10	59	32	46	0.8				19	0	0713	1719		0.00			29.16		8.7	24	220	20	230
11	57	34	46	1.1				19	0	0714	1719		0.00			29.12		10.3	29	020	21	030
12	49	27	38	-6.5				27	0	0715	1718		0.00			29.40		2.1	11	010	8	360
13	58	26	42	-2.1				23	0	0716	1717		0.00			29.26		3.7	15	230	10	210
14	59	24	42	-1.7				23	0	0717	1716		0.00			29.07		3.2	17	170	12	200
15	61	29	45	1.7				20	0	0719	1715		0.00			28.95		3.9	18	170	14	180
16	60	36	48	5.1				17	0	0720	1714	FG BR HZ	0.00			28.95		4.1	14	290	12	300
17	67	34	50	7.5				15	0	0721	1714	FG BR HZ	0.00			29.07		6.3	19	170	15	170
18	75	45	60	17.9				5	0	0722	1713		0.00			29.05		9.5	28	190	22	190
19	66	34	50	8.3				15	0	0723	1712	RA SN BR	0.16			29.03		17.1	47	270	33	280
20	35	31	33	-8.3				32	0	0724	1712	SN	T			29.16		16.5	33	300	26	300
21	39	22	31	-9.9				34	0	0725	1711		0.00			29.23		8.8	24	320	20	310
22	40	21*	31	-9.5				34	0	0726	1711		0.00			29.31		2.4	9	030	7	110
23	43	26	35	-5.1				30	0	0728	1710	RA	0.02			29.21		6.9	15	110	12	120
24	50	42	46	6.3				19	0	0729	1710	RA BR	0.01			29.13		8.1	20	280	16	280
25	42	36	39	-0.3				26	0	0730	1709	BR	0.00			29.29		7.2	17	290	14	280
26	43	34	38	-0.8				27	0	0731	1709	BR	0.00			29.32		8.9	21	270	16	270
27	48	26	37	-1.4				28	0	0732	1708	BR	0.00			29.20		6.4	20	160	15	160
28	56	35	46	8.0				19	0	0733	1708	RA	0.36			28.88		12.0	35	120	24	130
29	61	48	55	17.4				10	0	0734	1708	RA	0.02			28.69		11.5	33	130	24	130
30	63	39	51	13.8				14	0	0735	1707	RA BR	0.09			28.67		10.1	33	280	26	280
	57.7	35.3	46.5									**Monthly Averages | Totals**	0.84s			29.15	30.13	7.4				
	5.9	1.1	3.5									**Departure from Normal (1981-2010)**	-2.34s									

Degree Days

	Monthly		Season-to-date	
	Total	Departure	Total	Departure
Heating	557	-103	825	
Cooling	2	2	1205	

Number of days with...

Temperature				Precipitation		Snow	Weather	
Max		Min						
>=90°	<=32°	<=32°	<=0°	>=0.01"	>=0.1"	>=1"	T-Storms	Heavy Fog
0	0	10	0	8	3			

Date of 5-sec to 3-sec wind equipment change

N/A

Sea Level Pressure

		Date	Time
Maximum	30.49	12	0921
Minimum	29.48	29	0045

Greatest...

24-Hr...		Snow Depth
Precip	Snowfall	
0.38s		
Date		
28-29		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
November 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	CLR:00	10.00		52	11.1	48	8.9	44	6.7	75	8	140		29.10	6	+0.02	30.07	FM-15	0.00	30.07
01	0153	7	CLR:00	10.00		51	10.6	48	8.6	44	6.7	77	5	130		29.11			30.08	FM-15	0.00	30.08
01	0253	7	CLR:00	10.00		51	10.6	48	8.9	45	7.2	80	3	140		29.11			30.08	FM-15	0.00	30.08
01	0353	7	FEW:02 43	10.00		51	10.6	48	8.9	45	7.2	80	3	140		29.09	8	+0.01	30.06	FM-15	0.00	30.06
01	0453	7	CLR:00	10.00		50	10.0	48	8.6	45	7.2	83	3	140		29.10			30.06	FM-15	0.00	30.07
01	0553	7	FEW:02 70	10.00		51	10.6	49	9.4	47	8.3	86	5	160		29.10			30.07	FM-15	0.00	30.07
01	0653	7	FEW:02 55	10.00		53	11.7	51	10.5	49	9.4	86	6	160		29.10	2	-0.01	30.07	FM-15	0.00	30.07
01	0753	7	CLR:00	10.00		54	12.2	52	11.3	51	10.6	90	6	160		29.12			30.09	FM-15	0.00	30.09
01	0853	7	CLR:00	10.00		58	14.4	55	12.9	53	11.7	84	6	160		29.13			30.10	FM-15	0.00	30.10
01	0953	7	CLR:00	10.00		63	17.2	59	15.0	56	13.3	78	8	180		29.13	1	-0.03	30.10	FM-15	0.00	30.10
01	1053	7	CLR:00	10.00		69	20.6	64	17.5	60	15.6	73	10	200		29.12			30.09	FM-15	0.00	30.09
01	1153	7	CLR:00	10.00		76	24.4	67	19.5	62	16.7	62	9	210		29.11			30.07	FM-15	0.00	30.08
01	1253	7	CLR:00	10.00		79	26.1	64	18.0	55	12.8	44	21	230	29	29.09	8	+0.04	30.04	FM-15	0.00	30.06
01	1353	7	CLR:00	10.00		80	26.7	64	17.7	53	11.7	39	17	230	24	29.08			30.03	FM-15	0.00	30.05
01	1453	7	CLR:00	10.00		79	26.1	64	18.0	55	12.8	44	22	220	29	29.07			30.03	FM-15	0.00	30.04
01	1553	7	CLR:00	10.00		78	25.6	65	18.4	57	13.9	48	18	210	30	29.08	5	+0.01	30.03	FM-15	0.00	30.05
01	1653	7	CLR:00	10.00		77	25.0	64	17.9	56	13.3	48	10	220		29.09			30.04	FM-15	0.00	30.06
01	1753	7	CLR:00	10.00		73	22.8	63	17.1	56	13.3	55	6	190		29.10			30.06	FM-15	0.00	30.07
01	1853	7	CLR:00	10.00		71	21.7	62	16.7	56	13.3	59	7	200		29.12	3	-0.05	30.09	FM-15	0.00	30.09
01	1953	7	CLR:00	10.00		69	20.6	61	16.0	55	12.8	61	7	190		29.13			30.09	FM-15	0.00	30.10
01	2053	7	CLR:00	10.00		67	19.4	60	15.6	55	12.8	66	5	190		29.14			30.11	FM-15	0.00	30.11
01	2153	7	FEW:02 120	10.00		67	19.4	60	15.6	55	12.8	66	3	170		29.16	3	-0.03	30.12	FM-15	0.00	30.13
01	2253	7	CLR:00	10.00		64	17.8	59	15.2	56	13.3	75	6	190		29.17			30.12	FM-15	0.00	30.14
01	2353	7	CLR:00	10.00		61	16.1	58	14.5	56	13.3	84	0	000		29.18			30.14	FM-15	0.00	30.15
02	0053	7	CLR:00	10.00		64	17.8	59	15.2	56	13.3	75	0	000		29.19	3	-0.04	30.15	FM-15	0.00	30.16
02	0153	7	BKN:07 60	10.00		61	16.1	58	14.2	55	12.8	81	0	000		29.20			30.16	FM-15	0.00	30.17
02	0253	7	CLR:00	10.00		60	15.6	57	14.0	55	12.8	84	0	000		29.21			30.16	FM-15	0.00	30.18
02	0353	7	CLR:00	10.00		58	14.4	56	13.5	55	12.8	90	0	000		29.21	1	-0.02	30.17	FM-15	0.00	30.18
02	0453	7	CLR:00	10.00		57	13.9	56	13.3	55	12.8	93	0	000		29.23			30.18	FM-15	0.00	30.20
02	0553	7	CLR:00	10.00		57	13.9	56	13.3	55	12.8	93	0	000		29.23			30.19	FM-15	0.00	30.20
02	0653	7	FEW:02 80	10.00		58	14.4	56	13.2	54	12.2	87	3	180		29.23	1	-0.02	30.20	FM-15	0.00	30.21
02	0753	7	CLR:00	10.00		60	15.6	57	14.0	55	12.8	84	6	190		29.26			30.22	FM-15	0.00	30.23
02	0853	7	CLR:00	10.00		64	17.8	59	15.2	56	13.3	75	6	200		29.26			30.23	FM-15	0.00	30.24
02	0953	7	CLR:00	10.00		70	21.1	62	16.8	57	13.9	64	7	210		29.26	1	-0.03	30.23	FM-15	0.00	30.24
02	1053	7	SCT:04 120	10.00		72	22.2	64	17.5	58	14.4	61	8	190		29.26			30.22	FM-15	0.00	30.23
02	1153	7	CLR:00	10.00		76	24.4	65	18.3	58	14.4	54	8	210		29.23			30.20	FM-15	0.00	30.21
02	1253	7	FEW:02 100	10.00		77	25.0	65	18.5	58	14.4	52	11	240		29.22	8	+0.04	30.18	FM-15	0.00	30.19
02	1353	7	CLR:00	10.00		78	25.6	65	18.1	56	13.3	47	15	230		29.21			30.16	FM-15	0.00	30.18
02	1453	7	CLR:00	10.00		78	25.6	64	17.8	55	12.8	45	13	230		29.20			30.16	FM-15	0.00	30.17
02	1553	7	CLR:00	10.00		77	25.0	64	17.6	55	12.8	47	14	210	20	29.21	5	+0.01	30.16	FM-15	0.00	30.18
02	1653	7	CLR:00	10.00		75	23.9	63	17.2	55	12.8	50	8	210		29.20			30.16	FM-15	0.00	30.17
02	1753	7	CLR:00	10.00		72	22.2	62	16.6	55	12.8	55	7	210		29.20			30.16	FM-15	0.00	30.17
02	1853	7	CLR:00	10.00		69	20.6	60	15.7	54	12.2	59	7	210		29.19	6	+0.01	30.15	FM-15	0.00	30.16
02	1953	7	CLR:00	10.00		69	20.6	60	15.7	54	12.2	59	8	210		29.16			30.12	FM-15	0.00	30.13
02	2053	7	CLR:00	10.00		69	20.6	60	15.7	54	12.2	59	6	230		29.17			30.12	FM-15	0.00	30.14
02	2153	7	CLR:00	10.00		68	20.0	60	15.5	54	12.2	61	8	210		29.17	5	+0.02	30.13	FM-15	0.00	30.14
02	2253	7	CLR:00	10.00		68	20.0	60	15.8	55	12.8	63	8	210		29.16			30.11	FM-15	0.00	30.13

02	2353	7	BKN:07 100	10.00		69	20.6	61	16.0	55	12.8	61	15	230		29.15			30.09	FM-15	0.00	30.12
03	0053	7	BKN:07 80	10.00		69	20.6	61	16.3	56	13.3	63	8	240		29.14	6	+0.03	30.09	FM-15	0.00	30.11
03	0153	7	SCT:04 85 BKN:07 120	10.00		68	20.0	61	16.4	57	13.9	68	11	240		29.14			30.09	FM-15	0.00	30.11
03	0253	7	OVC:08 75	10.00		67	19.4	62	16.5	58	14.4	73	10	250		29.13			30.08	FM-15	T	30.10
03	0353	7	FEW:02 60 BKN:07 100 OVC:08 120	10.00		65	18.3	61	16.3	59	15.0	81	8	240		29.13	7	+0.01	30.08	FM-15	T	30.10
03	0453	7	BKN:07 60 OVC:08 70	10.00		64	17.8	62	16.4	60	15.6	87	7	240		29.12			30.08	FM-15	0.01	30.09
03	0553	7	OVC:08 75	10.00		65	18.3	62	16.7	60	15.6	84	7	260		29.13			30.08	FM-15	0.00	30.10
03	0653	7	OVC:08 32	10.00		64	17.8	62	16.8	61	16.1	90	6	270		29.13	6	+0.00	30.08	FM-15	T	30.10
03	0710	7	BKN:07 25 OVC:08 32	10.00		64	17.8	62	16.8	61	16.1	90	7	250		29.13				FM-16		30.10
03	0753	7	OVC:08 22	10.00		64	17.8	62	16.8	61	16.1	90	9	270		29.15			30.10	FM-15	0.00	30.12
03	0853	7	OVC:08 18	10.00		64	17.8	62	16.8	61	16.1	90	9	250		29.14			30.10	FM-15	0.00	30.11
03	0953	7	OVC:08 15	10.00		65	18.3	63	17.0	61	16.1	87	11	270		29.14	0	-0.01	30.10	FM-15	0.00	30.11
03	1009	7	OVC:08 14	10.00		64	17.8	62	16.8	61	16.1	90	13	270		29.14				FM-16		30.11
03	1051	6	FEW:02 8 BKN:07 13 OVC:08 19	6.00	BR:1 ||	63	17.0	63	17.2	63	17.0	100	7	270		29.15				FM-16		30.12
03	1053	7	BKN:07 8 BKN:07 13 OVC:08 19	6.00	BR:1 ||	63	17.2	63	17.2	63	17.2	100	9	270		29.15			30.11	FM-15	T	30.12
03	1153	7	BKN:07 8 BKN:07 13 OVC:08 19	10.00		64	17.8	62	16.8	61	16.1	90	9	320		29.15			30.10	FM-15	0.01	30.12
03	1200	7	BKN:07 10 OVC:08 27	10.00		64	17.8	62	16.8	61	16.1	90	9	300		29.15				FM-16		30.12
03	1253	7	OVC:08 13	10.00		63	17.2	61	16.2	60	15.6	90	11	340		29.13	8	+0.02	30.08	FM-15	0.00	30.10
03	1330	7	SCT:04 13 BKN:07 23 OVC:08 37	10.00		62	16.7	60	15.4	58	14.4	86	10	360		29.13				FM-16		30.10
03	1341	7	FEW:02 13 BKN:07 37	10.00		63	17.2	60	15.6	58	14.4	84	10	340		29.13				FM-16		30.10
03	1353	7	SCT:04 13 SCT:04 37	10.00		63	17.2	60	15.3	57	13.9	81	9	330		29.13			30.09	FM-15	0.00	30.10
03	1425	7	BKN:07 17	10.00		64	17.8	60	15.5	57	13.9	78	13	330	20	29.13				FM-16		30.10
03	1453	7	BKN:07 15	10.00		60	15.6	57	14.0	55	12.8	84	13	350		29.14			30.10	FM-15	0.00	30.11
03	1518	7	OVC:08 13	10.00		58	14.4	56	13.2	54	12.2	87	11	330		29.16				FM-16		30.13
03	1546	7	OVC:08 15	10.00		58	14.4	55	12.9	53	11.7	84	9	360		29.16				FM-16		30.13
03	1553	7	OVC:08 16	10.00		58	14.4	55	12.9	53	11.7	84	10	360		29.16	3	-0.04	30.12	FM-15	0.00	30.13
03	1645	7	SCT:04 19	10.00		57	13.9	54	12.1	51	10.6	81	8	010		29.16				FM-16		30.13
03	1653	7	FEW:02 19	10.00		57	13.9	54	12.1	51	10.6	81	6	010		29.16			30.13	FM-15	0.00	30.13
03	1753	7	CLR:00	10.00		55	12.8	52	11.3	50	10.0	83	10	360		29.18			30.14	FM-15	0.00	30.15
03	1853	7	CLR:00	10.00		51	10.6	50	10.0	49	9.4	92	6	360		29.19	3	-0.03	30.16	FM-15	0.00	30.16
03	1953	7	CLR:00	10.00		54	12.2	52	11.0	50	10.0	87	8	360		29.20			30.17	FM-15	0.00	30.17
03	2053	7	CLR:00	10.00		52	11.1	50	10.2	49	9.4	89	6	360		29.21			30.18	FM-15	0.00	30.18
03	2153	7	SCT:04 100	10.00		50	10.0	49	9.4	48	8.9	93	5	010		29.22	1	-0.03	30.19	FM-15	0.00	30.19
03	2253	7	BKN:07 100	10.00		50	10.0	49	9.4	48	8.9	93	5	360		29.23			30.20	FM-15	0.00	30.21
03	2353	7	CLR:00	9.00		49	9.4	48	9.2	48	8.9	97	5	330		29.23			30.21	FM-15	0.00	30.21
04	0053	7	CLR:00	6.00	BR:1 ||	48	8.9	47	8.6	47	8.3	96	6	320		29.26	3	-0.04	30.23	FM-15	0.00	30.23
04	0145	7	CLR:00	2.50	BR:1 ||	46	7.8	46	7.8	46	7.8	100	6	320		29.26				FM-16		30.24
04	0151	6	CLR:00	3.00	BR:1 ||	46	8.0	46	7.8	46	8.0	100	6	320		29.27				FM-16		30.25
04	0153	7	CLR:00	3.00	BR:1 ||	47	8.3	47	8.1	46	7.8	97	6	320		29.27			30.25	FM-15	0.00	30.25
04	0220	7	SCT:04 9	3.00	BR:1 ||	46	7.8	46	7.8	46	7.8	100	3	360		29.28				FM-16		30.26
04	0225	7	BKN:07 7	2.00	BR:1 ||	46	7.8	46	7.8	46	7.8	100	3	040		29.28				FM-16		30.26
04	0242	7	BKN:07 5 OVC:08 8	3.00	BR:1 ||	48	8.9	48	8.9	48	8.9	100	7	030		29.28				FM-16		30.26
04	0251	6	OVC:08 4	3.00	BR:1 ||	48	9.0	48	8.9	48	9.0	100	7	020		29.28				FM-16		30.26

04	0253	7	OVC:08 4	3.00	BR:1 ||	49	9.4	49	9.4	49	9.4	100	7	020		29.28			30.26	FM-15	0.00	30.26
04	0310	7	OVC:08 3	2.50	BR:1 ||	49	9.4	49	9.4	49	9.4	100	8	020		29.28				FM-16		30.26
04	0344	7	OVC:08 3	4.00	BR:1 ||	49	9.4	48	9.2	48	8.9	97	11	010		29.29				FM-16		30.27
04	0353	7	OVC:08 4	4.00	BR:1 ||	49	9.4	48	9.2	48	8.9	97	14	360		29.30	3	-0.03	30.28	FM-15	0.00	30.28
04	0442	7	OVC:08 6	5.00	BR:1 ||	49	9.4	48	9.2	48	8.9	97	5	360		29.30				FM-16		30.28
04	0453	7	OVC:08 6	5.00	BR:1 ||	49	9.4	48	9.2	48	8.9	97	6	350		29.30			30.29	FM-15	0.00	30.28
04	0553	7	OVC:08 5	5.00	BR:1 ||	49	9.4	48	9.2	48	8.9	97	8	340		29.33			30.31	FM-15	0.00	30.31
04	0653	7	SCT:04 8 BKN:07 15	5.00	BR:1 ||	46	7.8	46	7.8	46	7.8	100	3	360		29.35	3	-0.05	30.33	FM-15	0.00	30.33
04	0704	7	BKN:07 8 OVC:08 15	5.00	BR:1 ||	47	8.3	47	8.1	46	7.8	97	3	340		29.36				FM-16		30.34
04	0721	7	FEW:02 18 BKN:07 48	3.00	BR:1 ||	48	8.9	48	8.6	47	8.3	96	3	330		29.36				FM-16		30.34
04	0742	7	SCT:04 5 BKN:07 47	3.00	BR:1 ||	49	9.4	48	9.2	48	8.9	97	7	340		29.36				FM-16		30.34
04	0751	7	BKN:07 5 OVC:08 47	3.00	BR:1 ||	48	9.0	48	8.9	48	9.0	100	7	350		29.37				FM-16		30.35
04	0753	7	BKN:07 5 OVC:08 47	3.00	BR:1 ||	49	9.4	48	9.2	48	8.9	97	7	350		29.37			30.35	FM-15	0.00	30.35
04	0851	6	OVC:08 10	7.00		50	10.0	49	9.4	48	9.0	94	8	010		29.39				FM-16		30.37
04	0853	7	OVC:08 10	7.00		50	10.0	49	9.4	48	8.9	93	7	020		29.39			30.37	FM-15	0.00	30.37
04	0900	7	BKN:07 6 OVC:08 10	8.00		50	10.0	49	9.4	48	8.9	93	7	020		29.39				FM-16		30.37
04	0953	7	BKN:07 7	7.00		51	10.6	49	9.7	48	8.9	89	8	340		29.39	0	-0.02	30.37	FM-15	0.00	30.37
04	1000	7	BKN:07 13 BKN:07 18	8.00		51	10.6	49	9.4	47	8.3	86	8	350		29.39				FM-16		30.37
04	1016	7	BKN:07 15	8.00		52	11.1	49	9.7	47	8.3	83	9	350		29.40				FM-16		30.38
04	1053	7	BKN:07 15	10.00		53	11.7	50	10.0	47	8.3	80	9	010		29.41			30.39	FM-15	0.00	30.39
04	1100	7	FEW:02 17 OVC:08 40	10.00		53	11.7	50	10.0	47	8.3	80	7	010		29.41				FM-16		30.39
04	1153	7	FEW:02 25 BKN:07 43	10.00		57	13.9	51	10.5	45	7.2	64	5	VRB		29.40			30.38	FM-15	0.00	30.38
04	1253	7	FEW:02 35 BKN:07 46	10.00		58	14.4	51	10.5	44	6.7	60	9	330		29.38	8	+0.00	30.36	FM-15	0.00	30.36
04	1353	7	BKN:07 45	10.00		56	13.3	49	9.7	43	6.1	62	7	320		29.36			30.35	FM-15	0.00	30.34
04	1453	7	FEW:02 36	10.00		58	14.4	50	10.0	42	5.6	56	5	360		29.35			30.34	FM-15	0.00	30.33
04	1553	7	BKN:07 42	10.00		56	13.3	49	9.7	43	6.1	62	6	360		29.37	5	+0.01	30.35	FM-15	0.00	30.35
04	1653	7	SCT:04 45	10.00		54	12.2	48	8.9	42	5.6	64	5	280		29.37			30.35	FM-15	0.00	30.35
04	1753	7	FEW:02 43	10.00		50	10.0	45	7.4	40	4.4	68	6	300		29.37			30.36	FM-15	0.00	30.35
04	1853	7	CLR:00	10.00		49	9.4	45	7.1	40	4.4	71	8	330		29.38	3	-0.01	30.37	FM-15	0.00	30.36
04	1953	7	CLR:00	10.00		48	8.9	44	6.8	40	4.4	74	7	330		29.38			30.37	FM-15	0.00	30.36
04	2053	7	CLR:00	10.00		46	7.8	43	6.2	40	4.4	79	8	340		29.38			30.37	FM-15	0.00	30.36
04	2153	7	CLR:00	10.00		44	6.7	42	5.4	39	3.9	83	3	310		29.38	2	-0.00	30.37	FM-15	0.00	30.36
04	2253	7	CLR:00	10.00		44	6.7	42	5.6	40	4.4	85	0	000		29.38			30.37	FM-15	0.00	30.36
04	2353	7	CLR:00	10.00		43	6.1	41	5.1	39	3.9	86	0	000		29.38			30.37	FM-15	0.00	30.36
05	0053	7	CLR:00	7.00		38	3.3	38	3.1	37	2.8	97	0	000		29.38	5	+0.00	30.37	FM-15	0.00	30.36
05	0124	7	CLR:00	1.75	BR:1 ||	37	2.8	37	2.8	37	2.8	100	0	000		29.38				FM-16		30.36
05	0134	7	CLR:00	0.50	FG:2 |FG |	38	3.3	38	3.1	37	2.8	97	0	000		29.38				FM-16		30.36
05	0144	7	CLR:00	2.00	BR:1 ||	38	3.3	38	3.3	38	3.3	100	0	000		29.38				FM-16		30.36
05	0151	6	CLR:00	7.00		37	3.0	37	2.8	37	3.0	100	0	000		29.38				FM-16		30.36
05	0153	7	CLR:00	7.00		38	3.3	38	3.3	38	3.3	100	0	000		29.38			30.37	FM-15	0.00	30.36
05	0239	7	CLR:00	0.75	BR:1 ||	36	2.2	36	2.2	36	2.2	100	3	270		29.38				FM-16		30.36
05	0251	7	CLR:00	2.00	BR:1 ||	37	3.0	37	2.8	37	3.0	100	0	000		29.38				FM-16		30.36
05	0253	7	CLR:00	2.50	BR:1 ||	37	2.8	37	2.8	37	2.8	100	0	000		29.38			30.37	FM-15	0.00	30.36
05	0308	7	CLR:00	4.00	BR:1 ||	37	2.8	37	2.8	37	2.8	100	0	000		29.38				FM-16		30.36
05	0325	7	CLR:00	1.75	BR:1 ||	37	2.8	37	2.8	37	2.8	100	3	270		29.38				FM-16		30.36
05	0331	7	CLR:00	3.00	BR:1 ||	37	2.8	37	2.8	37	2.8	100	3	270		29.38				FM-16		30.36
05	0353	7	CLR:00	6.00	BR:1 ||	37	2.8	37	2.8	37	2.8	100	3	280		29.38	5	+0.00	30.37	FM-15	0.00	30.36
05	0402	7	CLR:00	1.75	BR:1 ||	35	1.7	35	1.7	35	1.7	100	0	000		29.38				FM-16		30.36

05	0411	7	CLR:00	3.00	BR:1 ||	37	2.8	37	2.5	36	2.2	96	0	000		29.38				FM-16		30.36
05	0453	7	CLR:00	6.00	BR:1 ||	36	2.2	36	2.2	36	2.2	100	0	000		29.39			30.38	FM-15	0.00	30.37
05	0521	7	CLR:00	2.50V	BR:1 ||	35	1.7	35	1.7	35	1.7	100	0	000		29.39				FM-16		30.37
05	0542	7	CLR:00	7.00		36	2.2	36	2.0	35	1.7	97	0	000		29.39				FM-16		30.37
05	0553	7	CLR:00	8.00		35	1.7	35	1.4	34	1.1	96	0	000		29.39			30.38	FM-15	0.00	30.37
05	0653	7	CLR:00	8.00		35	1.7	35	1.7	35	1.7	100	0	000		29.40	3	-0.02	30.40	FM-15	0.00	30.38
05	0753	7	CLR:00	8.00		35	1.7	35	1.7	35	1.7	100	0	000		29.42			30.42	FM-15	0.00	30.40
05	0853	7	CLR:00	9.00		44	6.7	43	5.9	41	5.0	89	0	000		29.44			30.44	FM-15	0.00	30.42
05	0953	7	CLR:00	10.00		50	10.0	47	8.1	43	6.1	77	6	270		29.44	1	-0.04	30.43	FM-15	0.00	30.42
05	1053	7	CLR:00	10.00		54	12.2	49	9.2	43	6.1	67	8	240		29.44			30.43	FM-15	0.00	30.42
05	1153	7	CLR:00	10.00		57	13.9	49	9.5	41	5.0	55	6	270		29.42			30.41	FM-15	0.00	30.40
05	1253	7	CLR:00	10.00		59	15.0	49	9.6	39	3.9	48	3	240		29.39	8	+0.05	30.38	FM-15	0.00	30.37
05	1353	7	CLR:00	10.00		61	16.1	50	9.8	38	3.3	43	0	000		29.37			30.36	FM-15	0.00	30.35
05	1453	7	CLR:00	10.00		61	16.1	49	9.6	37	2.8	41	6	250		29.35			30.34	FM-15	0.00	30.33
05	1553	7	CLR:00	10.00		61	16.1	50	9.8	38	3.3	43	5	270		29.34	8	+0.05	30.32	FM-15	0.00	30.32
05	1653	7	CLR:00	10.00		60	15.6	49	9.4	37	2.8	42	5	230		29.34			30.32	FM-15	0.00	30.32
05	1753	7	CLR:00	10.00		55	12.8	46	8.1	37	2.8	51	3	230		29.33			30.32	FM-15	0.00	30.31
05	1853	7	CLR:00	10.00		50	10.0	44	6.9	38	3.3	63	0	000		29.34	3	-0.01	30.34	FM-15	0.00	30.32
05	1953	7	CLR:00	10.00		50	10.0	44	6.9	38	3.3	63	0	000		29.35			30.35	FM-15	0.00	30.33
05	2053	7	CLR:00	10.00		46	7.8	42	5.8	38	3.3	73	5	240		29.36			30.35	FM-15	0.00	30.34
05	2153	7	CLR:00	10.00		46	7.8	42	5.8	38	3.3	73	3	260		29.37	3	-0.02	30.35	FM-15	0.00	30.35
05	2253	7	CLR:00	10.00		47	8.3	43	6.0	38	3.3	71	3	290		29.37			30.35	FM-15	0.00	30.35
05	2353	7	CLR:00	10.00		44	6.7	41	4.9	37	2.8	76	3	240		29.37			30.35	FM-15	0.00	30.35
06	0053	7	CLR:00	9.00		44	6.7	42	5.4	39	3.9	83	0	000		29.37	1	-0.01	30.35	FM-15	0.00	30.35
06	0153	7	CLR:00	9.00		40	4.4	40	4.2	39	3.9	97	3	250		29.37			30.35	FM-15	0.00	30.35
06	0253	7	CLR:00	8.00		40	4.4	39	4.0	38	3.3	93	0	000		29.37			30.36	FM-15	0.00	30.35
06	0353	7	CLR:00	9.00		39	3.9	38	3.4	37	2.8	93	0	000		29.38	3	-0.01	30.37	FM-15	0.00	30.36
06	0453	7	CLR:00	9.00		38	3.3	38	3.1	37	2.8	97	0	000		29.38			30.37	FM-15	0.00	30.36
06	0553	7	CLR:00	9.00		40	4.4	39	4.0	38	3.3	93	0	000		29.38			30.37	FM-15	0.00	30.36
06	0653	7	CLR:00	8.00		38	3.3	38	3.1	37	2.8	97	0	000		29.40	3	-0.02	30.39	FM-15	0.00	30.38
06	0753	7	CLR:00	9.00		38	3.3	38	3.1	37	2.8	97	0	000		29.42			30.41	FM-15	0.00	30.40
06	0853	7	CLR:00	9.00		47	8.3	44	6.8	41	5.0	80	3	220		29.41			30.40	FM-15	0.00	30.39
06	0953	7	CLR:00	10.00		53	11.7	49	9.2	44	6.7	72	0	000		29.43	1	-0.04	30.42	FM-15	0.00	30.41
06	1053	7	CLR:00	10.00		58	14.4	52	11.0	46	7.8	65	0	000		29.42			30.41	FM-15	0.00	30.40
06	1153	7	CLR:00	10.00		62	16.7	54	12.5	48	8.9	60	0	000		29.41			30.39	FM-15	0.00	30.39
06	1253	7	CLR:00	10.00		65	18.3	56	13.2	48	8.9	54	0	000		29.38	8	+0.04	30.37	FM-15	0.00	30.36
06	1353	7	CLR:00	10.00		67	19.4	57	13.7	48	8.9	51	0	000		29.37			30.35	FM-15	0.00	30.35
06	1453	7	CLR:00	10.00		67	19.4	55	12.9	45	7.2	45	0	000		29.36			30.34	FM-15	0.00	30.34
06	1553	7	CLR:00	10.00		67	19.4	55	12.9	45	7.2	45	0	000		29.36	6	+0.03	30.34	FM-15	0.00	30.34
06	1653	7	CLR:00	10.00		64	17.8	54	12.0	44	6.7	48	0	000		29.36			30.34	FM-15	0.00	30.34
06	1753	7	CLR:00	10.00		57	13.9	50	10.0	43	6.1	60	0	000		29.36			30.35	FM-15	0.00	30.34
06	1853	7	CLR:00	10.00		56	13.3	50	10.0	44	6.7	65	0	000		29.37	3	-0.01	30.36	FM-15	0.00	30.35
06	1953	7	CLR:00	10.00		52	11.1	48	9.2	45	7.2	77	0	000		29.38			30.37	FM-15	0.00	30.36
06	2053	7	CLR:00	10.00		50	10.0	47	8.4	44	6.7	80	0	000		29.38			30.37	FM-15	0.00	30.36
06	2153	7	CLR:00	10.00		49	9.4	47	8.1	44	6.7	83	0	000		29.39	3	-0.01	30.37	FM-15	0.00	30.37
06	2253	7	CLR:00	9.00		47	8.3	46	7.5	44	6.7	90	0	000		29.39			30.37	FM-15	0.00	30.37
06	2353	7	CLR:00	8.00		45	7.2	44	6.7	43	6.1	93	0	000		29.40			30.38	FM-15	0.00	30.38
07	0053	7	CLR:00	7.00		45	7.2	45	7.0	44	6.7	97	3	050		29.40	3	-0.01	30.38	FM-15	0.00	30.38
07	0153	7	CLR:00	6.00	BR:1 ||	44	6.7	44	6.4	43	6.1	96	0	000		29.40			30.38	FM-15	0.00	30.38
07	0253	7	CLR:00	8.00		43	6.1	43	5.9	42	5.6	97	3	050		29.39			30.37	FM-15	0.00	30.37
07	0353	7	CLR:00	8.00		43	6.1	43	5.9	42	5.6	97	3	060		29.39	8	+0.01	30.37	FM-15	0.00	30.37
07	0453	7	CLR:00	10.00		44	6.7	44	6.4	43	6.1	96	3	060		29.39			30.37	FM-15	0.00	30.37
07	0553	7	CLR:00	8.00		43	6.1	43	5.9	42	5.6	97	3	080		29.41			30.40	FM-15	0.00	30.39
07	0651	6	CLR:00	2.50V	BR:1 ||	39	4.0	39	3.9	39	4.0	100	0	000		29.42				FM-16		30.40
07	0653	7	CLR:00	8.00		40	4.4	40	4.4	40	4.4	100	0	000		29.42	3	-0.03	30.40	FM-15	0.00	30.40
07	0753	7	CLR:00	10.00		42	5.6	42	5.6	42	5.6	100	0	000		29.44			30.43	FM-15	0.00	30.42
07	0853	7	CLR:00	10.00		50	10.0	48	8.9	46	7.8	86	3	080		29.44			30.43	FM-15	0.00	30.42

07	0953	7	CLR:00	10.00		57	13.9	49	9.5	41	5.0	55	10	120		29.43	0	-0.01	30.41	FM-15	0.00	30.41
07	1053	7	CLR:00	10.00		62	16.7	51	10.3	39	3.9	43	10	130		29.42			30.40	FM-15	0.00	30.40
07	1153	7	CLR:00	10.00		65	18.3	52	10.9	38	3.3	37	8	140		29.40			30.38	FM-15	0.00	30.38
07	1253	7	CLR:00	10.00		67	19.4	54	12.0	41	5.0	39	5	160		29.38	8	+0.05	30.35	FM-15	0.00	30.36
07	1353	7	CLR:00	10.00		68	20.0	54	12.4	42	5.6	39	6	150		29.36			30.34	FM-15	0.00	30.34
07	1453	7	CLR:00	10.00		70	21.1	55	12.9	42	5.6	37	8	170		29.33			30.31	FM-15	0.00	30.31
07	1553	7	CLR:00	10.00		69	20.6	55	12.7	42	5.6	38	7	180		29.32	6	+0.05	30.30	FM-15	0.00	30.30
07	1653	7	CLR:00	10.00		67	19.4	54	12.0	41	5.0	39	7	170		29.32			30.30	FM-15	0.00	30.30
07	1753	7	CLR:00	10.00		64	17.8	51	10.8	39	3.9	40	0	000		29.32			30.30	FM-15	0.00	30.30
07	1853	7	CLR:00	10.00		57	13.9	49	9.3	40	4.4	53	3	230		29.32	5	+0.00	30.31	FM-15	0.00	30.30
07	1953	7	CLR:00	10.00		55	12.8	48	8.7	40	4.4	57	3	140		29.32			30.31	FM-15	0.00	30.30
07	2053	7	CLR:00	10.00		56	13.3	49	9.2	41	5.0	57	3	180		29.32			30.30	FM-15	0.00	30.30
07	2153	7	CLR:00	10.00		52	11.1	46	7.9	40	4.4	64	0	000		29.31	8	+0.01	30.29	FM-15	0.00	30.29
07	2253	7	CLR:00	10.00		49	9.4	45	7.3	41	5.0	74	0	000		29.31			30.28	FM-15	0.00	30.29
07	2353	7	CLR:00	10.00		45	7.2	43	6.2	41	5.0	86	0	000		29.30			30.28	FM-15	0.00	30.28
08	0053	7	CLR:00	10.00		47	8.3	44	6.8	41	5.0	80	0	000		29.30	6	+0.01	30.28	FM-15	0.00	30.28
08	0153	7	CLR:00	10.00		44	6.7	42	5.6	40	4.4	85	0	000		29.29			30.27	FM-15	0.00	30.27
08	0253	7	CLR:00	10.00		41	5.0	40	4.3	38	3.3	89	0	000		29.29			30.27	FM-15	0.00	30.27
08	0353	7	CLR:00	10.00		43	6.1	41	5.1	39	3.9	86	0	000		29.27	8	+0.03	30.24	FM-15	0.00	30.25
08	0453	7	CLR:00	10.00		43	6.1	42	5.3	40	4.4	89	0	000		29.26			30.24	FM-15	0.00	30.24
08	0553	7	CLR:00	8.00		40	4.4	40	4.2	39	3.9	97	0	000		29.26			30.25	FM-15	0.00	30.24
08	0653	7	CLR:00	9.00		40	4.4	39	4.0	38	3.3	93	0	000		29.26	6	+0.01	30.25	FM-15	0.00	30.24
08	0753	7	BKN:07 65	6.00	BR:1 ||	42	5.6	41	5.1	40	4.4	92	0	000		29.26			30.25	FM-15	0.00	30.24
08	0853	7	BKN:07 60	9.00		50	10.0	48	8.6	45	7.2	83	3	210		29.26			30.24	FM-15	0.00	30.24
08	0953	7	CLR:00	6.00	HZ:7 |FU |HZ	57	13.9	51	10.7	46	7.8	67	3	250		29.25	8	+0.01	30.23	FM-15	0.00	30.22
08	1053	7	FEW:02 65	7.00		62	16.7	54	12.2	47	8.3	58	7	200		29.23			30.20	FM-15	0.00	30.21
08	1153	7	CLR:00	8.00		62	16.7	53	11.7	45	7.2	54	6	220		29.20			30.18	FM-15	0.00	30.17
08	1253	7	CLR:00	8.00		63	17.2	53	11.5	43	6.1	48	9	220		29.18	8	+0.07	30.15	FM-15	0.00	30.15
08	1353	7	SCT:04 90 BKN:07 110	7.00		62	16.7	53	11.5	44	6.7	52	9	210		29.16			30.13	FM-15	0.00	30.13
08	1453	7	FEW:02 50 BKN:07 70 OVC:08 90	6.00	HZ:7 |FU |HZ	61	16.1	53	11.5	45	7.2	56	8	230		29.14			30.11	FM-15	0.00	30.11
08	1553	7	OVC:08 75	6.00	HZ:7 |FU |HZ	59	15.0	52	11.2	46	7.8	62	11	230		29.14	5	+0.04	30.12	FM-15	T	30.11
08	1653	7	OVC:08 70	5.00	HZ:7 |FU |HZ	55	12.8	52	11.0	49	9.4	80	7	250		29.14			30.11	FM-15	0.00	30.11
08	1753	7	FEW:02 29 FEW:02 50 OVC:08 70	5.00	BR:1 ||	53	11.7	51	10.8	50	10.0	89	6	210		29.13			30.11	FM-15	0.00	30.10
08	1827	7	BKN:07 26 BKN:07 36 OVC:08 70	5.00	-RA:02 BR:1 |RA |	53	11.7	52	11.1	51	10.6	93	6	220		29.12				FM-16	T	30.09
08	1853	7	BKN:07 23 BKN:07 33 OVC:08 48	3.00	RA:02 BR:1 |RA |	53	11.7	52	11.1	51	10.6	93	7	230		29.12	6	+0.02	30.10	FM-15	0.03s	30.09
08	1946	7	BKN:07 22 BKN:07 32 OVC:08 55	2.50	RA:02 BR:1 |RA |	53	11.7	52	11.1	51	10.6	93	9	230		29.11				FM-16	0.06	30.08
08	1953	7	BKN:07 27 OVC:08 39	2.50	-RA:02 BR:1 |RA |	53	11.7	52	11.4	52	11.1	96	10	230		29.11			30.09	FM-15	0.07	30.08
08	2030	7	BKN:07 10 BKN:07 13 OVC:08 28	2.50	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	8	260		29.11				FM-16	0.07	30.08
08	2053	7	BKN:07 10 BKN:07 13 OVC:08 28	2.50	BR:1 ||	53	11.7	52	11.4	52	11.1	96	8	240		29.10			30.08	FM-15	0.06	30.07
08	2153	7	SCT:04 10 BKN:07 17 OVC:08 26	4.00	BR:1 ||	53	11.7	52	11.4	52	11.1	96	15	310	18	29.11	5	+0.02	30.08	FM-15	0.00	30.08
08	2253	7	BKN:07 19 BKN:07 60	10.00		50	10.0	48	8.9	46	7.8	86	15	310	22	29.11			30.08	FM-15	0.00	30.08

08	2304	7	SCT:04 19 BKN:07 60	10.00		49	9.4	48	8.6	46	7.8	90	10	310		29.11				FM-16		30.08
08	2353	7	CLR:00	10.00		47	8.3	45	7.0	42	5.6	83	14	310	22	29.11			30.08	FM-15	0.00	30.08
09	0053	7	SCT:04 35 BKN:07 46 OVC:08 55	10.00		48	8.9	46	7.5	43	6.1	83	10	320		29.10	8	+0.00	30.07	FM-15	0.00	30.07
09	0153	7	FEW:02 28 OVC:08 55	10.00		47	8.3	45	7.0	42	5.6	83	15	320	23	29.11			30.08	FM-15	0.00	30.08
09	0253	7	CLR:00	10.00		45	7.2	43	6.2	41	5.0	86	11	320		29.11			30.08	FM-15	0.00	30.08
09	0353	7	OVC:08 36	10.00		45	7.2	43	6.2	41	5.0	86	13	320		29.11	0	-0.01	30.08	FM-15	0.00	30.08
09	0428	7	BKN:07 21 BKN:07 27 OVC:08 37	10.00		46	7.8	44	6.7	42	5.6	86	11	320		29.13				FM-16		30.10
09	0453	7	OVC:08 16	10.00		46	7.8	44	6.7	42	5.6	86	10	320		29.13			30.10	FM-15	0.00	30.10
09	0553	7	OVC:08 15	10.00		47	8.3	45	7.3	43	6.1	86	14	330	23	29.14			30.12	FM-15	0.00	30.11
09	0617	7	BKN:07 14 BKN:07 19 OVC:08 27	10.00		46	7.8	45	7.0	43	6.1	89	14	320		29.15				FM-16		30.12
09	0651	6	SCT:04 8 OVC:08 13	10.00		45	7.0	45	7.2	45	7.0	100	13	320	24	29.16				FM-16		30.13
09	0653	7	FEW:02 8 OVC:08 13	9.00		45	7.2	45	7.0	44	6.7	97	15	330	24	29.16	1	-0.05	30.14	FM-15	T	30.13
09	0753	7	BKN:07 14 OVC:08 24	8.00		46	7.8	45	7.0	43	6.1	89	14	330		29.18			30.16	FM-15	0.00	30.15
09	0810	7	BKN:07 15 BKN:07 24 OVC:08 29	10.00		46	7.8	45	7.0	43	6.1	89	13	340	22	29.18				FM-16		30.15
09	0820	7	BKN:07 14 OVC:08 24	10.00		46	7.8	44	6.7	42	5.6	86	13	340	20	29.18				FM-16		30.15
09	0851	6	OVC:08 27	10.00		46	8.0	44	6.5	41	5.0	82	14	320	22	29.19				FM-16		30.16
09	0853	7	FEW:02 20 OVC:08 27	10.00		46	7.8	44	6.5	41	5.0	83	11	340	22	29.19			30.16	FM-15	0.00	30.16
09	0953	7	BKN:07 20 OVC:08 27	10.00		46	7.8	44	6.5	41	5.0	83	13	330		29.21	3	-0.05	30.19	FM-15	0.00	30.18
09	1053	7	OVC:08 18	9.00		45	7.2	43	6.2	41	5.0	86	14	340		29.22			30.20	FM-15	0.00	30.19
09	1130	7	BKN:07 14 OVC:08 19	10.00		45	7.2	43	6.2	41	5.0	86	15	330		29.23				FM-16	T	30.20
09	1153	7	OVC:08 14	10.00		46	7.8	44	6.5	41	5.0	83	17	330	25	29.22			30.20	FM-15	T	30.19
09	1208	7	BKN:07 15 OVC:08 30	10.00		46	7.8	44	6.5	41	5.0	83	15	330		29.22				FM-16		30.19
09	1215	7	OVC:08 14	10.00		46	7.8	44	6.5	41	5.0	83	18	330	24	29.23				FM-16		30.20
09	1253	7	OVC:08 14	10.00		46	7.8	44	6.5	41	5.0	83	14	340		29.22	0	-0.01	30.20	FM-15	0.00	30.19
09	1300	7	FEW:02 15 OVC:08 26	10.00		46	7.8	43	6.2	40	4.4	79	13	330	20	29.22				FM-16		30.19
09	1353	7	OVC:08 29	10.00		47	8.3	43	6.3	39	3.9	74	10	340		29.22			30.19	FM-15	0.00	30.19
09	1408	7	OVC:08 33	10.00		48	8.9	43	6.3	38	3.3	68	10	330		29.21				FM-16		30.18
09	1451	6	BKN:07 29 OVC:08 35	10.00		46	8.0	42	5.5	37	3.0	71	14	320		29.21				FM-16		30.18
09	1453	7	OVC:08 31	10.00		47	8.3	42	5.8	37	2.8	69	10	320		29.21			30.19	FM-15	0.00	30.18
09	1553	7	CLR:00	10.00		48	8.9	43	5.9	36	2.2	63	8	340		29.22	5	+0.00	30.19	FM-15	0.00	30.19
09	1653	7	CLR:00	10.00		47	8.3	42	5.8	37	2.8	69	6	360		29.23			30.21	FM-15	0.00	30.20
09	1753	7	CLR:00	10.00		44	6.7	41	4.9	37	2.8	76	0	000		29.23			30.21	FM-15	0.00	30.20
09	1853	7	CLR:00	10.00		44	6.7	41	4.9	37	2.8	76	0	000		29.23	3	-0.02	30.22	FM-15	0.00	30.21
09	1953	7	CLR:00	10.00		43	6.1	41	4.9	38	3.3	82	3	230		29.25			30.24	FM-15	0.00	30.22
09	2053	7	CLR:00	10.00		39	3.9	37	2.9	35	1.7	86	3	250		29.25			30.24	FM-15	0.00	30.22
09	2153	7	CLR:00	10.00		41	5.0	39	4.0	37	2.8	86	5	270		29.25	0	-0.01	30.23	FM-15	0.00	30.22
09	2253	7	CLR:00	10.00		38	3.3	37	2.9	36	2.2	93	6	270		29.25			30.24	FM-15	0.00	30.22
09	2353	7	CLR:00	10.00		38	3.3	36	2.4	34	1.1	86	6	280		29.25			30.23	FM-15	0.00	30.22
10	0053	7	CLR:00	10.00		38	3.3	37	2.6	35	1.7	89	0	000		29.23	8	+0.01	30.22	FM-15	0.00	30.21
10	0153	7	CLR:00	10.00		36	2.2	36	2.0	35	1.7	97	3	270		29.25			30.23	FM-15	0.00	30.22
10	0253	7	CLR:00	10.00		36	2.2	35	1.8	34	1.1	93	3	250		29.26			30.24	FM-15	0.00	30.23

10	0353	7	CLR:00	10.00		34	1.1	34	0.9	33	0.6	97	3	260		29.25	0	-0.01	30.24	FM-15	0.00	30.22
10	0453	7	CLR:00	10.00		32	0.0	32	-0.2	31	-0.6	96	3	250		29.25			30.24	FM-15	0.00	30.22
10	0553	7	CLR:00	10.00		35	1.7	35	1.4	34	1.1	96	6	240		29.25			30.24	FM-15	0.00	30.22
10	0653	7	CLR:00	10.00		36	2.2	35	1.8	34	1.1	93	6	240		29.25	5	+0.01	30.24	FM-15	0.00	30.22
10	0753	7	CLR:00	10.00		37	2.8	36	2.3	35	1.7	93	5	240		29.26			30.25	FM-15	0.00	30.23
10	0853	7	CLR:00	10.00		43	6.1	41	4.9	38	3.3	82	5	250		29.26			30.24	FM-15	0.00	30.23
10	0953	7	CLR:00	10.00		49	9.4	44	6.8	39	3.9	69	7	250		29.25	8	+0.00	30.23	FM-15	0.00	30.22
10	1053	7	CLR:00	10.00		52	11.1	46	7.7	39	3.9	61	10	250	20	29.22			30.21	FM-15	0.00	30.19
10	1153	7	CLR:00	10.00		55	12.8	48	8.7	40	4.4	57	11	240		29.20			30.18	FM-15	0.00	30.17
10	1253	7	CLR:00	10.00		57	13.9	48	8.8	38	3.3	49	14	240		29.16	8	+0.09	30.13	FM-15	0.00	30.13
10	1353	7	CLR:00	10.00		59	15.0	48	8.7	35	1.7	41	15	240		29.12			30.09	FM-15	0.00	30.09
10	1453	7	CLR:00	10.00		59	15.0	47	8.5	34	1.1	39	14	240		29.09			30.07	FM-15	0.00	30.06
10	1553	7	CLR:00	10.00		59	15.0	47	8.5	34	1.1	39	13	230	22	29.08	6	+0.08	30.06	FM-15	0.00	30.05
10	1653	6	CLR:00	10.00		57	13.9	47	8.1	35	1.7	44	13	230		29.06			30.04	FM-15	0.00	30.03
10	1753	6	CLR:00	10.00		53	11.7	45	7.3	36	2.2	52	10	220		29.05			30.03	FM-15	0.00	30.02
10	1853	6	CLR:00	10.00		52	11.1	45	7.2	37	2.8	57	11	210		29.04	6	+0.03	30.02	FM-15	0.00	30.01
10	1953	6	CLR:00	10.00		49	9.4	44	6.6	38	3.3	66	9	210		29.03			30.01	FM-15	0.00	30.00
10	2053	6	CLR:00	10.00		49	9.4	44	6.6	38	3.3	66	11	220		29.01			29.99	FM-15	0.00	29.98
10	2153	6	CLR:00	10.00		48	8.9	43	6.1	37	2.8	66	13	220		29.01	6	+0.04	29.98	FM-15	0.00	29.98
10	2253	6	CLR:00	10.00		48	8.9	43	6.1	37	2.8	66	10	260		29.02			29.99	FM-15	0.00	29.99
10	2353	6	CLR:00	10.00		49	9.4	43	6.4	37	2.8	64	11	250		29.01			29.98	FM-15	0.00	29.98
11	0053	6	CLR:00	10.00		47	8.3	42	5.8	37	2.8	69	11	240		28.99	8	+0.02	29.96	FM-15	0.00	29.96
11	0153	6	CLR:00	10.00		46	7.8	42	5.5	37	2.8	71	7	250		28.98			29.96	FM-15	0.00	29.95
11	0253	6	CLR:00	10.00		44	6.7	41	4.9	37	2.8	76	6	260		28.99			29.96	FM-15	0.00	29.96
11	0353	6	CLR:00	10.00		42	5.6	40	4.3	37	2.8	82	7	270		28.99	6	+0.00	29.96	FM-15	0.00	29.96
11	0453	6	CLR:00	10.00		41	5.0	39	4.0	37	2.8	86	8	260		29.01			29.99	FM-15	0.00	29.98
11	0553	6	CLR:00	10.00		41	5.0	39	4.0	37	2.8	86	7	290		29.02			30.00	FM-15	0.00	29.99
11	0653	6	CLR:00	10.00		41	5.0	40	4.3	38	3.3	89	7	300		29.05	3	-0.06	30.03	FM-15	0.00	30.02
11	0753	6	CLR:00	10.00		45	7.2	43	5.9	40	4.4	83	7	320		29.08			30.06	FM-15	0.00	30.05
11	0853	6	CLR:00	10.00		50	10.0	46	7.8	42	5.6	74	6	320		29.11			30.09	FM-15	0.00	30.08
11	0953	6	CLR:00	10.00		53	11.7	48	8.7	42	5.6	66	9	350		29.12	1	-0.07	30.09	FM-15	0.00	30.09
11	1053	6	CLR:00	10.00		56	13.3	47	8.5	38	3.3	51	11	010		29.13			30.10	FM-15	0.00	30.10
11	1153	6	BKN:07 44	10.00		56	13.3	48	8.8	39	3.9	53	11	360	24	29.13			30.10	FM-15	0.00	30.10
11	1253	6	FEW:02 42 BKN:07 50	10.00		54	12.2	47	8.2	39	3.9	57	16	350		29.13	1	-0.01	30.11	FM-15	0.00	30.10
11	1353	6	BKN:07 55	10.00		54	12.2	46	7.8	37	2.8	53	13	330		29.15			30.13	FM-15	0.00	30.12
11	1453	6	SCT:04 40 SCT:04 47 BKN:07 60	10.00		51	10.6	45	7.2	38	3.3	61	18	360	29	29.18			30.15	FM-15	0.00	30.15
11	1553	6	SCT:04 45 BKN:07 55	10.00		49	9.4	43	5.9	35	1.7	59	18	020	24	29.22	3	-0.08	30.20	FM-15	0.00	30.19
11	1653	7	OVC:08 50	10.00		47	8.3	41	5.1	34	1.1	61	16	030	25	29.26			30.24	FM-15	0.00	30.23
11	1753	7	BKN:07 47	10.00		45	7.2	39	3.9	31	-0.6	58	10	360		29.28			30.28	FM-15	0.00	30.26
11	1853	7	FEW:02 45	10.00		43	6.1	38	3.1	30	-1.1	60	13	020		29.32	1	-0.11	30.32	FM-15	0.00	30.30
11	1953	7	OVC:08 43	10.00		44	6.7	39	3.6	31	-0.6	60	8	020		29.33			30.32	FM-15	0.00	30.31
11	2053	7	OVC:08 38	10.00		44	6.7	39	3.8	32	0.0	63	8	030		29.35			30.35	FM-15	0.00	30.33
11	2153	7	BKN:07 37	10.00		42	5.6	37	2.6	29	-1.7	60	13	020		29.36	1	-0.04	30.35	FM-15	0.00	30.34
11	2253	7	CLR:00	10.00		37	2.8	33	0.8	28	-2.2	70	7	020		29.36			30.35	FM-15	0.00	30.34
11	2353	7	CLR:00	10.00		35	1.7	32	0.2	28	-2.2	76	8	010		29.37			30.36	FM-15	0.00	30.35
12	0053	7	BKN:07 32	10.00		35	1.7	33	0.4	29	-1.7	78	6	010		29.38	3	-0.01	30.37	FM-15	0.00	30.36
12	0153	7	FEW:02 30	10.00		34	1.1	32	0.0	29	-1.7	82	3	360		29.39			30.38	FM-15	0.00	30.37
12	0253	7	CLR:00	10.00		33	0.6	31	-0.5	28	-2.2	82	0	000		29.40			30.40	FM-15	0.00	30.38
12	0353	7	BKN:07 31	10.00		31	-0.6	30	-1.2	28	-2.2	89	0	000		29.42	3	-0.04	30.42	FM-15	0.00	30.40
12	0453	7	BKN:07 31	10.00		31	-0.6	30	-1.0	29	-1.7	92	3	290		29.44			30.43	FM-15	0.00	30.42
12	0553	7	SCT:04 31	10.00		27	-2.8	26	-3.2	25	-3.9	92	5	310		29.44			30.44	FM-15	0.00	30.42
12	0653	7	SCT:04 31	10.00		30	-1.1	29	-1.7	27	-2.8	88	3	360		29.46	3	-0.04	30.46	FM-15	0.00	30.44
12	0753	7	BKN:07 30	10.00		31	-0.6	30	-1.0	29	-1.7	92	0	000		29.47			30.47	FM-15	0.00	30.45
12	0853	7	CLR:00	10.00		37	2.8	35	1.7	32	0.0	82	3	340		29.48			30.48	FM-15	0.00	30.46

12	0953	7	CLR:00	10.00		42	5.6	37	2.8	30	-1.1	62	0	000		29.48	0	-0.02	30.48	FM-15	0.00	30.46
12	1053	7	CLR:00	10.00		44	6.7	38	3.4	30	-1.1	58	5	110		29.48			30.48	FM-15	0.00	30.46
12	1153	7	CLR:00	10.00		45	7.2	39	3.7	30	-1.1	56	0	000		29.45			30.45	FM-15	0.00	30.43
12	1253	7	CLR:00	10.00		45	7.2	39	3.7	30	-1.1	56	3	VRB		29.42	8	+0.06	30.42	FM-15	0.00	30.40
12	1353	7	CLR:00	10.00		47	8.3	39	4.0	28	-2.2	48	0	000		29.39			30.39	FM-15	0.00	30.37
12	1453	7	CLR:00	10.00		48	8.9	40	4.3	28	-2.2	46	0	000		29.37			30.37	FM-15	0.00	30.35
12	1553	7	CLR:00	10.00		49	9.4	40	4.6	28	-2.2	44	0	000		29.36	6	+0.06	30.36	FM-15	0.00	30.34
12	1653	7	CLR:00	10.00		46	7.8	39	3.8	29	-1.7	51	3	290		29.35			30.35	FM-15	0.00	30.33
12	1753	7	CLR:00	10.00		43	6.1	37	2.6	27	-2.8	53	0	000		29.35			30.35	FM-15	0.00	30.33
12	1853	7	CLR:00	10.00		40	4.4	35	1.8	28	-2.2	63	0	000		29.35	5	+0.01	30.36	FM-15	0.00	30.33
12	1953	7	CLR:00	10.00		39	3.9	35	1.9	30	-1.1	70	3	190		29.35			30.35	FM-15	0.00	30.33
12	2053	7	CLR:00	10.00		38	3.3	35	1.6	30	-1.1	73	0	000		29.34			30.34	FM-15	0.00	30.32
12	2153	7	CLR:00	10.00		34	1.1	32	0.0	29	-1.7	82	3	260		29.34	6	+0.01	30.34	FM-15	0.00	30.32
12	2253	7	CLR:00	10.00		34	1.1	32	-0.2	28	-2.2	79	3	240		29.34			30.34	FM-15	0.00	30.32
12	2353	7	CLR:00	10.00		34	1.1	32	0.0	29	-1.7	82	3	210		29.34			30.34	FM-15	0.00	30.32
13	0053	7	CLR:00	10.00		32	0.0	30	-0.8	28	-2.2	85	0	000		29.33	8	+0.01	30.33	FM-15	0.00	30.31
13	0153	7	CLR:00	10.00		31	-0.6	30	-1.2	28	-2.2	89	0	000		29.33			30.33	FM-15	0.00	30.31
13	0253	7	CLR:00	10.00		30	-1.1	29	-1.9	26	-3.3	85	0	000		29.32			30.32	FM-15	0.00	30.30
13	0353	7	CLR:00	10.00		29	-1.7	28	-2.1	27	-2.8	92	0	000		29.31	8	+0.02	30.31	FM-15	0.00	30.29
13	0453	7	CLR:00	9.00		28	-2.2	27	-2.6	26	-3.3	92	0	000		29.31			30.31	FM-15	0.00	30.29
13	0553	7	CLR:00	10.00		27	-2.8	26	-3.4	24	-4.4	89	0	000		29.31			30.31	FM-15	0.00	30.29
13	0653	7	CLR:00	9.00		28	-2.2	28	-2.4	27	-2.8	96	0	000		29.31	6	+0.00	30.31	FM-15	0.00	30.29
13	0753	7	CLR:00	10.00		27	-2.8	27	-2.8	27	-2.8	100	0	000		29.31			30.32	FM-15	0.00	30.29
13	0853	7	CLR:00	10.00		35	1.7	33	0.6	30	-1.1	82	3	210		29.32			30.33	FM-15	0.00	30.30
13	0953	7	CLR:00	10.00		42	5.6	38	3.4	33	0.6	71	5	220		29.32	0	-0.01	30.32	FM-15	0.00	30.30
13	1053	7	CLR:00	10.00		48	8.9	41	5.2	33	0.6	56	8	220		29.31			30.31	FM-15	0.00	30.29
13	1153	7	CLR:00	10.00		51	10.6	42	5.7	31	-0.6	46	6	260		29.28			30.27	FM-15	0.00	30.26
13	1253	7	CLR:00	10.00		54	12.2	44	6.5	31	-0.6	42	7	VRB		29.25	8	+0.08	30.24	FM-15	0.00	30.22
13	1353	7	CLR:00	10.00		55	12.8	43	6.3	28	-2.2	35	6	200		29.22			30.20	FM-15	0.00	30.19
13	1453	7	CLR:00	10.00		57	13.9	44	6.5	26	-3.3	30	7	230		29.19			30.18	FM-15	0.00	30.16
13	1553	7	CLR:00	10.00		56	13.3	42	5.7	23	-5.0	28	8	220		29.18	6	+0.07	30.16	FM-15	0.00	30.15
13	1653	7	CLR:00	10.00		52	11.1	41	4.9	25	-3.9	35	7	200		29.16			30.15	FM-15	0.00	30.13
13	1753	7	CLR:00	10.00		50	10.0	39	4.0	23	-5.0	35	6	200		29.16			30.15	FM-15	0.00	30.13
13	1853	7	CLR:00	10.00		48	8.9	38	3.5	24	-4.4	39	6	210		29.17	5	+0.01	30.16	FM-15	0.00	30.14
13	1953	7	CLR:00	10.00		40	4.4	34	1.1	24	-4.4	53	3	240		29.16			30.16	FM-15	0.00	30.13
13	2053	7	CLR:00	10.00		37	2.8	32	0.3	25	-3.9	62	5	250		29.17			30.16	FM-15	0.00	30.14
13	2153	7	CLR:00	10.00		39	3.9	34	0.9	25	-3.9	57	5	210		29.17	3	-0.01	30.16	FM-15	0.00	30.14
13	2253	7	CLR:00	10.00		36	2.2	32	-0.1	25	-3.9	64	5	130		29.15			30.14	FM-15	0.00	30.12
13	2353	7	CLR:00	10.00		34	1.1	31	-0.7	25	-3.9	70	3	170		29.14			30.12	FM-15	0.00	30.11
14	0053	7	CLR:00	10.00		33	0.6	30	-1.3	24	-4.4	70	3	170		29.14	6	+0.04	30.12	FM-15	0.00	30.11
14	0153	7	CLR:00	10.00		33	0.6	30	-1.1	25	-3.9	72	0	000		29.13			30.11	FM-15	0.00	30.10
14	0253	7	CLR:00	10.00		30	-1.1	28	-2.1	25	-3.9	82	0	000		29.13			30.11	FM-15	0.00	30.10
14	0353	7	CLR:00	10.00		29	-1.7	27	-2.6	24	-4.4	82	0	000		29.12	8	+0.02	30.10	FM-15	0.00	30.09
14	0453	7	CLR:00	10.00		30	-1.1	28	-2.3	24	-4.4	79	6	170		29.11			30.10	FM-15	0.00	30.08
14	0553	7	CLR:00	10.00		30	-1.1	28	-2.5	23	-5.0	75	0	000		29.11			30.09	FM-15	0.00	30.08
14	0653	7	CLR:00	10.00		29	-1.7	27	-2.6	24	-4.4	82	0	000		29.10	8	+0.01	30.09	FM-15	0.00	30.07
14	0753	7	CLR:00	9.00		29	-1.7	28	-2.5	25	-3.9	85	0	000		29.11			30.11	FM-15	0.00	30.08
14	0853	7	CLR:00	10.00		36	2.2	33	0.7	29	-1.7	76	0	000		29.12			30.11	FM-15	0.00	30.09
14	0953	7	CLR:00	10.00		43	6.1	37	2.9	29	-1.7	58	0	000		29.10	8	+0.01	30.08	FM-15	0.00	30.07
14	1053	7	CLR:00	10.00		48	8.9	40	4.6	30	-1.1	50	5	190		29.08			30.06	FM-15	0.00	30.05
14	1153	7	CLR:00	10.00		53	11.7	43	6.2	31	-0.6	43	7	220		29.05			30.03	FM-15	0.00	30.02
14	1253	7	CLR:00	10.00		56	13.3	45	7.3	32	0.0	40	7	200		29.03	8	+0.07	30.01	FM-15	0.00	30.00
14	1353	7	CLR:00	10.00		57	13.9	45	7.0	29	-1.7	34	13	180	17	29.00			29.98	FM-15	0.00	29.97
14	1453	6	CLR:00	10.00		58	14.4	44	6.9	27	-2.8	31	6	200		28.99			29.97	FM-15	0.00	29.96
14	1553	6	CLR:00	10.00		58	14.4	44	6.4	24	-4.4	27	7	220		28.99	5	+0.03	29.98	FM-15	0.00	29.96
14	1653	6	CLR:00	10.00		54	12.2	41	5.3	24	-4.4	31	7	220		28.99			29.97	FM-15	0.00	29.96
14	1753	6	CLR:00	10.00		51	10.6	40	4.4	24	-4.4	35	5	190		29.00			29.98	FM-15	0.00	29.97

14	1853	7	CLR:00	10.00		46	7.8	38	3.3	26	-3.3	46	6	180		29.00	3	-0.01	29.99	FM-15	0.00	29.97
14	1953	7	CLR:00	10.00		45	7.2	38	3.1	27	-2.8	49	6	190		29.00			29.99	FM-15	0.00	29.97
14	2053	7	CLR:00	10.00		41	5.0	35	1.9	27	-2.8	57	0	000		29.00			29.99	FM-15	0.00	29.97
14	2153	7	CLR:00	10.00		41	5.0	35	1.9	27	-2.8	57	0	000		29.00	5	+0.00	29.99	FM-15	0.00	29.97
14	2253	7	CLR:00	10.00		38	3.3	34	0.9	27	-2.8	65	0	000		29.00			29.98	FM-15	0.00	29.97
14	2353	7	CLR:00	10.00		38	3.3	34	1.1	28	-2.2	68	0	000		29.00			29.98	FM-15	0.00	29.97
15	0053	7	CLR:00	10.00		38	3.3	34	1.1	28	-2.2	68	0	000		28.99	7	+0.01	29.97	FM-15	0.00	29.96
15	0153	7	CLR:00	10.00		36	2.2	33	0.5	28	-2.2	73	0	000		28.99			29.97	FM-15	0.00	29.96
15	0253	7	CLR:00	10.00		34	1.1	32	-0.2	28	-2.2	79	0	000		28.99			29.96	FM-15	0.00	29.96
15	0353	7	CLR:00	10.00		32	0.0	30	-0.8	28	-2.2	85	0	000		28.98	8	+0.01	29.96	FM-15	0.00	29.95
15	0453	7	CLR:00	10.00		32	0.0	30	-1.0	27	-2.8	82	0	000		28.98			29.96	FM-15	0.00	29.95
15	0553	7	SCT:04 55	10.00		30	-1.1	29	-1.7	27	-2.8	88	0	000		28.98			29.96	FM-15	0.00	29.95
15	0653	7	FEW:02 55	10.00		33	0.6	31	-0.5	28	-2.2	82	3	130		28.98	3	-0.01	29.97	FM-15	0.00	29.95
15	0753	7	BKN:07 60	9.00		36	2.2	34	0.9	30	-1.1	79	5	170		29.00			29.98	FM-15	0.00	29.97
15	0853	7	CLR:00	10.00		41	5.0	37	2.9	32	0.0	70	5	150		28.99			29.98	FM-15	0.00	29.96
15	0953	7	CLR:00	10.00		47	8.3	40	4.7	32	0.0	56	5	210		28.99	0	-0.00	29.97	FM-15	0.00	29.96
15	1053	7	CLR:00	10.00		52	11.1	43	6.4	33	0.6	49	7	200		28.98			29.96	FM-15	0.00	29.95
15	1153	7	SCT:04 65	10.00		56	13.3	46	7.7	34	1.1	44	9	170		28.95			29.93	FM-15	0.00	29.92
15	1253	7	SCT:04 70	10.00		60	15.6	48	9.1	36	2.2	41	9	200		28.92	8	+0.06	29.90	FM-15	0.00	29.89
15	1353	7	FEW:02 50 BKN:07 70	10.00		59	15.0	48	9.1	37	2.8	44	8	180		28.91			29.88	FM-15	0.00	29.88
15	1453	7	BKN:07 50 OVC:08 60	10.00		60	15.6	50	9.8	39	3.9	46	8	210		28.91			29.88	FM-15	0.00	29.88
15	1553	7	BKN:07 48 OVC:08 70	10.00		59	15.0	49	9.5	39	3.9	48	7	210		28.90	6	+0.02	29.88	FM-15	0.00	29.87
15	1653	7	BKN:07 47 OVC:08 65	10.00		58	14.4	49	9.3	39	3.9	50	6	210		28.90			29.87	FM-15	0.00	29.86
15	1753	7	CLR:00	10.00		55	12.8	47	8.2	38	3.3	53	5	190		28.90			29.88	FM-15	0.00	29.87
15	1853	7	CLR:00	10.00		53	11.7	46	7.7	38	3.3	57	5	200		28.91	3	-0.01	29.89	FM-15	0.00	29.88
15	1953	7	CLR:00	10.00		50	10.0	44	6.9	38	3.3	63	6	200		28.91			29.89	FM-15	0.00	29.88
15	2053	7	CLR:00	10.00		47	8.3	43	6.0	38	3.3	71	3	200		28.91			29.90	FM-15	0.00	29.88
15	2153	7	CLR:00	10.00		46	7.8	42	5.7	38	3.3	73	0	000		28.90	8	+0.01	29.88	FM-15	0.00	29.87
15	2253	7	CLR:00	10.00		42	5.6	40	4.6	38	3.3	85	0	000		28.91			29.88	FM-15	0.00	29.88
15	2353	7	CLR:00	10.00		43	6.1	41	4.9	38	3.3	82	3	280		28.91			29.88	FM-15	0.00	29.88
16	0053	7	CLR:00	10.00		40	4.4	39	3.7	37	2.8	89	5	250		28.91	1	-0.01	29.88	FM-15	0.00	29.88
16	0153	7	FEW:02 44	9.00		42	5.6	40	4.6	38	3.3	85	5	240		28.90			29.86	FM-15	0.00	29.86
16	0253	7	CLR:00	7.00		41	5.0	40	4.5	39	3.9	93	5	270		28.90			29.87	FM-15	0.00	29.87
16	0353	7	CLR:00	6.00	BR:1 ||	38	3.3	38	3.1	37	2.8	97	6	260		28.90	6	+0.01	29.87	FM-15	0.00	29.87
16	0453	7	CLR:00	6.00	BR:1 ||	38	3.3	38	3.1	37	2.8	97	9	270		28.90			29.88	FM-15	0.00	29.87
16	0553	7	BKN:07 110	6.00	BR:1 ||	41	5.0	40	4.5	39	3.9	93	7	280		28.92			29.90	FM-15	0.00	29.89
16	0653	7	SCT:04 110	6.00	BR:1 ||	39	3.9	39	3.6	38	3.3	96	6	270		28.94	3	-0.04	29.92	FM-15	0.00	29.91
16	0753	7	FEW:02 100	3.00	BR:1 ||	39	3.9	39	3.6	38	3.3	96	6	270		28.95			29.93	FM-15	0.00	29.92
16	0818	7	SCT:04 6	3.00	BR:1 ||	38	3.3	38	3.3	38	3.3	100	5	290		28.95				FM-16		29.92
16	0824	7	BKN:07 6	2.50	BR:1 ||	39	3.9	39	3.6	38	3.3	96	3	290		28.96				FM-16		29.93
16	0850	7	BKN:07 6	3.00	BR:1 ||	43	6.0	43	6.1	43	6.0	100	3	290		28.97				FM-16		29.94
16	0853	7	BKN:07 6	3.00	BR:1 ||	43	6.1	43	5.9	42	5.6	97	3	VRB		28.97			29.95	FM-15	0.00	29.94
16	0900	7	OVC:08 3	2.50	BR:1 ||	44	6.7	43	6.1	42	5.6	93	6	320		28.97				FM-16		29.94
16	0918	7	SCT:04 3	3.00	BR:1 ||	45	7.2	44	6.7	43	6.1	93	5	300		28.97				FM-16		29.94
16	0953	7	CLR:00	4.00	BR:1 ||	48	8.9	46	7.8	44	6.7	86	5	310		28.98	1	-0.02	29.96	FM-15	0.00	29.95
16	1053	7	CLR:00	5.00	HZ:7 |FU |HZ	52	11.1	48	9.2	45	7.2	77	5	330		28.98			29.96	FM-15	0.00	29.95
16	1153	7	CLR:00	7.00		55	12.8	50	9.9	45	7.2	69	6	290		28.97			29.95	FM-15	0.00	29.94
16	1253	7	FEW:02 26 SCT:04 33	5.00	HZ:7 |FU |HZ	56	13.3	50	10.2	45	7.2	67	7	310		28.96	8	+0.01	29.94	FM-15	0.00	29.93
16	1312	7	BKN:07 29	5.00	HZ:7 |FU |HZ	56	13.3	51	10.5	46	7.8	70	3	010		28.96				FM-16		29.93
16	1322	7	SCT:04 29	5.00	HZ:7 |FU |HZ	56	13.3	51	10.5	46	7.8	70	3	030		28.96				FM-16		29.93
16	1338	7	BKN:07 28	5.00	HZ:7 |FU |HZ	57	13.9	51	10.7	46	7.8	67	6	VRB		28.95				FM-16		29.92
16	1353	7	BKN:07 28	5.00	HZ:7 |FU |HZ	57	13.9	51	10.7	46	7.8	67	0	000		28.95			29.93	FM-15	0.00	29.92
16	1451	6	CLR:00	8.00		59	15.0	52	11.0	45	7.0	59	6	280		28.96				FM-16		29.93

16	1453	7	CLR:00	8.00		59	15.0	51	10.7	44	6.7	58	0	000		28.96			29.93	FM-15	0.00	29.93
16	1553	7	CLR:00	5.00	HZ:7 |FU |HZ	57	13.9	51	10.7	46	7.8	67	6	050		28.97	3	-0.01	29.94	FM-15	0.00	29.94
16	1653	7	CLR:00	5.00	HZ:7 |FU |HZ	52	11.1	48	9.2	45	7.2	77	6	040		28.98			29.96	FM-15	0.00	29.95
16	1753	7	CLR:00	5.00	HZ:7 |FU |HZ	50	10.0	48	8.6	45	7.2	83	3	020		29.00			29.98	FM-15	0.00	29.97
16	1853	7	CLR:00	5.00	BR:1 ||	48	8.9	47	8.1	45	7.2	89	5	040		29.02	3	-0.05	30.00	FM-15	0.00	29.99
16	1953	7	CLR:00	4.00	BR:1 ||	46	7.8	45	7.2	44	6.7	93	3	030		29.03			30.01	FM-15	0.00	30.00
16	2053	7	CLR:00	2.50	BR:1 ||	44	6.7	44	6.7	44	6.7	100	0	000		29.03			30.01	FM-15	0.00	30.00
16	2101	7	CLR:00	3.00	BR:1 ||	43	6.1	43	6.1	43	6.1	100	0	000		29.04				FM-16		30.01
16	2153	7	CLR:00	2.50	BR:1 ||	44	6.7	43	6.1	42	5.6	93	0	000		29.05	3	-0.03	30.03	FM-15	0.00	30.02
16	2200	7	CLR:00	3.00	BR:1 ||	42	5.6	42	5.3	41	5.0	96	0	000		29.05				FM-16		30.02
16	2243	7	CLR:00	2.00	BR:1 ||	41	5.0	41	4.7	40	4.4	96	0	000		29.05				FM-16		30.02
16	2250	7	CLR:00	0.75	BR:1 ||	41	5.0	41	5.0	41	5.0	100	0	000		29.05				FM-16		30.02
16	2251	7	CLR:00	0.75	BR:1 ||	41	5.0	41	5.0	41	5.0	100	0	000		29.05			30.03	FM-15	0.00	30.02
16	2302	7	CLR:00	0.25	FG:2 |FG |	40	4.4	40	4.4	40	4.4	100	0	000		29.05				FM-16		30.02
16	2308	7	CLR:00	1.00	BR:1 ||	42	5.6	42	5.6	42	5.6	100	0	000		29.05				FM-16		30.02
16	2328	7	CLR:00	0.50	FG:2 |FG |	41	5.0	41	5.0	41	5.0	100	3	070		29.06				FM-16		30.03
16	2335	7	VV:09 6	0.25	FG:2 |FG |	39	3.9	39	3.9	39	3.9	100	3	070		29.06				FM-16		30.03
16	2353	7	VV:09 5	0.50	FG:2 |FG |	38	3.3	38	3.3	38	3.3	100	3	080		29.06			30.03	FM-15	0.00	30.03
17	0003	7	VV:09 5	0.25	FG:2 |FG |	37	2.8	37	2.8	37	2.8	100	0	000		29.06				FM-16		30.03
17	0013	7	CLR:00	0.25	FG:2 |FG |	38	3.3	38	3.3	38	3.3	100	0	000		29.06				FM-16		30.03
17	0021	7	CLR:00	0.75	BR:1 ||	39	3.9	39	3.9	39	3.9	100	0	000		29.06				FM-16		30.03
17	0031	7	CLR:00	1.25	BR:1 ||	40	4.4	40	4.4	40	4.4	100	3	080		29.06				FM-16		30.03
17	0053	7	CLR:00	1.00	BR:1 ||	41	5.0	41	5.0	41	5.0	100	0	000		29.06	3	-0.01	30.03	FM-15	0.00	30.03
17	0100	7	CLR:00	0.25	FG:2 |FG |	38	3.3	38	3.3	38	3.3	100	0	000		29.06				FM-16		30.03
17	0107	7	VV:09 5	0.25	FG:2 |FG |	39	3.9	39	3.9	39	3.9	100	0	000		29.06				FM-16		30.03
17	0142	7	CLR:00	0.25	FG:2 |FG |	37	2.8	37	2.8	37	2.8	100	0	000		29.06				FM-16		30.03
17	0153	7	CLR:00	0.25	FG:2 |FG |	36	2.2	36	2.2	36	2.2	100	3	090		29.06			30.04	FM-15	0.00	30.03
17	0220	7	CLR:00	0.75	BR:1 ||	38	3.3	38	3.3	38	3.3	100	0	000		29.06				FM-16		30.03
17	0232	7	CLR:00	1.50	BR:1 ||	39	3.9	39	3.9	39	3.9	100	3	100		29.06				FM-16		30.03
17	0253	7	CLR:00	1.50	BR:1 ||	39	3.9	39	3.9	39	3.9	100	0	000		29.07			30.04	FM-15	0.00	30.04
17	0353	7	CLR:00	0.75	BR:1 ||	37	2.8	37	2.8	37	2.8	100	0	000		29.08	3	-0.02	30.06	FM-15	0.00	30.05
17	0404	7	CLR:00	1.25	BR:1 ||	39	3.9	39	3.9	39	3.9	100	0	000		29.08				FM-16		30.05
17	0440	7	CLR:00	2.50	BR:1 ||	40	4.4	40	4.4	40	4.4	100	0	000		29.09				FM-16		30.06
17	0453	7	CLR:00	2.50	BR:1 ||	40	4.4	40	4.2	39	3.9	97	0	000		29.09			30.07	FM-15	0.00	30.06
17	0541	7	CLR:00	1.25	BR:1 ||	37	2.8	37	2.8	37	2.8	100	5	100		29.09				FM-16		30.06
17	0547	7	CLR:00	0.25	FG:2 |FG |	36	2.0	36	2.2	36	2.0	100	5	100		29.09				FM-16		30.06
17	0551	6	VV:09 4	0.25	FG:2 |FG |	34	1.0	34	1.1	34	1.0	100	5	110		29.09				FM-16		30.06
17	0553	7	VV:09 4	0.25	FG:2 |FG |	35	1.7	35	1.7	35	1.7	100	5	110		29.09			30.08	FM-15	0.00	30.06
17	0558	7	CLR:00	0.50	FG:2 |FG |	36	2.2	36	2.2	36	2.2	100	5	120		29.09				FM-16		30.06
17	0606	7	CLR:00	1.25	BR:1 ||	36	2.2	36	2.2	36	2.2	100	3	120		29.10				FM-16		30.07
17	0635	7	CLR:00	3.00	BR:1 ||	39	3.9	39	3.9	39	3.9	100	6	140		29.10				FM-16		30.07
17	0653	7	CLR:00	3.00	BR:1 ||	37	2.8	37	2.8	37	2.8	100	0	000		29.11	1	-0.03	30.09	FM-15	0.00	30.08
17	0753	7	CLR:00	3.00	BR:1 ||	38	3.3	38	3.3	38	3.3	100	3	130		29.12			30.11	FM-15	0.00	30.09
17	0853	7	CLR:00	4.00	BR:1 ||	46	7.8	45	7.0	43	6.1	89	6	140		29.13			30.11	FM-15	0.00	30.10
17	0953	7	CLR:00	6.00	HZ:7 |FU |HZ	51	10.6	47	8.4	43	6.1	74	8	160		29.13	1	-0.03	30.11	FM-15	0.00	30.10
17	1053	7	CLR:00	9.00		56	13.3	50	10.0	44	6.7	65	11	170		29.13			30.11	FM-15	0.00	30.10
17	1153	7	CLR:00	10.00		59	15.0	51	10.7	44	6.7	58	13	160		29.10			30.08	FM-15	0.00	30.07
17	1253	7	CLR:00	10.00		64	17.8	54	12.2	45	7.2	50	8	160		29.08	8	+0.06	30.05	FM-15	0.00	30.05
17	1353	7	CLR:00	10.00		66	18.9	54	12.4	44	6.7	45	8	VRB		29.06			30.03	FM-15	0.00	30.03
17	1453	7	CLR:00	10.00		67	19.4	55	12.9	45	7.2	45	13	160		29.04			30.01	FM-15	0.00	30.01
17	1553	7	CLR:00	10.00		66	18.9	55	12.7	45	7.2	47	13	160		29.04	6	+0.04	30.01	FM-15	0.00	30.01
17	1653	7	CLR:00	10.00		64	17.8	54	12.2	45	7.2	50	8	150		29.04			30.01	FM-15	0.00	30.01
17	1753	7	CLR:00	10.00		62	16.7	53	11.7	45	7.2	54	7	150		29.05			30.02	FM-15	0.00	30.02
17	1853	7	CLR:00	10.00		62	16.7	53	11.7	45	7.2	54	8	160		29.05	2	-0.01	30.03	FM-15	0.00	30.02
17	1953	7	CLR:00	10.00		61	16.1	53	11.5	45	7.2	56	9	150		29.05			30.03	FM-15	0.00	30.02
17	2053	7	CLR:00	10.00		58	14.4	51	10.5	44	6.7	60	7	150		29.06			30.03	FM-15	0.00	30.03
17	2153	7	CLR:00	10.00		57	13.9	50	10.2	44	6.7	62	8	160		29.06	3	-0.01	30.03	FM-15	0.00	30.03

17	2253	7	CLR:00	10.00		57	13.9	50	10.2	44	6.7	62	8	150		29.06			30.03	FM-15	0.00	30.03
17	2353	7	CLR:00	10.00		56	13.3	50	10.0	44	6.7	65	6	170		29.07			30.04	FM-15	0.00	30.04
18	0053	7	CLR:00	10.00		54	12.2	49	9.4	44	6.7	69	8	160		29.07	2	-0.01	30.03	FM-15	0.00	30.04
18	0153	7	CLR:00	10.00		53	11.7	48	9.2	44	6.7	72	6	170		29.08			30.04	FM-15	0.00	30.05
18	0253	7	CLR:00	10.00		54	12.2	49	9.4	44	6.7	69	7	170		29.08			30.05	FM-15	0.00	30.05
18	0353	7	CLR:00	10.00		52	11.1	48	8.9	44	6.7	75	7	170		29.09	3	-0.02	30.06	FM-15	0.00	30.06
18	0453	7	CLR:00	10.00		52	11.1	48	8.9	44	6.7	75	7	170		29.10			30.07	FM-15	0.00	30.07
18	0553	7	CLR:00	10.00		52	11.1	48	8.9	44	6.7	75	6	160		29.10			30.07	FM-15	0.00	30.07
18	0653	7	CLR:00	10.00		47	8.3	45	7.0	42	5.6	83	0	000		29.12	3	-0.02	30.09	FM-15	0.00	30.09
18	0753	7	CLR:00	9.00		48	8.9	46	7.5	43	6.1	83	5	160		29.13			30.10	FM-15	0.00	30.10
18	0853	7	CLR:00	10.00		55	12.8	50	9.9	45	7.2	69	7	180		29.13			30.10	FM-15	0.00	30.10
18	0953	7	CLR:00	10.00		60	15.6	53	11.5	46	7.8	60	8	180		29.12	0	-0.00	30.08	FM-15	0.00	30.09
18	1053	7	CLR:00	10.00		66	18.9	56	13.2	47	8.3	50	9	210		29.11			30.07	FM-15	0.00	30.08
18	1153	7	CLR:00	10.00		70	21.1	59	14.8	50	10.0	49	9	200		29.08			30.04	FM-15	0.00	30.05
18	1253	7	CLR:00	10.00		73	22.8	61	16.0	52	11.1	48	13	190	22	29.04	8	+0.07	30.00	FM-15	0.00	30.01
18	1353	7	CLR:00	10.00		74	23.3	61	15.9	51	10.6	45	17	200	24	29.01			29.97	FM-15	0.00	29.98
18	1453	7	CLR:00	10.00		74	23.3	60	15.4	49	9.4	41	22	180	26	28.99			29.95	FM-15	0.00	29.96
18	1553	7	CLR:00	10.00		74	23.3	59	14.9	47	8.3	38	14	190	24	28.98	6	+0.06	29.95	FM-15	0.00	29.95
18	1653	7	CLR:00	10.00		72	22.2	57	14.0	45	7.2	38	14	180		28.98			29.93	FM-15	0.00	29.95
18	1753	7	CLR:00	10.00		69	20.6	56	13.1	44	6.7	41	11	170		28.97			29.93	FM-15	0.00	29.94
18	1853	7	CLR:00	10.00		67	19.4	55	12.6	44	6.7	44	11	170		28.95	8	+0.03	29.92	FM-15	0.00	29.92
18	1953	7	CLR:00	10.00		66	18.9	53	11.9	42	5.6	42	13	180		28.96			29.92	FM-15	0.00	29.93
18	2053	7	CLR:00	10.00		63	17.2	52	11.2	42	5.6	47	9	170		28.95			29.91	FM-15	0.00	29.92
18	2153	7	CLR:00	10.00		61	16.1	51	10.5	41	5.0	48	6	180		28.94	8	+0.02	29.90	FM-15	0.00	29.91
18	2253	7	BKN:07 65 OVC:08 95	10.00		62	16.7	51	10.7	41	5.0	46	9	170		28.93			29.89	FM-15	0.00	29.90
18	2353	7	OVC:08 65	10.00		64	17.8	53	11.5	42	5.6	45	11	180		28.93			29.88	FM-15	0.00	29.90
19	0053	7	FEW:02 65 SCT:04 100	10.00		65	18.3	53	11.7	42	5.6	43	14	210		28.92	8	+0.01	29.87	FM-15	0.00	29.89
19	0153	7	SCT:04 49 BKN:07 70 OVC:08 85	10.00		63	17.2	53	11.9	45	7.2	52	10	230		28.90			29.86	FM-15	0.00	29.87
19	0253	7	OVC:08 85	10.00		56	13.3	53	11.8	51	10.6	84	20	280	25	28.90			29.86	FM-15	0.00	29.87
19	0300	7	OVC:08 80	10.00		55	12.8	52	11.3	50	10.0	83	18	270		28.92				FM-16		29.89
19	0317	7	BKN:07 12 OVC:08 80	10.00	-RA:02 |RA |	50	10.0	48	8.9	46	7.8	86	18	290	34	28.93				FM-16	T	29.90
19	0353	7	OVC:08 12	7.00	RA:02 |RA |	45	7.2	44	6.7	43	6.1	93	21	300	30	28.92	3	-0.00	29.89	FM-15	T	29.89
19	0451	6	SCT:04 13 OVC:08 27	7.00	-RA:02 |RA |	43	6.0	41	5.1	39	4.0	87	18	300		28.94				FM-16		29.91
19	0453	7	SCT:04 13 OVC:08 29	6.00	RA:02 BR:1 |RA |	42	5.6	41	4.8	39	3.9	89	17	300	25	28.94			29.91	FM-15	0.04	29.91
19	0519	7	FEW:02 15 SCT:04 29 OVC:08 41	5.00	-RA:02 BR:1 |RA |	41	5.0	40	4.5	39	3.9	93	17	290	24	28.95				FM-16	0.03	29.92
19	0548	7	BKN:07 14 OVC:08 60	5.00	RA:02 BR:1 |RA |	39	4.0	38	3.4	37	3.0	93	11	280		28.97				FM-16	0.05	29.94
19	0549	7	BKN:07 14 OVC:08 60	5.00	RA:02 BR:1 |RA |	40	4.4	39	4.0	38	3.3	93	11	280		28.98			29.94	FM-15	0.06	29.95
19	0617	7	SCT:04 12 OVC:08 18	5.00	RA:02 BR:1 |RA |	37	2.8	36	2.3	35	1.7	93	16	290		28.99				FM-16	0.07	29.96
19	0653	7	FEW:02 12 BKN:07 28 OVC:08 39	10.00		38	3.3	37	2.9	36	2.2	93	10	280		28.99	1	-0.06	29.96	FM-15	0.06	29.96
19	0751	6	BKN:07 31 OVC:08 37	10.00		39	4.0	36	2.3	32	0.0	75	20	260	33	29.01				FM-16		29.98
19	0753	7	OVC:08 31	10.00		39	3.9	36	2.1	31	-0.6	73	20	270	33	29.00			29.97	FM-15	T	29.97
19	0853	7	OVC:08 38	10.00		38	3.3	35	1.8	31	-0.6	76	15	270		29.03			30.00	FM-15	T	30.00
19	0953	7	SCT:04 34 OVC:08 44	10.00		38	3.3	35	1.5	30	-1.1	73	18	260	30	29.05	3	-0.06	30.03	FM-15	T	30.02

19	1015	7	FEW:02 17 BKN:07 26 OVC:08 33	2.00	RA:02 |RA |	36	2.2	34	1.1	31	-0.6	82	23	270	34	29.06				FM-16	T	30.03
19	1022	7	FEW:02 22 BKN:07 32 OVC:08 55	1.75	-SN:03 BR:1 |SN |	35	1.7	33	0.8	31	-0.6	85	17	250	34	29.07				FM-16	T	30.04
19	1025	7	FEW:02 22 BKN:07 41 OVC:08 55	4.00	-SN:03 |SN |	36	2.2	34	1.1	31	-0.6	82	15	260	26	29.07				FM-16	T	30.04
19	1053	7	SCT:04 27 SCT:04 37 OVC:08 55	10.00	-SN:03 |SN |	38	3.3	35	1.5	30	-1.1	73	21	280	34	29.06			30.04	FM-15	T	30.03
19	1153	7	SCT:04 30 BKN:07 35 OVC:08 60	10.00		39	3.9	35	1.9	30	-1.1	70	16	260	24	29.07			30.05	FM-15	T	30.04
19	1253	7	OVC:08 55	9.00		37	2.8	34	1.2	30	-1.1	76	18	260	33	29.08	1	-0.02	30.05	FM-15	T	30.05
19	1336	7	SCT:04 26 BKN:07 33 OVC:08 70	1.75	-SN:03 |SN |	36	2.2	33	0.7	29	-1.7	76	29	280	47	29.08				FM-16	T	30.05
19	1344	7	BKN:07 26 BKN:07 37 OVC:08 48	1.25	-SN:03 BR:1 |SN |	34	1.1	32	0.2	30	-1.1	85	20	270	41	29.08				FM-16	T	30.05
19	1347	7	BKN:07 29 BKN:07 37 OVC:08 50	3.00	-SN:03 |SN |	36	2.0	34	0.9	30	-1.0	81	21	270	31	29.09				FM-16	T	30.06
19	1351	6	FEW:02 27 BKN:07 35 OVC:08 55	9.00		36	2.0	34	0.9	30	-1.0	81	22	270	31	29.09				FM-16		30.06
19	1353	7	FEW:02 27 BKN:07 35 OVC:08 55	9.00		35	1.7	33	0.6	30	-1.1	82	18	270	31	29.09			30.06	FM-15	T	30.06
19	1453	7	OVC:08 65	9.00	-SN:03 |SN |	36	2.2	33	0.7	29	-1.7	76	21	270	33	29.09			30.07	FM-15	T	30.06
19	1553	7	FEW:02 29 BKN:07 47 OVC:08 65	10.00		37	2.8	33	0.8	28	-2.2	70	21	270	31	29.10	1	-0.02	30.08	FM-15	T	30.07
19	1646	7	FEW:02 24 BKN:07 29 OVC:08 60	1.00	-SN:03 |SN |	35	1.7	33	0.4	29	-1.7	78	25	270	37	29.12				FM-16	T	30.09
19	1648	7	BKN:07 24 BKN:07 32 OVC:08 60	0.75	-SN:03 BR:1 |SN |	34	1.0	32	0.2	30	-1.0	87	16	280	37	29.12				FM-16	T	30.09
19	1651	6	SCT:04 20 BKN:07 28 OVC:08 60	5.00	-SN:03 BR:1 |SN |	34	1.0	32	0.2	30	-1.0	87	16	280	37	29.12				FM-16		30.09
19	1653	7	SCT:04 20 BKN:07 28 OVC:08 60	5.00	-SN:03 BR:1 |SN |	34	1.1	33	0.5	31	-0.6	89	15	280	37	29.12			30.11	FM-15	T	30.09
19	1701	7	FEW:02 15 BKN:07 40 OVC:08 60	9.00		35	1.7	33	0.6	30	-1.1	82	18	280	28	29.12				FM-16	T	30.09
19	1753	7	FEW:02 17 BKN:07 33 OVC:08 65	8.00	-SN:03 |SN |	34	1.1	32	0.2	30	-1.1	85	15	290	23	29.13			30.12	FM-15	T	30.10
19	1853	7	FEW:02 31 OVC:08 75	10.00		34	1.1	32	0.0	29	-1.7	82	16	280		29.14	1	-0.04	30.13	FM-15	T	30.11
19	1953	7	FEW:02 32 BKN:07 42 OVC:08 70	10.00		35	1.7	32	0.0	27	-2.8	72	17	270	25	29.14			30.14	FM-15	0.00	30.11
19	2053	7	FEW:02 28 BKN:07 35 OVC:08 44	10.00		35	1.7	32	0.2	28	-2.2	76	18	280	30	29.14			30.13	FM-15	0.00	30.11
19	2153	7	BKN:07 31 OVC:08 39	10.00		35	1.7	32	0.2	28	-2.2	76	20	280		29.15	3	-0.01	30.14	FM-15	0.00	30.12
19	2253	7	BKN:07 31 OVC:08 36	9.00		34	1.1	31	-0.4	27	-2.8	75	18	270	25	29.14			30.13	FM-15	T	30.11

19	2353	7	FEW:02 28 SCT:04 43 OVC:08 60	10.00		34	1.1	31	-0.6	26	-3.3	73	20	270	28	29.13			30.12	FM-15	T	30.10
20	0053	7	BKN:07 31 OVC:08 55	10.00		34	1.1	31	-0.6	26	-3.3	73	18	280	24	29.13	5	+0.02	30.12	FM-15	T	30.10
20	0153	7	FEW:02 33 OVC:08 44	10.00		34	1.1	31	-0.7	25	-3.9	70	17	280	26	29.13			30.12	FM-15	T	30.10
20	0253	7	BKN:07 35 OVC:08 41	10.00		34	1.1	31	-0.7	25	-3.9	70	18	280	25	29.14			30.13	FM-15	0.00	30.11
20	0353	7	OVC:08 31	10.00		34	1.1	30	-0.9	24	-4.4	67	20	300	29	29.14	3	-0.01	30.13	FM-15	0.00	30.11
20	0453	7	OVC:08 39	9.00	-SN:03 |SN |	33	0.6	29	-1.6	22	-5.6	64	17	300	29	29.15			30.14	FM-15	T	30.12
20	0553	7	BKN:07 30 OVC:08 36	10.00		33	0.6	30	-1.3	24	-4.4	70	16	290	25	29.15			30.14	FM-15	T	30.12
20	0608	7	OVC:08 27	10.00		33	0.6	30	-1.3	24	-4.4	70	18	300		29.15				FM-16		30.12
20	0651	6	SCT:04 26 OVC:08 33	10.00		32	0.0	29	-1.8	23	-5.0	69	16	310	23	29.17				FM-16		30.14
20	0653	7	SCT:04 26 OVC:08 33	10.00		32	0.0	29	-1.8	23	-5.0	69	17	310	24	29.17	3	-0.03	30.16	FM-15	0.00	30.14
20	0751	6	OVC:08 27	10.00		32	0.0	29	-1.4	25	-4.0	75	9	310		29.19				FM-16		30.16
20	0753	7	OVC:08 27	10.00		32	0.0	29	-1.6	24	-4.4	73	10	320		29.20			30.19	FM-15	0.00	30.17
20	0853	7	OVC:08 28	10.00		32	0.0	28	-2.0	22	-5.6	66	17	320	23	29.21			30.20	FM-15	0.00	30.18
20	0953	7	OVC:08 29	10.00		32	0.0	28	-2.0	22	-5.6	66	18	310	26	29.22	3	-0.03	30.22	FM-15	T	30.19
20	1053	7	BKN:07 29 OVC:08 34	10.00		33	0.6	30	-1.3	24	-4.4	70	20	310	25	29.22			30.21	FM-15	0.00	30.19
20	1151	6	SCT:04 27 OVC:08 32	10.00	-SN:03 |SN |	34	1.0	30	-1.1	23	-5.0	65	20	300	29	29.21				FM-16		30.18
20	1153	7	SCT:04 27 OVC:08 32	10.00	-SN:03 |SN |	33	0.6	29	-1.4	23	-5.0	66	22	310	29	29.21			30.20	FM-15	T	30.18
20	1245	7	BKN:07 28 OVC:08 35	10.00		33	0.6	30	-1.3	24	-4.4	70	15	310	24	29.18				FM-16	T	30.15
20	1253	7	SCT:04 26 BKN:07 30 OVC:08 37	10.00		34	1.1	31	-0.7	25	-3.9	70	20	300		29.18	8	+0.04	30.17	FM-15	T	30.15
20	1307	7	OVC:08 28	10.00		34	1.1	30	-1.1	23	-5.0	64	20	300	28	29.18				FM-16		30.15
20	1317	7	OVC:08 30	9.00	-SN:03 |SN |	34	1.1	30	-1.1	23	-5.0	64	17	310	29	29.18				FM-16	T	30.15
20	1332	7	BKN:07 29 OVC:08 37	10.00		34	1.1	30	-0.9	24	-4.4	67	15	300		29.18				FM-16	T	30.15
20	1343	7	OVC:08 32	10.00		34	1.1	30	-1.1	23	-5.0	64	17	310	29	29.17				FM-16	T	30.14
20	1353	7	OVC:08 34	10.00		34	1.1	30	-1.1	23	-5.0	64	15	300	26	29.18			30.17	FM-15	T	30.15
20	1453	7	OVC:08 39	9.00		35	1.7	31	-0.8	23	-5.0	61	20	300	26	29.18			30.17	FM-15	T	30.15
20	1553	7	OVC:08 41	10.00		34	1.1	30	-1.3	22	-5.6	61	17	320	26	29.19	3	-0.01	30.18	FM-15	T	30.16
20	1653	7	OVC:08 40	10.00		34	1.1	30	-1.1	23	-5.0	64	14	300		29.19			30.19	FM-15	0.00	30.16
20	1753	7	OVC:08 40	10.00		33	0.6	30	-1.3	24	-4.4	70	11	320		29.20			30.19	FM-15	0.00	30.17
20	1853	7	OVC:08 40	10.00		33	0.6	29	-1.6	22	-5.6	64	17	320	25	29.20	1	-0.02	30.20	FM-15	T	30.17
20	1953	7	OVC:08 40	10.00		32	0.0	29	-1.8	23	-5.0	69	10	320		29.21			30.21	FM-15	0.00	30.18
20	2053	7	OVC:08 35	10.00		32	0.0	29	-1.8	23	-5.0	69	14	310		29.20			30.20	FM-15	0.00	30.17
20	2153	7	OVC:08 33	10.00		32	0.0	28	-2.3	20	-6.7	61	15	320		29.20	0	-0.00	30.20	FM-15	0.00	30.17
20	2253	7	OVC:08 33	10.00		32	0.0	28	-2.1	21	-6.1	64	14	310		29.19			30.18	FM-15	0.00	30.16
20	2353	7	OVC:08 32	10.00		31	-0.6	27	-2.6	20	-6.7	64	18	310	25	29.19			30.19	FM-15	0.00	30.16
21	0053	7	OVC:08 34	10.00		30	-1.1	26	-3.2	19	-7.2	64	10	320		29.19	5	+0.01	30.19	FM-15	0.00	30.16
21	0153	7	OVC:08 32	10.00		30	-1.1	26	-3.3	18	-7.8	61	11	330		29.20			30.19	FM-15	0.00	30.17
21	0253	7	OVC:08 32	10.00		29	-1.7	25	-3.7	18	-7.8	63	13	330		29.21			30.21	FM-15	0.00	30.18
21	0353	7	OVC:08 32	10.00		29	-1.7	26	-3.5	19	-7.2	66	9	320		29.22	3	-0.03	30.22	FM-15	0.00	30.19
21	0453	7	OVC:08 32	10.00		28	-2.2	25	-3.9	19	-7.2	69	11	310		29.23			30.23	FM-15	0.00	30.20
21	0553	7	CLR:00	10.00		26	-3.3	24	-4.6	19	-7.2	75	9	310		29.23			30.24	FM-15	0.00	30.21
21	0653	7	CLR:00	10.00		25	-3.9	23	-5.1	18	-7.8	75	8	330		29.25	1	-0.03	30.25	FM-15	0.00	30.22
21	0753	7	CLR:00	10.00		24	-4.4	22	-5.5	18	-7.8	77	6	290		29.26			30.27	FM-15	0.00	30.24
21	0853	7	CLR:00	10.00		28	-2.2	25	-3.7	20	-6.7	72	9	280		29.27			30.28	FM-15	0.00	30.25
21	0953	7	CLR:00	10.00		31	-0.6	27	-2.6	20	-6.7	64	10	330		29.27	0	-0.03	30.27	FM-15	0.00	30.25
21	1053	7	BKN:07 31	10.00		33	0.6	29	-1.9	20	-6.7	58	10	340	24	29.27			30.27	FM-15	0.00	30.25

21	1153	7	BKN:07 32	10.00		34	1.1	29	-1.4	21	-6.1	59	14	330		29.26			30.26	FM-15	0.00	30.23
21	1253	7	SCT:04 34	10.00		35	1.7	30	-1.1	21	-6.1	57	11	310		29.23	8	+0.03	30.24	FM-15	0.00	30.21
21	1353	7	SCT:04 37	10.00		39	3.9	33	0.4	22	-5.6	50	15	290	20	29.23			30.23	FM-15	0.00	30.20
21	1453	7	FEW:02 40	10.00		39	3.9	33	0.4	22	-5.6	50	14	300		29.22			30.22	FM-15	0.00	30.19
21	1553	7	CLR:00	10.00		39	3.9	33	0.4	22	-5.6	50	11	310		29.23	5	+0.02	30.22	FM-15	0.00	30.20
21	1653	7	CLR:00	10.00		36	2.2	31	-0.6	22	-5.6	57	8	300		29.23			30.23	FM-15	0.00	30.20
21	1753	7	CLR:00	10.00		34	1.1	30	-1.3	22	-5.6	61	5	290		29.23			30.23	FM-15	0.00	30.20
21	1853	7	CLR:00	10.00		33	0.6	29	-1.4	23	-5.0	66	5	280		29.23	1	-0.01	30.23	FM-15	0.00	30.20
21	1953	7	CLR:00	10.00		31	-0.6	28	-2.1	23	-5.0	72	5	290		29.25			30.25	FM-15	0.00	30.22
21	2053	7	CLR:00	10.00		30	-1.1	28	-2.5	23	-5.0	75	3	280		29.26			30.26	FM-15	0.00	30.23
21	2153	7	CLR:00	10.00		29	-1.7	27	-2.8	23	-5.0	78	3	250		29.26	1	-0.04	30.27	FM-15	0.00	30.24
21	2253	7	CLR:00	10.00		28	-2.2	26	-3.2	23	-5.0	81	3	260		29.27			30.27	FM-15	0.00	30.25
21	2353	7	CLR:00	10.00		27	-2.8	26	-3.4	24	-4.4	89	5	270		29.27			30.28	FM-15	0.00	30.25
22	0053	7	CLR:00	10.00		25	-3.9	24	-4.6	21	-6.1	85	5	290		29.27	0	-0.01	30.28	FM-15	0.00	30.25
22	0153	7	CLR:00	10.00		24	-4.4	23	-5.0	21	-6.1	88	5	300		29.28			30.29	FM-15	0.00	30.26
22	0253	7	CLR:00	10.00		22	-5.6	21	-5.9	20	-6.7	92	5	280		29.30			30.30	FM-15	0.00	30.28
22	0353	7	CLR:00	9.00		23	-5.0	22	-5.4	21	-6.1	92	0	000		29.30	1	-0.04	30.31	FM-15	0.00	30.28
22	0453	7	CLR:00	7.00		22	-5.6	22	-5.7	21	-6.1	96	5	290		29.31			30.32	FM-15	0.00	30.29
22	0553	7	CLR:00	10.00		23	-5.0	22	-5.5	20	-6.7	88	3	260		29.31			30.32	FM-15	0.00	30.29
22	0653	7	CLR:00	10.00		23	-5.0	22	-5.4	21	-6.1	92	3	270		29.33	3	-0.02	30.34	FM-15	0.00	30.31
22	0753	7	CLR:00	9.00		23	-5.0	22	-5.4	21	-6.1	92	3	290		29.35			30.36	FM-15	0.00	30.33
22	0853	7	CLR:00	10.00		28	-2.2	26	-3.2	23	-5.0	81	3	350		29.37			30.38	FM-15	0.00	30.35
22	0953	7	CLR:00	10.00		31	-0.6	29	-1.9	24	-4.4	76	6	010		29.38	1	-0.05	30.39	FM-15	0.00	30.36
22	1053	7	CLR:00	10.00		34	1.1	30	-0.9	24	-4.4	67	3	010		29.38			30.39	FM-15	0.00	30.36
22	1153	7	CLR:00	10.00		37	2.8	32	0.3	25	-3.9	62	0	000		29.35			30.35	FM-15	0.00	30.33
22	1253	7	CLR:00	10.00		39	3.9	33	0.7	24	-4.4	55	5	300		29.34	8	+0.03	30.35	FM-15	0.00	30.32
22	1353	7	CLR:00	10.00		39	3.9	33	0.6	23	-5.0	53	3	230		29.34			30.34	FM-15	0.00	30.32
22	1453	7	CLR:00	10.00		39	3.9	33	0.4	22	-5.6	50	0	000		29.34			30.34	FM-15	0.00	30.32
22	1553	7	CLR:00	10.00		39	3.9	33	0.4	22	-5.6	50	0	000		29.33	6	+0.01	30.34	FM-15	0.00	30.31
22	1653	7	CLR:00	10.00		38	3.3	32	0.1	22	-5.6	52	0	000		29.33			30.34	FM-15	0.00	30.31
22	1753	7	CLR:00	10.00		34	1.1	30	-0.9	24	-4.4	67	0	000		29.33			30.34	FM-15	0.00	30.31
22	1853	6	CLR:00	10.00		34	1.1	30	-1.1	23	-5.0	64	0	000		29.33	6	+0.00	30.34	FM-15	0.00	30.31
22	1953	6	CLR:00	10.00		32	0.0	29	-1.8	23	-5.0	69	0	000		29.33			30.34	FM-15	0.00	30.31
22	2053	7	CLR:00	10.00		30	-1.1	28	-2.5	23	-5.0	75	3	090		29.33			30.34	FM-15	0.00	30.31
22	2153	7	CLR:00	10.00		30	-1.1	28	-2.3	24	-4.4	79	0	000		29.31	8	+0.02	30.32	FM-15	0.00	30.29
22	2253	7	CLR:00	10.00		29	-1.7	27	-2.6	24	-4.4	82	0	000		29.31			30.32	FM-15	0.00	30.29
22	2353	7	CLR:00	10.00		27	-2.8	26	-3.5	23	-5.0	85	6	110		29.30			30.31	FM-15	0.00	30.28
23	0053	7	CLR:00	10.00		32	0.0	29	-1.8	23	-5.0	69	3	120		29.31	5	+0.01	30.31	FM-15	0.00	30.29
23	0153	7	CLR:00	10.00		28	-2.2	26	-3.5	21	-6.1	75	6	090		29.30			30.30	FM-15	0.00	30.28
23	0253	7	CLR:00	10.00		28	-2.2	26	-3.4	22	-5.6	78	3	080		29.28			30.29	FM-15	0.00	30.26
23	0353	7	CLR:00	10.00		31	-0.6	28	-2.3	22	-5.6	69	5	110		29.26	8	+0.04	30.27	FM-15	0.00	30.24
23	0453	7	CLR:00	10.00		31	-0.6	28	-2.3	22	-5.6	69	5	090		29.27			30.27	FM-15	0.00	30.25
23	0553	6	OVC:08 85	10.00		32	0.0	29	-1.6	24	-4.4	73	5	170		29.27			30.27	FM-15	0.00	30.25
23	0653	7	OVC:08 85	10.00		34	1.1	30	-0.9	24	-4.4	67	7	130		29.27	1	-0.00	30.27	FM-15	0.00	30.25
23	0753	7	SCT:04 85 BKN:07 110	10.00		34	1.1	30	-0.9	24	-4.4	67	6	120		29.26			30.27	FM-15	0.00	30.24
23	0853	7	OVC:08 85	10.00		36	2.2	31	-0.4	23	-5.0	59	6	130		29.27			30.27	FM-15	0.00	30.25
23	0953	7	OVC:08 85	10.00		38	3.3	33	0.4	24	-4.4	57	6	100		29.26	8	+0.02	30.25	FM-15	0.00	30.23
23	1053	7	OVC:08 70	10.00		40	4.4	34	0.9	23	-5.0	51	9	120		29.25			30.25	FM-15	T	30.22
23	1153	7	OVC:08 60	10.00		39	3.9	34	0.9	25	-3.9	57	7	120		29.23			30.22	FM-15	T	30.20
23	1253	7	BKN:07 46 OVC:08 75	10.00	-RA:02 |RA |	39	3.9	35	1.9	30	-1.1	70	7	100		29.18	8	+0.07	30.17	FM-15	0.01	30.15
23	1353	7	BKN:07 75 OVC:08 110	10.00		40	4.4	36	2.4	31	-0.6	70	10	100		29.14			30.13	FM-15	T	30.11
23	1453	7	FEW:02 50 SCT:04 120	10.00		42	5.6	37	3.0	31	-0.6	65	7	110		29.13			30.12	FM-15	0.00	30.10
23	1553	7	FEW:02 120	10.00		42	5.6	37	2.8	30	-1.1	62	9	110		29.11	6	+0.06	30.11	FM-15	0.00	30.08
23	1653	7	BKN:07 110	10.00		42	5.6	37	2.6	29	-1.7	60	8	110		29.10			30.09	FM-15	0.00	30.07

23	1753	7	SCT:04 120	10.00		42	5.6	37	2.6	29	-1.7	60	11	130		29.10			30.09	FM-15	0.00	30.07
23	1853	7	SCT:04 50 BKN:07 60 BKN:07 110	10.00		42	5.6	37	2.6	29	-1.7	60	9	120		29.09	6	+0.02	30.08	FM-15	0.00	30.06
23	1953	7	BKN:07 75 BKN:07 90 OVC:08 110	10.00		43	6.1	37	2.9	29	-1.7	58	8	170		29.09			30.08	FM-15	0.00	30.06
23	2053	7	OVC:08 60	10.00	-RA:02 |RA |	42	5.6	38	3.4	33	0.6	71	7	140		29.08			30.07	FM-15	T	30.05
23	2153	7	BKN:07 43 OVC:08 55	10.00	-RA:02 |RA |	41	5.0	39	3.8	36	2.2	82	7	120		29.06	8	+0.03	30.05	FM-15	0.01	30.03
23	2253	7	OVC:08 33	8.00	-RA:02 |RA |	42	5.6	40	4.3	37	2.8	82	7	150		29.05			30.03	FM-15	T	30.02
23	2321	7	OVC:08 29	10.00	-RA:02 |RA |	42	5.6	40	4.3	37	2.8	82	7	150		29.04				FM-16	T	30.01
23	2353	7	OVC:08 23	7.00	-RA:02 |RA |	43	6.1	41	4.9	38	3.3	82	8	170		29.04			30.02	FM-15	T	30.01
24	0053	7	OVC:08 15	7.00	-RA:02 |RA |	43	6.1	42	5.3	40	4.4	89	7	180		29.02	8	+0.04	30.01	FM-15	0.01	29.99
24	0103	7	OVC:08 14	7.00	-RA:02 |RA |	43	6.1	42	5.6	41	5.0	93	7	180		29.02				FM-16	T	29.99
24	0153	7	OVC:08 10	10.00		44	6.7	43	6.1	42	5.6	93	9	190		29.03			30.01	FM-15	T	30.00
24	0212	7	OVC:08 9	10.00		44	6.7	43	6.1	42	5.6	93	8	190		29.03				FM-16		30.00
24	0253	7	OVC:08 7	8.00		44	6.7	44	6.4	43	6.1	96	7	180		29.04			30.02	FM-15	0.00	30.01
24	0338	7	OVC:08 4	2.50	BR:1 ||	45	7.2	45	7.2	45	7.2	100	8	190		29.04				FM-16		30.01
24	0353	7	OVC:08 4	2.00	BR:1 ||	45	7.2	45	7.2	45	7.2	100	6	200		29.05	3	-0.02	30.03	FM-15	0.00	30.02
24	0439	7	BKN:07 5 OVC:08 9	3.00	BR:1 ||	47	8.3	47	8.3	47	8.3	100	5	210		29.05				FM-16		30.02
24	0451	6	SCT:04 5 BKN:07 10 OVC:08 17	4.00	BR:1 ||	48	9.0	48	8.9	48	9.0	100	6	210		29.06				FM-16		30.03
24	0453	7	SCT:04 7 BKN:07 10 OVC:08 17	4.00	BR:1 ||	48	8.9	48	8.9	48	8.9	100	7	220		29.06			30.04	FM-15	0.00	30.03
24	0519	7	BKN:07 7 OVC:08 15	5.00	BR:1 ||	49	9.4	48	9.2	48	8.9	97	7	210		29.07				FM-16		30.04
24	0553	7	OVC:08 6	4.00	BR:1 ||	49	9.4	49	9.4	49	9.4	100	9	230		29.08			30.06	FM-15	0.00	30.05
24	0653	7	OVC:08 5	4.00	BR:1 ||	49	9.4	49	9.4	49	9.4	100	7	220		29.10	3	-0.05	30.08	FM-15	0.00	30.07
24	0734	7	SCT:04 5 OVC:08 13	5.00	BR:1 ||	49	9.4	49	9.4	49	9.4	100	7	230		29.11				FM-16		30.08
24	0741	7	OVC:08 5	4.00	BR:1 ||	50	10.0	49	9.7	49	9.4	96	7	230		29.11				FM-16		30.08
24	0751	6	OVC:08 10	5.00	BR:1 ||	50	10.0	49	9.4	48	9.0	94	8	240		29.12				FM-16		30.09
24	0753	7	OVC:08 10	5.00	BR:1 ||	50	10.0	49	9.7	49	9.4	96	7	250		29.12			30.10	FM-15	0.00	30.09
24	0851	6	BKN:07 8 OVC:08 13	7.00		50	10.0	49	9.4	48	9.0	94	9	270		29.14				FM-16		30.11
24	0853	7	BKN:07 8 OVC:08 13	7.00		50	10.0	49	9.4	48	8.9	93	10	280		29.14			30.12	FM-15	T	30.11
24	0901	7	BKN:07 10 OVC:08 13	5.00	BR:1 ||	49	9.4	48	9.2	48	8.9	97	9	280		29.14				FM-16		30.11
24	0951	6	FEW:02 9 OVC:08 13	3.00	BR:1 ||	48	9.0	48	8.9	48	9.0	100	8	270		29.15				FM-16		30.12
24	0953	7	FEW:02 9 OVC:08 13	3.00	BR:1 ||	49	9.4	48	9.2	48	8.9	97	8	270		29.16	1	-0.05	30.14	FM-15	0.00	30.13
24	1001	7	BKN:07 5 OVC:08 13	3.00	BR:1 ||	49	9.4	48	9.2	48	8.9	97	10	300		29.16				FM-16		30.13
24	1053	7	BKN:07 5 OVC:08 10	3.00	BR:1 ||	48	8.9	47	8.6	47	8.3	96	11	270		29.18			30.16	FM-15	T	30.15
24	1153	7	BKN:07 5 OVC:08 10	3.00	BR:1 ||	47	8.3	46	7.5	44	6.7	90	15	290		29.17			30.15	FM-15	0.00	30.14
24	1200	7	OVC:08 12	10.00		47	8.3	46	7.5	44	6.7	90	13	280		29.17				FM-16		30.14
24	1235	7	OVC:08 16	10.00		47	8.3	45	7.3	43	6.1	86	10	270		29.17				FM-16		30.14
24	1253	7	OVC:08 17	10.00		47	8.3	45	7.0	42	5.6	83	14	280		29.18	1	-0.02	30.16	FM-15	0.00	30.15
24	1353	7	OVC:08 19	10.00		47	8.3	44	6.8	41	5.0	80	11	270		29.20			30.17	FM-15	0.00	30.17
24	1453	7	OVC:08 19	10.00		46	7.8	44	6.5	41	5.0	83	9	260		29.20			30.18	FM-15	0.00	30.17
24	1553	7	OVC:08 16	10.00		45	7.2	43	5.9	40	4.4	83	9	270		29.22	1	-0.04	30.20	FM-15	0.00	30.19
24	1653	7	OVC:08 17	10.00		44	6.7	42	5.4	39	3.9	83	8	290		29.23			30.21	FM-15	0.00	30.20
24	1753	7	OVC:08 19	10.00		44	6.7	42	5.4	39	3.9	83	6	280		29.23			30.22	FM-15	0.00	30.21

24	1853	7	OVC:08 18	10.00		43	6.1	41	5.1	39	3.9	86	3	250		29.25	2	-0.03	30.23	FM-15	0.00	30.22
24	1953	7	OVC:08 16	10.00		43	6.1	41	5.1	39	3.9	86	7	260		29.26			30.24	FM-15	0.00	30.23
24	2053	7	OVC:08 18	10.00		43	6.1	41	4.9	38	3.3	82	7	290		29.26			30.24	FM-15	0.00	30.23
24	2153	7	OVC:08 19	10.00		43	6.1	41	5.1	39	3.9	86	5	280		29.26	0	-0.01	30.24	FM-15	0.00	30.23
24	2253	7	OVC:08 21	10.00		42	5.6	40	4.6	38	3.3	85	6	280		29.26			30.24	FM-15	0.00	30.23
24	2353	7	OVC:08 21	10.00		42	5.6	40	4.3	37	2.8	82	6	310		29.25			30.24	FM-15	0.00	30.22
25	0053	7	OVC:08 22	10.00		41	5.0	39	4.0	37	2.8	86	3	280		29.26	5	+0.00	30.24	FM-15	0.00	30.23
25	0153	7	OVC:08 24	10.00		41	5.0	39	4.0	37	2.8	86	6	300		29.26			30.24	FM-15	0.00	30.23
25	0253	7	OVC:08 21	10.00		41	5.0	39	4.0	37	2.8	86	5	260		29.26			30.24	FM-15	0.00	30.23
25	0353	7	OVC:08 23	10.00		41	5.0	39	4.0	37	2.8	86	6	280		29.26	3	-0.01	30.25	FM-15	0.00	30.24
25	0453	7	FEW:02 14 OVC:08 21	10.00		40	4.4	39	3.7	37	2.8	89	6	280		29.26			30.26	FM-15	0.00	30.24
25	0553	7	OVC:08 18	10.00		40	4.4	38	3.3	35	1.7	83	8	300		29.27			30.27	FM-15	0.00	30.25
25	0653	7	OVC:08 18	10.00		39	3.9	37	2.7	34	1.1	82	9	310		29.29	3	-0.03	30.29	FM-15	0.00	30.27
25	0753	7	OVC:08 16	10.00		38	3.3	36	2.4	34	1.1	86	7	310		29.30			30.29	FM-15	0.00	30.28
25	0853	7	OVC:08 16	10.00		39	3.9	37	2.5	33	0.6	79	7	330		29.31			30.31	FM-15	0.00	30.29
25	0953	7	OVC:08 17	10.00		39	3.9	37	2.7	34	1.1	82	8	300		29.33	3	-0.04	30.32	FM-15	0.00	30.31
25	1051	6	OVC:08 14	10.00		37	3.0	36	2.1	34	1.0	87	8	270		29.33				FM-16		30.31
25	1053	7	OVC:08 14	10.00		38	3.3	36	2.2	33	0.6	83	9	270		29.33			30.32	FM-15	0.00	30.31
25	1153	7	OVC:08 13	10.00		38	3.3	36	2.2	33	0.6	83	9	280		29.31			30.31	FM-15	0.00	30.29
25	1253	7	OVC:08 13	10.00		38	3.3	36	2.2	33	0.6	83	7	270		29.30	8	+0.03	30.29	FM-15	0.00	30.28
25	1316	7	OVC:08 15	10.00		39	3.9	37	2.5	33	0.6	79	9	280		29.29				FM-16		30.27
25	1353	7	OVC:08 15	10.00		39	3.9	37	2.7	34	1.1	82	7	270		29.28			30.28	FM-15	0.00	30.26
25	1402	7	OVC:08 14	10.00		39	3.9	37	2.7	34	1.1	82	7	290		29.28				FM-16		30.26
25	1453	7	OVC:08 14	10.00		39	3.9	37	2.7	34	1.1	82	8	290		29.28			30.27	FM-15	0.00	30.26
25	1553	7	OVC:08 14	10.00		39	3.9	37	2.7	34	1.1	82	6	310		29.27	6	+0.02	30.27	FM-15	0.00	30.25
25	1653	7	OVC:08 14	10.00		38	3.3	36	2.4	34	1.1	86	5	310		29.28			30.28	FM-15	0.00	30.26
25	1753	7	OVC:08 14	10.00		38	3.3	36	2.4	34	1.1	86	8	270		29.31			30.31	FM-15	0.00	30.29
25	1800	7	OVC:08 16	10.00		38	3.3	36	2.4	34	1.1	86	8	290		29.31				FM-16		30.29
25	1851	6	BKN:07 11 OVC:08 19	7.00		37	3.0	37	2.5	36	2.0	93	8	280		29.33				FM-16		30.31
25	1853	7	BKN:07 11 OVC:08 19	7.00		37	2.8	37	2.5	36	2.2	96	8	280		29.33	3	-0.05	30.33	FM-15	0.00	30.31
25	1920	7	OVC:08 16	10.00		37	2.8	36	2.3	35	1.7	93	8	290		29.33				FM-16		30.31
25	1943	7	OVC:08 14	10.00		37	2.8	36	2.1	34	1.1	89	10	290		29.33				FM-16		30.31
25	1953	7	OVC:08 13	9.00		37	2.8	36	2.1	34	1.1	89	10	280		29.33			30.33	FM-15	0.00	30.31
25	2051	6	SCT:04 9 OVC:08 14	4.00	BR:1 ||	36	2.0	36	2.2	36	2.0	100	7	280		29.33				FM-16		30.31
25	2053	7	OVC:08 11	4.00	BR:1 ||	36	2.2	36	2.0	35	1.7	97	8	280		29.33			30.33	FM-15	0.00	30.31
25	2151	6	SCT:04 12 OVC:08 21	6.00	BR:1 ||	36	2.0	35	1.8	34	1.0	93	6	290		29.32				FM-16		30.30
25	2153	7	SCT:04 12 OVC:08 21	7.00		36	2.2	35	1.8	34	1.1	93	7	290		29.32	8	+0.01	30.32	FM-15	0.00	30.30
25	2253	7	OVC:08 23	9.00		36	2.2	35	1.8	34	1.1	93	9	250		29.33			30.34	FM-15	0.00	30.31
25	2351	7	BKN:07 11 BKN:07 17 OVC:08 26	7.00		36	2.0	35	1.8	34	1.0	93	7	260		29.32				FM-16		30.30
25	2353	7	BKN:07 11 BKN:07 17 OVC:08 24	7.00		36	2.2	35	1.8	34	1.1	93	8	250		29.32			30.32	FM-15	0.00	30.30
26	0035	7	BKN:07 8 OVC:08 13	5.00	BR:1 ||	36	2.2	36	2.0	35	1.7	97	9	250		29.32				FM-16		30.30
26	0053	7	BKN:07 8 OVC:08 34	6.00	BR:1 ||	36	2.2	36	2.0	35	1.7	97	10	240		29.31	8	+0.02	30.31	FM-15	0.00	30.29
26	0108	7	SCT:04 8 OVC:08 36	6.00	BR:1 ||	36	2.2	36	2.0	35	1.7	97	9	250		29.31				FM-16		30.29
26	0129	7	BKN:07 15 OVC:08 38	7.00		37	2.8	36	2.3	35	1.7	93	10	240		29.31				FM-16		30.29
26	0148	7	FEW:02 9 OVC:08 13	7.00		37	3.0	37	2.5	36	2.0	93	9	240		29.31				FM-16		30.29

26	0153	7	OVC:08 13	7.00		37	2.8	36	2.3	35	1.7	93	8	230		29.31			30.31	FM-15	0.00	30.29
26	0253	7	OVC:08 13	7.00		37	2.8	36	2.3	35	1.7	93	10	250		29.32			30.32	FM-15	0.00	30.30
26	0310	7	OVC:08 15	8.00		38	3.3	37	2.6	35	1.7	89	10	260		29.32				FM-16		30.30
26	0353	7	OVC:08 19	8.00		38	3.3	37	2.6	35	1.7	89	10	260		29.32	3	-0.01	30.32	FM-15	0.00	30.30
26	0421	7	SCT:04 20 OVC:08 48	8.00		38	3.3	37	2.6	35	1.7	89	10	260		29.31				FM-16		30.29
26	0453	7	OVC:08 47	8.00		38	3.3	37	2.6	35	1.7	89	9	260		29.32			30.32	FM-15	0.00	30.30
26	0553	7	OVC:08 48	8.00		38	3.3	37	2.6	35	1.7	89	9	270		29.34			30.34	FM-15	0.00	30.32
26	0653	7	SCT:04 26 OVC:08 46	8.00		38	3.3	37	2.6	35	1.7	89	8	270		29.35	3	-0.02	30.35	FM-15	0.00	30.33
26	0753	7	OVC:08 46	7.00		38	3.3	37	2.6	35	1.7	89	7	260		29.35			30.35	FM-15	0.00	30.33
26	0853	7	OVC:08 44	8.00		39	3.9	37	2.9	35	1.7	86	8	250		29.35			30.35	FM-15	0.00	30.33
26	0953	7	OVC:08 45	10.00		40	4.4	38	3.3	35	1.7	83	13	270		29.36	1	-0.01	30.36	FM-15	0.00	30.34
26	1053	7	FEW:02 20 OVC:08 43	10.00		41	5.0	38	3.3	34	1.1	76	10	270		29.36			30.36	FM-15	0.00	30.34
26	1153	7	OVC:08 41	10.00		42	5.6	38	3.4	33	0.6	71	14	280		29.34			30.34	FM-15	0.00	30.32
26	1253	7	OVC:08 34	10.00		42	5.6	37	2.8	30	-1.1	62	14	290		29.32	8	+0.04	30.32	FM-15	0.00	30.30
26	1353	7	OVC:08 34	10.00		42	5.6	37	2.8	30	-1.1	62	14	260		29.31			30.31	FM-15	0.00	30.29
26	1453	7	OVC:08 33	10.00		42	5.6	37	2.8	30	-1.1	62	9	290		29.31			30.30	FM-15	0.00	30.29
26	1553	7	OVC:08 34	10.00		42	5.6	37	3.0	31	-0.6	65	8	270		29.30	6	+0.02	30.30	FM-15	0.00	30.28
26	1653	7	FEW:02 28 OVC:08 33	10.00		41	5.0	37	2.7	31	-0.6	67	15	270		29.30			30.30	FM-15	0.00	30.28
26	1753	7	OVC:08 33	10.00		40	4.4	36	2.4	31	-0.6	70	8	260		29.31			30.31	FM-15	0.00	30.29
26	1853	7	OVC:08 30	10.00		39	3.9	36	2.1	31	-0.6	73	6	290		29.30	0	-0.00	30.30	FM-15	0.00	30.28
26	1905	7	OVC:08 28	10.00		39	3.9	36	2.1	31	-0.6	73	5	270		29.30				FM-16		30.28
26	1953	7	OVC:08 28	10.00		39	3.9	36	2.3	32	0.0	76	5	240		29.30			30.29	FM-15	0.00	30.28
26	2053	7	OVC:08 30	10.00		39	3.9	36	2.3	32	0.0	76	5	180		29.28			30.28	FM-15	0.00	30.26
26	2153	7	OVC:08 30	10.00		38	3.3	36	2.0	32	0.0	79	3	210		29.29	5	+0.02	30.29	FM-15	0.00	30.27
26	2253	7	BKN:07 29	10.00		37	2.8	35	1.6	32	0.0	82	3	180		29.27			30.27	FM-15	0.00	30.25
26	2309	7	SCT:04 29	10.00		36	2.2	34	1.3	32	0.0	86	3	200		29.27				FM-16		30.25
26	2353	7	CLR:00	10.00		35	1.7	33	0.8	31	-0.6	85	6	210		29.27			30.27	FM-15	0.00	30.25
27	0053	7	CLR:00	10.00		34	1.1	33	0.5	31	-0.6	89	6	210		29.26	6	+0.02	30.26	FM-15	0.00	30.24
27	0153	7	CLR:00	9.00		31	-0.6	30	-1.0	29	-1.7	92	0	000		29.26			30.26	FM-15	0.00	30.24
27	0253	7	CLR:00	8.00		29	-1.7	29	-1.7	29	-1.7	100	0	000		29.27			30.27	FM-15	0.00	30.25
27	0353	7	CLR:00	5.00	BR:1 ||	29	-1.7	29	-1.9	28	-2.2	96	3	100		29.27	0	-0.00	30.27	FM-15	0.00	30.25
27	0453	7	CLR:00	9.00		30	-1.1	29	-1.5	28	-2.2	92	3	180		29.26			30.26	FM-15	0.00	30.24
27	0553	7	CLR:00	8.00		27	-2.8	27	-3.0	26	-3.3	96	5	070		29.26			30.26	FM-15	0.00	30.24
27	0653	7	CLR:00	5.00	BR:1 ||	28	-2.2	28	-2.4	27	-2.8	96	5	150		29.26	5	+0.01	30.26	FM-15	0.00	30.24
27	0753	7	CLR:00	5.00	BR:1 ||	30	-1.1	29	-1.5	28	-2.2	92	6	180		29.26			30.26	FM-15	0.00	30.24
27	0853	7	CLR:00	5.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	6	190		29.26			30.26	FM-15	0.00	30.24
27	0953	7	CLR:00	7.00		37	2.8	35	1.6	32	0.0	82	7	180		29.26	3	-0.00	30.26	FM-15	0.00	30.24
27	1053	7	CLR:00	10.00		40	4.4	37	2.8	33	0.6	77	10	190		29.25			30.24	FM-15	0.00	30.22
27	1153	7	CLR:00	10.00		44	6.7	39	4.0	33	0.6	65	10	190		29.23			30.22	FM-15	0.00	30.20
27	1253	7	CLR:00	10.00		45	7.2	40	4.3	33	0.6	63	11	170		29.19	8	+0.08	30.18	FM-15	0.00	30.16
27	1353	7	CLR:00	10.00		47	8.3	41	4.7	32	0.0	56	13	170		29.16			30.15	FM-15	0.00	30.13
27	1453	7	CLR:00	10.00		48	8.9	41	5.0	32	0.0	54	9	170		29.14			30.13	FM-15	0.00	30.11
27	1553	7	CLR:00	10.00		47	8.3	40	4.5	31	-0.6	54	11	160		29.12	6	+0.06	30.11	FM-15	0.00	30.09
27	1653	7	CLR:00	10.00		44	6.7	38	3.2	29	-1.7	55	6	160		29.11			30.11	FM-15	0.00	30.08
27	1753	7	CLR:00	10.00		43	6.1	37	2.9	29	-1.7	58	5	160		29.11			30.11	FM-15	0.00	30.08
27	1853	7	CLR:00	10.00		43	6.1	38	3.1	30	-1.1	60	6	150		29.09	8	+0.03	30.08	FM-15	0.00	30.06
27	1953	7	CLR:00	10.00		44	6.7	38	3.2	29	-1.7	55	8	160		29.09			30.08	FM-15	0.00	30.06
27	2053	7	CLR:00	10.00		42	5.6	37	2.6	29	-1.7	60	7	150		29.07			30.06	FM-15	0.00	30.04
27	2153	7	CLR:00	10.00		41	5.0	36	2.3	29	-1.7	62	8	150		29.07	8	+0.03	30.05	FM-15	0.00	30.04
27	2253	7	CLR:00	10.00		37	2.8	34	1.0	29	-1.7	73	5	120		29.04			30.03	FM-15	0.00	30.01
27	2353	7	CLR:00	10.00		36	2.2	33	0.5	28	-2.2	73	5	110		29.03			30.02	FM-15	0.00	30.00
28	0053	7	CLR:00	10.00		37	2.8	33	0.8	28	-2.2	70	6	140		29.02	6	+0.04	30.01	FM-15	0.00	29.99
28	0153	7	CLR:00	10.00		36	2.2	33	0.5	28	-2.2	73	6	120		29.01			30.00	FM-15	0.00	29.98
28	0253	7	SCT:04 120	10.00		38	3.3	34	1.1	28	-2.2	68	8	130		29.00			29.98	FM-15	0.00	29.97

28	0353	7	FEW:02 120	10.00		39	3.9	35	1.5	28	-2.2	65	6	130		28.98	8	+0.04	29.96	FM-15	0.00	29.95
28	0453	7	CLR:00	10.00		41	5.0	36	2.1	28	-2.2	60	8	150		28.97			29.95	FM-15	0.00	29.94
28	0553	7	CLR:00	10.00		41	5.0	36	2.1	28	-2.2	60	7	150		28.96			29.94	FM-15	0.00	29.93
28	0653	7	CLR:00	10.00		43	6.1	37	2.7	28	-2.2	56	11	150		28.95	6	+0.03	29.93	FM-15	0.00	29.92
28	0753	7	OVC:08 100	10.00		45	7.2	38	3.3	28	-2.2	52	14	150		28.95			29.93	FM-15	0.00	29.92
28	0853	7	OVC:08 85	10.00		45	7.2	38	3.5	29	-1.7	54	9	160		28.95			29.93	FM-15	0.00	29.92
28	0953	7	OVC:08 85	10.00		47	8.3	40	4.3	30	-1.1	52	8	140		28.93	8	+0.01	29.91	FM-15	0.00	29.90
28	1053	7	OVC:08 80	10.00		49	9.4	40	4.7	29	-1.7	46	13	160		28.92			29.90	FM-15	0.00	29.89
28	1153	7	BKN:07 100	10.00		54	12.2	44	6.5	31	-0.6	42	15	160		28.87			29.85	FM-15	0.00	29.84
28	1253	7	BKN:07 38 BKN:07 120	10.00		56	13.3	45	7.4	33	0.6	42	11	170		28.84	8	+0.10	29.80	FM-15	0.00	29.80
28	1353	7	BKN:07 110	10.00		56	13.3	46	7.9	35	1.7	46	14	170		28.81			29.77	FM-15	0.00	29.77
28	1453	7	FEW:02 75 OVC:08 110	10.00		55	12.8	46	7.8	36	2.2	49	13	160		28.78			29.75	FM-15	T	29.74
28	1553	7	FEW:02 45 OVC:08 110	10.00		56	13.3	47	8.1	36	2.2	47	16	150		28.76	6	+0.08	29.72	FM-15	0.00	29.72
28	1653	7	BKN:07 65 OVC:08 95	10.00	-RA:02 |RA |	56	13.3	47	8.1	36	2.2	47	11	160		28.75			29.72	FM-15	T	29.71
28	1753	7	OVC:08 55	6.00	-RA:02 |RA |	50	10.0	46	7.6	41	5.0	71	10	140		28.74			29.71	FM-15	0.04	29.70
28	1853	7	OVC:08 60	5.00	RA:02 |RA |	48	8.9	45	7.3	42	5.6	80	14	130		28.72	8	+0.04	29.69	FM-15	0.06	29.68
28	1953	7	OVC:08 60	5.00	RA:02 |RA |	48	8.9	45	7.3	42	5.6	80	16	120		28.68			29.65	FM-15	0.07	29.64
28	2053	7	OVC:08 60	5.00	RA:02 |RA |	48	8.9	46	7.5	43	6.1	83	16	130		28.64			29.61	FM-15	0.07	29.60
28	2153	7	OVC:08 70	5.00	RA:02 |RA |	47	8.3	45	7.0	42	5.6	83	18	110	25	28.58	8	+0.13	29.55	FM-15	0.09	29.54
28	2253	7	BKN:07 70 OVC:08 80	10.00	-RA:02 |RA |	49	9.4	46	7.8	43	6.1	80	24	130	32	28.54			29.50	FM-15	0.03	29.50
28	2353	7	SCT:04 38 OVC:08 48	10.00	-RA:02 |RA |	50	10.0	48	8.9	46	7.8	86	13	180		28.61			29.57	FM-15	T	29.57
29	0053	7	FEW:02 29 SCT:04 85 BKN:07 110	10.00	-RA:02 |RA |	50	10.0	49	9.4	48	8.9	93	21	140	33	28.54	8	+0.04	29.50	FM-15	0.02	29.50
29	0137	7	BKN:07 17 BKN:07 60 BKN:07 80	10.00		51	10.6	50	10.0	49	9.4	92	16	170	25	28.56				FM-16	T	29.52
29	0153	7	BKN:07 17 BKN:07 29 OVC:08 80	10.00		52	11.1	50	10.2	49	9.4	89	17	180	26	28.58			29.54	FM-15	0.00	29.54
29	0213	7	SCT:04 15 BKN:07 42 OVC:08 49	10.00		52	11.1	50	10.2	49	9.4	89	15	180	28	28.59				FM-16		29.55
29	0253	7	FEW:02 23 SCT:04 34 SCT:04 70	10.00		51	10.6	50	10.0	49	9.4	92	10	180		28.61			29.57	FM-15	0.00	29.57
29	0353	7	CLR:00	10.00		50	10.0	49	9.7	49	9.4	96	8	170		28.63	1	-0.08	29.58	FM-15	0.00	29.59
29	0453	7	CLR:00	10.00		50	10.0	49	9.4	48	8.9	93	8	170		28.65			29.61	FM-15	0.00	29.61
29	0553	7	FEW:02 33	10.00		49	9.4	48	9.2	48	8.9	97	7	170		28.67			29.63	FM-15	0.00	29.63
29	0653	7	CLR:00	10.00		48	8.9	47	8.6	47	8.3	96	7	160		28.69	1	-0.07	29.66	FM-15	0.00	29.65
29	0753	7	CLR:00	10.00		49	9.4	48	9.2	48	8.9	97	10	180		28.71			29.68	FM-15	0.00	29.67
29	0853	7	CLR:00	10.00		53	11.7	50	10.2	48	8.9	83	11	220		28.73			29.69	FM-15	0.00	29.69
29	0953	7	CLR:00	10.00		54	12.2	50	10.2	47	8.3	77	13	210		28.74	1	-0.05	29.70	FM-15	0.00	29.70
29	1053	7	FEW:02 22	10.00		56	13.3	52	11.0	48	8.9	75	15	210	20	28.76			29.72	FM-15	0.00	29.72
29	1153	7	FEW:02 23	10.00		56	13.3	52	11.0	48	8.9	75	14	220		28.75			29.71	FM-15	0.00	29.71
29	1253	7	FEW:02 23	10.00		57	13.9	53	11.5	49	9.4	74	13	200	22	28.74	8	+0.00	29.70	FM-15	0.00	29.70
29	1353	7	FEW:02 30 FEW:02 37	10.00		60	15.6	54	12.2	49	9.4	67	14	190		28.73			29.69	FM-15	0.00	29.69
29	1453	7	FEW:02 34	10.00		60	15.6	54	12.0	48	8.9	65	14	200	23	28.75			29.70	FM-15	0.00	29.71
29	1553	7	FEW:02 38	10.00		60	15.6	53	11.7	47	8.3	62	16	200		28.78	3	-0.04	29.74	FM-15	0.00	29.74
29	1653	7	CLR:00	10.00		57	13.9	51	10.7	46	7.8	67	7	190		28.79			29.75	FM-15	0.00	29.75
29	1753	7	CLR:00	10.00		57	13.9	51	10.7	46	7.8	67	8	180		28.82			29.77	FM-15	0.00	29.78
29	1853	7	CLR:00	10.00		56	13.3	50	10.2	45	7.2	67	6	160		28.80	0	-0.02	29.76	FM-15	0.00	29.76
29	1953	7	CLR:00	10.00		56	13.3	50	9.9	44	6.7	65	9	150		28.79			29.75	FM-15	0.00	29.75

29	2053	7	SCT:04 100 BKN:07 120	10.00		56	13.3	50	9.9	44	6.7	65	10	160		28.80			29.75	FM-15	0.00	29.76
29	2153	7	OVC:08 100	10.00		57	13.9	50	10.2	44	6.7	62	13	160		28.79	8	+0.01	29.74	FM-15	0.00	29.75
29	2253	7	SCT:04 65 OVC:08 85	10.00		59	15.0	51	10.5	43	6.1	56	15	170		28.79			29.74	FM-15	0.00	29.75
29	2353	7	SCT:04 65 BKN:07 80 OVC:08 100	10.00		58	14.4	50	10.2	43	6.1	58	11	160		28.77			29.73	FM-15	0.00	29.73
30	0053	7	OVC:08 100	10.00		58	14.4	50	10.2	43	6.1	58	11	160		28.75	8	+0.04	29.70	FM-15	0.00	29.71
30	0153	7	OVC:08 100	10.00		58	14.4	50	10.2	43	6.1	58	16	160	23	28.73			29.68	FM-15	0.00	29.69
30	0253	7	OVC:08 110	10.00		58	14.4	51	10.7	45	7.2	62	10	170		28.72			29.67	FM-15	0.00	29.68
30	0353	7	OVC:08 110	10.00		56	13.3	53	11.5	50	10.0	81	10	160	21	28.71	6	+0.04	29.67	FM-15	T	29.67
30	0453	7	SCT:04 120	10.00		54	12.2	53	11.6	52	11.1	93	9	170		28.69			29.65	FM-15	0.00	29.65
30	0508	7	BKN:07 9 BKN:07 120	10.00		54	12.2	53	11.9	53	11.7	97	10	170		28.69				FM-16		29.65
30	0553	7	OVC:08 8	10.00		54	12.2	53	11.9	53	11.7	97	7	160		28.69			29.65	FM-15	0.00	29.65
30	0653	7	BKN:07 7 OVC:08 16	10.00		54	12.2	53	11.9	53	11.7	97	8	160		28.69	6	+0.03	29.64	FM-15	0.00	29.65
30	0753	7	OVC:08 7	10.00		54	12.2	53	11.9	53	11.7	97	8	180		28.67			29.63	FM-15	0.00	29.63
30	0853	7	OVC:08 5	8.00		54	12.2	54	12.2	54	12.2	100	5	190		28.68			29.63	FM-15	0.00	29.64
30	0916	7	OVC:08 5	2.50	BR:1 ||	54	12.2	54	12.2	54	12.2	100	7	180		28.68				FM-16		29.64
30	0923	7	OVC:08 4	1.75	BR:1 ||	54	12.2	54	12.2	54	12.2	100	6	190		28.67				FM-16		29.63
30	0953	7	OVC:08 3	2.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	6	170		28.67	6	+0.01	29.63	FM-15	0.00	29.63
30	1051	6	OVC:08 4	3.00	BR:1 ||	55	13.0	55	12.8	55	13.0	100	8	190		28.67				FM-16		29.63
30	1053	7	OVC:08 4	3.00	BR:1 ||	55	12.8	55	12.8	55	12.8	100	7	190		28.67			29.62	FM-15	0.00	29.63
30	1113	7	OVC:08 5	7.00		56	13.3	55	13.0	55	12.8	97	9	200		28.65				FM-16		29.61
30	1153	7	BKN:07 8 BKN:07 20 OVC:08 25	9.00		58	14.4	56	13.5	55	12.8	90	6	180		28.63			29.59	FM-15	0.00	29.59
30	1206	7	BKN:07 10 BKN:07 22 OVC:08 41	10.00		58	14.4	56	13.5	55	12.8	90	9	160		28.62				FM-16		29.58
30	1253	7	BKN:07 14 BKN:07 21	10.00		59	15.0	57	13.7	55	12.8	87	9	190		28.61	8	+0.06	29.56	FM-15	0.00	29.57
30	1306	7	SCT:04 16 SCT:04 25 BKN:07 40	10.00		61	16.1	58	14.2	55	12.8	81	10	210		28.60				FM-16		29.56
30	1353	7	SCT:04 26 BKN:07 31 BKN:07 42	10.00		63	17.2	57	14.1	53	11.7	70	17	200		28.61			29.56	FM-15	0.00	29.57
30	1453	7	OVC:08 110	10.00		61	16.1	55	12.8	50	10.0	67	13	220		28.58			29.53	FM-15	0.00	29.54
30	1553	7	FEW:02 37 FEW:02 44 OVC:08 110	10.00		60	15.6	54	12.2	49	9.4	67	10	250		28.58	8	+0.03	29.53	FM-15	0.00	29.54
30	1653	7	FEW:02 40 OVC:08 110	10.00		58	14.4	53	11.5	48	8.9	70	8	260		28.59			29.54	FM-15	0.00	29.55
30	1753	7	FEW:02 13 SCT:04 44 OVC:08 55	8.00	-RA:02 |RA |	52	11.1	50	10.2	49	9.4	89	16	270	32	28.62			29.58	FM-15	0.01	29.58
30	1853	7	FEW:02 32 OVC:08 39	5.00	RA:02 BR:1 |RA |	48	8.9	47	8.1	45	7.2	89	13	270		28.66	3	-0.08	29.62	FM-15	0.08	29.62
30	1953	7	FEW:02 20 FEW:02 28 BKN:07 110	10.00		47	8.3	46	7.5	44	6.7	90	15	280		28.67			29.63	FM-15	T	29.63
30	2008	7	SCT:04 18 BKN:07 23 BKN:07 120	10.00		46	7.8	44	6.5	41	5.0	83	16	290	24	28.69				FM-16		29.65
30	2015	7	FEW:02 20 FEW:02 28 BKN:07 110	10.00		45	7.2	42	5.7	39	3.9	80	14	290		28.69				FM-16		29.65
30	2053	7	CLR:00	10.00		43	6.1	40	4.4	36	2.2	76	11	290		28.72			29.68	FM-15	0.00	29.68
30	2153	7	CLR:00	10.00		40	4.4	37	3.0	34	1.1	79	11	280		28.74	3	-0.09	29.71	FM-15	0.00	29.70

30	2253	7	BKN:07 41	10.00		40	4.4	38	3.2	35	1.7	83	8	260		28.76			29.73	FM-15	0.00	29.72
30	2353	7	FEW:02 24 OVC:08 30	10.00		41	5.0	39	3.8	36	2.2	82	7	250		28.79			29.75	FM-15	0.00	29.75

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
November 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01																									01
02																									02
03			T	T	0.01		T				T	0.01													03
04																									04
05																									05
06																									06
07																									07
08																T			0.03s	0.07	0.06				08
09							T					T													09
10																									10
11																									11
12																									12
13																									13
14																									14
15																									15
16																									16
17																									17
18																									18
19				T	0.04	0.06	0.06	T	T	T	T	T	T	T	T	T	T	T	T				T	T	19
20	T	T			T	T				T		T	T	T	T	T			T						20
21																									21
22																									22
23											T	T	0.01	T							T	0.01	T	T	23
24	0.01	T							T		T														24
25																									25
26																									26
27																									27
28															T		T	0.04	0.06	0.07	0.07	0.09	0.03	T	28
29	0.02																								29
30				T														0.01	0.08	T					30

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.03	0.05	0.06	0.07	0.09	0.11	0.12	0.14	0.16	0.17	0.21	0.24
Ending Date Time (yyyy-mm-dd hh:mi)	2016-11-08 20:06	2016-11-08 20:09	2016-11-08 20:14	2016-11-08 20:14	2016-11-08 20:14	2016-11-08 20:14	2016-11-08 20:14	2016-11-08 20:14	2016-11-08 20:14	2016-11-28 22:22	2016-11-28 22:01	2016-11-28 22:10

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
December 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	41	34	37	0.2				28	0	0736	1707	RA BR	0.02			28.90		12.4	28	240	21	230
02	38	36	37	0.6				28	0	0737	1707	RA	T			29.14		10.4	23	270	18	270
03	39	33	36	0.0				29	0	0738	1707		0.00			29.32		4.3	13	310	10	310
04	41	32	37	1.4				28	0	0739	1707	RA BR	0.14			29.15		7.0	18	100	15	110
05	41	28	35	-0.2				30	0	0740	1707	BR	0.00			29.05		7.3	28s	270s	22	280
06	43	29	36	1.1				29	0	0741	1707	RA BR	0.43			28.82		8.3	27	280	22	290
07	38	25	32	-2.5				33	0	0742	1707		0.00			29.10		8.1	20	270	16	280
08	33	21	27	-7.1				38	0	0742	1707	SN	T			29.24		15.6	36	270	28	280
09	27	19	23	-10.8				42	0	0743	1707	SN	T			29.44		11.3	24	270	18	280
10	27	23	25	-8.4				40	0	0744	1707	SN	T			29.50		7.1	18	270	14	230
11	35	24	30	-3.1				35	0	0745	1707	RA SN BR UP	0.11			29.20		8.6	22	130	16	120
12	39	24	32	-0.8				33	0	0746	1707	RA BR	0.01			29.00		9.9	28	270	22	290
13	31	21	26	-6.5				39	0	0746	1707	SN FZFG BR FG	0.15			29.13		4.6	17	310	14	310
14	24	4	14	-18.2				51	0	0747	1708	BR	0.00			29.18		9.1	27	270	21	280
15	13	3	8	-23.9				57	0	0748	1708		0.00			29.32		11.9	32	270	23	270
16	25	2*	14	-17.6				51	0	0748	1708	UP	Ts			29.29		7.8	19	130	15	130
17	47	25	36	4.7				29	0	0749	1709	RA FZRA FG BR UP	0.85			28.72		6.8	22	310	17	320
18	33	19	26	-5.1				39	0	0750	1709	RA FZRA SN BR UP	0.08			29.13		9.2	25	330	21	320
19	24	13	19	-11.8				46	0	0750	1710	SN BR	T			29.67		4.2	13	260	12	250
20	36	14	25	-5.6				40	0	0751	1710	BR	0.00			29.41		6.9	22	190	17	200
21	36	22	29	-1.4				36	0	0751	1710	BR	0.00			29.20		6.9	17	190	14	180
22	38	28	33	2.8				32	0	0752	1711		0.00			29.19		7.9	22	310	16	300
23	38	24	31	1.0				34	0	0752	1712	RA BR	0.05			29.35		6.3	22	110	17	110
24	42	36	39	9.2				26	0	0753	1712	RA BR	T			29.18		6.4	24	180	16	170
25	46	35	41	11.4				24	0	0753	1713	BR	0.00			29.40		7.1	14	100	12	080
26	67*	46	56	26.5				9	0	0753	1714	RA BR	0.34			29.17		13.8	34	290	25	270
27	52	30	41	11.7				24	0	0754	1714		0.00			29.10		11.8	29	270	20	270
28	42	24	33	3.8				32	0	0754	1715	RA	0.02			29.13		7.4	23	140	17	290
29	42	31	37	7.9				28	0	0754	1716	RA SN BR	0.01			28.84		15.1	46	280	33	280
30	36	28	32	3.1				33	0	0754	1716	SN	T			29.00		13.9	32	290	24	300
31	46	28	37	8.2				28	0	0754	1717		T			28.87		15.0	39	220	29	220
	37.4	24.5	31.0							Monthly Averages | Totals			2.21s			29.16	30.16	9.2				
	-1.9	-0.3	-1.1	Departure from Normal (1981-2010)									-0.60s									

Degree Days	Monthly Total	Monthly Departure	Season-to-date Total	Season-to-date Departure
Heating	1052	31	1876	
Cooling	0	0	1205	

Number of days with...

Temperature Max >=90°	Temperature Max <=32°	Temperature Min <=32°	Temperature Min <=0°	Precipitation >=0.01"	Precipitation >=0.1"	Snow >=1"	Weather T-Storms	Weather Heavy Fog
0	7	25	0	12	6			

Date of 5-sec to 3-sec wind equipment change	Sea Level Pressure		Date	Time
N/A	Maximum	30.78	19	1059
	Minimum	29.60	17	2231

Greatest... 24-Hr... Precip	Snowfall	Snow Depth
0.85		
Date		
17-17		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
December 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	FEW:02 22 OVC:08 29	10.00		41	5.0	38	3.3	34	1.1	76	15	250	23	28.80	1	-0.06	29.77	FM-15	0.00	29.76
01	0153	7	OVC:08 27	10.00		39	3.9	36	2.3	32	0.0	76	16	270	26	28.81			29.77	FM-15	0.00	29.77
01	0253	7	OVC:08 26	10.00		38	3.3	36	2.0	32	0.0	79	14	280		28.83			29.79	FM-15	0.00	29.79
01	0353	7	OVC:08 24	10.00		38	3.3	35	1.7	31	-0.6	76	10	270		28.83	1	-0.03	29.79	FM-15	0.00	29.79
01	0441	7	SCT:04 23 OVC:08 30	10.00		37	2.8	35	1.6	32	0.0	82	9	260		28.84				FM-16		29.80
01	0453	7	OVC:08 30	10.00		37	2.8	35	1.4	31	-0.6	79	10	260		28.84			29.81	FM-15	0.00	29.81
01	0533	7	BKN:07 28 OVC:08 35	10.00		37	2.8	35	1.4	31	-0.6	79	9	240		28.84				FM-16		29.81
01	0553	7	OVC:08 24	10.00		37	2.8	35	1.4	31	-0.6	79	8	240		28.84			29.83	FM-15	T	29.81
01	0653	7	FEW:02 11 BKN:07 23 OVC:08 30	6.00	-RA:02 BR:1 |RA |	35	1.7	35	1.4	34	1.1	96	16	260	22	28.87	3	-0.05	29.85	FM-15	0.02	29.84
01	0753	7	FEW:02 11 BKN:07 22 OVC:08 30	10.00		36	2.2	34	1.3	32	0.0	86	9	250		28.87			29.86	FM-15	T	29.84
01	0800	7	OVC:08 36	10.00		36	2.2	34	1.3	32	0.0	86	8	260		28.89				FM-16		29.85
01	0853	7	BKN:07 36 OVC:08 42	10.00		37	2.8	35	1.4	31	-0.6	79	13	240		28.90			29.88	FM-15	0.00	29.86
01	0953	7	BKN:07 39 OVC:08 49	10.00		38	3.3	34	1.3	29	-1.7	70	14	250		28.90	3	-0.03	29.88	FM-15	0.00	29.87
01	1053	7	OVC:08 33	10.00		38	3.3	34	1.3	29	-1.7	70	15	260		28.92			29.91	FM-15	0.00	29.89
01	1153	7	OVC:08 33	10.00		38	3.3	35	1.5	30	-1.1	73	14	260	20	28.92			29.90	FM-15	0.00	29.89
01	1205	7	BKN:07 29 OVC:08 34	10.00		38	3.3	34	1.3	29	-1.7	70	13	250		28.92				FM-16		29.89
01	1253	7	FEW:02 28 OVC:08 38	10.00		38	3.3	34	1.3	29	-1.7	70	15	240	22	28.92	1	-0.02	29.91	FM-15	0.00	29.89
01	1353	7	OVC:08 36	10.00		38	3.3	34	1.3	29	-1.7	70	15	240	24	28.92			29.91	FM-15	0.00	29.89
01	1453	7	OVC:08 31	10.00		38	3.3	34	1.3	29	-1.7	70	11	250		28.94			29.93	FM-15	0.00	29.91
01	1553	7	SCT:04 33 OVC:08 41	10.00		38	3.3	35	1.5	30	-1.1	73	17	240		28.96	3	-0.04	29.95	FM-15	0.00	29.93
01	1653	7	OVC:08 42	10.00		38	3.3	35	1.5	30	-1.1	73	13	250		28.98			29.97	FM-15	0.00	29.95
01	1753	7	OVC:08 38	10.00		38	3.3	35	1.5	30	-1.1	73	10	230		29.00			29.98	FM-15	0.00	29.97
01	1853	7	OVC:08 33	10.00		38	3.3	35	1.5	30	-1.1	73	8	250		29.00	1	-0.04	29.99	FM-15	0.00	29.97
01	1953	7	OVC:08 32	10.00		39	3.9	35	1.9	30	-1.1	70	9	260		29.02			30.00	FM-15	0.00	29.99
01	2053	7	OVC:08 36	10.00		38	3.3	35	1.5	30	-1.1	73	13	240		29.01			30.00	FM-15	0.00	29.98
01	2153	7	BKN:07 40	10.00		37	2.8	34	1.0	29	-1.7	73	14	240		29.03	3	-0.02	30.01	FM-15	0.00	30.00
01	2253	7	OVC:08 38	10.00		38	3.3	35	1.5	30	-1.1	73	9	260		29.04			30.03	FM-15	0.00	30.01
01	2353	7	OVC:08 35	10.00		37	2.8	34	1.2	30	-1.1	76	10	260		29.05			30.03	FM-15	0.00	30.02
02	0053	7	OVC:08 32	10.00		37	2.8	34	1.2	30	-1.1	76	8	250		29.05	1	-0.03	30.04	FM-15	0.00	30.02
02	0125	7	BKN:07 25 OVC:08 30	10.00		37	2.8	34	1.2	30	-1.1	76	10	270		29.05				FM-16		30.02
02	0153	7	OVC:08 23	10.00		37	2.8	34	1.2	30	-1.1	76	14	270		29.06			30.04	FM-15	0.00	30.03
02	0253	7	OVC:08 21	10.00		37	2.8	34	1.2	30	-1.1	76	11	280		29.07			30.06	FM-15	0.00	30.04
02	0353	7	OVC:08 22	10.00		37	2.8	34	1.2	30	-1.1	76	10	280		29.08	3	-0.02	30.07	FM-15	0.00	30.05
02	0453	7	OVC:08 21	10.00		37	2.8	34	1.2	30	-1.1	76	9	260		29.09			30.08	FM-15	0.00	30.06
02	0553	7	OVC:08 20	10.00		37	2.8	35	1.4	31	-0.6	79	9	270		29.11			30.09	FM-15	0.00	30.08
02	0653	7	OVC:08 22	10.00		36	2.2	34	0.9	30	-1.1	79	13	270	23	29.12	3	-0.04	30.11	FM-15	0.00	30.09
02	0753	7	OVC:08 27	10.00		36	2.2	34	0.9	30	-1.1	79	13	270		29.14			30.13	FM-15	0.00	30.11

02	0853	7	OVC:08 28	10.00		36	2.2	34	1.1	31	-0.6	82	9	270		29.16			30.15	FM-15	0.00	30.13
02	0953	7	OVC:08 29	10.00		37	2.8	35	1.4	31	-0.6	79	10	260		29.16	1	-0.04	30.15	FM-15	0.00	30.13
02	1053	7	OVC:08 29	10.00		38	3.3	36	2.0	32	0.0	79	14	270		29.17			30.16	FM-15	0.00	30.14
02	1153	7	SCT:04 16 BKN:07 30 OVC:08 35	10.00		38	3.3	36	2.2	33	0.6	83	10	260		29.16			30.15	FM-15	T	30.13
02	1244	7	BKN:07 20 OVC:08 32	10.00	-RA:02 |RA |	38	3.3	36	2.0	32	0.0	79	9	260		29.16				FM-16	T	30.13
02	1253	7	BKN:07 20 OVC:08 31	10.00	-RA:02 |RA |	38	3.3	36	2.2	33	0.6	83	9	250		29.17	1	-0.01	30.15	FM-15	T	30.14
02	1313	7	FEW:02 20 SCT:04 29 OVC:08 36	10.00		38	3.3	36	2.2	33	0.6	83	10	250	20	29.17				FM-16	T	30.14
02	1351	6	SCT:04 20 BKN:07 27 OVC:08 34	10.00		37	3.0	35	1.6	32	0.0	81	9	270		29.17				FM-16		30.14
02	1353	7	SCT:04 20 BKN:07 27 OVC:08 34	10.00		38	3.3	36	2.2	33	0.6	83	11	270		29.17			30.16	FM-15	T	30.14
02	1420	7	SCT:04 20 OVC:08 34	10.00		38	3.3	36	2.0	32	0.0	79	14	280		29.17				FM-16		30.14
02	1453	7	FEW:02 18 OVC:08 30	10.00		38	3.3	36	2.2	33	0.6	83	9	280		29.18			30.17	FM-15	0.00	30.15
02	1522	7	FEW:02 22 OVC:08 29	10.00		38	3.3	36	2.0	32	0.0	79	14	280	23	29.19				FM-16		30.16
02	1551	6	FEW:02 27 OVC:08 33	10.00		37	3.0	34	1.2	30	-1.0	75	10	280		29.20				FM-16		30.17
02	1553	7	SCT:04 30 OVC:08 35	10.00		38	3.3	35	1.8	31	-0.6	76	11	280		29.20	3	-0.04	30.19	FM-15	0.00	30.17
02	1653	7	BKN:07 34 OVC:08 45	10.00		38	3.3	35	1.8	31	-0.6	76	13	250		29.20			30.19	FM-15	0.00	30.17
02	1753	7	OVC:08 44	10.00		38	3.3	35	1.8	31	-0.6	76	10	270		29.23			30.22	FM-15	0.00	30.20
02	1853	7	OVC:08 41	10.00		38	3.3	35	1.8	31	-0.6	76	10	250		29.23	3	-0.04	30.23	FM-15	0.00	30.21
02	1953	7	OVC:08 42	10.00		38	3.3	35	1.8	31	-0.6	76	8	270		29.26			30.25	FM-15	0.00	30.23
02	2053	7	OVC:08 41	10.00		38	3.3	35	1.8	31	-0.6	76	10	270		29.26			30.26	FM-15	0.00	30.24
02	2153	7	OVC:08 45	10.00		38	3.3	36	2.0	32	0.0	79	11	260		29.28	3	-0.05	30.28	FM-15	0.00	30.26
02	2253	7	OVC:08 43	10.00		37	2.8	35	1.6	32	0.0	82	7	290		29.29			30.29	FM-15	0.00	30.27
02	2353	7	OVC:08 41	10.00		37	2.8	35	1.9	33	0.6	86	6	290		29.30			30.29	FM-15	0.00	30.28
03	0053	7	OVC:08 39	10.00		37	2.8	35	1.4	31	-0.6	79	6	320		29.30	1	-0.02	30.30	FM-15	0.00	30.28
03	0153	7	OVC:08 40	10.00		35	1.7	33	0.6	30	-1.1	82	3	290		29.31			30.31	FM-15	0.00	30.29
03	0253	7	OVC:08 39	10.00		34	1.1	32	-0.2	28	-2.2	79	3	310		29.31			30.31	FM-15	0.00	30.29
03	0353	7	OVC:08 38	10.00		34	1.1	33	0.5	31	-0.6	89	3	240		29.31	1	-0.01	30.31	FM-15	0.00	30.29
03	0453	7	OVC:08 36	10.00		35	1.7	34	1.2	33	0.6	93	5	290		29.31			30.32	FM-15	0.00	30.29
03	0553	7	OVC:08 36	10.00		36	2.2	34	1.3	32	0.0	86	8	290		29.32			30.33	FM-15	0.00	30.30
03	0653	7	OVC:08 38	10.00		35	1.7	33	0.8	31	-0.6	85	3	270		29.34	3	-0.03	30.34	FM-15	0.00	30.32
03	0753	7	OVC:08 36	10.00		36	2.2	34	1.3	32	0.0	86	5	330		29.34			30.34	FM-15	0.00	30.32
03	0853	7	OVC:08 34	10.00		37	2.8	35	1.6	32	0.0	82	3	300		29.35			30.35	FM-15	0.00	30.33
03	0953	7	OVC:08 33	10.00		37	2.8	35	1.4	31	-0.6	79	5	280		29.37	3	-0.02	30.36	FM-15	0.00	30.35
03	1053	7	OVC:08 32	10.00		37	2.8	34	1.0	29	-1.7	73	7	310		29.36			30.36	FM-15	0.00	30.34
03	1153	7	OVC:08 34	10.00		38	3.3	34	1.0	27	-2.8	65	5	220		29.33			30.33	FM-15	0.00	30.31
03	1253	7	OVC:08 38	10.00		38	3.3	33	0.8	26	-3.3	62	5	VRB		29.32	8	+0.04	30.32	FM-15	0.00	30.30
03	1353	7	OVC:08 34	10.00		39	3.9	34	1.3	27	-2.8	62	6	260		29.33			30.33	FM-15	0.00	30.31
03	1453	7	OVC:08 32	10.00		39	3.9	35	1.5	28	-2.2	65	8	290		29.33			30.33	FM-15	0.00	30.31
03	1539	7	OVC:08 29	10.00		38	3.3	35	1.6	30	-1.1	73	8	240		29.33				FM-16		30.31
03	1551	6	SCT:04 28 OVC:08 33	10.00		37	3.0	34	1.2	30	-1.0	75	7	250		29.33				FM-16		30.31
03	1553	7	SCT:04 28 OVC:08 33	10.00		38	3.3	35	1.8	31	-0.6	76	7	260		29.33	1	-0.01	30.33	FM-15	0.00	30.31
03	1653	7	OVC:08 33	10.00		38	3.3	34	1.4	29	-1.7	70	6	320		29.32			30.33	FM-15	0.00	30.30
03	1753	7	OVC:08 33	10.00		37	2.8	34	1.0	29	-1.7	73	5	310		29.32			30.33	FM-15	0.00	30.30
03	1853	7	OVC:08 34	10.00		37	2.8	34	1.0	29	-1.7	73	3	340		29.31	8	+0.02	30.32	FM-15	0.00	30.29

03	1953	7	OVC:08 34	10.00		37	2.8	34	1.0	29	-1.7	73	0	000		29.32			30.32	FM-15	0.00	30.30
03	2053	7	OVC:08 33	10.00		36	2.2	34	0.9	30	-1.1	79	0	000		29.32			30.32	FM-15	0.00	30.30
03	2153	7	OVC:08 33	10.00		36	2.2	33	0.7	29	-1.7	76	3	040		29.32	0	-0.00	30.32	FM-15	0.00	30.30
03	2253	7	OVC:08 32	9.00		36	2.2	33	0.5	28	-2.2	73	3	120		29.31			30.31	FM-15	0.00	30.29
03	2353	7	OVC:08 32	10.00		35	1.7	32	0.2	28	-2.2	76	0	000		29.30			30.30	FM-15	0.00	30.28
04	0053	7	OVC:08 31	9.00		35	1.7	32	0.2	28	-2.2	76	3	120		29.30	5	+0.01	30.30	FM-15	0.00	30.28
04	0153	7	OVC:08 31	9.00		34	1.1	32	0.0	29	-1.7	82	3	070		29.29			30.29	FM-15	0.00	30.27
04	0253	7	CLR:00	9.00		33	0.6	31	-0.5	28	-2.2	82	3	100		29.29			30.29	FM-15	0.00	30.27
04	0353	7	CLR:00	9.00		34	1.1	32	-0.2	28	-2.2	79	3	110		29.27	6	+0.03	30.28	FM-15	0.00	30.25
04	0453	7	CLR:00	9.00		33	0.6	31	-0.3	29	-1.7	85	5	100		29.26			30.26	FM-15	0.00	30.24
04	0553	7	CLR:00	8.00		34	1.1	32	0.0	29	-1.7	82	3	110		29.26			30.26	FM-15	0.00	30.24
04	0653	7	FEW:02 120	8.00		33	0.6	32	-0.1	30	-1.1	89	6	100		29.26	6	+0.02	30.26	FM-15	0.00	30.23
04	0753	7	FEW:02 120	8.00		34	1.1	32	0.2	30	-1.1	85	6	110		29.25			30.24	FM-15	0.00	30.22
04	0853	7	CLR:00	9.00		35	1.7	33	0.6	30	-1.1	82	8	120		29.22			30.21	FM-15	0.00	30.19
04	0953	7	CLR:00	10.00		37	2.8	33	0.8	28	-2.2	70	6	140		29.23	5	+0.03	30.22	FM-15	0.00	30.20
04	1053	7	SCT:04 100	10.00		38	3.3	34	1.2	28	-2.2	68	8	140		29.21			30.20	FM-15	0.00	30.18
04	1153	7	OVC:08 100	10.00		39	3.9	35	1.5	28	-2.2	65	9	130		29.18			30.16	FM-15	0.00	30.15
04	1253	7	BKN:07 100	10.00		40	4.4	36	2.0	29	-1.7	65	8	130		29.12	8	+0.11	30.11	FM-15	0.00	30.09
04	1353	7	FEW:02 110	10.00		40	4.4	36	2.0	29	-1.7	65	11	120		29.06			30.05	FM-15	0.00	30.03
04	1453	7	BKN:07 100	10.00		41	5.0	36	2.5	30	-1.1	65	8	100		29.02			30.01	FM-15	0.00	29.99
04	1553	7	BKN:07 46 OVC:08 55	10.00		41	5.0	36	2.3	29	-1.7	62	11	100		28.98	6	+0.14	29.96	FM-15	0.00	29.95
04	1653	7	OVC:08 39	10.00	-RA:02 |RA |	39	3.9	35	1.9	30	-1.1	70	11	110		28.97			29.96	FM-15	T	29.94
04	1753	7	OVC:08 29	6.00	-RA:02 |RA |	38	3.3	36	2.2	33	0.6	83	7	120		28.96			29.95	FM-15	0.01	29.93
04	1853	7	OVC:08 24	5.00	-RA:02 BR:1 |RA |	37	2.8	36	2.3	35	1.7	93	8	120		28.94	8	+0.04	29.93	FM-15	0.03	29.91
04	1928	7	FEW:02 9 BKN:07 16 OVC:08 20	2.50	-RA:02 BR:1 |RA |	37	2.8	37	2.5	36	2.2	96	10	140		28.93				FM-16	0.01	29.90
04	1948	7	BKN:07 8 OVC:08 13	2.50	RA:02 BR:1 |RA |	37	3.0	37	2.5	36	2.0	93	8	130		28.92				FM-16	0.04	29.89
04	1953	7	BKN:07 8 OVC:08 13	2.50	-RA:02 BR:1 |RA |	37	2.8	37	2.5	36	2.2	96	8	130		28.92			29.91	FM-15	0.05	29.89
04	2000	7	BKN:07 8 OVC:08 11	3.00	RA:02 BR:1 |RA |	37	2.8	37	2.5	36	2.2	96	7	130		28.92				FM-16	0.01	29.89
04	2053	7	OVC:08 5	4.00	-RA:02 BR:1 |RA |	37	2.8	37	2.5	36	2.2	96	8	140		28.90			29.88	FM-15	0.04	29.86
04	2153	7	OVC:08 6	6.00	BR:1 ||	37	2.8	37	2.8	37	2.8	100	8	160		28.87	8	+0.06	29.86	FM-15	0.01	29.84
04	2253	7	OVC:08 6	3.00	BR:1 ||	38	3.3	38	3.3	38	3.3	100	7	170		28.89			29.86	FM-15	0.00	29.85
04	2309	7	OVC:08 4	3.00	BR:1 ||	38	3.3	38	3.3	38	3.3	100	7	190		28.89				FM-16		29.85
04	2353	7	OVC:08 4	2.50	BR:1 ||	39	3.9	39	3.9	39	3.9	100	8	200		28.90			29.87	FM-15	T	29.86
05	0005	7	OVC:08 5	3.00	BR:1 ||	39	3.9	39	3.9	39	3.9	100	9	220		28.90				FM-16		29.87
05	0045	7	BKN:07 11 BKN:07 14 OVC:08 22	10.00		41	5.0	40	4.5	39	3.9	93	13	250		28.91				FM-16		29.88
05	0053	7	SCT:04 12 OVC:08 22	10.00		41	5.0	40	4.5	39	3.9	93	15	250		28.91	3	-0.04	29.90	FM-15	0.00	29.88
05	0140	7	OVC:08 13	10.00		41	5.0	40	4.3	38	3.3	89	18	280	29	28.95				FM-16		29.92
05	0153	7	OVC:08 13	10.00		41	5.0	40	4.3	38	3.3	89	16	280	22	28.96			29.94	FM-15	0.00	29.93
05	0233	7	OVC:08 15	10.00		39	3.9	37	2.9	35	1.7	86	17	280	25	28.98				FM-16		29.95
05	0253	7	OVC:08 16	10.00		39	3.9	37	2.9	35	1.7	86	11	290	24	28.99			29.98	FM-15	0.00	29.96
05	0315	7	OVC:08 14	10.00		38	3.3	37	2.6	35	1.7	89	11	290		28.99				FM-16		29.96
05	0328	7	BKN:07 16 OVC:08 22	10.00		38	3.3	37	2.6	35	1.7	89	14	280		29.00				FM-16		29.97
05	0353	7	OVC:08 21	10.00		38	3.3	36	2.4	34	1.1	86	14	280		29.03	1	-0.11	30.01	FM-15	0.00	30.00
05	0406	7	BKN:07 13 OVC:08 21	10.00		37	2.8	36	2.1	34	1.1	89	13	290		29.03				FM-16		30.00
05	0453	7	OVC:08 13	10.00		36	2.2	34	1.3	32	0.0	86	16	280		29.05			30.04	FM-15	0.00	30.02
05	0514	7	OVC:08 15	10.00		35	1.7	33	0.8	31	-0.6	85	15	290		29.07				FM-16		30.04
05	0553	7	OVC:08 18	10.00		35	1.7	33	0.8	31	-0.6	85	10	300		29.07			30.06	FM-15	0.00	30.04
05	0653	7	OVC:08 15	10.00		35	1.7	33	0.8	31	-0.6	85	6	290		29.10	3	-0.07	30.09	FM-15	0.00	30.07

05	0753	7	OVC:08 17	10.00		35	1.7	33	0.8	31	-0.6	85	3	270		29.11			30.10	FM-15	0.00	30.08
05	0853	7	OVC:08 19	10.00		36	2.2	34	0.9	30	-1.1	79	6	250		29.12			30.11	FM-15	0.00	30.09
05	0953	7	OVC:08 19	10.00		36	2.2	34	0.9	30	-1.1	79	5	270		29.14	3	-0.04	30.13	FM-15	0.00	30.11
05	1053	6	OVC:08 20	10.00		37	2.8	34	1.2	30	-1.1	76	3	VRB		29.14			30.13	FM-15	0.00	30.11
05	1153	7	OVC:08 21	10.00		38	3.3	35	1.8	31	-0.6	76	6	240		29.14			30.13	FM-15	0.00	30.11
05	1253	7	OVC:08 21	10.00		39	3.9	36	2.1	31	-0.6	73	5	210		29.12	8	+0.02	30.11	FM-15	0.00	30.09
05	1353	7	OVC:08 21	10.00		39	3.9	36	2.1	31	-0.6	73	5	250		29.13			30.12	FM-15	0.00	30.10
05	1448	7	BKN:07 22	10.00		39	4.0	35	1.9	30	-1.0	70	3	220		29.11				FM-16		30.08
05	1453	7	FEW:02 22	10.00		40	4.4	36	2.4	31	-0.6	70	5	260		29.10			30.09	FM-15	0.00	30.07
05	1553	7	CLR:00	10.00		39	3.9	36	2.1	31	-0.6	73	3	350		29.09	8	+0.03	30.08	FM-15	0.00	30.06
05	1653	7	CLR:00	10.00		36	2.2	34	1.1	31	-0.6	82	3	080		29.09			30.09	FM-15	0.00	30.06
05	1753	7	CLR:00	10.00		35	1.7	33	0.6	30	-1.1	82	5	040		29.09			30.09	FM-15	0.00	30.06
05	1853	7	CLR:00	10.00		33	0.6	31	-0.3	29	-1.7	85	6	070		29.08	8	+0.01	30.08	FM-15	0.00	30.05
05	1953	7	CLR:00	10.00		34	1.1	32	0.0	29	-1.7	82	3	090		29.09			30.08	FM-15	0.00	30.06
05	2053	7	CLR:00	9.00		31	-0.6	30	-1.2	28	-2.2	89	6	080		29.06			30.06	FM-15	0.00	30.03
05	2153	7	CLR:00	9.00		29	-1.7	28	-2.3	26	-3.3	89	7	070		29.05	8	+0.04	30.04	FM-15	0.00	30.02
05	2253	7	CLR:00	10.00		29	-1.7	28	-2.3	26	-3.3	89	8	070		29.04			30.03	FM-15	0.00	30.01
05	2353	7	CLR:00	9.00		29	-1.7	28	-2.3	26	-3.3	89	6	060		29.02			30.01	FM-15	0.00	29.99
06	0053	7	CLR:00	10.00		32	0.0	31	-0.6	29	-1.7	88	10	070		28.96	8	+0.08	29.96	FM-15	0.00	29.93
06	0153	7	CLR:00	10.00		33	0.6	32	-0.1	30	-1.1	89	7	070		28.95			29.94	FM-15	0.00	29.92
06	0253	7	CLR:00	10.00		33	0.6	32	-0.1	30	-1.1	89	6	060		28.91			29.90	FM-15	0.00	29.88
06	0353	7	CLR:00	10.00		34	1.1	33	0.4	31	-0.6	89	6	070		28.90	6	+0.06	29.89	FM-15	0.00	29.87
06	0453	7	CLR:00	10.00		35	1.7	33	0.8	31	-0.6	85	7	070		28.87			29.86	FM-15	0.00	29.84
06	0553	7	CLR:00	10.00		36	2.2	34	1.1	31	-0.6	82	9	080		28.84			29.83	FM-15	0.00	29.81
06	0653	7	OVC:08 30	10.00		37	2.8	35	1.6	32	0.0	82	10	090		28.82	6	+0.09	29.80	FM-15	T	29.78
06	0704	7	OVC:08 28	10.00		37	2.8	35	1.6	32	0.0	82	10	090		28.82				FM-16		29.78
06	0753	7	OVC:08 28	9.00	-RA:02 |RA |	38	3.3	36	2.2	33	0.6	83	9	100		28.80			29.78	FM-15	T	29.76
06	0853	7	OVC:08 26	6.00	-RA:02 BR:1 |RA |	38	3.3	37	2.9	36	2.2	93	9	090		28.75			29.73	FM-15	0.02	29.71
06	0953	7	OVC:08 22	5.00	-RA:02 BR:1 |RA |	39	3.9	39	3.6	38	3.3	96	9	090		28.74	6	+0.08	29.72	FM-15	0.03	29.70
06	1048	7	BKN:07 14 OVC:08 20	3.00	RA:02 BR:1 |RA |	41	5.0	40	4.5	39	4.0	93	8	100		28.71				FM-16	0.04	29.67
06	1053	7	OVC:08 14	3.00	RA:02 BR:1 |RA |	41	5.0	41	4.7	40	4.4	96	8	100		28.72			29.70	FM-15	0.04	29.68
06	1140	7	OVC:08 9	2.50	-RA:02 BR:1 |RA |	42	5.6	42	5.3	41	5.0	96	10	130		28.70				FM-16	0.04	29.66
06	1151	7	OVC:08 9	1.50	RA:02 BR:1 |RA |	41	5.0	41	5.0	41	5.0	100	7	120		28.70				FM-16	0.07	29.66
06	1153	7	OVC:08 9	1.75	RA:02 BR:1 |RA |	41	5.0	41	5.0	41	5.0	100	9	110		28.70			29.68	FM-15	0.09	29.66
06	1209	7	OVC:08 6	2.00	RA:02 BR:1 |RA |	41	5.0	41	5.0	41	5.0	100	9	120		28.69				FM-16	0.04	29.65
06	1251	6	BKN:07 6 OVC:08 11	1.75	RA:02 BR:1 |RA |	41	5.0	41	5.0	41	5.0	100	5	110		28.68				FM-16		29.64
06	1253	7	BKN:07 7 OVC:08 11	1.75	RA:02 BR:1 |RA |	41	5.0	41	5.0	41	5.0	100	5	100		28.68	8	+0.04	29.66	FM-15	0.14	29.64
06	1305	7	OVC:08 5	2.50	-RA:02 BR:1 |RA |	42	5.6	42	5.6	42	5.6	100	0	000		28.68				FM-16	0.02	29.64
06	1317	7	OVC:08 5	4.00	-RA:02 BR:1 |RA |	42	5.6	42	5.3	41	5.0	96	5	100		28.68				FM-16	0.03	29.64
06	1329	7	OVC:08 5	2.00	-RA:02 BR:1 |RA |	42	5.6	42	5.6	42	5.6	100	6	100		28.67				FM-16	0.03	29.63
06	1353	7	OVC:08 5	2.00	-RA:02 BR:1 |RA |	42	5.6	42	5.6	42	5.6	100	3	120		28.67			29.65	FM-15	0.05	29.63
06	1438	7	OVC:08 5	4.00	-RA:02 BR:1 |RA |	42	5.6	42	5.6	42	5.6	100	0	000		28.68				FM-16	0.05	29.64
06	1453	7	OVC:08 5	4.00	-RA:02 BR:1 |RA |	43	6.1	43	5.8	42	5.6	97	3	110		28.67			29.65	FM-15	0.05	29.63
06	1539	7	OVC:08 4	7.00		43	6.1	43	5.9	42	5.6	97	7	270		28.70				FM-16	0.01	29.66
06	1553	7	OVC:08 4	7.00		43	6.1	43	5.9	42	5.6	97	3	260		28.71	3	-0.03	29.68	FM-15	0.01	29.67
06	1653	7	OVC:08 4	10.00		42	5.6	42	5.6	42	5.6	100	7	280		28.73			29.71	FM-15	0.00	29.69
06	1753	7	OVC:08 4	10.00		41	5.0	41	4.7	40	4.4	96	9	290		28.78			29.75	FM-15	0.00	29.74
06	1800	7	OVC:08 7	10.00		41	5.0	41	4.7	40	4.4	96	9	280		28.78				FM-16		29.74
06	1853	7	OVC:08 7	9.00		40	4.4	40	4.2	39	3.9	97	11	270	21	28.83	3	-0.12	29.80	FM-15	0.00	29.79
06	1953	7	OVC:08 6	5.00	BR:1 ||	37	2.8	37	2.5	36	2.2	96	18	280	26	28.87			29.84	FM-15	0.00	29.83
06	2053	7	OVC:08 8	4.00	BR:1 ||	37	2.8	37	2.5	36	2.2	96	10	280		28.90			29.89	FM-15	0.00	29.87
06	2153	7	BKN:07 8 OVC:08 13	3.00	BR:1 ||	38	3.3	38	3.1	37	2.8	97	7	280		28.91	1	-0.09	29.90	FM-15	0.00	29.88
06	2253	7	BKN:07 8	6.00	BR:1 ||	38	3.3	37	2.9	36	2.2	93	9	270		28.93			29.92	FM-15	0.00	29.90
06	2300	7	OVC:08 16	6.00	BR:1 ||	38	3.3	37	2.9	36	2.2	93	10	260		28.95				FM-16		29.92

06	2353	7	OVC:08 19	8.00		37	2.8	35	1.6	32	0.0	82	13	300	22	28.98			29.96	FM-15	0.00	29.95
07	0053	7	OVC:08 19	8.00		35	1.7	33	0.8	31	-0.6	85	10	260		29.00	3	-0.08	29.99	FM-15	0.00	29.97
07	0121	7	SCT:04 20	9.00		33	0.6	31	-0.3	29	-1.7	85	14	280		29.02				FM-16		29.99
07	0153	7	FEW:02 19	8.00		32	0.0	31	-0.6	29	-1.7	88	8	260		29.02			30.01	FM-15	0.00	29.99
07	0253	7	CLR:00	10.00		32	0.0	30	-0.8	28	-2.2	85	7	270		29.06			30.04	FM-15	0.00	30.03
07	0353	7	CLR:00	10.00		30	-1.1	29	-1.9	26	-3.3	85	8	280		29.06	1	-0.06	30.05	FM-15	0.00	30.03
07	0415	7	BKN:07 14	10.00		29	-1.7	28	-2.3	26	-3.3	89	6	270		29.06				FM-16		30.03
07	0428	7	SCT:04 14	10.00		29	-1.7	28	-2.3	26	-3.3	89	9	280		29.07				FM-16		30.04
07	0453	7	CLR:00	10.00		28	-2.2	27	-2.8	25	-3.9	88	7	250		29.08			30.07	FM-15	0.00	30.05
07	0553	7	CLR:00	10.00		28	-2.2	27	-2.8	25	-3.9	88	3	260		29.10			30.09	FM-15	0.00	30.07
07	0653	7	CLR:00	10.00		26	-3.3	25	-3.7	24	-4.4	92	5	250		29.12	3	-0.06	30.12	FM-15	0.00	30.09
07	0753	7	CLR:00	10.00		26	-3.3	25	-3.9	23	-5.0	88	6	280		29.13			30.12	FM-15	0.00	30.10
07	0853	7	CLR:00	10.00		29	-1.7	28	-2.5	25	-3.9	85	5	260		29.14			30.13	FM-15	0.00	30.11
07	0953	7	CLR:00	10.00		31	-0.6	28	-2.1	23	-5.0	72	9	250		29.17	3	-0.05	30.16	FM-15	0.00	30.14
07	1053	7	CLR:00	10.00		33	0.6	29	-1.4	23	-5.0	66	11	260		29.18			30.17	FM-15	0.00	30.15
07	1153	7	CLR:00	10.00		35	1.7	31	-0.6	24	-4.4	64	11	240		29.15			30.14	FM-15	0.00	30.12
07	1253	7	CLR:00	10.00		37	2.8	32	-0.1	23	-5.0	57	11	240		29.13	8	+0.04	30.12	FM-15	0.00	30.10
07	1353	7	OVC:08 110	10.00		37	2.8	32	0.1	24	-4.4	59	11	260		29.12			30.12	FM-15	0.00	30.09
07	1453	7	OVC:08 110	10.00		37	2.8	32	0.3	25	-3.9	62	7	230		29.12			30.11	FM-15	0.00	30.09
07	1553	7	BKN:07 110	10.00		37	2.8	32	0.3	25	-3.9	62	9	240		29.12	5	+0.01	30.12	FM-15	0.00	30.09
07	1653	7	OVC:08 110	10.00		36	2.2	32	0.1	26	-3.3	67	9	200		29.13			30.12	FM-15	0.00	30.10
07	1753	7	BKN:07 110	10.00		35	1.7	32	-0.2	26	-3.3	70	6	220		29.13			30.12	FM-15	0.00	30.10
07	1853	7	OVC:08 110	10.00		35	1.7	32	-0.2	26	-3.3	70	6	220		29.13	3	-0.01	30.13	FM-15	0.00	30.10
07	1953	7	OVC:08 110	10.00		34	1.1	31	-0.6	26	-3.3	73	7	240		29.14			30.14	FM-15	0.00	30.11
07	2053	7	OVC:08 120	10.00		33	0.6	30	-0.9	26	-3.3	75	6	260		29.13			30.13	FM-15	0.00	30.10
07	2153	7	OVC:08 110	10.00		34	1.1	31	-0.7	25	-3.9	70	10	240		29.14	3	-0.01	30.14	FM-15	0.00	30.11
07	2253	7	OVC:08 100	10.00		33	0.6	30	-0.9	26	-3.3	75	11	270		29.14			30.14	FM-15	0.00	30.11
07	2353	7	OVC:08 100	10.00		33	0.6	30	-1.1	25	-3.9	72	8	280		29.14			30.13	FM-15	0.00	30.11
08	0053	7	SCT:04 120	10.00		31	-0.6	28	-1.9	24	-4.4	76	13	280		29.13	8	+0.01	30.12	FM-15	0.00	30.10
08	0153	7	BKN:07 85 OVC:08 120	10.00		30	-1.1	28	-2.5	23	-5.0	75	17	280	24	29.14			30.14	FM-15	0.00	30.11
08	0253	7	FEW:02 21 OVC:08 80	10.00		30	-1.1	28	-2.5	23	-5.0	75	15	290	21	29.14			30.14	FM-15	0.00	30.11
08	0353	7	FEW:02 20 OVC:08 95	10.00		29	-1.7	27	-2.8	23	-5.0	78	9	270		29.14	0	-0.01	30.14	FM-15	0.00	30.11
08	0453	7	SCT:04 21 OVC:08 85	10.00		29	-1.7	27	-3.0	22	-5.6	75	10	270		29.13			30.13	FM-15	0.00	30.10
08	0500	7	BKN:07 22 OVC:08 85	10.00		29	-1.7	27	-3.0	22	-5.6	75	10	270		29.14				FM-16		30.11
08	0551	6	SCT:04 19 SCT:04 24 OVC:08 100	10.00		28	-2.0	25	-3.9	19	-7.0	69	15	270	23	29.15				FM-16		30.12
08	0553	7	BKN:07 21 OVC:08 100	10.00		28	-2.2	25	-3.7	20	-6.7	72	15	270	23	29.15			30.14	FM-15	0.00	30.12
08	0605	7	SCT:04 21 OVC:08 110	10.00		27	-2.8	24	-4.4	18	-7.8	69	16	270	25	29.15				FM-16		30.12
08	0636	7	BKN:07 24	10.00		26	-3.3	23	-4.8	18	-7.8	71	16	280		29.16				FM-16		30.13
08	0653	7	OVC:08 21	10.00		26	-3.3	23	-4.8	18	-7.8	71	14	280		29.17	3	-0.02	30.16	FM-15	0.00	30.14
08	0753	7	OVC:08 21	10.00		25	-3.9	23	-5.1	18	-7.8	75	18	290	26	29.18			30.18	FM-15	0.00	30.15
08	0853	7	OVC:08 22	10.00		25	-3.9	22	-5.4	16	-8.9	69	20	280	26	29.20			30.20	FM-15	0.00	30.17
08	0953	7	OVC:08 23	10.00		25	-3.9	22	-5.4	16	-8.9	69	17	280	30	29.22	3	-0.05	30.22	FM-15	0.00	30.19
08	1053	7	OVC:08 23	10.00		25	-3.9	22	-5.4	16	-8.9	69	17	270	22	29.23			30.24	FM-15	0.00	30.21
08	1112	7	SCT:04 23 OVC:08 30	10.00		26	-3.3	23	-5.1	16	-8.9	66	16	260	24	29.23				FM-16		30.21
08	1119	7	BKN:07 28 OVC:08 32	10.00		26	-3.3	23	-5.1	16	-8.9	66	18	280	24	29.23				FM-16		30.21
08	1153	7	OVC:08 26	10.00		26	-3.3	23	-4.9	17	-8.3	69	11	270	24	29.23			30.24	FM-15	0.00	30.21
08	1253	7	OVC:08 26	10.00		25	-3.9	22	-5.4	16	-8.9	69	18	290	23	29.23	1	-0.02	30.24	FM-15	T	30.21
08	1353	7	OVC:08 23	9.00	-SN:03 |SN |	24	-4.4	22	-5.8	16	-8.9	71	17	280	26	29.25			30.26	FM-15	T	30.22

08	1451	7	FEW:02 23 OVC:08 30	9.00	-SN:03 |SN |	25	-4.0	22	-5.7	14	-10.0	63	17	280		29.26				FM-16	T	30.24
08	1453	7	FEW:02 23 OVC:08 30	9.00		24	-4.4	21	-6.1	14	-10.0	65	21	280	26	29.26			30.27	FM-15	T	30.24
08	1553	7	OVC:08 30	10.00		24	-4.4	21	-6.1	14	-10.0	65	20	280	25	29.28	3	-0.03	30.29	FM-15	T	30.26
08	1644	7	OVC:08 29	9.00	-SN:03 |SN |	24	-4.4	21	-6.0	15	-9.4	68	17	270		29.30				FM-16	T	30.28
08	1653	7	OVC:08 29	9.00	-SN:03 |SN |	24	-4.4	21	-6.0	15	-9.4	68	16	270	22	29.30			30.31	FM-15	T	30.28
08	1753	7	OVC:08 29	9.00	-SN:03 |SN |	24	-4.4	22	-5.8	16	-8.9	71	11	270	21	29.32			30.33	FM-15	T	30.30
08	1851	6	SCT:04 29 OVC:08 34	6.00	-SN:03 |SN |	25	-4.0	23	-5.1	18	-8.0	74	16	280	26	29.34				FM-16		30.32
08	1853	7	SCT:04 26 OVC:08 32	5.00	-SN:03 |SN |	24	-4.4	22	-5.6	17	-8.3	75	18	280	26	29.34	1	-0.06	30.36	FM-15	T	30.32
08	1953	7	FEW:02 24 OVC:08 32	9.00	-SN:03 |SN |	22	-5.6	20	-6.8	14	-10.0	71	17	280	29	29.35			30.37	FM-15	T	30.33
08	2053	7	FEW:02 24 OVC:08 32	10.00		21	-6.1	19	-7.2	14	-10.0	74	15	280		29.35			30.37	FM-15	T	30.33
08	2153	7	SCT:04 38 OVC:08 48	10.00		22	-5.6	20	-6.7	15	-9.4	75	13	270		29.35	1	-0.01	30.37	FM-15	0.00	30.33
08	2253	7	OVC:08 50	10.00		21	-6.1	19	-7.1	15	-9.4	78	16	260	24	29.36			30.38	FM-15	0.00	30.34
08	2353	7	OVC:08 55	10.00		21	-6.1	19	-7.2	14	-10.0	74	15	280		29.37			30.39	FM-15	0.00	30.35
09	0053	7	SCT:04 44 OVC:08 55	10.00		21	-6.1	19	-7.2	14	-10.0	74	17	270		29.38	1	-0.03	30.40	FM-15	0.00	30.36
09	0153	7	SCT:04 34 OVC:08 42	8.00	-SN:03 |SN |	21	-6.1	19	-7.1	15	-9.4	78	13	270		29.39			30.41	FM-15	T	30.37
09	0253	7	BKN:07 42 OVC:08 49	10.00		21	-6.1	19	-7.1	15	-9.4	78	11	260		29.41			30.43	FM-15	T	30.39
09	0353	7	OVC:08 60	10.00		21	-6.1	19	-7.1	15	-9.4	78	10	270		29.41	1	-0.03	30.43	FM-15	0.00	30.39
09	0453	7	OVC:08 55	10.00		21	-6.1	19	-7.1	15	-9.4	78	9	270		29.42			30.44	FM-15	0.00	30.40
09	0553	7	OVC:08 55	10.00		21	-6.1	19	-7.1	15	-9.4	78	11	270		29.43			30.45	FM-15	0.00	30.41
09	0653	7	OVC:08 55	10.00		21	-6.1	19	-7.1	15	-9.4	78	11	270		29.44	3	-0.03	30.46	FM-15	0.00	30.42
09	0753	7	FEW:02 16 BKN:07 60	10.00		20	-6.7	19	-7.5	15	-9.4	81	10	260		29.46			30.48	FM-15	0.00	30.44
09	0853	7	OVC:08 60	10.00		22	-5.6	20	-6.7	15	-9.4	75	14	280	21	29.46			30.48	FM-15	0.00	30.44
09	0953	7	OVC:08 60	10.00		23	-5.0	21	-6.2	16	-8.9	74	15	270		29.48	2	-0.04	30.50	FM-15	0.00	30.46
09	1053	7	SCT:04 17 OVC:08 65	10.00		24	-4.4	22	-5.6	17	-8.3	75	11	250	21	29.50			30.52	FM-15	0.00	30.48
09	1153	7	FEW:02 20 OVC:08 60	10.00		25	-3.9	23	-5.3	17	-8.3	72	16	270	24	29.48			30.50	FM-15	0.00	30.46
09	1225	7	BKN:07 22 OVC:08 34	10.00		26	-3.3	23	-4.9	17	-8.3	69	14	260		29.47				FM-16		30.45
09	1253	7	OVC:08 22	10.00	-SN:03 |SN |	26	-3.3	23	-4.7	18	-7.8	71	11	260		29.47	8	+0.01	30.49	FM-15	T	30.45
09	1353	7	OVC:08 25	1.50	-SN:03 |SN |	26	-3.3	24	-4.4	20	-6.7	78	14	280		29.46			30.48	FM-15	T	30.44
09	1404	7	OVC:08 23	3.00	-SN:03 |SN |	26	-3.3	24	-4.6	19	-7.2	75	13	270		29.46				FM-16	T	30.44
09	1453	7	OVC:08 24	9.00		27	-2.8	24	-4.2	19	-7.2	72	11	270		29.46			30.48	FM-15	T	30.44
09	1553	7	OVC:08 23	10.00		26	-3.3	24	-4.6	19	-7.2	75	14	270		29.48	3	-0.01	30.50	FM-15	0.00	30.46
09	1653	7	OVC:08 21	8.00	-SN:03 |SN |	26	-3.3	24	-4.6	19	-7.2	75	10	260		29.49			30.50	FM-15	T	30.47
09	1753	7	OVC:08 24	10.00		26	-3.3	24	-4.6	19	-7.2	75	11	270		29.50			30.52	FM-15	T	30.48
09	1853	7	OVC:08 23	6.00	-SN:03 |SN |	25	-3.9	23	-5.1	18	-7.8	75	9	270		29.50	1	-0.02	30.52	FM-15	T	30.48
09	1953	7	OVC:08 23	10.00		25	-3.9	23	-5.1	18	-7.8	75	10	270		29.51			30.53	FM-15	T	30.49
09	2051	6	SCT:04 26 OVC:08 45	10.00		25	-4.0	23	-5.1	18	-8.0	74	8	260		29.52				FM-16		30.50
09	2053	7	SCT:04 26 OVC:08 45	10.00		25	-3.9	23	-5.1	18	-7.8	75	8	260		29.51			30.53	FM-15	0.00	30.49
09	2153	7	OVC:08 46	10.00		25	-3.9	23	-5.1	18	-7.8	75	10	250		29.51	0	-0.01	30.53	FM-15	0.00	30.49
09	2253	7	OVC:08 48	10.00		24	-4.4	22	-5.5	18	-7.8	77	7	250		29.50			30.52	FM-15	0.00	30.48
09	2353	7	OVC:08 44	10.00		24	-4.4	22	-5.5	18	-7.8	77	9	260		29.50			30.52	FM-15	0.00	30.48
10	0053	7	OVC:08 41	10.00		24	-4.4	22	-5.5	18	-7.8	77	7	260		29.49	8	+0.02	30.51	FM-15	0.00	30.47
10	0153	7	OVC:08 38	10.00		24	-4.4	22	-5.6	17	-8.3	75	7	260		29.50			30.52	FM-15	0.00	30.48
10	0253	7	OVC:08 38	9.00	-SN:03 |SN |	24	-4.4	22	-5.5	18	-7.8	77	9	260		29.51			30.53	FM-15	T	30.49

10	0353	7	FEW:02 18 BKN:07 30 OVC:08 36	7.00	-SN:03 |SN |	24	-4.4	22	-5.3	19	-7.2	81	8	260		29.52	1	-0.03	30.53	FM-15	T	30.50
10	0409	7	FEW:02 19 OVC:08 28	9.00		24	-4.4	22	-5.3	19	-7.2	81	11	270		29.52				FM-16	T	30.50
10	0451	6	OVC:08 31	10.00		25	-4.0	22	-5.4	16	-9.0	69	10	260		29.51				FM-16		30.49
10	0453	7	FEW:02 25 OVC:08 31	10.00		24	-4.4	22	-5.8	16	-8.9	71	10	260		29.51			30.53	FM-15	T	30.49
10	0553	7	OVC:08 37	10.00		23	-5.0	21	-6.2	16	-8.9	74	8	270		29.52			30.53	FM-15	0.00	30.50
10	0630	7	BKN:07 25 OVC:08 38	10.00		23	-5.0	21	-6.2	16	-8.9	74	6	260		29.52				FM-16		30.50
10	0653	7	OVC:08 26	10.00		23	-5.0	21	-6.0	17	-8.3	78	9	270		29.53	3	-0.01	30.55	FM-15	0.00	30.51
10	0753	7	OVC:08 17	10.00		23	-5.0	21	-6.0	17	-8.3	78	7	300		29.53			30.55	FM-15	0.00	30.51
10	0853	7	OVC:08 20	4.00	-SN:03 |SN |	23	-5.0	21	-6.3	15	-9.4	72	10	270		29.54			30.55	FM-15	T	30.52
10	0953	7	OVC:08 23	9.00		23	-5.0	21	-6.2	16	-8.9	74	8	270		29.55	3	-0.02	30.57	FM-15	T	30.53
10	1053	7	FEW:02 22 OVC:08 29	10.00		24	-4.4	22	-5.8	16	-8.9	71	7	260		29.55			30.57	FM-15	0.00	30.53
10	1153	7	OVC:08 23	9.00		25	-3.9	23	-5.3	17	-8.3	72	8	250		29.54			30.55	FM-15	0.00	30.52
10	1253	7	OVC:08 24	10.00		25	-3.9	23	-5.3	17	-8.3	72	8	220		29.51	8	+0.04	30.53	FM-15	0.00	30.49
10	1353	7	OVC:08 27	10.00		26	-3.3	23	-5.1	16	-8.9	66	11	240		29.49			30.51	FM-15	0.00	30.47
10	1453	7	OVC:08 29	10.00		26	-3.3	23	-5.2	15	-9.4	63	11	240		29.50			30.52	FM-15	0.00	30.48
10	1553	7	OVC:08 29	10.00		27	-2.8	23	-4.8	15	-9.4	61	7	260		29.49	6	+0.02	30.50	FM-15	0.00	30.47
10	1653	7	OVC:08 29	10.00		26	-3.3	23	-5.2	15	-9.4	63	6	260		29.49			30.51	FM-15	0.00	30.47
10	1705	7	OVC:08 31	10.00		26	-3.3	23	-5.2	15	-9.4	63	8	230		29.49				FM-16		30.47
10	1753	7	OVC:08 32	10.00		26	-3.3	23	-5.2	15	-9.4	63	5	230		29.48			30.50	FM-15	0.00	30.46
10	1853	7	OVC:08 100	10.00		26	-3.3	23	-5.2	15	-9.4	63	3	210		29.48	8	+0.01	30.50	FM-15	0.00	30.46
10	1953	7	OVC:08 75	10.00		26	-3.3	23	-5.1	16	-8.9	66	3	190		29.46			30.48	FM-15	0.00	30.44
10	2053	7	BKN:07 75 BKN:07 90 OVC:08 110	10.00		25	-3.9	22	-5.4	16	-8.9	69	5	200		29.44			30.46	FM-15	0.00	30.42
10	2153	7	OVC:08 80	10.00		26	-3.3	23	-4.9	17	-8.3	69	5	200		29.44	6	+0.04	30.46	FM-15	0.00	30.42
10	2253	7	OVC:08 38	10.00		26	-3.3	23	-4.9	17	-8.3	69	3	190		29.43			30.45	FM-15	0.00	30.41
10	2353	7	OVC:08 41	8.00		26	-3.3	23	-4.9	17	-8.3	69	3	130		29.42			30.43	FM-15	0.00	30.40
11	0036	7	OVC:08 28	2.50	-SN:03 |SN |	26	-3.3	24	-4.4	20	-6.7	78	0	000		29.42				FM-16	T	30.40
11	0053	7	OVC:08 26	2.50	-SN:03 BR:1 |SN |	25	-3.9	24	-4.6	21	-6.1	85	0	000		29.43	5	+0.01	30.44	FM-15	T	30.41
11	0108	7	OVC:08 22	1.50	-SN:03 BR:1 |SN |	25	-3.9	24	-4.6	21	-6.1	85	0	000		29.42				FM-16	T	30.40
11	0153	7	OVC:08 16	1.25	-SN:03 BR:1 |SN |	24	-4.4	24	-4.6	23	-5.0	96	0	000		29.42			30.44	FM-15	0.01	30.40
11	0253	7	VV:09 14	1.00	-SN:03 BR:1 |SN |	24	-4.4	24	-4.6	23	-5.0	96	6	130		29.41			30.42	FM-15	0.02	30.39
11	0309	7	VV:09 12	0.75	-SN:03 BR:1 |SN |	24	-4.4	24	-4.6	23	-5.0	96	6	140		29.41				FM-16	0.01	30.39
11	0321	7	VV:09 14	1.00	-SN:03 BR:1 |SN |	24	-4.4	24	-4.6	23	-5.0	96	6	120		29.40				FM-16	0.01	30.38
11	0329	7	OVC:08 16	1.25	-SN:03 BR:1 |SN |	24	-4.4	24	-4.6	23	-5.0	96	7	120		29.40				FM-16	0.01	30.38
11	0353	7	OVC:08 22	1.25	-SN:03 BR:1 |SN |	24	-4.4	24	-4.6	23	-5.0	96	6	110		29.39	8	+0.04	30.40	FM-15	0.02	30.37
11	0414	7	OVC:08 36	1.75	-SN:03 BR:1 |SN |	24	-4.4	24	-4.6	23	-5.0	96	6	110		29.37				FM-16	T	30.35
11	0421	7	OVC:08 36	2.00	-SN:03 BR:1 |SN |	24	-4.4	24	-4.6	23	-5.0	96	6	120		29.37				FM-16	T	30.35
11	0433	7	BKN:07 32 OVC:08 70	1.75	-SN:03 BR:1 |SN |	24	-4.4	24	-4.6	23	-5.0	96	9	130		29.37				FM-16	T	30.35
11	0442	7	SCT:04 30 OVC:08 70	2.50	-SN:03 BR:1 |SN |	24	-4.4	24	-4.6	23	-5.0	96	8	130		29.37				FM-16	T	30.35
11	0451	7	SCT:04 43 OVC:08 65	3.00	-SN:03 BR:1 |SN |	25	-4.0	24	-4.3	23	-5.0	93	9	120		29.36				FM-16	T	30.34
11	0453	7	SCT:04 47 OVC:08 65	3.00	-SN:03 BR:1 |SN |	24	-4.4	24	-4.6	23	-5.0	96	8	120		29.36			30.37	FM-15	T	30.34
11	0523	7	FEW:02 7 OVC:08 60	6.00	BR:1 ||	25	-3.9	24	-4.3	23	-5.0	92	8	110		29.36				FM-16	T	30.34
11	0553	7	OVC:08 60	7.00		25	-3.9	24	-4.3	23	-5.0	92	9	120		29.34			30.35	FM-15	T	30.32
11	0653	7	OVC:08 65	9.00		25	-3.9	24	-4.4	22	-5.6	88	10	140		29.35	5	+0.02	30.36	FM-15	0.00	30.33
11	0753	7	OVC:08 70	9.00		25	-3.9	24	-4.4	22	-5.6	88	9	140		29.34			30.35	FM-15	0.00	30.32
11	0853	7	OVC:08 60	8.00		26	-3.3	24	-4.3	21	-6.1	81	11	130		29.30			30.31	FM-15	0.00	30.28
11	0953	7	BKN:07 41 OVC:08 50	8.00		27	-2.8	25	-4.1	20	-6.7	75	10	140		29.28	8	+0.06	30.30	FM-15	0.00	30.26

11	1053	7	OVC:08 65	10.00		28	-2.2	25	-3.7	20	-6.7	72	13	120		29.26			30.27	FM-15	T	30.23
11	1153	7	OVC:08 60	10.00		30	-1.1	27	-3.0	20	-6.7	66	14	150		29.21			30.20	FM-15	0.00	30.18
11	1253	7	SCT:04 60	10.00		32	0.0	28	-2.3	20	-6.7	61	11	140		29.14	8	+0.15	30.14	FM-15	0.00	30.11
11	1353	7	OVC:08 60	10.00		33	0.6	29	-1.6	22	-5.6	64	8	130		29.10			30.10	FM-15	0.00	30.07
11	1453	7	OVC:08 50	10.00		35	1.7	30	-0.9	22	-5.6	59	9	150		29.07			30.07	FM-15	0.00	30.04
11	1553	7	BKN:07 46 OVC:08 55	9.00		35	1.7	31	-0.8	23	-5.0	61	7	140		29.05	6	+0.09	30.05	FM-15	0.00	30.02
11	1653	7	OVC:08 38	8.00		34	1.1	31	-0.6	26	-3.3	73	6	120		29.02			30.02	FM-15	T	29.99
11	1753	7	BKN:07 47 OVC:08 60	10.00		34	1.1	31	-0.4	27	-2.8	75	11	130		28.99			29.98	FM-15	T	29.96
11	1853	7	OVC:08 50	10.00	UP:09 ||	34	1.1	32	0.0	29	-1.7	82	10	140		28.95	8	+0.09	29.95	FM-15	T	29.92
11	1953	7	BKN:07 40 OVC:08 50	8.00	-RA:02 |RA |	34	1.1	32	0.2	30	-1.1	85	8	140		28.93			29.93	FM-15	0.01	29.90
11	2053	7	OVC:08 47	9.00	-RA:02 |RA |	34	1.1	33	0.4	31	-0.6	89	9	140		28.90			29.89	FM-15	T	29.86
11	2153	7	FEW:02 22 OVC:08 35	9.00	-RA:02 |RA |	35	1.7	34	1.0	32	0.0	89	8	160		28.87	6	+0.08	29.86	FM-15	0.01	29.84
11	2253	7	SCT:04 28 OVC:08 33	3.00	-RA:02 BR:1 |RA |	35	1.7	35	1.4	34	1.1	96	11	170		28.87			29.85	FM-15	T	29.83
11	2300	7	SCT:04 6 BKN:07 13 OVC:08 25	4.00	-RA:02 BR:1 |RA |	35	1.7	35	1.4	34	1.1	96	9	180		28.87				FM-16	T	29.83
11	2318	7	BKN:07 6 OVC:08 10	4.00	RA:02 BR:1 |RA |	35	1.7	35	1.4	34	1.1	96	9	180		28.87				FM-16	0.02	29.83
11	2351	6	SCT:04 7 BKN:07 12 OVC:08 23	5.00	-RA:02 BR:1 |RA |	36	2.0	36	2.2	36	2.0	100	9	170		28.84				FM-16		29.81
11	2353	7	SCT:04 7 BKN:07 11 OVC:08 23	5.00	UP:09 BR:1 ||	35	1.7	35	1.7	35	1.7	100	9	170		28.84			29.83	FM-15	0.04	29.81
12	0037	7	BKN:07 6 OVC:08 14	3.00	BR:1 ||	36	2.2	36	2.2	36	2.2	100	9	190		28.84				FM-16	T	29.80
12	0051	6	BKN:07 5 OVC:08 9	2.50	-RA:02 BR:1 |RA |	36	2.0	36	2.2	36	2.0	100	8	200		28.83				FM-16		29.79
12	0053	7	OVC:08 5	2.50	-RA:02 BR:1 |RA |	36	2.2	36	2.2	36	2.2	100	8	200		28.83	8	+0.04	29.81	FM-15	T	29.79
12	0122	7	OVC:08 4	3.00	-RA:02 BR:1 |RA |	37	2.8	37	2.8	37	2.8	100	10	210		28.84				FM-16	T	29.80
12	0141	7	OVC:08 5	4.00	-RA:02 BR:1 |RA |	37	2.8	37	2.8	37	2.8	100	9	220		28.84				FM-16	0.01	29.81
12	0153	7	OVC:08 5	4.00	-RA:02 BR:1 |RA |	38	3.3	38	3.3	38	3.3	100	9	220		28.84			29.83	FM-15	0.01	29.81
12	0209	7	SCT:04 6 OVC:08 15	6.00	-RA:02 BR:1 |RA |	38	3.3	38	3.3	38	3.3	100	10	230		28.86				FM-16	T	29.82
12	0253	7	OVC:08 15	7.00	-RA:02 |RA |	39	3.9	39	3.6	38	3.3	96	8	250		28.87			29.85	FM-15	T	29.84
12	0353	7	OVC:08 17	10.00		38	3.3	38	3.1	37	2.8	97	7	250		28.87	1	-0.04	29.85	FM-15	T	29.84
12	0451	7	OVC:08 14	10.00		37	3.0	37	2.8	37	3.0	100	7	250		28.89				FM-16		29.85
12	0453	7	OVC:08 14	10.00		38	3.3	38	3.1	37	2.8	97	8	250		28.89			29.86	FM-15	0.00	29.85
12	0553	7	OVC:08 13	10.00		38	3.3	37	2.9	36	2.2	93	9	260		28.90			29.88	FM-15	0.00	29.87
12	0653	7	OVC:08 10	10.00		38	3.3	37	2.9	36	2.2	93	9	260		28.92	3	-0.04	29.91	FM-15	0.00	29.89
12	0721	7	SCT:04 10 OVC:08 34	10.00		38	3.3	37	2.9	36	2.2	93	6	250		28.92				FM-16		29.89
12	0728	7	OVC:08 10	10.00		38	3.3	37	2.9	36	2.2	93	7	260		28.93				FM-16		29.90
12	0753	7	OVC:08 10	10.00		38	3.3	38	3.1	37	2.8	97	6	240		28.93			29.92	FM-15	0.00	29.90
12	0800	7	FEW:02 16 BKN:07 24 OVC:08 32	10.00		38	3.3	38	3.1	37	2.8	97	7	230		28.93				FM-16		29.90
12	0821	7	BKN:07 11 BKN:07 17 OVC:08 23	9.00		38	3.3	37	2.9	36	2.2	93	9	250		28.94				FM-16		29.91
12	0851	6	SCT:04 10 BKN:07 15 OVC:08 25	9.00		37	3.0	37	2.5	36	2.0	93	8	270		28.95				FM-16		29.92
12	0853	7	SCT:04 10 BKN:07 21 OVC:08 27	9.00		38	3.3	37	2.9	36	2.2	93	10	270		28.96			29.94	FM-15	0.00	29.93

12	0927	7	BKN:07 12 BKN:07 19 OVC:08 28	10.00		37	2.8	36	2.3	35	1.7	93	17	280	25	28.98				FM-16		29.95
12	0953	7	BKN:07 13 BKN:07 27 OVC:08 31	10.00		37	2.8	35	1.9	33	0.6	86	16	280		28.99	3	-0.07	29.98	FM-15	0.00	29.96
12	1053	7	BKN:07 13 OVC:08 31	10.00		36	2.2	34	0.9	30	-1.1	79	18	280	25	29.03			30.02	FM-15	0.00	30.00
12	1100	7	FEW:02 24 OVC:08 30	10.00		36	2.2	34	0.9	30	-1.1	79	14	270		29.03				FM-16		30.00
12	1153	7	OVC:08 30	10.00		35	1.7	32	0.2	28	-2.2	76	17	270		29.04			30.03	FM-15	0.00	30.01
12	1200	7	OVC:08 22	10.00		35	1.7	32	0.2	28	-2.2	76	16	280		29.04				FM-16		30.01
12	1253	7	OVC:08 23	10.00		34	1.1	31	-0.4	27	-2.8	75	16	270	24	29.05	1	-0.06	30.04	FM-15	0.00	30.02
12	1353	7	OVC:08 22	10.00		32	0.0	29	-1.4	25	-3.9	75	17	290	28	29.05			30.05	FM-15	0.00	30.02
12	1453	7	OVC:08 20	9.00		32	0.0	29	-1.4	25	-3.9	75	14	280		29.08			30.07	FM-15	0.00	30.05
12	1553	7	OVC:08 22	10.00		31	-0.6	28	-2.1	23	-5.0	72	11	300		29.10	3	-0.05	30.09	FM-15	0.00	30.07
12	1653	7	OVC:08 21	9.00		31	-0.6	29	-1.8	25	-3.9	79	8	300		29.11			30.10	FM-15	0.00	30.08
12	1753	7	OVC:08 24	10.00		30	-1.1	28	-2.5	23	-5.0	75	10	290		29.14			30.13	FM-15	0.00	30.11
12	1853	7	OVC:08 23	10.00		30	-1.1	28	-2.5	23	-5.0	75	6	280		29.15	3	-0.05	30.15	FM-15	0.00	30.12
12	1953	7	OVC:08 21	10.00		29	-1.7	27	-2.8	23	-5.0	78	7	280		29.16			30.16	FM-15	0.00	30.13
12	2053	7	BKN:07 21	10.00		26	-3.3	24	-4.3	21	-6.1	81	6	290		29.15			30.15	FM-15	0.00	30.12
12	2100	7	SCT:04 21	10.00		26	-3.3	24	-4.3	21	-6.1	81	6	290		29.16				FM-16		30.13
12	2153	7	FEW:02 20	10.00		24	-4.4	23	-5.2	20	-6.7	84	5	280		29.18	3	-0.02	30.17	FM-15	0.00	30.15
12	2207	7	BKN:07 20	10.00		25	-3.9	24	-4.6	21	-6.1	85	0	000		29.18				FM-16		30.15
12	2253	7	OVC:08 19	10.00		27	-2.8	25	-3.7	22	-5.6	81	5	270		29.18			30.18	FM-15	0.00	30.15
12	2353	7	OVC:08 18	10.00		27	-2.8	25	-3.9	21	-6.1	78	7	270		29.19			30.19	FM-15	0.00	30.16
13	0053	7	OVC:08 17	10.00		26	-3.3	24	-4.3	21	-6.1	81	6	220		29.18	8	+0.00	30.17	FM-15	0.00	30.15
13	0140	7	FEW:02 16	10.00		26	-3.3	24	-4.3	21	-6.1	81	5	180		29.16				FM-16		30.13
13	0153	7	CLR:00	10.00		26	-3.3	24	-4.3	21	-6.1	81	0	000		29.16			30.16	FM-15	0.00	30.13
13	0253	7	CLR:00	10.00		23	-5.0	22	-5.5	20	-6.7	88	5	100		29.15			30.15	FM-15	0.00	30.12
13	0353	7	CLR:00	9.00		25	-3.9	24	-4.6	21	-6.1	85	0	000		29.13	6	+0.04	30.13	FM-15	0.00	30.10
13	0453	7	FEW:02 120	8.00		26	-3.3	25	-4.1	22	-5.6	84	3	230		29.16			30.16	FM-15	0.00	30.13
13	0515	7	BKN:07 16 BKN:07 120	7.00		26	-3.3	25	-3.9	23	-5.0	88	5	210		29.16				FM-16		30.13
13	0545	7	SCT:04 15 OVC:08 100	7.00		27	-2.8	26	-3.5	23	-5.0	85	7	200		29.16				FM-16		30.13
13	0553	7	FEW:02 15 OVC:08 100	8.00		27	-2.8	26	-3.5	23	-5.0	85	6	200		29.16			30.16	FM-15	0.00	30.13
13	0653	7	SCT:04 80 OVC:08 95	7.00		28	-2.2	27	-3.0	24	-4.4	85	5	230		29.17	1	-0.03	30.17	FM-15	0.00	30.14
13	0753	7	OVC:08 70	7.00		28	-2.2	27	-3.0	24	-4.4	85	3	180		29.15			30.15	FM-15	0.00	30.12
13	0853	7	OVC:08 40	5.00	BR:1 ||	29	-1.7	28	-2.5	25	-3.9	85	0	000		29.15			30.15	FM-15	0.00	30.12
13	0936	7	OVC:08 28	1.75	-SN:03 BR:1 |SN |	30	-1.1	29	-1.9	26	-3.3	85	6	220		29.16				FM-16	T	30.13
13	0949	7	VV:09 20	0.75	SN:03 BR:1 |SN |	28	-2.0	28	-2.4	27	-3.0	93	6	210		29.17				FM-16	T	30.14
13	0953	7	VV:09 20	0.75	SN:03 BR:1 |SN |	29	-1.7	28	-2.1	27	-2.8	92	6	210		29.16	3	-0.01	30.16	FM-15	T	30.13
13	1037	7	OVC:08 19	1.00	SN:03 BR:1 |SN |	30	-1.1	30	-1.3	29	-1.7	96	6	180		29.15				FM-16	0.01	30.12
13	1053	7	OVC:08 19	1.25	SN:03 BR:1 |SN |	30	-1.1	30	-1.3	29	-1.7	96	5	180		29.14			30.14	FM-15	0.01	30.11
13	1122	7	OVC:08 19	0.75	SN:03 BR:1 |SN |	30	-1.1	30	-1.3	29	-1.7	96	0	000		29.14				FM-16	T	30.11
13	1139	7	OVC:08 19	0.25	SN:03 FZ:8 FG:2 |FG SN |	30	-1.1	30	-1.3	29	-1.7	96	0	000		29.14				FM-16	0.02	30.11
13	1151	6	VV:09 7	0.25	+SN:03 FZ:8 FG:2 |FG SN |	30	-1.0	29	-1.5	28	-2.0	93	3	280		29.13				FM-16		30.10
13	1153	7	VV:09 7	0.25	+SN:03 FZ:8 FG:2 |FG SN |	30	-1.1	30	-1.3	29	-1.7	96	3	270		29.13			30.13	FM-15	0.05	30.10
13	1234	7	FEW:02 4 OVC:08 9	0.50	SN:03 FZ:8 FG:2 |FG SN |	30	-1.1	30	-1.1	30	-1.1	100	0	000		29.10				FM-16	0.04	30.07
13	1251	6	VV:09 11	0.50	SN:03 FZ:8 FG:2 |FG SN |	30	-1.0	29	-1.5	28	-2.0	93	0	000		29.10				FM-16		30.07
13	1253	7	VV:09 11	0.50	SN:03 FZ:8 FG:2 |FG SN |	30	-1.1	30	-1.3	29	-1.7	96	0	000		29.10	8	+0.06	30.10	FM-15	0.05	30.07
13	1255	7	FEW:02 6 OVC:08 11	0.25	SN:03 FZ:8 FG:2 |FG SN |	30	-1.1	30	-1.3	29	-1.7	96	3	310		29.10				FM-16	T	30.07
13	1319	7	FEW:02 6 OVC:08 10	0.50	SN:03 FZ:8 FG:2 |FG SN |	31	-0.6	31	-0.6	31	-0.6	100	0	000		29.08				FM-16	0.02	30.05

13	1333	7	SCT:04 6 BKN:07 16 OVC:08 35	1.25	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	0	000		29.08				FM-16	0.02	30.05
13	1353	7	SCT:04 9 BKN:07 24 OVC:08 35	1.00	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	3	310		29.08			30.08	FM-15	0.01	30.05
13	1404	7	FEW:02 7 BKN:07 20 OVC:08 34	0.75	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	3	320		29.07				FM-16	T	30.04
13	1453	7	SCT:04 8 BKN:07 22 OVC:08 26	0.75	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	3	290		29.08			30.08	FM-15	0.01	30.05
13	1500	7	BKN:07 8 OVC:08 22	0.75	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	5	280		29.08				FM-16	T	30.05
13	1551	6	FEW:02 10 OVC:08 15	0.50	SN:03 FZ:8 FG:2 |FG SN |	30	-1.0	30	-1.1	30	-1.0	100	6	220		29.10				FM-16		30.07
13	1553	7	FEW:02 10 OVC:08 15	0.50	SN:03 FZ:8 FG:2 |FG SN |	31	-0.6	31	-0.8	30	-1.1	96	5	220		29.10	3	-0.00	30.10	FM-15	0.01	30.07
13	1611	7	FEW:02 5 OVC:08 17	1.00	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	6	200		29.10				FM-16	0.01	30.07
13	1653	7	SCT:04 5 OVC:08 25	1.25	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	3	270		29.09			30.09	FM-15	0.01	30.06
13	1703	7	BKN:07 6 OVC:08 23	1.25	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	3	250		29.09				FM-16	T	30.06
13	1721	7	BKN:07 6 BKN:07 15 OVC:08 27	3.00	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	5	240		29.10				FM-16	T	30.07
13	1744	7	SCT:04 6 OVC:08 15	3.00	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	3	250		29.10				FM-16	T	30.07
13	1751	7	BKN:07 6 OVC:08 15	2.00	-SN:03 BR:1 |SN |	30	-1.0	30	-1.1	30	-1.0	100	3	240		29.10				FM-16	T	30.07
13	1753	7	BKN:07 6 OVC:08 15	2.00	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	3	240		29.10			30.10	FM-15	T	30.07
13	1819	7	BKN:07 6 OVC:08 22	1.75	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	6	230		29.11				FM-16	T	30.08
13	1838	7	SCT:04 6 OVC:08 17	1.50	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	5	230		29.10				FM-16	T	30.07
13	1848	7	SCT:04 6 OVC:08 17	3.00	-SN:03 BR:1 |SN |	30	-1.0	30	-1.1	30	-1.0	100	6	260		29.11				FM-16	T	30.08
13	1853	7	SCT:04 6 BKN:07 15 OVC:08 20	3.00	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	5	260		29.12	3	-0.02	30.11	FM-15	T	30.09
13	1906	7	BKN:07 6 BKN:07 13 OVC:08 18	4.00	BR:1 ||	31	-0.6	31	-0.8	30	-1.1	96	5	250		29.12				FM-16	T	30.09
13	1953	7	BKN:07 6 BKN:07 11 OVC:08 21	5.00	BR:1 ||	30	-1.1	30	-1.3	29	-1.7	96	9	290		29.12			30.12	FM-15	T	30.09
13	2000	7	SCT:04 6 BKN:07 11 OVC:08 17	5.00	BR:1 ||	30	-1.1	30	-1.3	29	-1.7	96	8	290		29.12				FM-16		30.09
13	2053	7	OVC:08 12	7.00		29	-1.7	28	-2.3	26	-3.3	89	11	310		29.13			30.13	FM-15	0.00	30.10
13	2153	7	OVC:08 14	7.00		27	-2.8	26	-3.4	24	-4.4	89	13	310		29.14	1	-0.02	30.14	FM-15	0.00	30.11
13	2218	7	BKN:07 16	6.00	BR:1 ||	24	-4.4	23	-5.0	21	-6.1	88	6	290		29.15				FM-16		30.12
13	2227	7	SCT:04 16	6.00	BR:1 ||	22	-5.6	22	-5.7	21	-6.1	96	5	300		29.15				FM-16		30.12
13	2253	7	BKN:07 17	4.00	BR:1 ||	22	-5.6	22	-5.7	21	-6.1	96	5	300		29.16			30.16	FM-15	0.00	30.13
13	2336	7	OVC:08 14	6.00	BR:1 ||	24	-4.4	23	-5.0	21	-6.1	88	7	310		29.19				FM-16		30.16
13	2353	7	OVC:08 15	6.00	BR:1 ||	24	-4.4	23	-5.2	20	-6.7	84	8	320		29.19			30.19	FM-15	0.00	30.16
14	0053	7	OVC:08 16	9.00		22	-5.6	21	-6.2	18	-7.8	85	10	310		29.20	1	-0.06	30.20	FM-15	0.00	30.17
14	0129	7	SCT:04 16 BKN:07 100	10.00		19	-7.2	18	-8.0	14	-10.0	81	13	310		29.21				FM-16		30.18
14	0153	7	CLR:00	10.00		18	-7.8	17	-8.5	13	-10.6	81	8	320		29.21			30.22	FM-15	0.00	30.18
14	0253	7	OVC:08 95	10.00		17	-8.3	16	-8.9	13	-10.6	84	7	300		29.23			30.24	FM-15	0.00	30.21

14	0353	7	CLR:00	8.00		13	-10.6	12	-10.8	11	-11.7	92	7	290		29.25	1	-0.05	30.26	FM-15	0.00	30.22
14	0453	7	CLR:00	8.00		12	-11.1	12	-11.4	10	-12.2	92	6	270		29.23			30.25	FM-15	0.00	30.21
14	0553	7	CLR:00	7.00		11	-11.7	11	-11.9	9	-12.8	92	5	270		29.25			30.25	FM-15	0.00	30.22
14	0653	7	CLR:00	6.00	BR:1 ||	9	-12.8	9	-12.9	8	-13.3	96	5	270		29.23	8	+0.01	30.25	FM-15	0.00	30.21
14	0753	7	CLR:00	5.00	BR:1 ||	9	-12.8	9	-13.0	7	-13.9	92	5	240		29.25			30.26	FM-15	0.00	30.22
14	0853	7	CLR:00	8.00	BR:1 ||	11	-11.7	11	-11.9	9	-12.8	92	6	240		29.26			30.28	FM-15	0.00	30.24
14	0953	7	CLR:00	8.00		12	-11.1	12	-11.4	10	-12.2	92	5	250		29.26	1	-0.03	30.28	FM-15	0.00	30.24
14	1053	7	CLR:00	8.00		15	-9.4	14	-10.2	10	-12.2	80	6	250		29.26			30.28	FM-15	0.00	30.24
14	1153	7	CLR:00	8.00		18	-7.8	16	-8.7	12	-11.1	77	10	220		29.23			30.24	FM-15	0.00	30.21
14	1253	7	CLR:00	10.00		19	-7.2	17	-8.3	12	-11.1	74	9	240		29.18	8	+0.08	30.19	FM-15	0.00	30.15
14	1353	7	CLR:00	9.00		19	-7.2	17	-8.3	12	-11.1	74	11	250		29.17			30.18	FM-15	0.00	30.14
14	1453	7	CLR:00	9.00		19	-7.2	17	-8.6	10	-12.2	68	8	270		29.15			30.16	FM-15	0.00	30.12
14	1553	7	OVC:08 70	9.00		20	-6.7	17	-8.2	10	-12.2	65	8	220		29.13	8	+0.06	30.14	FM-15	0.00	30.10
14	1653	7	SCT:04 55 BKN:07 100	8.00		19	-7.2	17	-8.4	11	-11.7	71	10	200		29.11			30.12	FM-15	0.00	30.08
14	1753	7	BKN:07 70 OVC:08 90	9.00		18	-7.8	16	-8.8	11	-11.7	74	11	210		29.10			30.12	FM-15	0.00	30.07
14	1853	7	SCT:04 55 BKN:07 100	10.00		18	-7.8	16	-9.1	9	-12.8	68	13	240		29.09	6	+0.03	30.11	FM-15	0.00	30.06
14	1953	7	OVC:08 55	10.00		17	-8.3	14	-9.7	7	-13.9	64	10	250		29.10			30.12	FM-15	0.00	30.07
14	2053	7	CLR:00	10.00		16	-8.9	13	-10.4	5	-15.0	62	11	260		29.11			30.13	FM-15	0.00	30.08
14	2153	7	CLR:00	10.00		15	-9.4	13	-10.6	6	-14.4	67	15	270		29.12	1	-0.03	30.14	FM-15	0.00	30.09
14	2253	7	CLR:00	10.00		16	-8.9	14	-10.2	6	-14.4	65	14	270	24	29.13			30.14	FM-15	0.00	30.10
14	2353	7	CLR:00	10.00		13	-10.6	10	-12.0	1	-17.2	59	18	280		29.16			30.18	FM-15	0.00	30.13
15	0053	7	CLR:00	10.00		12	-11.1	9	-12.5	0	-17.8	58	20	270	32	29.18	3	-0.06	30.20	FM-15	0.00	30.15
15	0153	7	CLR:00	10.00		10	-12.2	8	-13.4	-1	-18.3	61	16	270	22	29.20			30.22	FM-15	0.00	30.17
15	0253	7	CLR:00	10.00		9	-12.8	7	-13.9	-1	-18.3	64	14	280	24	29.22			30.24	FM-15	0.00	30.19
15	0353	7	CLR:00	10.00		7	-13.9	5	-14.8	-2	-18.9	66	15	260	21	29.23	2	-0.06	30.27	FM-15	0.00	30.21
15	0453	7	CLR:00	10.00		6	-14.4	4	-15.3	-3	-19.4	66	10	250		29.26			30.28	FM-15	0.00	30.23
15	0553	7	CLR:00	10.00		5	-15.0	4	-15.8	-3	-19.4	69	8	260		29.26			30.30	FM-15	0.00	30.24
15	0653	7	CLR:00	10.00		4	-15.6	3	-16.3	-4	-20.0	69	10	260		29.28	3	-0.05	30.32	FM-15	0.00	30.26
15	0753	7	CLR:00	10.00		3	-16.1	2	-16.8	-4	-20.0	72	13	260		29.30			30.34	FM-15	0.00	30.28
15	0853	7	CLR:00	10.00		4	-15.6	3	-16.3	-4	-20.0	69	15	270		29.33			30.37	FM-15	0.00	30.31
15	0953	7	CLR:00	10.00		5	-15.0	4	-15.8	-3	-19.4	69	16	260	25	29.36	3	-0.08	30.40	FM-15	0.00	30.34
15	1053	7	CLR:00	10.00		7	-13.9	5	-14.8	-2	-18.9	66	15	270		29.39			30.42	FM-15	0.00	30.37
15	1153	7	CLR:00	10.00		8	-13.3	6	-14.3	-1	-18.3	66	17	260		29.39			30.42	FM-15	0.00	30.37
15	1253	7	FEW:02 30	10.00		10	-12.2	8	-13.2	1	-17.2	67	15	260		29.38	0	-0.02	30.42	FM-15	0.00	30.36
15	1353	7	SCT:04 26	10.00		11	-11.7	9	-12.8	1	-17.2	64	15	260	22	29.39			30.42	FM-15	0.00	30.37
15	1453	7	SCT:04 25	10.00		11	-11.7	9	-12.8	1	-17.2	64	16	250		29.40			30.44	FM-15	0.00	30.38
15	1553	7	FEW:02 25	10.00		11	-11.7	9	-12.9	0	-17.8	61	13	260		29.41	3	-0.02	30.45	FM-15	0.00	30.39
15	1653	7	CLR:00	10.00		11	-11.7	9	-13.0	-1	-18.3	58	10	230		29.42			30.46	FM-15	0.00	30.40
15	1753	7	CLR:00	10.00		9	-12.8	7	-13.9	-2	-18.9	61	9	230		29.43			30.47	FM-15	0.00	30.41
15	1853	7	CLR:00	10.00		7	-13.9	5	-14.9	-3	-19.4	63	11	240		29.44	1	-0.03	30.48	FM-15	0.00	30.42
15	1953	7	CLR:00	10.00		6	-14.4	4	-15.4	-4	-20.0	63	8	250		29.43			30.48	FM-15	0.00	30.41
15	2053	7	CLR:00	10.00		5	-15.0	3	-15.9	-5	-20.6	63	5	230		29.43			30.47	FM-15	0.00	30.41
15	2153	7	CLR:00	10.00		4	-15.6	3	-16.4	-5	-20.6	66	3	230		29.42	8	+0.01	30.47	FM-15	0.00	30.40
15	2253	7	CLR:00	10.00		4	-15.6	3	-16.3	-4	-20.0	69	6	250		29.41			30.45	FM-15	0.00	30.39
15	2353	7	CLR:00	10.00		3	-16.1	2	-16.7	-3	-19.4	76	5	200		29.41			30.45	FM-15	0.00	30.39
16	0053	7	CLR:00	10.00		3	-16.1	2	-16.7	-3	-19.4	76	7	210		29.43	3	-0.01	30.47	FM-15	0.00	30.41
16	0153	7	CLR:00	10.00		5	-15.0	4	-15.7	-2	-18.9	72	3	210		29.40			30.44	FM-15	0.00	30.38
16	0253	7	CLR:00	10.00		7	-13.9	5	-14.7	-1	-18.3	70	0	000		29.42			30.46	FM-15	0.00	30.40
16	0353	7	CLR:00	10.00		8	-13.3	6	-14.3	-1	-18.3	66	0	000		29.41	6	+0.02	30.45	FM-15	0.00	30.39
16	0453	7	OVC:08 110	10.00		9	-12.8	7	-13.7	1	-17.2	70	3	190		29.41			30.45	FM-15	0.00	30.39
16	0553	7	OVC:08 110	10.00		9	-12.8	7	-13.7	1	-17.2	70	6	130		29.38			30.42	FM-15	0.00	30.36
16	0653	7	OVC:08 100	10.00		10	-12.2	8	-13.2	2	-16.7	69	7	170		29.39	5	+0.02	30.43	FM-15	0.00	30.37
16	0753	7	OVC:08 90	10.00		10	-12.2	8	-13.2	2	-16.7	69	5	140		29.39			30.43	FM-15	0.00	30.37
16	0853	7	OVC:08 90	10.00		11	-11.7	9	-12.7	2	-16.7	67	5	180		29.40			30.44	FM-15	0.00	30.38

16	0953	7	OVC:08 85	10.00		12	-11.1	10	-12.4	1	-17.2	61	8	140		29.38	8	+0.01	30.42	FM-15	0.00	30.36
16	1053	7	OVC:08 90	10.00		14	-10.0	11	-11.6	1	-17.2	56	8	140		29.35			30.39	FM-15	0.00	30.33
16	1153	7	OVC:08 80	10.00		15	-9.4	12	-11.1	2	-16.7	56	8	140		29.31			30.35	FM-15	0.00	30.29
16	1253	7	OVC:08 80	10.00		16	-8.9	13	-10.7	2	-16.7	54	10	140		29.26	8	+0.12	30.29	FM-15	0.00	30.24
16	1353	7	OVC:08 75	10.00		17	-8.3	14	-10.2	3	-16.1	54	9	140		29.23			30.25	FM-15	0.00	30.20
16	1453	7	FEW:02 70	10.00		18	-7.8	15	-9.7	4	-15.6	54	9	120		29.19			30.21	FM-15	0.00	30.16
16	1553	7	OVC:08 65	10.00		19	-7.2	15	-9.3	4	-15.6	51	11	130		29.16	6	+0.11	30.18	FM-15	0.00	30.13
16	1653	7	OVC:08 70	10.00		19	-7.2	15	-9.3	4	-15.6	51	11	130		29.13			30.15	FM-15	0.00	30.10
16	1753	7	OVC:08 65	10.00		20	-6.7	16	-8.8	5	-15.0	52	9	130		29.11			30.13	FM-15	0.00	30.08
16	1853	7	OVC:08 60	10.00		20	-6.7	16	-8.7	6	-14.4	55	11	130		29.08	8	+0.07	30.10	FM-15	0.00	30.05
16	1953	7	BKN:07 60 BKN:07 120	10.00		21	-6.1	17	-8.3	6	-14.4	52	11	130		29.04			30.06	FM-15	0.00	30.01
16	2053	7	FEW:02 75 SCT:04 95 SCT:04 120	10.00		21	-6.1	17	-8.2	7	-13.9	54	11	120		29.00			30.01	FM-15	0.00	29.97
16	2153	7	OVC:08 45	10.00		22	-5.6	18	-7.5	9	-12.8	57	8	120		28.96	6	+0.12	29.97	FM-15	0.00	29.93
16	2253	7	OVC:08 48	10.00		23	-5.0	19	-7.0	10	-12.2	57	11	130		28.91			29.92	FM-15	0.00	29.88
16	2353	7	FEW:02 29 OVC:08 50	10.00	UP:09 ||	24	-4.4	21	-6.3	13	-10.6	62	11	140		28.86			29.85	FM-15	T	29.82
17	0005	7	BKN:07 25 BKN:07 38 OVC:08 49	7.00		25	-3.9	22	-5.7	14	-10.0	63	14	130		28.83				FM-16	T	29.79
17	0037	7	OVC:08 20	4.00	FZ:8 RA:02 |FZRA |	25	-3.9	23	-5.0	19	-7.2	78	11	140		28.82				FM-16	0.03	29.78
17	0053	7	OVC:08 20	3.00	FZ:8 RA:02 |FZRA |	26	-3.3	24	-4.3	21	-6.1	81	13	130	18	28.81	6	+0.15	29.81	FM-15	0.14s	29.77
17	0100	7	OVC:08 20	2.00	FZ:8 RA:02 BR:1 |FZRA |	26	-3.3	25	-3.9	23	-5.0	88	11	130		28.81				FM-16	0.05	29.77
17	0110	7	OVC:08 18	6.00	-FZ:8 RA:02 BR:1 |FZRA |	26	-3.3	25	-3.9	23	-5.0	88	7	140		28.81				FM-16	0.05	29.77
17	0141	7	BKN:07 17 OVC:08 23	10.00		27	-2.8	26	-3.2	25	-3.9	92	6	130		28.80				FM-16	0.06	29.76
17	0153	7	OVC:08 21	4.00	UP:09 BR:1 ||	27	-2.8	26	-3.2	25	-3.9	92	6	130		28.80			29.79	FM-15	0.03	29.76
17	0231	7	SCT:04 6 OVC:08 20	3.00	BR:1 ||	28	-2.2	28	-2.4	27	-2.8	96	5	130		28.80				FM-16	0.01	29.76
17	0233	7	SCT:04 6 OVC:08 20	2.50	-FZ:8 RA:02 BR:1 |FZRA |	28	-2.2	28	-2.4	27	-2.8	96	5	130		28.79				FM-16	0.01	29.75
17	0243	7	BKN:07 6 OVC:08 18	3.00	-FZ:8 RA:02 BR:1 |FZRA |	28	-2.2	28	-2.2	28	-2.2	100	6	130		28.79				FM-16	0.01	29.75
17	0253	7	BKN:07 6 OVC:08 16	3.00	-FZ:8 RA:02 BR:1 |FZRA |	28	-2.2	28	-2.2	28	-2.2	100	7	120		28.79			29.78	FM-15	0.01	29.75
17	0330	7	BKN:07 4 OVC:08 10	4.00	-FZ:8 RA:02 BR:1 |FZRA |	29	-1.7	29	-1.7	29	-1.7	100	6	130		28.78				FM-16	0.01	29.74
17	0351	6	BKN:07 6 OVC:08 10	4.00	-FZ:8 RA:02 BR:1 |FZRA |	30	-1.0	29	-1.5	28	-2.0	93	8	150		28.76				FM-16		29.72
17	0353	7	BKN:07 6 OVC:08 10	4.00	-FZ:8 RA:02 BR:1 |FZRA |	30	-1.1	30	-1.3	29	-1.7	96	8	150		28.76	8	+0.05	29.75	FM-15	0.02	29.72
17	0418	7	BKN:07 5 OVC:08 11	2.00	-FZ:8 RA:02 BR:1 |FZRA |	31	-0.6	31	-0.8	30	-1.1	96	7	150		28.75				FM-16	T	29.71
17	0429	7	OVC:08 5	3.00	BR:1 ||	31	-0.6	31	-0.8	30	-1.1	96	8	150		28.75				FM-16	T	29.71
17	0453	7	BKN:07 5 OVC:08 9	3.00	BR:1 ||	31	-0.6	31	-0.6	31	-0.6	100	8	140		28.74			29.73	FM-15	0.01	29.70
17	0508	7	OVC:08 4	3.00	BR:1 ||	31	-0.6	31	-0.6	31	-0.6	100	8	150		28.73				FM-16		29.69
17	0545	7	BKN:07 4 OVC:08 9	2.50	-FZ:8 RA:02 BR:1 |FZRA |	32	0.0	32	0.0	32	0.0	100	6	150		28.73				FM-16	T	29.69
17	0553	7	OVC:08 4	2.00	-FZ:8 RA:02 BR:1 |FZRA |	32	0.0	32	0.0	32	0.0	100	6	160		28.73			29.72	FM-15	T	29.69
17	0611	7	BKN:07 4 OVC:08 10	3.00	BR:1 ||	32	0.0	32	0.0	32	0.0	100	7	140		28.73				FM-16	T	29.69
17	0621	7	BKN:07 4 OVC:08 9	2.50	-FZ:8 RA:02 BR:1 |FZRA |	32	0.0	32	0.0	32	0.0	100	6	150		28.73				FM-16	T	29.69
17	0631	7	BKN:07 4 OVC:08 9	2.50	UP:09 BR:1 ||	32	0.0	32	0.0	32	0.0	100	5	150		28.73				FM-16	0.01	29.69
17	0639	7	BKN:07 4 OVC:08 9	2.50	-FZ:8 RA:02 BR:1 |FZRA |	32	0.0	32	0.0	32	0.0	100	3	130		28.73				FM-16	0.01	29.69

17	0651	6	BKN:07 4 OVC:08 9	1.75	-FZ:8 RA:02 BR:1 |FZRA |	34	1.0	34	1.1	34	1.0	100	5	110		28.73				FM-16		29.69
17	0653	7	BKN:07 4 OVC:08 9	1.75	-FZ:8 RA:02 BR:1 |FZRA |	33	0.6	33	0.6	33	0.6	100	5	110		28.73	5	+0.03	29.72	FM-15	0.01	29.69
17	0714	7	BKN:07 4 OVC:08 8	1.25	BR:1 ||	32	0.0	32	0.0	32	0.0	100	5	090		28.73				FM-16	0.01	29.69
17	0751	6	OVC:08 6	1.75	-FZ:8 RA:02 BR:1 |FZRA |	34	1.0	34	1.1	34	1.0	100	7	080		28.73				FM-16		29.69
17	0753	7	OVC:08 6	1.75	-FZ:8 RA:02 BR:1 |FZRA |	33	0.6	33	0.6	33	0.6	100	7	080		28.73			29.72	FM-15	0.02	29.69
17	0811	7	OVC:08 9	1.50	-RA:02 BR:1 |RA |	33	0.6	33	0.6	33	0.6	100	7	100		28.73				FM-16	T	29.69
17	0851	6	OVC:08 7	0.75	-RA:02 BR:1 |RA |	34	1.0	34	1.1	34	1.0	100	7	080		28.72				FM-16		29.68
17	0853	7	OVC:08 7	0.75	-RA:02 BR:1 |RA |	33	0.6	33	0.6	33	0.6	100	7	090		28.72			29.71	FM-15	0.01	29.68
17	0922	7	OVC:08 4	1.00	-RA:02 BR:1 |RA |	33	0.6	33	0.6	33	0.6	100	5	090		28.73				FM-16	0.01	29.69
17	0935	7	OVC:08 4	0.75	-RA:02 BR:1 |RA |	33	0.6	33	0.6	33	0.6	100	7	090		28.72				FM-16	0.01	29.68
17	0953	7	OVC:08 4	0.50	-RA:02 FG:2 |FG RA |	33	0.6	33	0.6	33	0.6	100	6	090		28.72	6	+0.01	29.70	FM-15	0.01	29.68
17	1053	7	OVC:08 3	0.75	BR:1 ||	33	0.6	33	0.6	33	0.6	100	5	050		28.72			29.70	FM-15	T	29.68
17	1153	7	OVC:08 3	0.75	-RA:02 BR:1 |RA |	34	1.1	34	1.1	34	1.1	100	6	010		28.70			29.69	FM-15	T	29.66
17	1253	7	OVC:08 3	1.00	-RA:02 BR:1 |RA |	34	1.1	34	1.1	34	1.1	100	3	360		28.68	8	+0.04	29.66	FM-15	T	29.64
17	1311	7	OVC:08 2	0.75	-RA:02 BR:1 |RA |	34	1.1	34	1.1	34	1.1	100	3	040		28.67				FM-16	T	29.63
17	1353	7	OVC:08 3	0.25	-RA:02 FG:2 |FG RA |	34	1.1	34	1.1	34	1.1	100	0	000		28.66			29.65	FM-15	0.01	29.62
17	1453	7	VV:09 4	0.25	FG:2 |FG |	34	1.1	34	1.1	34	1.1	100	6	110		28.65			29.63	FM-15	0.01	29.61
17	1553	7	OVC:08 2	0.25	-RA:02 FG:2 |FG RA |	42	5.6	42	5.6	42	5.6	100	7	180		28.65	6	+0.03	29.62	FM-15	0.06	29.61
17	1651	6	OVC:08 15	0.25	-RA:02 FG:2 |FG RA |	46	8.0	46	7.8	46	8.0	100	7	200		28.65				FM-16		29.61
17	1653	7	OVC:08 15	0.25	-RA:02 FG:2 |FG RA |	46	7.8	46	7.8	46	7.8	100	8	200		28.65			29.62	FM-15	T	29.61
17	1753	7	OVC:08 15	0.25	-RA:02 FG:2 |FG RA |	42	5.6	42	5.6	42	5.6	100	8	310	22	28.67			29.65	FM-15	0.02	29.63
17	1804	7	OVC:08 15	0.75	-RA:02 BR:1 |RA |	41	5.0	41	5.0	41	5.0	100	13	320		28.67				FM-16	T	29.63
17	1809	7	OVC:08 3	3.00	-RA:02 BR:1 |RA |	41	5.0	41	5.0	41	5.0	100	11	330		28.68				FM-16	T	29.64
17	1819	7	OVC:08 5	4.00	-RA:02 BR:1 |RA |	40	4.4	40	4.4	40	4.4	100	10	330		28.68				FM-16	T	29.64
17	1853	7	OVC:08 9	3.00	BR:1 ||	39	3.9	39	3.9	39	3.9	100	5	020		28.68	3	-0.03	29.66	FM-15	0.05	29.64
17	1906	7	OVC:08 11	3.00	BR:1 ||	40	4.4	40	4.4	40	4.4	100	0	000		28.69				FM-16		29.65
17	1953	7	OVC:08 14	3.00	BR:1 ||	39	3.9	39	3.9	39	3.9	100	5	340		28.69			29.67	FM-15	0.01	29.65
17	2005	7	OVC:08 15	2.50	RA:02 BR:1 |RA |	39	3.9	39	3.9	39	3.9	100	7	330		28.68				FM-16	0.03	29.64
17	2014	7	FEW:02 4 OVC:08 17	1.75	RA:02 BR:1 |RA |	38	3.3	38	3.3	38	3.3	100	9	330		28.68				FM-16	0.07	29.64
17	2051	6	BKN:07 4 BKN:07 16 OVC:08 23	2.00	RA:02 BR:1 |RA |	37	3.0	37	2.8	37	3.0	100	8	340		28.67				FM-16		29.63
17	2053	7	BKN:07 4 BKN:07 16 OVC:08 23	2.00	RA:02 BR:1 |RA |	37	2.8	37	2.8	37	2.8	100	8	330		28.68			29.66	FM-15	0.24	29.64
17	2150	7	BKN:07 5 OVC:08 23	8.00	-RA:02 |RA |	36	2.0	36	2.2	36	2.0	100	9	340		28.67				FM-16	0.10	29.63
17	2153	7	BKN:07 5 OVC:08 23	7.00	-RA:02 |RA |	35	1.7	35	1.7	35	1.7	100	9	350		28.66	8	+0.02	29.64	FM-15	0.10	29.62
17	2253	7	BKN:07 5 OVC:08 23	10.00	-RA:02 |RA |	33	0.6	33	0.6	33	0.6	100	11	340		28.66			29.64	FM-15	0.03	29.62
17	2301	7	OVC:08 4	10.00		33	0.6	33	0.6	33	0.6	100	10	360		28.65				FM-16	T	29.61
17	2330	7	BKN:07 5 OVC:08 22	4.00	RA:02 BR:1 |RA |	33	0.6	33	0.6	33	0.6	100	11	330		28.69				FM-16	0.05	29.65
17	2342	7	SCT:04 5 OVC:08 24	7.00	-RA:02 |RA |	33	0.6	33	0.3	32	0.0	96	10	360		28.64				FM-16	0.06	29.60
17	2351	6	BKN:07 5 OVC:08 24	9.00	-RA:02 |RA |	34	1.0	33	0.7	32	0.0	93	13	330		28.67				FM-16		29.63
17	2353	7	SCT:04 5 OVC:08 24	10.00	-RA:02 |RA |	33	0.6	33	0.3	32	0.0	96	10	350		28.65			29.63	FM-15	0.06	29.61
18	0053	7	SCT:04 6 BKN:07 16 OVC:08 29	8.00	-RA:02 |RA |	33	0.6	33	0.3	32	0.0	96	13	330		28.68	3	-0.02	29.66	FM-15	0.02	29.64
18	0106	7	BKN:07 6 BKN:07 16 OVC:08 28	7.00	-RA:02 |RA |	33	0.6	33	0.3	32	0.0	96	9	330		28.71				FM-16	T	29.67

18	0153	7	BKN:07 6 OVC:08 19	6.00	UP:09 BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	14	330	25	28.72			29.70	FM-15	0.05	29.68
18	0253	7	OVC:08 7	7.00		31	-0.6	31	-0.8	30	-1.1	96	15	310		28.78			29.76	FM-15	T	29.74
18	0335	7	BKN:07 9 OVC:08 36	5.00	-FZ:8 RA:02 BR:1 |FZRA |	30	-1.1	30	-1.3	29	-1.7	96	9	360		28.76				FM-16	T	29.72
18	0347	7	SCT:04 9 OVC:08 40	6.00	UP:09 BR:1 ||	30	-1.0	29	-1.5	28	-2.0	93	10	330		28.78				FM-16	T	29.74
18	0353	7	SCT:04 10 BKN:07 40 OVC:08 46	6.00	UP:09 BR:1 ||	30	-1.1	30	-1.3	29	-1.7	96	10	320		28.80	1	-0.11	29.78	FM-15	T	29.76
18	0357	7	BKN:07 10 BKN:07 23 OVC:08 46	7.00	UP:09 ||	30	-1.1	30	-1.3	29	-1.7	96	14	310		28.81				FM-16	T	29.77
18	0405	7	BKN:07 10 OVC:08 42	5.00	FZ:8 RA:02 BR:1 |FZRA |	30	-1.1	30	-1.3	29	-1.7	96	11	320		28.79				FM-16	0.01	29.75
18	0414	7	BKN:07 10 OVC:08 46	7.00	-FZ:8 RA:02 |FZRA |	30	-1.1	30	-1.3	29	-1.7	96	10	330		28.79				FM-16	0.01	29.75
18	0424	7	OVC:08 10	10.00		30	-1.1	29	-1.5	28	-2.2	92	11	330		28.80				FM-16	0.01	29.76
18	0453	7	BKN:07 12 OVC:08 29	10.00		30	-1.1	29	-1.5	28	-2.2	92	11	330		28.81			29.79	FM-15	0.01	29.77
18	0553	7	OVC:08 14	10.00		30	-1.1	29	-1.7	27	-2.8	88	11	310		28.90			29.88	FM-15	0.00	29.87
18	0653	7	OVC:08 10	8.00		29	-1.7	28	-2.1	27	-2.8	92	10	320		28.98	3	-0.19	29.97	FM-15	T	29.95
18	0753	7	OVC:08 10	6.00	BR:1 ||	28	-2.2	28	-2.4	27	-2.8	96	13	320		29.04			30.03	FM-15	0.00	30.01
18	0853	7	OVC:08 10	5.00	BR:1 ||	26	-3.3	25	-3.7	24	-4.4	92	13	330	23	29.14			30.14	FM-15	0.00	30.11
18	0953	7	OVC:08 13	7.00		26	-3.3	25	-3.9	23	-5.0	88	10	320	20	29.21	3	-0.22	30.21	FM-15	0.00	30.18
18	1033	7	BKN:07 15 BKN:07 21 OVC:08 30	5.00	-SN:03 BR:1 |SN |	27	-2.8	26	-3.5	23	-5.0	85	13	310		29.25				FM-16	T	30.22
18	1053	7	BKN:07 16 BKN:07 21 OVC:08 26	6.00	BR:1 ||	27	-2.8	26	-3.5	23	-5.0	85	14	300		29.26			30.27	FM-15	T	30.24
18	1153	7	BKN:07 19 OVC:08 25	10.00		27	-2.8	25	-3.7	22	-5.6	81	14	320		29.30			30.31	FM-15	0.00	30.28
18	1253	7	BKN:07 18 OVC:08 25	10.00		27	-2.8	25	-3.9	21	-6.1	78	11	300		29.33	1	-0.12	30.34	FM-15	0.00	30.31
18	1353	7	BKN:07 24 OVC:08 29	10.00		27	-2.8	25	-4.1	20	-6.7	75	10	320		29.36			30.37	FM-15	0.00	30.34
18	1453	7	OVC:08 19	10.00		26	-3.3	24	-4.4	20	-6.7	78	10	330		29.39			30.40	FM-15	0.00	30.37
18	1553	7	BKN:07 25	10.00		25	-3.9	23	-5.3	17	-8.3	72	8	300		29.42	1	-0.09	30.43	FM-15	0.00	30.40
18	1651	6	FEW:02 25	10.00		25	-4.0	22	-5.4	16	-9.0	69	9	320		29.45				FM-16		30.43
18	1653	7	FEW:02 24	10.00		24	-4.4	22	-5.8	16	-8.9	71	11	320		29.45			30.46	FM-15	0.00	30.43
18	1753	7	CLR:00	10.00		22	-5.6	20	-6.7	15	-9.4	75	7	330		29.48			30.49	FM-15	0.00	30.46
18	1853	7	CLR:00	10.00		21	-6.1	19	-7.1	15	-9.4	78	3	330		29.51	3	-0.09	30.53	FM-15	0.00	30.49
18	1953	7	CLR:00	10.00		20	-6.7	19	-7.5	15	-9.4	81	6	330		29.55			30.56	FM-15	0.00	30.53
18	2053	7	CLR:00	10.00		20	-6.7	19	-7.3	16	-8.9	85	0	000		29.57			30.59	FM-15	0.00	30.55
18	2153	7	BKN:07 36	10.00		20	-6.7	19	-7.3	16	-8.9	85	0	000		29.59	1	-0.08	30.62	FM-15	0.00	30.58
18	2253	7	OVC:08 35	10.00		22	-5.6	20	-6.4	17	-8.3	82	0	000		29.61			30.63	FM-15	0.00	30.59
18	2353	7	FEW:02 17 OVC:08 32	10.00		21	-6.1	20	-6.9	16	-8.9	81	5	020		29.62			30.64	FM-15	0.00	30.60
19	0005	7	BKN:07 17 OVC:08 32	10.00		21	-6.1	20	-6.9	16	-8.9	81	5	360		29.62				FM-16		30.60
19	0032	7	BKN:07 12 OVC:08 17	7.00		21	-6.1	20	-6.6	18	-7.8	88	7	330		29.62				FM-16		30.61
19	0053	7	OVC:08 12	6.00	-SN:03 BR:1 |SN |	21	-6.1	20	-6.8	17	-8.3	85	6	330		29.62	1	-0.04	30.65	FM-15	T	30.61
19	0153	7	OVC:08 13	4.00	-SN:03 BR:1 |SN |	20	-6.7	19	-7.2	17	-8.3	89	8	320		29.65			30.67	FM-15	T	30.63
19	0253	7	OVC:08 13	7.00		20	-6.7	19	-7.3	16	-8.9	85	8	320		29.66			30.69	FM-15	T	30.65
19	0353	7	OVC:08 15	5.00	-SN:03 BR:1 |SN |	19	-7.2	18	-7.9	15	-9.4	84	5	320		29.66	1	-0.04	30.70	FM-15	T	30.65
19	0406	7	OVC:08 13	4.00	-SN:03 BR:1 |SN |	19	-7.2	18	-7.9	15	-9.4	84	7	320		29.66				FM-16	T	30.65
19	0453	7	OVC:08 12	5.00	-SN:03 BR:1 |SN |	18	-7.8	17	-8.2	15	-9.4	88	8	340		29.68			30.71	FM-15	T	30.67
19	0553	7	BKN:07 12 OVC:08 34	6.00	BR:1 ||	17	-8.3	16	-8.8	14	-10.0	88	7	340		29.69			30.73	FM-15	T	30.68

19	0626	7	SCT:04 11 OVC:08 32	6.00	BR:1 ||	16	-8.9	15	-9.3	13	-10.6	88	6	330		29.70				FM-16		30.69
19	0653	7	FEW:02 23 OVC:08 33	8.00		16	-8.9	15	-9.3	13	-10.6	88	8	360		29.70	3	-0.04	30.74	FM-15	0.00	30.69
19	0753	7	OVC:08 34	6.00	-SN:03 BR:1 |SN |	15	-9.4	14	-10.0	11	-11.7	84	7	350		29.72			30.76	FM-15	T	30.71
19	0853	7	OVC:08 33	8.00	-SN:03 |SN |	14	-10.0	13	-10.4	11	-11.7	88	5	010		29.73			30.77	FM-15	T	30.72
19	0953	7	OVC:08 32	6.00	-SN:03 |SN |	15	-9.4	14	-10.0	11	-11.7	84	5	340		29.74	1	-0.04	30.78	FM-15	T	30.73
19	1053	7	OVC:08 33	9.00	-SN:03 |SN |	17	-8.3	16	-9.1	12	-11.1	80	0	000		29.74			30.78	FM-15	T	30.73
19	1153	7	FEW:02 20 FEW:02 30	9.00		19	-7.2	17	-8.1	13	-10.6	77	0	000		29.71			30.74	FM-15	T	30.70
19	1253	7	CLR:00	10.00		21	-6.1	19	-7.1	15	-9.4	78	0	000		29.70	8	+0.04	30.73	FM-15	0.00	30.69
19	1353	7	FEW:02 23	10.00		23	-5.0	21	-6.3	15	-9.4	72	3	310		29.68			30.71	FM-15	0.00	30.67
19	1453	7	SCT:04 23	10.00		23	-5.0	21	-6.3	15	-9.4	72	3	270		29.67			30.70	FM-15	0.00	30.66
19	1553	7	CLR:00	10.00		22	-5.6	20	-6.7	15	-9.4	75	7	240		29.67	5	+0.03	30.70	FM-15	0.00	30.66
19	1653	7	SCT:04 20	10.00		20	-6.7	18	-7.6	14	-10.0	78	6	240		29.66			30.69	FM-15	0.00	30.65
19	1753	7	SCT:04 20	10.00		19	-7.2	18	-8.0	14	-10.0	81	5	200		29.65			30.69	FM-15	0.00	30.64
19	1851	6	BKN:07 20	10.00		19	-7.0	18	-8.0	14	-10.0	79	3	200		29.65				FM-16		30.64
19	1853	7	BKN:07 20	10.00		19	-7.2	18	-8.0	14	-10.0	81	3	200		29.65	6	+0.02	30.69	FM-15	0.00	30.64
19	1953	7	BKN:07 20	8.00		19	-7.2	18	-8.0	14	-10.0	81	0	000		29.65			30.69	FM-15	0.00	30.64
19	2053	7	CLR:00	7.00		17	-8.3	16	-8.8	14	-10.0	88	0	000		29.64			30.67	FM-15	0.00	30.62
19	2153	7	CLR:00	7.00		17	-8.3	16	-8.9	13	-10.6	84	3	170		29.62	8	+0.03	30.66	FM-15	0.00	30.61
19	2253	7	CLR:00	6.00	BR:1 ||	16	-8.9	15	-9.3	13	-10.6	88	0	000		29.62			30.66	FM-15	0.00	30.61
19	2353	7	CLR:00	5.00	BR:1 ||	15	-9.4	14	-9.9	12	-11.1	88	3	200		29.62			30.65	FM-15	0.00	30.60
20	0053	7	CLR:00	6.00	BR:1 ||	16	-8.9	15	-9.3	13	-10.6	88	5	190		29.59	8	+0.04	30.61	FM-15	0.00	30.57
20	0153	7	CLR:00	6.00	BR:1 ||	16	-8.9	15	-9.2	14	-10.0	92	3	180		29.56			30.59	FM-15	0.00	30.54
20	0253	7	CLR:00	6.00	BR:1 ||	16	-8.9	15	-9.3	13	-10.6	88	3	170		29.55			30.58	FM-15	0.00	30.53
20	0353	7	CLR:00	5.00	BR:1 ||	16	-8.9	15	-9.3	13	-10.6	88	0	000		29.55	6	+0.04	30.58	FM-15	0.00	30.53
20	0453	7	CLR:00	5.00	BR:1 ||	15	-9.4	14	-9.9	12	-11.1	88	3	190		29.54			30.56	FM-15	0.00	30.52
20	0553	7	CLR:00	6.00	BR:1 ||	16	-8.9	15	-9.2	14	-10.0	92	5	170		29.50			30.53	FM-15	0.00	30.48
20	0653	7	CLR:00	5.00	BR:1 ||	16	-8.9	15	-9.2	14	-10.0	92	6	170		29.49	6	+0.06	30.52	FM-15	0.00	30.47
20	0753	7	CLR:00	4.00	BR:1 ||	17	-8.3	16	-8.8	14	-10.0	88	5	180		29.49			30.52	FM-15	0.00	30.47
20	0853	7	CLR:00	5.00	BR:1 ||	18	-7.8	17	-8.2	15	-9.4	88	7	170		29.48			30.51	FM-15	0.00	30.46
20	0953	7	CLR:00	7.00		22	-5.6	21	-6.2	18	-7.8	85	9	190		29.46	8	+0.03	30.48	FM-15	0.00	30.44
20	1053	7	CLR:00	10.00		27	-2.8	25	-3.9	21	-6.1	78	8	VRB		29.44			30.46	FM-15	0.00	30.42
20	1153	7	CLR:00	10.00		30	-1.1	27	-2.6	22	-5.6	72	11	210		29.39			30.41	FM-15	0.00	30.37
20	1253	7	CLR:00	10.00		34	1.1	30	-0.9	24	-4.4	67	13	180		29.33	8	+0.13	30.34	FM-15	0.00	30.31
20	1353	7	CLR:00	10.00		35	1.7	31	-0.6	24	-4.4	64	11	200		29.31			30.32	FM-15	0.00	30.29
20	1453	7	CLR:00	10.00		35	1.7	31	-0.8	23	-5.0	61	11	200		29.27			30.29	FM-15	0.00	30.25
20	1553	7	CLR:00	10.00		34	1.1	30	-1.3	22	-5.6	61	14	200		29.26	6	+0.07	30.27	FM-15	0.00	30.24
20	1653	7	CLR:00	10.00		33	0.6	29	-1.6	22	-5.6	64	8	210		29.26			30.28	FM-15	0.00	30.24
20	1753	7	CLR:00	10.00		32	0.0	29	-1.8	23	-5.0	69	8	200		29.26			30.26	FM-15	0.00	30.23
20	1853	7	CLR:00	10.00		31	-0.6	28	-2.1	23	-5.0	72	8	210		29.25	8	+0.02	30.25	FM-15	0.00	30.22
20	1953	7	CLR:00	10.00		30	-1.1	28	-2.5	23	-5.0	75	8	210		29.23			30.25	FM-15	0.00	30.21
20	2053	7	CLR:00	10.00		29	-1.7	27	-3.0	22	-5.6	75	6	210		29.23			30.25	FM-15	0.00	30.21
20	2153	7	CLR:00	10.00		29	-1.7	26	-3.2	21	-6.1	72	5	220		29.25	3	-0.00	30.26	FM-15	0.00	30.22
20	2253	7	CLR:00	10.00		28	-2.2	26	-3.5	21	-6.1	75	5	210		29.25			30.25	FM-15	0.00	30.22
20	2353	7	CLR:00	10.00		27	-2.8	25	-4.1	20	-6.7	75	5	180		29.25			30.25	FM-15	0.00	30.22
21	0053	7	CLR:00	10.00		25	-3.9	24	-4.6	21	-6.1	85	3	160		29.25	8	+0.01	30.24	FM-15	0.00	30.22
21	0153	7	CLR:00	10.00		24	-4.4	23	-5.0	21	-6.1	88	5	170		29.25			30.25	FM-15	0.00	30.22
21	0253	7	CLR:00	10.00		24	-4.4	23	-5.0	21	-6.1	88	5	200		29.26			30.27	FM-15	0.00	30.24
21	0353	7	CLR:00	10.00		24	-4.4	23	-5.2	20	-6.7	84	7	190		29.25	0	-0.01	30.25	FM-15	0.00	30.22
21	0453	7	CLR:00	10.00		24	-4.4	23	-5.0	21	-6.1	88	7	190		29.25			30.25	FM-15	0.00	30.22
21	0553	7	CLR:00	8.00		23	-5.0	22	-5.4	21	-6.1	92	6	170		29.23			30.24	FM-15	0.00	30.21
21	0653	7	CLR:00	6.00	BR:1 ||	23	-5.0	23	-5.2	22	-5.6	96	7	180		29.25	5	+0.01	30.25	FM-15	0.00	30.22
21	0753	7	CLR:00	6.00	BR:1 ||	23	-5.0	23	-5.2	22	-5.6	96	5	180		29.26			30.27	FM-15	0.00	30.23
21	0853	7	CLR:00	4.00	BR:1 ||	24	-4.4	24	-4.6	23	-5.0	96	6	180		29.28			30.29	FM-15	0.00	30.26
21	0953	7	CLR:00	5.00	BR:1 ||	28	-2.2	27	-2.8	25	-3.9	88	6	190		29.27	0	-0.04	30.28	FM-15	0.00	30.25

21	1053	7	CLR:00	6.00	BR:1 ||	30	-1.1	29	-1.9	26	-3.3	85	6	200		29.28			30.29	FM-15	0.00	30.26
21	1153	7	CLR:00	8.00		33	0.6	31	-0.7	27	-2.8	78	6	190		29.26			30.26	FM-15	0.00	30.23
21	1253	7	CLR:00	8.00		34	1.1	31	-0.4	27	-2.8	75	7	180		29.23	8	+0.05	30.23	FM-15	0.00	30.20
21	1353	7	CLR:00	9.00		34	1.1	31	-0.4	27	-2.8	75	8	160		29.21			30.20	FM-15	0.00	30.18
21	1453	7	CLR:00	8.00		34	1.1	31	-0.4	27	-2.8	75	11	160		29.18			30.18	FM-15	0.00	30.15
21	1553	7	CLR:00	10.00		35	1.7	32	0.0	27	-2.8	72	7	150		29.17	6	+0.06	30.17	FM-15	0.00	30.14
21	1653	7	CLR:00	10.00		34	1.1	31	-0.4	27	-2.8	75	8	160		29.14			30.14	FM-15	0.00	30.11
21	1753	7	CLR:00	10.00		33	0.6	30	-0.9	26	-3.3	75	7	150		29.12			30.12	FM-15	0.00	30.09
21	1853	7	CLR:00	10.00		35	1.7	32	-0.2	26	-3.3	70	9	170		29.10	6	+0.06	30.10	FM-15	0.00	30.07
21	1953	7	CLR:00	10.00		34	1.1	31	-0.6	26	-3.3	73	8	180		29.08			30.08	FM-15	0.00	30.05
21	2053	7	CLR:00	10.00		33	0.6	30	-1.1	25	-3.9	72	6	200		29.07			30.07	FM-15	0.00	30.04
21	2153	7	CLR:00	10.00		35	1.7	31	-0.4	25	-3.9	67	8	180		29.04	8	+0.06	30.03	FM-15	0.00	30.01
21	2253	7	CLR:00	10.00		36	2.2	32	0.1	26	-3.3	67	11	190		29.02			30.01	FM-15	0.00	29.99
21	2353	7	CLR:00	10.00		35	1.7	32	0.0	27	-2.8	72	8	220		29.03			30.03	FM-15	0.00	30.00
22	0053	7	CLR:00	10.00		35	1.7	32	0.2	28	-2.2	76	11	230		29.02	7	+0.02	30.01	FM-15	0.00	29.99
22	0153	7	CLR:00	10.00		36	2.2	33	0.5	28	-2.2	73	8	250		29.02			30.01	FM-15	0.00	29.99
22	0253	7	CLR:00	10.00		36	2.2	33	0.3	27	-2.8	70	9	240		29.03			30.02	FM-15	0.00	30.00
22	0353	7	CLR:00	10.00		34	1.1	31	-0.4	27	-2.8	75	7	240		29.04	3	-0.02	30.03	FM-15	0.00	30.01
22	0453	7	SCT:04 110	10.00		32	0.0	30	-1.2	26	-3.3	79	8	270		29.06			30.05	FM-15	0.00	30.03
22	0553	7	CLR:00	10.00		31	-0.6	29	-1.6	26	-3.3	82	7	270		29.07			30.07	FM-15	0.00	30.04
22	0653	7	CLR:00	10.00		32	0.0	30	-1.0	27	-2.8	82	7	280		29.10	3	-0.06	30.10	FM-15	0.00	30.07
22	0753	7	FEW:02 19	8.00		32	0.0	30	-1.0	27	-2.8	82	8	280		29.14			30.14	FM-15	0.00	30.11
22	0804	7	BKN:07 19	7.00		33	0.6	31	-0.5	28	-2.2	82	6	280		29.15				FM-16		30.12
22	0853	7	OVC:08 22	7.00		33	0.6	31	-0.3	29	-1.7	85	10	290		29.18			30.17	FM-15	0.00	30.15
22	0924	7	SCT:04 24 OVC:08 36	7.00		34	1.1	32	0.0	29	-1.7	82	7	260		29.19				FM-16		30.16
22	0953	7	OVC:08 31	7.00		34	1.1	32	0.0	29	-1.7	82	9	270		29.21	1	-0.10	30.20	FM-15	0.00	30.18
22	1041	7	OVC:08 28	8.00		35	1.7	33	0.6	30	-1.1	82	9	280		29.23				FM-16		30.21
22	1049	7	OVC:08 30	8.00		36	2.0	34	0.9	30	-1.0	81	11	280		29.23				FM-16		30.21
22	1053	7	OVC:08 30	9.00		35	1.7	33	0.4	29	-1.7	78	9	280		29.23			30.24	FM-15	0.00	30.21
22	1153	7	OVC:08 33	9.00		36	2.2	34	0.9	30	-1.1	79	10	280		29.26			30.25	FM-15	0.00	30.23
22	1253	7	OVC:08 32	10.00		37	2.8	34	1.2	30	-1.1	76	9	280		29.26	3	-0.03	30.26	FM-15	0.00	30.24
22	1353	7	OVC:08 34	10.00		37	2.8	34	1.2	30	-1.1	76	9	280		29.28			30.28	FM-15	0.00	30.26
22	1453	7	OVC:08 32	10.00		38	3.3	34	1.0	27	-2.8	65	11	320		29.30			30.30	FM-15	0.00	30.28
22	1553	7	OVC:08 30	10.00		37	2.8	33	0.6	27	-2.8	67	11	300		29.33	3	-0.06	30.33	FM-15	0.00	30.31
22	1611	7	OVC:08 29	10.00		37	2.8	33	0.6	27	-2.8	67	13	300		29.34				FM-16		30.32
22	1653	7	OVC:08 28	10.00		37	2.8	33	0.6	27	-2.8	67	7	300		29.36			30.36	FM-15	0.00	30.34
22	1753	7	OVC:08 28	10.00		36	2.2	33	0.3	27	-2.8	70	8	270		29.38			30.38	FM-15	0.00	30.36
22	1853	7	OVC:08 27	10.00		36	2.2	33	0.3	27	-2.8	70	6	280		29.39	1	-0.06	30.40	FM-15	0.00	30.37
22	1953	7	OVC:08 26	10.00		34	1.1	31	-0.4	27	-2.8	75	5	250		29.40			30.41	FM-15	0.00	30.38
22	2017	7	SCT:04 26	10.00		34	1.1	31	-0.4	27	-2.8	75	5	230		29.41				FM-16		30.39
22	2053	7	CLR:00	10.00		32	0.0	30	-1.0	27	-2.8	82	3	200		29.41			30.41	FM-15	0.00	30.39
22	2153	7	CLR:00	10.00		30	-1.1	29	-1.9	26	-3.3	85	5	200		29.42	1	-0.02	30.43	FM-15	0.00	30.40
22	2253	7	SCT:04 25	10.00		30	-1.1	29	-1.9	26	-3.3	85	6	210		29.43			30.44	FM-15	0.00	30.41
22	2313	7	BKN:07 25	10.00		29	-1.7	28	-2.5	25	-3.9	85	7	200		29.43				FM-16		30.41
22	2340	7	SCT:04 24	10.00		28	-2.2	27	-2.8	25	-3.9	88	5	210		29.43				FM-16		30.41
22	2353	7	CLR:00	10.00		28	-2.2	27	-2.8	25	-3.9	88	5	200		29.43			30.44	FM-15	0.00	30.41
23	0053	7	CLR:00	9.00		27	-2.8	26	-3.4	24	-4.4	89	6	200		29.43	1	-0.01	30.44	FM-15	0.00	30.41
23	0153	7	CLR:00	7.00		26	-3.3	25	-3.7	24	-4.4	92	0	000		29.43			30.44	FM-15	0.00	30.41
23	0253	7	CLR:00	5.00	BR:1 ||	26	-3.3	25	-3.7	24	-4.4	92	0	000		29.45			30.46	FM-15	0.00	30.43
23	0353	7	CLR:00	6.00	BR:1 ||	25	-3.9	24	-4.3	23	-5.0	92	5	190		29.44	0	-0.01	30.45	FM-15	0.00	30.42
23	0453	7	CLR:00	5.00	BR:1 ||	25	-3.9	24	-4.3	23	-5.0	92	3	170		29.44			30.44	FM-15	0.00	30.42
23	0553	7	CLR:00	6.00	BR:1 ||	26	-3.3	26	-3.5	25	-3.9	96	3	190		29.44			30.45	FM-15	0.00	30.42
23	0653	7	CLR:00	6.00	BR:1 ||	27	-2.8	26	-3.2	25	-3.9	92	5	160		29.43	7	+0.01	30.44	FM-15	0.00	30.41
23	0753	7	CLR:00	6.00	BR:1 ||	27	-2.8	26	-3.2	25	-3.9	92	5	140		29.43			30.44	FM-15	0.00	30.41
23	0853	7	CLR:00	6.00	BR:1 ||	29	-1.7	28	-2.1	27	-2.8	92	3	160		29.44			30.45	FM-15	0.00	30.42
23	0953	7	CLR:00	6.00	BR:1 ||	31	-0.6	30	-1.4	27	-2.8	85	6	180		29.45	3	-0.01	30.46	FM-15	0.00	30.43

23	1053	7	CLR:00	7.00		33	0.6	31	-0.3	29	-1.7	85	7	180		29.45			30.45	FM-15	0.00	30.43
23	1153	7	CLR:00	8.00		34	1.1	32	-0.2	28	-2.2	79	6	160		29.42			30.42	FM-15	0.00	30.40
23	1253	7	CLR:00	8.00		35	1.7	32	0.2	28	-2.2	76	8	140		29.36	8	+0.08	30.37	FM-15	0.00	30.34
23	1353	7	CLR:00	9.00		36	2.2	33	0.5	28	-2.2	73	9	130		29.32			30.32	FM-15	0.00	30.30
23	1453	7	FEW:02 120	10.00		37	2.8	34	1.0	29	-1.7	73	9	140		29.28			30.29	FM-15	0.00	30.26
23	1553	7	FEW:02 120	10.00		37	2.8	33	0.8	28	-2.2	70	8	120		29.26	6	+0.10	30.27	FM-15	0.00	30.24
23	1653	7	BKN:07 120	10.00		37	2.8	33	0.8	28	-2.2	70	8	140		29.26			30.27	FM-15	0.00	30.24
23	1753	7	OVC:08 100	10.00		37	2.8	33	0.8	28	-2.2	70	7	150		29.26			30.26	FM-15	0.00	30.23
23	1853	7	BKN:07 43 OVC:08 75	4.00	-RA:02 |RA |	36	2.2	34	1.1	31	-0.6	82	17	100	21	29.19	8	+0.08	30.19	FM-15	0.01	30.16
23	1953	7	OVC:08 95	10.00		36	2.2	34	1.3	32	0.0	86	8	130		29.20			30.19	FM-15	T	30.17
23	2053	7	OVC:08 85	10.00		36	2.2	34	1.3	32	0.0	86	11	140		29.12			30.11	FM-15	0.00	30.09
23	2153	7	OVC:08 75	10.00		38	3.3	36	2.2	33	0.6	83	0	000		29.15	5	+0.04	30.14	FM-15	0.00	30.12
23	2253	7	FEW:02 55 BKN:07 75 OVC:08 90	10.00		37	2.8	36	2.1	34	1.1	89	7	150		29.12			30.11	FM-15	T	30.09
23	2353	7	FEW:02 40 OVC:08 80	6.00	-RA:02 BR:1 |RA |	37	2.8	36	2.3	35	1.7	93	10	170		29.11			30.10	FM-15	0.04	30.08
24	0053	7	SCT:04 41 BKN:07 49 OVC:08 70	10.00		38	3.3	37	2.9	36	2.2	93	9	180		29.08	6	+0.06	30.07	FM-15	T	30.05
24	0135	7	BKN:07 27 BKN:07 37 OVC:08 44	10.00	-RA:02 |RA |	39	3.9	38	3.4	37	2.8	93	9	170		29.07				FM-16	T	30.04
24	0153	7	OVC:08 27	10.00	-RA:02 |RA |	39	3.9	38	3.4	37	2.8	93	10	170		29.05			30.03	FM-15	T	30.02
24	0253	7	FEW:02 10 OVC:08 19	5.00	BR:1 ||	39	3.9	39	3.6	38	3.3	96	10	180		29.06			30.04	FM-15	T	30.03
24	0311	7	BKN:07 8 OVC:08 17	3.00	BR:1 ||	39	3.9	39	3.6	38	3.3	96	10	170		29.06				FM-16		30.03
24	0337	7	OVC:08 4	3.00	BR:1 ||	39	3.9	39	3.9	39	3.9	100	11	170		29.05				FM-16		30.02
24	0353	7	OVC:08 4	3.00	BR:1 ||	39	3.9	39	3.9	39	3.9	100	11	190		29.05	6	+0.04	30.03	FM-15	T	30.02
24	0403	7	OVC:08 4	2.50	BR:1 ||	39	3.9	39	3.9	39	3.9	100	13	190		29.05				FM-16		30.02
24	0453	7	OVC:08 3	2.00	BR:1 ||	40	4.4	40	4.4	40	4.4	100	9	200		29.06			30.04	FM-15	T	30.03
24	0553	7	OVC:08 3	2.00	BR:1 ||	42	5.6	42	5.6	42	5.6	100	9	190		29.06			30.05	FM-15	0.00	30.03
24	0653	7	OVC:08 3	2.00	BR:1 ||	42	5.6	42	5.6	42	5.6	100	9	200		29.08	3	-0.04	30.07	FM-15	0.00	30.05
24	0753	7	OVC:08 3	2.00	BR:1 ||	42	5.6	42	5.6	42	5.6	100	8	220		29.11			30.09	FM-15	0.00	30.08
24	0850	7	BKN:07 7 BKN:07 14 OVC:08 21	3.00	BR:1 ||	43	6.0	43	6.1	43	6.0	100	10	280		29.15				FM-16	T	30.12
24	0853	7	BKN:07 7 BKN:07 16 OVC:08 21	3.00	BR:1 ||	42	5.6	42	5.6	42	5.6	100	9	280		29.15			30.14	FM-15	T	30.12
24	0953	7	BKN:07 7 OVC:08 39	6.00	BR:1 ||	41	5.0	41	5.0	41	5.0	100	9	320		29.19	3	-0.11	30.18	FM-15	0.00	30.16
24	1051	6	FEW:02 10 SCT:04 23 OVC:08 31	10.00		41	5.0	40	4.5	39	4.0	93	8	310		29.23				FM-16		30.20
24	1053	7	FEW:02 10 OVC:08 31	10.00		41	5.0	41	4.7	40	4.4	96	9	310		29.23			30.22	FM-15	0.00	30.20
24	1151	6	BKN:07 10 OVC:08 31	10.00		43	6.0	41	5.1	39	4.0	87	9	310		29.23				FM-16		30.20
24	1153	7	BKN:07 10 OVC:08 31	10.00		42	5.6	41	4.8	39	3.9	89	7	320		29.23			30.22	FM-15	0.00	30.20
24	1251	6	OVC:08 9	8.00		39	4.0	38	3.4	37	3.0	93	9	340		29.23				FM-16		30.21
24	1253	7	OVC:08 9	8.00		40	4.4	39	4.0	38	3.3	93	7	340		29.23	1	-0.04	30.23	FM-15	0.00	30.21
24	1353	7	OVC:08 9	8.00		39	3.9	38	3.2	36	2.2	89	7	330		29.25			30.24	FM-15	0.00	30.22
24	1403	7	OVC:08 10	7.00		39	3.9	38	3.4	37	2.8	93	6	330		29.25				FM-16		30.22
24	1410	7	OVC:08 9	7.00		39	3.9	38	3.4	37	2.8	93	5	310		29.25				FM-16		30.22
24	1451	6	OVC:08 11	9.00		39	4.0	38	3.2	36	2.0	87	6	290		29.26				FM-16		30.24
24	1453	7	OVC:08 11	9.00		39	3.9	38	3.2	36	2.2	89	5	290		29.26			30.26	FM-15	0.00	30.24
24	1553	7	OVC:08 13	9.00		38	3.3	37	2.6	35	1.7	89	5	320		29.28	3	-0.06	30.28	FM-15	0.00	30.26

24	1653	7	OVC:08 12	10.00		38	3.3	36	2.4	34	1.1	86	5	310		29.31			30.31	FM-15	0.00	30.29
24	1753	7	OVC:08 13	9.00		38	3.3	36	2.4	34	1.1	86	0	000		29.32			30.32	FM-15	0.00	30.30
24	1853	7	OVC:08 13	10.00		38	3.3	36	2.4	34	1.1	86	3	220		29.34	1	-0.05	30.33	FM-15	0.00	30.32
24	1953	7	OVC:08 13	10.00		38	3.3	36	2.4	34	1.1	86	0	000		29.34			30.34	FM-15	0.00	30.32
24	2053	7	OVC:08 12	8.00		37	2.8	36	2.1	34	1.1	89	5	020		29.37			30.37	FM-15	0.00	30.35
24	2153	7	OVC:08 11	10.00		37	2.8	35	1.9	33	0.6	86	0	000		29.37	1	-0.04	30.37	FM-15	0.00	30.35
24	2253	7	OVC:08 11	8.00		36	2.2	35	1.8	34	1.1	93	0	000		29.39			30.39	FM-15	0.00	30.37
24	2353	7	OVC:08 10	7.00		36	2.2	35	1.8	34	1.1	93	6	080		29.40			30.40	FM-15	0.00	30.38
25	0053	7	OVC:08 10	5.00	BR:1 ||	36	2.2	35	1.8	34	1.1	93	0	000		29.40	1	-0.03	30.40	FM-15	0.00	30.38
25	0139	7	SCT:04 6 OVC:08 12	4.00	BR:1 ||	35	1.7	35	1.4	34	1.1	96	3	040		29.39				FM-16		30.37
25	0153	7	SCT:04 6 OVC:08 13	4.00	BR:1 ||	35	1.7	35	1.4	34	1.1	96	7	030		29.40			30.40	FM-15	0.00	30.38
25	0205	7	FEW:02 7 OVC:08 15	4.00	BR:1 ||	35	1.7	35	1.4	34	1.1	96	7	040		29.40				FM-16		30.38
25	0230	7	OVC:08 14	5.00	BR:1 ||	35	1.7	35	1.4	34	1.1	96	6	030		29.40				FM-16		30.38
25	0253	7	OVC:08 13	5.00	BR:1 ||	35	1.7	35	1.4	34	1.1	96	7	030		29.41			30.41	FM-15	0.00	30.39
25	0353	7	OVC:08 14	6.00	BR:1 ||	35	1.7	35	1.4	34	1.1	96	7	050		29.41	2	-0.01	30.41	FM-15	0.00	30.39
25	0434	7	OVC:08 15	6.00	BR:1 ||	35	1.7	35	1.4	34	1.1	96	7	040		29.40				FM-16		30.38
25	0453	7	OVC:08 17	6.00	BR:1 ||	35	1.7	35	1.4	34	1.1	96	9	030		29.39			30.39	FM-15	0.00	30.37
25	0553	7	OVC:08 17	7.00		36	2.2	35	1.8	34	1.1	93	7	040		29.41			30.42	FM-15	0.00	30.39
25	0653	7	BKN:07 15 OVC:08 20	7.00		36	2.2	35	1.8	34	1.1	93	6	060		29.42	3	-0.01	30.42	FM-15	0.00	30.40
25	0753	7	OVC:08 16	6.00	BR:1 ||	36	2.2	35	1.8	34	1.1	93	7	070		29.43			30.43	FM-15	0.00	30.41
25	0853	7	BKN:07 8 OVC:08 22	4.00	BR:1 ||	36	2.2	36	2.0	35	1.7	97	6	060		29.43			30.44	FM-15	0.00	30.41
25	0953	7	BKN:07 8 OVC:08 22	5.00	BR:1 ||	37	2.8	36	2.3	35	1.7	93	8	050		29.45	3	-0.03	30.45	FM-15	0.00	30.43
25	1051	6	SCT:04 9 OVC:08 18	5.00	BR:1 ||	37	3.0	37	2.5	36	2.0	93	6	100		29.45				FM-16		30.43
25	1053	7	SCT:04 9 OVC:08 18	5.00	BR:1 ||	39	3.9	38	3.2	36	2.2	89	6	110		29.46			30.45	FM-15	0.00	30.44
25	1153	7	OVC:08 18	6.00	BR:1 ||	41	5.0	39	4.0	37	2.8	86	6	070		29.43			30.43	FM-15	0.00	30.41
25	1253	7	OVC:08 17	7.00		42	5.6	40	4.3	37	2.8	82	8	080		29.41	8	+0.04	30.41	FM-15	0.00	30.39
25	1351	6	OVC:08 14	9.00		45	7.0	41	5.2	37	3.0	76	8	070		29.38				FM-16		30.36
25	1353	7	OVC:08 14	9.00		44	6.7	41	5.2	38	3.3	79	8	070		29.38			30.38	FM-15	0.00	30.36
25	1408	7	OVC:08 16	9.00		44	6.7	41	5.2	38	3.3	79	10	080		29.38				FM-16		30.36
25	1453	7	OVC:08 15	10.00		45	7.2	42	5.7	39	3.9	80	11	100		29.36			30.36	FM-15	0.00	30.34
25	1553	7	OVC:08 21	10.00		45	7.2	42	5.7	39	3.9	80	7	090		29.37	5	+0.03	30.37	FM-15	0.00	30.35
25	1653	7	OVC:08 19	10.00		45	7.2	42	5.7	39	3.9	80	7	080		29.38			30.38	FM-15	0.00	30.36
25	1753	7	OVC:08 19	10.00		44	6.7	42	5.4	39	3.9	83	6	080		29.38			30.38	FM-15	0.00	30.36
25	1853	7	OVC:08 19	10.00		44	6.7	42	5.4	39	3.9	83	10	090		29.38	3	-0.01	30.38	FM-15	0.00	30.36
25	1953	7	OVC:08 16	10.00		44	6.7	42	5.4	39	3.9	83	8	090		29.38			30.38	FM-15	0.00	30.36
25	2051	6	OVC:08 14	10.00		45	7.0	42	5.7	39	4.0	81	7	110		29.36				FM-16		30.34
25	2053	7	OVC:08 14	10.00		44	6.7	42	5.4	39	3.9	83	7	120		29.37			30.37	FM-15	0.00	30.35
25	2153	7	OVC:08 14	10.00		45	7.2	42	5.7	39	3.9	80	7	120		29.36	8	+0.02	30.36	FM-15	0.00	30.34
25	2253	7	OVC:08 13	10.00		45	7.2	43	5.9	40	4.4	83	7	130		29.37			30.36	FM-15	0.00	30.35
25	2353	7	OVC:08 12	10.00		46	7.8	44	6.5	41	5.0	83	9	120		29.34			30.33	FM-15	0.00	30.32
26	0053	7	OVC:08 11	10.00		46	7.8	44	6.5	41	5.0	83	9	130		29.32	8	+0.04	30.32	FM-15	0.00	30.30
26	0139	7	OVC:08 9	10.00		47	8.3	45	7.0	42	5.6	83	8	130		29.32				FM-16		30.30
26	0153	7	OVC:08 9	10.00		47	8.3	45	7.0	42	5.6	83	9	140		29.31			30.30	FM-15	0.00	30.29
26	0253	7	OVC:08 7	10.00		47	8.3	46	7.5	44	6.7	90	9	130		29.32			30.31	FM-15	0.00	30.30
26	0345	7	SCT:04 8 BKN:07 38 OVC:08 70	9.00		47	8.3	46	7.8	45	7.2	93	9	130		29.30				FM-16		30.28
26	0353	7	FEW:02 8 SCT:04 38 OVC:08 70	9.00		47	8.3	46	7.8	45	7.2	93	10	130		29.29	8	+0.03	30.28	FM-15	0.00	30.27
26	0453	7	OVC:08 70	10.00		48	8.9	47	8.6	47	8.3	96	9	140		29.26			30.25	FM-15	0.00	30.24

26	0553	7	OVC:08 75	10.00		49	9.4	48	9.2	48	8.9	97	8	140		29.25			30.23	FM-15	0.00	30.22
26	0653	7	FEW:02 46 SCT:04 80	10.00		52	11.1	51	10.8	51	10.6	97	11	160		29.25	6	+0.05	30.23	FM-15	0.00	30.22
26	0753	7	OVC:08 75	10.00		53	11.7	52	11.4	52	11.1	96	13	160		29.23			30.21	FM-15	0.00	30.20
26	0853	7	BKN:07 80	10.00		56	13.3	54	12.4	53	11.7	90	15	170		29.22			30.20	FM-15	0.00	30.19
26	0953	7	BKN:07 60 OVC:08 70	10.00		58	14.4	56	13.2	54	12.2	87	16	180	26	29.23	5	+0.02	30.20	FM-15	0.00	30.20
26	1035	7	SCT:04 20 BKN:07 27 OVC:08 50	9.00	-RA:02 |RA |	57	13.9	55	13.0	54	12.2	90	16	180		29.23				FM-16	0.01	30.20
26	1051	6	SCT:04 20 OVC:08 30	6.00	-RA:02 BR:1 |RA |	55	13.0	55	12.8	55	13.0	100	14	180		29.22				FM-16		30.19
26	1053	7	SCT:04 20 BKN:07 30 OVC:08 42	8.00	-RA:02 |RA |	56	13.3	55	13.0	55	12.8	97	13	170		29.22			30.19	FM-15	0.01	30.19
26	1129	7	SCT:04 10 BKN:07 27 OVC:08 44	7.00		57	13.9	56	13.6	56	13.3	96	10	180		29.20				FM-16	T	30.17
26	1153	7	FEW:02 10 BKN:07 28 OVC:08 40	10.00		58	14.4	57	13.8	56	13.3	93	15	170		29.18			30.15	FM-15	T	30.15
26	1202	7	FEW:02 8 BKN:07 28 OVC:08 44	10.00		58	14.4	57	13.8	56	13.3	93	13	180		29.17				FM-16		30.14
26	1251	6	SCT:04 26	10.00		61	16.0	59	14.8	57	14.0	88	18	170	25	29.12				FM-16		30.09
26	1253	7	SCT:04 26	10.00		62	16.7	59	15.1	57	13.9	84	16	170	25	29.12	8	+0.10	30.09	FM-15	0.00	30.09
26	1312	7	BKN:07 25	10.00		62	16.7	59	15.1	57	13.9	84	16	180		29.11				FM-16		30.08
26	1353	7	OVC:08 28	10.00		65	18.3	61	16.0	58	14.4	78	20	200	31	29.09			30.06	FM-15	0.00	30.06
26	1436	7	FEW:02 28 BKN:07 36 OVC:08 95	10.00		66	18.9	61	16.3	58	14.4	75	13	200	26	29.07				FM-16		30.04
26	1453	7	BKN:07 40 OVC:08 90	10.00		66	18.9	61	16.3	58	14.4	75	14	190	28	29.07			30.04	FM-15	0.00	30.04
26	1553	7	FEW:02 35 SCT:04 44 BKN:07 60	10.00		67	19.4	62	16.5	58	14.4	73	15	180	30	29.04	8	+0.08	30.01	FM-15	0.00	30.01
26	1653	7	BKN:07 41 BKN:07 49 OVC:08 60	10.00		66	18.9	62	16.6	59	15.0	78	16	200		29.04			30.01	FM-15	0.00	30.01
26	1753	7	FEW:02 36 BKN:07 55 OVC:08 100	10.00		65	18.3	62	16.7	60	15.6	84	16	190	23	29.03			30.00	FM-15	0.05	30.00
26	1853	7	BKN:07 100 BKN:07 120	10.00		66	18.9	62	16.6	59	15.0	78	16	200	28	29.01	8	+0.03	29.97	FM-15	T	29.98
26	1953	7	FEW:02 23 BKN:07 60 OVC:08 80	7.00	-RA:02 |RA |	64	17.8	62	16.4	60	15.6	87	22	200	29	28.99			29.96	FM-15	0.03	29.96
26	2053	7	SCT:04 40 BKN:07 60 OVC:08 110	10.00		62	16.7	61	16.0	60	15.6	93	15	200	22	28.97			29.93	FM-15	T	29.94
26	2139	7	SCT:04 13 BKN:07 18 OVC:08 50	4.00	-RA:02 BR:1 |RA |	60	15.6	59	14.9	58	14.4	93	25	280	33	28.99				FM-16	0.06	29.96
26	2146	7	SCT:04 11 BKN:07 19 OVC:08 36	1.75	+RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	20	280	33	29.00				FM-16	0.12	29.97
26	2149	7	FEW:02 8 BKN:07 16 OVC:08 28	9.00	-RA:02 |RA |	55	13.0	55	12.8	55	13.0	100	18	280	28	29.01				FM-16	0.13	29.98
26	2153	7	SCT:04 8 BKN:07 13 OVC:08 28	3.00	-RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	20	280		29.00	5	+0.01	29.97	FM-15	0.18	29.97
26	2158	7	SCT:04 10 BKN:07 16 OVC:08 28	2.50	+RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	18	280		29.01				FM-16	0.02	29.98

26	2200	7	SCT:04 8 BKN:07 14 OVC:08 28	3.00	+RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	25	280	30	29.02				FM-16	0.03	29.99
26	2207	7	SCT:04 10 BKN:07 22 OVC:08 28	3.00	+RA:02 BR:1 |RA |	54	12.2	53	11.9	53	11.7	97	24	280	31	29.01				FM-16	0.06	29.98
26	2224	7	FEW:02 9 FEW:02 18 OVC:08 24	6.00	-RA:02 BR:1 |RA |	53	11.7	52	11.1	51	10.6	93	18	280	29	29.02				FM-16	0.07	29.99
26	2251	7	SCT:04 26 OVC:08 39	10.00		54	12.0	53	11.6	52	11.0	94	10	250	23	29.02				FM-16	0.09	29.99
26	2253	7	FEW:02 26 OVC:08 39	10.00		53	11.7	52	11.1	51	10.6	93	11	260	23	29.02			29.99	FM-15	0.07	29.99
26	2353	7	BKN:07 55 BKN:07 75 OVC:08 95	10.00		53	11.7	49	9.4	45	7.2	74	14	260		29.03			30.00	FM-15	T	30.00
27	0053	7	SCT:04 65 BKN:07 80	10.00		50	10.0	48	8.6	45	7.2	83	8	260		29.03	0	-0.01	29.99	FM-15	0.00	30.00
27	0153	7	BKN:07 90	10.00		49	9.4	45	7.3	41	5.0	74	13	280		29.03			30.00	FM-15	0.00	30.00
27	0253	7	FEW:02 80	10.00		44	6.7	40	4.3	34	1.1	68	15	260	23	29.06			30.03	FM-15	0.00	30.03
27	0353	7	CLR:00	10.00		40	4.4	37	2.8	33	0.6	77	10	280		29.07	3	-0.04	30.04	FM-15	0.00	30.04
27	0453	7	CLR:00	10.00		36	2.2	33	0.5	28	-2.2	73	16	290	25	29.09			30.06	FM-15	0.00	30.06
27	0553	7	CLR:00	10.00		34	1.1	31	-0.4	27	-2.8	75	8	250		29.10			30.08	FM-15	0.00	30.07
27	0653	7	CLR:00	10.00		32	0.0	29	-1.6	24	-4.4	73	8	270		29.12	1	-0.05	30.09	FM-15	0.00	30.09
27	0753	7	CLR:00	10.00		31	-0.6	29	-1.8	25	-3.9	79	9	260		29.12			30.10	FM-15	0.00	30.09
27	0853	7	CLR:00	10.00		32	0.0	30	-1.2	26	-3.3	79	15	260	22	29.15			30.13	FM-15	0.00	30.12
27	0953	7	CLR:00	10.00		33	0.6	30	-1.1	25	-3.9	72	15	270		29.17	3	-0.05	30.15	FM-15	0.00	30.14
27	1053	7	FEW:02 25	10.00		35	1.7	31	-0.4	25	-3.9	67	16	270	22	29.18			30.16	FM-15	0.00	30.15
27	1153	7	FEW:02 26	10.00		36	2.2	32	0.1	26	-3.3	67	13	270		29.16			30.14	FM-15	0.00	30.13
27	1253	7	FEW:02 25	10.00		37	2.8	33	0.6	27	-2.8	67	14	270		29.15	8	+0.02	30.13	FM-15	0.00	30.12
27	1353	7	FEW:02 27	10.00		39	3.9	35	1.5	28	-2.2	65	13	240		29.13			30.11	FM-15	0.00	30.10
27	1453	7	FEW:02 29	10.00		40	4.4	35	1.8	28	-2.2	63	14	240		29.12			30.10	FM-15	0.00	30.09
27	1553	7	CLR:00	10.00		40	4.4	36	2.0	29	-1.7	65	11	250		29.11	6	+0.04	30.10	FM-15	0.00	30.08
27	1653	7	CLR:00	10.00		39	3.9	35	1.7	29	-1.7	67	10	250		29.12			30.11	FM-15	0.00	30.09
27	1753	7	CLR:00	10.00		37	2.8	34	1.0	29	-1.7	73	10	240		29.12			30.11	FM-15	0.00	30.09
27	1853	7	CLR:00	10.00		35	1.7	32	0.2	28	-2.2	76	8	250		29.13	1	-0.02	30.13	FM-15	0.00	30.10
27	1953	7	CLR:00	10.00		34	1.1	32	-0.2	28	-2.2	79	9	250		29.14			30.14	FM-15	0.00	30.11
27	2053	7	CLR:00	10.00		34	1.1	32	-0.2	28	-2.2	79	9	270		29.15			30.14	FM-15	0.00	30.12
27	2153	7	CLR:00	10.00		33	0.6	31	-0.7	27	-2.8	78	11	290		29.17	3	-0.04	30.16	FM-15	0.00	30.14
27	2249	7	BKN:07 25	10.00		34	1.0	31	-0.4	27	-3.0	75	10	280		29.18				FM-16		30.15
27	2253	7	BKN:07 25	10.00		33	0.6	31	-0.7	27	-2.8	78	9	280		29.18			30.18	FM-15	0.00	30.15
27	2353	7	OVC:08 22	10.00		33	0.6	31	-0.7	27	-2.8	78	17	280	22	29.20			30.19	FM-15	0.00	30.17
28	0053	7	OVC:08 22	10.00		33	0.6	30	-0.9	26	-3.3	75	16	300		29.19	0	-0.01	30.18	FM-15	0.00	30.16
28	0153	7	OVC:08 20	10.00		32	0.0	29	-1.4	25	-3.9	75	15	280		29.20			30.19	FM-15	0.00	30.17
28	0253	7	OVC:08 21	10.00		32	0.0	29	-1.4	25	-3.9	75	11	310		29.22			30.21	FM-15	0.00	30.19
28	0329	7	SCT:04 18	10.00		30	-1.1	28	-2.3	24	-4.4	79	8	280		29.22				FM-16		30.19
28	0353	7	CLR:00	10.00		28	-2.2	27	-3.0	24	-4.4	85	5	280		29.23	1	-0.04	30.22	FM-15	0.00	30.20
28	0453	7	CLR:00	10.00		27	-2.8	26	-3.4	24	-4.4	89	3	240		29.23			30.23	FM-15	0.00	30.21
28	0553	7	CLR:00	10.00		26	-3.3	25	-3.9	23	-5.0	88	5	220		29.23			30.24	FM-15	0.00	30.21
28	0653	7	CLR:00	10.00		26	-3.3	25	-3.7	24	-4.4	92	3	210		29.25	1	-0.01	30.24	FM-15	0.00	30.22
28	0753	7	CLR:00	9.00		25	-3.9	24	-4.3	23	-5.0	92	5	200		29.23			30.24	FM-15	0.00	30.21
28	0853	7	CLR:00	8.00		27	-2.8	26	-3.2	25	-3.9	92	5	210		29.23			30.23	FM-15	0.00	30.21
28	0953	7	CLR:00	10.00		31	-0.6	30	-1.4	27	-2.8	85	8	190		29.21	8	+0.03	30.21	FM-15	0.00	30.18
28	1053	7	CLR:00	10.00		34	1.1	31	-0.4	27	-2.8	75	8	190		29.23			30.23	FM-15	0.00	30.20
28	1153	7	CLR:00	10.00		37	2.8	33	0.4	26	-3.3	65	8	200		29.19			30.19	FM-15	0.00	30.16
28	1253	7	CLR:00	10.00		39	3.9	34	0.9	25	-3.9	57	7	190		29.15	8	+0.06	30.14	FM-15	0.00	30.12
28	1353	7	CLR:00	10.00		41	5.0	35	1.5	25	-3.9	53	9	190		29.11			30.10	FM-15	0.00	30.08
28	1453	7	CLR:00	10.00		42	5.6	35	1.7	24	-4.4	49	10	170		29.08			30.07	FM-15	0.00	30.05
28	1553	7	CLR:00	10.00		41	5.0	35	1.5	25	-3.9	53	8	140		29.07	6	+0.09	30.06	FM-15	0.00	30.04

28	1653	7	CLR:00	10.00		40	4.4	34	1.0	24	-4.4	53	8	150		29.03			30.02	FM-15	0.00	30.00
28	1753	7	FEW:02 65	10.00		39	3.9	33	0.5	23	-5.0	53	7	140		29.00			29.99	FM-15	0.00	29.97
28	1853	7	CLR:00	10.00		39	3.9	33	0.5	23	-5.0	53	9	140		28.97	6	+0.10	29.96	FM-15	0.00	29.94
28	1953	7	OVC:08 95	10.00		40	4.4	34	0.9	23	-5.0	51	14	140	23	28.92			29.91	FM-15	0.00	29.89
28	2053	7	FEW:02 65 OVC:08 110	10.00		39	3.9	33	0.7	24	-4.4	55	9	140		28.87			29.85	FM-15	0.00	29.83
28	2153	7	OVC:08 65	9.00	-RA:02 |RA |	40	4.4	34	1.2	25	-3.9	55	0	000		28.87	5	+0.09	29.86	FM-15	T	29.84
28	2253	7	SCT:04 49 OVC:08 70	10.00	-RA:02 |RA |	38	3.3	34	1.3	29	-1.7	70	5	120		28.87			29.85	FM-15	T	29.83
28	2341	7	BKN:07 26 OVC:08 34	10.00		38	3.3	35	1.5	30	-1.1	73	0	000		28.86				FM-16	T	29.82
28	2353	7	SCT:04 25 OVC:08 32	4.00	RA:02 |RA |	37	2.8	35	1.6	32	0.0	82	0	000		28.84			29.83	FM-15	0.02	29.81
29	0004	7	BKN:07 20 OVC:08 30	6.00	-RA:02 BR:1 |RA |	36	2.2	34	1.3	32	0.0	86	0	000		28.84				FM-16	0.01	29.81
29	0048	7	OVC:08 14	7.00	-RA:02 |RA |	37	3.0	37	2.5	36	2.0	93	5	200		28.83				FM-16	0.02	29.79
29	0053	7	OVC:08 14	7.00	-RA:02 |RA |	37	2.8	36	2.3	35	1.7	93	5	200		28.83	6	+0.04	29.80	FM-15	0.01	29.79
29	0115	7	SCT:04 12 BKN:07 44 OVC:08 55	8.00	-RA:02 |RA |	37	2.8	36	2.3	35	1.7	93	5	180		28.80				FM-16	T	29.76
29	0153	7	SCT:04 75 OVC:08 90	10.00		37	2.8	36	2.3	35	1.7	93	3	170		28.79			29.76	FM-15	T	29.75
29	0253	7	FEW:02 25 OVC:08 100	10.00		37	2.8	36	2.3	35	1.7	93	8	220		28.80			29.78	FM-15	0.00	29.76
29	0351	6	BKN:07 19	9.00		37	3.0	37	2.8	37	3.0	100	5	230		28.75				FM-16		29.71
29	0353	7	BKN:07 19	9.00		38	3.3	38	3.1	37	2.8	97	5	210		28.75	8	+0.07	29.72	FM-15	0.00	29.71
29	0403	7	SCT:04 18 BKN:07 100	10.00		38	3.3	38	3.1	37	2.8	97	9	230		28.77				FM-16		29.73
29	0453	7	CLR:00	10.00		39	3.9	38	3.2	36	2.2	89	15	270		28.80			29.78	FM-15	0.00	29.76
29	0553	7	CLR:00	10.00		36	2.2	35	1.5	33	0.6	89	14	270		28.80			29.77	FM-15	0.00	29.76
29	0653	7	CLR:00	10.00		35	1.7	33	0.8	31	-0.6	85	16	270	25	28.81	1	-0.06	29.79	FM-15	0.00	29.77
29	0753	7	CLR:00	10.00		34	1.1	32	0.0	29	-1.7	82	14	260		28.82			29.80	FM-15	0.00	29.78
29	0851	6	BKN:07 23	10.00		34	1.0	32	-0.2	28	-2.0	81	16	260	22	28.83				FM-16		29.79
29	0853	7	BKN:07 23	10.00		34	1.1	32	0.0	29	-1.7	82	18	260	24	28.83			29.81	FM-15	0.00	29.79
29	0953	7	OVC:08 22	10.00		35	1.7	33	0.6	30	-1.1	82	15	270	23	28.86	3	-0.05	29.83	FM-15	0.00	29.82
29	1053	7	OVC:08 19	10.00		36	2.2	34	1.1	31	-0.6	82	11	290		28.87			29.85	FM-15	0.00	29.83
29	1153	7	BKN:07 22 OVC:08 29	10.00		37	2.8	34	1.2	30	-1.1	76	14	260		28.86			29.84	FM-15	0.00	29.82
29	1251	6	SCT:04 25	10.00		39	4.0	35	1.9	30	-1.0	70	16	270	28	28.84				FM-16		29.81
29	1253	7	FEW:02 25	10.00		38	3.3	35	1.5	30	-1.1	73	18	270	28	28.84	8	+0.01	29.82	FM-15	0.00	29.81
29	1353	7	FEW:02 24	10.00		41	5.0	36	2.3	29	-1.7	62	18	260	31	28.84			29.81	FM-15	0.00	29.80
29	1453	7	CLR:00	10.00		42	5.6	36	2.4	28	-2.2	58	15	260	29	28.82			29.80	FM-15	0.00	29.78
29	1553	7	CLR:00	10.00		42	5.6	36	2.2	27	-2.8	55	14	260	24	28.83	5	+0.02	29.80	FM-15	0.00	29.79
29	1653	7	SCT:04 42	10.00		39	3.9	34	1.3	27	-2.8	62	22	270	30	28.84			29.83	FM-15	T	29.81
29	1753	7	FEW:02 39 OVC:08 50	10.00		38	3.3	33	0.6	25	-3.9	60	24	270	32	28.87			29.85	FM-15	T	29.83
29	1853	7	SCT:04 29 BKN:07 44 OVC:08 55	8.00	-SN:03 |SN |	34	1.1	31	-0.6	26	-3.3	73	23	280	41	28.89	1	-0.06	29.87	FM-15	T	29.85
29	1951	7	FEW:02 15 BKN:07 26 OVC:08 70	2.50	-SN:03 |SN |	32	0.0	30	-1.0	27	-3.0	80	24	270	31	28.90				FM-16	T	29.87
29	1953	7	SCT:04 17 BKN:07 29 OVC:08 70	2.00	-SN:03 BR:1 |SN |	32	0.0	30	-0.8	28	-2.2	85	20	270	31	28.90			29.89	FM-15	T	29.87
29	2001	7	FEW:02 16 BKN:07 32 OVC:08 46	3.00	-SN:03 BR:1 |SN |	32	0.0	30	-0.8	28	-2.2	85	23	280	30	28.90				FM-16	T	29.86
29	2009	7	FEW:02 16 BKN:07 30 OVC:08 45	2.50	-SN:03 BR:1 |SN |	32	0.0	30	-0.8	28	-2.2	85	18	280	31	28.90				FM-16	T	29.86

29	2014	7	SCT:04 16 BKN:07 23 OVC:08 50	4.00	-SN:03 BR:1 |SN |	32	0.0	30	-0.8	28	-2.2	85	20	270	28	28.90				FM-16	T	29.87
29	2053	7	SCT:04 21 BKN:07 26 OVC:08 34	9.00	-SN:03 |SN |	32	0.0	30	-1.0	27	-2.8	82	22	270	30	28.90			29.88	FM-15	T	29.86
29	2151	6	SCT:04 25 BKN:07 26 OVC:08 45	2.50	-SN:03 BR:1 |SN |	30	-1.0	29	-1.5	28	-2.0	93	15	270	26	28.90				FM-16		29.86
29	2153	7	FEW:02 12 SCT:04 29 OVC:08 37	2.50	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	15	280	26	28.90	0	-0.01	29.88	FM-15	T	29.86
29	2201	7	FEW:02 12 BKN:07 43 OVC:08 70	3.00	-SN:03 BR:1 |SN |	31	-0.6	30	-1.2	28	-2.2	89	16	280		28.90				FM-16	T	29.86
29	2253	7	FEW:02 29 BKN:07 39 OVC:08 49	10.00		32	0.0	29	-1.4	25	-3.9	75	18	280	29	28.90			29.89	FM-15	T	29.87
29	2353	7	BKN:07 39 OVC:08 55	10.00		32	0.0	29	-1.6	24	-4.4	73	15	280	26	28.90			29.89	FM-15	T	29.87
30	0053	7	FEW:02 43 OVC:08 55	10.00		32	0.0	29	-1.6	24	-4.4	73	16	280	24	28.90	0	-0.01	29.89	FM-15	0.00	29.87
30	0153	7	FEW:02 33 OVC:08 60	10.00		32	0.0	29	-1.8	23	-5.0	69	18	270	25	28.90			29.89	FM-15	0.00	29.87
30	0253	7	BKN:07 34 OVC:08 55	10.00		32	0.0	29	-1.8	23	-5.0	69	20	270	29	28.91			29.90	FM-15	0.00	29.88
30	0353	7	OVC:08 38	10.00		31	-0.6	28	-2.0	24	-4.4	76	17	280	26	28.92	3	-0.02	29.91	FM-15	T	29.89
30	0441	7	BKN:07 34 BKN:07 41 OVC:08 65	2.50	-SN:03 |SN |	30	-1.1	28	-2.1	25	-3.9	82	15	270	25	28.93				FM-16	T	29.90
30	0448	7	SCT:04 33 BKN:07 42 OVC:08 70	7.00	-SN:03 |SN |	30	-1.0	28	-2.1	25	-4.0	80	16	270	24	28.92				FM-16	T	29.89
30	0453	7	FEW:02 26 BKN:07 42 OVC:08 70	6.00	-SN:03 |SN |	30	-1.1	28	-2.1	25	-3.9	82	14	280	24	28.93			29.92	FM-15	T	29.90
30	0553	7	FEW:02 28 BKN:07 49 OVC:08 65	9.00	-SN:03 |SN |	30	-1.1	28	-2.3	24	-4.4	79	17	270	26	28.93			29.92	FM-15	T	29.90
30	0653	7	BKN:07 47 OVC:08 75	9.00		30	-1.1	28	-2.3	24	-4.4	79	15	280	23	28.95	3	-0.03	29.95	FM-15	T	29.92
30	0753	7	BKN:07 35 OVC:08 65	9.00		30	-1.1	27	-2.7	22	-5.6	72	15	280	24	28.97			29.97	FM-15	T	29.94
30	0853	7	FEW:02 31 BKN:07 50 OVC:08 80	10.00		30	-1.1	27	-2.7	22	-5.6	72	14	280		29.00			30.00	FM-15	T	29.97
30	0953	7	FEW:02 22 SCT:04 27 OVC:08 32	9.00		30	-1.1	28	-2.5	23	-5.0	75	18	300	26	29.03	3	-0.08	30.03	FM-15	T	30.00
30	1033	7	BKN:07 27 OVC:08 37	10.00	-SN:03 |SN |	31	-0.6	28	-2.3	22	-5.6	69	16	290	28	29.06				FM-16	T	30.03
30	1044	7	SCT:04 25 BKN:07 37	10.00		31	-0.6	28	-2.1	23	-5.0	72	20	290	25	29.06				FM-16	T	30.03
30	1053	7	SCT:04 27 OVC:08 36	10.00		31	-0.6	28	-2.3	22	-5.6	69	16	300		29.07			30.06	FM-15	T	30.04
30	1153	7	OVC:08 37	10.00		32	0.0	28	-2.1	21	-6.1	64	15	280	26	29.06			30.06	FM-15	T	30.03
30	1253	7	BKN:07 35	10.00		34	1.1	29	-1.6	20	-6.7	56	17	300	25	29.05	0	-0.02	30.04	FM-15	0.00	30.02
30	1353	7	BKN:07 39	10.00		36	2.2	30	-1.1	19	-7.2	50	17	270	28	29.04			30.03	FM-15	0.00	30.01
30	1453	7	BKN:07 41	10.00		34	1.1	29	-1.8	19	-7.2	54	16	250	24	29.05			30.05	FM-15	0.00	30.02
30	1553	7	FEW:02 40	10.00		34	1.1	29	-1.8	19	-7.2	54	18	270	25	29.06	3	-0.01	30.06	FM-15	0.00	30.03
30	1653	7	CLR:00	10.00		33	0.6	28	-2.1	19	-7.2	56	13	260		29.07			30.06	FM-15	0.00	30.04
30	1753	7	BKN:07 120	10.00		32	0.0	28	-2.3	20	-6.7	61	7	230		29.08			30.08	FM-15	0.00	30.05
30	1853	7	FEW:02 110	10.00		31	-0.6	27	-2.6	20	-6.7	64	10	230		29.08	0	-0.01	30.07	FM-15	0.00	30.05
30	1953	7	FEW:02 100	10.00		30	-1.1	27	-3.0	20	-6.7	66	8	220		29.08			30.08	FM-15	0.00	30.05

30	2053	7	FEW:02 100	10.00		30	-1.1	27	-3.0	20	-6.7	66	7	190		29.06			30.06	FM-15	0.00	30.03
30	2153	7	CLR:00	10.00		29	-1.7	26	-3.4	20	-6.7	69	8	200		29.05	8	+0.03	30.05	FM-15	0.00	30.02
30	2253	7	CLR:00	10.00		29	-1.7	26	-3.4	20	-6.7	69	8	170		29.02			30.02	FM-15	0.00	29.99
30	2353	7	CLR:00	10.00		28	-2.2	25	-3.7	20	-6.7	72	9	190		29.02			30.01	FM-15	0.00	29.99
31	0053	7	CLR:00	10.00		28	-2.2	25	-3.7	20	-6.7	72	7	180		29.00	6	+0.05	29.99	FM-15	0.00	29.97
31	0153	7	CLR:00	10.00		28	-2.2	25	-3.7	20	-6.7	72	8	170		28.98			29.97	FM-15	0.00	29.95
31	0253	7	CLR:00	10.00		28	-2.2	25	-3.7	20	-6.7	72	9	170		28.96			29.96	FM-15	0.00	29.93
31	0353	7	CLR:00	10.00		30	-1.1	27	-3.0	20	-6.7	66	10	180		28.93	8	+0.06	29.93	FM-15	0.00	29.90
31	0453	7	CLR:00	10.00		32	0.0	28	-2.5	19	-7.2	59	18	180	24	28.90			29.88	FM-15	0.00	29.86
31	0553	7	CLR:00	10.00		33	0.6	28	-2.1	19	-7.2	56	17	200	28	28.87			29.86	FM-15	0.00	29.84
31	0653	7	CLR:00	10.00		34	1.1	29	-1.8	19	-7.2	54	16	190	24	28.86	6	+0.08	29.84	FM-15	0.00	29.82
31	0753	7	BKN:07 80	10.00		34	1.1	29	-1.8	19	-7.2	54	17	190	25	28.84			29.83	FM-15	0.00	29.80
31	0853	7	OVC:08 70	10.00		35	1.7	29	-1.4	19	-7.2	52	16	190	24	28.84			29.82	FM-15	0.00	29.80
31	0953	7	OVC:08 70	10.00		38	3.3	31	-0.3	20	-6.7	48	15	200	24	28.84	5	+0.02	29.82	FM-15	0.00	29.80
31	1053	7	OVC:08 80	10.00		41	5.0	33	0.7	20	-6.7	43	23	210	33	28.84			29.82	FM-15	T	29.80
31	1153	7	BKN:07 90	10.00		42	5.6	34	1.2	21	-6.1	43	18	210	33	28.82			29.80	FM-15	T	29.78
31	1253	7	OVC:08 100	10.00	-RA:02 |RA |	45	7.2	37	2.6	24	-4.4	44	20	200	34	28.81	8	+0.03	29.79	FM-15	T	29.77
31	1353	7	OVC:08 85	10.00		44	6.7	38	3.2	29	-1.7	55	22	210	31	28.80			29.78	FM-15	0.00	29.76
31	1441	7	FEW:02 19 OVC:08 28	10.00	-RA:02 |RA |	41	5.0	38	3.3	34	1.1	76	23	200	34	28.81				FM-16	T	29.77
31	1453	7	BKN:07 19 OVC:08 28	10.00	-RA:02 |RA |	40	4.4	37	3.0	34	1.1	79	21	200	32	28.81			29.79	FM-15	T	29.77
31	1553	7	BKN:07 19 OVC:08 26	10.00	-RA:02 |RA |	39	3.9	38	3.2	36	2.2	89	13	200		28.81	3	-0.01	29.79	FM-15	T	29.77
31	1653	7	OVC:08 20	10.00		40	4.4	38	3.5	36	2.2	86	14	210	24	28.82			29.80	FM-15	T	29.78
31	1753	7	OVC:08 19	10.00		40	4.4	38	3.2	35	1.7	83	17	210		28.83			29.81	FM-15	0.00	29.79
31	1853	7	BKN:07 18 BKN:07 28 OVC:08 44	10.00		40	4.4	38	3.5	36	2.2	86	17	210	26	28.84	3	-0.04	29.83	FM-15	0.00	29.81
31	1953	7	BKN:07 16 BKN:07 24 OVC:08 39	10.00		40	4.4	38	3.5	36	2.2	86	18	220		28.87			29.85	FM-15	0.00	29.83
31	2053	7	BKN:07 16 BKN:07 22 OVC:08 37	10.00		40	4.4	38	3.5	36	2.2	86	15	220		28.90			29.89	FM-15	0.00	29.87
31	2100	7	OVC:08 43	10.00		40	4.4	38	3.5	36	2.2	86	13	230		28.90				FM-16		29.87
31	2153	7	BKN:07 45 OVC:08 50	10.00		40	4.4	38	3.5	36	2.2	86	11	230		28.92	1	-0.08	29.91	FM-15	0.00	29.89
31	2253	7	FEW:02 32 OVC:08 44	10.00		40	4.4	38	3.5	36	2.2	86	9	240		28.95			29.93	FM-15	0.00	29.92
31	2310	7	SCT:04 19 BKN:07 28 OVC:08 43	10.00		40	4.4	38	3.3	35	1.7	83	11	310		28.96				FM-16		29.93
31	2320	7	FEW:02 18 SCT:04 28 SCT:04 37	10.00		38	3.3	35	1.5	30	-1.1	73	9	320		28.96				FM-16		29.93
31	2353	7	FEW:02 29 FEW:02 46	10.00		36	2.2	33	0.3	27	-2.8	70	7	320		28.98			29.97	FM-15	0.00	29.95

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
December 2016

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01						T	0.02	T																	01
02												T	T	T											02
03																									03
04																	T	0.01	0.03	0.05	0.04	0.01		T	04
05																									05
06							T	T	0.02	0.03	0.04	0.09	0.14	0.05	0.05	0.01									06
07																									07
08													T	T	T	T	T	T	T	T	T				08
09		T	T										T	T	T		T	T	T	T					09
10			T	T	T				T	T															10
11	T	0.01	0.02	0.02	T	T					T						T	T	T	0.01	T	0.01	T	0.04	11
12	T	0.01	T	T																					12
13										T	0.01	0.05	0.05	0.01	0.01	0.01	0.01	T	T	T					13
14																									14
15																									15
16																								T	16
17	0.14s	0.03	0.01	0.02	0.01	T	0.01	0.02	0.01	0.01	T	T	T	0.01	0.01	0.06	T	0.02	0.05	0.01	0.24	0.10	0.03	0.06	17
18	0.02	0.05	T	T	0.01		T				T														18
19	T	T	T	T	T	T		T	T	T	T	T													19
20																									20
21																									21
22																									22
23																			0.01	T			T	0.04	23
24	T	T	T	T	T				T																24
25																									25
26											0.01	T						0.05	T	0.03	T	0.18	0.07	T	26
27																									27
28																						T	T	0.02	28
29	0.01	T															T	T	T	T	T	T	T	T	29
30				T	T	T	T	T	T	T	T	T													30
31											T	T	T		T	T	T								31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.09	0.10	0.13	0.15	0.20	0.21	0.25	0.29	0.33	0.35	0.37	0.38
Ending Date Time (yyyy-mm-dd hh:mi)	2016-12-26 21:42	2016-12-26 21:48	2016-12-26 21:53	2016-12-26 21:58	2016-12-26 22:05	2016-12-26 22:14	2016-12-17 21:00	2016-12-17 21:20	2016-12-17 21:34	2016-12-17 21:58	2016-12-17 22:30	2016-12-17 22:30

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
January 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	46	27	37	8.3				28	0	0755	1718		0.00			29.13		3.3	11	210	9	130
02	52	40	46	17.4				19	0	0755	1718	RA FG BR	T			29.11		4.4	14	130	10	130
03	54	43	48	19.4				17	0	0755	1719	RA BR	0.71			28.73		7.4	34	260	23	270
04	43	18	31	2.5				34	0	0755	1720	SN	T			28.87		17.9	37	290	28	280
05	22	11	17	-11.4				48	0	0755	1721	SN BR	T			29.00		9.5	22	280	18	290
06	14	4	9	-19.4				56	0	0755	1722	SN	T			29.18		7.9	20	270	16	290
07	14	3*	9	-19.3				56	0	0755	1723		0.00			29.42		8.6	21	270	16	270
08	17	6	12	-16.3				53	0	0755	1724		T			29.60		7.6	21	290	17	310
09	31	11	21	-7.2				44	0	0754	1725		0.00			29.47		10.9	23	230	17	210
10	50	31	41	12.8				24	0	0754	1726	RA FZRA SN BR	0.13			29.02		18.0	51	240	33	200
11	59	28	44	15.8				21	0	0754	1727	RA BR	0.12			29.05		10.8	34	200	25	190
12	66*	34	50	21.8				15	0	0754	1728	TS RA BR	0.46			28.97		16.5	44	210	32	200
13	35	26	31	2.8				34	0	0753	1729		0.00			29.59		8.1	17	010	14	010
14	32	29	31	2.8				34	0	0753	1730	BR UP	0.04s			29.47		3.5	15	050	12	060
15	35	28	32	3.8				33	0	0753	1731	BR HZ	0.00			29.41		3.5	11	330	9	350
16	46	29	38	9.8				27	0	0752	1732	RA BR	0.06			29.28		5.0	14	130	10	120
17	61	45	53	24.8				12	0	0752	1734	RA BR	0.17			28.95		12.4	28	240	21	250
18	45	36	40	11.8				25	0	0751	1735	RA BR	T			29.10		10.4	27	310	20	290
19	43	38	40	11.8				25	0	0751	1736		0.00			29.05		6.4	14	090	12	090
20	59	40	49	20.7				16	0	0750	1737	RA FG BR	0.48			28.74		8.1	27s	230s	21	220
21	60	44	52	23.7				13	0	0750	1738	BR	0.02			28.74		5.8	30s	140s	21	150
22	64	43	54	25.7				11	0	0749	1739	RA FG BR	T			28.61		7.3	18	050	14	050
23	55	41	48	19.6				17	0	0749	1740	RA BR	0.17			28.54		9.8	20	030	15	030
24	43	39	41	12.6				24	0	0748	1742	RA BR	0.06			28.78		8.7	22	310	17	300
25	52	35	44	15.5				21	0	0747	1743	RA BR	0.10			28.72		8.8	29	290	23	290
26	39	31	35	6.5				30	0	0746	1744	SN BR UP	T			28.74		17.2	39	270	29	270
27	32	29	31	2.4				34	0	0746	1745	SN BR UP	0.01			28.91		13.5	34	240	24	250
28	34	27	31	2.3				34	0	0745	1746		0.00			28.82		13.5	32	270	23	270
29	33	26	30	1.2				35	0	0744	1748	FZRA SN BR	T			28.80		9.5	24	280	20	280
30	30	22	26	-2.8				39	0	0743	1749	SN BR	T			28.95		11.5	26	250	18	180
31	42	30	36	7.1				29	0	0742	1750	RA	T			28.76		15.7	37	240	26	260
	42.2	28.8	35.5							Monthly Averages | Totals			2.53s			29.02	30.01	9.8				
	6.2	8.0	7.1	Departure from Normal (1981-2010)									0.00s									

Degree Days	Monthly Total	Monthly Departure	Season-to-date Total	Season-to-date Departure
Heating	912	-222	2788	
Cooling	0	0	0	

Number of days with...

Temperature Max >=90°	Temperature Max <=32°	Temperature Min <=32°	Temperature Min <=0°	Precipitation >=0.01"	Precipitation >=0.1"	Snow >=1"	Weather T-Storms	Weather Heavy Fog
0	8	19	0	12s	8			

Date of 5-sec to 3-sec wind equipment change	Sea Level Pressure		Date	Time
N/A	Maximum	30.73	08	1935
	Minimum	29.42	23	0137

Greatest... 24-Hr... Precip	Snowfall	Snow Depth
0.71		
Date		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
January 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	OVC:08 50	10.00		32	0.0	30	-1.0	27	-2.8	82	3	270		29.01	1	-0.08	29.99	FM-15	0.00	29.98
01	0125	7	BKN:07 26 OVC:08 49	10.00		33	0.6	31	-0.7	27	-2.8	78	3	300		29.01				FM-16		29.98
01	0153	7	FEW:02 26 BKN:07 47	10.00		32	0.0	30	-1.0	27	-2.8	82	0	000		29.03			30.01	FM-15	0.00	30.00
01	0253	7	FEW:02 24	10.00		31	-0.6	29	-1.8	25	-3.9	79	3	300		29.06			30.05	FM-15	0.00	30.03
01	0311	7	BKN:07 25	10.00		30	-1.1	28	-2.1	25	-3.9	82	0	000		29.06				FM-16		30.03
01	0318	7	SCT:04 25	10.00		32	0.0	29	-1.4	25	-3.9	75	0	000		29.06				FM-16		30.03
01	0353	7	FEW:02 23	10.00		30	-1.1	28	-2.1	25	-3.9	82	0	000		29.07	1	-0.06	30.06	FM-15	0.00	30.04
01	0420	7	BKN:07 23	10.00		28	-2.2	27	-2.8	25	-3.9	88	0	000		29.08				FM-16		30.05
01	0453	7	OVC:08 23	10.00		30	-1.1	29	-1.9	26	-3.3	85	0	000		29.09			30.08	FM-15	0.00	30.06
01	0553	7	OVC:08 24	10.00		29	-1.7	28	-2.3	26	-3.3	89	0	000		29.12			30.11	FM-15	0.00	30.09
01	0653	7	OVC:08 25	10.00		30	-1.1	29	-1.7	27	-2.8	88	0	000		29.14	3	-0.06	30.13	FM-15	0.00	30.11
01	0753	7	OVC:08 26	10.00		31	-0.6	30	-1.2	28	-2.2	89	3	020		29.16			30.15	FM-15	0.00	30.13
01	0853	7	BKN:07 28	10.00		31	-0.6	30	-1.4	27	-2.8	85	0	000		29.17			30.16	FM-15	0.00	30.14
01	0900	7	SCT:04 28	10.00		32	0.0	30	-1.0	27	-2.8	82	0	000		29.17				FM-16		30.14
01	0953	7	CLR:00	10.00		35	1.7	32	0.0	27	-2.8	72	0	000		29.18	1	-0.04	30.17	FM-15	0.00	30.15
01	1053	7	CLR:00	10.00		39	3.9	35	1.5	28	-2.2	65	3	VRB		29.21			30.19	FM-15	0.00	30.18
01	1153	7	CLR:00	10.00		41	5.0	36	2.3	29	-1.7	62	5	160		29.20			30.19	FM-15	0.00	30.17
01	1253	7	CLR:00	10.00		44	6.7	39	3.6	31	-0.6	60	9	220		29.19	0	-0.01	30.18	FM-15	0.00	30.16
01	1353	7	CLR:00	10.00		44	6.7	38	3.4	30	-1.1	58	0	000		29.17			30.16	FM-15	0.00	30.14
01	1436	7	CLR:00	10.00		46	7.8	40	4.2	31	-0.6	56	6	150		29.16				FM-16		30.13
01	1453	7	CLR:00	10.00		46	7.8	39	4.0	30	-1.1	54	6	150		29.17			30.16	FM-15	0.00	30.14
01	1553	7	CLR:00	10.00		45	7.2	39	3.7	30	-1.1	56	6	130		29.16	6	+0.04	30.15	FM-15	0.00	30.13
01	1653	7	CLR:00	10.00		41	5.0	37	2.7	31	-0.6	67	7	090		29.18			30.17	FM-15	0.00	30.15
01	1753	7	CLR:00	10.00		40	4.4	36	2.4	31	-0.6	70	5	070		29.19			30.19	FM-15	0.00	30.16
01	1853	7	CLR:00	10.00		36	2.2	34	0.9	30	-1.1	79	6	080		29.20	1	-0.04	30.20	FM-15	0.00	30.17
01	1953	7	CLR:00	10.00		37	2.8	35	1.4	31	-0.6	79	7	080		29.19			30.19	FM-15	0.00	30.16
01	2053	7	CLR:00	10.00		35	1.7	33	0.8	31	-0.6	85	3	090		29.19			30.19	FM-15	0.00	30.16
01	2153	7	OVC:08 65	10.00		37	2.8	35	1.9	33	0.6	86	6	060		29.18	8	+0.03	30.17	FM-15	0.00	30.15
01	2253	7	BKN:07 40 OVC:08 50	10.00		40	4.4	37	2.8	33	0.6	77	5	050		29.17			30.16	FM-15	0.00	30.14
01	2353	7	BKN:07 37 OVC:08 48	10.00		40	4.4	37	2.8	33	0.6	77	6	060		29.16			30.14	FM-15	0.00	30.13
02	0053	7	SCT:04 38 OVC:08 48	10.00		42	5.6	39	3.9	35	1.7	76	5	080		29.14	8	+0.04	30.12	FM-15	0.00	30.11
02	0110	7	BKN:07 23 BKN:07 31 OVC:08 47	10.00		42	5.6	39	4.1	36	2.2	79	6	090		29.13				FM-16		30.10
02	0153	7	OVC:08 15	9.00		42	5.6	40	4.3	37	2.8	82	3	VRB		29.14			30.13	FM-15	T	30.11
02	0215	7	OVC:08 13	3.00	BR:1 ||	41	5.0	40	4.3	38	3.3	89	6	100		29.15				FM-16	T	30.12
02	0225	7	OVC:08 11	2.50	-RA:02 BR:1 |RA |	41	5.0	40	4.5	39	3.9	93	6	100		29.15				FM-16	T	30.12
02	0232	7	OVC:08 11	3.00	BR:1 ||	40	4.4	40	4.2	39	3.9	97	5	100		29.15				FM-16	T	30.12
02	0246	7	OVC:08 9	2.50	BR:1 ||	40	4.4	40	4.4	40	4.4	100	5	090		29.15				FM-16	T	30.12
02	0253	7	OVC:08 9	2.00	BR:1 ||	40	4.4	40	4.4	40	4.4	100	6	090		29.15			30.14	FM-15	T	30.12
02	0322	7	BKN:07 4 OVC:08 9	1.75	BR:1 ||	40	4.4	40	4.4	40	4.4	100	3	050		29.16				FM-16		30.13
02	0353	7	OVC:08 4	1.25	BR:1 ||	40	4.4	40	4.4	40	4.4	100	5	040		29.15	0	-0.01	30.13	FM-15	0.00	30.12
02	0453	7	OVC:08 3	1.00	BR:1 ||	40	4.4	40	4.4	40	4.4	100	0	000		29.14			30.13	FM-15	0.00	30.11

02	0501	7	OVC:08 3	0.75	BR:1 ||	40	4.4	40	4.4	40	4.4	100	0	000		29.14				FM-16		30.11
02	0553	7	VV:09 3	0.75	BR:1 ||	40	4.4	40	4.4	40	4.4	100	0	000		29.14			30.13	FM-15	0.00	30.11
02	0653	7	VV:09 3	0.50	FG:2 |FG |	40	4.4	40	4.4	40	4.4	100	0	000		29.15	3	-0.01	30.14	FM-15	0.00	30.12
02	0723	7	VV:09 3	0.25	FG:2 |FG |	40	4.4	40	4.4	40	4.4	100	0	000		29.15				FM-16		30.12
02	0753	7	VV:09 3	0.25	FG:2 |FG |	40	4.4	40	4.4	40	4.4	100	3	050		29.16			30.15	FM-15	0.00	30.13
02	0853	7	VV:09 2	0.25	FG:2 |FG |	41	5.0	41	5.0	41	5.0	100	3	040		29.16			30.15	FM-15	0.00	30.13
02	0953	7	VV:09 2	0.50	FG:2 |FG |	42	5.6	42	5.6	42	5.6	100	5	120		29.17	3	-0.02	30.16	FM-15	0.00	30.14
02	1021	7	OVC:08 2	1.00	BR:1 ||	42	5.6	42	5.6	42	5.6	100	0	000		29.18				FM-16		30.15
02	1053	7	OVC:08 2	1.50	BR:1 ||	43	6.1	43	6.1	43	6.1	100	3	130		29.19			30.18	FM-15	0.00	30.16
02	1127	7	OVC:08 3	0.75	BR:1 ||	43	6.1	43	6.1	43	6.1	100	0	000		29.18				FM-16		30.15
02	1138	7	OVC:08 2	1.00	BR:1 ||	44	6.7	44	6.7	44	6.7	100	0	000		29.19				FM-16		30.16
02	1153	7	OVC:08 2	1.25	BR:1 ||	44	6.7	44	6.7	44	6.7	100	0	000		29.18			30.17	FM-15	0.00	30.15
02	1250	7	OVC:08 3	2.00	BR:1 ||	45	7.0	45	7.2	45	7.0	100	3	070		29.14				FM-16		30.11
02	1253	7	OVC:08 3	2.00	BR:1 ||	45	7.2	45	7.2	45	7.2	100	0	000		29.14	6	+0.05	30.12	FM-15	0.00	30.11
02	1310	7	OVC:08 3	3.00	BR:1 ||	46	7.8	46	7.8	46	7.8	100	0	000		29.13				FM-16		30.10
02	1319	7	OVC:08 3	2.50	BR:1 ||	46	7.8	46	7.5	45	7.2	96	0	000		29.13				FM-16		30.10
02	1334	7	OVC:08 4	3.00	BR:1 ||	47	8.3	47	8.1	46	7.8	97	5	090		29.12				FM-16		30.09
02	1353	7	OVC:08 4	4.00	BR:1 ||	47	8.3	47	8.1	46	7.8	97	0	000		29.12			30.10	FM-15	0.00	30.09
02	1401	7	OVC:08 5	4.00	BR:1 ||	47	8.3	47	8.1	46	7.8	97	0	000		29.12				FM-16		30.09
02	1453	7	OVC:08 6	3.00	BR:1 ||	48	8.9	47	8.6	47	8.3	96	5	070		29.09			30.07	FM-15	0.00	30.06
02	1553	7	OVC:08 7	5.00	BR:1 ||	49	9.4	48	8.9	47	8.3	93	7	100		29.09	6	+0.06	30.07	FM-15	0.00	30.06
02	1653	7	BKN:07 7 OVC:08 16	6.00	BR:1 ||	49	9.4	48	9.2	48	8.9	97	6	130		29.08			30.06	FM-15	0.00	30.05
02	1753	7	OVC:08 5	4.00	BR:1 ||	48	8.9	48	8.9	48	8.9	100	7	120		29.04			30.03	FM-15	0.00	30.01
02	1851	6	OVC:08 4	5.00	BR:1 ||	48	9.0	48	8.9	48	9.0	100	6	130		29.02				FM-16		29.99
02	1853	7	OVC:08 4	5.00	BR:1 ||	48	8.9	48	8.9	48	8.9	100	8	130		29.02	8	+0.06	30.00	FM-15	0.00	29.99
02	1953	7	OVC:08 4	6.00	BR:1 ||	49	9.4	49	9.4	49	9.4	100	7	120		29.02			30.00	FM-15	0.00	29.99
02	2032	7	OVC:08 4	1.75	BR:1 ||	49	9.4	49	9.4	49	9.4	100	7	100		28.99				FM-16		29.96
02	2053	7	OVC:08 3	1.75	BR:1 ||	50	10.0	50	10.0	50	10.0	100	7	100		28.98			29.96	FM-15	0.00	29.95
02	2101	7	OVC:08 3	2.50	BR:1 ||	50	10.0	50	10.0	50	10.0	100	8	100		28.97				FM-16		29.94
02	2114	7	OVC:08 3	3.00	BR:1 ||	50	10.0	50	10.0	50	10.0	100	8	110		28.97				FM-16		29.94
02	2153	7	OVC:08 4	6.00	BR:1 ||	51	10.6	51	10.6	51	10.6	100	9	120		28.96	8	+0.06	29.93	FM-15	0.00	29.93
02	2253	7	OVC:08 3	2.50	BR:1 ||	51	10.6	51	10.6	51	10.6	100	9	140		28.95			29.92	FM-15	0.00	29.92
02	2310	7	OVC:08 2	1.50	BR:1 ||	51	10.6	51	10.6	51	10.6	100	10	120		28.93				FM-16		29.90
02	2344	7	OVC:08 2	2.00	BR:1 ||	51	10.6	51	10.6	51	10.6	100	7	130		28.91				FM-16		29.88
02	2353	7	OVC:08 2	2.00	BR:1 ||	51	10.6	51	10.6	51	10.6	100	8	130		28.91			29.88	FM-15	0.00	29.88
03	0021	7	OVC:08 2	3.00	BR:1 ||	51	10.6	51	10.6	51	10.6	100	7	140		28.90				FM-16		29.86
03	0053	7	BKN:07 3 OVC:08 35	5.00	BR:1 ||	52	11.1	52	11.1	52	11.1	100	7	120		28.87	8	+0.08	29.85	FM-15	0.00	29.84
03	0103	7	SCT:04 3 OVC:08 35	5.00	BR:1 ||	52	11.1	52	11.1	52	11.1	100	7	120		28.87				FM-16		29.84
03	0153	7	FEW:02 30 SCT:04 39 OVC:08 48	7.00	-RA:02 |RA |	52	11.1	52	11.1	52	11.1	100	6	130		28.86			29.83	FM-15	T	29.82
03	0251	7	BKN:07 29 OVC:08 35	6.00	-RA:02 BR:1 |RA |	52	11.0	52	11.1	52	11.0	100	6	120		28.84				FM-16	0.01	29.81
03	0253	7	BKN:07 29 BKN:07 39 OVC:08 50	6.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	6	120		28.84			29.81	FM-15	0.01	29.81
03	0345	7	SCT:04 4 BKN:07 24 OVC:08 31	5.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	7	130		28.83				FM-16	T	29.79
03	0351	6	SCT:04 4 BKN:07 12 OVC:08 27	5.00	-RA:02 BR:1 |RA |	52	11.0	52	11.1	52	11.0	100	7	140		28.83				FM-16		29.79
03	0353	7	SCT:04 4 BKN:07 12 OVC:08 27	5.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	7	140		28.83	8	+0.04	29.79	FM-15	T	29.79

03	0400	7	SCT:04 4 BKN:07 8 OVC:08 27	5.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	7	130		28.82				FM-16	T	29.78
03	0408	7	BKN:07 4 BKN:07 9 OVC:08 27	5.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	7	140		28.81				FM-16	0.01	29.77
03	0423	7	BKN:07 6 BKN:07 14 OVC:08 27	5.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	7	140		28.80				FM-16	0.01	29.76
03	0453	7	OVC:08 6	5.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	7	160		28.79			29.75	FM-15	0.04	29.75
03	0514	7	OVC:08 4	4.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	5	140		28.77				FM-16	0.03	29.73
03	0553	7	OVC:08 4	4.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	5	120		28.76			29.72	FM-15	0.05	29.72
03	0653	7	OVC:08 3	4.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	5	150		28.74	6	+0.09	29.70	FM-15	0.04	29.70
03	0749	7	BKN:07 4 OVC:08 11	2.50	RA:02 BR:1 |RA |	52	11.0	52	11.1	52	11.0	100	6	180		28.73				FM-16	0.09	29.69
03	0751	6	BKN:07 4 OVC:08 11	3.00	RA:02 BR:1 |RA |	52	11.0	52	11.1	52	11.0	100	6	170		28.73				FM-16		29.69
03	0753	7	BKN:07 4 OVC:08 11	3.00	RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	6	180		28.73			29.69	FM-15	0.10	29.69
03	0836	7	OVC:08 4	2.50	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	5	170		28.72				FM-16	0.06	29.68
03	0853	7	OVC:08 3	2.50	RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	3	180		28.72			29.68	FM-15	0.10	29.68
03	0951	6	OVC:08 4	3.00	-RA:02 BR:1 |RA |	52	11.0	52	11.1	52	11.0	100	5	200		28.72				FM-16		29.68
03	0953	7	OVC:08 4	3.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	3	200		28.72	5	+0.01	29.68	FM-15	0.05	29.68
03	1032	7	OVC:08 3	2.50	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	5	200		28.71				FM-16	T	29.67
03	1041	7	OVC:08 3	3.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	5	220		28.71				FM-16	T	29.67
03	1051	6	OVC:08 3	2.00	-RA:02 BR:1 |RA |	52	11.0	52	11.1	52	11.0	100	3	190		28.70				FM-16		29.66
03	1053	7	OVC:08 3	2.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	3	190		28.70			29.66	FM-15	0.01	29.66
03	1113	7	OVC:08 3	4.00	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	3	130		28.68				FM-16	T	29.64
03	1153	7	OVC:08 3	6.00	BR:1 ||	53	11.7	53	11.7	53	11.7	100	5	240		28.67			29.63	FM-15	T	29.63
03	1253	7	OVC:08 3	10.00		54	12.2	54	12.2	54	12.2	100	8	300		28.64	8	+0.07	29.60	FM-15	T	29.60
03	1351	6	OVC:08 5	10.00		54	12.0	53	11.6	52	11.0	94	10	320		28.64				FM-16		29.60
03	1353	7	OVC:08 5	10.00		53	11.7	52	11.4	52	11.1	96	9	320		28.64			29.60	FM-15	0.00	29.60
03	1453	7	OVC:08 5	9.00		51	10.6	50	10.3	50	10.0	96	6	350		28.63			29.59	FM-15	0.00	29.59
03	1553	7	OVC:08 5	9.00		50	10.0	50	10.0	50	10.0	100	9	320		28.63	5	+0.02	29.59	FM-15	0.00	29.59
03	1629	7	OVC:08 4	8.00		49	9.4	49	9.4	49	9.4	100	11	310		28.64				FM-16		29.60
03	1653	7	OVC:08 4	9.00		48	8.9	48	8.9	48	8.9	100	8	310		28.64			29.60	FM-15	0.00	29.60
03	1739	7	OVC:08 5	10.00		48	8.9	48	8.9	48	8.9	100	6	290		28.64				FM-16		29.60
03	1753	7	OVC:08 5	7.00		48	8.9	47	8.6	47	8.3	96	6	310		28.64			29.60	FM-15	0.00	29.60
03	1815	7	OVC:08 5	1.75	+RA:02 BR:1 |RA |	47	8.3	47	8.3	47	8.3	100	21	270	25	28.69				FM-16	0.08	29.65
03	1830	7	BKN:07 6 OVC:08 34	3.00	RA:02 BR:1 |RA |	47	8.3	47	8.1	46	7.8	97	17	290	25	28.68				FM-16	0.18	29.64
03	1851	6	FEW:02 6 OVC:08 49	4.00	+RA:02 BR:1 |RA |	46	8.0	46	7.5	45	7.0	93	14	310		28.67				FM-16		29.63
03	1853	7	FEW:02 6 OVC:08 49	4.00	+RA:02 BR:1 |RA |	46	7.8	46	7.5	45	7.2	96	16	320		28.66	3	-0.04	29.62	FM-15	0.30s	29.62
03	1953	7	FEW:02 37 BKN:07 75 OVC:08 90	10.00		45	7.2	45	7.0	44	6.7	97	10	320		28.66			29.62	FM-15	0.01	29.62
03	2030	7	FEW:02 8 BKN:07 65 OVC:08 95	10.00		45	7.2	45	7.0	44	6.7	97	9	310		28.66				FM-16		29.62
03	2053	7	FEW:02 8 BKN:07 32 OVC:08 95	10.00		45	7.2	45	7.0	44	6.7	97	8	300		28.67			29.64	FM-15	0.00	29.63
03	2100	7	FEW:02 8 BKN:07 29 OVC:08 40	10.00		45	7.2	45	7.0	44	6.7	97	9	300		28.68				FM-16		29.64
03	2151	6	OVC:08 8	10.00		45	7.0	45	7.2	45	7.0	100	8	280		28.69				FM-16		29.65
03	2153	7	OVC:08 8	10.00		45	7.2	45	7.2	45	7.2	100	9	270		28.69	3	-0.03	29.65	FM-15	0.00	29.65
03	2253	7	OVC:08 6	8.00		45	7.2	45	7.0	44	6.7	97	11	280		28.69			29.65	FM-15	0.00	29.65
03	2316	7	OVC:08 4	8.00		44	6.7	44	6.4	43	6.1	96	16	290	24	28.70				FM-16		29.66

03	2331	7	OVC:08 5	4.00	BR:1 ||	43	6.1	43	6.1	43	6.1	100	20	280	26	28.70				FM-16		29.66
03	2353	7	SCT:04 5 OVC:08 13	10.00		43	6.1	43	5.9	42	5.6	97	15	290		28.71			29.67	FM-15	0.00	29.67
04	0025	7	SCT:04 10 OVC:08 15	10.00		42	5.6	41	5.0	40	4.4	92	13	310	24	28.72				FM-16		29.68
04	0034	7	OVC:08 12	10.00		42	5.6	41	5.0	40	4.4	92	13	300	23	28.72				FM-16		29.68
04	0053	7	OVC:08 12	10.00		41	5.0	40	4.5	39	3.9	93	20	280	28	28.73	3	-0.04	29.69	FM-15	0.00	29.69
04	0153	7	BKN:07 14	9.00		39	3.9	38	3.4	37	2.8	93	11	300	23	28.75			29.72	FM-15	T	29.71
04	0253	7	BKN:07 13 OVC:08 18	10.00		38	3.3	37	2.6	35	1.7	89	17	280		28.78			29.75	FM-15	T	29.74
04	0353	7	OVC:08 11	10.00		37	2.8	36	2.3	35	1.7	93	23	280	31	28.79	1	-0.06	29.76	FM-15	T	29.75
04	0425	7	BKN:07 15 OVC:08 21	10.00		37	2.8	35	1.4	31	-0.6	79	18	290	28	28.81				FM-16	T	29.77
04	0453	7	OVC:08 19	10.00		36	2.2	34	1.1	31	-0.6	82	15	300	25	28.81			29.78	FM-15	T	29.77
04	0553	7	SCT:04 17 OVC:08 25	9.00		35	1.7	33	0.4	29	-1.7	78	16	260	23	28.83			29.80	FM-15	T	29.79
04	0653	7	BKN:07 20	10.00		31	-0.6	29	-1.8	25	-3.9	79	21	270	31	28.84	3	-0.06	29.83	FM-15	0.00	29.81
04	0753	7	SCT:04 20	10.00		27	-2.8	25	-3.7	22	-5.6	81	21	270	32	28.87			29.86	FM-15	0.00	29.84
04	0853	7	SCT:04 20	10.00		27	-2.8	25	-4.1	20	-6.7	75	21	280	29	28.90			29.88	FM-15	0.00	29.86
04	0953	7	FEW:02 22	9.00		27	-2.8	24	-4.2	19	-7.2	72	16	280	29	28.91	1	-0.06	29.90	FM-15	T	29.88
04	1053	7	FEW:02 25	9.00	-SN:03 |SN |	27	-2.8	24	-4.7	16	-8.9	63	22	280	33	28.92			29.91	FM-15	T	29.89
04	1153	7	FEW:02 28	9.00	-SN:03 |SN |	27	-2.8	24	-4.7	16	-8.9	63	23	270	33	28.93			29.92	FM-15	T	29.90
04	1253	7	SCT:04 29	10.00		25	-3.9	22	-5.6	15	-9.4	66	21	290	32	28.93	1	-0.02	29.92	FM-15	0.00	29.90
04	1353	7	SCT:04 29	10.00		25	-3.9	22	-5.7	14	-10.0	63	20	280	31	28.93			29.93	FM-15	0.00	29.90
04	1453	7	FEW:02 33	10.00		25	-3.9	21	-6.0	12	-11.1	58	25	280	34	28.94			29.93	FM-15	0.00	29.91
04	1553	7	SCT:04 36	10.00		24	-4.4	21	-6.4	12	-11.1	60	17	270	33	28.96	3	-0.02	29.95	FM-15	0.00	29.93
04	1653	7	FEW:02 34	10.00		24	-4.4	20	-6.5	11	-11.7	57	16	280	28	28.97			29.97	FM-15	0.00	29.94
04	1753	7	FEW:02 33	10.00		22	-5.6	19	-7.1	12	-11.1	66	14	270		28.98			29.98	FM-15	0.00	29.95
04	1853	7	FEW:02 32	10.00		21	-6.1	18	-7.5	12	-11.1	68	17	270	23	29.00	3	-0.04	30.01	FM-15	0.00	29.97
04	1953	7	SCT:04 31	10.00		21	-6.1	18	-7.7	11	-11.7	65	17	270		29.01			30.01	FM-15	0.00	29.98
04	2053	7	CLR:00	10.00		20	-6.7	18	-8.0	11	-11.7	68	14	270		29.01			30.01	FM-15	0.00	29.98
04	2153	7	BKN:07 31	10.00		20	-6.7	18	-8.0	11	-11.7	68	14	270		29.01	0	-0.01	30.01	FM-15	0.00	29.98
04	2227	7	OVC:08 28	10.00		20	-6.7	18	-8.0	11	-11.7	68	14	260	23	29.01				FM-16		29.98
04	2253	7	OVC:08 28	10.00		20	-6.7	18	-8.0	11	-11.7	68	13	270		29.02			30.02	FM-15	0.00	29.99
04	2353	7	OVC:08 28	10.00		19	-7.2	17	-8.6	10	-12.2	68	17	280	22	29.03			30.03	FM-15	0.00	30.00
05	0017	6	BKN:07 30	10.00		18	-7.8	16	-9.1	9	-12.8	68	14	280		29.03				FM-16		30.00
05	0053	7	BKN:07 30	10.00		18	-7.8	16	-9.1	9	-12.8	68	10	260		29.03	2	-0.02	30.04	FM-15	0.00	30.00
05	0124	7	BKN:07 29	10.00		19	-7.2	16	-8.7	9	-12.8	65	11	260		29.03				FM-16		30.00
05	0153	7	OVC:08 26	10.00		19	-7.2	16	-8.7	9	-12.8	65	14	280		29.03			30.03	FM-15	0.00	30.00
05	0253	7	BKN:07 24 BKN:07 120	10.00		18	-7.8	16	-9.0	10	-12.2	71	11	270		29.03			30.04	FM-15	0.00	30.00
05	0318	7	SCT:04 24 OVC:08 110	10.00		18	-7.8	16	-9.1	9	-12.8	68	14	280		29.04				FM-16		30.01
05	0353	7	OVC:08 110	10.00		18	-7.8	16	-9.1	9	-12.8	68	14	280		29.04	3	-0.01	30.05	FM-15	0.00	30.01
05	0453	7	OVC:08 80	10.00		18	-7.8	16	-9.1	9	-12.8	68	8	260		29.02			30.03	FM-15	0.00	29.99
05	0553	7	OVC:08 75	10.00		18	-7.8	16	-9.0	10	-12.2	71	8	260		29.02			30.03	FM-15	0.00	29.99
05	0653	7	BKN:07 60 OVC:08 80	10.00		19	-7.2	17	-8.4	11	-11.7	71	8	250		29.04	5	+0.01	30.05	FM-15	0.00	30.01
05	0753	7	OVC:08 36	2.50	-SN:03 |SN |	18	-7.8	17	-8.6	13	-10.6	81	6	250		29.03			30.04	FM-15	T	30.00
05	0853	7	FEW:02 16 OVC:08 38	2.50	-SN:03 |SN |	19	-7.2	18	-8.0	14	-10.0	81	6	260		29.03			30.04	FM-15	T	30.00
05	0953	6	BKN:07 38 OVC:08 46	2.00	-SN:03 BR:1 |SN |	19	-7.2	18	-7.9	15	-9.4	84	6	240		29.03	6	+0.01	30.04	FM-15	T	30.00
05	1033	7	SCT:04 16 BKN:07 29 OVC:08 38	2.00	-SN:03 BR:1 |SN |	20	-6.7	19	-7.3	16	-8.9	85	10	230		29.04				FM-16	T	30.01
05	1042	7	FEW:02 14 BKN:07 34 OVC:08 45	2.00	-SN:03 |SN |	20	-6.7	19	-7.5	15	-9.4	81	8	220		29.02				FM-16	T	29.99

05	1053	7	SCT:04 16 BKN:07 36 OVC:08 47	2.00	-SN:03 |SN |	20	-6.7	19	-7.5	15	-9.4	81	8	220		29.02			30.03	FM-15	T	29.99
05	1140	7	BKN:07 17 OVC:08 40	2.00	-SN:03 |SN |	21	-6.1	19	-7.1	15	-9.4	78	8	240		29.00				FM-16	T	29.97
05	1153	7	BKN:07 17 BKN:07 22 OVC:08 38	2.00	-SN:03 |SN |	21	-6.1	20	-6.9	16	-8.9	81	8	230		29.00			30.01	FM-15	T	29.97
05	1253	7	SCT:04 16 OVC:08 25	2.00	-SN:03 |SN |	22	-5.6	20	-6.6	16	-8.9	78	8	230		28.97	8	+0.06	29.98	FM-15	T	29.94
05	1300	7	SCT:04 16 OVC:08 25	1.75	-SN:03 BR:1 |SN |	21	-6.1	20	-6.8	17	-8.3	85	10	240		28.97				FM-16	T	29.94
05	1353	7	BKN:07 23 BKN:07 28 OVC:08 35	1.75	-SN:03 |SN |	21	-6.1	20	-6.9	16	-8.9	81	9	250		28.95			29.96	FM-15	T	29.92
05	1400	7	FEW:02 18 BKN:07 23 OVC:08 35	2.00	-SN:03 |SN |	21	-6.1	20	-6.9	16	-8.9	81	9	260		28.95				FM-16	T	29.92
05	1437	7	FEW:02 18 OVC:08 31	2.00	-SN:03 |SN |	21	-6.1	19	-7.1	15	-9.4	78	11	270		28.95				FM-16	T	29.92
05	1453	7	OVC:08 30	2.00	-SN:03 |SN |	20	-6.7	19	-7.5	15	-9.4	81	14	260		28.97			29.98	FM-15	T	29.94
05	1510	7	BKN:07 28 OVC:08 40	1.75	-SN:03 |SN |	20	-6.7	19	-7.5	15	-9.4	81	13	270		28.95				FM-16	T	29.92
05	1524	7	OVC:08 22	0.75	-SN:03 BR:1 |SN |	20	-6.7	19	-7.3	16	-8.9	85	11	270		28.94				FM-16	T	29.91
05	1551	6	OVC:08 20	1.00	-SN:03 BR:1 |SN |	19	-7.0	18	-7.7	16	-9.0	86	11	290		28.97				FM-16		29.94
05	1553	7	OVC:08 20	1.00	-SN:03 BR:1 |SN |	19	-7.2	18	-7.9	15	-9.4	84	13	300		28.96	6	+0.01	29.97	FM-15	T	29.93
05	1602	7	VV:09 19	0.75	-SN:03 BR:1 |SN |	19	-7.2	18	-7.7	16	-8.9	88	10	290		28.98				FM-16	T	29.95
05	1651	6	OVC:08 31	0.75	-SN:03 BR:1 |SN |	18	-8.0	17	-8.4	14	-10.0	86	7	290		28.97				FM-16		29.94
05	1653	7	OVC:08 31	2.00	-SN:03 BR:1 |SN |	18	-7.8	17	-8.4	14	-10.0	84	9	280		28.97			29.98	FM-15	T	29.94
05	1705	7	OVC:08 39	3.00	-SN:03 BR:1 |SN |	18	-7.8	17	-8.4	14	-10.0	84	10	280		28.97				FM-16	T	29.94
05	1753	7	FEW:02 50 OVC:08 110	10.00		17	-8.3	16	-9.1	12	-11.1	80	8	290		28.98			29.99	FM-15	T	29.95
05	1853	7	BKN:07 60 BKN:07 80 OVC:08 110	5.00	-SN:03 |SN |	17	-8.3	16	-9.1	12	-11.1	80	11	310		28.99	3	-0.03	30.01	FM-15	T	29.96
05	1953	7	FEW:02 14 SCT:04 90 OVC:08 110	7.00		16	-8.9	15	-9.6	11	-11.7	80	11	300		29.03			30.04	FM-15	T	30.00
05	2053	7	FEW:02 14 BKN:07 100 OVC:08 120	7.00	-SN:03 |SN |	15	-9.4	13	-10.3	9	-12.8	77	9	300		29.05			30.06	FM-15	T	30.02
05	2153	7	FEW:02 120	10.00		14	-10.0	13	-10.8	8	-13.3	77	11	300		29.06	1	-0.06	30.07	FM-15	0.00	30.03
05	2253	7	FEW:02 120	10.00		13	-10.6	12	-11.2	8	-13.3	81	10	310		29.07			30.08	FM-15	0.00	30.04
05	2333	7	BKN:07 17	8.00	-SN:03 |SN |	13	-10.6	12	-11.4	7	-13.9	77	14	300		29.08				FM-16	T	30.05
05	2348	7	SCT:04 16	10.00		12	-11.0	11	-11.8	7	-14.0	79	11	310		29.08				FM-16	T	30.05
05	2353	7	FEW:02 16	10.00		12	-11.1	11	-11.9	6	-14.4	77	7	320	17	29.07			30.09	FM-15	T	30.04
06	0053	7	FEW:02 15	10.00		10	-12.2	9	-13.0	4	-15.6	76	10	300		29.09	3	-0.02	30.11	FM-15	0.00	30.06
06	0153	7	CLR:00	10.00		7	-13.9	6	-14.5	2	-16.7	80	8	290		29.08			30.10	FM-15	0.00	30.05
06	0253	7	CLR:00	10.00		7	-13.9	6	-14.4	2	-16.7	80	10	280		29.12			30.14	FM-15	0.00	30.09
06	0353	7	CLR:00	10.00		6	-14.4	5	-14.9	2	-16.7	83	8	280		29.11	0	-0.01	30.13	FM-15	0.00	30.08
06	0453	7	CLR:00	10.00		5	-15.0	4	-15.4	1	-17.2	83	7	280		29.11			30.13	FM-15	0.00	30.08
06	0553	7	CLR:00	10.00		5	-15.0	4	-15.4	1	-17.2	83	6	270		29.13			30.15	FM-15	0.00	30.10
06	0653	7	CLR:00	10.00		5	-15.0	4	-15.3	2	-16.7	87	7	240		29.14	3	-0.04	30.16	FM-15	0.00	30.11
06	0753	7	CLR:00	10.00		5	-15.0	4	-15.4	1	-17.2	83	6	270		29.17			30.19	FM-15	0.00	30.14
06	0853	7	CLR:00	10.00		7	-13.9	6	-14.3	3	-16.1	84	9	280		29.19			30.21	FM-15	0.00	30.16
06	0953	7	CLR:00	10.00		8	-13.3	7	-13.9	3	-16.1	80	8	270		29.23	3	-0.08	30.25	FM-15	0.00	30.20
06	1053	7	CLR:00	10.00		11	-11.7	9	-12.7	2	-16.7	67	9	270		29.23			30.27	FM-15	0.00	30.21
06	1153	7	CLR:00	10.00		13	-10.6	11	-11.8	3	-16.1	64	9	260		29.23			30.25	FM-15	0.00	30.20
06	1228	7	SCT:04 28	10.00		13	-10.6	11	-11.8	3	-16.1	64	14	280		29.22				FM-16		30.19
06	1235	7	BKN:07 28	10.00		13	-10.6	11	-11.8	3	-16.1	64	10	280		29.22				FM-16		30.19
06	1253	7	SCT:04 28	10.00		14	-10.0	12	-11.3	4	-15.6	64	9	280		29.22	8	+0.01	30.24	FM-15	0.00	30.19

06	1300	7	OVC:08 28	10.00		13	-10.6	11	-11.7	4	-15.6	67	14	300		29.22				FM-16		30.19
06	1337	7	SCT:04 18 OVC:08 26	1.75	-SN:03 |SN |	12	-11.1	10	-12.0	5	-15.0	73	10	310		29.22				FM-16	T	30.19
06	1350	7	BKN:07 22 OVC:08 29	3.00	-SN:03 |SN |	12	-11.0	10	-12.2	3	-16.0	67	13	290		29.22				FM-16	T	30.19
06	1351	7	BKN:07 22 OVC:08 29	3.00	-SN:03 |SN |	12	-11.1	10	-12.1	4	-15.6	70	13	280		29.22			30.25	FM-15	T	30.19
06	1453	7	OVC:08 28	7.00		11	-11.7	9	-12.6	3	-16.1	70	10	300		29.23			30.27	FM-15	T	30.21
06	1526	7	SCT:04 28	10.00		12	-11.1	10	-12.3	2	-16.7	64	10	280		29.25				FM-16		30.22
06	1543	7	BKN:07 27	10.00		11	-11.7	9	-12.7	2	-16.7	67	8	290		29.26				FM-16		30.23
06	1553	7	BKN:07 27	10.00		11	-11.7	9	-12.7	2	-16.7	67	9	260	20	29.26	3	-0.04	30.29	FM-15	0.00	30.24
06	1611	7	SCT:04 27	10.00		11	-11.7	9	-12.8	1	-17.2	64	8	270		29.27				FM-16		30.25
06	1653	7	CLR:00	10.00		9	-12.8	7	-13.8	0	-17.8	66	7	260		29.28			30.32	FM-15	0.00	30.26
06	1753	7	CLR:00	10.00		8	-13.3	6	-14.2	0	-17.8	69	6	270		29.30			30.34	FM-15	0.00	30.28
06	1853	7	CLR:00	10.00		7	-13.9	6	-14.6	0	-17.8	73	3	280		29.29	0	-0.04	30.33	FM-15	0.00	30.27
06	1953	7	CLR:00	10.00		6	-14.4	5	-15.1	0	-17.8	76	6	300		29.31			30.35	FM-15	0.00	30.29
06	2053	7	CLR:00	10.00		6	-14.4	5	-15.1	0	-17.8	76	8	330		29.31			30.35	FM-15	0.00	30.29
06	2153	7	CLR:00	10.00		5	-15.0	4	-15.5	0	-17.8	79	6	290		29.35	3	-0.06	30.39	FM-15	0.00	30.33
06	2253	7	CLR:00	10.00		6	-14.4	5	-15.0	1	-17.2	79	6	300		29.37			30.40	FM-15	0.00	30.35
06	2353	7	CLR:00	10.00		5	-15.0	4	-15.5	0	-17.8	79	7	330		29.35			30.39	FM-15	0.00	30.33
07	0053	7	CLR:00	10.00		4	-15.6	3	-16.1	-1	-18.3	80	7	330		29.36	1	-0.01	30.40	FM-15	0.00	30.34
07	0153	7	CLR:00	10.00		5	-15.0	4	-15.6	-1	-18.3	76	7	320		29.36			30.40	FM-15	0.00	30.34
07	0253	7	CLR:00	10.00		5	-15.0	4	-15.6	-1	-18.3	76	6	330		29.40			30.43	FM-15	0.00	30.38
07	0353	7	CLR:00	10.00		5	-15.0	4	-15.6	-1	-18.3	76	7	330		29.40	1	-0.04	30.44	FM-15	0.00	30.38
07	0453	7	CLR:00	10.00		5	-15.0	4	-15.5	0	-17.8	79	5	330		29.40			30.44	FM-15	0.00	30.38
07	0553	7	CLR:00	10.00		5	-15.0	4	-15.6	-1	-18.3	76	7	320		29.40			30.44	FM-15	0.00	30.38
07	0653	7	CLR:00	10.00		5	-15.0	4	-15.6	-1	-18.3	76	6	330		29.42	3	-0.02	30.46	FM-15	0.00	30.40
07	0753	7	CLR:00	10.00		4	-15.6	3	-16.1	-2	-18.9	76	7	310		29.44			30.48	FM-15	0.00	30.42
07	0853	7	CLR:00	10.00		5	-15.0	4	-15.6	-1	-18.3	76	8	300		29.45			30.50	FM-15	0.00	30.43
07	0953	7	CLR:00	10.00		7	-13.9	6	-14.6	0	-17.8	73	6	300		29.47	3	-0.06	30.52	FM-15	0.00	30.45
07	1053	7	CLR:00	10.00		9	-12.8	7	-13.8	0	-17.8	66	6	280		29.47			30.51	FM-15	0.00	30.45
07	1153	7	CLR:00	10.00		11	-11.7	9	-12.8	1	-17.2	64	10	270		29.46			30.50	FM-15	0.00	30.44
07	1246	7	BKN:07 26	10.00		12	-11.1	10	-12.3	2	-16.7	64	11	280		29.44				FM-16		30.42
07	1253	7	BKN:07 26	10.00		12	-11.1	10	-12.2	3	-16.1	67	11	280		29.44	8	+0.03	30.48	FM-15	0.00	30.42
07	1300	7	SCT:04 26	10.00		11	-11.7	9	-12.7	2	-16.7	67	14	270		29.44				FM-16		30.42
07	1351	6	BKN:07 28	10.00		12	-11.0	10	-12.4	1	-17.0	62	13	270		29.44				FM-16		30.42
07	1353	7	BKN:07 28	10.00		12	-11.1	10	-12.3	2	-16.7	64	10	280		29.44			30.48	FM-15	0.00	30.42
07	1453	7	SCT:04 28	10.00		12	-11.1	10	-12.4	1	-17.2	61	10	290		29.44			30.47	FM-15	0.00	30.42
07	1553	7	FEW:02 28	10.00		11	-11.7	9	-12.9	0	-17.8	61	9	290		29.45	3	-0.00	30.48	FM-15	0.00	30.43
07	1653	7	FEW:02 30	10.00		10	-12.2	8	-13.4	-1	-18.3	61	11	280		29.46			30.50	FM-15	0.00	30.44
07	1753	7	CLR:00	10.00		9	-12.8	7	-13.9	-1	-18.3	64	11	280		29.47			30.52	FM-15	0.00	30.45
07	1853	7	CLR:00	10.00		7	-13.9	5	-14.7	-1	-18.3	70	10	280		29.48	1	-0.04	30.53	FM-15	0.00	30.46
07	1953	7	OVC:08 33	10.00		9	-12.8	7	-13.7	1	-17.2	70	9	270		29.50			30.55	FM-15	0.00	30.48
07	2053	7	OVC:08 33	10.00		11	-11.7	9	-12.6	3	-16.1	70	13	270		29.51			30.55	FM-15	0.00	30.49
07	2153	7	BKN:07 43	10.00		9	-12.8	8	-13.6	2	-16.7	73	9	270		29.51	0	-0.02	30.55	FM-15	0.00	30.49
07	2253	7	SCT:04 50	10.00		9	-12.8	8	-13.5	3	-16.1	77	9	240		29.50			30.54	FM-15	0.00	30.48
07	2353	7	OVC:08 55	10.00		11	-11.7	10	-12.4	5	-15.0	77	10	250		29.50			30.53	FM-15	0.00	30.48
08	0053	7	FEW:02 55	10.00		11	-11.7	10	-12.3	6	-14.4	81	9	260		29.49	7	+0.02	30.53	FM-15	0.00	30.47
08	0153	7	CLR:00	10.00		10	-12.2	9	-12.7	6	-14.4	84	10	260		29.50			30.53	FM-15	0.00	30.48
08	0253	7	CLR:00	10.00		10	-12.2	9	-12.7	6	-14.4	84	11	270		29.52			30.56	FM-15	0.00	30.50
08	0353	7	FEW:02 41	10.00		9	-12.8	8	-13.3	5	-15.0	84	9	270		29.52	1	-0.04	30.56	FM-15	0.00	30.50
08	0453	7	FEW:02 46	10.00		10	-12.2	9	-12.9	4	-15.6	76	10	280		29.54			30.58	FM-15	0.00	30.52
08	0551	6	BKN:07 29	10.00		9	-13.0	8	-13.5	3	-16.0	78	10	280		29.57				FM-16		30.55
08	0553	7	BKN:07 29	10.00		9	-12.8	8	-13.4	4	-15.6	80	9	290		29.57			30.60	FM-15	0.00	30.55
08	0601	7	FEW:02 14 SCT:04 27 BKN:07 33	10.00		9	-12.8	8	-13.4	4	-15.6	80	10	280		29.57				FM-16		30.55
08	0653	7	FEW:02 43	10.00		8	-13.3	7	-13.9	3	-16.1	80	8	280		29.59	3	-0.07	30.64	FM-15	0.00	30.58

08	0753	7	CLR:00	10.00		7	-13.9	6	-14.3	3	-16.1	84	7	260		29.62			30.66	FM-15	0.00	30.60
08	0851	6	BKN:07 24 BKN:07 41	9.00		9	-13.0	8	-13.3	5	-15.0	85	8	280		29.64				FM-16		30.62
08	0853	7	BKN:07 24 BKN:07 41	8.00		9	-12.8	8	-13.3	5	-15.0	84	8	280		29.64			30.68	FM-15	0.00	30.62
08	0937	7	FEW:02 24 SCT:04 44	10.00		11	-11.7	10	-12.4	5	-15.0	77	9	270		29.65				FM-16	T	30.64
08	0953	7	CLR:00	10.00		12	-11.1	11	-11.9	6	-14.4	77	6	270		29.65	2	-0.06	30.70	FM-15	T	30.64
08	1051	6	BKN:07 21 BKN:07 46	10.00		14	-10.0	12	-10.9	7	-14.0	73	11	280		29.68				FM-16		30.67
08	1053	7	BKN:07 21 BKN:07 46	10.00		14	-10.0	12	-10.9	7	-13.9	73	13	270		29.68			30.73	FM-15	0.00	30.67
08	1153	7	BKN:07 24 BKN:07 30 BKN:07 43	10.00		16	-8.9	14	-10.2	6	-14.4	65	8	290		29.67			30.72	FM-15	0.00	30.66
08	1206	7	SCT:04 25 BKN:07 34 BKN:07 41	10.00		17	-8.3	15	-9.7	7	-13.9	64	13	280	20	29.67				FM-16		30.66
08	1253	7	BKN:07 35	10.00		16	-8.9	13	-10.4	4	-15.6	59	10	310		29.66	0	-0.01	30.71	FM-15	0.00	30.65
08	1353	7	OVC:08 33	10.00		17	-8.3	14	-9.8	6	-14.4	62	13	290		29.66			30.70	FM-15	0.00	30.65
08	1453	7	BKN:07 36	10.00		17	-8.3	14	-9.9	5	-15.0	59	7	270		29.65			30.69	FM-15	0.00	30.64
08	1553	7	BKN:07 33	10.00		17	-8.3	14	-9.9	5	-15.0	59	7	270		29.65	6	+0.01	30.69	FM-15	0.00	30.64
08	1653	7	BKN:07 34	10.00		17	-8.3	14	-9.9	5	-15.0	59	6	260		29.65			30.70	FM-15	0.00	30.64
08	1753	7	OVC:08 33	10.00		16	-8.9	13	-10.3	5	-15.0	62	6	280		29.67			30.72	FM-15	0.00	30.66
08	1853	7	OVC:08 32	10.00		14	-10.0	12	-11.2	5	-15.0	67	6	270		29.68	3	-0.04	30.73	FM-15	0.00	30.67
08	1953	7	CLR:00	10.00		15	-9.4	13	-10.7	5	-15.0	64	0	000		29.67			30.72	FM-15	0.00	30.66
08	2053	7	CLR:00	10.00		13	-10.6	11	-11.6	5	-15.0	70	0	000		29.67			30.72	FM-15	0.00	30.66
08	2153	7	CLR:00	10.00		11	-11.7	9	-12.5	4	-15.6	73	6	190		29.67	6	+0.01	30.71	FM-15	0.00	30.66
08	2253	7	CLR:00	10.00		12	-11.1	10	-12.0	5	-15.0	73	6	150		29.65			30.68	FM-15	0.00	30.63
08	2353	7	CLR:00	10.00		12	-11.1	10	-12.0	5	-15.0	73	7	190		29.64			30.67	FM-15	0.00	30.62
09	0053	7	CLR:00	10.00		12	-11.1	10	-12.1	4	-15.6	70	9	170		29.59	8	+0.07	30.63	FM-15	0.00	30.58
09	0153	7	FEW:02 120	10.00		12	-11.1	10	-12.0	5	-15.0	73	8	160		29.59			30.62	FM-15	0.00	30.57
09	0253	7	OVC:08 100	10.00		13	-10.6	11	-11.6	5	-15.0	70	8	160		29.59			30.63	FM-15	0.00	30.58
09	0353	7	SCT:04 70 OVC:08 90	10.00		13	-10.6	11	-11.6	5	-15.0	70	10	160		29.57	8	+0.03	30.60	FM-15	0.00	30.55
09	0453	7	OVC:08 85	10.00		15	-9.4	13	-10.6	6	-14.4	67	10	150		29.54			30.57	FM-15	0.00	30.52
09	0553	7	FEW:02 95 BKN:07 120	10.00		16	-8.9	14	-10.2	6	-14.4	65	13	170		29.53			30.56	FM-15	0.00	30.51
09	0653	7	OVC:08 110	10.00		16	-8.9	14	-10.2	6	-14.4	65	7	160		29.53	6	+0.04	30.56	FM-15	0.00	30.51
09	0753	7	OVC:08 100	10.00		17	-8.3	15	-9.7	7	-13.9	64	11	160		29.49			30.52	FM-15	0.00	30.47
09	0853	7	OVC:08 95	10.00		18	-7.8	15	-9.2	8	-13.3	65	13	170		29.48			30.51	FM-15	0.00	30.46
09	0953	7	OVC:08 100	10.00		19	-7.2	16	-8.7	9	-12.8	65	11	180		29.48	5	+0.04	30.51	FM-15	0.00	30.46
09	1053	7	FEW:02 80 OVC:08 90	10.00		22	-5.6	19	-7.3	11	-11.7	63	13	190		29.49			30.51	FM-15	0.00	30.47
09	1153	7	OVC:08 90	10.00		25	-3.9	22	-5.7	14	-10.0	63	11	190		29.44			30.46	FM-15	0.00	30.42
09	1253	7	CLR:00	10.00		29	-1.7	24	-4.3	14	-10.0	54	14	220	23	29.41	8	+0.07	30.43	FM-15	0.00	30.39
09	1353	7	CLR:00	10.00		30	-1.1	26	-3.6	16	-8.9	56	16	200		29.40			30.42	FM-15	0.00	30.38
09	1453	7	CLR:00	10.00		30	-1.1	26	-3.6	16	-8.9	56	13	190		29.41			30.43	FM-15	0.00	30.39
09	1553	7	CLR:00	10.00		29	-1.7	25	-4.0	16	-8.9	58	10	190		29.41	6	+0.00	30.42	FM-15	0.00	30.39
09	1653	7	CLR:00	10.00		29	-1.7	25	-4.0	16	-8.9	58	13	180		29.40			30.42	FM-15	0.00	30.38
09	1753	7	CLR:00	10.00		29	-1.7	25	-4.0	16	-8.9	58	9	170		29.39			30.41	FM-15	0.00	30.37
09	1853	7	SCT:04 120	10.00		30	-1.1	26	-3.6	16	-8.9	56	9	170		29.39	6	+0.02	30.41	FM-15	0.00	30.37
09	1953	7	CLR:00	10.00		30	-1.1	26	-3.6	16	-8.9	56	10	170		29.38			30.40	FM-15	0.00	30.36
09	2053	7	SCT:04 120	10.00		30	-1.1	26	-3.6	16	-8.9	56	9	170		29.37			30.39	FM-15	0.00	30.35
09	2153	7	BKN:07 110	10.00		29	-1.7	25	-4.1	15	-9.4	56	11	150		29.34	8	+0.05	30.35	FM-15	0.00	30.32
09	2253	7	SCT:04 48 BKN:07 70 OVC:08 95	10.00		30	-1.1	25	-3.9	14	-10.0	51	10	170		29.33			30.34	FM-15	0.00	30.31
09	2353	7	OVC:08 60	10.00		31	-0.6	26	-3.5	14	-10.0	49	10	160		29.32			30.33	FM-15	0.00	30.30

10	0053	7	FEW:02 46 OVC:08 80	10.00		31	-0.6	26	-3.4	15	-9.4	52	11	150		29.29	8	+0.05	30.30	FM-15	0.00	30.27
10	0153	7	FEW:02 70 OVC:08 95	10.00		32	0.0	27	-3.1	15	-9.4	50	13	150		29.25			30.25	FM-15	0.00	30.22
10	0253	7	SCT:04 75 BKN:07 85 OVC:08 110	10.00		33	0.6	27	-2.6	16	-8.9	49	13	160		29.23			30.23	FM-15	0.00	30.20
10	0353	7	SCT:04 33 BKN:07 90 OVC:08 110	10.00		34	1.1	28	-2.2	16	-8.9	48	16	150	25	29.19	6	+0.10	30.19	FM-15	0.00	30.16
10	0453	7	OVC:08 34	5.00	-SN:03 |SN |	32	0.0	29	-1.8	23	-5.0	69	11	160	20	29.20			30.19	FM-15	0.01	30.17
10	0551	6	FEW:02 25 BKN:07 34 OVC:08 44	8.00	-FZ:8 RA:02 |FZRA |	32	0.0	29	-1.4	25	-4.0	75	14	160	23	29.15				FM-16		30.12
10	0553	7	FEW:02 25 BKN:07 34 OVC:08 41	7.00	-FZ:8 RA:02 |FZRA |	32	0.0	29	-1.4	25	-3.9	75	14	160		29.15			30.14	FM-15	T	30.12
10	0625	7	FEW:02 23 SCT:04 28 OVC:08 38	9.00		31	-0.6	29	-1.8	25	-3.9	79	15	160	23	29.13				FM-16	T	30.10
10	0648	7	BKN:07 23 OVC:08 34	8.00	-FZ:8 RA:02 |FZRA |	32	0.0	29	-1.4	25	-4.0	75	16	170	26	29.13				FM-16	T	30.10
10	0651	6	BKN:07 23 OVC:08 31	8.00		32	0.0	29	-1.4	25	-4.0	75	17	170	26	29.13				FM-16		30.10
10	0653	7	BKN:07 23 OVC:08 31	8.00		32	0.0	29	-1.4	25	-3.9	75	20	170	28	29.12	8	+0.02	30.12	FM-15	T	30.09
10	0704	7	SCT:04 23 OVC:08 36	7.00		32	0.0	30	-1.2	26	-3.3	79	13	170	24	29.12				FM-16		30.09
10	0730	7	BKN:07 24 OVC:08 31	5.00	-SN:03 BR:1 |SN |	32	0.0	30	-0.8	28	-2.2	85	16	170	23	29.12				FM-16	T	30.09
10	0753	7	OVC:08 24	4.00	-RA:02 BR:1 |RA |	32	0.0	31	-0.6	29	-1.7	88	13	170		29.11			30.11	FM-15	T	30.08
10	0853	7	OVC:08 24	10.00		34	1.1	32	0.0	29	-1.7	82	15	170	22	29.08			30.08	FM-15	T	30.05
10	0953	7	BKN:07 18 OVC:08 23	3.00	BR:1 ||	34	1.1	33	0.5	31	-0.6	89	14	160		29.05	8	+0.07	30.05	FM-15	0.00	30.02
10	1053	7	OVC:08 22	7.00		35	1.7	34	1.2	33	0.6	93	16	170	23	29.04			30.03	FM-15	0.00	30.01
10	1153	7	FEW:02 22 OVC:08 28	9.00		37	2.8	36	2.1	34	1.1	89	18	160	22	28.98			29.97	FM-15	0.00	29.95
10	1214	7	OVC:08 30	7.00		37	2.8	36	2.1	34	1.1	89	16	170	24	28.95				FM-16		29.92
10	1253	7	BKN:07 31 OVC:08 43	10.00		39	3.9	37	2.7	34	1.1	82	21	170	29	28.90	8	+0.16	29.88	FM-15	0.00	29.86
10	1353	7	OVC:08 33	10.00		43	6.1	40	4.4	36	2.2	76	17	180	28	28.86			29.84	FM-15	0.00	29.82
10	1451	7	OVC:08 29	10.00	-RA:02 |RA |	46	8.0	42	5.5	37	3.0	71	21	190	36	28.86				FM-16	T	29.82
10	1453	7	OVC:08 29	10.00		46	7.8	42	5.7	38	3.3	73	22	190	29	28.86			29.83	FM-15	T	29.82
10	1523	7	OVC:08 31	10.00	-RA:02 |RA |	46	7.8	43	6.0	39	3.9	77	22	190	34	28.84				FM-16	T	29.81
10	1553	7	OVC:08 33	10.00	-RA:02 |RA |	46	7.8	43	6.2	40	4.4	79	18	190	30	28.84	6	+0.01	29.83	FM-15	0.01	29.81
10	1653	7	BKN:07 34 BKN:07 41 OVC:08 80	10.00		46	7.8	43	6.2	40	4.4	79	21	170	28	28.80			29.78	FM-15	0.02	29.76
10	1753	7	OVC:08 35	10.00		47	8.3	44	6.5	40	4.4	77	20	180	31	28.79			29.77	FM-15	0.00	29.75
10	1853	7	OVC:08 34	10.00		49	9.4	45	7.3	41	5.0	74	28	190	39	28.77	6	+0.08	29.74	FM-15	T	29.73
10	1951	6	OVC:08 28	10.00	-RA:02 |RA |	48	9.0	46	7.5	43	6.0	82	17	200	29	28.77				FM-16		29.73
10	1953	7	OVC:08 28	10.00	-RA:02 |RA |	49	9.4	46	7.8	43	6.1	80	26	190	32	28.77			29.75	FM-15	T	29.73
10	2053	7	BKN:07 25 BKN:07 30 OVC:08 46	10.00	-RA:02 |RA |	49	9.4	47	8.1	44	6.7	83	25	200	43	28.76			29.73	FM-15	T	29.72
10	2151	6	FEW:02 18 BKN:07 42 OVC:08 55	5.00	-RA:02 BR:1 |RA |	46	8.0	46	7.5	45	7.0	93	24	210	39	28.80				FM-16		29.76
10	2153	7	FEW:02 16 BKN:07 42 OVC:08 50	6.00	-RA:02 BR:1 |RA |	47	8.3	46	7.8	45	7.2	93	21	210	34	28.81	3	-0.04	29.78	FM-15	0.04s	29.77

10	2221	7	FEW:02 13 BKN:07 23 BKN:07 38	10.00		48	8.9	47	8.3	46	7.8	93	18	230	32	28.84				FM-16	0.05	29.81
10	2230	7	FEW:02 12 FEW:02 23 BKN:07 40	10.00		49	9.4	47	8.6	46	7.8	90	20	230	30	28.84				FM-16	0.05	29.81
10	2253	7	FEW:02 28 SCT:04 36 SCT:04 45	10.00	-RA:02 |RA |	50	10.0	48	8.6	45	7.2	83	24	240	32	28.90			29.87	FM-15	0.05	29.86
10	2353	7	CLR:00	10.00		43	6.1	40	4.6	37	2.8	80	16	260	25	28.96			29.94	FM-15	T	29.93
11	0053	7	CLR:00	10.00		39	3.9	36	2.5	33	0.6	79	14	260		29.05	3	-0.25	30.04	FM-15	0.00	30.02
11	0153	7	CLR:00	10.00		37	2.8	35	1.6	32	0.0	82	10	250		29.09			30.08	FM-15	0.00	30.06
11	0253	7	CLR:00	10.00		36	2.2	34	1.3	32	0.0	86	9	260		29.13			30.11	FM-15	0.00	30.10
11	0353	7	CLR:00	9.00		33	0.6	32	0.1	31	-0.6	92	8	180		29.15	1	-0.09	30.13	FM-15	0.00	30.12
11	0453	7	CLR:00	8.00		32	0.0	31	-0.4	30	-1.1	92	7	170		29.17			30.16	FM-15	0.00	30.14
11	0553	7	CLR:00	7.00		31	-0.6	31	-0.8	30	-1.1	96	6	160		29.19			30.17	FM-15	0.00	30.16
11	0653	7	CLR:00	7.00		32	0.0	31	-0.4	30	-1.1	92	3	170		29.18	0	-0.04	30.17	FM-15	0.00	30.15
11	0753	7	CLR:00	5.00	BR:1 ||	30	-1.1	30	-1.1	30	-1.1	100	5	140		29.18			30.17	FM-15	0.00	30.15
11	0853	7	CLR:00	6.00	BR:1 ||	33	0.6	33	0.3	32	0.0	96	6	120		29.18			30.16	FM-15	0.00	30.15
11	0953	7	CLR:00	9.00		37	2.8	36	2.1	34	1.1	89	5	140		29.16	8	+0.02	30.15	FM-15	0.00	30.13
11	1053	7	CLR:00	10.00		43	6.1	41	4.9	38	3.3	82	7	150		29.15			30.13	FM-15	0.00	30.12
11	1153	7	CLR:00	10.00		47	8.3	45	7.0	42	5.6	83	14	170		29.10			30.09	FM-15	0.00	30.07
11	1253	7	CLR:00	10.00		52	11.1	49	9.4	46	7.8	80	16	160	25	29.05	8	+0.12	30.02	FM-15	0.00	30.02
11	1353	7	FEW:02 25 SCT:04 120	10.00		53	11.7	50	10.2	48	8.9	83	11	160		29.01			29.99	FM-15	0.00	29.98
11	1413	7	FEW:02 18 BKN:07 24 BKN:07 31	10.00		53	11.7	50	10.2	48	8.9	83	13	160		29.00				FM-16		29.97
11	1453	7	BKN:07 24 BKN:07 110	10.00		53	11.7	50	10.2	48	8.9	83	14	160	24	28.97			29.95	FM-15	0.00	29.94
11	1549	7	BKN:07 13 BKN:07 50 OVC:08 70	10.00	-RA:02 |RA |	52	11.0	50	10.0	48	9.0	88	14	180		28.97				FM-16	T	29.94
11	1553	7	BKN:07 13 BKN:07 50 OVC:08 65	9.00	-RA:02 |RA |	51	10.6	50	10.0	49	9.4	92	11	180	22	28.97	6	+0.04	29.95	FM-15	0.01s	29.94
11	1653	7	OVC:08 8	5.00	-RA:02 BR:1 |RA |	51	10.6	50	10.3	50	10.0	96	10	170		28.96			29.94	FM-15	0.09	29.93
11	1753	7	BKN:07 5 BKN:07 13 OVC:08 26	10.00		50	10.0	50	10.0	50	10.0	100	10	160		28.94			29.92	FM-15	0.02	29.91
11	1853	7	OVC:08 5	6.00	BR:1 ||	51	10.6	51	10.6	51	10.6	100	13	160		28.92	8	+0.05	29.90	FM-15	T	29.89
11	1953	7	OVC:08 4	9.00		52	11.1	52	11.1	52	11.1	100	14	180		28.90			29.88	FM-15	T	29.87
11	2051	6	SCT:04 6 BKN:07 70 OVC:08 80	10.00		54	12.0	54	12.2	54	12.0	100	14	180		28.90				FM-16		29.87
11	2053	7	SCT:04 6 SCT:04 65 OVC:08 80	10.00		54	12.2	54	12.2	54	12.2	100	13	180		28.90			29.88	FM-15	0.00	29.87
11	2153	7	FEW:02 65 OVC:08 90	10.00		57	13.9	56	13.3	55	12.8	93	16	180	25	28.89	6	+0.04	29.86	FM-15	0.00	29.85
11	2253	7	FEW:02 31 OVC:08 95	10.00		57	13.9	55	13.0	54	12.2	90	20	180	33	28.87			29.83	FM-15	0.00	29.83
11	2353	7	FEW:02 23 BKN:07 33 OVC:08 90	10.00		59	15.0	56	13.4	54	12.2	83	18	190	30	28.86			29.82	FM-15	0.00	29.82
12	0025	7	BKN:07 26 OVC:08 33	10.00		60	15.6	57	13.7	54	12.2	80	21	200	36	28.86				FM-16	T	29.82
12	0051	6	FEW:02 25 BKN:07 31 OVC:08 40	10.00	-RA:02 |RA |	61	16.0	57	13.9	54	12.0	77	21	210	39	28.86				FM-16		29.82
12	0053	7	FEW:02 25 OVC:08 31	10.00	-RA:02 |RA |	60	15.6	57	13.7	54	12.2	80	23	210	44	28.86	5	+0.03	29.82	FM-15	T	29.82

12	0153	7	SCT:04 22 BKN:07 33 OVC:08 90	10.00	-RA:02 |RA |	60	15.6	57	14.0	55	12.8	84	21	210	44	28.87			29.83	FM-15	T	29.83
12	0253	7	BKN:07 50 OVC:08 70	10.00		60	15.6	57	14.0	55	12.8	84	22	210	29	28.90			29.85	FM-15	T	29.86
12	0353	7	BKN:07 45	10.00		60	15.6	57	14.0	55	12.8	84	16	200	31	28.89	0	-0.03	29.85	FM-15	0.00	29.85
12	0453	7	FEW:02 32 SCT:04 80 BKN:07 100	10.00		60	15.6	58	14.3	56	13.3	86	18	210	31	28.90			29.86	FM-15	T	29.86
12	0553	7	FEW:02 29 BKN:07 39 OVC:08 48	10.00		60	15.6	58	14.3	56	13.3	86	18	200	31	28.90			29.85	FM-15	0.00	29.86
12	0610	7	BKN:07 29 BKN:07 34 OVC:08 43	10.00		60	15.6	58	14.3	56	13.3	86	18	210	28	28.90				FM-16		29.86
12	0617	7	OVC:08 31	10.00		60	15.6	58	14.3	56	13.3	86	20	200	26	28.90				FM-16		29.86
12	0651	6	OVC:08 29	10.00		61	16.0	58	14.2	55	13.0	83	16	200		28.90				FM-16		29.86
12	0653	7	OVC:08 29	10.00		61	16.1	58	14.5	56	13.3	84	14	200		28.90	3	-0.01	29.86	FM-15	0.00	29.86
12	0753	7	OVC:08 29	10.00	-RA:02 |RA |	60	15.6	58	14.6	57	13.9	90	17	200		28.90			29.87	FM-15	0.02	29.87
12	0800	7	SCT:04 32 BKN:07 65 OVC:08 90	10.00		60	15.6	58	14.6	57	13.9	90	17	200	25	28.91				FM-16	T	29.88
12	0853	7	BKN:07 31 BKN:07 75 OVC:08 90	10.00		61	16.1	59	14.8	57	13.9	87	20	200	28	28.90			29.86	FM-15	T	29.87
12	0925	7	FEW:02 29 BKN:07 55 OVC:08 70	2.50	-RA:02 BR:1 |RA |	61	16.1	59	15.1	58	14.4	90	18	210	32	28.92				FM-16	0.02	29.89
12	0933	7	SCT:04 28 BKN:07 36 OVC:08 70	8.00	-RA:02 |RA |	61	16.1	59	15.1	58	14.4	90	17	200	26	28.92				FM-16	0.03	29.89
12	0953	7	SCT:04 28 SCT:04 35 BKN:07 110	10.00		62	16.7	60	15.4	58	14.4	86	17	210	30	28.92	3	-0.02	29.88	FM-15	0.03	29.89
12	1053	7	BKN:07 30 OVC:08 35	10.00		64	17.8	61	16.1	59	15.0	84	26	210	32	28.92			29.88	FM-15	T	29.89
12	1153	7	SCT:04 26 BKN:07 33 OVC:08 43	10.00		66	18.9	61	16.2	58	14.4	75	23	220	34	28.92			29.88	FM-15	T	29.89
12	1226	7	BKN:07 29 OVC:08 34	7.00	-RA:02 |RA |	63	17.2	61	15.9	59	15.0	87	23	210	29	28.91				FM-16	0.01	29.88
12	1240	7	BKN:07 24 OVC:08 29	6.00	-RA:02 |RA |	64	17.8	61	16.1	59	15.0	84	22	210	37	28.91				FM-16	0.01	29.88
12	1253	7	BKN:07 24 OVC:08 29	6.00	-RA:02 BR:1 |RA |	63	17.2	61	15.9	59	15.0	87	23	220	33	28.92	0	-0.00	29.88	FM-15	0.01	29.89
12	1304	7	BKN:07 24 OVC:08 29	6.00	-RA:02 BR:1 |RA |	62	16.7	61	16.0	60	15.6	93	16	220	29	28.92				FM-16	0.01	29.89
12	1351	6	SCT:04 17 BKN:07 30 OVC:08 40	10.00		64	18.0	62	16.8	61	16.0	88	22	230	34	28.92				FM-16		29.89
12	1353	7	SCT:04 17 BKN:07 30 OVC:08 40	6.00	-RA:02 BR:1 |RA |	63	17.2	61	16.2	60	15.6	90	16	220	34	28.92			29.88	FM-15	0.02	29.89
12	1411	7	SCT:04 17 BKN:07 22 OVC:08 34	1.75	VCTS:7 +RA:02 BR:1 |RA |	63	17.2	61	16.2	60	15.6	90	21	VRB	36	28.95				FM-16	0.08	29.92
12	1416	7	BKN:07 17 OVC:08 20	2.00	VCTS:7 +RA:02 BR:1 |RA |	55	12.8	54	12.5	54	12.2	96	24	320	36	28.99				FM-16	0.24	29.96
12	1451	6	FEW:02 11 OVC:08 22	10.00	VCTS:7 -RA:02 |RA |	50	10.0	49	9.4	48	9.0	94	18	310		29.02				FM-16		29.99
12	1453	7	FEW:02 11 OVC:08 22	10.00	VCTS:7 ||	50	10.0	49	9.7	49	9.4	96	16	310		29.02			29.99	FM-15	0.38	29.99
12	1501	7	OVC:08 24	10.00		50	10.0	49	9.4	48	8.9	93	15	320		29.03				FM-16		30.00

12	1551	7	FEW:02 13 BKN:07 31 OVC:08 35	10.00		48	9.0	47	8.3	46	8.0	94	13	320		29.07				FM-16		30.04
12	1553	7	FEW:02 13 BKN:07 31 OVC:08 35	10.00		49	9.4	48	8.9	47	8.3	93	10	320		29.07	1	-0.14	30.04	FM-15	0.00	30.04
12	1653	7	FEW:02 16 BKN:07 50 OVC:08 65	10.00		49	9.4	48	8.6	46	7.8	90	13	300		29.11			30.08	FM-15	0.00	30.08
12	1721	7	BKN:07 16 OVC:08 55	10.00		47	8.3	45	7.3	43	6.1	86	14	310		29.14				FM-16		30.11
12	1753	7	BKN:07 17 OVC:08 23	10.00		45	7.2	43	6.2	41	5.0	86	9	320		29.16			30.14	FM-15	0.00	30.13
12	1853	7	OVC:08 16	10.00		43	6.1	41	5.1	39	3.9	86	15	330		29.22	3	-0.14	30.19	FM-15	0.00	30.19
12	1949	7	OVC:08 14	10.00		39	4.0	38	3.2	36	2.0	87	16	330	23	29.26				FM-16		30.24
12	1953	7	OVC:08 14	10.00		39	3.9	37	2.9	35	1.7	86	11	320	23	29.26			30.24	FM-15	0.00	30.23
12	2053	7	OVC:08 13	10.00		37	2.8	35	1.9	33	0.6	86	16	310	25	29.32			30.30	FM-15	0.00	30.30
12	2153	7	OVC:08 14	10.00		36	2.2	34	1.3	32	0.0	86	11	310		29.36	3	-0.10	30.35	FM-15	0.00	30.34
12	2253	7	OVC:08 14	10.00		35	1.7	34	1.0	32	0.0	89	9	320		29.38			30.37	FM-15	0.00	30.36
12	2351	6	OVC:08 15	10.00		36	2.0	34	0.9	30	-1.0	81	10	320		29.42				FM-16		30.40
12	2353	7	OVC:08 15	10.00		35	1.7	33	0.6	30	-1.1	82	10	320		29.42			30.40	FM-15	0.00	30.40
13	0053	7	OVC:08 15	10.00		34	1.1	32	0.0	29	-1.7	82	8	330		29.42	1	-0.06	30.41	FM-15	0.00	30.40
13	0153	7	OVC:08 21	10.00		33	0.6	31	-0.5	28	-2.2	82	11	330		29.46			30.45	FM-15	0.00	30.44
13	0253	7	OVC:08 21	10.00		33	0.6	31	-0.5	28	-2.2	82	8	340		29.49			30.49	FM-15	0.00	30.47
13	0346	7	SCT:04 24	10.00		31	-0.6	29	-1.6	26	-3.3	82	7	350		29.52				FM-16		30.50
13	0353	7	FEW:02 25	10.00		30	-1.1	29	-1.9	26	-3.3	85	5	350		29.52	1	-0.09	30.52	FM-15	0.00	30.50
13	0453	7	CLR:00	10.00		29	-1.7	27	-2.6	24	-4.4	82	5	330		29.54			30.54	FM-15	0.00	30.52
13	0527	7	BKN:07 22	10.00		30	-1.1	28	-2.1	25	-3.9	82	7	320		29.56				FM-16		30.54
13	0553	7	OVC:08 22	10.00		30	-1.1	29	-1.9	26	-3.3	85	6	330		29.57			30.57	FM-15	0.00	30.55
13	0639	7	SCT:04 23	10.00		29	-1.7	28	-2.5	25	-3.9	85	10	340		29.59				FM-16		30.57
13	0653	7	CLR:00	10.00		28	-2.2	27	-2.8	25	-3.9	88	10	340		29.59	1	-0.07	30.59	FM-15	0.00	30.57
13	0753	7	CLR:00	10.00		27	-2.8	25	-3.7	22	-5.6	81	7	340		29.62			30.63	FM-15	0.00	30.60
13	0853	7	CLR:00	10.00		29	-1.7	27	-2.6	24	-4.4	82	8	360		29.65			30.66	FM-15	0.00	30.63
13	0917	7	FEW:02 15	10.00		29	-1.7	27	-2.6	24	-4.4	82	9	030		29.65				FM-16		30.64
13	0953	7	FEW:02 15	10.00		30	-1.1	28	-2.3	24	-4.4	79	10	030		29.66	1	-0.08	30.68	FM-15	0.00	30.65
13	1053	7	FEW:02 16	10.00		31	-0.6	29	-1.9	24	-4.4	76	11	010		29.68			30.69	FM-15	0.00	30.67
13	1153	7	FEW:02 18	10.00		33	0.6	30	-1.1	25	-3.9	72	9	010		29.66			30.68	FM-15	0.00	30.65
13	1253	7	CLR:00	10.00		34	1.1	31	-0.7	25	-3.9	70	9	010		29.65	8	+0.01	30.67	FM-15	0.00	30.64
13	1353	7	CLR:00	10.00		34	1.1	30	-0.9	24	-4.4	67	7	340		29.67			30.68	FM-15	0.00	30.66
13	1453	7	CLR:00	10.00		34	1.1	31	-0.7	25	-3.9	70	7	010		29.65			30.66	FM-15	0.00	30.63
13	1553	7	CLR:00	10.00		33	0.6	30	-1.1	25	-3.9	72	10	360		29.66	3	-0.01	30.68	FM-15	0.00	30.65
13	1653	7	CLR:00	10.00		32	0.0	29	-1.6	24	-4.4	73	7	020		29.66			30.68	FM-15	0.00	30.65
13	1753	7	CLR:00	10.00		31	-0.6	29	-1.9	24	-4.4	76	7	010		29.67			30.69	FM-15	0.00	30.66
13	1853	7	CLR:00	10.00		31	-0.6	28	-2.3	22	-5.6	69	11	050		29.67	3	-0.01	30.70	FM-15	0.00	30.66
13	1953	7	CLR:00	10.00		30	-1.1	27	-2.6	22	-5.6	72	6	070		29.68			30.71	FM-15	0.00	30.67
13	2053	7	CLR:00	10.00		29	-1.7	26	-3.2	21	-6.1	72	7	070		29.66			30.68	FM-15	0.00	30.65
13	2153	7	CLR:00	10.00		29	-1.7	27	-3.0	22	-5.6	75	8	050		29.65	8	+0.03	30.67	FM-15	0.00	30.64
13	2253	7	CLR:00	10.00		29	-1.7	26	-3.2	21	-6.1	72	7	060		29.64			30.66	FM-15	0.00	30.62
13	2353	7	OVC:08 70	10.00		29	-1.7	26	-3.2	21	-6.1	72	8	070		29.61			30.62	FM-15	0.00	30.59
14	0053	7	OVC:08 75	10.00		29	-1.7	26	-3.2	21	-6.1	72	8	070		29.59	8	+0.07	30.60	FM-15	0.00	30.57
14	0153	7	OVC:08 65	10.00		30	-1.1	27	-2.8	21	-6.1	69	7	070		29.56			30.57	FM-15	0.00	30.54
14	0253	7	OVC:08 60	9.00	UP:09 ||	29	-1.7	27	-3.0	22	-5.6	75	5	040		29.58			30.59	FM-15	T	30.56
14	0353	7	OVC:08 55	10.00	UP:09 ||	29	-1.7	27	-2.6	24	-4.4	82	5	020		29.56	6	+0.02	30.57	FM-15	T	30.54
14	0453	7	OVC:08 42	10.00		29	-1.7	27	-2.6	24	-4.4	82	6	020		29.54			30.55	FM-15	T	30.52
14	0553	7	OVC:08 29	10.00		29	-1.7	27	-2.6	24	-4.4	82	6	050		29.51			30.53	FM-15	T	30.49
14	0623	7	SCT:04 25 OVC:08 36	10.00		29	-1.7	27	-2.6	24	-4.4	82	5	070		29.50				FM-16		30.48
14	0653	7	OVC:08 37	10.00		29	-1.7	27	-2.6	24	-4.4	82	5	100		29.49	8	+0.07	30.50	FM-15	0.00	30.47

14	0731	7	BKN:07 21 OVC:08 35	10.00		30	-1.1	28	-2.3	24	-4.4	79	3	080		29.48				FM-16		30.46
14	0753	7	BKN:07 20 OVC:08 29	10.00		30	-1.1	28	-2.3	24	-4.4	79	0	000		29.48			30.49	FM-15	0.00	30.46
14	0853	7	OVC:08 20	10.00		30	-1.1	28	-2.1	25	-3.9	82	0	000		29.48			30.49	FM-15	0.00	30.46
14	0951	6	OVC:08 14	10.00		30	-1.0	28	-2.1	25	-4.0	80	0	000		29.47				FM-16		30.45
14	0953	7	OVC:08 14	10.00		31	-0.6	29	-1.8	25	-3.9	79	0	000		29.47	6	+0.01	30.49	FM-15	0.00	30.45
14	1053	7	OVC:08 13	10.00		32	0.0	30	-1.2	26	-3.3	79	5	050		29.46			30.47	FM-15	0.00	30.44
14	1153	7	OVC:08 12	10.00		32	0.0	30	-1.0	27	-2.8	82	0	000		29.45			30.46	FM-15	0.00	30.43
14	1253	7	OVC:08 12	9.00		32	0.0	30	-1.0	27	-2.8	82	3	360		29.41	8	+0.06	30.42	FM-15	0.00	30.39
14	1353	7	OVC:08 11	6.00	UP:09 BR:1 ||	32	0.0	30	-0.8	28	-2.2	85	0	000		29.38			30.39	FM-15	T	30.36
14	1403	7	OVC:08 9	8.00		32	0.0	30	-0.8	28	-2.2	85	3	030		29.37				FM-16	T	30.35
14	1411	7	BKN:07 12 OVC:08 45	8.00		32	0.0	30	-0.8	28	-2.2	85	5	090		29.36				FM-16	T	30.34
14	1446	7	SCT:04 12 OVC:08 17	2.00	BR:1 ||	32	0.0	31	-0.6	29	-1.7	88	0	000		29.37				FM-16	0.02	30.35
14	1453	7	SCT:04 12 OVC:08 19	2.00	BR:1 ||	32	0.0	31	-0.6	29	-1.7	88	0	000		29.37			30.38	FM-15	0.04	30.35
14	1517	7	FEW:02 8 BKN:07 24 OVC:08 46	4.00	BR:1 ||	32	0.0	31	-0.4	30	-1.1	92	0	000		29.37				FM-16	0.01	30.35
14	1549	7	BKN:07 8 OVC:08 36	2.50	BR:1 ||	32	0.0	31	-0.4	30	-1.0	93	0	000		29.37				FM-16	0.01	30.35
14	1553	7	BKN:07 8 BKN:07 13 OVC:08 38	2.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	0	000		29.37	5	+0.04	30.38	FM-15	0.00	30.35
14	1653	7	OVC:08 6	2.50	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	5	300		29.38			30.39	FM-15	0.00	30.36
14	1700	7	OVC:08 6	3.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	3	310		29.38				FM-16		30.36
14	1753	7	OVC:08 6	6.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	6	290		29.39			30.40	FM-15	0.00	30.37
14	1853	7	OVC:08 6	5.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	0	000		29.39	0	-0.01	30.40	FM-15	0.00	30.37
14	1951	6	OVC:08 6	2.50	BR:1 ||	32	0.0	31	-0.4	30	-1.0	93	5	330		29.40				FM-16		30.38
14	1953	7	OVC:08 6	2.50	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	5	340		29.40			30.40	FM-15	0.00	30.38
14	2053	7	OVC:08 4	2.50	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	5	350		29.40			30.41	FM-15	0.00	30.38
14	2115	7	OVC:08 4	3.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	7	330		29.41				FM-16		30.39
14	2125	7	OVC:08 6	3.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	7	340		29.41				FM-16		30.39
14	2153	7	OVC:08 7	3.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	7	330		29.41	2	-0.03	30.42	FM-15	0.00	30.39
14	2232	7	OVC:08 4	2.50	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	6	340		29.42				FM-16		30.40
14	2244	7	OVC:08 4	3.00	BR:1 ||	31	-0.6	31	-0.6	31	-0.6	100	7	340		29.42				FM-16		30.40
14	2251	6	OVC:08 6	3.00	BR:1 ||	30	-1.0	30	-1.1	30	-1.0	100	7	330		29.42				FM-16		30.40
14	2253	7	OVC:08 6	3.00	BR:1 ||	31	-0.6	31	-0.6	31	-0.6	100	6	320		29.42			30.43	FM-15	0.00	30.40
14	2353	7	BKN:07 6 OVC:08 13	3.00	BR:1 ||	31	-0.6	31	-0.8	30	-1.1	96	5	330		29.42			30.42	FM-15	0.00	30.40
15	0022	7	BKN:07 7 OVC:08 12	2.50	BR:1 ||	31	-0.6	31	-0.8	30	-1.1	96	8	340		29.42				FM-16		30.40
15	0038	7	OVC:08 6	3.00	BR:1 ||	31	-0.6	31	-0.8	30	-1.1	96	7	340		29.42				FM-16		30.40
15	0053	7	BKN:07 6 OVC:08 14	3.00	BR:1 ||	30	-1.1	30	-1.3	29	-1.7	96	6	340		29.42	5	+0.01	30.42	FM-15	0.00	30.40
15	0153	7	OVC:08 6	4.00	BR:1 ||	30	-1.1	30	-1.3	29	-1.7	96	3	340		29.41			30.42	FM-15	0.00	30.39
15	0253	7	OVC:08 7	5.00	BR:1 ||	30	-1.1	29	-1.5	28	-2.2	92	8	340		29.43			30.44	FM-15	0.00	30.41
15	0353	7	OVC:08 10	6.00	BR:1 ||	29	-1.7	28	-2.1	27	-2.8	92	8	340		29.43	3	-0.01	30.44	FM-15	0.00	30.41
15	0414	7	OVC:08 9	6.00	BR:1 ||	29	-1.7	28	-2.1	27	-2.8	92	6	360		29.43				FM-16		30.41
15	0453	7	OVC:08 9	5.00	BR:1 ||	29	-1.7	28	-2.3	26	-3.3	89	6	360		29.43			30.43	FM-15	0.00	30.41
15	0553	7	OVC:08 10	6.00	BR:1 ||	28	-2.2	27	-2.6	26	-3.3	92	6	050		29.43			30.44	FM-15	0.00	30.41
15	0653	7	OVC:08 10	6.00	BR:1 ||	28	-2.2	27	-2.6	26	-3.3	92	0	000		29.44	3	-0.01	30.45	FM-15	0.00	30.42
15	0750	7	SCT:04 9	5.00	BR:1 ||	28	-2.0	28	-2.4	27	-3.0	93	0	000		29.44				FM-16		30.42
15	0753	7	FEW:02 9	5.00	BR:1 ||	28	-2.2	27	-2.6	26	-3.3	92	0	000		29.44			30.45	FM-15	0.00	30.42
15	0817	7	FEW:02 9 BKN:07 20	3.00	BR:1 ||	28	-2.2	28	-2.4	27	-2.8	96	3	360		29.44				FM-16		30.42
15	0851	6	BKN:07 90	3.00	BR:1 ||	28	-2.0	28	-2.4	27	-3.0	93	5	020		29.45				FM-16		30.43
15	0853	7	BKN:07 90	3.00	BR:1 ||	29	-1.7	28	-2.1	27	-2.8	92	3	020		29.45			30.45	FM-15	0.00	30.43

15	0953	7	FEW:02 120	4.00	BR:1 ||	29	-1.7	28	-2.1	27	-2.8	92	3	080		29.44	0	-0.01	30.45	FM-15	0.00	30.42
15	1053	7	BKN:07 120	6.00	BR:1 ||	31	-0.6	30	-1.4	27	-2.8	85	5	070		29.44			30.45	FM-15	0.00	30.42
15	1153	7	BKN:07 110	6.00	BR:1 ||	31	-0.6	30	-1.4	27	-2.8	85	0	000		29.43			30.44	FM-15	0.00	30.41
15	1253	7	FEW:02 13 BKN:07 110	6.00	HZ:7 |FU |HZ	33	0.6	31	-0.5	28	-2.2	82	0	000		29.40	8	+0.04	30.41	FM-15	0.00	30.38
15	1353	7	CLR:00	7.00		34	1.1	32	-0.2	28	-2.2	79	0	000		29.38			30.39	FM-15	0.00	30.36
15	1453	7	OVC:08 110	7.00		35	1.7	33	0.4	29	-1.7	78	5	080		29.37			30.37	FM-15	0.00	30.35
15	1553	7	BKN:07 100	8.00		35	1.7	32	0.2	28	-2.2	76	3	020		29.38	5	+0.02	30.39	FM-15	0.00	30.36
15	1653	7	BKN:07 110	6.00	HZ:7 |FU |HZ	35	1.7	33	0.4	29	-1.7	78	3	060		29.37			30.38	FM-15	0.00	30.35
15	1750	7	BKN:07 16 OVC:08 110	7.00		34	1.0	32	-0.2	28	-2.0	81	3	070		29.37				FM-16		30.35
15	1753	7	BKN:07 16 OVC:08 110	7.00		33	0.6	31	-0.3	29	-1.7	85	5	070		29.37			30.37	FM-15	0.00	30.35
15	1817	7	FEW:02 15 BKN:07 100	7.00		33	0.6	31	-0.3	29	-1.7	85	0	000		29.37				FM-16		30.35
15	1853	7	SCT:04 15 SCT:04 110	7.00		32	0.0	31	-0.6	29	-1.7	88	5	060		29.37	5	+0.00	30.38	FM-15	0.00	30.35
15	1953	7	SCT:04 15	5.00	BR:1 ||	32	0.0	31	-0.4	30	-1.1	92	3	090		29.38			30.39	FM-15	0.00	30.36
15	2053	7	CLR:00	5.00	BR:1 ||	31	-0.6	30	-1.0	29	-1.7	92	5	120		29.36			30.37	FM-15	0.00	30.34
15	2153	7	CLR:00	5.00	BR:1 ||	30	-1.1	30	-1.3	29	-1.7	96	3	060		29.37	1	-0.00	30.38	FM-15	0.00	30.35
15	2253	7	CLR:00	4.00	BR:1 ||	30	-1.1	30	-1.1	30	-1.1	100	0	000		29.37			30.37	FM-15	0.00	30.35
15	2353	7	FEW:02 120	4.00	BR:1 ||	29	-1.7	29	-1.9	28	-2.2	96	3	070		29.36			30.37	FM-15	0.00	30.34
16	0053	7	OVC:08 110	4.00	BR:1 ||	30	-1.1	30	-1.3	29	-1.7	96	0	000		29.35	8	+0.02	30.36	FM-15	0.00	30.33
16	0153	7	FEW:02 17	4.00	BR:1 ||	31	-0.6	31	-0.8	30	-1.1	96	5	050		29.34			30.35	FM-15	0.00	30.32
16	0253	7	CLR:00	4.00	BR:1 ||	30	-1.1	30	-1.3	29	-1.7	96	3	090		29.34			30.35	FM-15	0.00	30.32
16	0353	7	OVC:08 100	4.00	BR:1 ||	32	0.0	31	-0.4	30	-1.1	92	0	000		29.35	3	-0.00	30.36	FM-15	0.00	30.33
16	0453	7	OVC:08 90	4.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	3	110		29.33			30.33	FM-15	0.00	30.31
16	0553	7	FEW:02 41 OVC:08 90	4.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	3	060		29.32			30.32	FM-15	0.00	30.30
16	0653	7	FEW:02 40 SCT:04 47 OVC:08 65	5.00	BR:1 ||	33	0.6	32	0.1	31	-0.6	92	0	000		29.33	5	+0.02	30.33	FM-15	0.00	30.31
16	0753	7	SCT:04 35 BKN:07 45 OVC:08 85	5.00	BR:1 ||	34	1.1	33	0.7	32	0.0	92	5	070		29.32			30.33	FM-15	0.00	30.30
16	0853	7	SCT:04 29 OVC:08 40	4.00	BR:1 ||	35	1.7	34	1.2	33	0.6	93	5	070		29.33			30.33	FM-15	0.00	30.31
16	0953	7	SCT:04 28 OVC:08 36	4.00	BR:1 ||	37	2.8	36	2.1	34	1.1	89	6	130		29.33	5	+0.00	30.33	FM-15	0.00	30.31
16	1053	7	SCT:04 31 OVC:08 49	5.00	BR:1 ||	39	3.9	37	2.9	35	1.7	86	8	130		29.32			30.32	FM-15	0.00	30.30
16	1124	7	BKN:07 20 OVC:08 60	7.00		40	4.4	38	3.5	36	2.2	86	7	140		29.31				FM-16	T	30.29
16	1151	6	FEW:02 19 SCT:04 24 OVC:08 33	7.00		43	6.0	40	4.6	37	3.0	81	8	140		29.30				FM-16		30.28
16	1153	7	FEW:02 19 BKN:07 33 OVC:08 80	7.00		43	6.1	41	4.9	38	3.3	82	8	140		29.29			30.29	FM-15	T	30.27
16	1253	7	SCT:04 19 BKN:07 31 OVC:08 95	8.00		44	6.7	42	5.4	39	3.9	83	7	150		29.26	8	+0.06	30.27	FM-15	0.00	30.24
16	1353	7	BKN:07 31 OVC:08 44	7.00		44	6.7	42	5.6	40	4.4	85	5	150		29.25			30.24	FM-15	0.00	30.22
16	1453	7	BKN:07 37 BKN:07 100	8.00		45	7.2	43	6.2	41	5.0	86	7	150		29.23			30.22	FM-15	0.00	30.20
16	1541	7	BKN:07 11 BKN:07 30 OVC:08 65	6.00	-RA:02 BR:1 |RA |	45	7.2	44	6.7	43	6.1	93	5	150		29.22				FM-16	0.01	30.19
16	1549	7	SCT:04 12 BKN:07 30 OVC:08 80	6.00	BR:1 ||	45	7.0	44	6.7	43	6.0	93	6	140		29.22				FM-16	0.01	30.19

16	1551	6	BKN:07 12 BKN:07 32 OVC:08 80	6.00	BR:1 ||	45	7.0	44	6.7	43	6.0	93	5	130		29.22				FM-16		30.19
16	1553	7	BKN:07 12 BKN:07 32 OVC:08 80	6.00	BR:1 ||	45	7.2	44	6.7	43	6.1	93	5	130		29.22	6	+0.03	30.20	FM-15	0.01	30.19
16	1625	7	SCT:04 11 BKN:07 40 OVC:08 55	6.00	BR:1 ||	46	7.8	45	7.0	43	6.1	89	3	070		29.21				FM-16		30.18
16	1653	7	SCT:04 60 BKN:07 90	5.00	BR:1 ||	45	7.2	44	6.7	43	6.1	93	5	110		29.22			30.20	FM-15	0.00	30.19
16	1753	7	FEW:02 20 SCT:04 27 BKN:07 49	7.00		44	6.7	44	6.4	43	6.1	96	5	110		29.21			30.20	FM-15	0.00	30.18
16	1813	7	SCT:04 11 BKN:07 20	6.00	BR:1 ||	43	6.1	43	6.1	43	6.1	100	5	100		29.21				FM-16		30.18
16	1820	7	BKN:07 11 BKN:07 20	6.00	BR:1 ||	43	6.1	43	6.1	43	6.1	100	6	110		29.21				FM-16		30.18
16	1853	7	BKN:07 10	5.00	BR:1 ||	43	6.1	43	6.1	43	6.1	100	6	100		29.20	8	+0.01	30.19	FM-15	0.00	30.17
16	1912	7	OVC:08 9	6.00	BR:1 ||	44	6.7	44	6.7	44	6.7	100	5	110		29.20				FM-16		30.17
16	1936	7	SCT:04 10 OVC:08 85	6.00	BR:1 ||	44	6.7	44	6.4	43	6.1	96	6	110		29.19				FM-16		30.16
16	1953	7	OVC:08 85	7.00		44	6.7	44	6.7	44	6.7	100	6	120		29.19			30.18	FM-15	0.00	30.16
16	2053	7	FEW:02 43 BKN:07 70 OVC:08 85	6.00	-RA:02 BR:1 |RA |	45	7.2	45	7.0	44	6.7	97	6	130		29.19			30.17	FM-15	0.01	30.16
16	2153	7	FEW:02 55 OVC:08 75	3.00	-RA:02 BR:1 |RA |	45	7.2	45	7.0	44	6.7	97	9	130		29.15	8	+0.05	30.14	FM-15	0.02	30.12
16	2253	7	FEW:02 34 BKN:07 60 OVC:08 70	3.00	-RA:02 BR:1 |RA |	45	7.2	45	7.2	45	7.2	100	9	130		29.13			30.11	FM-15	0.01	30.10
16	2337	7	FEW:02 35 BKN:07 50 OVC:08 60	2.50	-RA:02 BR:1 |RA |	45	7.2	45	7.2	45	7.2	100	7	130		29.11				FM-16	T	30.08
16	2353	7	FEW:02 36 SCT:04 45 OVC:08 55	2.50	-RA:02 BR:1 |RA |	45	7.2	45	7.2	45	7.2	100	7	110		29.09			30.08	FM-15	0.01	30.06
17	0001	7	SCT:04 3 SCT:04 39 OVC:08 55	3.00	BR:1 ||	45	7.2	45	7.2	45	7.2	100	6	110		29.09				FM-16	T	30.06
17	0005	7	BKN:07 3 OVC:08 55	2.50	BR:1 ||	45	7.2	45	7.2	45	7.2	100	7	110		29.08				FM-16	T	30.05
17	0030	7	OVC:08 2	3.00	BR:1 ||	46	7.8	46	7.8	46	7.8	100	7	130		29.08				FM-16	T	30.05
17	0051	6	SCT:04 3 BKN:07 41 OVC:08 55	4.00	BR:1 ||	46	8.0	46	7.8	46	8.0	100	6	130		29.07				FM-16		30.04
17	0053	7	SCT:04 3 BKN:07 41 OVC:08 55	4.00	BR:1 ||	47	8.3	47	8.3	47	8.3	100	7	140		29.07	8	+0.08	30.05	FM-15	T	30.04
17	0151	7	BKN:07 43 BKN:07 55 OVC:08 70	2.50	-RA:02 BR:1 |RA |	46	8.0	46	7.8	46	8.0	100	6	150		29.05				FM-16	0.03	30.02
17	0153	7	BKN:07 43 BKN:07 55 OVC:08 70	3.00	-RA:02 BR:1 |RA |	47	8.3	47	8.3	47	8.3	100	6	150		29.05			30.03	FM-15	0.03	30.02
17	0241	7	SCT:04 36 BKN:07 43 OVC:08 60	2.50	-RA:02 BR:1 |RA |	48	8.9	48	8.9	48	8.9	100	8	130		29.03				FM-16	0.03	30.00
17	0249	7	FEW:02 2 BKN:07 39 OVC:08 60	3.00	-RA:02 BR:1 |RA |	48	9.0	48	8.9	48	9.0	100	7	120		29.02				FM-16	0.03	29.99
17	0251	6	FEW:02 2 BKN:07 28 OVC:08 60	3.00	-RA:02 BR:1 |RA |	48	9.0	48	8.9	48	9.0	100	7	130		29.03				FM-16		30.00

17	0253	7	SCT:04 2 BKN:07 28 OVC:08 39	3.00	-RA:02 BR:1 |RA |	48	8.9	48	8.9	48	8.9	100	8	130		29.02			30.00	FM-15	0.03	29.99
17	0351	6	FEW:02 3 BKN:07 85 OVC:08 110	4.00	BR:1 ||	48	9.0	48	8.9	48	9.0	100	8	140		28.99				FM-16		29.96
17	0353	7	FEW:02 3 BKN:07 85 OVC:08 110	5.00	BR:1 ||	49	9.4	49	9.4	49	9.4	100	9	140		28.99	8	+0.06	29.97	FM-15	0.00	29.96
17	0408	7	FEW:02 3 BKN:07 17 OVC:08 100	6.00	BR:1 ||	50	10.0	50	10.0	50	10.0	100	8	150		28.97				FM-16		29.94
17	0441	7	OVC:08 14	7.00		51	10.6	51	10.6	51	10.6	100	13	160		28.97				FM-16		29.94
17	0453	7	OVC:08 14	7.00		51	10.6	51	10.6	51	10.6	100	10	160		28.96			29.93	FM-15	0.00	29.93
17	0540	7	BKN:07 8 OVC:08 14	7.00		52	11.1	52	11.1	52	11.1	100	9	160		28.94				FM-16		29.91
17	0553	7	BKN:07 8 OVC:08 14	7.00		52	11.1	52	11.1	52	11.1	100	8	160		28.93			29.91	FM-15	0.00	29.90
17	0600	7	FEW:02 6 OVC:08 14	7.00		52	11.1	52	11.1	52	11.1	100	7	170		28.93				FM-16		29.90
17	0626	7	BKN:07 6 OVC:08 14	5.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	7	160		28.93				FM-16	0.01	29.90
17	0653	7	BKN:07 6 OVC:08 10	5.00	RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	9	150		28.91	6	+0.07	29.89	FM-15	0.03	29.88
17	0711	7	BKN:07 6 BKN:07 10 OVC:08 40	1.75	+RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	11	170		28.92				FM-16	0.08	29.89
17	0715	7	SCT:04 6 BKN:07 11 OVC:08 40	2.50	RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	10	160		28.92				FM-16	0.08	29.89
17	0741	7	BKN:07 5 OVC:08 10	2.50	BR:1 ||	53	11.7	53	11.7	53	11.7	100	11	180		28.92				FM-16	0.09	29.89
17	0753	7	BKN:07 5 BKN:07 10 OVC:08 14	2.50	BR:1 ||	54	12.2	54	12.2	54	12.2	100	15	170		28.90			29.88	FM-15	0.08	29.87
17	0758	7	SCT:04 5 BKN:07 10 OVC:08 19	8.00		54	12.2	54	12.2	54	12.2	100	17	180	26	28.91				FM-16		29.88
17	0853	7	SCT:04 5 BKN:07 10 OVC:08 22	10.00		56	13.3	55	13.0	55	12.8	97	13	170		28.90			29.87	FM-15	0.00	29.86
17	0953	7	BKN:07 12 BKN:07 18 OVC:08 24	10.00		58	14.4	57	13.8	56	13.3	93	11	190		28.90	5	+0.02	29.87	FM-15	0.00	29.87
17	1051	6	FEW:02 21 BKN:07 34 OVC:08 49	10.00		61	16.0	58	14.2	55	13.0	83	15	210		28.90				FM-16		29.87
17	1053	7	FEW:02 21 BKN:07 34 OVC:08 49	10.00		60	15.6	58	14.3	56	13.3	86	16	210		28.90			29.86	FM-15	0.00	29.87
17	1151	7	FEW:02 18 BKN:07 27 BKN:07 40	10.00		59	15.0	57	13.7	55	13.0	88	16	260	24	28.90				FM-16	T	29.86
17	1153	7	FEW:02 18 BKN:07 27 BKN:07 40	10.00		59	15.0	56	13.4	54	12.2	83	14	270	24	28.90			29.86	FM-15	T	29.86
17	1253	7	BKN:07 24 BKN:07 28 OVC:08 37	10.00		58	14.4	55	12.6	52	11.1	81	16	260	23	28.89	6	+0.01	29.85	FM-15	0.00	29.85
17	1334	7	FEW:02 22 BKN:07 33 OVC:08 55	10.00		59	15.0	55	12.9	52	11.1	78	15	260	23	28.89				FM-16		29.85
17	1353	7	FEW:02 22 BKN:07 43 OVC:08 50	10.00		58	14.4	54	12.3	51	10.6	78	16	260	26	28.89			29.85	FM-15	0.00	29.85

17	1453	7	SCT:04 26 BKN:07 35 BKN:07 44	10.00		58	14.4	54	12.0	50	10.0	75	18	240	28	28.89			29.85	FM-15	0.00	29.85
17	1553	7	BKN:07 40	10.00		58	14.4	53	11.8	49	9.4	72	13	240		28.90	3	-0.01	29.86	FM-15	0.00	29.86
17	1653	7	OVC:08 38	10.00		55	12.8	50	10.2	46	7.8	72	10	270		28.91			29.88	FM-15	0.00	29.88
17	1753	7	FEW:02 22 OVC:08 35	10.00		52	11.1	49	9.7	47	8.3	83	15	280		28.94			29.91	FM-15	0.00	29.91
17	1853	7	OVC:08 29	10.00		50	10.0	47	8.4	44	6.7	80	16	290		28.95	3	-0.06	29.93	FM-15	0.00	29.92
17	1953	7	BKN:07 20 OVC:08 25	10.00		48	8.9	45	7.3	42	5.6	80	15	270	20	28.98			29.95	FM-15	0.00	29.95
17	2053	7	BKN:07 16 OVC:08 22	10.00		47	8.3	45	7.3	43	6.1	86	10	250		28.99			29.97	FM-15	0.00	29.96
17	2153	7	OVC:08 15	10.00		46	7.8	45	7.0	43	6.1	89	8	260		29.00	1	-0.04	29.97	FM-15	0.00	29.97
17	2206	7	OVC:08 13	10.00		46	7.8	45	7.0	43	6.1	89	11	260		29.00				FM-16		29.97
17	2253	7	OVC:08 13	10.00		46	7.8	45	7.0	43	6.1	89	10	260		29.01			29.98	FM-15	0.00	29.98
17	2353	7	OVC:08 9	8.00		45	7.2	45	7.0	44	6.7	97	10	260		29.02			29.99	FM-15	T	29.99
18	0032	7	SCT:04 8 BKN:07 14 OVC:08 27	10.00		44	6.7	43	6.1	42	5.6	93	11	260		29.02				FM-16		29.99
18	0039	7	FEW:02 8 BKN:07 25 OVC:08 34	10.00		44	6.7	43	6.1	42	5.6	93	13	270		29.01				FM-16		29.98
18	0053	7	SCT:04 14 BKN:07 23 OVC:08 36	10.00		44	6.7	43	6.1	42	5.6	93	10	260		29.01	0	-0.01	29.98	FM-15	0.00	29.98
18	0104	7	FEW:02 12 BKN:07 36 OVC:08 43	10.00		44	6.7	43	6.1	42	5.6	93	10	250		29.01				FM-16		29.98
18	0132	7	BKN:07 19 OVC:08 40	10.00		43	6.1	43	5.9	42	5.6	97	7	260		29.01				FM-16		29.98
18	0148	7	SCT:04 19 OVC:08 36	10.00		45	7.0	43	6.2	41	5.0	87	10	270		29.01				FM-16		29.98
18	0153	7	SCT:04 19 OVC:08 36	10.00		44	6.7	43	5.9	41	5.0	89	9	260		29.01			29.98	FM-15	0.00	29.98
18	0217	7	FEW:02 9 BKN:07 16 OVC:08 37	8.00	-RA:02 |RA |	43	6.1	42	5.6	41	5.0	93	18	270	23	29.02				FM-16	T	29.99
18	0235	7	BKN:07 9 OVC:08 17	5.00	-RA:02 BR:1 |RA |	42	5.6	42	5.3	41	5.0	96	10	280		29.04				FM-16	T	30.01
18	0253	7	SCT:04 9 OVC:08 18	8.00		41	5.0	41	4.7	40	4.4	96	10	270		29.04			30.01	FM-15	T	30.01
18	0331	7	BKN:07 10 BKN:07 18 OVC:08 24	5.00	BR:1 ||	41	5.0	41	4.7	40	4.4	96	15	300		29.05				FM-16		30.02
18	0353	6	BKN:07 10 OVC:08 18	7.00		40	4.4	39	4.0	38	3.3	93	16	290	23	29.06	3	-0.05	30.04	FM-15	T	30.03
18	0401	6	FEW:02 10 OVC:08 18	5.00	BR:1 ||	39	3.9	39	3.6	38	3.3	96	14	300		29.07				FM-16		30.04
18	0414	6	BKN:07 12 OVC:08 20	8.00		39	3.9	39	3.6	38	3.3	96	11	290		29.07				FM-16		30.04
18	0440	7	SCT:04 12 OVC:08 18	5.00	BR:1 ||	38	3.3	37	2.9	36	2.2	93	16	290		29.08				FM-16		30.05
18	0453	7	FEW:02 13 OVC:08 22	10.00		38	3.3	37	2.6	35	1.7	89	15	270		29.08			30.06	FM-15	0.00	30.05
18	0553	7	BKN:07 20 OVC:08 29	10.00		38	3.3	37	2.6	35	1.7	89	11	280		29.10			30.09	FM-15	0.00	30.07
18	0644	7	SCT:04 15 BKN:07 30 OVC:08 38	10.00		37	2.8	36	2.3	35	1.7	93	10	280		29.12				FM-16		30.09
18	0653	7	FEW:02 13 SCT:04 22 OVC:08 39	10.00		37	2.8	36	2.3	35	1.7	93	11	280		29.12	3	-0.05	30.10	FM-15	0.00	30.09

18	0753	7	FEW:02 18 SCT:04 24 OVC:08 39	10.00		37	2.8	36	2.1	34	1.1	89	10	260		29.13			30.11	FM-15	0.00	30.10
18	0759	7	BKN:07 13 OVC:08 18	10.00		37	2.8	36	2.1	34	1.1	89	14	270	20	29.13				FM-16		30.10
18	0853	7	OVC:08 13	10.00		37	2.8	36	2.3	35	1.7	93	10	270		29.15			30.13	FM-15	0.00	30.12
18	0953	7	OVC:08 12	10.00		38	3.3	37	2.6	35	1.7	89	13	260		29.17	3	-0.05	30.15	FM-15	0.00	30.14
18	1053	7	OVC:08 12	10.00		39	3.9	38	3.2	36	2.2	89	9	280		29.19			30.17	FM-15	0.00	30.16
18	1153	7	OVC:08 13	10.00		39	3.9	38	3.2	36	2.2	89	14	270		29.19			30.17	FM-15	0.00	30.16
18	1250	7	OVC:08 15	10.00		39	4.0	38	3.2	36	2.0	87	10	260		29.16				FM-16		30.13
18	1253	7	OVC:08 15	10.00		40	4.4	38	3.5	36	2.2	86	10	260		29.16	6	+0.03	30.15	FM-15	0.00	30.13
18	1353	6	OVC:08 15	10.00		40	4.4	38	3.3	35	1.7	83	13	240		29.17			30.15	FM-15	0.00	30.14
18	1453	7	OVC:08 15	10.00		39	3.9	37	2.9	35	1.7	86	8	260		29.15			30.14	FM-15	0.00	30.12
18	1500	7	OVC:08 13	10.00		39	3.9	37	2.9	35	1.7	86	9	260		29.15				FM-16		30.12
18	1553	7	OVC:08 13	10.00		39	3.9	37	2.9	35	1.7	86	11	240		29.15	8	+0.01	30.14	FM-15	0.00	30.12
18	1653	7	OVC:08 10	10.00		38	3.3	37	2.6	35	1.7	89	9	240		29.14			30.13	FM-15	0.00	30.11
18	1753	7	OVC:08 11	10.00		38	3.3	37	2.6	35	1.7	89	7	250		29.15			30.14	FM-15	0.00	30.12
18	1851	7	OVC:08 9	10.00		37	3.0	37	2.5	36	2.0	93	8	230		29.15				FM-16		30.12
18	1853	7	OVC:08 9	10.00		38	3.3	37	2.9	36	2.2	93	10	220		29.15	1	-0.01	30.14	FM-15	0.00	30.12
18	1953	7	OVC:08 9	10.00		38	3.3	37	2.9	36	2.2	93	9	240		29.16			30.15	FM-15	0.00	30.13
18	2053	7	OVC:08 8	10.00		38	3.3	37	2.9	36	2.2	93	5	260		29.15			30.14	FM-15	0.00	30.12
18	2153	7	OVC:08 7	8.00		38	3.3	38	3.1	37	2.8	97	9	250		29.17	3	-0.02	30.16	FM-15	0.00	30.14
18	2253	7	OVC:08 8	10.00		38	3.3	38	3.1	37	2.8	97	10	220		29.14			30.13	FM-15	0.00	30.11
18	2353	7	OVC:08 7	10.00		38	3.3	38	3.1	37	2.8	97	7	230		29.15			30.14	FM-15	0.00	30.12
19	0053	7	OVC:08 6	9.00		38	3.3	38	3.1	37	2.8	97	5	250		29.13	6	+0.04	30.12	FM-15	0.00	30.10
19	0153	7	OVC:08 6	8.00		38	3.3	38	3.1	37	2.8	97	6	190		29.13			30.11	FM-15	0.00	30.10
19	0253	7	OVC:08 7	8.00		38	3.3	38	3.1	37	2.8	97	9	210		29.14			30.13	FM-15	0.00	30.11
19	0353	7	OVC:08 7	8.00		39	3.9	38	3.4	37	2.8	93	7	230		29.13	0	-0.00	30.12	FM-15	0.00	30.10
19	0453	7	OVC:08 8	8.00		39	3.9	38	3.4	37	2.8	93	9	220		29.14			30.12	FM-15	0.00	30.11
19	0553	7	OVC:08 9	9.00		39	3.9	38	3.2	36	2.2	89	8	220		29.13			30.11	FM-15	0.00	30.10
19	0602	7	OVC:08 10	9.00		39	3.9	38	3.4	37	2.8	93	7	210		29.13				FM-16		30.10
19	0644	7	OVC:08 9	9.00		39	3.9	38	3.2	36	2.2	89	6	220		29.12				FM-16		30.09
19	0653	7	OVC:08 9	8.00		39	3.9	38	3.2	36	2.2	89	5	220		29.12	8	+0.01	30.11	FM-15	0.00	30.09
19	0753	7	OVC:08 9	10.00		38	3.3	37	2.9	36	2.2	93	0	000		29.10			30.09	FM-15	0.00	30.07
19	0853	7	OVC:08 9	7.00		38	3.3	37	2.9	36	2.2	93	6	170		29.11			30.10	FM-15	0.00	30.08
19	0953	7	OVC:08 9	7.00		39	3.9	38	3.2	36	2.2	89	6	170		29.11	6	+0.01	30.09	FM-15	0.00	30.08
19	1053	7	OVC:08 9	8.00		39	3.9	38	3.2	36	2.2	89	6	190		29.12			30.11	FM-15	0.00	30.09
19	1153	7	OVC:08 8	9.00		39	3.9	38	3.4	37	2.8	93	3	190		29.08			30.07	FM-15	0.00	30.05
19	1253	7	OVC:08 8	9.00		41	5.0	40	4.3	38	3.3	89	8	100		29.03	8	+0.08	30.01	FM-15	0.00	30.00
19	1326	7	OVC:08 10	10.00		41	5.0	39	4.0	37	2.8	86	9	160		29.05				FM-16		30.02
19	1353	7	OVC:08 12	10.00		42	5.6	40	4.3	37	2.8	82	0	000		29.05			30.04	FM-15	0.00	30.02
19	1451	6	SCT:04 14	10.00		43	6.0	40	4.6	37	3.0	81	6	120		29.02				FM-16		29.99
19	1453	7	SCT:04 14	10.00		43	6.1	40	4.6	37	2.8	80	7	120		29.02			30.00	FM-15	0.00	29.99
19	1553	7	CLR:00	10.00		43	6.1	40	4.6	37	2.8	80	8	100		28.98	8	+0.07	29.96	FM-15	0.00	29.95
19	1653	7	CLR:00	10.00		43	6.1	40	4.6	37	2.8	80	6	120		28.99			29.98	FM-15	0.00	29.96
19	1753	7	CLR:00	10.00		42	5.6	40	4.3	37	2.8	82	9	130		28.98			29.96	FM-15	0.00	29.95
19	1853	7	CLR:00	10.00		40	4.4	39	3.7	37	2.8	89	8	100		28.96	8	+0.02	29.95	FM-15	0.00	29.93
19	1953	7	CLR:00	10.00		40	4.4	39	3.7	37	2.8	89	7	100		28.95			29.93	FM-15	0.00	29.92
19	2053	7	CLR:00	10.00		40	4.4	39	4.0	38	3.3	93	9	090		28.92			29.90	FM-15	0.00	29.89
19	2153	7	CLR:00	9.00		39	3.9	39	3.6	38	3.3	96	7	100		28.90	8	+0.06	29.88	FM-15	0.00	29.87
19	2253	7	CLR:00	8.00		39	3.9	38	3.4	37	2.8	93	7	110		28.87			29.86	FM-15	0.00	29.84
19	2353	7	CLR:00	8.00		40	4.4	39	4.0	38	3.3	93	9	100		28.86			29.83	FM-15	0.00	29.82
20	0053	7	BKN:07 65 BKN:07 80 OVC:08 90	8.00	-RA:02 |RA |	40	4.4	39	4.0	38	3.3	93	9	100		28.82	8	+0.09	29.79	FM-15	T	29.78
20	0153	7	BKN:07 26 OVC:08 32	3.00	RA:02 BR:1 |RA |	40	4.4	40	4.2	39	3.9	97	10	100		28.80			29.77	FM-15	0.08	29.76
20	0253	7	OVC:08 21	5.00	-RA:02 BR:1 |RA |	40	4.4	40	4.4	40	4.4	100	9	080		28.76			29.73	FM-15	0.07	29.72

20	0353	7	OVC:08 19	4.00	-RA:02 BR:1 |RA |	41	5.0	41	5.0	41	5.0	100	9	090		28.71	8	+0.10	29.68	FM-15	0.09	29.67
20	0445	7	BKN:07 13 BKN:07 27 OVC:08 48	5.00	-RA:02 BR:1 |RA |	42	5.6	42	5.6	42	5.6	100	10	090		28.67				FM-16	0.07	29.63
20	0453	7	BKN:07 13 OVC:08 70	6.00	-RA:02 BR:1 |RA |	42	5.6	42	5.6	42	5.6	100	11	100		28.66			29.63	FM-15	0.06	29.62
20	0517	7	FEW:02 8 OVC:08 13	4.00	RA:02 BR:1 |RA |	44	6.7	44	6.4	43	6.1	96	15	120		28.66				FM-16	0.04	29.62
20	0534	7	BKN:07 6 OVC:08 12	4.00	RA:02 BR:1 |RA |	43	6.1	43	5.8	42	5.6	97	14	130		28.67				FM-16	0.10	29.63
20	0553	7	OVC:08 6	4.00	-RA:02 BR:1 |RA |	43	6.1	43	6.1	43	6.1	100	10	130		28.67			29.64	FM-15	0.11	29.63
20	0653	7	OVC:08 5	4.00	-RA:02 BR:1 |RA |	43	6.1	43	6.1	43	6.1	100	9	140		28.67	6	+0.04	29.64	FM-15	0.06	29.63
20	0714	7	OVC:08 4	3.00	-RA:02 BR:1 |RA |	43	6.1	43	6.1	43	6.1	100	8	150		28.68				FM-16	0.01	29.64
20	0753	7	BKN:07 4 OVC:08 12	5.00	-RA:02 BR:1 |RA |	44	6.7	44	6.7	44	6.7	100	8	170		28.68			29.65	FM-15	0.01	29.64
20	0853	7	OVC:08 4	4.00	BR:1 ||	46	7.8	46	7.8	46	7.8	100	9	160		28.68			29.65	FM-15	T	29.64
20	0953	7	OVC:08 4	7.00		48	8.9	48	8.9	48	8.9	100	9	190		28.71	3	-0.04	29.68	FM-15	T	29.67
20	1051	6	OVC:08 7	9.00		52	11.0	52	11.1	52	11.0	100	9	190		28.73				FM-16		29.69
20	1053	7	OVC:08 7	10.00		52	11.1	52	11.1	52	11.1	100	7	200		28.74			29.70	FM-15	0.00	29.70
20	1116	7	OVC:08 11	10.00		55	12.8	54	12.2	53	11.7	93	11	220		28.73				FM-16		29.69
20	1150	7	BKN:07 16 OVC:08 24	10.00		57	14.0	55	13.0	54	12.0	88	16	220	28	28.73				FM-16		29.69
20	1153	7	BKN:07 16 BKN:07 24 OVC:08 30	10.00		57	13.9	55	12.7	53	11.7	87	16	220	28	28.73			29.69	FM-15	0.00	29.69
20	1223	7	FEW:02 18 SCT:04 28 OVC:08 34	10.00		57	13.9	55	12.7	53	11.7	87	18	220	26	28.72				FM-16		29.68
20	1234	7	SCT:04 20 BKN:07 28 OVC:08 36	10.00		58	14.4	55	12.9	53	11.7	84	15	220	23	28.72				FM-16		29.68
20	1243	7	FEW:02 21 SCT:04 28 OVC:08 38	10.00		58	14.4	55	12.9	53	11.7	84	18	230	25	28.72				FM-16		29.68
20	1251	6	FEW:02 18 BKN:07 25 OVC:08 38	10.00		57	14.0	54	12.4	52	11.0	82	17	230	25	28.72				FM-16		29.68
20	1253	7	FEW:02 18 BKN:07 25 OVC:08 39	10.00		58	14.4	55	12.9	53	11.7	84	16	220	25	28.72	8	+0.02	29.68	FM-15	0.00	29.68
20	1330	7	FEW:02 19 OVC:08 39	10.00		58	14.4	55	12.9	53	11.7	84	16	230	24	28.71				FM-16		29.67
20	1353	7	OVC:08 39	10.00		59	15.0	55	12.8	52	11.1	78	20	230	28	28.71			29.68	FM-15	0.00	29.67
20	1453	7	FEW:02 28 OVC:08 43	10.00		59	15.0	55	12.9	52	11.1	78	14	230		28.73			29.69	FM-15	0.00	29.69
20	1553	7	FEW:02 28 OVC:08 43	10.00		58	14.4	55	12.6	52	11.1	81	10	250		28.74	3	-0.02	29.70	FM-15	0.00	29.70
20	1653	7	SCT:04 26 OVC:08 45	10.00		57	13.9	54	12.4	52	11.1	83	6	210		28.75			29.71	FM-15	0.00	29.71
20	1700	7	OVC:08 24	10.00		57	13.9	54	12.1	51	10.6	81	5	270		28.75				FM-16		29.71
20	1723	7	FEW:02 21 SCT:04 26 OVC:08 47	10.00		57	13.9	54	12.1	51	10.6	81	5	260		28.76				FM-16		29.72
20	1753	7	SCT:04 44	10.00		55	12.8	52	11.3	50	10.0	83	3	180		28.77			29.73	FM-15	0.00	29.73
20	1853	7	CLR:00	10.00		51	10.6	50	10.3	50	10.0	96	0	000		28.80	3	-0.06	29.76	FM-15	0.00	29.76
20	1953	7	FEW:02 38 BKN:07 50	10.00		51	10.6	50	10.3	50	10.0	96	3	200		28.82			29.78	FM-15	0.00	29.78
20	2053	7	CLR:00	9.00		50	10.0	49	9.7	49	9.4	96	3	190		28.81			29.78	FM-15	0.00	29.77
20	2153	7	CLR:00	6.00	BR:1 ||	47	8.3	47	8.3	47	8.3	100	0	000		28.81	1	-0.01	29.78	FM-15	0.00	29.77
20	2206	7	CLR:00	1.50	BR:1 ||	45	7.2	45	7.2	45	7.2	100	0	000		28.81				FM-16		29.77
20	2213	7	CLR:00	6.00	BR:1 ||	46	7.8	46	7.8	46	7.8	100	0	000		28.81				FM-16		29.77
20	2251	6	CLR:00	2.50V	BR:1 ||	45	7.0	45	7.2	45	7.0	100	0	000		28.81				FM-16		29.77

20	2253	7	CLR:00	1.75	BR:1 ||	46	7.8	46	7.5	45	7.2	96	0	000		28.81			29.78	FM-15	0.00	29.77
20	2303	7	CLR:00	0.50	FG:2 |FG |	45	7.2	45	7.2	45	7.2	100	3	150		28.82				FM-16		29.78
20	2312	7	CLR:00	2.50	BR:1 ||	47	8.3	47	8.3	47	8.3	100	6	160		28.82				FM-16		29.78
20	2319	7	CLR:00	9.00		47	8.3	47	8.3	47	8.3	100	6	160		28.82				FM-16		29.78
20	2353	7	BKN:07 43	9.00		47	8.3	47	8.3	47	8.3	100	0	000		28.83			29.79	FM-15	0.00	29.79
21	0053	7	OVC:08 60	5.00	BR:1 ||	47	8.3	47	8.3	47	8.3	100	3	110		28.81	8	+0.00	29.77	FM-15	0.00	29.77
21	0153	7	SCT:04 60	10.00		50	10.0	49	9.4	48	8.9	93	6	150		28.81			29.77	FM-15	0.00	29.77
21	0253	7	FEW:02 55	10.00		49	9.4	48	8.9	47	8.3	93	7	130		28.80			29.76	FM-15	0.00	29.76
21	0353	7	FEW:02 40 FEW:02 60	10.00		49	9.4	48	8.9	47	8.3	93	7	140		28.79	8	+0.01	29.75	FM-15	0.00	29.75
21	0453	7	FEW:02 55	10.00		47	8.3	47	8.1	46	7.8	97	6	120		28.79			29.75	FM-15	0.00	29.75
21	0553	7	CLR:00	4.00	BR:1 ||	46	7.8	46	7.8	46	7.8	100	0	000		28.77			29.73	FM-15	0.00	29.73
21	0609	7	CLR:00	1.75	BR:1 ||	46	7.8	46	7.8	46	7.8	100	0	000		28.77				FM-16		29.73
21	0617	7	CLR:00	3.00	BR:1 ||	45	7.2	45	7.2	45	7.2	100	0	000		28.77				FM-16		29.73
21	0653	7	SCT:04 36 BKN:07 45	5.00	BR:1 ||	46	7.8	46	7.8	46	7.8	100	0	000		28.77	6	+0.02	29.73	FM-15	0.00	29.73
21	0753	7	FEW:02 36	10.00		46	7.8	46	7.8	46	7.8	100	6	130		28.77			29.73	FM-15	0.00	29.73
21	0853	7	CLR:00	10.00		49	9.4	48	9.2	48	8.9	97	6	150		28.77			29.73	FM-15	0.00	29.73
21	0953	7	FEW:02 42	10.00		51	10.6	50	10.0	49	9.4	92	7	170		28.77	8	+0.00	29.73	FM-15	0.00	29.73
21	1053	7	CLR:00	10.00		54	12.2	52	11.3	51	10.6	90	10	190		28.77			29.73	FM-15	0.00	29.73
21	1153	7	CLR:00	10.00		57	13.9	54	12.4	52	11.1	83	8	190		28.75			29.71	FM-15	0.00	29.71
21	1253	7	CLR:00	10.00		58	14.4	55	12.6	52	11.1	81	8	180		28.71	8	+0.05	29.67	FM-15	0.00	29.67
21	1353	7	FEW:02 120	10.00		59	15.0	56	13.1	53	11.7	81	8	190		28.71			29.66	FM-15	0.00	29.67
21	1453	7	SCT:04 110	10.00		59	15.0	56	13.1	53	11.7	81	9	150		28.69			29.64	FM-15	0.00	29.65
21	1553	7	BKN:07 120	10.00		58	14.4	55	12.6	52	11.1	81	7	170		28.69	5	+0.02	29.65	FM-15	0.00	29.65
21	1653	7	FEW:02 55 FEW:02 90 OVC:08 110	10.00		58	14.4	55	12.6	52	11.1	81	7	150		28.69			29.64	FM-15	T	29.65
21	1753	7	SCT:04 65 BKN:07 100	10.00		58	14.4	55	12.6	52	11.1	81	8	150		28.69			29.65	FM-15	T	29.65
21	1853	7	BKN:07 60 BKN:07 80 OVC:08 110	10.00		57	13.9	54	12.4	52	11.1	83	5	150		28.70	3	-0.01	29.65	FM-15	0.00	29.66
21	1953	7	FEW:02 70 FEW:02 120	10.00		57	13.9	54	12.4	52	11.1	83	7	140		28.68			29.64	FM-15	0.00	29.64
21	2053	7	BKN:07 65 OVC:08 100	10.00		57	13.9	54	12.4	52	11.1	83	0	000		28.69			29.65	FM-15	0.00	29.65
21	2153	7	BKN:07 55 OVC:08 70	10.00		56	13.3	54	12.1	52	11.1	87	0	000		28.69	5	+0.01	29.65	FM-15	T	29.65
21	2253	7	OVC:08 65	10.00		55	12.8	53	11.9	52	11.1	90	6	170		28.71			29.66	FM-15	T	29.67
21	2353	7	FEW:02 60 BKN:07 90 OVC:08 110	10.00		54	12.2	53	11.6	52	11.1	93	9	180		28.71			29.66	FM-15	0.02	29.67
22	0053	7	OVC:08 100	10.00		54	12.2	52	11.3	51	10.6	90	7	180		28.69	8	+0.01	29.64	FM-15	0.00	29.65
22	0153	7	FEW:02 50	10.00		53	11.7	51	10.8	50	10.0	89	6	170		28.68			29.64	FM-15	0.00	29.64
22	0253	7	BKN:07 120	10.00		51	10.6	51	10.6	51	10.6	100	3	120		28.67			29.63	FM-15	0.00	29.63
22	0310	7	FEW:02 120	0.75	BR:1 ||	47	8.3	47	8.3	47	8.3	100	5	090		28.67				FM-16		29.63
22	0320	7	CLR:00	0.25	FG:2 |FG |	46	7.8	46	7.8	46	7.8	100	3	080		28.67				FM-16		29.63
22	0353	7	CLR:00	0.25	FG:2 |FG |	47	8.3	47	8.3	47	8.3	100	5	070		28.64	8	+0.04	29.60	FM-15	0.00	29.60
22	0408	7	CLR:00	0.50	FG:2 |FG |	49	9.4	49	9.4	49	9.4	100	5	080		28.64				FM-16		29.60
22	0416	7	CLR:00	0.25	FG:2 |FG |	47	8.3	47	8.3	47	8.3	100	5	080		28.64				FM-16		29.60
22	0433	7	CLR:00	0.50	FG:2 |FG |	49	9.4	49	9.4	49	9.4	100	5	080		28.63				FM-16		29.59
22	0445	7	CLR:00	1.00	BR:1 ||	49	9.4	49	9.4	49	9.4	100	6	080		28.62				FM-16		29.58
22	0450	7	CLR:00	0.25	FG:2 |FG |	48	9.0	48	8.9	48	9.0	100	6	070		28.62				FM-16		29.58
22	0453	7	CLR:00	0.25	FG:2 |FG |	46	7.8	46	7.8	46	7.8	100	5	070		28.62			29.58	FM-15	0.00	29.58
22	0551	6	CLR:00	0.50	FG:2 |FG |	46	8.0	46	7.8	46	8.0	100	3	020		28.63				FM-16		29.59
22	0553	7	CLR:00	0.50	FG:2 |FG |	47	8.3	47	8.3	47	8.3	100	3	020		28.63			29.59	FM-15	0.00	29.59
22	0608	7	FEW:02 50	2.00	BR:1 ||	48	8.9	48	8.9	48	8.9	100	3	010		28.63				FM-16		29.59
22	0616	7	SCT:04 50	0.75	BR:1 ||	44	6.7	44	6.7	44	6.7	100	0	000		28.63				FM-16		29.59

22	0627	7	SCT:04 50	0.25	FG:2 |FG |	44	6.7	44	6.7	44	6.7	100	0	000		28.64				FM-16		29.60
22	0645	7	BKN:07 55	0.50	FG:2 |FG |	46	7.8	46	7.8	46	7.8	100	0	000		28.64				FM-16		29.60
22	0653	7	OVC:08 50	0.50	FG:2 |FG |	44	6.7	44	6.7	44	6.7	100	6	310		28.65	3	-0.00	29.61	FM-15	0.00	29.61
22	0707	7	BKN:07 48 OVC:08 60	3.00	BR:1 ||	47	8.3	47	8.3	47	8.3	100	9	330		28.66				FM-16		29.62
22	0753	7	SCT:04 47 SCT:04 65 OVC:08 95	6.00	BR:1 ||	47	8.3	47	8.3	47	8.3	100	5	090		28.66			29.62	FM-15	0.00	29.62
22	0808	7	BKN:07 95	0.75	BR:1 ||	46	7.8	46	7.8	46	7.8	100	3	060		28.66				FM-16		29.62
22	0820	7	SCT:04 95	0.25	FG:2 |FG |	45	7.2	45	7.2	45	7.2	100	3	360		28.66				FM-16		29.62
22	0836	7	CLR:00	1.00	BR:1 ||	46	7.8	46	7.8	46	7.8	100	5	360		28.66				FM-16		29.62
22	0845	7	CLR:00	0.50	FG:2 |FG |	46	7.8	46	7.8	46	7.8	100	6	360		28.66				FM-16		29.62
22	0851	6	CLR:00	2.00	BR:1 ||	46	8.0	46	7.8	46	8.0	100	6	360		28.66				FM-16		29.62
22	0853	7	CLR:00	2.00	BR:1 ||	47	8.3	47	8.3	47	8.3	100	6	360		28.66			29.62	FM-15	0.00	29.62
22	0903	7	CLR:00	4.00	BR:1 ||	48	8.9	48	8.9	48	8.9	100	6	020		28.66				FM-16		29.62
22	0953	7	CLR:00	6.00	BR:1 ||	51	10.6	51	10.6	51	10.6	100	3	040		28.64	8	+0.01	29.60	FM-15	0.00	29.60
22	1053	7	BKN:07 75	9.00		54	12.2	53	11.6	52	11.1	93	5	060		28.64			29.60	FM-15	0.00	29.60
22	1153	7	FEW:02 120	10.00		59	15.0	55	12.8	52	11.1	78	5	100		28.62			29.58	FM-15	0.00	29.58
22	1253	7	CLR:00	10.00		62	16.7	54	12.2	47	8.3	58	9	080		28.57	8	+0.07	29.52	FM-15	0.00	29.53
22	1353	7	CLR:00	10.00		62	16.7	54	12.2	47	8.3	58	9	070		28.53			29.48	FM-15	0.00	29.49
22	1453	7	CLR:00	10.00		63	17.2	54	12.4	47	8.3	56	9	070		28.53			29.47	FM-15	0.00	29.48
22	1553	7	BKN:07 80	10.00		62	16.7	54	12.2	47	8.3	58	9	070		28.53	5	+0.04	29.49	FM-15	0.00	29.49
22	1653	7	FEW:02 80	10.00		60	15.6	54	12.0	48	8.9	65	10	040		28.53			29.48	FM-15	0.00	29.48
22	1753	7	CLR:00	10.00		59	15.0	54	12.0	49	9.4	69	11	050		28.53			29.49	FM-15	0.00	29.49
22	1853	7	OVC:08 85	10.00		57	13.9	53	11.8	50	10.0	78	8	030		28.53	3	-0.00	29.49	FM-15	0.00	29.49
22	1953	7	OVC:08 95	10.00		57	13.9	53	11.8	50	10.0	78	9	030		28.53			29.49	FM-15	0.00	29.49
22	2053	7	OVC:08 75	10.00	-RA:02 |RA |	56	13.3	53	11.5	50	10.0	81	9	060		28.53			29.49	FM-15	T	29.49
22	2153	7	BKN:07 75	10.00		56	13.3	52	11.0	48	8.9	75	11	040		28.53	8	+0.01	29.48	FM-15	T	29.48
22	2253	7	SCT:04 110	10.00		55	12.8	52	11.0	49	9.4	80	10	030		28.51			29.47	FM-15	0.00	29.47
22	2353	7	BKN:07 110	10.00		55	12.8	52	11.0	49	9.4	80	10	030		28.51			29.46	FM-15	0.00	29.46
23	0053	7	FEW:02 65 FEW:02 90 OVC:08 110	10.00	-RA:02 |RA |	55	12.8	52	11.0	49	9.4	80	10	040		28.48	8	+0.04	29.43	FM-15	T	29.44
23	0153	7	SCT:04 65 BKN:07 80	10.00		54	12.2	51	10.8	49	9.4	83	11	030		28.48			29.43	FM-15	T	29.44
23	0253	7	BKN:07 38 OVC:08 55	10.00	-RA:02 |RA |	52	11.1	51	10.5	50	10.0	93	9	360		28.48			29.44	FM-15	T	29.44
23	0311	7	BKN:07 21 BKN:07 26 OVC:08 37	4.00	-RA:02 BR:1 |RA |	52	11.1	51	10.5	50	10.0	93	11	350		28.48				FM-16	T	29.44
23	0353	7	OVC:08 20	8.00		50	10.0	50	10.0	50	10.0	100	11	360		28.48	6	+0.00	29.43	FM-15	T	29.44
23	0453	7	OVC:08 18	6.00	-RA:02 BR:1 |RA |	48	8.9	48	8.9	48	8.9	100	10	360		28.48			29.43	FM-15	T	29.44
23	0539	7	FEW:02 5 OVC:08 22	4.00	-RA:02 BR:1 |RA |	47	8.3	47	8.3	47	8.3	100	10	350		28.48				FM-16	T	29.44
23	0553	7	FEW:02 5 OVC:08 19	5.00	BR:1 ||	47	8.3	47	8.3	47	8.3	100	11	350		28.48			29.44	FM-15	T	29.44
23	0613	7	BKN:07 5 BKN:07 16 OVC:08 22	5.00	BR:1 ||	46	7.8	46	7.8	46	7.8	100	11	340		28.48				FM-16		29.44
23	0653	7	BKN:07 5 OVC:08 18	6.00	BR:1 ||	45	7.2	45	7.0	44	6.7	97	13	350		28.51	3	-0.02	29.46	FM-15	0.00	29.46
23	0753	7	BKN:07 5 OVC:08 18	5.00	-RA:02 BR:1 |RA |	45	7.2	45	7.0	44	6.7	97	11	350		28.53			29.48	FM-15	T	29.48
23	0853	7	BKN:07 5 OVC:08 18	5.00	BR:1 ||	45	7.2	45	7.2	45	7.2	100	13	350		28.53			29.49	FM-15	0.01	29.49
23	0951	6	FEW:02 5 SCT:04 14 OVC:08 20	5.00	BR:1 ||	46	8.0	46	7.8	46	8.0	100	10	020		28.55				FM-16		29.51
23	0953	7	FEW:02 5 SCT:04 14 OVC:08 20	4.00	BR:1 ||	47	8.3	47	8.3	47	8.3	100	10	010		28.55	3	-0.05	29.51	FM-15	T	29.51

23	0959	7	BKN:07 5 BKN:07 14 OVC:08 20	3.00	BR:1 ||	47	8.3	47	8.3	47	8.3	100	10	360		28.56				FM-16		29.52
23	1053	7	BKN:07 6 OVC:08 27	4.00	-RA:02 BR:1 |RA |	49	9.4	49	9.4	49	9.4	100	10	020		28.57			29.53	FM-15	0.01	29.53
23	1153	7	BKN:07 6 OVC:08 27	4.00	-RA:02 BR:1 |RA |	50	10.0	49	9.7	49	9.4	96	11	010		28.56			29.52	FM-15	0.02	29.52
23	1231	7	BKN:07 6 OVC:08 32	2.00	-RA:02 BR:1 |RA |	49	9.4	48	9.2	48	8.9	97	10	020		28.56				FM-16	T	29.52
23	1253	7	BKN:07 6 OVC:08 32	2.00	-RA:02 BR:1 |RA |	49	9.4	48	9.2	48	8.9	97	8	020		28.55	0	-0.00	29.52	FM-15	0.01	29.51
23	1332	7	SCT:04 14 OVC:08 23	10.00	-RA:02 |RA |	49	9.4	48	9.2	48	8.9	97	8	020		28.55				FM-16	T	29.51
23	1353	7	BKN:07 19 OVC:08 25	10.00		49	9.4	48	9.2	48	8.9	97	10	010		28.54			29.50	FM-15	T	29.50
23	1450	7	FEW:02 9 BKN:07 16 OVC:08 26	2.00	-RA:02 BR:1 |RA |	48	9.0	48	8.9	48	9.0	100	11	010		28.55				FM-16	0.01	29.51
23	1453	7	FEW:02 9 BKN:07 16 OVC:08 27	1.75	-RA:02 BR:1 |RA |	48	8.9	48	8.9	48	8.9	100	10	010		28.56			29.52	FM-15	0.02	29.52
23	1502	7	FEW:02 10 BKN:07 20 OVC:08 29	2.50	-RA:02 BR:1 |RA |	48	8.9	48	8.9	48	8.9	100	11	010		28.56				FM-16	0.01	29.52
23	1508	7	SCT:04 15 BKN:07 23 OVC:08 35	3.00	-RA:02 BR:1 |RA |	49	9.4	48	9.2	48	8.9	97	10	010		28.56				FM-16	0.01	29.52
23	1510	7	FEW:02 15 BKN:07 35 OVC:08 41	2.50	-RA:02 BR:1 |RA |	49	9.4	48	9.2	48	8.9	97	9	020		28.56				FM-16	0.01	29.52
23	1517	7	FEW:02 14 BKN:07 20 OVC:08 37	2.50	-RA:02 BR:1 |RA |	48	8.9	48	8.9	48	8.9	100	11	010		28.56				FM-16	0.02	29.52
23	1553	7	FEW:02 14 BKN:07 20 OVC:08 37	2.50	-RA:02 BR:1 |RA |	48	8.9	48	8.9	48	8.9	100	9	010		28.56	3	-0.01	29.53	FM-15	0.01	29.52
23	1600	7	SCT:04 8 BKN:07 16 OVC:08 46	6.00	-RA:02 BR:1 |RA |	48	8.9	48	8.9	48	8.9	100	10	020		28.56				FM-16	T	29.52
23	1614	7	SCT:04 8 BKN:07 14 OVC:08 29	2.00	-RA:02 BR:1 |RA |	48	8.9	47	8.6	47	8.3	96	6	010		28.57				FM-16	T	29.53
23	1651	6	BKN:07 6 OVC:08 12	1.25	-RA:02 BR:1 |RA |	46	8.0	46	7.8	46	8.0	100	9	010		28.58				FM-16		29.54
23	1653	7	OVC:08 6	1.25	-RA:02 BR:1 |RA |	47	8.3	47	8.3	47	8.3	100	9	010		28.58			29.54	FM-15	0.04	29.54
23	1751	6	BKN:07 6 OVC:08 11	2.00	-RA:02 BR:1 |RA |	46	8.0	46	7.8	46	8.0	100	8	020		28.60				FM-16		29.56
23	1753	7	BKN:07 6 OVC:08 11	2.00	-RA:02 BR:1 |RA |	46	7.8	46	7.8	46	7.8	100	7	020		28.60			29.57	FM-15	0.01	29.56
23	1803	7	OVC:08 4	2.50	-RA:02 BR:1 |RA |	46	7.8	46	7.8	46	7.8	100	5	VRB		28.61				FM-16	T	29.57
23	1853	7	BKN:07 4 OVC:08 12	2.50	-RA:02 BR:1 |RA |	46	7.8	46	7.5	45	7.2	96	7	050	17	28.63	3	-0.06	29.60	FM-15	0.03	29.59
23	1953	7	OVC:08 4	2.50	-RA:02 BR:1 |RA |	44	6.7	44	6.7	44	6.7	100	9	340		28.64			29.61	FM-15	0.01	29.60
23	2051	6	OVC:08 6	2.00	BR:1 ||	43	6.0	43	6.1	43	6.0	100	10	340		28.64				FM-16		29.60
23	2053	7	OVC:08 6	2.00	BR:1 ||	42	5.6	42	5.6	42	5.6	100	9	340		28.64			29.61	FM-15	T	29.60
23	2150	7	OVC:08 4	1.75	-RA:02 BR:1 |RA |	43	6.0	43	6.1	43	6.0	100	7	350		28.65				FM-16	T	29.61
23	2151	7	OVC:08 4	1.75	-RA:02 BR:1 |RA |	42	5.6	42	5.6	42	5.6	100	7	350		28.65	3	-0.02	29.62	FM-15	T	29.61
23	2253	7	OVC:08 4	1.75	BR:1 ||	42	5.6	42	5.6	42	5.6	100	6	340		28.68			29.64	FM-15	T	29.64
23	2300	7	OVC:08 4	4.00	BR:1 ||	42	5.6	42	5.6	42	5.6	100	8	330		28.68				FM-16		29.64
23	2323	7	OVC:08 4	2.50	-RA:02 BR:1 |RA |	42	5.6	42	5.6	42	5.6	100	7	340		28.68				FM-16	T	29.64
23	2353	7	OVC:08 4	2.50	BR:1 ||	41	5.0	41	5.0	41	5.0	100	9	330		28.69			29.66	FM-15	T	29.65
24	0004	7	OVC:08 5	3.00	BR:1 ||	41	5.0	41	5.0	41	5.0	100	10	350		28.69				FM-16		29.65
24	0038	7	OVC:08 4	5.00	-RA:02 BR:1 |RA |	41	5.0	41	4.7	40	4.4	96	8	340		28.70				FM-16	0.01	29.66

24	0048	7	OVC:08 5	5.00	-RA:02 BR:1 |RA |	41	5.0	40	4.5	39	4.0	93	9	340		28.70				FM-16	0.01	29.66
24	0053	7	OVC:08 5	5.00	-RA:02 BR:1 |RA |	41	5.0	41	4.7	40	4.4	96	8	340		28.70	0	-0.02	29.66	FM-15	0.02	29.66
24	0153	7	OVC:08 5	8.00	-RA:02 |RA |	40	4.4	40	4.4	40	4.4	100	7	320		28.70			29.66	FM-15	0.04	29.66
24	0253	7	OVC:08 5	10.00		40	4.4	40	4.2	39	3.9	97	9	320		28.71			29.68	FM-15	T	29.67
24	0351	6	OVC:08 4	4.00	BR:1 ||	39	4.0	39	3.9	39	4.0	100	9	310		28.71				FM-16		29.67
24	0353	7	OVC:08 4	3.00	BR:1 ||	39	3.9	39	3.9	39	3.9	100	10	320		28.72	3	-0.02	29.68	FM-15	0.00	29.68
24	0418	7	BKN:07 6 OVC:08 11	10.00		39	3.9	39	3.9	39	3.9	100	8	310		28.72				FM-16		29.68
24	0453	7	OVC:08 8	10.00		39	3.9	39	3.6	38	3.3	96	10	320		28.74			29.70	FM-15	0.00	29.70
24	0501	7	OVC:08 10	10.00		39	3.9	39	3.6	38	3.3	96	11	310		28.74				FM-16		29.70
24	0519	7	OVC:08 8	9.00		39	3.9	39	3.6	38	3.3	96	11	310		28.74				FM-16		29.70
24	0553	7	OVC:08 7	9.00		39	3.9	39	3.6	38	3.3	96	9	330		28.74			29.71	FM-15	0.00	29.70
24	0653	7	BKN:07 8 BKN:07 23 OVC:08 29	10.00		39	3.9	39	3.6	38	3.3	96	9	310		28.77	3	-0.05	29.73	FM-15	0.00	29.73
24	0702	7	SCT:04 8 OVC:08 30	10.00		39	3.9	39	3.6	38	3.3	96	10	320		28.77				FM-16		29.73
24	0704	7	BKN:07 8 OVC:08 30	10.00		39	3.9	39	3.6	38	3.3	96	9	310		28.77				FM-16		29.73
24	0753	7	OVC:08 8	10.00		40	4.4	39	4.0	38	3.3	93	8	320		28.79			29.76	FM-15	0.00	29.75
24	0853	7	OVC:08 8	7.00		40	4.4	40	4.2	39	3.9	97	7	300		28.81			29.78	FM-15	0.00	29.77
24	0953	7	OVC:08 5	4.00	BR:1 ||	41	5.0	41	4.7	40	4.4	96	11	310		28.82	1	-0.05	29.79	FM-15	0.00	29.78
24	1053	7	OVC:08 9	10.00		42	5.6	41	5.0	40	4.4	92	15	300	22	28.84			29.81	FM-15	0.00	29.80
24	1057	7	BKN:07 8 OVC:08 11	10.00		42	5.6	41	5.0	40	4.4	92	13	310		28.84				FM-16		29.80
24	1153	7	BKN:07 8 OVC:08 11	7.00		42	5.6	42	5.3	41	5.0	96	9	300		28.84			29.81	FM-15	0.00	29.80
24	1253	7	OVC:08 9	10.00		42	5.6	42	5.3	41	5.0	96	14	300	21	28.81	8	+0.01	29.78	FM-15	0.00	29.77
24	1353	7	OVC:08 9	10.00		43	6.1	42	5.6	41	5.0	93	8	310		28.80			29.78	FM-15	0.00	29.76
24	1412	7	OVC:08 10	10.00		43	6.1	42	5.6	41	5.0	93	11	300		28.81				FM-16		29.77
24	1451	6	OVC:08 8	10.00		43	6.0	41	5.1	39	4.0	87	13	300		28.81				FM-16		29.77
24	1453	7	OVC:08 8	10.00		42	5.6	41	5.0	40	4.4	92	11	300		28.81			29.78	FM-15	0.00	29.77
24	1553	7	OVC:08 8	8.00		42	5.6	41	4.8	39	3.9	89	11	300		28.83	3	-0.02	29.80	FM-15	0.00	29.79
24	1653	7	OVC:08 8	10.00		42	5.6	40	4.6	38	3.3	85	13	280		28.84			29.82	FM-15	0.00	29.81
24	1700	7	SCT:04 15 OVC:08 29	10.00		42	5.6	40	4.6	38	3.3	85	11	290		28.84				FM-16		29.81
24	1753	7	BKN:07 18 OVC:08 25	10.00		41	5.0	40	4.3	38	3.3	89	9	280		28.86			29.84	FM-15	0.00	29.82
24	1853	7	OVC:08 21	10.00		40	4.4	38	3.2	35	1.7	83	9	290		28.87	3	-0.04	29.85	FM-15	0.00	29.84
24	1953	7	OVC:08 23	10.00		40	4.4	37	3.0	34	1.1	79	5	280		28.89			29.86	FM-15	0.00	29.85
24	2053	7	OVC:08 17	10.00		40	4.4	38	3.2	35	1.7	83	3	300		28.87			29.85	FM-15	0.00	29.83
24	2153	7	OVC:08 18	10.00		40	4.4	38	3.5	36	2.2	86	5	270		28.87	8	+0.00	29.85	FM-15	0.00	29.83
24	2253	7	OVC:08 24	10.00		39	3.9	36	2.3	32	0.0	76	6	330		28.87			29.85	FM-15	0.00	29.83
24	2353	7	OVC:08 24	10.00		39	3.9	36	2.3	32	0.0	76	0	000		28.87			29.85	FM-15	0.00	29.84
25	0053	7	OVC:08 19	10.00		39	3.9	37	2.9	35	1.7	86	6	210		28.87	3	-0.01	29.85	FM-15	0.00	29.84
25	0153	7	OVC:08 19	10.00		39	3.9	37	2.7	34	1.1	82	7	210		28.86			29.84	FM-15	0.00	29.82
25	0225	7	SCT:04 20 OVC:08 100	10.00		39	3.9	37	2.7	34	1.1	82	5	220		28.87				FM-16		29.84
25	0253	7	BKN:07 100 OVC:08 120	10.00		39	3.9	37	2.7	34	1.1	82	3	190		28.87			29.85	FM-15	0.00	29.83
25	0353	7	OVC:08 95	10.00		39	3.9	37	2.7	34	1.1	82	3	160		28.86	6	+0.02	29.83	FM-15	0.00	29.82
25	0453	7	OVC:08 90	10.00		38	3.3	36	2.4	34	1.1	86	6	130		28.82			29.80	FM-15	0.00	29.78
25	0553	7	FEW:02 75	10.00		36	2.2	35	1.5	33	0.6	89	5	120		28.82			29.80	FM-15	0.00	29.78
25	0653	7	FEW:02 60	10.00		35	1.7	34	1.2	33	0.6	93	6	120		28.80	6	+0.06	29.77	FM-15	0.00	29.76
25	0753	7	SCT:04 60	8.00		37	2.8	36	2.1	34	1.1	89	10	140		28.76			29.74	FM-15	0.00	29.72
25	0853	7	SCT:04 60	10.00		39	3.9	38	3.2	36	2.2	89	13	160		28.74			29.72	FM-15	0.00	29.70
25	0856	7	SCT:04 60	10.00		40	4.4	38	3.5	36	2.2	86	14	170	20	28.77				FM-16		29.73
25	0953	7	FEW:02 55 SCT:04 75 BKN:07 90	10.00		42	5.6	40	4.3	37	2.8	82	13	180		28.73	6	+0.06	29.70	FM-15	0.00	29.69

25	1051	6	BKN:07 38 OVC:08 50	2.00V	RA:02 BR:1 |RA |	41	5.0	40	4.5	39	4.0	93	7	190		28.75				FM-16		29.71
25	1053	7	BKN:07 40 BKN:07 50 OVC:08 60	3.00	RA:02 BR:1 |RA |	41	5.0	40	4.5	39	3.9	93	6	180		28.75			29.72	FM-15	0.06	29.71
25	1153	7	BKN:07 80 OVC:08 95	3.00	BR:1 ||	43	6.1	42	5.3	40	4.4	89	9	170		28.71			29.68	FM-15	0.04	29.67
25	1238	7	FEW:02 80 OVC:08 95	10.00		44	6.7	43	6.1	42	5.6	93	10	190		28.67				FM-16	T	29.63
25	1253	7	BKN:07 75 OVC:08 90	10.00	-RA:02 |RA |	44	6.7	43	5.9	41	5.0	89	6	160		28.65	8	+0.08	29.62	FM-15	T	29.61
25	1353	7	FEW:02 60 BKN:07 75 OVC:08 90	10.00	-RA:02 |RA |	45	7.2	44	6.7	43	6.1	93	11	170		28.61			29.58	FM-15	T	29.57
25	1453	7	OVC:08 80	10.00		46	7.8	45	7.0	43	6.1	89	15	160	23	28.55			29.52	FM-15	T	29.51
25	1553	7	FEW:02 120	10.00		50	10.0	48	8.9	46	7.8	86	5	200		28.57	5	+0.07	29.54	FM-15	T	29.53
25	1653	7	SCT:04 27 BKN:07 120	10.00		51	10.6	49	9.4	47	8.3	86	9	180		28.57			29.54	FM-15	0.00	29.53
25	1753	7	CLR:00	10.00		51	10.6	49	9.7	48	8.9	89	9	210		28.57			29.54	FM-15	0.00	29.53
25	1853	7	SCT:04 38 BKN:07 47	10.00		51	10.6	50	10.0	49	9.4	92	10	210		28.59	3	-0.01	29.56	FM-15	0.00	29.55
25	1953	7	FEW:02 29 SCT:04 37	10.00		50	10.0	48	9.1	47	8.3	89	8	210		28.59			29.55	FM-15	0.00	29.55
25	2044	7	SCT:04 18 SCT:04 34 SCT:04 48	10.00		46	7.8	44	6.7	42	5.6	86	14	290		28.61				FM-16	T	29.57
25	2053	7	FEW:02 18	10.00		45	7.2	43	5.9	40	4.4	83	15	280	22	28.62			29.59	FM-15	T	29.58
25	2153	7	CLR:00	10.00		42	5.6	40	4.3	37	2.8	82	17	310	23	28.61	0	-0.02	29.58	FM-15	0.00	29.57
25	2253	7	CLR:00	10.00		40	4.4	37	3.0	34	1.1	79	10	290		28.63			29.60	FM-15	0.00	29.59
25	2353	7	FEW:02 65	10.00		38	3.3	36	2.4	34	1.1	86	9	270		28.64			29.61	FM-15	0.00	29.60
26	0015	7	BKN:07 24	10.00		39	3.9	37	2.7	34	1.1	82	13	270		28.64				FM-16		29.60
26	0037	7	SCT:04 25	10.00		38	3.3	36	2.4	34	1.1	86	11	270		28.64				FM-16		29.60
26	0053	7	BKN:07 28	10.00		38	3.3	36	2.2	33	0.6	83	11	270	18	28.64	1	-0.03	29.61	FM-15	0.00	29.60
26	0100	7	BKN:07 30	10.00		39	3.9	36	2.5	33	0.6	79	14	260		28.64				FM-16		29.60
26	0112	7	OVC:08 29	10.00		38	3.3	36	2.0	32	0.0	79	15	260	25	28.64				FM-16		29.60
26	0138	7	SCT:04 29	10.00		37	2.8	34	1.0	29	-1.7	73	18	260	28	28.63				FM-16		29.59
26	0153	7	CLR:00	10.00		37	2.8	33	0.8	28	-2.2	70	14	260		28.63			29.60	FM-15	0.00	29.59
26	0253	7	OVC:08 35	10.00		37	2.8	33	0.8	28	-2.2	70	13	270		28.63			29.60	FM-15	0.00	29.59
26	0353	7	OVC:08 32	10.00		37	2.8	34	1.2	30	-1.1	76	8	240		28.63	6	+0.01	29.60	FM-15	0.00	29.59
26	0453	7	OVC:08 33	10.00		37	2.8	33	0.8	28	-2.2	70	17	260	29	28.63			29.60	FM-15	0.00	29.59
26	0553	7	OVC:08 31	10.00		37	2.8	33	0.6	27	-2.8	67	21	260	30	28.64			29.61	FM-15	0.00	29.60
26	0653	7	BKN:07 32 OVC:08 39	10.00		37	2.8	33	0.8	28	-2.2	70	15	260	24	28.65	3	-0.01	29.62	FM-15	T	29.61
26	0751	6	OVC:08 23	10.00		36	2.0	34	0.9	30	-1.0	81	15	250		28.68				FM-16		29.64
26	0753	7	OVC:08 23	10.00		36	2.2	34	0.9	30	-1.1	79	14	260		28.67			29.64	FM-15	0.00	29.63
26	0853	7	OVC:08 18	10.00		35	1.7	34	1.0	32	0.0	89	16	250		28.70			29.67	FM-15	T	29.66
26	0911	7	BKN:07 15 OVC:08 21	3.00	-SN:03 BR:1 |SN |	35	1.7	34	1.0	32	0.0	89	15	250	24	28.71				FM-16	T	29.67
26	0951	6	OVC:08 11	6.00	-SN:03 BR:1 |SN |	36	2.0	35	1.8	34	1.0	93	15	250		28.72				FM-16		29.68
26	0953	7	BKN:07 11 OVC:08 16	7.00	-SN:03 |SN |	35	1.7	34	1.2	33	0.6	93	16	250	23	28.72	3	-0.04	29.70	FM-15	T	29.68
26	0955	7	OVC:08 11	5.00	-SN:03 BR:1 |SN |	35	1.7	34	1.2	33	0.6	93	18	260	24	28.72				FM-16	T	29.68
26	1053	7	OVC:08 13	10.00	UP:09 ||	36	2.2	35	1.8	34	1.1	93	23	270	29	28.74			29.72	FM-15	T	29.70
26	1055	7	BKN:07 13 OVC:08 19	10.00	-SN:03 |SN |	36	2.2	35	1.8	34	1.1	93	20	260	28	28.75				FM-16	T	29.71
26	1153	7	BKN:07 14 BKN:07 22 OVC:08 35	9.00		37	2.8	36	2.1	34	1.1	89	21	260	28	28.76			29.74	FM-15	T	29.72
26	1156	7	SCT:04 10 BKN:07 14 OVC:08 22	7.00	-SN:03 BR:1 |SN |	37	2.8	36	2.1	34	1.1	89	21	270	30	28.77				FM-16	T	29.73

26	1253	7	BKN:07 18 OVC:08 25	9.00	UP:09 ||	37	2.8	35	1.9	33	0.6	86	24	270	29	28.77	1	-0.05	29.74	FM-15	T	29.73
26	1256	7	BKN:07 18 OVC:08 25	9.00	BR:1 ||	37	2.8	35	1.9	33	0.6	86	23	260	31	28.77				FM-16	T	29.73
26	1351	6	SCT:04 23 OVC:08 33	10.00	BR:1 ||	37	3.0	34	1.2	30	-1.0	75	25	270	34	28.78				FM-16		29.74
26	1353	7	SCT:04 23 OVC:08 33	10.00	BR:1 ||	38	3.3	35	1.7	31	-0.6	76	25	270	34	28.79			29.76	FM-15	0.00	29.75
26	1453	7	SCT:04 23 SCT:04 28 OVC:08 36	8.00	-SN:03 |SN |	36	2.2	34	1.1	31	-0.6	82	18	260	31	28.82			29.80	FM-15	T	29.78
26	1553	7	FEW:02 23 BKN:07 30 OVC:08 36	9.00	-SN:03 |SN |	36	2.2	34	0.9	30	-1.1	79	21	280	30	28.84	3	-0.08	29.83	FM-15	T	29.81
26	1651	6	BKN:07 20 OVC:08 26	10.00		36	2.0	33	0.5	28	-2.0	75	22	270	30	28.87				FM-16		29.84
26	1653	7	BKN:07 20 OVC:08 26	10.00		35	1.7	33	0.4	29	-1.7	78	16	270	30	28.87			29.86	FM-15	T	29.84
26	1753	7	OVC:08 19	8.00	-SN:03 |SN |	33	0.6	31	-0.5	28	-2.2	82	20	260	29	28.90			29.89	FM-15	T	29.87
26	1853	6	BKN:07 17 OVC:08 23	10.00		32	0.0	30	-1.0	27	-2.8	82	15	280	28	28.92	1	-0.08	29.91	FM-15	T	29.89
26	1953	7	BKN:07 21 OVC:08 28	10.00		32	0.0	30	-1.2	26	-3.3	79	18	260	29	28.94			29.93	FM-15	0.00	29.91
26	2053	7	OVC:08 18	10.00		31	-0.6	29	-1.6	26	-3.3	82	18	270	26	28.95			29.94	FM-15	0.00	29.92
26	2153	7	BKN:07 26 OVC:08 35	10.00		32	0.0	29	-1.6	24	-4.4	73	16	240	28	28.95	1	-0.02	29.94	FM-15	0.00	29.92
26	2251	6	SCT:04 29 OVC:08 40	10.00		32	0.0	29	-1.4	25	-4.0	75	10	260		28.95				FM-16		29.92
26	2253	6	SCT:04 29 OVC:08 40	10.00		32	0.0	29	-1.4	25	-3.9	75	11	260		28.95			29.94	FM-15	0.00	29.92
26	2353	6	OVC:08 44	10.00		32	0.0	29	-1.6	24	-4.4	73	11	240		28.95			29.94	FM-15	0.00	29.92
27	0015	6	BKN:07 26 OVC:08 44	10.00		32	0.0	29	-1.4	25	-3.9	75	9	250		28.95				FM-16		29.92
27	0053	6	BKN:07 23 BKN:07 29 OVC:08 35	8.00	-SN:03 |SN |	31	-0.6	29	-1.6	26	-3.3	82	10	250		28.94	8	+0.00	29.93	FM-15	T	29.91
27	0153	6	SCT:04 14 BKN:07 22 OVC:08 29	3.00	-SN:03 BR:1 |SN |	30	-1.1	29	-1.7	27	-2.8	88	13	230		28.93			29.92	FM-15	T	29.90
27	0200	6	FEW:02 11 BKN:07 24 OVC:08 32	2.00	-SN:03 BR:1 |SN |	30	-1.1	29	-1.5	28	-2.2	92	15	240		28.93				FM-16		29.90
27	0210	6	SCT:04 13 SCT:04 21 OVC:08 30	4.00	-SN:03 BR:1 |SN |	30	-1.1	29	-1.5	28	-2.2	92	14	230		28.93				FM-16		29.90
27	0217	6	FEW:02 13 BKN:07 24 OVC:08 29	7.00	-SN:03 |SN |	30	-1.1	29	-1.5	28	-2.2	92	11	240		28.93				FM-16		29.90
27	0251	6	BKN:07 14 OVC:08 21	10.00		30	-1.0	29	-1.5	28	-2.0	93	11	240	21	28.93				FM-16		29.90
27	0253	6	BKN:07 14 OVC:08 21	10.00		31	-0.6	30	-1.2	28	-2.2	89	14	240	21	28.92			29.92	FM-15	T	29.89
27	0310	6	SCT:04 14 SCT:04 19 OVC:08 27	10.00		31	-0.6	30	-1.2	28	-2.2	89	10	250		28.92				FM-16		29.89
27	0353	7	SCT:04 11 OVC:08 20	5.00	-SN:03 BR:1 |SN |	30	-1.1	29	-1.5	28	-2.2	92	11	250		28.92	6	+0.02	29.91	FM-15	T	29.89
27	0416	7	BKN:07 13 BKN:07 17 OVC:08 23	8.00	-SN:03 |SN |	30	-1.1	29	-1.5	28	-2.2	92	14	250		28.91				FM-16	T	29.88
27	0425	7	FEW:02 10 BKN:07 25 OVC:08 31	8.00	-SN:03 |SN |	30	-1.1	29	-1.5	28	-2.2	92	13	250	20	28.91				FM-16	T	29.88

27	0451	6	SCT:04 17 BKN:07 30 OVC:08 44	10.00		30	-1.0	29	-1.7	27	-3.0	86	13	260		28.91				FM-16		29.88
27	0453	7	SCT:04 19 BKN:07 30 OVC:08 44	10.00		31	-0.6	30	-1.4	27	-2.8	85	14	250	20	28.91			29.90	FM-15	T	29.88
27	0553	7	FEW:02 18 SCT:04 22 OVC:08 60	10.00		30	-1.1	29	-1.9	26	-3.3	85	14	260		28.92			29.91	FM-15	0.00	29.89
27	0610	7	SCT:04 24 BKN:07 29 OVC:08 60	10.00		30	-1.1	29	-1.9	26	-3.3	85	11	260		28.92				FM-16		29.89
27	0626	7	FEW:02 22 SCT:04 29 OVC:08 60	10.00		30	-1.1	28	-2.1	25	-3.9	82	14	270	21	28.92				FM-16		29.89
27	0653	7	FEW:02 21 BKN:07 30 OVC:08 60	10.00	-SN:03 |SN |	30	-1.1	29	-1.9	26	-3.3	85	10	260		28.92	5	+0.00	29.91	FM-15	T	29.89
27	0706	7	SCT:04 19 BKN:07 27 OVC:08 55	10.00		30	-1.1	29	-1.9	26	-3.3	85	14	260		28.93				FM-16	T	29.90
27	0751	6	FEW:02 18 OVC:08 55	10.00		28	-2.0	28	-2.4	27	-3.0	93	11	250		28.93				FM-16		29.90
27	0753	7	FEW:02 18 OVC:08 55	10.00		29	-1.7	28	-2.3	26	-3.3	89	11	250		28.93			29.92	FM-15	T	29.90
27	0853	7	FEW:02 22 OVC:08 55	10.00		30	-1.1	28	-2.3	24	-4.4	79	13	250	22	28.93			29.93	FM-15	0.00	29.90
27	0953	7	SCT:04 22 OVC:08 55	7.00	-SN:03 |SN |	30	-1.1	28	-2.1	25	-3.9	82	10	250		28.94	3	-0.01	29.93	FM-15	T	29.91
27	1000	7	BKN:07 20 BKN:07 29 OVC:08 50	5.00	-SN:03 BR:1 |SN |	30	-1.1	29	-1.9	26	-3.3	85	10	250		28.94				FM-16	T	29.91
27	1018	7	BKN:07 14 BKN:07 20 OVC:08 36	3.00	-SN:03 BR:1 |SN |	29	-1.7	28	-2.3	26	-3.3	89	10	260		28.94				FM-16	T	29.91
27	1028	7	BKN:07 14 BKN:07 20 OVC:08 36	2.00	-SN:03 BR:1 |SN |	29	-1.7	28	-2.1	27	-2.8	92	7	260		28.94				FM-16	T	29.91
27	1053	7	BKN:07 14 BKN:07 20 OVC:08 36	2.00	-SN:03 BR:1 |SN |	30	-1.1	29	-1.7	27	-2.8	88	11	300	18	28.93			29.93	FM-15	T	29.90
27	1100	7	BKN:07 17 OVC:08 25	1.25	-SN:03 BR:1 |SN |	29	-1.7	28	-2.3	26	-3.3	89	15	280		28.93				FM-16	T	29.90
27	1106	7	OVC:08 15	3.00	-SN:03 BR:1 |SN |	29	-1.7	28	-2.3	26	-3.3	89	15	280		28.93				FM-16	T	29.90
27	1127	7	SCT:04 17 SCT:04 33 OVC:08 50	9.00		31	-0.6	29	-1.6	26	-3.3	82	11	250		28.92				FM-16	0.01	29.89
27	1153	7	SCT:04 23 OVC:08 55	10.00		32	0.0	29	-1.4	25	-3.9	75	15	270		28.91			29.91	FM-15	0.01	29.88
27	1239	7	SCT:04 21 BKN:07 28 OVC:08 50	10.00		31	-0.6	28	-2.0	24	-4.4	76	18	270	29	28.90				FM-16	T	29.86
27	1251	6	SCT:04 23 SCT:04 28 OVC:08 47	8.00	-SN:03 |SN |	30	-1.0	28	-2.1	25	-4.0	80	23	270	30	28.89				FM-16		29.85
27	1253	7	FEW:02 21 SCT:04 28 OVC:08 47	8.00	-SN:03 |SN |	31	-0.6	28	-2.0	24	-4.4	76	22	280	30	28.89	8	+0.05	29.88	FM-15	T	29.85
27	1353	7	OVC:08 39	9.00	-SN:03 |SN |	31	-0.6	28	-2.3	22	-5.6	69	17	270	26	28.89			29.88	FM-15	T	29.85
27	1453	7	FEW:02 27 BKN:07 42 OVC:08 49	8.00	-SN:03 |SN |	31	-0.6	28	-2.0	24	-4.4	76	14	270		28.89			29.87	FM-15	T	29.85
27	1553	7	FEW:02 22 BKN:07 33 OVC:08 45	4.00	-SN:03 |SN |	31	-0.6	29	-1.8	25	-3.9	79	10	240		28.89	3	-0.00	29.88	FM-15	T	29.85

27	1651	7	BKN:07 23 OVC:08 35	8.00	-SN:03 |SN |	30	-1.0	28	-2.1	25	-4.0	80	13	240	21	28.90				FM-16	T	29.86
27	1653	7	BKN:07 23 OVC:08 35	8.00	-SN:03 |SN |	31	-0.6	29	-1.8	25	-3.9	79	14	240	21	28.90			29.88	FM-15	T	29.86
27	1751	6	SCT:04 27 BKN:07 34 OVC:08 41	10.00		30	-1.0	28	-2.1	25	-4.0	80	15	250		28.89				FM-16		29.85
27	1753	7	FEW:02 24 BKN:07 30 OVC:08 38	10.00		32	0.0	29	-1.4	25	-3.9	75	15	250		28.89			29.88	FM-15	T	29.85
27	1853	7	FEW:02 27 FEW:02 32 OVC:08 45	10.00		32	0.0	29	-1.6	24	-4.4	73	13	250	20	28.90	5	+0.00	29.88	FM-15	0.00	29.86
27	1951	6	FEW:02 20 BKN:07 27 OVC:08 33	9.00	UP:09 ||	30	-1.0	28	-2.1	25	-4.0	80	11	240		28.90				FM-16		29.86
27	1953	7	FEW:02 21 SCT:04 26 OVC:08 33	9.00	UP:09 ||	31	-0.6	29	-1.8	25	-3.9	79	13	240		28.90			29.88	FM-15	T	29.86
27	2000	7	BKN:07 21 OVC:08 28	9.00	-SN:03 |SN |	31	-0.6	29	-1.6	26	-3.3	82	13	250		28.90				FM-16	T	29.86
27	2053	7	BKN:07 23 OVC:08 28	9.00		31	-0.6	29	-1.8	25	-3.9	79	9	250		28.89			29.88	FM-15	T	29.85
27	2153	7	OVC:08 29	10.00		31	-0.6	28	-2.3	22	-5.6	69	18	250	26	28.87	8	+0.01	29.87	FM-15	T	29.84
27	2253	7	OVC:08 25	10.00		30	-1.1	27	-2.7	22	-5.6	72	17	260	23	28.87			29.87	FM-15	0.00	29.84
27	2353	7	OVC:08 27	10.00		29	-1.7	26	-3.2	21	-6.1	72	15	260	24	28.87			29.86	FM-15	0.00	29.83
28	0053	7	OVC:08 22	10.00		29	-1.7	27	-3.0	22	-5.6	75	13	260	24	28.86	8	+0.03	29.85	FM-15	0.00	29.82
28	0153	7	BKN:07 17 OVC:08 23	10.00		27	-2.8	25	-3.7	22	-5.6	81	17	280		28.86			29.85	FM-15	0.00	29.82
28	0253	7	OVC:08 16	10.00		27	-2.8	25	-3.7	22	-5.6	81	16	280		28.86			29.85	FM-15	0.00	29.82
28	0353	7	OVC:08 22	10.00		27	-2.8	25	-4.1	20	-6.7	75	16	260		28.84	8	+0.00	29.84	FM-15	0.00	29.81
28	0453	7	OVC:08 25	10.00		27	-2.8	24	-4.2	19	-7.2	72	9	260		28.84			29.83	FM-15	0.00	29.81
28	0553	7	OVC:08 26	10.00		28	-2.2	25	-3.7	20	-6.7	72	10	230		28.84			29.83	FM-15	0.00	29.80
28	0653	7	OVC:08 24	10.00		28	-2.2	26	-3.5	21	-6.1	75	15	220		28.83	8	+0.03	29.81	FM-15	0.00	29.79
28	0753	7	OVC:08 22	10.00		28	-2.2	26	-3.5	21	-6.1	75	15	230		28.84			29.83	FM-15	0.00	29.80
28	0853	7	OVC:08 21	10.00		28	-2.2	26	-3.5	21	-6.1	75	15	230	25	28.84			29.83	FM-15	0.00	29.80
28	0953	7	OVC:08 19	10.00		28	-2.2	26	-3.5	21	-6.1	75	17	230		28.84	0	-0.01	29.83	FM-15	0.00	29.80
28	1053	7	OVC:08 20	10.00		29	-1.7	27	-3.0	22	-5.6	75	15	220		28.83			29.82	FM-15	0.00	29.79
28	1153	7	OVC:08 22	10.00		31	-0.6	28	-2.1	23	-5.0	72	15	220		28.81			29.80	FM-15	0.00	29.77
28	1253	7	BKN:07 23 OVC:08 29	10.00		32	0.0	29	-1.6	24	-4.4	73	11	230		28.78	8	+0.06	29.77	FM-15	0.00	29.74
28	1353	7	BKN:07 26 OVC:08 31	10.00		33	0.6	30	-1.1	25	-3.9	72	10	220		28.76			29.75	FM-15	0.00	29.72
28	1453	7	OVC:08 29	10.00		33	0.6	29	-1.5	23	-5.0	66	15	250	25	28.76			29.74	FM-15	0.00	29.72
28	1553	7	OVC:08 29	10.00		31	-0.6	29	-1.8	25	-3.9	79	17	270		28.76	5	+0.02	29.75	FM-15	0.00	29.72
28	1653	7	OVC:08 18	9.00		30	-1.1	28	-2.3	24	-4.4	79	20	260	28	28.79			29.77	FM-15	0.00	29.75
28	1753	7	OVC:08 20	10.00		29	-1.7	27	-2.8	23	-5.0	78	15	260		28.81			29.80	FM-15	0.00	29.77
28	1853	7	OVC:08 19	10.00		29	-1.7	27	-2.8	23	-5.0	78	9	260		28.83	1	-0.06	29.81	FM-15	0.00	29.79
28	1953	7	OVC:08 17	8.00		29	-1.7	28	-2.5	25	-3.9	85	8	250		28.83			29.82	FM-15	0.00	29.79
28	2053	7	OVC:08 20	9.00		30	-1.1	28	-2.1	25	-3.9	82	9	250		28.83			29.81	FM-15	0.00	29.79
28	2153	7	OVC:08 24	10.00		31	-0.6	29	-1.8	25	-3.9	79	13	250		28.82	8	+0.00	29.81	FM-15	0.00	29.78
28	2253	7	OVC:08 30	10.00		31	-0.6	29	-1.8	25	-3.9	79	11	260		28.82			29.80	FM-15	0.00	29.78
28	2312	7	BKN:07 27 OVC:08 32	10.00		31	-0.6	29	-1.8	25	-3.9	79	9	250		28.82				FM-16		29.78
28	2353	7	OVC:08 25	10.00		31	-0.6	29	-1.8	25	-3.9	79	11	260		28.82			29.80	FM-15	0.00	29.78
29	0053	7	FEW:02 15 OVC:08 21	4.00	-SN:03 BR:1 |SN |	30	-1.1	29	-1.7	27	-2.8	88	14	290	23	28.81	6	+0.01	29.79	FM-15	T	29.77
29	0107	7	FEW:02 14 BKN:07 23 OVC:08 38	7.00	-FZ:8 RA:02 |FZRA |	30	-1.1	29	-1.7	27	-2.8	88	13	280		28.81				FM-16	T	29.77

29	0117	7	BKN:07 24 OVC:08 40	9.00		29	-1.7	28	-2.3	26	-3.3	89	13	290		28.81				FM-16	T	29.77
29	0125	7	SCT:04 24 SCT:04 29 OVC:08 42	9.00		29	-1.7	28	-2.3	26	-3.3	89	11	290		28.81				FM-16	T	29.77
29	0144	7	BKN:07 24 BKN:07 30 OVC:08 42	9.00		29	-1.7	28	-2.3	26	-3.3	89	13	280	21	28.81				FM-16	T	29.77
29	0153	7	FEW:02 15 OVC:08 26	9.00		29	-1.7	28	-2.3	26	-3.3	89	10	280		28.81			29.80	FM-15	T	29.77
29	0251	6	FEW:02 17 SCT:04 23 OVC:08 32	10.00		28	-2.0	27	-2.8	25	-4.0	86	7	280		28.82				FM-16		29.78
29	0253	7	FEW:02 17 OVC:08 32	10.00		29	-1.7	28	-2.5	25	-3.9	85	7	290		28.81			29.80	FM-15	0.00	29.77
29	0330	7	BKN:07 28 OVC:08 34	10.00		29	-1.7	28	-2.5	25	-3.9	85	8	290		28.81				FM-16		29.77
29	0353	7	BKN:07 23 BKN:07 28 OVC:08 34	10.00		29	-1.7	28	-2.5	25	-3.9	85	8	300		28.80	8	+0.01	29.79	FM-15	0.00	29.76
29	0411	7	SCT:04 22 OVC:08 32	10.00		29	-1.7	27	-2.8	23	-5.0	78	8	300		28.80				FM-16		29.76
29	0453	7	OVC:08 32	10.00		28	-2.2	26	-3.2	23	-5.0	81	7	300		28.80			29.79	FM-15	0.00	29.76
29	0553	7	OVC:08 34	10.00		28	-2.2	26	-3.5	21	-6.1	75	7	300		28.80			29.79	FM-15	0.00	29.76
29	0653	7	OVC:08 35	10.00		28	-2.2	25	-3.7	20	-6.7	72	7	280		28.81	3	-0.01	29.80	FM-15	0.00	29.77
29	0753	7	OVC:08 40	10.00		28	-2.2	25	-3.9	19	-7.2	69	7	320		28.81			29.79	FM-15	0.00	29.77
29	0853	7	BKN:07 36 OVC:08 46	10.00		29	-1.7	26	-3.5	19	-7.2	66	7	250		28.82			29.81	FM-15	0.00	29.78
29	0953	7	FEW:02 34 OVC:08 47	10.00		29	-1.7	26	-3.2	21	-6.1	72	10	270		28.83	3	-0.02	29.82	FM-15	0.00	29.79
29	1034	7	SCT:04 22 BKN:07 28 OVC:08 38	10.00		29	-1.7	26	-3.2	21	-6.1	72	13	290		28.83				FM-16		29.79
29	1044	7	FEW:02 24 SCT:04 29 OVC:08 38	10.00		29	-1.7	26	-3.4	20	-6.7	69	9	280		28.83				FM-16		29.79
29	1053	7	FEW:02 22 FEW:02 29 OVC:08 38	10.00		29	-1.7	26	-3.4	20	-6.7	69	8	280		28.83			29.82	FM-15	0.00	29.79
29	1153	7	SCT:04 38	10.00		33	0.6	28	-2.1	19	-7.2	56	9	270		28.82			29.80	FM-15	0.00	29.78
29	1253	7	OVC:08 45	10.00		31	-0.6	26	-3.3	16	-8.9	54	7	290		28.80	8	+0.03	29.78	FM-15	0.00	29.76
29	1353	7	OVC:08 42	10.00		32	0.0	27	-2.9	16	-8.9	52	11	270	17	28.78			29.76	FM-15	0.00	29.74
29	1453	7	OVC:08 42	10.00		31	-0.6	26	-3.1	17	-8.3	56	6	250		28.78			29.76	FM-15	0.00	29.74
29	1553	7	OVC:08 41	10.00		31	-0.6	26	-3.1	17	-8.3	56	9	250		28.78	5	+0.01	29.77	FM-15	0.00	29.74
29	1653	7	OVC:08 39	10.00		30	-1.1	26	-3.2	19	-7.2	64	10	240		28.80			29.78	FM-15	0.00	29.76
29	1753	7	BKN:07 32 OVC:08 40	10.00		30	-1.1	26	-3.2	19	-7.2	64	10	310		28.81			29.80	FM-15	0.00	29.77
29	1853	7	OVC:08 49	10.00		29	-1.7	26	-3.2	21	-6.1	72	10	290		28.83	3	-0.05	29.82	FM-15	T	29.79
29	1953	7	SCT:04 22 OVC:08 55	10.00		28	-2.2	26	-3.5	21	-6.1	75	15	290		28.84			29.83	FM-15	0.00	29.80
29	2053	7	SCT:04 15 OVC:08 50	6.00	-SN:03 |SN |	27	-2.8	25	-3.7	22	-5.6	81	15	270	23	28.84			29.84	FM-15	T	29.81
29	2100	7	SCT:04 15 BKN:07 22 OVC:08 50	6.00	-SN:03 |SN |	26	-3.3	24	-4.3	21	-6.1	81	14	270	23	28.84				FM-16	T	29.81
29	2112	7	FEW:02 15 BKN:07 31 OVC:08 36	10.00		27	-2.8	25	-3.9	21	-6.1	78	14	280		28.84				FM-16	T	29.81
29	2153	7	OVC:08 60	10.00		26	-3.3	24	-4.4	20	-6.7	78	14	280		28.86	1	-0.03	29.85	FM-15	T	29.82
29	2253	7	OVC:08 60	10.00		26	-3.3	24	-4.6	19	-7.2	75	9	280		28.86			29.85	FM-15	0.00	29.82
29	2353	7	SCT:04 19 OVC:08 60	10.00		26	-3.3	24	-4.4	20	-6.7	78	10	270		28.86			29.85	FM-15	0.00	29.82

30	0017	7	BKN:07 21 OVC:08 60	10.00		26	-3.3	24	-4.4	20	-6.7	78	13	270		28.87				FM-16		29.83
30	0053	7	OVC:08 21	8.00		26	-3.3	24	-4.4	20	-6.7	78	11	280		28.87	3	-0.01	29.86	FM-15	T	29.83
30	0153	7	SCT:04 18 BKN:07 23 OVC:08 32	5.00	-SN:03 BR:1 |SN |	25	-3.9	24	-4.6	21	-6.1	85	10	280		28.87			29.86	FM-15	T	29.83
30	0251	7	SCT:04 17 OVC:08 75	10.00		25	-4.0	23	-5.0	19	-7.0	80	11	290		28.87				FM-16	T	29.84
30	0253	7	SCT:04 17 OVC:08 75	10.00		25	-3.9	23	-4.8	20	-6.7	81	11	280		28.87			29.87	FM-15	T	29.84
30	0321	7	BKN:07 27 OVC:08 80	10.00		24	-4.4	23	-5.2	20	-6.7	84	9	280		28.87				FM-16		29.84
30	0353	7	BKN:07 18 OVC:08 80	10.00		25	-3.9	23	-4.8	20	-6.7	81	9	280		28.87	2	-0.01	29.87	FM-15	0.00	29.84
30	0424	7	SCT:04 19 SCT:04 26 OVC:08 80	6.00	-SN:03 BR:1 |SN |	24	-4.4	23	-5.0	21	-6.1	88	9	280		28.89				FM-16	T	29.85
30	0435	7	BKN:07 17 BKN:07 26 OVC:08 80	9.00		24	-4.4	23	-5.0	21	-6.1	88	9	280		28.89				FM-16	T	29.85
30	0445	7	SCT:04 17 OVC:08 75	10.00		23	-5.0	22	-5.5	20	-6.7	88	9	290		28.89				FM-16	T	29.85
30	0453	7	SCT:04 17 OVC:08 75	10.00		23	-5.0	22	-5.5	20	-6.7	88	9	280		28.90			29.89	FM-15	T	29.86
30	0553	7	BKN:07 27	10.00		22	-5.6	21	-6.2	18	-7.8	85	9	270		28.91			29.91	FM-15	0.00	29.88
30	0600	7	SCT:04 27	10.00		22	-5.6	21	-6.2	18	-7.8	85	7	270		28.92				FM-16		29.89
30	0607	7	BKN:07 26	10.00		22	-5.6	21	-6.1	19	-7.2	89	10	280		28.92				FM-16		29.89
30	0651	7	SCT:04 24	10.00		21	-6.0	20	-6.6	18	-8.0	86	11	270		28.93				FM-16		29.90
30	0653	7	FEW:02 24	10.00		22	-5.6	20	-6.4	17	-8.3	82	14	280		28.94	1	-0.04	29.93	FM-15	0.00	29.91
30	0725	7	BKN:07 29 BKN:07 70	10.00		24	-4.4	22	-5.8	16	-8.9	71	17	300		28.94				FM-16		29.91
30	0753	7	OVC:08 31	10.00		24	-4.4	21	-6.0	15	-9.4	68	13	310		28.95			29.95	FM-15	0.00	29.92
30	0851	6	OVC:08 29	10.00		25	-4.0	23	-5.1	18	-8.0	74	13	280		28.98				FM-16		29.95
30	0853	7	OVC:08 29	10.00		24	-4.4	22	-5.7	17	-8.3	75	13	270		28.98			29.98	FM-15	0.00	29.95
30	0953	7	OVC:08 28	10.00		24	-4.4	22	-5.7	17	-8.3	75	11	260		29.01	3	-0.07	30.01	FM-15	0.00	29.98
30	1019	7	SCT:04 26	10.00		24	-4.4	22	-5.8	16	-8.9	71	13	250		29.01				FM-16		29.98
30	1053	7	SCT:04 20	10.00		25	-3.9	22	-5.3	17	-8.3	72	9	260		29.02			30.03	FM-15	0.00	29.99
30	1103	7	BKN:07 19	10.00		25	-3.9	22	-5.3	17	-8.3	72	13	280		29.02				FM-16		29.99
30	1153	7	BKN:07 19	10.00		25	-3.9	22	-5.4	16	-8.9	69	13	290		29.03			30.03	FM-15	0.00	30.00
30	1253	7	BKN:07 28	10.00		29	-1.7	25	-4.0	16	-8.9	58	13	240	26	29.01	0	-0.00	30.01	FM-15	0.00	29.98
30	1351	6	FEW:02 32	10.00		27	-3.0	23	-5.0	14	-10.0	59	11	260		28.99				FM-16		29.96
30	1353	7	BKN:07 32	10.00		27	-2.8	23	-5.0	14	-10.0	58	11	250		28.99			29.99	FM-15	0.00	29.96
30	1453	7	BKN:07 39	10.00		28	-2.2	24	-4.5	15	-9.4	58	14	240		28.98			29.98	FM-15	0.00	29.95
30	1553	7	BKN:07 40	10.00		29	-1.7	24	-4.3	14	-10.0	54	17	230	23	28.99	5	+0.03	29.98	FM-15	0.00	29.96
30	1653	7	SCT:04 41	10.00		28	-2.2	23	-4.9	12	-11.1	51	15	220		29.00			30.00	FM-15	0.00	29.97
30	1753	7	BKN:07 100	10.00		29	-1.7	24	-4.4	13	-10.6	51	10	230		29.01			30.01	FM-15	0.00	29.98
30	1853	7	BKN:07 110	10.00		28	-2.2	24	-4.6	14	-10.0	56	6	210		28.99	0	-0.00	29.99	FM-15	0.00	29.96
30	1953	7	OVC:08 95	10.00		29	-1.7	24	-4.3	14	-10.0	54	10	170		28.91			29.91	FM-15	0.00	29.88
30	2053	7	BKN:07 65 OVC:08 90	10.00		29	-1.7	25	-4.0	16	-8.9	58	13	180	23	28.89			29.88	FM-15	0.00	29.85
30	2153	7	BKN:07 70	10.00		30	-1.1	25	-3.6	16	-8.9	56	13	180		28.89	5	+0.11	29.88	FM-15	0.00	29.85
30	2253	7	OVC:08 50	10.00		30	-1.1	26	-3.5	17	-8.3	58	9	170		28.86			29.85	FM-15	0.00	29.82
30	2353	7	SCT:04 44 OVC:08 60	10.00		30	-1.1	26	-3.3	18	-7.8	61	11	160		28.79			29.78	FM-15	0.00	29.75
31	0053	7	OVC:08 70	10.00		30	-1.1	26	-3.5	17	-8.3	58	11	150		28.73	8	+0.15	29.72	FM-15	0.00	29.69
31	0153	7	SCT:04 85	10.00		30	-1.1	26	-3.3	18	-7.8	61	8	190		28.70			29.68	FM-15	0.00	29.66
31	0253	7	CLR:00	10.00		31	-0.6	27	-2.8	19	-7.2	61	9	170		28.66			29.65	FM-15	0.00	29.62
31	0353	7	CLR:00	10.00		32	0.0	28	-2.0	22	-5.6	66	10	200		28.62	6	+0.11	29.61	FM-15	0.00	29.58
31	0453	7	FEW:02 32 OVC:08 45	10.00		33	0.6	30	-1.1	25	-3.9	72	11	220		28.62			29.60	FM-15	0.00	29.58

31	0551	6	OVC:08 28	10.00		39	4.0	35	1.8	30	-1.0	70	17	250	29	28.62				FM-16		29.58
31	0553	7	OVC:08 28	10.00		40	4.4	36	2.4	31	-0.6	70	18	260	29	28.61			29.59	FM-15	0.00	29.57
31	0606	7	OVC:08 30	10.00		40	4.4	36	2.4	31	-0.6	70	17	250	28	28.62				FM-16		29.58
31	0616	7	OVC:08 28	10.00		40	4.4	36	2.4	31	-0.6	70	16	250	26	28.62				FM-16		29.58
31	0653	7	OVC:08 28	10.00		40	4.4	36	2.4	31	-0.6	70	17	250	28	28.63	3	-0.00	29.61	FM-15	0.00	29.59
31	0753	7	BKN:07 25 BKN:07 30 OVC:08 36	10.00		39	3.9	36	2.3	32	0.0	76	21	250	32	28.66			29.64	FM-15	T	29.62
31	0853	7	OVC:08 25	10.00		39	3.9	36	2.3	32	0.0	76	18	260	31	28.69			29.67	FM-15	T	29.65
31	0953	7	OVC:08 23	10.00		40	4.4	37	2.6	32	0.0	73	18	260	32	28.72	3	-0.09	29.70	FM-15	0.00	29.68
31	1051	6	SCT:04 29 OVC:08 45	10.00		41	5.0	37	2.9	32	0.0	70	17	250	28	28.75				FM-16		29.71
31	1053	7	SCT:04 29 OVC:08 45	10.00		41	5.0	37	2.9	32	0.0	70	20	260	28	28.75			29.72	FM-15	0.00	29.71
31	1123	7	BKN:07 28 BKN:07 32 OVC:08 46	10.00		41	5.0	37	2.9	32	0.0	70	20	260	30	28.76				FM-16		29.72
31	1151	6	SCT:04 28 OVC:08 35	10.00		41	5.0	37	2.9	32	0.0	70	22	250	32	28.77				FM-16		29.73
31	1153	7	SCT:04 28 OVC:08 37	10.00		40	4.4	37	2.6	32	0.0	73	16	250	32	28.77			29.75	FM-15	0.00	29.73
31	1231	7	BKN:07 29 OVC:08 35	10.00		40	4.4	37	2.6	32	0.0	73	17	250	28	28.78				FM-16	T	29.74
31	1251	6	BKN:07 30 OVC:08 41	10.00		41	5.0	37	2.9	32	0.0	70	17	250	29	28.78				FM-16		29.74
31	1253	7	BKN:07 30 OVC:08 37	10.00		41	5.0	37	2.7	31	-0.6	67	17	250	29	28.78	1	-0.06	29.75	FM-15	T	29.74
31	1353	7	FEW:02 34 OVC:08 47	10.00	-RA:02 |RA |	42	5.6	37	2.8	30	-1.1	62	24	260	34	28.78			29.76	FM-15	T	29.74
31	1453	7	SCT:04 37 OVC:08 46	10.00		42	5.6	37	2.6	29	-1.7	60	23	260	32	28.80			29.77	FM-15	T	29.76
31	1553	7	OVC:08 43	10.00	-RA:02 |RA |	40	4.4	35	1.8	28	-2.2	63	22	260	36	28.83	3	-0.05	29.81	FM-15	T	29.79
31	1653	7	BKN:07 34 OVC:08 55	10.00		40	4.4	36	2.0	29	-1.7	65	16	250	24	28.87			29.84	FM-15	T	29.83
31	1753	7	OVC:08 46	10.00		40	4.4	36	2.0	29	-1.7	65	16	260	29	28.90			29.87	FM-15	0.00	29.86
31	1853	7	BKN:07 39 OVC:08 50	10.00		40	4.4	36	2.0	29	-1.7	65	17	250	24	28.91	1	-0.09	29.90	FM-15	0.00	29.88
31	1953	7	OVC:08 47	10.00		40	4.4	36	2.0	29	-1.7	65	21	270	31	28.93			29.92	FM-15	0.00	29.90
31	2053	7	CLR:00	10.00		38	3.3	34	1.3	29	-1.7	70	15	260	24	28.94			29.93	FM-15	0.00	29.91
31	2153	7	SCT:04 33 OVC:08 45	10.00		38	3.3	34	1.3	29	-1.7	70	9	230		28.95	1	-0.04	29.94	FM-15	0.00	29.92
31	2253	7	SCT:04 30 OVC:08 39	10.00		38	3.3	35	1.5	30	-1.1	73	9	240		28.96			29.94	FM-15	0.00	29.93
31	2353	7	BKN:07 39	10.00		37	2.8	34	1.2	30	-1.1	76	8	250		28.97			29.95	FM-15	0.00	29.94

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
January 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01																									01
02		T	T																						02
03		T	0.01	T	0.04	0.05	0.04	0.10	0.10	0.05	0.01	T	T						0.30s	0.01					03
04		T	T	T	T	T				T	T	T													04
05								T	T	T	T	T	T	T	T	T	T	T	T	T	T			T	05
06														T	T										06
07																									07
08										T															08
09																									09
10					0.01	T	T	T	T						T	0.01	0.02		T	T	T	0.04s	0.05	T	10
11																0.01s	0.09	0.02	T	T					11
12	T	T	T		T			0.02	T	0.03	T	T	0.01	0.02	0.38										12
13																									13
14			T	T	T	T								T	0.04										14
15																									15
16												T				0.01					0.01	0.02	0.01	0.01	16
17	T	0.03	0.03				0.03	0.08				T												T	17
18			T	T																					18
19																									19
20	T	0.08	0.07	0.09	0.06	0.11	0.06	0.01	T	T															20
21																	T	T				T	T	0.02	21
22																					T	T			22
23	T	T	T	T	T	T		T	0.01	T	0.01	0.02	0.01	T	0.02	0.01	0.04	0.01	0.03	0.01	T	T	T	T	23
24	0.02	0.04	T																						24
25											0.06	0.04	T	T	T	T					T				25
26							T		T	T	T	T	T		T	T	T	T	T						26
27	T	T	T	T	T		T	T		T	T	0.01	T	T	T	T	T	T		T	T	T			27
28																									28
29	T	T																	T		T	T			29
30	T	T	T		T																				30
31								T	T				T	T	T	T	T								31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.16	0.28	0.34	0.36	0.37	0.38	0.38	0.38	0.39	0.40	0.40	0.41
Ending Date Time (yyyy-mm-dd hh:mi)	2017-01-12 14:17	2017-01-12 14:20	2017-01-12 14:23	2017-01-12 14:23	2017-01-12 14:31	2017-01-12 14:50	2017-01-12 14:50	2017-01-12 14:50	2017-01-12 14:31	2017-01-12 14:50	2017-01-12 14:50	2017-01-12 14:50

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
February 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	40	29	35	6.0				30	0	0741	1751	RA SN BR	T			29.06		8.9	21	260	16	260
02	33	20	27	-2.1				38	0	0740	1752		0.00			29.28		10.4	24	280	17	280
03	27	15	21	-8.2				44	0	0739	1754		0.00			29.37		9.3	25	290	21	280
04	33	10*	22	-7.3				43	0	0738	1755		0.00			29.39		7.5	20	170	15	160
05	49	29	39	9.5				26	0	0737	1756		0.00			29.03		11.2	29	240	24	230
06	58	23	41	11.4				24	0	0736	1757	RA BR	0.05			29.06		5.7	19	170	16	180
07	60	51	56	26.3				9	0	0735	1758	TS RA BR	0.68			28.64		15.5	36s	210s	29	200
08	51	29	40	10.1				25	0	0734	1800	SN BR	0.01			28.79		11.9	27	310	21	310
09	29	13	21	-9.0				44	0	0733	1801	SN	T			29.11		15.2	34s	320s	28	310
10	37	13	25	-5.2				40	0	0732	1802		0.00			29.21		9.4	26	160	20	160
11	61	32	46	15.7				19	0	0731	1803	RA BR	T			28.92		4.7	20s	240s	14	250
12	58	34	46	15.5				19	0	0729	1804	RA SN FG BR	0.41			28.91		15.2	42	290	32	300
13	45	24	35	4.3				30	0	0728	1806		0.00			29.24		9.0	24	300	18	310
14	52	29	41	10.1				24	0	0727	1807		0.00			28.91		11.1	29	240	23	230
15	40	28	34	2.9				31	0	0726	1808		T			28.75		14.4	32	330	24	310
16	38	26	32	0.7				33	0	0724	1809		0.00			28.92		8.6	23	290	17	300
17	63	30	47	15.5				18	0	0723	1810		0.00			28.84		8.4	24	210	18	210
18	66	40	53	21.3				12	0	0722	1811		0.00			28.83		11.1	27	210	22	210
19	58	39	48	16.0				17	0	0720	1813	BR	0.00			29.03		6.9	16	240	13	200
20	62	33	48	15.8				17	0	0719	1814	FG BR HZ	0.00			29.23		4.4	13	100	10	100
21	68	46	57	24.5				8	0	0718	1815	RA	0.02			29.05		7.0	18	210	15	200
22	58	54	56	23.3				9	0	0716	1816	RA BR	0.02			28.92		7.4	17	180	14	180
23	70	53	62	29.0				3	0	0715	1817	TS RA BR	0.04			28.82		8.6	22	220	18	210
24	76*	57	66	32.7				0	1	0714	1818	TS RA	0.26			28.69		13.1	36	210	26	190
25	59	27	43	9.4				22	0	0712	1819	TS RA SN BR	0.06			28.77		15.5	44	270	31	270
26	43	27	35	1.1				30	0	0711	1821		0.00			29.14		10.2	25	200	20	190
27	46	37	42	7.8				23	0	0709	1822	BR	0.00			29.24		7.7	19	170	16	180
28	57	36	46	11.5				19	0	0708	1823	RA FG BR	0.04			29.08		10.1	25	190	17	180
	51.3	31.6	41.5							Monthly Averages | Totals			1.59s			29.00	29.99	10.1				
	11.7	8.7	10.2	Departure from Normal (1981-2010)									-0.38s									

Degree Days	Monthly		Season-to-date		Number of days with... Temperature				Precipitation		Snow	Weather	
	Total	Departure	Total	Departure	Max		Min						
Heating	659	-286	3448		>=90°	<=32°	<=32°	<=0°	>=0.01"	>=0.1"	>=1"	T-Storms	Heavy Fog
Cooling	1	1	1		0	2	17	0	10	3			

Date of 5-sec to 3-sec wind equipment change	Sea Level Pressure				Greatest...		
			Date	Time	24-Hr...		Snow Depth
N/A	Maximum	30.53	04	0958	Precip	Snowfall	
	Minimum	29.45	07	1632	0.73s		
					Date		
					06-07		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
February 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	BKN:07 38 OVC:08 110	10.00		37	2.8	35	1.4	31	-0.6	79	9	240		28.99	3	-0.03	29.98	FM-15	0.00	29.96
01	0153	7	OVC:08 85	10.00		38	3.3	35	1.7	31	-0.6	76	9	240		28.99			29.97	FM-15	0.00	29.96
01	0253	7	OVC:08 100	10.00		37	2.8	35	1.4	31	-0.6	79	9	240		28.98			29.97	FM-15	0.00	29.95
01	0353	7	OVC:08 80	10.00		37	2.8	35	1.4	31	-0.6	79	7	250		28.97	8	+0.02	29.95	FM-15	0.00	29.94
01	0453	7	OVC:08 100	10.00		37	2.8	35	1.4	31	-0.6	79	8	250		28.98			29.96	FM-15	0.00	29.95
01	0553	7	OVC:08 110	10.00		36	2.2	34	1.1	31	-0.6	82	9	250		28.99			29.97	FM-15	0.00	29.96
01	0651	6	BKN:07 23 OVC:08 90	10.00		37	3.0	34	1.2	30	-1.0	75	9	250		29.00				FM-16		29.97
01	0653	7	BKN:07 23 BKN:07 70 OVC:08 90	10.00		37	2.8	35	1.4	31	-0.6	79	9	250		29.00	3	-0.03	29.99	FM-15	0.00	29.97
01	0751	6	OVC:08 38	10.00	-RA:02 |RA |	37	3.0	35	1.6	32	0.0	81	9	260		29.03				FM-16		30.00
01	0753	7	FEW:02 25 OVC:08 38	10.00	-RA:02 |RA |	36	2.2	34	1.3	32	0.0	86	9	260		29.03			30.02	FM-15	T	30.00
01	0844	7	SCT:04 20 BKN:07 26 OVC:08 33	6.00	-SN:03 BR:1 |SN |	35	1.7	34	1.0	32	0.0	89	8	260		29.05				FM-16	T	30.02
01	0853	7	BKN:07 10 OVC:08 29	2.00	-SN:03 BR:1 |SN |	35	1.7	34	1.0	32	0.0	89	10	270		29.06			30.05	FM-15	T	30.03
01	0918	7	OVC:08 3	2.50	-SN:03 BR:1 |SN |	34	1.1	33	0.7	32	0.0	92	10	230		29.07				FM-16	T	30.04
01	0923	7	FEW:02 12 BKN:07 30 OVC:08 44	4.00	-SN:03 BR:1 |SN |	34	1.1	34	0.9	33	0.6	97	10	240		29.07				FM-16	T	30.04
01	0953	7	FEW:02 7 BKN:07 100	7.00		35	1.7	34	1.2	33	0.6	93	9	230		29.06	1	-0.06	30.05	FM-15	T	30.03
01	1014	7	FEW:02 7 OVC:08 100	8.00		35	1.7	34	1.2	33	0.6	93	7	240		29.06				FM-16		30.03
01	1053	7	FEW:02 10	10.00		36	2.2	35	1.5	33	0.6	89	8	240		29.07			30.06	FM-15	0.00	30.04
01	1153	7	FEW:02 25	10.00		37	2.8	35	1.4	31	-0.6	79	11	260		29.07			30.06	FM-15	0.00	30.04
01	1253	7	SCT:04 25	10.00		38	3.3	35	1.8	31	-0.6	76	9	250		29.05	8	+0.01	30.04	FM-15	0.00	30.02
01	1313	7	BKN:07 29	10.00		38	3.3	35	1.8	31	-0.6	76	9	260		29.05				FM-16		30.02
01	1321	7	SCT:04 27 BKN:07 32 BKN:07 41	10.00		38	3.3	35	1.5	30	-1.1	73	10	270		29.05				FM-16		30.02
01	1353	7	SCT:04 27 BKN:07 37	10.00		39	3.9	35	1.9	30	-1.1	70	9	280		29.04			30.02	FM-15	0.00	30.01
01	1453	7	FEW:02 29	10.00		39	3.9	35	1.7	29	-1.7	67	13	270		29.06			30.04	FM-15	0.00	30.03
01	1553	7	FEW:02 34 BKN:07 44 BKN:07 110	10.00		39	3.9	35	1.5	28	-2.2	65	11	260		29.07	3	-0.01	30.06	FM-15	0.00	30.04
01	1653	7	FEW:02 41	10.00		39	3.9	35	1.5	28	-2.2	65	11	260		29.10			30.08	FM-15	0.00	30.07
01	1753	7	CLR:00	10.00		38	3.3	34	1.1	28	-2.2	68	8	280		29.11			30.10	FM-15	0.00	30.08
01	1853	7	CLR:00	10.00		33	0.6	31	-0.7	27	-2.8	78	7	280		29.13	1	-0.06	30.12	FM-15	0.00	30.10
01	1953	7	CLR:00	10.00		33	0.6	31	-0.7	27	-2.8	78	6	270		29.14			30.13	FM-15	0.00	30.11
01	2053	7	CLR:00	10.00		30	-1.1	28	-2.1	25	-3.9	82	7	280		29.15			30.14	FM-15	0.00	30.12
01	2153	7	FEW:02 90	10.00		31	-0.6	29	-1.6	26	-3.3	82	8	280		29.15	0	-0.02	30.14	FM-15	0.00	30.12
01	2253	7	SCT:04 49	10.00		31	-0.6	29	-1.6	26	-3.3	82	7	270		29.16			30.15	FM-15	0.00	30.13
01	2353	7	SCT:04 49	10.00		33	0.6	30	-0.9	26	-3.3	75	7	270		29.16			30.15	FM-15	0.00	30.13
02	0053	7	CLR:00	10.00		33	0.6	30	-0.9	26	-3.3	75	10	270		29.16	1	-0.01	30.15	FM-15	0.00	30.13
02	0153	7	CLR:00	10.00		32	0.0	30	-1.2	26	-3.3	79	8	280		29.17			30.16	FM-15	0.00	30.14

02	0253	7	CLR:00	10.00		31	-0.6	28	-1.9	24	-4.4	76	9	270		29.18			30.17	FM-15	0.00	30.15
02	0353	7	CLR:00	10.00		30	-1.1	28	-2.5	23	-5.0	75	9	280		29.19	3	-0.02	30.18	FM-15	0.00	30.16
02	0453	7	BKN:07 39	10.00		30	-1.1	27	-2.8	21	-6.1	69	9	290		29.20			30.19	FM-15	0.00	30.17
02	0553	7	CLR:00	10.00		28	-2.2	25	-3.7	20	-6.7	72	9	280		29.22			30.21	FM-15	0.00	30.19
02	0653	7	CLR:00	10.00		28	-2.2	25	-3.7	20	-6.7	72	10	280		29.23	3	-0.05	30.23	FM-15	0.00	30.20
02	0753	7	FEW:02 25 SCT:04 33	10.00		27	-2.8	25	-4.1	20	-6.7	75	10	280		29.26			30.27	FM-15	0.00	30.23
02	0817	7	BKN:07 25 OVC:08 33	10.00		27	-2.8	25	-4.1	20	-6.7	75	9	310		29.26				FM-16		30.24
02	0831	7	SCT:04 25 OVC:08 32	10.00		27	-2.8	24	-4.2	19	-7.2	72	11	330	20	29.27				FM-16		30.25
02	0853	7	SCT:04 25 BKN:07 32	10.00		27	-2.8	24	-4.4	18	-7.8	69	11	300		29.28			30.29	FM-15	0.00	30.26
02	0953	7	FEW:02 28	10.00		27	-2.8	24	-4.5	17	-8.3	66	10	320		29.29	1	-0.07	30.30	FM-15	0.00	30.27
02	1053	7	CLR:00	10.00		28	-2.2	24	-4.6	14	-10.0	56	13	270		29.32			30.33	FM-15	0.00	30.30
02	1153	7	CLR:00	10.00		27	-2.8	22	-5.4	11	-11.7	51	15	280		29.34			30.35	FM-15	0.00	30.32
02	1253	7	CLR:00	10.00		29	-1.7	24	-4.4	13	-10.6	51	14	260		29.32	0	-0.03	30.33	FM-15	0.00	30.30
02	1353	7	CLR:00	10.00		30	-1.1	24	-4.3	11	-11.7	45	13	250		29.31			30.32	FM-15	0.00	30.29
02	1453	7	CLR:00	10.00		31	-0.6	25	-3.7	13	-10.6	47	11	270	22	29.30			30.30	FM-15	0.00	30.28
02	1553	7	CLR:00	10.00		31	-0.6	25	-3.7	13	-10.6	47	14	300		29.30	5	+0.02	30.31	FM-15	0.00	30.28
02	1653	7	CLR:00	10.00		30	-1.1	25	-4.0	13	-10.6	49	13	290		29.31			30.32	FM-15	0.00	30.29
02	1753	7	CLR:00	10.00		28	-2.2	24	-4.6	14	-10.0	56	10	280		29.33			30.34	FM-15	0.00	30.31
02	1853	7	CLR:00	10.00		27	-2.8	23	-5.1	13	-10.6	55	11	290		29.33	1	-0.02	30.34	FM-15	0.00	30.31
02	1953	7	CLR:00	10.00		26	-3.3	22	-5.3	14	-10.0	60	9	290		29.33			30.35	FM-15	0.00	30.31
02	2053	7	CLR:00	10.00		24	-4.4	21	-6.1	14	-10.0	65	7	290		29.33			30.35	FM-15	0.00	30.31
02	2153	7	CLR:00	10.00		23	-5.0	20	-6.5	14	-10.0	68	8	290		29.33	1	-0.01	30.35	FM-15	0.00	30.31
02	2253	7	CLR:00	10.00		20	-6.7	18	-7.8	13	-10.6	74	6	280		29.32			30.34	FM-15	0.00	30.30
02	2353	7	CLR:00	10.00		20	-6.7	18	-7.8	13	-10.6	74	7	290		29.33			30.35	FM-15	0.00	30.31
03	0053	7	CLR:00	10.00		20	-6.7	18	-7.8	13	-10.6	74	6	270		29.33	6	+0.01	30.34	FM-15	0.00	30.31
03	0153	7	CLR:00	10.00		20	-6.7	18	-7.8	13	-10.6	74	7	290		29.32			30.33	FM-15	0.00	30.30
03	0253	7	CLR:00	10.00		19	-7.2	17	-8.2	13	-10.6	77	5	270		29.31			30.32	FM-15	0.00	30.29
03	0353	7	CLR:00	10.00		18	-7.8	16	-8.7	12	-11.1	77	6	280		29.31	5	+0.01	30.33	FM-15	0.00	30.29
03	0453	7	CLR:00	10.00		18	-7.8	17	-8.5	13	-10.6	81	5	260		29.33			30.35	FM-15	0.00	30.31
03	0553	7	BKN:07 100	10.00		20	-6.7	18	-7.8	13	-10.6	74	6	290		29.32			30.33	FM-15	0.00	30.30
03	0653	7	BKN:07 110	10.00		20	-6.7	18	-7.9	12	-11.1	71	7	290		29.34	3	-0.02	30.35	FM-15	0.00	30.32
03	0753	7	OVC:08 110	10.00		20	-6.7	18	-7.9	12	-11.1	71	9	290		29.34			30.37	FM-15	0.00	30.32
03	0853	7	SCT:04 95	10.00		21	-6.1	19	-7.4	13	-10.6	71	9	280		29.35			30.37	FM-15	0.00	30.33
03	0953	7	FEW:02 26 OVC:08 100	10.00		22	-5.6	19	-7.1	12	-11.1	66	11	300		29.37	3	-0.04	30.39	FM-15	0.00	30.35
03	1053	7	SCT:04 27 OVC:08 100	10.00		23	-5.0	20	-6.7	12	-11.1	63	11	300		29.37			30.40	FM-15	0.00	30.35
03	1100	7	BKN:07 27 BKN:07 100	10.00		24	-4.4	21	-6.2	13	-10.6	62	10	280		29.38				FM-16		30.36
03	1151	6	SCT:04 27 OVC:08 95	10.00		25	-4.0	21	-6.0	12	-11.0	59	13	290		29.36				FM-16		30.34
03	1153	7	SCT:04 27 OVC:08 95	10.00		24	-4.4	21	-6.4	12	-11.1	60	16	300		29.36			30.38	FM-15	0.00	30.34
03	1253	7	OVC:08 85	10.00		25	-3.9	21	-6.1	11	-11.7	55	10	290		29.35	8	+0.02	30.37	FM-15	0.00	30.33
03	1353	7	OVC:08 70	10.00		25	-3.9	21	-6.3	10	-12.2	53	16	290		29.34			30.36	FM-15	0.00	30.32
03	1453	7	FEW:02 35 SCT:04 100	10.00		26	-3.3	22	-5.8	11	-11.7	53	18	290	24	29.36			30.37	FM-15	0.00	30.34
03	1553	7	FEW:02 37	10.00		26	-3.3	22	-5.8	11	-11.7	53	14	310		29.36	3	-0.01	30.38	FM-15	0.00	30.34
03	1653	7	SCT:04 38	10.00		26	-3.3	21	-5.9	10	-12.2	51	10	300	24	29.38			30.40	FM-15	0.00	30.36
03	1753	7	SCT:04 42	10.00		24	-4.4	20	-6.6	10	-12.2	55	16	290		29.40			30.42	FM-15	0.00	30.38
03	1853	7	CLR:00	10.00		22	-5.6	19	-7.3	11	-11.7	63	8	260		29.42	1	-0.06	30.44	FM-15	0.00	30.40
03	1953	7	CLR:00	10.00		21	-6.1	18	-7.5	12	-11.1	68	8	260		29.44			30.46	FM-15	0.00	30.42
03	2053	7	CLR:00	10.00		20	-6.7	18	-8.0	11	-11.7	68	9	270		29.45			30.47	FM-15	0.00	30.43
03	2153	7	CLR:00	10.00		18	-7.8	16	-8.8	11	-11.7	74	6	270		29.46	1	-0.04	30.48	FM-15	0.00	30.44
03	2253	7	CLR:00	10.00		16	-8.9	14	-9.9	9	-12.8	74	6	280		29.47			30.49	FM-15	0.00	30.45

03	2353	7	CLR:00	10.00		16	-8.9	14	-9.9	9	-12.8	74	5	280		29.47			30.50	FM-15	0.00	30.45
04	0053	7	CLR:00	10.00		15	-9.4	13	-10.4	8	-13.3	74	6	230		29.46	0	-0.00	30.49	FM-15	0.00	30.44
04	0153	7	CLR:00	10.00		16	-8.9	14	-10.0	8	-13.3	71	5	240		29.47			30.49	FM-15	0.00	30.45
04	0253	7	CLR:00	10.00		16	-8.9	14	-10.0	8	-13.3	71	5	230		29.46			30.49	FM-15	0.00	30.44
04	0353	7	CLR:00	10.00		14	-10.0	13	-10.8	8	-13.3	77	5	240		29.47	3	-0.01	30.50	FM-15	0.00	30.45
04	0453	7	CLR:00	10.00		14	-10.0	13	-10.8	8	-13.3	77	6	240		29.48			30.50	FM-15	0.00	30.46
04	0553	7	CLR:00	10.00		14	-10.0	12	-10.9	7	-13.9	73	5	240		29.49			30.51	FM-15	0.00	30.47
04	0653	7	CLR:00	10.00		11	-11.7	10	-12.3	6	-14.4	81	0	000		29.49	1	-0.01	30.52	FM-15	0.00	30.47
04	0753	7	CLR:00	10.00		14	-10.0	13	-10.8	8	-13.3	77	0	000		29.49			30.52	FM-15	0.00	30.47
04	0853	7	CLR:00	10.00		18	-7.8	16	-8.9	10	-12.2	71	7	220		29.50			30.53	FM-15	0.00	30.48
04	0953	7	CLR:00	10.00		24	-4.4	21	-6.4	12	-11.1	60	5	240		29.50	1	-0.01	30.53	FM-15	0.00	30.48
04	1053	7	CLR:00	10.00		27	-2.8	22	-5.6	9	-12.8	46	7	260		29.50			30.52	FM-15	0.00	30.48
04	1153	7	CLR:00	10.00		29	-1.7	23	-5.0	8	-13.3	41	10	VRB	20	29.47			30.49	FM-15	0.00	30.45
04	1253	7	CLR:00	10.00		30	-1.1	24	-4.5	9	-12.8	41	11	210		29.42	8	+0.08	30.44	FM-15	0.00	30.40
04	1353	7	CLR:00	10.00		31	-0.6	24	-4.2	9	-12.8	40	11	200		29.37			30.39	FM-15	0.00	30.35
04	1453	7	CLR:00	10.00		32	0.0	25	-3.9	8	-13.3	36	14	200		29.33			30.34	FM-15	0.00	30.31
04	1553	7	CLR:00	10.00		32	0.0	25	-4.0	7	-13.9	35	10	190		29.31	6	+0.11	30.33	FM-15	0.00	30.29
04	1653	7	CLR:00	10.00		31	-0.6	24	-4.2	9	-12.8	40	8	170		29.27			30.28	FM-15	0.00	30.25
04	1753	7	FEW:02 120	10.00		31	-0.6	24	-4.4	7	-13.9	36	15	150		29.21			30.22	FM-15	0.00	30.18
04	1853	7	FEW:02 110	10.00		30	-1.1	23	-4.8	7	-13.9	38	10	180		29.20	6	+0.11	30.21	FM-15	0.00	30.17
04	1953	7	CLR:00	10.00		30	-1.1	24	-4.7	8	-13.3	39	9	170		29.19			30.19	FM-15	0.00	30.16
04	2053	7	CLR:00	10.00		29	-1.7	23	-4.9	9	-12.8	43	9	170		29.16			30.16	FM-15	0.00	30.13
04	2153	7	CLR:00	10.00		28	-2.2	23	-5.3	9	-12.8	44	9	170		29.13	8	+0.07	30.13	FM-15	0.00	30.10
04	2253	7	OVC:08 80	10.00		29	-1.7	23	-4.9	9	-12.8	43	7	160		29.11			30.11	FM-15	0.00	30.08
04	2353	7	OVC:08 70	10.00		29	-1.7	23	-4.9	9	-12.8	43	6	170		29.09			30.09	FM-15	0.00	30.06
05	0053	7	OVC:08 60	10.00		30	-1.1	24	-4.6	9	-12.8	41	9	170		29.06	8	+0.07	30.06	FM-15	0.00	30.03
05	0153	7	OVC:08 50	10.00		30	-1.1	24	-4.4	10	-12.2	43	8	170		29.03			30.03	FM-15	0.00	30.00
05	0253	7	OVC:08 50	10.00		30	-1.1	24	-4.3	11	-11.7	45	7	180		29.02			30.01	FM-15	0.00	29.99
05	0353	7	OVC:08 48	10.00		31	-0.6	25	-3.8	12	-11.1	45	9	180		29.00	6	+0.06	29.99	FM-15	0.00	29.97
05	0453	7	OVC:08 41	10.00		32	0.0	26	-3.3	13	-10.6	45	11	190		28.99			29.98	FM-15	0.00	29.96
05	0553	7	OVC:08 37	10.00		33	0.6	27	-2.7	15	-9.4	47	9	200		28.99			29.98	FM-15	0.00	29.96
05	0653	7	OVC:08 39	10.00		34	1.1	28	-2.1	17	-8.3	50	8	210		28.99	5	+0.00	29.99	FM-15	0.00	29.96
05	0753	7	OVC:08 38	10.00		36	2.2	30	-0.9	20	-6.7	52	10	230		28.99			29.99	FM-15	0.00	29.96
05	0853	7	FEW:02 44	10.00		38	3.3	32	0.1	22	-5.6	52	10	230		29.00			30.00	FM-15	0.00	29.97
05	0953	7	CLR:00	10.00		40	4.4	34	0.9	23	-5.0	51	16	240	24	29.01	3	-0.01	30.00	FM-15	0.00	29.98
05	1053	7	CLR:00	10.00		42	5.6	35	1.7	24	-4.4	49	18	240		29.00			29.99	FM-15	0.00	29.97
05	1153	7	CLR:00	10.00		44	6.7	36	2.5	25	-3.9	47	20	240	25	29.00			29.99	FM-15	0.00	29.97
05	1253	7	CLR:00	10.00		46	7.8	38	3.3	26	-3.3	46	18	230	26	28.99	8	+0.02	29.97	FM-15	0.00	29.96
05	1353	7	CLR:00	10.00		47	8.3	39	3.7	27	-2.8	46	18	230	26	28.97			29.96	FM-15	0.00	29.94
05	1453	7	CLR:00	10.00		48	8.9	40	4.2	28	-2.2	46	20	250	26	28.97			29.96	FM-15	0.00	29.94
05	1553	7	CLR:00	10.00		48	8.9	40	4.2	28	-2.2	46	16	270		28.99	5	+0.00	29.97	FM-15	0.00	29.96
05	1653	7	CLR:00	10.00		46	7.8	39	3.6	28	-2.2	50	14	270	25	29.02			30.00	FM-15	0.00	29.99
05	1753	7	CLR:00	10.00		43	6.1	37	2.7	28	-2.2	56	11	270		29.05			30.03	FM-15	0.00	30.02
05	1853	7	CLR:00	10.00		36	2.2	33	0.3	27	-2.8	70	6	270		29.08	3	-0.09	30.07	FM-15	0.00	30.05
05	1953	7	CLR:00	10.00		34	1.1	31	-0.4	27	-2.8	75	6	280		29.11			30.10	FM-15	0.00	30.08
05	2053	7	CLR:00	10.00		35	1.7	32	0.0	27	-2.8	72	6	250		29.12			30.11	FM-15	0.00	30.09
05	2153	7	CLR:00	10.00		34	1.1	31	-0.4	27	-2.8	75	6	260		29.14	1	-0.05	30.13	FM-15	0.00	30.11
05	2253	7	CLR:00	10.00		33	0.6	31	-0.7	27	-2.8	78	6	310		29.16			30.14	FM-15	0.00	30.13
05	2353	7	CLR:00	10.00		30	-1.1	28	-2.1	25	-3.9	82	5	350		29.16			30.15	FM-15	0.00	30.13
06	0053	7	CLR:00	10.00		29	-1.7	28	-2.5	25	-3.9	85	0	000		29.15	0	-0.01	30.13	FM-15	0.00	30.12
06	0153	7	CLR:00	9.00		29	-1.7	28	-2.5	25	-3.9	85	0	000		29.14			30.13	FM-15	0.00	30.11
06	0253	7	CLR:00	8.00		26	-3.3	25	-3.9	23	-5.0	88	0	000		29.12			30.11	FM-15	0.00	30.09
06	0353	7	CLR:00	7.00		26	-3.3	25	-3.7	24	-4.4	92	0	000		29.13	5	+0.02	30.12	FM-15	0.00	30.10
06	0453	7	CLR:00	5.00	BR:1 ||	24	-4.4	23	-4.8	22	-5.6	91	0	000		29.14			30.13	FM-15	0.00	30.11
06	0553	7	CLR:00	8.00		25	-3.9	24	-4.3	23	-5.0	92	0	000		29.14			30.14	FM-15	0.00	30.11
06	0653	7	CLR:00	7.00		26	-3.3	25	-3.7	24	-4.4	92	0	000		29.14	0	-0.01	30.13	FM-15	0.00	30.11
06	0753	7	CLR:00	6.00	BR:1 ||	26	-3.3	25	-3.9	23	-5.0	88	0	000		29.14			30.14	FM-15	0.00	30.11

06	0853	7	CLR:00	6.00	BR:1 ||	31	-0.6	30	-1.2	28	-2.2	89	5	160		29.14			30.14	FM-15	0.00	30.11
06	0953	7	CLR:00	9.00		38	3.3	35	1.5	30	-1.1	73	7	170		29.13	8	+0.01	30.12	FM-15	0.00	30.10
06	1053	7	CLR:00	10.00		43	6.1	38	3.3	31	-0.6	63	8	160		29.12			30.11	FM-15	0.00	30.09
06	1153	7	CLR:00	10.00		47	8.3	41	4.9	33	0.6	59	7	160		29.10			30.09	FM-15	0.00	30.07
06	1253	7	CLR:00	10.00		52	11.1	45	7.0	36	2.2	55	9	190		29.06	8	+0.07	30.04	FM-15	0.00	30.03
06	1353	7	CLR:00	10.00		55	12.8	47	8.3	38	3.3	53	10	200		29.02			30.00	FM-15	0.00	29.99
06	1453	7	CLR:00	10.00		57	13.9	49	9.2	40	4.4	53	9	200		28.98			29.96	FM-15	0.00	29.95
06	1553	7	CLR:00	10.00		58	14.4	49	9.3	39	3.9	50	13	190		28.96	6	+0.10	29.94	FM-15	0.00	29.93
06	1653	7	CLR:00	10.00		56	13.3	48	9.0	40	4.4	55	11	170		28.95			29.93	FM-15	0.00	29.92
06	1753	7	SCT:04 85	10.00		54	12.2	47	8.2	39	3.9	57	8	160		28.92			29.91	FM-15	0.00	29.89
06	1853	7	BKN:07 33 BKN:07 60 OVC:08 75	10.00		54	12.2	47	8.2	39	3.9	57	8	170		28.90	8	+0.05	29.89	FM-15	0.00	29.87
06	1951	6	OVC:08 29	5.00	RA:02 |RA |	52	11.0	48	9.2	45	7.0	77	11	210		28.91				FM-16		29.88
06	1953	7	OVC:08 29	5.00	RA:02 |RA |	51	10.6	48	8.6	44	6.7	77	8	230		28.91			29.90	FM-15	0.01	29.88
06	2053	7	OVC:08 24	10.00		50	10.0	48	9.2	47	8.3	89	6	170		28.89			29.86	FM-15	0.04	29.85
06	2153	7	OVC:08 18	10.00		50	10.0	48	8.9	46	7.8	86	7	170		28.87	8	+0.04	29.84	FM-15	0.00	29.83
06	2251	6	OVC:08 14	10.00		52	11.0	50	10.0	48	9.0	88	7	190		28.84				FM-16		29.81
06	2253	7	OVC:08 14	10.00		51	10.6	50	10.0	49	9.4	92	8	180		28.84			29.81	FM-15	T	29.81
06	2349	7	OVC:08 9	10.00		54	12.0	53	11.6	52	11.0	94	11	190		28.83				FM-16		29.79
06	2353	7	OVC:08 9	10.00		53	11.7	52	11.4	52	11.1	96	11	200		28.83			29.80	FM-15	0.00	29.79
07	0053	7	OVC:08 6	9.00		54	12.2	53	11.9	53	11.7	97	11	190		28.81	8	+0.04	29.77	FM-15	0.00	29.77
07	0151	6	SCT:04 5 OVC:08 10	7.00	-RA:02 |RA |	54	12.0	54	12.2	54	12.0	100	15	180		28.77				FM-16		29.73
07	0153	7	SCT:04 5 OVC:08 10	6.00	RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	16	180	22	28.77			29.73	FM-15	0.04	29.73
07	0200	7	BKN:07 8 OVC:08 46	5.00	RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	20	180	26	28.77				FM-16	0.02	29.73
07	0217	7	SCT:04 8 BKN:07 55 OVC:08 70	5.00	RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	15	190		28.77				FM-16	0.07	29.73
07	0239	7	SCT:04 8 BKN:07 55 OVC:08 70	5.00	VCTS:7 RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	10	180	18	28.76				FM-16	0.11	29.72
07	0251	6	SCT:04 7 BKN:07 50 OVC:08 85	9.00	-RA:02 |RA |	55	13.0	55	12.8	55	13.0	100	15	190		28.77				FM-16		29.73
07	0253	7	BKN:07 8 BKN:07 50 OVC:08 85	8.00	-RA:02 |RA |	55	12.8	55	12.8	55	12.8	100	14	190		28.77			29.73	FM-15	0.12	29.73
07	0314	7	BKN:07 6 BKN:07 41 OVC:08 85	7.00	VCTS:7 -RA:02 |RA |	55	12.8	55	12.8	55	12.8	100	11	200		28.76				FM-16	0.04	29.72
07	0329	7	OVC:08 6	7.00	-RA:02 |RA |	55	12.8	55	12.8	55	12.8	100	11	180		28.74				FM-16	0.07	29.70
07	0353	7	OVC:08 6	4.00	RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	10	190		28.74	6	+0.06	29.70	FM-15	0.12	29.70
07	0417	7	BKN:07 5 BKN:07 20 OVC:08 27	2.00	+RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	13	190		28.74				FM-16	0.12	29.70
07	0430	7	SCT:04 7 BKN:07 24 OVC:08 33	2.00	+RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	15	170		28.73				FM-16	0.21	29.69
07	0440	7	FEW:02 9 SCT:04 25 OVC:08 37	1.75	+RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	15	180		28.74				FM-16	0.31	29.70
07	0448	7	FEW:02 6 BKN:07 20 OVC:08 37	3.00	-RA:02 BR:1 |RA |	54	12.0	54	12.2	54	12.0	100	8	180		28.73				FM-16	0.33	29.69
07	0453	7	SCT:04 15 BKN:07 23 OVC:08 39	5.00	-RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	6	150		28.72			29.68	FM-15	0.35	29.68

07	0503	7	BKN:07 10 BKN:07 18 OVC:08 31	3.00	RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	6	110		28.71				FM-16	0.04	29.67
07	0509	7	SCT:04 8 BKN:07 15 OVC:08 22	4.00	-RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	6	110		28.71				FM-16	0.05	29.67
07	0517	7	BKN:07 5 BKN:07 8 OVC:08 15	4.00	-RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	3	180		28.71				FM-16	0.06	29.67
07	0553	7	OVC:08 4	8.00	-RA:02 |RA |	55	12.8	55	12.8	55	12.8	100	8	180		28.69			29.65	FM-15	0.05	29.65
07	0603	7	BKN:07 6 OVC:08 11	9.00		55	12.8	55	12.8	55	12.8	100	9	180		28.69				FM-16	T	29.65
07	0638	7	FEW:02 7 OVC:08 13	10.00		56	13.3	56	13.3	56	13.3	100	11	180		28.68				FM-16	T	29.64
07	0653	7	BKN:07 11 OVC:08 22	10.00		56	13.3	56	13.3	56	13.3	100	11	190		28.68	7	+0.06	29.63	FM-15	T	29.64
07	0705	7	SCT:04 12 OVC:08 22	10.00		57	13.9	56	13.6	56	13.3	96	13	190		28.67				FM-16		29.63
07	0753	7	SCT:04 14 BKN:07 26 OVC:08 45	10.00		57	13.9	56	13.6	56	13.3	96	16	190		28.67			29.63	FM-15	0.00	29.63
07	0853	7	OVC:08 17	10.00		57	13.9	56	13.3	55	12.8	93	11	190		28.66			29.62	FM-15	T	29.62
07	0953	7	OVC:08 22	10.00		58	14.4	56	13.2	54	12.2	87	17	210	26	28.65	8	+0.02	29.61	FM-15	0.00	29.61
07	1053	7	BKN:07 18 OVC:08 65	10.00		57	13.9	55	13.0	54	12.2	90	17	200	24	28.62			29.57	FM-15	T	29.58
07	1153	7	BKN:07 24 OVC:08 80	10.00		60	15.6	57	13.7	54	12.2	80	18	200	30	28.56			29.52	FM-15	0.00	29.52
07	1253	7	OVC:08 18	10.00		59	15.0	56	13.4	54	12.2	83	24	210	31	28.56	6	+0.09	29.51	FM-15	T	29.52
07	1345	7	SCT:04 25 BKN:07 32 OVC:08 40	10.00		59	15.0	56	13.1	53	11.7	81	22	200	34	28.53				FM-16	T	29.49
07	1353	7	FEW:02 23 SCT:04 31 OVC:08 39	10.00	-RA:02 |RA |	60	15.6	56	13.4	53	11.7	78	24	210	37	28.53			29.48	FM-15	T	29.49
07	1453	7	BKN:07 27 OVC:08 31	10.00		59	15.0	56	13.1	53	11.7	81	17	210	29	28.51			29.47	FM-15	T	29.47
07	1553	7	BKN:07 25 OVC:08 41	10.00		59	15.0	56	13.1	53	11.7	81	17	200	26	28.51	6	+0.06	29.45	FM-15	0.00	29.46
07	1653	7	BKN:07 21 OVC:08 26	10.00		58	14.4	55	12.9	53	11.7	84	16	210	26	28.51			29.46	FM-15	0.00	29.47
07	1753	7	BKN:07 25 OVC:08 32	10.00		58	14.4	55	12.9	53	11.7	84	16	210	25	28.51			29.46	FM-15	T	29.47
07	1853	7	BKN:07 19 OVC:08 25	10.00	-RA:02 |RA |	57	13.9	55	13.0	54	12.2	90	21	210	30	28.53	3	-0.03	29.49	FM-15	T	29.49
07	1953	7	SCT:04 15 BKN:07 21 OVC:08 28	10.00		56	13.3	55	12.7	54	12.2	93	14	210		28.54			29.50	FM-15	T	29.50
07	2051	6	BKN:07 14 BKN:07 24 OVC:08 65	10.00		55	13.0	54	12.5	54	12.0	94	16	210		28.55				FM-16		29.51
07	2053	7	SCT:04 14 BKN:07 24 OVC:08 65	10.00		56	13.3	55	12.7	54	12.2	93	15	210		28.56			29.51	FM-15	0.00	29.52
07	2153	7	SCT:04 19 BKN:07 27 BKN:07 35	10.00		56	13.3	55	12.7	54	12.2	93	14	220		28.57	3	-0.04	29.53	FM-15	0.00	29.53
07	2235	7	FEW:02 16 BKN:07 24 BKN:07 39	10.00		54	12.2	51	10.8	49	9.4	83	17	270	28	28.60				FM-16		29.56
07	2251	6	SCT:04 24 BKN:07 30 OVC:08 49	10.00		54	12.0	51	10.5	48	9.0	82	20	270	25	28.61				FM-16		29.57
07	2253	7	FEW:02 24 BKN:07 30 OVC:08 49	10.00		54	12.2	51	10.8	49	9.4	83	23	270	29	28.61			29.57	FM-15	0.00	29.57

07	2353	7	FEW:02 25 BKN:07 30 BKN:07 35	10.00		51	10.6	49	9.4	47	8.3	86	15	270		28.64			29.59	FM-15	0.00	29.60
08	0053	7	CLR:00	9.00		49	9.4	47	8.6	46	7.8	90	13	270		28.64	1	-0.03	29.60	FM-15	0.00	29.60
08	0153	6	BKN:07 32	10.00		50	10.0	47	8.6	45	7.2	83	13	250		28.64			29.60	FM-15	0.00	29.60
08	0251	6	SCT:04 19 OVC:08 28	10.00		50	10.0	47	8.6	45	7.0	82	16	280		28.68				FM-16		29.64
08	0253	7	SCT:04 19 BKN:07 23 OVC:08 28	10.00		50	10.0	47	8.6	45	7.2	83	15	290		28.68			29.63	FM-15	0.00	29.64
08	0319	7	FEW:02 17 OVC:08 30	9.00		49	9.4	47	8.1	44	6.7	83	16	280		28.68				FM-16		29.64
08	0349	7	BKN:07 20 OVC:08 31	9.00		48	9.0	46	7.5	43	6.0	82	13	280		28.69				FM-16		29.65
08	0353	7	BKN:07 20 OVC:08 26	9.00		48	8.9	46	7.5	43	6.1	83	10	290		28.69	1	-0.04	29.65	FM-15	0.00	29.65
08	0421	7	BKN:07 14 OVC:08 20	8.00		46	7.8	44	6.7	42	5.6	86	15	300		28.71				FM-16		29.67
08	0453	7	OVC:08 12	7.00		44	6.7	43	6.1	42	5.6	93	16	310		28.73			29.70	FM-15	0.00	29.69
08	0553	7	OVC:08 13	10.00		42	5.6	40	4.6	38	3.3	85	16	310	23	28.77			29.74	FM-15	0.00	29.73
08	0653	7	OVC:08 12	9.00		40	4.4	39	3.7	37	2.8	89	14	310		28.81	1	-0.12	29.77	FM-15	0.00	29.77
08	0753	7	OVC:08 12	8.00		39	3.9	38	3.2	36	2.2	89	5	VRB		28.82			29.78	FM-15	0.00	29.78
08	0853	7	OVC:08 11	8.00		39	3.9	38	3.2	36	2.2	89	10	300		28.84			29.81	FM-15	0.00	29.81
08	0953	7	OVC:08 10	9.00		39	3.9	37	2.9	35	1.7	86	13	360		28.84	0	-0.03	29.80	FM-15	0.00	29.80
08	1053	7	OVC:08 12	9.00		39	3.9	37	2.9	35	1.7	86	8	360		28.86			29.83	FM-15	0.00	29.82
08	1153	7	OVC:08 14	10.00		39	3.9	37	2.7	34	1.1	82	9	320		28.87			29.84	FM-15	0.00	29.83
08	1246	7	OVC:08 15	10.00		39	3.9	37	2.7	34	1.1	82	8	340		28.87				FM-16		29.83
08	1253	7	OVC:08 15	10.00		39	3.9	37	2.7	34	1.1	82	7	340		28.87	0	-0.04	29.84	FM-15	0.00	29.83
08	1353	7	OVC:08 18	10.00		39	3.9	36	2.5	33	0.6	79	11	010		28.80			29.78	FM-15	0.00	29.76
08	1426	7	OVC:08 14	10.00		39	3.9	37	2.7	34	1.1	82	10	020		28.78				FM-16		29.74
08	1453	7	BKN:07 15 OVC:08 110	10.00		39	3.9	36	2.5	33	0.6	79	11	010		28.79			29.76	FM-15	0.00	29.75
08	1517	7	OVC:08 13	10.00		38	3.3	36	2.2	33	0.6	83	13	010		28.80				FM-16		29.76
08	1553	7	OVC:08 12	10.00		38	3.3	36	2.2	33	0.6	83	13	010		28.81	5	+0.06	29.78	FM-15	0.00	29.77
08	1653	7	OVC:08 13	10.00		36	2.2	34	1.3	32	0.0	86	11	360		28.83			29.80	FM-15	0.00	29.79
08	1753	7	OVC:08 13	10.00		35	1.7	33	0.8	31	-0.6	85	11	340		28.86			29.84	FM-15	0.00	29.82
08	1853	7	BKN:07 11 OVC:08 21	10.00		33	0.6	32	-0.1	30	-1.1	89	14	360		28.83	0	-0.02	29.81	FM-15	T	29.79
08	1911	7	BKN:07 11 OVC:08 20	1.75	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	13	010	23	28.84				FM-16	T	29.80
08	1923	7	BKN:07 9 OVC:08 22	2.50	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	15	010		28.84				FM-16	T	29.80
08	1935	7	BKN:07 9 OVC:08 18	1.00	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	11	020		28.84				FM-16	T	29.80
08	1953	7	BKN:07 8 OVC:08 16	1.00	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	14	010		28.83			29.81	FM-15	T	29.79
08	2050	7	SCT:04 7 OVC:08 11	0.75	-SN:03 BR:1 |SN |	30	-1.0	29	-1.5	28	-2.0	93	10	360		28.84				FM-16	0.01	29.80
08	2053	7	SCT:04 7 OVC:08 11	0.75	-SN:03 BR:1 |SN |	30	-1.1	30	-1.3	29	-1.7	96	11	360		28.84			29.82	FM-15	0.01	29.80
08	2104	7	SCT:04 7 OVC:08 13	1.00	-SN:03 BR:1 |SN |	30	-1.1	30	-1.3	29	-1.7	96	13	360		28.83				FM-16	T	29.79
08	2112	7	SCT:04 7 OVC:08 17	1.75	-SN:03 BR:1 |SN |	30	-1.1	30	-1.3	29	-1.7	96	13	360		28.83				FM-16	T	29.79
08	2130	7	BKN:07 7 OVC:08 21	1.75	-SN:03 BR:1 |SN |	30	-1.1	30	-1.3	29	-1.7	96	10	350		28.84				FM-16	T	29.81
08	2138	7	BKN:07 8 BKN:07 12 OVC:08 21	2.50	-SN:03 BR:1 |SN |	30	-1.1	29	-1.5	28	-2.2	92	14	340		28.86				FM-16	T	29.82
08	2148	7	OVC:08 10	3.00	-SN:03 BR:1 |SN |	30	-1.0	29	-1.5	28	-2.0	93	10	340		28.86				FM-16	T	29.82
08	2153	7	OVC:08 10	3.00	-SN:03 BR:1 |SN |	30	-1.1	29	-1.5	28	-2.2	92	13	340		28.87	3	-0.03	29.85	FM-15	T	29.83

08	2214	7	BKN:07 10 BKN:07 13 OVC:08 24	2.00	-SN:03 BR:1 |SN |	30	-1.1	29	-1.5	28	-2.2	92	13	350		28.87				FM-16	T	29.83
08	2222	7	BKN:07 10 BKN:07 14 OVC:08 24	1.75	-SN:03 BR:1 |SN |	30	-1.1	29	-1.5	28	-2.2	92	11	350		28.87				FM-16	T	29.84
08	2228	7	BKN:07 9 BKN:07 14 OVC:08 24	2.00	-SN:03 BR:1 |SN |	29	-1.7	29	-1.9	28	-2.2	96	14	340		28.87				FM-16	T	29.84
08	2251	6	BKN:07 9 BKN:07 13 OVC:08 25	3.00	-SN:03 BR:1 |SN |	28	-2.0	28	-2.4	27	-3.0	93	14	340		28.89				FM-16		29.85
08	2253	7	SCT:04 9 BKN:07 13 OVC:08 27	3.00	-SN:03 BR:1 |SN |	29	-1.7	28	-2.1	27	-2.8	92	13	340		28.89			29.87	FM-15	T	29.85
08	2300	7	SCT:04 9 BKN:07 19 OVC:08 27	4.00	-SN:03 BR:1 |SN |	29	-1.7	28	-2.1	27	-2.8	92	9	340		28.89				FM-16	T	29.85
08	2310	7	BKN:07 11 BKN:07 18 OVC:08 32	5.00	-SN:03 BR:1 |SN |	29	-1.7	28	-2.1	27	-2.8	92	13	330		28.89				FM-16	T	29.85
08	2353	7	OVC:08 12	10.00		29	-1.7	28	-2.3	26	-3.3	89	14	350	23	28.89			29.87	FM-15	T	29.85
09	0024	7	OVC:08 15	10.00		29	-1.7	28	-2.3	26	-3.3	89	14	340		28.91				FM-16		29.88
09	0053	7	OVC:08 18	10.00		28	-2.2	27	-2.8	25	-3.9	88	15	340		28.91	3	-0.05	29.90	FM-15	0.00	29.88
09	0153	7	SCT:04 14 OVC:08 26	10.00		28	-2.2	27	-2.8	25	-3.9	88	10	330		28.93			29.92	FM-15	0.00	29.90
09	0209	7	BKN:07 14 BKN:07 25 OVC:08 30	10.00		28	-2.2	27	-2.8	25	-3.9	88	9	340		28.94				FM-16		29.91
09	0244	7	SCT:04 14 OVC:08 27	10.00		28	-2.2	27	-3.0	24	-4.4	85	9	320		28.95				FM-16		29.92
09	0253	7	FEW:02 14 SCT:04 18 OVC:08 27	10.00		28	-2.2	27	-3.0	24	-4.4	85	13	320		28.96			29.96	FM-15	0.00	29.93
09	0309	7	BKN:07 14 BKN:07 18 OVC:08 27	10.00		28	-2.2	27	-3.0	24	-4.4	85	15	320		28.97				FM-16		29.94
09	0334	7	SCT:04 14 SCT:04 26 OVC:08 34	10.00		27	-2.8	25	-3.7	22	-5.6	81	14	320	23	28.99				FM-16		29.96
09	0353	7	OVC:08 34	10.00		27	-2.8	25	-3.9	21	-6.1	78	14	310	22	28.99	3	-0.08	29.98	FM-15	0.00	29.96
09	0451	6	BKN:07 23 OVC:08 30	10.00		27	-3.0	24	-4.2	19	-7.0	74	9	300		29.01				FM-16		29.98
09	0453	7	BKN:07 21 OVC:08 30	10.00		27	-2.8	25	-3.9	21	-6.1	78	9	290		29.01			30.00	FM-15	0.00	29.98
09	0553	7	FEW:02 16 BKN:07 26 OVC:08 36	10.00		25	-3.9	23	-5.1	18	-7.8	75	18	300	33	29.05			30.04	FM-15	T	30.02
09	0604	7	FEW:02 26 OVC:08 34	10.00		25	-3.9	23	-5.1	18	-7.8	75	16	310	25	29.05				FM-16		30.02
09	0653	7	OVC:08 50	10.00		24	-4.4	21	-6.0	15	-9.4	68	18	300		29.05	1	-0.06	30.05	FM-15	0.00	30.02
09	0753	7	OVC:08 38	10.00		24	-4.4	21	-6.0	15	-9.4	68	10	300		29.06			30.06	FM-15	0.00	30.03
09	0840	7	OVC:08 32	1.75	-SN:03 |SN |	23	-5.0	21	-6.0	17	-8.3	78	11	310		29.07				FM-16	T	30.04
09	0853	7	OVC:08 31	1.25	-SN:03 |SN |	23	-5.0	21	-5.9	18	-7.8	81	9	300		29.07			30.07	FM-15	T	30.04
09	0932	7	FEW:02 13 BKN:07 37 OVC:08 49	6.00	-SN:03 |SN |	24	-4.4	22	-5.5	18	-7.8	77	17	290	22	29.08				FM-16	T	30.05
09	0951	6	BKN:07 25 BKN:07 39 OVC:08 48	10.00	-SN:03 |SN |	23	-5.0	21	-6.2	16	-9.0	74	18	290	31	29.10				FM-16		30.07
09	0953	7	BKN:07 25 BKN:07 39 OVC:08 48	10.00	-SN:03 |SN |	23	-5.0	21	-6.2	16	-8.9	74	17	300	28	29.10	3	-0.05	30.10	FM-15	T	30.07

09	1022	7	SCT:04 25 SCT:04 31 OVC:08 80	9.00	-SN:03 |SN |	23	-5.0	20	-6.5	14	-10.0	68	23	300	34	29.11				FM-16	T	30.08
09	1042	7	BKN:07 26 BKN:07 38 OVC:08 80	9.00		23	-5.0	20	-6.5	14	-10.0	68	21	300	28	29.12				FM-16	T	30.09
09	1053	7	BKN:07 28 BKN:07 34	10.00	-SN:03 |SN |	23	-5.0	20	-6.5	14	-10.0	68	28	300	34	29.12			30.12	FM-15	T	30.09
09	1136	7	SCT:04 26 BKN:07 32 OVC:08 39	8.00	-SN:03 |SN |	20	-6.7	18	-7.9	12	-11.1	71	21	320	34	29.16				FM-16	T	30.13
09	1151	6	BKN:07 27 OVC:08 37	9.00		19	-7.0	17	-8.6	10	-12.0	68	18	310	31	29.17				FM-16		30.14
09	1153	7	BKN:07 27 OVC:08 37	9.00		20	-6.7	18	-8.0	11	-11.7	68	25	310	31	29.17			30.18	FM-15	T	30.14
09	1224	7	BKN:07 30 OVC:08 35	9.00	-SN:03 |SN |	20	-6.7	17	-8.3	9	-12.8	62	18	310	31	29.19				FM-16	T	30.16
09	1253	7	OVC:08 37	9.00	-SN:03 |SN |	21	-6.1	18	-7.9	9	-12.8	59	24	300	31	29.19	1	-0.09	30.20	FM-15	T	30.16
09	1353	7	OVC:08 35	9.00		20	-6.7	17	-8.3	9	-12.8	62	18	300	31	29.21			30.21	FM-15	T	30.18
09	1453	7	BKN:07 38	10.00		20	-6.7	17	-8.4	8	-13.3	60	20	310	28	29.23			30.24	FM-15	T	30.20
09	1553	7	OVC:08 34	10.00		21	-6.1	18	-7.8	10	-12.2	62	18	280	28	29.26	3	-0.06	30.26	FM-15	0.00	30.23
09	1653	7	OVC:08 33	10.00		20	-6.7	17	-8.2	10	-12.2	65	14	300	26	29.27			30.29	FM-15	0.00	30.25
09	1753	7	OVC:08 35	10.00		19	-7.2	16	-8.8	8	-13.3	62	20	290		29.29			30.31	FM-15	0.00	30.27
09	1853	7	OVC:08 35	10.00		19	-7.2	16	-8.9	7	-13.9	59	15	290	28	29.31	1	-0.06	30.33	FM-15	0.00	30.29
09	1953	7	SCT:04 31	10.00		17	-8.3	15	-9.5	9	-12.8	70	10	280		29.34			30.36	FM-15	0.00	30.32
09	2053	7	FEW:02 30	10.00		17	-8.3	15	-9.5	9	-12.8	70	14	260		29.36			30.38	FM-15	0.00	30.34
09	2153	7	CLR:00	10.00		15	-9.4	13	-10.4	8	-13.3	74	9	270		29.36	1	-0.05	30.38	FM-15	0.00	30.34
09	2253	7	CLR:00	10.00		14	-10.0	12	-10.9	7	-13.9	73	8	260		29.36			30.39	FM-15	0.00	30.34
09	2353	7	CLR:00	10.00		13	-10.6	11	-11.5	6	-14.4	74	7	250		29.37			30.40	FM-15	0.00	30.35
10	0053	7	CLR:00	10.00		14	-10.0	12	-10.9	7	-13.9	73	7	240		29.38	3	-0.02	30.40	FM-15	0.00	30.36
10	0153	7	CLR:00	10.00		16	-8.9	14	-10.1	7	-13.9	67	6	230		29.38			30.40	FM-15	0.00	30.36
10	0253	7	CLR:00	10.00		15	-9.4	13	-10.4	8	-13.3	74	3	200		29.37			30.40	FM-15	0.00	30.35
10	0353	7	CLR:00	10.00		16	-8.9	14	-9.9	9	-12.8	74	6	230		29.38	5	+0.00	30.40	FM-15	0.00	30.36
10	0453	7	SCT:04 120	10.00		16	-8.9	14	-9.9	9	-12.8	74	5	210		29.38			30.40	FM-15	0.00	30.36
10	0553	7	BKN:07 110	10.00		17	-8.3	15	-9.5	9	-12.8	70	5	200		29.37			30.40	FM-15	0.00	30.35
10	0653	7	OVC:08 100	10.00		18	-7.8	16	-9.1	9	-12.8	68	6	150		29.36	8	+0.02	30.38	FM-15	0.00	30.34
10	0753	7	FEW:02 75 BKN:07 90 OVC:08 110	10.00		19	-7.2	17	-8.6	10	-12.2	68	9	180		29.34			30.37	FM-15	0.00	30.32
10	0853	7	OVC:08 90	10.00		20	-6.7	18	-8.0	11	-11.7	68	10	170		29.33			30.36	FM-15	0.00	30.31
10	0953	7	OVC:08 80	10.00		22	-5.6	19	-7.1	12	-11.1	66	15	170		29.29	8	+0.06	30.32	FM-15	0.00	30.27
10	1053	7	FEW:02 80 SCT:04 90 BKN:07 110	10.00		23	-5.0	20	-6.6	13	-10.6	65	15	170		29.26			30.28	FM-15	0.00	30.24
10	1153	7	FEW:02 95	10.00		24	-4.4	21	-6.1	14	-10.0	65	9	160		29.23			30.24	FM-15	0.00	30.20
10	1253	7	CLR:00	10.00		26	-3.3	23	-5.1	16	-8.9	66	15	170		29.17	8	+0.13	30.18	FM-15	0.00	30.14
10	1353	7	FEW:02 120	10.00		29	-1.7	25	-4.1	15	-9.4	56	15	160	22	29.09			30.10	FM-15	0.00	30.06
10	1453	7	FEW:02 120	10.00		30	-1.1	25	-3.6	16	-8.9	56	15	150		29.03			30.03	FM-15	0.00	30.00
10	1553	7	CLR:00	10.00		32	0.0	27	-2.9	16	-8.9	52	16	160		28.98	6	+0.19	29.98	FM-15	0.00	29.95
10	1653	7	CLR:00	10.00		33	0.6	28	-2.4	17	-8.3	52	15	170		28.94			29.94	FM-15	0.00	29.91
10	1753	7	CLR:00	10.00		34	1.1	29	-1.9	18	-7.8	52	11	160		28.92			29.92	FM-15	0.00	29.89
10	1853	7	CLR:00	10.00		34	1.1	29	-1.8	19	-7.2	54	10	150		28.92	5	+0.05	29.93	FM-15	0.00	29.89
10	1953	7	CLR:00	10.00		34	1.1	29	-1.6	20	-6.7	56	9	150		28.90			29.90	FM-15	0.00	29.87
10	2053	7	CLR:00	10.00		35	1.7	30	-1.1	21	-6.1	57	7	170		28.87			29.87	FM-15	0.00	29.84
10	2153	7	CLR:00	10.00		35	1.7	30	-1.1	21	-6.1	57	5	170		28.87	6	+0.06	29.86	FM-15	0.00	29.83
10	2253	7	CLR:00	10.00		35	1.7	30	-1.0	22	-5.6	59	5	160		28.87			29.87	FM-15	0.00	29.84
10	2353	7	CLR:00	10.00		36	2.2	31	-0.4	23	-5.0	59	7	170		28.87			29.86	FM-15	0.00	29.84
11	0053	7	CLR:00	10.00		35	1.7	31	-0.6	24	-4.4	64	5	160		28.87	2	-0.01	29.87	FM-15	0.00	29.84
11	0153	7	CLR:00	10.00		34	1.1	30	-0.9	24	-4.4	67	5	150		28.87			29.87	FM-15	0.00	29.84
11	0253	7	CLR:00	10.00		34	1.1	31	-0.6	26	-3.3	73	5	170		28.89			29.88	FM-15	0.00	29.85

11	0353	7	CLR:00	10.00		34	1.1	31	-0.4	27	-2.8	75	6	100		28.90	3	-0.01	29.88	FM-15	0.00	29.86
11	0453	7	CLR:00	10.00		36	2.2	33	0.7	29	-1.7	76	0	000		28.91			29.90	FM-15	0.00	29.88
11	0553	7	CLR:00	10.00		39	3.9	35	1.9	30	-1.1	70	6	170		28.91			29.89	FM-15	0.00	29.88
11	0653	7	CLR:00	10.00		40	4.4	36	2.4	31	-0.6	70	3	130		28.91	1	-0.02	29.90	FM-15	0.00	29.88
11	0753	7	CLR:00	10.00		41	5.0	37	2.9	32	0.0	70	5	170		28.94			29.93	FM-15	0.00	29.91
11	0853	7	CLR:00	10.00		42	5.6	38	3.4	33	0.6	71	7	200		28.95			29.93	FM-15	0.00	29.92
11	0953	7	CLR:00	10.00		45	7.2	41	4.8	35	1.7	68	6	230		28.96	1	-0.05	29.95	FM-15	0.00	29.93
11	1053	7	CLR:00	10.00		49	9.4	44	6.6	38	3.3	66	6	220		28.97			29.95	FM-15	0.00	29.94
11	1153	7	CLR:00	10.00		53	11.7	47	8.4	41	5.0	64	10	230	21	28.98			29.96	FM-15	0.00	29.95
11	1253	7	CLR:00	10.00		56	13.3	50	9.9	44	6.7	65	5	250		28.97	0	-0.01	29.95	FM-15	0.00	29.94
11	1353	7	CLR:00	10.00		58	14.4	51	10.7	45	7.2	62	6	260		28.96			29.93	FM-15	0.00	29.93
11	1453	7	CLR:00	10.00		59	15.0	52	11.2	46	7.8	62	7	230		28.95			29.92	FM-15	0.00	29.92
11	1553	7	CLR:00	10.00		60	15.6	53	11.7	47	8.3	62	5	200		28.95	5	+0.02	29.93	FM-15	0.00	29.92
11	1653	7	CLR:00	10.00		60	15.6	54	12.0	48	8.9	65	5	170		28.93			29.91	FM-15	0.00	29.90
11	1753	7	OVC:08 40	10.00		59	15.0	54	12.0	49	9.4	69	6	170		28.93			29.91	FM-15	0.00	29.90
11	1853	7	OVC:08 43	10.00		57	13.9	53	11.5	49	9.4	74	3	150		28.95	5	+0.00	29.92	FM-15	0.00	29.92
11	1953	7	BKN:07 41 OVC:08 50	10.00		58	14.4	54	12.0	50	10.0	75	3	180		28.95			29.92	FM-15	0.00	29.92
11	2053	7	BKN:07 36 BKN:07 42 OVC:08 55	10.00		56	13.3	53	11.5	50	10.0	81	3	180		28.95			29.92	FM-15	0.00	29.92
11	2153	7	OVC:08 60	8.00		52	11.1	50	10.0	48	8.9	86	0	000		28.94	8	+0.00	29.92	FM-15	0.00	29.91
11	2253	7	OVC:08 70	9.00		54	12.2	52	11.3	51	10.6	90	3	130		28.91			29.88	FM-15	0.00	29.88
11	2350	7	FEW:02 8 SCT:04 45 OVC:08 55	4.00	-RA:02 BR:1 |RA |	54	12.0	53	11.6	52	11.0	94	5	150		28.90				FM-16	T	29.86
11	2353	7	SCT:04 6 BKN:07 43 OVC:08 55	4.00	-RA:02 BR:1 |RA |	53	11.7	52	11.4	52	11.1	96	5	140		28.90			29.86	FM-15	T	29.86
12	0003	7	BKN:07 6 BKN:07 41 OVC:08 60	3.00	-RA:02 BR:1 |RA |	53	11.7	52	11.4	52	11.1	96	3	160		28.90				FM-16	T	29.86
12	0014	7	BKN:07 5 OVC:08 29	2.00	RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	5	170		28.90				FM-16	0.02	29.86
12	0022	7	SCT:04 5 BKN:07 28 OVC:08 34	1.50	RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	0	000		28.89				FM-16	0.05	29.85
12	0051	6	SCT:04 5 BKN:07 11 OVC:08 15	1.50	-RA:02 BR:1 |RA |	54	12.0	54	12.2	54	12.0	100	0	000		28.87				FM-16		29.84
12	0053	7	FEW:02 5 BKN:07 9 OVC:08 15	1.75	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	3	050		28.87	8	+0.02	29.83	FM-15	0.14	29.84
12	0120	7	BKN:07 3 OVC:08 7	0.50	FG:2 |FG |	53	11.7	53	11.7	53	11.7	100	3	080		28.86				FM-16	T	29.82
12	0133	7	OVC:08 3	1.50	-RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	3	090		28.84				FM-16	T	29.81
12	0153	7	OVC:08 2	0.50	+RA:02 FG:2 |FG RA |	54	12.2	54	12.2	54	12.2	100	5	090		28.83			29.79	FM-15	0.10	29.79
12	0217	7	OVC:08 3	1.25	RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	5	130		28.82				FM-16	0.08	29.78
12	0232	7	OVC:08 3	3.00	-RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	7	160		28.81				FM-16	0.13	29.77
12	0253	7	OVC:08 3	4.00	-RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	7	170		28.80			29.75	FM-15	0.12	29.76
12	0328	7	OVC:08 3	2.50	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	9	190		28.78				FM-16	0.04	29.74
12	0337	7	OVC:08 3	4.00	-RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	9	200		28.78				FM-16	0.04	29.74
12	0353	7	OVC:08 3	5.00	BR:1 ||	56	13.3	56	13.3	56	13.3	100	8	200		28.76	6	+0.11	29.72	FM-15	0.03	29.72
12	0420	7	OVC:08 5	5.00	BR:1 ||	56	13.3	56	13.3	56	13.3	100	9	200		28.75				FM-16		29.71
12	0453	7	OVC:08 5	6.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	10	210		28.75			29.70	FM-15	0.01	29.71
12	0553	7	OVC:08 5	3.00	-RA:02 BR:1 |RA |	57	13.9	57	13.9	57	13.9	100	9	230		28.75			29.71	FM-15	T	29.71
12	0653	7	OVC:08 5	4.00	BR:1 ||	58	14.4	58	14.4	58	14.4	100	9	240		28.75	6	+0.01	29.70	FM-15	T	29.71
12	0738	7	BKN:07 4 OVC:08 8	3.00	-RA:02 BR:1 |RA |	51	10.6	51	10.6	51	10.6	100	15	330	28	28.76				FM-16	0.01	29.72
12	0751	6	BKN:07 3 OVC:08 9	2.50	BR:1 ||	46	8.0	46	7.8	46	8.0	100	13	330		28.78				FM-16		29.74

12	0753	7	OVC:08 3	2.50	BR:1 ||	46	7.8	46	7.8	46	7.8	100	17	330	23	28.79			29.75	FM-15	0.01	29.75
12	0806	7	OVC:08 3	1.50	-RA:02 BR:1 |RA |	45	7.2	45	7.2	45	7.2	100	15	330		28.80				FM-16	T	29.76
12	0821	7	OVC:08 4	2.00	BR:1 ||	44	6.7	44	6.7	44	6.7	100	14	320		28.81				FM-16	T	29.77
12	0851	6	OVC:08 4	1.75	BR:1 ||	43	6.0	43	6.1	43	6.0	100	18	310	24	28.86				FM-16		29.82
12	0853	7	OVC:08 4	2.00	BR:1 ||	42	5.6	42	5.6	42	5.6	100	16	320	24	28.86			29.82	FM-15	T	29.82
12	0905	7	OVC:08 4	3.00	BR:1 ||	41	5.0	41	5.0	41	5.0	100	17	320		28.87				FM-16		29.83
12	0912	7	OVC:08 5	3.00	BR:1 ||	41	5.0	41	5.0	41	5.0	100	9	310		28.87				FM-16		29.83
12	0923	7	OVC:08 5	2.50	BR:1 ||	41	5.0	41	5.0	41	5.0	100	8	330		28.86				FM-16		29.82
12	0937	7	OVC:08 5	4.00	BR:1 ||	42	5.6	42	5.6	42	5.6	100	11	310		28.86				FM-16		29.82
12	0953	7	OVC:08 5	6.00	BR:1 ||	42	5.6	42	5.3	41	5.0	96	11	320		28.89	1	-0.13	29.85	FM-15	0.00	29.85
12	1053	7	OVC:08 7	6.00	BR:1 ||	42	5.6	41	5.0	40	4.4	92	14	310		28.91			29.89	FM-15	0.00	29.88
12	1153	7	OVC:08 8	6.00	BR:1 ||	44	6.7	43	6.1	42	5.6	93	17	300		28.95			29.93	FM-15	0.00	29.92
12	1231	7	BKN:07 11 OVC:08 28	6.00	BR:1 ||	44	6.7	43	6.1	42	5.6	93	9	300		28.97				FM-16		29.94
12	1251	6	SCT:04 11 OVC:08 31	7.00		45	7.0	44	6.7	43	6.0	93	13	290		28.96				FM-16		29.93
12	1253	7	SCT:04 11 OVC:08 31	7.00		45	7.2	44	6.4	42	5.6	90	11	300		28.96	1	-0.08	29.93	FM-15	0.00	29.93
12	1312	7	BKN:07 14 BKN:07 19 OVC:08 32	9.00		46	7.8	44	6.7	42	5.6	86	11	300		28.96				FM-16		29.93
12	1328	7	OVC:08 17	9.00		47	8.3	45	7.0	42	5.6	83	15	300	23	28.96				FM-16		29.93
12	1353	7	OVC:08 15	7.00		46	7.8	44	6.7	42	5.6	86	14	270		28.96			29.93	FM-15	0.00	29.93
12	1409	7	BKN:07 14 OVC:08 20	7.00		47	8.3	45	7.0	42	5.6	83	20	270		28.96				FM-16		29.93
12	1419	7	BKN:07 16	7.00		48	8.9	45	7.3	42	5.6	80	14	270	24	28.97				FM-16		29.94
12	1453	7	SCT:04 18 BKN:07 23 OVC:08 36	8.00		48	8.9	45	7.0	41	5.0	77	14	280		28.97			29.94	FM-15	0.00	29.94
12	1553	7	SCT:04 18 BKN:07 23 OVC:08 36	10.00	-RA:02 |RA |	50	10.0	44	6.9	38	3.3	63	22	280	33	28.97	3	-0.01	29.94	FM-15	T	29.94
12	1653	7	SCT:04 18 BKN:07 23 OVC:08 36	10.00	-RA:02 |RA |	50	10.0	44	6.4	36	2.2	59	26	290	34	28.99			29.96	FM-15	T	29.96
12	1700	7	SCT:04 42 BKN:07 50	10.00	-RA:02 |RA |	49	9.4	43	6.2	36	2.2	61	20	280	34	28.99				FM-16	T	29.96
12	1753	7	SCT:04 42 BKN:07 50	10.00		48	8.9	42	5.6	35	1.7	61	20	280	29	29.02			29.98	FM-15	T	29.99
12	1853	7	SCT:04 44 OVC:08 70	10.00		44	6.7	37	2.8	27	-2.8	51	24	310	31	29.08	3	-0.11	30.05	FM-15	T	30.05
12	1953	7	CLR:00	10.00	-RA:02 |RA |	42	5.6	34	1.2	21	-6.1	43	25	290	34	29.11			30.10	FM-15	T	30.08
12	2053	7	CLR:00	10.00	-RA:02 |RA |	39	3.9	31	-0.7	15s	-9.4s	38	25	310	34	29.15			30.14	FM-15	T	30.12
12	2153	7	CLR:00	9.00		37	2.8	30	-0.9	18	-7.8	46	21	300	33	29.19	1	-0.10	30.17	FM-15	T	30.16
12	2253	7	CLR:00	9.00	-SN:03 |SN |	36	2.2	30	-1.2	18	-7.8	48	20	310	36	29.21			30.19	FM-15	T	30.18
12	2353	7	CLR:00	10.00		34	1.1	29	-1.6	20	-6.7	56	18	310	24	29.23			30.22	FM-15	T	30.20
13	0053	7	CLR:00	10.00		34	1.1	29	-1.6	20	-6.7	56	16	310		29.25	1	-0.06	30.24	FM-15	0.00	30.22
13	0153	7	CLR:00	10.00		33	0.6	28	-1.9	20	-6.7	58	15	300		29.26			30.26	FM-15	0.00	30.24
13	0253	7	CLR:00	10.00		32	0.0	28	-2.3	20	-6.7	61	11	300		29.26			30.26	FM-15	0.00	30.24
13	0353	7	CLR:00	10.00		31	-0.6	27	-2.6	20	-6.7	64	13	290		29.26	0	-0.01	30.25	FM-15	0.00	30.23
13	0453	7	CLR:00	10.00		29	-1.7	26	-3.3	20	-6.7	69	7	290		29.26			30.26	FM-15	0.00	30.24
13	0553	7	CLR:00	10.00		26	-3.3	24	-4.4	20	-6.7	78	7	270		29.27			30.27	FM-15	0.00	30.25
13	0653	7	CLR:00	10.00		26	-3.3	24	-4.3	21	-6.1	81	8	280		29.28	3	-0.03	30.29	FM-15	0.00	30.26
13	0753	7	CLR:00	10.00		28	-2.2	26	-3.4	22	-5.6	78	10	270		29.30			30.31	FM-15	0.00	30.28
13	0853	7	CLR:00	10.00		31	-0.6	28	-2.1	23	-5.0	72	9	280		29.31			30.32	FM-15	0.00	30.29
13	0953	7	CLR:00	10.00		34	1.1	30	-1.1	23	-5.0	64	13	290		29.32	1	-0.04	30.32	FM-15	0.00	30.30
13	1053	7	CLR:00	10.00		37	2.8	32	-0.3	22	-5.6	54	10	310		29.31			30.31	FM-15	0.00	30.29
13	1153	7	CLR:00	10.00		39	3.9	32	-0.1	19	-7.2	45	14	310		29.30			30.30	FM-15	0.00	30.28
13	1253	7	CLR:00	10.00		41	5.0	34	0.9	21	-6.1	45	14	280		29.28	8	+0.04	30.28	FM-15	0.00	30.26
13	1353	7	CLR:00	10.00		43	6.1	35	1.7	22	-5.6	43	13	270	20	29.25			30.24	FM-15	0.00	30.22

13	1453	7	CLR:00	10.00		44	6.7	35	1.8	21	-6.1	40	14	300	21	29.23			30.22	FM-15	0.00	30.20
13	1553	7	CLR:00	10.00		44	6.7	35	1.7	20	-6.7	38	11	270		29.21	6	+0.08	30.20	FM-15	0.00	30.18
13	1653	7	CLR:00	10.00		43	6.1	34	1.2	19	-7.2	38	10	260		29.19			30.18	FM-15	0.00	30.16
13	1753	7	CLR:00	10.00		39	3.9	32	0.2	21	-6.1	48	5	270		29.17			30.17	FM-15	0.00	30.14
13	1853	7	CLR:00	10.00		36	2.2	31	-0.8	21	-6.1	55	3	260		29.16	6	+0.05	30.16	FM-15	0.00	30.13
13	1953	7	CLR:00	10.00		36	2.2	31	-0.6	22	-5.6	57	0	000		29.15			30.15	FM-15	0.00	30.12
13	2053	7	CLR:00	10.00		35	1.7	30	-0.9	22	-5.6	59	0	000		29.14			30.14	FM-15	0.00	30.11
13	2153	7	CLR:00	10.00		32	0.0	29	-1.8	23	-5.0	69	3	220		29.13	6	+0.03	30.13	FM-15	0.00	30.10
13	2253	7	CLR:00	10.00		30	-1.1	27	-2.8	21	-6.1	69	5	210		29.10			30.09	FM-15	0.00	30.07
13	2353	7	CLR:00	10.00		31	-0.6	28	-2.3	22	-5.6	69	3	210		29.08			30.07	FM-15	0.00	30.05
14	0053	7	CLR:00	10.00		32	0.0	28	-2.0	22	-5.6	66	3	190		29.06	6	+0.07	30.05	FM-15	0.00	30.03
14	0153	7	CLR:00	10.00		32	0.0	29	-1.8	23	-5.0	69	6	210		29.03			30.02	FM-15	0.00	30.00
14	0253	7	CLR:00	10.00		33	0.6	29	-1.4	23	-5.0	66	6	220		29.01			30.00	FM-15	0.00	29.98
14	0353	7	CLR:00	10.00		33	0.6	29	-1.4	23	-5.0	66	5	210		29.00	6	+0.06	29.98	FM-15	0.00	29.97
14	0453	7	OVC:08 120	10.00		33	0.6	30	-1.3	24	-4.4	70	6	210		28.98			29.96	FM-15	0.00	29.95
14	0553	7	OVC:08 110	10.00		34	1.1	30	-0.9	24	-4.4	67	8	210		28.96			29.95	FM-15	0.00	29.93
14	0653	7	OVC:08 100	10.00		35	1.7	31	-0.8	23	-5.0	61	10	220		28.96	6	+0.04	29.95	FM-15	0.00	29.93
14	0753	7	CLR:00	10.00		35	1.7	31	-0.6	24	-4.4	64	10	210		28.96			29.95	FM-15	0.00	29.93
14	0853	7	CLR:00	10.00		36	2.2	32	-0.3	24	-4.4	62	10	220		28.95			29.94	FM-15	0.00	29.92
14	0953	7	CLR:00	10.00		41	5.0	35	1.9	27	-2.8	57	16	210		28.92	8	+0.04	29.91	FM-15	0.00	29.89
14	1053	7	CLR:00	10.00		44	6.7	38	3.2	29	-1.7	55	17	220		28.90			29.88	FM-15	0.00	29.87
14	1153	7	CLR:00	10.00		47	8.3	40	4.3	30	-1.1	52	17	230		28.89			29.87	FM-15	0.00	29.85
14	1253	7	CLR:00	10.00		50	10.0	41	5.2	30	-1.1	46	17	230		28.86	8	+0.06	29.83	FM-15	0.00	29.82
14	1353	7	CLR:00	10.00		51	10.6	41	5.1	28	-2.2	41	17	250	26	28.84			29.81	FM-15	0.00	29.80
14	1453	7	CLR:00	10.00		51	10.6	41	4.9	27	-2.8	39	16	230	26	28.80			29.77	FM-15	0.00	29.76
14	1553	7	CLR:00	10.00		51	10.6	41	5.1	28	-2.2	41	18	240	25	28.78	6	+0.08	29.75	FM-15	0.00	29.74
14	1653	7	CLR:00	10.00		50	10.0	41	4.8	28	-2.2	43	15	230	24	28.77			29.75	FM-15	0.00	29.73
14	1753	7	CLR:00	10.00		48	8.9	40	4.4	29	-1.7	48	11	220		28.78			29.75	FM-15	0.00	29.74
14	1853	7	CLR:00	10.00		45	7.2	39	3.7	30	-1.1	56	8	220		28.78	5	+0.00	29.75	FM-15	0.00	29.74
14	1953	7	CLR:00	10.00		43	6.1	38	3.1	30	-1.1	60	8	220		28.76			29.73	FM-15	0.00	29.72
14	2053	7	CLR:00	10.00		43	6.1	38	3.1	30	-1.1	60	10	220		28.73			29.71	FM-15	0.00	29.69
14	2153	7	CLR:00	10.00		41	5.0	36	2.3	29	-1.7	62	9	220		28.72	6	+0.06	29.69	FM-15	0.00	29.68
14	2253	7	CLR:00	10.00		41	5.0	36	2.3	29	-1.7	62	11	230		28.71			29.68	FM-15	0.00	29.67
14	2353	7	CLR:00	10.00		39	3.9	35	1.6	29	-1.7	67	8	240		28.69			29.66	FM-15	0.00	29.65
15	0053	7	FEW:02 50	10.00		38	3.3	35	1.5	30	-1.1	73	8	240		28.67	8	+0.05	29.64	FM-15	0.00	29.63
15	0153	7	FEW:02 55	10.00		39	3.9	36	2.1	31	-0.6	73	11	280		28.66			29.63	FM-15	0.00	29.62
15	0253	7	FEW:02 36	10.00		38	3.3	35	1.7	31	-0.6	76	11	280		28.66			29.62	FM-15	0.00	29.62
15	0328	7	BKN:07 27	10.00		38	3.3	35	1.7	31	-0.6	76	11	290		28.66				FM-16		29.62
15	0351	7	FEW:02 24 BKN:07 34	10.00		37	3.0	34	1.2	30	-1.0	75	20	310	26	28.67				FM-16		29.63
15	0353	7	FEW:02 22 FEW:02 27 BKN:07 35	10.00		37	2.8	34	1.2	30	-1.1	76	16	330	26	28.67	3	-0.00	29.64	FM-15	0.00	29.63
15	0453	7	BKN:07 55	10.00		35	1.7	31	-0.4	25	-3.9	67	13	320		28.69			29.66	FM-15	0.00	29.65
15	0553	7	BKN:07 70	10.00		34	1.1	30	-0.9	24	-4.4	67	15	330		28.69			29.67	FM-15	0.00	29.65
15	0653	7	CLR:00	10.00		32	0.0	29	-1.6	24	-4.4	73	14	320		28.71	2	-0.04	29.69	FM-15	0.00	29.67
15	0753	7	CLR:00	10.00		31	-0.6	28	-2.3	22	-5.6	69	13	320		28.73			29.70	FM-15	0.00	29.69
15	0853	7	CLR:00	10.00		33	0.6	29	-1.6	22	-5.6	64	14	320		28.75			29.73	FM-15	0.00	29.71
15	0953	7	BKN:07 32	10.00		33	0.6	28	-2.0	20	-6.7	58	17	330	24	28.78	3	-0.06	29.75	FM-15	0.00	29.74
15	1053	7	OVC:08 33	10.00		34	1.1	29	-1.6	20	-6.7	56	20	310	31	28.78			29.76	FM-15	T	29.74
15	1153	7	OVC:08 36	10.00		34	1.1	29	-1.8	19	-7.2	54	16	310	28	28.80			29.78	FM-15	0.00	29.76
15	1253	7	OVC:08 35	10.00		33	0.6	29	-1.8	21	-6.1	61	11	300		28.79	0	-0.02	29.77	FM-15	0.00	29.75
15	1353	7	OVC:08 37	10.00		35	1.7	30	-1.3	20	-6.7	54	15	290		28.78			29.76	FM-15	0.00	29.74
15	1453	7	OVC:08 38	10.00		34	1.1	29	-1.6	20	-6.7	56	16	290		28.79			29.76	FM-15	0.00	29.75
15	1553	7	OVC:08 35	10.00		33	0.6	28	-2.0	20	-6.7	58	18	330	25	28.80	3	-0.01	29.78	FM-15	0.00	29.76
15	1653	7	OVC:08 39	10.00		33	0.6	29	-1.8	21	-6.1	61	11	320		28.81			29.79	FM-15	0.00	29.77
15	1753	7	FEW:02 39 OVC:08 60	10.00		33	0.6	29	-1.8	21	-6.1	61	13	320		28.82			29.80	FM-15	0.00	29.78

15	1853	7	FEW:02 43 OVC:08 55	10.00		31	-0.6	27	-2.7	20	-6.7	64	18	320		28.84	3	-0.04	29.83	FM-15	0.00	29.80
15	1953	7	OVC:08 50	10.00		31	-0.6	28	-2.5	21	-6.1	67	17	310	22	28.86			29.85	FM-15	0.00	29.82
15	2053	7	OVC:08 55	10.00		30	-1.1	27	-3.0	20	-6.7	66	13	300		28.87			29.86	FM-15	0.00	29.83
15	2153	7	BKN:07 43 BKN:07 50	10.00		30	-1.1	27	-3.0	20	-6.7	66	16	310	22	28.87	1	-0.04	29.86	FM-15	0.00	29.84
15	2253	7	OVC:08 39	10.00		29	-1.7	26	-3.5	19	-7.2	66	14	300		28.89			29.87	FM-15	0.00	29.85
15	2353	7	OVC:08 38	10.00		29	-1.7	26	-3.5	19	-7.2	66	14	310		28.87			29.87	FM-15	0.00	29.84
16	0053	7	OVC:08 34	10.00		29	-1.7	25	-3.8	17	-8.3	61	10	310		28.87	8	+0.00	29.86	FM-15	0.00	29.84
16	0153	7	OVC:08 35	10.00		29	-1.7	25	-3.8	17	-8.3	61	14	300		28.87			29.86	FM-15	0.00	29.84
16	0253	7	OVC:08 37	10.00		28	-2.2	24	-4.3	16	-8.9	60	10	310		28.87			29.86	FM-15	0.00	29.84
16	0353	7	SCT:04 38 OVC:08 45	10.00		28	-2.2	24	-4.2	17	-8.3	63	14	300		28.87	6	+0.00	29.86	FM-15	0.00	29.84
16	0453	7	FEW:02 28 OVC:08 40	10.00		28	-2.2	24	-4.2	17	-8.3	63	13	330	18	28.90			29.88	FM-15	0.00	29.86
16	0553	7	FEW:02 35 OVC:08 45	10.00		27	-2.8	24	-4.7	16	-8.9	63	8	330		28.90			29.90	FM-15	0.00	29.87
16	0653	7	FEW:02 27 OVC:08 42	10.00		27	-2.8	24	-4.2	19	-7.2	72	9	330		28.92	3	-0.06	29.92	FM-15	0.00	29.89
16	0718	7	OVC:08 28	10.00		27	-2.8	24	-4.4	18	-7.8	69	10	340		28.93				FM-16		29.90
16	0751	6	FEW:02 28 BKN:07 41	10.00		27	-3.0	24	-4.4	18	-8.0	69	9	330		28.95				FM-16		29.92
16	0753	7	BKN:07 41	10.00		27	-2.8	24	-4.4	18	-7.8	69	10	320		28.95			29.95	FM-15	0.00	29.92
16	0853	7	BKN:07 39	10.00		28	-2.2	24	-4.3	16	-8.9	60	9	320		28.96			29.96	FM-15	0.00	29.93
16	0953	7	BKN:07 35	10.00		28	-2.2	24	-4.5	15	-9.4	58	15	310		28.98	1	-0.05	29.97	FM-15	0.00	29.95
16	1053	7	BKN:07 34	10.00		29	-1.7	24	-4.3	14	-10.0	54	15	310		28.99			29.98	FM-15	0.00	29.96
16	1153	7	CLR:00	10.00		31	-0.6	26	-3.4	15	-9.4	52	7	VRB		28.99			29.99	FM-15	0.00	29.96
16	1253	7	CLR:00	10.00		34	1.1	28	-2.2	16	-8.9	48	10	290	20	28.97	8	+0.01	29.96	FM-15	0.00	29.94
16	1353	7	CLR:00	10.00		34	1.1	28	-2.4	15	-9.4	46	6	300		28.96			29.95	FM-15	0.00	29.93
16	1453	7	CLR:00	10.00		37	2.8	29	-1.5	14	-10.0	39	10	290		28.96			29.95	FM-15	0.00	29.93
16	1553	7	CLR:00	10.00		37	2.8	29	-1.5	14	-10.0	39	11	280		28.95	6	+0.02	29.94	FM-15	0.00	29.92
16	1653	7	CLR:00	10.00		36	2.2	29	-1.6	16	-8.9	44	11	270		28.94			29.93	FM-15	0.00	29.91
16	1753	7	BKN:07 75	10.00		35	1.7	29	-1.6	18	-7.8	50	3	270		28.93			29.93	FM-15	0.00	29.90
16	1853	7	OVC:08 70	10.00		35	1.7	29	-1.4	19	-7.2	52	3	250		28.94	5	+0.01	29.93	FM-15	0.00	29.91
16	1953	7	SCT:04 70	10.00		34	1.1	29	-1.9	18	-7.8	52	5	200		28.93			29.93	FM-15	0.00	29.90
16	2053	7	CLR:00	10.00		33	0.6	28	-2.0	20	-6.7	58	5	200		28.94			29.93	FM-15	0.00	29.91
16	2153	7	CLR:00	10.00		33	0.6	28	-2.0	20	-6.7	58	0	000		28.94	3	-0.00	29.93	FM-15	0.00	29.91
16	2253	7	BKN:07 100	10.00		32	0.0	28	-2.1	21	-6.1	64	0	000		28.95			29.95	FM-15	0.00	29.92
16	2353	7	BKN:07 100	10.00		35	1.7	30	-1.3	20	-6.7	54	6	170		28.93			29.93	FM-15	0.00	29.90
17	0053	7	OVC:08 80	10.00		35	1.7	30	-1.3	20	-6.7	54	6	150		28.93	8	+0.01	29.92	FM-15	0.00	29.90
17	0153	7	OVC:08 70	10.00		35	1.7	29	-1.4	19	-7.2	52	10	150		28.90			29.89	FM-15	0.00	29.87
17	0253	7	FEW:02 120	10.00		33	0.6	28	-2.0	20	-6.7	58	7	140		28.89			29.87	FM-15	0.00	29.85
17	0353	7	BKN:07 120	10.00		32	0.0	28	-2.3	20	-6.7	61	6	110		28.87	6	+0.06	29.85	FM-15	0.00	29.83
17	0453	7	CLR:00	10.00		32	0.0	28	-2.3	20	-6.7	61	6	130		28.86			29.84	FM-15	0.00	29.82
17	0553	7	CLR:00	10.00		30	-1.1	27	-3.0	20	-6.7	66	5	120		28.86			29.84	FM-15	0.00	29.82
17	0653	7	CLR:00	10.00		31	-0.6	27	-2.7	20	-6.7	64	3	140		28.84	8	+0.01	29.84	FM-15	0.00	29.81
17	0753	7	CLR:00	10.00		31	-0.6	28	-2.5	21	-6.1	67	3	140		28.84			29.83	FM-15	0.00	29.81
17	0853	7	CLR:00	10.00		36	2.2	31	-0.6	22	-5.6	57	9	160		28.84			29.84	FM-15	0.00	29.81
17	0953	7	CLR:00	10.00		39	3.9	33	0.7	24	-4.4	55	7	170		28.87	3	-0.01	29.85	FM-15	0.00	29.83
17	1053	7	CLR:00	10.00		44	6.7	37	2.8	27	-2.8	51	9	200		28.86			29.84	FM-15	0.00	29.82
17	1153	7	CLR:00	10.00		52	11.1	43	6.1	32	0.0	47	10	230		28.84			29.82	FM-15	0.00	29.81
17	1253	7	CLR:00	10.00		57	13.9	46	7.7	33	0.6	41	8	220		28.82	8	+0.05	29.79	FM-15	0.00	29.78
17	1353	7	CLR:00	10.00		61	16.1	48	9.2	35	1.7	38	11	200		28.80			29.77	FM-15	0.00	29.76
17	1453	7	CLR:00	10.00		62	16.7	49	9.6	36	2.2	38	15	220	24	28.79			29.75	FM-15	0.00	29.75
17	1553	7	CLR:00	10.00		63	17.2	50	9.9	36	2.2	37	15	230		28.78	6	+0.03	29.75	FM-15	0.00	29.74
17	1653	7	CLR:00	10.00		62	16.7	49	9.6	36	2.2	38	13	220		28.78			29.75	FM-15	0.00	29.74
17	1753	7	CLR:00	10.00		60	15.6	48	9.1	36	2.2	41	9	230		28.79			29.76	FM-15	0.00	29.75
17	1853	7	CLR:00	10.00		56	13.3	47	8.1	36	2.2	47	7	210		28.81	3	-0.02	29.78	FM-15	0.00	29.77

17	1953	7	CLR:00	10.00		53	11.7	45	7.5	37	2.8	55	8	200		28.82			29.79	FM-15	0.00	29.78
17	2053	7	CLR:00	10.00		51	10.6	44	6.7	36	2.2	56	7	190		28.82			29.79	FM-15	0.00	29.78
17	2153	7	CLR:00	10.00		50	10.0	43	6.2	35	1.7	57	7	200		28.83	1	-0.02	29.80	FM-15	0.00	29.79
17	2253	7	CLR:00	10.00		50	10.0	43	6.2	35	1.7	57	10	210		28.83			29.79	FM-15	0.00	29.79
17	2353	7	CLR:00	10.00		50	10.0	43	6.2	35	1.7	57	9	220		28.83			29.79	FM-15	0.00	29.79
18	0053	7	CLR:00	10.00		50	10.0	43	6.2	35	1.7	57	10	230		28.84	3	-0.01	29.79	FM-15	0.00	29.80
18	0153	7	CLR:00	10.00		47	8.3	41	5.1	34	1.1	61	7	210		28.84			29.80	FM-15	0.00	29.80
18	0253	7	CLR:00	10.00		45	7.2	40	4.5	34	1.1	66	8	210		28.86			29.81	FM-15	0.00	29.82
18	0353	7	CLR:00	10.00		45	7.2	40	4.5	34	1.1	66	8	210		28.86	1	-0.02	29.81	FM-15	0.00	29.82
18	0453	7	CLR:00	10.00		42	5.6	38	3.4	33	0.6	71	7	200		28.84			29.81	FM-15	0.00	29.81
18	0553	7	CLR:00	10.00		41	5.0	38	3.1	33	0.6	73	7	200		28.86			29.82	FM-15	0.00	29.82
18	0653	7	CLR:00	10.00		41	5.0	37	2.9	32	0.0	70	7	210		28.84	8	+0.01	29.81	FM-15	0.00	29.81
18	0753	7	CLR:00	10.00		41	5.0	37	2.9	32	0.0	70	8	200		28.87			29.83	FM-15	0.00	29.83
18	0853	7	CLR:00	10.00		49	9.4	42	5.7	34	1.1	56	10	230		28.87			29.84	FM-15	0.00	29.84
18	0953	7	CLR:00	10.00		54	12.2	45	7.3	35	1.7	49	15	220		28.86	0	-0.01	29.83	FM-15	0.00	29.82
18	1053	7	CLR:00	10.00		58	14.4	48	8.8	37	2.8	46	14	230		28.84			29.80	FM-15	0.00	29.81
18	1153	7	CLR:00	10.00		62	16.7	50	10.3	39	3.9	43	16	230		28.84			29.80	FM-15	0.00	29.81
18	1253	7	CLR:00	10.00		64	17.8	51	10.8	39	3.9	40	13	240		28.83	8	+0.04	29.78	FM-15	0.00	29.79
18	1353	7	CLR:00	10.00		66	18.9	53	11.5	40	4.4	39	11	230		28.81			29.76	FM-15	0.00	29.77
18	1453	7	CLR:00	10.00		65	18.3	52	11.2	40	4.4	40	18	200		28.81			29.77	FM-15	0.00	29.77
18	1553	7	CLR:00	10.00		64	17.8	52	11.2	41	5.0	43	16	210	23	28.83	5	+0.00	29.79	FM-15	0.00	29.79
18	1653	7	CLR:00	10.00		62	16.7	51	10.5	40	4.4	44	13	220		28.83			29.79	FM-15	0.00	29.79
18	1753	7	OVC:08 85	10.00		60	15.6	50	10.0	40	4.4	47	13	200		28.83			29.79	FM-15	0.00	29.79
18	1853	7	OVC:08 85	10.00		58	14.4	49	9.5	40	4.4	51	11	210		28.84	3	-0.01	29.81	FM-15	0.00	29.80
18	1953	7	OVC:08 85	10.00		54	12.2	49	9.2	43	6.1	67	14	200		28.87			29.83	FM-15	0.00	29.83
18	2053	7	CLR:00	10.00		51	10.6	48	8.6	44	6.7	77	13	210		28.87			29.84	FM-15	0.00	29.84
18	2153	7	CLR:00	10.00		50	10.0	47	8.4	44	6.7	80	11	210		28.90	1	-0.05	29.86	FM-15	0.00	29.86
18	2253	7	CLR:00	10.00		48	8.9	46	7.8	44	6.7	86	8	210		28.90			29.86	FM-15	0.00	29.86
18	2353	7	CLR:00	10.00		47	8.3	46	7.5	44	6.7	90	8	220		28.90			29.87	FM-15	0.00	29.87
19	0053	7	CLR:00	10.00		46	7.8	45	7.0	43	6.1	89	7	220		28.92	3	-0.03	29.88	FM-15	0.00	29.89
19	0153	7	CLR:00	7.00		46	7.8	45	7.2	44	6.7	93	7	220		28.91			29.88	FM-15	0.00	29.88
19	0253	7	CLR:00	5.00	BR:1 ||	45	7.2	45	7.0	44	6.7	97	8	240		28.93			29.90	FM-15	0.00	29.90
19	0350	7	SCT:04 9	5.00	BR:1 ||	45	7.0	45	7.2	45	7.0	100	10	270		28.94				FM-16		29.91
19	0353	7	BKN:07 9	5.00	BR:1 ||	46	7.8	46	7.5	45	7.2	96	10	280		28.94	1	-0.02	29.91	FM-15	0.00	29.91
19	0422	7	SCT:04 7	5.00	BR:1 ||	44	6.7	44	6.4	43	6.1	96	5	260		28.95				FM-16		29.92
19	0453	7	CLR:00	4.00	BR:1 ||	44	6.7	44	6.4	43	6.1	96	6	240		28.96			29.93	FM-15	0.00	29.93
19	0553	7	CLR:00	3.00	BR:1 ||	43	6.1	43	6.1	43	6.1	100	5	230		28.98			29.95	FM-15	0.00	29.95
19	0603	7	CLR:00	2.50	BR:1 ||	41	5.0	41	5.0	41	5.0	100	5	210		28.98				FM-16		29.95
19	0614	7	CLR:00	3.00	BR:1 ||	42	5.6	42	5.6	42	5.6	100	5	230		28.99				FM-16		29.96
19	0634	7	BKN:07 12	2.50V	BR:1 ||	39	3.9	39	3.9	39	3.9	100	0	000		29.00				FM-16		29.97
19	0651	7	OVC:08 11	4.00	BR:1 ||	43	6.0	43	6.1	43	6.0	100	3	220		29.01				FM-16		29.98
19	0653	7	OVC:08 11	4.00	BR:1 ||	42	5.6	42	5.6	42	5.6	100	0	000		29.01	1	-0.05	29.98	FM-15	0.00	29.98
19	0714	7	OVC:08 9	5.00	BR:1 ||	43	6.1	43	6.1	43	6.1	100	3	220		29.02				FM-16		29.99
19	0753	7	OVC:08 8	5.00	BR:1 ||	45	7.2	45	7.0	44	6.7	97	5	240		29.03			30.01	FM-15	0.00	30.00
19	0853	7	OVC:08 6	4.00	BR:1 ||	46	7.8	46	7.5	45	7.2	96	10	280		29.05			30.03	FM-15	0.00	30.02
19	0953	7	OVC:08 6	4.00	BR:1 ||	47	8.3	47	8.1	46	7.8	97	6	290		29.08	3	-0.07	30.06	FM-15	0.00	30.05
19	1053	7	OVC:08 8	6.00	BR:1 ||	48	8.9	47	8.3	46	7.8	93	8	280		29.09			30.06	FM-15	0.00	30.06
19	1151	6	OVC:08 12	7.00		50	10.0	48	8.9	46	8.0	88	9	250		29.11				FM-16		30.08
19	1153	7	OVC:08 12	7.00		50	10.0	48	8.6	45	7.2	83	8	250		29.11			30.09	FM-15	0.00	30.08
19	1253	7	BKN:07 14	8.00		54	12.2	50	9.9	46	7.8	75	11	240		29.09	0	-0.01	30.07	FM-15	0.00	30.06
19	1302	7	BKN:07 15	8.00		55	12.8	50	10.2	46	7.8	72	9	260		29.09				FM-16		30.06
19	1315	7	SCT:04 15	8.00		54	12.2	50	9.9	46	7.8	75	9	220		29.09				FM-16		30.06
19	1353	7	FEW:02 16	9.00		55	12.8	50	10.2	46	7.8	72	11	210		29.08			30.05	FM-15	0.00	30.05
19	1453	7	CLR:00	9.00		58	14.4	52	11.0	46	7.8	65	10	200		29.08			30.06	FM-15	0.00	30.05
19	1553	7	CLR:00	9.00		58	14.4	52	11.0	46	7.8	65	9	230		29.10	3	-0.00	30.07	FM-15	0.00	30.07
19	1653	7	CLR:00	9.00		57	13.9	51	10.7	46	7.8	67	8	190		29.10			30.08	FM-15	0.00	30.07
19	1753	7	CLR:00	9.00		55	12.8	50	10.2	46	7.8	72	9	200		29.13			30.10	FM-15	0.00	30.10

19	1853	7	CLR:00	9.00		52	11.1	49	9.4	46	7.8	80	8	190		29.13	3	-0.04	30.11	FM-15	0.00	30.10
19	1953	7	CLR:00	6.00	BR:1 ||	48	8.9	47	8.1	45	7.2	89	6	200		29.15			30.13	FM-15	0.00	30.12
19	2053	7	CLR:00	6.00	BR:1 ||	47	8.3	45	7.3	43	6.1	86	6	240		29.16			30.14	FM-15	0.00	30.13
19	2153	7	CLR:00	6.00	BR:1 ||	45	7.2	44	6.7	43	6.1	93	3	150		29.17	1	-0.04	30.15	FM-15	0.00	30.14
19	2253	7	CLR:00	4.00	BR:1 ||	43	6.1	43	5.9	42	5.6	97	0	000		29.18			30.16	FM-15	0.00	30.15
19	2353	7	CLR:00	2.50	BR:1 ||	42	5.6	42	5.6	42	5.6	100	3	200		29.19			30.17	FM-15	0.00	30.16
20	0031	7	CLR:00	3.00	BR:1 ||	41	5.0	41	5.0	41	5.0	100	0	000		29.21				FM-16		30.18
20	0053	7	CLR:00	3.00	BR:1 ||	42	5.6	42	5.6	42	5.6	100	3	160		29.21	3	-0.04	30.19	FM-15	0.00	30.18
20	0101	7	CLR:00	2.50	BR:1 ||	41	5.0	41	5.0	41	5.0	100	3	160		29.21				FM-16		30.18
20	0123	7	CLR:00	1.75	BR:1 ||	42	5.6	42	5.6	42	5.6	100	3	170		29.21				FM-16		30.18
20	0140	7	VV:09 5	0.50	FG:2 |FG |	37	2.8	37	2.8	37	2.8	100	0	000		29.21				FM-16		30.18
20	0146	7	CLR:00	0.25	FG:2 |FG |	37	2.8	37	2.8	37	2.8	100	0	000		29.21				FM-16		30.18
20	0151	6	VV:09 5	0.25	FG:2 |FG |	37	3.0	37	2.8	37	3.0	100	0	000		29.21				FM-16		30.18
20	0153	7	VV:09 5	0.25	FG:2 |FG |	37	2.8	37	2.8	37	2.8	100	0	000		29.21			30.19	FM-15	0.00	30.18
20	0210	7	VV:09 5	1.00	BR:1 ||	38	3.3	38	3.3	38	3.3	100	0	000		29.21				FM-16		30.18
20	0220	7	VV:09 5	0.25	FG:2 |FG |	37	2.8	37	2.8	37	2.8	100	0	000		29.21				FM-16		30.18
20	0236	7	VV:09 4	0.00	FG:2 |FG |	35	1.7	35	1.7	35	1.7	100	0	000		29.21				FM-16		30.18
20	0253	7	VV:09 3	0.00	FG:2 |FG |	36	2.2	36	2.2	36	2.2	100	0	000		29.21			30.19	FM-15	0.00	30.18
20	0343	7	VV:09 1	0.00	FG:2 |FG |	34	1.1	34	1.1	34	1.1	100	0	000		29.21				FM-16		30.18
20	0353	7	VV:09 1	0.00	FG:2 |FG |	34	1.1	34	1.1	34	1.1	100	0	000		29.21	5	+0.01	30.19	FM-15	0.00	30.18
20	0453	7	VV:09 1	0.00	FG:2 |FG |	34	1.1	34	1.1	34	1.1	100	0	000		29.22			30.20	FM-15	0.00	30.19
20	0506	7	VV:09 2	0.25	FG:2 |FG |	34	1.1	34	1.1	34	1.1	100	0	000		29.23				FM-16		30.20
20	0513	7	VV:09 1	0.25	FG:2 |FG |	34	1.1	34	1.1	34	1.1	100	0	000		29.23				FM-16		30.20
20	0553	7	VV:09 1	0.00	FG:2 |FG |	36	2.2	36	2.2	36	2.2	100	0	000		29.23			30.21	FM-15	0.00	30.20
20	0653	7	VV:09 1	0.00	FG:2 |FG |	36	2.2	36	2.2	36	2.2	100	0	000		29.26	3	-0.05	30.24	FM-15	0.00	30.23
20	0728	7	VV:09 2	0.00	FG:2 |FG |	38	3.3	38	3.3	38	3.3	100	3	180		29.26				FM-16		30.24
20	0753	7	VV:09 2	0.00	FG:2 |FG |	38	3.3	38	3.3	38	3.3	100	3	120		29.27			30.26	FM-15	0.00	30.25
20	0853	7	VV:09 2	0.00	FG:2 |FG |	39	3.9	39	3.9	39	3.9	100	3	160		29.29			30.28	FM-15	0.00	30.27
20	0953	7	VV:09 2	0.00	FG:2 |FG |	41	5.0	41	5.0	41	5.0	100	5	160		29.29	1	-0.04	30.28	FM-15	0.00	30.27
20	1053	7	VV:09 2	0.25	FG:2 |FG |	42	5.6	42	5.6	42	5.6	100	5	150		29.28			30.27	FM-15	0.00	30.26
20	1118	7	OVC:08 2	0.75	BR:1 ||	42	5.6	42	5.6	42	5.6	100	5	170		29.28				FM-16		30.26
20	1130	7	OVC:08 2	1.50	BR:1 ||	43	6.1	43	6.1	43	6.1	100	6	180		29.29				FM-16		30.27
20	1151	6	OVC:08 3	2.00	BR:1 ||	45	7.0	45	7.2	45	7.0	100	5	160		29.29				FM-16		30.27
20	1153	7	OVC:08 3	2.00	BR:1 ||	44	6.7	44	6.7	44	6.7	100	5	180		29.29			30.28	FM-15	0.00	30.27
20	1207	7	BKN:07 3	3.00	BR:1 ||	47	8.3	46	7.8	45	7.2	93	3	VRB		29.28				FM-16		30.26
20	1217	7	SCT:04 3	4.00	BR:1 ||	48	8.9	47	8.1	45	7.2	89	3	VRB		29.27				FM-16		30.25
20	1253	7	CLR:00	6.00	HZ:7 |FU |HZ	52	11.1	48	9.2	45	7.2	77	6	130		29.26	8	+0.03	30.25	FM-15	0.00	30.24
20	1353	7	CLR:00	7.00		56	13.3	51	10.5	46	7.8	70	8	100		29.22			30.20	FM-15	0.00	30.19
20	1453	7	CLR:00	10.00		60	15.6	51	10.7	43	6.1	53	6	150		29.21			30.19	FM-15	0.00	30.18
20	1553	7	CLR:00	10.00		62	16.7	52	11.0	42	5.6	48	6	130		29.21	6	+0.06	30.19	FM-15	0.00	30.18
20	1653	7	CLR:00	10.00		61	16.1	50	9.8	38	3.3	43	9	100		29.18			30.16	FM-15	0.00	30.15
20	1753	7	CLR:00	10.00		56	13.3	48	8.8	39	3.9	53	6	100		29.18			30.16	FM-15	0.00	30.15
20	1853	7	CLR:00	10.00		54	12.2	47	8.2	39	3.9	57	6	070		29.19	5	+0.02	30.17	FM-15	0.00	30.16
20	1953	7	CLR:00	10.00		48	8.9	44	6.8	40	4.4	74	7	100		29.18			30.17	FM-15	0.00	30.15
20	2053	7	CLR:00	10.00		50	10.0	46	7.6	41	5.0	71	9	100		29.16			30.14	FM-15	0.00	30.13
20	2153	7	CLR:00	10.00		50	10.0	46	7.8	42	5.6	74	8	110		29.15	8	+0.03	30.13	FM-15	0.00	30.12
20	2253	7	CLR:00	10.00		50	10.0	46	7.6	41	5.0	71	7	120		29.14			30.11	FM-15	0.00	30.11
20	2353	7	CLR:00	10.00		47	8.3	44	6.5	40	4.4	77	5	110		29.12			30.10	FM-15	0.00	30.09
21	0053	7	CLR:00	10.00		48	8.9	44	6.8	40	4.4	74	3	100		29.11	6	+0.04	30.09	FM-15	0.00	30.08
21	0153	7	CLR:00	10.00		49	9.4	45	7.1	40	4.4	71	6	140		29.09			30.06	FM-15	0.00	30.06
21	0253	7	CLR:00	10.00		49	9.4	44	6.8	39	3.9	69	7	140		29.08			30.04	FM-15	0.00	30.05
21	0353	7	CLR:00	10.00		49	9.4	44	6.8	39	3.9	69	7	150		29.07	6	+0.04	30.03	FM-15	0.00	30.04
21	0453	7	CLR:00	10.00		49	9.4	44	6.8	39	3.9	69	6	140		29.06			30.03	FM-15	0.00	30.03
21	0553	7	CLR:00	10.00		46	7.8	43	6.0	39	3.9	77	5	110		29.04			30.01	FM-15	0.00	30.01
21	0653	7	CLR:00	10.00		47	8.3	44	6.5	40	4.4	77	3	130		29.05	5	+0.02	30.02	FM-15	0.00	30.02
21	0753	7	CLR:00	10.00		48	8.9	44	6.8	40	4.4	74	5	160		29.06			30.03	FM-15	0.00	30.03
21	0853	7	CLR:00	10.00		51	10.6	46	7.9	41	5.0	69	5	180		29.07			30.04	FM-15	0.00	30.04

21	0953	7	CLR:00	10.00		55	12.8	49	9.4	43	6.1	64	8	200		29.07	0	-0.02	30.04	FM-15	0.00	30.04
21	1053	7	CLR:00	10.00		58	14.4	51	10.5	44	6.7	60	6	180		29.06			30.03	FM-15	0.00	30.03
21	1153	7	CLR:00	10.00		63	17.2	54	12.5	47	8.3	56	9	220		29.04			30.01	FM-15	0.00	30.01
21	1253	7	CLR:00	10.00		66	18.9	56	13.4	48	8.9	52	10	220		29.02	8	+0.04	29.99	FM-15	0.00	29.99
21	1353	7	CLR:00	10.00		66	18.9	56	13.4	48	8.9	52	10	230		29.01			29.97	FM-15	0.00	29.98
21	1453	7	CLR:00	10.00		67	19.4	57	13.9	49	9.4	53	8	230		29.00			29.97	FM-15	0.00	29.97
21	1553	7	SCT:04 120	10.00		66	18.9	57	13.7	49	9.4	54	9	230		28.99	6	+0.03	29.96	FM-15	0.00	29.96
21	1653	7	OVC:08 110	10.00		64	17.8	56	13.2	49	9.4	58	10	220		29.00			29.97	FM-15	0.00	29.97
21	1753	7	BKN:07 100 OVC:08 110	10.00		63	17.2	55	13.0	49	9.4	60	8	200		29.00			29.97	FM-15	0.00	29.97
21	1853	7	SCT:04 100 BKN:07 120	10.00		62	16.7	55	13.0	50	10.0	65	8	190		29.00	0	-0.01	29.97	FM-15	0.00	29.97
21	1953	7	CLR:00	10.00		59	15.0	55	12.6	51	10.6	75	5	220		29.00			29.97	FM-15	0.00	29.97
21	2053	7	CLR:00	10.00		58	14.4	54	12.3	51	10.6	78	5	180		29.00			29.97	FM-15	0.00	29.97
21	2153	7	SCT:04 85 OVC:08 100	10.00		57	13.9	54	12.1	51	10.6	81	9	190		29.01	3	-0.00	29.97	FM-15	0.00	29.98
21	2253	7	BKN:07 60 OVC:08 75	9.00	-RA:02 |RA |	56	13.3	54	12.4	53	11.7	90	10	200		29.01			29.97	FM-15	0.01	29.98
21	2353	7	FEW:02 44 OVC:08 60	9.00	-RA:02 |RA |	55	12.8	54	12.5	54	12.2	96	6	200		28.99			29.95	FM-15	0.01	29.96
22	0053	7	OVC:08 70	9.00		56	13.3	55	12.7	54	12.2	93	6	190		28.97	8	+0.04	29.93	FM-15	T	29.94
22	0153	7	OVC:08 65	8.00		55	12.8	54	12.5	54	12.2	96	5	190		28.95			29.92	FM-15	0.00	29.92
22	0253	7	BKN:07 48 OVC:08 60	7.00		54	12.2	53	11.9	53	11.7	97	5	200		28.95			29.91	FM-15	0.00	29.92
22	0353	7	BKN:07 47 OVC:08 65	8.00		54	12.2	53	11.9	53	11.7	97	5	210		28.95	6	+0.02	29.91	FM-15	0.00	29.92
22	0453	7	BKN:07 45 OVC:08 60	9.00		55	12.8	54	12.2	53	11.7	93	6	180		28.95			29.91	FM-15	0.00	29.92
22	0553	7	FEW:02 35 OVC:08 60	7.00		54	12.2	53	11.9	53	11.7	97	7	190		28.96			29.92	FM-15	0.00	29.93
22	0631	7	BKN:07 14 OVC:08 36	6.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	6	190		28.96				FM-16		29.93
22	0648	7	SCT:04 12 OVC:08 16	6.00	BR:1 ||	54	12.0	54	12.2	54	12.0	100	5	180		28.96				FM-16		29.93
22	0651	6	BKN:07 12 OVC:08 16	6.00	BR:1 ||	54	12.0	54	12.2	54	12.0	100	5	180		28.96				FM-16		29.93
22	0653	7	SCT:04 8 OVC:08 16	6.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	5	180		28.96	1	-0.01	29.93	FM-15	0.00	29.93
22	0703	7	BKN:07 8 OVC:08 16	5.00	BR:1 ||	54	12.2	53	11.9	53	11.7	97	5	180		28.97				FM-16		29.94
22	0747	7	OVC:08 7	1.75	BR:1 ||	54	12.0	54	12.2	54	12.0	100	5	190		28.97				FM-16	T	29.94
22	0753	7	BKN:07 5 OVC:08 9	1.25	-RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	3	190		28.97			29.94	FM-15	0.01	29.94
22	0812	7	OVC:08 3	0.75	-RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	3	180		28.98				FM-16	0.01	29.95
22	0841	7	OVC:08 3	1.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	5	180		28.97				FM-16	0.02	29.94
22	0853	7	OVC:08 3	1.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	6	180		28.97			29.93	FM-15	0.01	29.94
22	0953	7	OVC:08 2	1.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	6	180		28.96	8	+0.00	29.93	FM-15	0.00	29.93
22	1053	7	OVC:08 3	1.50	BR:1 ||	55	12.8	55	12.8	55	12.8	100	8	170		28.94			29.91	FM-15	0.00	29.91
22	1116	7	OVC:08 4	2.00	BR:1 ||	56	13.3	56	13.3	56	13.3	100	9	180		28.94				FM-16		29.91
22	1136	7	OVC:08 5	3.00	BR:1 ||	56	13.3	56	13.3	56	13.3	100	7	190		28.94				FM-16		29.91
22	1153	7	OVC:08 5	6.00	BR:1 ||	57	13.9	56	13.6	56	13.3	96	9	190		28.93			29.90	FM-15	0.00	29.90
22	1253	7	OVC:08 7	8.00		57	13.9	57	13.9	57	13.9	100	7	200		28.91	8	+0.06	29.87	FM-15	0.00	29.88
22	1353	7	OVC:08 8	8.00		58	14.4	57	13.8	56	13.3	93	14	200		28.89			29.85	FM-15	0.00	29.85
22	1453	7	OVC:08 8	9.00		58	14.4	57	13.8	56	13.3	93	11	190		28.87			29.83	FM-15	0.00	29.83
22	1553	7	BKN:07 7 BKN:07 12 OVC:08 19	7.00		58	14.4	57	14.1	57	13.9	97	9	180		28.86	6	+0.05	29.82	FM-15	0.00	29.82
22	1653	7	OVC:08 6	6.00	BR:1 ||	57	13.9	56	13.6	56	13.3	96	10	180		28.84			29.81	FM-15	0.00	29.81
22	1753	7	OVC:08 8	6.00	BR:1 ||	57	13.9	56	13.6	56	13.3	96	7	170		28.86			29.81	FM-15	0.00	29.82
22	1851	6	OVC:08 12	7.00		57	14.0	56	13.3	55	13.0	94	7	170		28.87				FM-16		29.83

22	1853	7	OVC:08 14	7.00		57	13.9	56	13.6	56	13.3	96	6	170		28.87	3	-0.01	29.83	FM-15	0.00	29.83
22	1910	7	OVC:08 16	7.00		57	13.9	56	13.6	56	13.3	96	6	180		28.87				FM-16		29.83
22	1953	7	SCT:04 18 OVC:08 27	7.00		57	13.9	56	13.6	56	13.3	96	7	150		28.87			29.83	FM-15	0.00	29.83
22	2030	7	SCT:04 28 OVC:08 37	7.00		57	13.9	56	13.6	56	13.3	96	9	160		28.87				FM-16		29.83
22	2053	7	OVC:08 40	7.00		57	13.9	56	13.6	56	13.3	96	9	160		28.87			29.83	FM-15	0.00	29.83
22	2153	7	OVC:08 55	8.00		57	13.9	56	13.3	55	12.8	93	8	160		28.86	8	+0.01	29.81	FM-15	0.00	29.82
22	2253	7	SCT:04 27 OVC:08 60	8.00		57	13.9	56	13.3	55	12.8	93	10	170		28.84			29.80	FM-15	0.00	29.81
22	2353	7	CLR:00	7.00		56	13.3	55	13.0	55	12.8	97	10	170		28.83			29.79	FM-15	0.00	29.79
23	0017	6	FEW:02 8	7.00		55	12.8	55	12.8	55	12.8	100	10	160		28.82				FM-16		29.78
23	0053	7	SCT:04 7	7.00		55	12.8	55	12.8	55	12.8	100	9	170		28.82	8	+0.04	29.78	FM-15	0.00	29.78
23	0112	7	BKN:07 7	4.00	BR:1 ||	55	12.8	55	12.8	55	12.8	100	9	170		28.82				FM-16		29.78
23	0153	7	BKN:07 5	5.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	7	180		28.83			29.78	FM-15	0.00	29.79
23	0216	7	SCT:04 5 BKN:07 37	5.00	BR:1 ||	55	12.8	55	12.8	55	12.8	100	7	180		28.83				FM-16		29.79
23	0253	7	SCT:04 39	4.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	8	180		28.82			29.78	FM-15	0.00	29.78
23	0325	7	FEW:02 4	4.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	7	190		28.82				FM-16		29.78
23	0353	7	BKN:07 40	4.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	8	190		28.82	8	+0.00	29.77	FM-15	0.00	29.78
23	0453	7	OVC:08 48	6.00	BR:1 ||	55	12.8	55	12.8	55	12.8	100	8	190		28.82			29.78	FM-15	0.00	29.78
23	0553	7	OVC:08 55	7.00		55	12.8	55	12.8	55	12.8	100	7	200		28.82			29.78	FM-15	0.00	29.78
23	0653	7	FEW:02 19 BKN:07 65	7.00		55	12.8	54	12.5	54	12.2	96	7	200		28.82	0	-0.00	29.78	FM-15	0.00	29.78
23	0753	7	CLR:00	4.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	7	190		28.84			29.79	FM-15	0.00	29.80
23	0853	7	CLR:00	9.00		59	15.0	58	14.4	57	13.9	93	10	200		28.84			29.80	FM-15	0.00	29.80
23	0953	7	FEW:02 10 BKN:07 34	10.00		62	16.7	60	15.4	58	14.4	86	10	220		28.84	0	-0.02	29.79	FM-15	0.00	29.80
23	1026	7	BKN:07 17 OVC:08 45	10.00		63	17.2	60	15.6	58	14.4	84	11	220		28.84				FM-16		29.80
23	1053	7	OVC:08 17	10.00		64	17.8	60	15.8	58	14.4	81	13	240		28.84			29.80	FM-15	0.00	29.80
23	1153	7	BKN:07 19 OVC:08 37	10.00		64	17.8	60	15.8	58	14.4	81	10	220		28.83			29.78	FM-15	0.00	29.79
23	1251	6	FEW:02 23 BKN:07 40 OVC:08 50	10.00		66	19.0	61	15.9	57	14.0	73	14	230		28.82				FM-16		29.78
23	1253	7	FEW:02 23 BKN:07 42 OVC:08 50	10.00		66	18.9	61	15.9	57	13.9	73	16	220		28.82	8	+0.02	29.78	FM-15	0.00	29.78
23	1353	7	BKN:07 50	10.00		67	19.4	61	16.2	57	13.9	71	10	200		28.80			29.75	FM-15	0.00	29.76
23	1453	7	FEW:02 31 FEW:02 47	10.00		68	20.0	61	16.1	56	13.3	65	14	200	22	28.79			29.75	FM-15	0.00	29.75
23	1553	7	OVC:08 60	10.00		67	19.4	61	15.8	56	13.3	68	13	190		28.80	5	+0.02	29.75	FM-15	0.00	29.76
23	1653	7	OVC:08 70	10.00		67	19.4	61	15.8	56	13.3	68	8	210		28.81			29.76	FM-15	0.00	29.77
23	1753	7	SCT:04 65 BKN:07 80	10.00		66	18.9	60	15.6	56	13.3	70	7	200		28.82			29.77	FM-15	0.00	29.78
23	1835	7	BKN:07 35 OVC:08 44	10.00	TS:7 |TS TS |	65	18.3	60	15.7	57	13.9	76	10	170		28.82				FM-16		29.78
23	1853	7	SCT:04 33 BKN:07 39 OVC:08 75	5.00	TS:7 -RA:02 BR:1 |RA TS |	62	16.7	60	15.7	59	15.0	90	5	200		28.83	0	-0.02	29.78	FM-15	0.03	29.79
23	1911	7	FEW:02 30 SCT:04 43 OVC:08 55	6.00	VCTS:7 -RA:02 BR:1 |RA |	60	15.6	59	15.2	59	15.0	96	0	000		28.83				FM-16	0.01	29.79
23	1936	7	SCT:04 34 BKN:07 44 OVC:08 50	9.00		61	16.1	60	15.8	60	15.6	97	7	110		28.82				FM-16	0.01	29.78
23	1953	7	SCT:04 33 BKN:07 44 OVC:08 85	10.00		60	15.6	59	15.2	59	15.0	96	5	130		28.82			29.78	FM-15	0.01	29.78
23	2053	7	OVC:08 65	10.00		60	15.6	58	14.6	57	13.9	90	5	150		28.82			29.77	FM-15	0.00	29.78

23	2153	7	BKN:07 60 OVC:08 95	10.00		61	16.1	59	14.8	57	13.9	87	6	160		28.82	6	+0.01	29.77	FM-15	0.00	29.78
23	2253	7	BKN:07 60 OVC:08 90	10.00		60	15.6	58	14.3	56	13.3	86	6	170		28.81			29.76	FM-15	0.00	29.77
23	2353	7	FEW:02 60 BKN:07 90	10.00		60	15.6	58	14.6	57	13.9	90	8	170		28.81			29.76	FM-15	0.00	29.77
24	0053	7	FEW:02 55	10.00		60	15.6	58	14.3	56	13.3	86	8	160		28.78	8	+0.04	29.73	FM-15	0.00	29.74
24	0153	7	CLR:00	10.00		59	15.0	57	14.0	56	13.3	90	8	160		28.78			29.73	FM-15	0.00	29.74
24	0253	7	CLR:00	10.00		58	14.4	57	13.8	56	13.3	93	6	170		28.78			29.73	FM-15	0.00	29.74
24	0353	7	OVC:08 60	10.00		59	15.0	57	14.0	56	13.3	90	10	180		28.77	8	+0.01	29.72	FM-15	0.00	29.73
24	0453	7	SCT:04 47 OVC:08 60	10.00		59	15.0	57	13.7	55	12.8	87	9	170		28.77			29.72	FM-15	0.00	29.73
24	0553	7	CLR:00	10.00		57	13.9	55	13.0	54	12.2	90	10	160		28.76			29.71	FM-15	0.00	29.72
24	0653	7	CLR:00	10.00		58	14.4	56	13.2	54	12.2	87	10	170		28.75	8	+0.02	29.70	FM-15	0.00	29.71
24	0753	7	CLR:00	10.00		58	14.4	56	13.2	54	12.2	87	10	170		28.76			29.71	FM-15	0.00	29.72
24	0853	7	CLR:00	10.00		60	15.6	57	13.7	54	12.2	80	14	170		28.76			29.71	FM-15	0.00	29.72
24	0953	7	FEW:02 47	10.00		65	18.3	59	15.1	55	12.8	70	16	190	22	28.76	1	-0.01	29.71	FM-15	0.00	29.72
24	1053	7	SCT:04 45	10.00		69	20.6	61	16.3	56	13.3	63	18	190	29	28.74			29.68	FM-15	0.00	29.70
24	1153	7	FEW:02 37	10.00		72	22.2	63	17.2	57	13.9	59	23	200	29	28.71			29.65	FM-15	0.00	29.67
24	1253	7	CLR:00	10.00	-RA:02 |RA |	73	22.8	63	17.1	56	13.3	55	21	190	31	28.66	8	+0.10	29.60	FM-15	T	29.62
24	1353	7	CLR:00	10.00		73	22.8	62	16.8	55	12.8	53	21	190	32	28.63			29.58	FM-15	T	29.59
24	1453	7	CLR:00	10.00		74	23.3	62	16.4	53	11.7	48	23	190	34	28.62			29.56	FM-15	0.00	29.58
24	1553	7	BKN:07 60	10.00		75	23.9	62	16.6	53	11.7	46	17	190	29	28.61	6	+0.04	29.56	FM-15	0.00	29.57
24	1653	7	BKN:07 65	10.00		74	23.3	62	16.4	53	11.7	48	17	210	24	28.62			29.57	FM-15	0.00	29.58
24	1753	7	CLR:00	10.00		72	22.2	60	15.8	52	11.1	50	13	210		28.61			29.55	FM-15	0.00	29.57
24	1853	7	BKN:07 95	10.00		71	21.7	60	15.5	52	11.1	51	8	180		28.59	8	+0.02	29.54	FM-15	0.00	29.55
24	1953	7	BKN:07 100	10.00		69	20.6	59	15.1	52	11.1	55	6	170		28.58			29.52	FM-15	0.00	29.54
24	2051	6	OVC:08 100	9.00	VCTS:7 -RA:02 |RA |	68	20.0	60	15.5	54	12.0	60	9	170		28.56				FM-16		29.52
24	2053	7	BKN:07 100 OVC:08 110	7.00	VCTS:7 -RA:02 |RA |	68	20.0	60	15.5	54	12.2	61	10	180		28.56			29.51	FM-15	0.02	29.52
24	2102	7	FEW:02 19 SCT:04 70 OVC:08 95	3.00	TS:7 RA:02 |RA TS TS |	66	18.9	60	15.3	55	12.8	68	16	170	25	28.57				FM-16	0.10	29.53
24	2127	7	FEW:02 70 OVC:08 95	10.00	VCTS:7 -RA:02 |RA |	65	18.3	60	15.4	56	13.3	73	10	200		28.57				FM-16	0.11	29.53
24	2151	6	FEW:02 55 SCT:04 70 OVC:08 95	10.00	VCTS:7 -RA:02 |RA |	61	16.0	58	14.2	55	13.0	83	15	270	31	28.57				FM-16		29.53
24	2153	7	FEW:02 55 SCT:04 70 OVC:08 95	10.00	VCTS:7 -RA:02 |RA |	60	15.6	58	14.6	57	13.9	90	14	270	31	28.58	5	+0.02	29.52	FM-15	0.11	29.54
24	2253	7	OVC:08 75	9.00	VCTS:7 -RA:02 |RA |	60	15.6	57	14.0	55	12.8	84	13	230		28.57			29.51	FM-15	0.08	29.53
24	2333	7	SCT:04 42 SCT:04 50 OVC:08 80	9.00	-RA:02 |RA |	59	15.0	57	14.0	56	13.3	90	11	220		28.58				FM-16	0.04	29.54
24	2353	7	FEW:02 31 BKN:07 70 OVC:08 85	10.00	-RA:02 |RA |	58	14.4	57	14.1	57	13.9	97	8	200		28.59			29.54	FM-15	0.05	29.55
25	0021	7	FEW:02 13 BKN:07 21 OVC:08 80	7.00	VCTS:7 RA:02 |RA |	57	13.9	56	13.3	55	12.8	93	17	280	30	28.60				FM-16	0.02	29.56
25	0029	7	FEW:02 12 BKN:07 21 OVC:08 55	7.00	TS:7 RA:02 |RA TS TS |	55	12.8	53	11.6	51	10.6	87	18	290		28.60				FM-16	0.04	29.56
25	0049	7	FEW:02 20 BKN:07 27 OVC:08 55	9.00	VCTS:7 -RA:02 |RA |	54	12.0	53	11.6	52	11.0	94	10	280	20	28.60				FM-16	0.05	29.56
25	0051	6	SCT:04 25 BKN:07 36 OVC:08 55	10.00	-RA:02 |RA |	54	12.0	53	11.6	52	11.0	94	9	280	20	28.61				FM-16		29.57

25	0053	7	SCT:04 25 BKN:07 36 OVC:08 55	10.00	-RA:02 |RA |	54	12.2	52	11.3	51	10.6	90	11	280		28.61	1	-0.04	29.55	FM-15	0.06	29.57
25	0153	7	SCT:04 47 OVC:08 65	10.00		52	11.1	50	10.0	48	8.9	86	16	280		28.63			29.58	FM-15	T	29.59
25	0253	7	OVC:08 60	10.00		47	8.3	45	7.0	42	5.6	83	14	300		28.64			29.59	FM-15	0.00	29.60
25	0353	7	FEW:02 110	10.00		44	6.7	41	5.1	38	3.3	79	11	290		28.65	1	-0.04	29.61	FM-15	0.00	29.61
25	0453	7	FEW:02 80 BKN:07 110	10.00		43	6.1	40	4.6	37	2.8	80	5	290		28.66			29.62	FM-15	0.00	29.62
25	0553	7	FEW:02 36 SCT:04 100	10.00		41	5.0	39	4.0	37	2.8	86	6	290		28.65			29.60	FM-15	0.00	29.61
25	0623	7	BKN:07 23 BKN:07 30 OVC:08 35	10.00		43	6.1	41	4.9	38	3.3	82	6	230		28.66				FM-16		29.62
25	0651	6	SCT:04 22 BKN:07 33	10.00		43	6.0	39	3.9	34	1.0	71	14	260	24	28.67				FM-16		29.63
25	0653	7	SCT:04 22 BKN:07 33	10.00		41	5.0	38	3.1	33	0.6	73	14	260	24	28.67	3	-0.02	29.63	FM-15	0.00	29.63
25	0753	7	FEW:02 45	10.00		40	4.4	37	3.0	34	1.1	79	7	230		28.69			29.65	FM-15	0.00	29.65
25	0851	6	BKN:07 26 OVC:08 46	10.00		43	6.0	39	3.9	34	1.0	71	10	230		28.70				FM-16		29.66
25	0853	7	BKN:07 26 OVC:08 46	10.00		42	5.6	39	3.9	35	1.7	76	10	250		28.70			29.66	FM-15	0.00	29.66
25	0953	7	BKN:07 28 OVC:08 35	10.00		38	3.3	35	1.5	30	-1.1	73	20	260	33	28.73	3	-0.06	29.70	FM-15	T	29.69
25	1053	7	BKN:07 28	10.00	-RA:02 |RA |	40	4.4	35	1.8	28	-2.2	63	17	250	33	28.75			29.71	FM-15	T	29.71
25	1100	7	BKN:07 34 BKN:07 43	10.00	-RA:02 |RA |	39	3.9	34	1.3	27	-2.8	62	25	260	36	28.75				FM-16	T	29.71
25	1148	7	BKN:07 34 BKN:07 43	1.75	-SN:03 BR:1 |SN |	34	1.0	32	0.2	30	-1.0	87	26	270	44	28.79				FM-16	T	29.75
25	1153	7	BKN:07 34 BKN:07 43	2.00	-SN:03 BR:1 |SN |	34	1.1	32	0.2	30	-1.1	85	17	260	40	28.79			29.76	FM-15	T	29.75
25	1201	7	FEW:02 28 BKN:07 50 OVC:08 70	9.00		36	2.2	34	0.9	30	-1.1	79	17	240	24	28.80				FM-16	T	29.76
25	1231	7	BKN:07 23 BKN:07 29 OVC:08 44	7.00	-SN:03 |SN |	36	2.2	33	0.7	29	-1.7	76	15	260	30	28.80				FM-16	T	29.76
25	1253	7	BKN:07 22 BKN:07 28 OVC:08 38	9.00	-SN:03 |SN |	36	2.2	33	0.5	28	-2.2	73	21	270	31	28.82	3	-0.08	29.79	FM-15	T	29.78
25	1353	7	BKN:07 22 BKN:07 38 OVC:08 46	9.00	-SN:03 |SN |	34	1.1	30	-0.9	24	-4.4	67	23	270	39	28.84			29.82	FM-15	T	29.81
25	1451	6	SCT:04 25 OVC:08 32	10.00		32	0.0	28	-2.1	21	-6.0	64	16	250	26	28.87				FM-16		29.84
25	1453	7	OVC:08 30	10.00		32	0.0	28	-2.0	22	-5.6	66	18	270	30	28.87			29.85	FM-15	T	29.84
25	1553	7	FEW:02 24 BKN:07 30 OVC:08 37	10.00		31	-0.6	28	-2.1	23	-5.0	72	21	270	26	28.90	1	-0.09	29.89	FM-15	T	29.87
25	1612	7	BKN:07 25 BKN:07 30 OVC:08 37	9.00	-SN:03 |SN |	30	-1.1	28	-2.5	23	-5.0	75	17	270	26	28.91				FM-16	T	29.88
25	1653	7	BKN:07 25 BKN:07 30 OVC:08 37	9.00	-SN:03 |SN |	29	-1.7	26	-3.2	21	-6.1	72	22	270	33	28.93			29.92	FM-15	T	29.90
25	1753	7	BKN:07 29 BKN:07 35 OVC:08 43	10.00	-SN:03 |SN |	29	-1.7	26	-3.5	19	-7.2	66	23	270	31	28.96			29.95	FM-15	T	29.93
25	1800	7	OVC:08 39	9.00		29	-1.7	25	-3.7	18	-7.8	63	22	270	30	28.96				FM-16	T	29.93
25	1853	7	FEW:02 23 BKN:07 30 OVC:08 36	8.00	-SN:03 |SN |	28	-2.2	25	-3.7	20	-6.7	72	18	270	29	28.99	2	-0.09	29.98	FM-15	T	29.96

25	1953	7	FEW:02 28 OVC:08 40	10.00		27	-2.8	24	-4.2	19	-7.2	72	16	280		29.02			30.01	FM-15	T	29.99
25	2053	7	OVC:08 43	10.00		28	-2.2	25	-3.9	19	-7.2	69	20	270	24	29.02			30.02	FM-15	0.00	29.99
25	2153	7	OVC:08 42	10.00		29	-1.7	26	-3.5	19	-7.2	66	17	280		29.04	1	-0.05	30.03	FM-15	0.00	30.01
25	2253	7	OVC:08 37	10.00		29	-1.7	26	-3.5	19	-7.2	66	11	270		29.05			30.04	FM-15	0.00	30.02
25	2353	7	OVC:08 35	10.00		29	-1.7	26	-3.5	19	-7.2	66	13	280		29.05			30.05	FM-15	0.00	30.02
26	0053	7	OVC:08 38	10.00		29	-1.7	25	-3.8	17	-8.3	61	18	270		29.07	3	-0.02	30.06	FM-15	0.00	30.04
26	0153	7	OVC:08 41	10.00		29	-1.7	25	-4.1	15	-9.4	56	14	280	21	29.07			30.07	FM-15	0.00	30.04
26	0253	7	OVC:08 41	10.00		29	-1.7	25	-4.0	16	-8.9	58	13	270		29.08			30.07	FM-15	0.00	30.05
26	0353	7	OVC:08 36	10.00		29	-1.7	25	-3.7	18	-7.8	63	13	290		29.09	3	-0.02	30.09	FM-15	0.00	30.06
26	0453	7	OVC:08 35	10.00		28	-2.2	24	-4.3	16	-8.9	60	10	290		29.10			30.10	FM-15	0.00	30.07
26	0553	7	OVC:08 36	10.00		27	-2.8	24	-4.7	16	-8.9	63	9	310		29.13			30.13	FM-15	0.00	30.10
26	0653	7	OVC:08 33	10.00		27	-2.8	24	-4.5	17	-8.3	66	6	290		29.14	1	-0.05	30.14	FM-15	0.00	30.11
26	0753	7	OVC:08 33	10.00		27	-2.8	23	-4.8	15	-9.4	61	8	300		29.17			30.18	FM-15	0.00	30.14
26	0853	7	CLR:00	10.00		29	-1.7	25	-4.1	15	-9.4	56	9	260		29.21			30.21	FM-15	0.00	30.18
26	0953	7	CLR:00	10.00		31	-0.6	26	-3.1	17	-8.3	56	5	VRB		29.21	1	-0.06	30.21	FM-15	0.00	30.18
26	1053	7	CLR:00	10.00		33	0.6	28	-2.4	17	-8.3	52	8	230		29.20			30.20	FM-15	0.00	30.17
26	1153	7	CLR:00	10.00		35	1.7	29	-1.4	19	-7.2	52	9	200	17	29.21			30.21	FM-15	0.00	30.18
26	1253	7	CLR:00	10.00		37	2.8	31	-0.4	21	-6.1	52	9	200		29.19	8	+0.01	30.19	FM-15	0.00	30.16
26	1353	7	CLR:00	10.00		40	4.4	33	0.5	21	-6.1	47	9	190	20	29.18			30.17	FM-15	0.00	30.15
26	1453	7	CLR:00	10.00		42	5.6	34	1.0	20	-6.7	41	13	210	18	29.16			30.15	FM-15	0.00	30.13
26	1553	7	CLR:00	10.00		43	6.1	34	1.2	19	-7.2	38	11	210	25	29.16	6	+0.03	30.15	FM-15	0.00	30.13
26	1653	7	CLR:00	10.00		42	5.6	34	0.9	19	-7.2	40	13	200		29.16			30.16	FM-15	0.00	30.13
26	1753	7	CLR:00	10.00		41	5.0	33	0.6	19	-7.2	41	16	210		29.17			30.16	FM-15	0.00	30.14
26	1853	7	CLR:00	10.00		40	4.4	32	0.2	19	-7.2	43	10	190		29.18	3	-0.01	30.17	FM-15	0.00	30.15
26	1953	7	CLR:00	10.00		39	3.9	32	0.1	20	-6.7	46	9	180		29.18			30.18	FM-15	0.00	30.15
26	2053	7	CLR:00	10.00		39	3.9	32	0.1	20	-6.7	46	10	180		29.19			30.19	FM-15	0.00	30.16
26	2153	7	SCT:04 85	10.00		39	3.9	32	-0.1	19	-7.2	45	8	180		29.20	3	-0.02	30.20	FM-15	0.00	30.17
26	2253	7	FEW:02 80	10.00		38	3.3	32	-0.3	20	-6.7	48	7	190		29.20			30.19	FM-15	0.00	30.17
26	2353	7	BKN:07 80	10.00		37	2.8	31	-0.4	21	-6.1	52	6	200		29.21			30.20	FM-15	0.00	30.18
27	0053	7	OVC:08 95	10.00		38	3.3	32	-0.1	21	-6.1	51	6	190		29.21	3	-0.01	30.20	FM-15	0.00	30.18
27	0153	7	OVC:08 90	10.00		39	3.9	32	0.2	21	-6.1	48	6	180		29.22			30.21	FM-15	0.00	30.19
27	0253	7	OVC:08 90	10.00		40	4.4	33	0.6	21	-6.1	47	7	190		29.23			30.21	FM-15	0.00	30.20
27	0353	7	OVC:08 70	10.00		41	5.0	34	1.2	23	-5.0	49	7	210		29.23	1	-0.01	30.21	FM-15	0.00	30.20
27	0453	7	OVC:08 65	10.00		40	4.4	34	0.9	23	-5.0	51	5	210		29.25			30.24	FM-15	0.00	30.22
27	0553	7	OVC:08 65	10.00		40	4.4	34	1.1	24	-4.4	53	5	190		29.26			30.25	FM-15	0.00	30.23
27	0653	7	OVC:08 60	10.00		40	4.4	34	1.1	24	-4.4	53	5	180		29.27	1	-0.05	30.27	FM-15	0.00	30.25
27	0753	7	OVC:08 55	10.00		40	4.4	34	0.9	23	-5.0	51	7	170		29.27			30.27	FM-15	0.00	30.25
27	0853	7	OVC:08 60	10.00		40	4.4	34	1.1	24	-4.4	53	8	170		29.28			30.28	FM-15	0.00	30.26
27	0953	7	OVC:08 60	10.00		42	5.6	36	2.4	28	-2.2	58	9	190		29.29	3	-0.02	30.28	FM-15	0.00	30.27
27	1053	7	BKN:07 39 OVC:08 55	10.00		44	6.7	40	4.7	36	2.2	73	11	180		29.29			30.29	FM-15	0.00	30.27
27	1128	7	BKN:07 19 BKN:07 24 OVC:08 38	10.00		45	7.2	42	5.5	38	3.3	77	13	190		29.29				FM-16		30.27
27	1153	7	BKN:07 19 OVC:08 70	10.00		45	7.2	42	5.5	38	3.3	77	14	190		29.29			30.28	FM-15	0.00	30.27
27	1253	7	OVC:08 17	10.00		44	6.7	41	5.2	38	3.3	79	13	160		29.28	8	+0.01	30.27	FM-15	0.00	30.26
27	1349	7	OVC:08 14	10.00		45	7.0	41	5.2	37	3.0	76	10	180		29.27				FM-16		30.25
27	1353	7	OVC:08 14	10.00		44	6.7	42	5.4	39	3.9	83	13	170		29.27			30.27	FM-15	0.00	30.25
27	1451	6	BKN:07 16 OVC:08 21	10.00		45	7.0	41	5.2	37	3.0	76	13	160		29.26				FM-16		30.24
27	1453	7	BKN:07 16 OVC:08 21	10.00		44	6.7	41	5.2	38	3.3	79	11	170		29.26			30.25	FM-15	0.00	30.23
27	1456	7	OVC:08 16	10.00		45	7.2	42	5.7	39	3.9	80	11	170		29.26				FM-16		30.23
27	1553	7	BKN:07 16 OVC:08 55	10.00		45	7.2	43	5.9	40	4.4	83	7	190		29.25	6	+0.03	30.24	FM-15	0.00	30.22
27	1651	6	OVC:08 12	10.00		45	7.0	43	6.2	41	5.0	87	7	150		29.25				FM-16		30.22

27	1653	7	OVC:08 12	10.00		44	6.7	43	5.9	41	5.0	89	7	150		29.25			30.24	FM-15	0.00	30.22
27	1753	7	OVC:08 14	10.00		44	6.7	43	5.9	41	5.0	89	6	150		29.25			30.24	FM-15	0.00	30.22
27	1853	7	OVC:08 11	10.00		45	7.2	43	6.2	41	5.0	86	8	150		29.25	8	+0.01	30.23	FM-15	0.00	30.22
27	1924	7	SCT:04 11 BKN:07 65 OVC:08 90	10.00		44	6.7	43	5.9	41	5.0	89	5	140		29.25				FM-16		30.22
27	1953	7	FEW:02 12 BKN:07 70 OVC:08 90	10.00		44	6.7	43	5.9	41	5.0	89	7	130		29.25			30.24	FM-15	0.00	30.22
27	2053	7	FEW:02 50 BKN:07 80	10.00		42	5.6	42	5.3	41	5.0	96	8	130		29.25			30.24	FM-15	0.00	30.22
27	2153	7	FEW:02 75	10.00		41	5.0	41	4.7	40	4.4	96	7	130		29.25	0	-0.00	30.24	FM-15	0.00	30.22
27	2253	7	CLR:00	7.00		41	5.0	41	4.7	40	4.4	96	6	130		29.23			30.22	FM-15	0.00	30.21
27	2350	7	CLR:00	1.75	BR:1 ||	37	3.0	37	2.8	37	3.0	100	3	100		29.25				FM-16		30.22
27	2353	7	CLR:00	1.00	BR:1 ||	38	3.3	38	3.3	38	3.3	100	3	110		29.25			30.23	FM-15	0.00	30.22
28	0002	7	CLR:00	0.25	FG:2 |FG |	37	2.8	37	2.8	37	2.8	100	3	100		29.23				FM-16		30.21
28	0015	7	CLR:00	1.00	BR:1 ||	37	2.8	37	2.8	37	2.8	100	3	120		29.23				FM-16		30.21
28	0034	7	CLR:00	2.00	BR:1 ||	38	3.3	38	3.3	38	3.3	100	3	120		29.23				FM-16		30.20
28	0049	7	CLR:00	4.00	BR:1 ||	37	3.0	37	2.8	37	3.0	100	3	140		29.23				FM-16		30.20
28	0053	7	CLR:00	4.00	BR:1 ||	38	3.3	38	3.3	38	3.3	100	3	130		29.23	8	+0.01	30.22	FM-15	0.00	30.20
28	0121	7	CLR:00	1.50	BR:1 ||	38	3.3	38	3.3	38	3.3	100	3	110		29.23				FM-16		30.20
28	0132	7	CLR:00	0.75	BR:1 ||	37	2.8	37	2.8	37	2.8	100	3	110		29.23				FM-16		30.20
28	0149	7	CLR:00	2.00	BR:1 ||	36	2.0	36	2.2	36	2.0	100	3	110		29.22				FM-16		30.19
28	0150	7	CLR:00	2.00	BR:1 ||	36	2.2	36	2.2	36	2.2	100	3	110		29.22			30.21	FM-15	0.00	30.19
28	0203	7	CLR:00	4.00	BR:1 ||	37	2.8	37	2.8	37	2.8	100	6	120		29.21				FM-16		30.18
28	0253	7	FEW:02 120	8.00		39	3.9	39	3.9	39	3.9	100	6	120		29.18			30.16	FM-15	0.00	30.15
28	0353	7	SCT:04 120	10.00		41	5.0	40	4.5	39	3.9	93	5	130		29.17	6	+0.06	30.15	FM-15	0.00	30.14
28	0453	7	FEW:02 100	10.00		42	5.6	41	4.8	39	3.9	89	7	140		29.15			30.13	FM-15	0.00	30.12
28	0553	7	BKN:07 100 OVC:08 110	10.00		41	5.0	40	4.5	39	3.9	93	0	000		29.18			30.16	FM-15	0.00	30.15
28	0651	6	BKN:07 23 OVC:08 110	10.00		43	6.0	41	5.1	39	4.0	87	7	170		29.17				FM-16		30.14
28	0653	7	BKN:07 23 OVC:08 110	10.00		43	6.1	41	5.1	39	3.9	86	6	150		29.17	6	+0.00	30.15	FM-15	0.00	30.14
28	0751	6	SCT:04 55 BKN:07 70 OVC:08 110	8.00	-RA:02 |RA |	45	7.0	42	5.7	39	4.0	81	8	140		29.15				FM-16		30.12
28	0753	7	FEW:02 55 BKN:07 70 OVC:08 100	9.00	-RA:02 |RA |	44	6.7	42	5.6	40	4.4	85	8	150		29.15			30.14	FM-15	T	30.12
28	0831	7	BKN:07 18 BKN:07 65 OVC:08 95	10.00		46	7.8	43	6.2	40	4.4	79	10	140		29.14				FM-16	T	30.11
28	0853	7	BKN:07 18 BKN:07 65 OVC:08 95	10.00		46	7.8	44	6.5	41	5.0	83	9	140		29.12			30.10	FM-15	0.00	30.09
28	0953	7	BKN:07 16 OVC:08 65	10.00	-RA:02 |RA |	47	8.3	45	7.3	43	6.1	86	11	170		29.10	8	+0.07	30.08	FM-15	T	30.07
28	1053	7	BKN:07 16 OVC:08 65	10.00		47	8.3	46	7.8	45	7.2	93	11	150		29.07			30.05	FM-15	T	30.04
28	1102	7	BKN:07 12 OVC:08 60	10.00		48	8.9	47	8.3	46	7.8	93	11	160		29.07				FM-16		30.04
28	1151	6	OVC:08 7	10.00		48	9.0	47	8.3	46	8.0	94	15	170	21	29.07				FM-16		30.04
28	1153	7	OVC:08 7	10.00		49	9.4	48	8.9	47	8.3	93	14	170	21	29.07			30.05	FM-15	0.00	30.04
28	1253	7	OVC:08 7	10.00		50	10.0	49	9.4	48	8.9	93	13	170		29.04	8	+0.05	30.02	FM-15	0.00	30.01
28	1353	7	OVC:08 7	10.00		51	10.6	50	10.0	49	9.4	92	14	190		29.01			29.99	FM-15	0.00	29.98
28	1453	7	OVC:08 7	10.00		53	11.7	52	11.1	51	10.6	93	13	180		28.98			29.96	FM-15	0.00	29.95
28	1509	7	OVC:08 9	10.00		53	11.7	52	11.1	51	10.6	93	14	180	22	28.97				FM-16		29.94
28	1553	7	OVC:08 9	10.00		54	12.2	53	11.6	52	11.1	93	14	150		28.94	8	+0.10	29.91	FM-15	0.00	29.91
28	1653	7	OVC:08 7	10.00	-RA:02 |RA |	53	11.7	52	11.4	52	11.1	96	14	170		28.95			29.92	FM-15	0.01	29.92
28	1753	7	OVC:08 5	5.00	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	15	180	23	28.92			29.90	FM-15	0.03	29.89

28	1844	7	OVC:08 4	9.00	-RA:02 |RA |	53	11.7	53	11.7	53	11.7	100	10	170		28.91				FM-16	T	29.88
28	1853	7	OVC:08 4	9.00		53	11.7	53	11.7	53	11.7	100	10	170		28.91	8	+0.03	29.88	FM-15	T	29.88
28	1942	7	SCT:04 5 OVC:08 16	10.00		54	12.2	54	12.2	54	12.2	100	13	170		28.90				FM-16		29.87
28	1951	7	FEW:02 5 OVC:08 14	10.00		54	12.0	54	12.2	54	12.0	100	13	170		28.90				FM-16		29.87
28	1953	7	SCT:04 7 OVC:08 14	10.00		54	12.2	54	12.2	54	12.2	100	13	180		28.90			29.87	FM-15	0.00	29.87
28	2051	6	OVC:08 5	10.00		55	13.0	55	12.8	55	13.0	100	11	170		28.87				FM-16		29.83
28	2053	7	OVC:08 5	10.00		55	12.8	55	12.8	55	12.8	100	14	170		28.87			29.83	FM-15	T	29.83
28	2153	7	BKN:07 8 OVC:08 13	10.00		56	13.3	55	13.0	55	12.8	97	14	180	23	28.86	8	+0.05	29.82	FM-15	0.00	29.82
28	2253	7	OVC:08 7	10.00		56	13.3	56	13.3	56	13.3	100	14	180		28.84			29.81	FM-15	0.00	29.81
28	2353	7	BKN:07 7 OVC:08 12	9.00		57	13.9	56	13.6	56	13.3	96	11	180		28.82			29.78	FM-15	0.00	29.78

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
February 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01								T	T	T															01
02																									02
03																									03
04																									04
05																									05
06																				0.01	0.04		T		06
07		0.04	0.12	0.12	0.35	0.05	T		T		T		T	T	T			T	T	T					07
08																			T	T	0.01	T	T	T	08
09						T			T	T	T	T	T	T	T										09
10																									10
11																								T	11
12	0.14	0.10	0.12	0.03	0.01	T	T	0.01	T							T	T	T	T	T	T	T	T	T	12
13																									13
14																									14
15											T														15
16																									16
17																									17
18																									18
19																									19
20																									20
21																							0.01	0.01	21
22	T							0.01	0.01																22
23																			0.03	0.01					23
24													T	T							0.02	0.11	0.08	0.05	24
25	0.06	T								T	T	T	T	T	T	T	T	T	T	T					25
26																									26
27																									27
28								T		T	T						0.01	0.03	T		T				28

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.10	0.10	0.14	0.17	0.24	0.31	0.35	0.41	0.44	0.48	0.53	0.59
Ending Date Time (yyyy-mm-dd hh:mi)	2017-02-24 21:01	2017-02-24 21:01	2017-02-07 04:40	2017-02-07 04:40	2017-02-07 04:40	2017-02-07 04:41	2017-02-07 05:01	2017-02-07 05:01	2017-02-07 05:21	2017-02-07 05:11	2017-02-07 05:21	2017-02-07 05:01

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
March 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	61	36	48	13.2				17	0	0706	1824	TS RA BR	1.13			28.69		19.6	51	280	37	270
02	41	28	35	-0.1				30	0	0705	1825	SN FG FZFG BR	T			29.13		13.5	40s	290s	32	280
03	33	23	28	-7.5				37	0	0703	1826	SN BR	T			29.44		11.4	30	320	22	320
04	36	18	27	-8.8				38	0	0702	1827		0.00			29.61		4.5	16	070	12	090
05	59	25	42	5.8				23	0	0700	1828		0.00			29.44		9.3	21	140	15	160
06	53	49	51	14.5				14	0	0659	1829	RA BR	0.39			29.21		10.6	23	170	17	170
07	58	38	48	11.1				17	0	0657	1831	RA BR	0.38			28.98		13.6	35	220	26	210
08	58	37	47	9.8				18	0	0655	1832		T			29.11		17.0	48	240	35	240
09	59	34	46	8.4				19	0	0654	1833	RA	0.02			29.13		6.9	27	020	23	020
10	38	20	29	-9.0				36	0	0652	1834	RA SN BR	0.06			29.17		15.5	35	300	26	310
11	33	17	25	-13.4				40	0	0651	1835		0.00			29.39		8.5	25	320	18	320
12	33	19	26	-12.8				39	0	0649	1836		0.00			29.41		7.8	18	080	15	080
13	39	23	31	-8.2				34	0	0648	1837	SN FZFG BR FG	0.01			29.20		9.7	18	360	15	360
14	26	14	20	-19.6				45	0	0646	1838	SN BR HZ	T			29.07		17.1	39	010	30	350
15	33	12*	23	-17.0				42	0	0644	1839		T			29.20		16.4	39	310	28	320
16	42	18	30	-10.4				35	0	0643	1840		0.00			29.30		9.3	29	280	21	290
17	34	22	28	-12.8				37	0	0641	1841	FZRA SN BR UP	0.03			29.22		6.8	20	130	16	190
18	44	34	39	-2.2				26	0	0639	1842	RA FG BR	0.02			29.08		10.8	26	300	20	300
19	42	35	39	-2.6				26	0	0638	1843	RA BR UP	T			29.31		5.8	16	300	13	310
20	45	28	37	-5.0				28	0	0636	1844	RA BR	0.29			29.13		6.9	28	130	21	350
21	56	36	46	3.6				19	0	0635	1845	FG BR HZ	T			29.07		9.2	31	020	24	010
22	39	24	32	-10.8				33	0	0633	1846		0.00			29.42		11.7	33	350	25	350
23	54	20	37	-6.2				28	0	0631	1847		0.00			29.44		8.2	20	130	16	140
24	75	48	62	18.4				3	0	0630	1848	RA	T			29.18		12.4	35	230	28	220
25	74	57	65	21.0				0	0	0628	1849		0.00			29.13		8.2	26	220	21	220
26	63	53	58	13.6				7	0	0626	1850	TS RA BR	0.65			29.00		7.4	21	220	16	210
27	67	47	57	12.2				8	0	0625	1851	RA BR	0.02			28.97		6.0	18	240	13	190
28	58	43	50	4.7				15	0	0623	1852	RA BR	0.11			28.98		9.5	21	330	18	350
29	62	37	50	4.3				15	0	0622	1853		0.00			29.20		8.9	23	090	18	090
30	75*	47	61	14.9				4	0	0620	1854	TS RA	0.06			28.85		10.5	25	200	18	280
31	59	43	51	4.6				14	0	0618	1855	RA BR	0.79			28.70		9.5	27	270	20	310
	50.0	31.8	40.9							Monthly Averages | Totals			3.96s			29.16	30.16	10.5				
	0.0	0.9	0.5	Departure from Normal (1981-2010)									0.97s									

Degree Days

	Monthly Total	Monthly Departure	Season-to-date Total	Season-to-date Departure
Heating	747	-15	4195	
Cooling	0	-1	2	

Number of days with...

	Temperature Max >=90°	Temperature Max <=32°	Temperature Min <=32°	Temperature Min <=0°	Precipitation >=0.01"	Precipitation >=0.1"	Snow >=1"	Weather T-Storms	Weather Heavy Fog
Heating									
Cooling	0	1	15	0	14	7			

Date of 5-sec to 3-sec wind equipment change

N/A

Sea Level Pressure

		Date	Time
Maximum	30.72	04	1027
Minimum	29.52	01	1449

Greatest...

24-Hr... Precip	24-Hr... Snowfall	Snow Depth
1.13		
Date		
01-01		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
March 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	SCT:04 7 OVC:08 11	9.00		57	13.9	57	13.9	57	13.9	100	10	180		28.80	8	+0.06	29.76	FM-15	0.00	29.76
01	0153	7	OVC:08 14	7.00		58	14.4	58	14.4	58	14.4	100	7	170		28.74			29.70	FM-15	0.01	29.70
01	0215	7	OVC:08 13	6.00	TS:7 -RA:02 BR:1 |RA TS |	58	14.4	58	14.4	58	14.4	100	8	170		28.72				FM-16	0.01	29.68
01	0222	7	FEW:02 5 OVC:08 13	1.25	TS:7 RA:02 BR:1 |RA TS |	59	15.0	59	15.0	59	15.0	100	23	VRB	38	28.74				FM-16	0.22	29.70
01	0236	7	FEW:02 6 BKN:07 15 OVC:08 30	2.00	TS:7 +RA:02 BR:1 |RA TS |	59	15.0	59	15.0	59	15.0	100	14	240		28.75				FM-16	0.36	29.71
01	0245	7	FEW:02 12 BKN:07 17 OVC:08 30	1.50	VCTS:7 +RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	9	240	20	28.73				FM-16	0.50	29.69
01	0251	6	SCT:04 15 BKN:07 21 OVC:08 30	1.50	TS:7 +RA:02 BR:1 |RA TS |	61	16.0	61	16.1	61	16.0	100	14	210		28.73				FM-16		29.69
01	0253	7	SCT:04 15 BKN:07 26 OVC:08 30	1.50	TS:7 +RA:02 BR:1 |RA TS |	60	15.6	60	15.6	60	15.6	100	15	190	21	28.72			29.67	FM-15	0.63	29.68
01	0303	7	FEW:02 13 SCT:04 25 OVC:08 43	2.50	TS:7 +RA:02 BR:1 |RA TS |	60	15.6	60	15.6	60	15.6	100	16	180		28.70				FM-16	0.06	29.66
01	0305	7	SCT:04 13 SCT:04 27 OVC:08 45	3.00	VCTS:7 +RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	16	180		28.69				FM-16	0.07	29.65
01	0322	7	SCT:04 55 BKN:07 75 OVC:08 90	6.00	TS:7 -RA:02 BR:1 |RA TS |	59	15.0	59	15.0	59	15.0	100	15	170	25	28.65				FM-16	0.11	29.61
01	0340	7	FEW:02 45 SCT:04 65 OVC:08 85	7.00	RA:02 |RA |	59	15.0	59	15.0	59	15.0	100	14	190	24	28.66				FM-16	0.12	29.62
01	0353	7	BKN:07 60 BKN:07 80 OVC:08 95	9.00	-RA:02 |RA |	59	15.0	58	14.7	58	14.4	96	13	200		28.66	6	+0.13	29.62	FM-15	0.09	29.62
01	0453	7	BKN:07 60 OVC:08 90	10.00		58	14.4	57	14.1	57	13.9	97	15	190	25	28.60			29.55	FM-15	T	29.56
01	0553	7	FEW:02 21 SCT:04 43 BKN:07 55	10.00		59	15.0	57	13.7	55	12.8	87	28	320	38	28.64			29.59	FM-15	T	29.60
01	0600	7	FEW:02 22 SCT:04 29 BKN:07 42	10.00	-RA:02 |RA |	57	13.9	54	12.1	51	10.6	81	18	300	38	28.66				FM-16	T	29.62
01	0609	7	FEW:02 21 BKN:07 40 OVC:08 50	5.00	+RA:02 BR:1 |RA |	54	12.2	52	11.3	51	10.6	90	18	330	28	28.66				FM-16	0.04	29.62
01	0623	7	FEW:02 23 SCT:04 39 OVC:08 50	3.00	VCTS:7 RA:02 BR:1 |RA |	53	11.7	52	11.4	52	11.1	96	10	330		28.66				FM-16	0.12	29.62
01	0645	7	BKN:07 60 OVC:08 80	10.00	-RA:02 |RA |	53	11.7	52	11.4	52	11.1	96	3	020		28.65				FM-16	0.13	29.61
01	0653	7	BKN:07 65 BKN:07 80 OVC:08 95	10.00	-RA:02 |RA |	52	11.1	52	11.1	52	11.1	100	5	050		28.64	6	+0.03	29.59	FM-15	0.13	29.60

01	0753	7	SCT:04 65 BKN:07 80 OVC:08 100	10.00	-RA:02 |RA |	52	11.1	52	11.1	52	11.1	100	0	000		28.62			29.58	FM-15	0.06	29.58
01	0803	7	FEW:02 39 BKN:07 65 OVC:08 90	2.50	VCTS:7 +RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	3	210		28.65				FM-16	0.05	29.61
01	0818	7	FEW:02 40 SCT:04 65 OVC:08 85	4.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	6	180		28.65				FM-16	0.08	29.61
01	0844	7	BKN:07 75 OVC:08 90	2.50	RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	6	210		28.65				FM-16	0.13	29.61
01	0851	6	BKN:07 70 OVC:08 85	4.00	-RA:02 BR:1 |RA |	52	11.0	52	11.1	52	11.0	100	8	220		28.67				FM-16		29.63
01	0853	7	SCT:04 70 OVC:08 85	5.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	9	210		28.68			29.63	FM-15	0.11	29.64
01	0953	7	OVC:08 70	6.00	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	14	200		28.69	1	-0.06	29.65	FM-15	0.09	29.65
01	1053	7	CLR:00	10.00		53	11.7	53	11.7	53	11.7	100	16	160		28.59			29.54	FM-15	0.01	29.55
01	1153	7	FEW:02 18	10.00		58	14.4	55	12.9	53	11.7	84	16	210	29	28.59			29.54	FM-15	0.00	29.55
01	1237	7	BKN:07 27	10.00		59	15.0	55	12.8	52	11.1	78	24	220	34	28.59				FM-16		29.55
01	1253	7	OVC:08 27	10.00	-RA:02 |RA |	59	15.0	55	12.6	51	10.6	75	28	220	37	28.58	6	+0.10	29.54	FM-15	T	29.54
01	1353	7	BKN:07 29 OVC:08 36	10.00		58	14.4	54	12.0	50	10.0	75	22	240	34	28.58			29.54	FM-15	T	29.54
01	1412	7	SCT:04 30 BKN:07 38 OVC:08 55	10.00		58	14.4	54	12.3	51	10.6	78	17	250	38	28.59				FM-16	T	29.55
01	1453	7	FEW:02 35	10.00		61	16.1	55	12.8	50	10.0	67	22	250	39	28.58			29.53	FM-15	T	29.54
01	1553	7	FEW:02 32 BKN:07 44 OVC:08 75	10.00		54	12.2	48	9.2	43	6.1	67	34	280	44	28.63	3	-0.05	29.58	FM-15	T	29.59
01	1653	7	SCT:04 39 OVC:08 65	10.00		50	10.0	46	7.6	41	5.0	71	26	270	40	28.68			29.64	FM-15	0.00	29.64
01	1751	6	BKN:07 29 OVC:08 38	10.00		48	9.0	44	6.5	39	4.0	71	28	270	41	28.71				FM-16		29.67
01	1753	7	SCT:04 29 OVC:08 38	10.00		48	8.9	44	6.5	39	3.9	71	30	270	41	28.72			29.67	FM-15	0.00	29.68
01	1853	7	FEW:02 34 BKN:07 60	10.00		46	7.8	41	5.3	36	2.2	68	25	260	33	28.77	1	-0.13	29.73	FM-15	0.00	29.73
01	1953	7	OVC:08 60	10.00		44	6.7	38	3.6	31	-0.6	60	28	260	40	28.79			29.75	FM-15	0.00	29.75
01	2053	7	FEW:02 40 FEW:02 47 OVC:08 65	10.00		43	6.1	38	3.3	31	-0.6	63	24	260	37	28.81			29.78	FM-15	0.00	29.77
01	2153	7	FEW:02 20 SCT:04 30 OVC:08 36	10.00		39	3.9	35	1.7	29	-1.7	67	29	270	44	28.87	3	-0.12	29.85	FM-15	0.00	29.84
01	2253	7	OVC:08 33	10.00		37	2.8	33	0.6	27	-2.8	67	28	280	40	28.92			29.90	FM-15	0.00	29.89
01	2353	7	BKN:07 30 OVC:08 38	10.00		36	2.2	33	0.3	27	-2.8	70	28	280	40	28.94			29.92	FM-15	0.00	29.91
02	0003	7	BKN:07 28 OVC:08 38	10.00		36	2.2	32	0.1	26	-3.3	67	25	280	44	28.95				FM-16		29.92
02	0020	7	BKN:07 31 OVC:08 35	10.00		35	1.7	31	-0.4	25	-3.9	67	26	280	40	28.96				FM-16		29.93
02	0049	7	BKN:07 29 OVC:08 37	10.00		36	2.0	33	0.3	27	-3.0	70	26	290	37	28.98				FM-16		29.95
02	0053	7	BKN:07 27 OVC:08 35	10.00		35	1.7	32	-0.2	26	-3.3	70	24	280	37	28.97	0	-0.05	29.95	FM-15	0.00	29.94
02	0128	7	SCT:04 26 BKN:07 31 OVC:08 42	10.00		34	1.1	30	-0.9	24	-4.4	67	23	290	32	29.01				FM-16		29.98
02	0153	7	OVC:08 38	10.00		34	1.1	30	-1.1	23	-5.0	64	22	300	34	29.02			30.00	FM-15	0.00	29.99
02	0250	7	OVC:08 29	10.00		34	1.0	31	-0.7	25	-4.0	70	16	290	24	29.04				FM-16		30.01
02	0253	7	OVC:08 29	10.00		33	0.6	30	-1.3	24	-4.4	70	16	270		29.04			30.02	FM-15	0.00	30.01
02	0353	7	OVC:08 25	10.00		33	0.6	30	-1.3	24	-4.4	70	21	290	26	29.06	1	-0.04	30.04	FM-15	0.00	30.03

02	0415	7	SCT:04 25 OVC:08 32	10.00		33	0.6	29	-1.4	23	-5.0	66	16	310	28	29.07				FM-16		30.04
02	0451	7	BKN:07 27 OVC:08 33	10.00		34	1.0	31	-0.7	25	-4.0	70	16	300	23	29.08				FM-16		30.05
02	0453	7	BKN:07 27 OVC:08 33	10.00		33	0.6	30	-1.3	24	-4.4	70	15	290	23	29.08			30.07	FM-15	0.00	30.05
02	0532	7	BKN:07 33 OVC:08 40	10.00		33	0.6	30	-1.1	25	-3.9	72	10	290		29.09				FM-16		30.06
02	0553	7	FEW:02 30 OVC:08 38	10.00		33	0.6	30	-1.1	25	-3.9	72	10	280		29.10			30.09	FM-15	0.00	30.07
02	0653	7	OVC:08 42	10.00		33	0.6	30	-1.3	24	-4.4	70	13	270		29.12	3	-0.04	30.11	FM-15	0.00	30.09
02	0753	7	OVC:08 45	10.00		33	0.6	29	-1.6	22	-5.6	64	14	280		29.14			30.13	FM-15	0.00	30.11
02	0853	7	OVC:08 39	10.00		33	0.6	30	-1.3	24	-4.4	70	11	300		29.17			30.16	FM-15	0.00	30.14
02	0953	7	SCT:04 35 OVC:08 49	10.00		37	2.8	32	0.1	24	-4.4	59	15	290	22	29.17	1	-0.05	30.16	FM-15	0.00	30.14
02	1053	7	OVC:08 33	10.00		35	1.7	31	-0.4	25	-3.9	67	10	270		29.20			30.19	FM-15	0.00	30.17
02	1153	7	FEW:02 24 BKN:07 32 OVC:08 55	10.00		34	1.1	31	-0.6	26	-3.3	73	14	260		29.21			30.21	FM-15	0.00	30.18
02	1253	7	FEW:02 25 FEW:02 34 BKN:07 49	10.00		39	3.9	33	0.7	24	-4.4	55	15	280	28	29.20	0	-0.03	30.19	FM-15	0.00	30.17
02	1353	7	FEW:02 36 SCT:04 45 OVC:08 70	9.00	-SN:03 |SN |	37	2.8	32	0.1	24	-4.4	59	10	270		29.21			30.20	FM-15	T	30.18
02	1453	7	FEW:02 55 BKN:07 80	10.00		37	2.8	32	0.1	24	-4.4	59	14	290		29.20			30.20	FM-15	T	30.17
02	1553	7	FEW:02 37 BKN:07 60 OVC:08 85	10.00		38	3.3	32	0.2	23	-5.0	55	15	280	21	29.21	1	-0.00	30.20	FM-15	0.00	30.18
02	1651	6	SCT:04 21 BKN:07 27 BKN:07 60	1.50	-SN:03 BR:1 |SN |	34	1.0	32	-0.2	28	-2.0	81	18	290	26	29.23				FM-16		30.20
02	1653	7	SCT:04 15 BKN:07 27 BKN:07 45	1.00	-SN:03 BR:1 |SN |	33	0.6	31	-0.3	29	-1.7	85	14	280	26	29.23			30.23	FM-15	T	30.20
02	1701	7	SCT:04 20 SCT:04 27 OVC:08 55	2.00	-SN:03 BR:1 |SN |	33	0.6	32	0.1	31	-0.6	92	9	260		29.23				FM-16	T	30.20
02	1708	7	SCT:04 24 BKN:07 50 OVC:08 80	9.00		34	1.1	32	0.2	30	-1.1	85	11	270		29.23				FM-16	T	30.20
02	1722	7	SCT:04 18 BKN:07 39 OVC:08 80	1.75	-SN:03 BR:1 |SN |	34	1.1	32	0.2	30	-1.1	85	16	290	23	29.23				FM-16	T	30.20
02	1728	7	SCT:04 19 BKN:07 65 BKN:07 80	6.00	-SN:03 BR:1 |SN |	34	1.1	32	0.2	30	-1.1	85	11	290	23	29.23				FM-16	T	30.20
02	1753	7	FEW:02 43 BKN:07 80	10.00		34	1.1	32	0.0	29	-1.7	82	11	290		29.23			30.23	FM-15	T	30.20
02	1802	7	FEW:02 10 SCT:04 26 BKN:07 80	0.75	-SN:03 BR:1 |SN |	33	0.6	31	-0.3	29	-1.7	85	23	290	37	29.25				FM-16	T	30.22
02	1805	7	SCT:04 7 SCT:04 26 BKN:07 80	0.25	+SN:03 FG:2 |FG SN |	32	0.0	31	-0.4	30	-1.1	92	20	290	37	29.25				FM-16	T	30.22
02	1808	7	BKN:07 7 BKN:07 26 BKN:07 80	0.25	+SN:03 FZ:8 FG:2 |FG SN |	31	-0.6	31	-0.8	30	-1.1	96	16	300	37	29.25				FM-16	T	30.22
02	1818	7	BKN:07 9 BKN:07 26 OVC:08 80	1.00	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	11	300		29.25				FM-16	T	30.22
02	1826	7	BKN:07 9	4.00	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	11	300		29.25				FM-16	T	30.22
02	1836	7	FEW:02 11 SCT:04 70	10.00		32	0.0	30	-0.8	28	-2.2	85	8	290		29.25				FM-16	T	30.22

02	1853	7	FEW:02 70	10.00		32	0.0	30	-1.0	27	-2.8	82	11	290		29.26	3	-0.06	30.26	FM-15	T	30.23
02	1953	7	SCT:04 15 BKN:07 60 OVC:08 75	1.50	-SN:03 BR:1 |SN |	31	-0.6	30	-1.4	27	-2.8	85	15	310	28	29.28			30.29	FM-15	T	30.26
02	2003	7	FEW:02 13 BKN:07 47 OVC:08 70	3.00	-SN:03 BR:1 |SN |	31	-0.6	30	-1.2	28	-2.2	89	9	300		29.28				FM-16	T	30.26
02	2053	7	FEW:02 28 BKN:07 41 BKN:07 50	10.00		30	-1.1	29	-1.7	27	-2.8	88	8	280		29.29			30.29	FM-15	T	30.27
02	2119	7	FEW:02 8 SCT:04 21 BKN:07 28	2.00	-SN:03 BR:1 |SN |	31	-0.6	30	-1.4	27	-2.8	85	15	300	20	29.29				FM-16	T	30.27
02	2122	7	SCT:04 8 BKN:07 21 BKN:07 28	0.75	-SN:03 BR:1 |SN |	31	-0.6	30	-1.2	28	-2.2	89	15	310	20	29.29				FM-16	T	30.27
02	2131	7	SCT:04 6	3.00	-SN:03 BR:1 |SN |	30	-1.1	30	-1.3	29	-1.7	96	9	310	20	29.30				FM-16	T	30.28
02	2153	7	SCT:04 6	3.00	BR:1 ||	29	-1.7	28	-2.1	27	-2.8	92	9	330		29.29	1	-0.04	30.30	FM-15	T	30.27
02	2253	7	SCT:04 29 BKN:07 38 OVC:08 48	5.00	-SN:03 BR:1 |SN |	28	-2.2	27	-2.8	25	-3.9	88	7	300		29.30			30.31	FM-15	T	30.28
02	2337	7	OVC:08 29	2.50	-SN:03 BR:1 |SN |	29	-1.7	28	-2.3	26	-3.3	89	7	300		29.30				FM-16	T	30.28
02	2353	7	FEW:02 13 BKN:07 29 OVC:08 34	2.00	-SN:03 BR:1 |SN |	29	-1.7	28	-2.3	26	-3.3	89	9	320		29.30			30.31	FM-15	T	30.28
03	0001	7	SCT:04 10 BKN:07 15 OVC:08 34	1.25	-SN:03 BR:1 |SN |	28	-2.2	27	-2.6	26	-3.3	92	9	330		29.30				FM-16	T	30.28
03	0013	7	BKN:07 12 BKN:07 19 OVC:08 35	2.00	-SN:03 BR:1 |SN |	28	-2.2	27	-2.6	26	-3.3	92	10	300		29.31				FM-16	T	30.29
03	0029	7	SCT:04 12 BKN:07 18 OVC:08 55	7.00	-SN:03 |SN |	28	-2.2	27	-2.8	25	-3.9	88	7	290		29.32				FM-16	T	30.30
03	0036	7	FEW:02 12 BKN:07 41 OVC:08 60	9.00		27	-2.8	26	-3.2	25	-3.9	92	6	300		29.32				FM-16	T	30.30
03	0053	7	FEW:02 14 SCT:04 22 BKN:07 55	10.00		27	-2.8	26	-3.2	25	-3.9	92	6	290		29.32	3	-0.02	30.32	FM-15	T	30.30
03	0153	7	FEW:02 36 BKN:07 48 OVC:08 55	9.00		27	-2.8	26	-3.4	24	-4.4	89	10	280		29.33			30.34	FM-15	0.00	30.31
03	0253	7	CLR:00	10.00		24	-4.4	23	-5.0	21	-6.1	88	8	250		29.33			30.34	FM-15	0.00	30.31
03	0353	7	CLR:00	10.00		23	-5.0	22	-5.4	21	-6.1	92	9	280		29.34	1	-0.02	30.35	FM-15	0.00	30.32
03	0453	7	CLR:00	9.00		23	-5.0	22	-5.4	21	-6.1	92	9	280		29.36			30.37	FM-15	0.00	30.34
03	0553	7	FEW:02 50	10.00		23	-5.0	22	-5.5	20	-6.7	88	9	280		29.37			30.38	FM-15	0.00	30.35
03	0653	7	FEW:02 29 BKN:07 46 OVC:08 60	10.00		24	-4.4	23	-5.2	20	-6.7	84	11	280		29.39	3	-0.05	30.40	FM-15	0.00	30.37
03	0753	7	OVC:08 65	9.00		24	-4.4	23	-5.2	20	-6.7	84	9	280		29.42			30.44	FM-15	0.00	30.40
03	0853	7	CLR:00	10.00		27	-2.8	25	-3.9	21	-6.1	78	15	290	22	29.45			30.47	FM-15	0.00	30.43
03	0953	7	FEW:02 26 SCT:04 32 BKN:07 39	10.00		28	-2.2	25	-3.9	19	-7.2	69	20	320		29.47	1	-0.08	30.48	FM-15	0.00	30.45
03	1053	7	SCT:04 36 BKN:07 45	10.00		29	-1.7	25	-3.8	17	-8.3	61	18	280	26	29.49			30.51	FM-15	0.00	30.47
03	1153	7	SCT:04 43 BKN:07 50	10.00		29	-1.7	25	-3.8	17	-8.3	61	14	310	25	29.52			30.53	FM-15	0.00	30.50
03	1253	7	FEW:02 42 BKN:07 50 OVC:08 65	10.00		31	-0.6	27	-2.6	20	-6.7	64	16	300		29.52	1	-0.05	30.53	FM-15	0.00	30.50
03	1353	7	SCT:04 46 BKN:07 60	10.00		30	-1.1	25	-3.7	15	-9.4	54	22	310	26	29.52			30.53	FM-15	0.00	30.50

03	1453	7	BKN:07 45	10.00		30	-1.1	26	-3.6	16	-8.9	56	14	290	23	29.53			30.54	FM-15	0.00	30.51
03	1553	7	BKN:07 41 BKN:07 50 OVC:08 65	9.00		32	0.0	28	-2.4	19	-7.2	59	9	280		29.54	3	-0.02	30.56	FM-15	T	30.52
03	1653	7	FEW:02 50 BKN:07 65	10.00		31	-0.6	25	-3.7	13	-10.6	47	14	280	25	29.55			30.57	FM-15	0.00	30.53
03	1753	7	BKN:07 55	10.00		31	-0.6	25	-3.8	12	-11.1	45	13	300		29.56			30.58	FM-15	0.00	30.54
03	1853	7	FEW:02 50	10.00		29	-1.7	24	-4.5	12	-11.1	49	11	280		29.56	1	-0.02	30.58	FM-15	0.00	30.54
03	1953	7	CLR:00	10.00		27	-2.8	23	-5.1	13	-10.6	55	9	290		29.57			30.59	FM-15	0.00	30.55
03	2053	7	CLR:00	10.00		26	-3.3	22	-5.3	14	-10.0	60	6	260		29.56			30.58	FM-15	0.00	30.54
03	2153	7	CLR:00	10.00		23	-5.0	21	-6.3	15	-9.4	72	7	270		29.58	3	-0.01	30.59	FM-15	0.00	30.56
03	2253	7	CLR:00	10.00		24	-4.4	21	-5.9	15	-9.4	68	8	280		29.59			30.61	FM-15	0.00	30.57
03	2353	7	CLR:00	10.00		23	-5.0	21	-6.3	15	-9.4	72	6	280		29.59			30.62	FM-15	0.00	30.58
04	0053	7	CLR:00	10.00		23	-5.0	20	-6.6	13	-10.6	65	6	340		29.61	1	-0.03	30.63	FM-15	0.00	30.59
04	0153	7	CLR:00	10.00		23	-5.0	20	-6.9	11	-11.7	60	5	340		29.62			30.63	FM-15	0.00	30.60
04	0253	7	SCT:04 110	10.00		22	-5.6	19	-7.4	10	-12.2	60	5	340		29.61			30.63	FM-15	0.00	30.59
04	0353	7	FEW:02 110	10.00		21	-6.1	18	-7.9	9	-12.8	59	5	360		29.61	8	+0.00	30.62	FM-15	0.00	30.59
04	0453	7	FEW:02 90	10.00		21	-6.1	18	-8.0	8	-13.3	57	5	340		29.62			30.63	FM-15	0.00	30.60
04	0553	7	CLR:00	10.00		21	-6.1	18	-8.0	8	-13.3	57	0	000		29.62			30.64	FM-15	0.00	30.61
04	0653	7	CLR:00	10.00		19	-7.2	17	-8.4	11	-11.7	71	0	000		29.64	1	-0.03	30.66	FM-15	0.00	30.62
04	0753	7	OVC:08 85	10.00		23	-5.0	20	-6.9	11	-11.7	60	0	000		29.65			30.68	FM-15	0.00	30.64
04	0853	7	OVC:08 95	10.00		24	-4.4	19	-7.1	6	-14.4	46	0	000		29.67			30.70	FM-15	0.00	30.66
04	0953	7	OVC:08 50	10.00		26	-3.3	21	-6.3	6	-14.4	42	0	000		29.69	1	-0.06	30.72	FM-15	0.00	30.68
04	1053	7	OVC:08 60	10.00		28	-2.2	22	-5.4	8	-13.3	43	3	VRB		29.69			30.71	FM-15	0.00	30.68
04	1153	7	OVC:08 55	10.00		30	-1.1	24	-4.3	11	-11.7	45	6	110		29.67			30.70	FM-15	0.00	30.66
04	1253	7	FEW:02 49 OVC:08 80	10.00		32	0.0	26	-3.4	12	-11.1	43	3	130		29.65	8	+0.05	30.66	FM-15	0.00	30.63
04	1353	7	OVC:08 70	10.00		35	1.7	28	-2.0	15	-9.4	44	9	050		29.62			30.63	FM-15	0.00	30.60
04	1453	7	BKN:07 50 OVC:08 70	10.00		34	1.1	28	-2.2	16	-8.9	48	10	050		29.59			30.61	FM-15	0.00	30.57
04	1553	7	OVC:08 65	10.00		34	1.1	28	-2.0	17	-8.3	50	6	060		29.58	6	+0.06	30.60	FM-15	0.00	30.56
04	1653	7	SCT:04 65	10.00		35	1.7	29	-1.7	17	-8.3	48	7	080		29.58			30.59	FM-15	0.00	30.56
04	1753	7	CLR:00	10.00		33	0.6	28	-2.2	18	-7.8	54	7	080		29.58			30.59	FM-15	0.00	30.56
04	1853	7	CLR:00	10.00		31	-0.6	26	-3.1	17	-8.3	56	5	120		29.58	5	+0.00	30.60	FM-15	0.00	30.56
04	1953	7	CLR:00	10.00		30	-1.1	26	-3.6	16	-8.9	56	5	150		29.57			30.59	FM-15	0.00	30.55
04	2053	7	CLR:00	10.00		27	-2.8	24	-4.7	16	-8.9	63	6	090		29.57			30.59	FM-15	0.00	30.55
04	2153	7	CLR:00	10.00		27	-2.8	24	-4.5	17	-8.3	66	6	080		29.58	5	+0.00	30.59	FM-15	0.00	30.56
04	2253	7	CLR:00	10.00		28	-2.2	24	-4.3	16	-8.9	60	5	110		29.57			30.59	FM-15	0.00	30.55
04	2353	7	CLR:00	10.00		25	-3.9	22	-5.4	16	-8.9	69	7	080		29.57			30.58	FM-15	0.00	30.55
05	0053	7	CLR:00	10.00		26	-3.3	23	-5.1	16	-8.9	66	9	090		29.55	8	+0.02	30.57	FM-15	0.00	30.53
05	0153	7	CLR:00	10.00		27	-2.8	23	-4.8	15	-9.4	61	10	090		29.55			30.56	FM-15	0.00	30.53
05	0253	7	CLR:00	10.00		25	-3.9	22	-5.7	14	-10.0	63	8	110		29.55			30.56	FM-15	0.00	30.53
05	0353	7	CLR:00	10.00		27	-2.8	23	-5.1	13	-10.6	55	6	120		29.54	8	+0.02	30.55	FM-15	0.00	30.52
05	0453	7	CLR:00	10.00		25	-3.9	22	-5.7	14	-10.0	63	7	110		29.53			30.55	FM-15	0.00	30.51
05	0553	7	CLR:00	10.00		25	-3.9	22	-5.7	14	-10.0	63	9	110		29.53			30.54	FM-15	0.00	30.51
05	0653	7	CLR:00	10.00		25	-3.9	22	-5.7	14	-10.0	63	9	110		29.53	5	+0.01	30.54	FM-15	0.00	30.51
05	0753	7	CLR:00	10.00		27	-2.8	23	-5.0	14	-10.0	58	10	120		29.53			30.54	FM-15	0.00	30.51
05	0853	7	CLR:00	10.00		32	0.0	27	-3.0	15	-9.4	50	11	130		29.52			30.53	FM-15	0.00	30.50
05	0953	7	CLR:00	10.00		36	2.2	29	-1.5	16	-8.9	44	13	140		29.50	8	+0.03	30.51	FM-15	0.00	30.48
05	1053	7	CLR:00	10.00		41	5.0	33	0.7	20	-6.7	43	9	140		29.47			30.48	FM-15	0.00	30.45
05	1153	7	CLR:00	10.00		45	7.2	36	2.3	22	-5.6	40	13	150		29.46			30.47	FM-15	0.00	30.44
05	1253	7	CLR:00	10.00		49	9.4	39	3.9	24	-4.4	38	11	170		29.42	8	+0.08	30.42	FM-15	0.00	30.40
05	1353	7	CLR:00	10.00		53	11.7	42	5.4	26	-3.3	35	14	VRB		29.37			30.37	FM-15	0.00	30.35
05	1453	7	CLR:00	10.00		56	13.3	43	6.4	27	-2.8	33	8	VRB		29.34			30.34	FM-15	0.00	30.32
05	1553	7	SCT:04 120	10.00		58	14.4	45	7.3	29	-1.7	33	10	130		29.32	6	+0.10	30.31	FM-15	0.00	30.30
05	1653	7	BKN:07 120	10.00		58	14.4	45	7.3	29	-1.7	33	8	170		29.30			30.30	FM-15	0.00	30.28
05	1753	7	OVC:08 120	10.00		58	14.4	45	7.3	29	-1.7	33	7	150		29.29			30.29	FM-15	0.00	30.27
05	1853	7	OVC:08 110	10.00		55	12.8	44	6.4	29	-1.7	37	7	120		29.29	6	+0.03	30.29	FM-15	0.00	30.27

05	1953	7	OVC:08 110	10.00		51	10.6	42	5.5	30	-1.1	44	7	120		29.29			30.28	FM-15	0.00	30.27
05	2053	7	OVC:08 110	10.00		53	11.7	43	5.9	29	-1.7	40	10	130		29.28			30.27	FM-15	0.00	30.26
05	2153	7	OVC:08 110	10.00		53	11.7	43	5.9	29	-1.7	40	8	160		29.27	8	+0.01	30.27	FM-15	0.00	30.25
05	2253	7	FEW:02 80 OVC:08 110	10.00		52	11.1	42	5.6	29	-1.7	41	10	180		29.27			30.26	FM-15	0.00	30.25
05	2353	7	BKN:07 70 OVC:08 110	10.00		52	11.1	42	5.8	30	-1.1	43	7	190		29.26			30.25	FM-15	0.00	30.24
06	0053	7	OVC:08 80	10.00		51	10.6	42	5.5	30	-1.1	44	8	180		29.26	8	+0.02	30.24	FM-15	0.00	30.23
06	0153	7	OVC:08 70	10.00		52	11.1	42	5.8	30	-1.1	43	7	180		29.26			30.24	FM-15	0.00	30.24
06	0253	7	OVC:08 60	10.00		52	11.1	43	6.2	32	0.0	47	7	190		29.26			30.24	FM-15	0.00	30.24
06	0353	7	BKN:07 39 OVC:08 65	10.00		52	11.1	44	6.8	35	1.7	53	8	200		29.26	8	+0.00	30.23	FM-15	0.00	30.23
06	0453	7	OVC:08 43	10.00		52	11.1	45	7.2	37	2.8	57	10	200		29.26			30.24	FM-15	0.00	30.24
06	0553	7	BKN:07 55 OVC:08 70	8.00	-RA:02 |RA |	50	10.0	46	7.6	41	5.0	71	6	180		29.26			30.24	FM-15	0.01	30.24
06	0653	7	FEW:02 48 OVC:08 65	10.00	-RA:02 |RA |	49	9.4	46	7.8	43	6.1	80	9	170		29.26	0	-0.01	30.25	FM-15	T	30.24
06	0753	7	FEW:02 45 OVC:08 65	10.00		50	10.0	47	8.1	43	6.1	77	8	170		29.26			30.25	FM-15	T	30.24
06	0853	7	BKN:07 36 OVC:08 47	10.00	-RA:02 |RA |	51	10.6	47	8.4	43	6.1	74	9	170		29.26			30.25	FM-15	T	30.24
06	0934	7	BKN:07 28 OVC:08 35	10.00		51	10.6	47	8.4	43	6.1	74	10	180		29.27				FM-16	T	30.25
06	0953	7	OVC:08 24	7.00		51	10.6	48	8.6	44	6.7	77	13	180	22	29.27	3	-0.01	30.25	FM-15	T	30.25
06	1053	7	OVC:08 21	10.00		51	10.6	48	9.2	46	7.8	83	10	170		29.26			30.24	FM-15	T	30.23
06	1144	7	BKN:07 13 OVC:08 18	2.00	-RA:02 BR:1 |RA |	50	10.0	49	9.7	49	9.4	96	15	190		29.25				FM-16	T	30.22
06	1153	7	BKN:07 10 OVC:08 16	3.00	-RA:02 BR:1 |RA |	50	10.0	49	9.7	49	9.4	96	11	180	20	29.23			30.22	FM-15	T	30.21
06	1221	7	SCT:04 8 OVC:08 12	2.00	-RA:02 BR:1 |RA |	50	10.0	49	9.7	49	9.4	96	10	150		29.23				FM-16	T	30.21
06	1225	7	BKN:07 8 OVC:08 12	2.00	-RA:02 BR:1 |RA |	50	10.0	49	9.7	49	9.4	96	8	160		29.23				FM-16	T	30.20
06	1253	7	BKN:07 8 OVC:08 12	2.00	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	10	160		29.22	8	+0.06	30.19	FM-15	0.01	30.19
06	1300	7	BKN:07 7 OVC:08 12	4.00	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	11	150		29.21				FM-16	T	30.18
06	1307	7	BKN:07 8 OVC:08 12	2.00	-RA:02 BR:1 |RA |	51	10.6	50	10.3	50	10.0	96	11	160		29.21				FM-16	0.01	30.18
06	1351	6	BKN:07 7 BKN:07 12 OVC:08 33	5.00	-RA:02 BR:1 |RA |	52	11.0	52	11.1	52	11.0	100	14	160		29.18				FM-16		30.15
06	1353	7	BKN:07 7 BKN:07 12 OVC:08 33	5.00	-RA:02 BR:1 |RA |	52	11.1	51	10.8	51	10.6	97	11	160		29.18			30.16	FM-15	0.02	30.15
06	1418	7	SCT:04 8 OVC:08 29	2.50	-RA:02 BR:1 |RA |	52	11.1	51	10.8	51	10.6	97	13	160		29.17				FM-16	T	30.14
06	1422	7	BKN:07 8 OVC:08 15	2.50	-RA:02 BR:1 |RA |	52	11.1	51	10.8	51	10.6	97	11	160		29.17				FM-16	T	30.14
06	1451	6	OVC:08 28	2.50	-RA:02 BR:1 |RA |	52	11.0	51	10.5	50	10.0	94	9	170		29.17				FM-16		30.14
06	1453	7	OVC:08 28	3.00	-RA:02 BR:1 |RA |	52	11.1	51	10.5	50	10.0	93	10	160		29.16			30.14	FM-15	0.02	30.13
06	1457	7	OVC:08 28	2.50	-RA:02 BR:1 |RA |	52	11.1	51	10.8	51	10.6	97	11	170		29.16				FM-16	T	30.13
06	1553	7	OVC:08 29	2.50	-RA:02 BR:1 |RA |	52	11.1	51	10.8	51	10.6	97	10	160		29.16	6	+0.05	30.14	FM-15	0.03	30.13
06	1632	7	SCT:04 28 OVC:08 33	2.50	-RA:02 BR:1 |RA |	52	11.1	51	10.8	51	10.6	97	11	160		29.15				FM-16	0.03	30.12
06	1651	6	OVC:08 33	5.00	-RA:02 BR:1 |RA |	52	11.0	52	11.1	52	11.0	100	11	160		29.15				FM-16		30.12
06	1653	7	OVC:08 33	3.00	-RA:02 BR:1 |RA |	52	11.1	51	10.8	51	10.6	97	13	160		29.15			30.12	FM-15	0.04	30.12
06	1753	7	FEW:02 16 BKN:07 50 OVC:08 70	3.00	-RA:02 BR:1 |RA |	52	11.1	51	10.8	51	10.6	97	14	160		29.14			30.11	FM-15	0.04	30.11
06	1853	7	BKN:07 41 OVC:08 65	8.00	-RA:02 |RA |	51	10.6	51	10.6	51	10.6	100	10	160		29.13	6	+0.03	30.11	FM-15	0.05	30.10

06	1953	7	FEW:02 42 OVC:08 55	9.00	-RA:02 |RA |	52	11.1	51	10.8	51	10.6	97	13	160		29.12			30.09	FM-15	T	30.09
06	2053	7	SCT:04 47 OVC:08 90	7.00	RA:02 |RA |	52	11.1	52	11.1	52	11.1	100	15	170	22	29.11			30.08	FM-15	0.05	30.08
06	2153	7	BKN:07 46 BKN:07 60 OVC:08 80	6.00	-RA:02 BR:1 |RA |	53	11.7	52	11.4	52	11.1	96	14	160	23	29.10	6	+0.03	30.07	FM-15	0.04	30.07
06	2253	7	BKN:07 55 BKN:07 70 OVC:08 85	4.00	RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	14	150	22	29.07			30.04	FM-15	0.07	30.04
06	2353	7	OVC:08 60	10.00		53	11.7	52	11.1	51	10.6	93	14	160		29.04			30.02	FM-15	0.01	30.01
07	0053	7	BKN:07 65 OVC:08 85	10.00		54	12.2	52	11.3	51	10.6	90	15	160	24	29.02	6	+0.08	29.99	FM-15	0.00	29.99
07	0153	7	BKN:07 70	10.00		54	12.2	52	11.0	50	10.0	87	14	170		29.02			29.99	FM-15	0.00	29.99
07	0253	7	SCT:04 65 BKN:07 85 OVC:08 100	10.00		55	12.8	52	11.0	49	9.4	80	14	170		29.02			29.98	FM-15	0.00	29.99
07	0353	7	SCT:04 90	10.00		55	12.8	51	10.7	48	8.9	77	14	170		29.00	8	+0.02	29.96	FM-15	0.00	29.97
07	0453	7	FEW:02 120	10.00		56	13.3	51	10.7	47	8.3	72	15	170		28.97			29.94	FM-15	0.00	29.94
07	0553	7	FEW:02 49 FEW:02 70 OVC:08 95	10.00		56	13.3	52	11.0	48	8.9	75	16	170	24	28.97			29.94	FM-15	0.01	29.94
07	0653	7	SCT:04 55 BKN:07 70 OVC:08 90	8.00	-RA:02 |RA |	54	12.2	51	10.8	49	9.4	83	14	180		28.98	5	+0.02	29.94	FM-15	0.05s	29.95
07	0753	7	FEW:02 37 OVC:08 45	8.00	-RA:02 |RA |	56	13.3	53	11.6	50	10.0	81	17	210	29	29.01			29.98	FM-15	0.02	29.98
07	0809	7	FEW:02 21 BKN:07 30 OVC:08 45	2.50	RA:02 BR:1 |RA |	54	12.2	52	11.3	51	10.6	90	17	210		29.04				FM-16	0.07	30.01
07	0823	7	FEW:02 21 BKN:07 28 OVC:08 42	6.00	-RA:02 BR:1 |RA |	54	12.2	53	11.6	52	11.1	93	13	200	24	29.03				FM-16	0.08	30.00
07	0853	7	FEW:02 19 BKN:07 25 OVC:08 31	5.00	RA:02 BR:1 |RA |	54	12.2	53	11.6	52	11.1	93	15	200		29.02			29.99	FM-15	0.09	29.99
07	0953	7	OVC:08 15	10.00		55	12.8	54	12.2	53	11.7	93	18	200	30	29.00	0	-0.03	29.97	FM-15	T	29.97
07	1053	7	BKN:07 15 OVC:08 75	10.00	-RA:02 |RA |	57	13.9	55	13.0	54	12.2	90	21	200	30	29.00			29.97	FM-15	T	29.97
07	1153	7	OVC:08 18	10.00		58	14.4	56	13.2	54	12.2	87	20	190	28	28.97			29.94	FM-15	T	29.94
07	1253	7	OVC:08 17	10.00	-RA:02 |RA |	57	13.9	55	13.0	54	12.2	90	17	190		28.95	8	+0.05	29.92	FM-15	0.01	29.92
07	1353	7	FEW:02 16 BKN:07 24 OVC:08 37	10.00		58	14.4	56	13.2	54	12.2	87	18	210		28.94			29.90	FM-15	T	29.91
07	1453	7	BKN:07 18 OVC:08 24	10.00		58	14.4	56	13.2	54	12.2	87	14	210		28.92			29.89	FM-15	0.00	29.89
07	1538	7	SCT:04 12 BKN:07 17 OVC:08 23	2.50	-RA:02 BR:1 |RA |	56	13.3	55	12.7	54	12.2	93	20	240	28	28.93				FM-16	T	29.90
07	1540	7	BKN:07 13 OVC:08 23	1.75	-RA:02 BR:1 |RA |	55	12.8	54	12.5	54	12.2	96	16	260	28	28.94				FM-16	0.02	29.91
07	1549	7	FEW:02 9 BKN:07 16 OVC:08 24	1.50	-RA:02 BR:1 |RA |	52	11.0	52	11.1	52	11.0	100	18	260	31	28.93				FM-16	0.03	29.90
07	1551	6	BKN:07 14 OVC:08 21	1.75	RA:02 BR:1 |RA |	52	11.0	52	11.1	52	11.0	100	18	270	29	28.93				FM-16		29.90
07	1553	7	SCT:04 14 OVC:08 21	2.00	RA:02 BR:1 |RA |	52	11.1	51	10.8	51	10.6	97	20	270	29	28.93	5	+0.02	29.90	FM-15	0.04	29.90
07	1616	7	FEW:02 8 BKN:07 27 OVC:08 37	2.00	-RA:02 BR:1 |RA |	51	10.6	51	10.6	51	10.6	100	14	280	22	28.94				FM-16	0.01	29.91
07	1625	7	SCT:04 8 OVC:08 30	3.00	-RA:02 BR:1 |RA |	51	10.6	51	10.6	51	10.6	100	14	270		28.94				FM-16	0.02	29.91

07	1638	7	SCT:04 8 BKN:07 27 OVC:08 32	2.50	-RA:02 BR:1 |RA |	51	10.6	50	10.3	50	10.0	96	13	280		28.94				FM-16	0.02	29.91
07	1645	7	BKN:07 10 BKN:07 16 OVC:08 29	1.75	RA:02 BR:1 |RA |	51	10.6	50	10.3	50	10.0	96	13	270		28.94				FM-16	0.03	29.91
07	1649	7	FEW:02 7 BKN:07 16 OVC:08 31	1.75	RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	10	260		28.94				FM-16	0.03	29.91
07	1653	7	FEW:02 7 BKN:07 16 OVC:08 29	2.00	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	10	260		28.94			29.91	FM-15	0.05	29.91
07	1721	7	SCT:04 8 BKN:07 27 OVC:08 33	3.00	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	10	260		28.95				FM-16	0.02	29.92
07	1727	7	SCT:04 6 SCT:04 10 OVC:08 35	2.50	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	9	260		28.95				FM-16	0.03	29.92
07	1734	7	SCT:04 8 BKN:07 12 OVC:08 35	2.00	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	10	250		28.95				FM-16	0.04	29.92
07	1750	7	SCT:04 6 BKN:07 30 OVC:08 37	3.00	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	10	250		28.95				FM-16	0.06	29.92
07	1753	7	SCT:04 6 BKN:07 36 OVC:08 43	3.00	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	11	250		28.95			29.92	FM-15	0.05	29.92
07	1807	7	SCT:04 8 BKN:07 16 OVC:08 36	2.50	RA:02 BR:1 |RA |	50	10.0	49	9.7	49	9.4	96	22	300	29	28.96				FM-16	0.01	29.93
07	1824	7	SCT:04 8 BKN:07 16 OVC:08 43	2.00	-RA:02 BR:1 |RA |	48	8.9	47	8.6	47	8.3	96	13	310		28.98				FM-16	0.03	29.95
07	1834	7	SCT:04 18 OVC:08 33	6.00	-RA:02 BR:1 |RA |	47	8.3	47	8.1	46	7.8	97	17	310	26	28.97				FM-16	0.04	29.94
07	1853	7	SCT:04 32 BKN:07 40 OVC:08 65	6.00	-RA:02 BR:1 |RA |	47	8.3	46	7.8	45	7.2	93	10	280		28.99	3	-0.06	29.96	FM-15	0.05	29.96
07	1953	7	OVC:08 50	10.00	-RA:02 |RA |	46	7.8	46	7.5	45	7.2	96	0	000		29.00			29.98	FM-15	0.01	29.97
07	2053	7	OVC:08 70	10.00		47	8.3	46	7.5	44	6.7	90	8	290		29.04			30.01	FM-15	T	30.01
07	2153	7	OVC:08 95	10.00		45	7.2	41	5.0	36	2.2	71	9	280		29.08	3	-0.09	30.05	FM-15	0.00	30.05
07	2253	7	CLR:00	10.00		42	5.6	39	3.6	34	1.1	73	8	270		29.10			30.08	FM-15	0.00	30.07
07	2353	7	CLR:00	10.00		39	3.9	37	2.7	34	1.1	82	8	260		29.12			30.10	FM-15	0.00	30.09
08	0053	7	CLR:00	10.00		40	4.4	37	2.6	32	0.0	73	6	230		29.13	1	-0.05	30.10	FM-15	0.00	30.10
08	0153	6	CLR:00	10.00		37	2.8	35	1.6	32	0.0	82	8	210		29.14			30.11	FM-15	0.00	30.11
08	0253	7	CLR:00	10.00		39	3.9	36	2.5	33	0.6	79	11	210		29.13			30.11	FM-15	0.00	30.10
08	0353	7	CLR:00	10.00		39	3.9	36	2.3	32	0.0	76	13	220		29.12	8	+0.01	30.10	FM-15	0.00	30.09
08	0453	7	CLR:00	10.00		40	4.4	37	2.6	32	0.0	73	13	220		29.12			30.10	FM-15	0.00	30.09
08	0553	7	FEW:02 100	10.00		40	4.4	36	2.2	30	-1.1	68	15	220		29.12			30.11	FM-15	0.00	30.09
08	0653	7	BKN:07 110	10.00		42	5.6	37	2.6	29	-1.7	60	15	220		29.11	8	+0.01	30.09	FM-15	0.00	30.08
08	0714	7	SCT:04 110	10.00		40	4.4	36	2.2	30	-1.1	68	14	240	23	29.13				FM-16		30.10
08	0753	7	CLR:00	10.00		41	5.0	37	2.7	31	-0.6	67	13	230		29.14			30.12	FM-15	0.00	30.11
08	0853	7	CLR:00	10.00		45	7.2	39	3.9	31	-0.6	58	13	240		29.14			30.12	FM-15	0.00	30.11
08	0953	7	CLR:00	10.00		48	8.9	41	4.8	31	-0.6	52	20	230	28	29.14	1	-0.04	30.12	FM-15	0.00	30.11
08	1053	7	CLR:00	10.00		51	10.6	42	5.5	30	-1.1	44	21	240	31	29.14			30.12	FM-15	T	30.11
08	1153	7	CLR:00	10.00		53	11.7	41	5.2	25	-3.9	34	23	240	39	29.13			30.11	FM-15	T	30.10
08	1253	7	CLR:00	10.00		56	13.3	42	5.7	23	-5.0	28	25	250	38	29.12	8	+0.02	30.10	FM-15	T	30.09
08	1353	7	CLR:00	10.00		57	13.9	43	6.0	23	-5.0	27	24	250	36	29.09			30.07	FM-15	0.00	30.06
08	1453	7	CLR:00	10.00		57	13.9	42	5.8	22	-5.6	26	29	240	45	29.09			30.06	FM-15	0.00	30.06
08	1553	7	CLR:00	10.00		58	14.4	43	6.3	23	-5.0	26	26	250	43	29.10	5	+0.02	30.07	FM-15	0.00	30.07
08	1653	7	CLR:00	10.00		57	13.9	42	5.8	22	-5.6	26	25	270	40	29.09			30.07	FM-15	0.00	30.06
08	1753	7	CLR:00	10.00		54	12.2	41	5.1	23	-5.0	30	18	260	37	29.11			30.09	FM-15	0.00	30.08

08	1853	7	CLR:00	10.00		52	11.1	40	4.6	23	-5.0	32	20	260	30	29.13	3	-0.04	30.11	FM-15	0.00	30.10
08	1953	7	CLR:00	10.00		51	10.6	40	4.6	25	-3.9	36	16	250		29.15			30.13	FM-15	0.00	30.12
08	2053	7	CLR:00	10.00		51	10.6	40	4.6	25	-3.9	36	16	240		29.16			30.14	FM-15	0.00	30.13
08	2153	7	CLR:00	10.00		50	10.0	40	4.5	26	-3.3	39	13	230		29.18	1	-0.04	30.15	FM-15	0.00	30.15
08	2253	7	CLR:00	10.00		50	10.0	40	4.3	25	-3.9	38	14	230		29.18			30.16	FM-15	0.00	30.15
08	2353	7	CLR:00	10.00		47	8.3	38	3.6	26	-3.3	44	13	240		29.19			30.17	FM-15	0.00	30.16
09	0053	7	CLR:00	10.00		45	7.2	37	3.0	26	-3.3	48	9	240		29.19	1	-0.01	30.16	FM-15	0.00	30.16
09	0153	7	CLR:00	10.00		43	6.1	36	2.4	26	-3.3	51	8	250		29.19			30.16	FM-15	0.00	30.16
09	0253	7	CLR:00	10.00		40	4.4	35	1.6	27	-2.8	60	6	260		29.18			30.16	FM-15	0.00	30.15
09	0353	7	CLR:00	10.00		41	5.0	35	1.7	26	-3.3	55	5	260		29.18	8	+0.01	30.16	FM-15	0.00	30.15
09	0453	7	CLR:00	10.00		38	3.3	33	0.8	26	-3.3	62	0	000		29.18			30.15	FM-15	0.00	30.15
09	0553	7	CLR:00	10.00		37	2.8	33	0.4	26	-3.3	65	5	220		29.17			30.15	FM-15	0.00	30.14
09	0653	7	CLR:00	10.00		36	2.2	32	0.1	26	-3.3	67	3	300		29.20	3	-0.01	30.18	FM-15	0.00	30.17
09	0753	7	CLR:00	10.00		37	2.8	33	0.6	27	-2.8	67	3	250		29.19			30.17	FM-15	0.00	30.16
09	0853	7	CLR:00	10.00		44	6.7	37	3.0	28	-2.2	53	5	290		29.20			30.18	FM-15	0.00	30.17
09	0953	7	CLR:00	10.00		49	9.4	38	3.5	22	-5.6	35	5	VRB		29.20	3	-0.00	30.17	FM-15	0.00	30.17
09	1053	7	CLR:00	10.00		51	10.6	39	3.8	20	-6.7	29	6	340		29.19			30.16	FM-15	0.00	30.16
09	1153	7	CLR:00	10.00		52	11.1	39	3.8	18	-7.8	26	5	VRB		29.16			30.14	FM-15	0.00	30.13
09	1253	7	SCT:04 100	10.00		55	12.8	41	5.1	21	-6.1	26	5	VRB		29.13	8	+0.06	30.11	FM-15	0.00	30.10
09	1353	7	CLR:00	10.00		56	13.3	42	5.7	23	-5.0	28	3	160		29.08			30.06	FM-15	0.00	30.05
09	1453	7	CLR:00	10.00		58	14.4	45	7.4	30	-1.1	35	7	230		29.06			30.03	FM-15	0.00	30.03
09	1553	7	CLR:00	10.00		59	15.0	47	8.3	33	0.6	38	0	000		29.03	6	+0.10	30.01	FM-15	0.00	30.00
09	1653	7	CLR:00			57	13.9	45	7.3	31	-0.6	37	9	340		29.02			29.99	FM-15	0.00	29.99
09	1753	7	OVC:08 110	10.00		54	12.2	43	6.1	29	-1.7	38	11	010		29.01			29.98	FM-15	0.00	29.98
09	1853	7	OVC:08 100	10.00		50	10.0	41	5.0	29	-1.7	44	14	360		29.01	5	+0.02	29.99	FM-15	0.00	29.98
09	1953	7	OVC:08 85	10.00		48	8.9	39	4.0	27	-2.8	44	10	350		29.05			30.03	FM-15	0.00	30.02
09	2053	7	OVC:08 85	10.00		47	8.3	38	3.2	24	-4.4	41	16	020	22	29.05			30.03	FM-15	0.00	30.02
09	2153	7	SCT:04 80 OVC:08 100	10.00		42	5.6	36	2.4	28	-2.2	58	11	010	26	29.06	1	-0.04	30.03	FM-15	0.00	30.03
09	2253	7	SCT:04 50 OVC:08 60	10.00	-RA:02 |RA |	39	3.9	36	2.5	33	0.6	79	14	020		29.05			30.03	FM-15	T	30.02
09	2353	7	FEW:02 18 SCT:04 25 OVC:08 37	7.00	-RA:02 |RA |	37	2.8	36	2.3	35	1.7	93	7	360		29.03			30.01	FM-15	0.02	30.00
10	0046	7	FEW:02 16 BKN:07 28 OVC:08 34	7.00	-RA:02 |RA |	36	2.2	36	2.0	35	1.7	97	0	000		29.03				FM-16	0.04	30.00
10	0053	7	FEW:02 14 BKN:07 30 OVC:08 36	6.00	-RA:02 BR:1 |RA |	37	2.8	36	2.3	35	1.7	93	0	000		29.03	5	+0.02	30.01	FM-15	0.03	30.00
10	0112	7	FEW:02 6 SCT:04 10 OVC:08 38	8.00	-RA:02 |RA |	36	2.2	36	2.0	35	1.7	97	5	060		29.01				FM-16	0.01	29.98
10	0119	7	SCT:04 6 BKN:07 12 OVC:08 40	6.00	-RA:02 BR:1 |RA |	36	2.2	36	2.0	35	1.7	97	5	030		29.01				FM-16	0.01	29.98
10	0127	7	SCT:04 7 OVC:08 44	7.00	-RA:02 |RA |	36	2.2	36	2.0	35	1.7	97	6	020		29.00				FM-16	0.01	29.97
10	0144	7	BKN:07 8 OVC:08 44	7.00	-RA:02 |RA |	36	2.2	36	2.2	36	2.2	100	6	010		29.00				FM-16	0.01	29.97
10	0153	7	BKN:07 6 OVC:08 44	4.00	-RA:02 BR:1 |RA |	36	2.2	36	2.2	36	2.2	100	6	350		28.99			29.97	FM-15	0.01	29.96
10	0253	7	BKN:07 8 OVC:08 14	7.00		36	2.2	36	2.0	35	1.7	97	14	350		29.01			29.98	FM-15	0.01	29.98
10	0353	7	BKN:07 9 BKN:07 15 OVC:08 22	3.00	-SN:03 BR:1 |SN |	34	1.1	34	0.9	33	0.6	97	13	340		29.05	3	-0.01	30.03	FM-15	T	30.02
10	0403	7	SCT:04 9 BKN:07 14 OVC:08 37	4.00	-SN:03 BR:1 |SN |	34	1.1	33	0.5	31	-0.6	89	11	330		29.06				FM-16	T	30.03

10	0410	7	FEW:02 8 BKN:07 16 OVC:08 32	3.00	-SN:03 BR:1 |SN |	33	0.6	32	0.1	31	-0.6	92	9	340		29.05				FM-16	0.01	30.02
10	0418	7	FEW:02 14 SCT:04 20 OVC:08 30	2.50	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	11	340		29.05				FM-16	0.01	30.02
10	0425	7	FEW:02 14 SCT:04 20 OVC:08 26	2.00	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	11	340		29.06				FM-16	0.01	30.03
10	0453	7	SCT:04 15 BKN:07 27 OVC:08 42	4.00	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	14	340		29.07			30.05	FM-15	0.01	30.04
10	0459	7	BKN:07 12 BKN:07 19 OVC:08 80	2.50	-SN:03 BR:1 |SN |	33	0.6	32	0.1	31	-0.6	92	14	330	20	29.07				FM-16	T	30.04
10	0507	7	SCT:04 7 BKN:07 12 OVC:08 36	1.50	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	15	340		29.08				FM-16	T	30.05
10	0517	7	BKN:07 7 OVC:08 11	2.00	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	15	340	23	29.09				FM-16	T	30.06
10	0533	7	BKN:07 9 BKN:07 14 OVC:08 36	4.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	15	340		29.09				FM-16	T	30.06
10	0543	7	SCT:04 12 BKN:07 18 OVC:08 36	7.00	-SN:03 |SN |	32	0.0	31	-0.4	30	-1.1	92	16	340	23	29.10				FM-16	T	30.07
10	0551	7	SCT:04 12 BKN:07 34 OVC:08 50	7.00	-SN:03 |SN |	32	0.0	31	-0.4	30	-1.0	93	13	330	23	29.10				FM-16	T	30.07
10	0553	7	SCT:04 12 BKN:07 39 OVC:08 50	7.00	-SN:03 |SN |	32	0.0	31	-0.4	30	-1.1	92	13	330		29.11			30.09	FM-15	T	30.08
10	0604	7	BKN:07 14 BKN:07 41 OVC:08 50	5.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	13	320	23	29.11				FM-16	T	30.08
10	0620	7	SCT:04 14 BKN:07 26 OVC:08 48	8.00	-SN:03 |SN |	32	0.0	31	-0.6	29	-1.7	88	14	330		29.12				FM-16	T	30.09
10	0627	7	FEW:02 14 SCT:04 25 OVC:08 50	8.00	-SN:03 |SN |	32	0.0	31	-0.6	29	-1.7	88	14	340		29.11				FM-16	T	30.08
10	0651	6	BKN:07 18 BKN:07 50 OVC:08 100	10.00		32	0.0	30	-0.8	28	-2.0	87	14	330		29.13				FM-16		30.10
10	0653	7	BKN:07 18 BKN:07 100 BKN:07 120	10.00		32	0.0	30	-0.8	28	-2.2	85	17	330		29.13	1	-0.06	30.12	FM-15	T	30.10
10	0714	7	SCT:04 19 OVC:08 120	10.00		31	-0.6	30	-1.4	27	-2.8	85	15	330		29.14				FM-16		30.11
10	0753	7	BKN:07 75	10.00		31	-0.6	29	-1.6	26	-3.3	82	11	320		29.15			30.14	FM-15	0.00	30.12
10	0853	7	CLR:00	10.00		32	0.0	29	-1.8	23	-5.0	69	17	330	23	29.18			30.17	FM-15	0.00	30.15
10	0953	7	CLR:00	10.00		34	1.1	29	-1.4	21	-6.1	59	18	330	24	29.20	3	-0.07	30.19	FM-15	0.00	30.17
10	1053	7	SCT:04 41	10.00		35	1.7	29	-1.4	19	-7.2	52	16	310	25	29.22			30.22	FM-15	0.00	30.19
10	1153	7	BKN:07 41	10.00		37	2.8	31	-0.6	20	-6.7	50	16	310	24	29.23			30.22	FM-15	0.00	30.20
10	1253	7	SCT:04 49 BKN:07 55	10.00		35	1.7	29	-1.7	17	-8.3	48	24	310	30	29.23	1	-0.04	30.24	FM-15	T	30.21
10	1353	7	FEW:02 48 BKN:07 55	10.00		35	1.7	29	-1.7	17	-8.3	48	14	310	30	29.23			30.22	FM-15	T	30.20
10	1453	7	BKN:07 55	10.00		36	2.2	29	-1.8	14	-10.0	40	16	310	26	29.23			30.22	FM-15	0.00	30.20
10	1553	7	BKN:07 60	10.00		33	0.6	27	-3.0	13	-10.6	43	21	310		29.25	3	-0.00	30.24	FM-15	0.00	30.22
10	1653	7	BKN:07 65 BKN:07 80	10.00		36	2.2	28	-2.2	11	-11.7	35	25	290	32	29.25			30.24	FM-15	0.00	30.22
10	1753	7	CLR:00	10.00		33	0.6	26	-3.5	9	-12.8	36	22	300	33	29.26			30.27	FM-15	0.00	30.24
10	1853	7	CLR:00	10.00		30	-1.1	24	-4.4	10	-12.2	43	17	310	24	29.28	3	-0.05	30.29	FM-15	0.00	30.26

10	1953	7	CLR:00	10.00		28	-2.2	23	-5.1	10	-12.2	47	14	310		29.31			30.32	FM-15	0.00	30.29
10	2053	7	CLR:00	10.00		26	-3.3	21	-6.0	9	-12.8	48	14	320		29.32			30.33	FM-15	0.00	30.30
10	2153	7	CLR:00	10.00		24	-4.4	20	-6.5	11	-11.7	57	14	330	22	29.32	1	-0.04	30.33	FM-15	0.00	30.30
10	2253	7	CLR:00	10.00		22	-5.6	18	-7.5	9	-12.8	57	13	330		29.34			30.35	FM-15	0.00	30.32
10	2353	7	CLR:00	10.00		21	-6.1	18	-7.9	9	-12.8	59	11	330		29.34			30.35	FM-15	0.00	30.32
11	0053	7	CLR:00	10.00		19	-7.2	16	-8.9	7	-13.9	59	13	330	22	29.34	1	-0.02	30.35	FM-15	0.00	30.32
11	0153	7	CLR:00	10.00		18	-7.8	15	-9.3	7	-13.9	62	11	340		29.35			30.37	FM-15	0.00	30.33
11	0253	7	FEW:02 31	10.00		18	-7.8	15	-9.3	7	-13.9	62	13	340		29.37			30.39	FM-15	0.00	30.35
11	0353	7	CLR:00	10.00		18	-7.8	14	-9.7	3	-16.1	52	13	340		29.38	1	-0.04	30.39	FM-15	0.00	30.36
11	0453	7	CLR:00	10.00		18	-7.8	14	-9.7	3	-16.1	52	11	360		29.39			30.40	FM-15	0.00	30.37
11	0553	7	CLR:00	10.00		18	-7.8	14	-9.7	3	-16.1	52	6	340		29.40			30.42	FM-15	0.00	30.38
11	0653	7	CLR:00	10.00		17	-8.3	14	-10.1	3	-16.1	54	8	330		29.42	3	-0.04	30.43	FM-15	0.00	30.40
11	0753	7	CLR:00	10.00		19	-7.2	15	-9.2	4	-15.6	51	7	310		29.44			30.45	FM-15	0.00	30.42
11	0853	7	CLR:00	10.00		21	-6.1	17	-8.5	4	-15.6	47	10	320	21	29.43			30.45	FM-15	0.00	30.41
11	0953	7	CLR:00	10.00		24	-4.4	19	-7.1	6	-14.4	46	10	340		29.44	1	-0.02	30.46	FM-15	0.00	30.42
11	0959	7	FEW:02 30	10.00		23	-5.0	19	-7.5	6	-14.4	48	9	330		29.44				FM-16		30.42
11	1053	7	SCT:04 41	10.00		24	-4.4	19	-7.0	7	-13.9	48	13	290	17	29.44			30.46	FM-15	0.00	30.42
11	1153	7	SCT:04 41	10.00		27	-2.8	22	-5.6	9	-12.8	46	11	280		29.43			30.45	FM-15	0.00	30.41
11	1253	7	FEW:02 45	10.00		28	-2.2	23	-5.3	9	-12.8	44	10	290		29.42	8	+0.02	30.44	FM-15	0.00	30.40
11	1353	7	SCT:04 48	10.00		29	-1.7	23	-4.9	9	-12.8	43	3	300		29.40			30.42	FM-15	0.00	30.38
11	1453	7	FEW:02 50	10.00		31	-0.6	25	-4.1	10	-12.2	42	10	310		29.37			30.39	FM-15	0.00	30.35
11	1553	7	BKN:07 55	10.00		32	0.0	25	-3.7	10	-12.2	40	9	270		29.38	5	+0.04	30.40	FM-15	0.00	30.36
11	1653	7	FEW:02 55	10.00		33	0.6	26	-3.3	10	-12.2	38	8	340		29.36			30.37	FM-15	0.00	30.34
11	1753	7	CLR:00	10.00		30	-1.1	24	-4.5	9	-12.8	41	10	310		29.36			30.38	FM-15	0.00	30.34
11	1853	7	CLR:00	10.00		27	-2.8	22	-5.6	9	-12.8	46	7	340		29.37	5	+0.01	30.39	FM-15	0.00	30.35
11	1953	7	CLR:00	10.00		25	-3.9	21	-6.4	9	-12.8	50	5	350		29.37			30.40	FM-15	0.00	30.35
11	2053	7	CLR:00	10.00		27	-2.8	22	-5.7	8	-13.3	45	0	000		29.38			30.40	FM-15	0.00	30.36
11	2153	7	CLR:00	10.00		26	-3.3	21	-5.9	10	-12.2	51	3	320		29.38	1	-0.01	30.40	FM-15	0.00	30.36
11	2253	7	CLR:00	10.00		24	-4.4	20	-6.5	11	-11.7	57	5	310		29.39			30.41	FM-15	0.00	30.37
11	2353	7	CLR:00	10.00		23	-5.0	20	-6.7	12	-11.1	63	6	320		29.40			30.41	FM-15	0.00	30.38
12	0053	7	OVC:08 120	10.00		24	-4.4	21	-6.2	13	-10.6	62	7	330		29.39	0	-0.01	30.41	FM-15	0.00	30.37
12	0153	7	OVC:08 120	10.00		24	-4.4	21	-6.4	12	-11.1	60	8	320		29.40			30.41	FM-15	0.00	30.38
12	0253	7	OVC:08 120	10.00		24	-4.4	21	-6.4	12	-11.1	60	9	320	17	29.39			30.40	FM-15	0.00	30.37
12	0353	7	OVC:08 120	10.00		23	-5.0	20	-6.7	12	-11.1	63	7	330		29.39	8	+0.01	30.40	FM-15	0.00	30.37
12	0453	7	OVC:08 110	10.00		22	-5.6	19	-7.0	13	-10.6	68	9	330		29.39			30.40	FM-15	0.00	30.37
12	0553	7	OVC:08 100	10.00		21	-6.1	19	-7.4	13	-10.6	71	8	320		29.40			30.42	FM-15	0.00	30.38
12	0653	7	CLR:00	10.00		19	-7.2	17	-8.3	12	-11.1	74	9	350		29.41	2	-0.02	30.43	FM-15	0.00	30.39
12	0753	7	CLR:00	10.00		21	-6.1	18	-7.6	11	-11.7	65	10	330		29.42			30.44	FM-15	0.00	30.40
12	0853	7	CLR:00	10.00		24	-4.4	21	-6.2	13	-10.6	62	10	350		29.44			30.45	FM-15	0.00	30.42
12	0953	7	FEW:02 25	10.00		25	-3.9	21	-5.9	13	-10.6	60	9	340		29.45	1	-0.04	30.46	FM-15	0.00	30.43
12	1053	7	FEW:02 31	10.00		26	-3.3	22	-5.5	13	-10.6	57	8	300		29.45			30.47	FM-15	0.00	30.43
12	1153	7	BKN:07 35	10.00		30	-1.1	25	-3.9	14	-10.0	51	5	VRB		29.46			30.47	FM-15	0.00	30.44
12	1253	7	FEW:02 39	10.00		29	-1.7	24	-4.5	12	-11.1	49	6	280		29.44	8	+0.01	30.45	FM-15	0.00	30.42
12	1353	7	CLR:00	10.00		31	-0.6	25	-3.8	12	-11.1	45	0	000		29.41			30.42	FM-15	0.00	30.39
12	1453	7	CLR:00	10.00		32	0.0	26	-3.6	11	-11.7	41	8	040		29.39			30.40	FM-15	0.00	30.37
12	1553	7	CLR:00	10.00		31	-0.6	25	-4.0	10	-12.2	42	7	310		29.41	5	+0.03	30.42	FM-15	0.00	30.39
12	1653	7	CLR:00	10.00		32	0.0	25	-3.7	10	-12.2	40	10	350		29.41			30.42	FM-15	0.00	30.39
12	1753	7	CLR:00	10.00		30	-1.1	24	-4.5	9	-12.8	41	7	010		29.40			30.41	FM-15	0.00	30.38
12	1853	7	CLR:00	10.00		27	-2.8	22	-5.5	10	-12.2	49	6	020		29.39	8	+0.01	30.41	FM-15	0.00	30.37
12	1953	7	CLR:00	10.00		25	-3.9	21	-6.1	11	-11.7	55	6	030		29.38			30.40	FM-15	0.00	30.36
12	2053	7	CLR:00	10.00		25	-3.9	21	-6.0	12	-11.1	58	6	020		29.38			30.40	FM-15	0.00	30.36
12	2153	7	CLR:00	10.00		27	-2.8	23	-5.1	13	-10.6	55	8	060		29.38	6	+0.01	30.39	FM-15	0.00	30.36
12	2253	7	CLR:00	10.00		27	-2.8	23	-5.1	13	-10.6	55	10	080		29.36			30.37	FM-15	0.00	30.34
12	2353	7	CLR:00	10.00		26	-3.3	22	-5.5	13	-10.6	57	13	070		29.34			30.36	FM-15	0.00	30.32
13	0053	7	CLR:00	10.00		25	-3.9	21	-5.9	13	-10.6	60	10	070		29.34	6	+0.04	30.35	FM-15	0.00	30.32
13	0153	7	CLR:00	10.00		24	-4.4	21	-6.2	13	-10.6	62	10	080		29.32			30.33	FM-15	0.00	30.30
13	0253	7	CLR:00	10.00		24	-4.4	21	-6.2	13	-10.6	62	9	080		29.31			30.32	FM-15	0.00	30.29

13	0353	7	CLR:00	10.00		25	-3.9	21	-6.0	12	-11.1	58	11	090		29.29	8	+0.05	30.29	FM-15	0.00	30.27
13	0453	7	FEW:02 120	10.00		25	-3.9	21	-6.0	12	-11.1	58	7	090		29.31			30.32	FM-15	0.00	30.29
13	0553	7	CLR:00	10.00		24	-4.4	21	-6.4	12	-11.1	60	11	090		29.29			30.30	FM-15	0.00	30.27
13	0653	7	CLR:00	10.00		24	-4.4	21	-6.2	13	-10.6	62	8	070		29.26	8	+0.02	30.27	FM-15	0.00	30.24
13	0753	7	CLR:00	10.00		25	-3.9	21	-5.9	13	-10.6	60	15	080		29.23			30.24	FM-15	0.00	30.21
13	0853	7	CLR:00	10.00		27	-2.8	23	-5.1	13	-10.6	55	11	090		29.23			30.23	FM-15	0.00	30.20
13	0953	7	CLR:00	10.00		30	-1.1	25	-3.9	14	-10.0	51	8	080		29.21	6	+0.06	30.21	FM-15	0.00	30.18
13	1053	7	CLR:00	10.00		33	0.6	27	-2.7	15	-9.4	47	8	080		29.17			30.16	FM-15	0.00	30.14
13	1153	7	CLR:00	10.00		35	1.7	29	-1.9	16	-8.9	46	6	110		29.14			30.14	FM-15	0.00	30.11
13	1253	7	CLR:00	10.00		37	2.8	30	-1.2	16	-8.9	42	7	100		29.13	6	+0.08	30.12	FM-15	0.00	30.10
13	1353	7	CLR:00	10.00		37	2.8	30	-1.1	17	-8.3	44	5	090		29.09			30.09	FM-15	0.00	30.06
13	1453	7	CLR:00	10.00		39	3.9	32	-0.3	18	-7.8	43	5	VRB		29.08			30.07	FM-15	0.00	30.05
13	1553	7	BKN:07 80 BKN:07 100	10.00		37	2.8	31	-0.8	19	-7.2	48	11	350		29.07	6	+0.05	30.07	FM-15	0.00	30.04
13	1653	7	BKN:07 50 OVC:08 65	10.00		35	1.7	30	-1.3	20	-6.7	54	11	340		29.08			30.08	FM-15	0.00	30.05
13	1735	7	OVC:08 27	2.50	-SN:03 |SN |	31	-0.6	29	-1.6	26	-3.3	82	11	350		29.08				FM-16	T	30.05
13	1736	7	OVC:08 20	2.00	-SN:03 |SN |	31	-0.6	29	-1.6	26	-3.3	82	10	340		29.08				FM-16	T	30.05
13	1751	6	VV:09 17	0.75	-SN:03 BR:1 |SN |	28	-2.0	28	-2.4	27	-3.0	93	13	010		29.08				FM-16		30.05
13	1753	7	VV:09 17	0.75	-SN:03 BR:1 |SN |	29	-1.7	28	-2.3	26	-3.3	89	11	360		29.08			30.09	FM-15	T	30.05
13	1754	7	OVC:08 17	0.50	SN:03 FZ:8 FG:2 |FG SN |	29	-1.7	28	-2.1	27	-2.8	92	11	360		29.08				FM-16	T	30.05
13	1756	7	OVC:08 17	0.75	-SN:03 BR:1 |SN |	29	-1.7	28	-2.1	27	-2.8	92	11	360		29.08				FM-16	T	30.05
13	1851	6	FEW:02 7 OVC:08 13	1.00	-SN:03 BR:1 |SN |	28	-2.0	28	-2.4	27	-3.0	93	9	030		29.07				FM-16		30.04
13	1853	7	BKN:07 7 OVC:08 13	1.00	-SN:03 BR:1 |SN |	28	-2.2	28	-2.4	27	-2.8	96	9	030		29.07	8	+0.01	30.07	FM-15	T	30.04
13	1953	7	BKN:07 7 OVC:08 40	4.00	-SN:03 BR:1 |SN |	28	-2.2	27	-2.6	26	-3.3	92	11	030		29.05			30.05	FM-15	0.01	30.02
13	2032	7	BKN:07 7 OVC:08 40	2.00	-SN:03 BR:1 |SN |	28	-2.2	27	-2.6	26	-3.3	92	8	010		29.05				FM-16	T	30.02
13	2053	7	OVC:08 9	2.50	-SN:03 BR:1 |SN |	28	-2.2	27	-2.6	26	-3.3	92	10	360		29.06			30.06	FM-15	T	30.03
13	2153	7	OVC:08 9	2.50	-SN:03 BR:1 |SN |	27	-2.8	26	-3.2	25	-3.9	92	13	360		29.05	6	+0.02	30.05	FM-15	T	30.02
13	2201	7	OVC:08 10	2.00	-SN:03 BR:1 |SN |	27	-2.8	26	-3.2	25	-3.9	92	11	010		29.05				FM-16	T	30.02
13	2217	7	BKN:07 10 OVC:08 18	3.00	-SN:03 BR:1 |SN |	27	-2.8	26	-3.4	24	-4.4	89	11	360		29.05				FM-16	T	30.02
13	2253	7	BKN:07 12 BKN:07 21 OVC:08 26	6.00	-SN:03 BR:1 |SN |	26	-3.3	25	-3.7	24	-4.4	92	10	350		29.05			30.05	FM-15	T	30.02
13	2308	7	SCT:04 12 BKN:07 26 OVC:08 48	4.00	-SN:03 BR:1 |SN |	26	-3.3	25	-3.9	23	-5.0	88	15	360		29.04				FM-16	T	30.01
13	2330	7	FEW:02 11 FEW:02 26 OVC:08 48	4.00	-SN:03 BR:1 |SN |	26	-3.3	25	-3.9	23	-5.0	88	13	360		29.03				FM-16	T	30.00
13	2353	7	OVC:08 49	4.00	-SN:03 BR:1 |SN |	26	-3.3	25	-3.9	23	-5.0	88	11	360		29.02			30.02	FM-15	T	29.99
14	0040	7	SCT:04 12 BKN:07 21 OVC:08 50	6.00	-SN:03 BR:1 |SN |	26	-3.3	25	-3.9	23	-5.0	88	13	350		29.03				FM-16	T	30.00
14	0051	6	BKN:07 12 OVC:08 21	6.00	-SN:03 BR:1 |SN |	27	-3.0	26	-3.5	23	-5.0	86	10	350		29.02				FM-16		29.99
14	0053	7	BKN:07 12 OVC:08 21	6.00	-SN:03 BR:1 |SN |	26	-3.3	25	-3.9	23	-5.0	88	10	340		29.02	8	+0.02	30.02	FM-15	T	29.99
14	0153	7	OVC:08 13	4.00	-SN:03 BR:1 |SN |	26	-3.3	25	-3.9	23	-5.0	88	14	350		29.01			30.01	FM-15	T	29.98
14	0253	7	OVC:08 13	8.00	-SN:03 |SN |	25	-3.9	24	-4.4	22	-5.6	88	16	360		29.01			30.00	FM-15	T	29.98
14	0302	7	OVC:08 15	7.00	-SN:03 |SN |	25	-3.9	24	-4.4	22	-5.6	88	17	350	28	29.00				FM-16	T	29.97
14	0353	7	OVC:08 15	10.00		24	-4.4	23	-5.2	20	-6.7	84	17	350	23	28.99	8	+0.03	29.98	FM-15	T	29.96
14	0453	7	OVC:08 15	10.00		23	-5.0	22	-5.7	19	-7.2	85	18	350	28	29.00			30.00	FM-15	0.00	29.97
14	0553	7	OVC:08 15	10.00		22	-5.6	20	-6.4	17	-8.3	82	22	350	29	29.02			30.02	FM-15	0.00	29.99
14	0653	7	OVC:08 15	10.00		21	-6.1	20	-6.9	16	-8.9	81	17	350	25	29.04	3	-0.04	30.04	FM-15	0.00	30.01
14	0753	7	BKN:07 17 OVC:08 26	3.00	-SN:03 BR:1 |SN |	20	-6.7	19	-7.3	16	-8.9	85	17	350		29.06			30.07	FM-15	T	30.03

14	0809	7	BKN:07 18 OVC:08 26	2.50	-SN:03 |SN |	21	-6.1	20	-6.9	16	-8.9	81	18	350	30	29.07				FM-16	T	30.04
14	0831	7	SCT:04 20 SCT:04 25 OVC:08 33	6.00	-SN:03 |SN |	21	-6.1	20	-6.9	16	-8.9	81	17	350	29	29.07				FM-16	T	30.04
14	0851	6	BKN:07 22 BKN:07 28 OVC:08 36	7.00	-SN:03 |SN |	21	-6.0	20	-6.9	16	-9.0	80	21	350	29	29.08				FM-16		30.05
14	0853	7	BKN:07 22 BKN:07 28 OVC:08 36	7.00	-SN:03 |SN |	22	-5.6	20	-6.6	16	-8.9	78	20	350		29.07			30.07	FM-15	T	30.04
14	0953	7	BKN:07 27	10.00		23	-5.0	20	-6.6	13	-10.6	65	17	360	32	29.08	1	-0.04	30.09	FM-15	0.00	30.05
14	1008	7	SCT:04 31	10.00	-SN:03 |SN |	23	-5.0	20	-6.8	12	-11.1	63	24	010	37	29.09				FM-16	T	30.06
14	1053	7	CLR:00	9.00	-SN:03 |SN |	24	-4.4	20	-6.6	10	-12.2	55	25	350	32	29.09			30.09	FM-15	T	30.06
14	1153	7	BKN:07 34	9.00		24	-4.4	21	-6.2	13	-10.6	62	24	340	33	29.09			30.09	FM-15	T	30.06
14	1253	7	BKN:07 33 OVC:08 40	10.00		24	-4.4	21	-6.2	13	-10.6	62	18	330	26	29.09	1	-0.01	30.10	FM-15	T	30.06
14	1353	7	FEW:02 28 OVC:08 38	6.00	-SN:03 |SN |	23	-5.0	20	-6.5	14	-10.0	68	17	330	30	29.10			30.10	FM-15	T	30.07
14	1453	7	SCT:04 28 OVC:08 36	10.00		23	-5.0	20	-6.9	11	-11.7	60	22	330	30	29.10			30.10	FM-15	T	30.07
14	1532	7	BKN:07 30 OVC:08 45	6.00	-SN:03 |SN |	24	-4.4	21	-6.2	13	-10.6	62	22	320	30	29.11				FM-16	T	30.08
14	1534	7	BKN:07 30 OVC:08 45	5.00	HZ:7 |FU |HZ	24	-4.4	21	-6.2	13	-10.6	62	17	330	30	29.11				FM-16	T	30.08
14	1553	7	BKN:07 30 OVC:08 60	5.00	-SN:03 |SN |	23	-5.0	20	-6.6	13	-10.6	65	18	320	31	29.12	3	-0.02	30.12	FM-15	T	30.09
14	1653	7	BKN:07 30 OVC:08 40	5.00	-SN:03 |SN |	23	-5.0	20	-6.6	13	-10.6	65	22	330	30	29.11			30.12	FM-15	T	30.08
14	1753	7	BKN:07 35 BKN:07 50	9.00		22	-5.6	18	-7.8	7	-13.9	52	18	340	28	29.13			30.13	FM-15	T	30.10
14	1853	7	FEW:02 40	10.00		20	-6.7	16	-9.1	2	-16.7	45	18	330	26	29.15	3	-0.04	30.16	FM-15	0.00	30.12
14	1953	7	CLR:00	10.00		19	-7.2	15	-9.5	2	-16.7	47	13	340	24	29.17			30.18	FM-15	0.00	30.14
14	2053	7	CLR:00	10.00		18	-7.8	14	-9.9	2	-16.7	49	15	340	22	29.18			30.19	FM-15	0.00	30.15
14	2153	7	FEW:02 55	10.00		17	-8.3	14	-10.3	2	-16.7	51	11	320		29.18	1	-0.03	30.19	FM-15	0.00	30.15
14	2253	7	CLR:00	10.00		16	-8.9	13	-10.7	2	-16.7	54	10	320		29.17			30.19	FM-15	0.00	30.14
14	2353	7	CLR:00	10.00		14	-10.0	12	-11.4	3	-16.1	61	8	300		29.16			30.17	FM-15	0.00	30.13
15	0053	7	CLR:00	10.00		13	-10.6	11	-11.7	4	-15.6	67	7	270		29.16	6	+0.02	30.17	FM-15	0.00	30.13
15	0153	7	CLR:00	10.00		13	-10.6	11	-11.7	4	-15.6	67	8	280		29.16			30.18	FM-15	0.00	30.13
15	0253	7	CLR:00	10.00		13	-10.6	11	-11.7	4	-15.6	67	8	280		29.15			30.16	FM-15	0.00	30.12
15	0353	7	CLR:00	10.00		14	-10.0	12	-11.3	4	-15.6	64	11	300		29.15	8	+0.01	30.16	FM-15	0.00	30.12
15	0453	7	CLR:00	10.00		14	-10.0	12	-11.3	4	-15.6	64	14	300		29.16			30.17	FM-15	0.00	30.13
15	0553	7	CLR:00	10.00		14	-10.0	12	-11.3	4	-15.6	64	11	300	21	29.17			30.18	FM-15	0.00	30.14
15	0653	7	CLR:00	10.00		15	-9.4	13	-10.8	5	-15.0	64	13	310		29.18	3	-0.04	30.20	FM-15	0.00	30.15
15	0753	7	CLR:00	10.00		16	-8.9	14	-10.2	6	-14.4	65	11	290		29.20			30.21	FM-15	0.00	30.17
15	0853	7	CLR:00	10.00		19	-7.2	16	-8.9	7	-13.9	59	20	320	26	29.21			30.22	FM-15	0.00	30.18
15	0953	7	FEW:02 25	9.00		22	-5.6	18	-8.0	5	-15.0	48	23	320	31	29.20	0	-0.02	30.22	FM-15	T	30.17
15	1053	7	CLR:00	10.00		25	-3.9	20	-6.7	6	-14.4	44	20	320	31	29.22			30.23	FM-15	0.00	30.19
15	1153	7	CLR:00	10.00		26	-3.3	21	-6.1	8	-13.3	46	25	310	34	29.23			30.24	FM-15	0.00	30.20
15	1253	7	CLR:00	10.00		29	-1.7	23	-4.9	9	-12.8	43	25	310	33	29.23	1	-0.02	30.24	FM-15	0.00	30.20
15	1353	7	BKN:07 50	10.00		30	-1.1	24	-4.5	9	-12.8	41	20	310	34	29.21			30.22	FM-15	0.00	30.18
15	1453	7	FEW:02 43 OVC:08 50	10.00		30	-1.1	24	-4.4	10	-12.2	43	23	310		29.21			30.22	FM-15	0.00	30.18
15	1553	7	BKN:07 50 OVC:08 60	10.00		32	0.0	26	-3.6	11	-11.7	41	24	300	30	29.21	5	+0.01	30.22	FM-15	0.00	30.18
15	1653	7	FEW:02 43 SCT:04 50 OVC:08 60	10.00		30	-1.1	25	-3.9	14	-10.0	51	20	280	28	29.23			30.23	FM-15	0.00	30.20
15	1753	7	FEW:02 43 BKN:07 55	10.00		29	-1.7	24	-4.4	13	-10.6	51	20	290	29	29.23			30.24	FM-15	0.00	30.21

15	1853	7	FEW:02 41 BKN:07 55	10.00		28	-2.2	24	-4.6	14	-10.0	56	14	290	22	29.25	1	-0.04	30.26	FM-15	0.00	30.22
15	1953	7	FEW:02 24 SCT:04 45 BKN:07 60	10.00		26	-3.3	24	-4.6	19	-7.2	75	17	280	22	29.26			30.27	FM-15	0.00	30.23
15	2053	7	FEW:02 22 SCT:04 37 BKN:07 55	10.00		26	-3.3	24	-4.4	20	-6.7	78	15	270	23	29.26			30.28	FM-15	0.00	30.24
15	2153	7	FEW:02 31 OVC:08 55	10.00		26	-3.3	24	-4.6	19	-7.2	75	15	280	24	29.27	1	-0.03	30.28	FM-15	T	30.25
15	2253	7	BKN:07 43	10.00		26	-3.3	23	-4.8	18	-7.8	71	13	290		29.27			30.28	FM-15	0.00	30.25
15	2353	7	OVC:08 42	10.00		26	-3.3	22	-5.8	11	-11.7	53	18	310	24	29.27			30.29	FM-15	0.00	30.25
16	0053	7	OVC:08 48	10.00		25	-3.9	21	-6.0	12	-11.1	58	15	290		29.27	0	-0.00	30.28	FM-15	0.00	30.25
16	0153	7	BKN:07 49	10.00		23	-5.0	20	-6.8	12	-11.1	63	10	280		29.27			30.29	FM-15	0.00	30.25
16	0253	7	CLR:00	10.00		21	-6.1	18	-7.5	12	-11.1	68	8	280		29.27			30.29	FM-15	0.00	30.25
16	0353	7	CLR:00	10.00		20	-6.7	18	-7.8	13	-10.6	74	7	280		29.28	2	-0.01	30.29	FM-15	0.00	30.26
16	0453	7	CLR:00	10.00		20	-6.7	18	-7.8	13	-10.6	74	8	280		29.29			30.31	FM-15	0.00	30.27
16	0553	7	CLR:00	10.00		19	-7.2	17	-8.2	13	-10.6	77	8	260		29.30			30.32	FM-15	0.00	30.28
16	0653	7	OVC:08 48	10.00		20	-6.7	18	-7.8	13	-10.6	74	8	260		29.31	1	-0.04	30.33	FM-15	0.00	30.29
16	0753	7	OVC:08 46	10.00		22	-5.6	19	-7.0	13	-10.6	68	11	270		29.32			30.34	FM-15	0.00	30.30
16	0853	7	CLR:00	10.00		27	-2.8	23	-5.0	14	-10.0	58	13	260		29.34			30.35	FM-15	0.00	30.32
16	0953	7	CLR:00	10.00		32	0.0	27	-3.0	15	-9.4	50	14	280		29.34	1	-0.03	30.35	FM-15	0.00	30.32
16	1053	7	CLR:00	10.00		35	1.7	28	-2.1	14	-10.0	42	15	290		29.34			30.35	FM-15	0.00	30.32
16	1153	7	CLR:00	10.00		38	3.3	30	-1.3	13	-10.6	36	18	300	23	29.34			30.35	FM-15	0.00	30.32
16	1253	7	FEW:02 60	10.00		39	3.9	30	-0.9	13	-10.6	34	14	270	24	29.33	8	+0.01	30.34	FM-15	0.00	30.31
16	1353	7	CLR:00	10.00		39	3.9	30	-1.0	12	-11.1	33	13	VRB	24	29.30			30.31	FM-15	0.00	30.28
16	1453	7	CLR:00	10.00		40	4.4	30	-0.8	11	-11.7	30	11	270	23	29.29			30.30	FM-15	0.00	30.27
16	1553	7	CLR:00	10.00		41	5.0	31	-0.4	12	-11.1	30	11	280		29.28	6	+0.05	30.28	FM-15	0.00	30.26
16	1653	7	CLR:00	10.00		40	4.4	30	-0.8	11	-11.7	30	11	260	25	29.28			30.29	FM-15	0.00	30.26
16	1753	7	CLR:00	10.00		39	3.9	30	-1.0	12	-11.1	33	13	270		29.28			30.29	FM-15	0.00	30.26
16	1853	7	CLR:00	10.00		33	0.6	26	-3.2	11	-11.7	40	7	280		29.29	3	-0.01	30.30	FM-15	0.00	30.27
16	1953	7	CLR:00	10.00		34	1.1	27	-2.9	11	-11.7	38	3	260		29.30			30.31	FM-15	0.00	30.28
16	2053	7	CLR:00	10.00		32	0.0	26	-3.5	12	-11.1	43	5	240		29.30			30.31	FM-15	0.00	30.28
16	2153	7	CLR:00	10.00		27	-2.8	23	-5.1	13	-10.6	55	0	000		29.30	1	-0.02	30.31	FM-15	0.00	30.28
16	2253	7	CLR:00	10.00		29	-1.7	24	-4.4	13	-10.6	51	0	000		29.30			30.30	FM-15	0.00	30.28
16	2353	7	CLR:00	10.00		28	-2.2	23	-4.8	13	-10.6	53	0	000		29.30			30.31	FM-15	0.00	30.28
17	0053	7	CLR:00	10.00		27	-2.8	23	-5.0	14	-10.0	58	0	000		29.31	3	-0.00	30.31	FM-15	0.00	30.29
17	0153	7	CLR:00	10.00		24	-4.4	21	-6.1	14	-10.0	65	0	000		29.31			30.32	FM-15	0.00	30.29
17	0253	7	CLR:00	10.00		25	-3.9	22	-5.6	15	-9.4	66	0	000		29.30			30.31	FM-15	0.00	30.28
17	0353	7	CLR:00	10.00		23	-5.0	20	-6.5	14	-10.0	68	0	000		29.29	8	+0.01	30.30	FM-15	0.00	30.27
17	0453	7	CLR:00	10.00		24	-4.4	22	-5.6	17	-8.3	75	0	000		29.29			30.30	FM-15	0.00	30.27
17	0553	7	CLR:00	10.00		27	-2.8	24	-4.5	17	-8.3	66	5	150		29.30			30.30	FM-15	0.00	30.28
17	0653	7	FEW:02 120	10.00		28	-2.2	24	-4.2	17	-8.3	63	7	140		29.29	8	+0.01	30.29	FM-15	0.00	30.27
17	0753	7	BKN:07 120	10.00		30	-1.1	26	-3.5	17	-8.3	58	9	170		29.29			30.30	FM-15	0.00	30.27
17	0853	7	SCT:04 50 OVC:08 90	10.00		32	0.0	27	-2.8	17	-8.3	54	8	160		29.28			30.29	FM-15	0.00	30.26
17	0953	7	BKN:07 38 BKN:07 48 OVC:08 60	6.00	-SN:03 |SN |	32	0.0	28	-2.1	21	-6.1	64	11	200		29.29	2	-0.01	30.30	FM-15	T	30.27
17	1012	7	BKN:07 34 OVC:08 60	1.75V	-SN:03 BR:1 |SN |	31	-0.6	30	-1.4	27	-2.8	85	10	170		29.28				FM-16	T	30.26
17	1024	7	BKN:07 23 BKN:07 32 OVC:08 39	0.75	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	9	160		29.27				FM-16	T	30.25
17	1035	7	SCT:04 7 OVC:08 19	0.75	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	8	160		29.26				FM-16	0.01	30.24
17	1050	7	BKN:07 6 OVC:08 15	1.00	-SN:03 BR:1 |SN |	30	-1.0	30	-1.1	30	-1.0	100	14	160		29.25				FM-16	0.02	30.22
17	1053	7	BKN:07 6 OVC:08 15	1.00	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	11	150		29.25			30.25	FM-15	0.02	30.22

17	1127	7	BKN:07 6 OVC:08 19	3.00	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	9	140		29.25				FM-16	T	30.22
17	1137	7	BKN:07 6 OVC:08 27	2.50	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	8	140		29.25				FM-16	0.01	30.22
17	1153	7	SCT:04 6 OVC:08 29	2.50	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	10	120		29.22			30.22	FM-15	0.01	30.19
17	1206	7	SCT:04 6 OVC:08 29	2.50	-FZ:8 RA:02 BR:1 |FZRA |	32	0.0	32	-0.2	31	-0.6	96	8	130		29.23				FM-16	T	30.20
17	1216	7	BKN:07 9 OVC:08 31	4.00	-FZ:8 RA:02 BR:1 |FZRA |	32	0.0	31	-0.4	30	-1.1	92	7	130		29.23				FM-16	T	30.20
17	1225	7	BKN:07 9 OVC:08 29	6.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	9	120		29.22				FM-16	T	30.19
17	1232	7	BKN:07 9 OVC:08 31	6.00	-FZ:8 RA:02 BR:1 |FZRA |	32	0.0	31	-0.4	30	-1.1	92	9	120		29.21				FM-16	T	30.18
17	1239	7	BKN:07 9 BKN:07 22 OVC:08 31	8.00	UP:09 ||	32	0.0	31	-0.4	30	-1.1	92	11	130		29.21				FM-16	T	30.18
17	1243	7	SCT:04 9 SCT:04 22 OVC:08 31	8.00		32	0.0	31	-0.4	30	-1.1	92	11	130		29.21				FM-16	T	30.18
17	1253	7	FEW:02 9 OVC:08 31	8.00		32	0.0	31	-0.4	30	-1.1	92	10	120		29.21	6	+0.09	30.21	FM-15	T	30.18
17	1316	7	FEW:02 9 OVC:08 29	2.50	BR:1 ||	32	0.0	31	-0.4	30	-1.1	92	10	120		29.20				FM-16		30.17
17	1346	7	BKN:07 9 OVC:08 27	2.50	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	10	120		29.16				FM-16		30.13
17	1353	7	BKN:07 9 BKN:07 12 OVC:08 26	2.50	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	11	120		29.16			30.16	FM-15	0.00	30.13
17	1400	7	BKN:07 8 BKN:07 12 OVC:08 24	4.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	13	130		29.15				FM-16		30.12
17	1439	7	OVC:08 10	5.00	BR:1 ||	33	0.6	32	0.1	31	-0.6	92	11	130		29.14				FM-16		30.11
17	1453	7	BKN:07 10 OVC:08 13	5.00	BR:1 ||	33	0.6	32	0.1	31	-0.6	92	11	130		29.13			30.13	FM-15	0.00	30.10
17	1514	7	OVC:08 8	3.00	BR:1 ||	33	0.6	32	0.1	31	-0.6	92	13	130		29.13				FM-16		30.10
17	1521	7	OVC:08 8	2.50	BR:1 ||	33	0.6	32	0.1	31	-0.6	92	11	140		29.12				FM-16		30.09
17	1553	7	OVC:08 7	2.00	BR:1 ||	33	0.6	33	0.3	32	0.0	96	11	130		29.10	6	+0.10	30.10	FM-15	0.00	30.07
17	1653	7	OVC:08 5	2.00	BR:1 ||	33	0.6	33	0.3	32	0.0	96	11	140		29.09			30.09	FM-15	0.00	30.06
17	1700	7	OVC:08 5	1.50	BR:1 ||	33	0.6	33	0.3	32	0.0	96	10	140		29.09				FM-16		30.06
17	1753	7	OVC:08 5	1.00	BR:1 ||	33	0.6	33	0.6	33	0.6	100	8	140		29.08			30.08	FM-15	0.00	30.05
17	1853	7	OVC:08 5	1.75	BR:1 ||	33	0.6	33	0.6	33	0.6	100	7	140		29.08	6	+0.02	30.08	FM-15	0.00	30.05
17	1951	6	OVC:08 5	2.00	BR:1 ||	34	1.0	34	1.1	34	1.0	100	7	150		29.08				FM-16		30.05
17	1953	7	OVC:08 5	2.00	BR:1 ||	34	1.1	34	1.1	34	1.1	100	9	140		29.08			30.08	FM-15	T	30.05
17	2051	6	OVC:08 5	4.00	BR:1 ||	34	1.0	34	1.1	34	1.0	100	7	150		29.09				FM-16		30.06
17	2053	7	OVC:08 5	4.00	BR:1 ||	34	1.1	34	1.1	34	1.1	100	7	140		29.09			30.08	FM-15	0.00	30.06
17	2101	7	OVC:08 4	4.00	BR:1 ||	34	1.1	34	1.1	34	1.1	100	5	160		29.08				FM-16		30.05
17	2153	7	OVC:08 3	1.75	BR:1 ||	34	1.1	34	1.1	34	1.1	100	5	160		29.07	8	+0.01	30.06	FM-15	0.00	30.04
17	2253	7	OVC:08 2	1.25	BR:1 ||	34	1.1	34	1.1	34	1.1	100	5	170		29.07			30.06	FM-15	0.00	30.04
17	2322	7	OVC:08 2	0.75	BR:1 ||	34	1.1	34	1.1	34	1.1	100	5	160		29.06				FM-16		30.03
17	2335	7	OVC:08 2	1.00	BR:1 ||	34	1.1	34	1.1	34	1.1	100	5	190		29.06				FM-16		30.03
17	2351	6	OVC:08 2	0.75	BR:1 ||	34	1.0	34	1.1	34	1.0	100	5	200		29.06				FM-16		30.03
17	2353	7	OVC:08 2	0.75	BR:1 ||	34	1.1	34	1.1	34	1.1	100	3	210		29.06			30.06	FM-15	0.00	30.03
18	0053	7	OVC:08 3	1.00	BR:1 ||	35	1.7	35	1.7	35	1.7	100	7	170		29.05	8	+0.02	30.05	FM-15	0.00	30.02
18	0148	7	OVC:08 2	0.75	BR:1 ||	36	2.0	36	2.2	36	2.0	100	7	210		29.06				FM-16		30.03
18	0153	7	OVC:08 2	0.75	BR:1 ||	35	1.7	35	1.7	35	1.7	100	6	210		29.06			30.05	FM-15	0.00	30.03
18	0253	7	VV:09 2	0.50	FG:2 |FG |	37	2.8	37	2.8	37	2.8	100	7	220		29.04			30.03	FM-15	0.00	30.01
18	0343	7	VV:09 2	0.25	FG:2 |FG |	38	3.3	38	3.3	38	3.3	100	7	210		29.02				FM-16		29.99
18	0350	7	VV:09 2	0.50	FG:2 |FG |	37	3.0	37	2.8	37	3.0	100	7	200		29.02				FM-16		29.99
18	0353	7	VV:09 2	0.50	FG:2 |FG |	38	3.3	38	3.3	38	3.3	100	7	200		29.02	5	+0.04	30.01	FM-15	0.00	29.99
18	0408	7	OVC:08 2	1.50	BR:1 ||	39	3.9	39	3.9	39	3.9	100	8	200		29.02				FM-16		29.99

18	0416	7	OVC:08 2	2.50	BR:1 ||	39	3.9	39	3.9	39	3.9	100	8	190		29.02				FM-16		29.99
18	0453	7	OVC:08 3	3.00	BR:1 ||	40	4.4	40	4.4	40	4.4	100	8	230		29.02			30.01	FM-15	0.00	29.99
18	0523	7	SCT:04 5 OVC:08 12	3.00	BR:1 ||	40	4.4	40	4.4	40	4.4	100	8	230		29.02				FM-16		29.99
18	0551	6	SCT:04 12 OVC:08 20	4.00	BR:1 ||	39	4.0	39	3.9	39	4.0	100	8	210		29.02				FM-16		29.99
18	0553	7	SCT:04 12 OVC:08 22	4.00	BR:1 ||	40	4.4	40	4.4	40	4.4	100	6	200		29.02			30.01	FM-15	0.00	29.99
18	0623	7	FEW:02 8 SCT:04 22 OVC:08 34	3.00	BR:1 ||	40	4.4	40	4.4	40	4.4	100	8	200		29.02				FM-16		29.99
18	0643	7	FEW:02 6 OVC:08 34	2.00	BR:1 ||	41	5.0	41	5.0	41	5.0	100	7	210		29.02				FM-16		29.99
18	0646	7	BKN:07 6 OVC:08 34	2.00	BR:1 ||	41	5.0	41	5.0	41	5.0	100	6	210		29.02				FM-16		29.99
18	0653	7	BKN:07 6 OVC:08 34	2.00	BR:1 ||	41	5.0	41	5.0	41	5.0	100	6	220		29.02	3	-0.01	30.01	FM-15	0.00	29.99
18	0735	7	SCT:04 32 OVC:08 41	7.00		41	5.0	40	4.3	38	3.3	89	9	270		29.03				FM-16		30.00
18	0753	7	BKN:07 42 OVC:08 50	9.00		41	5.0	39	4.0	37	2.8	86	10	280		29.03			30.02	FM-15	0.00	30.00
18	0853	7	OVC:08 50	9.00		41	5.0	40	4.3	38	3.3	89	10	270		29.04			30.03	FM-15	0.00	30.01
18	0953	7	FEW:02 17 BKN:07 36 OVC:08 60	10.00		44	6.7	41	5.2	38	3.3	79	16	290	22	29.05	1	-0.02	30.03	FM-15	0.00	30.02
18	1051	6	BKN:07 15 OVC:08 50	10.00		41	5.0	39	3.8	36	2.0	81	13	280		29.05				FM-16		30.02
18	1053	7	BKN:07 15 OVC:08 50	10.00		41	5.0	39	4.0	37	2.8	86	11	280		29.05			30.04	FM-15	0.00	30.02
18	1123	7	OVC:08 14	10.00		41	5.0	39	3.8	36	2.2	82	16	280		29.06				FM-16		30.03
18	1153	7	OVC:08 13	10.00		41	5.0	39	3.8	36	2.2	82	13	280		29.06			30.04	FM-15	0.00	30.03
18	1227	7	OVC:08 15	10.00		41	5.0	39	3.8	36	2.2	82	16	270		29.07				FM-16		30.04
18	1238	7	OVC:08 14	10.00		41	5.0	39	3.8	36	2.2	82	18	280		29.07				FM-16		30.04
18	1253	7	OVC:08 13	10.00		41	5.0	39	3.8	36	2.2	82	16	290	25	29.07	3	-0.02	30.06	FM-15	0.00	30.04
18	1353	7	OVC:08 12	10.00		40	4.4	38	3.5	36	2.2	86	17	300		29.07			30.06	FM-15	0.00	30.04
18	1453	7	BKN:07 13 OVC:08 21	10.00		41	5.0	39	3.8	36	2.2	82	17	290	25	29.09			30.08	FM-15	T	30.06
18	1533	7	BKN:07 15 OVC:08 29	9.00	-RA:02 |RA |	40	4.4	38	3.5	36	2.2	86	15	290		29.11				FM-16	T	30.08
18	1551	6	BKN:07 14 BKN:07 21 OVC:08 36	8.00	-RA:02 |RA |	39	4.0	38	3.4	37	3.0	93	9	300		29.11				FM-16		30.08
18	1553	7	SCT:04 14 BKN:07 19 OVC:08 36	9.00	-RA:02 |RA |	40	4.4	39	4.0	38	3.3	93	10	310		29.11	3	-0.04	30.10	FM-15	0.01	30.08
18	1653	7	SCT:04 16 BKN:07 25 OVC:08 35	10.00		40	4.4	39	3.7	37	2.8	89	13	300		29.13			30.12	FM-15	T	30.10
18	1753	7	BKN:07 18 BKN:07 22 OVC:08 27	10.00		39	3.9	38	3.2	36	2.2	89	15	290	21	29.16			30.15	FM-15	T	30.13
18	1853	7	OVC:08 19	10.00		39	3.9	37	2.9	35	1.7	86	14	300		29.19	3	-0.07	30.18	FM-15	0.00	30.16
18	1953	7	OVC:08 17	10.00		39	3.9	37	2.9	35	1.7	86	10	290		29.20			30.19	FM-15	0.00	30.17
18	2053	7	OVC:08 15	10.00		38	3.3	37	2.6	35	1.7	89	9	310		29.21			30.20	FM-15	T	30.18
18	2153	7	OVC:08 15	10.00		37	2.8	36	2.3	35	1.7	93	8	300		29.23	1	-0.04	30.21	FM-15	0.01	30.20
18	2200	7	OVC:08 12	10.00		37	2.8	36	2.3	35	1.7	93	11	300		29.23				FM-16		30.20
18	2253	7	OVC:08 13	10.00		38	3.3	37	2.6	35	1.7	89	10	310		29.23			30.23	FM-15	0.00	30.21
18	2346	7	OVC:08 9	5.00	-RA:02 BR:1 |RA |	37	2.8	37	2.5	36	2.2	96	10	290		29.23				FM-16	T	30.21
18	2353	7	OVC:08 9	6.00	-RA:02 BR:1 |RA |	37	2.8	37	2.5	36	2.2	96	11	300		29.25			30.23	FM-15	T	30.22
19	0024	7	BKN:07 10 OVC:08 14	7.00	-RA:02 |RA |	37	2.8	37	2.5	36	2.2	96	9	300		29.25				FM-16	T	30.22
19	0053	7	OVC:08 10	8.00	UP:09 ||	37	2.8	37	2.5	36	2.2	96	11	300		29.25	1	-0.02	30.24	FM-15	T	30.22

19	0101	7	OVC:08 9	9.00	-RA:02 |RA |	37	2.8	37	2.5	36	2.2	96	9	310		29.25				FM-16	T	30.22
19	0118	7	OVC:08 10	10.00		37	2.8	36	2.3	35	1.7	93	10	310		29.25				FM-16	T	30.22
19	0153	7	BKN:07 10 OVC:08 19	10.00		37	2.8	36	2.3	35	1.7	93	10	320		29.25			30.24	FM-15	T	30.22
19	0232	7	OVC:08 9	10.00		37	2.8	36	2.3	35	1.7	93	9	320		29.25				FM-16		30.22
19	0253	7	OVC:08 9	10.00		37	2.8	36	2.3	35	1.7	93	9	320		29.25			30.24	FM-15	0.00	30.22
19	0353	7	OVC:08 8	10.00		36	2.2	36	2.0	35	1.7	97	7	320		29.26	3	-0.01	30.25	FM-15	0.00	30.23
19	0453	7	OVC:08 7	7.00		36	2.2	36	2.0	35	1.7	97	8	340		29.27			30.26	FM-15	0.00	30.25
19	0553	7	OVC:08 8	8.00		37	2.8	36	2.3	35	1.7	93	7	340		29.29			30.29	FM-15	0.00	30.27
19	0653	7	OVC:08 7	5.00	BR:1 ||	36	2.2	36	2.2	36	2.2	100	8	320		29.31	3	-0.06	30.31	FM-15	0.00	30.29
19	0753	7	OVC:08 9	5.00	BR:1 ||	37	2.8	36	2.3	35	1.7	93	6	330		29.34			30.33	FM-15	0.00	30.32
19	0851	6	FEW:02 11 OVC:08 34	7.00		37	3.0	37	2.5	36	2.0	93	6	360		29.35				FM-16		30.33
19	0853	7	FEW:02 11 OVC:08 34	7.00		37	2.8	36	2.1	34	1.1	89	7	020		29.35			30.35	FM-15	0.00	30.33
19	0953	7	SCT:04 13 OVC:08 35	8.00		38	3.3	36	2.4	34	1.1	86	6	020		29.37	1	-0.06	30.37	FM-15	0.00	30.35
19	1023	7	FEW:02 16 BKN:07 21 OVC:08 33	10.00		38	3.3	36	2.2	33	0.6	83	5	350		29.38				FM-16		30.36
19	1053	7	BKN:07 16 OVC:08 33	9.00		39	3.9	37	2.7	34	1.1	82	5	340		29.38			30.38	FM-15	0.00	30.36
19	1153	7	FEW:02 22 OVC:08 30	10.00		40	4.4	37	2.6	32	0.0	73	5	320		29.37			30.37	FM-15	0.00	30.35
19	1253	7	FEW:02 23 OVC:08 30	10.00		40	4.4	36	2.4	31	-0.6	70	6	330		29.37	8	+0.00	30.37	FM-15	0.00	30.35
19	1353	7	SCT:04 25 OVC:08 30	10.00		40	4.4	37	2.6	32	0.0	73	7	330		29.35			30.35	FM-15	0.00	30.33
19	1400	7	OVC:08 25	10.00		40	4.4	37	2.6	32	0.0	73	7	340		29.35				FM-16		30.33
19	1451	6	OVC:08 30	10.00		39	4.0	35	1.9	30	-1.0	70	0	000		29.34				FM-16		30.32
19	1453	7	OVC:08 30	10.00		40	4.4	36	2.4	31	-0.6	70	0	000		29.34			30.34	FM-15	0.00	30.32
19	1551	6	OVC:08 28	10.00		41	5.0	37	2.5	30	-1.0	66	5	330		29.33				FM-16		30.31
19	1553	7	OVC:08 28	10.00		41	5.0	37	2.7	31	-0.6	67	3	VRB		29.33	6	+0.02	30.33	FM-15	0.00	30.31
19	1610	7	OVC:08 30	10.00		41	5.0	37	2.9	32	0.0	70	5	020		29.33				FM-16		30.31
19	1651	6	OVC:08 28	10.00		41	5.0	37	2.9	32	0.0	70	3	360		29.32				FM-16		30.30
19	1653	7	OVC:08 28	10.00		41	5.0	37	2.9	32	0.0	70	6	020		29.32			30.32	FM-15	0.00	30.30
19	1753	7	OVC:08 27	10.00		40	4.4	37	2.6	32	0.0	73	0	000		29.32			30.32	FM-15	0.00	30.30
19	1853	7	OVC:08 28	10.00		39	3.9	36	2.3	32	0.0	76	5	030		29.31	6	+0.02	30.31	FM-15	0.00	30.29
19	1951	6	OVC:08 30	10.00		39	4.0	36	2.3	32	0.0	75	3	030		29.32				FM-16		30.30
19	1953	7	OVC:08 30	10.00		39	3.9	36	2.3	32	0.0	76	3	040		29.32			30.32	FM-15	0.00	30.30
19	2053	7	OVC:08 32	10.00		38	3.3	36	2.2	33	0.6	83	3	090		29.31			30.31	FM-15	0.00	30.29
19	2153	7	OVC:08 33	10.00		37	2.8	35	1.6	32	0.0	82	5	110		29.30	8	+0.02	30.29	FM-15	0.00	30.28
19	2253	7	OVC:08 31	10.00		36	2.2	34	1.1	31	-0.6	82	7	120		29.28			30.28	FM-15	0.00	30.26
19	2353	7	CLR:00	10.00		35	1.7	33	0.8	31	-0.6	85	5	140		29.28			30.28	FM-15	0.00	30.26
20	0053	7	CLR:00	9.00		35	1.7	33	0.8	31	-0.6	85	6	130		29.26	8	+0.04	30.26	FM-15	0.00	30.24
20	0153	7	CLR:00	9.00		34	1.1	33	0.5	31	-0.6	89	6	150		29.25			30.24	FM-15	0.00	30.22
20	0253	7	CLR:00	8.00		34	1.1	33	0.5	31	-0.6	89	6	150		29.23			30.22	FM-15	0.00	30.20
20	0353	7	CLR:00	8.00		33	0.6	32	-0.1	30	-1.1	89	6	140		29.22	6	+0.05	30.21	FM-15	0.00	30.19
20	0453	7	CLR:00	7.00		29	-1.7	29	-1.9	28	-2.2	96	3	080		29.23			30.23	FM-15	0.00	30.21
20	0553	7	CLR:00	6.00	BR:1 ||	30	-1.1	30	-1.3	29	-1.7	96	9	100		29.23			30.22	FM-15	0.00	30.20
20	0653	7	SCT:04 90	9.00		34	1.1	32	0.2	30	-1.1	85	7	150		29.19	8	+0.02	30.19	FM-15	0.00	30.16
20	0753	7	BKN:07 50 BKN:07 95 OVC:08 110	5.00	-RA:02 |RA |	36	2.2	34	1.1	31	-0.6	82	10	170		29.20			30.19	FM-15	T	30.17
20	0853	7	FEW:02 41 OVC:08 100	8.00	-RA:02 |RA |	36	2.2	35	1.5	33	0.6	89	10	180		29.19			30.18	FM-15	T	30.16
20	0951	6	SCT:04 10 BKN:07 55 OVC:08 100	2.50	RA:02 BR:1 |RA |	36	2.0	36	2.2	36	2.0	100	7	VRB		29.15				FM-16		30.12

20	0953	7	BKN:07 10 BKN:07 55 OVC:08 100	2.50	RA:02 BR:1 |RA |	36	2.2	36	2.0	35	1.7	97	6	VRB		29.14	8	+0.05	30.13	FM-15	0.05s	30.11
20	0955	7	BKN:07 8 BKN:07 13 OVC:08 80	2.50	RA:02 BR:1 |RA |	36	2.2	36	2.0	35	1.7	97	5	VRB		29.13				FM-16	0.01	30.10
20	1003	7	BKN:07 10 BKN:07 13 OVC:08 80	2.50	RA:02 BR:1 |RA |	36	2.2	36	2.0	35	1.7	97	9	130		29.13				FM-16	0.04	30.10
20	1042	7	OVC:08 7	7.00	-RA:02 |RA |	37	2.8	37	2.5	36	2.2	96	13	100		29.12				FM-16	0.06	30.09
20	1053	7	OVC:08 7	8.00	-RA:02 |RA |	37	2.8	37	2.5	36	2.2	96	10	110		29.12			30.11	FM-15	0.04	30.09
20	1121	7	SCT:04 10 OVC:08 16	9.00	-RA:02 |RA |	39	3.9	38	3.4	37	2.8	93	11	100		29.13				FM-16	T	30.10
20	1151	6	SCT:04 16 SCT:04 120	10.00		41	5.0	40	4.5	39	4.0	93	11	110		29.11				FM-16		30.08
20	1153	7	SCT:04 16 SCT:04 120	10.00		41	5.0	41	4.7	40	4.4	96	13	120		29.11			30.10	FM-15	T	30.08
20	1208	7	BKN:07 16	10.00		41	5.0	41	4.7	40	4.4	96	13	110		29.10				FM-16		30.07
20	1223	7	FEW:02 8 OVC:08 14	10.00		42	5.6	41	5.0	40	4.4	92	14	120		29.09				FM-16		30.06
20	1253	7	OVC:08 9	10.00		43	6.1	42	5.3	40	4.4	89	14	140		29.07	8	+0.07	30.05	FM-15	0.00	30.04
20	1353	7	OVC:08 9	10.00		44	6.7	42	5.6	40	4.4	85	9	140		29.05			30.03	FM-15	0.00	30.02
20	1400	7	OVC:08 12	10.00		45	7.2	43	5.9	40	4.4	83	14	130		29.04				FM-16		30.01
20	1453	7	OVC:08 14	10.00		45	7.2	43	5.9	40	4.4	83	7	120		29.08			30.06	FM-15	0.00	30.05
20	1553	7	OVC:08 13	10.00		44	6.7	42	5.6	40	4.4	85	10	130		29.03	8	+0.04	30.01	FM-15	T	30.00
20	1653	7	BKN:07 10 BKN:07 55 OVC:08 85	3.00	RA:02 BR:1 |RA |	43	6.1	42	5.6	41	5.0	93	9	130		29.01			30.00	FM-15	0.09	29.98
20	1729	7	BKN:07 12 OVC:08 44	1.75	+RA:02 BR:1 |RA |	42	5.6	42	5.6	42	5.6	100	20	140	25	28.94				FM-16	0.09	29.91
20	1738	7	SCT:04 5 BKN:07 12 OVC:08 49	2.00	RA:02 BR:1 |RA |	42	5.6	42	5.6	42	5.6	100	16	VRB	28	28.99				FM-16	0.13	29.96
20	1749	7	BKN:07 5 BKN:07 12 OVC:08 49	4.00	-RA:02 BR:1 |RA |	43	6.0	43	6.1	43	6.0	100	14	020		29.00				FM-16	0.13	29.97
20	1753	7	BKN:07 6 OVC:08 48	6.00	-RA:02 BR:1 |RA |	43	6.1	43	5.9	42	5.6	97	14	010		29.00			29.99	FM-15	0.11	29.97
20	1800	7	OVC:08 8	8.00		43	6.1	43	5.9	42	5.6	97	10	020		29.01				FM-16	T	29.98
20	1838	7	OVC:08 10	7.00		43	6.1	43	5.9	42	5.6	97	9	060		28.99				FM-16	T	29.96
20	1853	7	OVC:08 10	8.00		43	6.1	43	6.1	43	6.1	100	0	000		29.02	3	-0.01	30.01	FM-15	0.00	29.99
20	1953	7	OVC:08 10	9.00		44	6.7	43	6.1	42	5.6	93	6	150		29.04			30.03	FM-15	0.00	30.01
20	2053	7	OVC:08 11	8.00		44	6.7	43	6.1	42	5.6	93	3	080		29.03			30.02	FM-15	0.00	30.00
20	2151	6	OVC:08 9	6.00	-RA:02 BR:1 |RA |	45	7.0	44	6.7	43	6.0	93	3	160		29.04				FM-16		30.01
20	2153	7	OVC:08 9	6.00	-RA:02 BR:1 |RA |	44	6.7	44	6.4	43	6.1	96	0	000		29.04	1	-0.01	30.02	FM-15	T	30.01
20	2251	6	SCT:04 9 OVC:08 17	5.00	BR:1 ||	45	7.0	44	6.7	43	6.0	93	0	000		29.03				FM-16		30.00
20	2253	7	SCT:04 9 OVC:08 17	5.00	BR:1 ||	44	6.7	44	6.4	43	6.1	96	0	000		29.03			30.01	FM-15	0.00	30.00
20	2320	7	BKN:07 14 BKN:07 39 OVC:08 60	3.00	BR:1 ||	43	6.1	43	6.1	43	6.1	100	0	000		29.00				FM-16		29.97
20	2335	7	OVC:08 12	2.50	BR:1 ||	43	6.1	43	6.1	43	6.1	100	0	000		29.00				FM-16		29.97
20	2350	7	OVC:08 9	3.00	BR:1 ||	43	6.0	43	6.1	43	6.0	100	0	000		29.00				FM-16		29.97
20	2353	7	OVC:08 9	3.00	BR:1 ||	43	6.1	43	6.1	43	6.1	100	0	000		29.00			29.98	FM-15	0.00	29.97
21	0053	7	OVC:08 8	3.00	BR:1 ||	43	6.1	43	6.1	43	6.1	100	5	290		29.01	5	+0.03	29.99	FM-15	0.00	29.98
21	0153	7	OVC:08 7	3.00	BR:1 ||	43	6.1	43	6.1	43	6.1	100	3	310		29.02			30.00	FM-15	0.00	29.99
21	0235	7	OVC:08 5	2.50	BR:1 ||	43	6.1	43	6.1	43	6.1	100	5	330		29.02				FM-16		29.99
21	0253	7	OVC:08 5	2.00	BR:1 ||	43	6.1	43	6.1	43	6.1	100	5	340		29.02			30.00	FM-15	0.00	29.99
21	0259	7	OVC:08 3	1.75	BR:1 ||	43	6.1	43	6.1	43	6.1	100	7	340		29.03				FM-16		30.00
21	0316	7	OVC:08 2	0.75	BR:1 ||	43	6.1	43	6.1	43	6.1	100	9	350		29.03				FM-16		30.00

21	0353	7	VV:09 2	0.50	FG:2 |FG |	43	6.1	43	6.1	43	6.1	100	9	360		29.03	1	-0.02	30.01	FM-15	0.00	30.00
21	0424	7	OVC:08 2	1.50	BR:1 ||	43	6.1	43	6.1	43	6.1	100	10	360		29.03				FM-16		30.00
21	0435	7	OVC:08 2	2.50	BR:1 ||	43	6.1	43	6.1	43	6.1	100	10	360		29.04				FM-16		30.01
21	0453	7	OVC:08 3	2.50	BR:1 ||	43	6.1	43	6.1	43	6.1	100	9	360		29.04			30.02	FM-15	0.00	30.01
21	0514	7	OVC:08 3	1.75	BR:1 ||	43	6.1	43	6.1	43	6.1	100	9	350		29.05				FM-16		30.02
21	0536	7	BKN:07 3 OVC:08 9	3.00	BR:1 ||	43	6.1	43	6.1	43	6.1	100	6	340		29.06				FM-16		30.03
21	0544	7	SCT:04 3 OVC:08 10	4.00	BR:1 ||	43	6.1	43	6.1	43	6.1	100	6	330		29.06				FM-16		30.03
21	0553	7	BKN:07 6 OVC:08 10	4.00	BR:1 ||	43	6.1	43	6.1	43	6.1	100	6	320		29.06			30.04	FM-15	0.00	30.03
21	0653	7	BKN:07 6 OVC:08 10	4.00	BR:1 ||	43	6.1	43	5.9	42	5.6	97	9	350		29.08	3	-0.05	30.06	FM-15	0.00	30.05
21	0751	6	OVC:08 12	5.00	BR:1 ||	45	7.0	43	6.2	41	5.0	87	9	010		29.09				FM-16		30.06
21	0753	7	OVC:08 12	5.00	BR:1 ||	44	6.7	43	5.9	41	5.0	89	7	010		29.09			30.08	FM-15	0.00	30.06
21	0853	7	BKN:07 10 BKN:07 16	4.00	BR:1 ||	45	7.2	44	6.4	42	5.6	90	7	360		29.12			30.10	FM-15	0.00	30.09
21	0946	7	SCT:04 12	5.00	HZ:7 |FU |HZ	47	8.3	45	7.0	42	5.6	83	3	VRB		29.13				FM-16		30.10
21	0953	7	FEW:02 12	5.00	HZ:7 |FU |HZ	47	8.3	45	7.0	42	5.6	83	5	360		29.13	1	-0.05	30.11	FM-15	0.00	30.10
21	1020	7	BKN:07 14	5.00	HZ:7 |FU |HZ	47	8.3	45	7.0	42	5.6	83	5	320		29.13				FM-16		30.10
21	1029	7	SCT:04 15	6.00	HZ:7 |FU |HZ	49	9.4	46	7.6	42	5.6	77	5	330		29.13				FM-16		30.10
21	1053	7	FEW:02 17	6.00	HZ:7 |FU |HZ	51	10.6	47	8.4	43	6.1	74	6	350		29.13			30.11	FM-15	0.00	30.10
21	1153	7	SCT:04 23	7.00		53	11.7	48	8.9	43	6.1	69	9	320		29.12			30.09	FM-15	0.00	30.09
21	1253	7	SCT:04 26	6.00	HZ:7 |FU |HZ	54	12.2	49	9.4	44	6.7	69	9	320		29.11	8	+0.02	30.09	FM-15	0.00	30.08
21	1353	7	SCT:04 24	8.00		55	12.8	49	9.4	43	6.1	64	7	300		29.09			30.07	FM-15	0.00	30.06
21	1453	7	CLR:00	10.00		55	12.8	48	8.7	40	4.4	57	5	VRB		29.08			30.05	FM-15	0.00	30.05
21	1553	7	CLR:00	10.00		55	12.8	46	8.0	37	2.8	51	5	320		29.08	5	+0.03	30.06	FM-15	0.00	30.05
21	1653	7	BKN:07 90 OVC:08 110	10.00		54	12.2	45	7.3	35	1.7	49	13	290		29.10			30.07	FM-15	0.00	30.07
21	1753	7	FEW:02 55 OVC:08 90	10.00		53	11.7	45	7.3	36	2.2	52	13	280		29.10			30.07	FM-15	T	30.07
21	1853	7	FEW:02 75 OVC:08 100	10.00		51	10.6	45	7.2	38	3.3	61	15	270	22	29.10	1	-0.02	30.08	FM-15	0.00	30.07
21	1953	7	BKN:07 100 OVC:08 120	10.00		49	9.4	43	6.2	36	2.2	61	13	300		29.12			30.09	FM-15	0.00	30.09
21	2053	7	SCT:04 120	10.00		46	7.8	38	3.3	26	-3.3	46	13	330		29.14			30.12	FM-15	0.00	30.11
21	2153	7	CLR:00	10.00		41	5.0	34	1.0	22	-5.6	47	14	310		29.17	3	-0.07	30.15	FM-15	0.00	30.14
21	2253	7	CLR:00	10.00		38	3.3	32	0.1	22	-5.6	52	17	320	24	29.18			30.16	FM-15	0.00	30.15
21	2353	7	OVC:08 30	10.00		36	2.2	33	0.5	28	-2.2	73	21	010	25	29.22			30.20	FM-15	0.00	30.19
22	0006	7	OVC:08 28	10.00		36	2.2	33	0.5	28	-2.2	73	15	010		29.23				FM-16		30.21
22	0027	7	SCT:04 25 SCT:04 37	10.00		34	1.1	29	-1.4	21	-6.1	59	17	350	32	29.25				FM-16		30.22
22	0053	7	CLR:00	10.00		32	0.0	28	-2.3	20	-6.7	61	16	360	25	29.26	3	-0.10	30.26	FM-15	0.00	30.24
22	0153	7	CLR:00	10.00		30	-1.1	26	-3.3	18	-7.8	61	10	360		29.29			30.29	FM-15	0.00	30.27
22	0253	7	CLR:00	10.00		29	-1.7	25	-3.8	17	-8.3	61	16	350		29.32			30.31	FM-15	0.00	30.30
22	0353	7	CLR:00	10.00		28	-2.2	24	-4.3	16	-8.9	60	16	360	24	29.33	1	-0.06	30.33	FM-15	0.00	30.31
22	0453	7	SCT:04 33	10.00		26	-3.3	23	-4.9	17	-8.3	69	15	360		29.36			30.36	FM-15	0.00	30.34
22	0553	7	SCT:04 31	10.00		25	-3.9	22	-5.6	15	-9.4	66	13	010		29.38			30.38	FM-15	0.00	30.36
22	0653	7	CLR:00	10.00		24	-4.4	21	-6.1	14	-10.0	65	16	360		29.42	3	-0.08	30.42	FM-15	0.00	30.40
22	0753	7	CLR:00	10.00		26	-3.3	23	-5.2	15	-9.4	63	15	360		29.45			30.45	FM-15	0.00	30.43
22	0853	7	FEW:02 31	10.00		29	-1.7	25	-4.1	15	-9.4	56	15	020		29.48			30.48	FM-15	0.00	30.46
22	0953	7	SCT:04 34	10.00		31	-0.6	26	-3.2	16	-8.9	54	11	020		29.50	1	-0.08	30.50	FM-15	0.00	30.48
22	1053	7	BKN:07 36	10.00		32	0.0	27	-3.0	15	-9.4	50	13	050		29.52			30.53	FM-15	0.00	30.50
22	1153	7	SCT:04 38	10.00		34	1.1	28	-2.2	16	-8.9	48	9	010	18	29.53			30.54	FM-15	0.00	30.51
22	1253	7	FEW:02 40	10.00		35	1.7	29	-1.9	16	-8.9	46	6	010	16	29.52	0	-0.02	30.53	FM-15	0.00	30.50
22	1353	7	CLR:00	10.00		36	2.2	29	-1.5	16	-8.9	44	11	030		29.51			30.52	FM-15	0.00	30.49
22	1453	7	CLR:00	10.00		38	3.3	30	-0.8	16	-8.9	41	8	030		29.49			30.50	FM-15	0.00	30.47
22	1553	7	CLR:00	10.00		39	3.9	32	-0.2	18	-7.8	43	9	040		29.49	6	+0.03	30.49	FM-15	0.00	30.47
22	1653	7	CLR:00	10.00		38	3.3	31	-0.7	17	-8.3	43	14	010		29.49			30.50	FM-15	0.00	30.47

22	1753	7	CLR:00	10.00		35	1.7	29	-1.7	17	-8.3	48	13	020		29.50			30.52	FM-15	0.00	30.48
22	1853	7	CLR:00	10.00		32	0.0	27	-2.7	17	-8.3	54	14	010		29.49	0	-0.01	30.50	FM-15	0.00	30.47
22	1953	7	CLR:00	10.00		30	-1.1	26	-3.5	17	-8.3	58	10	010		29.50			30.51	FM-15	0.00	30.48
22	2053	7	CLR:00	10.00		28	-2.2	25	-4.0	18	-7.8	66	9	010		29.52			30.53	FM-15	0.00	30.50
22	2153	7	CLR:00	10.00		25	-3.9	23	-5.1	18	-7.8	75	7	010		29.53	3	-0.03	30.54	FM-15	0.00	30.51
22	2253	7	CLR:00	10.00		25	-3.9	23	-5.3	17	-8.3	72	6	030		29.53			30.54	FM-15	0.00	30.51
22	2353	7	CLR:00	10.00		25	-3.9	22	-5.4	16	-8.9	69	8	050		29.53			30.54	FM-15	0.00	30.51
23	0053	7	CLR:00	10.00		23	-5.0	21	-6.3	15	-9.4	72	7	070		29.52	8	+0.01	30.53	FM-15	0.00	30.50
23	0153	7	CLR:00	10.00		22	-5.6	20	-6.8	14	-10.0	71	7	080		29.52			30.53	FM-15	0.00	30.50
23	0253	7	CLR:00	10.00		21	-6.1	19	-7.2	14	-10.0	74	6	070		29.52			30.53	FM-15	0.00	30.50
23	0353	7	CLR:00	10.00		21	-6.1	19	-7.4	13	-10.6	71	7	070		29.52	8	+0.00	30.53	FM-15	0.00	30.50
23	0453	7	CLR:00	10.00		20	-6.7	18	-7.8	13	-10.6	74	5	080		29.52			30.54	FM-15	0.00	30.50
23	0553	7	CLR:00	10.00		21	-6.1	19	-7.4	13	-10.6	71	9	090		29.51			30.53	FM-15	0.00	30.49
23	0653	7	CLR:00	10.00		23	-5.0	20	-6.6	13	-10.6	65	7	090		29.52			30.53	FM-15	0.00	30.50
23	0753	7	CLR:00	10.00		26	-3.3	22	-5.5	13	-10.6	57	7	080		29.53			30.54	FM-15	0.00	30.51
23	0853	7	CLR:00	10.00		30	-1.1	24	-4.4	10	-12.2	43	8	110		29.53			30.54	FM-15	0.00	30.51
23	0953	7	CLR:00	10.00		35	1.7	27	-2.7	9	-12.8	34	11	090		29.51	8	+0.01	30.52	FM-15	0.00	30.49
23	1053	7	CLR:00	10.00		39	3.9	29	-1.5	8	-13.3	28	11	140		29.50			30.51	FM-15	0.00	30.48
23	1153	7	CLR:00	10.00		43	6.1	32	0.0	9	-12.8	25	11	120	17	29.47			30.48	FM-15	0.00	30.45
23	1253	7	CLR:00	10.00		47	8.3	34	1.2	9	-12.8	21	13	160		29.43	8	+0.08	30.44	FM-15	0.00	30.41
23	1353	7	CLR:00	10.00		49	9.4	36	2.3	13	-10.6	23	8	VRB		29.40			30.40	FM-15	0.00	30.38
23	1453	7	CLR:00	10.00		52	11.1	38	3.5	15	-9.4	23	13	130	17	29.38			30.38	FM-15	0.00	30.36
23	1553	7	CLR:00	10.00		53	11.7	39	3.6	14	-10.0	21	7	130		29.34	8	+0.09	30.34	FM-15	0.00	30.32
23	1653	7	CLR:00	10.00		54	12.2	39	3.9	14	-10.0	20	11	150		29.31			30.32	FM-15	0.00	30.29
23	1753	7	CLR:00	10.00		54	12.2	39	4.0	15	-9.4	21	11	170		29.31			30.30	FM-15	0.00	30.29
23	1853	7	OVC:08 110	10.00		52	11.1	39	3.7	17	-8.3	25	7	160		29.29	6	+0.04	30.29	FM-15	0.00	30.27
23	1953	7	FEW:02 110	10.00		51	10.6	38	3.4	17	-8.3	26	5	140		29.28			30.28	FM-15	0.00	30.26
23	2053	7	CLR:00	10.00		48	8.9	37	2.9	20	-6.7	33	6	140		29.26			30.26	FM-15	0.00	30.24
23	2153	7	BKN:07 55	10.00		49	9.4	38	3.5	22	-5.6	35	5	150		29.25	8	+0.06	30.23	FM-15	0.00	30.22
23	2253	7	BKN:07 50 OVC:08 65	10.00		51	10.6	39	4.1	22	-5.6	32	8	160		29.23			30.22	FM-15	0.00	30.21
23	2353	7	FEW:02 70 SCT:04 120	10.00		50	10.0	39	4.0	23	-5.0	35	8	160		29.23			30.21	FM-15	0.00	30.20
24	0053	7	BKN:07 75 BKN:07 90 OVC:08 100	10.00	-RA:02 |RA |	50	10.0	40	4.5	26	-3.3	39	9	160		29.22	8	+0.03	30.19	FM-15	T	30.19
24	0153	7	SCT:04 100 SCT:04 110	10.00		49	9.4	41	4.7	29	-1.7	46	10	170		29.19			30.16	FM-15	T	30.16
24	0253	7	CLR:00	10.00		48	8.9	40	4.4	29	-1.7	48	7	170		29.18			30.15	FM-15	0.00	30.15
24	0353	7	SCT:04 110	10.00		48	8.9	40	4.6	30	-1.1	50	7	160		29.18	5	+0.04	30.15	FM-15	0.00	30.15
24	0453	7	BKN:07 100	10.00		49	9.4	41	5.1	31	-0.6	50	9	170		29.19			30.16	FM-15	0.00	30.16
24	0553	7	CLR:00	10.00		50	10.0	42	5.6	32	0.0	50	9	180		29.20			30.17	FM-15	0.00	30.17
24	0653	7	CLR:00	10.00		50	10.0	43	6.2	35	1.7	57	8	170		29.21	3	-0.03	30.19	FM-15	0.00	30.18
24	0753	7	CLR:00	10.00		53	11.7	46	7.7	38	3.3	57	13	190		29.23			30.20	FM-15	0.00	30.20
24	0853	7	CLR:00	10.00		58	14.4	50	10.2	43	6.1	58	15	200		29.23			30.20	FM-15	0.00	30.20
24	0953	7	CLR:00	10.00		62	16.7	54	12.0	46	7.8	56	15	210	29	29.23	0	-0.02	30.20	FM-15	0.00	30.20
24	1053	7	CLR:00	10.00		63	17.2	55	12.7	48	8.9	58	21	220	29	29.22			30.19	FM-15	0.00	30.19
24	1153	7	CLR:00	10.00	|RA |	66	18.9	58	14.2	51	10.6	59	21	210	32	29.18			30.15	FM-15	T	30.15
24	1253	7	CLR:00	10.00		69	20.6	59	15.2	52	11.1	55	20	210	30	29.17	8	+0.06	30.13	FM-15	T	30.14
24	1353	7	CLR:00	10.00		72	22.2	61	16.1	53	11.7	52	20	230	31	29.14			30.10	FM-15	T	30.11
24	1453	7	CLR:00	10.00		74	23.3	62	16.8	54	12.2	50	20	210	28	29.11			30.08	FM-15	0.00	30.08
24	1553	7	FEW:02 48	10.00		75	23.9	63	17.0	54	12.2	48	17	220	31	29.11	6	+0.06	30.07	FM-15	0.00	30.08
24	1653	7	CLR:00	10.00		72	22.2	62	16.6	55	12.8	55	16	200		29.10			30.06	FM-15	0.00	30.07
24	1753	7	CLR:00	10.00		71	21.7	61	16.1	54	12.2	55	16	220	23	29.11			30.07	FM-15	0.00	30.08
24	1853	7	CLR:00	10.00		68	20.0	60	15.5	54	12.2	61	8	200		29.12	3	-0.01	30.08	FM-15	0.00	30.09
24	1953	7	CLR:00	10.00		67	19.4	60	15.3	54	12.2	63	8	180		29.13			30.09	FM-15	0.00	30.10
24	2053	7	CLR:00	10.00		64	17.8	58	14.6	54	12.2	70	7	190		29.14			30.10	FM-15	0.00	30.11
24	2153	7	CLR:00	10.00		62	16.7	57	14.2	54	12.2	75	6	200		29.15	1	-0.03	30.11	FM-15	0.00	30.12

24	2253	7	CLR:00	10.00		61	16.1	57	13.6	53	11.7	75	8	210		29.15			30.11	FM-15	0.00	30.12
24	2353	7	CLR:00	10.00		62	16.7	57	13.9	53	11.7	73	8	190		29.15			30.11	FM-15	0.00	30.12
25	0053	7	CLR:00	10.00		61	16.1	57	13.6	53	11.7	75	8	180		29.13	8	+0.01	30.09	FM-15	0.00	30.10
25	0153	7	CLR:00	10.00		60	15.6	56	13.4	53	11.7	78	6	210		29.14			30.09	FM-15	0.00	30.11
25	0253	7	CLR:00	10.00		60	15.6	56	13.4	53	11.7	78	7	180		29.13			30.08	FM-15	0.00	30.10
25	0353	7	CLR:00	10.00		60	15.6	56	13.1	52	11.1	75	7	190		29.13	5	+0.00	30.09	FM-15	0.00	30.10
25	0453	7	CLR:00	10.00		59	15.0	55	12.6	51	10.6	75	8	190		29.14			30.09	FM-15	0.00	30.11
25	0553	7	CLR:00	10.00		59	15.0	55	12.6	51	10.6	75	6	180		29.15			30.10	FM-15	0.00	30.12
25	0653	7	CLR:00	10.00		58	14.4	54	12.3	51	10.6	78	6	160		29.16	3	-0.03	30.12	FM-15	0.00	30.13
25	0753	7	CLR:00	10.00		60	15.6	55	12.8	51	10.6	72	9	180		29.17			30.13	FM-15	0.00	30.14
25	0853	7	CLR:00	10.00		63	17.2	56	13.5	51	10.6	65	8	190		29.17			30.13	FM-15	0.00	30.14
25	0953	7	CLR:00	10.00		68	20.0	58	14.7	51	10.6	55	15	200		29.18	1	-0.01	30.14	FM-15	0.00	30.15
25	1053	7	CLR:00	10.00		72	22.2	60	15.8	52	11.1	50	17	230	26	29.17			30.13	FM-15	0.00	30.14
25	1153	7	CLR:00	10.00		71	21.7	60	15.6	52	11.1	51	14	230	21	29.17			30.12	FM-15	0.00	30.14
25	1253	7	CLR:00	10.00		72	22.2	60	15.8	52	11.1	50	11	210		29.15	8	+0.02	30.11	FM-15	0.00	30.12
25	1353	7	CLR:00	10.00		72	22.2	61	16.1	53	11.7	52	8	180		29.13			30.09	FM-15	0.00	30.10
25	1453	7	CLR:00	10.00		73	22.8	61	16.3	53	11.7	50	7	190		29.12			30.07	FM-15	0.00	30.09
25	1553	7	CLR:00	10.00		73	22.8	61	16.0	52	11.1	48	11	180		29.10	6	+0.05	30.06	FM-15	0.00	30.07
25	1653	7	CLR:00	10.00		72	22.2	60	15.5	51	10.6	48	8	190		29.10			30.06	FM-15	0.00	30.07
25	1753	7	CLR:00	10.00		72	22.2	60	15.5	51	10.6	48	8	150		29.09			30.05	FM-15	0.00	30.06
25	1853	7	CLR:00	10.00		68	20.0	58	14.4	50	10.0	53	5	110		29.09	6	+0.01	30.05	FM-15	0.00	30.06
25	1953	7	CLR:00	10.00		67	19.4	58	14.2	50	10.0	55	5	130		29.09			30.05	FM-15	0.00	30.06
25	2053	7	CLR:00	10.00		66	18.9	58	14.2	51	10.6	59	6	130		29.09			30.05	FM-15	0.00	30.06
25	2153	7	CLR:00	10.00		63	17.2	56	13.5	51	10.6	65	6	110		29.09	8	+0.00	30.05	FM-15	0.00	30.06
25	2253	7	CLR:00	10.00		58	14.4	54	12.0	50	10.0	75	6	100		29.08			30.03	FM-15	0.00	30.05
25	2353	7	FEW:02 85	10.00		63	17.2	56	13.2	50	10.0	63	7	130		29.06			30.01	FM-15	0.00	30.03
26	0053	7	CLR:00	10.00		63	17.2	56	13.2	50	10.0	63	8	130		29.04	8	+0.04	30.00	FM-15	0.00	30.01
26	0153	7	CLR:00	10.00		61	16.1	55	12.8	50	10.0	67	8	120		29.03			29.98	FM-15	0.00	30.00
26	0253	7	CLR:00	10.00		61	16.1	55	12.8	50	10.0	67	7	120		29.01			29.96	FM-15	0.00	29.98
26	0353	7	OVC:08 90	10.00		62	16.7	55	13.0	50	10.0	65	9	150		29.00	6	+0.04	29.96	FM-15	0.00	29.97
26	0453	7	SCT:04 90	10.00		61	16.1	55	12.8	50	10.0	67	8	210		29.00			29.95	FM-15	0.00	29.97
26	0553	7	BKN:07 90	10.00		57	13.9	53	11.8	50	10.0	78	0	000		29.00			29.96	FM-15	0.00	29.97
26	0653	7	BKN:07 80 OVC:08 100	10.00		56	13.3	53	11.6	50	10.0	81	3	130		29.00	3	-0.00	29.96	FM-15	0.00	29.97
26	0753	7	BKN:07 75 OVC:08 95	7.00	-RA:02 |RA |	57	13.9	54	12.1	51	10.6	81	5	250		29.02			29.98	FM-15	T	29.99
26	0853	7	FEW:02 22 BKN:07 50 OVC:08 85	7.00	-RA:02 |RA |	57	13.9	56	13.3	55	12.8	93	5	150		29.04			30.01	FM-15	0.02	30.01
26	0953	7	SCT:04 23 SCT:04 38 OVC:08 75	4.00	-RA:02 BR:1 |RA |	57	13.9	56	13.6	56	13.3	96	5	150		29.03	0	-0.03	30.00	FM-15	0.02	30.00
26	1045	7	BKN:07 13 BKN:07 23 OVC:08 60	6.00	-RA:02 BR:1 |RA |	58	14.4	57	14.1	57	13.9	97	8	160		29.03				FM-16	0.01	30.00
26	1053	7	BKN:07 10 BKN:07 23 OVC:08 47	7.00	-RA:02 |RA |	58	14.4	57	14.1	57	13.9	97	9	160		29.03			30.00	FM-15	0.01	30.00
26	1131	7	SCT:04 8 BKN:07 11 OVC:08 34	10.00		58	14.4	57	14.1	57	13.9	97	9	170		29.03				FM-16	0.01	30.00
26	1138	7	BKN:07 6 BKN:07 11 OVC:08 38	10.00		59	15.0	58	14.7	58	14.4	96	9	170		29.02				FM-16	0.01	29.99
26	1153	7	FEW:02 11 BKN:07 22 OVC:08 38	10.00		60	15.6	58	14.6	57	13.9	90	11	160		29.02			29.98	FM-15	0.01	29.99
26	1205	7	BKN:07 14 OVC:08 22	10.00		60	15.6	58	14.6	57	13.9	90	9	160		29.02				FM-16		29.99

26	1253	7	BKN:07 14 BKN:07 23 OVC:08 27	10.00		60	15.6	58	14.6	57	13.9	90	13	170		29.00	8	+0.04	29.96	FM-15	0.00	29.97
26	1259	7	SCT:04 16 SCT:04 22 OVC:08 31	10.00		60	15.6	58	14.3	56	13.3	86	9	170		29.00				FM-16		29.97
26	1310	7	FEW:02 16 BKN:07 24 OVC:08 47	2.00	RA:02 BR:1 |RA |	60	15.6	58	14.6	57	13.9	90	11	200		29.00				FM-16	0.02	29.97
26	1322	7	FEW:02 10 BKN:07 33 OVC:08 46	1.50	RA:02 BR:1 |RA |	58	14.4	57	14.1	57	13.9	97	14	210		29.01				FM-16	0.09	29.98
26	1327	7	FEW:02 10 BKN:07 41 OVC:08 50	3.00	RA:02 BR:1 |RA |	58	14.4	57	14.1	57	13.9	97	10	200	21	29.00				FM-16	0.10	29.97
26	1353	7	FEW:02 10 BKN:07 65 OVC:08 75	3.00	RA:02 BR:1 |RA |	57	13.9	56	13.3	55	12.8	93	8	210		28.99			29.95	FM-15	0.17	29.96
26	1453	7	FEW:02 95 SCT:04 120	10.00		58	14.4	57	13.8	56	13.3	93	9	160		28.95			29.92	FM-15	0.01	29.92
26	1553	7	FEW:02 18 SCT:04 26	10.00		62	16.7	59	15.1	57	13.9	84	10	160		28.94	6	+0.06	29.90	FM-15	0.00	29.91
26	1627	7	SCT:04 18 BKN:07 27 BKN:07 33	10.00		61	16.1	58	14.5	56	13.3	84	13	170		28.94				FM-16		29.91
26	1653	7	FEW:02 18 BKN:07 23 BKN:07 30	10.00		62	16.7	59	15.1	57	13.9	84	10	150		28.94			29.90	FM-15	0.00	29.91
26	1700	7	SCT:04 18 SCT:04 32	10.00		62	16.7	59	14.7	56	13.3	80	11	150		28.94				FM-16		29.91
26	1753	7	FEW:02 24 FEW:02 30 BKN:07 90	10.00		62	16.7	59	14.7	56	13.3	80	5	150		28.93			29.90	FM-15	0.00	29.90
26	1828	7	FEW:02 28 BKN:07 35 OVC:08 90	4.00	VCTS:7 -RA:02 BR:1 |RA |	61	16.1	59	14.8	57	13.9	87	0	000		28.94				FM-16	0.02	29.91
26	1843	7	SCT:04 22 BKN:07 33 OVC:08 55	2.50	TS:7 +RA:02 BR:1 |RA TS |	58	14.4	58	14.4	58	14.4	100	8	330		28.93				FM-16	0.09	29.90
26	1851	6	BKN:07 15 BKN:07 33 OVC:08 60	1.25	TS:7 +RA:02 BR:1 |RA TS |	59	15.0	59	15.0	59	15.0	100	14	270	20	28.95				FM-16		29.92
26	1853	7	FEW:02 12 BKN:07 18 OVC:08 48	1.00	TS:7 +RA:02 BR:1 |RA TS |	59	15.0	58	14.7	58	14.4	96	13	260		28.96	3	-0.01	29.92	FM-15	0.35	29.93
26	1901	7	SCT:04 16 BKN:07 39 OVC:08 60	2.00	TS:7 RA:02 BR:1 |RA TS |	57	13.9	56	13.6	56	13.3	96	5	310		28.94				FM-16	0.03	29.91
26	1910	7	FEW:02 12 BKN:07 55 OVC:08 75	5.00	TS:7 -RA:02 BR:1 |RA TS |	57	13.9	56	13.6	56	13.3	96	0	000		28.95				FM-16	0.04	29.92
26	1919	7	FEW:02 12 OVC:08 55	10.00	VCTS:7 -RA:02 |RA |	56	13.3	55	13.0	55	12.8	97	3	290		28.94				FM-16	0.04	29.91
26	1940	7	FEW:02 7 SCT:04 39 OVC:08 55	8.00	-RA:02 |RA |	56	13.3	56	13.3	56	13.3	100	15	180	21	28.97				FM-16	0.05	29.94
26	1953	7	FEW:02 7 SCT:04 38 OVC:08 70	6.00	-RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	7	190		28.97			29.93	FM-15	0.05	29.94
26	2053	7	BKN:07 43 OVC:08 60	10.00		55	12.8	55	12.8	55	12.8	100	6	170		28.98			29.94	FM-15	0.01	29.95
26	2153	7	FEW:02 47 BKN:07 70 OVC:08 90	10.00		55	12.8	55	12.8	55	12.8	100	7	170		28.97	0	-0.01	29.94	FM-15	0.00	29.94
26	2253	7	BKN:07 50 BKN:07 90	6.00	BR:1 ||	55	12.8	55	12.8	55	12.8	100	5	170		28.98			29.94	FM-15	0.00	29.95

26	2319	7	FEW:02 2 FEW:02 45 SCT:04 55	4.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	7	180		28.98				FM-16		29.95
26	2353	7	SCT:04 29 SCT:04 34	5.00	BR:1 ||	53	11.7	53	11.7	53	11.7	100	7	200		28.97			29.94	FM-15	0.00	29.94
27	0053	7	FEW:02 37	8.00		53	11.7	53	11.7	53	11.7	100	7	210		28.97	8	+0.00	29.93	FM-15	0.00	29.94
27	0153	7	CLR:00	5.00	BR:1 ||	51	10.6	51	10.6	51	10.6	100	7	200		28.96			29.93	FM-15	0.00	29.93
27	0253	7	CLR:00	4.00	BR:1 ||	50	10.0	50	10.0	50	10.0	100	6	210		28.97			29.94	FM-15	0.00	29.94
27	0353	7	CLR:00	3.00	BR:1 ||	49	9.4	49	9.4	49	9.4	100	5	210		28.97	3	-0.00	29.94	FM-15	0.00	29.94
27	0408	7	CLR:00	2.50	BR:1 ||	49	9.4	49	9.4	49	9.4	100	5	210		28.98				FM-16		29.95
27	0418	7	CLR:00	3.00	BR:1 ||	49	9.4	49	9.4	49	9.4	100	6	220		28.98				FM-16		29.95
27	0453	7	CLR:00	4.00	BR:1 ||	48	8.9	48	8.9	48	8.9	100	5	210		28.98			29.95	FM-15	0.00	29.95
27	0551	6	BKN:07 22	4.00	BR:1 ||	48	9.0	48	8.9	48	9.0	100	6	220		29.00				FM-16		29.97
27	0553	7	BKN:07 22	4.00	BR:1 ||	49	9.4	49	9.4	49	9.4	100	7	220		29.00			29.97	FM-15	0.00	29.97
27	0653	7	OVC:08 28	5.00	BR:1 ||	50	10.0	50	10.0	50	10.0	100	6	220		29.00	0	-0.03	29.97	FM-15	0.00	29.97
27	0753	7	OVC:08 31	7.00		52	11.1	51	10.8	51	10.6	97	6	210		29.02			29.99	FM-15	0.00	29.99
27	0853	7	OVC:08 33	8.00		55	12.8	54	12.2	53	11.7	93	6	200		29.03			30.00	FM-15	0.00	30.00
27	0953	7	BKN:07 39	10.00		59	15.0	55	12.6	51	10.6	75	9	250		29.03	1	-0.03	30.00	FM-15	0.00	30.00
27	1018	7	BKN:07 27	10.00		59	15.0	55	12.6	51	10.6	75	7	260		29.04				FM-16		30.01
27	1053	7	BKN:07 28	10.00		61	16.1	55	13.1	51	10.6	70	9	270		29.02			29.99	FM-15	0.00	29.99
27	1153	7	BKN:07 28 BKN:07 33	10.00		63	17.2	56	13.5	51	10.6	65	8	240		29.01			29.98	FM-15	0.00	29.98
27	1200	7	OVC:08 33	10.00		62	16.7	56	13.3	51	10.6	67	9	220		29.01				FM-16		29.98
27	1253	7	SCT:04 32	10.00		63	17.2	56	13.5	51	10.6	65	6	VRB	16	28.99	8	+0.05	29.95	FM-15	0.00	29.96
27	1353	7	SCT:04 33	10.00		65	18.3	57	14.0	51	10.6	61	8	250		28.97			29.93	FM-15	0.00	29.94
27	1453	7	CLR:00	10.00		65	18.3	57	14.0	51	10.6	61	3	240		28.93			29.90	FM-15	0.00	29.90
27	1553	7	FEW:02 37 BKN:07 110	10.00		67	19.4	59	15.0	53	11.7	61	9	160		28.92	6	+0.07	29.88	FM-15	0.00	29.89
27	1653	7	BKN:07 38 OVC:08 110	10.00		64	17.8	57	14.0	52	11.1	65	7	180		28.91			29.88	FM-15	0.00	29.88
27	1753	7	BKN:07 110	10.00		63	17.2	57	13.8	52	11.1	68	7	150		28.91			29.88	FM-15	0.00	29.88
27	1853	7	SCT:04 90 OVC:08 110	10.00		62	16.7	56	13.6	52	11.1	70	3	140		28.90	8	+0.02	29.86	FM-15	T	29.87
27	1953	7	SCT:04 100 BKN:07 120	10.00		58	14.4	55	12.9	53	11.7	84	3	050		28.90			29.86	FM-15	T	29.87
27	2053	7	FEW:02 100	10.00		57	13.9	55	12.7	53	11.7	87	3	030		28.90			29.86	FM-15	0.00	29.87
27	2153	7	SCT:04 70 BKN:07 100	10.00		57	13.9	55	12.7	53	11.7	87	6	080		28.89	8	+0.01	29.85	FM-15	0.00	29.85
27	2253	7	FEW:02 49 FEW:02 60 SCT:04 95	10.00		57	13.9	54	12.4	52	11.1	83	5	060		28.87			29.82	FM-15	0.00	29.83
27	2322	7	BKN:07 26 OVC:08 31	10.00	-RA:02 |RA |	57	13.9	55	13.0	54	12.2	90	0	000		28.87				FM-16	T	29.83
27	2348	7	FEW:02 16 BKN:07 43 OVC:08 60	8.00	-RA:02 |RA |	59	15.0	57	13.7	55	13.0	88	8	180		28.87				FM-16	0.01	29.83
27	2353	7	SCT:04 23 BKN:07 60 OVC:08 80	7.00	-RA:02 |RA |	58	14.4	57	13.8	56	13.3	93	5	190		28.87			29.82	FM-15	0.02	29.83
28	0053	7	BKN:07 44 BKN:07 70 OVC:08 80	4.00	RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	3	250		28.87	1	-0.00	29.82	FM-15	0.06	29.83
28	0153	7	FEW:02 11 OVC:08 70	4.00	RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	3	330		28.86			29.82	FM-15	0.04	29.82
28	0234	7	SCT:04 4 BKN:07 49 OVC:08 80	4.00	-RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	0	000		28.87				FM-16	0.01	29.83
28	0243	7	BKN:07 4 BKN:07 49 OVC:08 80	3.00	-RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	0	000		28.87				FM-16	0.02	29.83
28	0253	7	OVC:08 3	3.00	-RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	3	220		28.87			29.82	FM-15	0.01	29.83

28	0345	7	SCT:04 4 BKN:07 13 OVC:08 70	2.50	-RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	3	280		28.87				FM-16	T	29.83
28	0351	6	SCT:04 4 BKN:07 13 OVC:08 70	3.00	-RA:02 BR:1 |RA |	55	13.0	55	12.8	55	13.0	100	5	280		28.87				FM-16		29.83
28	0353	7	SCT:04 4 BKN:07 13 OVC:08 70	3.00	BR:1 ||	55	12.8	55	12.8	55	12.8	100	5	270		28.87	5	+0.00	29.82	FM-15	T	29.83
28	0400	7	SCT:04 6 BKN:07 15 OVC:08 70	3.00	-RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	5	260		28.87				FM-16	T	29.83
28	0416	7	SCT:04 6 BKN:07 31 OVC:08 38	3.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	3	270		28.87				FM-16	T	29.83
28	0441	7	SCT:04 7 BKN:07 28 OVC:08 65	2.50	BR:1 ||	54	12.2	54	12.2	54	12.2	100	3	290		28.87				FM-16	T	29.83
28	0453	7	SCT:04 5 BKN:07 16 OVC:08 65	2.50	BR:1 ||	54	12.2	54	12.2	54	12.2	100	5	290		28.87			29.82	FM-15	T	29.83
28	0507	7	BKN:07 5 OVC:08 16	2.50	BR:1 ||	54	12.2	54	12.2	54	12.2	100	5	300		28.87				FM-16		29.84
28	0511	7	BKN:07 4 OVC:08 16	3.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	5	310		28.87				FM-16		29.84
28	0553	7	OVC:08 3	4.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	5	350		28.87			29.84	FM-15	0.00	29.84
28	0653	7	OVC:08 3	4.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	7	350		28.91	3	-0.04	29.87	FM-15	0.00	29.88
28	0716	7	OVC:08 5	6.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	8	350		28.92				FM-16		29.89
28	0753	7	OVC:08 6	4.00	BR:1 ||	54	12.2	53	11.9	53	11.7	97	10	360		28.93			29.90	FM-15	0.00	29.90
28	0853	7	OVC:08 7	6.00	-RA:02 BR:1 |RA |	53	11.7	52	11.4	52	11.1	96	11	360		28.96			29.93	FM-15	T	29.93
28	0953	7	OVC:08 7	9.00		53	11.7	52	11.1	51	10.6	93	11	010		28.97	1	-0.06	29.94	FM-15	T	29.94
28	1053	7	BKN:07 9 BKN:07 31	10.00		54	12.2	52	11.0	50	10.0	87	13	020		29.00			29.96	FM-15	0.00	29.97
28	1153	7	BKN:07 9 BKN:07 14 OVC:08 22	9.00		52	11.1	50	10.0	48	8.9	86	15	350		29.02			29.99	FM-15	0.00	29.99
28	1253	7	OVC:08 9	9.00		53	11.7	51	10.5	49	9.4	86	11	350		29.03	1	-0.06	30.00	FM-15	0.00	30.00
28	1351	6	OVC:08 14	10.00		54	12.0	51	10.5	48	9.0	82	11	320		29.03				FM-16		30.00
28	1353	7	OVC:08 14	10.00		54	12.2	51	10.5	48	8.9	80	13	330		29.03			30.00	FM-15	0.00	30.00
28	1425	7	OVC:08 15	10.00		56	13.3	52	11.0	48	8.9	75	10	360		29.03				FM-16		30.00
28	1453	7	BKN:07 16 OVC:08 31	10.00		56	13.3	52	11.0	48	8.9	75	13	330		29.03			30.00	FM-15	0.00	30.00
28	1505	7	SCT:04 16 OVC:08 31	10.00		55	12.8	51	10.7	48	8.9	77	10	350		29.04				FM-16		30.01
28	1519	7	BKN:07 16 OVC:08 31	10.00		55	12.8	51	10.7	48	8.9	77	11	340		29.04				FM-16		30.01
28	1553	7	BKN:07 17 OVC:08 30	10.00		54	12.2	50	10.2	47	8.3	77	16	350		29.05	3	-0.02	30.02	FM-15	0.00	30.02
28	1606	7	SCT:04 17 OVC:08 30	10.00		54	12.2	50	10.2	47	8.3	77	15	340		29.05				FM-16		30.02
28	1651	6	BKN:07 17 OVC:08 28	10.00		52	11.0	49	9.4	46	8.0	82	13	340		29.07				FM-16		30.04
28	1653	7	BKN:07 17 OVC:08 28	10.00		52	11.1	49	9.4	46	7.8	80	10	340		29.07			30.04	FM-15	0.00	30.04
28	1753	7	BKN:07 16 OVC:08 26	10.00		50	10.0	48	8.6	45	7.2	83	10	010		29.10			30.07	FM-15	0.00	30.07
28	1853	7	FEW:02 15 OVC:08 23	10.00		48	8.9	46	7.5	43	6.1	83	10	010		29.12	3	-0.07	30.10	FM-15	0.00	30.09
28	1953	7	OVC:08 17	10.00		47	8.3	45	7.3	43	6.1	86	11	010		29.15			30.12	FM-15	0.00	30.12
28	2051	6	OVC:08 14	10.00		46	8.0	45	7.0	43	6.0	87	9	360		29.17				FM-16		30.14
28	2053	7	OVC:08 14	10.00		47	8.3	45	7.0	42	5.6	83	10	360		29.17			30.15	FM-15	0.00	30.14
28	2115	7	OVC:08 15	10.00		46	7.8	44	6.5	41	5.0	83	11	020		29.18				FM-16		30.15
28	2153	7	OVC:08 15	10.00		45	7.2	43	6.2	41	5.0	86	13	030		29.19	1	-0.06	30.16	FM-15	0.00	30.16

28	2201	7	OVC:08 14	10.00		45	7.2	43	6.2	41	5.0	86	10	010		29.19				FM-16		30.16
28	2253	7	OVC:08 13	10.00		44	6.7	42	5.6	40	4.4	85	10	010		29.20			30.17	FM-15	0.00	30.17
28	2343	7	OVC:08 15	10.00		44	6.7	42	5.4	39	3.9	83	8	020		29.20				FM-16		30.17
28	2353	7	OVC:08 15	10.00		44	6.7	42	5.4	39	3.9	83	8	020		29.21			30.18	FM-15	0.00	30.18
29	0024	7	FEW:02 17	10.00		41	5.0	39	4.0	37	2.8	86	5	030		29.20				FM-16		30.17
29	0053	7	CLR:00	10.00		41	5.0	40	4.3	38	3.3	89	3	010		29.20	0	-0.01	30.18	FM-15	0.00	30.17
29	0153	7	CLR:00	10.00		40	4.4	39	4.0	38	3.3	93	8	010		29.19			30.17	FM-15	0.00	30.16
29	0253	7	CLR:00	10.00		38	3.3	37	2.6	35	1.7	89	9	010		29.19			30.17	FM-15	0.00	30.16
29	0342	7	BKN:07 13	10.00		38	3.3	37	2.9	36	2.2	93	10	030		29.20				FM-16		30.17
29	0351	6	BKN:07 9 OVC:08 13	10.00		37	3.0	37	2.5	36	2.0	93	11	040		29.20				FM-16		30.17
29	0353	7	BKN:07 9 OVC:08 13	10.00		38	3.3	37	2.9	36	2.2	93	10	040		29.20	3	-0.01	30.18	FM-15	0.00	30.17
29	0453	7	OVC:08 8	7.00		39	3.9	38	3.4	37	2.8	93	7	010		29.20			30.18	FM-15	0.00	30.17
29	0553	7	OVC:08 7	7.00		39	3.9	39	3.6	38	3.3	96	6	010		29.22			30.20	FM-15	0.00	30.19
29	0653	7	BKN:07 7 OVC:08 20	7.00		40	4.4	40	4.2	39	3.9	97	7	360		29.23	3	-0.04	30.22	FM-15	0.00	30.21
29	0700	7	OVC:08 20	7.00		41	5.0	40	4.5	39	3.9	93	7	010		29.23				FM-16		30.21
29	0753	7	OVC:08 20	10.00		43	6.1	42	5.3	40	4.4	89	6	030		29.23			30.22	FM-15	0.00	30.21
29	0853	7	BKN:07 21	10.00		47	8.3	44	6.5	40	4.4	77	10	060		29.25			30.23	FM-15	0.00	30.22
29	0922	7	FEW:02 21	10.00		48	8.9	44	6.6	39	3.9	71	9	070		29.25				FM-16		30.22
29	0953	7	CLR:00	10.00		50	10.0	45	7.1	39	3.9	66	13	060		29.25	0	-0.01	30.23	FM-15	0.00	30.22
29	1053	7	CLR:00	10.00		53	11.7	47	8.2	40	4.4	61	11	070		29.25			30.23	FM-15	0.00	30.22
29	1153	7	CLR:00	10.00		54	12.2	47	8.2	39	3.9	57	13	040		29.22			30.20	FM-15	0.00	30.19
29	1253	7	CLR:00	10.00		56	13.3	48	8.8	39	3.9	53	8	060		29.23	5	+0.02	30.21	FM-15	0.00	30.20
29	1353	7	CLR:00	10.00		58	14.4	49	9.3	39	3.9	50	8	060		29.20			30.18	FM-15	0.00	30.17
29	1453	7	CLR:00	10.00		59	15.0	49	9.3	38	3.3	46	7	070		29.19			30.16	FM-15	0.00	30.16
29	1553	7	CLR:00	10.00		61	16.1	49	9.6	37	2.8	41	9	050		29.17	6	+0.06	30.15	FM-15	0.00	30.14
29	1653	7	CLR:00	10.00		61	16.1	49	9.6	37	2.8	41	9	070		29.15			30.13	FM-15	0.00	30.12
29	1753	7	CLR:00	10.00		59	15.0	48	9.1	37	2.8	44	8	060		29.15			30.13	FM-15	0.00	30.12
29	1853	7	CLR:00	10.00		56	13.3	47	8.3	37	2.8	49	13	040		29.14	6	+0.03	30.12	FM-15	0.00	30.11
29	1953	7	CLR:00	10.00		53	11.7	45	7.5	37	2.8	55	8	060		29.15			30.12	FM-15	0.00	30.12
29	2053	7	CLR:00	10.00		52	11.1	44	6.8	35	1.7	53	10	070		29.15			30.13	FM-15	0.00	30.12
29	2153	7	BKN:07 110	10.00		50	10.0	44	6.7	37	2.8	61	14	090		29.11	8	+0.04	30.08	FM-15	0.00	30.08
29	2253	7	CLR:00	10.00		47	8.3	42	5.6	36	2.2	66	7	070		29.09			30.07	FM-15	0.00	30.06
29	2353	7	OVC:08 95	10.00		48	8.9	43	6.1	37	2.8	66	9	070		29.08			30.05	FM-15	0.00	30.05
30	0053	7	FEW:02 90	10.00		48	8.9	43	6.1	37	2.8	66	7	060		29.07	6	+0.04	30.04	FM-15	0.00	30.04
30	0153	7	BKN:07 85 OVC:08 100	10.00		50	10.0	43	6.2	35	1.7	57	11	080		29.03			30.00	FM-15	0.00	30.00
30	0253	7	OVC:08 100	10.00		49	9.4	42	5.7	34	1.1	56	7	070		29.02			29.99	FM-15	0.00	29.99
30	0353	7	FEW:02 80 SCT:04 120	10.00		47	8.3	42	5.4	35	1.7	63	10	050		28.99	6	+0.08	29.96	FM-15	0.00	29.96
30	0453	7	BKN:07 65 BKN:07 90	10.00		47	8.3	41	5.1	34	1.1	61	10	070		28.97			29.94	FM-15	0.00	29.94
30	0553	7	SCT:04 65	10.00		48	8.9	42	5.4	34	1.1	58	13	090		28.94			29.91	FM-15	0.00	29.91
30	0653	7	CLR:00	10.00		49	9.4	42	5.7	34	1.1	56	14	110		28.94	6	+0.05	29.91	FM-15	0.00	29.91
30	0705	7	FEW:02 65 BKN:07 80	10.00		49	9.4	42	5.7	34	1.1	56	15	110	24	28.93				FM-16		29.90
30	0753	7	BKN:07 50	10.00		50	10.0	44	6.4	36	2.2	59	14	120		28.91			29.88	FM-15	0.00	29.88
30	0853	7	FEW:02 50 SCT:04 60	10.00		52	11.1	45	7.4	38	3.3	59	16	130		28.90			29.86	FM-15	0.00	29.86
30	0953	7	FEW:02 60 SCT:04 70 SCT:04 95	10.00		57	13.9	49	9.7	42	5.6	58	13	130		28.87	6	+0.06	29.84	FM-15	0.00	29.84
30	1053	7	BKN:07 60	10.00		59	15.0	52	11.2	46	7.8	62	13	150		28.86			29.82	FM-15	0.00	29.82
30	1153	7	CLR:00	10.00		64	17.8	56	13.5	50	10.0	60	11	150		28.82			29.78	FM-15	0.00	29.78
30	1253	7	FEW:02 70 SCT:04 85	10.00		67	19.4	58	14.7	52	11.1	59	5	100		28.79	8	+0.09	29.74	FM-15	0.00	29.75
30	1353	7	CLR:00	10.00		70	21.1	61	15.9	54	12.2	57	11	130		28.75			29.70	FM-15	0.00	29.71

30	1453	7	CLR:00	10.00		73	22.8	62	16.8	55	12.8	53	14	160		28.71			29.66	FM-15	0.00	29.67
30	1553	7	FEW:02 60	10.00		74	23.3	63	17.0	55	12.8	52	15	170		28.68	6	+0.10	29.64	FM-15	0.00	29.64
30	1653	7	BKN:07 95	10.00		75	23.9	63	17.2	55	12.8	50	10	190	21	28.67			29.62	FM-15	0.00	29.63
30	1753	7	FEW:02 100	10.00		74	23.3	62	16.7	54	12.2	50	8	200		28.65			29.60	FM-15	0.00	29.61
30	1853	7	FEW:02 80 OVC:08 110	10.00		72	22.2	62	16.6	55	12.8	55	7	140		28.65	6	+0.04	29.60	FM-15	0.00	29.61
30	1939	7	BKN:07 75 BKN:07 100	10.00	TS:7 |TS TS |	71s	21.7s	62	16.4	55	12.8	57	5	180		28.66				FM-16		29.62
30	1951	6	SCT:04 75 BKN:07 95	10.00	VCTS:7 ||	70	21.0	61	16.2	55	13.0	60	6	090		28.65				FM-16		29.61
30	1953	7	SCT:04 75 BKN:07 90	10.00	VCTS:7 ||	69	20.6	61	16.0	55	12.8	61	7	090		28.66			29.61	FM-15	0.00	29.62
30	2004	7	BKN:07 90 BKN:07 110	10.00		66	18.9	60	15.6	56	13.3	70	8	110		28.66				FM-16		29.62
30	2027	7	BKN:07 85 OVC:08 110	10.00	VCTS:7 ||	65	18.3	60	15.7	57	13.9	76	11	110		28.66				FM-16		29.62
30	2051	6	BKN:07 75 OVC:08 100	10.00		64	18.0	59	14.9	55	13.0	73	6	100		28.67				FM-16		29.63
30	2053	7	BKN:07 80 OVC:08 100	10.00		64	17.8	59	15.2	56	13.3	75	5	090		28.67			29.62	FM-15	0.00	29.63
30	2124	7	SCT:04 70 BKN:07 85 BKN:07 110	10.00	TS:7 |TS TS |	66	18.9	60	15.6	56	13.3	70	11	160		28.67				FM-16		29.63
30	2139	7	FEW:02 70 BKN:07 120	10.00		65	18.3	59	14.8	54	12.2	68	11	190	21	28.67				FM-16		29.63
30	2153	7	BKN:07 110	10.00		65	18.3	58	14.5	53	11.7	66	10	160		28.64	8	+0.01	29.59	FM-15	0.00	29.60
30	2253	7	FEW:02 65 OVC:08 95	10.00		63	17.2	57	14.1	53	11.7	70	15	330		28.68			29.63	FM-15	0.00	29.64
30	2300	7	OVC:08 95	10.00		63	17.2	57	13.8	52	11.1	68	13	330		28.68				FM-16		29.64
30	2353	7	BKN:07 37 OVC:08 48	8.00	-RA:02 |RA |	58	14.4	56	13.2	54	12.2	87	6	290		28.71			29.67	FM-15	0.06	29.67
31	0008	7	OVC:08 37	1.75	+RA:02 BR:1 |RA |	57	13.9	56	13.3	55	12.8	93	5	270		28.74				FM-16	0.07	29.70
31	0023	7	BKN:07 39 BKN:07 46 OVC:08 65	2.00	+RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	0	000		28.72				FM-16	0.16	29.68
31	0042	7	SCT:04 49 OVC:08 70	4.00	RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	7	080		28.70				FM-16	0.23	29.66
31	0053	7	FEW:02 48 SCT:04 65 OVC:08 80	4.00	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	0	000		28.71	0	-0.06	29.65	FM-15	0.24	29.67
31	0136	7	SCT:04 39 BKN:07 55 OVC:08 75	2.50	RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	3	340		28.70				FM-16	0.08	29.66
31	0145	7	FEW:02 39 SCT:04 55 OVC:08 75	4.00	-RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	3	360		28.70				FM-16	0.09	29.66
31	0153	7	FEW:02 39 SCT:04 55 OVC:08 75	3.00	-RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	0	000		28.70			29.65	FM-15	0.10	29.66
31	0219	7	FEW:02 36 OVC:08 44	2.50	RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	0	000		28.69				FM-16	0.03	29.65
31	0245	7	OVC:08 43	3.00	RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	6	110		28.68				FM-16	0.08	29.64
31	0253	7	BKN:07 44 OVC:08 60	3.00	RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	7	100		28.67			29.62	FM-15	0.11	29.63
31	0307	7	FEW:02 46 SCT:04 60 OVC:08 80	2.50	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	6	090		28.67				FM-16	0.02	29.63
31	0315	7	FEW:02 60 OVC:08 80	4.00	-RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	6	080		28.66				FM-16	0.03	29.62
31	0353	7	OVC:08 90	9.00	-RA:02 |RA |	55	12.8	55	12.8	55	12.8	100	6	090		28.64	8	+0.06	29.59	FM-15	0.04	29.60
31	0453	7	SCT:04 70 OVC:08 85	9.00	-RA:02 |RA |	56	13.3	56	13.3	56	13.3	100	8	130		28.65			29.59	FM-15	0.02	29.61

31	0553	7	FEW:02 28 OVC:08 75	5.00	RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	7	150		28.65			29.60	FM-15	0.13	29.61
31	0603	7	OVC:08 75	6.00	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	7	130		28.65				FM-16	0.01	29.61
31	0653	7	OVC:08 80	7.00	-RA:02 |RA |	56	13.3	56	13.3	56	13.3	100	7	120		28.64	0	-0.00	29.59	FM-15	0.01	29.60
31	0753	7	OVC:08 70	5.00	-RA:02 BR:1 |RA |	57	13.9	57	13.9	57	13.9	100	5	140		28.65			29.60	FM-15	0.04	29.61
31	0853	7	OVC:08 75	6.00	-RA:02 BR:1 |RA |	57	13.9	57	13.9	57	13.9	100	3	110		28.63			29.58	FM-15	0.05	29.59
31	0953	7	FEW:02 60 BKN:07 90 OVC:08 110	10.00		57	13.9	56	13.6	56	13.3	96	5	140		28.63	8	+0.01	29.58	FM-15	0.03	29.59
31	1051	6	SCT:04 7 BKN:07 110	10.00		57	14.0	57	13.9	57	14.0	100	5	150		28.64				FM-16		29.60
31	1053	7	SCT:04 7 BKN:07 110	10.00		58	14.4	57	14.1	57	13.9	97	6	140		28.64			29.59	FM-15	0.00	29.60
31	1153	7	FEW:02 9 BKN:07 16 BKN:07 120	10.00		59	15.0	57	14.0	56	13.3	90	6	190		28.65			29.60	FM-15	0.00	29.61
31	1224	7	SCT:04 15 BKN:07 32 OVC:08 46	10.00		57	13.9	55	13.0	54	12.2	90	15	250	22	28.65				FM-16		29.61
31	1253	7	SCT:04 13 BKN:07 34 OVC:08 44	10.00		56	13.3	54	12.4	53	11.7	90	15	250		28.66	3	-0.01	29.61	FM-15	0.00	29.62
31	1257	7	BKN:07 12 BKN:07 35 OVC:08 46	10.00		56	13.3	54	12.4	53	11.7	90	13	260		28.66				FM-16		29.62
31	1308	7	SCT:04 12 BKN:07 36 OVC:08 50	10.00		56	13.3	54	12.4	53	11.7	90	17	270	23	28.66				FM-16		29.62
31	1353	7	BKN:07 15 OVC:08 45	10.00		55	12.8	53	11.9	52	11.1	90	13	260	20	28.66			29.62	FM-15	0.00	29.62
31	1453	7	OVC:08 17	10.00		55	12.8	53	11.6	51	10.6	87	20	280	25	28.68			29.63	FM-15	0.00	29.64
31	1551	6	BKN:07 13 OVC:08 20	10.00		55	13.0	53	11.9	52	11.0	88	13	260		28.69				FM-16		29.65
31	1553	7	BKN:07 13 OVC:08 20	10.00		55	12.8	53	11.9	52	11.1	90	13	260		28.69	3	-0.04	29.65	FM-15	0.00	29.65
31	1641	7	BKN:07 6 OVC:08 10	3.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	13	250	21	28.71				FM-16	T	29.67
31	1651	6	OVC:08 6	2.00	-RA:02 BR:1 |RA |	52	11.0	52	11.1	52	11.0	100	10	260		28.72				FM-16		29.68
31	1653	7	OVC:08 6	2.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	8	260		28.72			29.67	FM-15	T	29.68
31	1709	7	OVC:08 5	1.50	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	11	280		28.73				FM-16	0.01	29.69
31	1718	7	BKN:07 5 OVC:08 12	3.00	-RA:02 BR:1 |RA |	51	10.6	50	10.3	50	10.0	96	16	330	23	28.73				FM-16	0.01	29.69
31	1751	6	OVC:08 5	2.50	-RA:02 BR:1 |RA |	46	8.0	46	7.8	46	8.0	100	14	330		28.77				FM-16		29.73
31	1753	7	OVC:08 5	2.50	-RA:02 BR:1 |RA |	47	8.3	47	8.3	47	8.3	100	17	320		28.77			29.73	FM-15	0.02	29.73
31	1809	7	OVC:08 3	2.00	-RA:02 BR:1 |RA |	47	8.3	47	8.3	47	8.3	100	16	330	23	28.78				FM-16	T	29.74
31	1827	7	OVC:08 4	4.00	BR:1 ||	46	7.8	46	7.8	46	7.8	100	16	320	22	28.79				FM-16	T	29.75
31	1853	7	OVC:08 8	3.00	BR:1 ||	46	7.8	46	7.5	45	7.2	96	11	330		28.81	3	-0.12	29.77	FM-15	T	29.77
31	1951	6	SCT:04 6 OVC:08 11	10.00		46	8.0	46	7.5	45	7.0	93	14	310		28.84				FM-16		29.80
31	1953	7	OVC:08 9	10.00		46	7.8	45	7.2	44	6.7	93	15	310		28.84			29.80	FM-15	0.00	29.80
31	2053	7	OVC:08 6	4.00	BR:1 ||	45	7.2	45	7.0	44	6.7	97	10	320		28.89			29.85	FM-15	0.00	29.85
31	2149	7	OVC:08 10	4.00	BR:1 ||	45	7.0	44	6.7	43	6.0	93	9	330		28.90				FM-16	T	29.86
31	2153	7	OVC:08 10	4.00	-RA:02 BR:1 |RA |	43	6.1	43	6.1	43	6.1	100	11	320		28.90	0	-0.06	29.87	FM-15	T	29.86
31	2239	7	OVC:08 8	6.00	BR:1 ||	43	6.1	43	6.1	43	6.1	100	10	320		28.91				FM-16	T	29.88
31	2253	7	OVC:08 7	8.00		43	6.1	43	6.1	43	6.1	100	11	310		28.91			29.88	FM-15	T	29.88
31	2321	7	OVC:08 11	10.00		43	6.1	43	5.9	42	5.6	97	10	320		28.91				FM-16		29.88
31	2334	7	OVC:08 9	10.00		43	6.1	43	5.9	42	5.6	97	10	310		28.91				FM-16		29.88
31	2353	7	BKN:07 9 OVC:08 18	10.00		43	6.1	42	5.6	41	5.0	93	10	320		28.92			29.89	FM-15	0.00	29.89

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
March 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01		0.01	0.63	0.09	T	T	0.13	0.06	0.11	0.09	0.01		T	T	T	T									01
02														T	T		T	T	T	T	T	T	T	T	02
03	T															T									03
04																									04
05																									05
06						0.01	T	T	T	T	T	T	0.01	0.02	0.02	0.03	0.04	0.04	0.05	T	0.05	0.04	0.07	0.01	06
07						0.01	0.05s	0.02	0.09	T	T	T	0.01	T		0.04	0.05	0.05	0.05	0.01	T				07
08											T	T	T												08
09																							T	0.02	09
10	0.03	0.01	0.01	T	0.01	T	T						T	T											10
11																									11
12																									12
13																		T	T	0.01	T	T	T	T	13
14	T	T	T	T				T	T		T	T	T	T	T	T	T	T							14
15										T												T			15
16																									16
17										T	0.02	0.01	T							T					17
18															T	0.01	T	T			T	0.01		T	18
19	T	T																							19
20								T	T	0.05s	0.04	T				T	0.09	0.11				T			20
21																		T							21
22																									22
23																									23
24	T	T										T	T	T											24
25																									25
26								T	0.02	0.02	0.01	0.01		0.17	0.01				0.35	0.05	0.01				26
27																			T	T				0.02	27
28	0.06	0.04	0.01	T	T				T	T															28
29																									29
30																								0.06	30
31	0.24	0.10	0.11	0.04	0.02	0.13	0.01	0.04	0.05	0.03							T	0.02	T			T	T		31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.23	0.30	0.33	0.37	0.53	0.64	0.69	0.70	0.72	0.72	0.73	0.73
Ending Date Time (yyyy-mm-dd hh:mi)	2017-03-01 02:23	2017-03-01 02:28	2017-03-01 02:34	2017-03-01 02:39	2017-03-01 02:49	2017-03-01 03:03	2017-03-01 03:18	2017-03-01 03:37	2017-03-01 03:47	2017-03-01 03:47	2017-03-01 03:47	2017-03-01 03:47

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
April 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	44	34	39	-7.8				26	0	0617	1856	RA BR	T			29.11		8.4	22	320	16	330
02	61	28*	45	-2.2				20	0	0615	1857	BR	0.00			29.20		4.8	18	110	14	100
03	66	47	56	8.4				9	0	0613	1859	RA BR	0.12			28.77		11.5	35	150	24	170
04	62	44	53	5.0				12	0	0612	1900		0.01			28.66		14.5	38	240	29	250
05	72	39	55	6.6				10	0	0610	1901	TS RA BR	0.52			28.77		11.1	42	280	30	270
06	59	35	47	-1.8				18	0	0609	1902	RA SN BR	0.06			28.48		17.7	50	300	35	300
07	51	34	43	-6.1				22	0	0607	1903	RA SN BR	T			28.89		14.5	36	310	28	310
08	60	29	45	-4.5				20	0	0606	1904		0.00			29.08		5.0	16	230	13	230
09	76	43	59	9.1				6	0	0604	1905		0.00			29.04		10.3	29	190	22	180
10	78	51s	65s	14.8s				0s	0s	0602	1906		T			29.04		13.4	36	210	28	210
11	67	53	60	9.4				5	0	0601	1907	TS RA BR	0.46			29.14		8.5	20	330	16	210
12	66	40	53	2.1				12	0	0559	1908	HZ	0.00			29.34		5.6	18	320	14	310
13	68	43	55	3.7				10	0	0558	1909		T			29.36		7.1	16	120	13	120
14	75	51	63	11.4				2	0	0556	1910	RA	T			29.27		3.8	10	130	9	340
15	81	57	69	17.1				0	4	0555	1911		T			29.15		10.1	36	200	28	230
16	79	63	71	18.7				0	6	0553	1912	RA	T			29.02		14.9	36	220	29	220
17	69	51	60	7.4				5	0	0552	1913		0.00			29.13		4.9	19	030	15	020
18	75	44	60	7.1				5	0	0550	1914		0.00			29.22		8.1	22	130	17	130
19	78	62	70	16.8				0	5	0549	1915	RA	0.02			29.13		9.7	23	220	17	230
20	82	58	70	16.4				0	5	0547	1916	TS RA	0.03			29.01		11.9	48	270	35	260
21	67	49	58	4.1				7	0	0546	1917	RA	T			28.98		11.8	24	010	20	010
22	55	39	47	-7.2				18	0	0545	1918	RA	0.08			29.08		10.8	24	040	18	360
23	70	33	52	-2.5				13	0	0543	1919		0.00			29.07		9.1	25	080	20	080
24	73	40	56	1.2				9	0	0542	1920		0.00			28.97		11.2	27	100	22	100
25	74	52	63	7.9				2	0	0540	1921		0.00			28.82		6.8	16	120	14	120
26	84*	54	69	13.6				0	4	0539	1922		0.00			28.72		9.6	30s	150s	23	150
27	74	48	61	5.3				4	0	0538	1923	TS RA	0.06			28.69		12.3	35	220	26	250
28	70	44	57	1.0				8	0	0536	1924	TS RA BR	0.39			29.00		5.8	39	100	30	290
29	75	53	64	7.8				1	0	0535	1925	TS RA BR	0.83			29.06		8.1	21	030	17	040
30	83	54	68	11.5				0	3	0534	1926	RA FG BR	0.02			28.96		11.6	39	180	30	210
	69.8	45.7	57.8							Monthly Averages | Totals			2.60s			29.00	29.97	9.8				
	6.6	5.0	5.9	Departure from Normal (1981-2010)									-0.82s									

Degree Days	Monthly		Season-to-date		Number of days with... Temperature				Precipitation		Snow	Weather	
	Total	Departure	Total	Departure	Max		Min						
Heating	244	-158	4439		>=90°	<=32°	<=32°	<=0°	>=0.01"	>=0.1"	>=1"	T-Storms	Heavy Fog
Cooling	27	17	29		0	0	2	0	12	5			

Date of 5-sec to 3-sec wind equipment change	Sea Level Pressure				Greatest...		
			Date	Time	24-Hr...		Snow Depth
N/A	Maximum	30.42	13	0746	Precip	Snowfall	
	Minimum	29.34	06	0530	1.22s		
					Date		
					28-29		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
April 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0008	7	BKN:07 10 OVC:08 19	10.00		43	6.1	42	5.6	41	5.0	93	10	320		28.93				FM-16		29.90
01	0053	7	OVC:08 8	6.00	BR:1 ||	41	5.0	41	4.7	40	4.4	96	15	320		28.95	3	-0.06	29.93	FM-15	0.00	29.92
01	0114	7	SCT:04 10 OVC:08 17	9.00		41	5.0	41	4.7	40	4.4	96	10	310		28.96				FM-16		29.93
01	0127	7	BKN:07 10 OVC:08 17	10.00		41	5.0	41	4.7	40	4.4	96	10	310		28.96				FM-16		29.93
01	0153	7	OVC:08 11	10.00		41	5.0	40	4.5	39	3.9	93	13	320		28.97			29.94	FM-15	0.00	29.94
01	0203	7	OVC:08 9	10.00		41	5.0	40	4.5	39	3.9	93	10	320		28.97				FM-16		29.94
01	0212	7	OVC:08 11	10.00		41	5.0	40	4.5	39	3.9	93	11	310		28.97				FM-16		29.94
01	0235	7	BKN:07 9 OVC:08 13	7.00		40	4.4	40	4.2	39	3.9	97	14	320		28.99				FM-16		29.96
01	0253	7	OVC:08 9	10.00		40	4.4	39	4.0	38	3.3	93	16	320	22	29.00			29.98	FM-15	0.00	29.97
01	0322	7	OVC:08 11	4.00	-RA:02 BR:1 |RA |	39	3.9	39	3.6	38	3.3	96	11	330		29.01				FM-16	T	29.98
01	0350	7	FEW:02 9 BKN:07 24 OVC:08 30	9.00		39	4.0	38	3.4	37	3.0	93	9	320		29.02				FM-16	T	29.99
01	0353	7	SCT:04 9 BKN:07 15 OVC:08 30	10.00		39	3.9	39	3.6	38	3.3	96	11	320		29.02	1	-0.06	29.99	FM-15	T	29.99
01	0404	7	BKN:07 10 BKN:07 15 OVC:08 30	8.00		39	3.9	39	3.6	38	3.3	96	9	320		29.01				FM-16		29.98
01	0442	7	BKN:07 9 OVC:08 13	10.00		39	3.9	38	3.4	37	2.8	93	11	320		29.02				FM-16		29.99
01	0453	7	BKN:07 9 OVC:08 13	10.00		39	3.9	38	3.4	37	2.8	93	8	330		29.02			30.00	FM-15	0.00	29.99
01	0542	7	BKN:07 10 OVC:08 16	10.00		39	3.9	38	3.4	37	2.8	93	10	330		29.05				FM-16		30.02
01	0553	7	OVC:08 10	10.00		39	3.9	38	3.4	37	2.8	93	8	330		29.06			30.05	FM-15	0.00	30.03
01	0651	6	OVC:08 8	10.00		37	3.0	37	2.8	37	3.0	100	10	310		29.10				FM-16		30.07
01	0653	7	OVC:08 8	10.00		38	3.3	38	3.1	37	2.8	97	11	310		29.10	3	-0.08	30.08	FM-15	0.00	30.07
01	0753	7	OVC:08 9	3.00	BR:1 ||	38	3.3	38	3.1	37	2.8	97	10	330		29.14			30.12	FM-15	0.00	30.11
01	0808	7	OVC:08 9	3.00	BR:1 ||	38	3.3	38	3.1	37	2.8	97	10	330		29.14				FM-16		30.11
01	0853	7	OVC:08 7	6.00	BR:1 ||	39	3.9	38	3.4	37	2.8	93	11	350		29.14			30.13	FM-15	0.00	30.11
01	0938	7	OVC:08 10	10.00		40	4.4	39	3.7	37	2.8	89	9	340		29.16				FM-16		30.13
01	0953	7	OVC:08 11	10.00		40	4.4	39	3.7	37	2.8	89	8	320		29.17	1	-0.06	30.15	FM-15	0.00	30.14
01	1053	7	OVC:08 11	10.00		41	5.0	39	4.0	37	2.8	86	9	340		29.18			30.17	FM-15	0.00	30.15
01	1151	6	OVC:08 15	10.00		43	6.0	40	4.6	37	3.0	81	9	340		29.17				FM-16		30.14
01	1153	7	OVC:08 15	10.00		42	5.6	40	4.3	37	2.8	82	9	340		29.17			30.15	FM-15	0.00	30.14
01	1253	7	OVC:08 15	10.00		42	5.6	40	4.3	37	2.8	82	8	340		29.18	1	-0.01	30.17	FM-15	0.00	30.15
01	1353	7	OVC:08 16	10.00		43	6.1	40	4.6	37	2.8	80	11	320		29.19			30.18	FM-15	0.00	30.16
01	1453	7	OVC:08 17	10.00		43	6.1	40	4.6	37	2.8	80	9	310		29.20			30.18	FM-15	0.00	30.17
01	1553	7	OVC:08 18	10.00		43	6.1	40	4.6	37	2.8	80	9	340		29.21	1	-0.03	30.19	FM-15	0.00	30.18
01	1653	7	OVC:08 19	10.00		43	6.1	40	4.4	36	2.2	76	13	010		29.22			30.21	FM-15	0.00	30.19
01	1753	7	OVC:08 20	10.00		43	6.1	40	4.4	36	2.2	76	8	010		29.23			30.22	FM-15	0.00	30.21
01	1853	7	BKN:07 23	10.00		42	5.6	39	3.9	35	1.7	76	3	050		29.23	0	-0.03	30.22	FM-15	0.00	30.21
01	1909	7	SCT:04 23	10.00		41	5.0	38	3.6	35	1.7	79	0	000		29.23				FM-16		30.21
01	1919	7	FEW:02 23	10.00		41	5.0	38	3.6	35	1.7	79	0	000		29.23				FM-16		30.21
01	1953	7	CLR:00	10.00		40	4.4	37	3.0	34	1.1	79	0	000		29.25			30.24	FM-15	0.00	30.22

01	2053	7	CLR:00	10.00		39	3.9	37	2.9	35	1.7	86	0	000		29.26			30.26	FM-15	0.00	30.24
01	2153	7	CLR:00	10.00		38	3.3	36	2.4	34	1.1	86	5	140		29.26	0	-0.03	30.25	FM-15	0.00	30.23
01	2253	7	CLR:00	10.00		36	2.2	35	1.5	33	0.6	89	0	000		29.26			30.26	FM-15	0.00	30.24
01	2353	7	CLR:00	10.00		35	1.7	34	1.2	33	0.6	93	3	200		29.26			30.26	FM-15	0.00	30.24
02	0053	7	CLR:00	7.00		35	1.7	34	1.2	33	0.6	93	0	000		29.26	1	-0.00	30.26	FM-15	0.00	30.24
02	0153	7	CLR:00	5.00	BR:1 ||	34	1.1	34	1.1	34	1.1	100	0	000		29.26			30.25	FM-15	0.00	30.23
02	0239	7	CLR:00	1.25	BR:1 ||	34	1.1	34	0.9	33	0.6	97	0	000		29.26				FM-16		30.23
02	0253	7	CLR:00	0.75	BR:1 ||	32	0.0	32	0.0	32	0.0	100	3	080		29.25			30.24	FM-15	0.00	30.22
02	0259	7	CLR:00	2.00	BR:1 ||	31	-0.6	31	-0.6	31	-0.6	100	3	070		29.25				FM-16		30.22
02	0314	7	CLR:00	3.00	BR:1 ||	32	0.0	32	0.0	32	0.0	100	0	000		29.25				FM-16		30.22
02	0351	6	CLR:00	2.00	BR:1 ||	32	0.0	32	0.0	32	0.0	100	0	000		29.25				FM-16		30.22
02	0353	7	CLR:00	2.50	BR:1 ||	32	0.0	32	0.0	32	0.0	100	0	000		29.25	6	+0.01	30.24	FM-15	0.00	30.22
02	0402	7	CLR:00	6.00	BR:1 ||	33	0.6	33	0.6	33	0.6	100	0	000		29.25				FM-16		30.22
02	0443	7	CLR:00	1.75	BR:1 ||	31	-0.6	31	-0.6	31	-0.6	100	0	000		29.25				FM-16		30.22
02	0451	6	CLR:00	2.50V	BR:1 ||	32	0.0	32	0.0	32	0.0	100	0	000		29.25				FM-16		30.22
02	0453	7	CLR:00	3.00	BR:1 ||	32	0.0	32	0.0	32	0.0	100	0	000		29.25			30.24	FM-15	0.00	30.22
02	0550	7	CLR:00	2.00	BR:1 ||	30	-1.0	30	-1.1	30	-1.0	100	0	000		29.26				FM-16		30.24
02	0551	6	CLR:00	1.50	BR:1 ||	30	-1.0	30	-1.1	30	-1.0	100	0	000		29.26				FM-16		30.24
02	0553	7	CLR:00	5.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	0	000		29.26			30.26	FM-15	0.00	30.24
02	0653	7	CLR:00	5.00	BR:1 ||	31	-0.6	31	-0.6	31	-0.6	100	0	000		29.28	1	-0.04	30.28	FM-15	0.00	30.26
02	0753	7	CLR:00	6.00	BR:1 ||	39	3.9	38	3.4	37	2.8	93	0	000		29.29			30.29	FM-15	0.00	30.27
02	0853	7	CLR:00	10.00		44	6.7	41	5.2	38	3.3	79	7	130		29.27			30.27	FM-15	0.00	30.25
02	0953	7	CLR:00	10.00		46	7.8	42	5.5	37	2.8	71	3	070		29.26	8	+0.02	30.25	FM-15	0.00	30.23
02	1053	7	CLR:00	10.00		49	9.4	43	6.4	37	2.8	64	3	VRB		29.27			30.26	FM-15	0.00	30.25
02	1153	7	CLR:00	10.00		51	10.6	44	6.7	36	2.2	56	0	000		29.26			30.24	FM-15	0.00	30.23
02	1253	7	CLR:00	10.00		54	12.2	44	6.9	33	0.6	45	6	VRB		29.21	8	+0.05	30.20	FM-15	0.00	30.18
02	1353	7	CLR:00	10.00		58	14.4	48	8.6	36	2.2	44	13	090		29.16			30.14	FM-15	0.00	30.13
02	1453	7	CLR:00	10.00		59	15.0	48	9.1	37	2.8	44	11	110		29.14			30.12	FM-15	0.00	30.11
02	1553	7	CLR:00	10.00		61	16.1	49	9.2	35	1.7	38	10	130		29.11	6	+0.10	30.09	FM-15	0.00	30.08
02	1653	7	CLR:00	10.00		59	15.0	48	9.1	37	2.8	44	9	110		29.09			30.07	FM-15	0.00	30.06
02	1753	7	CLR:00	10.00		59	15.0	47	8.5	34	1.1	39	9	110		29.09			30.07	FM-15	0.00	30.06
02	1853	7	CLR:00	10.00		55	12.8	46	7.8	36	2.2	49	8	100		29.06	8	+0.05	30.04	FM-15	0.00	30.03
02	1953	7	CLR:00	10.00		53	11.7	45	7.1	35	1.7	51	6	080		29.04			30.02	FM-15	0.00	30.01
02	2053	7	CLR:00	10.00		51	10.6	44	6.7	36	2.2	56	6	090		29.05			30.02	FM-15	0.00	30.02
02	2153	7	CLR:00	10.00		50	10.0	44	6.7	37	2.8	61	7	090		29.03	8	+0.02	30.01	FM-15	0.00	30.00
02	2253	7	CLR:00	10.00		49	9.4	43	6.2	36	2.2	61	7	090		29.00			29.98	FM-15	0.00	29.97
02	2353	7	CLR:00	10.00		48	8.9	42	5.4	34	1.1	58	7	100		28.97			29.95	FM-15	0.00	29.94
03	0053	7	CLR:00	10.00		49	9.4	43	5.9	35	1.7	59	7	110		28.96	6	+0.07	29.93	FM-15	0.00	29.93
03	0153	7	CLR:00	10.00		49	9.4	43	5.9	35	1.7	59	8	130		28.93			29.90	FM-15	0.00	29.90
03	0253	7	CLR:00	10.00		50	10.0	43	6.2	35	1.7	57	8	120		28.90			29.86	FM-15	0.00	29.87
03	0353	7	CLR:00	10.00		50	10.0	43	6.2	35	1.7	57	8	110		28.87	8	+0.09	29.83	FM-15	0.00	29.83
03	0453	7	CLR:00	10.00		51	10.6	44	6.5	35	1.7	54	7	120		28.87			29.83	FM-15	0.00	29.84
03	0553	7	CLR:00	10.00		52	11.1	44	6.8	35	1.7	53	9	130		28.87			29.83	FM-15	0.00	29.83
03	0653	7	CLR:00	10.00		51	10.6	44	6.9	37	2.8	59	8	120		28.84	8	+0.02	29.81	FM-15	0.00	29.81
03	0753	7	FEW:02 110	10.00		54	12.2	47	8.2	39	3.9	57	9	130		28.84			29.79	FM-15	0.00	29.80
03	0853	7	FEW:02 75	10.00		59	15.0	51	10.5	43	6.1	56	13	160		28.81			29.77	FM-15	0.00	29.77
03	0953	7	CLR:00	10.00		62	16.7	53	11.9	46	7.8	56	15	170	22	28.81	6	+0.04	29.77	FM-15	0.00	29.77
03	1053	7	FEW:02 95 BKN:07 120	10.00		64	17.8	55	12.7	47	8.3	54	10	170		28.78			29.74	FM-15	0.00	29.74
03	1153	7	OVC:08 90	10.00	-RA:02 |RA |	64	17.8	56	13.5	50	10.0	60	16	160	24	28.75			29.71	FM-15	T	29.71
03	1253	7	BKN:07 55 BKN:07 80 OVC:08 95	10.00		65	18.3	58	14.2	52	11.1	63	23	170	29	28.70	8	+0.11	29.66	FM-15	T	29.66
03	1353	7	SCT:04 65 BKN:07 80	10.00		65	18.3	59	15.1	55	12.8	70	17	150	26	28.64			29.60	FM-15	0.00	29.60
03	1444	7	BKN:07 26 OVC:08 35	10.00		64	17.8	59	14.9	55	12.8	73	17	170	26	28.62				FM-16		29.58

03	1453	7	BKN:07 26 OVC:08 34	10.00		64	17.8	59	15.2	56	13.3	75	15	160	23	28.62			29.57	FM-15	0.00	29.58
03	1551	6	SCT:04 23 BKN:07 34	10.00		66	19.0	61	15.9	57	14.0	73	23	160	30	28.57				FM-16		29.53
03	1553	7	SCT:04 23 SCT:04 34	10.00		66	18.9	61	15.9	57	13.9	73	21	160	30	28.57	6	+0.13	29.52	FM-15	0.00	29.53
03	1653	7	OVC:08 90	10.00		66	18.9	60	15.6	56	13.3	70	13	170	24	28.56			29.51	FM-15	0.00	29.52
03	1753	7	OVC:08 48	7.00	-RA:02 |RA |	64	17.8	60	15.5	57	13.9	78	10	170		28.56			29.52	FM-15	0.01	29.52
03	1757	7	OVC:08 48	3.00	RA:02 |RA |	63	17.2	60	15.6	58	14.4	84	8	170		28.56				FM-16	0.01	29.52
03	1810	7	BKN:07 38 BKN:07 45 OVC:08 50	2.00	RA:02 BR:1 |RA |	62	16.7	60	15.7	59	15.0	90	9	180		28.57				FM-16	0.04	29.53
03	1835	7	FEW:02 34 BKN:07 60 OVC:08 80	6.00	-RA:02 BR:1 |RA |	61	16.1	60	15.5	59	15.0	93	9	180		28.56				FM-16	0.05	29.52
03	1853	7	OVC:08 60	7.00	-RA:02 BR:1 |RA |	60	15.6	59	15.2	59	15.0	96	14	180		28.56	5	+0.01	29.52	FM-15	0.05	29.52
03	1855	7	OVC:08 60	6.00	-RA:02 BR:1 |RA |	60	15.6	59	15.2	59	15.0	96	14	180		28.56				FM-16	T	29.52
03	1953	7	SCT:04 90 OVC:08 120	10.00		59	15.0	59	15.0	59	15.0	100	6	150		28.53			29.49	FM-15	0.06	29.49
03	2053	7	SCT:04 60 SCT:04 120	9.00		58	14.4	58	14.4	58	14.4	100	6	140		28.53			29.49	FM-15	0.00	29.49
03	2153	7	SCT:04 60 OVC:08 85	10.00		59	15.0	58	14.7	58	14.4	96	10	150		28.51	6	+0.05	29.46	FM-15	0.00	29.47
03	2253	7	SCT:04 85 BKN:07 100	10.00		59	15.0	58	14.7	58	14.4	96	10	160		28.48			29.43	FM-15	T	29.44
03	2353	7	BKN:07 85	10.00		59	15.0	58	14.4	57	13.9	93	13	180		28.48			29.42	FM-15	T	29.43
04	0053	7	FEW:02 36 OVC:08 100	10.00		58	14.4	58	14.4	58	14.4	100	13	190		28.48	6	+0.04	29.42	FM-15	0.00	29.43
04	0153	7	BKN:07 85 BKN:07 110	10.00		57	13.9	56	13.3	55	12.8	93	13	210		28.48			29.42	FM-15	0.00	29.43
04	0253	7	CLR:00	10.00		56	13.3	55	13.0	55	12.8	97	15	220		28.48			29.43	FM-15	0.00	29.44
04	0340	7	BKN:07 21 OVC:08 90	10.00		57	13.9	56	13.3	55	12.8	93	13	220		28.48				FM-16		29.44
04	0353	4		10.00		57	13.9			55	12.8	93	11	220					29.44	FM-15		29.45
04	0410	7	FEW:02 16 BKN:07 55 OVC:08 70	10.00		57	13.9	56	13.3	55	12.8	93	11	220		28.50				FM-16		29.45
04	0427	7	FEW:02 15 BKN:07 23 OVC:08 70	10.00		57	13.9	56	13.6	56	13.3	96	9	220		28.50				FM-16		29.45
04	0453	4		10.00		57	13.9			56	13.3	96	11	230					29.45	FM-15		29.46
04	0522	7	SCT:04 20 OVC:08 30	10.00		58	14.4	56	13.5	55	12.8	90	13	230	21	28.51				FM-16		29.47
04	0533	7	FEW:02 19 BKN:07 25 OVC:08 30	10.00		58	14.4	56	13.5	55	12.8	90	14	230	22	28.53				FM-16		29.48
04	0544	7	SCT:04 23 OVC:08 32	10.00		58	14.4	56	13.5	55	12.8	90	14	240		28.53				FM-16		29.48
04	0551	7	BKN:07 21 BKN:07 27 OVC:08 32	10.00		57	14.0	56	13.3	55	13.0	94	13	230		28.53				FM-16		29.49
04	0553	7	BKN:07 21 OVC:08 29	10.00		58	14.4	56	13.5	55	12.8	90	13	240		28.53			29.48	FM-15	T	29.49
04	0653	7	BKN:07 18 BKN:07 30 OVC:08 35	10.00		57	13.9	55	13.0	54	12.2	90	16	250	23	28.55	1	-0.05	29.50	FM-15	0.01	29.51
04	0753	7	BKN:07 18 BKN:07 25 OVC:08 37	10.00		57	13.9	54	12.4	52	11.1	83	15	250	24	28.59			29.54	FM-15	T	29.55
04	0803	7	FEW:02 22 BKN:07 32 OVC:08 49	10.00		57	13.9	54	12.4	52	11.1	83	14	250		28.59				FM-16		29.55
04	0819	7	BKN:07 23 OVC:08 50	10.00		57	13.9	54	12.1	51	10.6	81	18	260	31	28.60				FM-16		29.56

04	0853	7	BKN:07 21 OVC:08 27	10.00		57	13.9	54	12.1	51	10.6	81	14	250	30	28.62			29.57	FM-15	0.00	29.58
04	0953	7	BKN:07 21 OVC:08 30	10.00		57	13.9	53	11.8	50	10.0	78	17	250	26	28.66	3	-0.10	29.61	FM-15	0.00	29.62
04	1051	6	BKN:07 30 BKN:07 37 OVC:08 46	10.00		57	14.0	53	11.8	50	10.0	77	14	250	24	28.70				FM-16		29.66
04	1053	7	BKN:07 30 BKN:07 37 OVC:08 46	10.00		57	13.9	53	11.8	50	10.0	78	17	240	24	28.70			29.65	FM-15	T	29.66
04	1153	7	BKN:07 30 BKN:07 37 OVC:08 46	10.00		58	14.4	53	11.8	49	9.4	72	16	250	25	28.72			29.67	FM-15	0.00	29.68
04	1253	7	BKN:07 39 OVC:08 49	10.00		59	15.0	54	12.0	49	9.4	69	17	240	30	28.74	1	-0.09	29.70	FM-15	T	29.70
04	1353	7	SCT:04 32 BKN:07 40 OVC:08 48	10.00		59	15.0	54	12.0	49	9.4	69	20	250	29	28.75			29.70	FM-15	0.00	29.71
04	1453	7	FEW:02 34 SCT:04 41 BKN:07 60	10.00		62	16.7	55	13.0	50	10.0	65	16	250	24	28.76			29.71	FM-15	0.00	29.72
04	1553	7	BKN:07 33 BKN:07 44	10.00		60	15.6	54	12.2	49	9.4	67	20	280	26	28.78	3	-0.03	29.73	FM-15	0.00	29.74
04	1653	7	FEW:02 46 BKN:07 65	10.00		60	15.6	54	12.3	49	9.4	67	16	300	22	28.81			29.76	FM-15	0.00	29.77
04	1753	7	SCT:04 65	10.00		58	14.4	53	11.5	48	8.9	70	20	280	28	28.84			29.80	FM-15	0.00	29.80
04	1853	7	FEW:02 24 SCT:04 60	10.00		54	12.2	51	10.5	48	8.9	80	18	290	25	28.87	3	-0.10	29.84	FM-15	0.00	29.84
04	1953	7	BKN:07 55	10.00		52	11.1	49	9.4	46	7.8	80	14	290		28.91			29.87	FM-15	0.00	29.88
04	2053	7	BKN:07 50	10.00		51	10.6	48	8.9	45	7.2	80	13	310		28.94			29.91	FM-15	0.00	29.91
04	2153	7	FEW:02 120	10.00		48	8.9	46	7.5	43	6.1	83	8	300		28.94	0	-0.07	29.91	FM-15	0.00	29.91
04	2253	7	CLR:00	10.00		47	8.3	45	7.0	42	5.6	83	9	340		28.94			29.91	FM-15	0.00	29.91
04	2353	7	CLR:00	10.00		45	7.2	43	6.2	41	5.0	86	6	360		28.93			29.91	FM-15	0.00	29.90
05	0053	7	CLR:00	10.00		44	6.7	43	5.9	41	5.0	89	0	000		28.96	3	-0.01	29.93	FM-15	0.00	29.93
05	0153	7	CLR:00	10.00		44	6.7	43	6.1	42	5.6	93	0	000		28.95			29.92	FM-15	0.00	29.92
05	0253	7	CLR:00	10.00		43	6.1	42	5.6	41	5.0	93	3	010		28.94			29.91	FM-15	0.00	29.91
05	0353	7	CLR:00	10.00		41	5.0	41	5.0	41	5.0	100	3	040		28.94	6	+0.02	29.91	FM-15	0.00	29.91
05	0453	7	CLR:00	10.00		40	4.4	40	4.4	40	4.4	100	5	040		28.94			29.91	FM-15	0.00	29.91
05	0553	7	CLR:00	10.00		40	4.4	40	4.2	39	3.9	97	3	060		28.95			29.93	FM-15	0.00	29.92
05	0653	7	OVC:08 95	10.00		42	5.6	42	5.3	41	5.0	96	5	080		28.97	3	-0.03	29.94	FM-15	0.00	29.94
05	0753	7	FEW:02 100	10.00		46	7.8	45	7.0	43	6.1	89	9	090		28.94			29.92	FM-15	0.00	29.91
05	0853	7	FEW:02 60 BKN:07 100	10.00		49	9.4	46	7.8	43	6.1	80	16	090		28.92			29.90	FM-15	0.00	29.89
05	0953	7	CLR:00	10.00		53	11.7	48	8.9	43	6.1	69	20	090	26	28.87	8	+0.10	29.84	FM-15	0.00	29.84
05	1053	7	FEW:02 75	10.00		58	14.4	51	10.5	44	6.7	60	14	100		28.84			29.80	FM-15	0.00	29.80
05	1153	7	FEW:02 75	10.00		60	15.6	52	11.2	45	7.2	58	17	100		28.79			29.75	FM-15	0.00	29.75
05	1253	7	SCT:04 90	10.00		63	17.2	54	12.4	47	8.3	56	15	110	23	28.75	8	+0.12	29.71	FM-15	0.00	29.71
05	1353	7	CLR:00	10.00		67	19.4	57	13.6	48	8.9	51	20	120	26	28.69			29.65	FM-15	0.00	29.65
05	1453	7	CLR:00	10.00		70	21.1	58	14.5	49	9.4	47	18	110	24	28.63			29.58	FM-15	T	29.59
05	1553	7	CLR:00	10.00		71	21.7	59	14.7	49	9.4	46	18	110	25	28.58	6	+0.17	29.53	FM-15	T	29.54
05	1653	7	CLR:00	10.00		72	22.2	59	15.2	50	10.0	46	16	100		28.53			29.47	FM-15	0.00	29.48
05	1753	7	CLR:00	10.00		70	21.1	59	14.8	50	10.0	49	15	100		28.46			29.41	FM-15	0.00	29.41
05	1851	7	OVC:08 90	10.00	VCTS:7 -RA:02 |RA |	70	21.0	59	14.8	50	10.0	50	10	080	23	28.43				FM-16	T	29.38
05	1853	7	OVC:08 90	10.00	VCTS:7 -RA:02 |RA |	69	20.6	59	14.8	51	10.6	53	10	080	20	28.44	5	+0.09	29.39	FM-15	T	29.39
05	1900	7	OVC:08 85	10.00	TS:7 -RA:02 |RA TS TS |	66	18.9	58	14.5	52	11.1	61				28.51				FM-16	T	29.46
05	1914	7	FEW:02 28 BKN:07 55 OVC:08 85	1.75	TS:7 +RA:02 BR:1 |RA TS |	59	15.0	57	14.0	56	13.3	90	22	290	41	28.54				FM-16	0.13	29.50
05	1924	7	SCT:04 43 BKN:07 50 OVC:08 60	2.00	TS:7 RA:02 BR:1 |RA TS |	55	12.8	54	12.5	54	12.2	96	18	310	33	28.56				FM-16	0.19	29.52

05	1931	7	FEW:02 42 BKN:07 48 OVC:08 65	4.00	VCTS:7 RA:02 BR:1 |RA |	54	12.2	53	11.9	53	11.7	97	14	320	26	28.56				FM-16	0.20	29.52
05	1953	7	BKN:07 50 OVC:08 75	5.00	VCTS:7 +RA:02 BR:1 |RA |	51	10.6	51	10.6	51	10.6	100	10	020		28.57s				FM-15	0.30	
05	2028	7	BKN:07 55 OVC:08 75	5.00	TS:7 RA:02 BR:1 |RA TS |	52	11.1	52	11.1	52	11.1	100	13	070		28.53				FM-16	0.17	29.48
05	2031	7	SCT:04 60 OVC:08 75	4.00	TS:7 RA:02 BR:1 |RA TS |	52	11.1	52	11.1	52	11.1	100	14	060		28.51				FM-16	0.18	29.46
05	2045	7	FEW:02 60 OVC:08 80	7.00	VCTS:7 RA:02 |RA |	52	11.1	52	11.1	52	11.1	100	16	070		28.51				FM-16	0.20	29.46
05	2053	7	BKN:07 80 OVC:08 95	6.00	VCTS:7 -RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	16	070		28.46			29.41	FM-15	0.18	29.41
05	2055	7	BKN:07 80 OVC:08 95	9.00	VCTS:7 -RA:02 |RA |	52	11.1	52	11.1	52	11.1	100	14	080		28.46				FM-16	T	29.41
05	2107	7	BKN:07 85 OVC:08 110	10.00	-RA:02 |RA |	53	11.7	53	11.7	53	11.7	100	10	080		28.46				FM-16	T	29.41
05	2145	7	FEW:02 26 SCT:04 45 BKN:07 70	5.00	RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	10	260		28.51				FM-16	0.02	29.47
05	2153	7	SCT:04 30 BKN:07 45 OVC:08 100	3.00	RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	10	320		28.48	1	-0.05	29.44	FM-15	0.03	29.44
05	2251	6	BKN:07 23 BKN:07 110	10.00		54	12.0	54	12.2	54	12.0	100	7	170		28.48				FM-16		29.43
05	2253	7	BKN:07 23 BKN:07 110	10.00		55	12.8	55	12.8	55	12.8	100	7	180		28.48			29.42	FM-15	T	29.43
05	2353	7	OVC:08 15	10.00		59	15.0	58	14.4	57	13.9	93	15	170		28.46			29.40	FM-15	0.01	29.41
06	0000	7	OVC:08 12	10.00		58	14.4	57	14.1	57	13.9	97	11	180		28.46				FM-16		29.41
06	0053	7	FEW:02 10 OVC:08 17	10.00		58	14.4	57	14.1	57	13.9	97	14	170		28.44	7	+0.04	29.39	FM-15	0.00	29.39
06	0130	7	OVC:08 14	10.00		58	14.4	57	14.1	57	13.9	97	11	190		28.42				FM-16		29.37
06	0153	7	OVC:08 12	10.00		58	14.4	57	14.1	57	13.9	97	16	190	25	28.43			29.37	FM-15	0.00	29.38
06	0220	7	SCT:04 13 BKN:07 50	10.00		57	13.9	55	13.0	54	12.2	90	16	210	28	28.42				FM-16		29.37
06	0253	7	BKN:07 47	10.00		55	12.8	53	11.6	51	10.6	87	9	210		28.42			29.36	FM-15	0.00	29.37
06	0353	7	CLR:00	10.00		54	12.2	51	10.5	48	8.9	80	14	180		28.42	5	+0.02	29.36	FM-15	0.00	29.37
06	0453	7	BKN:07 27 BKN:07 32 OVC:08 70	10.00		53	11.7	50	9.9	47	8.3	80	15	180		28.41			29.35	FM-15	0.00	29.36
06	0553	7	BKN:07 21 OVC:08 49	10.00		52	11.1	49	9.7	47	8.3	83	10	190		28.41			29.35	FM-15	0.00	29.36
06	0653	7	OVC:08 19	10.00	-RA:02 |RA |	52	11.1	50	10.0	48	8.9	86	15	210	22	28.41	6	+0.01	29.35	FM-15	T	29.36
06	0712	7	SCT:04 12 OVC:08 18	3.00	RA:02 BR:1 |RA |	48	8.9	47	8.3	46	7.8	93	11	260	25	28.42				FM-16	0.02	29.37
06	0719	7	FEW:02 8 BKN:07 15 OVC:08 36	5.00	-RA:02 BR:1 |RA |	47	8.3	47	8.1	46	7.8	97	13	260		28.42				FM-16	0.03	29.37
06	0751	6	BKN:07 6 BKN:07 12 OVC:08 28	2.50	-RA:02 BR:1 |RA |	46	8.0	46	7.5	45	7.0	93	14	270		28.43				FM-16		29.38
06	0753	7	SCT:04 6 BKN:07 12 OVC:08 28	3.00	-RA:02 BR:1 |RA |	46	7.8	46	7.5	45	7.2	96	14	270		28.43			29.38	FM-15	0.03	29.38
06	0853	7	FEW:02 9 BKN:07 14 OVC:08 19	10.00		46	7.8	45	7.0	43	6.1	89	17	280		28.44			29.39	FM-15	T	29.39
06	0953	7	BKN:07 12 BKN:07 18 OVC:08 31	10.00		44	6.7	43	5.9	41	5.0	89	16	270		28.46	1	-0.05	29.41	FM-15	T	29.41
06	1053	7	BKN:07 12 OVC:08 19	10.00		40	4.4	39	3.7	37	2.8	89	18	290	29	28.48			29.43	FM-15	0.00	29.43
06	1124	7	BKN:07 15 OVC:08 21	10.00	-RA:02 |RA |	42	5.6	40	4.3	37	2.8	82	21	270	31	28.48				FM-16	T	29.43

06	1153	7	BKN:07 17 OVC:08 27	10.00		41	5.0	39	4.0	37	2.8	86	22	280	31	28.48			29.43	FM-15	T	29.43
06	1253	7	SCT:04 19 BKN:07 24 OVC:08 42	10.00	-RA:02 |RA |	43	6.1	40	4.6	37	2.8	80	20	280	30	28.48	1	-0.03	29.44	FM-15	T	29.44
06	1353	7	BKN:07 20 OVC:08 46	10.00	-RA:02 |RA |	43	6.1	40	4.6	37	2.8	80	22	290	30	28.50			29.45	FM-15	T	29.45
06	1453	7	SCT:04 20 BKN:07 27 OVC:08 46	8.00	-RA:02 |RA |	40	4.4	38	3.5	36	2.2	86	20	290	26	28.51			29.47	FM-15	T	29.47
06	1502	7	SCT:04 20 OVC:08 46	10.00		41	5.0	39	3.8	36	2.2	82	23	300	28	28.51				FM-16	T	29.47
06	1553	7	SCT:04 20 OVC:08 46	10.00	-RA:02 |RA |	40	4.4	38	3.2	35	1.7	83	20	300	31	28.54	3	-0.06	29.50	FM-15	0.01	29.50
06	1651	6	BKN:07 15 OVC:08 22	7.00	-RA:02 |RA |	39	4.0	38	3.2	36	2.0	87	21	300	29	28.57				FM-16		29.53
06	1653	7	BKN:07 15 OVC:08 22	7.00	-RA:02 |RA |	39	3.9	38	3.2	36	2.2	89	17	300	29	28.58			29.54	FM-15	T	29.54
06	1753	7	BKN:07 15 OVC:08 22	7.00	-RA:02 |RA |	39	3.9	38	3.2	36	2.2	89	23	310	38	28.59			29.56	FM-15	T	29.55
06	1853	7	SCT:04 23 OVC:08 30	10.00	-SN:03 |SN |	38	3.3	36	2.4	34	1.1	86	31	300	41	28.63	1	-0.09	29.60	FM-15	T	29.59
06	1856	7	SCT:04 20 OVC:08 30	7.00		38	3.3	36	2.4	34	1.1	86	26	300	40	28.64				FM-16	T	29.60
06	2029	7	OVC:08 20	6.00	-RA:02 BR:1 |RA |	37	2.8	36	2.1	34	1.1	89	28	300	41	28.70				FM-16	T	29.66
06	2053	7	OVC:08 20	6.00	-RA:02 BR:1 |RA |	37	2.8	36	2.1	34	1.1	89	28	300	37	28.71			29.68	FM-15	T	29.67
06	2153	7	BKN:07 16 OVC:08 24	7.00	-RA:02 |RA |	36	2.2	35	1.8	34	1.1	93	25	310	34	28.72			29.70	FM-15	0.01	29.68
06	2200	7	OVC:08 14	10.00	-RA:02 |RA |	36	2.2	35	1.8	34	1.1	93	28	300	34	28.73				FM-16	T	29.69
06	2253	7	OVC:08 14	8.00	-RA:02 |RA |	35	1.7	35	1.4	34	1.1	96	20	300	33	28.74			29.72	FM-15	0.01	29.70
06	2309	7	FEW:02 12 BKN:07 17 OVC:08 24	10.00	-RA:02 |RA |	36	2.2	35	1.8	34	1.1	93	21	300	30	28.74				FM-16	T	29.70
06	2353	7	BKN:07 20 OVC:08 27	10.00	-RA:02 |RA |	37	2.8	35	1.9	33	0.6	86	21	300	29	28.75			29.72	FM-15	T	29.71
07	0053	7	BKN:07 23 OVC:08 29	10.00	-RA:02 |RA |	37	2.8	35	1.6	32	0.0	82	22	310	28	28.77	2	-0.04	29.75	FM-15	T	29.73
07	0153	7	BKN:07 18 OVC:08 25	10.00	-RA:02 |RA |	36	2.2	35	1.5	33	0.6	89	18	310	28	28.79			29.77	FM-15	T	29.75
07	0253	7	SCT:04 15 OVC:08 21	10.00	-RA:02 |RA |	35	1.7	34	1.2	33	0.6	93	20	300	25	28.80			29.78	FM-15	T	29.76
07	0325	7	BKN:07 13 OVC:08 21	10.00	-RA:02 |RA |	35	1.7	34	1.2	33	0.6	93	17	300	30	28.81				FM-16	T	29.77
07	0353	7	OVC:08 13	6.00	-RA:02 BR:1 |RA |	35	1.7	34	1.2	33	0.6	93	18	310	24	28.81	1	-0.04	29.79	FM-15	T	29.77
07	0453	7	BKN:07 11 OVC:08 18	5.00	-RA:02 BR:1 |RA |	34	1.1	34	0.9	33	0.6	97	15	300		28.83			29.81	FM-15	T	29.79
07	0553	7	BKN:07 12 OVC:08 20	9.00	-SN:03 |SN |	34	1.1	34	0.9	33	0.6	97	16	290	24	28.84			29.82	FM-15	T	29.80
07	0653	7	SCT:04 14 BKN:07 19 OVC:08 25	8.00	-SN:03 |SN |	35	1.7	34	1.0	32	0.0	89	15	290		28.86	3	-0.04	29.84	FM-15	T	29.82
07	0753	7	BKN:07 24 BKN:07 29 OVC:08 34	10.00		36	2.2	34	1.3	32	0.0	86	17	310	25	28.87				FM-15	T	29.84
07	0853	7	BKN:07 24 OVC:08 33	10.00		37	2.8	34	1.2	30	-1.1	76	21	320	28	28.90			29.88	FM-15	0.00	29.86
07	0953	7	OVC:08 26	10.00		37	2.8	34	1.2	30	-1.1	76	14	320	23	28.91	3	-0.06	29.91	FM-15	0.00	29.88
07	1053	7	OVC:08 29	10.00		39	3.9	35	1.9	30	-1.1	70	14	320	26	28.92			29.91	FM-15	0.00	29.89
07	1153	7	BKN:07 29 BKN:07 36	10.00		43	6.1	38	3.3	31	-0.6	63	20	310	26	28.93			29.91	FM-15	0.00	29.90
07	1202	7	OVC:08 33	10.00		42	5.6	38	3.2	32	0.0	68	15	310	26	28.93				FM-16		29.90
07	1253	7	SCT:04 36 BKN:07 45	10.00		47	8.3	41	5.1	34	1.1	61	20	320	26	28.94	3	-0.02	29.92	FM-15	T	29.91

07	1353	7	BKN:07 41 BKN:07 48	10.00		48	8.9	41	5.0	32	0.0	54	20	320	30	28.95			29.93	FM-15	T	29.92
07	1453	7	SCT:04 47 SCT:04 60	10.00		49	9.4	41	4.9	30	-1.1	48	21	320	28	28.94			29.93	FM-15	T	29.91
07	1553	7	FEW:02 50	10.00		51	10.6	42	5.5	30	-1.1	44	15	300	28	28.95	1	-0.01	29.93	FM-15	T	29.92
07	1653	7	FEW:02 50	10.00		50	10.0	41	5.0	29	-1.7	44	16	320	26	28.97			29.95	FM-15	T	29.94
07	1753	7	FEW:02 55	10.00		50	10.0	41	5.0	29	-1.7	44	14	310	22	28.98			29.96	FM-15	0.00	29.95
07	1853	7	CLR:00	10.00		46	7.8	38	3.4	27	-2.8	47	9	320		28.99	1	-0.04	29.98	FM-15	0.00	29.96
07	1953	7	CLR:00	10.00		44	6.7	36	2.3	24	-4.4	45	5	320		29.01			29.99	FM-15	0.00	29.98
07	2053	7	CLR:00	10.00		43	6.1	36	2.3	26	-3.3	51	3	260		29.03			30.01	FM-15	0.00	30.00
07	2153	7	CLR:00	10.00		39	3.9	34	1.3	27	-2.8	62	5	260		29.04	1	-0.04	30.02	FM-15	0.00	30.01
07	2253	7	CLR:00	10.00		37	2.8	34	1.0	29	-1.7	73	7	270		29.04			30.03	FM-15	0.00	30.01
07	2353	7	CLR:00	10.00		36	2.2	34	0.9	30	-1.1	79	6	280		29.05			30.03	FM-15	0.00	30.02
08	0053	7	CLR:00	10.00		36	2.2	34	0.9	30	-1.1	79	6	270		29.05	3	-0.02	30.04	FM-15	0.00	30.02
08	0153	7	CLR:00	10.00		33	0.6	31	-0.3	29	-1.7	85	8	280		29.05			30.03	FM-15	0.00	30.02
08	0253	7	CLR:00	10.00		32	0.0	30	-0.8	28	-2.2	85	6	290		29.05			30.03	FM-15	0.00	30.02
08	0353	7	CLR:00	10.00		33	0.6	31	-0.3	29	-1.7	85	5	260		29.06	3	-0.01	30.04	FM-15	0.00	30.03
08	0453	7	CLR:00	10.00		32	0.0	30	-0.8	28	-2.2	85	7	260		29.07			30.06	FM-15	0.00	30.04
08	0553	7	CLR:00	10.00		30	-1.1	29	-1.7	27	-2.8	88	6	270		29.09			30.08	FM-15	0.00	30.06
08	0653	7	CLR:00	10.00		33	0.6	31	-0.3	29	-1.7	85	3	270		29.12	3	-0.06	30.11	FM-15	0.00	30.09
08	0753	7	CLR:00	10.00		39	3.9	36	2.1	31	-0.6	73	6	290		29.15			30.13	FM-15	0.00	30.12
08	0853	7	CLR:00	10.00		44	6.7	38	3.2	29	-1.7	55	5	320		29.15			30.14	FM-15	0.00	30.12
08	0953	7	CLR:00	10.00		48	8.9	39	4.1	27	-2.8	44	7	310		29.16	1	-0.04	30.14	FM-15	0.00	30.13
08	1053	7	CLR:00	10.00		52	11.1	40	4.7	24	-4.4	34	3	VRB		29.15			30.13	FM-15	0.00	30.12
08	1153	7	CLR:00	10.00		53	11.7	41	5.2	25	-3.9	34	0	000		29.13			30.11	FM-15	0.00	30.10
08	1253	7	CLR:00	10.00		56	13.3	43	6.0	25	-3.9	30	0	000		29.12	8	+0.04	30.10	FM-15	0.00	30.09
08	1353	7	CLR:00	10.00		58	14.4	44	6.6	25	-3.9	28	3	VRB		29.11			30.09	FM-15	0.00	30.08
08	1453	7	CLR:00	10.00		58	14.4	44	6.7	26	-3.3	29	6	100		29.10			30.08	FM-15	0.00	30.07
08	1553	7	CLR:00	10.00		59	15.0	43	6.4	22	-5.6	24	3	280		29.07	8	+0.05	30.05	FM-15	0.00	30.04
08	1653	7	CLR:00	10.00		60	15.6	45	7.4	27	-2.8	28	8	270		29.07			30.04	FM-15	0.00	30.04
08	1753	7	CLR:00	10.00		58	14.4	44	6.9	27	-2.8	31	8	200		29.07			30.05	FM-15	0.00	30.04
08	1853	7	CLR:00	10.00		55	12.8	43	5.9	26	-3.3	33	8	210		29.07	6	+0.01	30.05	FM-15	0.00	30.04
08	1953	7	CLR:00	10.00		54	12.2	42	5.6	26	-3.3	34	5	160		29.06			30.04	FM-15	0.00	30.03
08	2053	7	CLR:00	10.00		53	11.7	42	5.3	26	-3.3	35	3	170		29.06			30.03	FM-15	0.00	30.03
08	2153	7	CLR:00	10.00		51	10.6	41	4.9	27	-2.8	39	5	160		29.06	5	+0.00	30.04	FM-15	0.00	30.03
08	2253	7	CLR:00	10.00		49	9.4	40	4.5	28	-2.2	44	5	160		29.07			30.04	FM-15	0.00	30.04
08	2353	7	CLR:00	10.00		48	8.9	40	4.2	28	-2.2	46	5	160		29.08			30.05	FM-15	0.00	30.05
09	0053	7	CLR:00	10.00		47	8.3	39	4.1	29	-1.7	50	6	160		29.07	0	-0.01	30.04	FM-15	0.00	30.04
09	0153	7	CLR:00	10.00		46	7.8	39	4.0	30	-1.1	54	7	160		29.06			30.03	FM-15	0.00	30.03
09	0253	7	CLR:00	10.00		45	7.2	38	3.5	29	-1.7	54	7	170		29.06			30.03	FM-15	0.00	30.03
09	0353	7	CLR:00	10.00		45	7.2	39	3.7	30	-1.1	56	7	170		29.07	5	+0.00	30.04	FM-15	0.00	30.04
09	0453	7	CLR:00	10.00		43	6.1	38	3.1	30	-1.1	60	5	190		29.08			30.05	FM-15	0.00	30.05
09	0553	7	CLR:00	10.00		44	6.7	38	3.2	29	-1.7	55	5	160		29.09			30.06	FM-15	0.00	30.06
09	0653	7	CLR:00	10.00		45	7.2	39	3.9	31	-0.6	58	6	160		29.10	3	-0.03	30.08	FM-15	0.00	30.07
09	0753	7	CLR:00	10.00		49	9.4	41	5.1	31	-0.6	50	8	160		29.10			30.07	FM-15	0.00	30.07
09	0853	7	CLR:00	10.00		55	12.8	45	7.2	33	0.6	44	9	170		29.11			30.08	FM-15	0.00	30.08
09	0953	7	CLR:00	10.00		62	16.7	49	9.2	34	1.1	35	15	200	20	29.10	8	+0.01	30.06	FM-15	0.00	30.07
09	1053	7	CLR:00	10.00		65	18.3	51	10.6	37	2.8	36	11	190		29.08			30.05	FM-15	0.00	30.05
09	1153	7	CLR:00	10.00		70	21.1	54	12.0	38	3.3	31	13	210	17	29.06			30.02	FM-15	0.00	30.03
09	1253	7	CLR:00	10.00		71	21.7	53	11.6	35	1.7	27	15	190	22	29.04	6	+0.05	30.01	FM-15	0.00	30.01
09	1353	7	CLR:00	10.00		73	22.8	54	12.1	35	1.7	25	16	190	25	29.03			29.99	FM-15	0.00	30.00
09	1453	7	CLR:00	10.00		74	23.3	55	12.9	38	3.3	27	18	180	25	29.01			29.97	FM-15	0.00	29.98
09	1553	7	CLR:00	10.00		75	23.9	53	11.7	30	-1.1	19	16	190	28	28.98	8	+0.07	29.94	FM-15	0.00	29.95
09	1653	7	CLR:00	10.00		75	23.9	52	11.4	28	-2.2	18	20	190	29	28.96			29.92	FM-15	0.00	29.93
09	1753	7	CLR:00	10.00		73	22.8	52	11.4	31	-0.6	21	13	200	26	28.96			29.92	FM-15	0.00	29.93
09	1853	7	CLR:00	10.00		69	20.6	51	10.6	32	0.0	25	9	180		28.96	6	+0.02	29.92	FM-15	0.00	29.93
09	1953	7	CLR:00	10.00		66	18.9	50	10.1	33	0.6	29	8	190		28.97			29.94	FM-15	0.00	29.94

09	2053	7	CLR:00	10.00		66	18.9	50	10.1	33	0.6	29	8	200		28.98			29.94	FM-15	0.00	29.95
09	2153	7	CLR:00	10.00		64	17.8	50	9.9	35	1.7	34	9	200		28.97	0	-0.01	29.93	FM-15	0.00	29.94
09	2253	7	CLR:00	10.00		65	18.3	50	10.2	35	1.7	33	9	180		28.96			29.92	FM-15	0.00	29.93
09	2353	7	CLR:00	10.00		64	17.8	50	9.9	35	1.7	34	8	180		28.97			29.93	FM-15	0.00	29.94
10	0053	7	CLR:00	10.00		64	17.8	49	9.6	33	0.6	32	13	190		28.98	3	-0.01	29.93	FM-15	0.00	29.95
10	0153	7	CLR:00	10.00		64	17.8	49	9.6	33	0.6	32	11	190		28.99			29.95	FM-15	0.00	29.96
10	0253	7	CLR:00	10.00		63	17.2	49	9.5	34	1.1	34	10	180		29.00			29.96	FM-15	0.00	29.97
10	0353	7	CLR:00	10.00		62	16.7	49	9.4	35	1.7	37	11	180		29.01	1	-0.03	29.96	FM-15	0.00	29.98
10	0453	7	CLR:00	10.00		61	16.1	49	9.4	36	2.2	39	13	170		29.02			29.97	FM-15	0.00	29.99
10	0553	7	CLR:00	10.00		61	16.1	49	9.6	37	2.8	41	13	180		29.03			29.98	FM-15	0.00	30.00
10	0653	7	CLR:00	10.00		62	16.7	50	10.1	38	3.3	41	16	190	23	29.05	3	-0.04	30.00	FM-15	0.00	30.02
10	0753	7	CLR:00	10.00		64	17.8	52	11.0	40	4.4	41	16	210	25	29.06			30.02	FM-15	0.00	30.03
10	0853	7	CLR:00	10.00		67	19.4	54	12.2	42	5.6	41	17	210	32	29.07			30.03	FM-15	0.00	30.04
10	0953	7	CLR:00	10.00		70	21.1	56	13.6	45	7.2	41	23	210	32	29.09	2	-0.04	30.04	FM-15	T	30.06
10	1053	7	CLR:00	10.00		74	23.3	60	15.7	50	10.0	43	16	230	25	29.09			30.04	FM-15	T	30.06
10	1153	7	OVC:08 75	10.00		73	22.8	60	15.7	51	10.6	46	17	230	28	29.10			30.06	FM-15	0.00	30.07
10	1253	7	BKN:07 50 BKN:07 65	10.00		75	23.9	62	16.7	53	11.7	46	24	200	32	29.07	8	+0.02	30.02	FM-15	0.00	30.04
10	1353	7	BKN:07 55	10.00		76	24.4	62	16.9	53	11.7	45	16	190	28	29.05			30.01	FM-15	0.00	30.02
10	1453	7	CLR:00	10.00		77	25.0	61	16.1	49	9.4	37	22	200	31	29.04			29.99	FM-15	0.00	30.01
10	1553	7	CLR:00	10.00		77	25.0	60	15.3	46	7.8	33	16	200	30	29.02	6	+0.05	29.97	FM-15	0.00	29.99
10	1653	7	CLR:00	10.00		75	23.9	58	14.2	43	6.1	32	15	200	28	29.03			29.98	FM-15	0.00	30.00
10	1753	7	CLR:00	10.00		74	23.3	58	14.2	44	6.7	34	11	200		29.04			30.00	FM-15	0.00	30.01
10	1853	7	CLR:00	10.00		72	22.2	56	13.6	43	6.1	35	14	220		29.07	3	-0.05	30.03	FM-15	0.00	30.04
10	1953	7	CLR:00	10.00		69	20.6	56	13.6	46	7.8	44	14	280	24	29.09			30.05	FM-15	0.00	30.06
10	2006	7	CLR:00	10.00		68	20.0	57	14.1	49	9.4	51	11	300		29.10				FM-16		30.07
10	2053	7	CLR:00	10.00		63	17.2	55	13.0	49	9.4	60	0	000		29.08			30.04	FM-15	0.00	30.05
10	2153	7	CLR:00	10.00		64	17.8	56	13.2	49	9.4	58	5	160		29.08	0	-0.00	30.03	FM-15	0.00	30.05
10	2253	7	CLR:00	10.00		59	15.0	54	12.0	49	9.4	69	3	190		29.07			30.03	FM-15	0.00	30.04
10	2353	7	CLR:00	10.00		61	16.1	55	12.5	49	9.4	65	5	180		29.08			30.03	FM-15	0.00	30.05
11	0053	7	FEW:02 70	10.00		63	17.2	54	12.2	46	7.8	54	8	230		29.08	3	-0.00	30.03	FM-15	0.00	30.05
11	0153	7	OVC:08 65	10.00		64	17.8	53	11.9	44	6.7	48	6	200		29.08			30.03	FM-15	0.00	30.05
11	0253	7	OVC:08 65	10.00		63	17.2	53	11.7	44	6.7	50	6	170		29.08			30.04	FM-15	0.00	30.05
11	0353	7	BKN:07 95	10.00		63	17.2	54	11.9	45	7.2	52	9	190		29.09	3	-0.01	30.04	FM-15	0.00	30.06
11	0453	7	SCT:04 43	10.00		62	16.7	53	11.7	45	7.2	54	7	200		29.09			30.05	FM-15	0.00	30.06
11	0553	7	FEW:02 41 FEW:02 75 OVC:08 100	10.00		61	16.1	53	11.7	46	7.8	58	8	200		29.10			30.06	FM-15	T	30.07
11	0653	7	BKN:07 30 OVC:08 36	6.00	-RA:02 |RA |	58	14.4	54	12.3	51	10.6	78	5	190		29.14	3	-0.05	30.10	FM-15	0.02	30.11
11	0709	7	BKN:07 29 BKN:07 36 OVC:08 46	8.00	-RA:02 |RA |	58	14.4	54	12.3	51	10.6	78	10	230		29.15				FM-16	0.01	30.12
11	0714	7	BKN:07 29 OVC:08 43	1.00	TS:7 +RA:02 BR:1 |RA TS |	57	13.9	54	12.1	51	10.6	81	14	230		29.17				FM-16	0.09	30.14
11	0724	7	SCT:04 29 BKN:07 41 OVC:08 60	2.00	TS:7 RA:02 BR:1 |RA TS |	56	13.3	54	12.4	53	11.7	90	10	230		29.17				FM-16	0.20	30.14
11	0733	7	FEW:02 29 BKN:07 50 OVC:08 95	3.00	TS:7 RA:02 BR:1 |RA TS |	55	12.8	54	12.5	54	12.2	96	5	200		29.17				FM-16	0.23	30.14
11	0743	7	SCT:04 50 BKN:07 70 OVC:08 90	2.50	VCTS:7 +RA:02 BR:1 |RA |	55	12.8	54	12.5	54	12.2	96	5	200		29.17				FM-16	0.29	30.14
11	0751	7	BKN:07 65 OVC:08 90	2.00	+RA:02 BR:1 |RA |	55	13.0	55	12.8	55	13.0	100	0	000		29.16				FM-16	0.34	30.13
11	0753	7	BKN:07 70 OVC:08 90	1.75	+RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	0	000		29.16			30.13	FM-15	0.37	30.13
11	0754	7	BKN:07 70 OVC:08 90	2.00	+RA:02 BR:1 |RA |	55	12.8	54	12.5	54	12.2	96	3	200		29.16				FM-16	T	30.13

11	0812	7	FEW:02 19 SCT:04 65 OVC:08 95	5.00	-RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	8	160		29.17				FM-16	0.04	30.14
11	0853	7	SCT:04 28 BKN:07 70 OVC:08 110	4.00	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	7	170		29.19			30.15	FM-15	0.05	30.16
11	0915	7	SCT:04 9 BKN:07 24 OVC:08 85	6.00	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	8	180		29.18				FM-16	0.04	30.15
11	0926	7	SCT:04 8 BKN:07 37 OVC:08 80	9.00	-RA:02 |RA |	57	13.9	57	13.9	57	13.9	100	7	200		29.19				FM-16	0.04	30.16
11	0953	7	FEW:02 8 BKN:07 43 OVC:08 80	10.00		59	15.0	58	14.7	58	14.4	96	10	210		29.18	0	-0.02	30.15	FM-15	0.02	30.15
11	1031	7	BKN:07 10 BKN:07 33 OVC:08 45	10.00		61	16.1	60	15.5	59	15.0	93	13	210		29.19				FM-16	T	30.16
11	1053	7	OVC:08 11	10.00		62	16.7	61	16.0	60	15.6	93	10	210		29.20			30.16	FM-15	T	30.17
11	1153	7	OVC:08 14	10.00		64	17.8	62	16.4	60	15.6	87	13	220		29.20			30.16	FM-15	0.00	30.17
11	1233	7	OVC:08 16	10.00		64	17.8	62	16.4	60	15.6	87	11	210		29.19				FM-16		30.16
11	1243	7	OVC:08 14	10.00		64	17.8	62	16.4	60	15.6	87	11	220		29.18				FM-16		30.15
11	1251	6	BKN:07 16 OVC:08 25	10.00		64	18.0	62	16.8	61	16.0	88	10	220		29.18				FM-16		30.15
11	1253	7	BKN:07 16 OVC:08 25	10.00		66	18.9	63	17.2	61	16.1	84	10	230		29.18	8	+0.01	30.14	FM-15	0.00	30.15
11	1353	7	SCT:04 19 SCT:04 24 BKN:07 31	10.00		64	17.8	61	16.1	59	15.0	84	14	230		29.18			30.14	FM-15	0.00	30.15
11	1453	7	FEW:02 16 SCT:04 48	10.00		65	18.3	61	16.3	59	15.0	81	14	230		29.17			30.13	FM-15	0.00	30.14
11	1553	7	FEW:02 27	10.00		66	18.9	61	15.9	57	13.9	73	14	220		29.17	8	+0.01	30.13	FM-15	0.00	30.14
11	1653	7	CLR:00	10.00		65	18.3	61	16.3	59	15.0	81	9	200		29.17			30.13	FM-15	0.00	30.14
11	1753	7	FEW:02 18 SCT:04 35 BKN:07 46	10.00		64	17.8	61	16.1	59	15.0	84	7	290		29.18			30.14	FM-15	0.00	30.15
11	1853	7	CLR:00	10.00		61	16.1	55	12.5	49	9.4	65	7	310		29.19	3	-0.02	30.16	FM-15	0.00	30.16
11	1953	7	CLR:00	10.00		59	15.0	54	12.0	49	9.4	69	7	310		29.22			30.19	FM-15	0.00	30.19
11	2053	7	CLR:00	10.00		57	13.9	53	11.5	49	9.4	74	9	310		29.25			30.22	FM-15	0.00	30.22
11	2153	7	CLR:00	10.00		54	12.2	51	10.5	48	8.9	80	7	310		29.26	1	-0.06	30.22	FM-15	0.00	30.23
11	2253	7	CLR:00	10.00		53	11.7	50	10.0	47	8.3	80	8	300		29.26			30.23	FM-15	0.00	30.24
11	2353	7	CLR:00	10.00		53	11.7	49	9.4	45	7.2	74	10	330		29.27			30.25	FM-15	0.00	30.25
12	0053	7	CLR:00	10.00		51	10.6	48	8.6	44	6.7	77	10	330		29.28	1	-0.03	30.25	FM-15	0.00	30.26
12	0153	7	CLR:00	10.00		50	10.0	47	8.4	44	6.7	80	7	330		29.27			30.25	FM-15	0.00	30.25
12	0253	7	CLR:00	10.00		47	8.3	45	7.3	43	6.1	86	6	340		29.28			30.26	FM-15	0.00	30.26
12	0353	7	CLR:00	10.00		45	7.2	44	6.4	42	5.6	90	3	350		29.31	3	-0.03	30.29	FM-15	0.00	30.29
12	0431	7	CLR:00	1.75	HZ:7 |FU |HZ	46	7.8	44	6.5	41	5.0	83	3	340		29.31				FM-16		30.29
12	0439	7	CLR:00	4.00	HZ:7 |FU |HZ	46	7.8	44	6.5	41	5.0	83	3	340		29.31				FM-16		30.29
12	0453	7	CLR:00	10.00		45	7.2	43	6.2	41	5.0	86	3	340		29.32			30.30	FM-15	0.00	30.30
12	0553	7	CLR:00	10.00		43	6.1	42	5.3	40	4.4	89	3	340		29.32			30.31	FM-15	0.00	30.30
12	0653	7	CLR:00	7.00		43	6.1	42	5.6	41	5.0	93	0	000		29.34	3	-0.03	30.32	FM-15	0.00	30.32
12	0753	7	CLR:00	10.00		49	9.4	45	7.3	41	5.0	74	0	000		29.35			30.33	FM-15	0.00	30.33
12	0853	7	CLR:00	10.00		52	11.1	47	8.4	42	5.6	69	6	VRB		29.37			30.35	FM-15	0.00	30.35
12	0953	7	FEW:02 27	10.00		53	11.7	48	8.7	42	5.6	66	6	330		29.39	3	-0.05	30.37	FM-15	0.00	30.37
12	1053	7	FEW:02 31	10.00		56	13.3	49	9.7	43	6.1	62	3	VRB		29.39			30.37	FM-15	0.00	30.37
12	1153	7	CLR:00	10.00		58	14.4	50	10.2	43	6.1	58	5	VRB		29.38			30.36	FM-15	0.00	30.36
12	1253	7	CLR:00	10.00		61	16.1	51	10.8	42	5.6	50	10	310		29.37	8	+0.01	30.35	FM-15	0.00	30.35
12	1353	7	CLR:00	10.00		63	17.2	52	11.0	41	5.0	45	10	300		29.37			30.35	FM-15	0.00	30.35
12	1453	7	CLR:00	10.00		65	18.3	53	11.5	41	5.0	42	11	300		29.36			30.34	FM-15	0.00	30.34
12	1553	7	CLR:00	10.00		65	18.3	52	10.8	38	3.3	37	9	310		29.35	6	+0.02	30.33	FM-15	0.00	30.33
12	1653	7	CLR:00	10.00		65	18.3	53	11.5	41	5.0	42	3	360		29.36			30.34	FM-15	0.00	30.34

12	1753	7	CLR:00	10.00		63	17.2	52	11.2	42	5.6	47	7	340		29.37			30.35	FM-15	0.00	30.35
12	1853	7	CLR:00	10.00		57	13.9	48	9.0	39	3.9	51	6	340		29.38	1	-0.02	30.36	FM-15	0.00	30.36
12	1953	7	CLR:00	10.00		54	12.2	46	7.8	37	2.8	53	6	350		29.40			30.38	FM-15	0.00	30.38
12	2053	7	CLR:00	10.00		53	11.7	46	8.0	39	3.9	59	7	010		29.41			30.39	FM-15	0.00	30.39
12	2153	7	CLR:00	10.00		52	11.1	45	7.5	38	3.3	59	5	010		29.40	0	-0.03	30.39	FM-15	0.00	30.38
12	2253	7	CLR:00	10.00		53	11.7	46	8.0	39	3.9	59	3	010		29.40			30.38	FM-15	0.00	30.38
12	2353	7	CLR:00	10.00		50	10.0	45	7.4	40	4.4	68	3	050		29.39			30.37	FM-15	0.00	30.37
13	0053	7	CLR:00	10.00		49	9.4	44	6.9	39	3.9	69	5	070		29.39	5	+0.01	30.37	FM-15	0.00	30.37
13	0153	7	CLR:00	10.00		49	9.4	45	7.1	40	4.4	71	5	060		29.40			30.37	FM-15	0.00	30.38
13	0253	7	CLR:00	10.00		46	7.8	44	6.5	41	5.0	83	6	070		29.38			30.36	FM-15	0.00	30.36
13	0353	7	CLR:00	10.00		47	8.3	43	6.3	39	3.9	74	5	060		29.38	8	+0.01	30.36	FM-15	0.00	30.36
13	0453	7	CLR:00	10.00		44	6.7	41	5.2	38	3.3	79	8	090		29.38			30.36	FM-15	0.00	30.36
13	0553	7	CLR:00	10.00		46	7.8	42	5.3	36	2.2	68	3	100		29.39			30.37	FM-15	0.00	30.37
13	0653	7	CLR:00	10.00		46	7.8	43	6.0	39	3.9	77	5	050		29.42	3	-0.03	30.40	FM-15	0.00	30.40
13	0753	7	CLR:00	10.00		50	10.0	45	7.1	39	3.9	66	9	100		29.43			30.41	FM-15	0.00	30.41
13	0853	7	CLR:00	10.00		54	12.2	47	8.2	39	3.9	57	11	090		29.41			30.40	FM-15	0.00	30.39
13	0953	7	CLR:00	10.00		58	14.4	49	9.5	40	4.4	51	8	100		29.41	8	+0.00	30.40	FM-15	0.00	30.39
13	1053	7	CLR:00	10.00		59	15.0	50	10.0	41	5.0	51	9	090		29.41			30.39	FM-15	0.00	30.39
13	1153	7	CLR:00	10.00		62	16.7	51	10.8	41	5.0	46	7	090		29.39			30.37	FM-15	0.00	30.37
13	1253	7	CLR:00	10.00		64	17.8	52	11.3	41	5.0	43	7	080		29.37	8	+0.04	30.35	FM-15	0.00	30.35
13	1353	7	CLR:00	10.00		67	19.4	54	12.0	41	5.0	39	10	100		29.34			30.32	FM-15	0.00	30.32
13	1453	7	FEW:02 120	10.00		67	19.4	53	11.8	40	4.4	37	8	130		29.31			30.29	FM-15	0.00	30.29
13	1553	7	OVC:08 110	10.00		66	18.9	52	11.1	38	3.3	36	9	120		29.29	6	+0.08	30.27	FM-15	0.00	30.27
13	1653	7	OVC:08 100	10.00		66	18.9	52	11.3	39	3.9	37	9	110		29.27			30.25	FM-15	0.00	30.25
13	1753	7	BKN:07 95 OVC:08 120	10.00		64	17.8	52	11.3	41	5.0	43	6	120		29.28			30.27	FM-15	0.00	30.26
13	1853	7	OVC:08 95	10.00		62	16.7	51	10.5	40	4.4	44	7	110		29.29	3	-0.00	30.27	FM-15	0.00	30.27
13	1953	7	BKN:07 80 OVC:08 95	10.00		61	16.1	51	10.3	40	4.4	46	8	080		29.29			30.27	FM-15	0.00	30.27
13	2053	7	OVC:08 90	10.00		59	15.0	50	9.8	40	4.4	49	9	100		29.30			30.28	FM-15	T	30.28
13	2153	7	BKN:07 85 BKN:07 110	10.00		57	13.9	49	9.5	41	5.0	55	7	110		29.30	0	-0.01	30.27	FM-15	0.00	30.28
13	2253	7	FEW:02 80 BKN:07 110	10.00		54	12.2	48	8.7	41	5.0	62	6	110		29.29			30.27	FM-15	0.00	30.27
13	2353	7	BKN:07 90 BKN:07 110	10.00		54	12.2	47	8.5	40	4.4	59	3	110		29.29			30.27	FM-15	0.00	30.27
14	0053	7	SCT:04 80 BKN:07 90	10.00		53	11.7	47	8.2	40	4.4	61	3	060		29.28	8	+0.01	30.26	FM-15	0.00	30.26
14	0153	7	SCT:04 90 BKN:07 110	10.00		52	11.1	46	7.9	40	4.4	64	7	090		29.27			30.25	FM-15	0.00	30.25
14	0253	7	BKN:07 90 OVC:08 110	10.00		54	12.2	47	8.5	40	4.4	59	5	080		29.27			30.24	FM-15	0.00	30.25
14	0353	7	BKN:07 80 BKN:07 95 OVC:08 110	10.00		53	11.7	47	8.2	40	4.4	61	6	100		29.26	8	+0.03	30.23	FM-15	0.00	30.24
14	0453	7	OVC:08 80	10.00		53	11.7	48	8.9	43	6.1	69	6	100		29.26			30.23	FM-15	T	30.24
14	0553	7	BKN:07 80 OVC:08 100	10.00		52	11.1	47	8.4	42	5.6	69	6	010		29.29			30.27	FM-15	0.00	30.27
14	0653	7	FEW:02 55 OVC:08 80	10.00	-RA:02 |RA |	52	11.1	48	8.9	44	6.7	75	3	010		29.30	3	-0.05	30.28	FM-15	T	30.28
14	0753	7	FEW:02 55 SCT:04 75 OVC:08 100	9.00	-RA:02 |RA |	52	11.1	49	9.4	46	7.8	80	3	010		29.30			30.28	FM-15	T	30.28
14	0853	7	FEW:02 55 SCT:04 75 OVC:08 90	10.00	-RA:02 |RA |	53	11.7	50	10.2	48	8.9	83	5	340		29.31			30.29	FM-15	T	30.29
14	0953	7	FEW:02 60 OVC:08 100	10.00		55	12.8	50	10.0	45	7.2	69	3	070		29.31	3	-0.01	30.29	FM-15	0.00	30.29
14	1053	7	OVC:08 110	10.00		58	14.4	51	10.7	45	7.2	62	3	070		29.31			30.29	FM-15	0.00	30.29
14	1153	7	BKN:07 120	10.00		62	16.7	54	12.0	46	7.8	56	5	120		29.29			30.27	FM-15	0.00	30.27

14	1253	7	BKN:07 120	10.00		65	18.3	55	12.9	47	8.3	52	0	000		29.27	8	+0.04	30.25	FM-15	0.00	30.25
14	1353	7	CLR:00	10.00		68	20.0	56	13.4	46	7.8	45	3	140		29.26			30.23	FM-15	0.00	30.24
14	1453	7	BKN:07 95	10.00		71	21.7	59	15.1	50	10.0	47	5	VRB		29.25			30.21	FM-15	0.00	30.22
14	1553	7	CLR:00	10.00		74	23.3	60	15.7	50	10.0	43	5	230		29.23	6	+0.05	30.19	FM-15	0.00	30.20
14	1653	7	CLR:00	10.00		73	22.8	61	16.3	53	11.7	50	3	200		29.23			30.19	FM-15	0.00	30.20
14	1753	7	CLR:00	10.00		73	22.8	62	16.6	54	12.2	51	0	000		29.23			30.19	FM-15	0.00	30.20
14	1853	7	CLR:00	10.00		71	21.7	60	15.3	51	10.6	49	0	000		29.22	8	+0.02	30.18	FM-15	0.00	30.19
14	1953	7	CLR:00	10.00		67	19.4	58	14.7	52	11.1	59	3	080		29.22			30.18	FM-15	0.00	30.19
14	2053	7	CLR:00	10.00		67	19.4	58	14.7	52	11.1	59	5	130		29.22			30.19	FM-15	0.00	30.19
14	2153	7	CLR:00	10.00		62	16.7	56	13.3	51	10.6	67	3	120		29.23	3	-0.01	30.19	FM-15	0.00	30.20
14	2253	7	CLR:00	10.00		63	17.2	56	13.3	50	10.0	63	5	130		29.22			30.18	FM-15	0.00	30.19
14	2353	7	CLR:00	10.00		63	17.2	55	13.0	49	9.4	60	5	140		29.21			30.17	FM-15	0.00	30.18
15	0053	7	CLR:00	10.00		62	16.7	55	12.7	49	9.4	62	0	000		29.22	5	+0.01	30.17	FM-15	0.00	30.19
15	0153	7	CLR:00	10.00		58	14.4	54	12.1	50	10.0	75	3	110		29.20			30.16	FM-15	0.00	30.17
15	0253	7	FEW:02 120	10.00		58	14.4	53	11.5	48	8.9	70	6	130		29.18			30.14	FM-15	0.00	30.15
15	0353	7	BKN:07 120	10.00		58	14.4	52	11.2	47	8.3	67	5	130		29.18	6	+0.04	30.14	FM-15	0.00	30.15
15	0453	7	BKN:07 110	10.00		60	15.6	52	11.2	45	7.2	58	5	140		29.17			30.13	FM-15	0.00	30.14
15	0553	7	BKN:07 120	10.00		59	15.0	52	11.2	46	7.8	62	3	160		29.18			30.14	FM-15	0.00	30.15
15	0653	7	CLR:00	10.00		61	16.1	54	12.0	47	8.3	60	3	160		29.19	3	-0.02	30.15	FM-15	0.00	30.16
15	0753	7	SCT:04 100	10.00		64	17.8	55	13.0	48	8.9	56	7	170		29.20			30.16	FM-15	0.00	30.17
15	0853	7	SCT:04 85 BKN:07 120	10.00		63	17.2	56	13.3	50	10.0	63	3	210		29.21			30.16	FM-15	0.00	30.18
15	0953	7	CLR:00	10.00		68	20.0	59	14.9	52	11.1	57	11	200		29.20	0	-0.01	30.16	FM-15	0.00	30.17
15	1053	7	SCT:04 75 BKN:07 90 BKN:07 110	10.00		73	22.8	63	17.1	56	13.3	55	20	230	28	29.20			30.16	FM-15	T	30.17
15	1153	7	SCT:04 70 BKN:07 85	10.00		73	22.8	63	17.4	57	13.9	57	17	210	23	29.19			30.15	FM-15	0.00	30.16
15	1253	7	CLR:00	10.00		76	24.4	64	18.0	57	13.9	52	15	210		29.17	8	+0.04	30.12	FM-15	0.00	30.14
15	1353	7	CLR:00	10.00		79	26.1	66	18.9	58	14.4	49	16	210	22	29.14			30.10	FM-15	0.00	30.11
15	1453	7	FEW:02 70	10.00		80	26.7	65	18.5	56	13.3	44	22	220	28	29.12			30.08	FM-15	0.00	30.09
15	1553	7	FEW:02 70	10.00		81	27.2	65	18.4	55	12.8	41	20	220	28	29.10	8	+0.07	30.05	FM-15	T	30.07
15	1653	7	SCT:04 75	10.00		80	26.7	63	17.4	52	11.1	38	18	210	30	29.08			30.03	FM-15	T	30.05
15	1753	7	FEW:02 80	10.00		78	25.6	63	17.3	53	11.7	42	15	210	25	29.07			30.02	FM-15	0.00	30.04
15	1853	7	CLR:00	10.00		76	24.4	62	16.6	52	11.1	43	13	220		29.07	5	+0.02	30.03	FM-15	0.00	30.04
15	1953	7	CLR:00	10.00		72	22.2	60	15.5	51	10.6	48	7	210		29.08			30.03	FM-15	0.00	30.05
15	2053	7	CLR:00	10.00		69	20.6	59	14.9	51	10.6	53	8	200		29.08			30.04	FM-15	0.00	30.05
15	2153	7	CLR:00	10.00		68	20.0	58	14.7	51	10.6	55	7	200		29.08	0	-0.01	30.03	FM-15	0.00	30.05
15	2253	7	CLR:00	10.00		67	19.4	59	15.0	53	11.7	61	8	210		29.07			30.02	FM-15	0.00	30.04
15	2353	7	FEW:02 100	10.00		67	19.4	59	15.0	53	11.7	61	9	210		29.06			30.01	FM-15	0.00	30.03
16	0053	7	FEW:02 100	10.00		66	18.9	59	14.8	53	11.7	63	7	220		29.05	6	+0.03	30.00	FM-15	0.00	30.02
16	0153	7	FEW:02 80 SCT:04 95	10.00		65	18.3	58	14.5	53	11.7	66	8	210		29.04			29.99	FM-15	0.00	30.01
16	0253	7	FEW:02 80 SCT:04 100	10.00		67	19.4	59	15.0	53	11.7	61	13	210		29.03			29.98	FM-15	0.00	30.00
16	0353	7	SCT:04 70 BKN:07 90 BKN:07 110	10.00		66	18.9	59	15.1	54	12.2	65	14	210		29.03	6	+0.02	29.98	FM-15	0.00	30.00
16	0453	7	SCT:04 110	10.00		65	18.3	59	14.8	54	12.2	68	14	200		29.02			29.97	FM-15	0.00	29.99
16	0553	7	CLR:00	10.00		64	17.8	58	14.6	54	12.2	70	14	200		29.01			29.97	FM-15	0.00	29.98
16	0653	7	CLR:00	10.00		66	18.9	59	15.1	54	12.2	65	17	220		29.03	3	-0.01	29.98	FM-15	0.00	30.00
16	0753	7	CLR:00	10.00		68	20.0	61	16.1	56	13.3	65	18	220	30	29.04			29.99	FM-15	0.00	30.01
16	0853	7	FEW:02 80 SCT:04 95	10.00		71	21.7	63	17.3	58	14.4	63	21	220	28	29.02			29.97	FM-15	0.00	29.99
16	0953	7	BKN:07 36	10.00		70	21.1	63	17.4	59	15.0	68	21	240	32	29.03	3	-0.00	29.99	FM-15	T	30.00
16	1053	7	BKN:07 35 OVC:08 110	10.00		73	22.8	65	18.3	60	15.6	64	25	220	33	29.03			29.98	FM-15	0.00	30.00
16	1153	7	CLR:00	10.00		76	24.4	67	19.2	61	16.1	60	20	230	28	29.00			29.95	FM-15	T	29.97

16	1253	7	FEW:02 40 FEW:02 49 SCT:04 110	10.00		76	24.4	65	18.6	59	15.0	56	23	220	30	29.00	6	+0.04	29.95	FM-15	T	29.97
16	1353	7	FEW:02 50 SCT:04 55 BKN:07 110	10.00		78	25.6	65	18.4	57	13.9	48	16	240	28	28.99			29.95	FM-15	0.00	29.96
16	1453	7	SCT:04 65	10.00		76	24.4	64	17.7	56	13.3	50	17	270	30	28.99			29.94	FM-15	T	29.96
16	1553	7	SCT:04 65	10.00		76	24.4	63	17.4	55	12.8	48	20	280	26	28.99	5	+0.00	29.94	FM-15	0.00	29.96
16	1653	7	SCT:04 65 BKN:07 75	10.00		77	25.0	64	17.9	56	13.3	48	18	250	28	28.99			29.94	FM-15	0.00	29.96
16	1753	7	FEW:02 60 BKN:07 80 BKN:07 95	10.00		74	23.3	63	17.3	56	13.3	54	17	270	23	28.99			29.95	FM-15	0.00	29.96
16	1853	7	CLR:00	10.00		68	20.0	63	17.0	59	15.0	73	10	300		29.01	3	-0.02	29.96	FM-15	0.00	29.98
16	1953	7	BKN:07 110	10.00		69	20.6	62	16.9	58	14.4	68	8	280		29.03			29.98	FM-15	0.00	30.00
16	2053	7	OVC:08 75	10.00		68	20.0	63	17.0	59	15.0	73	9	240		29.06			30.01	FM-15	0.00	30.03
16	2153	7	FEW:02 65 BKN:07 90 OVC:08 100	10.00		66	18.9	62	16.9	60	15.6	81	9	230		29.06	1	-0.05	30.01	FM-15	0.00	30.03
16	2253	7	FEW:02 42 OVC:08 100	10.00		64	17.8	62	16.4	60	15.6	87	10	250		29.06			30.01	FM-15	0.00	30.03
16	2340	7	OVC:08 28	10.00	-RA:02 |RA |	64	17.8	62	16.4	60	15.6	87	9	240		29.06				FM-16	T	30.03
16	2353	7	BKN:07 28 BKN:07 41 OVC:08 55	10.00		64	17.8	62	16.4	60	15.6	87	8	250		29.06			30.01	FM-15	T	30.03
17	0001	7	SCT:04 28 BKN:07 37 OVC:08 43	10.00		63	17.2	61	16.2	60	15.6	90	8	250		29.06				FM-16		30.03
17	0053	7	BKN:07 34 BKN:07 55 OVC:08 70	10.00		62	16.7	61	16.0	60	15.6	93	5	260		29.05	8	+0.00	30.01	FM-15	0.00	30.02
17	0127	7	BKN:07 21 OVC:08 30	10.00		63	17.2	61	16.2	60	15.6	90	7	300		29.05				FM-16		30.02
17	0151	6	FEW:02 19 SCT:04 29 OVC:08 35	10.00		63	17.0	60	15.3	57	14.0	83	11	350		29.05				FM-16		30.02
17	0153	7	FEW:02 19 FEW:02 29 OVC:08 35	10.00		63	17.2	58	14.4	54	12.2	73	8	360		29.06			30.01	FM-15	0.00	30.03
17	0253	7	BKN:07 39 OVC:08 49	10.00		62	16.7	56	13.3	51	10.6	67	7	330		29.07			30.03	FM-15	0.00	30.04
17	0353	7	BKN:07 50	10.00		59	15.0	54	12.3	50	10.0	72	8	350		29.08	3	-0.03	30.04	FM-15	0.00	30.05
17	0453	7	BKN:07 60	10.00		58	14.4	52	11.0	46	7.8	65	8	340		29.11			30.06	FM-15	0.00	30.08
17	0553	7	CLR:00	10.00		52	11.1	48	9.2	45	7.2	77	8	350		29.14			30.10	FM-15	0.00	30.11
17	0653	7	CLR:00	10.00		55	12.8	50	10.2	46	7.8	72	8	350		29.16	1	-0.08	30.12	FM-15	0.00	30.13
17	0753	7	CLR:00	10.00		58	14.4	51	10.7	45	7.2	62	5	080		29.17			30.13	FM-15	0.00	30.14
17	0853	7	CLR:00	10.00		60	15.6	52	11.0	44	6.7	56	3	060		29.18			30.14	FM-15	0.00	30.15
17	0953	7	CLR:00	10.00		65	18.3	52	11.3	40	4.4	40	3	VRB		29.19	3	-0.03	30.15	FM-15	0.00	30.16
17	1053	7	CLR:00	10.00		65	18.3	52	11.0	39	3.9	39	5	040		29.18			30.14	FM-15	0.00	30.15
17	1153	7	CLR:00	10.00		67	19.4	53	11.5	39	3.9	36	9	VRB		29.17			30.13	FM-15	0.00	30.14
17	1253	7	CLR:00	10.00		69	20.6	53	11.8	38	3.3	32	7	VRB		29.17	7	+0.02	30.12	FM-15	0.00	30.14
17	1353	7	CLR:00	10.00		67	19.4	52	10.9	36	2.2	32	5	040		29.17			30.12	FM-15	0.00	30.14
17	1453	7	CLR:00	10.00		67	19.4	52	10.9	36	2.2	32				29.17			30.13	FM-15	0.00	30.14
17	1553	7	CLR:00	10.00		65	18.3	52	11.3	40	4.4	40	9	360		29.17	0	-0.00	30.13	FM-15	0.00	30.14
17	1653	7	CLR:00	10.00		63	17.2	51	10.8	40	4.4	43	6	350		29.18			30.14	FM-15	0.00	30.15
17	1753	7	CLR:00	10.00		61	16.1	50	10.3	40	4.4	46	6	010		29.18			30.14	FM-15	0.00	30.15
17	1853	7	CLR:00	10.00		63	17.2	49	9.7	35	1.7	35	3	360		29.19	1	-0.02	30.15	FM-15	0.00	30.16
17	1943	7	CLR:00	10.00		62	16.7	48	9.1	33	0.6	34	0	000		29.20				FM-16		30.17
17	1953	7	CLR:00	10.00		62	16.7	48	9.1	33	0.6	34	0	000		29.20			30.16	FM-15	0.00	30.17
17	2053	7	CLR:00	10.00		58	14.4	47	8.4	35	1.7	42	0	000		29.21			30.17	FM-15	0.00	30.18
17	2153	7	CLR:00	10.00		56	13.3	46	7.9	35	1.7	46	0	000		29.21	1	-0.03	30.18	FM-15	0.00	30.18

17	2253	7	CLR:00	10.00		53	11.7	46	7.7	38	3.3	57	0	000		29.22			30.19	FM-15	0.00	30.19
17	2353	7	CLR:00	10.00		51	10.6	45	7.2	38	3.3	61	0	000		29.23			30.20	FM-15	0.00	30.21
18	0053	7	CLR:00	10.00		49	9.4	44	6.8	39	3.9	69	0	000		29.23	1	-0.02	30.21	FM-15	0.00	30.21
18	0153	7	CLR:00	10.00		49	9.4	44	6.8	39	3.9	69	5	010		29.25			30.22	FM-15	0.00	30.22
18	0253	7	CLR:00	10.00		47	8.3	43	6.3	39	3.9	74	6	070		29.26			30.23	FM-15	0.00	30.23
18	0353	7	CLR:00	10.00		46	7.8	42	5.8	38	3.3	73	6	060		29.26	2	-0.03	30.24	FM-15	0.00	30.24
18	0453	7	CLR:00	10.00		47	8.3	42	5.8	37	2.8	69	5	060		29.27			30.25	FM-15	0.00	30.25
18	0553	7	CLR:00	10.00		45	7.2	41	5.2	37	2.8	74	7	080		29.28			30.27	FM-15	0.00	30.26
18	0653	7	CLR:00	10.00		48	8.9	45	7.0	41	5.0	77	6	080		29.30	3	-0.03	30.27	FM-15	0.00	30.28
18	0753	7	CLR:00	10.00		54	12.2	48	8.7	41	5.0	62	7	100		29.30			30.28	FM-15	0.00	30.28
18	0853	7	CLR:00	10.00		60	15.6	50	10.0	40	4.4	47	7	110		29.30			30.27	FM-15	0.00	30.28
18	0953	7	CLR:00	10.00		65	18.3	52	11.3	40	4.4	40	13	150		29.30	0	-0.00	30.27	FM-15	0.00	30.28
18	1053	7	CLR:00	10.00		69	20.6	53	11.8	38	3.3	32	17	130		29.28			30.26	FM-15	0.00	30.26
18	1153	7	CLR:00	10.00		70	21.1	53	11.8	37	2.8	30	11	140		29.26			30.23	FM-15	0.00	30.24
18	1253	7	CLR:00	10.00		72	22.2	55	12.7	39	3.9	30	11	110		29.25	8	+0.05	30.22	FM-15	0.00	30.22
18	1353	7	CLR:00	10.00		73	22.8	55	12.7	38	3.3	28	6	160	16	29.23			30.20	FM-15	0.00	30.20
18	1453	7	CLR:00	10.00		74	23.3	55	12.6	36	2.2	25	9	VRB	20	29.21			30.17	FM-15	0.00	30.18
18	1553	7	CLR:00	10.00		74	23.3	55	12.6	36	2.2	25	6	VRB	17	29.19	8	+0.06	30.15	FM-15	0.00	30.16
18	1653	7	FEW:02 100	10.00		75	23.9	55	12.8	36	2.2	24	11	160		29.16			30.13	FM-15	0.00	30.13
18	1753	7	OVC:08 100	10.00		73	22.8	54	12.1	35	1.7	25	8	150		29.15			30.11	FM-15	0.00	30.12
18	1757	7	CLR:00	10.00		74	23.3	54	12.4	35	1.7	24	10	130		29.14				FM-16		30.11
18	1853	7	CLR:00	10.00		71	21.7	53	11.7	35	1.7	27	8	130		29.12	8	+0.06	30.09	FM-15	0.00	30.09
18	1953	7	CLR:00	10.00		69	20.6	52	11.0	34	1.1	27	3	110		29.13			30.09	FM-15	0.00	30.10
18	2053	7	SCT:04 70 BKN:07 90	10.00		70	21.1	56	13.1	43	6.1	38	8	160		29.14			30.10	FM-15	0.00	30.11
18	2153	7	OVC:08 95	10.00		70	21.1	60	15.6	53	11.7	55	11	180		29.14	3	-0.02	30.10	FM-15	0.00	30.11
18	2253	7	OVC:08 60	10.00		69	20.6	61	16.0	55	12.8	61	13	190	20	29.16			30.11	FM-15	0.00	30.13
18	2354	7				67	19.4	61	15.9	56	13.3	68	10	190		29.16			30.12	FM-15	0.00	30.13
19	0053	7	FEW:02 29 BKN:07 55 OVC:08 70	8.00	-RA:02 |RA |	65	18.3	61	16.0	58	14.4	78	7	180		29.16			30.11	FM-15	T	30.13
19	0109	7	BKN:07 28 BKN:07 50 OVC:08 70	10.00	-RA:02 |RA |	65	18.3	61	16.0	58	14.4	78	11	170		29.15				FM-16	T	30.12
19	0153	7	OVC:08 26	10.00		65	18.3	60	15.7	57	13.9	76	9	180		29.15			30.10	FM-15	T	30.12
19	0253	7	BKN:07 22	10.00		64	17.8	60	15.5	57	13.9	78	10	180		29.14			30.10	FM-15	0.00	30.11
19	0309	7	SCT:04 21 BKN:07 37 BKN:07 50	10.00		64	17.8	60	15.5	57	13.9	78	13	170		29.15				FM-16		30.12
19	0353	7	FEW:02 22 BKN:07 36	10.00		63	17.2	60	15.3	57	13.9	81	8	180		29.15	5	+0.01	30.10	FM-15	0.00	30.12
19	0405	7	BKN:07 20 BKN:07 36	10.00		63	17.2	60	15.3	57	13.9	81	7	180		29.15				FM-16		30.12
19	0453	7	OVC:08 19	10.00		63	17.2	60	15.3	57	13.9	81	10	180		29.15			30.10	FM-15	0.00	30.12
19	0551	6	SCT:04 21 OVC:08 30	10.00		63	17.0	60	15.3	57	14.0	83	13	180		29.15				FM-16		30.12
19	0553	7	SCT:04 21 OVC:08 30	10.00		63	17.2	60	15.6	58	14.4	84	11	180		29.15			30.11	FM-15	0.00	30.12
19	0614	7	BKN:07 23 OVC:08 30	10.00		62	16.7	60	15.4	58	14.4	86	11	190		29.16				FM-16		30.13
19	0653	7	OVC:08 19	10.00		63	17.2	60	15.6	58	14.4	84	11	190		29.17	3	-0.02	30.12	FM-15	0.00	30.14
19	0753	7	OVC:08 15	10.00		63	17.2	61	15.9	59	15.0	87	9	170		29.18			30.13	FM-15	0.00	30.15
19	0853	7	OVC:08 14	10.00		65	18.3	62	16.7	60	15.6	84	9	200		29.17			30.13	FM-15	0.00	30.14
19	0953	7	OVC:08 14	10.00		67	19.4	64	17.7	62	16.7	84	13	210		29.17	1	-0.00	30.12	FM-15	0.00	30.14
19	1053	7	OVC:08 14	10.00		71	21.7	67	19.2	64	17.8	79	14	200		29.17			30.12	FM-15	0.00	30.14
19	1151	6	BKN:07 25 BKN:07 32 OVC:08 44	10.00		70	21.0	66	18.7	63	17.0	78	13	210		29.16				FM-16		30.13

19	1153	7	BKN:07 25 BKN:07 32 OVC:08 44	10.00		71	21.7	66	18.9	63	17.2	76	13	210		29.16			30.11	FM-15	0.00	30.13
19	1251	6	SCT:04 29 BKN:07 40	10.00		73	23.0	67	19.3	63	17.0	69	9	230		29.14				FM-16		30.11
19	1253	7	SCT:04 29 BKN:07 37	10.00		74	23.3	66	19.1	62	16.7	67	14	230		29.14	8	+0.03	30.09	FM-15	0.00	30.11
19	1353	7	FEW:02 39 SCT:04 50 SCT:04 100	10.00		77	25.0	67	19.7	62	16.7	60	14	210		29.12			30.08	FM-15	0.00	30.09
19	1453	7	FEW:02 43	10.00		78	25.6	67	19.6	61	16.1	56	15	240		29.11			30.06	FM-15	0.00	30.08
19	1553	7	FEW:02 46 SCT:04 60	10.00		77	25.0	66	19.1	60	15.6	56	13	220	20	29.09	8	+0.05	30.04	FM-15	0.00	30.06
19	1653	7	FEW:02 48	10.00		77	25.0	66	18.8	59	15.0	54	9	220		29.09			30.04	FM-15	0.00	30.06
19	1753	7	CLR:00	10.00		77	25.0	65	18.5	58	14.4	52	11	240	20	29.10			30.05	FM-15	0.00	30.07
19	1804	7	SCT:04 100	10.00		76	24.4	65	18.3	58	14.4	54	10	250		29.10				FM-16		30.07
19	1853	7	SCT:04 100	10.00		75	23.9	65	18.1	58	14.4	55	8	240		29.10	3	-0.01	30.06	FM-15	0.00	30.07
19	1953	7	FEW:02 70 SCT:04 100	10.00		72	22.2	63	17.2	57	13.9	59	5	210		29.11			30.06	FM-15	0.00	30.08
19	2053	7	FEW:02 60	10.00		71	21.7	63	17.3	58	14.4	63	7	190		29.10			30.06	FM-15	0.00	30.07
19	2153	7	BKN:07 110	10.00		65	18.3	63	17.0	61	16.1	87	3	060		29.12	3	-0.02	30.08	FM-15	0.02	30.09
19	2253	7	SCT:04 110	10.00		66	18.9	62	16.9	60	15.6	81	3	060		29.12			30.08	FM-15	T	30.09
19	2353	7	BKN:07 65	10.00		64	17.8	62	16.8	61	16.1	90	6	070		29.12			30.07	FM-15	0.00	30.09
20	0053	7	CLR:00	10.00		63	17.2	61	16.2	60	15.6	90	6	060		29.11	8	+0.01	30.07	FM-15	0.00	30.08
20	0153	7	CLR:00	10.00		61	16.1	60	15.8	60	15.6	97	6	120		29.09			30.04	FM-15	0.00	30.06
20	0253	7	CLR:00	10.00		61	16.1	60	15.8	60	15.6	97	5	080		29.08			30.03	FM-15	0.00	30.05
20	0353	7	CLR:00	10.00		60	15.6	59	15.2	59	15.0	96	3	140		29.08	6	+0.03	30.03	FM-15	0.00	30.05
20	0453	7	FEW:02 50 SCT:04 65	9.00		62	16.7	61	16.0	60	15.6	93	5	160		29.07			30.02	FM-15	0.00	30.04
20	0553	7	SCT:04 80	8.00		63	17.2	62	16.6	61	16.1	93	9	190		29.06			30.01	FM-15	0.00	30.03
20	0653	7	CLR:00	7.00		63	17.2	62	16.6	61	16.1	93	8	190		29.07	5	+0.01	30.03	FM-15	0.00	30.04
20	0753	7	BKN:07 65 BKN:07 80	10.00		68	20.0	65	18.3	63	17.2	84	8	220		29.07			30.02	FM-15	0.00	30.04
20	0853	7	SCT:04 70 BKN:07 85	10.00		71	21.7	65	18.6	62	16.7	73	11	230		29.05			30.01	FM-15	0.00	30.02
20	0953	7	CLR:00	10.00		76	24.4	67	19.2	61	16.1	60	16	230	28	29.04	8	+0.03	29.99	FM-15	0.00	30.01
20	1053	7	CLR:00	10.00		79	26.1	67	19.5	60	15.6	52	24	230	37	29.02			29.97	FM-15	T	29.99
20	1153	7	FEW:02 55	9.00		80	26.7	65	18.5	56	13.3	44	24	240	34	29.01			29.96	FM-15	T	29.98
20	1253	7	FEW:02 60	10.00		82	27.8	66	18.9	56	13.3	41	17	230	31	28.97	8	+0.07	29.92	FM-15	0.00	29.94
20	1353	7	CLR:00	10.00		81	27.2	67	19.2	58	14.4	45	22	220	33	28.94			29.89	FM-15	0.00	29.91
20	1453	7	FEW:02 60	10.00		81	27.2	67	19.2	58	14.4	45	25	240	33	28.91			29.86	FM-15	0.00	29.88
20	1553	7	SCT:04 65	9.00		81	27.2	66	18.7	56	13.3	42	21	240	30	28.90	6	+0.07	29.85	FM-15	0.00	29.87
20	1635	7	BKN:07 65 BKN:07 80	8.00	VCTS:7 ||	78	25.6	65	18.4	57	13.9	48	31	250	48	28.92				FM-16		29.89
20	1651	6	SCT:04 60 BKN:07 80 OVC:08 100	10.00	-RA:02 |RA |	66	19.0	62	16.6	59	15.0	78	8	270	32	28.91				FM-16		29.88
20	1653	7	FEW:02 60 BKN:07 75 OVC:08 95	10.00	VCTS:7 -RA:02 |RA |	66	18.9	62	16.6	59	15.0	78	5	260		28.91			29.86	FM-15	0.02	29.88
20	1728	7	FEW:02 43 SCT:04 75 BKN:07 110	10.00	-RA:02 |RA |	68	20.0	64	17.9	62	16.7	81	11	230	28	28.92				FM-16	T	29.89
20	1753	7	SCT:04 100	10.00		68	20.0	64	17.6	61	16.1	78	8	220		28.91			29.86	FM-15	T	29.88
20	1853	7	CLR:00	10.00		68	20.0	64	17.6	61	16.1	78	11	220		28.90	8	+0.01	29.85	FM-15	0.00	29.86
20	1953	7	BKN:07 70 BKN:07 100	10.00		68	20.0	65	18.3	63	17.2	84	8	220		28.90			29.86	FM-15	0.00	29.87
20	2053	7	FEW:02 60 BKN:07 80 BKN:07 100	10.00		68	20.0	65	18.3	63	17.2	84	10	210		28.90			29.85	FM-15	0.00	29.87
20	2153	7	SCT:04 120	10.00		68	20.0	65	18.3	63	17.2	84	14	220		28.90	8	+0.01	29.84	FM-15	0.00	29.86

20	2253	7	FEW:02 27 SCT:04 49 BKN:07 110	10.00		68	20.0	65	18.3	63	17.2	84	9	270		28.90			29.85	FM-15	0.00	29.87
20	2353	7	FEW:02 26 BKN:07 110	10.00		67	19.4	65	18.4	64	17.8	91	10	250		28.90			29.85	FM-15	0.01	29.87
21	0053	7	BKN:07 75 OVC:08 100	10.00	-RA:02 |RA |	67	19.4	65	18.4	64	17.8	91	14	260	21	28.90	1	-0.02	29.85	FM-15	T	29.87
21	0153	7	FEW:02 55 BKN:07 85 OVC:08 110	10.00		64	17.8	60	15.8	58	14.4	81	13	290	23	28.90			29.84	FM-15	T	29.86
21	0244	7	BKN:07 18 OVC:08 110	10.00		60	15.6	57	14.0	55	12.8	84	14	330	22	28.91				FM-16		29.88
21	0253	7	BKN:07 18 OVC:08 60	10.00		59	15.0	56	13.4	54	12.2	83	16	330	21	28.92			29.87	FM-15	0.00	29.89
21	0310	7	SCT:04 19 BKN:07 60	10.00		57	13.9	54	12.4	52	11.1	83	11	330		28.92				FM-16		29.89
21	0353	7	CLR:00	10.00		55	12.8	52	11.3	50	10.0	83	14	320		28.94	3	-0.04	29.90	FM-15	0.00	29.91
21	0414	7	BKN:07 21	10.00		55	12.8	52	11.3	50	10.0	83	10	320		28.95				FM-16		29.92
21	0453	7	BKN:07 23	10.00		54	12.2	50	10.2	47	8.3	77	10	320		28.96			29.92	FM-15	0.00	29.93
21	0505	7	SCT:04 23	10.00		53	11.7	50	10.0	47	8.3	80	10	330		28.96				FM-16		29.93
21	0553	7	FEW:02 24	10.00		51	10.6	48	8.9	45	7.2	80	7	310		28.98			29.94	FM-15	0.00	29.95
21	0653	7	SCT:04 24	10.00		53	11.7	50	10.2	48	8.9	83	3	270		28.99			29.96	FM-15	0.00	29.96
21	0722	7	OVC:08 21	10.00		53	11.7	50	10.0	47	8.3	80	13	280		29.01				FM-16		29.98
21	0753	7	BKN:07 21	10.00		54	12.2	50	10.2	47	8.3	77	13	280		29.02			29.98	FM-15	0.00	29.99
21	0814	7	SCT:04 21	10.00		54	12.2	50	10.2	47	8.3	77	11	280		29.01				FM-16		29.98
21	0853	7	FEW:02 22	10.00		56	13.3	52	11.0	48	8.9	75	10	280		29.01			29.97	FM-15	0.00	29.98
21	0951	6	BKN:07 27	10.00		57	14.0	52	11.2	48	9.0	72	13	280		29.03				FM-16		30.00
21	0953	7	BKN:07 27	10.00		58	14.4	53	11.5	48	8.9	70	13	290		29.02	1	-0.03	29.98	FM-15	0.00	29.99
21	1032	7	SCT:04 28	10.00		57	13.9	51	10.7	46	7.8	67	8	310		29.03				FM-16		30.00
21	1053	7	SCT:04 30	10.00		58	14.4	52	11.0	46	7.8	65	14	270		29.03			29.99	FM-15	0.00	30.00
21	1153	7	FEW:02 31	10.00		59	15.0	52	11.2	46	7.8	62	11	280	20	29.03			29.99	FM-15	0.00	30.00
21	1253	7	CLR:00	10.00		60	15.6	52	11.2	45	7.2	58	11	260	21	29.02	8	+0.00	29.98	FM-15	0.00	29.99
21	1353	7	CLR:00	10.00		60	15.6	52	11.0	44	6.7	56	11	270	18	29.01			29.97	FM-15	0.00	29.98
21	1453	7	CLR:00	10.00		61	16.1	53	11.7	46	7.8	58	9	300		28.98			29.94	FM-15	0.00	29.95
21	1553	7	CLR:00	10.00		62	16.7	53	11.7	45	7.2	54	10	320	17	28.97	6	+0.05	29.93	FM-15	0.00	29.94
21	1653	7	SCT:04 44	10.00		60	15.6	52	11.0	44	6.7	56	13	320	18	29.00			29.97	FM-15	0.00	29.97
21	1753	7	CLR:00	10.00		58	14.4	50	10.2	43	6.1	58	10	360		28.99			29.96	FM-15	0.00	29.96
21	1853	7	SCT:04 120	10.00		56	13.3	49	9.7	43	6.1	62	14	330		29.02	1	-0.04	29.98	FM-15	0.00	29.99
21	1953	7	FEW:02 65 FEW:02 80 OVC:08 100	10.00		53	11.7	47	8.4	41	5.0	64	11	340		29.03			30.00	FM-15	0.00	30.00
21	2053	7	BKN:07 95 OVC:08 120	10.00		51	10.6	46	7.6	40	4.4	66	15	350		29.06			30.03	FM-15	0.00	30.03
21	2153	7	OVC:08 90	10.00		51	10.6	45	7.4	39	3.9	64	13	360		29.05	0	-0.04	30.02	FM-15	0.00	30.02
21	2253	7	OVC:08 85	10.00		50	10.0	45	7.4	40	4.4	68	11	360		29.05			30.02	FM-15	0.00	30.02
21	2353	7	OVC:08 85	10.00		49	9.4	43	6.4	37	2.8	64	15	020		29.05			30.02	FM-15	0.00	30.02
22	0053	7	FEW:02 75 OVC:08 90	10.00		49	9.4	44	6.6	38	3.3	66	9	020		29.07	3	-0.01	30.04	FM-15	0.00	30.04
22	0153	7	FEW:02 50 OVC:08 75	6.00	RA:02 |RA |	46	7.8	44	6.5	41	5.0	83	9	030		29.04			30.01	FM-15	0.07	30.01
22	0253	7	OVC:08 85	10.00		45	7.2	43	6.2	41	5.0	86	7	020		29.04			30.01	FM-15	0.01	30.01
22	0353	7	OVC:08 70	10.00		46	7.8	42	5.7	38	3.3	73	13	020		29.04	6	+0.02	30.01	FM-15	0.00	30.01
22	0453	7	CLR:00	10.00		44	6.7	41	4.9	37	2.8	76	8	040		29.04			30.01	FM-15	0.00	30.01
22	0522	7	BKN:07 29	10.00		44	6.7	41	5.2	38	3.3	79	5	350		29.08				FM-16		30.05
22	0553	7	OVC:08 29	10.00		44	6.7	41	5.2	38	3.3	79	8	360		29.09			30.06	FM-15	0.00	30.06
22	0611	7	SCT:04 29	10.00		44	6.7	41	4.9	37	2.8	76	15	030		29.08				FM-16		30.05
22	0653	7	CLR:00	10.00		45	7.2	42	5.5	38	3.3	77	13	020		29.10	3	-0.05	30.07	FM-15	0.00	30.07
22	0753	7	CLR:00	10.00		46	7.8	42	5.5	37	2.8	71	14	030		29.10			30.08	FM-15	0.00	30.07
22	0853	7	SCT:04 34	10.00		46	7.8	42	5.7	38	3.3	73	11	020		29.08			30.06	FM-15	0.00	30.05
22	0953	7	FEW:02 28	10.00		48	8.9	43	6.3	38	3.3	68	11	030		29.09	7	+0.01	30.06	FM-15	0.00	30.06

22	1053	7	FEW:02 33	10.00		49	9.4	44	6.6	38	3.3	66	10	350		29.11			30.09	FM-15	0.00	30.08
22	1153	7	CLR:00	10.00		50	10.0	44	6.7	37	2.8	61	10	030		29.12			30.10	FM-15	0.00	30.09
22	1253	7	CLR:00	10.00		53	11.7	46	7.7	38	3.3	57	9	020		29.11	0	-0.02	30.08	FM-15	0.00	30.08
22	1353	7	CLR:00	10.00		54	12.2	46	7.6	36	2.2	51	11	030		29.11			30.09	FM-15	0.00	30.08
22	1453	7	CLR:00	10.00		54	12.2	46	7.8	37	2.8	53	14	020		29.07			30.04	FM-15	0.00	30.04
22	1553	7	FEW:02 120	10.00		54	12.2	46	8.0	38	3.3	55	14	010		29.06	8	+0.05	30.03	FM-15	0.00	30.03
22	1653	7	CLR:00	10.00		53	11.7	45	7.3	36	2.2	52	16	020		29.07			30.04	FM-15	0.00	30.04
22	1753	7	CLR:00	10.00		51	10.6	44	6.9	37	2.8	59	17	010		29.08			30.06	FM-15	0.00	30.05
22	1853	7	CLR:00	10.00		50	10.0	44	6.7	37	2.8	61	15	030	18	29.09	1	-0.03	30.06	FM-15	0.00	30.06
22	1953	7	CLR:00	10.00		48	8.9	42	5.4	34	1.1	58	10	020		29.10			30.08	FM-15	0.00	30.07
22	2053	7	CLR:00	10.00		43	6.1	39	4.0	34	1.1	71	7	010		29.13			30.11	FM-15	0.00	30.10
22	2153	7	CLR:00	10.00		42	5.6	39	3.9	35	1.7	76	7	010		29.13	1	-0.04	30.11	FM-15	0.00	30.10
22	2253	7	CLR:00	10.00		41	5.0	38	3.6	35	1.7	79	7	020		29.12			30.10	FM-15	0.00	30.09
22	2353	7	CLR:00	10.00		39	3.9	37	2.7	34	1.1	82	8	020		29.12			30.11	FM-15	0.00	30.09
23	0053	7	CLR:00	10.00		39	3.9	37	2.9	35	1.7	86	8	020		29.12	6	+0.01	30.10	FM-15	0.00	30.09
23	0153	7	CLR:00	10.00		38	3.3	37	2.6	35	1.7	89	7	020		29.10			30.08	FM-15	0.00	30.07
23	0253	7	CLR:00	10.00		37	2.8	36	2.1	34	1.1	89	5	030		29.11			30.09	FM-15	0.00	30.08
23	0353	7	CLR:00	10.00		35	1.7	34	1.2	33	0.6	93	8	360		29.11	5	+0.01	30.09	FM-15	0.00	30.08
23	0453	7	CLR:00	10.00		35	1.7	34	1.2	33	0.6	93	6	010		29.11			30.09	FM-15	0.00	30.08
23	0553	7	CLR:00	10.00		36	2.2	35	1.5	33	0.6	89	5	040		29.10			30.09	FM-15	0.00	30.07
23	0653	7	CLR:00	10.00		42	5.6	39	4.1	36	2.2	79	10	030		29.11	3	-0.00	30.09	FM-15	0.00	30.08
23	0753	7	CLR:00	10.00		48	8.9	43	6.3	38	3.3	68	10	050		29.11			30.09	FM-15	0.00	30.08
23	0853	7	CLR:00	10.00		53	11.7	46	7.7	38	3.3	57	11	060		29.09			30.07	FM-15	0.00	30.06
23	0953	7	CLR:00	10.00		58	14.4	48	8.6	36	2.2	44	13	070		29.11	5	+0.01	30.08	FM-15	0.00	30.08
23	1053	7	CLR:00	10.00		60	15.6	48	8.9	35	1.7	39	9	100		29.11			30.08	FM-15	0.00	30.08
23	1153	7	CLR:00	10.00		63	17.2	49	9.7	35	1.7	35	10	040		29.06			30.03	FM-15	0.00	30.03
23	1253	7	CLR:00	10.00		66	18.9	50	9.9	32	0.0	28	11	060	18	29.05	8	+0.06	30.01	FM-15	0.00	30.02
23	1353	7	CLR:00	10.00		67	19.4	50	10.1	32	0.0	27	13	040		29.03			30.00	FM-15	0.00	30.00
23	1453	7	CLR:00	10.00		67	19.4	51	10.3	33	0.6	28	11	060		29.01			29.98	FM-15	0.00	29.98
23	1553	7	CLR:00	10.00		68	20.0	51	10.4	32	0.0	26	11	080		29.01	6	+0.04	29.98	FM-15	0.00	29.98
23	1653	7	CLR:00	10.00		67	19.4	51	10.3	33	0.6	28	11	040		29.01			29.98	FM-15	0.00	29.98
23	1753	7	CLR:00	10.00		65	18.3	50	10.0	34	1.1	32	9	060		29.01			29.99	FM-15	0.00	29.98
23	1853	7	CLR:00	10.00		60	15.6	48	8.9	35	1.7	39	8	020		29.01	2	-0.01	29.99	FM-15	0.00	29.98
23	1953	7	CLR:00	10.00		58	14.4	48	8.6	36	2.2	44	8	030		29.03			30.00	FM-15	0.00	30.00
23	2053	7	CLR:00	10.00		56	13.3	47	8.1	36	2.2	47	8	030		29.04			30.01	FM-15	0.00	30.01
23	2153	7	CLR:00	10.00		52	11.1	45	7.0	36	2.2	55	8	020		29.04	0	-0.02	30.01	FM-15	0.00	30.01
23	2253	7	CLR:00	10.00		52	11.1	46	7.7	39	3.9	61	7	030		29.04			30.01	FM-15	0.00	30.01
23	2353	7	CLR:00	10.00		50	10.0	45	7.1	39	3.9	66	8	030		29.03			30.00	FM-15	0.00	30.00
24	0053	7	CLR:00	10.00		48	8.9	44	6.6	39	3.9	71	5	050		29.02	8	+0.01	29.99	FM-15	0.00	29.99
24	0153	7	CLR:00	10.00		47	8.3	43	6.0	38	3.3	71	7	060		29.01			29.97	FM-15	0.00	29.98
24	0253	7	CLR:00	10.00		47	8.3	42	5.8	37	2.8	69	8	050		29.00			29.97	FM-15	0.00	29.97
24	0353	7	CLR:00	10.00		45	7.2	41	5.2	37	2.8	74	7	020		28.99	6	+0.03	29.96	FM-15	0.00	29.96
24	0453	7	CLR:00	10.00		45	7.2	41	4.8	35	1.7	68	6	070		28.99			29.96	FM-15	0.00	29.96
24	0553	7	CLR:00	10.00		43	6.1	39	3.9	34	1.1	71	6	020		29.00			29.97	FM-15	0.00	29.97
24	0653	7	CLR:00	10.00		50	10.0	44	6.9	38	3.3	63	7	050		29.01	3	-0.02	29.98	FM-15	0.00	29.98
24	0753	7	CLR:00	10.00		56	13.3	48	8.7	39	3.9	53	14	050		29.00			29.97	FM-15	0.00	29.97
24	0853	7	CLR:00	10.00		59	15.0	50	9.8	40	4.4	49	10	050		29.00			29.97	FM-15	0.00	29.97
24	0953	7	CLR:00	10.00		63	17.2	52	11.0	41	5.0	45	13	070		28.98	8	+0.03	29.95	FM-15	0.00	29.95
24	1053	7	CLR:00	10.00		68	20.0	54	12.2	41	5.0	38	14	060		28.96			29.93	FM-15	0.00	29.93
24	1153	7	CLR:00	10.00		70	21.1	56	13.6	45	7.2	41	10	070		28.95			29.91	FM-15	0.00	29.92
24	1253	7	FEW:02 60 OVC:08 85	10.00		72	22.2	59	14.7	48	8.9	43	16	070	21	28.94	6	+0.04	29.90	FM-15	0.00	29.91
24	1353	7	SCT:04 60 OVC:08 80	10.00		70	21.1	58	14.6	49	9.4	47	17	100		28.93			29.90	FM-15	0.00	29.90
24	1453	7	SCT:04 47 BKN:07 55 OVC:08 95	10.00		70	21.1	60	15.4	52	11.1	53	13	130		28.92			29.88	FM-15	0.00	29.89

24	1553	7	FEW:02 43 SCT:04 50 OVC:08 90	10.00		68	20.0	58	14.6	51	10.6	55	17	110		28.90	8	+0.03	29.87	FM-15	0.00	29.87
24	1653	7	FEW:02 55 OVC:08 85	10.00		65	18.3	57	14.0	51	10.6	61	17	090	24	28.91			29.88	FM-15	0.00	29.88
24	1753	7	BKN:07 110	10.00		66	18.9	58	14.2	51	10.6	59	15	100	22	28.90			29.86	FM-15	0.00	29.86
24	1853	7	SCT:04 90	10.00		61	16.1	54	12.5	49	9.4	65	10	100		28.90	5	+0.01	29.86	FM-15	0.00	29.87
24	1953	7	OVC:08 37	10.00		60	15.6	54	12.3	49	9.4	67	13	090		28.92			29.88	FM-15	0.00	29.89
24	2053	7	OVC:08 33	10.00		58	14.4	53	11.5	48	8.9	70	10	090		28.91			29.88	FM-15	0.00	29.88
24	2153	7	FEW:02 70	10.00		56	13.3	52	11.0	48	8.9	75	14	110		28.91	0	-0.01	29.87	FM-15	0.00	29.88
24	2253	7	FEW:02 85	10.00		55	12.8	51	10.7	48	8.9	77	13	100		28.90			29.86	FM-15	0.00	29.87
24	2353	7	CLR:00	10.00		53	11.7	50	10.2	48	8.9	83	7	100		28.89			29.84	FM-15	0.00	29.85
25	0053	7	OVC:08 60	10.00		54	12.2	51	10.5	48	8.9	80	9	100		28.89	6	+0.03	29.84	FM-15	0.00	29.85
25	0153	7	CLR:00	10.00		52	11.1	49	9.7	47	8.3	83	6	100		28.87			29.82	FM-15	0.00	29.83
25	0253	7	OVC:08 55	10.00		54	12.2	51	10.5	48	8.9	80	6	090		28.86			29.81	FM-15	0.00	29.82
25	0353	7	OVC:08 70	10.00		54	12.2	51	10.5	48	8.9	80	8	110		28.86	6	+0.02	29.81	FM-15	0.00	29.82
25	0453	7	BKN:07 90	10.00		53	11.7	50	10.2	48	8.9	83	7	110		28.86			29.82	FM-15	0.00	29.82
25	0553	7	BKN:07 80 OVC:08 95	10.00		54	12.2	51	10.5	48	8.9	80	9	110		28.87			29.82	FM-15	0.00	29.83
25	0653	7	BKN:07 80	10.00		55	12.8	52	11.0	49	9.4	80	6	110		28.87	3	-0.01	29.83	FM-15	0.00	29.84
25	0753	7	OVC:08 90	10.00		57	13.9	53	11.8	50	10.0	78	6	100		28.89			29.84	FM-15	0.00	29.85
25	0853	7	SCT:04 95 BKN:07 120	10.00		60	15.6	55	12.8	51	10.6	72	8	080		28.89			29.84	FM-15	0.00	29.85
25	0953	7	FEW:02 75	10.00		64	17.8	57	14.0	52	11.1	65	9	090		28.87	8	+0.00	29.83	FM-15	0.00	29.84
25	1053	7	CLR:00	10.00		67	19.4	59	15.0	53	11.7	61	6	120		28.86			29.82	FM-15	0.00	29.82
25	1153	7	CLR:00	10.00		70	21.1	61	15.9	54	12.2	57	0	000		28.84			29.79	FM-15	0.00	29.80
25	1253	7	CLR:00	10.00		72	22.2	62	16.6	55	12.8	55	7	160		28.81	8	+0.07	29.76	FM-15	0.00	29.77
25	1353	7	SCT:04 48	10.00		73	22.8	62	16.8	55	12.8	53	10	150		28.79			29.74	FM-15	0.00	29.75
25	1453	7	OVC:08 60	10.00		72	22.2	61	16.3	54	12.2	53	3	120		28.77			29.72	FM-15	0.00	29.73
25	1553	7	BKN:07 60	10.00		73	22.8	62	16.8	55	12.8	53	5	140		28.76	6	+0.05	29.70	FM-15	0.00	29.72
25	1653	7	OVC:08 60	10.00		73	22.8	63	17.1	56	13.3	55	6	120		28.76			29.70	FM-15	0.00	29.72
25	1753	7	FEW:02 60	10.00		72	22.2	62	16.6	55	12.8	55	10	130		28.75			29.70	FM-15	0.00	29.71
25	1853	7	FEW:02 60	10.00		70	21.1	61	16.2	55	12.8	59	10	120		28.75	6	+0.01	29.70	FM-15	0.00	29.71
25	1953	7	CLR:00	10.00		65	18.3	59	15.1	55	12.8	70	7	110		28.75			29.70	FM-15	0.00	29.71
25	2053	7	CLR:00	10.00		66	18.9	60	15.3	55	12.8	68	7	120		28.76			29.71	FM-15	0.00	29.72
25	2153	7	CLR:00	10.00		63	17.2	58	14.7	55	12.8	75	7	110		28.76	3	-0.01	29.71	FM-15	0.00	29.72
25	2253	7	CLR:00	10.00		62	16.7	58	14.4	55	12.8	78	7	110		28.76			29.70	FM-15	0.00	29.72
25	2353	7	CLR:00	10.00		61	16.1	58	14.2	55	12.8	81	8	110		28.76			29.71	FM-15	0.00	29.72
26	0053	7	CLR:00	10.00		59	15.0	56	13.4	54	12.2	83	6	110		28.78	3	-0.02	29.73	FM-15	0.00	29.74
26	0153	7	CLR:00	10.00		58	14.4	56	13.5	55	12.8	90	6	120		28.77			29.72	FM-15	0.00	29.73
26	0253	7	CLR:00	10.00		57	13.9	55	13.0	54	12.2	90	5	140		28.76			29.70	FM-15	0.00	29.72
26	0353	7	CLR:00	10.00		57	13.9	55	13.0	54	12.2	90	6	130		28.76	5	+0.02	29.71	FM-15	0.00	29.72
26	0453	7	CLR:00	10.00		57	13.9	55	13.0	54	12.2	90	7	130		28.76			29.70	FM-15	0.00	29.72
26	0553	7	CLR:00	10.00		56	13.3	55	12.7	54	12.2	93	7	130		28.77			29.71	FM-15	0.00	29.73
26	0653	7	CLR:00	10.00		58	14.4	56	13.5	55	12.8	90	6	130		28.79	3	-0.02	29.73	FM-15	0.00	29.75
26	0753	7	CLR:00	10.00		62	16.7	59	14.7	56	13.3	80	7	150		28.79			29.73	FM-15	0.00	29.75
26	0853	7	CLR:00	10.00		65	18.3	60	15.7	57	13.9	76	9	160		28.77			29.72	FM-15	0.00	29.73
26	0953	7	CLR:00	10.00		69	20.6	62	16.9	58	14.4	68	8	160		28.78	5	+0.01	29.73	FM-15	0.00	29.74
26	1053	7	CLR:00	10.00		72	22.2	64	17.8	59	15.0	64	13	160		28.75			29.69	FM-15	0.00	29.71
26	1153	7	CLR:00	10.00		75	23.9	66	18.7	60	15.6	60	11	160		28.74			29.68	FM-15	0.00	29.70
26	1253	7	CLR:00	10.00		79	26.1	66	18.8	58	14.4	49	13	180	21	28.70	8	+0.08	29.65	FM-15	0.00	29.66
26	1353	7	CLR:00	10.00		81	27.2	66	18.6	56	13.3	42	18	160	25	28.68			29.62	FM-15	0.00	29.64
26	1422	7	CLR:00	10.00		81	27.2	64	17.8	53	11.7	38	21	160	26	28.67				FM-16		29.63
26	1453	7	CLR:00	10.00		82	27.8	65	18.3	54	12.2	38	18	170	31	28.65			29.59	FM-15	0.00	29.61
26	1553	7	CLR:00	10.00		84	28.9	64	17.9	51	10.6	32	17	180	29	28.64	6	+0.06	29.58	FM-15	0.00	29.60
26	1653	7	CLR:00	10.00		83	28.3	64	17.7	51	10.6	33	16	180	25	28.63			29.57	FM-15	0.00	29.59
26	1753	7	CLR:00	10.00		83	28.3	64	17.7	51	10.6	33	11	160	21	28.63			29.57	FM-15	0.00	29.59
26	1853	7	CLR:00	10.00		80	26.7	64	17.6	53	11.7	39	11	170		28.63	5	+0.01	29.58	FM-15	0.00	29.59

26	1953	7	CLR:00	10.00		76	24.4	62	16.9	53	11.7	45	7	170		28.64			29.59	FM-15	0.00	29.60
26	2053	7	CLR:00	10.00		74	23.3	62	16.4	53	11.7	48	8	180		28.66			29.60	FM-15	0.00	29.62
26	2153	7	CLR:00	10.00		72	22.2	61	16.0	53	11.7	52	5	140		28.66	1	-0.03	29.60	FM-15	0.00	29.62
26	2253	7	CLR:00	10.00		69	20.6	60	15.4	53	11.7	57	5	120		28.65			29.59	FM-15	0.00	29.61
26	2353	7	CLR:00	10.00		70	21.1	60	15.6	53	11.7	55	10	140		28.64			29.57	FM-15	0.00	29.60
27	0053	7	CLR:00	10.00		69	20.6	60	15.4	53	11.7	57	5	160		28.64	5	+0.02	29.58	FM-15	0.00	29.60
27	0153	7	CLR:00	10.00		68	20.0	59	15.2	53	11.7	59	7	160		28.64			29.58	FM-15	0.00	29.60
27	0253	7	CLR:00	10.00		67	19.4	59	15.0	53	11.7	61	9	170		28.64			29.58	FM-15	0.00	29.60
27	0353	7	CLR:00	10.00		68	20.0	60	15.8	55	12.8	63	11	200		28.65	3	-0.01	29.59	FM-15	0.00	29.61
27	0453	7	BKN:07 50 BKN:07 60	10.00		69	20.6	61	16.0	55	12.8	61	9	170		28.65			29.58	FM-15	0.00	29.61
27	0553	7	BKN:07 45	10.00		69	20.6	61	16.0	55	12.8	61	14	160		28.64			29.58	FM-15	0.00	29.60
27	0653	7	CLR:00	10.00		70	21.1	62	16.5	56	13.3	61	15	170	22	28.63	8	+0.02	29.57	FM-15	0.00	29.59
27	0753	7	FEW:02 120	10.00		70	21.1	62	16.8	57	13.9	64	15	180		28.64			29.57	FM-15	0.00	29.60
27	0853	7	CLR:00	10.00		71	21.7	63	17.0	57	13.9	61	11	170		28.63			29.57	FM-15	0.00	29.59
27	0953	7	BKN:07 100	10.00		72	22.2	63	17.2	57	13.9	59	16	180	30	28.62	8	+0.01	29.56	FM-15	0.00	29.58
27	1053	7	OVC:08 50	10.00		72	22.2	63	17.2	57	13.9	59	16	200	25	28.63			29.57	FM-15	0.00	29.59
27	1153	7	BKN:07 42 BKN:07 50 OVC:08 75	10.00	-RA:02 |RA |	68	20.0	62	16.7	58	14.4	70	15	240	22	28.66			29.60	FM-15	T	29.62
27	1253	7	FEW:02 33 BKN:07 55 OVC:08 85	10.00	-RA:02 |RA |	65	18.3	62	16.7	60	15.6	84	11	220		28.67	1	-0.05	29.61	FM-15	0.02	29.63
27	1353	7	FEW:02 25 SCT:04 35 SCT:04 80	10.00		72	22.2	66	18.7	62	16.7	71	14	210	22	28.66			29.60	FM-15	T	29.62
27	1426	7	SCT:04 39 BKN:07 48 BKN:07 55	8.00	VCTS:7 -RA:02 |RA |	65	18.3	60	15.7	57	13.9	76	21	240	32	28.69				FM-16	0.01	29.65
27	1437	7	FEW:02 37 BKN:07 44 OVC:08 80	5.00	TS:7 -RA:02 |RA TS TS |	65	18.3	62	16.7	60	15.6	84	13	230	22	28.70				FM-16	0.03	29.66
27	1451	6	FEW:02 44 BKN:07 60 OVC:08 75	10.00		66	19.0	63	17.2	61	16.0	83	13	240		28.70				FM-16		29.66
27	1453	7	FEW:02 44 BKN:07 65 OVC:08 80	10.00		67	19.4	63	17.1	60	15.6	79	16	240	23	28.70			29.64	FM-15	0.03	29.66
27	1553	7	FEW:02 38	10.00	-RA:02 |RA |	70	21.1	61	16.2	55	12.8	59	22	250	32	28.70	1	-0.04	29.65	FM-15	0.01	29.66
27	1653	7	FEW:02 43	10.00	-RA:02 |RA |	68	20.0	58	14.6	51	10.6	55	20	260	31	28.75			29.70	FM-15	T	29.71
27	1655	7	FEW:02 43	10.00		68	20.0	59	14.9	52	11.1	57	21	260	31	28.75				FM-16	T	29.71
27	1714	7	CLR:00	10.00		67	19.4	57	14.1	50	10.0	55	21	230	30	28.76				FM-16	T	29.72
27	1753	7	CLR:00	10.00		65	18.3	57	13.7	50	10.0	59	15	250	28	28.79			29.73	FM-15	0.00	29.75
27	1853	7	CLR:00	10.00		63	17.2	54	12.4	47	8.3	56	15	260	22	28.81	1	-0.11	29.75	FM-15	0.00	29.77
27	1953	7	FEW:02 44	10.00		58	14.4	52	11.0	46	7.8	65	8	260		28.83			29.78	FM-15	0.00	29.79
27	2053	7	CLR:00	10.00		55	12.8	51	10.5	47	8.3	74	8	270		28.87			29.82	FM-15	0.00	29.83
27	2153	7	CLR:00	10.00		53	11.7	49	9.7	46	7.8	77	8	260		28.90	3	-0.09	29.85	FM-15	0.00	29.86
27	2253	7	CLR:00	10.00		53	11.7	49	9.4	45	7.2	74	5	240		28.90			29.85	FM-15	0.00	29.87
27	2353	7	CLR:00	10.00		49	9.4	47	8.1	44	6.7	83	9	270		28.91			29.88	FM-15	0.00	29.88
28	0053	7	CLR:00	10.00		48	8.9	46	7.8	44	6.7	86	0	000		28.95	3	-0.05	29.91	FM-15	0.00	29.92
28	0153	7	CLR:00	10.00		49	9.4	47	8.1	44	6.7	83	0	000		28.97			29.93	FM-15	0.00	29.94
28	0253	7	CLR:00	10.00		45	7.2	45	7.0	44	6.7	97	0	000		29.00			29.96	FM-15	0.00	29.97
28	0353	7	SCT:04 29	10.00		45	7.2	44	6.7	43	6.1	93	0	000		29.01	1	-0.06	29.97	FM-15	0.00	29.98
28	0416	7	OVC:08 28	10.00		48	8.9	47	8.1	45	7.2	89	0	000		29.02				FM-16		29.99
28	0453	7	OVC:08 27	10.00		47	8.3	46	7.8	45	7.2	93	0	000		29.03			30.00	FM-15	0.00	30.00
28	0544	7	SCT:04 25	10.00		45	7.2	45	7.0	44	6.7	97	0	000		29.03				FM-16		30.00
28	0553	7	FEW:02 25	10.00		47	8.3	46	7.8	45	7.2	93	0	000		29.04			30.01	FM-15	0.00	30.01
28	0653	7	CLR:00	10.00		50	10.0	48	8.9	46	7.8	86	5	080		29.06	1	-0.05	30.02	FM-15	0.00	30.03
28	0753	7	CLR:00	10.00		51	10.6	48	8.9	45	7.2	80	7	120		29.07			30.04	FM-15	0.00	30.04
28	0853	7	CLR:00	10.00		55	12.8	51	10.5	47	8.3	74	5	240		29.09			30.06	FM-15	0.00	30.06

28	0953	7	FEW:02 120	10.00		57	13.9	52	11.0	47	8.3	69	9	140		29.05	8	+0.01	30.02	FM-15	0.00	30.02
28	1053	7	CLR:00	10.00		61	16.1	55	12.5	49	9.4	65	9	180		29.06			30.02	FM-15	0.00	30.03
28	1153	7	FEW:02 70 SCT:04 90 BKN:07 110	10.00		61	16.1	54	12.2	48	8.9	63	3	120		29.04			30.01	FM-15	0.00	30.01
28	1253	7	CLR:00	10.00		63	17.2	55	12.7	48	8.9	58	8	160		29.04	8	+0.01	30.01	FM-15	0.00	30.01
28	1353	7	CLR:00	10.00		65	18.3	55	12.9	47	8.3	52	5	110		29.03			30.00	FM-15	0.00	30.00
28	1453	7	SCT:04 120	10.00		67	19.4	56	13.4	47	8.3	49	0	000		29.02			29.99	FM-15	0.00	29.99
28	1553	7	CLR:00	10.00		68	20.0	57	14.1	49	9.4	51	3	040		29.01	8	+0.03	29.98	FM-15	0.00	29.98
28	1653	7	FEW:02 120	10.00		69	20.6	58	14.6	50	10.0	51	5	070		29.00			29.97	FM-15	0.00	29.97
28	1753	7	SCT:04 110	10.00		67	19.4	58	14.4	51	10.6	57	7	070		28.97			29.93	FM-15	0.00	29.94
28	1846	7	BKN:07 75 OVC:08 90	10.00	VCTS:7 -RA:02 |RA |	65s	18.3s	58	14.3	52	11.1	63	10	020		28.96				FM-16	T	29.93
28	1853	7	BKN:07 70 OVC:08 85	10.00	VCTS:7 -RA:02 |RA |	65	18.3	58	14.3	52	11.1	63	11	020		28.97	5	+0.04	29.93	FM-15	0.01	29.94
28	1908	7	OVC:08 65	4.00	TS:7 RA:02 |RA TS TS |	61	16.1	57	13.9	54	12.2	78	15	360		28.98				FM-16	0.04	29.95
28	1937	7	BKN:07 70 BKN:07 95 OVC:08 110	7.00	VCTS:7 RA:02 |RA |	59	15.0	57	13.7	55	12.8	87	13	030		28.98				FM-16	0.09	29.95
28	1953	7	FEW:02 55 BKN:07 70 OVC:08 110	4.00	TS:7 +RA:02 BR:1 |RA TS |	58	14.4	56	13.5	55	12.8	90	8	040		29.00			29.96	FM-15	0.14	29.97
28	2002	7	SCT:04 50 BKN:07 70 OVC:08 110	4.00	VCTS:7 +RA:02 BR:1 |RA |	58	14.4	57	13.8	56	13.3	93	14	070		28.94				FM-16	0.04	29.91
28	2042	7	FEW:02 14 BKN:07 100 OVC:08 110	4.00	* * * |* * |	58	14.4			56	13.3	93	29	290	37					FM-16	0.08	
28	2046	7	SCT:04 18 BKN:07 80 OVC:08 110	7.00	VCTS:7 -RA:02 SQ:2 |SQ RA |	58	14.4			56	13.3	93	24	310	37					FM-16	0.10	
28	2051	6	SCT:04 20 BKN:07 42 OVC:08 110	3.00	TS:7 +RA:02 BR:1 |RA TS |	57	14.0	56	13.3	55	13.0	94	23	VRB	39	28.94				FM-16		29.91
28	2053	7	SCT:04 20 BKN:07 40 OVC:08 110	3.00	TS:7 +RA:02 BR:1 |RA TS |	58	14.4	56	13.5	55	12.8	90	16	110	39	28.96			29.93	FM-15	0.18	29.93
28	2057	7	SCT:04 20 BKN:07 40 OVC:08 110	3.00	TS:7 +RA:02 BR:1 |RA TS |	58	14.4	56	13.5	55	12.8	90	13	060	39	29.00				FM-16	0.01	29.97
28	2108	7	FEW:02 19 BKN:07 70 OVC:08 100	6.00	VCTS:7 -RA:02 BR:1 |RA |	58	14.4	56	13.5	55	12.8	90	11	030		29.03				FM-16	0.03	30.00
28	2120	7	FEW:02 48 BKN:07 65 OVC:08 100	5.00	TS:7 RA:02 BR:1 |RA TS |	58	14.4	57	13.8	56	13.3	93	14	070		29.01				FM-16	0.05	29.98
28	2143	7	SCT:04 65 BKN:07 95 OVC:08 120	10.00	VCTS:7 -RA:02 |RA |	58	14.4	57	13.8	56	13.3	93	8	070		29.00				FM-16	0.07	29.97
28	2151	6	SCT:04 60 BKN:07 80 BKN:07 100	10.00	-RA:02 |RA |	57	14.0	56	13.3	55	13.0	94	7	360		29.03				FM-16		30.00
28	2153	7	FEW:02 49 BKN:07 90 OVC:08 110	10.00	-RA:02 |RA |	58	14.4	57	13.8	56	13.3	93	8	350		29.04	3	-0.07	30.01	FM-15	0.05	30.01
28	2253	7	FEW:02 75 BKN:07 95	10.00		57	13.9	56	13.6	56	13.3	96	9	110		29.00			29.96	FM-15	0.01	29.97
28	2351	6	FEW:02 46 SCT:04 65 OVC:08 100	10.00	VCTS:7 ||	57	14.0	56	13.3	55	13.0	94	10	130	21	28.99				FM-16		29.96
28	2353	7	SCT:04 46 SCT:04 60 OVC:08 100	10.00	VCTS:7 ||	57	13.9	56	13.3	55	12.8	93	9	130	21	29.00			29.96	FM-15	0.00	29.97

29	0009	7	BKN:07 44 BKN:07 60 OVC:08 110	10.00	TS:7 -RA:02 |RA TS TS |	58	14.4	56	13.5	55	12.8	90	9	120		29.00				FM-16	T	29.97
29	0024	7	OVC:08 40	10.00	-RA:02 |RA |	58	14.4	56	13.5	55	12.8	90	10	130		28.99				FM-16	T	29.96
29	0053	7	OVC:08 34	10.00	VCTS:7 ||	58	14.4	57	13.8	56	13.3	93	9	120		28.99	6	+0.05	29.95	FM-15	T	29.96
29	0149	7	SCT:04 39 SCT:04 80 BKN:07 100	9.00	TS:7 -RA:02 |RA TS TS |	57	14.0	56	13.3	55	13.0	94	8	100		28.96				FM-16	0.01	29.93
29	0153	7	SCT:04 40 SCT:04 80 BKN:07 100	10.00	TS:7 -RA:02 |RA TS TS |	56	13.3	56	13.3	56	13.3	100	9	100		28.96			29.93	FM-15	0.01	29.93
29	0158	7	FEW:02 5 SCT:04 36 BKN:07 95	10.00	-RA:02 |RA |	56	13.3	56	13.3	56	13.3	100	5	090		28.97				FM-16	T	29.94
29	0253	7	FEW:02 8 SCT:04 55 OVC:08 110	9.00	-RA:02 |RA |	57	13.9	56	13.6	56	13.3	96	3	100		29.00			29.96	FM-15	0.03	29.97
29	0310	7	SCT:04 45 BKN:07 95 OVC:08 110	7.00	VCTS:7 -RA:02 |RA |	57	13.9	57	13.9	57	13.9	100	7	140		28.99				FM-16	0.01	29.96
29	0319	7	SCT:04 43 BKN:07 80 OVC:08 100	7.00	TS:7 -RA:02 |RA TS TS |	57	13.9	57	13.9	57	13.9	100	7	120		28.99				FM-16	0.02	29.96
29	0334	7	SCT:04 41 BKN:07 50 OVC:08 100	6.00	VCTS:7 -RA:02 BR:1 |RA |	57	13.9	57	13.9	57	13.9	100	5	080		28.99				FM-16	0.04	29.96
29	0345	7	SCT:04 34 BKN:07 43 OVC:08 85	8.00	-RA:02 |RA |	57	13.9	57	13.9	57	13.9	100	3	120		29.00				FM-16	0.04	29.97
29	0353	7	SCT:04 36 BKN:07 43 BKN:07 70	8.00		57	13.9	57	13.9	57	13.9	100	6	120		28.99	0	-0.03	29.95	FM-15	0.04	29.96
29	0411	7	FEW:02 37 FEW:02 90 BKN:07 110	7.00	VCTS:7 -RA:02 |RA |	58	14.4	58	14.4	58	14.4	100	6	160		29.00				FM-16	0.01	29.97
29	0426	7	SCT:04 27 SCT:04 90 OVC:08 110	5.00	TS:7 RA:02 BR:1 |RA TS |	58	14.4	58	14.4	58	14.4	100	9	170		29.01				FM-16	0.03	29.98
29	0435	7	BKN:07 18 BKN:07 29 OVC:08 110	5.00	RA:02 BR:1 |RA |	58	14.4	58	14.4	58	14.4	100	8	150		29.00				FM-16	0.05	29.97
29	0451	6	BKN:07 12 BKN:07 19 OVC:08 29	5.00	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	8	160		29.02				FM-16		29.99
29	0453	7	BKN:07 12 OVC:08 21	5.00	RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	7	160		29.02			29.98	FM-15	0.11	29.99
29	0457	7	SCT:04 9 OVC:08 15	4.00	RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	5	160		29.02				FM-16	0.01	29.99
29	0513	7	SCT:04 5 BKN:07 11 OVC:08 110	5.00	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	5	140		29.02				FM-16	0.03	29.99
29	0525	7	BKN:07 7 BKN:07 95 OVC:08 120	6.00	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	7	030		29.01				FM-16	0.03	29.98
29	0553	7	OVC:08 5	5.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	7	090		28.98			29.93	FM-15	0.01	29.95
29	0651	6	OVC:08 3	3.00	BR:1 ||	61	16.0	61	16.1	61	16.0	100	3	220		29.07				FM-16		30.04
29	0653	7	OVC:08 3	4.00	BR:1 ||	61	16.1	61	16.1	61	16.1	100	3	200		29.07	3	-0.05	30.03	FM-15	0.00	30.04
29	0720	7	BKN:07 5 BKN:07 10 OVC:08 17	5.00	BR:1 ||	62	16.7	62	16.7	62	16.7	100	3	190		29.09				FM-16		30.06
29	0734	7	SCT:04 5 BKN:07 9 OVC:08 15	4.00	VCTS:7 -RA:02 BR:1 |RA |	62	16.7	62	16.7	62	16.7	100	5	130		29.08				FM-16	T	30.05

29	0741	7	FEW:02 5 SCT:04 10 OVC:08 15	5.00	VCTS:7 -RA:02 BR:1 |RA |	62	16.7	62	16.7	62	16.7	100	3	170		29.09				FM-16	T	30.06
29	0751	6	FEW:02 6 OVC:08 15	6.00	BR:1 ||	63	17.0	63	17.2	63	17.0	100	6	170		29.10				FM-16		30.07
29	0753	7	SCT:04 6 OVC:08 14	3.00	BR:1 ||	62	16.7	62	16.7	62	16.7	100	5	200		29.10			30.07	FM-15	T	30.07
29	0811	7	BKN:07 8 BKN:07 14 OVC:08 42	2.50	-RA:02 BR:1 |RA |	62	16.7	62	16.7	62	16.7	100	8	110		29.06				FM-16	0.03	30.03
29	0814	7	FEW:02 5 BKN:07 11 OVC:08 110	3.00	-RA:02 BR:1 |RA |	62	16.7	62	16.7	62	16.7	100	7	110		29.06				FM-16	0.03	30.03
29	0824	7	SCT:04 9 SCT:04 41 OVC:08 110	4.00	-RA:02 BR:1 |RA |	62	16.7	62	16.7	62	16.7	100	7	140		29.07				FM-16	0.03	30.04
29	0844	7	BKN:07 11 OVC:08 110	2.50	VCTS:7 -RA:02 BR:1 |RA |	62	16.7	62	16.7	62	16.7	100	5	170		29.09				FM-16	0.05	30.06
29	0846	7	FEW:02 4 BKN:07 11 OVC:08 120	2.50	TS:7 -RA:02 BR:1 |RA TS |	62	16.7	62	16.7	62	16.7	100	8	180		29.10				FM-16	0.05	30.07
29	0853	7	FEW:02 4 BKN:07 11 OVC:08 110	2.50	TS:7 RA:02 BR:1 |RA TS |	62	16.7	62	16.7	62	16.7	100	6	190		29.09			30.06	FM-15	0.11	30.06
29	0855	7	BKN:07 9 BKN:07 27 OVC:08 42	1.25	TS:7 +RA:02 BR:1 |RA TS |	62	16.7	62	16.7	62	16.7	100	0	000		29.07				FM-16	0.01	30.04
29	0904	7	SCT:04 11 BKN:07 48 OVC:08 100	2.00	TS:7 -RA:02 BR:1 |RA TS |	62	16.7	62	16.7	62	16.7	100	0	000		29.08				FM-16	0.03	30.05
29	0907	7	BKN:07 11 BKN:07 45 OVC:08 100	2.50	VCTS:7 -RA:02 BR:1 |RA |	62	16.7	62	16.7	62	16.7	100	3	140		29.09				FM-16	0.03	30.06
29	0911	7	BKN:07 6 BKN:07 19 OVC:08 100	2.50	VCTS:7 RA:02 BR:1 |RA |	62	16.7	62	16.7	62	16.7	100	3	240		29.10				FM-16	0.04	30.07
29	0914	7	SCT:04 4 BKN:07 14 OVC:08 90	2.00V	TS:7 RA:02 BR:1 |RA TS |	62	16.7	62	16.7	62	16.7	100	6	200		29.12				FM-16	0.05	30.09
29	0920	7	BKN:07 4 BKN:07 14 OVC:08 90	1.75	TS:7 +RA:02 BR:1 |RA TS |	62	16.7	62	16.7	62	16.7	100	9	200		29.14				FM-16	0.09	30.11
29	0951	6	BKN:07 4 BKN:07 14 OVC:08 33	2.00	TS:7 +RA:02 BR:1 |RA TS |	63	17.0	63	17.2	63	17.0	100	9	180		29.14				FM-16		30.11
29	0953	7	BKN:07 4 BKN:07 14 OVC:08 33	2.50	TS:7 RA:02 BR:1 |RA TS |	63	17.2	63	17.2	63	17.2	100	7	170		29.13	3	-0.06	30.10	FM-15	0.32	30.10
29	0959	7	SCT:04 5 BKN:07 47 OVC:08 75	2.50	TS:7 +RA:02 BR:1 |RA TS |	63	17.2	63	17.2	63	17.2	100	7	080		29.11				FM-16	0.03	30.08
29	1013	7	FEW:02 10 SCT:04 49 OVC:08 100	4.00	TS:7 RA:02 BR:1 |RA TS |	62	16.7	62	16.7	62	16.7	100	9	040		29.08				FM-16	0.07	30.05
29	1027	7	FEW:02 3 FEW:02 70 OVC:08 100	3.00	RA:02 BR:1 |RA |	62	16.7	62	16.7	62	16.7	100	10	190		29.14				FM-16	0.10	30.11
29	1039	7	SCT:04 5 BKN:07 45 OVC:08 100	2.50	VCTS:7 RA:02 BR:1 |RA |	63	17.2	63	17.2	63	17.2	100	14	200		29.19				FM-16	0.16	30.16
29	1053	7	BKN:07 5 BKN:07 44 OVC:08 75	2.50	VCTS:7 RA:02 BR:1 |RA |	63	17.2	63	17.2	63	17.2	100	9	140		29.13			30.10	FM-15	0.20	30.10
29	1106	7	BKN:07 5 BKN:07 47 OVC:08 75	6.00	-RA:02 BR:1 |RA |	63	17.2	63	17.2	63	17.2	100	6	200		29.13				FM-16	0.02	30.10

29	1144	7	OVC:08 4	10.00		64	17.8	64	17.8	64	17.8	100	8	200		29.14				FM-16	0.02	30.11
29	1153	7	OVC:08 5	10.00		64	17.8	64	17.8	64	17.8	100	9	210		29.15			30.11	FM-15	T	30.12
29	1238	7	SCT:04 7	10.00		67	19.4	66	18.7	65	18.3	93	7	180		29.14				FM-16		30.11
29	1253	7	FEW:02 8	10.00		68	20.0	66	18.9	65	18.3	90	7	200		29.13	8	+0.01	30.09	FM-15	0.00	30.10
29	1353	7	CLR:00	10.00		71	21.7	67	19.2	64	17.8	79	7	210		29.12			30.08	FM-15	0.00	30.09
29	1453	7	SCT:04 23	10.00		72	22.2	66	19.1	63	17.2	73	0	000		29.10			30.06	FM-15	0.00	30.07
29	1553	7	CLR:00	10.00		74	23.3	66	19.1	62	16.7	67	0	000		29.09	6	+0.04	30.05	FM-15	0.00	30.06
29	1653	7	CLR:00	10.00		69	20.6	65	18.5	63	17.2	81	11	340		29.08			30.04	FM-15	0.00	30.05
29	1753	7	CLR:00	10.00		65	18.3	63	17.0	61	16.1	87	10	360		29.08			30.04	FM-15	0.00	30.05
29	1853	7	CLR:00	10.00		61	16.1	60	15.5	59	15.0	93	9	010		29.07	8	+0.02	30.03	FM-15	0.00	30.04
29	1918	7	SCT:04 9	10.00		61	16.1	60	15.5	59	15.0	93	14	040		29.07				FM-16		30.04
29	1938	7	BKN:07 9	10.00		60	15.6	59	15.2	59	15.0	96	15	050		29.07				FM-16		30.04
29	1953	7	OVC:08 7	10.00		59	15.0	58	14.7	58	14.4	96	14	050		29.08			30.04	FM-15	0.00	30.05
29	2053	7	OVC:08 5	5.00	BR:1 ||	57	13.9	56	13.6	56	13.3	96	10	050		29.09			30.05	FM-15	0.00	30.06
29	2108	7	OVC:08 4	5.00	BR:1 ||	57	13.9	56	13.6	56	13.3	96	11	050		29.09				FM-16		30.06
29	2153	7	OVC:08 4	5.00	BR:1 ||	55	12.8	54	12.5	54	12.2	96	13	040		29.09	1	-0.02	30.05	FM-15	0.00	30.06
29	2209	7	OVC:08 5	6.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	11	050		29.09				FM-16		30.06
29	2253	7	OVC:08 5	5.00	BR:1 ||	53	11.7	53	11.7	53	11.7	100	13	060		29.07			30.03	FM-15	0.00	30.04
29	2324	7	OVC:08 4	4.00	BR:1 ||	53	11.7	53	11.7	53	11.7	100	10	070		29.06				FM-16		30.03
29	2353	7	OVC:08 3	4.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	11	080		29.06			30.02	FM-15	0.00	30.03
30	0051	6	OVC:08 5	6.00	BR:1 ||	55	13.0	55	12.8	55	13.0	100	8	110		29.02				FM-16		29.99
30	0053	7	OVC:08 5	6.00	BR:1 ||	55	12.8	55	12.8	55	12.8	100	8	110		29.02	8	+0.06	29.98	FM-15	0.00	29.99
30	0126	7	OVC:08 4	5.00	BR:1 ||	56	13.3	56	13.3	56	13.3	100	10	100		29.01				FM-16		29.98
30	0153	7	OVC:08 4	4.00	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	5	130		29.02			29.98	FM-15	0.02	29.99
30	0253	7	OVC:08 4	4.00	BR:1 ||	56	13.3	56	13.3	56	13.3	100	5	020		29.01			29.97	FM-15	0.00	29.98
30	0353	7	OVC:08 3	3.00	BR:1 ||	56	13.3	56	13.3	56	13.3	100	8	070		29.00	8	+0.02	29.96	FM-15	0.00	29.97
30	0401	7	OVC:08 3	2.50	BR:1 ||	56	13.3	56	13.3	56	13.3	100	8	040		29.00				FM-16		29.97
30	0422	7	OVC:08 2	1.75	BR:1 ||	56	13.3	56	13.3	56	13.3	100	5	050		29.00				FM-16		29.97
30	0433	7	OVC:08 2	2.00	BR:1 ||	56	13.3	56	13.3	56	13.3	100	5	060		29.00				FM-16		29.97
30	0451	6	OVC:08 3	3.00	BR:1 ||	55	13.0	55	12.8	55	13.0	100	5	060		29.00				FM-16		29.97
30	0453	7	OVC:08 3	3.00	BR:1 ||	56	13.3	56	13.3	56	13.3	100	5	070		29.00			29.96	FM-15	0.00	29.97
30	0544	7	OVC:08 3	2.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	6	100		29.00				FM-16		29.97
30	0551	6	OVC:08 3	1.75	BR:1 ||	57	14.0	57	13.9	57	14.0	100	6	090		29.00				FM-16		29.97
30	0553	7	OVC:08 3	1.50	BR:1 ||	57	13.9	57	13.9	57	13.9	100	6	100		29.00			29.96	FM-15	0.00	29.97
30	0605	7	OVC:08 2	0.50	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	7	100		29.00				FM-16		29.97
30	0653	7	VV:09 2	0.50	FG:2 |FG |	59	15.0	59	15.0	59	15.0	100	6	120		29.00	5	+0.00	29.97	FM-15	0.00	29.97
30	0711	7	OVC:08 2	1.50	BR:1 ||	60	15.6	60	15.6	60	15.6	100	7	120		29.00				FM-16		29.97
30	0720	7	OVC:08 2	3.00	BR:1 ||	61	16.1	61	16.1	61	16.1	100	7	130		29.00				FM-16		29.97
30	0744	7	SCT:04 3	5.00	BR:1 ||	63	17.2	63	17.2	63	17.2	100	6	140		29.00				FM-16		29.97
30	0753	7	CLR:00	6.00	BR:1 ||	65	18.3	64	18.0	64	17.8	97	7	140		28.99			29.95	FM-15	0.00	29.96
30	0853	7	CLR:00	10.00		70	21.1	67	19.7	66	18.9	87	8	140		28.99			29.95	FM-15	0.00	29.96
30	0953	7	CLR:00	10.00		74	23.3	69	20.8	67	19.4	79	14	160		28.98	6	+0.02	29.94	FM-15	0.00	29.95
30	1053	7	SCT:04 95	10.00		80	26.7	71	21.9	67	19.4	64	20	190	29	28.97			29.93	FM-15	0.00	29.94
30	1153	7	BKN:07 50 BKN:07 60	10.00		81	27.2	70	21.4	65	18.3	58	20	200	37	28.96			29.91	FM-15	T	29.93
30	1253	7	FEW:02 44	10.00		80	26.7	70	21.2	65	18.3	60	21	210	33	28.96	6	+0.02	29.91	FM-15	0.00	29.93
30	1353	7	BKN:07 43 BKN:07 50 BKN:07 110	10.00		81	27.2	72	22.0	67	19.4	62	21	200	30	28.94			29.89	FM-15	0.00	29.91
30	1453	7	FEW:02 44	10.00		82	27.8	71	21.9	66	18.9	58	16	210	29	28.91			29.87	FM-15	0.00	29.88
30	1553	7	CLR:00	10.00		82	27.8	72	22.2	67	19.4	60	13	200	21	28.89	8	+0.08	29.83	FM-15	0.00	29.85
30	1653	7	CLR:00	10.00		80	26.7	70	20.9	64	17.8	58	14	180		28.87			29.81	FM-15	0.00	29.83
30	1753	7	SCT:04 100	10.00		80	26.7	70	21.2	65	18.3	60	14	190		28.87			29.81	FM-15	0.00	29.83
30	1853	7	BKN:07 110	10.00		80	26.7	70	21.2	65	18.3	60	10	180		28.86	6	+0.03	29.80	FM-15	0.00	29.82
30	1953	7	SCT:04 120	10.00		78	25.6	69	20.5	64	17.8	62	10	180		28.84			29.79	FM-15	0.00	29.81
30	2053	7	SCT:04 100	10.00		78	25.6	68	20.2	63	17.2	60	13	170		28.84			29.78	FM-15	0.00	29.81
30	2153	7	FEW:02 85 BKN:07 110	10.00	-RA:02 |RA |	76	24.4	67	19.2	61	16.1	60	17	200	32	28.84	5	+0.01	29.79	FM-15	T	29.81

30	2253	7	BKN:07 110	10.00		75	23.9	66	18.7	60	15.6	60	11	170		28.80			29.74	FM-15	T	29.76
30	2353	7	BKN:07 120	10.00		73	22.8	66	18.6	61	16.1	66	9	160		28.79			29.72	FM-15	T	29.75

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
April 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01				T																					01
02																									02
03												T	T					0.01	0.05	0.06			T	T	03
04						T	0.01	T			T		T												04
05															T	T			T	0.30	0.18	0.03	T	0.01	05
06							T	0.03	T	T		T	T	T	T	0.01	T	T	T	M	T	0.01	0.01	T	06
07	T	T	T	T	T	T	T	T					T	T	T	T	T								07
08																									08
09																									09
10										T	T														10
11						T	0.02	0.37	0.05	0.02	T														11
12																									12
13																					T				13
14					T		T	T	T																14
15											T					T	T								15
16										T		T	T		T									T	16
17																									17
18																									18
19	T	T																				0.02	T		19
20											T	T					0.02	T						0.01	20
21	T	T																							21
22		0.07	0.01																						22
23																									23
24																									24
25																									25
26																									26
27												T	0.02	T	0.03	0.01	T								27
28																			0.01	0.14	0.18	0.05	0.01		28
29	T	0.01	0.03	0.04	0.11	0.01		T	0.11	0.32	0.20	T													29
30		0.02										T										T	T	T	30

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.13	0.17	0.19	0.21	0.26	0.34	0.38	0.44	0.48	0.54	0.60	0.63
Ending Date Time (yyyy-mm-dd hh:mi)	2017-04-11 07:18	2017-04-11 07:22	2017-04-11 07:22	2017-04-11 07:29	2017-04-11 07:41	2017-04-11 07:57	2017-04-11 08:06	2017-04-05 20:26	2017-04-05 20:47	2017-04-29 10:51	2017-04-29 10:58	2017-04-29 10:58

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
May 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	74	52	63	6.2				2	0	0533	1927	RA BR	0.55			28.67		15.6	47	230	35	230
02	63	46	55	-2.1				10	0	0531	1928	RA BR	0.06			28.79		16.4	40	240	31	240
03	57	44	51	-6.4				14	0	0530	1929	RA	T			29.13		8.5	22	330	16	340
04	62	47	55	-2.7				10	0	0529	1930	RA BR	0.52			28.90		8.3	19	140	14	070
05	56	44	50	-8.0				15	0	0528	1931	RA BR	0.24			28.56		15.9	33	360	25	340
06	60	43	52	-6.2				13	0	0526	1932	RA	T			28.66		12.8	31	290	23	300
07	58	36	47	-11.5				18	0	0525	1933		T			28.89		10.8	31	290	25	290
08	59	32*	46	-12.8				19	0	0524	1934		0.00			29.07		8.6	25	280	21	280
09	57	38	47	-12.1				18	0	0523	1935	RA	0.01			29.00		3.1	12	180	10	230
10	74	47	60	0.6				5	0	0522	1936		0.00			29.00		3.7	13	320	10	110
11	66	53	60	0.3				5	0	0521	1937	TS RA BR	0.13			28.87		10.5	26	240	20	240
12	65	48	56	-4.0				9	0	0520	1938		0.00			28.92		8.2	20	010	17	010
13	72	42	57	-3.2				8	0	0519	1939	BR	0.00			28.90		5.4	18	310	14	290
14	81	53	67	6.5				0	2	0518	1940		T			28.87		11.3	36	270	26	290
15	76	50	63	2.2				2	0	0517	1941		0.00			29.05		3.9	13	080	10	090
16	87	54	71	9.9				0	6	0516	1942		0.00			29.00		9.5	27s	190s	21	210
17	87*	65	76	14.6				0	11	0515	1943	RA	T			28.96		13.5	39	210	30	210
18	83	68	75	13.3				0	10	0514	1944	TS RA	0.02			28.95		14.0	35	240	26	230
19	84	55	70	8.0				0	5	0514	1944	TS RA BR	1.53			29.03		7.3	30s	300s	25	320
20	75	53	64	1.7				1	0	0513	1945	TS RA BR	0.61			29.13		8.2	36	220	28	220
21	75	63	69	6.4				0	4	0512	1946	TS RA BR	0.60			29.03		8.2	24	210	20	200
22	68	51	60	-3.0				5	0	0511	1947		0.00			29.08		8.1	25	290	18	290
23	74	48	61	-2.3				4	0	0510	1948		0.00			28.87		5.8	17	070	14	090
24	68	58	63	-0.6				2	0	0510	1949	RA	0.01			28.57		7.9	23	120	18	120
25	67	58	62	-1.9				3	0	0509	1950	RA BR	0.65			28.49		8.9	26	270	20	270
26	75	55	65	0.8				0	0	0508	1951	TS RA BR	0.22			28.87		9.8	25	270	21	270
27	79	62	71	6.5				0	6	0508	1951	TS RA BR	0.04			28.89		5.2	19	180	15	160
28	79	64	72	7.2				0	7	0507	1952	RA BR	0.01			28.81		10.7	27	220	21	220
29	80	59	70	4.8				0	5	0507	1953	TS RA BR	0.37			28.92		9.2	30	230	23	230
30	78	55	67	1.5				0	2	0506	1954	FG BR	T			29.01		8.5	32	280	25	280
31	79	50	64	-1.8				1	0	0506	1954	RA	T			29.03		9.4	48	280	38	280
	71.5	51.4	61.5							Monthly Averages | Totals			5.57s			28.90	29.86	9.2				
	-1.0	1.5	0.3	Departure from Normal (1981-2010)									1.16s									

Degree Days

	Monthly Total	Monthly Departure	Season-to-date Total	Season-to-date Departure
Heating	165	-4	4604	
Cooling	56	4	85	

Number of days with...

	Temperature Max >=90°	Temperature Max <=32°	Temperature Min <=32°	Temperature Min <=0°	Precipitation >=0.01"	Precipitation >=0.1"	Snow >=1"	Weather T-Storms	Weather Heavy Fog
Heating									
Cooling	0	0	1	0	16	10			

Date of 5-sec to 3-sec wind equipment change

N/A

Sea Level Pressure

		Date	Time
Maximum	30.21	03	1143
Minimum	29.36	25	0411

Greatest...

24-Hr... Precip	24-Hr... Snowfall	Snow Depth
1.53		
Date		
19-19		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
May 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	SCT:04 100	10.00		74	23.3	66	18.8	61	16.1	64	11	150	22	28.77	6	+0.08	29.70	FM-15	0.00	29.73
01	0153	7	SCT:04 95	10.00		73	22.8	65	18.3	60	15.6	64	9	170		28.77			29.70	FM-15	0.00	29.73
01	0253	7	SCT:04 70 OVC:08 110	10.00		74	23.3	65	18.2	59	15.0	60	10	160		28.74			29.67	FM-15	0.00	29.70
01	0353	7	BKN:07 60 OVC:08 80	8.00	-RA:02 |RA |	70	21.1	64	18.0	61	16.1	73	13	180	24	28.73	8	+0.03	29.67	FM-15	0.02	29.69
01	0453	7	OVC:08 110	9.00	-RA:02 |RA |	68	20.0	64	17.9	62	16.7	81	10	160		28.71			29.65	FM-15	0.01	29.67
01	0553	7	BKN:07 45 BKN:07 70 OVC:08 120	10.00	-RA:02 |RA |	69	20.6	64	17.8	61	16.1	76	14	160		28.69			29.63	FM-15	T	29.65
01	0653	7	SCT:04 38 BKN:07 48 OVC:08 120	10.00		67	19.4	65	18.1	63	17.2	87	15	160	26	28.67	6	+0.06	29.61	FM-15	0.03	29.63
01	0753	7	FEW:02 45 SCT:04 75 OVC:08 100	4.00	RA:02 BR:1 |RA |	66	18.9	65	18.2	64	17.8	93	13	170		28.65			29.59	FM-15	0.06	29.61
01	0830	7	SCT:04 9 BKN:07 23 OVC:08 46	3.00	RA:02 BR:1 |RA |	63	17.2	62	16.9	62	16.7	97	10	VRB	23	28.66				FM-16	0.07	29.62
01	0846	7	SCT:04 9 BKN:07 23 OVC:08 46	2.00V	RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	13	240	24	28.68				FM-16	0.12	29.64
01	0851	6	SCT:04 9 BKN:07 23 OVC:08 46	4.00	-RA:02 BR:1 |RA |	61	16.0	60	15.5	59	15.0	94	18	240	29	28.69				FM-16		29.65
01	0853	7	SCT:04 9 BKN:07 23 OVC:08 46	2.50	RA:02 BR:1 |RA |	60	15.6	59	15.2	59	15.0	96	20	230	29	28.69			29.64	FM-15	0.15	29.65
01	0900	7	BKN:07 7 OVC:08 23	2.50	RA:02 BR:1 |RA |	58	14.4	57	14.1	57	13.9	97	21	230	25	28.69				FM-16	0.03	29.65
01	0951	6	FEW:02 55 SCT:04 70 OVC:08 100	7.00	-RA:02 |RA |	55	13.0	55	12.8	55	13.0	100	9	230		28.66				FM-16		29.62
01	0953	7	FEW:02 55 SCT:04 70 OVC:08 100	8.00	-RA:02 |RA |	56	13.3	55	13.0	55	12.8	97	9	230		28.66	8	+0.02	29.60	FM-15	0.24	29.62
01	1016	7	BKN:07 20 BKN:07 70 OVC:08 100	7.00	-RA:02 |RA |	56	13.3	55	12.7	54	12.2	93	9	230		28.67				FM-16	0.04	29.63
01	1033	7	SCT:04 20 OVC:08 30	10.00	-RA:02 |RA |	56	13.3	55	12.7	54	12.2	93	10	200		28.67				FM-16	0.05	29.63
01	1053	7	OVC:08 32	10.00		56	13.3	54	12.4	53	11.7	90	7	180		28.65			29.59	FM-15	0.04	29.61
01	1153	7	FEW:02 40 SCT:04 50	10.00		61	16.1	56	13.3	52	11.1	72	9	180	20	28.59			29.54	FM-15	0.00	29.55
01	1253	7	CLR:00	10.00		66	18.9	58	14.5	52	11.1	61	16	220	28	28.57	8	+0.08	29.51	FM-15	0.00	29.53
01	1353	7	SCT:04 45 BKN:07 50	10.00		67	19.4	58	14.7	52	11.1	59	15	230	31	28.56			29.50	FM-15	0.00	29.52
01	1453	7	SCT:04 47 BKN:07 55 BKN:07 70	10.00		67	19.4	59	15.0	53	11.7	61	22	210	34	28.54			29.48	FM-15	0.00	29.50
01	1553	7	FEW:02 47 SCT:04 60 BKN:07 75	10.00		68	20.0	56	13.3	46	7.8	45	33	230	47	28.57	5	+0.01	29.51	FM-15	T	29.53

01	1653	7	FEW:02 47 SCT:04 60 BKN:07 70	10.00		62	16.7	54	12.2	47	8.3	58	28	230	40	28.62			29.57	FM-15	0.00	29.58
01	1753	7	FEW:02 48 BKN:07 55	10.00		60	15.6	51	10.7	43	6.1	53	25	240	39	28.65			29.59	FM-15	0.00	29.61
01	1853	7	OVC:08 55	10.00		58	14.4	50	9.9	42	5.6	56	17	260	32	28.68	1	-0.12	29.63	FM-15	0.00	29.64
01	1953	7	OVC:08 50	10.00		55	12.8	48	8.9	41	5.0	59	17	250	25	28.72			29.67	FM-15	0.00	29.68
01	2053	7	OVC:08 45	10.00		54	12.2	48	8.7	41	5.0	62	16	240	30	28.73			29.68	FM-15	0.00	29.69
01	2153	7	BKN:07 40 OVC:08 50	10.00		53	11.7	47	8.4	41	5.0	64	17	250	28	28.74	1	-0.06	29.70	FM-15	0.00	29.70
01	2253	7	BKN:07 50 OVC:08 70	10.00		52	11.1	47	8.4	42	5.6	69	13	230		28.73			29.69	FM-15	0.00	29.69
01	2353	7	OVC:08 60	10.00		52	11.1	47	8.1	41	5.0	66	15	220	25	28.73			29.68	FM-15	0.00	29.69
02	0053	7	OVC:08 50	10.00		51	10.6	47	8.1	42	5.6	71	16	230	23	28.73	5	+0.01	29.69	FM-15	0.00	29.69
02	0153	7	FEW:02 47 OVC:08 70	10.00		50	10.0	46	7.8	42	5.6	74	16	220		28.71			29.67	FM-15	0.00	29.67
02	0253	7	SCT:04 19 BKN:07 27 OVC:08 40	5.00	BR:1 ||	48	8.9	47	8.1	45	7.2	89	9	210	24	28.71			29.66	FM-15	0.01	29.67
02	0353	7	SCT:04 24 BKN:07 29 OVC:08 70	10.00		48	8.9	46	7.8	44	6.7	86	16	210	28	28.71	5	+0.02	29.66	FM-15	0.04	29.67
02	0421	7	FEW:02 23 SCT:04 28 OVC:08 42	9.00		47	8.3	45	7.0	42	5.6	83	18	230	32	28.72				FM-16		29.68
02	0453	7	FEW:02 26 BKN:07 38 OVC:08 70	10.00		47	8.3	45	7.3	43	6.1	86	14	220		28.72			29.67	FM-15	0.00	29.68
02	0532	7	BKN:07 24 BKN:07 36 OVC:08 60	6.00	BR:1 ||	47	8.3	45	7.3	43	6.1	86	28	230	37	28.73				FM-16	0.01	29.69
02	0543	7	FEW:02 21 BKN:07 40 OVC:08 70	10.00		46	7.8	44	6.7	42	5.6	86	21	240	34	28.74				FM-16	0.01	29.70
02	0553	7	FEW:02 22 FEW:02 27 OVC:08 60	10.00		46	7.8	44	6.5	41	5.0	83	18	230	30	28.74			29.70	FM-15	0.01	29.70
02	0653	7	FEW:02 26 BKN:07 32 OVC:08 43	10.00		47	8.3	44	6.5	40	4.4	77	18	230	28	28.75	3	-0.04	29.71	FM-15	T	29.71
02	0712	7	BKN:07 29 BKN:07 37 OVC:08 45	10.00	-RA:02 |RA |	46	7.8	44	6.5	41	5.0	83	17	230	26	28.75				FM-16	T	29.71
02	0753	7	BKN:07 29 BKN:07 37 OVC:08 45	10.00		47	8.3	44	6.8	41	5.0	80	23	230	33	28.76			29.72	FM-15	T	29.72
02	0800	7	FEW:02 26 BKN:07 33 OVC:08 43	10.00		47	8.3	44	6.8	41	5.0	80	18	240	31	28.76				FM-16		29.72
02	0823	7	FEW:02 23 OVC:08 29	10.00		47	8.3	44	6.8	41	5.0	80	15	230	29	28.76				FM-16		29.72
02	0851	6	SCT:04 27 BKN:07 33 OVC:08 45	10.00		48	9.0	45	7.0	41	5.0	76	17	230	25	28.76				FM-16		29.72
02	0853	7	BKN:07 27 BKN:07 35 OVC:08 44	10.00		49	9.4	45	7.3	41	5.0	74	16	240	25	28.76			29.72	FM-15	0.00	29.72
02	0953	7	BKN:07 27 BKN:07 35 OVC:08 44	10.00		50	10.0	45	7.3	40	4.4	68	22	240	31	28.78	3	-0.01	29.74	FM-15	0.00	29.74
02	1053	7	SCT:04 41 SCT:04 49 BKN:07 60	10.00	-RA:02 |RA |	53	11.7	46	7.9	39	3.9	59	20	250	39	28.79			29.75	FM-15	T	29.75

02	1055	7	SCT:04 41 BKN:07 49 BKN:07 60	10.00		53	11.7	46	7.9	39	3.9	59	18	260	39	28.79				FM-16	T	29.75
02	1153	7	FEW:02 49 SCT:04 60	10.00		58	14.4	49	9.5	40	4.4	51	22	240	33	28.79			29.75	FM-15	0.00	29.75
02	1253	7	SCT:04 60 SCT:04 75	10.00		61	16.1	50	10.2	40	4.4	46	22	250	36	28.79	0	-0.01	29.74	FM-15	0.00	29.75
02	1353	7	BKN:07 75	10.00		60	15.6	49	9.5	38	3.3	44	21	250	38	28.80			29.76	FM-15	0.00	29.76
02	1453	7	SCT:04 75 BKN:07 90	10.00		61	16.1	50	10.0	39	3.9	44	22	250	34	28.81			29.77	FM-15	0.00	29.77
02	1553	7	BKN:07 60 BKN:07 80 OVC:08 95	10.00		58	14.4	49	9.5	40	4.4	51	18	270	32	28.83	2	-0.04	29.78	FM-15	0.00	29.79
02	1653	7	SCT:04 60 OVC:08 75	10.00	-RA:02 |RA |	56	13.3	49	9.7	43	6.1	62	18	280	25	28.86			29.82	FM-15	T	29.82
02	1753	7	FEW:02 50 BKN:07 65 OVC:08 95	10.00		53	11.7	48	9.2	44	6.7	72	11	290	22	28.89			29.86	FM-15	T	29.85
02	1853	7	BKN:07 50 OVC:08 70	10.00		52	11.1	46	7.9	40	4.4	64	16	290	30	28.92	1	-0.10	29.89	FM-15	T	29.89
02	1953	7	BKN:07 55 BKN:07 70 OVC:08 85	10.00		50	10.0	45	7.4	40	4.4	68	13	290		28.94			29.91	FM-15	0.00	29.91
02	2053	7	FEW:02 50 BKN:07 70	10.00		48	8.9	43	6.3	38	3.3	68	11	280		28.97			29.94	FM-15	0.00	29.94
02	2153	7	OVC:08 55	10.00		49	9.4	44	6.6	38	3.3	66	11	290		29.00	3	-0.08	29.97	FM-15	0.00	29.97
02	2253	7	BKN:07 39 OVC:08 50	10.00		49	9.4	44	6.6	38	3.3	66	9	290		29.01			29.98	FM-15	0.00	29.98
02	2353	7	OVC:08 55	10.00		48	8.9	44	6.6	39	3.9	71	7	270		29.01			29.98	FM-15	0.00	29.98
03	0053	7	FEW:02 31 OVC:08 50	10.00		48	8.9	44	6.6	39	3.9	71	13	280		29.01	1	-0.02	29.98	FM-15	0.00	29.98
03	0153	7	FEW:02 32 BKN:07 42 OVC:08 55	10.00		47	8.3	43	6.3	39	3.9	74	9	270		29.02			29.99	FM-15	0.00	29.99
03	0253	7	FEW:02 25 SCT:04 30 OVC:08 65	10.00		47	8.3	44	6.5	40	4.4	77	8	270		29.04			30.01	FM-15	0.00	30.01
03	0314	7	BKN:07 27 BKN:07 35 OVC:08 60	10.00		47	8.3	44	6.5	40	4.4	77	10	270		29.05				FM-16		30.02
03	0333	7	SCT:04 27 OVC:08 39	10.00		47	8.3	44	6.5	40	4.4	77	10	290		29.05				FM-16		30.02
03	0353	7	FEW:02 24 SCT:04 37	10.00		45	7.2	42	5.7	39	3.9	80	10	290		29.05	3	-0.04	30.03	FM-15	0.00	30.02
03	0443	7	BKN:07 26 BKN:07 32 OVC:08 60	10.00		45	7.2	42	5.7	39	3.9	80	8	300		29.07				FM-16		30.04
03	0451	6	SCT:04 24 OVC:08 30	10.00		45	7.0	42	5.7	39	4.0	81	9	300		29.07				FM-16		30.04
03	0453	7	SCT:04 24 OVC:08 30	10.00		45	7.2	42	5.7	39	3.9	80	7	290		29.07			30.05	FM-15	0.00	30.04
03	0551	6	BKN:07 23 BKN:07 36 BKN:07 55	10.00		45	7.0	41	5.2	37	3.0	76	14	310		29.10				FM-16		30.07
03	0553	7	BKN:07 23 BKN:07 34 BKN:07 55	10.00		44	6.7	41	5.2	38	3.3	79	14	320		29.10			30.08	FM-15	0.00	30.07
03	0653	7	BKN:07 19	10.00		46	7.8	42	5.7	38	3.3	73	10	350		29.13	3	-0.06	30.11	FM-15	0.00	30.10
03	0753	7	OVC:08 25	10.00		45	7.2	41	4.8	35	1.7	68	15	350		29.17			30.14	FM-15	0.00	30.14
03	0853	7	OVC:08 26	10.00		46	7.8	42	5.5	37	2.8	71	11	360		29.21			30.19	FM-15	0.00	30.18
03	0953	7	OVC:08 25	10.00		47	8.3	42	5.8	37	2.8	69	10	360		29.21	1	-0.08	30.19	FM-15	0.00	30.18
03	1053	7	BKN:07 28	10.00		50	10.0	44	6.9	38	3.3	63	10	VRB		29.23			30.21	FM-15	0.00	30.20
03	1113	7	SCT:04 29	10.00		50	10.0	44	6.9	38	3.3	63	0	000		29.23				FM-16		30.20
03	1120	7	BKN:07 29	10.00		49	9.4	44	6.6	38	3.3	66	13	030		29.23				FM-16		30.21

03	1153	7	BKN:07 29	10.00		51	10.6	45	7.2	38	3.3	61	8	010		29.22			30.20	FM-15	0.00	30.19
03	1251	6	BKN:07 33	10.00		54	12.0	47	8.2	39	4.0	58	9	050		29.20				FM-16		30.17
03	1253	7	BKN:07 33	10.00		53	11.7	46	8.0	39	3.9	59	7	VRB	16	29.20	8	+0.01	30.17	FM-15	0.00	30.17
03	1353	7	SCT:04 35	10.00		55	12.8	47	8.5	39	3.9	55	7	030		29.19			30.16	FM-15	0.00	30.16
03	1453	7	SCT:04 39	10.00		57	13.9	49	9.2	40	4.4	53	9	070		29.15			30.13	FM-15	0.00	30.12
03	1553	7	CLR:00	10.00		56	13.3	48	8.8	39	3.9	53	8	110		29.13	8	+0.06	30.11	FM-15	0.00	30.10
03	1653	7	BKN:07 110	10.00		56	13.3	48	8.8	39	3.9	53	6	140		29.15			30.12	FM-15	0.00	30.12
03	1753	7	FEW:02 46 OVC:08 90	10.00		56	13.3	48	8.8	39	3.9	53	7	190		29.20			30.18	FM-15	0.00	30.17
03	1853	7	OVC:08 85	10.00		55	12.8	48	8.7	40	4.4	57	6	120		29.17	0	-0.04	30.14	FM-15	0.00	30.14
03	1953	7	OVC:08 75	10.00		54	12.2	48	8.7	41	5.0	62	6	120		29.18			30.15	FM-15	T	30.15
03	2053	7	FEW:02 75 BKN:07 100 OVC:08 110	10.00		52	11.1	48	8.6	43	6.1	72	6	100		29.14			30.12	FM-15	T	30.11
03	2153	7	OVC:08 90	10.00	-RA:02 |RA |	53	11.7	48	8.9	43	6.1	69	6	110		29.14	8	+0.03	30.12	FM-15	T	30.11
03	2253	7	OVC:08 80	10.00		52	11.1	48	8.9	44	6.7	75	3	100		29.14			30.11	FM-15	T	30.11
03	2353	7	OVC:08 85	10.00	-RA:02 |RA |	51	10.6	48	9.2	46	7.8	83	7	040		29.13			30.10	FM-15	T	30.10
04	0053	7	OVC:08 85	10.00	-RA:02 |RA |	50	10.0	48	8.6	45	7.2	83	7	060		29.09	8	+0.05	30.06	FM-15	T	30.06
04	0153	7	SCT:04 80 OVC:08 95	10.00		50	10.0	47	8.4	44	6.7	80	5	080		29.06			30.03	FM-15	0.00	30.03
04	0253	7	BKN:07 75 BKN:07 95 OVC:08 110	10.00		50	10.0	47	8.1	43	6.1	77	8	070		29.02			29.99	FM-15	0.00	29.99
04	0353	7	FEW:02 80	10.00		51	10.6	46	7.9	41	5.0	69	10	080		28.99	8	+0.09	29.96	FM-15	0.00	29.96
04	0453	7	SCT:04 95	10.00		50	10.0	45	7.1	39	3.9	66	11	060		28.95			29.92	FM-15	0.00	29.92
04	0553	7	FEW:02 80 FEW:02 110	10.00		50	10.0	45	7.4	40	4.4	68	9	060		28.93			29.90	FM-15	T	29.90
04	0653	7	BKN:07 80 OVC:08 95	10.00		50	10.0	45	7.4	40	4.4	68	9	090		28.93	5	+0.06	29.90	FM-15	T	29.90
04	0753	7	SCT:04 100 BKN:07 120	10.00		50	10.0	47	8.1	43	6.1	77	8	050		28.91			29.89	FM-15	T	29.88
04	0853	7	BKN:07 70 OVC:08 85	6.00	-RA:02 BR:1 |RA |	48	8.9	47	8.1	45	7.2	89	11	030		28.92			29.89	FM-15	0.04	29.89
04	0953	7	BKN:07 60 OVC:08 75	4.00	-RA:02 BR:1 |RA |	48	8.9	47	8.3	46	7.8	93	7	020		28.94	3	-0.01	29.91	FM-15	0.05	29.91
04	1053	7	FEW:02 39 SCT:04 48 OVC:08 80	7.00	-RA:02 |RA |	49	9.4	48	8.9	47	8.3	93	10	050		28.90			29.87	FM-15	0.02	29.87
04	1153	7	FEW:02 45 BKN:07 70 OVC:08 85	3.00	-RA:02 BR:1 |RA |	50	10.0	49	9.7	49	9.4	96	10	080		28.87			29.83	FM-15	0.08	29.83
04	1253	7	OVC:08 70	10.00	-RA:02 |RA |	52	11.1	51	10.8	51	10.6	97	9	080		28.83	6	+0.11	29.79	FM-15	0.01	29.79
04	1353	7	OVC:08 70	10.00		55	12.8	54	12.2	53	11.7	93	10	100		28.80			29.76	FM-15	T	29.76
04	1453	7	OVC:08 80	10.00		57	13.9	55	13.0	54	12.2	90	10	130		28.77			29.73	FM-15	0.00	29.73
04	1553	7	OVC:08 80	10.00		60	15.6	56	13.4	53	11.7	78	10	140		28.75	6	+0.08	29.71	FM-15	0.00	29.71
04	1653	7	OVC:08 85	10.00		61	16.1	56	13.3	52	11.1	72	10	140		28.76			29.71	FM-15	T	29.72
04	1753	7	SCT:04 55 OVC:08 75	10.00	-RA:02 |RA |	60	15.6	56	13.1	52	11.1	75	8	150		28.75			29.71	FM-15	T	29.71
04	1853	7	FEW:02 80 BKN:07 90 OVC:08 110	10.00	-RA:02 |RA |	58	14.4	56	13.2	54	12.2	87	5	140		28.74	8	+0.01	29.70	FM-15	0.01	29.70
04	1953	7	OVC:08 100	10.00	-RA:02 |RA |	56	13.3	55	13.0	55	12.8	97	6	090		28.73			29.69	FM-15	0.02	29.69
04	2053	7	OVC:08 80	10.00		56	13.3	55	12.7	54	12.2	93	7	010		28.72			29.68	FM-15	T	29.68
04	2153	7	OVC:08 55	5.00	-RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	7	360		28.74	5	+0.00	29.70	FM-15	0.02	29.70
04	2230	7	BKN:07 13 BKN:07 19 OVC:08 43	4.00	RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	5	030		28.73				FM-16	0.09	29.69
04	2253	7	BKN:07 13 BKN:07 23 OVC:08 29	5.00	RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	3	030		28.72			29.68	FM-15	0.15	29.68
04	2335	7	OVC:08 8	4.00	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	5	040		28.70				FM-16	0.11	29.66

04	2353	7	OVC:08 7	5.00	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	6	050		28.68			29.64	FM-15	0.12	29.64
05	0053	7	OVC:08 6	7.00	-RA:02 |RA |	56	13.3	56	13.3	56	13.3	100	7	060		28.64	8	+0.09	29.60	FM-15	0.04	29.60
05	0153	7	OVC:08 7	10.00		56	13.3	56	13.3	56	13.3	100	5	040		28.61			29.56	FM-15	T	29.57
05	0253	7	OVC:08 5	3.00	-RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	9	330		28.58			29.53	FM-15	0.01	29.54
05	0312	7	OVC:08 4	5.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	13	340		28.57				FM-16	0.01	29.53
05	0353	7	OVC:08 3	4.00	-RA:02 BR:1 |RA |	51	10.6	51	10.6	51	10.6	100	13	350		28.55	6	+0.09	29.51	FM-15	0.02	29.51
05	0451	7	OVC:08 5	2.50	-RA:02 BR:1 |RA |	48	9.0	48	8.9	48	9.0	100	15	360		28.53				FM-16	0.01	29.49
05	0453	7	OVC:08 5	2.50	-RA:02 BR:1 |RA |	49	9.4	49	9.4	49	9.4	100	14	360		28.53			29.49	FM-15	0.01	29.49
05	0505	7	OVC:08 5	3.00	-RA:02 BR:1 |RA |	49	9.4	49	9.4	49	9.4	100	17	010		28.53				FM-16	T	29.49
05	0525	7	OVC:08 5	2.50	-RA:02 BR:1 |RA |	48	8.9	48	8.9	48	8.9	100	15	010		28.51				FM-16	0.01	29.47
05	0539	7	OVC:08 5	4.00	-RA:02 BR:1 |RA |	48	8.9	48	8.9	48	8.9	100	16	360		28.51				FM-16	0.02	29.46
05	0553	7	OVC:08 5	5.00	-RA:02 BR:1 |RA |	48	8.9	47	8.6	47	8.3	96	20	010	28	28.50			29.44	FM-15	0.02	29.45
05	0633	7	OVC:08 6	2.00	-RA:02 BR:1 |RA |	47	8.3	47	8.3	47	8.3	100	17	360	28	28.50				FM-16	T	29.45
05	0644	7	OVC:08 6	1.50	-RA:02 BR:1 |RA |	47	8.3	47	8.3	47	8.3	100	17	360	24	28.51				FM-16	T	29.46
05	0653	7	OVC:08 6	1.25	-RA:02 BR:1 |RA |	47	8.3	47	8.3	47	8.3	100	17	010	24	28.51	5	+0.05	29.46	FM-15	T	29.46
05	0735	7	OVC:08 6	2.50	-RA:02 BR:1 |RA |	47	8.3	47	8.3	47	8.3	100	14	010	25	28.48				FM-16	0.01	29.44
05	0753	7	OVC:08 6	3.00	-RA:02 BR:1 |RA |	47	8.3	47	8.3	47	8.3	100	17	010	24	28.47			29.42	FM-15	0.01	29.42
05	0820	7	OVC:08 7	2.00	-RA:02 BR:1 |RA |	47	8.3	47	8.3	47	8.3	100	17	010	24	28.47				FM-16	T	29.42
05	0851	6	OVC:08 7	6.00	-RA:02 BR:1 |RA |	48	9.0	47	8.3	46	8.0	94	16	010	24	28.47				FM-16		29.42
05	0853	7	OVC:08 7	6.00	-RA:02 BR:1 |RA |	47	8.3	47	8.3	47	8.3	100	17	010		28.47			29.42	FM-15	0.05	29.42
05	0951	6	BKN:07 8 OVC:08 15	2.00	-RA:02 BR:1 |RA |	48	9.0	47	8.3	46	8.0	94	17	360	25	28.48				FM-16		29.43
05	0953	7	BKN:07 8 OVC:08 15	2.00	-RA:02 BR:1 |RA |	48	8.9	47	8.6	47	8.3	96	18	360	24	28.48	5	+0.03	29.43	FM-15	0.02	29.43
05	1030	7	OVC:08 10	4.00	-RA:02 BR:1 |RA |	48	8.9	47	8.6	47	8.3	96	15	360	23	28.48				FM-16	T	29.43
05	1053	7	OVC:08 10	5.00	BR:1 ||	48	8.9	47	8.6	47	8.3	96	15	360	28	28.50			29.44	FM-15	T	29.45
05	1100	7	OVC:08 9	6.00	BR:1 ||	48	8.9	47	8.6	47	8.3	96	24	360	31	28.48				FM-16		29.43
05	1153	7	OVC:08 10	3.00	-RA:02 BR:1 |RA |	48	8.9	47	8.6	47	8.3	96	21	360	31	28.48			29.44	FM-15	T	29.44
05	1253	7	OVC:08 10	5.00	-RA:02 BR:1 |RA |	48	8.9	47	8.3	46	7.8	93	21	010	31	28.50	1	-0.02	29.45	FM-15	T	29.45
05	1351	6	OVC:08 12	2.50	-RA:02 BR:1 |RA |	48	9.0	47	8.3	46	8.0	94	16	350	25	28.51				FM-16		29.46
05	1353	7	OVC:08 12	3.00	-RA:02 BR:1 |RA |	48	8.9	47	8.6	47	8.3	96	20	360	26	28.51			29.46	FM-15	0.01	29.46
05	1448	7	BKN:07 8 OVC:08 14	3.00	-RA:02 BR:1 |RA |	48	9.0	47	8.3	46	8.0	94	13	360		28.53				FM-16	0.01	29.48
05	1453	7	BKN:07 8 OVC:08 14	3.00	-RA:02 BR:1 |RA |	48	8.9	47	8.6	47	8.3	96	17	010	26	28.51			29.47	FM-15	0.02	29.47
05	1500	7	BKN:07 8 OVC:08 13	2.50	-RA:02 BR:1 |RA |	47	8.3	47	8.3	47	8.3	100	17	360		28.53				FM-16	T	29.48
05	1518	7	BKN:07 8 OVC:08 13	1.75	-RA:02 BR:1 |RA |	47	8.3	47	8.1	46	7.8	97	17	010	30	28.53				FM-16	T	29.48
05	1520	7	BKN:07 8 OVC:08 16	2.00	-RA:02 BR:1 |RA |	47	8.3	47	8.1	46	7.8	97	16	010	29	28.53				FM-16	T	29.48
05	1551	6	BKN:07 10 OVC:08 17	2.50	-RA:02 BR:1 |RA |	46	8.0	46	7.8	46	8.0	100	17	010	29	28.53				FM-16		29.48
05	1553	7	BKN:07 10 OVC:08 17	2.50	-RA:02 BR:1 |RA |	47	8.3	47	8.1	46	7.8	97	20	360	29	28.53	1	-0.02	29.48	FM-15	T	29.48
05	1554	7	BKN:07 8 OVC:08 17	2.50	-RA:02 BR:1 |RA |	47	8.3	47	8.1	46	7.8	97	17	360	29	28.53				FM-16	T	29.48
05	1653	7	BKN:07 8 OVC:08 15	2.50	-RA:02 BR:1 |RA |	47	8.3	47	8.1	46	7.8	97	15	350	22	28.54			29.50	FM-15	T	29.50
05	1751	6	BKN:07 12 OVC:08 17	5.00	-RA:02 BR:1 |RA |	46	8.0	46	7.5	45	7.0	93	17	350	26	28.56				FM-16		29.52
05	1753	7	BKN:07 12 OVC:08 17	4.00	-RA:02 BR:1 |RA |	46	7.8	46	7.5	45	7.2	96	20	340	26	28.56			29.52	FM-15	0.01	29.52
05	1853	7	BKN:07 11 BKN:07 16 OVC:08 23	3.00	-RA:02 BR:1 |RA |	45	7.2	45	7.0	44	6.7	97	22	340	26	28.58	3	-0.06	29.55	FM-15	0.01	29.54
05	1953	7	BKN:07 12 OVC:08 17	9.00	-RA:02 |RA |	45	7.2	44	6.7	43	6.1	93	20	350	28	28.60			29.56	FM-15	T	29.56
05	2053	7	BKN:07 13 OVC:08 17	10.00	-RA:02 |RA |	44	6.7	43	6.1	42	5.6	93	16	350	26	28.61			29.58	FM-15	T	29.57

05	2153	7	OVC:08 13	10.00	-RA:02 |RA |	44	6.7	43	6.1	42	5.6	93	16	360	24	28.62	1	-0.04	29.59	FM-15	0.01	29.58
05	2250	7	OVC:08 16	10.00	-RA:02 |RA |	45	7.0	44	6.7	43	6.0	93	14	340	23	28.62				FM-16	T	29.58
05	2253	7	OVC:08 16	10.00	-RA:02 |RA |	44	6.7	43	6.1	42	5.6	93	14	330	23	28.62			29.59	FM-15	T	29.58
05	2353	7	OVC:08 17	10.00		45	7.2	44	6.4	42	5.6	90	10	330	22	28.63			29.59	FM-15	T	29.59
06	0053	7	SCT:04 19 BKN:07 28 BKN:07 60	10.00		44	6.7	43	5.9	41	5.0	89	11	330		28.61	8	+0.01	29.58	FM-15	0.00	29.57
06	0103	7	SCT:04 19 SCT:04 30 BKN:07 60	10.00		45	7.2	43	6.2	41	5.0	86	13	320	22	28.61				FM-16		29.57
06	0153	7	CLR:00	10.00		45	7.2	43	5.9	40	4.4	83	13	320	20	28.60			29.57	FM-15	0.00	29.56
06	0253	7	CLR:00	10.00		44	6.7	42	5.6	40	4.4	85	10	320		28.60			29.57	FM-15	0.00	29.56
06	0340	7	BKN:07 28	10.00		44	6.7	42	5.4	39	3.9	83	10	310		28.61				FM-16		29.57
06	0351	6	SCT:04 28	10.00		45	7.0	42	5.7	39	4.0	81	14	310		28.61				FM-16		29.57
06	0353	7	SCT:04 28	10.00		44	6.7	42	5.4	39	3.9	83	13	310		28.61	3	-0.00	29.58	FM-15	0.00	29.57
06	0453	7	SCT:04 46	10.00		44	6.7	42	5.4	39	3.9	83	14	310		28.63			29.59	FM-15	0.00	29.59
06	0553	7	SCT:04 48	10.00		44	6.7	41	5.1	38	3.3	79	11	320		28.64			29.61	FM-15	0.00	29.60
06	0653	7	CLR:00	10.00		46	7.8	43	6.0	39	3.9	77	11	320		28.66	3	-0.04	29.62	FM-15	0.00	29.62
06	0753	7	CLR:00	10.00		48	8.9	44	6.8	40	4.4	74	14	310	21	28.66			29.63	FM-15	0.00	29.62
06	0853	7	SCT:04 28	10.00		51	10.6	47	8.1	42	5.6	71	14	300		28.67			29.63	FM-15	0.00	29.63
06	0953	7	BKN:07 33 BKN:07 44	10.00		52	11.1	47	8.1	41	5.0	66	14	320		28.67	1	-0.01	29.63	FM-15	0.00	29.63
06	1053	7	FEW:02 33 FEW:02 41 BKN:07 49	10.00		54	12.2	48	8.7	41	5.0	62	16	320		28.68			29.64	FM-15	0.00	29.64
06	1153	7	FEW:02 39 SCT:04 47 BKN:07 60	10.00		55	12.8	48	8.7	40	4.4	57	20	280	25	28.66			29.62	FM-15	0.00	29.62
06	1253	7	FEW:02 42 BKN:07 65	10.00		57	13.9	49	9.5	41	5.0	55	20	310		28.66	8	+0.01	29.62	FM-15	0.00	29.62
06	1353	7	SCT:04 44 BKN:07 55 OVC:08 85	10.00		55	12.8	48	8.9	41	5.0	59	20	330	24	28.66			29.62	FM-15	0.00	29.62
06	1453	7	SCT:04 45 BKN:07 80 OVC:08 95	10.00		56	13.3	49	9.4	42	5.6	60	9	340		28.66			29.62	FM-15	T	29.62
06	1553	7	BKN:07 100	10.00		58	14.4	49	9.5	40	4.4	51	17	310	28	28.66	5	+0.00	29.62	FM-15	T	29.62
06	1653	7	FEW:02 49 BKN:07 65 OVC:08 85	10.00	-RA:02 |RA |	54	12.2	48	8.7	41	5.0	62	16	280	28	28.68			29.65	FM-15	T	29.64
06	1753	7	OVC:08 100	10.00		57	13.9	49	9.2	40	4.4	53	18	310		28.69			29.65	FM-15	T	29.65
06	1853	7	OVC:08 100	10.00		55	12.8	47	8.5	39	3.9	55	13	300		28.70	1	-0.04	29.66	FM-15	0.00	29.66
06	1953	7	SCT:04 100	10.00		52	11.1	46	7.9	40	4.4	64	9	300		28.73			29.69	FM-15	0.00	29.69
06	2053	7	CLR:00	10.00		48	8.9	44	6.8	40	4.4	74	6	280		28.74			29.71	FM-15	0.00	29.70
06	2153	7	CLR:00	10.00		47	8.3	43	6.3	39	3.9	74	8	280		28.77	1	-0.06	29.73	FM-15	0.00	29.73
06	2253	7	SCT:04 60	10.00		48	8.9	44	6.8	40	4.4	74	6	320		28.78			29.75	FM-15	0.00	29.74
06	2353	7	FEW:02 95	10.00		46	7.8	43	6.2	40	4.4	79	6	300		28.79			29.75	FM-15	0.00	29.75
07	0053	7	CLR:00	10.00		44	6.7	42	5.4	39	3.9	83	7	320		28.80	1	-0.04	29.76	FM-15	0.00	29.76
07	0153	7	CLR:00	10.00		43	6.1	41	5.1	39	3.9	86	0	000		28.80			29.77	FM-15	0.00	29.76
07	0253	7	CLR:00	10.00		38	3.3	38	3.1	37	2.8	97	3	250		28.81			29.78	FM-15	0.00	29.77
07	0353	7	CLR:00	10.00		37	2.8	37	2.8	37	2.8	100	6	280		28.83	3	-0.02	29.79	FM-15	0.00	29.79
07	0453	7	CLR:00	10.00		38	3.3	36	2.2	33	0.6	83	8	290		28.84			29.82	FM-15	0.00	29.81
07	0553	7	CLR:00	10.00		38	3.3	36	2.0	32	0.0	79	8	300		28.87			29.83	FM-15	0.00	29.83
07	0653	7	CLR:00	10.00		42	5.6	38	3.4	33	0.6	71	8	300		28.90	3	-0.08	29.87	FM-15	0.00	29.87
07	0753	7	CLR:00	10.00		45	7.2	39	3.9	31	-0.6	58	14	310		28.91			29.89	FM-15	0.00	29.88
07	0853	7	CLR:00	10.00		47	8.3	40	4.5	31	-0.6	54	11	310		28.93			29.91	FM-15	0.00	29.90
07	0953	7	CLR:00	10.00		49	9.4	42	5.5	33	0.6	55	15	310		28.93	1	-0.04	29.91	FM-15	0.00	29.90
07	1053	7	CLR:00	10.00		52	11.1	45	7.0	36	2.2	55	14	270	21	28.94			29.91	FM-15	0.00	29.91
07	1153	7	CLR:00	10.00		54	12.2	45	7.1	34	1.1	47	13	290	20	28.93			29.91	FM-15	0.00	29.90
07	1253	7	CLR:00	10.00		55	12.8	45	7.2	33	0.6	44	16	270	22	28.93	8	+0.01	29.90	FM-15	0.00	29.90

07	1353	7	CLR:00	10.00		56	13.3	45	7.3	32	0.0	40	10	300	24	28.93			29.91	FM-15	0.00	29.90
07	1453	7	SCT:04 70	10.00		55	12.8	44	6.6	30	-1.1	38	17	270	26	28.93			29.90	FM-15	T	29.90
07	1553	7	BKN:07 75	10.00		58	14.4	46	7.8	32	0.0	38	20	290	30	28.92	8	+0.01	29.89	FM-15	T	29.89
07	1653	7	BKN:07 75	10.00		55	12.8	44	6.6	30	-1.1	38	15	290	26	28.92			29.90	FM-15	T	29.89
07	1753	7	BKN:07 75	10.00		56	13.3	44	6.7	29	-1.7	36	14	320	23	28.93			29.91	FM-15	0.00	29.90
07	1853	7	BKN:07 75	10.00		53	11.7	42	5.7	28	-2.2	38	13	310		28.94	3	-0.02	29.92	FM-15	0.00	29.91
07	1953	7	CLR:00	10.00		50	10.0	40	4.5	26	-3.3	39	14	310		28.97			29.94	FM-15	0.00	29.94
07	2053	7	CLR:00	10.00		47	8.3	38	3.4	25	-3.9	42	10	310		28.99			29.96	FM-15	0.00	29.96
07	2153	7	CLR:00	10.00		43	6.1	36	2.3	26	-3.3	51	8	310		29.00	1	-0.06	29.98	FM-15	0.00	29.97
07	2253	7	CLR:00	10.00		41	5.0	35	1.5	25	-3.9	53	8	300		29.00			29.98	FM-15	0.00	29.97
07	2353	7	CLR:00	10.00		38	3.3	33	0.4	24	-4.4	57	7	300		29.02			29.99	FM-15	0.00	29.99
08	0053	7	CLR:00	10.00		38	3.3	32	0.1	22	-5.6	52	8	290		29.02	1	-0.01	29.99	FM-15	0.00	29.99
08	0153	7	CLR:00	10.00		38	3.3	33	0.4	24	-4.4	57	7	300		29.02			30.00	FM-15	0.00	29.99
08	0253	7	CLR:00	10.00		38	3.3	33	0.6	25	-3.9	60	8	320		29.03			30.01	FM-15	0.00	30.00
08	0353	7	CLR:00	10.00		36	2.2	32	0.1	26	-3.3	67	6	310		29.04	3	-0.03	30.02	FM-15	0.00	30.01
08	0453	7	CLR:00	10.00		32	0.0	30	-1.2	26	-3.3	79	8	290		29.06			30.04	FM-15	0.00	30.03
08	0553	7	CLR:00	10.00		34	1.1	31	-0.4	27	-2.8	75	8	300		29.08			30.06	FM-15	0.00	30.05
08	0653	7	CLR:00	10.00		40	4.4	35	1.8	28	-2.2	63	7	300		29.11	3	-0.06	30.09	FM-15	0.00	30.08
08	0753	7	CLR:00	10.00		43	6.1	37	2.7	28	-2.2	56	8	330		29.11			30.09	FM-15	0.00	30.08
08	0853	7	CLR:00	10.00		47	8.3	39	3.9	28	-2.2	48	10	300		29.11			30.09	FM-15	0.00	30.08
08	0953	7	CLR:00	10.00		49	9.4	39	3.7	23	-5.0	36	14	290		29.12	1	-0.01	30.09	FM-15	0.00	30.09
08	1053	7	CLR:00	10.00		51	10.6	41	4.9	27	-2.8	39	9	290		29.13			30.11	FM-15	0.00	30.10
08	1153	7	CLR:00	10.00		53	11.7	41	5.2	25	-3.9	34	17	260	22	29.12			30.10	FM-15	0.00	30.09
08	1253	7	CLR:00	10.00		54	12.2	42	5.3	24	-4.4	31	15	VRB	23	29.11	8	+0.00	30.09	FM-15	0.00	30.08
08	1353	7	CLR:00	10.00		57	13.9	44	6.6	27	-2.8	32	11	320		29.10			30.08	FM-15	0.00	30.07
08	1453	7	CLR:00	10.00		57	13.9	44	6.5	26	-3.3	30	14	300		29.07			30.04	FM-15	0.00	30.04
08	1553	7	CLR:00	10.00		58	14.4	44	6.4	24	-4.4	27	15	310	21	29.05	8	+0.06	30.03	FM-15	0.00	30.02
08	1653	7	CLR:00	10.00		58	14.4	44	6.6	25	-3.9	28	8	310	20	29.04			30.03	FM-15	0.00	30.01
08	1753	7	CLR:00	10.00		58	14.4	44	6.7	26	-3.3	29	13	270	22	29.04			30.01	FM-15	0.00	30.01
08	1853	7	CLR:00	10.00		55	12.8	44	6.4	29	-1.7	37	7	310		29.04	5	+0.01	30.01	FM-15	0.00	30.01
08	1953	7	CLR:00	10.00		50	10.0	41	5.2	30	-1.1	46	5	280		29.03			30.01	FM-15	0.00	30.00
08	2053	7	CLR:00	10.00		50	10.0	41	5.2	30	-1.1	46	5	240		29.03			30.01	FM-15	0.00	30.00
08	2153	7	CLR:00	10.00		51	10.6	42	5.5	30	-1.1	44	0	000		29.04	3	-0.00	30.01	FM-15	0.00	30.01
08	2253	7	CLR:00	10.00		49	9.4	42	5.5	33	0.6	55	0	000		29.03			30.01	FM-15	0.00	30.00
08	2353	7	CLR:00	10.00		45	7.2	43	5.9	40	4.4	83	5	080		29.03			30.00	FM-15	0.00	30.00
09	0053	7	CLR:00	10.00		47	8.3	42	5.8	37	2.8	69	0	000		29.01	8	+0.03	29.98	FM-15	0.00	29.98
09	0153	7	CLR:00	10.00		46	7.8	41	5.1	35	1.7	66	0	000		29.00			29.97	FM-15	0.00	29.97
09	0253	7	CLR:00	10.00		45	7.2	41	5.0	36	2.2	71	6	220		29.01			29.98	FM-15	0.00	29.98
09	0353	7	CLR:00	10.00		43	6.1	40	4.2	35	1.7	74	0	000		29.00	8	+0.01	29.97	FM-15	0.00	29.97
09	0453	7	FEW:02 120	10.00		40	4.4	38	3.5	36	2.2	86	3	080		28.99			29.97	FM-15	0.00	29.96
09	0553	7	FEW:02 95	10.00		43	6.1	40	4.6	37	2.8	80	5	080		29.01			29.98	FM-15	0.00	29.98
09	0653	7	FEW:02 75 OVC:08 95	10.00		47	8.3	43	6.3	39	3.9	74	0	000		29.00	6	+0.00	29.97	FM-15	0.00	29.97
09	0753	7	BKN:07 70 OVC:08 90	10.00		50	10.0	43	6.0	34	1.1	54	0	000		29.02			29.99	FM-15	0.00	29.99
09	0853	7	SCT:04 70 OVC:08 95	10.00		52	11.1	45	7.0	36	2.2	55	6	200		29.02			30.00	FM-15	0.00	29.99
09	0953	7	OVC:08 70	10.00		53	11.7	46	7.9	39	3.9	59	5	210		29.02	1	-0.02	30.00	FM-15	0.00	29.99
09	1053	7	OVC:08 60	10.00		53	11.7	48	8.7	42	5.6	66	7	190		29.02			29.99	FM-15	0.00	29.99
09	1153	7	OVC:08 50	10.00		54	12.2	49	9.4	44	6.7	69	8	170		29.00			29.97	FM-15	0.00	29.97
09	1253	7	OVC:08 50	10.00		56	13.3	50	9.9	44	6.7	65	7	230		29.01	5	+0.01	29.98	FM-15	0.00	29.98
09	1353	7	OVC:08 50	10.00		56	13.3	51	10.5	46	7.8	70	5	220		29.01			29.98	FM-15	0.00	29.98
09	1453	7	OVC:08 49	10.00	-RA:02 |RA |	54	12.2	50	9.9	46	7.8	75	8	220		29.00			29.98	FM-15	T	29.97
09	1553	7	OVC:08 45	10.00		55	12.8	50	10.2	46	7.8	72	3	210		29.00	7	+0.01	29.98	FM-15	0.01	29.97
09	1653	7	OVC:08 43	10.00		56	13.3	51	10.5	46	7.8	70	0	000		28.98			29.96	FM-15	0.00	29.95
09	1753	7	BKN:07 38 OVC:08 80	10.00		56	13.3	51	10.5	46	7.8	70	5	170		28.97			29.94	FM-15	0.00	29.94

09	1853	7	BKN:07 36 OVC:08 110	10.00		56	13.3	50	10.2	45	7.2	67	0	000		28.97	5	+0.03	29.94	FM-15	0.00	29.94
09	1953	7	SCT:04 50 BKN:07 70 OVC:08 80	10.00		54	12.2	50	10.2	47	8.3	77	3	060		28.98			29.95	FM-15	0.00	29.95
09	2053	7	OVC:08 47	10.00		54	12.2	49	9.7	45	7.2	72	3	130		28.98			29.95	FM-15	0.00	29.95
09	2153	7	BKN:07 42 BKN:07 49 OVC:08 80	10.00		54	12.2	49	9.7	45	7.2	72	0	000		29.00	3	-0.03	29.97	FM-15	0.00	29.97
09	2253	7	OVC:08 38	10.00		54	12.2	50	9.9	46	7.8	75	0	000		29.00			29.97	FM-15	0.00	29.97
09	2353	7	OVC:08 37	10.00		53	11.7	50	10.0	47	8.3	80	0	000		29.00			29.97	FM-15	0.00	29.97
10	0053	7	OVC:08 35	10.00		54	12.2	49	9.7	45	7.2	72	0	000		28.99	8	+0.01	29.96	FM-15	0.00	29.96
10	0153	7	OVC:08 36	10.00		53	11.7	50	10.2	48	8.9	83	3	330		29.00			29.96	FM-15	0.00	29.97
10	0253	7	OVC:08 40	10.00		53	11.7	51	10.5	49	9.4	86	3	090		28.98			29.95	FM-15	0.00	29.95
10	0353	7	OVC:08 39	10.00		52	11.1	50	10.2	49	9.4	89	3	070		28.98	8	+0.01	29.95	FM-15	0.00	29.95
10	0453	7	CLR:00	10.00		49	9.4	48	8.9	47	8.3	93	6	050		29.00			29.97	FM-15	0.00	29.97
10	0553	7	BKN:07 41	10.00		50	10.0	49	9.4	48	8.9	93	3	050		29.02			29.99	FM-15	0.00	29.99
10	0653	7	OVC:08 37	10.00		52	11.1	49	9.7	47	8.3	83	5	070		29.03	1	-0.05	30.01	FM-15	0.00	30.00
10	0753	7	OVC:08 35	10.00		55	12.8	50	10.2	46	7.8	72	6	070		29.03			30.00	FM-15	0.00	30.00
10	0853	7	OVC:08 36	10.00		58	14.4	52	11.0	46	7.8	65	8	080		29.03			29.99	FM-15	0.00	30.00
10	0953	7	OVC:08 33	10.00		61	16.1	52	11.0	43	6.1	52	5	100		29.03	5	+0.00	30.00	FM-15	0.00	30.00
10	1053	7	OVC:08 33	10.00		63	17.2	53	11.5	43	6.1	48	5	120		29.03			29.99	FM-15	0.00	30.00
10	1153	7	OVC:08 36	10.00		66	18.9	55	12.9	46	7.8	49	3	150		29.02			29.98	FM-15	0.00	29.99
10	1253	7	OVC:08 36	10.00		69	20.6	58	14.3	49	9.4	49	3	050		29.01	6	+0.02	29.97	FM-15	0.00	29.98
10	1353	7	OVC:08 35	10.00		71	21.7	60	15.6	52	11.1	51	3	340		29.00			29.96	FM-15	0.00	29.97
10	1453	7	FEW:02 36 BKN:07 45 BKN:07 55	10.00		71	21.7	61	15.8	53	11.7	53	0	000		28.98			29.94	FM-15	0.00	29.95
10	1553	7	FEW:02 36 BKN:07 49 BKN:07 60	10.00		73	22.8	62	16.8	55	12.8	53	0	000		28.96	6	+0.05	29.92	FM-15	0.00	29.93
10	1653	7	BKN:07 43	10.00		73	22.8	62	16.8	55	12.8	53	0	000		28.96			29.92	FM-15	0.00	29.93
10	1753	7	OVC:08 43	10.00		73	22.8	63	17.1	56	13.3	55	0	000		28.95			29.91	FM-15	0.00	29.92
10	1853	7	OVC:08 43	10.00		71	21.7	63	17.3	58	14.4	63	0	000		28.94	8	+0.02	29.90	FM-15	0.00	29.91
10	1953	7	CLR:00	10.00		67	19.4	59	15.3	54	12.2	63	5	060		28.94			29.90	FM-15	0.00	29.91
10	2053	7	CLR:00	10.00		65	18.3	59	15.1	55	12.8	70	5	090		28.93			29.89	FM-15	0.00	29.90
10	2153	7	SCT:04 60 BKN:07 70	10.00		65	18.3	60	15.7	57	13.9	76	6	100		28.91	8	+0.03	29.87	FM-15	0.00	29.88
10	2253	7	FEW:02 46 OVC:08 85	10.00		65	18.3	60	15.7	57	13.9	76	6	110		28.90			29.85	FM-15	0.00	29.86
10	2353	7	SCT:04 31 SCT:04 46 BKN:07 60	10.00		65	18.3	60	15.7	57	13.9	76	10	100		28.89			29.84	FM-15	0.00	29.85
11	0053	7	BKN:07 48 BKN:07 75 BKN:07 110	6.00	-RA:02 |RA |	65	18.3	61	16.3	59	15.0	81	10	120		28.84	8	+0.06	29.80	FM-15	0.03	29.81
11	0138	7	FEW:02 23 BKN:07 33 OVC:08 42	5.00	VCTS:7 -RA:02 BR:1 |RA |	64	17.8	62	16.8	61	16.1	90	8	190		28.83				FM-16	0.03	29.79
11	0147	7	FEW:02 17 BKN:07 24 OVC:08 42	2.50	VCTS:7 RA:02 BR:1 |RA |	64	18.0	63	17.4	63	17.0	94	11	150		28.82				FM-16	0.07	29.78
11	0151	6	SCT:04 19 BKN:07 29 OVC:08 44	3.00	-RA:02 BR:1 |RA |	64	18.0	63	17.4	63	17.0	94	10	170	18	28.82				FM-16		29.78
11	0153	7	FEW:02 19 BKN:07 29 OVC:08 80	4.00	-RA:02 BR:1 |RA |	64	17.8	63	17.4	63	17.2	96	10	160	18	28.81			29.75	FM-15	0.08	29.77
11	0200	7	SCT:04 22 BKN:07 39 OVC:08 100	5.00	-RA:02 BR:1 |RA |	64	17.8	63	17.4	63	17.2	96	7	180		28.81				FM-16	T	29.77

11	0242	7	FEW:02 20 BKN:07 27 OVC:08 110	5.00	-RA:02 BR:1 |RA |	64	17.8	64	17.8	64	17.8	100	6	200		28.80				FM-16	0.01	29.76
11	0253	7	SCT:04 18 BKN:07 27 OVC:08 110	6.00	-RA:02 BR:1 |RA |	64	17.8	64	17.8	64	17.8	100	8	210		28.80			29.74	FM-15	0.01	29.76
11	0351	6	FEW:02 16 SCT:04 21	10.00		64	18.0	63	17.4	63	17.0	94	17	240		28.81				FM-16		29.77
11	0353	7	FEW:02 18 SCT:04 23	10.00		65	18.3	63	17.3	62	16.7	90	14	240		28.81	5	+0.04	29.75	FM-15	T	29.77
11	0421	7	BKN:07 20 OVC:08 35	10.00		65	18.3	63	17.3	62	16.7	90	17	250	26	28.81				FM-16		29.77
11	0453	7	SCT:04 17 BKN:07 34 OVC:08 60	10.00		64	17.8	63	17.1	62	16.7	93	14	250	22	28.80			29.75	FM-15	0.00	29.76
11	0504	7	BKN:07 16 BKN:07 33 OVC:08 60	10.00		64	17.8	63	17.1	62	16.7	93	14	250		28.80				FM-16		29.76
11	0550	7	BKN:07 11 BKN:07 18 OVC:08 31	2.50V	-RA:02 BR:1 |RA |	63	17.0	63	17.2	63	17.0	100	13	300	22	28.82				FM-16	0.01	29.78
11	0553	7	SCT:04 8 BKN:07 13 OVC:08 23	3.00	-RA:02 BR:1 |RA |	62	16.7	62	16.7	62	16.7	100	10	300	22	28.82			29.77	FM-15	0.01	29.78
11	0630	7	BKN:07 7 BKN:07 19 OVC:08 24	2.50	BR:1 ||	59	15.0	59	15.0	59	15.0	100	9	290		28.84				FM-16	T	29.80
11	0653	7	BKN:07 7 OVC:08 14	2.50	BR:1 ||	59	15.0	59	15.0	59	15.0	100	13	270		28.84	3	-0.03	29.79	FM-15	0.00	29.80
11	0726	7	BKN:07 7 OVC:08 14	7.00		59	15.0	59	15.0	59	15.0	100	14	280	22	28.86				FM-16	T	29.82
11	0753	7	OVC:08 10	10.00		59	15.0	59	15.0	59	15.0	100	16	300	22	28.87			29.82	FM-15	T	29.83
11	0800	7	BKN:07 8 OVC:08 12	8.00		58	14.4	57	14.1	57	13.9	97	18	300		28.87				FM-16		29.83
11	0853	7	OVC:08 8	7.00		55	12.8	54	12.5	54	12.2	96	13	310		28.90			29.85	FM-15	0.00	29.86
11	0953	7	OVC:08 8	10.00		55	12.8	54	12.2	53	11.7	93	10	320		28.89	0	-0.05	29.84	FM-15	0.00	29.85
11	1053	7	OVC:08 8	8.00		55	12.8	53	11.9	52	11.1	90	11	330		28.90			29.86	FM-15	0.00	29.87
11	1151	6	OVC:08 10	9.00		55	13.0	53	11.9	52	11.0	88	9	350		28.92				FM-16		29.89
11	1153	7	OVC:08 10	9.00		56	13.3	54	12.1	52	11.1	87	9	350		28.92			29.88	FM-15	0.00	29.89
11	1253	7	OVC:08 12	10.00		58	14.4	55	12.9	53	11.7	84	9	030		28.92	1	-0.04	29.88	FM-15	0.00	29.89
11	1323	7	OVC:08 14	10.00		61	16.1	57	13.9	54	12.2	78	7	360		28.91				FM-16		29.88
11	1338	7	OVC:08 16	10.00		60	15.6	57	13.7	54	12.2	80	9	320		28.92				FM-16		29.89
11	1353	7	OVC:08 16	10.00		60	15.6	57	13.7	54	12.2	80	11	010		28.92			29.88	FM-15	0.00	29.89
11	1453	7	OVC:08 20	10.00		61	16.1	57	13.9	54	12.2	78	6	350		28.92			29.88	FM-15	0.00	29.89
11	1542	7	SCT:04 22	10.00		65	18.3	59	15.1	55	12.8	70	10	020		28.90				FM-16		29.86
11	1553	7	SCT:04 26	10.00		65	18.3	59	15.1	55	12.8	70	9	010		28.90	8	+0.03	29.85	FM-15	0.00	29.86
11	1653	7	FEW:02 26	10.00		64	17.8	58	14.3	53	11.7	68	8	360		28.90			29.85	FM-15	0.00	29.86
11	1753	7	FEW:02 31 OVC:08 75	10.00		63	17.2	57	14.1	53	11.7	70	14	340		28.90			29.86	FM-15	0.00	29.87
11	1853	7	BKN:07 80	10.00		59	15.0	54	12.3	50	10.0	72	14	360		28.90	3	-0.01	29.87	FM-15	0.00	29.87
11	1953	7	OVC:08 80	10.00		56	13.3	52	11.0	48	8.9	75	9	010		28.92			29.89	FM-15	0.00	29.89
11	2053	7	OVC:08 60	10.00		55	12.8	50	10.2	46	7.8	72	9	360		28.94			29.91	FM-15	0.00	29.91
11	2153	7	OVC:08 60	10.00		54	12.2	49	9.7	45	7.2	72	10	010		28.95	1	-0.05	29.92	FM-15	0.00	29.92
11	2253	7	OVC:08 60	10.00		54	12.2	49	9.7	45	7.2	72	7	020		28.94			29.91	FM-15	0.00	29.91
11	2353	7	OVC:08 60	10.00		53	11.7	48	9.2	44	6.7	72	6	360		28.95			29.91	FM-15	0.00	29.92
12	0053	7	OVC:08 60	10.00		53	11.7	48	9.2	44	6.7	72	7	020		28.92	8	+0.03	29.89	FM-15	0.00	29.89
12	0153	7	OVC:08 60	10.00		52	11.1	48	9.2	45	7.2	77	6	360		28.93			29.89	FM-15	0.00	29.90
12	0239	7	BKN:07 14	10.00		50	10.0	48	8.6	45	7.2	83	6	010		28.91				FM-16		29.88
12	0253	7	OVC:08 14	10.00		51	10.6	48	8.9	45	7.2	80	6	010		28.91			29.88	FM-15	0.00	29.88
12	0309	7	OVC:08 16	10.00		52	11.1	49	9.4	46	7.8	80	6	020		28.91				FM-16		29.88

12	0351	6	SCT:04 19 OVC:08 60	10.00		50	10.0	48	8.6	45	7.0	82	7	010		28.91				FM-16		29.88
12	0353	7	SCT:04 19 BKN:07 60	10.00		50	10.0	48	8.6	45	7.2	83	7	360		28.91	7	+0.01	29.88	FM-15	0.00	29.88
12	0453	7	CLR:00	10.00		48	8.9	47	8.3	46	7.8	93	5	020		28.91			29.87	FM-15	0.00	29.88
12	0553	7	OVC:08 65	10.00		50	10.0	48	9.2	47	8.3	89	7	360		28.93			29.89	FM-15	0.00	29.90
12	0629	7	BKN:07 13 OVC:08 65	10.00		51	10.6	49	9.4	47	8.3	86	7	020		28.93				FM-16		29.90
12	0653	7	OVC:08 12	10.00		51	10.6	49	9.4	47	8.3	86	7	020		28.93	3	-0.02	29.90	FM-15	0.00	29.90
12	0713	7	SCT:04 12 BKN:07 36 OVC:08 65	10.00		52	11.1	50	10.0	48	8.9	86	8	010		28.93				FM-16		29.90
12	0753	7	SCT:04 30 BKN:07 39 OVC:08 65	10.00		53	11.7	51	10.5	49	9.4	86	7	020		28.93			29.90	FM-15	0.00	29.90
12	0853	7	FEW:02 12 OVC:08 30	10.00		54	12.2	52	11.0	50	10.0	87	8	030		28.92			29.89	FM-15	0.00	29.89
12	0953	7	FEW:02 16 OVC:08 65	10.00		57	13.9	54	12.1	51	10.6	81	7	050		28.92	8	+0.02	29.88	FM-15	0.00	29.89
12	1037	7	BKN:07 21 OVC:08 70	10.00		60	15.6	56	13.1	52	11.1	75	9	030		28.92				FM-16		29.89
12	1053	7	OVC:08 21	10.00		60	15.6	56	13.1	52	11.1	75	6	030		28.91			29.88	FM-15	0.00	29.88
12	1153	7	BKN:07 26 OVC:08 65	10.00		61	16.1	56	13.3	52	11.1	72	10	020	18	28.91			29.88	FM-15	0.00	29.88
12	1253	7	BKN:07 27 OVC:08 33	10.00		61	16.1	56	13.3	52	11.1	72	8	020		28.91	8	+0.01	29.87	FM-15	0.00	29.88
12	1333	7	OVC:08 30	10.00		62	16.7	56	13.3	51	10.6	67	7	030		28.90				FM-16		29.87
12	1353	7	BKN:07 32	10.00		63	17.2	57	13.8	52	11.1	68	8	010		28.90			29.87	FM-15	0.00	29.87
12	1453	7	FEW:02 32 OVC:08 41	10.00		64	17.8	57	14.0	52	11.1	65	10	360		28.90			29.85	FM-15	0.00	29.86
12	1553	7	BKN:07 34 BKN:07 41	10.00		63	17.2	56	13.5	51	10.6	65	13	360		28.89	8	+0.02	29.85	FM-15	0.00	29.85
12	1653	7	BKN:07 43	10.00		65	18.3	57	13.7	50	10.0	59	11	360		28.87			29.83	FM-15	0.00	29.84
12	1753	7	FEW:02 44	10.00		62	16.7	55	12.7	49	9.4	62	15	360		28.89			29.85	FM-15	0.00	29.85
12	1853	7	CLR:00	10.00		61	16.1	54	12.2	48	8.9	63	11	360		28.90	3	-0.01	29.86	FM-15	0.00	29.86
12	1953	7	FEW:02 35	10.00		57	13.9	52	11.2	48	8.9	72	9	010		28.90			29.87	FM-15	0.00	29.87
12	2053	7	CLR:00	10.00		54	12.2	51	10.5	48	8.9	80	10	010		28.92			29.88	FM-15	0.00	29.89
12	2153	7	CLR:00	10.00		50	10.0	48	8.9	46	7.8	86	7	360		28.92	1	-0.03	29.89	FM-15	0.00	29.89
12	2253	7	CLR:00	10.00		48	8.9	47	8.3	46	7.8	93	7	360		28.92			29.88	FM-15	0.00	29.89
12	2353	7	CLR:00	10.00		49	9.4	47	8.6	46	7.8	90	5	010		28.92			29.88	FM-15	0.00	29.89
13	0053	7	CLR:00	9.00		49	9.4	48	8.9	47	8.3	93	0	000		28.90	8	+0.02	29.87	FM-15	0.00	29.87
13	0153	7	CLR:00	7.00		45	7.2	45	7.2	45	7.2	100	3	330		28.90			29.87	FM-15	0.00	29.87
13	0253	7	CLR:00	8.00		46	7.8	46	7.5	45	7.2	96	5	320		28.90			29.87	FM-15	0.00	29.87
13	0353	7	CLR:00	5.00	BR:1 ||	45	7.2	45	7.2	45	7.2	100	3	340		28.90	5	+0.00	29.87	FM-15	0.00	29.87
13	0453	7	CLR:00	4.00	BR:1 ||	44	6.7	44	6.7	44	6.7	100	5	290		28.91			29.88	FM-15	0.00	29.88
13	0553	7	CLR:00	4.00	BR:1 ||	45	7.2	45	7.2	45	7.2	100	3	320		28.92			29.89	FM-15	0.00	29.89
13	0653	7	CLR:00	5.00	BR:1 ||	49	9.4	48	8.9	47	8.3	93	3	330		28.94	3	-0.03	29.91	FM-15	0.00	29.91
13	0753	7	CLR:00	8.00		54	12.2	51	10.8	49	9.4	83	6	350		28.94			29.91	FM-15	0.00	29.91
13	0853	7	CLR:00	10.00		57	13.9	53	11.8	50	10.0	78	5	310		28.95			29.92	FM-15	0.00	29.92
13	0953	7	CLR:00	10.00		61	16.1	54	12.5	49	9.4	65	7	330		28.96	2	-0.02	29.92	FM-15	0.00	29.93
13	1053	7	CLR:00	10.00		64	17.8	55	12.7	47	8.3	54	6	360		28.95			29.92	FM-15	0.00	29.92
13	1153	7	CLR:00	10.00		66	18.9	56	13.1	47	8.3	50	9	320		28.94			29.90	FM-15	0.00	29.91
13	1253	7	CLR:00	10.00		68	20.0	56	13.4	46	7.8	45	6	340		28.92	8	+0.04	29.88	FM-15	0.00	29.89
13	1353	7	FEW:02 60	10.00		70	21.1	57	14.0	47	8.3	44	7	280		28.91			29.88	FM-15	0.00	29.88
13	1453	7	FEW:02 60	10.00		69	20.6	57	13.8	47	8.3	45	11	310		28.90			29.86	FM-15	0.00	29.86
13	1553	7	SCT:04 65	10.00		72	22.2	58	14.5	47	8.3	41	6	250		28.87	8	+0.05	29.83	FM-15	0.00	29.84
13	1653	7	CLR:00	10.00		71	21.7	57	14.0	46	7.8	41	8	290		28.87			29.83	FM-15	0.00	29.83
13	1753	7	FEW:02 70 BKN:07 120	10.00		69	20.6	56	13.6	46	7.8	44	9	270		28.87			29.83	FM-15	0.00	29.83
13	1853	7	BKN:07 100	10.00		68	20.0	56	13.6	47	8.3	47	8	270		28.86	6	+0.02	29.82	FM-15	0.00	29.82

13	1953	7	CLR:00	10.00		64	17.8	54	12.4	46	7.8	52	3	270		28.86			29.82	FM-15	0.00	29.82
13	2053	7	FEW:02 90	10.00		64	17.8	54	12.4	46	7.8	52	5	240		28.87			29.83	FM-15	0.00	29.83
13	2153	7	CLR:00	10.00		60	15.6	53	11.5	46	7.8	60	3	210		28.87	2	-0.01	29.82	FM-15	0.00	29.83
13	2253	7	FEW:02 80	10.00		58	14.4	52	11.0	46	7.8	65	3	210		28.86			29.82	FM-15	0.00	29.82
13	2353	7	SCT:04 70 BKN:07 80 OVC:08 95	10.00		59	15.0	53	11.5	47	8.3	64	5	200		28.86			29.81	FM-15	0.00	29.82
14	0053	7	FEW:02 100	10.00		60	15.6	53	11.5	46	7.8	60	8	230		28.84	8	+0.01	29.80	FM-15	0.00	29.81
14	0153	7	CLR:00	10.00		59	15.0	53	11.5	47	8.3	64	8	250		28.84			29.78	FM-15	0.00	29.80
14	0253	7	CLR:00	10.00		58	14.4	53	11.5	48	8.9	70	8	270		28.84			29.79	FM-15	0.00	29.81
14	0353	7	BKN:07 100	10.00		58	14.4	53	11.8	49	9.4	72	9	270		28.84	5	+0.00	29.80	FM-15	0.00	29.81
14	0453	7	OVC:08 110	10.00		58	14.4	54	12.0	50	10.0	75	8	280		28.86			29.81	FM-15	0.00	29.82
14	0553	7	CLR:00	10.00		55	12.8	52	11.3	50	10.0	83	6	260		28.87			29.83	FM-15	0.00	29.83
14	0653	7	CLR:00	10.00		60	15.6	56	13.1	52	11.1	75	9	280		28.89	3	-0.04	29.84	FM-15	0.00	29.85
14	0753	7	CLR:00	10.00		64	17.8	58	14.3	53	11.7	68	8	290		28.90			29.86	FM-15	0.00	29.87
14	0853	7	CLR:00	10.00		69	20.6	59	14.9	51	10.6	53	7	290		28.90			29.85	FM-15	0.00	29.87
14	0953	7	SCT:04 90	10.00		71	21.7	58	14.5	48	8.9	44	10	VRB		28.91	1	-0.03	29.87	FM-15	0.00	29.88
14	1053	7	CLR:00	10.00		74	23.3	59	15.2	48	8.9	40	11	300		28.92			29.88	FM-15	0.00	29.89
14	1153	7	BKN:07 110	10.00		74	23.3	59	15.2	48	8.9	40	14	270		28.91			29.87	FM-15	0.00	29.88
14	1253	7	CLR:00	10.00		78	25.6	62	16.5	50	10.0	37	15	320	24	28.90	8	+0.01	29.85	FM-15	0.00	29.87
14	1353	7	CLR:00	10.00		79	26.1	62	16.7	50	10.0	36	17	290	25	28.90			29.84	FM-15	0.00	29.86
14	1453	7	FEW:02 80	10.00		80	26.7	64	17.7	53	11.7	39	24	290	33	28.87			29.83	FM-15	T	29.84
14	1553	7	FEW:02 80 SCT:04 100	10.00		80	26.7	63	17.4	52	11.1	38	20	290	30	28.87	6	+0.03	29.82	FM-15	T	29.84
14	1653	7	BKN:07 95	10.00		77	25.0	61	16.3	50	10.0	39	18	290	26	28.87			29.82	FM-15	T	29.83
14	1753	7	BKN:07 80 BKN:07 100	10.00		78	25.6	62	16.7	51	10.6	39	16	320	24	28.87			29.82	FM-15	T	29.83
14	1853	7	FEW:02 80 BKN:07 100	10.00		73	22.8	60	15.7	51	10.6	46	10	340		28.89	3	-0.01	29.83	FM-15	0.00	29.85
14	1953	7	CLR:00	10.00		68	20.0	59	15.2	53	11.7	59	9	010		28.90			29.85	FM-15	0.00	29.86
14	2053	7	FEW:02 75	10.00		63	17.2	57	14.1	53	11.7	70	7	020		28.92			29.88	FM-15	0.00	29.89
14	2153	7	CLR:00	10.00		62	16.7	56	13.3	51	10.6	67	9	050		28.95	3	-0.07	29.91	FM-15	0.00	29.92
14	2253	7	CLR:00	10.00		60	15.6	52	11.0	44	6.7	56	10	060		28.98			29.93	FM-15	0.00	29.95
14	2353	7	BKN:07 85	10.00		57	13.9	49	9.5	41	5.0	55	8	070		29.00			29.96	FM-15	0.00	29.97
15	0053	7	FEW:02 75 SCT:04 90	10.00		55	12.8	47	8.3	38	3.3	53	6	060		29.01	1	-0.06	29.97	FM-15	0.00	29.98
15	0153	7	SCT:04 70 BKN:07 90	10.00		54	12.2	47	8.2	39	3.9	57	5	060		29.02			29.98	FM-15	0.00	29.99
15	0253	7	BKN:07 75 OVC:08 85	10.00		53	11.7	46	7.9	39	3.9	59	5	070		29.03			29.99	FM-15	0.00	30.00
15	0353	7	BKN:07 85	10.00		53	11.7	46	7.9	39	3.9	59	5	060		29.05	3	-0.04	30.01	FM-15	0.00	30.02
15	0453	7	BKN:07 80	10.00		52	11.1	45	7.4	38	3.3	59	3	060		29.06			30.01	FM-15	0.00	30.03
15	0553	7	BKN:07 75	10.00		51	10.6	48	8.6	44	6.7	77	0	000		29.08			30.04	FM-15	0.00	30.05
15	0653	7	CLR:00	10.00		55	12.8	48	8.7	40	4.4	57	6	090		29.10	3	-0.04	30.06	FM-15	0.00	30.07
15	0753	7	CLR:00	10.00		58	14.4	48	8.8	37	2.8	46	7	080		29.11			30.07	FM-15	0.00	30.08
15	0853	7	CLR:00	10.00		61	16.1	49	9.6	37	2.8	41	9	100		29.13			30.09	FM-15	0.00	30.10
15	0953	7	CLR:00	10.00		62	16.7	50	9.9	37	2.8	40	6	140		29.12	0	-0.02	30.08	FM-15	0.00	30.09
15	1053	7	CLR:00	10.00		66	18.9	52	11.1	38	3.3	36	6	110		29.11			30.08	FM-15	0.00	30.08
15	1153	7	CLR:00	10.00		68	20.0	53	11.5	38	3.3	33	3	VRB		29.10			30.06	FM-15	0.00	30.07
15	1253	7	CLR:00	10.00		69	20.6	54	12.0	39	3.9	33	0	000		29.09	8	+0.03	30.05	FM-15	0.00	30.06
15	1353	7	CLR:00	10.00		72	22.2	56	13.1	41	5.0	33	0	000		29.08			30.04	FM-15	0.00	30.05
15	1453	7	CLR:00	10.00		74	23.3	57	13.8	42	5.6	32	0	000		29.06			30.02	FM-15	0.00	30.03
15	1553	7	CLR:00	10.00		75	23.9	58	14.4	44	6.7	33	3	030		29.04	8	+0.04	30.00	FM-15	0.00	30.01
15	1653	7	CLR:00	10.00		75	23.9	57	14.0	42	5.6	31	3	050		29.03			29.98	FM-15	0.00	30.00
15	1753	7	CLR:00	10.00		74	23.3	58	14.2	44	6.7	34	0	000		29.03			29.99	FM-15	0.00	30.00
15	1853	7	CLR:00	10.00		73	22.8	58	14.2	45	7.2	37	5	030		29.04	5	+0.00	30.00	FM-15	0.00	30.01
15	1953	7	CLR:00	10.00		66	18.9	55	12.9	46	7.8	49	3	350		29.05			30.01	FM-15	0.00	30.02
15	2053	7	CLR:00	10.00		65	18.3	53	11.9	43	6.1	45	3	080		29.05			30.01	FM-15	0.00	30.02

15	2153	7	CLR:00	10.00		64	17.8	54	12.2	45	7.2	50	5	100		29.06	1	-0.01	30.02	FM-15	0.00	30.03
15	2253	7	CLR:00	10.00		61	16.1	52	11.2	44	6.7	54	5	100		29.05			30.01	FM-15	0.00	30.02
15	2353	7	CLR:00	10.00		62	16.7	51	10.7	41	5.0	46	6	130		29.06			30.01	FM-15	0.00	30.03
16	0053	7	CLR:00	10.00		61	16.1	51	10.5	41	5.0	48	6	130		29.04	8	+0.01	30.00	FM-15	0.00	30.01
16	0153	7	CLR:00	10.00		62	16.7	51	10.5	40	4.4	44	5	140		29.02			29.98	FM-15	0.00	29.99
16	0253	7	CLR:00	10.00		60	15.6	50	10.2	41	5.0	50	6	130		29.02			29.97	FM-15	0.00	29.99
16	0353	7	CLR:00	10.00		57	13.9	49	9.7	42	5.6	58	3	100		29.03	5	+0.01	29.98	FM-15	0.00	30.00
16	0453	7	CLR:00	10.00		58	14.4	50	10.0	42	5.6	56	5	150		29.03			29.99	FM-15	0.00	30.00
16	0553	7	CLR:00	10.00		56	13.3	50	10.2	45	7.2	67	5	140		29.03			29.98	FM-15	0.00	30.00
16	0653	7	CLR:00	10.00		62	16.7	52	11.2	43	6.1	50	6	170		29.05	3	-0.02	30.00	FM-15	0.00	30.02
16	0753	7	CLR:00	10.00		67	19.4	57	13.9	49	9.4	53	7	200		29.05			30.01	FM-15	0.00	30.02
16	0853	7	CLR:00	10.00		72	22.2	62	16.6	55	12.8	55	7	190		29.05			30.01	FM-15	0.00	30.02
16	0953	7	CLR:00	10.00		77	25.0	66	19.1	60	15.6	56	10	180		29.03	8	+0.01	29.98	FM-15	0.00	30.00
16	1053	7	FEW:02 50	10.00		81	27.2	68	20.1	61	16.1	51	11	260	18	29.04			29.99	FM-15	0.00	30.01
16	1153	7	CLR:00	10.00		82	27.8	68	20.0	60	15.6	47	14	210		29.02			29.97	FM-15	0.00	29.99
16	1253	7	CLR:00	10.00		84	28.9	68	20.1	59	15.0	43	14	220	18	29.00	8	+0.03	29.95	FM-15	0.00	29.97
16	1353	7	CLR:00	10.00		85	29.4	68	20.2	59	15.0	42	13	220	22	28.99			29.94	FM-15	0.00	29.96
16	1453	7	CLR:00	10.00		86	30.0	69	20.4	59	15.0	40	16	210	28	28.97			29.92	FM-15	0.00	29.94
16	1553	7	CLR:00	10.00		86	30.0	69	20.7	60	15.6	42	16	200	24	28.95	8	+0.05	29.91	FM-15	0.00	29.92
16	1653	7	CLR:00	10.00		85	29.4	69	20.8	61	16.1	45	13	VRB	26	28.94			29.89	FM-15	0.00	29.91
16	1753	7	CLR:00	10.00		84	28.9	69	20.3	60	15.6	44	17	200	23	28.93			29.89	FM-15	0.00	29.90
16	1853	7	CLR:00	10.00		82	27.8	68	20.0	60	15.6	47	13	190	23	28.93	6	+0.03	29.88	FM-15	0.00	29.90
16	1953	7	CLR:00	10.00		79	26.1	67	19.5	60	15.6	52	9	200		28.94			29.89	FM-15	0.00	29.91
16	2053	7	CLR:00	10.00		77	25.0	66	19.1	60	15.6	56	11	190		28.94			29.88	FM-15	0.00	29.91
16	2153	7	CLR:00	10.00		76	24.4	67	19.2	61	16.1	60	8	180		28.94	1	-0.01	29.89	FM-15	0.00	29.91
16	2253	7	CLR:00	10.00		74	23.3	66	19.1	62	16.7	67	7	190		28.94			29.88	FM-15	0.00	29.91
16	2353	7	CLR:00	10.00		71	21.7	65	18.5	62	16.7	73	7	190		28.93			29.88	FM-15	0.00	29.90
17	0053	7	CLR:00	10.00		69	20.6	65	18.1	62	16.7	78	6	190		28.93	8	+0.01	29.87	FM-15	0.00	29.90
17	0153	7	CLR:00	10.00		68	20.0	64	17.9	62	16.7	81	7	180		28.93			29.87	FM-15	0.00	29.90
17	0253	7	CLR:00	10.00		68	20.0	64	17.6	61	16.1	78	6	170		28.94			29.88	FM-15	0.00	29.91
17	0353	7	CLR:00	10.00		67	19.4	63	17.4	61	16.1	81	5	170		28.96	3	-0.03	29.91	FM-15	0.00	29.93
17	0453	7	CLR:00	10.00		65	18.3	62	16.7	60	15.6	84	7	170		28.97			29.92	FM-15	0.00	29.94
17	0553	7	CLR:00	10.00		67	19.4	63	17.4	61	16.1	81	7	170		28.99			29.94	FM-15	0.00	29.96
17	0653	7	BKN:07 65	10.00		69	20.6	65	18.1	62	16.7	78	8	180		29.02	3	-0.06	29.97	FM-15	0.00	29.99
17	0753	7	SCT:04 65	10.00		73	22.8	66	18.9	62	16.7	69	9	180		29.03			29.97	FM-15	0.00	30.00
17	0853	7	BKN:07 65	10.00		76	24.4	68	19.8	63	17.2	64	10	180		29.03			29.97	FM-15	0.00	30.00
17	0953	7	BKN:07 70	10.00		81	27.2	69	20.7	63	17.2	54	18	230	24	29.02	8	+0.00	29.96	FM-15	0.00	29.99
17	1053	7	BKN:07 65 BKN:07 75	10.00		83	28.3	68	19.9	59	15.0	44	17	230	28	29.01			29.96	FM-15	0.00	29.98
17	1153	7	FEW:02 75	10.00	-RA:02 |RA |	85	29.4	69	20.5	60	15.6	43	24	220	34	29.00			29.95	FM-15	T	29.97
17	1156	7	FEW:02 75	10.00		85	29.4	69	20.5	60	15.6	43	23	220	36	29.00				FM-16	T	29.97
17	1253	7	FEW:02 70	10.00		86	30.0	68	20.1	58	14.4	39	25	200	34	28.97	8	+0.05	29.91	FM-15	0.00	29.94
17	1353	7	SCT:04 70	10.00		86	30.0	69	20.4	59	15.0	40	24	210	33	28.95			29.90	FM-15	0.00	29.92
17	1453	7	CLR:00	10.00		86	30.0	68	20.1	58	14.4	39	24	200	38	28.95			29.89	FM-15	0.00	29.92
17	1553	7	FEW:02 65	10.00		83	28.3	68	19.9	59	15.0	44	18	210	26	28.94	6	+0.02	29.89	FM-15	0.00	29.91
17	1653	7	CLR:00	10.00		82	27.8	67	19.7	59	15.0	46	15	190		28.94			29.88	FM-15	0.00	29.91
17	1753	7	CLR:00	10.00		83	28.3	67	19.6	58	14.4	43	17	200	29	28.91			29.86	FM-15	0.00	29.88
17	1853	7	CLR:00	10.00		81	27.2	68	19.8	60	15.6	49	13	190		28.92	5	+0.03	29.87	FM-15	0.00	29.89
17	1953	7	CLR:00	10.00		79	26.1	67	19.5	60	15.6	52	13	180		28.91			29.86	FM-15	0.00	29.88
17	2053	7	CLR:00	10.00		77	25.0	67	19.4	61	16.1	58	11	160		28.91			29.86	FM-15	0.00	29.88
17	2153	7	CLR:00	10.00		75	23.9	66	18.7	60	15.6	60	10	180		28.93	3	-0.01	29.88	FM-15	0.00	29.90
17	2253	7	CLR:00	10.00		75	23.9	66	18.7	60	15.6	60	15	180		28.93			29.87	FM-15	0.00	29.90
17	2353	7	CLR:00	10.00		74	23.3	65	18.5	60	15.6	62	13	180		28.91			29.85	FM-15	0.00	29.88
18	0053	7	CLR:00	10.00		73	22.8	64	18.0	59	15.0	62	11	180		28.92	5	+0.02	29.86	FM-15	0.00	29.89
18	0153	7	SCT:04 55	10.00		73	22.8	64	18.0	59	15.0	62	10	170		28.91			29.85	FM-15	0.00	29.88
18	0253	7	FEW:02 95	10.00		73	22.8	64	17.7	58	14.4	59	11	200		28.93			29.88	FM-15	0.00	29.90
18	0353	7	CLR:00	10.00		72	22.2	63	17.5	58	14.4	61	8	170		28.94	3	-0.03	29.89	FM-15	0.00	29.91

18	0453	7	FEW:02 55	10.00		71	21.7	64	17.6	59	15.0	66	9	170		28.95			29.89	FM-15	0.00	29.92
18	0553	7	BKN:07 65 OVC:08 110	10.00		71	21.7	64	17.9	60	15.6	68	10	180		28.96			29.90	FM-15	0.00	29.93
18	0653	7	OVC:08 65	10.00		73	22.8	66	18.9	62	16.7	69	13	190		28.96	3	-0.02	29.91	FM-15	0.00	29.93
18	0753	7	FEW:02 60	10.00		77	25.0	69	20.3	64	17.8	64	15	210	29	28.96			29.91	FM-15	0.00	29.93
18	0853	7	FEW:02 60	10.00		76	24.4	68	19.8	63	17.2	64	18	220	25	28.98			29.93	FM-15	0.00	29.95
18	0921	7	FEW:02 34 SCT:04 70 BKN:07 120	8.00	TS:7 -RA:02 |RA TS TS |	72	22.2	68	19.7	65	18.3	79	23	240	33	29.00				FM-16	T	29.97
18	0951	6	FEW:02 95 BKN:07 120	10.00	VCTS:7 ||	68	20.0	65	18.3	63	17.0	83	18	230	26	29.00				FM-16		29.97
18	0953	7	FEW:02 95 BKN:07 120	10.00	VCTS:7 ||	68	20.0	65	18.3	63	17.2	84	16	230	26	28.99	3	-0.03	29.94	FM-15	0.02	29.96
18	1006	7	SCT:04 100 SCT:04 120	10.00		69	20.6	66	18.8	64	17.8	84	13	220		28.99				FM-16		29.96
18	1053	7	FEW:02 95	10.00		76	24.4	71	21.5	68	20.0	77	13	220		28.98			29.92	FM-15	0.00	29.95
18	1153	7	FEW:02 30 SCT:04 100	10.00		80	26.7	72	22.2	68	20.0	67	17	220	29	28.98			29.93	FM-15	0.00	29.95
18	1253	7	FEW:02 32 SCT:04 90	10.00		81	27.2	72	22.4	68	20.0	65	17	220	29	28.97	6	+0.02	29.91	FM-15	T	29.94
18	1353	7	CLR:00	10.00		83	28.3	72	22.4	67	19.4	59	23	230	31	28.96			29.90	FM-15	0.00	29.93
18	1453	7	BKN:07 110	10.00		80	26.7	71	21.5	66	18.9	62	21	220	30	28.95			29.90	FM-15	0.00	29.92
18	1553	7	BKN:07 110	10.00		82	27.8	71	21.9	66	18.9	58	22	220	32	28.94	6	+0.03	29.89	FM-15	T	29.91
18	1555	7	BKN:07 110	10.00		82	27.8	71	21.5	65	18.3	56	23	230	32	28.94				FM-16	T	29.91
18	1653	7	FEW:02 39	10.00		82	27.8	72	22.2	67	19.4	60	15	220	28	28.94			29.89	FM-15	0.00	29.91
18	1753	7	FEW:02 120	10.00		81	27.2	71	21.7	66	18.9	61	21	230	28	28.94			29.89	FM-15	0.00	29.91
18	1853	7	CLR:00	10.00		80	26.7	71	21.5	66	18.9	62	16	230	23	28.94	8	+0.00	29.88	FM-15	0.00	29.91
18	1953	7	CLR:00	10.00		78	25.6	70	21.2	66	18.9	67	13	230	21	28.94			29.88	FM-15	0.00	29.91
18	2053	7	OVC:08 110	10.00		78	25.6	70	21.2	66	18.9	67	11	230		28.97			29.91	FM-15	0.00	29.94
18	2153	7	CLR:00	10.00		76	24.4	69	20.8	66	18.9	72	10	240		28.98	3	-0.04	29.93	FM-15	0.00	29.95
18	2253	7	FEW:02 120	10.00		74	23.3	69	20.8	67	19.4	79	7	250		28.99			29.94	FM-15	0.00	29.96
18	2353	7	CLR:00	10.00		72	22.2	69	20.4	67	19.4	84	7	200		28.98			29.93	FM-15	0.00	29.95
19	0041	7	CLR:00	10.00	VCTS:7 ||	73	22.8	68	20.3	66	18.9	79	15	230	22	28.99				FM-16		29.96
19	0051	6	CLR:00	10.00		73	23.0	67	19.6	64	18.0	74	11	240	23	29.00				FM-16		29.97
19	0053	7	CLR:00	10.00		73	22.8	68	19.9	65	18.3	76	11	240	23	28.99	1	-0.01	29.94	FM-15	0.00	29.96
19	0153	7	SCT:04 110	10.00	-RA:02 |RA |	71	21.7	67	19.2	64	17.8	79	8	240		29.01			29.95	FM-15	T	29.98
19	0212	7	OVC:08 110	9.00	VCTS:7 -RA:02 |RA |	69	20.6	67	19.5	66	18.9	90	8	270		29.01				FM-16	0.01	29.98
19	0237	7	OVC:08 110	7.00	TS:7 -RA:02 |RA TS TS |	70	21.1	68	20.0	67	19.4	90	13	240		29.02				FM-16	0.03	29.99
19	0253	7	FEW:02 70 OVC:08 100	7.00	-RA:02 |RA |	69	20.6	67	19.5	66	18.9	90	11	240		29.02			29.97	FM-15	0.07	29.99
19	0302	7	FEW:02 70 OVC:08 100	6.00	VCTS:7 RA:02 BR:1 |RA |	68	20.0	67	19.3	66	18.9	93	9	240		29.02				FM-16	0.02	29.99
19	0317	7	OVC:08 110	10.00	-RA:02 |RA |	68	20.0	67	19.3	66	18.9	93	9	240		29.02				FM-16	0.03	29.99
19	0353	7	SCT:04 120	10.00		67	19.4	66	18.7	65	18.3	93	7	240		29.01	0	-0.02	29.96	FM-15	0.02	29.98
19	0453	7	CLR:00	10.00		65	18.3	65	18.3	65	18.3	100	3	300		29.03			29.98	FM-15	0.00	30.00
19	0553	7	FEW:02 40	10.00		67	19.4	66	19.1	66	18.9	97	3	300		29.04			29.99	FM-15	0.00	30.01
19	0653	7	SCT:04 34	10.00		68	20.0	65	18.6	64	17.8	87	6	360		29.05	3	-0.04	30.01	FM-15	0.00	30.02
19	0751	6	BKN:07 22 OVC:08 34	10.00		70	21.0	66	19.0	64	18.0	83	9	010		29.05				FM-16		30.02
19	0753	7	FEW:02 22 BKN:07 34	10.00		69	20.6	66	18.8	64	17.8	84	9	010		29.05			30.00	FM-15	0.00	30.02
19	0808	7	SCT:04 22	10.00		69	20.6	66	19.1	65	18.3	87	7	040		29.06				FM-16		30.03
19	0849	7	SCT:04 16 BKN:07 24	10.00		70	21.0	66	19.0	64	18.0	83	6	040		29.06				FM-16		30.03
19	0853	7	SCT:04 16 BKN:07 24	10.00		71	21.7	67	19.5	65	18.3	81	6	040		29.07			30.01	FM-15	0.00	30.04
19	0917	7	SCT:04 16	10.00		72	22.2	68	19.7	65	18.3	79	6	040		29.07				FM-16		30.04
19	0953	7	CLR:00	10.00		73	22.8	68	20.3	66	18.9	79	5	110		29.07	1	-0.01	30.02	FM-15	0.00	30.04
19	1053	7	SCT:04 25	10.00		77	25.0	70	21.3	67	19.4	71	6	060		29.06			30.01	FM-15	0.00	30.03
19	1151	6	BKN:07 29	10.00		79	26.0	72	22.0	68	20.0	70	5	VRB		29.04				FM-16		30.01

19	1153	7	SCT:04 29	10.00		80	26.7	72	22.2	68	20.0	67	5	VRB		29.04			29.99	FM-15	0.00	30.01
19	1253	7	FEW:02 35	10.00		82	27.8	73	22.5	68	20.0	63	3	VRB		29.02	8	+0.05	29.96	FM-15	0.00	29.99
19	1353	7	FEW:02 37 FEW:02 44 SCT:04 60	10.00		83	28.3	72	22.4	67	19.4	59	3	360		28.98			29.93	FM-15	0.00	29.95
19	1453	7	SCT:04 39 OVC:08 47	7.00	-RA:02 |RA |	74	23.3	70	21.1	68	20.0	82	8	340		28.95			29.90	FM-15	0.10	29.92
19	1523	7	SCT:04 36 BKN:07 45 OVC:08 90	10.00	TS:7 |TS TS |	73	22.8	70	21.3	69	20.6	87	6	VRB		28.96				FM-16	0.08	29.93
19	1553	7	FEW:02 38 BKN:07 55 OVC:08 70	3.00	TS:7 RA:02 BR:1 |RA TS |	71	21.7	69	20.6	68	20.0	90	5	050		28.98	5	+0.04	29.93	FM-15	0.35s	29.95
19	1555	7	SCT:04 35 BKN:07 46 OVC:08 70	1.25	TS:7 +RA:02 BR:1 |RA TS |	70	21.1	69	20.4	68	20.0	93	0	000		28.99				FM-16	0.08	29.96
19	1557	7	SCT:04 30 BKN:07 40 OVC:08 70	2.00	TS:7 +RA:02 BR:1 |RA TS |	70	21.1	69	20.4	68	20.0	93	3	VRB		29.00				FM-16	0.16	29.97
19	1605	7	FEW:02 12 BKN:07 21 OVC:08 55	2.00	TS:7 +RA:02 BR:1 |RA TS |	68	20.0	67	19.6	67	19.4	96	15	280	24	29.03				FM-16	0.45	30.00
19	1641	7	FEW:02 15 BKN:07 28 OVC:08 100	3.00	VCTS:7 RA:02 BR:1 |RA |	64	17.8	63	17.4	63	17.2	96	21	330	29	29.03				FM-16	1.12	30.00
19	1653	7	FEW:02 15 BKN:07 28 OVC:08 100	6.00	VCTS:7 -RA:02 BR:1 |RA |	60	15.6	59	14.9	58	14.4	93	21	330	31	29.04			30.00	FM-15	0.92	30.01
19	1656	7	FEW:02 16 BKN:07 50 OVC:08 100	5.00	RA:02 BR:1 |RA |	60	15.6	59	14.9	58	14.4	93	17	340		29.04				FM-16	0.01	30.01
19	1704	7	FEW:02 24 BKN:07 80 OVC:08 100	4.00	VCTS:7 RA:02 BR:1 |RA |	59	15.0	58	14.7	58	14.4	96	16	360		29.04				FM-16	0.03	30.01
19	1707	7	FEW:02 19 BKN:07 85 OVC:08 110	3.00	TS:7 RA:02 BR:1 |RA TS |	59	15.0	58	14.7	58	14.4	96	10	360	20	29.05				FM-16	0.04	30.02
19	1730	7	BKN:07 85 OVC:08 100	2.50	RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	10	020		29.02				FM-16	0.08	29.99
19	1733	7	FEW:02 7 SCT:04 80 OVC:08 100	4.00	RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	10	360		29.03				FM-16	0.09	30.00
19	1751	6	BKN:07 6 BKN:07 85	4.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	11	350		29.02				FM-16		29.99
19	1753	7	BKN:07 6 BKN:07 95	6.00	BR:1 ||	59	15.0	58	14.7	58	14.4	96	10	350		29.02			29.98	FM-15	0.07	29.99
19	1853	7	OVC:08 7	8.00		57	13.9	57	13.9	57	13.9	100	7	010		29.08	1	-0.10	30.04	FM-15	0.00	30.05
19	1953	7	OVC:08 7	8.00		57	13.9	56	13.6	56	13.3	96	7	350		29.10			30.06	FM-15	0.00	30.07
19	2053	7	OVC:08 8	10.00		57	13.9	56	13.6	56	13.3	96	9	010		29.10			30.06	FM-15	0.00	30.07
19	2153	7	OVC:08 7	10.00		57	13.9	56	13.6	56	13.3	96	9	360		29.11	1	-0.03	30.07	FM-15	0.00	30.08
19	2253	7	OVC:08 6	10.00		56	13.3	56	13.3	56	13.3	100	7	030		29.12			30.07	FM-15	0.00	30.09
19	2353	7	OVC:08 6	10.00		55	12.8	55	12.8	55	12.8	100	6	050		29.15			30.10	FM-15	0.00	30.12
20	0053	7	OVC:08 7	8.00		54	12.2	53	11.9	53	11.7	97	8	040		29.14	0	-0.03	30.09	FM-15	0.00	30.11
20	0153	7	OVC:08 8	9.00		54	12.2	53	11.9	53	11.7	97	6	030		29.13			30.09	FM-15	0.00	30.10
20	0253	7	OVC:08 7	8.00		53	11.7	53	11.7	53	11.7	100	8	060		29.12			30.08	FM-15	0.00	30.09
20	0353	7	OVC:08 7	9.00		54	12.2	53	11.9	53	11.7	97	6	050		29.13	5	+0.01	30.09	FM-15	0.00	30.10
20	0453	7	OVC:08 7	7.00		54	12.2	54	12.2	54	12.2	100	7	050		29.14			30.11	FM-15	0.00	30.11
20	0553	7	OVC:08 6	6.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	7	030		29.16			30.13	FM-15	0.00	30.13
20	0653	7	OVC:08 5	5.00	BR:1 ||	56	13.3	55	13.0	55	12.8	97	8	050		29.16	1	-0.03	30.13	FM-15	0.00	30.13
20	0753	7	OVC:08 8	7.00		57	13.9	56	13.3	55	12.8	93	8	070		29.16			30.13	FM-15	0.00	30.13
20	0853	7	OVC:08 9	8.00		59	15.0	57	14.1	56	13.3	90	8	060		29.16			30.13	FM-15	0.00	30.13
20	0917	7	OVC:08 10	8.00		61	16.1	59	14.8	57	13.9	87	9	100		29.16				FM-16		30.13
20	0953	7	OVC:08 10	9.00		62	16.7	60	15.4	58	14.4	86	5	VRB		29.17	3	-0.01	30.14	FM-15	0.00	30.14

20	1026	7	SCT:04 11	10.00		65	18.3	62	16.7	60	15.6	84	6	110		29.17				FM-16		30.14
20	1053	7	SCT:04 13 SCT:04 100	10.00		67	19.4	63	17.4	61	16.1	81	8	110		29.17			30.13	FM-15	0.00	30.14
20	1151	7	SCT:04 65	10.00	VCTS:7 ||	68	20.0	65	18.3	63	17.0	83	8	130		29.16				FM-16		30.13
20	1153	7	SCT:04 65	10.00	VCTS:7 ||	68	20.0	64	17.9	62	16.7	81	8	130		29.17			30.13	FM-15	0.00	30.14
20	1206	7	FEW:02 70 SCT:04 95 BKN:07 110	9.00	-RA:02 |RA |	67	19.4	64	17.7	62	16.7	84	10	140		29.16				FM-16	T	30.13
20	1253	7	SCT:04 47	10.00		68	20.0	66	18.9	65	18.3	90	9	110		29.16	7	+0.01	30.12	FM-15	0.04	30.13
20	1321	7	SCT:04 12	10.00	TS:7 |TS TS |	69	20.6	66	19.1	65	18.3	87	9	120		29.15				FM-16		30.12
20	1333	7	SCT:04 12	10.00		69	20.6	66	19.1	65	18.3	87	9	110		29.14				FM-16		30.11
20	1353	7	FEW:02 13 SCT:04 50	10.00		71	21.7	68	19.9	66	18.9	84	9	110		29.14			30.10	FM-15	0.00	30.11
20	1453	7	FEW:02 49	10.00		73	22.8	68	19.9	65	18.3	76	7	120		29.12			30.08	FM-15	0.00	30.09
20	1550	7	BKN:07 23	10.00		73	23.0	68	20.3	66	19.0	78	0	000		29.11				FM-16		30.08
20	1553	7	BKN:07 22	10.00		74	23.3	69	20.5	66	18.9	76	0	000		29.11	6	+0.03	30.06	FM-15	0.00	30.08
20	1601	7	BKN:07 22 BKN:07 120	10.00		75	23.9	70	21.0	67	19.4	76	7	130		29.11				FM-16		30.08
20	1653	7	BKN:07 22 BKN:07 120	10.00		74	23.3	69	20.8	67	19.4	79	8	100		29.10			30.06	FM-15	0.00	30.07
20	1753	7	BKN:07 26	10.00		73	22.8	69	20.6	67	19.4	81	10	090		29.07			30.03	FM-15	0.00	30.04
20	1853	7	CLR:00	10.00		72	22.2	69	20.4	67	19.4	84	11	100		29.08	5	+0.02	30.04	FM-15	0.00	30.05
20	1953	7	CLR:00	10.00		71	21.7	68	19.9	66	18.9	84	10	100		29.07			30.03	FM-15	0.00	30.04
20	2053	7	CLR:00	10.00		71	21.7	68	19.9	66	18.9	84	10	100		29.06			30.01	FM-15	0.00	30.03
20	2153	7	CLR:00	10.00		71	21.7	68	20.2	67	19.4	87	9	120		29.07	5	+0.01	30.02	FM-15	0.00	30.04
20	2251	6	CLR:00	10.00	VCTS:7 ||	72	22.0	69	20.8	68	20.0	88	14	120	21	29.05				FM-16		30.02
20	2253	7	CLR:00	10.00	VCTS:7 ||	71	21.7	69	20.6	68	20.0	90	10	120	21	29.05			30.01	FM-15	T	30.02
20	2314	7	FEW:02 13 SCT:04 21 BKN:07 65	2.50	TS:7 +RA:02 BR:1 |RA TS |	69	20.6	68	19.8	67	19.4	93	24	210	36	29.14				FM-16	0.07	30.11
20	2317	7	FEW:02 13 BKN:07 21 BKN:07 65	1.25	TS:7 +RA:02 BR:1 |RA TS |	67	19.4	66	19.1	66	18.9	97	16	220	36	29.12				FM-16	0.20	30.09
20	2326	7	FEW:02 17 BKN:07 29 BKN:07 65	1.00	TS:7 +RA:02 BR:1 |RA TS |	65	18.3	65	18.3	65	18.3	100	14	210	22	29.12				FM-16	0.38	30.09
20	2334	7	FEW:02 13 FEW:02 23 OVC:08 34	1.75	TS:7 +RA:02 BR:1 |RA TS |	65	18.3	65	18.3	65	18.3	100	8	180		29.11				FM-16	0.47	30.08
20	2343	7	OVC:08 43	2.50	TS:7 RA:02 BR:1 |RA TS |	65	18.3	65	18.3	65	18.3	100	11	160		29.11				FM-16	0.51	30.08
20	2350	7	BKN:07 47 OVC:08 70	3.00	TS:7 +RA:02 BR:1 |RA TS |	64	18.0	64	17.8	64	18.0	100	7	150		29.09				FM-16	0.56	30.06
20	2353	7	BKN:07 47 BKN:07 70 OVC:08 90	3.00	TS:7 RA:02 BR:1 |RA TS |	65	18.3	65	18.3	65	18.3	100	6	150		29.08			30.04	FM-15	0.57	30.05
21	0027	7	FEW:02 60 BKN:07 110	10.00	VCTS:7 ||	65	18.3	65	18.3	65	18.3	100	6	060		29.06				FM-16	0.01	30.03
21	0041	7	BKN:07 110	10.00		65	18.3	65	18.3	65	18.3	100	5	050		29.05				FM-16	0.01	30.02
21	0053	7	BKN:07 110	10.00		65	18.3	65	18.3	65	18.3	100	3	090		29.05	8	+0.00	30.01	FM-15	0.01	30.02
21	0153	7	SCT:04 120	10.00		65	18.3	65	18.3	65	18.3	100	7	130		29.04			30.00	FM-15	T	30.01
21	0253	7	BKN:07 75 BKN:07 90	10.00		66	18.9	65	18.5	65	18.3	96	0	000		29.03			29.98	FM-15	0.00	30.00
21	0353	7	BKN:07 60 BKN:07 80	5.00	-RA:02 BR:1 |RA |	65	18.3	65	18.3	65	18.3	100	0	000		29.03	6	+0.02	29.98	FM-15	0.02	30.00
21	0453	7	SCT:04 46 BKN:07 100 BKN:07 120	10.00		66	18.9	65	18.5	65	18.3	96	3	190		29.04			30.00	FM-15	T	30.01
21	0553	7	FEW:02 65 OVC:08 100	10.00	-RA:02 |RA |	66	18.9	65	18.5	65	18.3	96	6	160		29.05			30.00	FM-15	T	30.02
21	0653	7	OVC:08 38	6.00	-RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100	8	190		29.07	3	-0.04	30.02	FM-15	0.02	30.04

21	0732	7	BKN:07 21 BKN:07 45 OVC:08 50	8.00	-RA:02 |RA |	66	18.9	66	18.9	66	18.9	100	7	180		29.08				FM-16	0.02	30.05
21	0753	7	BKN:07 22 OVC:08 28	2.50	RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100	8	180		29.07			30.03	FM-15	0.06	30.04
21	0821	7	FEW:02 8 BKN:07 50 OVC:08 70	2.50	-RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100	9	190		29.07				FM-16	0.04	30.04
21	0828	7	FEW:02 10 BKN:07 37 OVC:08 55	4.00	RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100	8	200		29.07				FM-16	0.06	30.04
21	0832	7	BKN:07 10 BKN:07 39 OVC:08 75	2.50	RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100	10	200		29.08				FM-16	0.07	30.05
21	0853	7	BKN:07 10 BKN:07 39 OVC:08 75	2.50	+RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100	10	190		29.07			30.03	FM-15	0.13	30.04
21	0900	7	BKN:07 8 BKN:07 37 OVC:08 49	3.00	RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100	10	190		29.07				FM-16	0.01	30.04
21	0953	7	OVC:08 9	10.00		67	19.4	67	19.4	67	19.4	100	8	200		29.07	0	-0.00	30.02	FM-15	0.02	30.04
21	1051	6	BKN:07 15 BKN:07 21 OVC:08 27	10.00		70	21.0	67	19.7	66	19.0	88	8	200		29.06				FM-16		30.03
21	1053	7	BKN:07 15 OVC:08 21	10.00		69	20.6	68	19.8	67	19.4	93	8	200		29.06			30.01	FM-15	0.00	30.03
21	1153	7	BKN:07 18 BKN:07 32	10.00		71	21.7	68	20.2	67	19.4	87	15	180		29.05			30.01	FM-15	0.00	30.02
21	1253	7	SCT:04 21 BKN:07 27 OVC:08 40	10.00		71	21.7	68	19.9	66	18.9	84	9	200		29.04	6	+0.02	30.00	FM-15	0.00	30.01
21	1353	7	OVC:08 23	10.00		71	21.7	68	19.9	66	18.9	84	14	190		29.04			29.99	FM-15	0.00	30.01
21	1453	7	SCT:04 18 BKN:07 23 OVC:08 45	10.00		72	22.2	69	20.4	67	19.4	84	10	180		29.03			29.98	FM-15	T	30.00
21	1553	7	BKN:07 21	10.00		74	23.3	69	20.8	67	19.4	79	13	200		29.01	8	+0.04	29.96	FM-15	0.00	29.98
21	1651	6	FEW:02 21 SCT:04 26 BKN:07 120	10.00		75	24.0	70	21.3	68	20.0	78	13	190		29.00				FM-16		29.97
21	1653	7	FEW:02 21 SCT:04 26 BKN:07 49	10.00		75	23.9	70	21.0	67	19.4	76	13	180		28.99			29.95	FM-15	T	29.96
21	1753	7	FEW:02 27 SCT:04 33	10.00		74	23.3	70	21.1	68	20.0	82	9	190		28.98			29.93	FM-15	T	29.95
21	1846	7	FEW:02 22 SCT:04 36 OVC:08 100	10.00	VCTS:7 -RA:02 |RA |	73	22.8	70	21.0	68	20.0	84	11	190		28.98				FM-16	T	29.95
21	1853	7	SCT:04 25 BKN:07 37 OVC:08 100	4.00	VCTS:7 -RA:02 BR:1 |RA |	73	22.8	70	21.3	69	20.6	87	10	190		28.98	6	+0.03	29.93	FM-15	0.03s	29.95
21	1914	7	SCT:04 20 BKN:07 60 OVC:08 90	2.50	TS:7 RA:02 BR:1 |RA TS |	70	21.1	69	20.7	69	20.6	97	16	200	22	29.00				FM-16	0.08	29.97
21	1923	7	FEW:02 22 BKN:07 70 OVC:08 85	1.50	TS:7 +RA:02 BR:1 |RA TS |	66	18.9	65	18.5	65	18.3	96	10	190	22	28.99				FM-16	0.13	29.96
21	1944	7	SCT:04 46 BKN:07 70 OVC:08 95	2.00V	VCTS:7 RA:02 BR:1 |RA |	67	19.4	66	18.7	65	18.3	93	10	190		29.00				FM-16	0.25	29.97
21	1951	6	FEW:02 39 BKN:07 75 OVC:08 110	7.00	VCTS:7 -RA:02 |RA |	66	19.0	66	18.9	66	19.0	100	9	190		29.00				FM-16		29.97
21	1953	7	FEW:02 39 BKN:07 90 OVC:08 110	10.00	VCTS:7 ||	67	19.4	66	19.1	66	18.9	97	8	190		29.00			29.96	FM-15	0.23	29.97

21	2006	7	FEW:02 110	10.00		66	18.9	65	18.2	64	17.8	93	9	190		29.00				FM-16		29.97
21	2053	7	CLR:00	10.00		64	17.8	63	17.4	63	17.2	96	5	190		29.01			29.96	FM-15	0.00	29.98
21	2153	7	FEW:02 33 SCT:04 50 BKN:07 70	10.00		68	20.0	67	19.6	67	19.4	96	8	190		29.01	1	-0.03	29.96	FM-15	0.00	29.98
21	2236	7	FEW:02 10 SCT:04 27 BKN:07 46	2.50	-RA:02 BR:1 |RA |	67	19.4	66	19.1	66	18.9	97	9	220		29.02				FM-16	0.08	29.99
21	2243	7	FEW:02 12 SCT:04 26 BKN:07 60	10.00	-RA:02 |RA |	67	19.4	66	19.1	66	18.9	97	7	220		29.02				FM-16	0.08	29.99
21	2253	7	FEW:02 12 SCT:04 26 BKN:07 50	10.00		66	18.9	66	18.9	66	18.9	100	5	170		29.02			29.98	FM-15	0.08	29.99
21	2309	7	SCT:04 14 BKN:07 22 BKN:07 50	10.00	VCTS:7 ||	66	18.9	66	18.9	66	18.9	100	7	230		29.02				FM-16		29.99
21	2320	7	SCT:04 14 SCT:04 22	10.00	VCTS:7 ||	66	18.9	65	18.5	65	18.3	96	7	280		29.02				FM-16		29.99
21	2330	7	FEW:02 15 SCT:04 32	10.00		64	17.8	63	17.1	62	16.7	93	8	290		29.03				FM-16		30.00
21	2353	7	FEW:02 33 BKN:07 46	10.00		63	17.2	62	16.6	61	16.1	93	6	290		29.04			29.99	FM-15	0.00	30.01
22	0053	7	OVC:08 50	10.00		61	16.1	59	14.8	57	13.9	87	10	300		29.04	1	-0.03	30.00	FM-15	0.00	30.01
22	0153	7	OVC:08 50	10.00		59	15.0	56	13.1	53	11.7	81	13	290		29.06			30.02	FM-15	0.00	30.03
22	0253	7	SCT:04 60	10.00		56	13.3	53	11.8	51	10.6	84	11	300		29.07			30.02	FM-15	0.00	30.04
22	0325	7	BKN:07 25	10.00		56	13.3	53	11.6	50	10.0	81	10	300		29.08				FM-16		30.05
22	0353	7	OVC:08 25	10.00		56	13.3	53	11.6	50	10.0	81	13	290		29.08	1	-0.04	30.04	FM-15	0.00	30.05
22	0453	7	BKN:07 25	10.00		52	11.1	49	9.7	47	8.3	83	11	290		29.10			30.06	FM-15	0.00	30.07
22	0501	7	FEW:02 25	10.00		52	11.1	49	9.4	46	7.8	80	11	290		29.10				FM-16		30.07
22	0553	7	CLR:00	10.00		51	10.6	47	8.4	43	6.1	74	8	290		29.12			30.08	FM-15	0.00	30.09
22	0653	7	CLR:00	10.00		53	11.7	48	8.7	42	5.6	66	10	300		29.13	1	-0.05	30.09	FM-15	0.00	30.10
22	0753	7	FEW:02 34	10.00		55	12.8	49	9.4	43	6.1	64	9	300		29.13			30.10	FM-15	0.00	30.10
22	0853	7	CLR:00	10.00		57	13.9	50	10.0	43	6.1	60	13	300	22	29.15			30.11	FM-15	0.00	30.12
22	0953	7	CLR:00	10.00		58	14.4	51	10.5	44	6.7	60	11	270	21	29.16	3	-0.03	30.12	FM-15	0.00	30.13
22	1053	7	CLR:00	10.00		60	15.6	52	11.2	45	7.2	58	11	280	21	29.14			30.10	FM-15	0.00	30.11
22	1153	7	CLR:00	10.00		62	16.7	54	12.2	47	8.3	58	10	250	21	29.14			30.11	FM-15	0.00	30.11
22	1253	7	CLR:00	10.00		62	16.7	54	12.0	46	7.8	56	9	250		29.12	8	+0.04	30.08	FM-15	0.00	30.09
22	1353	7	CLR:00	10.00		63	17.2	54	11.9	45	7.2	52	6	250		29.11			30.08	FM-15	0.00	30.08
22	1453	7	CLR:00	10.00		64	17.8	54	12.2	45	7.2	50	8	230		29.10			30.06	FM-15	0.00	30.07
22	1553	7	CLR:00	10.00		65	18.3	55	12.7	46	7.8	51	7	240		29.08	8	+0.04	30.04	FM-15	0.00	30.05
22	1653	7	CLR:00	10.00		68	20.0	57	13.9	48	8.9	49	0	000		29.07			30.03	FM-15	0.00	30.04
22	1753	7	CLR:00	10.00		67	19.4	56	13.4	47	8.3	49	7	300		29.05			30.01	FM-15	0.00	30.02
22	1853	7	CLR:00	10.00		67	19.4	56	13.4	47	8.3	49	0	000		29.05	6	+0.04	30.01	FM-15	0.00	30.02
22	1953	7	CLR:00	10.00		63	17.2	54	12.2	46	7.8	54	7	180		29.06			30.02	FM-15	0.00	30.03
22	2053	7	CLR:00	10.00		61	16.1	54	12.2	48	8.9	63	3	140		29.05			30.01	FM-15	0.00	30.02
22	2153	7	CLR:00	10.00		60	15.6	53	11.7	47	8.3	62	6	170		29.06	1	-0.01	30.02	FM-15	0.00	30.03
22	2253	7	CLR:00	10.00		58	14.4	53	11.5	48	8.9	70	5	170		29.04			30.01	FM-15	0.00	30.01
22	2353	7	CLR:00	10.00		58	14.4	53	11.5	48	8.9	70	3	160		29.03			29.99	FM-15	0.00	30.00
23	0053	7	CLR:00	10.00		51	10.6	49	9.7	48	8.9	89	0	000		29.03	6	+0.03	29.99	FM-15	0.00	30.00
23	0153	7	CLR:00	10.00		52	11.1	50	10.2	49	9.4	89	0	000		29.00			29.97	FM-15	0.00	29.97
23	0253	7	CLR:00	10.00		51	10.6	49	9.7	48	8.9	89	0	000		28.97			29.94	FM-15	0.00	29.94
23	0353	7	CLR:00	10.00		49	9.4	48	9.2	48	8.9	97	0	000		28.95	6	+0.07	29.92	FM-15	0.00	29.92
23	0453	7	CLR:00	10.00		49	9.4	48	9.2	48	8.9	97	3	360		28.95			29.91	FM-15	0.00	29.92
23	0553	7	CLR:00	10.00		50	10.0	49	9.4	48	8.9	93	3	070		28.93			29.90	FM-15	0.00	29.90
23	0653	7	CLR:00	10.00		55	12.8	53	11.6	51	10.6	87	0	000		28.95	5	+0.00	29.91	FM-15	0.00	29.92
23	0753	7	CLR:00	10.00		60	15.6	55	12.5	50	10.0	70	6	110		28.94			29.91	FM-15	0.00	29.91
23	0853	7	CLR:00	10.00		64	17.8	56	13.5	50	10.0	60	8	100		28.91			29.87	FM-15	0.00	29.88
23	0953	7	CLR:00	10.00		67	19.4	58	14.4	51	10.6	57	9	120		28.90	8	+0.06	29.85	FM-15	0.00	29.86
23	1053	7	CLR:00	10.00		68	20.0	57	14.1	49	9.4	51	7	120		28.87			29.82	FM-15	0.00	29.83

23	1153	7	CLR:00	10.00		70	21.1	58	14.3	48	8.9	46	6	090		28.84			29.78	FM-15	0.00	29.80
23	1253	7	CLR:00	10.00		73	22.8	59	15.2	49	9.4	43	6	040		28.80	7	+0.09	29.75	FM-15	0.00	29.76
23	1353	7	CLR:00	10.00		73	22.8	59	15.2	49	9.4	43	5	090		28.79			29.74	FM-15	0.00	29.75
23	1453	7	CLR:00	10.00		73	22.8	58	14.7	47	8.3	40	8	150		28.76			29.71	FM-15	0.00	29.72
23	1553	7	CLR:00	10.00		73	22.8	59	14.9	48	8.9	41	10	130		28.75	6	+0.06	29.70	FM-15	0.00	29.71
23	1653	7	CLR:00	10.00		73	22.8	58	14.7	47	8.3	40	10	110		28.73			29.68	FM-15	0.00	29.69
23	1753	7	CLR:00	10.00		72	22.2	58	14.2	46	7.8	40	9	150		28.73			29.68	FM-15	0.00	29.69
23	1853	7	CLR:00	10.00		71	21.7	57	14.0	46	7.8	41	6	140		28.72	6	+0.02	29.67	FM-15	0.00	29.68
23	1953	7	CLR:00	10.00		70	21.1	58	14.3	48	8.9	46	6	140		28.71			29.65	FM-15	0.00	29.67
23	2053	7	CLR:00	10.00		68	20.0	58	14.4	50	10.0	53	5	140		28.71			29.65	FM-15	0.00	29.67
23	2153	7	CLR:00	10.00		67	19.4	58	14.7	52	11.1	59	5	140		28.71	6	+0.01	29.65	FM-15	0.00	29.67
23	2253	7	CLR:00	10.00		66	18.9	62	16.6	59	15.0	78	7	180		28.70			29.64	FM-15	0.00	29.66
23	2353	7	BKN:07 18 BKN:07 22	10.00		65	18.3	62	16.7	60	15.6	84	8	140		28.70			29.64	FM-15	0.00	29.66
24	0041	7	SCT:04 14	10.00		64	17.8	62	16.8	61	16.1	90	9	160		28.69				FM-16		29.65
24	0053	7	FEW:02 14	10.00		64	17.8	62	16.8	61	16.1	90	8	160		28.69	8	+0.02	29.63	FM-15	0.00	29.65
24	0153	7	BKN:07 50	10.00		63	17.2	62	16.6	61	16.1	93	6	150		28.67			29.61	FM-15	0.00	29.63
24	0253	7	FEW:02 110	10.00		61	16.1	60	15.8	60	15.6	97	6	100		28.63			29.57	FM-15	0.00	29.59
24	0353	7	CLR:00	10.00		60	15.6	59	15.2	59	15.0	96	0	000		28.64	5	+0.05	29.58	FM-15	0.00	29.60
24	0453	7	FEW:02 120	9.00		58	14.4	58	14.4	58	14.4	100	7	100		28.62			29.57	FM-15	0.00	29.58
24	0553	7	CLR:00	7.00		59	15.0	59	15.0	59	15.0	100	0	000		28.63			29.57	FM-15	0.00	29.59
24	0653	7	SCT:04 20 OVC:08 48	9.00		61	16.1	60	15.8	60	15.6	97	6	110		28.62	6	+0.01	29.57	FM-15	0.00	29.58
24	0706	7	BKN:07 19 OVC:08 49	10.00		62	16.7	61	16.0	60	15.6	93	7	100		28.62				FM-16		29.58
24	0753	7	FEW:02 10 OVC:08 18	10.00		62	16.7	61	16.0	60	15.6	93	8	100		28.61			29.56	FM-15	0.00	29.57
24	0820	7	BKN:07 14 OVC:08 20	10.00		62	16.7	61	16.0	60	15.6	93	8	100		28.61				FM-16		29.57
24	0851	6	BKN:07 17 OVC:08 29	10.00		64	18.0	61	16.1	59	15.0	83	6	110		28.61				FM-16		29.57
24	0853	7	BKN:07 17 OVC:08 29	10.00		64	17.8	61	16.1	59	15.0	84	6	110		28.60			29.55	FM-15	0.00	29.56
24	0953	7	BKN:07 18 OVC:08 31	8.00		66	18.9	62	16.9	60	15.6	81	7	100		28.58	8	+0.04	29.52	FM-15	0.00	29.54
24	1000	7	FEW:02 17 BKN:07 48 OVC:08 60	9.00		66	18.9	61	16.2	58	14.4	75	13	100		28.58				FM-16		29.54
24	1024	7	FEW:02 20 BKN:07 29 OVC:08 50	10.00	-RA:02 |RA |	65	18.3	61	16.0	58	14.4	78	10	110		28.58				FM-16	T	29.54
24	1053	7	FEW:02 15 SCT:04 28 OVC:08 36	10.00		64	17.8	62	16.4	60	15.6	87	8	080		28.57			29.52	FM-15	T	29.53
24	1151	7	SCT:04 16 BKN:07 25 OVC:08 32	9.00		64	18.0	62	16.8	61	16.0	88	8	070		28.55				FM-16		29.51
24	1153	7	SCT:04 16 BKN:07 25 OVC:08 30	10.00		65	18.3	62	16.7	60	15.6	84	9	070		28.55			29.50	FM-15	0.00	29.51
24	1253	7	SCT:04 16 BKN:07 25 OVC:08 32	10.00		65	18.3	61	16.3	59	15.0	81	11	090		28.54	6	+0.04	29.48	FM-15	0.00	29.50
24	1346	7	FEW:02 23 BKN:07 30 OVC:08 43	10.00		66	18.9	62	16.9	60	15.6	81	11	110		28.53				FM-16		29.49
24	1353	7	FEW:02 19 BKN:07 25 OVC:08 43	10.00		66	18.9	62	16.5	59	15.0	78	11	110		28.53			29.47	FM-15	0.00	29.49
24	1453	7	BKN:07 21 OVC:08 30	10.00		65	18.3	62	16.7	60	15.6	84	8	120		28.51			29.45	FM-15	0.00	29.47

24	1553	7	BKN:07 19 OVC:08 30	10.00		66	18.9	63	17.2	61	16.1	84	7	080		28.48	8	+0.05	29.43	FM-15	0.00	29.44
24	1555	7	SCT:04 30 BKN:07 34	10.00		66	18.9	62	16.9	60	15.6	81	8	090		28.50				FM-16		29.45
24	1616	7	SCT:04 21 BKN:07 29 OVC:08 33	10.00		66	18.9	63	17.2	61	16.1	84	7	100		28.50				FM-16		29.45
24	1653	7	SCT:04 20 BKN:07 28 OVC:08 45	10.00		67	19.4	63	17.4	61	16.1	81	9	090		28.47			29.41	FM-15	0.00	29.42
24	1753	7	OVC:08 26	10.00		67	19.4	63	17.4	61	16.1	81	8	090		28.45			29.39	FM-15	0.00	29.40
24	1829	7	SCT:04 22 SCT:04 30 OVC:08 39	10.00		67	19.4	63	17.4	61	16.1	81	10	110		28.45				FM-16		29.40
24	1851	6	FEW:02 22 BKN:07 29 OVC:08 40	10.00		66	19.0	64	17.9	63	17.0	88	9	100		28.45				FM-16		29.40
24	1853	7	FEW:02 22 BKN:07 33 OVC:08 40	10.00		67	19.4	64	17.7	62	16.7	84	9	100		28.45	5	+0.04	29.39	FM-15	T	29.40
24	1953	7	FEW:02 23 SCT:04 37 BKN:07 120	10.00		65	18.3	63	17.0	61	16.1	87	10	110	22	28.44			29.38	FM-15	0.01	29.39
24	2053	7	BKN:07 31	10.00		65	18.3	63	17.0	61	16.1	87	14	100		28.43			29.36	FM-15	0.00	29.38
24	2105	7	OVC:08 29	10.00		65	18.3	63	17.0	61	16.1	87	15	110		28.43				FM-16		29.38
24	2144	7	SCT:04 30 OVC:08 100	10.00		64	17.8	62	16.4	60	15.6	87	13	110		28.44				FM-16		29.39
24	2153	7	FEW:02 30 OVC:08 100	10.00		64	17.8	62	16.8	61	16.1	90	10	110		28.44	5	+0.01	29.37	FM-15	0.00	29.39
24	2219	7	FEW:02 18 BKN:07 27 OVC:08 100	10.00		64	17.8	62	16.4	60	15.6	87	14	120		28.45				FM-16		29.40
24	2253	7	FEW:02 18 BKN:07 23 OVC:08 40	10.00		64	17.8	62	16.4	60	15.6	87	13	120		28.43			29.37	FM-15	0.00	29.38
24	2300	7	SCT:04 20 OVC:08 40	10.00		64	17.8	62	16.4	60	15.6	87	13	110		28.44				FM-16		29.39
24	2312	7	SCT:04 21 BKN:07 25 OVC:08 42	10.00		64	17.8	62	16.4	60	15.6	87	13	120		28.44				FM-16		29.39
24	2353	7	OVC:08 17	10.00		64	17.8	62	16.4	60	15.6	87	8	120		28.44			29.37	FM-15	0.00	29.39
25	0053	7	BKN:07 19 BKN:07 27 OVC:08 34	10.00		64	17.8	62	16.4	60	15.6	87	11	140		28.43	8	+0.01	29.36	FM-15	0.00	29.38
25	0153	7	BKN:07 17 OVC:08 24	10.00		63	17.2	61	15.9	59	15.0	87	13	150		28.43			29.36	FM-15	0.00	29.38
25	0253	7	OVC:08 15	10.00		62	16.7	60	15.4	58	14.4	86	13	150	20	28.43			29.36	FM-15	0.00	29.38
25	0351	6	BKN:07 13 BKN:07 24 OVC:08 29	10.00		61	16.0	59	14.8	57	14.0	88	10	150		28.43				FM-16		29.38
25	0353	7	BKN:07 13 BKN:07 24 OVC:08 29	10.00		61	16.1	59	15.1	58	14.4	90	10	160		28.43	8	+0.00	29.36	FM-15	T	29.38
25	0436	7	BKN:07 9 OVC:08 15	5.00	-RA:02 BR:1 |RA |	60	15.6	59	15.2	59	15.0	96	7	150		28.44				FM-16	0.02	29.39
25	0439	7	SCT:04 7 OVC:08 12	2.50	+RA:02 BR:1 |RA |	60	15.6	59	15.2	59	15.0	96	8	150		28.44				FM-16	0.04	29.39
25	0444	7	BKN:07 7 OVC:08 13	1.50	+RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	9	150		28.44				FM-16	0.08	29.39
25	0453	7	BKN:07 7 BKN:07 13 OVC:08 21	2.50	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	10	180		28.44			29.37	FM-15	0.10	29.39
25	0501	7	BKN:07 9 BKN:07 13 OVC:08 20	10.00	-RA:02 |RA |	60	15.6	59	15.2	59	15.0	96	11	180		28.43				FM-16	T	29.38

25	0522	7	SCT:04 10 BKN:07 13 OVC:08 35	10.00		59	15.0	59	15.0	59	15.0	100	13	170		28.44				FM-16	T	29.39
25	0533	7	SCT:04 10 BKN:07 24 OVC:08 65	10.00		59	15.0	58	14.7	58	14.4	96	11	170		28.45				FM-16	T	29.40
25	0553	7	FEW:02 14 BKN:07 21 OVC:08 26	10.00		59	15.0	59	15.0	59	15.0	100	9	170		28.45			29.39	FM-15	T	29.40
25	0608	7	BKN:07 10 BKN:07 15 OVC:08 22	10.00		59	15.0	58	14.7	58	14.4	96	9	180		28.45				FM-16		29.40
25	0647	7	OVC:08 8	5.00	BR:1 ||	59	15.0	58	14.4	57	14.0	94	7	150		28.46				FM-16		29.41
25	0653	7	OVC:08 8	5.00	BR:1 ||	59	15.0	58	14.7	58	14.4	96	7	140		28.46	3	-0.03	29.40	FM-15	0.01	29.41
25	0654	7	OVC:08 5	5.00	BR:1 ||	59	15.0	58	14.7	58	14.4	96	8	140		28.46				FM-16		29.41
25	0753	7	BKN:07 7 OVC:08 12	5.00	-RA:02 BR:1 |RA |	58	14.4	58	14.4	58	14.4	100	8	170		28.47			29.40	FM-15	0.01	29.42
25	0803	7	BKN:07 6 OVC:08 12	3.00	-RA:02 BR:1 |RA |	58	14.4	58	14.4	58	14.4	100	8	180		28.47				FM-16	T	29.42
25	0853	7	BKN:07 6 OVC:08 11	3.00	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	8	200		28.48			29.42	FM-15	0.04	29.44
25	0900	7	BKN:07 6 OVC:08 10	2.50	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	7	190		28.48				FM-16	T	29.44
25	0951	6	OVC:08 10	10.00		61	16.0	60	15.5	59	15.0	94	5	190		28.48				FM-16		29.44
25	0953	7	BKN:07 6 OVC:08 10	6.00	BR:1 ||	60	15.6	59	15.2	59	15.0	96	5	170		28.48	2	-0.03	29.43	FM-15	T	29.44
25	1053	7	BKN:07 6 OVC:08 10	6.00	BR:1 ||	61	16.1	60	15.5	59	15.0	93	7	160		28.48			29.43	FM-15	0.06	29.44
25	1059	7	BKN:07 9 OVC:08 22	10.00	-RA:02 |RA |	61	16.1	60	15.5	59	15.0	93	8	170		28.48				FM-16	T	29.44
25	1151	6	SCT:04 15 BKN:07 22 OVC:08 38	10.00		63	17.0	61	15.9	59	15.0	88	6	180		28.50				FM-16		29.45
25	1153	7	SCT:04 17 BKN:07 22 OVC:08 30	10.00		63	17.2	61	15.9	59	15.0	87	7	210		28.50			29.43	FM-15	T	29.45
25	1154	7	BKN:07 9 OVC:08 22	10.00		64	17.8	61	16.1	59	15.0	84	8	220		28.48				FM-16		29.44
25	1243	7	FEW:02 22 BKN:07 35 OVC:08 50	10.00		64	17.8	60	15.8	58	14.4	81	9	240		28.51				FM-16	T	29.46
25	1253	7	FEW:02 35 BKN:07 46 BKN:07 55	10.00		67	19.4	63	17.1	60	15.6	79	9	230		28.50	3	-0.01	29.44	FM-15	T	29.45
25	1343	7	FEW:02 39 BKN:07 55 OVC:08 90	5.00V	+RA:02 BR:1 |RA |	63	17.2	61	15.9	59	15.0	87	6	240		28.51				FM-16	0.05	29.46
25	1351	7	FEW:02 39 BKN:07 55 OVC:08 75	5.00	RA:02 BR:1 |RA |	61	16.0	60	15.5	59	15.0	94	6	240		28.51				FM-16	0.08	29.46
25	1353	7	FEW:02 39 BKN:07 50 OVC:08 65	6.00	-RA:02 BR:1 |RA |	61	16.1	60	15.5	59	15.0	93	5	240		28.51			29.45	FM-15	0.16	29.46
25	1453	7	FEW:02 14 SCT:04 44	10.00		65	18.3	63	17.0	61	16.1	87	6	190		28.51			29.45	FM-15	T	29.47
25	1553	7	SCT:04 39 BKN:07 65 OVC:08 80	4.00	-RA:02 BR:1 |RA |	63	17.2	62	16.9	62	16.7	97	6	VRB		28.53	3	-0.01	29.47	FM-15	0.16	29.48
25	1653	7	FEW:02 40 BKN:07 65 OVC:08 85	5.00	-RA:02 BR:1 |RA |	64	17.8	62	16.8	61	16.1	90	3	250		28.54			29.49	FM-15	0.03	29.50
25	1700	7	SCT:04 41 BKN:07 60 OVC:08 70	1.50	RA:02 BR:1 |RA |	64	17.8	63	17.1	62	16.7	93	3	290		28.55				FM-16	0.04	29.51

25	1707	7	BKN:07 41 BKN:07 60 OVC:08 70	4.00	-RA:02 BR:1 |RA |	63	17.2	62	16.9	62	16.7	97	3	220		28.55				FM-16	0.06	29.51
25	1746	7	SCT:04 13 BKN:07 22 OVC:08 60	3.00	RA:02 BR:1 |RA |	63	17.2	63	17.2	63	17.2	100	7	260		28.56				FM-16	0.07	29.52
25	1753	7	SCT:04 14 BKN:07 22 OVC:08 41	3.00	RA:02 BR:1 |RA |	63	17.2	62	16.9	62	16.7	97	9	280	16	28.56			29.51	FM-15	0.07	29.52
25	1851	6	FEW:02 22 BKN:07 30 OVC:08 41	9.00		63	17.0	63	17.2	63	17.0	100	7	290		28.59				FM-16		29.55
25	1853	7	SCT:04 22 BKN:07 30 OVC:08 41	10.00		63	17.2	62	16.9	62	16.7	97	7	290		28.59	3	-0.07	29.54	FM-15	0.01	29.55
25	1900	7	BKN:07 19 BKN:07 28 OVC:08 41	10.00		63	17.2	62	16.9	62	16.7	97	8	290		28.59				FM-16		29.55
25	1953	7	BKN:07 16 BKN:07 22 OVC:08 31	8.00		62	16.7	61	16.3	61	16.1	96	9	290		28.63			29.58	FM-15	0.00	29.59
25	2020	7	FEW:02 18 SCT:04 29 OVC:08 36	9.00		62	16.7	61	16.0	60	15.6	93	13	290		28.64				FM-16		29.60
25	2053	7	FEW:02 17 FEW:02 41 OVC:08 60	10.00		61	16.1	60	15.5	59	15.0	93	11	290		28.66			29.61	FM-15	0.00	29.62
25	2121	7	BKN:07 19 BKN:07 41 OVC:08 65	10.00		61	16.1	60	15.5	59	15.0	93	13	290		28.68				FM-16		29.64
25	2153	7	FEW:02 13 SCT:04 19 OVC:08 55	10.00		61	16.1	60	15.5	59	15.0	93	13	270		28.70	1	-0.10	29.65	FM-15	0.00	29.66
25	2204	7	SCT:04 13 BKN:07 18 OVC:08 55	10.00		61	16.1	60	15.5	59	15.0	93	13	270		28.70				FM-16		29.66
25	2211	7	BKN:07 13 BKN:07 18 OVC:08 55	9.00		61	16.1	60	15.5	59	15.0	93	11	280		28.71				FM-16		29.67
25	2253	7	OVC:08 15	9.00		60	15.6	59	14.9	58	14.4	93	15	280	26	28.73			29.68	FM-15	0.00	29.69
25	2353	7	OVC:08 16	9.00		60	15.6	59	14.9	58	14.4	93	11	270		28.75			29.70	FM-15	0.00	29.71
26	0003	7	OVC:08 14	9.00		60	15.6	59	14.9	58	14.4	93	11	270		28.75				FM-16		29.71
26	0027	7	OVC:08 15	9.00		60	15.6	58	14.6	57	13.9	90	18	280	25	28.76				FM-16		29.72
26	0053	7	OVC:08 15	10.00		59	15.0	58	14.4	57	13.9	93	14	270		28.76	1	-0.06	29.71	FM-15	0.00	29.72
26	0140	7	SCT:04 16 OVC:08 41	10.00		59	15.0	57	14.0	56	13.3	90	16	270	21	28.78				FM-16		29.74
26	0153	7	OVC:08 41	10.00		59	15.0	57	14.0	56	13.3	90	14	270		28.78			29.73	FM-15	0.00	29.74
26	0227	7	BKN:07 15 BKN:07 41 BKN:07 65	10.00		58	14.4	57	13.8	56	13.3	93	13	260		28.78				FM-16		29.74
26	0250	7	SCT:04 15 SCT:04 65	10.00		57	14.0	56	13.3	55	13.0	94	10	270		28.79				FM-16		29.75
26	0253	7	FEW:02 15 SCT:04 65	10.00		57	13.9	56	13.6	56	13.3	96	10	270		28.79			29.74	FM-15	0.00	29.75
26	0353	7	CLR:00	10.00		56	13.3	55	13.0	55	12.8	97	8	250		28.81	3	-0.03	29.76	FM-15	0.00	29.77
26	0453	7	CLR:00	7.00		55	12.8	54	12.5	54	12.2	96	7	260		28.83			29.78	FM-15	0.00	29.79
26	0553	7	CLR:00	6.00	BR:1 ||	56	13.3	55	13.0	55	12.8	97	10	260		28.86			29.81	FM-15	0.00	29.82
26	0653	7	SCT:04 21	10.00		58	14.4	56	13.2	54	12.2	87	13	270	21	28.89	3	-0.08	29.84	FM-15	0.00	29.85
26	0753	7	CLR:00	10.00		61	16.1	58	14.2	55	12.8	81	11	290		28.90			29.85	FM-15	0.00	29.86
26	0853	7	CLR:00	10.00		64	17.8	59	15.2	56	13.3	75	14	280		28.91			29.87	FM-15	0.00	29.88
26	0854	7	FEW:02 25	10.00		64	17.8	59	15.2	56	13.3	75	15	290		28.91				FM-16		29.88
26	0930	7	SCT:04 25	10.00		66	18.9	61	15.9	57	13.9	73	10	260		28.91				FM-16		29.88
26	0953	7	FEW:02 28	10.00		67	19.4	61	16.2	57	13.9	71	13	290		28.91	1	-0.03	29.87	FM-15	0.00	29.88

26	0956	7	SCT:04 28	10.00		67	19.4	61	16.2	57	13.9	71	15	290		28.91				FM-16		29.88
26	1053	7	SCT:04 36	10.00		69	20.6	61	16.3	56	13.3	63	14	300		28.92			29.88	FM-15	0.00	29.89
26	1056	7	SCT:04 36	10.00		69	20.6	61	16.3	56	13.3	63	13	300		28.92				FM-16		29.89
26	1153	7	SCT:04 36	10.00		70	21.1	62	16.5	56	13.3	61	15	280	24	28.93			29.88	FM-15	0.00	29.90
26	1253	7	SCT:04 44	10.00		71	21.7	62	16.4	55	12.8	57	15	280		28.92	0	-0.01	29.88	FM-15	0.00	29.89
26	1353	7	BKN:07 45 BKN:07 55	10.00		72	22.2	62	16.9	56	13.3	57	9	270		28.91			29.87	FM-15	0.00	29.88
26	1453	7	SCT:04 45	10.00		75	23.9	65	18.1	58	14.4	55	10	280		28.91			29.86	FM-15	0.00	29.88
26	1553	7	FEW:02 47	10.00		72	22.2	62	16.9	56	13.3	57	9	250		28.90	6	+0.01	29.86	FM-15	0.00	29.87
26	1653	7	CLR:00	10.00		73	22.8	63	17.1	56	13.3	55	8	270		28.91			29.87	FM-15	T	29.88
26	1753	7	CLR:00	10.00		74	23.3	63	17.3	56	13.3	54	7	230		28.91			29.87	FM-15	0.00	29.88
26	1853	7	CLR:00	10.00		73	22.8	63	17.1	56	13.3	55	6	250		28.91	1	-0.01	29.87	FM-15	0.00	29.88
26	1953	7	CLR:00	10.00		69	20.6	61	16.3	56	13.3	63	0	000		28.90			29.86	FM-15	0.00	29.87
26	2053	7	CLR:00	10.00		64	17.8	60	15.8	58	14.4	81	5	080		28.90			29.85	FM-15	0.00	29.86
26	2153	7	BKN:07 80	10.00		65	18.3	61	16.0	58	14.4	78	3	060		28.92	3	-0.01	29.88	FM-15	0.00	29.89
26	2253	7	FEW:02 75 OVC:08 100	7.00	-RA:02 |RA |	63	17.2	62	16.9	62	16.7	97	3	280		28.94			29.90	FM-15	0.05	29.91
26	2317	7	BKN:07 60 BKN:07 80 OVC:08 100	2.50	VCTS:7 +RA:02 BR:1 |RA |	63	17.2	63	17.2	63	17.2	100	13	200		28.93				FM-16	0.08	29.90
26	2324	7	FEW:02 55 SCT:04 70 OVC:08 85	3.00	TS:7 RA:02 BR:1 |RA TS |	64	17.8	63	17.1	62	16.7	93	14	220		28.93				FM-16	0.10	29.90
26	2351	6	SCT:04 80 OVC:08 100	6.00	VCTS:7 RA:02 BR:1 |RA |	64	18.0	64	17.8	64	18.0	100	15	180		28.89				FM-16		29.85
26	2353	7	BKN:07 85 OVC:08 100	6.00	VCTS:7 RA:02 BR:1 |RA |	64	17.8	64	17.8	64	17.8	100	16	170		28.89			29.83	FM-15	0.17	29.85
27	0020	7	FEW:02 80 OVC:08 100	6.00	-RA:02 BR:1 |RA |	64	17.8	63	17.4	63	17.2	96	5	230		28.89				FM-16	0.06	29.85
27	0033	7	FEW:02 75 BKN:07 100 BKN:07 120	10.00	VCTS:7 -RA:02 |RA |	63	17.2	63	17.2	63	17.2	100	9	210		28.90				FM-16	0.06	29.86
27	0048	7	FEW:02 75 BKN:07 110	10.00		63	17.0	63	17.2	63	17.0	100	8	170		28.89				FM-16	0.06	29.85
27	0053	7	SCT:04 110	10.00		63	17.2	63	17.2	63	17.2	100	7	160		28.87	8	+0.00	29.83	FM-15	0.04	29.84
27	0153	7	SCT:04 80 BKN:07 90 BKN:07 120	10.00	-RA:02 |RA |	63	17.2	63	17.2	63	17.2	100	8	150		28.86			29.80	FM-15	T	29.82
27	0237	7	SCT:04 9 OVC:08 60	9.00		64	17.8	63	17.4	63	17.2	96	7	350		28.87				FM-16	T	29.84
27	0253	7	SCT:04 9 OVC:08 55	9.00		64	17.8	63	17.4	63	17.2	96	6	020		28.87			29.82	FM-15	T	29.84
27	0353	7	OVC:08 50	5.00	BR:1 ||	63	17.2	63	17.2	63	17.2	100	8	360		28.87	5	+0.00	29.82	FM-15	0.00	29.84
27	0418	7	FEW:02 3 BKN:07 48 OVC:08 70	4.00	BR:1 ||	63	17.2	63	17.2	63	17.2	100	5	050		28.87				FM-16		29.84
27	0453	7	BKN:07 36	4.00	BR:1 ||	63	17.2	63	17.2	63	17.2	100	6	090		28.87			29.82	FM-15	T	29.83
27	0553	7	FEW:02 20 BKN:07 32 BKN:07 55	5.00	BR:1 ||	62	16.7	62	16.7	62	16.7	100	6	050		28.87			29.83	FM-15	0.00	29.84
27	0653	7	OVC:08 31	9.00		64	17.8	63	17.4	63	17.2	96	3	060		28.89	3	-0.01	29.84	FM-15	0.00	29.85
27	0719	7	FEW:02 5 BKN:07 32	9.00		65	18.3	64	18.0	64	17.8	97	3	110		28.90				FM-16		29.86
27	0753	7	FEW:02 6 SCT:04 29 OVC:08 50	10.00		66	18.9	65	18.2	64	17.8	93	3	110		28.90			29.85	FM-15	0.00	29.86
27	0806	7	SCT:04 8 BKN:07 28 OVC:08 50	10.00		66	18.9	65	18.5	65	18.3	96	3	VRB		28.90				FM-16		29.87
27	0819	7	BKN:07 8 BKN:07 27 OVC:08 50	10.00		66	18.9	65	18.2	64	17.8	93	0	000		28.90				FM-16		29.87

27	0831	7	SCT:04 9 SCT:04 27 OVC:08 48	10.00		67	19.4	65	18.4	64	17.8	91	3	160		28.90				FM-16		29.87
27	0833	7	BKN:07 9 OVC:08 48	10.00		67	19.4	66	18.7	65	18.3	93	3	150		28.90				FM-16		29.87
27	0851	6	SCT:04 9 BKN:07 23 OVC:08 48	10.00		66	19.0	65	18.2	64	18.0	94	0	000		28.90				FM-16		29.87
27	0853	7	SCT:04 9 BKN:07 23 OVC:08 48	10.00		68	20.0	66	18.9	65	18.3	90	5	130		28.90			29.85	FM-15	0.00	29.87
27	0953	7	OVC:08 23	10.00		70	21.1	67	19.3	65	18.3	84	5	280		28.90	0	-0.01	29.85	FM-15	0.00	29.87
27	1053	7	OVC:08 20	10.00		71	21.7	67	19.5	65	18.3	81	3	330		28.90			29.85	FM-15	0.00	29.87
27	1143	7	SCT:04 22 BKN:07 50 OVC:08 60	10.00		73	22.8	68	20.3	66	18.9	79	0	000		28.91				FM-16		29.88
27	1153	7	FEW:02 19 SCT:04 50 BKN:07 60	10.00		73	22.8	68	20.3	66	18.9	79	5	310		28.92			29.87	FM-15	0.00	29.89
27	1253	7	FEW:02 21 OVC:08 65	10.00		75	23.9	70	21.0	67	19.4	76	5	040		28.92	1	-0.02	29.87	FM-15	0.00	29.89
27	1345	7	BKN:07 23 BKN:07 50 BKN:07 70	10.00		77	25.0	70	21.0	66	18.9	69	0	000		28.91				FM-16		29.88
27	1351	6	SCT:04 23 BKN:07 31	10.00		79	26.0	70	21.3	66	19.0	65	0	000		28.90				FM-16		29.87
27	1353	7	SCT:04 23 BKN:07 31	10.00		78	25.6	71	21.5	67	19.4	69	5	VRB		28.90			29.85	FM-15	0.00	29.87
27	1453	7	SCT:04 34 BKN:07 42 OVC:08 70	10.00		76	24.4	69	20.8	66	18.9	72	3	310		28.90			29.84	FM-15	0.00	29.86
27	1553	7	SCT:04 35	10.00		79	26.1	70	21.3	66	18.9	65	7	320		28.87	8	+0.04	29.82	FM-15	0.00	29.84
27	1653	7	FEW:02 41	10.00		78	25.6	70	21.2	66	18.9	67	6	330		28.87			29.83	FM-15	0.00	29.84
27	1753	7	CLR:00	10.00		79	26.1	70	21.0	65	18.3	62	6	020		28.87			29.82	FM-15	0.00	29.84
27	1853	7	FEW:02 36 SCT:04 45 SCT:04 55	10.00		76	24.4	69	20.5	65	18.3	69	7	020		28.87	5	+0.00	29.82	FM-15	0.00	29.84
27	1953	7	CLR:00	10.00		72	22.2	68	19.7	65	18.3	79	3	010		28.89			29.83	FM-15	0.00	29.85
27	2053	7	FEW:02 39	10.00		70	21.1	67	19.7	66	18.9	87	5	070		28.90			29.85	FM-15	0.00	29.86
27	2153	7	FEW:02 60	10.00		68	20.0	66	18.9	65	18.3	90	6	050		28.87	0	-0.00	29.83	FM-15	0.00	29.84
27	2253	7	FEW:02 37	10.00		67	19.4	66	18.7	65	18.3	93	5	060		28.87			29.81	FM-15	0.00	29.83
27	2353	7	BKN:07 37 OVC:08 50	10.00		68	20.0	67	19.3	66	18.9	93	5	090		28.87			29.81	FM-15	0.00	29.83
28	0053	7	FEW:02 34	10.00		66	18.9	65	18.5	65	18.3	96	6	090		28.84	8	+0.04	29.79	FM-15	0.00	29.81
28	0153	7	CLR:00	10.00		65	18.3	64	18.0	64	17.8	97	3	040		28.84			29.78	FM-15	0.00	29.80
28	0253	7	CLR:00	8.00		65	18.3	64	18.0	64	17.8	97	3	090		28.83			29.78	FM-15	0.00	29.79
28	0322	7	BKN:07 10	8.00		64	17.8	64	17.8	64	17.8	100	5	090		28.83				FM-16		29.79
28	0351	6	OVC:08 9	7.00		66	19.0	66	18.9	66	19.0	100	3	080		28.83				FM-16		29.79
28	0353	7	OVC:08 9	7.00		66	18.9	66	18.9	66	18.9	100	3	070		28.83	7	+0.02	29.77	FM-15	0.00	29.79
28	0409	7	BKN:07 10 OVC:08 15	7.00		66	18.9	66	18.9	66	18.9	100	0	000		28.83				FM-16		29.79
28	0435	7	SCT:04 9 OVC:08 18	6.00	BR:1 ||	66	18.9	66	18.9	66	18.9	100	6	090		28.81				FM-16		29.77
28	0451	6	BKN:07 9 OVC:08 19	7.00		66	19.0	66	18.9	66	19.0	100	7	100		28.81				FM-16		29.77
28	0453	7	BKN:07 8 OVC:08 19	7.00		67	19.4	66	19.1	66	18.9	97	7	100		28.81			29.74	FM-15	0.00	29.77
28	0553	7	OVC:08 8	6.00	BR:1 ||	68	20.0	67	19.6	67	19.4	96	8	160		28.81			29.75	FM-15	0.00	29.77
28	0600	7	OVC:08 8	6.00	BR:1 ||	68	20.0	67	19.6	67	19.4	96	8	170		28.82				FM-16		29.78
28	0653	7	OVC:08 8	10.00		67	19.4	66	18.7	65	18.3	93	8	190		28.82	5	+0.01	29.76	FM-15	0.00	29.78
28	0655	7	BKN:07 8 OVC:08 13	10.00		67	19.4	66	18.7	65	18.3	93	7	190		28.82				FM-16		29.78

28	0751	6	OVC:08 13	10.00		68	20.0	65	18.6	64	18.0	88	10	190		28.80				FM-16		29.76
28	0753	7	OVC:08 13	10.00		68	20.0	65	18.6	64	17.8	87	13	190		28.80			29.74	FM-15	0.00	29.76
28	0853	7	OVC:08 18	10.00		70	21.1	66	19.0	64	17.8	82	10	220		28.83			29.77	FM-15	0.00	29.79
28	0856	7	BKN:07 18 OVC:08 40	10.00		70	21.1	67	19.3	65	18.3	84	8	220		28.83				FM-16		29.79
28	0919	7	SCT:04 18	10.00		72	22.2	68	19.7	65	18.3	79	9	190		28.82				FM-16		29.78
28	0934	7	SCT:04 18	10.00		72	22.2	68	20.1	66	18.9	82	10	210		28.82				FM-16		29.78
28	0953	7	SCT:04 18	10.00		73	22.8	68	20.3	66	18.9	79	13	190		28.81	7	+0.00	29.75	FM-15	0.00	29.77
28	0955	7	SCT:04 18	10.00		73	22.8	68	20.3	66	18.9	79	10	200		28.81				FM-16		29.77
28	1051	6	BKN:07 23	10.00		73	23.0	68	20.3	66	19.0	78	14	200		28.81				FM-16		29.77
28	1053	7	BKN:07 23	10.00		74	23.3	69	20.4	66	18.9	76	13	200		28.81			29.75	FM-15	0.00	29.77
28	1143	7	SCT:04 24	10.00		75	23.9	69	20.3	65	18.3	71	13	180		28.80				FM-16		29.76
28	1153	7	FEW:02 26	10.00		76	24.4	69	20.8	66	18.9	72	15	220		28.80			29.74	FM-15	0.00	29.76
28	1253	7	FEW:02 30	10.00		76	24.4	68	20.1	64	17.8	67	15	190	22	28.79	8	+0.02	29.73	FM-15	0.00	29.75
28	1353	7	BKN:07 35 OVC:08 45	10.00		76	24.4	69	20.5	65	18.3	69	16	210		28.79			29.73	FM-15	0.00	29.75
28	1453	7	SCT:04 37 BKN:07 48	10.00		77	25.0	68	20.0	63	17.2	62	18	220	25	28.78			29.72	FM-15	0.00	29.74
28	1553	7	SCT:04 42 BKN:07 50 BKN:07 60	10.00		77	25.0	68	20.0	63	17.2	62	16	220	26	28.78	6	+0.01	29.72	FM-15	0.00	29.74
28	1653	7	SCT:04 38 BKN:07 50 BKN:07 60	10.00		76	24.4	67	19.5	62	16.7	62	16	220	24	28.79			29.73	FM-15	0.00	29.75
28	1753	7	FEW:02 35 SCT:04 46	10.00		76	24.4	68	19.8	63	17.2	64	18	240	25	28.78			29.72	FM-15	0.00	29.74
28	1853	7	SCT:04 47 BKN:07 55	10.00		74	23.3	66	18.8	61	16.1	64	16	220	22	28.80	3	-0.03	29.75	FM-15	0.00	29.76
28	1953	7	BKN:07 55	10.00		72	22.2	66	18.7	62	16.7	71	13	220		28.80			29.74	FM-15	0.00	29.76
28	2053	7	BKN:07 55 BKN:07 65	10.00		71	21.7	65	18.5	62	16.7	73	11	230		28.82			29.77	FM-15	0.00	29.78
28	2153	7	OVC:08 100	10.00	-RA:02 |RA |	67	19.4	65	18.4	64	17.8	91	3	290		28.82	3	-0.02	29.77	FM-15	0.01	29.78
28	2215	7	BKN:07 22 OVC:08 110	10.00		67	19.4	65	18.1	63	17.2	87	13	360		28.84				FM-16	T	29.80
28	2253	7	BKN:07 29 BKN:07 35 OVC:08 50	10.00		64	17.8	61	16.1	59	15.0	84	6	350		28.84			29.79	FM-15	0.00	29.81
28	2303	7	BKN:07 33 BKN:07 42 BKN:07 50	10.00		64	17.8	61	16.1	59	15.0	84	0	000		28.84				FM-16		29.81
28	2353	7	SCT:04 65 BKN:07 120	10.00		64	17.8	62	16.4	60	15.6	87	5	190		28.84			29.78	FM-15	T	29.80
29	0009	7	FEW:02 60 SCT:04 120	10.00	VCTS:7 ||	65	18.3	62	16.7	60	15.6	84	5	170		28.83				FM-16		29.79
29	0024	7	SCT:04 22 BKN:07 29 BKN:07 50	2.50	+RA:02 BR:1 |RA |	64	17.8	62	16.8	61	16.1	90	3	VRB		28.84				FM-16	0.08	29.80
29	0027	7	FEW:02 17 BKN:07 22 BKN:07 50	0.75	+RA:02 BR:1 |RA |	63	17.2	62	16.6	61	16.1	93	3	VRB		28.83				FM-16	0.26	29.79
29	0036	7	BKN:07 20 BKN:07 39 OVC:08 95	1.00	TS:7 -RA:02 BR:1 |RA TS |	63	17.2	62	16.6	61	16.1	93	7	260		28.84				FM-16	0.34	29.80
29	0039	7	SCT:04 20 BKN:07 39 OVC:08 90	4.00	TS:7 -RA:02 BR:1 |RA TS |	63	17.2	62	16.6	61	16.1	93	5	250		28.84				FM-16	0.34	29.80
29	0051	6	FEW:02 20 BKN:07 42 OVC:08 90	10.00		63	17.0	62	16.6	61	16.0	94	5	270		28.84				FM-16		29.80
29	0053	7	FEW:02 20 BKN:07 42 OVC:08 95	10.00		62	16.7	61	16.3	61	16.1	96	5	270		28.84	1	-0.02	29.79	FM-15	0.34	29.80

29	0153	7	FEW:02 50 FEW:02 95	10.00		63	17.2	62	16.9	62	16.7	97	8	240		28.86			29.80	FM-15	0.00	29.82
29	0253	7	CLR:00	9.00		61	16.1	61	16.1	61	16.1	100	6	250		28.86			29.81	FM-15	0.00	29.82
29	0353	7	CLR:00	6.00	BR:1 ||	61	16.1	61	16.1	61	16.1	100	6	240		28.87	1	-0.02	29.81	FM-15	0.00	29.83
29	0453	7	CLR:00	6.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	6	250		28.87			29.83	FM-15	0.00	29.84
29	0553	7	SCT:04 80	6.00	BR:1 ||	61	16.1	61	16.1	61	16.1	100	8	230		28.91			29.87	FM-15	0.00	29.88
29	0653	7	CLR:00	10.00		64	17.8	63	17.1	62	16.7	93	9	250		28.94	3	-0.08	29.90	FM-15	0.00	29.91
29	0753	7	CLR:00	10.00		67	19.4	64	17.7	62	16.7	84	8	250		28.94			29.89	FM-15	0.00	29.91
29	0853	7	CLR:00	10.00		71	21.7	64	17.9	60	15.6	68	9	250		28.93			29.88	FM-15	0.00	29.90
29	0953	7	CLR:00	10.00		75	23.9	65	18.1	58	14.4	55	13	250	18	28.93	5	+0.01	29.88	FM-15	0.00	29.90
29	1053	7	CLR:00	10.00		77	25.0	62	16.8	52	11.1	42	11	230		28.94			29.89	FM-15	0.00	29.91
29	1153	7	FEW:02 75	10.00		79	26.1	63	17.5	53	11.7	41	13	220	21	28.94			29.89	FM-15	0.00	29.91
29	1253	7	SCT:04 44 SCT:04 80 SCT:04 100	10.00		79	26.1	64	17.7	54	12.2	42	18	240	26	28.95	1	-0.01	29.90	FM-15	0.00	29.92
29	1353	7	FEW:02 75 BKN:07 95	10.00		80	26.7	63	17.4	52	11.1	38	16	240	25	28.94			29.89	FM-15	0.00	29.91
29	1453	7	BKN:07 110	10.00		77	25.0	63	17.1	53	11.7	43	13	240	21	28.95			29.90	FM-15	0.00	29.92
29	1553	7	FEW:02 70 SCT:04 100 SCT:04 120	10.00		79	26.1	65	18.6	57	13.9	47	7	240		28.94	8	+0.00	29.89	FM-15	T	29.91
29	1653	7	SCT:04 70 BKN:07 100 BKN:07 120	10.00		77	25.0	63	17.1	53	11.7	43	13	230		28.93			29.89	FM-15	0.00	29.90
29	1753	7	FEW:02 75 OVC:08 100	10.00		77	25.0	63	17.1	53	11.7	43	14	240		28.92			29.88	FM-15	0.00	29.89
29	1853	7	CLR:00	10.00		76	24.4	62	16.9	53	11.7	45	9	220		28.93	5	+0.01	29.88	FM-15	0.00	29.90
29	1953	7	SCT:04 120	10.00		74	23.3	62	16.5	53	11.7	48	6	230		28.94			29.89	FM-15	0.00	29.91
29	2053	7	CLR:00	10.00		71	21.7	61	16.1	54	12.2	55	6	220		28.94			29.89	FM-15	0.00	29.91
29	2153	7	FEW:02 80 BKN:07 100 BKN:07 110	10.00		71	21.7	62	16.4	55	12.8	57	5	190		28.96	3	-0.03	29.91	FM-15	0.00	29.93
29	2253	7	BKN:07 80 BKN:07 95 BKN:07 120	10.00	-RA:02 |RA |	64	17.8	60	15.5	57	13.9	78	9	310		28.99			29.94	FM-15	T	29.96
29	2353	7	FEW:02 110	10.00		62	16.7	60	15.7	59	15.0	90	5	160		28.96			29.91	FM-15	0.03	29.93
30	0053	7	CLR:00	10.00		64	17.8	60	15.8	58	14.4	81				28.99	3	-0.03	29.94	FM-15	0.00	29.96
30	0153	7	CLR:00	10.00		60	15.6	59	15.2	59	15.0	96	6	110		28.97			29.92	FM-15	0.00	29.94
30	0253	7	CLR:00	10.00		60	15.6	59	14.9	58	14.4	93	0	000		28.97			29.93	FM-15	0.00	29.94
30	0353	7	CLR:00	10.00		57	13.9	57	13.9	57	13.9	100	5	290		28.98	5	+0.01	29.93	FM-15	0.00	29.95
30	0450	7	CLR:00	1.75V	BR:1 ||	55	13.0	55	12.8	55	13.0	100	0	000		28.99				FM-16		29.96
30	0453	7	CLR:00	1.50	BR:1 ||	55	12.8	55	12.8	55	12.8	100	0	000		28.99			29.95	FM-15	0.00	29.96
30	0504	7	CLR:00	0.50	FG:2 |FG |	56	13.3	56	13.3	56	13.3	100	0	000		28.99				FM-16		29.96
30	0512	7	FEW:02 110	0.25	FG:2 |FG |	56	13.3	56	13.3	56	13.3	100	0	000		28.99				FM-16		29.96
30	0518	7	FEW:02 110	1.00	BR:1 ||	56	13.3	56	13.3	56	13.3	100	0	000		28.99				FM-16		29.96
30	0529	7	CLR:00	3.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	0	000		29.00				FM-16		29.97
30	0533	7	CLR:00	1.75	BR:1 ||	57	13.9	57	13.9	57	13.9	100	0	000		29.00				FM-16		29.97
30	0542	7	CLR:00	0.50	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	0	000		29.01				FM-16		29.98
30	0551	6	CLR:00	10.00		57	14.0	57	13.9	57	14.0	100	0	000		29.02				FM-16		29.99
30	0553	7	CLR:00	10.00		56	13.3	56	13.3	56	13.3	100	0	000		29.02			29.97	FM-15	0.00	29.99
30	0653	7	CLR:00	10.00		62	16.7	60	15.7	59	15.0	90	3	260		29.03	3	-0.05	29.99	FM-15	0.00	30.00
30	0753	7	CLR:00	10.00		68	20.0	62	16.7	58	14.4	70	6	210		29.04			29.99	FM-15	0.00	30.01
30	0853	7	CLR:00	10.00		72	22.2	62	16.6	55	12.8	55	8	200		29.03			29.98	FM-15	0.00	30.00
30	0953	7	CLR:00	10.00		75	23.9	60	15.4	48	8.9	39	11	240		29.02	8	+0.01	29.97	FM-15	0.00	29.99
30	1053	7	FEW:02 46	10.00		76	24.4	59	14.9	45	7.2	33	11	250	30	29.03			29.98	FM-15	0.00	30.00
30	1153	7	BKN:07 100	10.00		76	24.4	60	15.4	47	8.3	36	18	270	28	29.04			29.99	FM-15	T	30.01
30	1253	7	BKN:07 95	10.00		77	25.0	60	15.8	48	8.9	36	17	260	23	29.02	0	-0.00	29.98	FM-15	0.00	29.99
30	1353	7	FEW:02 85 SCT:04 110	10.00		77	25.0	61	16.0	49	9.4	37	20	260	25	29.01			29.96	FM-15	0.00	29.98
30	1453	7	SCT:04 110	10.00		78	25.6	62	16.5	50	10.0	37	15	260	25	29.00			29.96	FM-15	0.00	29.97

30	1553	7	FEW:02 100	10.00		78	25.6	60	15.8	47	8.3	33	18	250	26	29.01	5	+0.02	29.96	FM-15	0.00	29.98
30	1653	7	FEW:02 85 FEW:02 100	10.00		76	24.4	60	15.6	48	8.9	37	14	280	21	29.00			29.95	FM-15	0.00	29.97
30	1753	7	FEW:02 85	10.00		74	23.3	59	15.2	48	8.9	40	16	270	25	28.99			29.95	FM-15	0.00	29.96
30	1853	7	BKN:07 85	10.00		72	22.2	58	14.5	47	8.3	41	11	300		29.00	5	+0.00	29.96	FM-15	0.00	29.97
30	1953	7	BKN:07 90	10.00		69	20.6	57	14.1	48	8.9	47	8	290		29.02			29.97	FM-15	0.00	29.99
30	2053	7	BKN:07 90	10.00		67	19.4	57	13.6	48	8.9	51	7	290		29.03			29.98	FM-15	0.00	30.00
30	2153	7	CLR:00	10.00		65	18.3	55	12.9	47	8.3	52	0	000		29.04	1	-0.04	29.99	FM-15	0.00	30.01
30	2253	7	CLR:00	10.00		62	16.7	54	12.2	47	8.3	58	0	000		29.04			29.99	FM-15	0.00	30.01
30	2353	7	CLR:00	10.00		61	16.1	55	12.5	49	9.4	65	0	000		29.04			29.99	FM-15	0.00	30.01
31	0053	7	CLR:00	10.00		56	13.3	52	11.3	49	9.4	77	5	210		29.04	3	-0.00	30.00	FM-15	0.00	30.01
31	0153	7	CLR:00	10.00		57	13.9	52	11.2	48	8.9	72	6	210		29.04			29.99	FM-15	0.00	30.01
31	0253	7	CLR:00	10.00		58	14.4	52	11.0	46	7.8	65	6	200		29.03			29.98	FM-15	0.00	30.00
31	0353	7	FEW:02 120	10.00		53	11.7	51	10.5	49	9.4	86	0	000		29.03	6	+0.01	29.98	FM-15	0.00	30.00
31	0453	7	CLR:00	10.00		55	12.8	51	10.7	48	8.9	77	0	000		29.04			30.00	FM-15	0.00	30.01
31	0553	7	BKN:07 85	10.00		56	13.3	52	11.3	49	9.4	77	3	220		29.07			30.03	FM-15	0.00	30.04
31	0653	7	BKN:07 110	10.00		59	15.0	54	12.3	50	10.0	72	8	200		29.07	0	-0.04	30.03	FM-15	0.00	30.04
31	0753	7	BKN:07 100	10.00		63	17.2	56	13.5	51	10.6	65	7	200		29.06			30.02	FM-15	0.00	30.03
31	0853	7	CLR:00	10.00		69	20.6	60	15.4	53	11.7	57	8	220		29.05			30.00	FM-15	0.00	30.02
31	0953	7	CLR:00	10.00		73	22.8	61	16.0	52	11.1	48	13	230		29.04	8	+0.03	29.99	FM-15	0.00	30.01
31	1053	7	SCT:04 120	10.00		75	23.9	62	16.4	52	11.1	45	15	230		29.03			29.98	FM-15	0.00	30.00
31	1153	7	FEW:02 70 BKN:07 120	10.00		75	23.9	61	16.1	51	10.6	43	11	260	21	29.03			29.98	FM-15	0.00	30.00
31	1253	7	CLR:00	10.00	-RA:02 |RA |	77	25.0	62	16.6	51	10.6	40	22	250	39	29.01	8	+0.03	29.96	FM-15	T	29.98
31	1258	7	CLR:00	10.00		77	25.0	61	16.3	50	10.0	39	20	260	32	29.00				FM-16	T	29.97
31	1353	7	FEW:02 85 SCT:04 110	10.00		75	23.9	59	15.1	47	8.3	37	16	260	29	29.00			29.95	FM-15	0.00	29.97
31	1453	7	FEW:02 60 FEW:02 120	10.00		76	24.4	60	15.3	47	8.3	36	17	270	24	28.99			29.95	FM-15	T	29.96
31	1553	7	FEW:02 90	10.00		78	25.6	60	15.8	47	8.3	33	16	270	30	28.97	8	+0.04	29.93	FM-15	T	29.94
31	1653	7	FEW:02 100	10.00		77	25.0	60	15.6	47	8.3	35	15	280	26	28.97			29.92	FM-15	T	29.94
31	1753	7	CLR:00	10.00		76	24.4	58	14.6	44	6.7	32	20	270	26	28.97			29.93	FM-15	0.00	29.94
31	1853	7	FEW:02 90	10.00		73	22.8	57	13.8	43	6.1	34	11	290		28.99	3	-0.02	29.95	FM-15	0.00	29.96
31	1953	7	CLR:00	10.00		69	20.6	55	12.6	42	5.6	38	9	290		29.01			29.96	FM-15	0.00	29.98
31	2053	7	CLR:00	10.00		66	18.9	53	11.9	42	5.6	42	3	250		29.03			29.98	FM-15	0.00	30.00
31	2153	7	CLR:00	10.00		64	17.8	53	11.5	42	5.6	45	3	240		29.04	1	-0.05	30.00	FM-15	0.00	30.01
31	2253	7	CLR:00	10.00		59	15.0	51	10.7	44	6.7	58	6	300		29.05			30.01	FM-15	0.00	30.02
31	2353	7	CLR:00	10.00		59	15.0	52	11.2	46	7.8	62	6	330		29.07			30.02	FM-15	0.00	30.04

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
May 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01				0.02	0.01	T	0.03	0.06	0.15	0.24	0.04					T									01
02			0.01	0.04		0.01	T	T			T						T	T	T						02
03																				T	T	T	T	T	03
04	T					T	T	T	0.04	0.05	0.02	0.08	0.01	T			T	T	0.01	0.02	T	0.02	0.15	0.12	04
05	0.04	T	0.01	0.02	0.01	0.02	T	0.01	0.05	0.02	T	T	T	0.01	0.02	T	T	0.01	0.01	T	T	0.01	T	T	05
06															T	T	T	T							06
07															T	T	T								07
08																									08
09															T	0.01									09
10																									10
11	0.03	0.08	0.01	T		0.01		T																	11
12																									12
13																									13
14															T	T	T	T							14
15																									15
16																									16
17												T													17
18										0.02			T			T									18
19		T	0.07	0.02											0.10	0.35s	0.92	0.07							19
20													0.04										T	0.57	20
21	0.01	T		0.02	T	T	0.02	0.06	0.13	0.02					T		T	T	0.03s	0.23			0.08		21
22																									22
23																									23
24											T								T	0.01					24
25				T	0.10	T	0.01	0.01	0.04	T	0.06	T	T	0.16	T	0.16	0.03	0.07	0.01						25
26																	T						0.05	0.17	26
27	0.04	T	T		T																				27
28																						0.01		T	28
29	0.34															T							T	0.03	29
30												T													30
31													T		T	T	T								31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.26	0.48	0.63	0.82	1.04	1.17	1.20	1.24	1.28	1.34	1.39	1.44
Ending Date Time (yyyy-mm-dd hh:mi)	2017-05-19 16:10	2017-05-19 16:12	2017-05-19 16:10	2017-05-19 16:12	2017-05-19 16:21	2017-05-19 16:36	2017-05-19 16:47	2017-05-19 17:07	2017-05-19 17:28	2017-05-19 16:36	2017-05-19 17:07	2017-05-19 17:31

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
June 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	78	50	64	-2.1				1	0	0505	1955		0.00			29.08		5.4	23	270	17	290
02	81	52	66	-0.4				0	1	0505	1956		0.00			29.10		2.9	14	200	10	200
03	86	50	68	1.2				0	3	0505	1957	HZ	0.00			29.08		3.0	14	040	10	120
04	87	63	75	7.9				0	10	0504	1957	TS RA BR	0.29			28.95		9.2	42s	300s	29	310
05	83	56	69	1.6				0	4	0504	1958	TS RA BR	0.18			28.80		7.9	24	360	20	020
06	73	52	63	-4.7				2	0	0504	1958		0.00			28.94		9.2	26	020	21	010
07	63	55	59	-9.0				6	0	0503	1959		0.00			29.05		8.7	21	030	17	020
08	75	50	63	-5.3				2	0	0503	2000		0.00			29.00		5.5	16	340	13	020
09	81	50	65	-3.6				0	0	0503	2000		0.00			28.92		7.9	24	240	18	240
10	86	63	74	5.1				0	9	0503	2001		0.00			29.01		10.8	29	220	20	210
11	88	65	76	6.8				0	11	0503	2001		0.00			29.11		10.8	29	240	22	240
12	91*	65	78	8.5				0	13	0503	2002		0.00			29.10		8.0	25	230	17	220
13	87	70	79	9.2				0	14	0503	2002	TS	T			29.05		6.9	29	240	22	250
14	80	67	73	2.9				0	8	0503	2003	RA BR	T			29.03		5.3	17	280	15	270
15	84	65	74	3.7				0	9	0503	2003	RA BR	T			28.92		6.4	18	240	15	240
16	90	67	78	7.4				0	13	0503	2003		0.00			28.89		4.2	12	320	10	180
17	90	70	80	9.2				0	15	0503	2004	RA	T			28.83		9.7	25	210	20	200
18	87	68	78	6.9				0	13	0503	2004	TS RA	0.04			28.76		13.8	41	230	28	230
19	81	59	70	-1.3				0	5	0503	2004	TS RA BR HZ	0.54			28.88		8.3	43s	260s	33	280
20	80	56	68	-3.6				0	3	0503	2005	RA	0.01			29.01		9.1	28	280	20	290
21	85	60	73	1.2				0	8	0503	2005		0.00			29.00		3.4	21	010	12	300
22	85	72	78	6.0				0	13	0504	2005		0.00			29.00		11.0	31	220	22	210
23	76	67	71	-1.2				0	6	0504	2005	TS RA BR	1.34			28.79		9.5	28	210	22	220
24	78	60	69	-3.4				0	4	0504	2005		0.00			28.95		10.4	27	270	21	290
25	75	54	64	-8.6				1	0	0504	2005		T			29.11		11.6	39	280	29	280
26	72	53	63	-9.8				2	0	0505	2005	RA	0.05			29.11		9.5	27	240	21	230
27	72	50	61	-11.9				4	0	0505	2006		0.00			29.12		5.9	20	310	15	310
28	79	49*	64	-9.1				1	0	0505	2005		0.00			29.15		7.5	24	200	18	210
29	87	64	76	2.8				0	11	0506	2005		T			29.02		12.6	36	220	28	210
30	84	68	76	2.6				0	11	0506	2005	TS RA BR	0.62			28.97		9.9	33	190	26	190
	81.5	59.7	70.6							Monthly Averages | Totals			3.07s			28.99	29.94	8.1				
	0.8	0.0	0.4	Departure from Normal (1981-2010)									-1.42s									

Degree Days	Monthly		Season-to-date		Number of days with...								
					Temperature				Precipitation		Snow	Weather	
	Total	Departure	Total	Departure	Max		Min						
Heating	20	-5	4624		>=90°	<=32°	<=32°	<=0°	>=0.01"	>=0.1"	>=1"	T-Storms	Heavy Fog
Cooling	187	6	272		3	0	0	0	7s	4s			

Date of 5-sec to 3-sec wind equipment change	Sea Level Pressure				Greatest...		
			Date	Time	24-Hr...		Snow Depth
N/A	Maximum	30.17	28	0812	Precip	Snowfall	
	Minimum	29.64	18	0908	1.34		
					Date		
					23-23		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
June 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	CLR:00	10.00		57	13.9	52	11.3	48	8.9	72	3	310		29.08	3	-0.04	30.03	FM-15	0.00	30.05
01	0153	7	CLR:00	10.00		53	11.7	50	10.0	47	8.3	80	5	300		29.08			30.04	FM-15	0.00	30.05
01	0253	7	CLR:00	10.00		54	12.2	51	10.8	49	9.4	83	3	240		29.08			30.04	FM-15	0.00	30.05
01	0353	7	CLR:00	10.00		53	11.7	51	10.8	50	10.0	89	0	000		29.08	3	-0.00	30.04	FM-15	0.00	30.05
01	0453	7	CLR:00	10.00		50	10.0	49	9.7	49	9.4	96	3	260		29.09			30.05	FM-15	0.00	30.06
01	0553	7	CLR:00	10.00		52	11.1	51	10.5	50	10.0	93	0	000		29.11			30.06	FM-15	0.00	30.08
01	0653	7	CLR:00	10.00		59	15.0	55	12.6	51	10.6	75	0	000		29.12	3	-0.04	30.08	FM-15	0.00	30.09
01	0753	7	CLR:00	10.00		64	17.8	57	14.0	52	11.1	65	6	210		29.13			30.08	FM-15	0.00	30.10
01	0853	7	CLR:00	10.00		68	20.0	57	14.1	49	9.4	51	5	220		29.13			30.09	FM-15	0.00	30.10
01	0953	7	CLR:00	10.00		71	21.7	58	14.5	48	8.9	44	6	250		29.13	0	-0.00	30.08	FM-15	0.00	30.10
01	1053	7	CLR:00	10.00		73	22.8	58	14.5	46	7.8	38	9	310		29.13			30.09	FM-15	0.00	30.10
01	1153	7	CLR:00	10.00		74	23.3	58	14.7	46	7.8	37	13	310	22	29.12			30.08	FM-15	0.00	30.09
01	1253	7	CLR:00	10.00		75	23.9	58	14.7	45	7.2	34	11	260	23	29.11	8	+0.02	30.06	FM-15	0.00	30.08
01	1353	7	CLR:00			75	23.9	58	14.7	45	7.2	34	5	VRB	17	29.09			30.05	FM-15	0.00	30.06
01	1453	7	CLR:00	10.00		77	25.0	59	15.1	45	7.2	32	14	310	18	29.08			30.04	FM-15	0.00	30.05
01	1553	7	FEW:02 85	10.00		77	25.0	59	15.1	45	7.2	32	16	300	20	29.06	8	+0.04	30.02	FM-15	0.00	30.03
01	1653	7	CLR:00	10.00		76	24.4	59	14.9	45	7.2	33	8	300		29.06			30.02	FM-15	0.00	30.03
01	1753	7	CLR:00	10.00		76	24.4	58	14.7	44	6.7	32	10	280		29.04			30.00	FM-15	0.00	30.01
01	1853	7	CLR:00	10.00		73	22.8	57	14.0	44	6.7	35	7	310		29.04	5	+0.02	30.00	FM-15	0.00	30.01
01	1953	7	CLR:00	10.00		70	21.1	56	13.1	43	6.1	38	3	280		29.04			30.00	FM-15	0.00	30.01
01	2053	7	CLR:00	10.00		66	18.9	54	12.4	44	6.7	45	0	000		29.05			30.01	FM-15	0.00	30.02
01	2153	7	CLR:00	10.00		64	17.8	53	11.9	44	6.7	48	3	010		29.06	2	-0.02	30.01	FM-15	0.00	30.03
01	2253	7	CLR:00	10.00		63	17.2	54	12.2	46	7.8	54	0	000		29.06			30.02	FM-15	0.00	30.03
01	2353	7	CLR:00	10.00		62	16.7	54	12.2	47	8.3	58	6	280		29.07			30.02	FM-15	0.00	30.04
02	0053	7	CLR:00	10.00		57	13.9	52	11.0	47	8.3	69	8	290		29.07	2	-0.01	30.03	FM-15	0.00	30.04
02	0153	7	CLR:00	10.00		56	13.3	51	10.7	47	8.3	72	7	310		29.07			30.03	FM-15	0.00	30.04
02	0253	7	CLR:00	10.00		56	13.3	51	10.5	46	7.8	70	7	320		29.08			30.03	FM-15	0.00	30.05
02	0353	7	CLR:00	10.00		57	13.9	51	10.5	45	7.2	64	8	320		29.09	3	-0.02	30.05	FM-15	0.00	30.06
02	0453	7	CLR:00	10.00		56	13.3	50	10.0	44	6.7	65	6	330		29.11			30.07	FM-15	0.00	30.08
02	0553	7	CLR:00	10.00		55	12.8	50	10.2	46	7.8	72	5	350		29.13			30.09	FM-15	0.00	30.10
02	0653	7	CLR:00	10.00		62	16.7	54	12.2	47	8.3	58	0	000		29.15	1	-0.06	30.11	FM-15	0.00	30.12
02	0753	7	CLR:00	10.00		67	19.4	56	13.4	47	8.3	49	3	360		29.17			30.12	FM-15	0.00	30.14
02	0853	7	CLR:00	10.00		70	21.1	56	13.3	44	6.7	39	0	000		29.17			30.12	FM-15	0.00	30.14
02	0953	7	CLR:00	10.00		73	22.8	57	14.0	44	6.7	35	5	020		29.16	0	-0.01	30.11	FM-15	0.00	30.13
02	1053	7	CLR:00	10.00		75	23.9	57	14.0	42	5.6	31	3	200		29.15			30.10	FM-15	0.00	30.12
02	1153	7	CLR:00	10.00		77	25.0	57	14.0	40	4.4	26	0	000		29.15			30.10	FM-15	0.00	30.12
02	1253	7	CLR:00	10.00		78	25.6	56	13.4	36	2.2	22	0	000		29.14	8	+0.02	30.09	FM-15	0.00	30.11
02	1353	7	CLR:00	10.00		79	26.1	58	14.2	39	3.9	24	0	000		29.12			30.07	FM-15	0.00	30.09
02	1453	7	CLR:00	10.00		79	26.1	58	14.6	41	5.0	26	3	VRB		29.11			30.06	FM-15	0.00	30.08
02	1553	7	CLR:00	10.00		80	26.7	58	14.5	39	3.9	23	3	VRB		29.09	6	+0.04	30.05	FM-15	0.00	30.06
02	1653	7	CLR:00	10.00		79	26.1	58	14.2	39	3.9	24	0	000		29.08			30.04	FM-15	0.00	30.05
02	1753	7	CLR:00	10.00		80	26.7	58	14.3	38	3.3	22	0	000		29.07			30.03	FM-15	0.00	30.04
02	1853	7	CLR:00	10.00		76	24.4	58	14.2	42	5.6	30	7	270		29.07	5	+0.02	30.03	FM-15	0.00	30.04
02	1953	7	CLR:00	10.00		73	22.8	56	13.6	42	5.6	33	3	280		29.07			30.02	FM-15	0.00	30.04
02	2053	7	CLR:00	9.00		68	20.0	55	12.6	43	6.1	40	0	000		29.08			30.04	FM-15	0.00	30.05
02	2153	7	CLR:00	10.00		67	19.4	54	12.4	43	6.1	42	0	000		29.09	3	-0.02	30.04	FM-15	0.00	30.06
02	2253	7	CLR:00	10.00		63	17.2	54	11.9	45	7.2	52	0	000		29.09			30.05	FM-15	0.00	30.06

02	2353	7	CLR:00	10.00		62	16.7	54	12.2	47	8.3	58	0	000		29.09			30.04	FM-15	0.00	30.06
03	0053	7	CLR:00	10.00		58	14.4	53	11.8	49	9.4	72	0	000		29.08	8	+0.01	30.03	FM-15	0.00	30.05
03	0153	7	CLR:00	9.00		57	13.9	54	12.4	52	11.1	83	3	240		29.08			30.03	FM-15	0.00	30.05
03	0253	7	CLR:00	9.00		57	13.9	53	11.5	49	9.4	74	0	000		29.08			30.03	FM-15	0.00	30.05
03	0353	7	CLR:00	5.00	HZ:7 |FU |HZ	56	13.3	52	11.3	49	9.4	77	0	000		29.08	3	-0.00	30.03	FM-15	0.00	30.05
03	0453	7	CLR:00	10.00		54	12.2	51	10.8	49	9.4	83	0	000		29.10			30.05	FM-15	0.00	30.07
03	0553	7	CLR:00	10.00		54	12.2	51	10.8	49	9.4	83	0	000		29.11			30.06	FM-15	0.00	30.08
03	0653	7	CLR:00	10.00		63	17.2	56	13.5	51	10.6	65	0	000		29.12	1	-0.04	30.08	FM-15	0.00	30.09
03	0753	7	CLR:00	10.00		68	20.0	59	14.9	52	11.1	57	3	010		29.13			30.09	FM-15	0.00	30.10
03	0853	7	CLR:00	9.00		73	22.8	59	15.2	49	9.4	43	0	000		29.13			30.08	FM-15	0.00	30.10
03	0953	7	CLR:00	10.00		77	25.0	61	16.1	49	9.4	37	5	VRB		29.12	0	-0.00	30.08	FM-15	0.00	30.09
03	1053	7	CLR:00	10.00		80	26.7	62	16.7	49	9.4	34	5	350		29.12			30.08	FM-15	0.00	30.09
03	1153	7	CLR:00	10.00		81	27.2	62	16.6	48	8.9	32	0	000		29.12			30.07	FM-15	0.00	30.09
03	1253	7	CLR:00	10.00		83	28.3	63	17.3	49	9.4	31				29.11	8	+0.01	30.06	FM-15	0.00	30.08
03	1353	7	CLR:00	10.00		82	27.8	62	16.6	47	8.3	29	3	010		29.09			30.04	FM-15	0.00	30.06
03	1453	7	CLR:00	10.00		85	29.4	64	17.6	49	9.4	29	3	220		29.07			30.02	FM-15	0.00	30.04
03	1553	7	CLR:00	10.00		86	30.0	64	18.1	50	10.0	29	0	000		29.05	8	+0.05	30.01	FM-15	0.00	30.02
03	1653	7	CLR:00	10.00		84	28.9	63	17.2	48	8.9	29	0	000		29.04			30.00	FM-15	0.00	30.01
03	1753	7	SCT:04 100	10.00		83	28.3	63	17.5	50	10.0	32	5	190		29.03			29.98	FM-15	0.00	30.00
03	1853	7	SCT:04 100	10.00		81	27.2	63	17.1	50	10.0	34	3	130		29.02	6	+0.03	29.98	FM-15	0.00	29.99
03	1953	7	BKN:07 95	10.00		78	25.6	62	16.5	50	10.0	37	9	120		29.01			29.96	FM-15	0.00	29.98
03	2053	7	SCT:04 95	10.00		77	25.0	62	16.6	51	10.6	40	8	170		29.02			29.97	FM-15	0.00	29.99
03	2153	7	CLR:00	10.00		76	24.4	62	16.6	52	11.1	43	7	160		29.04	3	-0.01	29.98	FM-15	0.00	30.01
03	2253	7	SCT:04 120	10.00		74	23.3	62	16.5	53	11.7	48	7	170		29.05			29.99	FM-15	0.00	30.02
03	2353	7	OVC:08 120	10.00		73	22.8	62	16.5	54	12.2	51	7	200		29.04			29.99	FM-15	0.00	30.01
04	0053	7	CLR:00	10.00		70	21.1	61	15.9	54	12.2	57	7	200		29.03	8	+0.00	29.98	FM-15	0.00	30.00
04	0153	7	BKN:07 85	10.00		69	20.6	60	15.4	53	11.7	57	6	190		29.02			29.96	FM-15	0.00	29.99
04	0253	7	CLR:00	10.00		68	20.0	59	14.9	52	11.1	57	5	200		29.01			29.96	FM-15	0.00	29.98
04	0353	7	CLR:00	10.00		66	18.9	59	14.8	53	11.7	63	5	200		28.99	8	+0.04	29.93	FM-15	0.00	29.96
04	0453	7	CLR:00	10.00		65	18.3	58	14.5	53	11.7	66	3	200		28.99			29.94	FM-15	0.00	29.96
04	0553	7	CLR:00	10.00		63	17.2	58	14.4	54	12.2	73	3	200		29.00			29.95	FM-15	0.00	29.97
04	0653	7	OVC:08 100	10.00		68	20.0	61	16.4	57	13.9	68	5	190		29.00	0	-0.01	29.95	FM-15	0.00	29.97
04	0753	7	BKN:07 110	10.00		72	22.2	64	17.5	58	14.4	61	6	210		29.00			29.94	FM-15	0.00	29.97
04	0853	7	FEW:02 90 FEW:02 110	10.00		78	25.6	65	18.1	56	13.3	47	10	230		28.98			29.93	FM-15	0.00	29.95
04	0953	7	BKN:07 110	10.00		81	27.2	66	18.7	56	13.3	42	14	230		28.96	8	+0.04	29.91	FM-15	0.00	29.93
04	1053	7	FEW:02 55 FEW:02 90	10.00		83	28.3	66	19.0	56	13.3	40	13	250		28.94			29.89	FM-15	0.00	29.91
04	1153	7	CLR:00	10.00		86	30.0	69	20.4	59	15.0	40	11	VRB	18	28.92			29.86	FM-15	0.00	29.89
04	1253	7	SCT:04 65 SCT:04 80	10.00		86	30.0	69	20.7	60	15.6	42	16	230		28.90	6	+0.06	29.85	FM-15	0.00	29.87
04	1353	7	CLR:00	10.00		87	30.6	70	21.1	61	16.1	42	13	230		28.87			29.82	FM-15	0.00	29.84
04	1442	7	FEW:02 120	10.00	VCTS:7 ||	86	30.0	70	21.0	61	16.1	43	14	240		28.86				FM-16		29.82
04	1453	7	FEW:02 65	10.00	VCTS:7 ||	87	30.6	70	21.1	61	16.1	42	11	240	24	28.86			29.79	FM-15	0.00	29.82
04	1509	7	FEW:02 65 SCT:04 100	10.00		86	30.0	70	21.3	62	16.7	45	15	250	25	28.84				FM-16		29.81
04	1538	7	SCT:04 70 SCT:04 80 BKN:07 100	10.00	VCTS:7 ||	82	27.8	69	20.3	61	16.1	49	29	290	43	28.87				FM-16		29.83
04	1548	7	FEW:02 41 SCT:04 55 BKN:07 70	2.00	TS:7 RA:02 |RA TS TS |	72	22.0	67	19.4	64	18.0	78	24	320	39	28.89				FM-16	0.05	29.85
04	1549	7	FEW:02 22 BKN:07 55 OVC:08 110	1.50	TS:7 RA:02 |RA TS TS |	72	22.0	67	19.4	64	18.0	78	23	340	36	28.89				FM-16	0.09	29.85
04	1551	6	FEW:02 22 BKN:07 70 OVC:08 110	1.00	TS:7 +RA:02 BR:1 |RA TS |	70	21.0	66	19.0	64	18.0	83	20	340	36	28.87				FM-16		29.84

04	1553	7	FEW:02 22 BKN:07 70 OVC:08 100	1.00	TS:7 +RA:02 BR:1 |RA TS |	69	20.6	66	19.1	65	18.3	87	21	340	36	28.87	6	+0.00	29.82	FM-15	0.14s	29.84
04	1600	7	FEW:02 50 BKN:07 70 OVC:08 110	2.00	TS:7 RA:02 BR:1 |RA TS |	69	20.6	67	19.5	66	18.9	90	14	350	26	28.89				FM-16	0.02	29.85
04	1608	7	FEW:02 50 BKN:07 90 OVC:08 110	4.00	TS:7 -RA:02 BR:1 |RA TS |	69	20.6	67	19.5	66	18.9	90	7	340	18	28.89				FM-16	0.03	29.85
04	1632	7	FEW:02 70 OVC:08 100	7.00	VCTS:7 -RA:02 |RA |	70	21.1	69	20.4	68	20.0	93	8	100		28.86				FM-16	0.04	29.82
04	1643	7	OVC:08 110	10.00	-RA:02 |RA |	70	21.1	69	20.7	69	20.6	97	7	080		28.84				FM-16	0.04	29.81
04	1653	7	OVC:08 110	9.00		70	21.1	69	20.7	69	20.6	97	5	070		28.84			29.80	FM-15	0.02	29.81
04	1753	7	FEW:02 55 BKN:07 90 OVC:08 110	10.00	-RA:02 |RA |	73	22.8	68	20.3	66	18.9	79	14	320	21	28.87			29.82	FM-15	T	29.83
04	1812	7	BKN:07 90 OVC:08 110	9.00	TS:7 -RA:02 |RA TS TS |	69	20.6	66	19.1	65	18.3	87	9	280		28.87				FM-16	T	29.84
04	1827	7	BKN:07 100 OVC:08 110	6.00	VCTS:7 -RA:02 BR:1 |RA |	69	20.6	66	19.1	65	18.3	87	10	290		28.87				FM-16	0.01	29.84
04	1843	7	OVC:08 100	4.00	RA:02 BR:1 |RA |	68	20.0	65	18.6	64	17.8	87	7	250		28.89				FM-16	0.05	29.85
04	1853	7	OVC:08 110	7.00	-RA:02 |RA |	68	20.0	66	18.9	65	18.3	90	7	220		28.89	3	-0.01	29.83	FM-15	0.06	29.85
04	1953	7	FEW:02 34 OVC:08 110	10.00	-RA:02 |RA |	68	20.0	67	19.3	66	18.9	93	8	210		28.87			29.81	FM-15	0.01	29.83
04	2053	7	SCT:04 110	10.00		68	20.0	67	19.3	66	18.9	93	7	210		28.86			29.80	FM-15	0.00	29.82
04	2153	7	OVC:08 100	10.00		69	20.6	67	19.5	66	18.9	90	5	160		28.86	6	+0.03	29.80	FM-15	0.00	29.82
04	2253	7	SCT:04 70 OVC:08 100	10.00		69	20.6	68	19.8	67	19.4	93	3	200		28.86			29.80	FM-15	0.05	29.82
04	2304	7	FEW:02 55 BKN:07 95 OVC:08 110	2.50	VCTS:7 -RA:02 BR:1 |RA |	68	20.0	67	19.6	67	19.4	96	7	230		28.86				FM-16	0.05	29.82
04	2312	7	FEW:02 60 BKN:07 100 OVC:08 120	7.00	VCTS:7 -RA:02 |RA |	68	20.0	67	19.6	67	19.4	96	9	240		28.86				FM-16	0.05	29.82
04	2351	6	FEW:02 50 BKN:07 100 OVC:08 120	9.00	-RA:02 |RA |	68	20.0	67	19.3	66	19.0	94	8	210		28.84				FM-16		29.80
04	2353	7	FEW:02 50 SCT:04 75 BKN:07 100	9.00	-RA:02 |RA |	68	20.0	67	19.6	67	19.4	96	7	200		28.84			29.78	FM-15	0.01	29.80
05	0053	7	BKN:07 110	10.00		67	19.4	66	19.1	66	18.9	97	5	200		28.83	8	+0.02	29.77	FM-15	T	29.79
05	0153	7	SCT:04 65	9.00		67	19.4	66	19.1	66	18.9	97	0	000		28.82			29.75	FM-15	0.00	29.78
05	0253	7	BKN:07 80 BKN:07 110	7.00		67	19.4	66	19.1	66	18.9	97	0	000		28.81			29.74	FM-15	0.00	29.77
05	0353	7	SCT:04 80 BKN:07 100 BKN:07 120	10.00	-RA:02 |RA |	67	19.4	66	19.1	66	18.9	97	3	190		28.81	6	+0.02	29.75	FM-15	T	29.77
05	0453	7	OVC:08 80	7.00		66	18.9	66	18.9	66	18.9	100	6	020		28.82			29.76	FM-15	T	29.78
05	0518	7	FEW:02 65 OVC:08 80	9.00	VCTS:7 -RA:02 |RA |	66	18.9	65	18.5	65	18.3	96	8	010		28.83				FM-16	T	29.79
05	0539	7	FEW:02 70 OVC:08 90	5.00	-RA:02 BR:1 |RA |	66	18.9	65	18.5	65	18.3	96	6	360		28.82				FM-16	0.03	29.78
05	0551	6	SCT:04 55 BKN:07 75 OVC:08 100	3.00	VCTS:7 RA:02 BR:1 |RA |	66	19.0	65	18.2	64	18.0	94	3	050		28.82				FM-16		29.78
05	0553	7	SCT:04 50 BKN:07 75 OVC:08 100	3.00	VCTS:7 RA:02 BR:1 |RA |	66	18.9	65	18.5	65	18.3	96	3	080		28.81			29.75	FM-15	0.10	29.77
05	0556	7	SCT:04 55 BKN:07 75 OVC:08 100	2.50	VCTS:7 +RA:02 BR:1 |RA |	65	18.3	65	18.3	65	18.3	100	3	090		28.81				FM-16	0.03	29.77
05	0612	7	SCT:04 55 BKN:07 70 OVC:08 110	7.00	VCTS:7 ||	66	18.9	66	18.9	66	18.9	100	0	000		28.82				FM-16	0.04	29.78

05	0653	7	FEW:02 41 BKN:07 50 OVC:08 110	4.00	TS:7 -RA:02 BR:1 |RA TS |	66	18.9	66	18.9	66	18.9	100	3	180		28.80	8	+0.00	29.75	FM-15	0.03	29.76
05	0702	7	BKN:07 47 BKN:07 65 OVC:08 110	6.00	VCTS:7 -RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100	3	160		28.81				FM-16	T	29.77
05	0735	7	BKN:07 35 BKN:07 60	7.00		67	19.4	66	19.1	66	18.9	97	0	000		28.81				FM-16	T	29.77
05	0753	7	BKN:07 33	7.00		68	20.0	67	19.6	67	19.4	96	3	200		28.81			29.75	FM-15	T	29.77
05	0825	7	BKN:07 32 OVC:08 95	1.75	+RA:02 BR:1 |RA |	68	20.0	68	20.0	68	20.0	100	3	250		28.82				FM-16	0.03	29.78
05	0832	7	BKN:07 32 BKN:07 50 OVC:08 65	2.00	TS:7 RA:02 BR:1 |RA TS |	68	20.0	68	20.0	68	20.0	100	6	220		28.82				FM-16	0.05	29.78
05	0841	7	SCT:04 32 BKN:07 50 OVC:08 65	6.00	TS:7 -RA:02 BR:1 |RA TS |	68	20.0	67	19.6	67	19.4	96	5	210		28.81				FM-16	0.05	29.77
05	0851	7	FEW:02 34 BKN:07 65 OVC:08 100	5.00	VCTS:7 -RA:02 BR:1 |RA |	70	21.0	69	20.4	68	20.0	94	3	200		28.81				FM-16	0.05	29.77
05	0853	7	FEW:02 38 BKN:07 65 OVC:08 100	4.00	VCTS:7 -RA:02 BR:1 |RA |	69	20.6	68	20.2	68	20.0	96	5	220		28.82			29.76	FM-15	0.05	29.78
05	0904	7	SCT:04 37 BKN:07 60 BKN:07 90	6.00	-RA:02 BR:1 |RA |	69	20.6	68	20.2	68	20.0	96	5	170		28.81				FM-16	T	29.77
05	0953	7	FEW:02 100	7.00		73	22.8	70	21.3	69	20.6	87	6	200		28.80	8	+0.01	29.74	FM-15	T	29.76
05	1009	7	BKN:07 17 BKN:07 100	9.00		73	22.8	70	21.0	68	20.0	84	8	230		28.80				FM-16		29.76
05	1043	7	FEW:02 20 SCT:04 120	10.00		74	23.3	70	21.1	68	20.0	82	8	290		28.80				FM-16		29.76
05	1053	7	BKN:07 20	10.00		74	23.3	70	21.1	68	20.0	82	8	290		28.80			29.74	FM-15	0.00	29.76
05	1153	7	SCT:04 23	10.00		78	25.6	72	22.2	69	20.6	74	3	VRB		28.79			29.73	FM-15	0.00	29.75
05	1225	7	BKN:07 28 BKN:07 34	10.00		78	25.6	71	21.8	68	20.0	71	6	010		28.79				FM-16		29.75
05	1239	7	SCT:04 28 SCT:04 34	10.00		80	26.7	72	22.2	68	20.0	67	8	320		28.78				FM-16		29.74
05	1253	7	FEW:02 28 FEW:02 38	10.00		81	27.2	71	21.7	66	18.9	61	9	VRB		28.78	8	+0.02	29.71	FM-15	0.00	29.74
05	1353	7	FEW:02 45	10.00		81	27.2	69	20.7	63	17.2	54	8	340	17	28.76			29.70	FM-15	0.00	29.72
05	1453	7	FEW:02 38 SCT:04 60 BKN:07 75	9.00		78	25.6	71	21.8	68	20.0	71	15	020		28.75			29.69	FM-15	0.00	29.71
05	1553	7	CLR:00	10.00		77	25.0	70	21.0	66	18.9	69	15	010		28.76	5	+0.01	29.70	FM-15	0.00	29.72
05	1653	7	BKN:07 120	10.00		76	24.4	68	20.1	64	17.8	67	14	350	21	28.77			29.71	FM-15	0.00	29.73
05	1753	7	CLR:00	10.00		74	23.3	66	18.8	61	16.1	64	16	010		28.78			29.72	FM-15	0.00	29.74
05	1853	7	FEW:02 100	10.00		69	20.6	62	16.9	58	14.4	68	18	010		28.81	3	-0.05	29.75	FM-15	0.00	29.77
05	1953	7	BKN:07 100	10.00		66	18.9	61	15.9	57	13.9	73	13	020		28.83			29.78	FM-15	0.00	29.79
05	2053	7	CLR:00	10.00		63	17.2	59	15.0	56	13.3	78	14	010		28.87			29.82	FM-15	0.00	29.83
05	2153	7	CLR:00	10.00		61	16.1	57	13.6	53	11.7	75	9	010		28.90	3	-0.09	29.85	FM-15	0.00	29.86
05	2253	7	CLR:00	10.00		58	14.4	55	12.9	53	11.7	84	7	010		28.90			29.85	FM-15	0.00	29.87
05	2353	7	CLR:00	10.00		57	13.9	55	12.7	53	11.7	87	7	360		28.90			29.86	FM-15	0.00	29.87
06	0053	7	CLR:00	10.00		55	12.8	53	11.9	52	11.1	90	6	010		28.91	3	-0.01	29.86	FM-15	0.00	29.88
06	0153	7	CLR:00	10.00		54	12.2	53	11.6	52	11.1	93	5	360		28.91			29.86	FM-15	0.00	29.88
06	0253	7	CLR:00	10.00		53	11.7	52	11.4	52	11.1	96	5	360		28.91			29.87	FM-15	0.00	29.88
06	0353	7	CLR:00	10.00		53	11.7	52	11.4	52	11.1	96	5	340		28.92	3	-0.01	29.88	FM-15	0.00	29.89
06	0416	7	BKN:07 19	10.00		54	12.2	53	11.9	53	11.7	97	3	010		28.91				FM-16		29.88
06	0450	7	SCT:04 17	10.00		54	12.0	53	11.6	52	11.0	94	3	310		28.93				FM-16		29.90
06	0453	7	FEW:02 17	10.00		53	11.7	52	11.4	52	11.1	96	5	330		28.93			29.89	FM-15	0.00	29.90
06	0553	7	CLR:00	10.00		54	12.2	53	11.9	53	11.7	97	5	300		28.94			29.90	FM-15	0.00	29.91
06	0653	7	CLR:00	10.00		58	14.4	56	13.2	54	12.2	87	7	330		28.95	3	-0.02	29.91	FM-15	0.00	29.92
06	0753	7	CLR:00	10.00		61	16.1	57	13.6	53	11.7	75	7	350		28.97			29.93	FM-15	0.00	29.94

06	0853	7	CLR:00	10.00		64	17.8	56	13.5	50	10.0	60	10	360		28.97			29.93	FM-15	0.00	29.94
06	0953	7	CLR:00	10.00		65	18.3	56	13.4	49	9.4	56	13	310	21	28.96	0	-0.01	29.92	FM-15	0.00	29.93
06	1053	7	FEW:02 42	10.00		68	20.0	59	14.9	52	11.1	57	14	350	18	28.95			29.91	FM-15	0.00	29.92
06	1153	7	SCT:04 46	10.00		69	20.6	59	15.1	52	11.1	55	13	310	18	28.93			29.89	FM-15	0.00	29.90
06	1253	7	SCT:04 48 OVC:08 60	10.00		69	20.6	59	14.9	51	10.6	53	13	360		28.93	6	+0.03	29.89	FM-15	0.00	29.90
06	1353	7	BKN:07 50 OVC:08 65	10.00		72	22.2	60	15.8	52	11.1	50	13	340	23	28.92			29.88	FM-15	0.00	29.89
06	1453	7	BKN:07 50 OVC:08 65	10.00		70	21.1	59	15.1	51	10.6	51	14	350		28.92			29.88	FM-15	0.00	29.89
06	1553	7	SCT:04 50 BKN:07 70	10.00		73	22.8	61	16.0	52	11.1	48	11	010	16	28.92	6	+0.01	29.88	FM-15	0.00	29.89
06	1653	7	BKN:07 50 BKN:07 70 BKN:07 95	10.00		68	20.0	58	14.6	51	10.6	55	18	020	25	28.93			29.90	FM-15	0.00	29.90
06	1753	7	BKN:07 70 BKN:07 80 OVC:08 100	10.00		65	18.3	58	14.3	52	11.1	63	14	020		28.95			29.92	FM-15	0.00	29.92
06	1853	7	BKN:07 95	10.00		63	17.2	57	14.1	53	11.7	70	8	020		28.96	1	-0.05	29.93	FM-15	0.00	29.93
06	1953	7	CLR:00	10.00		61	16.1	56	13.3	52	11.1	72	9	010		28.97			29.93	FM-15	0.00	29.94
06	2053	7	CLR:00	10.00		59	15.0	55	12.9	52	11.1	78	7	010		28.98			29.95	FM-15	0.00	29.95
06	2153	7	SCT:04 55	10.00		57	13.9	54	12.4	52	11.1	83	7	010		29.00	3	-0.04	29.96	FM-15	0.00	29.97
06	2253	7	BKN:07 48	10.00		58	14.4	55	12.9	53	11.7	84	7	010		29.01			29.97	FM-15	0.00	29.98
06	2353	7	SCT:04 48	10.00		56	13.3	54	12.4	53	11.7	90	7	360		29.01			29.97	FM-15	0.00	29.98
07	0053	7	BKN:07 46	10.00		58	14.4	56	13.2	54	12.2	87	7	340		29.00	0	-0.00	29.96	FM-15	0.00	29.97
07	0148	7	BKN:07 14 BKN:07 37	10.00		57	14.0	56	13.3	55	13.0	94	10	350		28.98				FM-16		29.95
07	0153	7	BKN:07 14 BKN:07 37	10.00		58	14.4	56	13.5	55	12.8	90	10	350		28.99			29.94	FM-15	0.00	29.96
07	0219	7	FEW:02 12	10.00		56	13.3	55	13.0	55	12.8	97	6	350		28.98				FM-16		29.95
07	0239	7	BKN:07 10	10.00		56	13.3	55	13.0	55	12.8	97	7	330		28.97				FM-16		29.94
07	0253	7	OVC:08 10	10.00		57	13.9	56	13.3	55	12.8	93	7	330		28.98			29.94	FM-15	0.00	29.95
07	0351	6	BKN:07 15	10.00		55	13.0	55	12.8	55	13.0	100	10	010		28.99				FM-16		29.96
07	0353	7	BKN:07 15	10.00		56	13.3	55	13.0	55	12.8	97	8	360		28.98	5	+0.01	29.94	FM-15	0.00	29.95
07	0453	7	BKN:07 18	10.00		56	13.3	54	12.4	53	11.7	90	8	020		29.00			29.96	FM-15	0.00	29.97
07	0546	7	SCT:04 18	10.00		55	12.8	54	12.2	53	11.7	93	6	010		29.02				FM-16		29.99
07	0553	7	FEW:02 18	10.00		56	13.3	54	12.4	53	11.7	90	0	000		29.02			29.98	FM-15	0.00	29.99
07	0653	7	FEW:02 23 OVC:08 55	10.00		57	13.9	55	12.7	53	11.7	87	8	020		29.05	3	-0.06	30.01	FM-15	0.00	30.02
07	0711	7	BKN:07 24 OVC:08 60	10.00		57	13.9	54	12.4	52	11.1	83	7	020		29.05				FM-16		30.02
07	0753	7	BKN:07 18 BKN:07 28 OVC:08 55	10.00		58	14.4	55	12.6	52	11.1	81	6	020		29.06			30.03	FM-15	0.00	30.03
07	0853	7	BKN:07 23 OVC:08 50	10.00		59	15.0	55	12.6	51	10.6	75	10	020		29.07			30.03	FM-15	0.00	30.04
07	0902	7	SCT:04 23 BKN:07 44 OVC:08 50	10.00		59	15.0	54	12.3	50	10.0	72	11	030		29.07				FM-16		30.04
07	0943	7	BKN:07 26 OVC:08 48	10.00		60	15.6	55	12.8	51	10.6	72	9	040		29.06				FM-16		30.03
07	0953	7	BKN:07 26 OVC:08 50	10.00		60	15.6	55	12.8	51	10.6	72	10	030		29.06	0	-0.02	30.03	FM-15	0.00	30.03
07	1051	6	FEW:02 34 OVC:08 47	10.00		59	15.0	54	12.3	50	10.0	72	13	020		29.07				FM-16		30.04
07	1053	7	OVC:08 47	10.00		59	15.0	54	12.3	50	10.0	72	15	020		29.07			30.03	FM-15	0.00	30.04
07	1153	7	BKN:07 28 OVC:08 42	10.00		60	15.6	55	12.8	51	10.6	72	15	010	21	29.07			30.04	FM-15	0.00	30.04
07	1253	7	BKN:07 28 OVC:08 50	10.00		60	15.6	55	12.8	51	10.6	72	13	030		29.07	1	-0.01	30.04	FM-15	0.00	30.04
07	1300	7	SCT:04 29 OVC:08 46	10.00		60	15.6	55	12.5	50	10.0	70	9	020		29.07				FM-16		30.04

07	1353	7	BKN:07 32 OVC:08 44	10.00		61	16.1	55	12.8	50	10.0	67	13	040		29.07			30.03	FM-15	0.00	30.04
07	1453	7	FEW:02 33 OVC:08 48	10.00		63	17.2	56	13.2	50	10.0	63	8	050		29.06			30.03	FM-15	0.00	30.03
07	1553	7	OVC:08 36	10.00		60	15.6	55	12.5	50	10.0	70	13	010		29.07	5	+0.01	30.03	FM-15	0.00	30.04
07	1653	7	FEW:02 30 FEW:02 36 OVC:08 50	10.00		61	16.1	55	13.1	51	10.6	70	13	010		29.07			30.03	FM-15	0.00	30.04
07	1753	7	SCT:04 40 OVC:08 50	10.00		60	15.6	55	12.8	51	10.6	72	9	020		29.07			30.03	FM-15	0.00	30.04
07	1853	7	OVC:08 48	10.00		59	15.0	54	12.3	50	10.0	72	10	040		29.07	3	-0.01	30.04	FM-15	0.00	30.04
07	1953	7	OVC:08 55	10.00		59	15.0	55	12.6	51	10.6	75	7	030		29.07			30.04	FM-15	0.00	30.04
07	2053	7	OVC:08 50	10.00		58	14.4	54	12.3	51	10.6	78	5	030		29.08			30.04	FM-15	0.00	30.05
07	2153	7	OVC:08 55	10.00		57	13.9	54	12.4	52	11.1	83	5	030		29.09	3	-0.01	30.05	FM-15	0.00	30.06
07	2253	7	OVC:08 50	10.00		57	13.9	54	12.4	52	11.1	83	3	020		29.09			30.05	FM-15	0.00	30.06
07	2353	7	OVC:08 50	10.00		56	13.3	54	12.1	52	11.1	87	6	010		29.07			30.04	FM-15	0.00	30.04
08	0053	7	BKN:07 50	10.00		56	13.3	53	11.8	51	10.6	84	5	010		29.06	8	+0.03	30.03	FM-15	0.00	30.03
08	0153	7	BKN:07 32	10.00		53	11.7	52	11.4	52	11.1	96	6	020		29.06			30.02	FM-15	0.00	30.03
08	0253	7	BKN:07 39	10.00		54	12.2	53	11.9	53	11.7	97	5	020		29.04			30.01	FM-15	0.00	30.01
08	0353	7	CLR:00	10.00		52	11.1	51	10.8	51	10.6	97	7	020		29.03	8	+0.03	30.00	FM-15	0.00	30.00
08	0453	7	CLR:00	10.00		51	10.6	50	10.3	50	10.0	96	6	020		29.04			30.01	FM-15	0.00	30.01
08	0553	7	CLR:00	10.00		53	11.7	52	11.4	52	11.1	96	6	360		29.05			30.02	FM-15	0.00	30.02
08	0653	7	BKN:07 35	10.00		59	15.0	56	13.4	54	12.2	83	6	040		29.06	3	-0.03	30.03	FM-15	0.00	30.03
08	0753	7	BKN:07 38	10.00		62	16.7	58	14.4	55	12.8	78	6	060		29.06			30.02	FM-15	0.00	30.03
08	0853	7	OVC:08 42	10.00		63	17.2	59	15.0	56	13.3	78	5	060		29.06			30.02	FM-15	0.00	30.03
08	0949	7	BKN:07 24 BKN:07 45	10.00		64	18.0	59	14.9	55	13.0	73	5	040		29.05				FM-16		30.02
08	0951	6	SCT:04 24	10.00		64	18.0	59	14.9	55	13.0	73	5	010		29.04				FM-16		30.01
08	0953	7	SCT:04 24	10.00		65	18.3	59	15.1	55	12.8	70	5	010		29.04	7	+0.01	30.01	FM-15	0.00	30.01
08	1049	7	BKN:07 29 BKN:07 40	10.00		66	19.0	60	15.3	55	13.0	68	10	010		29.03				FM-16		30.00
08	1051	6	SCT:04 29 BKN:07 40	10.00		66	19.0	60	15.3	55	13.0	68	7	010		29.03				FM-16		30.00
08	1053	7	SCT:04 30 BKN:07 40	10.00		66	18.9	60	15.3	55	12.8	68	7	020		29.03			29.99	FM-15	0.00	30.00
08	1153	7	BKN:07 36 OVC:08 50	10.00		68	20.0	60	15.8	55	12.8	63	8	010		29.01			29.97	FM-15	0.00	29.98
08	1253	7	SCT:04 42	10.00		70	21.1	61	15.9	54	12.2	57	8	VRB		28.99	8	+0.03	29.96	FM-15	0.00	29.96
08	1353	7	FEW:02 43 SCT:04 60 BKN:07 75	10.00		72	22.2	61	16.3	54	12.2	53	7	050		28.97			29.93	FM-15	0.00	29.94
08	1453	7	FEW:02 55 SCT:04 75	10.00		73	22.8	61	16.0	52	11.1	48	0	000		28.95			29.91	FM-15	0.00	29.92
08	1553	7	BKN:07 60	10.00		74	23.3	61	15.9	51	10.6	45	9	030		28.93	6	+0.07	29.89	FM-15	0.00	29.90
08	1653	7	SCT:04 60	10.00		75	23.9	61	16.1	51	10.6	43	8	VRB		28.92			29.88	FM-15	0.00	29.89
08	1753	7	CLR:00	10.00		73	22.8	59	15.0	48	8.9	41	7	010		28.91			29.86	FM-15	0.00	29.88
08	1853	7	CLR:00	10.00		71	21.7	57	14.0	46	7.8	41	7	340		28.91	5	+0.02	29.86	FM-15	0.00	29.88
08	1953	7	CLR:00	10.00		66	18.9	55	12.9	46	7.8	49	6	340		28.91			29.87	FM-15	0.00	29.88
08	2053	7	CLR:00	10.00		65	18.3	55	12.7	46	7.8	51	5	320		28.92			29.88	FM-15	0.00	29.89
08	2153	7	CLR:00	10.00		61	16.1	54	12.2	48	8.9	63	0	000		28.94	3	-0.03	29.90	FM-15	0.00	29.91
08	2253	7	CLR:00	10.00		61	16.1	54	12.2	48	8.9	63	3	110		28.92			29.88	FM-15	0.00	29.89
08	2353	7	CLR:00	10.00		59	15.0	54	12.3	50	10.0	72	3	200		28.92			29.88	FM-15	0.00	29.89
09	0053	7	CLR:00	10.00		59	15.0	54	12.3	50	10.0	72	3	200		28.91	8	+0.03	29.86	FM-15	0.00	29.88
09	0153	7	CLR:00	10.00		55	12.8	52	11.3	50	10.0	83	0	000		28.90			29.86	FM-15	0.00	29.87
09	0253	7	CLR:00	10.00		54	12.2	52	11.0	50	10.0	87	0	000		28.90			29.85	FM-15	0.00	29.86
09	0353	7	CLR:00	10.00		54	12.2	52	11.0	50	10.0	87	0	000		28.90	6	+0.02	29.85	FM-15	0.00	29.86
09	0453	7	CLR:00	10.00		52	11.1	50	10.2	49	9.4	89	0	000		28.90			29.86	FM-15	0.00	29.87
09	0553	7	CLR:00	10.00		52	11.1	51	10.5	50	10.0	93	0	000		28.92			29.88	FM-15	0.00	29.89
09	0653	7	CLR:00	10.00		61	16.1	57	13.9	54	12.2	78	5	260		28.93	1	-0.04	29.89	FM-15	0.00	29.90
09	0753	7	CLR:00	10.00		67	19.4	60	15.6	55	12.8	66	9	280		28.95			29.90	FM-15	0.00	29.92

09	0853	7	CLR:00	10.00		72	22.2	60	15.8	52	11.1	50	13	260		28.95			29.91	FM-15	0.00	29.92
09	0953	7	CLR:00	10.00		75	23.9	62	16.4	52	11.1	45	10	260		28.95	1	-0.02	29.91	FM-15	0.00	29.92
09	1053	7	CLR:00	10.00		77	25.0	62	16.5	51	10.6	40	10	260		28.95			29.91	FM-15	0.00	29.92
09	1153	7	CLR:00	10.00		76	24.4	61	16.1	50	10.0	40	13	240		28.96			29.91	FM-15	0.00	29.93
09	1253	7	CLR:00	10.00		79	26.1	62	16.7	50	10.0	36	10	250	21	28.95	8	+0.01	29.90	FM-15	0.00	29.92
09	1353	7	FEW:02 95	10.00		81	27.2	64	17.6	52	11.1	37	13	260		28.93			29.88	FM-15	0.00	29.90
09	1453	7	FEW:02 80 OVC:08 110	10.00		77	25.0	62	16.8	52	11.1	42	14	270		28.93			29.89	FM-15	0.00	29.90
09	1553	7	CLR:00	10.00		80	26.7	64	17.7	53	11.7	39	13	230		28.90	8	+0.04	29.86	FM-15	0.00	29.87
09	1653	7	OVC:08 95	10.00		81	27.2	64	17.9	53	11.7	38	10	250		28.90			29.85	FM-15	0.00	29.86
09	1753	7	SCT:04 90 BKN:07 110	10.00		80	26.7	63	17.1	51	10.6	37	13	250	21	28.90			29.85	FM-15	0.00	29.87
09	1853	7	CLR:00	10.00		79	26.1	63	17.2	52	11.1	39	13	220		28.90	5	+0.01	29.85	FM-15	0.00	29.87
09	1953	7	CLR:00	10.00		76	24.4	62	16.6	52	11.1	43	8	220		28.91			29.86	FM-15	0.00	29.88
09	2053	7	BKN:07 100 BKN:07 120	10.00		74	23.3	62	16.7	54	12.2	50	7	200		28.92			29.87	FM-15	0.00	29.89
09	2153	7	CLR:00	10.00		72	22.2	61	16.3	54	12.2	53	9	200		28.94	3	-0.04	29.89	FM-15	0.00	29.91
09	2253	7	CLR:00	10.00		71	21.7	61	16.1	54	12.2	55	8	200		28.96			29.91	FM-15	0.00	29.93
09	2353	7	SCT:04 120	10.00		70	21.1	61	15.9	54	12.2	57	8	200		28.96			29.91	FM-15	0.00	29.93
10	0053	7	FEW:02 120	10.00		69	20.6	61	16.0	55	12.8	61	8	200		28.95	0	-0.01	29.91	FM-15	0.00	29.92
10	0153	7	CLR:00	10.00		67	19.4	60	15.6	55	12.8	66	8	190		28.96			29.91	FM-15	0.00	29.93
10	0253	7	CLR:00	10.00		65	18.3	59	15.1	55	12.8	70	8	200		28.97			29.92	FM-15	0.00	29.94
10	0353	7	CLR:00	10.00		64	17.8	59	14.9	55	12.8	73	7	190		28.98	3	-0.03	29.93	FM-15	0.00	29.95
10	0453	7	CLR:00	10.00		63	17.2	59	15.0	56	13.3	78	7	200		28.99			29.94	FM-15	0.00	29.96
10	0553	7	CLR:00	10.00		65	18.3	60	15.4	56	13.3	73	7	190		29.02			29.97	FM-15	0.00	29.99
10	0653	7	FEW:02 110	10.00		68	20.0	62	16.7	58	14.4	70	8	200		29.04	3	-0.05	29.98	FM-15	0.00	30.01
10	0753	7	FEW:02 110	10.00		72	22.2	64	17.5	58	14.4	61	10	220		29.06			30.01	FM-15	0.00	30.03
10	0853	7	CLR:00	10.00		75	23.9	65	18.1	58	14.4	55	8	260		29.06			30.01	FM-15	0.00	30.03
10	0953	7	CLR:00	10.00		78	25.6	66	19.0	59	15.0	52	11	260		29.06	1	-0.03	30.01	FM-15	0.00	30.03
10	1053	7	CLR:00	10.00		81	27.2	67	19.2	58	14.4	45	14	220		29.06			30.01	FM-15	0.00	30.03
10	1153	7	CLR:00	10.00		82	27.8	67	19.7	59	15.0	46	15	240	22	29.06			30.00	FM-15	0.00	30.03
10	1253	7	CLR:00	10.00		83	28.3	68	19.9	59	15.0	44	11	200	22	29.05	8	+0.01	29.99	FM-15	0.00	30.02
10	1353	7	CLR:00	10.00		84	28.9	67	19.2	56	13.3	38	15	200	23	29.04			29.98	FM-15	0.00	30.01
10	1453	7	CLR:00	10.00		85	29.4	66	19.1	55	12.8	36	13	210	21	29.03			29.98	FM-15	0.00	30.00
10	1553	7	CLR:00	10.00		84	28.9	65	18.2	52	11.1	33	18	200	23	29.02	8	+0.03	29.97	FM-15	0.00	29.99
10	1653	7	CLR:00	10.00		84	28.9	65	18.2	52	11.1	33	16	210	22	29.01			29.96	FM-15	0.00	29.98
10	1753	7	CLR:00	10.00		83	28.3	64	18.0	52	11.1	34	15	220		29.00			29.95	FM-15	0.00	29.97
10	1853	7	CLR:00	10.00		81	27.2	65	18.1	54	12.2	39	13	190	24	29.00	6	+0.02	29.95	FM-15	0.00	29.97
10	1953	7	CLR:00	10.00		79	26.1	64	17.7	54	12.2	42	13	190		29.01			29.96	FM-15	0.00	29.98
10	2053	7	CLR:00	10.00		77	25.0	65	18.2	57	13.9	50	10	190		29.03			29.98	FM-15	0.00	30.00
10	2153	7	CLR:00	10.00		75	23.9	65	18.4	59	15.0	58	9	190		29.05	3	-0.04	29.99	FM-15	0.00	30.02
10	2253	7	CLR:00	10.00		73	22.8	64	18.0	59	15.0	62	7	190		29.06			30.01	FM-15	0.00	30.03
10	2353	7	CLR:00	10.00		72	22.2	64	17.8	59	15.0	64	8	200		29.07			30.02	FM-15	0.00	30.04
11	0053	7	CLR:00	10.00		70	21.1	64	17.7	60	15.6	71	10	190		29.08	1	-0.03	30.02	FM-15	0.00	30.05
11	0153	7	CLR:00	10.00		69	20.6	64	17.5	60	15.6	73	8	190		29.08			30.03	FM-15	0.00	30.05
11	0253	7	CLR:00	10.00		68	20.0	63	17.3	60	15.6	76	8	210		29.09			30.04	FM-15	0.00	30.06
11	0353	7	CLR:00	10.00		66	18.9	62	16.9	60	15.6	81	7	200		29.10	3	-0.03	30.05	FM-15	0.00	30.07
11	0453	7	CLR:00	10.00		66	18.9	62	16.9	60	15.6	81	8	190		29.12			30.07	FM-15	0.00	30.09
11	0553	7	CLR:00	10.00		66	18.9	63	17.2	61	16.1	84	7	200		29.15			30.10	FM-15	0.00	30.12
11	0653	7	CLR:00	10.00		70	21.1	65	18.4	62	16.7	76	8	200		29.17	3	-0.06	30.11	FM-15	0.00	30.14
11	0753	7	CLR:00	10.00		74	23.3	66	19.1	62	16.7	67	9	220		29.17			30.12	FM-15	0.00	30.14
11	0853	7	CLR:00	10.00		78	25.6	68	20.2	63	17.2	60	10	220		29.17			30.12	FM-15	0.00	30.14
11	0953	7	CLR:00	10.00		81	27.2	68	19.8	60	15.6	49	14	240	23	29.17	8	+0.00	30.11	FM-15	0.00	30.14
11	1053	7	CLR:00	10.00		82	27.8	67	19.7	59	15.0	46	20	240	28	29.15			30.09	FM-15	0.00	30.12
11	1153	7	CLR:00	10.00		84	28.9	69	20.4	60	15.6	44	15	210		29.14			30.09	FM-15	0.00	30.11
11	1253	7	CLR:00	10.00		86	30.0	70	21.0	61	16.1	43	16	230	21	29.13	6	+0.03	30.08	FM-15	0.00	30.10
11	1353	7	FEW:02 65	10.00		87	30.6	70	21.2	61	16.1	42	13	240		29.13			30.07	FM-15	0.00	30.10

11	1422	7	FEW:02 65	10.00		88	31.1	71	21.6	62	16.7	42	14	220	21	29.12				FM-16		30.09
11	1453	7	FEW:02 70	10.00		88	31.1	70	21.1	60	15.6	39	13	220	21	29.12			30.07	FM-15	0.00	30.09
11	1553	7	FEW:02 70	10.00		87	30.6	71	21.5	62	16.7	43	14	200		29.11	8	+0.03	30.05	FM-15	0.00	30.08
11	1653	7	SCT:04 70	10.00		87	30.6	70	21.2	61	16.1	42	16	240		29.11			30.06	FM-15	0.00	30.08
11	1753	7	FEW:02 70	10.00		86	30.0	69	20.7	60	15.6	42	18	220	24	29.09			30.04	FM-15	0.00	30.06
11	1853	7	FEW:02 70	10.00		85	29.4	69	20.5	60	15.6	43	10	210		29.08	8	+0.02	30.03	FM-15	0.00	30.05
11	1953	7	CLR:00	10.00		81	27.2	68	19.8	60	15.6	49	9	210		29.08			30.03	FM-15	0.00	30.05
11	2053	7	CLR:00	10.00		79	26.1	67	19.5	60	15.6	52	7	190		29.08			30.02	FM-15	0.00	30.05
11	2153	7	CLR:00	10.00		76	24.4	66	18.9	60	15.6	58	6	200		29.09	3	-0.01	30.04	FM-15	0.00	30.06
11	2253	7	CLR:00	10.00		75	23.9	66	18.7	60	15.6	60	6	190		29.10			30.04	FM-15	0.00	30.07
11	2353	7	CLR:00	10.00		74	23.3	66	19.1	62	16.7	67	8	200		29.09			30.03	FM-15	0.00	30.06
12	0053	7	CLR:00	10.00		74	23.3	66	19.1	62	16.7	67	9	210		29.11	3	-0.01	30.05	FM-15	0.00	30.08
12	0153	7	CLR:00	10.00		72	22.2	66	18.8	62	16.7	71	6	230		29.13			30.07	FM-15	0.00	30.10
12	0253	7	CLR:00	10.00		70	21.1	65	18.4	62	16.7	76	3	220		29.13			30.07	FM-15	0.00	30.10
12	0353	7	CLR:00	10.00		67	19.4	64	17.7	62	16.7	84	3	200		29.13	1	-0.03	30.08	FM-15	0.00	30.10
12	0453	7	FEW:02 60	10.00		67	19.4	64	17.7	62	16.7	84	3	170		29.13			30.08	FM-15	0.00	30.10
12	0553	7	CLR:00	10.00		70	21.1	66	18.7	63	17.2	79	5	190		29.15			30.09	FM-15	0.00	30.12
12	0653	7	CLR:00	10.00		73	22.8	67	19.6	64	17.8	74	3	VRB		29.16	3	-0.03	30.11	FM-15	0.00	30.13
12	0753	7	CLR:00	10.00		77	25.0	70	21.0	66	18.9	69	6	200		29.16			30.11	FM-15	0.00	30.13
12	0853	7	CLR:00	10.00		81	27.2	72	22.0	67	19.4	62	10	220		29.15			30.09	FM-15	0.00	30.12
12	0953	7	CLR:00	10.00		84	28.9	73	22.9	68	20.0	59	10	220		29.14	8	+0.03	30.08	FM-15	0.00	30.11
12	1053	7	FEW:02 50	10.00		86	30.0	72	22.2	65	18.3	49	10	250		29.13			30.08	FM-15	0.00	30.10
12	1153	7	FEW:02 60 FEW:02 70	10.00		87	30.6	73	23.0	67	19.4	51	9	240	18	29.12			30.06	FM-15	0.00	30.09
12	1253	7	FEW:02 65	10.00		88	31.1	71	21.9	63	17.2	43	7	220		29.10	8	+0.03	30.05	FM-15	0.00	30.07
12	1353	7	CLR:00	10.00		90	32.2	72	22.2	63	17.2	41	17	230		29.08			30.02	FM-15	0.00	30.05
12	1453	7	CLR:00	10.00		91	32.8	72	22.1	62	16.7	38	11	250		29.06			30.00	FM-15	0.00	30.03
12	1553	7	FEW:02 75	10.00		88	31.1	70	21.3	61	16.1	40	13	260	21	29.04	6	+0.06	29.98	FM-15	0.00	30.01
12	1653	7	FEW:02 70	10.00		89	31.7	72	22.4	64	17.8	43	14	200		29.03			29.97	FM-15	0.00	30.00
12	1753	7	CLR:00	10.00		89	31.7	72	22.1	63	17.2	42	14	240		29.02			29.96	FM-15	0.00	29.99
12	1853	7	CLR:00	10.00		86	30.0	72	22.2	65	18.3	49	8	250		29.02	6	+0.02	29.96	FM-15	0.00	29.99
12	1953	7	CLR:00	10.00		84	28.9	71	21.9	65	18.3	53	6	220		29.02			29.96	FM-15	0.00	29.99
12	2053	7	FEW:02 70	10.00		82	27.8	71	21.9	66	18.9	58	7	200		29.02			29.96	FM-15	0.00	29.99
12	2153	7	CLR:00	10.00		80	26.7	71	21.5	66	18.9	62	6	200		29.05	3	-0.03	29.99	FM-15	0.00	30.02
12	2253	7	CLR:00	10.00		79	26.1	71	21.7	67	19.4	67	6	210		29.07			30.01	FM-15	0.00	30.04
12	2353	7	SCT:04 65 BKN:07 85 BKN:07 110	10.00		78	25.6	71	21.5	67	19.4	69	5	210		29.07			30.01	FM-15	0.00	30.04
13	0053	7	CLR:00	10.00		76	24.4	70	21.2	67	19.4	74	5	190		29.06	0	-0.02	30.01	FM-15	0.00	30.03
13	0153	7	SCT:04 100	10.00		76	24.4	70	21.2	67	19.4	74	3	190		29.05			29.99	FM-15	0.00	30.02
13	0253	7	CLR:00	10.00		75	23.9	70	21.3	68	20.0	79	9	200		29.04			29.98	FM-15	0.00	30.01
13	0353	7	CLR:00	10.00		74	23.3	71	21.5	69	20.6	85	5	210		29.06	5	+0.01	30.00	FM-15	0.00	30.03
13	0453	7	SCT:04 110	10.00		74	23.3	71	21.8	70	21.1	88	3	200		29.05			29.99	FM-15	0.00	30.02
13	0553	7	CLR:00	10.00		73	22.8	71	21.7	70	21.1	90	0	000		29.07			30.01	FM-15	0.00	30.04
13	0653	7	SCT:04 70	10.00		78	25.6	74	23.3	72	22.2	82	5	230		29.08	3	-0.02	30.02	FM-15	0.00	30.05
13	0753	7	SCT:04 48 BKN:07 60 BKN:07 85	10.00		80	26.7	74	23.6	72	22.2	76	6	220		29.09			30.03	FM-15	0.00	30.06
13	0827	7	FEW:02 50 BKN:07 60	10.00	VCTS:7 ||	80	26.7	74	23.6	72	22.2	76	7	240		29.09				FM-16		30.06
13	0853	7	BKN:07 30 BKN:07 34 OVC:08 60	10.00	VCTS:7 ||	79	26.1	74	23.1	71	21.7	77	11	230		29.10			30.04	FM-15	0.00	30.07
13	0919	7	BKN:07 30 OVC:08 60	10.00	TS:7 |TS TS |	77	25.0	70	21.3	67	19.4	71	16	220		29.11				FM-16		30.08
13	0921	7	BKN:07 30 OVC:08 60	10.00	VCTS:7 ||	77	25.0	70	21.3	67	19.4	71	14	230		29.11				FM-16		30.08
13	0953	7	SCT:04 29	10.00	VCTS:7 ||	79	26.1	71	21.7	67	19.4	67	6	200		29.08	0	-0.00	30.02	FM-15	0.00	30.05
13	1021	7	CLR:00	10.00		79	26.1	71	21.7	67	19.4	67	5	220		29.07				FM-16		30.04

13	1053	7	CLR:00	10.00		80	26.7	73	22.9	70	21.1	71	8	210		29.07			30.01	FM-15	0.00	30.04
13	1153	7	CLR:00	10.00		81	27.2	75	24.1	73	22.8	77	13	210		29.07			30.02	FM-15	0.00	30.04
13	1253	7	CLR:00	10.00		83	28.3	77	24.8	74	23.3	74	11	210		29.04	8	+0.04	29.98	FM-15	0.00	30.01
13	1353	7	CLR:00	10.00		86	30.0	77	25.3	74	23.3	67	16	210		29.04			29.98	FM-15	0.00	30.01
13	1442	7	FEW:02 31	10.00	VCTS:7 ||	86	30.0	76	24.5	72	22.2	63	16	280	22	29.02				FM-16	T	29.99
13	1451	6	FEW:02 31	10.00		84	29.0	73	22.9	68	20.0	58	14	280	22	29.01				FM-16		29.98
13	1453	7	CLR:00	10.00		85	29.4	73	22.7	67	19.4	55	14	270		29.01			29.96	FM-15	T	29.98
13	1553	7	CLR:00	10.00		86	30.0	73	22.5	66	18.9	51	8	240		29.01	8	+0.04	29.95	FM-15	0.00	29.98
13	1653	7	CLR:00	10.00		82	27.8	72	22.2	67	19.4	60	6	250		29.03			29.98	FM-15	0.00	30.00
13	1753	7	CLR:00	10.00		83	28.3	73	22.7	68	20.0	61	6	210		29.04			29.98	FM-15	0.00	30.01
13	1853	7	CLR:00	10.00		79	26.1	72	22.4	69	20.6	72	6	070		29.02	0	-0.01	29.97	FM-15	0.00	29.99
13	1953	7	CLR:00	10.00		77	25.0	72	22.0	69	20.6	77	5	270		29.03			29.97	FM-15	0.00	30.00
13	2053	7	SCT:04 33 SCT:04 49	10.00		75	23.9	70	21.0	67	19.4	76	10	310	20	29.05			29.99	FM-15	0.00	30.02
13	2153	7	CLR:00	10.00		74	23.3	69	20.8	67	19.4	79	0	000		29.04	0	-0.01	29.98	FM-15	0.00	30.01
13	2253	7	CLR:00	10.00		74	23.3	69	20.8	67	19.4	79	6	220		29.02			29.96	FM-15	0.00	29.99
13	2353	7	CLR:00	10.00		74	23.3	70	21.1	68	20.0	82	5	190		29.03			29.97	FM-15	0.00	30.00
14	0053	7	CLR:00	10.00		72	22.2	69	20.8	68	20.0	87	0	000		29.03	6	+0.01	29.97	FM-15	0.00	30.00
14	0153	7	CLR:00	10.00		70	21.1	68	20.0	67	19.4	90	0	000		29.03			29.98	FM-15	0.00	30.00
14	0253	7	CLR:00	10.00		70	21.1	69	20.4	68	20.0	93	5	200		29.03			29.97	FM-15	0.00	30.00
14	0353	7	FEW:02 85	10.00		69	20.6	68	20.2	68	20.0	96	3	230		29.05	3	-0.02	29.99	FM-15	0.00	30.02
14	0453	7	CLR:00	8.00		70	21.1	69	20.7	69	20.6	97	3	140		29.04			29.99	FM-15	0.00	30.01
14	0551	6	FEW:02 6	5.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	5	070		29.05				FM-16		30.02
14	0553	7	FEW:02 6	5.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	3	080		29.05			29.99	FM-15	0.00	30.02
14	0653	7	CLR:00	6.00	BR:1 ||	73	22.8	72	22.0	71	21.7	94	5	150		29.06	3	-0.01	30.00	FM-15	0.00	30.03
14	0753	7	SCT:04 50 OVC:08 65	7.00		75	23.9	73	22.8	72	22.2	90	7	210		29.08			30.03	FM-15	0.00	30.05
14	0853	7	FEW:02 14 FEW:02 50	10.00		77	25.0	73	22.7	71	21.7	82	6	240		29.08			30.02	FM-15	0.00	30.05
14	0953	7	BKN:07 110	10.00	-RA:02 |RA |	74	23.3	71	21.9	70	21.1	88	9	240		29.08	1	-0.02	30.03	FM-15	T	30.05
14	0958	7	BKN:07 110	10.00		74	23.3	71	21.9	70	21.1	88	9	240		29.08				FM-16	T	30.05
14	1053	7	FEW:02 120	10.00		75	23.9	71	21.7	69	20.6	82	5	240		29.07			30.02	FM-15	0.00	30.04
14	1153	7	FEW:02 120	10.00		78	25.6	73	22.6	70	21.1	76	5	200		29.07			30.01	FM-15	0.00	30.04
14	1253	7	CLR:00	10.00		79	26.1	72	22.4	69	20.6	72	9	240		29.05	8	+0.02	30.00	FM-15	0.00	30.02
14	1353	7	FEW:02 26 SCT:04 120	10.00		80	26.7	74	23.2	71	21.7	74	13	230		29.06			30.01	FM-15	0.00	30.03
14	1453	7	FEW:02 110	10.00		79	26.1	74	23.1	71	21.7	77	9	220		29.03			29.98	FM-15	0.00	30.00
14	1553	7	CLR:00	10.00		78	25.6	73	22.6	70	21.1	76	7	190		29.00	8	+0.05	29.95	FM-15	0.00	29.97
14	1653	7	CLR:00	10.00		79	26.1	73	22.7	70	21.1	74	5	250		28.98			29.93	FM-15	0.00	29.95
14	1753	7	CLR:00	10.00		79	26.1	72	22.4	69	20.6	72	7	230		28.98			29.93	FM-15	0.00	29.95
14	1853	7	CLR:00	10.00		79	26.1	72	22.4	69	20.6	72	5	220		28.98	5	+0.02	29.93	FM-15	0.00	29.95
14	1953	7	CLR:00	10.00		75	23.9	70	21.0	67	19.4	76	0	000		28.99			29.94	FM-15	0.00	29.96
14	2053	7	CLR:00	10.00		74	23.3	69	20.8	67	19.4	79	5	210		29.01			29.96	FM-15	0.00	29.98
14	2153	7	FEW:02 80 SCT:04 90	10.00		74	23.3	69	20.5	66	18.9	76	3	180		29.01	0	-0.03	29.96	FM-15	0.00	29.98
14	2253	6	SCT:04 48 BKN:07 65 OVC:08 120	10.00		73	22.8	70	21.0	68	20.0	84	7	200		29.00			29.95	FM-15	T	29.97
14	2353	6	FEW:02 90	10.00		73	22.8	70	21.0	68	20.0	84	7	210		28.98			29.93	FM-15	0.00	29.95
15	0053	7	CLR:00	10.00		71	21.7	70	20.9	69	20.6	94	7	210		28.96	8	+0.04	29.91	FM-15	0.00	29.93
15	0153	7	CLR:00	10.00		72	22.2	70	21.1	69	20.6	91	6	230		28.95			29.89	FM-15	0.00	29.92
15	0253	7	CLR:00	10.00		71	21.7	70	20.9	69	20.6	94	5	190		28.93			29.88	FM-15	0.00	29.90
15	0353	7	CLR:00	10.00		70	21.1	69	20.7	69	20.6	97	5	230		28.95	5	+0.01	29.89	FM-15	0.00	29.92
15	0453	7	FEW:02 90	10.00		68	20.0	68	20.0	68	20.0	100	0	000		28.95			29.90	FM-15	0.00	29.92
15	0522	7	FEW:02 85	2.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	0	000		28.95				FM-16		29.92
15	0532	7	FEW:02 80	5.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	0	000		28.94				FM-16		29.91
15	0553	7	CLR:00	9.00		69	20.6	69	20.6	69	20.6	100	3	180		28.94			29.89	FM-15	0.00	29.91
15	0637	7	SCT:04 8	9.00		72	22.2	71	21.5	70	21.1	94	6	170		28.92				FM-16		29.89

15	0646	7	BKN:07 8	9.00		72	22.2	71	21.9	71	21.7	97	6	170		28.92				FM-16		29.89
15	0653	7	BKN:07 8	9.00		72	22.2	71	21.5	70	21.1	94	8	170		28.92	8	+0.02	29.87	FM-15	0.00	29.89
15	0753	7	OVC:08 8	6.00	BR:1 ||	72	22.2	71	21.5	70	21.1	94	6	230		28.93			29.88	FM-15	0.00	29.90
15	0823	7	SCT:04 9 BKN:07 17	8.00		74	23.3	72	22.2	71	21.7	91	5	210		28.93				FM-16		29.90
15	0830	7	BKN:07 12 BKN:07 18	8.00		73	22.8	71	21.7	70	21.1	90	3	200		28.93				FM-16		29.90
15	0853	7	BKN:07 14	10.00		74	23.3	71	21.8	70	21.1	88	3	200		28.94			29.89	FM-15	0.00	29.91
15	0951	6	FEW:02 19 FEW:02 31	10.00		77	25.0	72	22.4	70	21.0	79	6	190		28.95				FM-16		29.92
15	0953	7	FEW:02 19 FEW:02 25 SCT:04 30	10.00		76	24.4	72	22.2	70	21.1	82	5	VRB		28.95	1	-0.02	29.90	FM-15	0.00	29.92
15	1053	7	SCT:04 26 BKN:07 35 OVC:08 55	10.00		78	25.6	72	22.2	69	20.6	74	9	230		28.94			29.88	FM-15	0.00	29.91
15	1111	7	BKN:07 26 BKN:07 36 OVC:08 50	10.00		76	24.4	71	21.5	68	20.0	77	9	260		28.94				FM-16		29.91
15	1133	7	SCT:04 27 BKN:07 44 OVC:08 70	10.00	-RA:02 |RA |	77	25.0	71	21.7	68	20.0	74	8	240		28.93				FM-16	T	29.90
15	1153	7	FEW:02 27 BKN:07 70	10.00		79	26.1	72	22.4	69	20.6	72	8	280		28.92			29.87	FM-15	T	29.89
15	1253	7	SCT:04 34 BKN:07 65 BKN:07 80	10.00		80	26.7	71	21.9	67	19.4	64	7	240		28.92	6	+0.03	29.86	FM-15	0.00	29.89
15	1353	7	SCT:04 36 SCT:04 80	10.00		80	26.7	71	21.9	67	19.4	64	10	290		28.90			29.85	FM-15	0.00	29.87
15	1453	7	SCT:04 42 BKN:07 55	10.00		83	28.3	72	22.0	66	18.9	57	8	270		28.89			29.83	FM-15	0.00	29.85
15	1553	7	FEW:02 47 SCT:04 55	10.00		83	28.3	72	22.0	66	18.9	57	10	280		28.89	6	+0.04	29.82	FM-15	0.00	29.85
15	1653	7	FEW:02 46	10.00		83	28.3	72	22.4	67	19.4	59	9	280		28.87			29.81	FM-15	0.00	29.84
15	1753	7	FEW:02 47	10.00		81	27.2	71	21.7	66	18.9	61	8	260		28.87			29.81	FM-15	0.00	29.83
15	1853	7	CLR:00	10.00		79	26.1	71	21.7	67	19.4	67	8	280		28.87	5	+0.00	29.82	FM-15	0.00	29.84
15	1953	7	CLR:00	10.00		77	25.0	71	21.7	68	20.0	74	6	260		28.89			29.83	FM-15	0.00	29.85
15	2053	7	CLR:00	10.00		76	24.4	71	21.5	68	20.0	77	7	250		28.90			29.83	FM-15	0.00	29.86
15	2153	7	CLR:00	10.00		75	23.9	71	21.7	69	20.6	82	6	270		28.91	3	-0.03	29.85	FM-15	0.00	29.88
15	2253	7	CLR:00	10.00		74	23.3	70	21.1	68	20.0	82	3	250		28.91			29.85	FM-15	0.00	29.88
15	2353	7	CLR:00	10.00		71	21.7	69	20.6	68	20.0	90	6	270		28.90			29.85	FM-15	0.00	29.87
16	0053	7	CLR:00	10.00		71	21.7	69	20.6	68	20.0	90	3	260		28.89	8	+0.02	29.83	FM-15	0.00	29.85
16	0153	7	CLR:00	10.00		71	21.7	69	20.6	68	20.0	90	5	240		28.90			29.83	FM-15	0.00	29.86
16	0253	7	CLR:00	10.00		67	19.4	67	19.4	67	19.4	100	6	280		28.90			29.85	FM-15	0.00	29.87
16	0353	7	CLR:00	10.00		69	20.6	68	20.2	68	20.0	96	5	260		28.90	0	-0.01	29.84	FM-15	0.00	29.87
16	0453	7	CLR:00	10.00		69	20.6	68	20.2	68	20.0	96	5	240		28.90			29.85	FM-15	0.00	29.87
16	0553	7	SCT:04 33	8.00		69	20.6	68	20.2	68	20.0	96	0	000		28.92			29.86	FM-15	0.00	29.89
16	0653	7	SCT:04 43	8.00		73	22.8	71	21.7	70	21.1	90	3	260		28.94	3	-0.04	29.88	FM-15	0.00	29.91
16	0753	7	CLR:00	10.00		76	24.4	71	21.8	69	20.6	79	0	000		28.93			29.88	FM-15	0.00	29.90
16	0853	7	CLR:00	10.00		79	26.1	72	22.0	68	20.0	69	0	000		28.93			29.88	FM-15	0.00	29.90
16	0953	7	CLR:00	10.00		82	27.8	71	21.5	65	18.3	56	0	000		28.93	8	+0.01	29.87	FM-15	0.00	29.90
16	1053	7	CLR:00	10.00		84	28.9	70	20.9	62	16.7	48	5	VRB		28.93			29.87	FM-15	0.00	29.90
16	1153	7	CLR:00	10.00		85	29.4	67	19.7	57	13.9	39	5	080		28.92			29.87	FM-15	0.00	29.89
16	1253	7	CLR:00	10.00		88	31.1	68	20.2	57	13.9	35	5	VRB		28.90	8	+0.04	29.83	FM-15	0.00	29.86
16	1353	7	CLR:00	10.00		89	31.7	68	20.1	56	13.3	33	8	040		28.89			29.82	FM-15	0.00	29.85
16	1453	7	CLR:00	10.00		89	31.7	66	18.8	51	10.6	27	6	320		28.87			29.80	FM-15	0.00	29.83
16	1553	7	CLR:00	10.00		90	32.2	68	19.7	54	12.2	29	3	040		28.86	6	+0.04	29.80	FM-15	0.00	29.82
16	1653	7	CLR:00	10.00		90	32.2	68	20.0	55	12.8	31	3	070		28.86			29.79	FM-15	0.00	29.82
16	1753	7	CLR:00	10.00		88	31.1	67	19.4	54	12.2	31	5	170		28.84			29.77	FM-15	0.00	29.80
16	1853	7	CLR:00	10.00		86	30.0	67	19.6	56	13.3	36	7	210		28.84	5	+0.02	29.77	FM-15	0.00	29.80

16	1953	7	CLR:00	10.00		83	28.3	67	19.3	57	13.9	41	0	000		28.84			29.79	FM-15	0.00	29.81
16	2053	7	CLR:00	10.00		83	28.3	68	20.2	60	15.6	46	5	170		28.87			29.80	FM-15	0.00	29.83
16	2153	7	CLR:00	10.00		79	26.1	72	22.4	69	20.6	72	9	150		28.87	1	-0.04	29.81	FM-15	0.00	29.84
16	2253	7	CLR:00	10.00		78	25.6	73	22.5	70	21.1	76	7	170		28.87			29.81	FM-15	0.00	29.84
16	2353	7	CLR:00	10.00		76	24.4	72	22.2	70	21.1	82	8	180		28.87			29.80	FM-15	0.00	29.83
17	0053	7	CLR:00	10.00		75	23.9	72	22.0	70	21.1	84	7	160		28.84	8	+0.02	29.78	FM-15	0.00	29.81
17	0153	7	CLR:00	10.00		74	23.3	71	21.8	70	21.1	88	8	150		28.84			29.77	FM-15	0.00	29.80
17	0253	7	CLR:00	10.00		73	22.8	71	21.7	70	21.1	90	8	180		28.84			29.78	FM-15	0.00	29.81
17	0353	7	CLR:00	10.00		71	21.7	70	21.3	70	21.1	96	6	150		28.84	6	+0.00	29.78	FM-15	0.00	29.81
17	0453	7	CLR:00	10.00		71	21.7	70	21.3	70	21.1	96	7	160		28.84			29.78	FM-15	0.00	29.81
17	0553	7	CLR:00	7.00		70	21.1	70	21.1	70	21.1	100	3	170		28.86			29.79	FM-15	0.00	29.82
17	0653	7	CLR:00	7.00		73	22.8	71	21.7	70	21.1	90	5	210		28.87	3	-0.02	29.80	FM-15	0.00	29.83
17	0753	7	CLR:00	10.00		78	25.6	73	22.9	71	21.7	79	3	220		28.87			29.80	FM-15	0.00	29.83
17	0853	7	CLR:00	10.00		81	27.2	74	23.4	71	21.7	72	8	210		28.87			29.80	FM-15	0.00	29.83
17	0953	7	SCT:04 34	10.00		83	28.3	75	23.7	71	21.7	67	14	190	20	28.86	8	+0.01	29.79	FM-15	0.00	29.82
17	1053	7	FEW:02 40	10.00		86	30.0	74	23.5	69	20.6	57	14	210	22	28.84			29.78	FM-15	0.00	29.80
17	1153	7	SCT:04 45	10.00		85	29.4	73	22.7	67	19.4	55	10	VRB		28.84			29.78	FM-15	0.00	29.80
17	1253	7	FEW:02 49	10.00		88	31.1	74	23.2	67	19.4	50	14	210	21	28.84	6	+0.02	29.77	FM-15	0.00	29.80
17	1353	7	CLR:00	10.00		88	31.1	73	22.8	66	18.9	48	15	210		28.82			29.75	FM-15	0.00	29.78
17	1453	7	SCT:04 55	10.00		89	31.7	73	23.0	66	18.9	47	17	220	25	28.81			29.75	FM-15	0.00	29.77
17	1553	7	FEW:02 55	10.00	-RA:02 |RA |	89	31.7	73	23.0	66	18.9	47	14	180		28.80	6	+0.03	29.73	FM-15	T	29.76
17	1653	7	CLR:00	10.00		86	30.0	72	22.2	65	18.3	49	14	210	23	28.80			29.73	FM-15	T	29.76
17	1753	7	CLR:00	10.00		87	30.6	73	22.7	66	18.9	50	13	210		28.80			29.73	FM-15	0.00	29.76
17	1853	7	CLR:00	10.00		85	29.4	73	22.7	67	19.4	55	11	200		28.80	6	+0.01	29.73	FM-15	0.00	29.76
17	1953	7	CLR:00	10.00		83	28.3	72	22.4	67	19.4	59	10	190		28.80			29.73	FM-15	0.00	29.76
17	2053	7	CLR:00	10.00		82	27.8	72	22.2	67	19.4	60	8	190		28.80			29.73	FM-15	0.00	29.76
17	2153	7	FEW:02 120	10.00		81	27.2	72	22.4	68	20.0	65	8	180		28.80	2	-0.01	29.73	FM-15	0.00	29.76
17	2253	7	OVC:08 48	10.00		80	26.7	73	22.5	69	20.6	69	8	200		28.80			29.73	FM-15	0.00	29.76
17	2353	7	BKN:07 110	10.00		79	26.1	73	22.7	70	21.1	74	8	190		28.79			29.72	FM-15	0.00	29.75
18	0053	7	CLR:00	10.00		78	25.6	73	22.5	70	21.1	76	9	190		28.78	8	+0.02	29.71	FM-15	0.00	29.74
18	0153	7	CLR:00	10.00		77	25.0	71	21.7	68	20.0	74	10	200		28.79			29.72	FM-15	0.00	29.75
18	0253	7	CLR:00	10.00		76	24.4	71	21.5	68	20.0	77	14	210		28.79			29.72	FM-15	0.00	29.75
18	0353	7	FEW:02 49	10.00		76	24.4	71	21.5	68	20.0	77	13	210		28.78	0	-0.00	29.71	FM-15	0.00	29.74
18	0453	7	CLR:00	10.00		75	23.9	70	21.3	68	20.0	79	16	210	23	28.78			29.72	FM-15	0.00	29.74
18	0553	7	SCT:04 110	10.00		76	24.4	69	20.5	65	18.3	69	15	220	23	28.78			29.71	FM-15	0.00	29.74
18	0653	7	CLR:00	10.00	-RA:02 |RA |	75	23.9	70	21.3	68	20.0	79	15	190		28.77	8	+0.01	29.70	FM-15	T	29.73
18	0753	7	FEW:02 100 FEW:02 120	10.00	-RA:02 |RA |	75	23.9	72	22.4	71	21.7	88	13	180		28.74			29.67	FM-15	0.02	29.70
18	0853	7	CLR:00	10.00		78	25.6	73	22.9	71	21.7	79	15	170	24	28.73			29.66	FM-15	0.00	29.69
18	0942	7	BKN:07 24	10.00		79	26.1	74	23.4	72	22.2	79	13	210		28.75				FM-16		29.71
18	0953	7	OVC:08 23	10.00		79	26.1	74	23.4	72	22.2	79	13	210		28.76	5	+0.01	29.69	FM-15	0.00	29.72
18	1031	7	SCT:04 23 BKN:07 32 BKN:07 43	10.00		81	27.2	75	24.1	73	22.8	77	16	230	23	28.77				FM-16		29.73
18	1053	7	FEW:02 25 SCT:04 34	10.00		82	27.8	74	23.2	70	21.1	67	14	250	25	28.77			29.70	FM-15	0.00	29.73
18	1153	7	SCT:04 35 BKN:07 45 BKN:07 60	10.00		84	28.9	74	23.5	70	21.1	63	18	230	28	28.76			29.69	FM-15	0.00	29.72
18	1253	7	SCT:04 43	10.00		86	30.0	75	23.8	70	21.1	59	25	240	34	28.75	8	+0.01	29.68	FM-15	T	29.71
18	1353	7	BKN:07 47	10.00		87	30.6	74	23.3	68	20.0	53	25	230	32	28.74			29.66	FM-15	T	29.70
18	1453	7	FEW:02 46 SCT:04 85	10.00		86	30.0	74	23.2	68	20.0	55	17	250	33	28.73			29.66	FM-15	0.00	29.69
18	1553	7	FEW:02 50 FEW:02 70 BKN:07 100	10.00		83	28.3	72	22.3	67	19.4	59	15	240	24	28.73	5	+0.02	29.67	FM-15	0.00	29.69
18	1653	7	FEW:02 43 BKN:07 110	10.00		83	28.3	72	22.3	67	19.4	59	21	230	32	28.73			29.67	FM-15	0.00	29.69
18	1753	7	SCT:04 75	10.00		82	27.8	72	22.2	67	19.4	60	14	250		28.74			29.68	FM-15	0.00	29.70

18	1853	7	SCT:04 55 BKN:07 80 OVC:08 100	10.00		81	27.2	72	22.0	67	19.4	62	13	250	21	28.75	3	-0.02	29.69	FM-15	0.00	29.71
18	1953	7	SCT:04 43 BKN:07 55 OVC:08 100	10.00		77	25.0	72	22.0	69	20.6	77	9	260		28.77			29.70	FM-15	0.00	29.73
18	2044	7	SCT:04 32 BKN:07 38 OVC:08 90	10.00	VCTS:7 -RA:02 |RA |	76	24.4	71	21.8	69	20.6	79	21	290	29	28.79				FM-16	T	29.75
18	2051	6	BKN:07 36 BKN:07 49 OVC:08 60	10.00	TS:7 -RA:02 |RA TS |	72	22.0	68	20.1	66	19.0	83	15	290	29	28.80				FM-16		29.76
18	2053	7	FEW:02 32 BKN:07 39 OVC:08 65	10.00	TS:7 -RA:02 |RA TS TS |	72	22.2	69	20.4	67	19.4	84	13	290	28	28.80			29.74	FM-15	T	29.76
18	2108	7	FEW:02 34 BKN:07 60 OVC:08 95	9.00	VCTS:7 -RA:02 |RA |	70	21.1	68	20.0	67	19.4	90	14	290		28.81				FM-16	0.01	29.77
18	2117	7	FEW:02 48 BKN:07 75 OVC:08 95	9.00	-RA:02 |RA |	69	20.6	68	19.8	67	19.4	93	10	290		28.81				FM-16	0.01	29.77
18	2153	7	BKN:07 60 OVC:08 110	10.00		69	20.6	68	19.8	67	19.4	93	5	220		28.82	3	-0.07	29.76	FM-15	0.01	29.78
18	2253	6	BKN:07 75 OVC:08 120	10.00		68	20.0	67	19.6	67	19.4	96	5	200		28.83			29.76	FM-15	T	29.79
18	2353	6	BKN:07 70 BKN:07 110	10.00	-RA:02 |RA |	69	20.6	69	20.6	69	20.6	100	5	200		28.84			29.77	FM-15	0.01	29.80
19	0053	7	FEW:02 70 SCT:04 80 OVC:08 110	7.00	-RA:02 |RA |	69	20.6	69	20.6	69	20.6	100	7	210		28.84	3	-0.02	29.78	FM-15	0.01	29.81
19	0151	6	FEW:02 7 FEW:02 65 BKN:07 120	10.00	-RA:02 |RA |	70	21.0	70	21.1	70	21.0	100	7	200		28.83				FM-16		29.79
19	0153	7	FEW:02 7 FEW:02 65 BKN:07 120	9.00	-RA:02 |RA |	69	20.6	69	20.6	69	20.6	100	6	200		28.83			29.77	FM-15	0.02	29.79
19	0253	7	BKN:07 110	10.00	-RA:02 |RA |	68	20.0	68	20.0	68	20.0	100	5	220		28.83			29.76	FM-15	0.02	29.79
19	0353	7	BKN:07 100	7.00		68	20.0	68	20.0	68	20.0	100	6	210		28.84	5	+0.01	29.78	FM-15	0.00	29.80
19	0409	7	FEW:02 4 BKN:07 100	6.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	5	200		28.84				FM-16		29.80
19	0453	7	CLR:00	5.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	6	230		28.86			29.80	FM-15	0.00	29.82
19	0553	7	CLR:00	8.00		66	18.9	65	18.5	65	18.3	96	7	250		28.87			29.81	FM-15	0.00	29.83
19	0653	7	CLR:00	10.00		68	20.0	65	18.3	63	17.2	84	6	260		28.87	1	-0.04	29.82	FM-15	0.00	29.84
19	0753	7	CLR:00	10.00		70	21.1	66	18.7	63	17.2	79	9	270		28.90			29.84	FM-15	0.00	29.86
19	0853	7	CLR:00	10.00		73	22.8	67	19.3	63	17.2	71	11	250		28.90			29.84	FM-15	0.00	29.86
19	0953	7	FEW:02 41	10.00		76	24.4	67	19.5	62	16.7	62	11	260		28.90	1	-0.02	29.84	FM-15	0.00	29.86
19	1053	7	SCT:04 48	10.00		77	25.0	66	18.8	59	15.0	54	16	280	24	28.90			29.85	FM-15	0.00	29.87
19	1153	7	SCT:04 60	10.00		79	26.1	66	18.9	58	14.4	49	15	270	23	28.90			29.85	FM-15	0.00	29.87
19	1253	7	SCT:04 60 BKN:07 70	10.00		81	27.2	66	18.9	57	13.9	44	18	230	24	28.90	8	+0.01	29.84	FM-15	0.00	29.86
19	1353	7	SCT:04 60 BKN:07 110	10.00		81	27.2	66	18.9	57	13.9	44	16	250	21	28.87			29.81	FM-15	0.00	29.83
19	1409	7	FEW:02 35 SCT:04 60 BKN:07 80	1.75	VCTS:7 RA:02 |RA |	67	19.4	61	15.9	56	13.3	68	30	280	44	28.92				FM-16	0.07	29.89
19	1416	7	FEW:02 35 SCT:04 48 BKN:07 60	0.75	VCTS:7 +RA:02 |RA |	63	17.2	59	15.0	56	13.3	78	17	310	43	28.91				FM-16	0.15	29.88
19	1421	7	FEW:02 35 BKN:07 65 OVC:08 95	5.00	VCTS:7 -RA:02 |RA |	63	17.2	60	15.6	58	14.4	84	11	310	25	28.91				FM-16	0.16	29.88
19	1440	7	FEW:02 40 BKN:07 60 OVC:08 75	10.00	-RA:02 |RA |	65	18.3	61	16.3	59	15.0	81	7	270		28.90				FM-16	0.16	29.87

19	1453	7	SCT:04 60 OVC:08 75	10.00		65	18.3	62	16.7	60	15.6	84	7	250		28.91			29.86	FM-15	0.16	29.88
19	1553	7	BKN:07 80 BKN:07 95	10.00		66	18.9	63	17.2	61	16.1	84	9	220		28.90	3	-0.01	29.85	FM-15	0.02	29.86
19	1651	6	SCT:04 55 BKN:07 70 BKN:07 110	10.00	VCTS:7 ||	72	22.0	65	18.4	61	16.0	69	21	280	29	28.91				FM-16		29.88
19	1653	7	SCT:04 60 BKN:07 75 BKN:07 110	10.00	VCTS:7 ||	70	21.1	64	17.7	60	15.6	71	20	280	29	28.91			29.87	FM-15	0.00	29.88
19	1707	7	BKN:07 60 BKN:07 80 OVC:08 110	3.00	+RA:02 |RA |	66	18.9	61	15.9	57	13.9	73	16	310	28	28.93				FM-16	0.05	29.90
19	1708	7	SCT:04 55 BKN:07 70 OVC:08 110	5.00	-RA:02 |RA |	65	18.3	60	15.7	57	13.9	76	15	310	28	28.93				FM-16	0.05	29.90
19	1736	7	FEW:02 70 BKN:07 90 OVC:08 110	10.00		65	18.3	62	16.7	60	15.6	84	7	240		28.93				FM-16	0.06	29.90
19	1753	7	SCT:04 110	10.00		66	18.9	63	17.2	61	16.1	84	3	190		28.92			29.88	FM-15	0.06	29.89
19	1853	7	BKN:07 30 BKN:07 70	5.00	VCTS:7 HZ:7 |FU |HZ	65	18.3	62	16.7	60	15.6	84	3	340		28.92	0	-0.00	29.87	FM-15	0.00	29.89
19	1855	7	BKN:07 30 BKN:07 70	6.00	VCTS:7 BR:1 ||	65	18.3	63	17.0	61	16.1	87	8	340		28.92				FM-16		29.89
19	1913	7	FEW:02 13 SCT:04 34 BKN:07 43	2.00	-RA:02 |RA |	61	16.1	60	15.5	59	15.0	93	9	300	29	28.97				FM-16	0.21	29.94
19	1933	7	FEW:02 17 SCT:04 36 OVC:08 80	10.00		62	16.7	60	15.7	59	15.0	90	10	330		28.96				FM-16	0.22	29.93
19	1943	7	SCT:04 46 OVC:08 80	9.00	RA:02 |RA |	62	16.7	60	15.7	59	15.0	90	5	340		28.96				FM-16	0.23	29.93
19	1953	7	FEW:02 50 OVC:08 85	9.00	-RA:02 |RA |	62	16.7	60	15.7	59	15.0	90	0	000		28.97			29.92	FM-15	0.24	29.94
19	1957	7	FEW:02 55 BKN:07 75 OVC:08 90	6.00	-RA:02 BR:1 |RA |	62	16.7	60	15.7	59	15.0	90	3	160		28.96				FM-16	0.01	29.93
19	2000	7	FEW:02 55 BKN:07 80	7.00	-RA:02 |RA |	62	16.7	60	15.7	59	15.0	90	5	140		28.95				FM-16	0.01	29.92
19	2053	7	FEW:02 55 SCT:04 90 BKN:07 110	10.00		61	16.1	61	16.1	61	16.1	100	3	260		28.97			29.92	FM-15	0.01	29.94
19	2153	7	CLR:00	10.00		61	16.1	60	15.5	59	15.0	93	3	200		28.99	1	-0.08	29.95	FM-15	T	29.96
19	2253	7	CLR:00	10.00		60	15.6	59	15.2	59	15.0	96	5	210		28.99			29.95	FM-15	0.00	29.96
19	2353	7	FEW:02 65	10.00		59	15.0	59	15.0	59	15.0	100	7	240		29.01			29.96	FM-15	0.00	29.98
20	0053	7	SCT:04 65 SCT:04 95	9.00	-RA:02 |RA |	59	15.0	58	14.7	58	14.4	96	0	000		28.99	8	+0.01	29.94	FM-15	0.01	29.96
20	0153	7	FEW:02 110	10.00		59	15.0	58	14.4	57	13.9	93	5	220		28.98			29.93	FM-15	T	29.95
20	0253	7	SCT:04 80 OVC:08 100	10.00		59	15.0	58	14.7	58	14.4	96	5	210		28.98			29.94	FM-15	0.00	29.95
20	0353	7	FEW:02 75	10.00		58	14.4	57	14.1	57	13.9	97	0	000		28.99	5	+0.00	29.95	FM-15	0.00	29.96
20	0453	7	CLR:00	10.00		58	14.4	57	13.8	56	13.3	93	7	230		29.01			29.96	FM-15	0.00	29.98
20	0553	7	CLR:00	10.00		60	15.6	58	14.6	57	13.9	90	9	270		29.02			29.98	FM-15	0.00	29.99
20	0653	7	CLR:00	10.00		63	17.2	60	15.3	57	13.9	81	10	280		29.04	1	-0.05	30.00	FM-15	0.00	30.01
20	0753	7	CLR:00	10.00		67	19.4	61	15.9	56	13.3	68	11	300	20	29.05			30.01	FM-15	0.00	30.02
20	0853	7	CLR:00	10.00		69	20.6	62	16.6	57	13.9	66	15	280	22	29.06			30.02	FM-15	0.00	30.03
20	0953	7	CLR:00	10.00		72	22.2	64	17.5	58	14.4	61	10	280		29.06	1	-0.02	30.02	FM-15	0.00	30.03
20	1053	7	FEW:02 50	10.00		74	23.3	63	17.3	56	13.3	54	14	300		29.07			30.02	FM-15	0.00	30.04
20	1153	7	SCT:04 50	10.00		76	24.4	64	18.0	57	13.9	52	8	280	22	29.05			30.01	FM-15	0.00	30.02
20	1253	7		10.00		75	23.9	64	17.5	56	13.3	52	15	260	21	29.04	8	+0.02	30.00	FM-15	0.00	30.01
20	1353	7	SCT:04 60	10.00		78	25.6	65	18.1	56	13.3	47	15	290		29.03			29.98	FM-15	0.00	30.00
20	1453	7	SCT:04 65 BKN:07 80	10.00		76	24.4	63	17.2	54	12.2	47	7	260	18	29.02			29.97	FM-15	0.00	29.99

20	1553	7	FEW:02 65	10.00		79	26.1	65	18.3	56	13.3	45	11	290	20	29.01	6	+0.04	29.96	FM-15	0.00	29.98
20	1653	7	FEW:02 80	10.00		79	26.1	63	17.5	53	11.7	41	10	230		29.00			29.95	FM-15	0.00	29.97
20	1753	7	CLR:00	10.00		79	26.1	63	17.5	53	11.7	41	13	250		28.99			29.94	FM-15	0.00	29.96
20	1853	7	CLR:00	10.00		79	26.1	63	17.2	52	11.1	39	11	240		28.98	6	+0.03	29.93	FM-15	0.00	29.95
20	1953	7	CLR:00	10.00		76	24.4	63	17.2	54	12.2	47	7	220		28.99			29.94	FM-15	0.00	29.96
20	2053	7	CLR:00	10.00		72	22.2	62	16.6	55	12.8	55	6	200		28.99			29.94	FM-15	0.00	29.96
20	2153	7	CLR:00	10.00		70	21.1	62	16.5	56	13.3	61	6	200		29.00	3	-0.02	29.95	FM-15	0.00	29.97
20	2253	7	BKN:07 90	10.00		69	20.6	62	16.9	58	14.4	68	10	330		29.01			29.96	FM-15	0.00	29.98
20	2353	7	BKN:07 95	10.00		68	20.0	61	16.4	57	13.9	68	11	310		29.02			29.97	FM-15	0.00	29.99
21	0053	7	BKN:07 90	10.00		67	19.4	61	16.2	57	13.9	71	0	000		29.00	8	+0.00	29.95	FM-15	0.00	29.97
21	0153	7	OVC:08 110	10.00		68	20.0	61	16.4	57	13.9	68	5	200		28.98			29.93	FM-15	0.00	29.95
21	0253	7	SCT:04 120	10.00		64	17.8	60	15.8	58	14.4	81	3	190		28.97			29.93	FM-15	0.00	29.94
21	0353	7	FEW:02 85 SCT:04 110	10.00		63	17.2	60	15.6	58	14.4	84	3	320		28.98	5	+0.01	29.93	FM-15	0.00	29.95
21	0453	7	CLR:00	10.00		61	16.1	59	14.8	57	13.9	87	3	260		29.00			29.95	FM-15	0.00	29.97
21	0553	7	BKN:07 100	10.00		65	18.3	62	16.7	60	15.6	84	3	340		29.02			29.98	FM-15	0.00	29.99
21	0653	7	BKN:07 110	10.00		68	20.0	63	17.3	60	15.6	76	0	000		29.03	1	-0.05	29.98	FM-15	0.00	30.00
21	0753	7	SCT:04 110	10.00		71	21.7	64	17.9	60	15.6	68	5	280		29.04			29.99	FM-15	0.00	30.01
21	0853	7	FEW:02 100	10.00		74	23.3	66	18.8	61	16.1	64	5	290		29.04			29.98	FM-15	0.00	30.01
21	0953	7	CLR:00	10.00		76	24.4	67	19.2	61	16.1	60	0	000		29.03	0	-0.00	29.98	FM-15	0.00	30.00
21	1053	7	FEW:02 95	10.00		78	25.6	68	19.9	62	16.7	58	6	VRB		29.03			29.98	FM-15	0.00	30.00
21	1153	7	SCT:04 65 SCT:04 75 BKN:07 100	10.00		79	26.1	69	20.4	63	17.2	58	6	320		29.02			29.97	FM-15	0.00	29.99
21	1253	7	BKN:07 47 OVC:08 60	10.00		80	26.7	70	20.9	64	17.8	58	0	000		29.01	8	+0.02	29.96	FM-15	0.00	29.98
21	1353	7	OVC:08 50	10.00		80	26.7	70	20.9	64	17.8	58	8	290		29.00			29.95	FM-15	0.00	29.97
21	1453	7	SCT:04 49 SCT:04 60	10.00		83	28.3	71	21.7	65	18.3	55	9	300		28.99			29.94	FM-15	0.00	29.96
21	1553	7	BKN:07 50	10.00		84	28.9	71	21.9	65	18.3	53	0	000		28.98	6	+0.02	29.93	FM-15	0.00	29.95
21	1653	7	FEW:02 50 SCT:04 60	10.00		82	27.8	71	21.5	65	18.3	56	6	270		28.98			29.93	FM-15	0.00	29.95
21	1753	7	SCT:04 50	10.00		83	28.3	71	21.7	65	18.3	55	6	290		28.98			29.93	FM-15	0.00	29.95
21	1853	7	CLR:00	10.00		82	27.8	71	21.9	66	18.9	58	7	290		28.97	8	+0.01	29.92	FM-15	0.00	29.94
21	1953	7	CLR:00	10.00		79	26.1	70	21.4	66	18.9	65	0	000		28.98			29.93	FM-15	0.00	29.95
21	2053	7	CLR:00	10.00		76	24.4	69	20.8	66	18.9	72	0	000		28.99			29.93	FM-15	0.00	29.96
21	2153	7	CLR:00	10.00		74	23.3	69	20.5	66	18.9	76	3	020		29.00	3	-0.02	29.94	FM-15	0.00	29.97
21	2253	7	SCT:04 70	10.00		75	23.9	69	20.6	66	18.9	74	0	000		29.00			29.94	FM-15	0.00	29.97
21	2353	7	CLR:00	10.00		73	22.8	68	20.3	66	18.9	79	0	000		29.00			29.95	FM-15	0.00	29.97
22	0053	7	SCT:04 110	10.00		73	22.8	70	21.3	69	20.6	87	3	250		29.01	3	-0.01	29.95	FM-15	0.00	29.98
22	0153	7	FEW:02 120	10.00		75	23.9	71	21.7	69	20.6	82	7	260		29.01			29.96	FM-15	0.00	29.98
22	0253	7	BKN:07 120	10.00		74	23.3	71	21.5	69	20.6	85	7	230		29.02			29.96	FM-15	0.00	29.99
22	0353	7	OVC:08 100	10.00		74	23.3	71	21.8	70	21.1	88	6	230		29.02	3	-0.01	29.97	FM-15	0.00	29.99
22	0453	7	FEW:02 100	10.00		72	22.2	70	21.1	69	20.6	91	5	200		29.01			29.96	FM-15	0.00	29.98
22	0553	7	CLR:00	10.00		73	22.8	71	21.7	70	21.1	90	7	200		29.02			29.97	FM-15	0.00	29.99
22	0653	7	SCT:04 110	10.00		76	24.4	71	21.9	69	20.6	79	8	230		29.02	6	+0.00	29.96	FM-15	0.00	29.99
22	0753	7	OVC:08 110	10.00		77	25.0	71	21.7	68	20.0	74	11	210		29.03			29.98	FM-15	0.00	30.00
22	0853	7	FEW:02 110	10.00		78	25.6	72	22.2	69	20.6	74	8	240		29.05			29.99	FM-15	0.00	30.02
22	0953	7	BKN:07 110	10.00		82	27.8	74	23.6	71	21.7	69	11	240		29.04	0	-0.02	29.99	FM-15	0.00	30.01
22	1053	7	CLR:00	10.00		85	29.4	75	23.7	70	21.1	61	14	210		29.03			29.97	FM-15	0.00	30.00
22	1153	7	FEW:02 33	10.00		84	28.9	74	23.5	70	21.1	63	14	210		29.03			29.97	FM-15	0.00	30.00
22	1253	7	SCT:04 35 BKN:07 47	10.00		83	28.3	75	23.7	71	21.7	67	14	200		29.02	8	+0.02	29.96	FM-15	0.00	29.99
22	1353	7	SCT:04 37 BKN:07 46 BKN:07 65	10.00		84	28.9	74	23.5	70	21.1	63	13	200		29.01			29.95	FM-15	0.00	29.98
22	1453	7	SCT:04 36 BKN:07 49	10.00		83	28.3	74	23.4	70	21.1	65	15	210	25	28.98			29.93	FM-15	0.00	29.95
22	1553	7	BKN:07 40	10.00		83	28.3	74	23.4	70	21.1	65	17	190	24	28.96	8	+0.06	29.90	FM-15	0.00	29.93

22	1653	7	SCT:04 36	10.00		84	28.9	75	23.9	71	21.7	65	17	200		28.95			29.89	FM-15	0.00	29.92
22	1753	7	SCT:04 41	10.00		82	27.8	73	22.9	69	20.6	65	18	210	25	28.94			29.88	FM-15	0.00	29.91
22	1853	7	SCT:04 34	10.00		79	26.1	72	22.0	68	20.0	69	13	210	26	28.93	6	+0.02	29.88	FM-15	0.00	29.90
22	1953	7	CLR:00	10.00		77	25.0	70	21.3	67	19.4	71	17	220	31	28.94			29.88	FM-15	0.00	29.91
22	2053	7	BKN:07 30	10.00		76	24.4	71	21.5	68	20.0	77	9	200		28.94			29.89	FM-15	0.00	29.91
22	2111	7	BKN:07 27 BKN:07 36	10.00		76	24.4	71	21.5	68	20.0	77	10	200		28.95				FM-16		29.92
22	2151	6	SCT:04 23 BKN:07 30 OVC:08 35	10.00		75	24.0	70	21.3	68	20.0	78	10	190		28.95				FM-16		29.92
22	2153	7	BKN:07 23 BKN:07 28 OVC:08 35	10.00		75	23.9	70	21.3	68	20.0	79	10	190		28.95	3	-0.01	29.89	FM-15	0.00	29.92
22	2253	7	BKN:07 22 OVC:08 33	10.00		73	22.8	70	21.3	69	20.6	87	10	180		28.94			29.88	FM-15	0.00	29.91
22	2313	7	FEW:02 23 FEW:02 28 BKN:07 33	10.00		73	22.8	70	21.3	69	20.6	87	15	170		28.92				FM-16		29.89
22	2345	7	BKN:07 12	10.00		72	22.2	70	21.1	69	20.6	91	11	180		28.91				FM-16		29.88
22	2353	7	BKN:07 11	10.00		72	22.2	70	21.1	69	20.6	91	9	160		28.90			29.85	FM-15	0.00	29.87
23	0053	7	OVC:08 11	10.00		72	22.2	71	21.5	70	21.1	94	9	180		28.89	8	+0.07	29.83	FM-15	T	29.85
23	0126	7	BKN:07 9 OVC:08 12	10.00		71	21.7	70	21.3	70	21.1	96	9	180		28.87				FM-16	T	29.83
23	0145	7	BKN:07 8 OVC:08 19	2.00	-RA:02 BR:1 |RA |	70	21.1	70	21.1	70	21.1	100	8	170		28.86				FM-16	0.06	29.82
23	0151	6	BKN:07 6 OVC:08 11	4.00	-RA:02 BR:1 |RA |	70	21.0	70	21.1	70	21.0	100	8	190		28.86				FM-16		29.82
23	0153	7	BKN:07 6 OVC:08 11	4.00	-RA:02 BR:1 |RA |	70	21.1	70	21.1	70	21.1	100	6	190		28.86			29.79	FM-15	0.07	29.82
23	0213	7	BKN:07 5 OVC:08 11	1.75	RA:02 BR:1 |RA |	70	21.1	70	21.1	70	21.1	100	10	180		28.84				FM-16	0.12	29.80
23	0224	7	BKN:07 5 BKN:07 11 OVC:08 16	3.00	-RA:02 BR:1 |RA |	70	21.1	70	21.1	70	21.1	100	8	190		28.84				FM-16	0.17	29.80
23	0253	7	OVC:08 7	9.00		70	21.1	70	21.1	70	21.1	100	9	190		28.83			29.76	FM-15	0.17	29.79
23	0353	7	OVC:08 7	6.00	BR:1 ||	71	21.7	71	21.7	71	21.7	100	11	200		28.81	6	+0.08	29.74	FM-15	T	29.77
23	0453	7	BKN:07 9 OVC:08 13	10.00		72	22.2	72	22.2	72	22.2	100	11	210		28.80			29.74	FM-15	T	29.76
23	0512	7	OVC:08 12	10.00		72	22.2	72	22.2	72	22.2	100	9	210		28.81				FM-16		29.77
23	0553	7	OVC:08 11	10.00		73	22.8	73	22.8	73	22.8	100	11	210		28.80			29.73	FM-15	0.00	29.76
23	0653	7	BKN:07 12 BKN:07 23	10.00		74	23.3	73	23.0	73	22.8	97	11	200		28.78	8	+0.02	29.72	FM-15	0.00	29.74
23	0753	7	OVC:08 13	10.00		75	23.9	74	23.5	74	23.3	96	11	200	21	28.78			29.71	FM-15	T	29.74
23	0853	7	OVC:08 12	4.00	RA:02 BR:1 |RA |	74	23.3	74	23.3	74	23.3	100	11	210		28.78			29.71	FM-15	0.04	29.74
23	0950	7	SCT:04 13 BKN:07 60 OVC:08 100	7.00	VCTS:7 -RA:02 |RA |	73	23.0	73	22.8	73	23.0	100	13	220		28.76				FM-16	0.10	29.72
23	0951	7	SCT:04 11 BKN:07 55 OVC:08 100	7.00	VCTS:7 -RA:02 |RA |	74	23.3	74	23.3	74	23.3	100	11	210		28.76	8	+0.02	29.70	FM-15	0.10	29.72
23	1004	7	FEW:02 9 BKN:07 80 OVC:08 110	9.00	-RA:02 |RA |	74	23.3	74	23.3	74	23.3	100	13	210		28.75				FM-16	0.01	29.71
23	1053	7	FEW:02 37 SCT:04 55 BKN:07 80	10.00		71	21.7	71	21.7	71	21.7	100	11	220		28.76			29.70	FM-15	0.10	29.72
23	1126	7	BKN:07 25 BKN:07 49 OVC:08 80	9.00	-RA:02 |RA |	72	22.2	72	22.2	72	22.2	100	9	230		28.76				FM-16	0.04	29.72
23	1153	7	BKN:07 25 BKN:07 49 OVC:08 80	4.00	-RA:02 BR:1 |RA |	73	22.8	73	22.8	73	22.8	100	8	220		28.76			29.70	FM-15	0.07	29.72

23	1211	7	BKN:07 25 BKN:07 49 OVC:08 80	4.00	RA:02 BR:1 |RA |	73	22.8	73	22.8	73	22.8	100	7	210		28.75				FM-16	0.04	29.71
23	1231	7	BKN:07 11 OVC:08 17	1.50V	RA:02 BR:1 |RA |	74	23.3	74	23.3	74	23.3	100	5	VRB		28.73				FM-16	0.13	29.69
23	1250	7	SCT:04 11 BKN:07 29 OVC:08 80	3.00	-RA:02 BR:1 |RA |	72	22.0	72	22.2	72	22.0	100	17	280	24	28.74				FM-16	0.42	29.70
23	1251	7	SCT:04 12 BKN:07 30 OVC:08 80	1.50	-RA:02 BR:1 |RA |	72	22.0	72	22.2	72	22.0	100	17	280	24	28.74				FM-16	0.43	29.70
23	1253	7	SCT:04 12 BKN:07 30 OVC:08 80	1.50	-RA:02 BR:1 |RA |	71	21.7	71	21.7	71	21.7	100	16	270		28.74	5	+0.02	29.68	FM-15	0.46	29.70
23	1306	7	SCT:04 12 BKN:07 32 OVC:08 75	6.00	-RA:02 BR:1 |RA |	71	21.7	71	21.7	71	21.7	100	16	240		28.76				FM-16		29.72
23	1353	7	FEW:02 12 OVC:08 100	10.00	-RA:02 |RA |	71	21.7	70	21.3	70	21.1	96	14	230		28.76			29.70	FM-15	0.02	29.72
23	1453	7	OVC:08 100	4.00	RA:02 BR:1 |RA |	69	20.6	69	20.6	69	20.6	100	10	220		28.74			29.68	FM-15	0.12	29.70
23	1553	7	BKN:07 100 BKN:07 120	7.00	-RA:02 |RA |	70	21.1	69	20.7	69	20.6	97	8	220		28.73	8	+0.01	29.67	FM-15	0.08	29.69
23	1653	7	BKN:07 120	10.00		70	21.1	69	20.7	69	20.6	97	7	240		28.74			29.68	FM-15	0.01	29.70
23	1741	7	BKN:07 11 BKN:07 110	5.00	-RA:02 BR:1 |RA |	69	20.6	69	20.6	69	20.6	100	5	250		28.74				FM-16	0.02	29.70
23	1753	7	BKN:07 11 BKN:07 36 OVC:08 110	6.00	-RA:02 BR:1 |RA |	69	20.6	69	20.6	69	20.6	100	7	250		28.76			29.70	FM-15	0.04	29.72
23	1851	6	SCT:04 7 SCT:04 32 BKN:07 95	10.00	-RA:02 |RA |	70	21.0	70	21.1	70	21.0	100	7	220		28.75				FM-16		29.71
23	1853	7	BKN:07 7 BKN:07 32 BKN:07 120	10.00	-RA:02 |RA |	69	20.6	69	20.6	69	20.6	100	6	210		28.75	0	-0.02	29.69	FM-15	0.03	29.71
23	1953	7	BKN:07 7 BKN:07 38 BKN:07 95	10.00		68	20.0	68	20.0	68	20.0	100	6	270		28.74			29.68	FM-15	T	29.70
23	2053	7	BKN:07 7 BKN:07 15 OVC:08 100	10.00		68	20.0	68	20.0	68	20.0	100	5	200		28.77			29.71	FM-15	0.00	29.73
23	2153	7	OVC:08 7	10.00		69	20.6	69	20.6	69	20.6	100	5	240		28.80	3	-0.05	29.74	FM-15	0.02s	29.76
23	2206	7	BKN:07 7 OVC:08 13	2.50	-RA:02 BR:1 |RA |	68	20.0	68	20.0	68	20.0	100	13	310	20	28.81				FM-16	0.03	29.77
23	2214	7	BKN:07 7 BKN:07 19 OVC:08 27	6.00	-RA:02 BR:1 |RA |	68	20.0	68	20.0	68	20.0	100	9	300		28.82				FM-16	0.03	29.78
23	2225	7	FEW:02 5 BKN:07 17 OVC:08 27	10.00		68	20.0	68	20.0	68	20.0	100	7	310		28.82				FM-16	0.03	29.78
23	2242	7	FEW:02 21 BKN:07 30 OVC:08 38	9.00	-RA:02 |RA |	68	20.0	68	20.0	68	20.0	100	3	250		28.83				FM-16	0.03	29.79
23	2253	7	FEW:02 27 BKN:07 34 OVC:08 46	10.00		68	20.0	68	20.0	68	20.0	100	5	260		28.83			29.77	FM-15	0.01	29.79
23	2353	7	SCT:04 60 SCT:04 75	10.00		67	19.4	67	19.4	67	19.4	100	8	260		28.84			29.79	FM-15	0.00	29.81
24	0053	7	CLR:00	10.00		64	17.8	64	17.8	64	17.8	100	7	270		28.86	1	-0.05	29.80	FM-15	0.00	29.82
24	0153	7	CLR:00	10.00		63	17.2	63	17.2	63	17.2	100	7	260		28.86			29.81	FM-15	0.00	29.82
24	0253	7	CLR:00	10.00		62	16.7	62	16.7	62	16.7	100	7	270		28.87			29.82	FM-15	0.00	29.83
24	0353	7	CLR:00	10.00		61	16.1	61	16.1	61	16.1	100	7	250		28.87	3	-0.03	29.83	FM-15	0.00	29.84
24	0453	7	CLR:00	10.00		61	16.1	60	15.8	60	15.6	97	7	240		28.90			29.85	FM-15	0.00	29.86
24	0553	7	CLR:00	10.00		62	16.7	61	16.3	61	16.1	96	7	240		28.90			29.86	FM-15	0.00	29.87
24	0603	7	FEW:02 2	10.00		63	17.2	62	16.6	61	16.1	93	8	250		28.91				FM-16		29.88

24	0653	7	SCT:04 70	10.00		64	17.8	62	16.8	61	16.1	90	9	260		28.92	3	-0.05	29.88	FM-15	0.00	29.89
24	0753	7	CLR:00	10.00		67	19.4	64	17.7	62	16.7	84	14	280		28.94			29.90	FM-15	0.00	29.91
24	0853	7	CLR:00	10.00		70	21.1	64	18.0	61	16.1	73	11	310		28.96			29.92	FM-15	0.00	29.93
24	0953	7	FEW:02 50	10.00		72	22.2	65	18.4	61	16.1	68	8	260		28.97	1	-0.05	29.93	FM-15	0.00	29.94
24	1053	7	SCT:04 37	10.00		73	22.8	65	18.3	60	15.6	64	10	280		28.98			29.93	FM-15	0.00	29.95
24	1153	7	SCT:04 42	10.00		74	23.3	65	18.5	60	15.6	62	17	290		28.99			29.94	FM-15	0.00	29.96
24	1253	7	SCT:04 45 BKN:07 55	10.00		76	24.4	65	18.6	59	15.0	56	16	250	21	28.99	1	-0.02	29.94	FM-15	0.00	29.96
24	1353	7	FEW:02 60	10.00		74	23.3	65	18.2	59	15.0	60	15	270	23	29.00			29.96	FM-15	0.00	29.97
24	1453	7	CLR:00	10.00		78	25.6	66	19.0	59	15.0	52	11	260		29.00			29.95	FM-15	0.00	29.97
24	1553	7	CLR:00	10.00		77	25.0	65	18.5	58	14.4	52	14	260		29.00	1	-0.01	29.95	FM-15	0.00	29.97
24	1653	7	FEW:02 50	10.00		77	25.0	65	18.5	58	14.4	52	11	250		28.99			29.94	FM-15	0.00	29.96
24	1753	7	SCT:04 55	10.00		77	25.0	65	18.2	57	13.9	50	16	260	22	29.00			29.95	FM-15	0.00	29.97
24	1853	7	CLR:00	10.00		74	23.3	64	17.6	57	13.9	56	9	280		29.01	3	-0.01	29.96	FM-15	0.00	29.98
24	1953	7	CLR:00	10.00		71	21.7	62	16.4	55	12.8	57	14	280	21	29.03			29.98	FM-15	0.00	30.00
24	2053	7	CLR:00	10.00		67	19.4	61	15.9	56	13.3	68	7	280		29.05			30.01	FM-15	0.00	30.02
24	2153	7	CLR:00	10.00		66	18.9	60	15.6	56	13.3	70	8	280		29.08	3	-0.07	30.03	FM-15	0.00	30.05
24	2253	7	CLR:00	10.00		64	17.8	59	14.9	55	12.8	73	8	280		29.09			30.04	FM-15	0.00	30.06
24	2353	7	CLR:00	10.00		62	16.7	57	14.2	54	12.2	75	8	280		29.10			30.06	FM-15	0.00	30.07
25	0053	7	CLR:00	10.00		60	15.6	56	13.4	53	11.7	78	6	270		29.10	1	-0.02	30.06	FM-15	0.00	30.07
25	0153	7	CLR:00	10.00		60	15.6	56	13.4	53	11.7	78	6	240		29.10			30.05	FM-15	0.00	30.07
25	0253	7	CLR:00	10.00		58	14.4	55	12.6	52	11.1	81	6	240		29.09			30.05	FM-15	0.00	30.06
25	0353	7	CLR:00	10.00		56	13.3	53	11.6	50	10.0	81	6	260		29.09	6	+0.01	30.05	FM-15	0.00	30.06
25	0453	7	CLR:00	10.00		55	12.8	52	11.3	50	10.0	83	5	260		29.11			30.07	FM-15	0.00	30.08
25	0549	7	FEW:02 2	10.00		55	13.0	53	11.9	52	11.0	88	8	250		29.12				FM-16		30.09
25	0553	7	FEW:02 2	10.00		56	13.3	53	11.8	51	10.6	84	7	240		29.12			30.08	FM-15	0.00	30.09
25	0653	7	CLR:00	10.00		61	16.1	56	13.3	52	11.1	72	6	250		29.14	1	-0.03	30.09	FM-15	0.00	30.11
25	0753	7	CLR:00	10.00		66	18.9	57	13.9	50	10.0	56	10	240		29.15			30.10	FM-15	0.00	30.12
25	0853	7	CLR:00	10.00		70	21.1	58	14.6	49	9.4	47	10	250		29.14			30.10	FM-15	0.00	30.11
25	0953	7	CLR:00	10.00		72	22.2	59	14.8	48	8.9	43	21	250	29	29.14	0	-0.00	30.10	FM-15	0.00	30.11
25	1053	7	SCT:04 90	10.00		73	22.8	59	15.2	49	9.4	43	22	260	36	29.14			30.09	FM-15	T	30.11
25	1153	7	SCT:04 90	10.00		74	23.3	60	15.7	50	10.0	43	21	270	31	29.13			30.09	FM-15	0.00	30.10
25	1253	7	FEW:02 65 BKN:07 85	10.00		73	22.8	60	15.5	50	10.0	44	23	270	29	29.12	8	+0.02	30.08	FM-15	0.00	30.09
25	1353	7	SCT:04 70	10.00		75	23.9	60	15.4	48	8.9	39	25	270	33	29.12			30.07	FM-15	0.00	30.09
25	1453	7	SCT:04 70	10.00		73	22.8	58	14.5	46	7.8	38	22	270	34	29.12			30.08	FM-15	0.00	30.09
25	1553	7	FEW:02 70	10.00		73	22.8	59	15.0	48	8.9	41	16	300	26	29.12	6	+0.01	30.07	FM-15	T	30.09
25	1653	7	FEW:02 70	10.00		72	22.2	58	14.5	47	8.3	41	18	270	26	29.11			30.07	FM-15	T	30.08
25	1753	7	FEW:02 75	10.00		71	21.7	57	14.0	46	7.8	41	20	290		29.11			30.07	FM-15	0.00	30.08
25	1853	7	FEW:02 75	10.00		70	21.1	57	13.8	46	7.8	42	13	280		29.11	5	+0.00	30.07	FM-15	0.00	30.08
25	1953	7	FEW:02 80	10.00		66	18.9	56	13.4	48	8.9	52	9	280		29.13			30.09	FM-15	0.00	30.10
25	2053	7	FEW:02 85	10.00		62	16.7	55	12.7	49	9.4	62	5	280		29.14			30.10	FM-15	0.00	30.11
25	2153	7	CLR:00	10.00		60	15.6	55	12.5	50	10.0	70	0	000		29.15	1	-0.03	30.10	FM-15	0.00	30.12
25	2253	7	FEW:02 90	10.00		59	15.0	54	12.3	50	10.0	72	0	000		29.14			30.10	FM-15	0.00	30.11
25	2353	7	CLR:00	10.00		58	14.4	54	12.1	50	10.0	75	3	270		29.14			30.09	FM-15	0.00	30.11
26	0053	7	CLR:00	10.00		53	11.7	51	10.5	49	9.4	86	5	230		29.13	8	+0.02	30.09	FM-15	0.00	30.10
26	0153	7	CLR:00	10.00		57	13.9	53	11.8	50	10.0	78	5	230		29.12			30.08	FM-15	0.00	30.09
26	0253	7	FEW:02 70	10.00		54	12.2	51	10.8	49	9.4	83	5	240		29.11			30.07	FM-15	0.00	30.08
26	0353	7	CLR:00	10.00		55	12.8	52	11.0	49	9.4	80	6	270		29.11	5	+0.01	30.07	FM-15	0.00	30.08
26	0453	7	CLR:00	10.00		54	12.2	51	10.8	49	9.4	83	6	260		29.12			30.09	FM-15	0.00	30.09
26	0553	7	CLR:00	10.00		56	13.3	53	11.8	51	10.6	84	8	270		29.14			30.10	FM-15	0.00	30.11
26	0653	7	CLR:00	10.00		59	15.0	55	12.9	52	11.1	78	8	280		29.14	1	-0.03	30.10	FM-15	0.00	30.11
26	0753	7	CLR:00	10.00		62	16.7	57	13.9	53	11.7	73	11	290		29.15			30.11	FM-15	0.00	30.12
26	0853	7	FEW:02 50	10.00		65	18.3	59	15.1	55	12.8	70	9	270		29.15			30.11	FM-15	0.00	30.12
26	0953	7	SCT:04 32 BKN:07 42	10.00		66	18.9	59	14.8	53	11.7	63	14	290		29.15	2	-0.01	30.11	FM-15	0.00	30.12
26	1053	7	FEW:02 42 BKN:07 60	10.00		68	20.0	59	14.9	52	11.1	57	17	270	22	29.15			30.11	FM-15	0.00	30.12

26	1153	7	SCT:04 49 BKN:07 55 BKN:07 70	10.00		68	20.0	58	14.4	50	10.0	53	13	270	22	29.14			30.10	FM-15	0.00	30.11
26	1253	7	SCT:04 60	10.00		69	20.6	57	14.1	48	8.9	47	14	290	24	29.13	8	+0.02	30.09	FM-15	0.00	30.10
26	1353	7	FEW:02 60 SCT:04 80	10.00		68	20.0	57	13.9	48	8.9	49	18	280	23	29.13			30.09	FM-15	0.00	30.10
26	1453	7	BKN:07 95	10.00		69	20.6	57	14.1	48	8.9	47	14	270	21	29.11			30.07	FM-15	0.00	30.08
26	1553	7	FEW:02 65 SCT:04 80 BKN:07 100	10.00		69	20.6	57	14.1	48	8.9	47	11	260		29.10	8	+0.03	30.06	FM-15	0.00	30.07
26	1653	7	BKN:07 90 OVC:08 120	10.00		68	20.0	57	13.9	48	8.9	49	9	250		29.08			30.05	FM-15	0.00	30.05
26	1753	7	SCT:04 65 BKN:07 90 OVC:08 110	9.00	-RA:02 |RA |	65	18.3	56	13.4	49	9.4	56	17	220	26	29.09			30.05	FM-15	T	30.06
26	1853	7	BKN:07 60 OVC:08 85	3.00	-RA:02 |RA |	60	15.6	57	13.7	54	12.2	80	13	220		29.08	6	+0.01	30.05	FM-15	0.05	30.05
26	1915	7	SCT:04 60 BKN:07 80 OVC:08 95	10.00	-RA:02 |RA |	60	15.6	57	14.0	55	12.8	84	7	210		29.08				FM-16	T	30.05
26	1953	7	SCT:04 80 BKN:07 100	10.00		60	15.6	57	14.0	55	12.8	84	6	190		29.07			30.03	FM-15	T	30.04
26	2053	7	CLR:00	10.00		58	14.4	56	13.5	55	12.8	90	6	200		29.05			30.01	FM-15	0.00	30.02
26	2153	7	CLR:00	10.00		58	14.4	54	12.3	51	10.6	78	6	340		29.08	5	+0.01	30.04	FM-15	0.00	30.05
26	2253	7	FEW:02 55 BKN:07 110	10.00		57	13.9	53	11.8	50	10.0	78	3	300		29.09			30.05	FM-15	0.00	30.06
26	2353	7	FEW:02 65 BKN:07 100 OVC:08 120	10.00		58	14.4	54	12.3	51	10.6	78	5	210		29.07			30.03	FM-15	0.00	30.04
27	0053	7	BKN:07 75 OVC:08 85	10.00		54	12.2	53	11.6	52	11.1	93	3	240		29.09	3	-0.01	30.05	FM-15	0.00	30.06
27	0153	7	CLR:00	10.00		53	11.7	51	10.8	50	10.0	89	6	250		29.08			30.05	FM-15	0.00	30.05
27	0253	7	FEW:02 95	10.00		52	11.1	51	10.5	50	10.0	93	5	260		29.09			30.05	FM-15	0.00	30.06
27	0353	7	CLR:00	10.00		52	11.1	51	10.8	51	10.6	97	7	280		29.08	0	-0.00	30.05	FM-15	0.00	30.05
27	0453	7	CLR:00	10.00		50	10.0	50	10.0	50	10.0	100	6	270		29.10			30.07	FM-15	0.00	30.07
27	0553	7	CLR:00	10.00		51	10.6	50	10.3	50	10.0	96	5	250		29.12			30.09	FM-15	0.00	30.09
27	0653	7	CLR:00	10.00		56	13.3	54	12.1	52	11.1	87	8	270		29.14	1	-0.05	30.10	FM-15	0.00	30.11
27	0753	7	CLR:00	10.00		59	15.0	55	12.9	52	11.1	78	8	300		29.16			30.12	FM-15	0.00	30.13
27	0853	7	BKN:07 33	10.00		62	16.7	56	13.3	51	10.6	67	11	310		29.16			30.13	FM-15	0.00	30.13
27	0953	7	BKN:07 38	10.00		63	17.2	56	13.3	50	10.0	63	14	310	18	29.16	0	-0.02	30.12	FM-15	0.00	30.13
27	1053	7	BKN:07 40	10.00		63	17.2	56	13.5	51	10.6	65	9	280		29.16			30.12	FM-15	0.00	30.13
27	1153	7	BKN:07 48	10.00		67	19.4	58	14.7	52	11.1	59	8	300		29.15			30.11	FM-15	0.00	30.12
27	1253	7	BKN:07 48	10.00		69	20.6	58	14.6	50	10.0	51	3	VRB		29.15	8	+0.01	30.11	FM-15	0.00	30.12
27	1353	7	BKN:07 55	10.00		67	19.4	58	14.2	50	10.0	55	6	330		29.14			30.11	FM-15	0.00	30.11
27	1453	7	BKN:07 60	10.00		69	20.6	57	14.1	48	8.9	47	7	310		29.13			30.09	FM-15	0.00	30.10
27	1553	7	SCT:04 65	10.00		70	21.1	57	14.1	47	8.3	44	10	280		29.13	6	+0.02	30.09	FM-15	0.00	30.10
27	1653	7	BKN:07 65	10.00		69	20.6	56	13.6	46	7.8	44	7	290		29.12			30.09	FM-15	0.00	30.09
27	1753	7	SCT:04 70	10.00		68	20.0	56	13.1	45	7.2	44	10	310		29.12			30.08	FM-15	0.00	30.09
27	1853	7	CLR:00	10.00		69	20.6	56	13.1	44	6.7	41	5	300		29.12	5	+0.00	30.08	FM-15	0.00	30.09
27	1953	7	CLR:00	10.00		65	18.3	54	12.4	45	7.2	49	5	260		29.12			30.09	FM-15	0.00	30.09
27	2053	7	CLR:00	10.00		62	16.7	53	11.7	45	7.2	54	0	000		29.13			30.09	FM-15	0.00	30.10
27	2153	7	CLR:00	10.00		60	15.6	52	11.2	45	7.2	58	0	000		29.14	3	-0.02	30.11	FM-15	0.00	30.11
27	2253	7	CLR:00	10.00		58	14.4	52	11.2	47	8.3	67	0	000		29.15			30.12	FM-15	0.00	30.12
27	2353	7	CLR:00	10.00		56	13.3	51	10.7	47	8.3	72	0	000		29.16			30.12	FM-15	0.00	30.13
28	0053	7	CLR:00	10.00		55	12.8	52	11.3	50	10.0	83	0	000		29.16	1	-0.01	30.12	FM-15	0.00	30.13
28	0153	7	CLR:00	10.00		54	12.2	51	10.8	49	9.4	83	0	000		29.16			30.13	FM-15	0.00	30.13
28	0253	7	CLR:00	10.00		53	11.7	51	10.5	49	9.4	86	0	000		29.17			30.14	FM-15	0.00	30.14
28	0353	7	CLR:00	10.00		52	11.1	50	10.0	48	8.9	86	0	000		29.17	0	-0.01	30.13	FM-15	0.00	30.14
28	0453	7	CLR:00	10.00		51	10.6	50	10.0	49	9.4	92	0	000		29.17			30.14	FM-15	0.00	30.14
28	0553	7	CLR:00	10.00		51	10.6	50	10.3	50	10.0	96	3	090		29.17			30.14	FM-15	0.00	30.14

28	0653	7	CLR:00	10.00		59	15.0	57	13.7	55	12.8	87	0	000		29.21	3	-0.04	30.16	FM-15	0.00	30.18
28	0753	7	CLR:00	10.00		65	18.3	59	14.8	54	12.2	68	6	160		29.21			30.16	FM-15	0.00	30.18
28	0853	7	CLR:00	10.00		69	20.6	60	15.7	54	12.2	59	9	170		29.20			30.15	FM-15	0.00	30.17
28	0953	7	CLR:00	10.00		71	21.7	60	15.6	52	11.1	51	10	200		29.20	5	+0.00	30.16	FM-15	0.00	30.17
28	1053	7	CLR:00	10.00		73	22.8	61	16.0	52	11.1	48	10	190	17	29.20			30.16	FM-15	0.00	30.17
28	1153	7	CLR:00	10.00		74	23.3	62	16.5	53	11.7	48	10	190		29.18			30.14	FM-15	0.00	30.15
28	1253	7	CLR:00	10.00		75	23.9	62	16.4	52	11.1	45	11	220		29.18	7	+0.03	30.14	FM-15	0.00	30.15
28	1353	7	CLR:00	10.00		76	24.4	62	16.6	52	11.1	43	13	180		29.16			30.12	FM-15	0.00	30.13
28	1453	7	CLR:00	10.00		78	25.6	64	17.6	54	12.2	43	11	180	21	29.13			30.09	FM-15	0.00	30.10
28	1553	7	CLR:00	10.00		78	25.6	63	17.3	53	11.7	42	15	170		29.11	8	+0.06	30.07	FM-15	0.00	30.08
28	1653	7	CLR:00	10.00		77	25.0	62	16.8	52	11.1	42	10	200		29.09			30.05	FM-15	0.00	30.06
28	1753	7	CLR:00	10.00		76	24.4	62	16.9	53	11.7	45	14	160	22	29.07			30.03	FM-15	0.00	30.04
28	1853	7	CLR:00	10.00		76	24.4	63	17.2	54	12.2	47	15	180		29.07	5	+0.04	30.03	FM-15	0.00	30.04
28	1953	7	CLR:00	10.00		73	22.8	63	17.1	56	13.3	55	9	180		29.06			30.02	FM-15	0.00	30.03
28	2053	7	CLR:00	10.00		72	22.2	61	16.3	54	12.2	53	9	180		29.05			30.00	FM-15	0.00	30.02
28	2153	7	CLR:00	10.00		70	21.1	62	16.5	56	13.3	61	7	170		29.07	5	+0.01	30.02	FM-15	0.00	30.04
28	2253	7	CLR:00	10.00		68	20.0	61	16.1	56	13.3	65	7	170		29.07			30.03	FM-15	0.00	30.04
28	2353	7	CLR:00	10.00		66	18.9	60	15.6	56	13.3	70	8	160		29.06			30.02	FM-15	0.00	30.03
29	0053	7	CLR:00	10.00		66	18.9	60	15.6	56	13.3	70	10	170		29.05	8	+0.01	30.01	FM-15	0.00	30.02
29	0153	7	CLR:00	10.00		65	18.3	60	15.4	56	13.3	73	7	190		29.05			30.00	FM-15	0.00	30.02
29	0253	7	CLR:00	10.00		64	17.8	59	15.2	56	13.3	75	7	170		29.05			30.00	FM-15	0.00	30.02
29	0353	7	CLR:00	10.00		64	17.8	59	15.2	56	13.3	75	7	180		29.04	8	+0.01	29.99	FM-15	0.00	30.01
29	0453	7	CLR:00	10.00		66	18.9	60	15.6	56	13.3	70	11	200	20	29.04			30.00	FM-15	0.00	30.01
29	0553	7	CLR:00	10.00		66	18.9	61	15.9	57	13.9	73	13	200		29.05			30.00	FM-15	0.00	30.02
29	0653	7	FEW:02 55	10.00		67	19.4	62	16.5	58	14.4	73	10	180		29.04	8	+0.00	29.99	FM-15	0.00	30.01
29	0753	7	CLR:00	10.00		71	21.7	64	17.9	60	15.6	68	11	200		29.03			29.98	FM-15	0.00	30.00
29	0853	7	CLR:00	10.00		76	24.4	68	19.8	63	17.2	64	18	220	23	29.02			29.97	FM-15	0.00	29.99
29	0953	7	FEW:02 50	10.00		79	26.1	70	21.0	65	18.3	62	16	200	23	29.01	8	+0.02	29.96	FM-15	0.00	29.98
29	1053	7	SCT:04 41	10.00		82	27.8	71	21.9	66	18.9	58	21	220	32	29.02			29.96	FM-15	0.00	29.99
29	1153	7	BKN:07 44	10.00		83	28.3	72	22.4	67	19.4	59	20	220	29	29.02			29.97	FM-15	0.00	29.99
29	1253	7	BKN:07 43	10.00		84	28.9	73	22.5	67	19.4	57	21	230	36	29.01	0	-0.00	29.96	FM-15	0.00	29.98
29	1353	7	SCT:04 48	10.00		85	29.4	73	22.7	67	19.4	55	21	210	31	28.99			29.94	FM-15	T	29.96
29	1453	7	FEW:02 50	10.00		86	30.0	73	22.9	67	19.4	53	20	210	29	28.98			29.93	FM-15	T	29.95
29	1553	7	SCT:04 50	10.00		86	30.0	73	22.5	66	18.9	51	21	210	31	28.97	6	+0.04	29.92	FM-15	0.00	29.94
29	1653	7	SCT:04 55	10.00		87	30.6	73	22.7	66	18.9	50	17	230	26	28.96			29.91	FM-15	T	29.93
29	1753	7	SCT:04 50	10.00		85	29.4	72	22.4	66	18.9	53	17	210		28.96			29.91	FM-15	0.00	29.93
29	1853	7	CLR:00	10.00		83	28.3	71	21.7	65	18.3	55	11	230	23	28.97	3	-0.00	29.92	FM-15	0.00	29.94
29	1953	7	FEW:02 55 OVC:08 110	10.00		82	27.8	72	22.2	67	19.4	60	7	230		28.98			29.93	FM-15	0.00	29.95
29	2053	7	FEW:02 49 BKN:07 60 BKN:07 80	10.00		74	23.3	67	19.5	63	17.2	69	5	050		28.99			29.93	FM-15	0.00	29.96
29	2153	7	BKN:07 45 BKN:07 60	10.00		73	22.8	67	19.3	63	17.2	71	0	000		28.99	1	-0.01	29.93	FM-15	0.00	29.96
29	2253	6	FEW:02 48	10.00		74	23.3	67	19.5	63	17.2	69	0	000		28.98			29.93	FM-15	0.00	29.95
29	2353	6	FEW:02 44 FEW:02 55	10.00		76	24.4	72	22.2	70	21.1	82	10	200		28.99			29.93	FM-15	0.00	29.96
30	0053	6	CLR:00	10.00		76	24.4	71	21.8	69	20.6	79	10	200		28.98	8	+0.01	29.92	FM-15	0.00	29.95
30	0153	7	OVC:08 100	10.00		76	24.4	71	21.8	69	20.6	79	13	210		28.98			29.92	FM-15	0.00	29.95
30	0253	7	BKN:07 85	10.00		75	23.9	71	21.7	69	20.6	82	11	210	24	28.96			29.91	FM-15	0.00	29.93
30	0353	6	BKN:07 70	10.00		74	23.3	70	21.1	68	20.0	82	10	200	20	28.96	8	+0.02	29.90	FM-15	0.00	29.93
30	0446	7	BKN:07 23	10.00		74	23.3	70	21.1	68	20.0	82	11	220		28.98				FM-16		29.95
30	0453	7	BKN:07 23	10.00		74	23.3	70	21.1	68	20.0	82	13	220		28.98			29.93	FM-15	0.00	29.95
30	0531	7	OVC:08 19	10.00	TS:7 |TS TS |	72	22.2	67	19.4	64	17.8	76	11	360		29.00				FM-16		29.97
30	0551	6	OVC:08 21	10.00	VCTS:7 ||	70	21.0	66	19.0	64	18.0	83	5	360		29.00				FM-16		29.97
30	0612	6	OVC:08 22	10.00	-RA:02 |RA |	70	21.1	67	19.3	65	18.3	84	5	150		29.00				FM-16		29.97
30	0653	7	OVC:08 22	10.00		72	22.2	68	20.1	66	18.9	82	7	190		29.00			29.95	FM-15	T	29.97
30	0730	7	FEW:02 17	10.00		74	23.3	71	21.5	69	20.6	85	14	210		29.00				FM-16		29.97

30	0753	7	FEW:02 18	10.00		76	24.4	72	22.2	70	21.1	82	16	220		29.00			29.95	FM-15	0.00	29.97
30	0819	7	BKN:07 17 BKN:07 25	10.00		76	24.4	72	22.2	70	21.1	82	15	230		29.00				FM-16		29.97
30	0853	7	BKN:07 18 OVC:08 23	10.00		76	24.4	72	22.2	70	21.1	82	17	210		29.00			29.95	FM-15	0.00	29.97
30	0953	7	BKN:07 17	10.00		79	26.1	74	23.4	72	22.2	79	13	240	23	28.99	8	+0.01	29.94	FM-15	0.00	29.96
30	1053	7	BKN:07 23 BKN:07 28	10.00		80	26.7	74	23.6	72	22.2	76	15	210		28.99			29.94	FM-15	0.00	29.96
30	1153	7	FEW:02 20 OVC:08 28	10.00		79	26.1	74	23.4	72	22.2	79	11	200		28.99			29.94	FM-15	0.00	29.96
30	1251	7	FEW:02 23 BKN:07 30 OVC:08 34	10.00		81	27.0	75	23.8	72	22.0	74	9	220		28.99				FM-16		29.96
30	1253	7	FEW:02 23 BKN:07 30 OVC:08 36	10.00		80	26.7	74	23.2	71	21.7	74	11	220		28.99	8	+0.00	29.93	FM-15	0.00	29.96
30	1353	7	BKN:07 30 OVC:08 35	10.00		83	28.3	75	24.1	72	22.2	70	9	220		28.97			29.91	FM-15	0.00	29.94
30	1453	7	SCT:04 30 SCT:04 38	10.00		84	28.9	76	24.2	72	22.2	67	11	240		28.94			29.88	FM-15	0.00	29.91
30	1553	7	FEW:02 55 SCT:04 95	10.00		83	28.3	75	24.1	72	22.2	70	11	190		28.92	8	+0.07	29.86	FM-15	0.00	29.89
30	1653	7	FEW:02 41 FEW:02 55 SCT:04 110	10.00		82	27.8	75	23.9	72	22.2	72	8	160		28.92			29.86	FM-15	0.00	29.89
30	1730	7	FEW:02 27 BKN:07 36 BKN:07 45	3.00	TS:7 -RA:02 BR:1 |RA TS |	75	23.9	73	22.8	72	22.2	90	18	170	33	28.93				FM-16	T	29.90
30	1736	7	FEW:02 26 BKN:07 36 OVC:08 45	6.00	TS:7 -RA:02 BR:1 |RA TS |	74	23.3	71	21.8	70	21.1	88	7	170		28.92				FM-16	0.01	29.89
30	1745	7	FEW:02 28 BKN:07 34 OVC:08 100	6.00	BR:1 ||	75	23.9	72	22.4	71	21.7	88	7	190		28.92				FM-16	0.01	29.89
30	1753	7	SCT:04 31 SCT:04 45 BKN:07 55	9.00		75	23.9	73	22.8	72	22.2	90	7	200		28.92			29.86	FM-15	0.01	29.89
30	1853	7	FEW:02 100	10.00		78	25.6	75	24.0	74	23.3	87	3	190		28.91	8	+0.01	29.86	FM-15	0.00	29.88
30	1953	7	FEW:02 33 BKN:07 75 BKN:07 100	10.00		76	24.4	75	23.7	74	23.3	94	0	000		28.92			29.86	FM-15	0.00	29.89
30	2053	7	SCT:04 28 BKN:07 35 OVC:08 48	10.00		71	21.7	68	20.2	67	19.4	87	11	050		28.93			29.88	FM-15	0.00	29.90
30	2132	7	BKN:07 25 BKN:07 34 OVC:08 41	10.00		71	21.7	69	20.6	68	20.0	90	5	050		28.94				FM-16		29.91
30	2153	7	FEW:02 19 BKN:07 25 OVC:08 50	10.00		71	21.7	68	20.2	67	19.4	87	10	030		28.93	1	-0.02	29.88	FM-15	0.01	29.90
30	2209	7	SCT:04 24 BKN:07 29 OVC:08 47	3.00	TS:7 +RA:02 BR:1 |RA TS |	69	20.6	68	20.2	68	20.0	96	9	030		28.93				FM-16	0.05	29.90
30	2218	7	FEW:02 26 BKN:07 34 OVC:08 50	3.00	TS:7 +RA:02 BR:1 |RA TS |	69	20.6	68	20.2	68	20.0	96	5	050		28.93				FM-16	0.11	29.90
30	2227	7	BKN:07 27 OVC:08 37	3.00	RA:02 BR:1 |RA |	69	20.6	69	20.6	69	20.6	100	3	100		28.94				FM-16	0.14	29.91
30	2238	7	FEW:02 25 BKN:07 32 OVC:08 41	10.00	-RA:02 |RA |	69	20.6	68	20.2	68	20.0	96	7	060		28.93				FM-16	0.14	29.90
30	2253	7	BKN:07 30 BKN:07 36 OVC:08 45	6.00	RA:02 BR:1 |RA |	69	20.6	69	20.6	69	20.6	100	6	060		28.92			29.87	FM-15	0.15	29.89

30	2310	7	BKN:07 27 BKN:07 37 OVC:08 46	6.00	RA:02 BR:1 |RA |	69	20.6	69	20.6	69	20.6	100	5	050		28.92				FM-16	0.02	29.89
30	2331	7	SCT:04 25 BKN:07 30 OVC:08 80	5.00	VCTS:7 RA:02 BR:1 |RA |	68	20.0	68	20.0	68	20.0	100	6	050		28.92				FM-16	0.11	29.89
30	2338	7	BKN:07 28 OVC:08 37	4.00	VCTS:7 RA:02 BR:1 |RA |	68	20.0	68	20.0	68	20.0	100	7	080		28.92				FM-16	0.17	29.89
30	2344	7	BKN:07 26 OVC:08 37	1.75	VCTS:7 +RA:02 BR:1 |RA |	68	20.0	68	20.0	68	20.0	100	6	120		28.94				FM-16	0.25	29.91
30	2351	6	BKN:07 24 OVC:08 33	1.50	+RA:02 BR:1 |RA |	68	20.0	68	20.0	68	20.0	100	11	080		28.93				FM-16		29.90
30	2353	7	BKN:07 27 OVC:08 37	1.50	+RA:02 BR:1 |RA |	68	20.0	68	20.0	68	20.0	100	10	080		28.93			29.87	FM-15	0.45	29.90

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
June 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01																									01
02																									02
03																									03
04																0.14s	0.02	T	0.06	0.01			0.05	0.01	04
05	T			T	T	0.10	0.03	T	0.05	T															05
06																									06
07																									07
08																									08
09																									09
10																									10
11																									11
12																									12
13															T										13
14										T													T		14
15												T													15
16																									16
17																T	T								17
18							T	0.02					T	T							T	0.01	T	0.01	18
19	0.01	0.02	0.02												0.16	0.02		0.06		0.24	0.01	T			19
20	0.01	T																							20
21																									21
22																									22
23	T	0.07	0.17	T	T			T	0.04	0.10	0.10	0.07	0.46	0.02	0.12	0.08	0.01	0.04	0.03	T		0.02s	0.01		23
24																									24
25											T					T	T								25
26																		T	0.05	T					26
27																									27
28																									28
29														T	T		T								29
30						M	T											0.01				0.01	0.15	0.45	30

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.19	0.25	0.31	0.33	0.39	0.42	0.46	0.48	0.51	0.60	0.61	0.63
Ending Date Time (yyyy-mm-dd hh:mi)	2017-06-19 19:10	2017-06-23 12:41	2017-06-23 12:44	2017-06-23 12:46	2017-06-23 12:53	2017-06-23 12:57	2017-06-23 12:57	2017-06-23 13:20	2017-06-30 23:54	2017-06-30 23:58	2017-06-30 23:58	2017-06-23 12:57

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
July 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	82s	67	74s	0.5s				0s	9s	0507	2005	RA BR	0.02			28.96		8.4	24	270	17	230
02	85	64	74	0.4				0	9	0507	2005		0.00			29.08		7.7	24	240	18	240
03	87	59	73	-0.7				0	8	0508	2005		0.00			29.10		4.4	20	330	16	350
04	85	65	75	1.2				0	10	0508	2005	BR	0.00			29.10		6.1	17	050	13	050
05	86	62	74	0.1				0	9	0509	2005		0.00			29.13		3.8	12	050	9	020
06	78	66	72	-2.0				0	7	0509	2004	RA BR	0.23			29.05		2.4	12	320	9	320
07	84	63	73	-1.0				0	8	0510	2004	TS RA BR	0.51			28.95		7.0	39	020	31	020
08	79	60	70	-4.1				0	5	0511	2004	BR	0.00			28.97		7.9	22	290	17	300
09	80	54*	67	-7.1				0	2	0511	2003		0.00			29.10		4.9	17	280	14	240
10	81	64	73	-1.2				0	8	0512	2003	TS RA FG BR HZ	1.65			29.01		7.9	41	280	29	280
11	84	69	77	2.8				0	12	0513	2002	TS RA BR	0.06			28.99		10.9	39	270	25	260
12	88	72	80	5.8				0	15	0513	2002		0.00			29.07		9.8	28	230	21	230
13	82	72	77	2.7				0	12	0514	2002	TS RA FG BR	1.58			29.07		8.6	30	190	22	210
14	85	69	77	2.7				0	12	0515	2001	RA	T			29.07		9.0	23	280	18	270
15	81	63	72	-2.3				0	7	0516	2000		0.00			29.10		6.1	14	320	12	330
16	84	59	72	-2.3				0	7	0516	2000		T			29.04		5.7	19	240	14	340
17	84	65	74	-0.3				0	9	0517	1959	BR	0.00			29.05		4.8	12	350	9	350
18	89	65	77	2.7				0	12	0518	1959		0.00			29.10		4.5	19	230	15	230
19	90*	70	80	5.8				0	15	0519	1958	BR	0.00			29.12		4.6	17	280	15	300
20	87	69	78	3.8				0	13	0520	1957		0.00			29.08		8.2	24	270	18	270
21	84	71	78	3.8				0	13	0520	1956	TS RA BR	0.37			29.01		5.7	60	270	43	270
22	87	70	79	4.8				0	14	0521	1956	TS RA BR	0.45			28.91		7.7	39	280	31	280
23	79	66	73	-1.1				0	8	0522	1955	TS RA FG BR	0.99			28.85		5.3	20s	030s	16	010
24	79	60	70	-4.1				0	5	0523	1954	BR	0.00			28.95		8.4	24	010	17	340
25	78	57	68	-6.1				0	3	0524	1953	BR	0.00			29.21		4.8	15	040	12	040
26	82	57	70	-4.0				0	5	0525	1952	BR	0.00			29.16		3.0	14	180	10	190
27	79	65	72	-2.0				0	7	0526	1951	RA BR	0.33			28.98		4.4	17	270	14	270
28	83	64	73	-0.9				0	8	0527	1950	BR	0.00			28.89		11.0	31	360	23	010
29	79	56	67	-6.9				0	2	0527	1950		0.00			29.00		12.0	28s	040s	22	030
30	85	59	72	-1.9				0	7	0528	1949		0.00			29.16		6.6	17	010	14	010
31	86	61	73	-0.8				0	8	0529	1947		0.00			29.20		2.3	16	340	12	350
	83.3	64.0	73.7							Monthly Averages | Totals			6.19s			29.05	30.00	6.5				
	-1.0	0.2	-0.4	Departure from Normal (1981-2010)									1.82s									

Degree Days	Monthly		Season-to-date		Number of days with...								
					Temperature				Precipitation		Snow	Weather	
	Total	Departure	Total	Departure	Max		Min						
Heating	0	-1	0		>=90°	<=32°	<=32°	<=0°	>=0.01"	>=0.1"	>=1"	T-Storms	Heavy Fog
Cooling	268	-13	540		1	0	0	0	10	8			

Date of 5-sec to 3-sec wind equipment change	Sea Level Pressure				Greatest...		
			Date	Time	24-Hr...		Snow Depth
N/A	Maximum	30.22	25	1227	Precip	Snowfall	
	Minimum	29.73	23	1416	1.71s		
					Date		
					10-11		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
July 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0001	7	SCT:04 25 BKN:07 34 OVC:08 65	3.00	+RA:02 BR:1 |RA |	68	20.0	68	20.0	68	20.0	100	7	110		28.92				FM-16	0.04	29.89
01	0053	7	SCT:04 110	10.00		68	20.0	68	20.0	68	20.0	100	9	080		28.90	8	+0.04	29.83	FM-15	0.02	29.86
01	0153	7	FEW:02 36	10.00		68	20.0	68	20.0	68	20.0	100	3	140		28.89			29.83	FM-15	0.00	29.85
01	0253	7	BKN:07 37 OVC:08 90	10.00		69	20.6	69	20.6	69	20.6	100	3	170		28.90			29.83	FM-15	0.00	29.86
01	0339	7	FEW:02 3 SCT:04 30 OVC:08 80	7.00		69	20.6	69	20.6	69	20.6	100	5	210		28.89				FM-16		29.85
01	0353	7	FEW:02 19 BKN:07 30 BKN:07 85	6.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	5	210		28.90	3	-0.00	29.83	FM-15	0.00	29.86
01	0410	7	BKN:07 17 BKN:07 29 BKN:07 85	6.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	6	220		28.90				FM-16		29.86
01	0436	7	BKN:07 12 OVC:08 17	10.00		69	20.6	69	20.6	69	20.6	100	10	250		28.90				FM-16		29.87
01	0453	7	BKN:07 13 OVC:08 19	10.00		69	20.6	69	20.6	69	20.6	100	7	240		28.90			29.85	FM-15	0.00	29.87
01	0503	7	SCT:04 13 OVC:08 19	10.00		69	20.6	69	20.6	69	20.6	100	7	230		28.90				FM-16		29.87
01	0553	7	OVC:08 16	10.00		69	20.6	69	20.6	69	20.6	100	8	230		28.92			29.87	FM-15	0.00	29.89
01	0611	7	OVC:08 13	10.00		69	20.6	69	20.6	69	20.6	100	9	230		28.92				FM-16		29.89
01	0631	7	OVC:08 9	10.00		69	20.6	69	20.6	69	20.6	100	10	240		28.94				FM-16		29.91
01	0653	7	OVC:08 9	8.00		69	20.6	69	20.6	69	20.6	100	10	250		28.95	3	-0.06	29.90	FM-15	0.00	29.92
01	0721	7	SCT:04 8 SCT:04 13 BKN:07 20	10.00		71	21.7	70	21.3	70	21.1	96	11	250		28.95				FM-16		29.92
01	0746	7	BKN:07 13 OVC:08 19	10.00		71	21.7	70	20.9	69	20.6	94	10	250		28.96				FM-16		29.93
01	0753	7	OVC:08 13	10.00		71	21.7	70	20.9	69	20.6	94	11	260	18	28.97			29.91	FM-15	0.00	29.94
01	0822	7	SCT:04 13 OVC:08 22	10.00		72	22.2	71	21.5	70	21.1	94	8	250		28.98				FM-16		29.95
01	0853	7	BKN:07 16 BKN:07 20 OVC:08 24	10.00		73	22.8	70	21.3	69	20.6	87	13	260		28.99			29.94	FM-15	0.00	29.96
01	0953	7	BKN:07 19 BKN:07 27	10.00		76	24.4	72	22.2	70	21.1	82	9	250		29.00	3	-0.05	29.95	FM-15	0.00	29.97
01	1023	7	FEW:02 21 SCT:04 26 BKN:07 35	10.00		78	25.6	73	22.6	70	21.1	76	11	270		29.00				FM-16		29.97
01	1053	7	FEW:02 24 SCT:04 33 BKN:07 50	10.00		79	26.1	73	22.7	70	21.1	74	14	270		29.01			29.96	FM-15	0.00	29.98
01	1153	7	SCT:04 30 BKN:07 39 BKN:07 47	10.00		78	25.6	72	22.2	69	20.6	74	15	260	21	29.01			29.96	FM-15	0.00	29.98
01	1253	7	SCT:04 32 BKN:07 46	10.00		78	25.6	72	22.2	69	20.6	74	10	240		29.01	0	-0.00	29.96	FM-15	0.00	29.98
01	1353	7	BKN:07 33 BKN:07 49 OVC:08 60	10.00		80	26.7	71	21.9	67	19.4	64	11	230	17	29.00			29.95	FM-15	0.00	29.97

01	1453	7	SCT:04 39 BKN:07 48 BKN:07 55	10.00		80	26.7	71	21.9	67	19.4	64	10	250		29.00			29.95	FM-15	0.00	29.97
01	1553	7	SCT:04 44 BKN:07 60 BKN:07 75	10.00	-RA:02 |RA |	78	25.6	71	21.5	67	19.4	69	13	280	20	28.99	8	+0.02	29.93	FM-15	T	29.96
01	1653	7	CLR:00	10.00		80	26.7	70	21.2	65	18.3	60	9	260		28.97			29.92	FM-15	T	29.94
01	1753	7	FEW:02 44	10.00		80	26.7	70	21.2	65	18.3	60	10	270		28.99			29.93	FM-15	0.00	29.96
01	1853	7	FEW:02 47 OVC:08 65	10.00		78	25.6	70	20.8	65	18.3	64	9	290		29.00	3	-0.01	29.95	FM-15	0.00	29.97
01	1953	7	CLR:00	10.00		74	23.3	68	20.1	65	18.3	74	8	290		29.02			29.97	FM-15	0.00	29.99
01	2053	7	CLR:00	10.00		72	22.2	67	19.4	64	17.8	76	3	250		29.04			29.99	FM-15	0.00	30.01
01	2153	7	CLR:00	10.00		71	21.7	67	19.5	65	18.3	81	5	210		29.05	3	-0.05	30.00	FM-15	0.00	30.02
01	2253	7	FEW:02 85	10.00		71	21.7	68	19.9	66	18.9	84	5	240		29.07			30.01	FM-15	0.00	30.04
01	2353	7	CLR:00	10.00		68	20.0	66	18.9	65	18.3	90	0	000		29.06			30.01	FM-15	0.00	30.03
02	0053	7	CLR:00	10.00		66	18.9	65	18.5	65	18.3	96	3	250		29.06	1	-0.01	30.01	FM-15	0.00	30.03
02	0153	7	CLR:00	10.00		65	18.3	64	18.0	64	17.8	97	3	260		29.06			30.01	FM-15	0.00	30.03
02	0253	7	FEW:02 60 BKN:07 80	10.00		66	18.9	65	18.5	65	18.3	96	3	280		29.05			30.01	FM-15	0.00	30.02
02	0353	7	OVC:08 60	10.00		67	19.4	66	19.1	66	18.9	97	5	280		29.07	3	-0.00	30.01	FM-15	0.00	30.04
02	0453	7	OVC:08 70	10.00		68	20.0	67	19.3	66	18.9	93	5	260		29.08			30.03	FM-15	0.00	30.05
02	0553	7	SCT:04 65 BKN:07 75	10.00		68	20.0	67	19.3	66	18.9	93	5	250		29.09			30.04	FM-15	0.00	30.06
02	0653	7	CLR:00	10.00		71	21.7	68	19.9	66	18.9	84	6	240		29.10	1	-0.04	30.05	FM-15	0.00	30.07
02	0753	7	CLR:00	10.00		75	23.9	69	20.6	66	18.9	74	6	240		29.11			30.06	FM-15	0.00	30.08
02	0853	7	CLR:00	10.00		78	25.6	68	20.2	63	17.2	60	8	260		29.12			30.07	FM-15	0.00	30.09
02	0953	7	CLR:00	10.00		80	26.7	68	20.0	61	16.1	52	15	230		29.12	1	-0.02	30.07	FM-15	0.00	30.09
02	1053	7	SCT:04 60	10.00		82	27.8	69	20.3	61	16.1	49	16	230	24	29.12			30.07	FM-15	0.00	30.09
02	1153	7	BKN:07 60	10.00		83	28.3	69	20.8	62	16.7	49	14	240		29.12			30.07	FM-15	0.00	30.09
02	1253	7	SCT:04 55	10.00		83	28.3	69	20.8	62	16.7	49	13	260	24	29.11	8	+0.01	30.06	FM-15	0.00	30.08
02	1353	7	SCT:04 60	10.00		84	28.9	69	20.7	61	16.1	46	13	270		29.11			30.06	FM-15	0.00	30.08
02	1453	7	FEW:02 65	10.00		84	28.9	69	20.7	61	16.1	46	13	270		29.09			30.04	FM-15	0.00	30.06
02	1553	7	CLR:00	10.00		83	28.3	68	20.2	60	15.6	46	18	280	23	29.08	8	+0.03	30.03	FM-15	0.00	30.05
02	1653	7	CLR:00	10.00		83	28.3	68	20.2	60	15.6	46	10	260		29.08			30.03	FM-15	0.00	30.05
02	1753	7	CLR:00	10.00		82	27.8	67	19.7	59	15.0	46	10	300		29.09			30.04	FM-15	0.00	30.06
02	1853	7	CLR:00	10.00		80	26.7	67	19.6	60	15.6	51	10	280		29.09	2	-0.01	30.03	FM-15	0.00	30.06
02	1953	7	CLR:00	10.00		77	25.0	66	19.1	60	15.6	56	5	270		29.09			30.03	FM-15	0.00	30.06
02	2053	7	CLR:00	10.00		74	23.3	65	18.5	60	15.6	62	0	000		29.09			30.04	FM-15	0.00	30.06
02	2153	7	CLR:00	10.00		72	22.2	65	18.4	61	16.1	68	0	000		29.10	3	-0.01	30.05	FM-15	0.00	30.07
02	2253	7	CLR:00	10.00		70	21.1	65	18.4	62	16.7	76	0	000		29.11			30.05	FM-15	0.00	30.08
02	2353	7	CLR:00	10.00		69	20.6	65	18.1	62	16.7	78	3	250		29.10			30.05	FM-15	0.00	30.07
03	0053	7	CLR:00	10.00		65	18.3	63	17.0	61	16.1	87	0	000		29.10	1	-0.00	30.05	FM-15	0.00	30.07
03	0153	7	CLR:00	10.00		67	19.4	63	17.4	61	16.1	81	5	230		29.09			30.04	FM-15	0.00	30.06
03	0253	7	CLR:00	10.00		66	18.9	62	16.9	60	15.6	81	3	220		29.08			30.02	FM-15	0.00	30.05
03	0353	7	CLR:00	10.00		65	18.3	62	16.7	60	15.6	84	0	000		29.08	5	+0.03	30.03	FM-15	0.00	30.05
03	0453	7	CLR:00	10.00		63	17.2	61	16.2	60	15.6	90	0	000		29.10			30.05	FM-15	0.00	30.07
03	0553	7	BKN:07 100	10.00		63	17.2	61	16.2	60	15.6	90	0	000		29.11			30.06	FM-15	0.00	30.08
03	0653	7	CLR:00	10.00		69	20.6	65	18.2	62	16.7	78	0	000		29.13	3	-0.05	30.08	FM-15	0.00	30.10
03	0753	7	CLR:00	10.00		74	23.3	67	19.5	63	17.2	69	0	000		29.13			30.08	FM-15	0.00	30.10
03	0853	7	CLR:00	10.00		79	26.1	68	20.1	62	16.7	56	3	250		29.13			30.08	FM-15	0.00	30.10
03	0953	7	CLR:00	10.00		82	27.8	71	21.6	65	18.3	56	7	250		29.13	0	-0.00	30.08	FM-15	0.00	30.10
03	1053	7	FEW:02 45	10.00		82	27.8	71	21.9	66	18.9	58	9	310		29.12			30.07	FM-15	0.00	30.09
03	1153	7	FEW:02 45 SCT:04 50	10.00		84	28.9	72	22.2	66	18.9	55	3	VRB		29.12			30.06	FM-15	0.00	30.09
03	1253	7	SCT:04 49 SCT:04 60	10.00		84	28.9	72	22.2	66	18.9	55	7	250		29.11	8	+0.02	30.06	FM-15	0.00	30.08
03	1353	7	FEW:02 48	10.00		86	30.0	73	22.9	67	19.4	53	9	260		29.09			30.03	FM-15	0.00	30.06
03	1453	7	SCT:04 55	10.00		86	30.0	72	22.2	65	18.3	49	0	000		29.08			30.03	FM-15	0.00	30.05

03	1553	7	BKN:07 55 BKN:07 75	10.00		87	30.6	73	23.0	67	19.4	51	9	VRB		29.06	7	+0.04	30.01	FM-15	0.00	30.03
03	1653	7	CLR:00	10.00		86	30.0	73	22.5	66	18.9	51	6	290		29.05			30.00	FM-15	0.00	30.02
03	1753	7	CLR:00	10.00		84	28.9	72	22.2	66	18.9	55	6	250		29.05			30.00	FM-15	0.00	30.02
03	1853	7	CLR:00	10.00		83	28.3	72	22.0	66	18.9	57	8	230		29.05	5	+0.01	30.00	FM-15	0.00	30.02
03	1953	7	CLR:00	10.00		78	25.6	71	21.5	67	19.4	69	11	320	18	29.07			30.02	FM-15	0.00	30.04
03	2053	7	CLR:00	10.00		73	22.8	68	20.3	66	18.9	79	5	050		29.10			30.04	FM-15	0.00	30.07
03	2153	7	CLR:00	10.00		72	22.2	69	20.4	67	19.4	84	5	060		29.11	1	-0.05	30.06	FM-15	0.00	30.08
03	2253	7	FEW:02 60	10.00		71	21.7	69	20.6	68	20.0	90	5	010		29.10			30.05	FM-15	0.00	30.07
03	2353	7	CLR:00	10.00		68	20.0	67	19.3	66	18.9	93	5	350		29.10			30.05	FM-15	0.00	30.07
04	0053	7	CLR:00	10.00		70	21.1	68	20.0	67	19.4	90	0	000		29.09	8	+0.02	30.03	FM-15	0.00	30.06
04	0153	7	CLR:00	10.00		68	20.0	67	19.6	67	19.4	96	5	010		29.07			30.02	FM-15	0.00	30.04
04	0253	7	CLR:00	8.00		67	19.4	66	19.1	66	18.9	97	0	000		29.07			30.02	FM-15	0.00	30.04
04	0353	7	CLR:00	8.00		67	19.4	67	19.4	67	19.4	100	0	000		29.09	3	-0.00	30.03	FM-15	0.00	30.06
04	0453	7	CLR:00	5.00	BR:1 ||	66	18.9	66	18.9	66	18.9	100	3	030		29.10			30.05	FM-15	0.00	30.07
04	0515	7	CLR:00	2.50	BR:1 ||	66	18.9	66	18.9	66	18.9	100	5	040		29.11				FM-16		30.08
04	0523	7	CLR:00	4.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	5	060		29.11				FM-16		30.08
04	0553	7	CLR:00	10.00		68	20.0	68	20.0	68	20.0	100	6	060		29.12			30.06	FM-15	0.00	30.09
04	0653	7	CLR:00	10.00		70	21.1	69	20.4	68	20.0	93	8	050		29.13	3	-0.04	30.08	FM-15	0.00	30.10
04	0753	7	CLR:00	10.00		73	22.8	69	20.6	67	19.4	81	8	080		29.14			30.09	FM-15	0.00	30.11
04	0853	7	CLR:00	10.00		76	24.4	70	21.2	67	19.4	74	7	060		29.14			30.09	FM-15	0.00	30.11
04	0953	7	CLR:00	10.00		78	25.6	70	21.2	66	18.9	67	6	070		29.13	8	+0.00	30.08	FM-15	0.00	30.10
04	1053	7	CLR:00	10.00		80	26.7	71	21.9	67	19.4	64	8	080		29.13			30.08	FM-15	0.00	30.10
04	1153	7	CLR:00	10.00		82	27.8	72	22.2	67	19.4	60	7	360		29.13			30.08	FM-15	0.00	30.10
04	1253	7	SCT:04 38 BKN:07 49	10.00		83	28.3	73	22.7	68	20.0	61	7	070		29.12	8	+0.01	30.07	FM-15	0.00	30.09
04	1353	7	FEW:02 41	10.00		84	28.9	73	22.9	68	20.0	59	7	060		29.11			30.05	FM-15	0.00	30.08
04	1453	7	SCT:04 43	10.00		85	29.4	74	23.4	69	20.6	59	9	040		29.10			30.04	FM-15	0.00	30.07
04	1553	7	SCT:04 46	10.00		85	29.4	74	23.4	69	20.6	59	9	040		29.09	6	+0.04	30.03	FM-15	0.00	30.06
04	1653	7	FEW:02 46	10.00		84	28.9	74	23.2	69	20.6	61	9	050		29.07			30.02	FM-15	0.00	30.04
04	1753	7	SCT:04 47	10.00		82	27.8	72	22.2	67	19.4	60	8	070		29.07			30.02	FM-15	0.00	30.04
04	1853	7	CLR:00	10.00		81	27.2	72	22.0	67	19.4	62	7	060		29.09	5	+0.00	30.03	FM-15	0.00	30.06
04	1953	7	CLR:00	10.00		77	25.0	69	20.7	65	18.3	66	6	060		29.10			30.05	FM-15	0.00	30.07
04	2053	7	SCT:04 49	10.00		75	23.9	69	20.3	65	18.3	71	5	060		29.11			30.06	FM-15	0.00	30.08
04	2153	7	SCT:04 45	10.00		72	22.2	67	19.4	64	17.8	76	8	020		29.13	3	-0.04	30.08	FM-15	0.00	30.10
04	2253	7	CLR:00	10.00		71	21.7	64	17.9	60	15.6	68	7	060		29.14			30.08	FM-15	0.00	30.11
04	2353	7	FEW:02 41	10.00		69	20.6	62	16.9	58	14.4	68	7	060		29.13			30.08	FM-15	0.00	30.10
05	0053	7	CLR:00	10.00		67	19.4	62	16.5	58	14.4	73	3	020		29.13	8	+0.00	30.08	FM-15	0.00	30.10
05	0153	7	CLR:00	10.00		66	18.9	61	16.3	58	14.4	75	5	360		29.12			30.07	FM-15	0.00	30.09
05	0253	7	CLR:00	10.00		65	18.3	61	16.0	58	14.4	78	5	010		29.12			30.07	FM-15	0.00	30.09
05	0353	7	CLR:00	10.00		63	17.2	60	15.6	58	14.4	84	5	010		29.13	3	-0.01	30.08	FM-15	0.00	30.10
05	0453	7	CLR:00	10.00		63	17.2	60	15.6	58	14.4	84	5	010		29.14			30.09	FM-15	0.00	30.11
05	0549	7	FEW:02 2	10.00		64	18.0	61	16.1	59	15.0	83	3	350		29.15				FM-16		30.12
05	0553	7	CLR:00	10.00		64	17.8	61	16.1	59	15.0	84	3	350		29.16			30.11	FM-15	0.00	30.13
05	0653	7	CLR:00	10.00		69	20.6	64	17.8	61	16.1	76	7	020		29.17	2	-0.02	30.12	FM-15	0.00	30.14
05	0753	7	CLR:00	10.00		72	22.2	65	18.4	61	16.1	68	3	030		29.17			30.12	FM-15	0.00	30.14
05	0853	7	CLR:00	10.00		77	25.0	67	19.7	62	16.7	60	3	VRB		29.17			30.12	FM-15	0.00	30.14
05	0953	7	CLR:00	10.00		80	26.7	69	20.6	63	17.2	56	0	000		29.17	0	-0.00	30.11	FM-15	0.00	30.14
05	1053	7	CLR:00	10.00		81	27.2	69	20.7	63	17.2	54	3	VRB		29.17			30.11	FM-15	0.00	30.14
05	1153	7	CLR:00	10.00		83	28.3	71	21.4	64	17.8	53	5	340		29.15			30.10	FM-15	0.00	30.12
05	1253	7	CLR:00	10.00		83	28.3	71	21.4	64	17.8	53	5	050		29.14	8	+0.02	30.09	FM-15	0.00	30.11
05	1353	7	CLR:00	10.00		85	29.4	71	21.7	64	17.8	50	0	000		29.13			30.08	FM-15	0.00	30.10
05	1453	7	FEW:02 49	10.00		86	30.0	71	21.9	64	17.8	48	3	310		29.13			30.07	FM-15	0.00	30.10
05	1553	7	CLR:00	10.00		85	29.4	71	21.4	63	17.2	48	0	000		29.11	8	+0.04	30.06	FM-15	0.00	30.08
05	1653	7	SCT:04 55	10.00		84	28.9	73	22.5	67	19.4	57	5	010		29.09			30.04	FM-15	0.00	30.06
05	1753	7	CLR:00	10.00		83	28.3	72	22.0	66	18.9	57	9	030		29.09			30.04	FM-15	0.00	30.06
05	1853	7	CLR:00	10.00		80	26.7	71	21.5	66	18.9	62	6	360		29.10	5	+0.01	30.05	FM-15	0.00	30.07

05	1953	7	CLR:00	10.00		78	25.6	70	20.9	65	18.3	64	3	010		29.10			30.05	FM-15	0.00	30.07
05	2053	7	CLR:00	10.00		75	23.9	69	20.3	65	18.3	71	5	010		29.09			30.03	FM-15	0.00	30.06
05	2153	7	CLR:00	10.00		74	23.3	69	20.5	66	18.9	76	5	040		29.10	3	-0.01	30.05	FM-15	0.00	30.07
05	2253	7	CLR:00	10.00		74	23.3	69	20.8	67	19.4	79	5	030		29.10			30.04	FM-15	0.00	30.07
05	2353	7	CLR:00	10.00		73	22.8	68	20.3	66	18.9	79	0	000		29.09			30.04	FM-15	0.00	30.06
06	0053	7	CLR:00	10.00		71	21.7	68	19.9	66	18.9	84	0	000		29.09	6	+0.01	30.04	FM-15	0.00	30.06
06	0153	7	CLR:00	10.00		72	22.2	68	20.1	66	18.9	82	0	000		29.08			30.03	FM-15	0.00	30.05
06	0253	7	CLR:00	10.00		71	21.7	69	20.6	68	20.0	90	0	000		29.08			30.02	FM-15	0.00	30.05
06	0353	7	CLR:00	10.00		70	21.1	69	20.7	69	20.6	97	0	000		29.07	6	+0.02	30.02	FM-15	0.00	30.04
06	0453	7	CLR:00	10.00		72	22.2	71	21.5	70	21.1	94	0	000		29.06			30.01	FM-15	0.00	30.03
06	0553	7	CLR:00	10.00		71	21.7	70	21.3	70	21.1	96	0	000		29.06			30.01	FM-15	0.00	30.03
06	0653	7	CLR:00	10.00		74	23.3	72	22.2	71	21.7	91	0	000		29.07	5	+0.00	30.01	FM-15	0.00	30.04
06	0753	7	SCT:04 70 OVC:08 100	8.00	-RA:02 |RA |	74	23.3	73	22.6	72	22.2	94	5	210		29.08			30.03	FM-15	T	30.05
06	0846	7	BKN:07 75 OVC:08 100	1.75	RA:02 BR:1 |RA |	73	22.8	73	22.8	73	22.8	100	5	200		29.08				FM-16	0.03	30.05
06	0851	6	BKN:07 70 OVC:08 90	2.00	RA:02 BR:1 |RA |	73	23.0	73	22.8	73	23.0	100	5	180		29.08				FM-16		30.05
06	0853	7	BKN:07 70 OVC:08 90	2.50	-RA:02 BR:1 |RA |	73	22.8	73	22.8	73	22.8	100	6	190		29.08			30.03	FM-15	0.04	30.05
06	0916	7	FEW:02 7 BKN:07 55 OVC:08 80	2.00	-RA:02 BR:1 |RA |	73	22.8	72	22.4	72	22.2	96	8	190		29.09				FM-16	0.01	30.06
06	0953	7	FEW:02 5 BKN:07 90 OVC:08 110	2.50	-RA:02 BR:1 |RA |	72	22.2	72	22.2	72	22.2	100	0	000		29.08	0	-0.01	30.02	FM-15	0.06	30.05
06	1023	7	FEW:02 7 BKN:07 90 OVC:08 110	6.00	-RA:02 BR:1 |RA |	72	22.2	71	21.5	70	21.1	94	5	110		29.07				FM-16	0.02	30.04
06	1053	7	FEW:02 90 OVC:08 110	8.00	-RA:02 |RA |	72	22.2	71	21.9	71	21.7	97	3	110		29.07			30.02	FM-15	0.03	30.04
06	1145	7	FEW:02 75 OVC:08 100	1.75	RA:02 BR:1 |RA |	72	22.2	72	22.2	72	22.2	100	3	260		29.07				FM-16	0.05	30.04
06	1151	6	FEW:02 80 BKN:07 100 OVC:08 110	2.00	RA:02 BR:1 |RA |	72	22.0	72	22.2	72	22.0	100	3	280		29.07				FM-16		30.04
06	1153	7	FEW:02 80 OVC:08 100	2.00	-RA:02 BR:1 |RA |	72	22.2	72	22.2	72	22.2	100	3	280		29.07			30.02	FM-15	0.07	30.04
06	1233	7	FEW:02 50 BKN:07 65 OVC:08 110	5.00	-RA:02 BR:1 |RA |	73	22.8	72	22.0	71	21.7	94	5	320		29.08				FM-16	0.03	30.05
06	1253	7	SCT:04 48 OVC:08 65	5.00	-RA:02 BR:1 |RA |	73	22.8	72	22.0	71	21.7	94	0	000		29.07	8	+0.01	30.02	FM-15	0.03	30.04
06	1304	7	FEW:02 9 BKN:07 45 OVC:08 55	6.00	-RA:02 BR:1 |RA |	74	23.3	72	22.2	71	21.7	91	0	000		29.06				FM-16	T	30.03
06	1353	7	SCT:04 9 BKN:07 28	7.00		74	23.3	73	22.6	72	22.2	94	5	070		29.03			29.98	FM-15	T	30.00
06	1355	7	SCT:04 9 SCT:04 28 BKN:07 75	7.00		74	23.3	73	22.6	72	22.2	94	6	070		29.03				FM-16		30.00
06	1413	7	SCT:04 9 BKN:07 28	7.00	-RA:02 |RA |	74	23.3	72	22.2	71	21.7	91	3	090		29.02				FM-16	T	29.99
06	1451	6	FEW:02 12	10.00		75	24.0	72	22.0	70	21.0	83	5	010		29.01				FM-16		29.98
06	1453	7	CLR:00	10.00		76	24.4	72	22.2	70	21.1	82	5	VRB		29.01			29.96	FM-15	T	29.98
06	1455	7	FEW:02 12	10.00		76	24.4	72	22.2	70	21.1	82	0	000		29.00				FM-16		29.97
06	1553	7	FEW:02 12	10.00		76	24.4	72	22.2	70	21.1	82	5	070		29.00	6	+0.06	29.95	FM-15	0.00	29.97
06	1653	7	FEW:02 30	10.00		78	25.6	73	22.6	70	21.1	76	0	000		28.99			29.94	FM-15	0.00	29.96
06	1722	7	BKN:07 23 BKN:07 27	10.00		78	25.6	73	22.9	71	21.7	79	0	000		28.98				FM-16		29.95
06	1753	7	BKN:07 23 BKN:07 35	10.00		77	25.0	73	22.7	71	21.7	82	5	330		28.98			29.93	FM-15	0.00	29.95

06	1817	7	SCT:04 23 BKN:07 30 OVC:08 60	10.00		77	25.0	73	22.7	71	21.7	82	0	000		28.97				FM-16		29.94
06	1853	7	BKN:07 23	10.00		76	24.4	72	22.2	70	21.1	82	8	330		28.98	5	+0.01	29.93	FM-15	0.00	29.95
06	1953	7	BKN:07 25 BKN:07 50 BKN:07 60	10.00		75	23.9	71	21.7	69	20.6	82	0	000		28.99			29.93	FM-15	0.00	29.96
06	1955	7	CLR:00	10.00		75	23.9	71	21.7	69	20.6	82	0	000		28.99				FM-16		29.96
06	2053	7	CLR:00	10.00		73	22.8	70	21.3	69	20.6	87	0	000		28.99			29.94	FM-15	0.00	29.96
06	2153	7	CLR:00	10.00		70	21.1	69	20.7	69	20.6	97	0	000		28.99	0	-0.00	29.94	FM-15	0.00	29.96
06	2253	7	CLR:00	5.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	3	280		28.99			29.94	FM-15	0.00	29.96
06	2345	7	CLR:00	2.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	6	290		28.98				FM-16		29.95
06	2351	6	CLR:00	5.00	BR:1 ||	66	19.0	66	18.9	66	19.0	100	3	270		28.98				FM-16		29.95
06	2353	7	CLR:00	5.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	5	270		28.98			29.93	FM-15	0.00	29.95
07	0053	7	CLR:00	6.00	BR:1 ||	66	18.9	66	18.9	66	18.9	100	6	270		28.99	3	-0.00	29.94	FM-15	0.00	29.96
07	0153	7	CLR:00	9.00		66	18.9	66	18.9	66	18.9	100	5	260		28.98			29.93	FM-15	0.00	29.95
07	0253	7	CLR:00	9.00		67	19.4	67	19.4	67	19.4	100	5	250		28.97			29.92	FM-15	0.00	29.94
07	0353	7	CLR:00	10.00		68	20.0	67	19.6	67	19.4	96	7	230		28.96	8	+0.03	29.91	FM-15	0.00	29.93
07	0453	7	SCT:04 50	10.00		68	20.0	67	19.3	66	18.9	93	6	250		28.96			29.91	FM-15	0.00	29.93
07	0553	7	CLR:00	10.00		69	20.6	68	19.8	67	19.4	93	7	240		28.98			29.93	FM-15	0.00	29.95
07	0653	7	SCT:04 55	10.00		70	21.1	69	20.7	69	20.6	97	7	250		28.98	1	-0.02	29.93	FM-15	0.00	29.95
07	0753	7	FEW:02 13 SCT:04 35 BKN:07 44	10.00		72	22.2	69	20.8	68	20.0	87	0	000		28.99			29.94	FM-15	0.00	29.96
07	0853	7	CLR:00	10.00		77	25.0	72	22.4	70	21.1	79	10	210		28.97			29.92	FM-15	0.00	29.94
07	0953	7	SCT:04 21	10.00		79	26.1	74	23.1	71	21.7	77	8	200		28.97	8	+0.01	29.92	FM-15	0.00	29.94
07	1033	7	SCT:04 21	10.00		80	26.7	74	23.6	72	22.2	76	8	VRB		28.95				FM-16		29.92
07	1053	7	FEW:02 21	10.00		81	27.2	75	24.1	73	22.8	77	10	190		28.94			29.88	FM-15	0.00	29.91
07	1125	7	SCT:04 25 BKN:07 33 BKN:07 60	10.00		82	27.8	76	24.3	73	22.8	74	9	220		28.94				FM-16		29.91
07	1132	7	BKN:07 26 BKN:07 32 OVC:08 60	10.00		82	27.8	76	24.3	73	22.8	74	15	220	20	28.94				FM-16		29.91
07	1153	7	BKN:07 26 BKN:07 32 OVC:08 60	10.00		84	28.9	77	25.0	74	23.3	72	15	220	23	28.93			29.88	FM-15	0.00	29.90
07	1200	7	SCT:04 26 BKN:07 32 BKN:07 60	10.00		84	28.9	76	24.6	73	22.8	70	16	220	22	28.93				FM-16		29.90
07	1236	7	SCT:04 26 BKN:07 32 BKN:07 60	10.00	TS:7 |TS TS |	82	27.8	75	23.9	72	22.2	72	13	260	23	28.95				FM-16		29.92
07	1249	7	FEW:02 32 SCT:04 40 BKN:07 55	10.00	TS:7 -RA:02 |RA TS TS |	70	21.0	66	19.0	64	18.0	83	23	020	39	29.00				FM-16	T	29.97
07	1253	7	FEW:02 16 SCT:04 30 BKN:07 40	3.00	TS:7 RA:02 BR:1 |RA TS |	67	19.4	65	18.4	64	17.8	91	17	010	39	29.01	3	-0.04	29.96	FM-15	0.20s	29.98
07	1255	7	FEW:02 13 SCT:04 26 BKN:07 36	1.75	TS:7 +RA:02 BR:1 |RA TS |	66	18.9	65	18.2	64	17.8	93	14	360	39	29.02				FM-16	0.06	29.99
07	1306	7	FEW:02 17 BKN:07 29 OVC:08 70	1.75	VCTS:7 +RA:02 BR:1 |RA |	64	17.8	64	17.8	64	17.8	100	6	060		29.02				FM-16	0.25	29.99
07	1315	7	FEW:02 19 BKN:07 42 OVC:08 65	1.75	TS:7 RA:02 BR:1 |RA TS |	65	18.3	65	18.3	65	18.3	100	10	070		28.98				FM-16	0.27	29.95
07	1326	7	SCT:04 39 SCT:04 70 BKN:07 110	8.00	VCTS:7 -RA:02 |RA |	65	18.3	65	18.3	65	18.3	100	7	070		28.98				FM-16	0.27	29.95
07	1342	7	FEW:02 90 BKN:07 110	6.00	-RA:02 BR:1 |RA |	66	18.9	65	18.5	65	18.3	96	5	120		28.98				FM-16	0.29	29.95

07	1353	7	FEW:02 100 BKN:07 120	10.00	-RA:02 |RA |	66	18.9	65	18.5	65	18.3	96	9	160		28.97			29.93	FM-15	0.14	29.94
07	1400	7	FEW:02 100 SCT:04 120	10.00	VCTS:7 -RA:02 |RA |	67	19.4	66	18.7	65	18.3	93	6	130		28.96				FM-16	T	29.93
07	1415	7	BKN:07 110	10.00		67	19.4	66	19.1	66	18.9	97	6	140		28.94				FM-16	T	29.91
07	1453	7	OVC:08 110	10.00		69	20.6	68	19.8	67	19.4	93	10	180		28.93			29.88	FM-15	T	29.90
07	1553	7	OVC:08 100	10.00		69	20.6	68	19.8	67	19.4	93	8	210		28.91	6	+0.09	29.87	FM-15	0.00	29.88
07	1653	7	OVC:08 100	10.00		70	21.1	68	20.0	67	19.4	90	6	250		28.92			29.88	FM-15	T	29.89
07	1753	7	FEW:02 80 OVC:08 110	5.00	RA:02 BR:1 |RA |	67	19.4	65	18.4	64	17.8	91	14	290		28.94			29.89	FM-15	0.09	29.91
07	1816	7	FEW:02 80 BKN:07 100	4.00	TS:7 RA:02 BR:1 |RA TS |	66	18.9	65	18.2	64	17.8	93	9	250		28.91				FM-16	0.08	29.88
07	1835	7	FEW:02 60 BKN:07 110	8.00	RA:02 |RA |	65	18.3	64	18.0	64	17.8	97	16	160		28.82s				FM-16	0.11	29.78s
07	1843	7	FEW:02 55 BKN:07 110	10.00	-RA:02 |RA |	66	18.9	65	18.2	64	17.8	93	9	190		28.83				FM-16	0.11	29.79s
07	1853	7	FEW:02 60 FEW:02 110	10.00		66	18.9	64	17.9	63	17.2	90	6	230		28.84	8	+0.07	29.80	FM-15	0.08	29.81
07	1953	7	CLR:00	10.00		65	18.3	64	18.0	64	17.8	97	6	270		28.87			29.82	FM-15	0.00	29.83
07	2053	7	CLR:00	10.00		65	18.3	64	18.0	64	17.8	97	5	210		28.90			29.84	FM-15	0.00	29.86
07	2153	7	CLR:00	10.00		63	17.2	63	17.2	63	17.2	100	0	000		28.92	3	-0.08	29.87	FM-15	0.00	29.89
07	2253	7	CLR:00	10.00		64	17.8	64	17.8	64	17.8	100	0	000		28.92			29.87	FM-15	0.00	29.89
07	2353	7	SCT:04 47	10.00		63	17.2	63	17.2	63	17.2	100	3	210		28.91			29.86	FM-15	0.00	29.88
08	0053	7	CLR:00	10.00		63	17.2	63	17.2	63	17.2	100	3	230		28.90	8	+0.02	29.86	FM-15	0.00	29.87
08	0153	7	CLR:00	10.00		63	17.2	63	17.2	63	17.2	100	7	230		28.90			29.86	FM-15	0.00	29.87
08	0204	7	FEW:02 6	10.00		63	17.2	63	17.2	63	17.2	100	8	230		28.90				FM-16		29.87
08	0226	7	BKN:07 6	10.00		63	17.2	63	17.2	63	17.2	100	9	230		28.90				FM-16		29.87
08	0241	7	OVC:08 4	7.00		63	17.2	63	17.2	63	17.2	100	10	260		28.90				FM-16		29.87
08	0253	7	OVC:08 4	6.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	7	260		28.90			29.85	FM-15	0.00	29.87
08	0315	7	OVC:08 5	6.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	11	270		28.90				FM-16		29.87
08	0353	7	OVC:08 6	7.00		64	17.8	64	17.8	64	17.8	100	13	280		28.90	3	-0.00	29.86	FM-15	0.00	29.87
08	0453	7	OVC:08 6	6.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	10	270		28.91			29.87	FM-15	0.00	29.88
08	0553	7	BKN:07 7	5.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	6	250		28.93			29.89	FM-15	0.00	29.90
08	0615	7	SCT:04 6	5.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	6	280		28.94				FM-16		29.91
08	0653	7	SCT:04 6	6.00	BR:1 ||	66	18.9	66	18.9	66	18.9	100	6	270		28.96	3	-0.05	29.92	FM-15	0.00	29.93
08	0721	7	FEW:02 8 BKN:07 13	8.00		67	19.4	66	19.1	66	18.9	97	8	270		28.97				FM-16		29.94
08	0753	7	OVC:08 12	10.00		68	20.0	67	19.3	66	18.9	93	7	300		28.98			29.93	FM-15	0.00	29.95
08	0851	6	BKN:07 16	10.00		72	22.0	68	20.1	66	19.0	83	6	350		28.98				FM-16		29.95
08	0853	7	OVC:08 16	10.00		70	21.1	67	19.7	66	18.9	87	5	350		28.98			29.94	FM-15	0.00	29.95
08	0953	7	BKN:07 20	10.00		73	22.8	68	19.9	65	18.3	76	6	350		28.99	1	-0.03	29.94	FM-15	0.00	29.96
08	1014	7	SCT:04 21	10.00		74	23.3	69	20.4	66	18.9	76	8	320	16	28.99				FM-16		29.96
08	1053	7	SCT:04 95	10.00		74	23.3	68	19.8	64	17.8	71	9	310		28.99			29.94	FM-15	0.00	29.96
08	1153	7	SCT:04 37	10.00		76	24.4	68	19.8	63	17.2	64	7	330		29.00			29.95	FM-15	0.00	29.97
08	1253	7	FEW:02 39 FEW:02 90	10.00		76	24.4	67	19.5	62	16.7	62	9	300		29.00	1	-0.01	29.95	FM-15	0.00	29.97
08	1353	7	BKN:07 47 BKN:07 60 OVC:08 95	10.00		76	24.4	67	19.5	62	16.7	62	10	320		29.00			29.95	FM-15	0.00	29.97
08	1453	7	FEW:02 47 SCT:04 65 BKN:07 90	10.00		77	25.0	67	19.4	61	16.1	58	14	320	20	29.00			29.95	FM-15	0.00	29.97
08	1553	7	FEW:02 49 SCT:04 65 SCT:04 85	10.00		78	25.6	67	19.6	61	16.1	56	11	300		29.00	8	+0.01	29.95	FM-15	0.00	29.97
08	1653	7	CLR:00	10.00		77	25.0	66	18.8	59	15.0	54	14	320		28.99			29.94	FM-15	0.00	29.96
08	1753	7	CLR:00	10.00		77	25.0	66	18.8	59	15.0	54	8	320		28.99			29.94	FM-15	0.00	29.96
08	1853	7	FEW:02 60	10.00		74	23.3	65	18.2	59	15.0	60	9	310		29.01	3	-0.01	29.96	FM-15	0.00	29.98
08	1953	7	FEW:02 60	10.00		72	22.2	64	17.5	58	14.4	61	6	320		29.02			29.97	FM-15	0.00	29.99
08	2053	7	FEW:02 65	10.00		69	20.6	62	16.6	57	13.9	66	6	310		29.04			29.99	FM-15	0.00	30.01

08	2153	7	CLR:00	10.00		66	18.9	60	15.6	56	13.3	70	6	320		29.07	3	-0.06	30.02	FM-15	0.00	30.04
08	2253	7	CLR:00	10.00		61	16.1	58	14.5	56	13.3	84	7	310		29.08			30.03	FM-15	0.00	30.05
08	2353	7	CLR:00	10.00		62	16.7	59	14.7	56	13.3	80	5	290		29.08			30.03	FM-15	0.00	30.05
09	0053	7	CLR:00	10.00		59	15.0	58	14.7	58	14.4	96	6	270		29.08	1	-0.01	30.04	FM-15	0.00	30.05
09	0153	7	CLR:00	10.00		59	15.0	58	14.4	57	13.9	93	6	270		29.09			30.04	FM-15	0.00	30.06
09	0253	7	CLR:00	10.00		60	15.6	58	14.3	56	13.3	86	6	280		29.09			30.04	FM-15	0.00	30.06
09	0353	7	CLR:00	10.00		60	15.6	57	14.0	55	12.8	84	0	000		29.08	0	-0.00	30.04	FM-15	0.00	30.05
09	0453	7	CLR:00	10.00		55	12.8	54	12.2	53	11.7	93	0	000		29.10			30.06	FM-15	0.00	30.07
09	0553	7	CLR:00	10.00		56	13.3	56	13.3	56	13.3	100	0	000		29.11			30.06	FM-15	0.00	30.08
09	0638	7	FEW:02 2	10.00		60	15.6	59	14.9	58	14.4	93	3	280		29.12				FM-16		30.09
09	0653	7	CLR:00	10.00		61	16.1	59	15.1	58	14.4	90	3	250		29.13	3	-0.04	30.08	FM-15	0.00	30.10
09	0753	7	CLR:00	10.00		65	18.3	61	16.3	59	15.0	81	0	000		29.13			30.09	FM-15	0.00	30.10
09	0853	7	CLR:00	10.00		70	21.1	63	17.4	59	15.0	68	5	240		29.13			30.09	FM-15	0.00	30.10
09	0953	7	CLR:00	10.00		73	22.8	65	18.3	60	15.6	64	8	270		29.14	1	-0.01	30.09	FM-15	0.00	30.11
09	1053	7	FEW:02 43	10.00		75	23.9	64	17.8	57	13.9	54	6	250		29.14			30.10	FM-15	0.00	30.11
09	1153	7	CLR:00	10.00		76	24.4	63	17.2	54	12.2	47	8	300		29.14			30.09	FM-15	0.00	30.11
09	1253	7	CLR:00	10.00		77	25.0	62	16.6	51	10.6	40	10	290	16	29.13	8	+0.01	30.09	FM-15	0.00	30.10
09	1353	7	CLR:00	10.00		77	25.0	62	16.6	51	10.6	40	9	270		29.11			30.07	FM-15	0.00	30.08
09	1453	7	CLR:00	10.00		78	25.6	62	16.5	50	10.0	37	3	270		29.10			30.05	FM-15	0.00	30.07
09	1553	7	CLR:00	10.00		79	26.1	63	17.0	51	10.6	38	10	250		29.09	6	+0.04	30.05	FM-15	0.00	30.06
09	1653	7	CLR:00	10.00		79	26.1	62	16.5	49	9.4	35	7	240		29.08			30.04	FM-15	0.00	30.05
09	1753	7	CLR:00	10.00		77	25.0	62	16.8	52	11.1	42	9	240		29.08			30.03	FM-15	0.00	30.05
09	1853	7	CLR:00	10.00		76	24.4	62	16.6	52	11.1	43	7	250		29.07	6	+0.02	30.03	FM-15	0.00	30.04
09	1953	7	CLR:00	10.00		70	21.1	61	15.9	54	12.2	57	5	280		29.07			30.03	FM-15	0.00	30.04
09	2053	7	CLR:00	10.00		68	20.0	60	15.5	54	12.2	61	0	000		29.07			30.03	FM-15	0.00	30.04
09	2153	7	CLR:00	10.00		68	20.0	61	16.1	56	13.3	65	3	180		29.08	3	-0.00	30.03	FM-15	0.00	30.05
09	2253	7	CLR:00	10.00		68	20.0	61	16.4	57	13.9	68	3	190		29.08			30.03	FM-15	0.00	30.05
09	2353	7	CLR:00	10.00		68	20.0	62	16.7	58	14.4	70	3	180		29.07			30.02	FM-15	0.00	30.04
10	0053	7	CLR:00	10.00		67	19.4	62	16.5	58	14.4	73	7	170		29.07	8	+0.01	30.02	FM-15	0.00	30.04
10	0153	7	CLR:00	10.00		66	18.9	62	16.6	59	15.0	78	7	170		29.05			30.00	FM-15	0.00	30.02
10	0253	7	CLR:00	10.00		66	18.9	62	16.6	59	15.0	78	7	170		29.04			29.99	FM-15	0.00	30.01
10	0353	7	FEW:02 70 FEW:02 85	10.00		66	18.9	62	16.6	59	15.0	78	8	160		29.02	7	+0.04	29.97	FM-15	0.00	29.99
10	0453	7	BKN:07 60 BKN:07 95	10.00	VCTS:7 ||	67	19.4	62	16.8	59	15.0	76	7	210		29.04			29.99	FM-15	0.00	30.01
10	0520	7	FEW:02 39 BKN:07 50 OVC:08 90	10.00	-RA:02 |RA |	65	18.3	63	17.3	62	16.7	90	7	190		29.04				FM-16	0.07	30.01
10	0534	7	FEW:02 24 BKN:07 50 OVC:08 85	2.50	RA:02 BR:1 |RA |	64	17.8	63	17.1	62	16.7	93	13	170		29.03				FM-16	0.16	30.00
10	0541	7	FEW:02 22 BKN:07 50 OVC:08 65	9.00	-RA:02 |RA |	65	18.3	63	17.3	62	16.7	90	10	160		29.03				FM-16	0.16	30.00
10	0553	7	FEW:02 21 BKN:07 48 BKN:07 80	10.00		66	18.9	64	17.5	62	16.7	87	9	160		29.03			29.98	FM-15	0.16	30.00
10	0653	7	SCT:04 49	10.00		65	18.3	63	17.3	62	16.7	90	7	180		29.04	1	-0.01	29.99	FM-15	0.00	30.01
10	0753	7	FEW:02 55 SCT:04 100	10.00		67	19.4	65	18.1	63	17.2	87	8	180		29.03			29.98	FM-15	0.00	30.00
10	0853	7	CLR:00	10.00		71	21.7	68	19.9	66	18.9	84	11	180		29.03			29.98	FM-15	0.00	30.00
10	0951	6	BKN:07 24 BKN:07 60	10.00		75	24.0	70	21.3	68	20.0	78	11	190		29.01				FM-16		29.98
10	0953	7	BKN:07 24 BKN:07 60	10.00		75	23.9	70	21.3	68	20.0	79	13	190		29.02	8	+0.02	29.97	FM-15	0.00	29.99
10	1053	7	BKN:07 25 BKN:07 65 BKN:07 80	10.00		77	25.0	72	22.4	70	21.1	79	10	200		29.01			29.96	FM-15	0.00	29.98

10	1133	7	BKN:07 25 BKN:07 30 BKN:07 70	10.00	VCTS:7 ||	80	26.7	74	23.6	72	22.2	76	10	210		28.99				FM-16		29.96
10	1143	7	SCT:04 25 BKN:07 30 BKN:07 50	1.25	TS:7 HZ:7 |FU TS TS |HZ	77	25.0	73	22.7	71	21.7	82	25	220	32	29.03				FM-16		30.00
10	1145	7	FEW:02 18 BKN:07 27	0.75	TS:7 -RA:02 BR:1 |RA TS |	75	23.9	72	22.4	71	21.7	88	13	200	32	29.00				FM-16	0.19	29.97
10	1149	7	FEW:02 16 SCT:04 25 BKN:07 30	7.00	TS:7 +RA:02 |RA TS TS |	73	23.0	72	22.4	72	22.0	94	8	VRB	32	28.98				FM-16	0.20	29.95
10	1153	7	FEW:02 18 SCT:04 27 BKN:07 55	7.00	TS:7 -RA:02 |RA TS TS |	74	23.3	73	23.0	73	22.8	97	9	200		28.99			29.94	FM-15	0.20	29.96
10	1208	7	FEW:02 10 BKN:07 70 BKN:07 110	10.00	VCTS:7 ||	76	24.4	74	23.3	73	22.8	91	9	200		28.99				FM-16	T	29.96
10	1225	7	BKN:07 65	10.00		75	23.9	73	22.8	72	22.2	90	8	190		28.99				FM-16	T	29.96
10	1253	7	BKN:07 33	10.00		77	25.0	74	23.5	73	22.8	88	7	210		28.99	5	+0.03	29.94	FM-15	0.00	29.96
10	1343	7	SCT:04 25 SCT:04 32 BKN:07 70	10.00	VCTS:7 ||	79	26.1	75	23.8	73	22.8	82	9	220		28.94				FM-16		29.91
10	1351	6	BKN:07 28	10.00	VCTS:7 ||	79	26.0	75	23.8	73	23.0	84	7	250		28.95				FM-16		29.92
10	1353	7	BKN:07 28	8.00	TS:7 |TS TS |	78	25.6	75	23.6	73	22.8	85	10	VRB		28.96			29.91	FM-15	0.15	29.93
10	1358	7	FEW:02 18 SCT:04 24 OVC:08 28	1.50	TS:7 +RA:02 BR:1 |RA TS |	75	23.9	73	22.8	72	22.2	90	21	310	29	28.95				FM-16	0.12	29.92
10	1402	7	FEW:02 18 BKN:07 24 OVC:08 32	0.75	TS:7 +RA:02 BR:1 |RA TS |	72	22.2	69	20.8	68	20.0	87	13	330	29	28.97				FM-16	0.21	29.94
10	1409	7	SCT:04 14 BKN:07 22 OVC:08 37	0.50	TS:7 +RA:02 FG:2 |FG RA TS |	69	20.6	68	19.8	67	19.4	93	23	VRB	41	28.99				FM-16	0.50	29.96
10	1421	7	SCT:04 14 OVC:08 24	0.75	TS:7 RA:02 BR:1 |RA TS |	68	20.0	67	19.6	67	19.4	96	14	280	32	28.95				FM-16	0.74	29.92
10	1426	7	BKN:07 18 BKN:07 39 OVC:08 47	7.00	TS:7 -RA:02 |RA TS TS |	69	20.6	68	19.8	67	19.4	93	11	240		28.96				FM-16	0.74	29.93
10	1439	7	BKN:07 26 BKN:07 44 OVC:08 70	1.50	TS:7 +RA:02 BR:1 |RA TS |	69	20.6	68	19.8	67	19.4	93	14	360		28.94				FM-16	0.83	29.91
10	1453	7	BKN:07 26 BKN:07 44 OVC:08 70	1.50	TS:7 +RA:02 BR:1 |RA TS |	70	21.1	69	20.7	69	20.6	97	15	VRB	22	28.97			29.93	FM-15	0.95	29.94
10	1500	7	SCT:04 23 BKN:07 36 OVC:08 75	7.00	TS:7 +RA:02 |RA TS TS |	69	20.6	68	19.8	67	19.4	93	14	280	22	28.95				FM-16	0.04	29.92
10	1524	7	SCT:04 100	10.00	VCTS:7 ||	72	22.2	70	21.1	69	20.6	91	5	030		28.94				FM-16	0.04	29.91
10	1536	7	FEW:02 43 FEW:02 50 BKN:07 100	10.00	TS:7 |TS TS |	71	21.7	70	20.9	69	20.6	94	5	190	21	28.94				FM-16	0.04	29.91
10	1549	7	FEW:02 21 SCT:04 37 BKN:07 100	2.00	TS:7 BR:1 |TS TS |	72	22.0	71	21.5	70	21.0	94	6	220		28.96				FM-16	0.09	29.93
10	1551	7	FEW:02 21 SCT:04 37 BKN:07 80	0.75	TS:7 +RA:02 BR:1 |RA TS |	72	22.0	71	21.5	70	21.0	94	3	240		28.95				FM-16	0.16	29.92
10	1553	7	FEW:02 21 SCT:04 37 BKN:07 48	5.00	TS:7 -RA:02 BR:1 |RA TS |	70	21.1	70	21.1	70	21.1	100	3	270		28.96	6	+0.03	29.92	FM-15	0.12	29.93
10	1605	7	FEW:02 21 SCT:04 55 BKN:07 70	5.00	VCTS:7 BR:1 ||	74	23.3	73	22.6	72	22.2	94	9	150		28.95				FM-16	T	29.92

10	1628	7	FEW:02 50 SCT:04 65 BKN:07 100	9.00	TS:7 |TS TS |	73	22.8	72	22.4	72	22.2	96	8	140		28.94				FM-16	T	29.91
10	1651	6	FEW:02 8 BKN:07 41 OVC:08 55	10.00	TS:7 |TS |	72	22.0	71	21.5	70	21.0	94	8	VRB		28.95				FM-16		29.92
10	1653	7	FEW:02 8 BKN:07 41 OVC:08 110	10.00	TS:7 |TS TS |	73	22.8	71	21.7	70	21.1	90	7	140		28.95			29.90	FM-15	0.01	29.92
10	1710	7	FEW:02 8 SCT:04 43 BKN:07 110	10.00	VCTS:7 ||	73	22.8	72	22.4	72	22.2	96	8	130		28.96				FM-16		29.93
10	1728	7	FEW:02 70 SCT:04 100 BKN:07 110	10.00		74	23.3	73	23.0	73	22.8	97	6	120		28.95				FM-16		29.92
10	1742	7	FEW:02 70 BKN:07 100	10.00	VCTS:7 ||	74	23.3	73	22.6	72	22.2	94	8	140		28.95				FM-16		29.92
10	1751	6	BKN:07 110	10.00		73	23.0	72	22.4	72	22.0	94	6	140		28.95				FM-16		29.92
10	1753	7	BKN:07 110	10.00		74	23.3	73	22.6	72	22.2	94	5	140		28.95			29.91	FM-15	0.00	29.92
10	1853	7	SCT:04 44 SCT:04 65 BKN:07 110	10.00		74	23.3	73	22.6	72	22.2	94	6	100		28.95	3	-0.00	29.91	FM-15	0.00	29.92
10	1953	7	BKN:07 110	10.00		73	22.8	72	22.4	72	22.2	96	3	140		28.95			29.90	FM-15	0.00	29.92
10	2053	7	SCT:04 110	10.00		72	22.2	71	21.9	71	21.7	97	6	150		28.96			29.91	FM-15	0.00	29.93
10	2153	7	FEW:02 55 SCT:04 110	10.00		72	22.2	71	21.9	71	21.7	97	7	180		28.96	3	-0.01	29.91	FM-15	0.00	29.93
10	2253	7	FEW:02 55 SCT:04 70	10.00		74	23.3	71	21.8	70	21.1	88	7	180		28.96			29.90	FM-15	0.00	29.93
10	2341	7	BKN:07 60 BKN:07 110	8.00	VCTS:7 -RA:02 |RA |	75	23.9	71	21.7	69	20.6	82	14	210		28.96				FM-16	T	29.93
10	2353	7	FEW:02 36 BKN:07 60 OVC:08 70	6.00	VCTS:7 -RA:02 BR:1 |RA |	74	23.3	71	21.8	70	21.1	88	10	230		28.97			29.92	FM-15	0.06	29.94
11	0003	7	SCT:04 40 BKN:07 50 OVC:08 60	4.00	TS:7 RA:02 BR:1 |RA TS |	74	23.3	71	21.8	70	21.1	88	10	210		28.96				FM-16	0.06	29.93
11	0020	7	FEW:02 35 SCT:04 45 BKN:07 80	10.00	VCTS:7 -RA:02 |RA |	73	22.8	72	22.0	71	21.7	94	14	230	22	28.97				FM-16	0.06	29.94
11	0041	7	FEW:02 80	10.00		72	22.2	71	21.5	70	21.1	94	11	210		28.96				FM-16	0.06	29.93
11	0053	7	FEW:02 70	10.00		72	22.2	71	21.5	70	21.1	94	10	200		28.96	8	+0.00	29.91	FM-15	0.05	29.93
11	0111	7	FEW:02 55 FEW:02 70	10.00	VCTS:7 ||	72	22.2	71	21.9	71	21.7	97	9	200		28.97				FM-16		29.94
11	0126	7	FEW:02 31 SCT:04 60 SCT:04 70	10.00		72	22.2	71	21.9	71	21.7	97	13	210		28.96				FM-16		29.93
11	0138	7	FEW:02 32 FEW:02 70	10.00	TS:7 |TS TS |	72	22.2	71	21.9	71	21.7	97	13	220	20	28.97				FM-16		29.94
11	0151	6	SCT:04 100 SCT:04 120	10.00	VCTS:7 -RA:02 |RA |	72	22.0	71	21.5	70	21.0	94	6	230		28.96				FM-16		29.93
11	0153	7	BKN:07 110	10.00	VCTS:7 -RA:02 |RA |	72	22.2	71	21.5	70	21.1	94	7	250		28.97			29.92	FM-15	T	29.94
11	0206	7	BKN:07 13 BKN:07 95 BKN:07 110	10.00	VCTS:7 ||	72	22.2	71	21.5	70	21.1	94	16	200	20	28.98				FM-16	T	29.95
11	0214	7	SCT:04 13 BKN:07 110	10.00	VCTS:7 -RA:02 |RA |	71	21.7	70	20.9	69	20.6	94	18	200	29	28.95				FM-16	0.01	29.92
11	0221	7	SCT:04 14	10.00	VCTS:7 -RA:02 |RA |	70	21.1	69	20.4	68	20.0	93	17	200	25	28.94				FM-16	0.01	29.91
11	0253	7	FEW:02 120	10.00	VCTS:7 ||	70	21.1	69	20.7	69	20.6	97	20	220	25	28.96			29.91	FM-15	0.01	29.93
11	0305	7	SCT:04 120	10.00		70	21.1	69	20.7	69	20.6	97	16	210		28.97				FM-16		29.94
11	0353	7	FEW:02 65 FEW:02 110	10.00		70	21.1	69	20.4	68	20.0	93	13	180		28.92	8	+0.04	29.88	FM-15	0.00	29.89
11	0453	7	CLR:00	10.00		70	21.1	68	20.0	67	19.4	90	7	210		28.95			29.90	FM-15	0.00	29.92
11	0553	7	CLR:00	10.00		70	21.1	69	20.4	68	20.0	93	10	200		28.98			29.94	FM-15	0.00	29.95

11	0653	7	FEW:02 85	10.00		71	21.7	70	20.9	69	20.6	94	8	190		28.98	0	-0.06	29.93	FM-15	0.00	29.95
11	0753	7	CLR:00	10.00		76	24.4	73	22.9	72	22.2	88	10	230		28.97			29.92	FM-15	0.00	29.94
11	0853	7	FEW:02 18 SCT:04 100	10.00		79	26.1	75	23.8	73	22.8	82	13	250		28.97			29.92	FM-15	0.00	29.94
11	0920	7	BKN:07 21	10.00		79	26.1	75	23.8	73	22.8	82	10	230	20	28.97				FM-16		29.94
11	0953	7	BKN:07 22 BKN:07 55	10.00		81	27.2	75	24.1	73	22.8	77	11	240		28.99	3	-0.01	29.93	FM-15	0.00	29.96
11	1053	7	BKN:07 22 BKN:07 29	10.00		82	27.8	76	24.7	74	23.3	77	14	250	20	28.99			29.94	FM-15	0.00	29.96
11	1153	7	BKN:07 23 BKN:07 28 OVC:08 49	10.00		82	27.8	77	25.0	75	23.9	79	11	230		28.98			29.93	FM-15	0.00	29.95
11	1251	6	SCT:04 27 BKN:07 36 BKN:07 55	10.00		84	29.0	76	24.6	73	23.0	70	14	250		29.00				FM-16		29.97
11	1253	7	SCT:04 27 SCT:04 36 BKN:07 55	10.00		84	28.9	76	24.6	73	22.8	70	15	250		29.00	3	-0.01	29.95	FM-15	0.00	29.97
11	1353	7	SCT:04 85	10.00		83	28.3	73	23.0	69	20.6	63	18	260	26	29.01			29.96	FM-15	0.00	29.98
11	1453	7	FEW:02 45 SCT:04 55	10.00		80	26.7	71	21.9	67	19.4	64	21	260	32	29.03			29.98	FM-15	0.00	30.00
11	1553	7	CLR:00	10.00		78	25.6	70	21.2	66	18.9	67	10	250		28.99	8	+0.01	29.94	FM-15	T	29.96
11	1653	7	FEW:02 110	10.00		77	25.0	70	21.3	67	19.4	71	8	190		28.99			29.94	FM-15	T	29.96
11	1753	7	CLR:00	10.00		76	24.4	70	21.2	67	19.4	74	8	190		29.01			29.96	FM-15	0.00	29.98
11	1853	7	CLR:00	10.00		75	23.9	70	21.0	67	19.4	76	10	200		29.02	3	-0.03	29.97	FM-15	0.00	29.99
11	1953	7	CLR:00	10.00		73	22.8	69	20.6	67	19.4	81	9	200		29.03			29.98	FM-15	0.00	30.00
11	2053	7	CLR:00	10.00		72	22.2	69	20.8	68	20.0	87	7	200		29.05			29.99	FM-15	0.00	30.02
11	2153	7	FEW:02 30	10.00		72	22.2	70	21.1	69	20.6	91	8	210		29.07	3	-0.04	30.01	FM-15	0.00	30.04
11	2253	7	OVC:08 75	10.00		72	22.2	71	21.5	70	21.1	94	8	200		29.07			30.01	FM-15	0.00	30.04
11	2353	7	SCT:04 49	10.00		72	22.2	71	21.5	70	21.1	94	5	200		29.06			30.01	FM-15	0.00	30.03
12	0053	7	CLR:00	10.00		72	22.2	71	21.5	70	21.1	94	6	200		29.07	5	+0.00	30.01	FM-15	0.00	30.04
12	0153	7	CLR:00	10.00		72	22.2	71	21.9	71	21.7	97	7	190		29.06			30.00	FM-15	0.00	30.03
12	0253	7	CLR:00	10.00		72	22.2	71	21.9	71	21.7	97	6	190		29.04			29.99	FM-15	0.00	30.01
12	0353	7	CLR:00	10.00		72	22.2	71	21.9	71	21.7	97	5	190		29.05	5	+0.01	30.00	FM-15	0.00	30.02
12	0453	7	CLR:00	10.00		72	22.2	71	21.9	71	21.7	97	5	200		29.07			30.02	FM-15	0.00	30.04
12	0553	7	BKN:07 60	9.00		73	22.8	72	22.0	71	21.7	94	5	200		29.09			30.04	FM-15	0.00	30.06
12	0653	7	FEW:02 75 SCT:04 90	9.00		73	22.8	72	22.4	72	22.2	96	7	200		29.09	1	-0.04	30.04	FM-15	0.00	30.06
12	0753	7	FEW:02 80	10.00		75	23.9	73	22.8	72	22.2	90	9	230		29.09			30.04	FM-15	0.00	30.06
12	0853	7	FEW:02 80	10.00		80	26.7	74	23.6	72	22.2	76	9	230		29.09			30.04	FM-15	0.00	30.06
12	0953	7	CLR:00	10.00		82	27.8	75	23.9	72	22.2	72	11	240		29.11	3	-0.01	30.06	FM-15	0.00	30.08
12	1053	7	CLR:00	10.00		83	28.3	75	24.1	72	22.2	70	9	240		29.11			30.06	FM-15	0.00	30.08
12	1153	7	CLR:00	10.00		85	29.4	75	24.0	71	21.7	63	15	230		29.09			30.03	FM-15	0.00	30.06
12	1253	7	CLR:00	10.00		86	30.0	76	24.2	71	21.7	61	15	240	22	29.09	8	+0.01	30.04	FM-15	0.00	30.06
12	1353	7	FEW:02 42	10.00		87	30.6	76	24.4	71	21.7	59	18	230		29.08			30.02	FM-15	0.00	30.05
12	1453	7	FEW:02 46	10.00		86	30.0	75	23.9	70	21.1	59	16	230		29.10			30.04	FM-15	0.00	30.07
12	1553	7	FEW:02 45 FEW:02 50	10.00		87	30.6	76	24.4	71	21.7	59	14	220	21	29.06	8	+0.03	30.00	FM-15	0.00	30.03
12	1653	7	CLR:00	10.00		87	30.6	76	24.7	72	22.2	61	16	200		29.04			29.98	FM-15	0.00	30.01
12	1753	7	FEW:02 44	10.00		85	29.4	76	24.4	72	22.2	65	14	200		29.03			29.97	FM-15	0.00	30.00
12	1853	7	CLR:00	10.00		84	28.9	76	24.6	73	22.8	70	10	200		29.02	6	+0.04	29.96	FM-15	0.00	29.99
12	1953	7	CLR:00	10.00		83	28.3	76	24.4	73	22.8	72	8	200		29.02			29.97	FM-15	0.00	29.99
12	2053	7	CLR:00	10.00		82	27.8	76	24.7	74	23.3	77	9	200		29.05			29.99	FM-15	0.00	30.02
12	2153	7	CLR:00	10.00		81	27.2	75	24.1	73	22.8	77	8	220		29.08	3	-0.06	30.02	FM-15	0.00	30.05
12	2253	7	FEW:02 110	10.00		79	26.1	76	24.2	74	23.3	85	7	200		29.07			30.01	FM-15	0.00	30.04
12	2353	7	CLR:00	10.00		79	26.1	76	24.2	74	23.3	85	7	200		29.06			30.01	FM-15	0.00	30.03
13	0053	7	CLR:00	10.00		78	25.6	75	24.0	74	23.3	87	10	210		29.06	6	+0.01	30.00	FM-15	0.00	30.03
13	0153	7	SCT:04 110	10.00		78	25.6	75	24.0	74	23.3	87	8	210		29.06			30.00	FM-15	0.00	30.03
13	0253	7	SCT:04 65	10.00		78	25.6	75	24.0	74	23.3	87	10	200		29.04			29.98	FM-15	0.00	30.01

13	0353	7	OVC:08 70	10.00		78	25.6	75	24.0	74	23.3	87	10	200		29.04	5	+0.02	29.98	FM-15	0.00	30.01
13	0453	7	FEW:02 80	10.00		78	25.6	75	24.0	74	23.3	87	9	220		29.05			29.99	FM-15	0.00	30.02
13	0553	7	SCT:04 65 BKN:07 100	9.00		77	25.0	75	23.8	74	23.3	90	8	190		29.06			30.00	FM-15	T	30.03
13	0623	7	BKN:07 35 BKN:07 42 OVC:08 55	8.00	VCTS:7 ||	77	25.0	75	23.8	74	23.3	90	6	260		29.08				FM-16		30.05
13	0631	7	SCT:04 27 BKN:07 36 OVC:08 42	6.00	TS:7 -RA:02 BR:1 |RA TS |	76	24.4	75	23.7	74	23.3	94	7	270		29.08				FM-16	T	30.05
13	0643	7	SCT:04 27 BKN:07 34 OVC:08 50	1.75	TS:7 +RA:02 BR:1 |RA TS |	76	24.4	75	23.7	74	23.3	94	7	240		29.09				FM-16	0.04	30.06
13	0651	6	SCT:04 30 BKN:07 43 OVC:08 55	0.75	TS:7 +RA:02 BR:1 |RA TS |	75	24.0	75	23.9	75	24.0	100	11	220		29.09				FM-16		30.06
13	0653	7	SCT:04 28 BKN:07 37 OVC:08 55	0.50	TS:7 +RA:02 FG:2 |FG RA TS |	74	23.3	74	23.3	74	23.3	100	9	250		29.08	3	-0.04	30.03	FM-15	0.28s	30.05
13	0701	7	SCT:04 29 OVC:08 35	6.00	TS:7 -RA:02 BR:1 |RA TS |	74	23.3	73	23.0	73	22.8	97	7	220		29.08				FM-16	0.02	30.05
13	0723	7	FEW:02 29 BKN:07 49 OVC:08 100	5.00	VCTS:7 -RA:02 BR:1 |RA |	74	23.3	74	23.3	74	23.3	100	8	200		29.08				FM-16	0.05	30.05
13	0740	7	BKN:07 29 BKN:07 49 OVC:08 100	6.00	VCTS:7 BR:1 ||	75	23.9	75	23.9	75	23.9	100	6	220		29.08				FM-16	0.05	30.05
13	0748	7	BKN:07 29 OVC:08 100	6.00	BR:1 ||	75	24.0	75	23.9	75	24.0	100	6	240		29.09				FM-16	0.05	30.06
13	0753	7	OVC:08 29	6.00	BR:1 ||	76	24.4	75	24.1	75	23.9	97	5	230		29.09			30.03	FM-15	0.03	30.06
13	0844	7	SCT:04 27 BKN:07 55 OVC:08 80	8.00		76	24.4	75	24.1	75	23.9	97	6	190		29.09				FM-16		30.06
13	0853	7	FEW:02 31 BKN:07 55	8.00		76	24.4	76	24.4	76	24.4	100	7	180		29.09			30.03	FM-15	0.00	30.06
13	0907	7	BKN:07 29 OVC:08 50	7.00		76	24.4	75	24.1	75	23.9	97	8	190		29.10				FM-16		30.07
13	0917	7	FEW:02 16 SCT:04 22 OVC:08 29	2.50	VCTS:7 BR:1 ||	76	24.4	75	24.1	75	23.9	97	7	190		29.09				FM-16		30.06
13	0931	7	FEW:02 12 BKN:07 19 OVC:08 24	7.00	VCTS:7 -RA:02 |RA |	76	24.4	75	24.1	75	23.9	97	8	190		29.10				FM-16	0.03	30.07
13	0951	6	SCT:04 15 OVC:08 20	8.00	-RA:02 |RA |	75	24.0	75	23.9	75	24.0	100	8	220		29.10				FM-16		30.07
13	0953	7	SCT:04 15 BKN:07 20 OVC:08 32	9.00	-RA:02 |RA |	76	24.4	75	24.1	75	23.9	97	8	230		29.10	2	-0.01	30.04	FM-15	0.04	30.07
13	1007	7	BKN:07 16 OVC:08 20	8.00	VCTS:7 ||	75	23.9	75	23.9	75	23.9	100	10	200		29.10				FM-16	T	30.07
13	1012	7	BKN:07 14 OVC:08 20	3.00	VCTS:7 RA:02 BR:1 |RA |	75	23.9	74	23.5	74	23.3	96	11	220		29.10				FM-16	0.05	30.07
13	1016	7	SCT:04 11 BKN:07 16 OVC:08 20	1.00	TS:7 +RA:02 BR:1 |RA TS |	74	23.3	74	23.3	74	23.3	100	13	230		29.12				FM-16	0.14	30.09
13	1021	7	SCT:04 7 BKN:07 14 OVC:08 22	1.00	TS:7 +RA:02 BR:1 |RA TS |	74	23.3	74	23.3	74	23.3	100	14	210		29.12				FM-16	0.41	30.09
13	1028	7	BKN:07 5 BKN:07 16 OVC:08 22	1.00	TS:7 +RA:02 BR:1 |RA TS |	73	22.8	73	22.8	73	22.8	100	16	200	28	29.11				FM-16	0.52	30.08
13	1043	7	FEW:02 9 BKN:07 40 OVC:08 60	1.50	TS:7 RA:02 BR:1 |RA TS |	73	22.8	73	22.8	73	22.8	100	15	200	23	29.11				FM-16	0.62	30.08

13	1051	6	FEW:02 7 BKN:07 26 OVC:08 60	1.25V	TS:7 -RA:02 BR:1 |RA TS |	73	23.0	73	22.8	73	23.0	100	8	210	21	29.13				FM-16		30.10
13	1053	7	FEW:02 10 BKN:07 31 OVC:08 100	1.25	TS:7 -RA:02 BR:1 |RA TS |	73	22.8	73	22.8	73	22.8	100	10	190		29.13			30.08	FM-15	0.76	30.10
13	1151	6	FEW:02 10 BKN:07 31 OVC:08 100	1.50	BR:1 ||	72	22.0	72	22.2	72	22.0	100	7	130		29.13				FM-16		30.10
13	1153	7	SCT:04 46 BKN:07 70 OVC:08 80	8.00		72	22.2	72	22.2	72	22.2	100	8	140		29.13			30.08	FM-15	0.41	30.10
13	1155	7	SCT:04 42 BKN:07 70 OVC:08 90	8.00	VCTS:7 ||	72	22.2	72	22.2	72	22.2	100	7	140		29.13				FM-16		30.10
13	1238	7	FEW:02 27 SCT:04 55 BKN:07 110	7.00	-RA:02 |RA |	74	23.3	73	23.0	73	22.8	97	11	160		29.10				FM-16	0.05	30.07
13	1253	7	SCT:04 60 SCT:04 120	10.00		75	23.9	74	23.5	74	23.3	96	11	160		29.10	0	-0.00	30.04	FM-15	0.05	30.07
13	1314	7	BKN:07 19 BKN:07 120	10.00		75	23.9	74	23.5	74	23.3	96	14	170		29.12				FM-16		30.09
13	1351	6	FEW:02 18 SCT:04 70 BKN:07 110	10.00		77	25.0	74	23.5	73	23.0	89	15	170		29.10				FM-16		30.07
13	1353	7	FEW:02 18 FEW:02 70 BKN:07 110	10.00		77	25.0	75	23.8	74	23.3	90	14	170		29.10			30.05	FM-15	0.00	30.07
13	1453	7	FEW:02 120	10.00		79	26.1	76	24.6	75	23.9	88	11	180		29.08			30.02	FM-15	0.00	30.05
13	1553	7	CLR:00	10.00		79	26.1	76	24.2	74	23.3	85	10	200		29.08	8	+0.02	30.02	FM-15	0.00	30.05
13	1651	6	CLR:00	10.00	VCTS:7 ||	81	27.0	77	24.9	75	24.0	84	10	200		29.06				FM-16		30.03
13	1653	7	CLR:00	10.00	VCTS:7 ||	80	26.7	76	24.7	75	23.9	85	11	200		29.06			30.00	FM-15	0.00	30.03
13	1721	7	FEW:02 14 FEW:02 34 SCT:04 65	9.00	TS:7 |TS TS |	79	26.1	77	24.9	76	24.4	90	20	220	23	29.07				FM-16		30.04
13	1753	7	SCT:04 49 BKN:07 70 OVC:08 85	10.00	TS:7 -RA:02 |RA TS TS |	73	22.8	72	22.0	71	21.7	94	7	210		29.06			30.01	FM-15	0.01	30.03
13	1756	7	FEW:02 49 SCT:04 60 BKN:07 80	10.00	-RA:02 |RA |	73	22.8	72	22.0	71	21.7	94	9	220		29.06				FM-16	T	30.03
13	1853	7	SCT:04 75 SCT:04 100 BKN:07 120	10.00		75	23.9	73	22.8	72	22.2	90	5	270		29.06	6	+0.02	30.01	FM-15	T	30.03
13	1953	7	CLR:00	10.00		76	24.4	74	23.3	73	22.8	91	8	220		29.06			30.01	FM-15	0.00	30.03
13	2050	7	FEW:02 42 FEW:02 50	10.00	VCTS:7 ||	75	24.0	73	22.8	72	22.0	89	11	220		29.08				FM-16		30.05
13	2053	7	FEW:02 29 FEW:02 50	10.00	VCTS:7 -RA:02 |RA |	75	23.9	73	22.8	72	22.2	90	10	220		29.08			30.02	FM-15	T	30.05
13	2116	6	CLR:00	10.00	-RA:02 |RA |	75	23.9	74	23.1	73	22.8	94	9	240		29.07				FM-16		30.04
13	2153	7	SCT:04 120	10.00	-RA:02 |RA |	73	22.8	72	22.4	72	22.2	96	6	190		29.06	0	-0.00	30.01	FM-15	T	30.03
13	2253	7	FEW:02 90 BKN:07 110	10.00		73	22.8	72	22.4	72	22.2	96	3	260		29.06			30.01	FM-15	T	30.03
13	2353	7	SCT:04 110	10.00		72	22.2	71	21.9	71	21.7	97	5	250		29.06			30.01	FM-15	0.00	30.03
14	0053	7	SCT:04 28 BKN:07 34 OVC:08 110	10.00		74	23.3	73	22.6	72	22.2	94	9	240		29.07	3	-0.00	30.01	FM-15	0.00	30.04
14	0153	7	SCT:04 36 OVC:08 120	10.00		74	23.3	73	22.6	72	22.2	94	10	230		29.07			30.01	FM-15	0.00	30.04
14	0253	7	BKN:07 100	10.00		73	22.8	72	22.4	72	22.2	96	6	260		29.05			30.00	FM-15	0.00	30.02
14	0353	7	BKN:07 110	10.00		72	22.2	72	22.2	72	22.2	100	6	280		29.06	5	+0.01	30.01	FM-15	0.00	30.03
14	0453	7	FEW:02 45 BKN:07 90	9.00		72	22.2	72	22.2	72	22.2	100	7	240		29.08			30.03	FM-15	0.00	30.05

14	0553	7	FEW:02 60 SCT:04 80 BKN:07 110	7.00	-RA:02 |RA |	72	22.2	72	22.2	72	22.2	100	5	240		29.09			30.03	FM-15	T	30.06
14	0653	7	CLR:00	7.00		74	23.3	74	23.3	74	23.3	100	5	290		29.09	1	-0.03	30.03	FM-15	T	30.06
14	0753	7	BKN:07 60	10.00		76	24.4	73	22.9	72	22.2	88	6	300		29.10			30.05	FM-15	0.00	30.07
14	0853	7	CLR:00	10.00		79	26.1	73	22.7	70	21.1	74	5	320		29.10			30.04	FM-15	0.00	30.07
14	0953	7	FEW:02 30 OVC:08 46	10.00		79	26.1	73	22.7	70	21.1	74	6	280		29.10	1	-0.01	30.05	FM-15	0.00	30.07
14	1053	7	FEW:02 26 BKN:07 45	10.00		81	27.2	75	23.8	72	22.2	74	7	230		29.10			30.05	FM-15	0.00	30.07
14	1153	7	FEW:02 28 FEW:02 35 SCT:04 55	10.00		83	28.3	75	24.1	72	22.2	70	7	250		29.09			30.03	FM-15	0.00	30.06
14	1253	7	CLR:00	10.00		84	28.9	75	23.9	71	21.7	65	13	270		29.06	8	+0.04	30.01	FM-15	0.00	30.03
14	1353	7	SCT:04 41 SCT:04 48	10.00		84	28.9	74	23.5	70	21.1	63	14	250	20	29.05			29.99	FM-15	0.00	30.02
14	1453	7	FEW:02 40 SCT:04 47 SCT:04 55	10.00		85	29.4	75	24.0	71	21.7	63	13	290		29.04			29.99	FM-15	0.00	30.01
14	1553	7	SCT:04 45	10.00		84	28.9	74	23.5	70	21.1	63	13	290	22	29.05	5	+0.01	29.99	FM-15	0.00	30.02
14	1653	7	FEW:02 46	10.00		83	28.3	72	22.0	66	18.9	57	15	280		29.04			29.99	FM-15	0.00	30.01
14	1753	7	CLR:00	10.00		81	27.2	71	21.7	66	18.9	61	14	280		29.05			29.99	FM-15	0.00	30.02
14	1853	7	CLR:00	10.00		79	26.1	70	21.4	66	18.9	65	11	280		29.05	3	-0.01	30.00	FM-15	0.00	30.02
14	1953	7	CLR:00	10.00		75	23.9	69	20.6	66	18.9	74	8	290		29.05			30.00	FM-15	0.00	30.02
14	2053	7	CLR:00	10.00		73	22.8	68	20.3	66	18.9	79	6	280		29.07			30.01	FM-15	0.00	30.04
14	2153	7	CLR:00	10.00		74	23.3	68	20.1	65	18.3	74	11	320		29.09	3	-0.03	30.03	FM-15	0.00	30.06
14	2253	7	CLR:00	10.00		71	21.7	68	19.9	66	18.9	84	11	300		29.10			30.04	FM-15	0.00	30.07
14	2353	7	CLR:00	10.00		69	20.6	66	19.1	65	18.3	87	9	310		29.10			30.05	FM-15	0.00	30.07
15	0053	7	CLR:00	10.00		68	20.0	65	18.6	64	17.8	87	8	300		29.10	0	-0.01	30.05	FM-15	0.00	30.07
15	0153	7	CLR:00	10.00		65	18.3	64	18.0	64	17.8	97	7	280		29.10			30.05	FM-15	0.00	30.07
15	0253	7	SCT:04 50	10.00		65	18.3	64	18.0	64	17.8	97	7	280		29.10			30.05	FM-15	0.00	30.07
15	0353	7	FEW:02 48	10.00		64	17.8	63	17.4	63	17.2	96	8	310		29.11	3	-0.01	30.06	FM-15	0.00	30.08
15	0453	7	FEW:02 46	10.00		64	17.8	63	17.1	62	16.7	93	8	320		29.12			30.07	FM-15	0.00	30.09
15	0553	7	CLR:00	10.00		63	17.2	63	17.2	63	17.2	100	7	320		29.14			30.09	FM-15	0.00	30.11
15	0653	7	SCT:04 48	10.00		66	18.9	65	18.2	64	17.8	93	8	350		29.14	1	-0.03	30.09	FM-15	0.00	30.11
15	0753	7	CLR:00	10.00		69	20.6	66	19.1	65	18.3	87	6	010		29.15			30.11	FM-15	0.00	30.12
15	0853	7	CLR:00	10.00		72	22.2	68	20.1	66	18.9	82	5	360		29.15			30.10	FM-15	0.00	30.12
15	0900	7	FEW:02 16	10.00		73	22.8	68	20.3	66	18.9	79	5	360		29.15				FM-16		30.12
15	0925	7	BKN:07 20	10.00		75	23.9	70	21.0	67	19.4	76	3	350		29.15				FM-16		30.12
15	0946	7	SCT:04 21	10.00		75	23.9	69	20.6	66	18.9	74	5	VRB		29.15				FM-16		30.12
15	0953	7	FEW:02 21	10.00		75	23.9	69	20.6	66	18.9	74	6	020		29.15	1	-0.01	30.10	FM-15	0.00	30.12
15	0955	7	BKN:07 21	10.00		75	23.9	69	20.6	66	18.9	74	7	020		29.16				FM-16		30.13
15	1008	7	BKN:07 21	10.00		73	22.8	68	19.9	65	18.3	76	7	350		29.16				FM-16		30.13
15	1051	6	FEW:02 29 BKN:07 46	10.00		75	24.0	67	19.7	63	17.0	65	7	330		29.16				FM-16		30.13
15	1053	7	FEW:02 29 BKN:07 46	10.00		75	23.9	68	20.0	64	17.8	69	9	310		29.16			30.11	FM-15	0.00	30.13
15	1153	7	SCT:04 50	10.00		78	25.6	68	19.9	62	16.7	58	6	VRB		29.15			30.09	FM-15	0.00	30.12
15	1253	7	FEW:02 38 SCT:04 46	10.00		79	26.1	68	20.1	62	16.7	56				29.13	8	+0.02	30.08	FM-15	0.00	30.10
15	1257	7	SCT:04 41	10.00		79	26.1	69	20.4	63	17.2	58	9	300		29.13				FM-16		30.10
15	1353	7	BKN:07 44 BKN:07 50	10.00		77	25.0	67	19.7	62	16.7	60	3	330		29.13			30.08	FM-15	0.00	30.10
15	1453	7	FEW:02 50	10.00		78	25.6	68	20.2	63	17.2	60	3	330		29.11			30.06	FM-15	0.00	30.08
15	1553	7	FEW:02 50	10.00		78	25.6	68	19.9	62	16.7	58	6	290		29.08	8	+0.05	30.03	FM-15	0.00	30.05
15	1653	7	SCT:04 46	10.00		77	25.0	68	20.0	63	17.2	62	8	300		29.08			30.03	FM-15	0.00	30.05
15	1753	7	SCT:04 44	10.00		79	26.1	69	20.7	64	17.8	60	9	360		29.06			30.01	FM-15	0.00	30.03
15	1853	7	FEW:02 43	10.00		76	24.4	68	19.8	63	17.2	64	7	340		29.06	6	+0.02	30.01	FM-15	0.00	30.03
15	1953	7	CLR:00	10.00		72	22.2	66	18.7	62	16.7	71	8	330		29.06			30.02	FM-15	0.00	30.03
15	2053	7	CLR:00	10.00		71	21.7	65	18.6	62	16.7	73	5	340		29.07			30.02	FM-15	0.00	30.04

15	2153	7	CLR:00	10.00		71	21.7	65	18.6	62	16.7	73	3	350		29.07	1	-0.01	30.02	FM-15	0.00	30.04
15	2253	7	CLR:00	10.00		67	19.4	64	17.7	62	16.7	84	0	000		29.07			30.02	FM-15	0.00	30.04
15	2353	7	CLR:00	10.00		67	19.4	65	18.4	64	17.8	91	3	280		29.08			30.03	FM-15	0.00	30.05
16	0053	7	CLR:00	10.00		64	17.8	63	17.4	63	17.2	96	0	000		29.08	0	-0.01	30.03	FM-15	0.00	30.05
16	0153	7	CLR:00	10.00		63	17.2	63	17.2	63	17.2	100	0	000		29.06			30.02	FM-15	0.00	30.03
16	0253	7	CLR:00	9.00		63	17.2	63	17.2	63	17.2	100	0	000		29.06			30.01	FM-15	0.00	30.03
16	0353	7	CLR:00	10.00		62	16.7	62	16.7	62	16.7	100	0	000		29.06	6	+0.02	30.01	FM-15	0.00	30.03
16	0453	7	CLR:00	7.00		62	16.7	62	16.7	62	16.7	100	0	000		29.06			30.01	FM-15	0.00	30.03
16	0553	7	CLR:00	10.00		62	16.7	61	16.3	61	16.1	96	5	300		29.08			30.03	FM-15	0.00	30.05
16	0653	7	FEW:02 36	10.00		67	19.4	66	18.7	65	18.3	93	0	000		29.08	1	-0.02	30.03	FM-15	0.00	30.05
16	0753	7	CLR:00	10.00		72	22.2	68	19.7	65	18.3	79	5	250		29.07			30.02	FM-15	0.00	30.04
16	0853	7	FEW:02 33	10.00		76	24.4	68	20.2	64	17.8	67	8	240		29.06			30.01	FM-15	0.00	30.03
16	0953	7	FEW:02 29	10.00		75	23.9	69	20.3	65	18.3	71	5	260		29.05	6	+0.02	30.00	FM-15	0.00	30.02
16	1053	7	SCT:04 30	10.00		78	25.6	70	21.2	66	18.9	67	7	250		29.05			30.00	FM-15	0.00	30.02
16	1153	7	SCT:04 35	10.00		80	26.7	71	21.5	66	18.9	62	8	280		29.04			29.99	FM-15	0.00	30.01
16	1253	7	SCT:04 39	10.00		80	26.7	71	21.5	66	18.9	62	7	260		29.03	8	+0.02	29.98	FM-15	0.00	30.00
16	1353	7	SCT:04 41	10.00		82	27.8	71	21.9	66	18.9	58	9	240		29.02			29.97	FM-15	0.00	29.99
16	1453	7	BKN:07 42	10.00		82	27.8	71	21.5	65	18.3	56	8	230		29.01			29.96	FM-15	0.00	29.98
16	1553	7	CLR:00	10.00		83	28.3	72	22.0	66	18.9	57	8	280		29.00	6	+0.04	29.95	FM-15	0.00	29.97
16	1653	7	CLR:00	10.00		83	28.3	71	21.7	65	18.3	55	9	260		28.99			29.93	FM-15	0.00	29.96
16	1753	7	CLR:00	10.00		83	28.3	72	22.0	66	18.9	57	6	240		28.98			29.93	FM-15	0.00	29.95
16	1853	7	CLR:00	10.00		80	26.7	71	21.9	67	19.4	64	7	230		28.98	5	+0.01	29.93	FM-15	0.00	29.95
16	1953	7	CLR:00	10.00		78	25.6	71	21.5	67	19.4	69	7	210		28.98			29.93	FM-15	0.00	29.95
16	2053	7	CLR:00	10.00		77	25.0	70	21.3	67	19.4	71	7	220		28.97			29.92	FM-15	0.00	29.94
16	2153	7	SCT:04 40 BKN:07 120	10.00		76	24.4	71	21.5	68	20.0	77	13	350		29.03	3	-0.04	29.97	FM-15	T	30.00
16	2214	7	BKN:07 42 BKN:07 55	10.00		76	24.4	71	21.5	68	20.0	77	7	300		29.04				FM-16		30.01
16	2253	7	FEW:02 43 SCT:04 55	10.00		74	23.3	68	19.8	64	17.8	71	11	350		29.04			29.98	FM-15	0.00	30.01
16	2353	7	CLR:00	10.00		71	21.7	67	19.2	64	17.8	79	7	360		29.01			29.95	FM-15	0.00	29.98
17	0053	7	CLR:00	10.00		68	20.0	66	18.9	65	18.3	90	6	310		29.03	3	-0.01	29.98	FM-15	0.00	30.00
17	0153	7	CLR:00	10.00		68	20.0	66	18.9	65	18.3	90	3	320		29.01			29.96	FM-15	0.00	29.98
17	0253	7	CLR:00	10.00		67	19.4	66	19.1	66	18.9	97	7	040		28.99			29.94	FM-15	0.00	29.96
17	0353	7	CLR:00	9.00		66	18.9	66	18.9	66	18.9	100	3	360		29.00	5	+0.03	29.95	FM-15	0.00	29.97
17	0427	7	SCT:04 7	7.00		66	18.9	66	18.9	66	18.9	100	5	050		29.01				FM-16		29.98
17	0437	7	BKN:07 6	6.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	5	040		29.01				FM-16		29.98
17	0453	7	OVC:08 5	5.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	5	020		29.01			29.96	FM-15	0.00	29.98
17	0509	7	OVC:08 4	4.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	7	020		29.02				FM-16		29.99
17	0535	7	OVC:08 4	2.50	BR:1 ||	68	20.0	68	20.0	68	20.0	100	6	070		29.02				FM-16		29.99
17	0553	7	OVC:08 3	2.50	BR:1 ||	68	20.0	68	20.0	68	20.0	100	5	040		29.03			29.97	FM-15	0.00	30.00
17	0641	7	OVC:08 5	3.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	6	060		29.04				FM-16		30.01
17	0651	6	OVC:08 5	2.50	BR:1 ||	70	21.0	70	21.1	70	21.0	100	5	060		29.05				FM-16		30.02
17	0653	7	OVC:08 5	2.50	BR:1 ||	69	20.6	69	20.6	69	20.6	100	3	060		29.05	3	-0.04	30.00	FM-15	0.00	30.02
17	0751	6	OVC:08 6	4.00	BR:1 ||	70	21.0	70	21.1	70	21.0	100	5	010		29.07				FM-16		30.04
17	0753	7	OVC:08 6	4.00	BR:1 ||	70	21.1	69	20.7	69	20.6	97	5	010		29.07			30.02	FM-15	0.00	30.04
17	0853	7	OVC:08 8	5.00	BR:1 ||	71	21.7	70	20.9	69	20.6	94	3	060		29.08			30.03	FM-15	0.00	30.05
17	0938	7	OVC:08 10	6.00	BR:1 ||	72	22.2	70	21.1	69	20.6	91	3	050		29.08				FM-16		30.05
17	0953	7	OVC:08 10	6.00	BR:1 ||	72	22.2	70	21.1	69	20.6	91	3	010		29.08	1	-0.04	30.03	FM-15	0.00	30.05
17	1053	7	OVC:08 13	7.00		74	23.3	71	21.5	69	20.6	85	3	020		29.09			30.03	FM-15	0.00	30.06
17	1143	7	OVC:08 15	10.00		75	23.9	71	21.7	69	20.6	82	3	340		29.08				FM-16		30.05
17	1153	7	BKN:07 15	10.00		76	24.4	72	22.2	70	21.1	82	5	350		29.08			30.03	FM-15	0.00	30.05
17	1230	7	BKN:07 15	10.00		77	25.0	72	22.4	70	21.1	79	5	310		29.07				FM-16		30.04
17	1251	6	SCT:04 19	10.00		79	26.0	73	22.7	70	21.0	74	0	000		29.07				FM-16		30.04
17	1253	7	SCT:04 19	10.00		78	25.6	73	22.6	70	21.1	76	5	010		29.07	8	+0.01	30.02	FM-15	0.00	30.04
17	1353	7	FEW:02 23	10.00		81	27.2	74	23.4	71	21.7	72	7	020		29.06			30.01	FM-15	0.00	30.03
17	1453	7	FEW:02 23	10.00		82	27.8	73	22.5	68	20.0	63	3	040		29.06			30.01	FM-15	0.00	30.03

17	1553	7	CLR:00	10.00		83	28.3	73	22.7	68	20.0	61	5	080		29.05	8	+0.02	30.00	FM-15	0.00	30.02
17	1653	7	CLR:00	10.00		82	27.8	73	22.5	68	20.0	63	0	000		29.04			29.99	FM-15	0.00	30.01
17	1753	7	CLR:00	10.00		81	27.2	74	23.1	70	21.1	69	6	010		29.03			29.98	FM-15	0.00	30.00
17	1853	7	SCT:04 85	10.00		80	26.7	74	23.2	71	21.7	74	7	010		29.04	5	+0.00	29.99	FM-15	0.00	30.01
17	1953	7	FEW:02 44	10.00		76	24.4	72	22.2	70	21.1	82	6	020		29.05			30.00	FM-15	0.00	30.02
17	2053	7	CLR:00	10.00		74	23.3	71	21.5	69	20.6	85	7	030		29.06			30.01	FM-15	0.00	30.03
17	2153	7	CLR:00	10.00		72	22.2	70	21.1	69	20.6	91	6	030		29.07	3	-0.03	30.03	FM-15	0.00	30.04
17	2253	7	CLR:00	10.00		72	22.2	70	21.1	69	20.6	91	6	070		29.08			30.03	FM-15	0.00	30.05
17	2353	7	CLR:00	10.00		72	22.2	69	20.4	67	19.4	84	7	080		29.09			30.03	FM-15	0.00	30.06
18	0053	7	OVC:08 85	10.00		70	21.1	67	19.7	66	18.9	87	5	070		29.09	1	-0.01	30.04	FM-15	0.00	30.06
18	0153	7	BKN:07 90	10.00		70	21.1	67	19.3	65	18.3	84	3	090		29.09			30.04	FM-15	0.00	30.06
18	0253	7	CLR:00	10.00		68	20.0	65	18.6	64	17.8	87	3	070		29.09			30.04	FM-15	0.00	30.06
18	0353	7	BKN:07 50 OVC:08 80	10.00		68	20.0	66	18.9	65	18.3	90	5	360		29.11	3	-0.02	30.06	FM-15	0.00	30.08
18	0453	6	CLR:00	10.00		66	18.9	64	17.9	63	17.2	90	3	050		29.11			30.06	FM-15	0.00	30.08
18	0553	7	CLR:00	10.00		66	18.9	64	17.9	63	17.2	90	3	070		29.12			30.06	FM-15	0.00	30.09
18	0653	7	CLR:00	10.00		69	20.6	65	18.5	63	17.2	81	5	060		29.12	3	-0.01	30.07	FM-15	0.00	30.09
18	0753	7	CLR:00	10.00		73	22.8	68	19.9	65	18.3	76	5	080		29.13			30.08	FM-15	0.00	30.10
18	0853	7	CLR:00	10.00		77	25.0	71	21.7	68	20.0	74	3	130		29.13			30.08	FM-15	0.00	30.10
18	0953	7	CLR:00	10.00		80	26.7	73	22.9	70	21.1	71	5	VRB		29.14	1	-0.01	30.09	FM-15	0.00	30.11
18	1053	7	SCT:04 55	10.00		83	28.3	74	23.4	70	21.1	65	0	000		29.14			30.09	FM-15	0.00	30.11
18	1153	7	FEW:02 55	10.00		86	30.0	75	23.9	70	21.1	59	0	000		29.13			30.08	FM-15	0.00	30.10
18	1253	7	BKN:07 45 BKN:07 60 BKN:07 75	10.00		85	29.4	75	23.7	70	21.1	61	3	VRB		29.12	8	+0.02	30.06	FM-15	0.00	30.09
18	1346	7	SCT:04 46 SCT:04 60	10.00		88	31.1	76	24.5	71	21.7	57				29.10				FM-16		30.07
18	1353	7	BKN:07 47 BKN:07 55	10.00		88	31.1	75	24.2	70	21.1	55	8	220		29.10			30.05	FM-15	0.00	30.07
18	1453	7	CLR:00	10.00		89	31.7	76	24.7	71	21.7	55	10	220		29.10			30.04	FM-15	0.00	30.07
18	1553	7	BKN:07 50	10.00		88	31.1	75	24.2	70	21.1	55	8	200		29.09	6	+0.03	30.03	FM-15	0.00	30.06
18	1653	7	FEW:02 50	10.00		88	31.1	75	23.8	69	20.6	54	10	240		29.08			30.03	FM-15	0.00	30.05
18	1753	7	FEW:02 50	10.00		87	30.6	74	23.3	68	20.0	53	9	230		29.08			30.03	FM-15	0.00	30.05
18	1853	7	CLR:00	10.00		86	30.0	74	23.5	69	20.6	57	7	230		29.08	6	+0.01	30.03	FM-15	0.00	30.05
18	1953	7	CLR:00	10.00		83	28.3	73	23.0	69	20.6	63	5	210		29.09			30.03	FM-15	0.00	30.06
18	2053	7	CLR:00	10.00		81	27.2	73	22.7	69	20.6	67	3	200		29.10			30.05	FM-15	0.00	30.07
18	2153	7	CLR:00	10.00		78	25.6	72	22.2	69	20.6	74	0	000		29.12	3	-0.04	30.06	FM-15	0.00	30.09
18	2253	7	CLR:00	10.00		80	26.7	74	23.2	71	21.7	74	3	190		29.12			30.06	FM-15	0.00	30.09
18	2353	7	CLR:00	10.00		76	24.4	73	22.6	71	21.7	85	0	000		29.12			30.06	FM-15	0.00	30.09
19	0053	7	CLR:00	10.00		74	23.3	72	22.2	71	21.7	91	0	000		29.11	8	+0.01	30.06	FM-15	0.00	30.08
19	0153	7	CLR:00	10.00		76	24.4	73	22.9	72	22.2	88	6	180		29.10			30.04	FM-15	0.00	30.07
19	0253	7	CLR:00	10.00		74	23.3	72	22.2	71	21.7	91	0	000		29.10			30.04	FM-15	0.00	30.07
19	0353	7	CLR:00	6.00	BR:1 ||	71	21.7	71	21.7	71	21.7	100	0	000		29.11	5	+0.00	30.05	FM-15	0.00	30.08
19	0453	7	CLR:00	7.00		71	21.7	71	21.7	71	21.7	100	0	000		29.12			30.07	FM-15	0.00	30.09
19	0553	7	CLR:00	5.00	BR:1 ||	71	21.7	71	21.7	71	21.7	100	0	000		29.13			30.08	FM-15	0.00	30.10
19	0653	7	CLR:00	6.00	BR:1 ||	74	23.3	73	22.6	72	22.2	94	3	250		29.15	1	-0.04	30.09	FM-15	0.00	30.12
19	0753	7	CLR:00	9.00		79	26.1	74	23.4	72	22.2	79	3	240		29.14			30.09	FM-15	0.00	30.11
19	0853	7	CLR:00	10.00		83	28.3	75	24.1	72	22.2	70	5	250		29.15			30.09	FM-15	0.00	30.12
19	0953	7	CLR:00	10.00		86	30.0	74	23.2	68	20.0	55	8	VRB		29.15	3	-0.00	30.09	FM-15	0.00	30.12
19	1053	7	BKN:07 50	10.00		85	29.4	73	23.0	68	20.0	57	8	220		29.16			30.10	FM-15	0.00	30.13
19	1153	7	CLR:00	10.00		87	30.6	73	23.0	67	19.4	51	8	260		29.15			30.09	FM-15	0.00	30.12
19	1253	7	CLR:00	10.00		87	30.6	72	22.4	65	18.3	48	5	VRB		29.13	8	+0.01	30.08	FM-15	0.00	30.10
19	1353	7	CLR:00	10.00		88	31.1	73	22.9	66	18.9	48	7	230		29.12			30.06	FM-15	0.00	30.09
19	1453	7	CLR:00	10.00		88	31.1	71	21.9	63	17.2	43	3	160		29.11			30.06	FM-15	0.00	30.08
19	1553	7	CLR:00	10.00		88	31.1	72	22.2	64	17.8	45	6	270		29.10	8	+0.04	30.04	FM-15	0.00	30.07
19	1653	7	CLR:00	10.00		87	30.6	76	24.4	71	21.7	59	9	290		29.10			30.05	FM-15	0.00	30.07
19	1753	7	SCT:04 45 SCT:04 55	10.00		86	30.0	76	24.2	71	21.7	61	14	300		29.11			30.05	FM-15	0.00	30.08

19	1853	7	CLR:00	10.00		83	28.3	74	23.4	70	21.1	65	10	290		29.10	0	-0.01	30.05	FM-15	0.00	30.07
19	1953	7	CLR:00	10.00		79	26.1	72	22.4	69	20.6	72	7	290		29.10			30.05	FM-15	0.00	30.07
19	2053	7	CLR:00	10.00		77	25.0	71	21.7	68	20.0	74	5	290		29.11			30.05	FM-15	0.00	30.08
19	2153	7	CLR:00	10.00		74	23.3	69	20.8	67	19.4	79	5	280		29.12	3	-0.02	30.06	FM-15	0.00	30.09
19	2253	7	CLR:00	10.00		76	24.4	69	20.8	66	18.9	72	0	000		29.12			30.06	FM-15	0.00	30.09
19	2353	7	CLR:00	10.00		72	22.2	69	20.4	67	19.4	84	0	000		29.13			30.08	FM-15	0.00	30.10
20	0053	7	CLR:00	10.00		71	21.7	70	20.9	69	20.6	94	3	250		29.12	0	-0.00	30.06	FM-15	0.00	30.09
20	0153	7	CLR:00	10.00		70	21.1	68	20.0	67	19.4	90	5	270		29.10			30.04	FM-15	0.00	30.07
20	0253	7	FEW:02 46	10.00		72	22.2	69	20.4	67	19.4	84	3	230		29.09			30.03	FM-15	0.00	30.06
20	0353	7	CLR:00	10.00		73	22.8	70	21.0	68	20.0	84	5	230		29.08	6	+0.04	30.03	FM-15	0.00	30.05
20	0453	7	CLR:00	10.00		73	22.8	70	21.3	69	20.6	87	6	240		29.07			30.01	FM-15	0.00	30.04
20	0553	7	CLR:00	10.00		72	22.2	70	21.1	69	20.6	91	5	170		29.09			30.03	FM-15	0.00	30.06
20	0653	7	CLR:00	9.00		75	23.9	72	22.4	71	21.7	88	7	230		29.13	3	-0.05	30.07	FM-15	0.00	30.10
20	0753	7	SCT:04 95	10.00		77	25.0	74	23.5	73	22.8	88	6	220		29.13			30.08	FM-15	0.00	30.10
20	0853	7	FEW:02 50	10.00		81	27.2	76	24.5	74	23.3	79	10	250		29.13			30.07	FM-15	0.00	30.10
20	0953	7	SCT:04 50	10.00		84	28.9	78	25.7	76	24.4	77	11	240		29.13	8	+0.00	30.07	FM-15	0.00	30.10
20	1053	7	BKN:07 27 BKN:07 100	10.00		84	28.9	78	25.3	75	23.9	74	16	260	23	29.11			30.06	FM-15	0.00	30.08
20	1153	7	BKN:07 27 BKN:07 34 BKN:07 100	10.00		86	30.0	78	25.6	75	23.9	70	14	250		29.09			30.03	FM-15	0.00	30.06
20	1200	7	SCT:04 30	10.00		86	30.0	77	24.9	73	22.8	65	10	270		29.09				FM-16		30.06
20	1253	7	FEW:02 30	10.00		86	30.0	78	25.6	75	23.9	70	11	250	18	29.07	8	+0.06	30.01	FM-15	0.00	30.04
20	1353	7	FEW:02 38 FEW:02 60	10.00		87	30.6	79	26.1	76	24.4	70	16	210	20	29.03			29.97	FM-15	0.00	30.00
20	1450	7	BKN:07 28 BKN:07 33 BKN:07 41	10.00		84	29.0	78	25.3	75	24.0	74	10	220		29.04				FM-16		30.01
20	1453	7	BKN:07 28 BKN:07 32 BKN:07 41	10.00		85	29.4	79	26.2	77	25.0	77	13	230		29.04			29.98	FM-15	0.00	30.01
20	1513	7	SCT:04 27 SCT:04 40 SCT:04 47	10.00		84	28.9	78	25.7	76	24.4	77	11	250		29.04				FM-16		30.01
20	1517	7	BKN:07 28 BKN:07 32 BKN:07 47	10.00		84	28.9	78	25.7	76	24.4	77	10	250		29.04				FM-16		30.01
20	1551	6	FEW:02 23	9.00		82	28.0	77	25.0	75	24.0	79	11	250		29.04				FM-16		30.01
20	1553	7	FEW:02 21	9.00		83	28.3	78	25.6	76	24.4	79	13	250		29.04	1	-0.01	29.99	FM-15	0.00	30.01
20	1653	7	SCT:04 23	10.00		84	28.9	78	25.7	76	24.4	77	14	260	20	29.03			29.98	FM-15	0.00	30.00
20	1753	7	CLR:00	10.00		83	28.3	77	25.2	75	23.9	77	11	260		29.03			29.97	FM-15	0.00	30.00
20	1853	7	SCT:04 70	10.00		81	27.2	76	24.5	74	23.3	79	8	270		29.02	6	+0.02	29.97	FM-15	0.00	29.99
20	1953	7	OVC:08 60	10.00		80	26.7	76	24.3	74	23.3	82	7	280		29.03			29.98	FM-15	0.00	30.00
20	2053	7	FEW:02 60 BKN:07 75 OVC:08 90	10.00		81	27.2	77	24.9	75	23.9	82	0	000		29.03			29.97	FM-15	0.00	30.00
20	2153	7	BKN:07 60 OVC:08 85	10.00		81	27.2	77	24.9	75	23.9	82	3	190		29.03	1	-0.01	29.97	FM-15	0.00	30.00
20	2253	7	BKN:07 60 OVC:08 95	10.00		81	27.2	77	24.9	75	23.9	82	5	200		29.03			29.97	FM-15	0.00	30.00
20	2353	7	FEW:02 43 BKN:07 60 OVC:08 85	10.00		79	26.1	77	24.9	76	24.4	90	6	200		29.02			29.96	FM-15	0.00	29.99
21	0053	7	SCT:04 95	8.00		79	26.1	78	25.3	77	25.0	94	5	200		29.02	8	+0.01	29.96	FM-15	0.00	29.99
21	0153	7	FEW:02 75 FEW:02 90	9.00		79	26.1	77	24.9	76	24.4	90	7	220		29.00			29.94	FM-15	0.00	29.97
21	0253	7	FEW:02 36 BKN:07 70 BKN:07 90	9.00		78	25.6	77	24.8	76	24.4	93	5	250		28.99			29.93	FM-15	0.00	29.96
21	0340	7	SCT:04 39 BKN:07 50 BKN:07 65	5.00	VCTS:7 -RA:02 BR:1 |RA |	78	25.6	77	24.8	76	24.4	93	5	260		28.99				FM-16	0.01	29.96

21	0353	7	FEW:02 39 BKN:07 55 OVC:08 95	8.00	VCTS:7 ||	78	25.6	77	24.8	76	24.4	93	7	250		28.99	5	+0.02	29.94	FM-15	0.01	29.96
21	0423	7	FEW:02 60 BKN:07 85	7.00		77	25.0	76	24.6	76	24.4	96	7	310		28.99				FM-16	T	29.96
21	0453	7	FEW:02 80	7.00		77	25.0	76	24.2	75	23.9	94	0	000		29.00			29.94	FM-15	T	29.97
21	0553	7	BKN:07 65	5.00	BR:1 ||	76	24.4	75	24.1	75	23.9	97	5	260		29.00			29.95	FM-15	0.00	29.97
21	0653	7	SCT:04 17 BKN:07 33 BKN:07 60	6.00	BR:1 ||	79	26.1	77	24.9	76	24.4	90	7	270		29.01	3	-0.01	29.96	FM-15	0.00	29.98
21	0657	7	FEW:02 17 BKN:07 32 BKN:07 60	6.00	TS:7 BR:1 |TS TS |	79	26.1	77	24.9	76	24.4	90	6	280		29.01				FM-16		29.98
21	0724	7	FEW:02 17 BKN:07 32	7.00	VCTS:7 ||	80	26.7	78	25.5	77	25.0	90	8	290		29.01				FM-16		29.98
21	0735	7	FEW:02 18 OVC:08 32	7.00		80	26.7	78	25.5	77	25.0	90	9	280		29.02				FM-16		29.99
21	0747	7	FEW:02 16 BKN:07 27 OVC:08 32	7.00	VCTS:7 ||	81	27.0	78	25.6	77	25.0	89	9	290		29.02				FM-16		29.99
21	0753	7	BKN:07 16 BKN:07 26 OVC:08 32	6.00	VCTS:7 BR:1 ||	80	26.7	78	25.5	77	25.0	90	7	300		29.02			29.96	FM-15	0.00	29.99
21	0822	7	BKN:07 16 BKN:07 26 OVC:08 32	6.00	TS:7 -RA:02 BR:1 |SQ RA |	77	25.0	74	23.5	73	22.8	88	33s	300	44	29.04				FM-16	T	30.01
21	0828	7	BKN:07 12 BKN:07 21 OVC:08 30	7.00	TS:7 -RA:02 SQ:2 |SQ RA TS |	73	22.8	72	22.0	71	21.7	94	18	290	60	29.06				FM-16	T	30.03
21	0834	7	BKN:07 12 BKN:07 21 OVC:08 48	1.50	TS:7 RA:02 BR:1 |RA TS |	72	22.2	71	21.5	70	21.1	94	33	260	49	29.05				FM-16	0.03	30.02
21	0851	7	BKN:07 14 BKN:07 20 OVC:08 50	1.00	VCTS:7 +RA:02 BR:1 |RA |	72	22.0	72	22.2	72	22.0	100	20	280	30	29.05				FM-16	0.33	30.02
21	0853	7	BKN:07 14 BKN:07 20 OVC:08 50	1.00	TS:7 +RA:02 BR:1 |RA TS |	71	21.7	71	21.7	71	21.7	100	22	280	30	29.05			30.00	FM-15	0.36	30.02
21	0904	7	BKN:07 16 BKN:07 21 OVC:08 28	7.00	TS:7 -RA:02 |RA TS TS |	73	22.8	72	22.4	72	22.2	96	15	270	25	29.06				FM-16	0.01	30.03
21	0920	7	SCT:04 18 BKN:07 25 BKN:07 120	7.00	VCTS:7 ||	74	23.3	73	23.0	73	22.8	97	13	300		29.04				FM-16	0.01	30.01
21	0936	7	FEW:02 17 FEW:02 25 SCT:04 110	7.00	VCTS:7 ||	75	23.9	74	23.5	74	23.3	96	14	320		29.03				FM-16	0.01	30.00
21	0943	7	FEW:02 17	7.00		75	23.9	75	23.9	75	23.9	100	13	330	22	29.02				FM-16	0.01	29.99
21	0953	7	CLR:00	7.00		76	24.4	75	24.1	75	23.9	97	8	330		29.01	8	+0.01	29.96	FM-15	T	29.98
21	1053	7	CLR:00	5.00	BR:1 ||	77	25.0	76	24.6	76	24.4	96	5	030		29.01			29.95	FM-15	0.00	29.98
21	1153	7	CLR:00	5.00	BR:1 ||	79	26.1	78	25.3	77	25.0	94	5	120		29.02			29.96	FM-15	0.00	29.99
21	1244	7	SCT:04 9	4.00	BR:1 ||	80	26.7	79	25.9	78	25.6	94	9	180		29.02				FM-16		29.99
21	1253	7	BKN:07 9	4.00	BR:1 ||	80	26.7	79	25.9	78	25.6	94	10	210		29.02	3	-0.01	29.96	FM-15	0.00	29.99
21	1351	6	BKN:07 16 OVC:08 28	10.00		79	26.0	75	23.8	73	23.0	84	11	230		29.04				FM-16		30.01
21	1353	7	BKN:07 16 OVC:08 28	10.00		79	26.1	76	24.2	74	23.3	85	13	230		29.04			29.98	FM-15	0.00	30.01
21	1428	7	CLR:00	10.00		81	27.2	77	24.9	75	23.9	82	10	240		29.04				FM-16		30.01
21	1453	7	SCT:04 21	10.00		82	27.8	77	25.0	75	23.9	79	8	230		29.04			29.98	FM-15	0.00	30.01
21	1529	7	CLR:00	10.00		81	27.2	77	24.9	75	23.9	82	8	230		29.02				FM-16		29.99
21	1553	7	CLR:00	10.00		81	27.2	77	24.9	75	23.9	82	8	260		29.03	0	-0.01	29.97	FM-15	0.00	30.00
21	1653	7	CLR:00	10.00		83	28.3	77	25.2	75	23.9	77	6	240		29.01			29.95	FM-15	0.00	29.98
21	1753	7	CLR:00	10.00		84	28.9	77	25.0	74	23.3	72	0	000		29.00			29.95	FM-15	0.00	29.97

21	1853	7	CLR:00	10.00		81	27.2	77	24.9	75	23.9	82	8	240		29.00	6	+0.02	29.95	FM-15	0.00	29.97
21	1953	7	CLR:00	10.00		79	26.1	76	24.6	75	23.9	88	3	250		28.99			29.93	FM-15	T	29.96
21	2053	7	CLR:00	10.00		76	24.4	75	24.1	75	23.9	97	0	000		28.99			29.94	FM-15	0.00	29.96
21	2153	7	CLR:00	10.00		77	25.0	75	23.8	74	23.3	90	0	000		29.00	5	+0.00	29.95	FM-15	0.00	29.97
21	2253	7	CLR:00	10.00		74	23.3	74	23.3	74	23.3	100	0	000		29.01			29.96	FM-15	0.00	29.98
21	2353	7	CLR:00	10.00		74	23.3	74	23.3	74	23.3	100	0	000		29.01			29.96	FM-15	0.00	29.98
22	0053	7	CLR:00	10.00		72	22.2	72	22.2	72	22.2	100	3	080		28.98	8	+0.02	29.93	FM-15	0.00	29.95
22	0153	7	FEW:02 65	9.00		72	22.2	72	22.2	72	22.2	100	0	000		28.96			29.91	FM-15	0.00	29.93
22	0253	7	SCT:04 55 SCT:04 70	10.00		74	23.3	73	23.0	73	22.8	97	6	170		28.95			29.89	FM-15	0.00	29.92
22	0348	7	SCT:04 41 BKN:07 49 BKN:07 60	10.00	VCTS:7 -RA:02 |RA |	73	23.0	73	22.8	73	23.0	100	8	180		28.94				FM-16	T	29.91
22	0353	7	SCT:04 38 BKN:07 50 BKN:07 80	10.00	VCTS:7 -RA:02 |RA |	74	23.3	74	23.3	74	23.3	100	10	160		28.94	6	+0.02	29.88	FM-15	T	29.91
22	0403	7	FEW:02 24 SCT:04 38 SCT:04 50	10.00	-RA:02 |RA |	74	23.3	74	23.3	74	23.3	100	9	160		28.93				FM-16	T	29.90
22	0453	7	OVC:08 33	10.00		74	23.3	74	23.3	74	23.3	100	8	140		28.92			29.86	FM-15	T	29.89
22	0524	7	BKN:07 42 BKN:07 70	10.00	VCTS:7 ||	74	23.3	73	23.0	73	22.8	97	9	150		28.90				FM-16		29.87
22	0550	7	FEW:02 11 BKN:07 40 OVC:08 55	2.50	TS:7 RA:02 BR:1 |RA TS |	73	23.0	72	22.4	72	22.0	94	28	280	39	28.99				FM-16	0.10	29.96
22	0551	6	FEW:02 11 BKN:07 40 OVC:08 55	1.50	TS:7 +RA:02 BR:1 |RA TS |	73	23.0	72	22.4	72	22.0	94	28	270	39	28.98				FM-16		29.95
22	0553	7	SCT:04 13 BKN:07 40	1.00	TS:7 +RA:02 BR:1 |RA TS |	72	22.2	71	21.9	71	21.7	97	21	270	39	28.98			29.92	FM-15	0.30	29.95
22	0558	7	FEW:02 13 BKN:07 24 BKN:07 42	1.00	TS:7 +RA:02 BR:1 |RA TS |	72	22.2	71	21.9	71	21.7	97	16	250	38	28.97				FM-16	0.08	29.94
22	0604	7	FEW:02 14 BKN:07 35 OVC:08 75	2.00	TS:7 RA:02 BR:1 |RA TS |	71	21.7	71	21.7	71	21.7	100	13	260		28.96				FM-16	0.10	29.93
22	0613	7	FEW:02 14 BKN:07 39 OVC:08 70	3.00	TS:7 +RA:02 BR:1 |RA TS |	71	21.7	71	21.7	71	21.7	100	8	240		28.96				FM-16	0.14	29.93
22	0623	7	FEW:02 44 SCT:04 70 BKN:07 100	5.00	VCTS:7 RA:02 BR:1 |RA |	71	21.7	71	21.7	71	21.7	100	5	240		28.95				FM-16	0.16	29.92
22	0633	7	FEW:02 65 SCT:04 95 BKN:07 120	5.00	TS:7 RA:02 BR:1 |RA TS |	71	21.7	71	21.7	71	21.7	100	0	000		28.94				FM-16	0.18	29.91
22	0653	7	BKN:07 110	6.00	TS:7 RA:02 BR:1 |RA TS |	70	21.1	70	21.1	70	21.1	100	5	150		28.93	0	-0.01	29.88	FM-15	0.13	29.90
22	0702	7	SCT:04 110	7.00	-RA:02 |RA |	71	21.7	71	21.7	71	21.7	100	6	120		28.92				FM-16	0.01	29.89
22	0722	7	FEW:02 9 SCT:04 80 BKN:07 120	10.00	-RA:02 |RA |	71	21.7	71	21.7	71	21.7	100	8	160		28.92				FM-16	0.02	29.89
22	0753	7	CLR:00	10.00		72	22.2	72	22.2	72	22.2	100	6	170		28.93			29.87	FM-15	0.01	29.90
22	0825	7	BKN:07 5	10.00		73	22.8	73	22.8	73	22.8	100	11	170		28.93				FM-16		29.90
22	0853	7	BKN:07 5	10.00		72	22.2	72	22.2	72	22.2	100	8	170		28.93			29.88	FM-15	0.00	29.90
22	0926	7	BKN:07 6	10.00	TS:7 |TS TS |	74	23.3	73	23.0	73	22.8	97	7	190		28.93				FM-16		29.90
22	0950	7	BKN:07 8 OVC:08 47	10.00	VCTS:7 ||	73	23.0	73	22.8	73	23.0	100	8	200		28.94				FM-16	0.01	29.91
22	0953	7	BKN:07 8 OVC:08 47	10.00	VCTS:7 ||	73	22.8	73	22.8	73	22.8	100	6	200		28.94	0	-0.01	29.88	FM-15	0.01	29.91
22	1022	7	BKN:07 8 OVC:08 45	10.00		75	23.9	74	23.5	74	23.3	96	5	210		28.93				FM-16		29.90
22	1044	7	BKN:07 43 OVC:08 50	10.00	-RA:02 |RA |	74	23.3	73	23.0	73	22.8	97	10	200		28.93				FM-16	T	29.90
22	1053	7	OVC:08 43	10.00		75	23.9	74	23.5	74	23.3	96	7	200		28.92			29.87	FM-15	T	29.89

22	1153	7	BKN:07 80 BKN:07 100	10.00		76	24.4	75	23.7	74	23.3	94	6	190		28.91			29.85	FM-15	0.00	29.88
22	1253	7	CLR:00	10.00		79	26.1	78	25.3	77	25.0	94	8	170		28.89	8	+0.06	29.83	FM-15	0.00	29.85
22	1331	7	BKN:07 18	10.00		81	27.2	78	25.6	77	25.0	88	7	200		28.87				FM-16		29.84
22	1353	7	BKN:07 18 BKN:07 23 BKN:07 70	10.00		84	28.9	80	26.5	78	25.6	82	8	240		28.87			29.80	FM-15	0.00	29.83
22	1427	7	FEW:02 21 SCT:04 28	8.00		86	30.0	81	27.1	79	26.1	80	8	240		28.83				FM-16		29.79
22	1453	7	FEW:02 23 SCT:04 110	8.00		84	28.9	80	26.5	78	25.6	82	9	270		28.82			29.76	FM-15	0.00	29.78
22	1513	7	CLR:00	7.00	VCTS:7 ||	84	28.9	80	26.5	78	25.6	82	9	250		28.82				FM-16		29.78
22	1553	7	FEW:02 22 FEW:02 42 SCT:04 120	10.00	VCTS:7 ||	82	27.8	77	25.0	75	23.9	79	10	250		28.81	6	+0.08	29.75	FM-15	T	29.77
22	1610	7	FEW:02 80 FEW:02 90	10.00		84	28.9	78	25.7	76	24.4	77	8	240		28.82				FM-16		29.78
22	1653	7	FEW:02 32 SCT:04 60	10.00		86	30.0	79	26.0	76	24.4	72	17	290	24	28.82			29.76	FM-15	0.00	29.78
22	1753	7	FEW:02 38	10.00		85	29.4	77	24.7	73	22.8	68	15	290		28.83			29.77	FM-15	0.00	29.79
22	1853	7	CLR:00	10.00		83	28.3	75	23.7	71	21.7	67	14	290		28.84	3	-0.04	29.78	FM-15	0.00	29.81
22	1953	7	CLR:00	10.00		78	25.6	74	23.3	72	22.2	82	7	290		28.86			29.80	FM-15	0.00	29.82
22	2053	7	CLR:00	10.00		76	24.4	73	22.9	72	22.2	88	3	300		28.86			29.80	FM-15	0.00	29.82
22	2153	7	CLR:00	10.00		76	24.4	73	22.9	72	22.2	88	3	250		28.86	1	-0.01	29.80	FM-15	0.00	29.82
22	2253	7	CLR:00	10.00		72	22.2	72	22.2	72	22.2	100	5	270		28.86			29.80	FM-15	0.00	29.82
22	2353	7	CLR:00	10.00		72	22.2	72	22.2	72	22.2	100	0	000		28.86			29.80	FM-15	0.00	29.82
23	0053	7	BKN:07 85	10.00		74	23.3	73	23.0	73	22.8	97	5	230		28.87	3	-0.01	29.80	FM-15	0.00	29.83
23	0153	7	BKN:07 60 OVC:08 70	10.00		75	23.9	74	23.1	73	22.8	94	5	220		28.84			29.78	FM-15	0.00	29.81
23	0253	7	SCT:04 55 BKN:07 80	10.00		75	23.9	74	23.1	73	22.8	94	7	230		28.84			29.77	FM-15	0.00	29.80
23	0334	7	BKN:07 28	10.00		75	23.9	74	23.1	73	22.8	94	3	230		28.83				FM-16		29.79
23	0353	7	BKN:07 30	10.00		74	23.3	73	23.0	73	22.8	97	0	000		28.83	6	+0.04	29.76	FM-15	0.00	29.79
23	0453	7	FEW:02 27 SCT:04 65	10.00		73	22.8	72	22.4	72	22.2	96	3	240		28.84			29.77	FM-15	0.00	29.80
23	0553	7	FEW:02 34 BKN:07 60 OVC:08 70	10.00		74	23.3	74	23.3	74	23.3	100	5	260		28.86			29.79	FM-15	0.00	29.82
23	0625	7	FEW:02 13 BKN:07 21 OVC:08 32	10.00		74	23.3	74	23.3	74	23.3	100	7	250		28.87				FM-16		29.83
23	0653	7	OVC:08 15	10.00		74	23.3	74	23.3	74	23.3	100	7	250		28.87	1	-0.05	29.80	FM-15	0.00	29.83
23	0704	7	SCT:04 9 OVC:08 17	10.00		74	23.3	74	23.3	74	23.3	100	7	230		28.87				FM-16		29.83
23	0712	7	BKN:07 9 OVC:08 17	10.00		74	23.3	73	23.0	73	22.8	97	9	220		28.87				FM-16		29.83
23	0753	7	BKN:07 9 OVC:08 20	10.00		74	23.3	73	23.0	73	22.8	97	6	220		28.87			29.81	FM-15	T	29.83
23	0810	7	OVC:08 9	10.00	VCTS:7 ||	74	23.3	73	23.0	73	22.8	97	10	230		28.87				FM-16		29.83
23	0826	7	BKN:07 9 OVC:08 24	2.50	-RA:02 BR:1 |RA |	73	22.8	73	22.8	73	22.8	100	11	240		28.87				FM-16	T	29.84
23	0853	7	BKN:07 8 OVC:08 27	2.00	RA:02 BR:1 |RA |	73	22.8	73	22.8	73	22.8	100	11	240	20	28.87			29.82	FM-15	0.28	29.84
23	0855	7	BKN:07 10 BKN:07 21 OVC:08 35	5.00	-RA:02 BR:1 |RA |	73	22.8	73	22.8	73	22.8	100	8	240		28.87				FM-16	T	29.84
23	0902	7	BKN:07 10 BKN:07 21 OVC:08 35	5.00	TS:7 -RA:02 BR:1 |RA TS |	73	22.8	73	22.8	73	22.8	100	8	270		28.87				FM-16	0.03	29.84
23	0916	7	FEW:02 10 BKN:07 44 OVC:08 100	8.00	VCTS:7 -RA:02 |RA |	73	22.8	73	22.8	73	22.8	100	6	260		28.87				FM-16	0.05	29.83

23	0939	7	OVC:08 49	10.00		74	23.3	73	23.0	73	22.8	97	5	250		28.87				FM-16	0.05	29.83
23	0953	7	BKN:07 14 OVC:08 50	10.00		74	23.3	73	23.0	73	22.8	97	6	240		28.87	0	-0.00	29.81	FM-15	0.05	29.84
23	1005	7	BKN:07 12 OVC:08 50	10.00	VCTS:7 ||	74	23.3	74	23.3	74	23.3	100	6	240		28.89				FM-16		29.85
23	1021	7	BKN:07 10 BKN:07 14 OVC:08 20	2.00	VCTS:7 RA:02 BR:1 |RA |	74	23.3	74	23.3	74	23.3	100	6	210		28.87				FM-16	0.03	29.84
23	1031	7	BKN:07 10 OVC:08 22	5.00	VCTS:7 -RA:02 BR:1 |RA |	74	23.3	74	23.3	74	23.3	100	6	190		28.89				FM-16	0.07	29.85
23	1051	6	FEW:02 10 SCT:04 22 OVC:08 36	8.00		75	24.0	75	23.9	75	24.0	100	5	190		28.87				FM-16		29.84
23	1053	7	FEW:02 10 SCT:04 22 OVC:08 36	8.00		75	23.9	75	23.9	75	23.9	100	5	200		28.87			29.82	FM-15	0.07	29.84
23	1109	7	FEW:02 12 BKN:07 26 OVC:08 37	8.00		75	23.9	75	23.9	75	23.9	100	3	VRB		28.89				FM-16		29.85
23	1134	7	FEW:02 9 BKN:07 22 OVC:08 35	9.00	VCTS:7 ||	76	24.4	75	24.1	75	23.9	97	5	180		28.89				FM-16	T	29.85
23	1151	6	FEW:02 17 BKN:07 25 OVC:08 35	10.00		75	24.0	75	23.9	75	24.0	100	6	190		28.87				FM-16		29.84
23	1153	7	BKN:07 25 OVC:08 35	10.00		76	24.4	75	24.1	75	23.9	97	3	190		28.87			29.82	FM-15	T	29.84
23	1239	7	FEW:02 16 BKN:07 21	10.00	VCTS:7 ||	76	24.4	74	23.3	73	22.8	91	13	290		28.87				FM-16		29.83
23	1251	6	FEW:02 16 BKN:07 21	10.00	-RA:02 |RA |	75	24.0	73	22.8	72	22.0	89	10	300		28.84				FM-16		29.81
23	1253	7	FEW:02 16 SCT:04 39	10.00	-RA:02 |RA |	76	24.4	73	22.9	72	22.2	88	9	300		28.84	8	+0.03	29.78	FM-15	T	29.80
23	1353	7	FEW:02 18 FEW:02 110	10.00		76	24.4	73	22.6	71	21.7	85	5	340		28.80			29.74	FM-15	T	29.76
23	1453	7	FEW:02 110	10.00		76	24.4	73	22.9	72	22.2	88	8	230		28.84			29.78	FM-15	0.00	29.80
23	1538	7	BKN:07 18	10.00		78	25.6	74	23.3	72	22.2	82	8	240		28.84				FM-16		29.80
23	1553	7	BKN:07 18	10.00		78	25.6	74	23.3	72	22.2	82	8	240		28.84	6	+0.01	29.77	FM-15	0.00	29.80
23	1651	6	SCT:04 32 SCT:04 46 BKN:07 110	10.00		79	26.0	74	23.4	72	22.0	79	9	200		28.81				FM-16		29.77
23	1653	7	SCT:04 30 SCT:04 39 BKN:07 110	10.00		79	26.1	74	23.4	72	22.2	79	9	200		28.81			29.75	FM-15	0.01	29.77
23	1701	7	BKN:07 26 BKN:07 34	10.00		79	26.1	75	23.8	73	22.8	82	8	200		28.81				FM-16		29.77
23	1753	7	BKN:07 26 BKN:07 34	10.00		79	26.1	75	23.8	73	22.8	82	5	190		28.81			29.75	FM-15	T	29.77
23	1837	7	FEW:02 21 BKN:07 32 OVC:08 44	10.00		73	22.8	70	21.3	69	20.6	87	11	360	21	28.82				FM-16	T	29.78
23	1851	6	OVC:08 32	8.00	VCTS:7 -RA:02 |RA |	72	22.0	71	21.5	70	21.0	94	8	320		28.84				FM-16		29.80
23	1853	7	OVC:08 24	4.00	VCTS:7 -RA:02 BR:1 |RA |	72	22.2	70	21.1	69	20.6	91	3	VRB		28.84	3	-0.01	29.78	FM-15	0.12s	29.80
23	1855	7	OVC:08 30	4.00	VCTS:7 -RA:02 BR:1 |RA |	71	21.7	70	20.9	69	20.6	94	6	340		28.84				FM-16	T	29.80
23	1858	7	FEW:02 10 OVC:08 33	1.75V	VCTS:7 RA:02 BR:1 |RA |	71	21.7	70	21.3	70	21.1	96	8	VRB		28.84				FM-16	0.05	29.81
23	1906	7	FEW:02 10 BKN:07 22 OVC:08 39	1.75	TS:7 +RA:02 BR:1 |RA TS |	70	21.1	70	21.1	70	21.1	100	8	240		28.84				FM-16	0.28	29.81
23	1928	7	BKN:07 30 BKN:07 75 OVC:08 110	5.00	TS:7 -RA:02 BR:1 |RA TS |	70	21.1	70	21.1	70	21.1	100	7	230		28.83				FM-16	0.54	29.79

23	1930	7	SCT:04 30 BKN:07 75 BKN:07 95	5.00	VCTS:7 BR:1 ||	70	21.1	70	21.1	70	21.1	100	6	230		28.83				FM-16	0.54	29.79
23	1951	6	SCT:04 55 SCT:04 70 BKN:07 110	10.00		70	21.0	70	21.1	70	21.0	100	7	240		28.82				FM-16		29.78
23	1953	7	FEW:02 36 SCT:04 55 BKN:07 65	10.00		70	21.1	70	21.1	70	21.1	100	7	260		28.82			29.77	FM-15	0.46	29.78
23	2053	7	CLR:00	10.00		70	21.1	70	21.1	70	21.1	100	0	000		28.84			29.80	FM-15	T	29.81
23	2153	7	FEW:02 100	9.00		69	20.6	69	20.6	69	20.6	100	3	180		28.84	3	-0.01	29.80	FM-15	0.00	29.81
23	2253	7	CLR:00	10.00		69	20.6	69	20.6	69	20.6	100	3	180		28.86			29.80	FM-15	0.00	29.82
23	2347	7	CLR:00	1.50	BR:1 ||	66	19.0	66	18.9	66	19.0	100	3	250		28.87				FM-16		29.84
23	2351	6	CLR:00	0.75	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		28.87				FM-16		29.84
23	2353	7	CLR:00	0.50	FG:2 |FG |	68	20.0	68	20.0	68	20.0	100	3	240		28.87			29.82	FM-15	0.00	29.84
24	0006	7	CLR:00	2.00V	BR:1 ||	68	20.0	68	20.0	68	20.0	100	3	240		28.87				FM-16		29.84
24	0027	7	CLR:00	6.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	3	220		28.87				FM-16		29.83
24	0040	7	CLR:00	2.50	BR:1 ||	67	19.4	67	19.4	67	19.4	100	5	240		28.87				FM-16		29.83
24	0049	7	CLR:00	5.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	3	220		28.87				FM-16		29.83
24	0053	7	CLR:00	6.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	5	220		28.87	1	-0.01	29.81	FM-15	0.00	29.83
24	0122	7	CLR:00	1.75	BR:1 ||	66	18.9	66	18.9	66	18.9	100	5	270		28.87				FM-16		29.83
24	0131	7	CLR:00	3.00	BR:1 ||	66	18.9	66	18.9	66	18.9	100	6	270		28.87				FM-16		29.84
24	0153	7	CLR:00	10.00		67	19.4	67	19.4	67	19.4	100	5	260		28.87			29.81	FM-15	0.00	29.83
24	0253	7	CLR:00	10.00		66	18.9	66	18.9	66	18.9	100	0	000		28.86			29.80	FM-15	0.00	29.82
24	0353	7	CLR:00	10.00		66	18.9	66	18.9	66	18.9	100	3	190		28.87	8	+0.00	29.81	FM-15	0.00	29.83
24	0453	7	CLR:00	10.00		66	18.9	66	18.9	66	18.9	100	0	000		28.87			29.82	FM-15	0.00	29.84
24	0553	7	SCT:04 65	7.00		66	18.9	66	18.9	66	18.9	100	0	000		28.89			29.83	FM-15	0.00	29.85
24	0653	7	SCT:04 44 BKN:07 55 BKN:07 70	7.00		69	20.6	69	20.6	69	20.6	100	7	280		28.91	3	-0.05	29.85	FM-15	0.00	29.88
24	0751	6	SCT:04 7 SCT:04 65	10.00		72	22.0	71	21.5	70	21.0	94	7	320		28.92				FM-16		29.89
24	0753	7	SCT:04 7 SCT:04 65	10.00		71	21.7	70	21.3	70	21.1	96	9	320		28.92			29.87	FM-15	0.00	29.89
24	0853	7	FEW:02 11 BKN:07 50	10.00		74	23.3	71	21.8	70	21.1	88	8	350		28.93			29.88	FM-15	0.00	29.90
24	0953	7	SCT:04 18	10.00		75	23.9	72	22.0	70	21.1	84	9	330		28.94	1	-0.03	29.89	FM-15	0.00	29.91
24	1053	7	CLR:00	10.00		78	25.6	71	21.9	68	20.0	71	16	320		28.95			29.90	FM-15	0.00	29.92
24	1153	7	SCT:04 35	10.00		78	25.6	71	21.5	67	19.4	69	14	350	20	28.96			29.91	FM-15	0.00	29.93
24	1253	7	SCT:04 32 BKN:07 41	10.00		78	25.6	71	21.9	68	20.0	71	15	340		28.97	1	-0.03	29.91	FM-15	0.00	29.94
24	1353	7	SCT:04 32 BKN:07 42	10.00		78	25.6	70	21.2	66	18.9	67	14	330		28.98			29.93	FM-15	0.00	29.95
24	1453	7	FEW:02 33	10.00		77	25.0	70	21.0	66	18.9	69	16	340		28.99			29.94	FM-15	0.00	29.96
24	1553	7	BKN:07 37 BKN:07 44	10.00		76	24.4	69	20.5	65	18.3	69	14	340		29.01	1	-0.04	29.96	FM-15	0.00	29.98
24	1653	7	SCT:04 42	10.00		75	23.9	67	19.3	62	16.7	64	16	340	21	29.02			29.97	FM-15	0.00	29.99
24	1753	7	BKN:07 41	10.00		74	23.3	66	18.8	61	16.1	64	11	340		29.03			29.98	FM-15	0.00	30.00
24	1853	7	SCT:04 39	10.00		71	21.7	64	17.9	60	15.6	68	11	340		29.05	3	-0.04	30.00	FM-15	0.00	30.02
24	1953	7	FEW:02 37	10.00		67	19.4	62	16.8	59	15.0	76	8	010		29.07			30.02	FM-15	0.00	30.04
24	2053	7	SCT:04 38	10.00		66	18.9	62	16.9	60	15.6	81	8	010		29.09			30.04	FM-15	0.00	30.06
24	2153	7	CLR:00	10.00		64	17.8	62	16.4	60	15.6	87	5	010		29.11	3	-0.06	30.06	FM-15	0.00	30.08
24	2253	7	CLR:00	10.00		62	16.7	61	16.0	60	15.6	93	3	360		29.13			30.09	FM-15	0.00	30.10
24	2353	7	CLR:00	10.00		61	16.1	60	15.8	60	15.6	97	3	340		29.15			30.10	FM-15	0.00	30.12
25	0053	7	CLR:00	10.00		61	16.1	60	15.8	60	15.6	97	3	010		29.16	1	-0.04	30.11	FM-15	0.00	30.13
25	0153	7	CLR:00	10.00		59	15.0	59	15.0	59	15.0	100	3	350		29.16			30.11	FM-15	0.00	30.13
25	0253	7	CLR:00	10.00		58	14.4	58	14.4	58	14.4	100	5	360		29.15			30.11	FM-15	0.00	30.12
25	0353	7	CLR:00	10.00		59	15.0	59	15.0	59	15.0	100	3	330		29.16	3	-0.01	30.12	FM-15	0.00	30.13
25	0453	7	CLR:00	5.00	BR:1 ||	58	14.4	58	14.4	58	14.4	100	3	360		29.19			30.14	FM-15	0.00	30.16
25	0553	7	CLR:00	4.00	BR:1 ||	58	14.4	58	14.4	58	14.4	100	0	000		29.20			30.16	FM-15	0.00	30.17

25	0653	7	CLR:00	8.00		62	16.7	61	16.0	60	15.6	93	5	020		29.22	1	-0.06	30.18	FM-15	0.00	30.19
25	0753	7	CLR:00	10.00		65	18.3	62	16.7	60	15.6	84	5	040		29.25			30.21	FM-15	0.00	30.22
25	0823	7	BKN:07 26	10.00		67	19.4	62	16.5	58	14.4	73	5	VRB		29.25				FM-16		30.22
25	0853	7	BKN:07 26	10.00		67	19.4	62	16.5	58	14.4	73	10	020		29.25			30.21	FM-15	0.00	30.22
25	0953	7	OVC:08 28	10.00		68	20.0	63	17.0	59	15.0	73	7	040		29.26	1	-0.03	30.22	FM-15	0.00	30.23
25	1053	7	OVC:08 29	10.00		69	20.6	63	17.2	59	15.0	70	7	020		29.25			30.21	FM-15	0.00	30.22
25	1153	7	OVC:08 31	10.00		70	21.1	63	17.4	59	15.0	68	6	350		29.26			30.22	FM-15	0.00	30.23
25	1253	7	SCT:04 34	10.00		71	21.7	63	17.0	57	13.9	61	0	000		29.25	8	+0.01	30.21	FM-15	0.00	30.22
25	1353	7	FEW:02 38	10.00		75	23.9	66	19.0	61	16.1	62	9	040		29.23			30.19	FM-15	0.00	30.20
25	1453	7	BKN:07 39	10.00		74	23.3	66	18.8	61	16.1	64	7	060		29.23			30.19	FM-15	0.00	30.20
25	1553	7	BKN:07 42	10.00		77	25.0	67	19.7	62	16.7	60	6	VRB		29.23	5	+0.01	30.19	FM-15	0.00	30.21
25	1653	7	BKN:07 43	10.00		74	23.3	66	18.8	61	16.1	64	8	060		29.21			30.17	FM-15	0.00	30.18
25	1753	7	SCT:04 45	10.00		74	23.3	66	18.8	61	16.1	64	5	050		29.22			30.18	FM-15	0.00	30.19
25	1853	7	FEW:02 43	10.00		74	23.3	66	19.1	62	16.7	67	6	090		29.21	6	+0.02	30.17	FM-15	0.00	30.18
25	1953	7	CLR:00	10.00		71	21.7	65	18.2	61	16.1	71	3	090		29.21			30.17	FM-15	0.00	30.18
25	2053	7	BKN:07 43	10.00		67	19.4	63	17.4	61	16.1	81	6	100		29.23			30.19	FM-15	0.00	30.20
25	2153	7	CLR:00	10.00		66	18.9	63	17.2	61	16.1	84	5	110		29.23	3	-0.02	30.19	FM-15	0.00	30.21
25	2253	7	CLR:00	10.00		66	18.9	64	17.5	62	16.7	87	5	130		29.23			30.19	FM-15	0.00	30.20
25	2353	7	CLR:00	10.00		63	17.2	62	16.9	62	16.7	97	0	000		29.23			30.19	FM-15	0.00	30.20
26	0053	7	CLR:00	10.00		61	16.1	61	16.1	61	16.1	100	0	000		29.23	6	+0.01	30.19	FM-15	0.00	30.20
26	0153	7	CLR:00	10.00		59	15.0	59	15.0	59	15.0	100	0	000		29.21			30.16	FM-15	0.00	30.18
26	0253	7	CLR:00	8.00		59	15.0	59	15.0	59	15.0	100	0	000		29.20			30.16	FM-15	0.00	30.17
26	0353	7	CLR:00	9.00		59	15.0	59	15.0	59	15.0	100	0	000		29.21	5	+0.02	30.17	FM-15	0.00	30.18
26	0453	7	CLR:00	6.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	3	020		29.22			30.17	FM-15	0.00	30.19
26	0510	7	CLR:00	1.75	BR:1 ||	58	14.4	58	14.4	58	14.4	100	0	000		29.21				FM-16		30.18
26	0514	7	CLR:00	3.00	BR:1 ||	58	14.4	58	14.4	58	14.4	100	0	000		29.21				FM-16		30.18
26	0553	7	CLR:00	7.00		59	15.0	59	15.0	59	15.0	100	3	100		29.20			30.15	FM-15	0.00	30.17
26	0653	7	CLR:00	8.00		63	17.2	62	16.9	62	16.7	97	0	000		29.21	5	+0.00	30.16	FM-15	0.00	30.18
26	0753	7	CLR:00	10.00		67	19.4	65	18.1	63	17.2	87	3	080		29.21			30.17	FM-15	0.00	30.18
26	0853	7	CLR:00	10.00		70	21.1	65	18.4	62	16.7	76	3	VRB		29.21			30.17	FM-15	0.00	30.18
26	0953	7	CLR:00	10.00		71	21.7	65	18.2	61	16.1	71	7	110		29.20	8	+0.01	30.16	FM-15	0.00	30.17
26	1053	7	CLR:00	10.00		74	23.3	66	19.1	62	16.7	67	3	VRB		29.20			30.15	FM-15	0.00	30.17
26	1153	7	CLR:00	10.00		76	24.4	67	19.5	62	16.7	62	6	060		29.18			30.13	FM-15	0.00	30.15
26	1253	7	CLR:00	10.00		79	26.1	68	20.1	62	16.7	56	6	120		29.16	8	+0.04	30.11	FM-15	0.00	30.13
26	1353	7	CLR:00	10.00		79	26.1	68	20.1	62	16.7	56	8	200		29.14			30.10	FM-15	0.00	30.11
26	1453	7	CLR:00	10.00		82	27.8	70	20.9	63	17.2	53	8	250		29.13			30.08	FM-15	0.00	30.10
26	1553	7	CLR:00	10.00		80	26.7	69	20.6	63	17.2	56	7	200		29.10	8	+0.05	30.06	FM-15	0.00	30.07
26	1653	7	CLR:00	10.00		80	26.7	70	20.9	64	17.8	58	6	190		29.10			30.05	FM-15	0.00	30.07
26	1753	7	CLR:00	10.00		79	26.1	69	20.7	64	17.8	60	6	250		29.09			30.05	FM-15	0.00	30.06
26	1853	7	CLR:00	10.00		77	25.0	69	20.3	64	17.8	64	0	000		29.09	6	+0.01	30.04	FM-15	0.00	30.06
26	1953	7	CLR:00	10.00		75	23.9	67	19.3	62	16.7	64	0	000		29.09			30.04	FM-15	0.00	30.06
26	2053	7	CLR:00	10.00		71	21.7	67	19.2	64	17.8	79	0	000		29.09			30.04	FM-15	0.00	30.06
26	2153	7	CLR:00	10.00		68	20.0	66	18.9	65	18.3	90	0	000		29.09	6	+0.00	30.04	FM-15	0.00	30.06
26	2253	7	CLR:00	10.00		69	20.6	66	18.8	64	17.8	84	3	160		29.08			30.03	FM-15	0.00	30.05
26	2353	7	CLR:00	10.00		67	19.4	65	18.4	64	17.8	91	0	000		29.07			30.02	FM-15	0.00	30.04
27	0053	7	CLR:00	10.00		67	19.4	66	18.7	65	18.3	93	5	090		29.04	8	+0.05	29.99	FM-15	0.00	30.01
27	0153	7	CLR:00	10.00		67	19.4	65	18.4	64	17.8	91	0	000		29.02			29.97	FM-15	0.00	29.99
27	0253	7	CLR:00	10.00		70	21.1	67	19.3	65	18.3	84	3	150		29.01			29.96	FM-15	0.00	29.98
27	0353	7	BKN:07 37	10.00		69	20.6	66	19.1	65	18.3	87	0	000		29.01	6	+0.03	29.96	FM-15	0.00	29.98
27	0453	7	BKN:07 37 BKN:07 46 BKN:07 60	10.00		68	20.0	67	19.3	66	18.9	93	0	000		29.01			29.96	FM-15	0.00	29.98
27	0553	7	BKN:07 40 OVC:08 50	10.00		68	20.0	67	19.3	66	18.9	93	0	000		29.01			29.96	FM-15	0.00	29.98
27	0653	7	BKN:07 37	10.00		71	21.7	68	19.9	66	18.9	84	5	150		29.01	8	+0.01	29.96	FM-15	0.00	29.98
27	0753	7	SCT:04 37	10.00		74	23.3	69	20.5	66	18.9	76	6	150		29.00			29.95	FM-15	0.00	29.97
27	0853	7	CLR:00	10.00		78	25.6	71	21.5	67	19.4	69	7	180		28.99			29.94	FM-15	0.00	29.96

27	0953	7	FEW:02 46 BKN:07 75 OVC:08 85	8.00	-RA:02 |RA |	75	23.9	71	21.7	69	20.6	82	8	280		29.00	5	+0.01	29.95	FM-15	T	29.97
27	1053	7	BKN:07 100	10.00		77	25.0	72	22.4	70	21.1	79	7	160		28.96			29.91	FM-15	T	29.93
27	1153	7	BKN:07 100 OVC:08 110	10.00		77	25.0	72	22.4	70	21.1	79	7	150		28.96			29.92	FM-15	0.00	29.93
27	1243	7	SCT:04 19 BKN:07 47 OVC:08 65	1.75	RA:02 BR:1 |RA |	74	23.3	73	23.0	73	22.8	97	9	270		28.97				FM-16	0.03	29.94
27	1251	6	FEW:02 19 BKN:07 34 OVC:08 55	2.00	RA:02 BR:1 |RA |	73	23.0	73	22.8	73	23.0	100	7	250		28.97				FM-16		29.94
27	1253	7	FEW:02 19 BKN:07 34 OVC:08 50	2.00	RA:02 BR:1 |RA |	73	22.8	73	22.8	73	22.8	100	7	250		28.97	5	+0.02	29.93	FM-15	0.13s	29.94
27	1305	7	FEW:02 19 BKN:07 28 OVC:08 46	1.00	+RA:02 BR:1 |RA |	73	22.8	73	22.8	73	22.8	100	6	260		28.96				FM-16	0.15	29.93
27	1322	7	SCT:04 34 SCT:04 43 OVC:08 60	2.00	-RA:02 BR:1 |RA |	73	22.8	73	22.8	73	22.8	100	5	100		28.95				FM-16	0.18	29.92
27	1346	7	SCT:04 5 BKN:07 39 OVC:08 60	2.00	RA:02 BR:1 |RA |	74	23.3	74	23.3	74	23.3	100	0	000		28.95				FM-16	0.21	29.92
27	1351	6	BKN:07 5 BKN:07 49 OVC:08 55	2.00	RA:02 BR:1 |RA |	73	23.0	73	22.8	73	23.0	100	5	020		28.95				FM-16		29.92
27	1353	7	BKN:07 5 OVC:08 49	2.00	RA:02 BR:1 |RA |	73	22.8	73	22.8	73	22.8	100	6	030		28.95			29.90	FM-15	0.17	29.92
27	1416	7	FEW:02 6 BKN:07 14 OVC:08 25	5.00	-RA:02 BR:1 |RA |	73	22.8	73	22.8	73	22.8	100	3	030		28.94				FM-16	0.02	29.91
27	1450	7	FEW:02 9 SCT:04 14 OVC:08 36	8.00		73	23.0	73	22.8	73	23.0	100	6	110		28.93				FM-16	0.02	29.90
27	1453	7	FEW:02 9 BKN:07 28 OVC:08 34	8.00		74	23.3	74	23.3	74	23.3	100	5	110		28.93			29.88	FM-15	0.01	29.90
27	1537	7	SCT:04 6 OVC:08 12	2.00	RA:02 BR:1 |RA |	73	22.8	73	22.8	73	22.8	100	8	090		28.92				FM-16	0.01	29.89
27	1539	7	BKN:07 8 OVC:08 12	1.75	-RA:02 BR:1 |RA |	73	22.8	73	22.8	73	22.8	100	7	090		28.92				FM-16	0.01	29.89
27	1551	6	BKN:07 6 OVC:08 12	2.50	-RA:02 BR:1 |RA |	73	23.0	73	22.8	73	23.0	100	6	100		28.91				FM-16		29.88
27	1553	7	BKN:07 8 OVC:08 12	2.50	-RA:02 BR:1 |RA |	73	22.8	73	22.8	73	22.8	100	7	100		28.91	6	+0.06	29.86	FM-15	0.02	29.88
27	1651	6	BKN:07 7 OVC:08 12	3.00	BR:1 ||	73	23.0	73	22.8	73	23.0	100	6	050		28.90				FM-16		29.87
27	1653	7	BKN:07 7 OVC:08 12	3.00	BR:1 ||	73	22.8	73	22.8	73	22.8	100	7	060		28.90			29.85	FM-15	T	29.87
27	1753	7	BKN:07 5 OVC:08 11	3.00	BR:1 ||	72	22.2	72	22.2	72	22.2	100	9	070		28.90			29.85	FM-15	0.00	29.87
27	1853	7	OVC:08 7	10.00		72	22.2	72	22.2	72	22.2	100	6	080		28.92	3	-0.01	29.87	FM-15	0.00	29.89
27	1919	7	OVC:08 10	7.00		72	22.2	72	22.2	72	22.2	100	7	080		28.91				FM-16		29.88
27	1951	6	SCT:04 8 BKN:07 14	7.00		72	22.0	72	22.2	72	22.0	100	0	000		28.91				FM-16		29.88
27	1953	7	SCT:04 8 BKN:07 14	7.00		71	21.7	71	21.7	71	21.7	100	0	000		28.91			29.86	FM-15	0.00	29.88
27	2053	7	SCT:04 50 SCT:04 100	7.00		69	20.6	69	20.6	69	20.6	100	3	360		28.92			29.87	FM-15	0.00	29.89
27	2153	7	CLR:00	8.00		69	20.6	69	20.6	69	20.6	100	3	060		28.91	8	+0.00	29.87	FM-15	0.00	29.88
27	2253	7	CLR:00	6.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	6	050		28.91			29.86	FM-15	0.00	29.88
27	2353	7	BKN:07 65	5.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		28.90			29.85	FM-15	0.00	29.87
28	0053	7	CLR:00	6.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	5	360		28.90	8	+0.02	29.85	FM-15	0.00	29.87

28	0153	7	BKN:07 39	7.00		69	20.6	69	20.6	69	20.6	100	3	090		28.90			29.85	FM-15	0.00	29.86
28	0248	7	FEW:02 4 OVC:08 30	5.00	BR:1 ||	70	21.0	70	21.1	70	21.0	100	5	010		28.90				FM-16		29.86
28	0253	7	FEW:02 4 OVC:08 30	4.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	5	010		28.90			29.84	FM-15	0.00	29.86
28	0310	7	BKN:07 3 OVC:08 30	3.00	BR:1 ||	70	21.1	70	21.1	70	21.1	100	5	020		28.90				FM-16		29.86
28	0353	7	BKN:07 3	5.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	5	020		28.90	8	+0.01	29.84	FM-15	0.00	29.86
28	0359	7	SCT:04 4 BKN:07 100	5.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	6	010		28.90				FM-16		29.86
28	0407	7	BKN:07 6 BKN:07 110	4.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	5	020		28.90				FM-16		29.86
28	0417	7	FEW:02 6 SCT:04 100	5.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	6	360		28.90				FM-16		29.86
28	0453	7	FEW:02 80 SCT:04 110	6.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	8	360		28.90			29.84	FM-15	0.00	29.86
28	0553	7	FEW:02 10 BKN:07 60 OVC:08 75	3.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	6	010		28.90			29.85	FM-15	0.00	29.87
28	0650	7	BKN:07 5 BKN:07 120	2.00	BR:1 ||	70	21.0	70	21.1	70	21.0	100	7	020		28.90				FM-16		29.87
28	0653	7	BKN:07 5 BKN:07 120	2.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	7	020		28.90	0	-0.01	29.85	FM-15	0.00	29.87
28	0751	6	BKN:07 7 BKN:07 120	3.00	BR:1 ||	72	22.0	71	21.5	70	21.0	94	7	030		28.90				FM-16		29.87
28	0753	7	BKN:07 7 BKN:07 120	3.00	BR:1 ||	71	21.7	70	20.9	69	20.6	94	7	020		28.90			29.85	FM-15	0.00	29.87
28	0851	6	SCT:04 11 OVC:08 110	8.00		72	22.0	71	21.5	70	21.0	94	8	350		28.90				FM-16		29.87
28	0853	7	SCT:04 11 OVC:08 110	8.00		72	22.2	70	21.1	69	20.6	91	8	360		28.90			29.85	FM-15	0.00	29.87
28	0953	7	FEW:02 14 SCT:04 110	10.00		76	24.4	72	22.2	70	21.1	82	9	030		28.90	8	+0.01	29.84	FM-15	0.00	29.86
28	1053	7	FEW:02 20 SCT:04 100	10.00		78	25.6	73	22.5	70	21.1	76	11	020		28.90			29.84	FM-15	0.00	29.86
28	1153	7	SCT:04 22 BKN:07 100	10.00		79	26.1	73	22.7	70	21.1	74	10	020		28.89			29.83	FM-15	0.00	29.85
28	1155	7	BKN:07 26 BKN:07 34	10.00		80	26.7	73	22.9	70	21.1	71	8	360		28.89				FM-16		29.85
28	1253	7	SCT:04 32 BKN:07 120	10.00		81	27.2	73	22.7	69	20.6	67	11	360		28.87	8	+0.02	29.82	FM-15	0.00	29.84
28	1353	7	SCT:04 33 SCT:04 43	10.00		80	26.7	73	22.5	69	20.6	69	15	360	20	28.87			29.80	FM-15	0.00	29.83
28	1453	7	FEW:02 33	10.00		81	27.2	72	22.4	68	20.0	65	16	360		28.86			29.80	FM-15	0.00	29.82
28	1553	7	SCT:04 34	10.00		81	27.2	73	22.7	69	20.6	67	15	350	23	28.84	6	+0.04	29.79	FM-15	0.00	29.81
28	1653	7	SCT:04 36	10.00		77	25.0	70	21.3	67	19.4	71	17	350	25	28.84			29.79	FM-15	0.00	29.81
28	1753	7	SCT:04 36	10.00		77	25.0	70	21.3	67	19.4	71	21	010	28	28.86			29.80	FM-15	0.00	29.82
28	1853	7	FEW:02 28	10.00		73	22.8	68	19.9	65	18.3	76	20	010		28.89	3	-0.04	29.83	FM-15	0.00	29.85
28	1953	7	CLR:00	10.00		70	21.1	66	18.7	63	17.2	79	15	010	23	28.90			29.84	FM-15	0.00	29.86
28	2053	7	CLR:00	10.00		68	20.0	65	18.3	63	17.2	84	13	010		28.91			29.86	FM-15	0.00	29.88
28	2153	7	CLR:00	10.00		66	18.9	64	17.9	63	17.2	90	11	360		28.92	3	-0.04	29.87	FM-15	0.00	29.89
28	2253	7	CLR:00	10.00		66	18.9	64	17.9	63	17.2	90	14	360		28.92			29.87	FM-15	0.00	29.89
28	2353	7	CLR:00	10.00		65	18.3	63	17.3	62	16.7	90	11	360		28.94			29.89	FM-15	0.00	29.91
29	0053	7	CLR:00	10.00		63	17.2	62	16.6	61	16.1	93	11	360		28.94	0	-0.02	29.89	FM-15	0.00	29.91
29	0153	7	CLR:00	10.00		63	17.2	61	16.2	60	15.6	90	9	350		28.93			29.88	FM-15	0.00	29.90
29	0253	7	CLR:00	10.00		61	16.1	59	14.8	57	13.9	87	10	010		28.93			29.88	FM-15	0.00	29.90
29	0353	7	CLR:00	10.00		60	15.6	57	13.7	54	12.2	80	9	360		28.94	3	-0.01	29.89	FM-15	0.00	29.91
29	0453	7	CLR:00	10.00		58	14.4	55	12.9	53	11.7	84	10	010		28.96			29.92	FM-15	0.00	29.93
29	0553	7	CLR:00	10.00		56	13.3	53	11.8	51	10.6	84	9	360		28.98			29.93	FM-15	0.00	29.95
29	0653	7	CLR:00	10.00		60	15.6	56	13.4	53	11.7	78	13	360		28.99	1	-0.05	29.95	FM-15	0.00	29.96
29	0753	7	CLR:00	10.00		64	17.8	58	14.3	53	11.7	68	14	010		29.01			29.96	FM-15	0.00	29.98

29	0853	7	CLR:00	10.00		69	20.6	60	15.4	53	11.7	57	22	040	29	29.03			29.98	FM-15	0.00	30.00
29	0953	7	CLR:00	10.00		72	22.2	60	15.8	52	11.1	50	16	040	24	29.03	1	-0.04	29.99	FM-15	0.00	30.00
29	1053	7	CLR:00	10.00		74	23.3	63	17.3	56	13.3	54	15	040		29.05			30.00	FM-15	0.00	30.02
29	1153	7	CLR:00	10.00		75	23.9	63	17.0	54	12.2	48	16	020	22	29.04			29.99	FM-15	0.00	30.01
29	1253	7	CLR:00	10.00		77	25.0	64	17.6	55	12.8	47	17	010	23	29.04	1	-0.01	29.99	FM-15	0.00	30.01
29	1353	7	CLR:00	10.00		78	25.6	64	17.8	55	12.8	45	15	030	21	29.04			29.99	FM-15	0.00	30.01
29	1453	7	CLR:00	10.00		78	25.6	64	17.6	54	12.2	43	14	050		29.04			29.99	FM-15	0.00	30.01
29	1553	7	CLR:00	10.00		78	25.6	66	18.7	58	14.4	50	13	350		29.04	1	-0.00	30.00	FM-15	0.00	30.01
29	1653	7	CLR:00	10.00		78	25.6	65	18.4	57	13.9	48	11	020		29.04			29.99	FM-15	0.00	30.01
29	1753	7	CLR:00	10.00		76	24.4	64	17.7	56	13.3	50	13	020	21	29.05			30.01	FM-15	0.00	30.02
29	1853	7	CLR:00	10.00		73	22.8	63	17.1	56	13.3	55	14	010	22	29.06	3	-0.02	30.01	FM-15	0.00	30.03
29	1953	7	CLR:00	10.00		69	20.6	61	16.0	55	12.8	61	8	020		29.08			30.03	FM-15	0.00	30.05
29	2053	7	CLR:00	10.00		66	18.9	59	15.1	54	12.2	65	6	350		29.10			30.05	FM-15	0.00	30.07
29	2153	7	CLR:00	10.00		63	17.2	58	14.7	55	12.8	75	8	360		29.10	1	-0.04	30.05	FM-15	0.00	30.07
29	2253	7	CLR:00	10.00		64	17.8	59	15.2	56	13.3	75	8	020		29.11			30.06	FM-15	0.00	30.08
29	2353	7	CLR:00	10.00		63	17.2	60	15.3	57	13.9	81	7	020		29.11			30.06	FM-15	0.00	30.08
30	0053	7	CLR:00	10.00		62	16.7	59	14.7	56	13.3	80	6	020		29.11	1	-0.01	30.06	FM-15	0.00	30.08
30	0153	7	CLR:00	10.00		60	15.6	58	14.3	56	13.3	86	7	010		29.12			30.07	FM-15	0.00	30.09
30	0253	7	CLR:00	10.00		60	15.6	58	14.3	56	13.3	86	6	360		29.13			30.09	FM-15	0.00	30.10
30	0353	7	CLR:00	10.00		61	16.1	59	14.8	57	13.9	87	3	360		29.14	3	-0.03	30.10	FM-15	0.00	30.11
30	0453	7	CLR:00	10.00		60	15.6	59	14.9	58	14.4	93	5	010		29.15			30.11	FM-15	0.00	30.12
30	0553	7	CLR:00	10.00		61	16.1	59	15.1	58	14.4	90	3	350		29.17			30.13	FM-15	0.00	30.14
30	0653	7	CLR:00	10.00		64	17.8	62	16.4	60	15.6	87	5	340		29.18	3	-0.04	30.14	FM-15	0.00	30.15
30	0753	7	CLR:00	10.00		69	20.6	65	18.2	62	16.7	78	6	020		29.19			30.15	FM-15	0.00	30.16
30	0853	7	CLR:00	10.00		73	22.8	67	19.3	63	17.2	71	6	360		29.20			30.15	FM-15	0.00	30.17
30	0953	7	CLR:00	10.00		77	25.0	68	20.0	63	17.2	62	9	010		29.20	0	-0.01	30.15	FM-15	0.00	30.17
30	1053	7	CLR:00	10.00		79	26.1	68	20.1	62	16.7	56	9	080		29.20			30.15	FM-15	0.00	30.17
30	1153	7	CLR:00	10.00		81	27.2	69	20.4	62	16.7	53	9	030		29.20			30.15	FM-15	0.00	30.17
30	1253	7	FEW:02 55 SCT:04 70	10.00		81	27.2	69	20.4	62	16.7	53	10	030		29.19	8	+0.01	30.14	FM-15	0.00	30.16
30	1353	7	CLR:00	10.00		83	28.3	68	20.2	60	15.6	46	6	060		29.18			30.14	FM-15	0.00	30.15
30	1453	7	SCT:04 60 SCT:04 75	10.00		81	27.2	69	20.4	62	16.7	53	8	VRB		29.18			30.13	FM-15	0.00	30.15
30	1553	7	FEW:02 80	10.00		83	28.3	70	21.1	63	17.2	51	7	030		29.17	8	+0.02	30.12	FM-15	0.00	30.14
30	1653	7	CLR:00	10.00		82	27.8	69	20.6	62	16.7	51	7	020		29.17			30.12	FM-15	0.00	30.14
30	1753	7	CLR:00	10.00		81	27.2	69	20.7	63	17.2	54	10	020		29.17			30.12	FM-15	0.00	30.14
30	1853	7	CLR:00	10.00		78	25.6	68	19.9	62	16.7	58	10	010		29.17	3	-0.00	30.12	FM-15	0.00	30.14
30	1953	7	CLR:00	10.00		74	23.3	66	18.8	61	16.1	64	8	010		29.18			30.14	FM-15	0.00	30.15
30	2053	7	CLR:00	10.00		71	21.7	65	18.2	61	16.1	71	7	010		29.19			30.14	FM-15	0.00	30.16
30	2153	7	CLR:00	10.00		69	20.6	64	17.5	60	15.6	73	7	030		29.19	1	-0.02	30.14	FM-15	0.00	30.16
30	2253	7	CLR:00	10.00		68	20.0	63	17.3	60	15.6	76	5	360		29.20			30.15	FM-15	0.00	30.17
30	2353	7	CLR:00	10.00		69	20.6	64	17.5	60	15.6	73	0	000		29.20			30.15	FM-15	0.00	30.17
31	0053	7	CLR:00	10.00		64	17.8	61	16.1	59	15.0	84	5	010		29.20	0	-0.00	30.15	FM-15	0.00	30.17
31	0153	7	CLR:00	10.00		64	17.8	61	16.1	59	15.0	84	0	000		29.19			30.14	FM-15	0.00	30.16
31	0253	7	CLR:00	10.00		61	16.1	60	15.8	60	15.6	97	3	310		29.20			30.15	FM-15	0.00	30.17
31	0353	7	CLR:00	10.00		62	16.7	61	16.0	60	15.6	93	0	000		29.20	6	+0.00	30.14	FM-15	0.00	30.17
31	0453	7	CLR:00	10.00		62	16.7	60	15.7	59	15.0	90	0	000		29.20			30.16	FM-15	0.00	30.17
31	0553	7	CLR:00	10.00		61	16.1	59	15.1	58	14.4	90	5	350		29.22			30.17	FM-15	0.00	30.19
31	0653	7	CLR:00	10.00		66	18.9	63	17.2	61	16.1	84	0	000		29.23	3	-0.03	30.18	FM-15	0.00	30.20
31	0753	7	CLR:00	10.00		71	21.7	66	18.9	63	17.2	76	0	000		29.23			30.19	FM-15	0.00	30.21
31	0853	7	CLR:00	10.00		76	24.4	67	19.5	62	16.7	62	0	000		29.23			30.19	FM-15	0.00	30.21
31	0953	7	CLR:00	10.00		78	25.6	66	18.7	58	14.4	50	0	000		29.25	1	-0.01	30.19	FM-15	0.00	30.22
31	1053	7	CLR:00	10.00		81	27.2	68	20.1	61	16.1	51	3	150		29.23			30.19	FM-15	0.00	30.21
31	1153	7	CLR:00	10.00		81	27.2	69	20.4	62	16.7	53	0	000		29.23			30.18	FM-15	0.00	30.20
31	1253	7	SCT:04 55	10.00		83	28.3	68	20.2	60	15.6	46	0	000		29.21	8	+0.04	30.16	FM-15	0.00	30.18
31	1353	7	SCT:04 65	10.00		83	28.3	68	20.2	60	15.6	46	6	340		29.20			30.15	FM-15	0.00	30.17

31	1453	7	FEW:02 60 SCT:04 75	10.00		85	29.4	70	20.8	61	16.1	45	7	360		29.19			30.14	FM-15	0.00	30.16
31	1553	7	CLR:00	10.00		84	28.9	70	21.0	62	16.7	48	9	050		29.18	8	+0.03	30.13	FM-15	0.00	30.15
31	1653	7	CLR:00	10.00		84	28.9	69	20.4	60	15.6	44	6	050		29.17			30.11	FM-15	0.00	30.14
31	1753	7	BKN:07 60 OVC:08 70	10.00		83	28.3	69	20.8	62	16.7	49	0	000		29.16			30.11	FM-15	0.00	30.13
31	1853	7	CLR:00	10.00		79	26.1	69	20.7	64	17.8	60	7	340		29.16	6	+0.01	30.11	FM-15	0.00	30.13
31	1953	7	CLR:00	10.00		78	25.6	67	19.6	61	16.1	56	3	350		29.16			30.11	FM-15	0.00	30.13
31	2053	7	CLR:00	10.00		75	23.9	67	19.3	62	16.7	64	0	000		29.17			30.12	FM-15	0.00	30.14
31	2153	7	CLR:00	10.00		72	22.2	66	19.1	63	17.2	73	0	000		29.18	3	-0.01	30.13	FM-15	0.00	30.15
31	2253	7	CLR:00	10.00		71	21.7	67	19.2	64	17.8	79	0	000		29.17			30.12	FM-15	0.00	30.14
31	2353	7	CLR:00	10.00		68	20.0	65	18.6	64	17.8	87	0	000		29.17			30.11	FM-15	0.00	30.14

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
July 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01	0.02															T	T								01
02																									02
03																									03
04																									04
05																									05
06								T	0.04	0.06	0.03	0.07	0.03	T	T										06
07													0.20s	0.14	T		T	0.09	0.08						07
08																									08
09																									09
10						0.16						0.20		0.15	0.95	0.12	0.01							0.06	10
11	0.05	T	0.01													T	T								11
12																									12
13						T	0.28s	0.03		0.04	0.76	0.41	0.05					0.01	T		T	T	T		13
14						T	T																		14
15																									15
16																						T			16
17																									17
18																									18
19																									19
20																									20
21				0.01	T				0.36	T										T					21
22				T	T	0.30	0.13	0.01		0.01	T					T									22
23								T	0.28	0.05	0.07	T	T	T			0.01	T	0.12s	0.46	T				23
24																									24
25																									25
26																									26
27										T	T		0.13s	0.17	0.01	0.02	T								27
28																									28
29																									29
30																									30
31																									31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.27	0.44	0.55	0.70	0.74	0.87	1.06	1.13	1.17	1.22	1.22	1.25
Ending Date Time (yyyy-mm-dd hh:mi)	2017-07-13 10:21	2017-07-10 14:15	2017-07-10 14:15	2017-07-10 14:15	2017-07-10 14:19	2017-07-10 14:41	2017-07-10 14:54	2017-07-13 11:27	2017-07-13 11:38	2017-07-10 15:51	2017-07-10 15:51	2017-07-13 12:16

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
August 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	84	62	73	-0.8				0	8	0530	1946	FG BR	0.00			29.15		2.8	15	190	13	190
02	85	63	74	0.3				0	9	0531	1945	TS RA BR	0.10			29.10		4.6	21	180	16	330
03	85	65	75	1.3				0	10	0532	1944	TS RA	0.03			29.08		8.2	31	220	24	230
04	77	60	69	-4.6				0	4	0533	1943	TS RA BR	0.22			28.95		12.6	38	160	25	170
05	76	53	64	-9.6				1	0	0534	1942		0.00			29.08		7.8	24	280	17	280
06	73	58	65	-8.5				0	0	0535	1941		T			29.11		3.8	15	210	13	200
07	74	61	67	-6.4				0	2	0536	1940	RA BR	0.10			29.03		3.8	10	320	8	320
08	78	58	68	-5.4				0	3	0537	1938	BR	T			29.15		5.0	18	040	14	030
09	82	54	68	-5.3				0	3	0538	1937		0.00			29.23		2.9	13	130	10	110
10	84	57	71	-2.2				0	6	0539	1936		0.00			29.15		4.4	14	090	12	120
11	82	66	74	0.8				0	9	0540	1935	TS RA BR	0.27			29.06		6.8	24	330	20	340
12	78	63	71	-2.1				0	6	0541	1933	TS RA BR	0.02			29.01		7.1	23	330	16	290
13	81	57	69	-4.0				0	4	0542	1932		0.00			29.07		3.2	14	040	9	080
14	82	62	72	-0.9				0	7	0543	1931		0.00			28.98		3.8	19	180	14	180
15	86	64	75	2.2				0	10	0543	1929	FG BR	0.00			28.95		4.1	19	290	14	290
16	89	65	77	4.3				0	12	0544	1928	BR	0.00			29.05		3.9	19	220	10	220
17	88	72	80	7.4				0	15	0545	1927	TS RA BR	0.62			28.95		8.9	27	220	21	280
18	83	66	74	1.5				0	9	0546	1925	BR	0.00			28.90		10.0	26	260	20	270
19	84	63	73	0.6				0	8	0547	1924	TS RA	0.01			28.97		6.1	26	260	20	240
20	87	60	74	1.7				0	9	0548	1922	BR	0.00			29.11		5.4	17	170	14	180
21	89*	68	79	6.8				0	14	0549	1921		0.00			29.15		6.3	22	190	17	210
22	83	68	75	3.0				0	10	0550	1920	TS RA BR	0.80			28.97		10.9	38	240	30	240
23	76	57	66	-5.9				0	1	0551	1918		0.00			29.01		6.6	19	280	15	270
24	75	52	64	-7.7				1	0	0552	1917		0.00			29.07		8.6	22	340	16	350
25	74	53	64	-7.6				1	0	0553	1915		0.00			29.22		5.0	17	040	12	030
26	75	49*	62	-9.4				3	0	0554	1914		0.00			29.28		5.7	18	050	14	040
27	79	53	66	-5.2				0	1	0555	1912		0.00			29.18		4.2	19	100	10	080
28	75	60	68	-3.0				0	3	0556	1911		0.00			29.09		7.1	19	160	15	160
29	79	59	69	-1.8				0	4	0557	1909	RA FG BR	0.02			29.07		3.4	17	140	12	170
30	79	60	70	-0.6				0	5	0558	1907	FG BR	0.00			29.06		4.0	13	340	10	330
31	78	58	68	-2.3				0	3	0559	1906	BR	0.00			29.09		6.7	24	010	20	020
	80.6	60.2	70.4							Monthly Averages | Totals			2.19s			29.08	30.03	6.0				
	-2.4	-1.8	-2.1	Departure from Normal (1981-2010)									-1.20s									

Degree Days

	Monthly Total	Monthly Departure	Season-to-date Total	Season-to-date Departure
Heating	6	1	6	
Cooling	175	-62	714	

Number of days with...

	Temperature Max >=90°	Temperature Max <=32°	Temperature Min <=32°	Temperature Min <=0°	Precipitation >=0.01"	Precipitation >=0.1"	Snow >=1"	Weather T-Storms	Weather Heavy Fog
Heating									
Cooling	0	0	0	0	10	6			

Date of 5-sec to 3-sec wind equipment change

N/A

Sea Level Pressure

		Date	Time
Maximum	30.30	26	0949
Minimum	29.79	18	0314

Greatest...

24-Hr... Precip	24-Hr... Snowfall	Snow Depth
0.80		
Date		
22-22		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
August 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	CLR:00	10.00		65	18.3	64	17.7	63	17.2	93	3	040		29.17	6	+0.01	30.11	FM-15	0.00	30.14
01	0153	7	CLR:00	10.00		65	18.3	64	18.0	64	17.8	97	0	000		29.16			30.11	FM-15	0.00	30.13
01	0253	7	CLR:00	9.00		64	17.8	63	17.4	63	17.2	96	5	300		29.16			30.11	FM-15	0.00	30.13
01	0353	7	CLR:00	9.00		65	18.3	64	18.0	64	17.8	97	0	000		29.16	6	+0.01	30.11	FM-15	0.00	30.13
01	0453	7	CLR:00	8.00		64	17.8	64	17.8	64	17.8	100	0	000		29.16			30.11	FM-15	0.00	30.13
01	0512	7	CLR:00	1.75	BR:1 ||	63	17.2	63	17.2	63	17.2	100	0	000		29.17				FM-16		30.14
01	0526	7	CLR:00	0.50	FG:2 |FG |	63	17.2	63	17.2	63	17.2	100	0	000		29.17				FM-16		30.14
01	0535	7	CLR:00	2.00	BR:1 ||	63	17.2	63	17.2	63	17.2	100	0	000		29.17				FM-16		30.14
01	0542	7	CLR:00	3.00	BR:1 ||	63	17.2	63	17.2	63	17.2	100	0	000		29.17				FM-16		30.14
01	0553	7	CLR:00	6.00	BR:1 ||	63	17.2	63	17.2	63	17.2	100	0	000		29.17			30.12	FM-15	0.00	30.14
01	0653	7	CLR:00	6.00	BR:1 ||	67	19.4	66	19.1	66	18.9	97	0	000		29.18	3	-0.02	30.13	FM-15	0.00	30.15
01	0753	7	CLR:00	10.00		71	21.7	68	19.9	66	18.9	84	0	000		29.19			30.14	FM-15	0.00	30.16
01	0853	7	CLR:00	10.00		77	25.0	69	20.7	65	18.3	66	0	000		29.18			30.13	FM-15	0.00	30.15
01	0953	7	CLR:00	10.00		81	27.2	69	20.7	63	17.2	54	0	000		29.17	8	+0.01	30.12	FM-15	0.00	30.14
01	1053	7	CLR:00	10.00		82	27.8	68	20.0	60	15.6	47	0	000		29.16			30.11	FM-15	0.00	30.13
01	1153	7	FEW:02 55	10.00		83	28.3	70	21.1	63	17.2	51	5	210		29.16			30.11	FM-15	0.00	30.13
01	1253	7	BKN:07 55	10.00		83	28.3	70	21.1	63	17.2	51	6	VRB		29.16	6	+0.01	30.11	FM-15	0.00	30.13
01	1353	7	FEW:02 60	10.00		82	27.8	69	20.6	62	16.7	51	9	170		29.14			30.09	FM-15	0.00	30.11
01	1453	7	BKN:07 60	10.00		82	27.8	70	20.9	63	17.2	53	8	190		29.12			30.07	FM-15	0.00	30.09
01	1553	7	BKN:07 60	10.00		83	28.3	70	21.1	63	17.2	51	7	160		29.10	8	+0.05	30.05	FM-15	0.00	30.07
01	1653	7	SCT:04 60	10.00		84	28.9	69	20.4	60	15.6	44	3	220		29.09			30.04	FM-15	0.00	30.06
01	1753	7	SCT:04 60	10.00		81	27.2	69	20.7	63	17.2	54	6	240		29.09			30.04	FM-15	0.00	30.06
01	1853	7	FEW:02 60	10.00		79	26.1	70	21.0	65	18.3	62	8	220		29.10	5	+0.00	30.05	FM-15	0.00	30.07
01	1953	7	CLR:00	10.00		75	23.9	69	20.3	65	18.3	71	3	260		29.10			30.05	FM-15	0.00	30.07
01	2053	7	CLR:00	10.00		72	22.2	68	19.7	65	18.3	79	0	000		29.11			30.06	FM-15	0.00	30.08
01	2153	7	CLR:00	10.00		73	22.8	68	19.9	65	18.3	76	5	200		29.12	3	-0.02	30.06	FM-15	0.00	30.09
01	2253	7	CLR:00	10.00		69	20.6	66	18.8	64	17.8	84	0	000		29.13			30.07	FM-15	0.00	30.10
01	2353	7	CLR:00	10.00		68	20.0	66	18.9	65	18.3	90	0	000		29.13			30.07	FM-15	0.00	30.10
02	0053	7	CLR:00	10.00		66	18.9	65	18.5	65	18.3	96	0	000		29.12	0	-0.00	30.07	FM-15	0.00	30.09
02	0153	7	CLR:00	10.00		66	18.9	65	18.2	64	17.8	93	0	000		29.11			30.06	FM-15	0.00	30.08
02	0253	7	CLR:00	9.00		65	18.3	64	18.0	64	17.8	97	0	000		29.10			30.05	FM-15	0.00	30.07
02	0353	7	CLR:00	7.00		64	17.8	64	17.8	64	17.8	100	0	000		29.09	6	+0.02	30.04	FM-15	0.00	30.06
02	0453	7	CLR:00	9.00		64	17.8	64	17.8	64	17.8	100	0	000		29.11			30.06	FM-15	0.00	30.08
02	0553	7	CLR:00	6.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	0	000		29.11			30.06	FM-15	0.00	30.08
02	0653	7	CLR:00	6.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	0	000		29.13	3	-0.04	30.08	FM-15	0.00	30.10
02	0753	7	CLR:00	6.00	BR:1 ||	71	21.7	70	20.9	69	20.6	94	3	090		29.12			30.07	FM-15	0.00	30.09
02	0853	7	CLR:00	10.00		75	23.9	70	21.0	67	19.4	76	5	190		29.13			30.08	FM-15	0.00	30.10
02	0953	7	FEW:02 120	10.00		79	26.1	71	21.7	67	19.4	67	6	210		29.13	6	+0.01	30.07	FM-15	0.00	30.10
02	1053	7	BKN:07 110	10.00		80	26.7	71	21.9	67	19.4	64	6	180		29.13			30.08	FM-15	0.00	30.10
02	1153	7	FEW:02 120	10.00		82	27.8	73	22.9	69	20.6	65	11	180		29.11			30.06	FM-15	0.00	30.08
02	1253	7	SCT:04 46 BKN:07 55 BKN:07 110	10.00		83	28.3	72	22.0	66	18.9	57	6	VRB	17	29.10	8	+0.03	30.05	FM-15	0.00	30.07
02	1353	7	FEW:02 44	10.00		81	27.2	72	22.0	67	19.4	62	10	160		29.08			30.03	FM-15	0.00	30.05
02	1453	7	FEW:02 44 SCT:04 55 SCT:04 75	10.00		83	28.3	72	22.0	66	18.9	57	7	230		29.05			30.00	FM-15	0.00	30.02

02	1553	7	FEW:02 46 SCT:04 100	10.00		82	27.8	71	21.9	66	18.9	58	7	250		29.05	6	+0.04	30.00	FM-15	0.00	30.02
02	1626	7	FEW:02 46	10.00	VCTS:7 ||	83	28.3	72	22.0	66	18.9	57	9	210		29.05				FM-16		30.02
02	1653	7	FEW:02 44	10.00	VCTS:7 ||	83	28.3	72	22.0	66	18.9	57	7	VRB		29.06			30.01	FM-15	0.00	30.03
02	1751	6	FEW:02 29 BKN:07 41 BKN:07 70	10.00	TS:7 |TS |	73	23.0	68	20.3	66	19.0	78	16	330	20	29.09				FM-16		30.06
02	1753	7	SCT:04 29 BKN:07 41 BKN:07 70	10.00	TS:7 |TS TS |	74	23.3	69	20.5	66	18.9	76	17	330		29.09			30.05	FM-15	T	30.06
02	1853	7	FEW:02 70 SCT:04 90 OVC:08 110	5.00	TS:7 -RA:02 BR:1 |RA TS |	69	20.6	69	20.6	69	20.6	100	7	080		29.08	0	-0.02	30.03	FM-15	0.10	30.05
02	1910	7	SCT:04 110	10.00		70	21.1	69	20.7	69	20.6	97	3	020		29.08				FM-16	T	30.05
02	1953	7	FEW:02 48 SCT:04 120	7.00		69	20.6	69	20.6	69	20.6	100	3	010		29.08			30.03	FM-15	T	30.05
02	2053	7	CLR:00	9.00		70	21.1	70	21.1	70	21.1	100	3	230		29.10			30.05	FM-15	0.00	30.07
02	2153	7	FEW:02 55 SCT:04 70 BKN:07 95	9.00	-RA:02 |RA |	70	21.1	69	20.7	69	20.6	97	7	190		29.10	0	-0.02	30.05	FM-15	T	30.07
02	2253	7	CLR:00	10.00		68	20.0	68	20.0	68	20.0	100	0	000		29.10			30.05	FM-15	T	30.07
02	2353	7	BKN:07 120	10.00		69	20.6	68	20.2	68	20.0	96	3	170		29.10			30.05	FM-15	0.00	30.07
03	0053	7	CLR:00	10.00		68	20.0	68	20.0	68	20.0	100	0	000		29.11	3	-0.01	30.06	FM-15	0.00	30.08
03	0153	7	FEW:02 90	10.00		68	20.0	67	19.6	67	19.4	96	5	160		29.10			30.05	FM-15	0.00	30.07
03	0253	7	CLR:00	10.00		67	19.4	66	19.1	66	18.9	97	6	170		29.11			30.06	FM-15	0.00	30.08
03	0353	7	CLR:00	10.00		67	19.4	66	19.1	66	18.9	97	5	180		29.10	6	+0.01	30.05	FM-15	0.00	30.07
03	0453	7	FEW:02 110	9.00		66	18.9	66	18.9	66	18.9	100	6	180		29.10			30.06	FM-15	0.00	30.07
03	0553	7	CLR:00	7.00		66	18.9	66	18.9	66	18.9	100	5	160		29.12			30.07	FM-15	0.00	30.09
03	0653	7	FEW:02 120	9.00		66	18.9	66	18.9	66	18.9	100	5	160		29.13	3	-0.03	30.09	FM-15	0.00	30.10
03	0753	7	CLR:00	10.00		69	20.6	68	19.8	67	19.4	93	9	170		29.13			30.09	FM-15	0.00	30.10
03	0853	7	CLR:00	10.00		73	22.8	70	21.3	69	20.6	87	7	210		29.13			30.09	FM-15	0.00	30.10
03	0953	7	CLR:00	10.00		76	24.4	71	21.9	69	20.6	79	6	170		29.13	8	+0.00	30.08	FM-15	0.00	30.10
03	1053	7	FEW:02 23	10.00		79	26.1	72	22.4	69	20.6	72	9	200		29.11			30.06	FM-15	0.00	30.08
03	1153	7	FEW:02 29 FEW:02 38	10.00		81	27.2	74	23.1	70	21.1	69	10	190		29.10			30.05	FM-15	0.00	30.07
03	1253	7	SCT:04 36 BKN:07 46 BKN:07 65	10.00		83	28.3	73	23.0	69	20.6	63	13	200		29.08	8	+0.05	30.02	FM-15	0.00	30.05
03	1353	7	FEW:02 38 FEW:02 46 SCT:04 60	10.00		83	28.3	73	22.7	68	20.0	61	16	190	21	29.05			30.00	FM-15	0.00	30.02
03	1453	7	FEW:02 70	10.00		83	28.3	72	22.4	67	19.4	59	14	220		29.03			29.98	FM-15	0.00	30.00
03	1553	7	SCT:04 50	10.00		85	29.4	73	22.7	67	19.4	55	14	230	22	29.01	6	+0.06	29.96	FM-15	0.00	29.98
03	1653	7	FEW:02 47 SCT:04 65	10.00		84	28.9	73	22.5	67	19.4	57	14	200		29.01			29.96	FM-15	0.00	29.98
03	1753	7	FEW:02 49	10.00		83	28.3	72	22.0	66	18.9	57	11	220		29.00			29.95	FM-15	0.00	29.97
03	1853	7	CLR:00	10.00		81	27.2	71	21.7	66	18.9	61	10	200		29.01	3	-0.00	29.96	FM-15	0.00	29.98
03	1953	7	SCT:04 50	10.00		80	26.7	71	21.9	67	19.4	64	10	190		29.01			29.96	FM-15	0.00	29.98
03	2025	7	SCT:04 46 SCT:04 55 BKN:07 70	10.00	VCTS:7 -RA:02 |RA |	76	24.4	69	20.8	66	18.9	72	22	230	31	29.02				FM-16	T	29.99
03	2036	7	FEW:02 50 SCT:04 75 BKN:07 100	10.00	-RA:02 |RA |	75	23.9	67	19.6	63	17.2	66	17	230		29.03				FM-16	T	30.00
03	2053	7	FEW:02 80 FEW:02 90 OVC:08 110	8.00	-RA:02 |RA |	72	22.2	68	19.7	65	18.3	79	8	220		29.02			29.97	FM-15	0.03	29.99
03	2153	7	CLR:00	10.00		69	20.6	68	19.8	67	19.4	93	5	210		29.02	0	-0.00	29.96	FM-15	T	29.99
03	2253	7	CLR:00	10.00		70	21.1	68	20.0	67	19.4	90	6	140		29.00			29.95	FM-15	0.00	29.97
03	2353	7	CLR:00	10.00		70	21.1	69	20.4	68	20.0	93	5	180		28.99			29.93	FM-15	0.00	29.96
04	0053	7	CLR:00	10.00		69	20.6	68	19.8	67	19.4	93	7	200		28.99	6	+0.03	29.93	FM-15	0.00	29.96

04	0153	7	CLR:00	10.00		69	20.6	68	19.8	67	19.4	93	8	180		28.98			29.93	FM-15	0.00	29.95
04	0253	7	BKN:07 60	10.00		70	21.1	68	20.0	67	19.4	90	8	180		28.97			29.92	FM-15	0.00	29.94
04	0325	7	FEW:02 11 BKN:07 49 BKN:07 55	1.50	+RA:02 BR:1 |RA |	69	20.6	68	20.2	68	20.0	96	23	150	38	28.97				FM-16	0.16	29.94
04	0332	7	FEW:02 17 BKN:07 48 BKN:07 60	1.25	TS:7 -RA:02 BR:1 |RA TS |	71	21.7	69	20.6	68	20.0	90	11	190	38	28.96				FM-16	0.18	29.93
04	0335	7	FEW:02 27 BKN:07 48 BKN:07 60	4.00	TS:7 -RA:02 BR:1 |RA TS |	71	21.7	69	20.6	68	20.0	90	14	190		28.95				FM-16	0.18	29.92
04	0353	7	FEW:02 25 SCT:04 60 SCT:04 75	10.00	VCTS:7 ||	69	20.6	68	20.2	68	20.0	96	8	180		28.95	8	+0.04	29.90	FM-15	0.18	29.92
04	0404	7	FEW:02 65	10.00		69	20.6	68	20.2	68	20.0	96	7	190		28.95				FM-16		29.92
04	0453	7	CLR:00	10.00		69	20.6	68	20.2	68	20.0	96	8	180		28.94			29.89	FM-15	0.00	29.91
04	0553	7	CLR:00	10.00		69	20.6	68	20.2	68	20.0	96	6	190		28.94			29.88	FM-15	0.00	29.91
04	0606	7	CLR:00	10.00	TS:7 |TS TS |	69	20.6	68	20.2	68	20.0	96	5	190		28.94				FM-16		29.91
04	0623	7	BKN:07 40	9.00	VCTS:7 ||	69	20.6	68	20.2	68	20.0	96	3	230		28.94				FM-16		29.91
04	0625	7	BKN:07 40	10.00	VCTS:7 ||	69	20.6	68	20.2	68	20.0	96	0	000		28.94				FM-16		29.91
04	0641	7	SCT:04 45 SCT:04 75	9.00	-RA:02 |RA |	69	20.6	68	20.2	68	20.0	96	3	140		28.93				FM-16	T	29.90
04	0649	7	FEW:02 42 FEW:02 50	10.00		70	21.0	69	20.4	68	20.0	94	5	170		28.93				FM-16	T	29.90
04	0653	7	FEW:02 42 SCT:04 48	10.00		70	21.1	69	20.7	69	20.6	97	7	170		28.94	6	+0.02	29.88	FM-15	T	29.91
04	0716	7	SCT:04 50	10.00	TS:7 |TS TS |	71	21.7	70	20.9	69	20.6	94	8	170		28.93				FM-16		29.90
04	0723	7	FEW:02 50	10.00		71	21.7	70	20.9	69	20.6	94	8	190		28.93				FM-16		29.90
04	0731	7	CLR:00	10.00		71	21.7	70	20.9	69	20.6	94	10	180		28.94				FM-16		29.91
04	0753	7	CLR:00	10.00		71	21.7	70	20.9	69	20.6	94	9	190		28.94			29.88	FM-15	0.00	29.91
04	0838	7	SCT:04 31 SCT:04 47 BKN:07 60	5.00	VCTS:7 -RA:02 |RA |	73	22.8	71	21.7	70	21.1	90	14	200		28.94				FM-16	0.03	29.91
04	0851	6	FEW:02 30 SCT:04 50 BKN:07 110	9.00		72	22.0	71	21.5	70	21.0	94	11	200		28.94				FM-16		29.91
04	0853	7	FEW:02 30 SCT:04 50 BKN:07 120	10.00		72	22.2	71	21.5	70	21.1	94	13	210		28.94			29.89	FM-15	0.04	29.91
04	0946	7	BKN:07 21	10.00		75	23.9	72	22.4	71	21.7	88	15	210		28.93				FM-16		29.90
04	0953	7	BKN:07 20	10.00		76	24.4	73	22.9	72	22.2	88	13	190		28.93	8	+0.00	29.88	FM-15	0.00	29.90
04	1043	7	BKN:07 22 BKN:07 34	10.00	VCTS:7 ||	76	24.4	72	22.2	70	21.1	82	15	200	24	28.92				FM-16		29.89
04	1053	7	BKN:07 22 BKN:07 28 OVC:08 49	10.00	VCTS:7 ||	76	24.4	72	22.2	70	21.1	82	17	200	24	28.91			29.86	FM-15	0.00	29.88
04	1107	7	BKN:07 22 BKN:07 26 OVC:08 49	10.00		75	23.9	72	22.0	70	21.1	84	16	200	23	28.91				FM-16		29.88
04	1145	7	BKN:07 20 OVC:08 26	10.00	VCTS:7 ||	75	23.9	72	22.0	70	21.1	84	16	200		28.90				FM-16		29.87
04	1153	7	BKN:07 20 OVC:08 26	10.00	VCTS:7 ||	75	23.9	72	22.0	70	21.1	84	14	210		28.91			29.85	FM-15	0.00	29.88
04	1251	6	BKN:07 21 BKN:07 27 OVC:08 55	8.00		75	24.0	72	22.0	70	21.0	83	15	230	28	28.90				FM-16		29.86
04	1253	7	BKN:07 21 BKN:07 27 OVC:08 55	8.00		75	23.9	72	22.0	70	21.1	84	14	220	28	28.90	6	+0.04	29.84	FM-15	T	29.86
04	1322	7	BKN:07 14 BKN:07 21 OVC:08 35	10.00		71	21.7	68	20.2	67	19.4	87	13	250		28.90				FM-16		29.87

04	1351	6	SCT:04 22 BKN:07 29 OVC:08 39	10.00		73	23.0	71	21.7	70	21.0	89	9	250		28.90				FM-16		29.86
04	1353	7	BKN:07 20 BKN:07 29 OVC:08 39	10.00		74	23.3	71	21.8	70	21.1	88	8	230		28.90			29.84	FM-15	0.00	29.86
04	1407	7	FEW:02 20 BKN:07 33 OVC:08 41	10.00	VCTS:7 ||	76	24.4	72	22.2	70	21.1	82	13	230		28.89				FM-16		29.85
04	1427	7	FEW:02 20 BKN:07 27 OVC:08 40	10.00		74	23.3	69	20.8	67	19.4	79	16	270	25	28.90				FM-16		29.86
04	1444	7	SCT:04 27 BKN:07 40 BKN:07 49	10.00		75	23.9	68	20.0	64	17.8	69	21	240	32	28.90				FM-16		29.86
04	1453	7	SCT:04 29 BKN:07 40 OVC:08 60	10.00		75	23.9	69	20.3	65	18.3	71	22	270	28	28.90			29.84	FM-15	0.00	29.86
04	1553	7	SCT:04 46 BKN:07 60	10.00	-RA:02 |RA |	76	24.4	67	19.5	62	16.7	62	16	270	26	28.90	7	+0.00	29.84	FM-15	T	29.86
04	1653	7	CLR:00	10.00	-RA:02 |RA |	74	23.3	64	17.6	57	13.9	56	23	280	30	28.90			29.85	FM-15	T	29.87
04	1753	7	CLR:00	10.00	-RA:02 |RA |	70	21.1	62	16.5	56	13.3	61	18	280		28.93			29.88	FM-15	T	29.90
04	1853	7	CLR:00	10.00		67	19.4	60	15.6	55	12.8	66	20	290	26	28.96	3	-0.07	29.91	FM-15	T	29.93
04	1953	7	BKN:07 42	10.00		63	17.2	57	14.1	53	11.7	70	17	290	26	28.99			29.95	FM-15	T	29.96
04	2053	7	OVC:08 33	10.00		62	16.7	56	13.6	52	11.1	70	14	270		29.01			29.97	FM-15	0.00	29.98
04	2153	7	OVC:08 41	10.00		61	16.1	57	13.6	53	11.7	75	8	250		29.03	1	-0.07	29.99	FM-15	0.00	30.00
04	2253	7	OVC:08 45	10.00		61	16.1	57	13.9	54	12.2	78	10	240		29.02			29.98	FM-15	0.00	29.99
04	2353	7	OVC:08 48	10.00		61	16.1	57	13.9	54	12.2	78	10	260		29.03			29.98	FM-15	0.00	30.00
05	0053	7	OVC:08 45	10.00		59	15.0	57	13.7	55	12.8	87	9	260		29.03	5	+0.00	29.98	FM-15	0.00	30.00
05	0153	7	CLR:00	10.00		57	13.9	56	13.3	55	12.8	93	7	260		29.03			29.99	FM-15	0.00	30.00
05	0253	7	CLR:00	10.00		57	13.9	56	13.3	55	12.8	93	7	260		29.05			30.00	FM-15	0.00	30.02
05	0353	7	CLR:00	10.00		56	13.3	55	12.7	54	12.2	93	7	250		29.05	3	-0.02	30.01	FM-15	0.00	30.02
05	0453	7	CLR:00	10.00		55	12.8	54	12.5	54	12.2	96	7	240		29.08			30.03	FM-15	0.00	30.05
05	0553	7	CLR:00	10.00		54	12.2	53	11.9	53	11.7	97	5	260		29.10			30.06	FM-15	0.00	30.07
05	0653	7	OVC:08 60	10.00		57	13.9	56	13.3	55	12.8	93	7	240		29.11	1	-0.06	30.07	FM-15	0.00	30.08
05	0657	7	BKN:07 60	10.00		58	14.4	57	13.8	56	13.3	93	7	240		29.11				FM-16		30.08
05	0716	7	SCT:04 60	10.00		58	14.4	56	13.5	55	12.8	90	9	230		29.12				FM-16		30.09
05	0717	7	SCT:04 60	10.00		58	14.4	56	13.5	55	12.8	90	9	230		29.12				FM-16		30.09
05	0753	7	SCT:04 60	10.00		59	15.0	57	13.7	55	12.8	87	6	230		29.12			30.09	FM-15	0.00	30.09
05	0755	7	FEW:02 55	10.00		60	15.6	57	14.0	55	12.8	84	7	230		29.12				FM-16		30.09
05	0853	7	CLR:00	10.00		66	18.9	61	15.9	57	13.9	73	11	270		29.12			30.08	FM-15	0.00	30.09
05	0953	7	CLR:00	10.00		69	20.6	62	16.9	58	14.4	68	9	260		29.12	0	-0.01	30.08	FM-15	0.00	30.09
05	1053	7	FEW:02 35	10.00		71	21.7	64	17.6	59	15.0	66	8	250		29.11			30.07	FM-15	0.00	30.08
05	1153	7	BKN:07 40 BKN:07 55	10.00		73	22.8	64	18.0	59	15.0	62	9	VRB	18	29.12			30.07	FM-15	0.00	30.09
05	1253	7	FEW:02 44	10.00		74	23.3	64	17.9	58	14.4	57	10	240	21	29.11	6	+0.01	30.06	FM-15	0.00	30.08
05	1353	7	FEW:02 43 SCT:04 80	10.00		74	23.3	65	18.2	59	15.0	60	14	240		29.11			30.07	FM-15	0.00	30.08
05	1453	7	FEW:02 60	10.00		75	23.9	65	18.4	59	15.0	58	13	250		29.10			30.06	FM-15	0.00	30.07
05	1553	7	FEW:02 60	10.00		74	23.3	64	17.9	58	14.4	57	10	250		29.10	5	+0.01	30.06	FM-15	0.00	30.07
05	1653	7	FEW:02 60	10.00		75	23.9	65	18.1	58	14.4	55	11	260		29.11			30.06	FM-15	0.00	30.08
05	1753	7	FEW:02 60	10.00		73	22.8	65	18.3	60	15.6	64	9	270		29.10			30.06	FM-15	0.00	30.07
05	1853	7	CLR:00	10.00		72	22.2	64	17.8	59	15.0	64	8	250		29.11	1	-0.00	30.06	FM-15	0.00	30.08
05	1953	7	CLR:00	10.00		68	20.0	63	17.0	59	15.0	73	6	250		29.11			30.06	FM-15	0.00	30.08
05	2053	7	CLR:00	10.00		66	18.9	62	16.6	59	15.0	78	3	260		29.12			30.08	FM-15	0.00	30.09
05	2153	7	CLR:00	10.00		68	20.0	63	17.3	60	15.6	76	3	250		29.12	3	-0.02	30.08	FM-15	0.00	30.09
05	2253	7	CLR:00	10.00		64	17.8	62	16.4	60	15.6	87	3	270		29.12			30.07	FM-15	0.00	30.09
05	2353	7	CLR:00	10.00		62	16.7	61	16.0	60	15.6	93	3	250		29.11			30.07	FM-15	0.00	30.08
06	0053	7	CLR:00	10.00		61	16.1	60	15.8	60	15.6	97	0	000		29.11	6	+0.01	30.06	FM-15	0.00	30.08
06	0153	7	CLR:00	10.00		60	15.6	59	15.2	59	15.0	96	0	000		29.11			30.07	FM-15	0.00	30.08

06	0253	7	CLR:00	10.00		61	16.1	60	15.8	60	15.6	97	0	000		29.11			30.07	FM-15	0.00	30.08
06	0353	7	CLR:00	10.00		61	16.1	60	15.8	60	15.6	97	3	110		29.11	0	-0.00	30.06	FM-15	0.00	30.08
06	0453	7	CLR:00	10.00		61	16.1	61	16.1	61	16.1	100	0	000		29.12			30.07	FM-15	0.00	30.09
06	0553	7	CLR:00	10.00		62	16.7	61	16.3	61	16.1	96	0	000		29.13			30.08	FM-15	0.00	30.10
06	0653	7	OVC:08 120	10.00		64	17.8	63	17.1	62	16.7	93	3	170		29.13	1	-0.02	30.09	FM-15	0.00	30.10
06	0753	7	CLR:00	10.00		65	18.3	63	17.0	61	16.1	87	3	140		29.14			30.10	FM-15	0.00	30.11
06	0853	7	CLR:00	10.00		67	19.4	64	17.7	62	16.7	84	5	160		29.14			30.09	FM-15	0.00	30.11
06	0953	7	FEW:02 120	10.00		70	21.1	65	18.4	62	16.7	76	6	160		29.14	1	-0.01	30.10	FM-15	0.00	30.11
06	1053	7	BKN:07 120	10.00		71	21.7	65	18.6	62	16.7	73	7	170		29.14			30.09	FM-15	0.00	30.11
06	1153	7	BKN:07 110	10.00		72	22.2	65	18.4	61	16.1	68	7	160		29.14			30.10	FM-15	0.00	30.11
06	1253	7	FEW:02 39 FEW:02 48 OVC:08 110	10.00		72	22.2	65	18.4	61	16.1	68	8	170		29.14	0	-0.00	30.09	FM-15	T	30.11
06	1353	7	FEW:02 34 FEW:02 42 OVC:08 110	10.00		71	21.7	65	18.2	61	16.1	71	10	190		29.12			30.08	FM-15	T	30.09
06	1453	7	OVC:08 100	10.00		71	21.7	63	17.3	58	14.4	63	6	200		29.12			30.08	FM-15	0.00	30.09
06	1553	7	FEW:02 70 OVC:08 100	10.00		71	21.7	63	17.3	58	14.4	63	5	170		29.11	6	+0.03	30.07	FM-15	0.00	30.08
06	1653	7	OVC:08 90	10.00		71	21.7	64	17.6	59	15.0	66	5	190		29.11			30.06	FM-15	0.00	30.08
06	1753	7	OVC:08 90	10.00		71	21.7	64	17.9	60	15.6	68	5	200		29.09			30.05	FM-15	0.00	30.06
06	1853	7	FEW:02 100	10.00		70	21.1	64	17.7	60	15.6	71	5	180		29.09	6	+0.02	30.04	FM-15	0.00	30.06
06	1953	7	FEW:02 95	10.00		68	20.0	62	16.7	58	14.4	70	3	130		29.09			30.04	FM-15	0.00	30.06
06	2053	7	BKN:07 80	10.00		66	18.9	62	16.6	59	15.0	78	3	080		29.10			30.05	FM-15	0.00	30.07
06	2153	7	FEW:02 28	10.00		64	17.8	62	16.4	60	15.6	87	3	060		29.10	3	-0.01	30.06	FM-15	0.00	30.07
06	2221	7	BKN:07 28	10.00		64	17.8	62	16.4	60	15.6	87	0	000		29.10				FM-16		30.07
06	2238	7	FEW:02 25 BKN:07 30 OVC:08 80	10.00		64	17.8	62	16.4	60	15.6	87	0	000		29.09				FM-16		30.06
06	2253	7	FEW:02 18 FEW:02 30 OVC:08 80	10.00		63	17.2	62	16.6	61	16.1	93	5	070		29.09			30.05	FM-15	0.00	30.06
06	2353	7	CLR:00	10.00		62	16.7	61	16.3	61	16.1	96	0	000		29.08			30.04	FM-15	0.00	30.05
07	0053	7	OVC:08 60	10.00		65	18.3	63	17.3	62	16.7	90	5	150		29.08	6	+0.03	30.03	FM-15	0.00	30.05
07	0153	7	BKN:07 70 OVC:08 85	10.00		65	18.3	64	17.6	63	17.2	93	5	170		29.05			30.01	FM-15	0.00	30.02
07	0253	7	BKN:07 70	10.00		64	17.8	63	17.1	62	16.7	93	0	000		29.04			29.99	FM-15	0.00	30.01
07	0353	7	FEW:02 27 OVC:08 35	10.00		64	17.8	63	17.4	63	17.2	96	3	140		29.04	6	+0.04	29.99	FM-15	T	30.01
07	0444	7	FEW:02 8 BKN:07 38 OVC:08 47	7.00	-RA:02 |RA |	63	17.2	63	17.2	63	17.2	100	3	150		29.04				FM-16	0.02	30.01
07	0453	7	FEW:02 8 BKN:07 40 OVC:08 47	8.00	-RA:02 |RA |	63	17.2	62	16.9	62	16.7	97	0	000		29.04			29.99	FM-15	0.02	30.01
07	0504	7	FEW:02 8 BKN:07 23 OVC:08 40	10.00	-RA:02 |RA |	63	17.2	62	16.9	62	16.7	97	0	000		29.04				FM-16	T	30.01
07	0553	7	OVC:08 20	10.00	-RA:02 |RA |	62	16.7	61	16.3	61	16.1	96	5	060		29.04			29.99	FM-15	T	30.01
07	0633	7	FEW:02 22 OVC:08 30	10.00		61	16.1	60	15.8	60	15.6	97	6	050		29.03				FM-16	0.01	30.00
07	0644	7	FEW:02 7 OVC:08 30	10.00	-RA:02 |RA |	61	16.1	61	16.1	61	16.1	100	6	060		29.03				FM-16	0.01	30.00
07	0653	7	FEW:02 7 BKN:07 30 OVC:08 60	10.00		61	16.1	61	16.1	61	16.1	100	6	070		29.03	8	+0.01	29.98	FM-15	0.01	30.00
07	0753	7	BKN:07 30 BKN:07 39 OVC:08 49	7.00	-RA:02 |RA |	61	16.1	61	16.1	61	16.1	100	5	090		29.03			29.99	FM-15	0.01	30.00
07	0829	7	BKN:07 28 OVC:08 41	6.00	-RA:02 BR:1 |RA |	61	16.1	61	16.1	61	16.1	100	3	050		29.04				FM-16	0.01	30.01

07	0853	7	BKN:07 28 OVC:08 70	5.00	-RA:02 BR:1 |RA |	61	16.1	61	16.1	61	16.1	100	3	020		29.03			29.99	FM-15	0.02	30.00
07	0951	6	OVC:08 80	9.00	-RA:02 |RA |	63	17.0	62	16.6	61	16.0	94	5	040		29.04				FM-16		30.01
07	0953	7	OVC:08 80	10.00	-RA:02 |RA |	63	17.2	62	16.6	61	16.1	93	5	040		29.04	3	-0.01	30.00	FM-15	0.02	30.01
07	0959	7	FEW:02 9 OVC:08 80	10.00	-RA:02 |RA |	63	17.2	62	16.9	62	16.7	97	3	030		29.04				FM-16	T	30.01
07	1053	7	FEW:02 50 BKN:07 90 OVC:08 100	7.00	RA:02 |RA |	65	18.3	64	18.0	64	17.8	97	3	090		29.04			30.00	FM-15	0.02	30.01
07	1059	7	FEW:02 8 BKN:07 80 OVC:08 95	5.00	-RA:02 BR:1 |RA |	64	17.8	63	17.4	63	17.2	96	3	110		29.04				FM-16	T	30.01
07	1101	7	FEW:02 15 SCT:04 80 OVC:08 95	6.00	-RA:02 BR:1 |RA |	64	17.8	63	17.4	63	17.2	96	0	000		29.04				FM-16	T	30.01
07	1105	7	FEW:02 15 SCT:04 80 OVC:08 95	5.00	-RA:02 BR:1 |RA |	65	18.3	64	17.6	63	17.2	93	3	VRB		29.04				FM-16	T	30.01
07	1151	6	BKN:07 23 BKN:07 29 OVC:08 90	10.00		66	19.0	64	17.9	63	17.0	88	0	000		29.04				FM-16		30.01
07	1153	7	FEW:02 15 BKN:07 23 OVC:08 90	10.00		66	18.9	64	17.9	63	17.2	90	0	000		29.04			29.99	FM-15	T	30.01
07	1221	7	OVC:08 13	10.00		67	19.4	65	18.4	64	17.8	91	5	030		29.03				FM-16		30.00
07	1249	7	FEW:02 12 SCT:04 23 BKN:07 95	10.00		68	20.0	65	18.6	64	18.0	88	0	000		29.03				FM-16		30.00
07	1253	7	FEW:02 12 BKN:07 95 BKN:07 110	10.00		68	20.0	65	18.3	63	17.2	84	3	040		29.03	6	+0.01	29.99	FM-15	0.00	30.00
07	1353	7	SCT:04 37	10.00		70	21.1	66	19.0	64	17.8	82	0	000		29.03			29.98	FM-15	0.00	30.00
07	1453	7	SCT:04 28 BKN:07 37	10.00		72	22.2	67	19.4	64	17.8	76	3	VRB		29.02			29.97	FM-15	0.00	29.99
07	1553	7	SCT:04 60	10.00		72	22.2	66	19.1	63	17.2	73	5	160		29.01	8	+0.03	29.96	FM-15	0.00	29.98
07	1653	7	FEW:02 60	10.00		73	22.8	67	19.3	63	17.2	71	0	000		29.01			29.96	FM-15	0.00	29.98
07	1753	7	FEW:02 43	10.00		73	22.8	65	18.3	60	15.6	64	8	330		29.01			29.96	FM-15	0.00	29.98
07	1853	7	CLR:00	10.00		71	21.7	64	17.6	59	15.0	66	7	320		29.02	3	-0.01	29.97	FM-15	0.00	29.99
07	1953	7	CLR:00	10.00		69	20.6	64	17.5	60	15.6	73	5	330		29.03			29.98	FM-15	0.00	30.00
07	2053	6	CLR:00	10.00		68	20.0	64	17.6	61	16.1	78	5	320		29.05			30.01	FM-15	0.00	30.02
07	2153	6	CLR:00	10.00		65	18.3	63	17.0	61	16.1	87	3	300		29.06	1	-0.04	30.01	FM-15	0.00	30.03
07	2253	6	FEW:02 80	10.00		64	17.8	62	16.8	61	16.1	90	7	300		29.07			30.02	FM-15	0.00	30.04
07	2353	7	CLR:00	10.00		65	18.3	63	17.0	61	16.1	87	7	330		29.07			30.03	FM-15	0.00	30.04
08	0053	7	CLR:00	10.00		62	16.7	61	16.3	61	16.1	96	5	330		29.08	1	-0.02	30.03	FM-15	0.00	30.05
08	0153	7	CLR:00	10.00		62	16.7	61	16.3	61	16.1	96	7	330		29.08			30.04	FM-15	0.00	30.05
08	0253	7	CLR:00	10.00		62	16.7	61	16.3	61	16.1	96	7	340		29.09			30.04	FM-15	0.00	30.06
08	0353	7	CLR:00	10.00		60	15.6	60	15.6	60	15.6	100	5	350		29.10	3	-0.02	30.06	FM-15	0.00	30.07
08	0453	7	CLR:00	8.00		60	15.6	60	15.6	60	15.6	100	5	350		29.11			30.07	FM-15	0.00	30.08
08	0553	7	FEW:02 28	4.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	5	360		29.14			30.09	FM-15	0.00	30.11
08	0653	7	CLR:00	6.00	BR:1 ||	63	17.2	62	16.9	62	16.7	97	5	010		29.16	3	-0.06	30.11	FM-15	0.00	30.13
08	0753	7	CLR:00	10.00		66	18.9	64	17.5	62	16.7	87	5	010		29.18			30.13	FM-15	0.00	30.15
08	0853	7	CLR:00	10.00		70	21.1	63	17.1	58	14.4	66	9	040		29.19			30.14	FM-15	0.00	30.16
08	0953	7	CLR:00	10.00		72	22.2	62	16.6	55	12.8	55	8	010		29.20	1	-0.04	30.15	FM-15	0.00	30.17
08	1053	7	FEW:02 50	10.00		73	22.8	62	16.8	55	12.8	53	8	VRB		29.20			30.16	FM-15	0.00	30.17
08	1153	7	FEW:02 60	10.00		75	23.9	60	15.7	49	9.4	40	10	340		29.19			30.15	FM-15	0.00	30.16
08	1253	7	FEW:02 60	10.00		76	24.4	62	16.6	52	11.1	43	7	040		29.19	8	+0.01	30.15	FM-15	0.00	30.16
08	1353	7	FEW:02 60	10.00		77	25.0	63	17.1	53	11.7	43	8	VRB		29.18			30.13	FM-15	0.00	30.15
08	1453	7	FEW:02 60	10.00		76	24.4	63	17.2	54	12.2	47	8	040		29.18			30.13	FM-15	0.00	30.15
08	1553	7	SCT:04 60	10.00		77	25.0	64	17.6	55	12.8	47	6	010		29.17	6	+0.02	30.13	FM-15	0.00	30.14
08	1653	7	CLR:00	10.00		77	25.0	63	17.1	53	11.7	43	3	VRB		29.16			30.12	FM-15	0.00	30.13
08	1753	7	CLR:00	10.00		76	24.4	63	17.2	54	12.2	47	5	300		29.17			30.12	FM-15	0.00	30.14

08	1853	7	CLR:00	10.00		74	23.3	63	17.0	55	12.8	52	6	350		29.17	3	-0.00	30.13	FM-15	0.00	30.14
08	1953	7	CLR:00	10.00		70	21.1	61	16.2	55	12.8	59	0	000		29.19			30.14	FM-15	0.00	30.16
08	2053	7	CLR:00	10.00		66	18.9	60	15.6	56	13.3	70	0	000		29.20			30.16	FM-15	T	30.17
08	2153	7	CLR:00	10.00		64	17.8	59	15.2	56	13.3	75	0	000		29.21	1	-0.03	30.16	FM-15	0.00	30.18
08	2253	7	CLR:00	10.00		62	16.7	59	14.8	56	13.3	80	0	000		29.22			30.17	FM-15	0.00	30.19
08	2353	7	CLR:00	10.00		61	16.1	59	14.8	57	13.9	87	0	000		29.22			30.17	FM-15	0.00	30.19
09	0053	7	CLR:00	10.00		61	16.1	59	15.1	58	14.4	90	0	000		29.22	1	-0.01	30.17	FM-15	0.00	30.19
09	0153	7	CLR:00	10.00		59	15.0	58	14.4	57	13.9	93	0	000		29.22			30.17	FM-15	0.00	30.19
09	0253	7	CLR:00	10.00		57	13.9	56	13.6	56	13.3	96	0	000		29.22			30.18	FM-15	0.00	30.19
09	0353	7	CLR:00	9.00		56	13.3	56	13.3	56	13.3	100	0	000		29.23	3	-0.01	30.18	FM-15	0.00	30.20
09	0453	7	CLR:00	10.00		56	13.3	56	13.3	56	13.3	100	0	000		29.23			30.19	FM-15	0.00	30.21
09	0553	7	CLR:00	9.00		55	12.8	55	12.8	55	12.8	100	0	000		29.25			30.21	FM-15	0.00	30.22
09	0653	7	CLR:00	8.00		59	15.0	59	15.0	59	15.0	100	0	000		29.26	3	-0.04	30.22	FM-15	0.00	30.24
09	0753	7	CLR:00	10.00		66	18.9	63	17.2	61	16.1	84	0	000		29.27			30.24	FM-15	0.00	30.25
09	0853	7	CLR:00	10.00		71	21.7	64	17.6	59	15.0	66	3	VRB		29.27			30.23	FM-15	0.00	30.25
09	0953	7	CLR:00	10.00		75	23.9	64	17.8	57	13.9	54	0	000		29.26	0	-0.01	30.23	FM-15	0.00	30.24
09	1053	7	CLR:00	10.00		76	24.4	64	18.0	57	13.9	52	5	VRB		29.26			30.23	FM-15	0.00	30.24
09	1153	7	CLR:00	10.00		78	25.6	65	18.4	57	13.9	48	5	VRB		29.25			30.21	FM-15	0.00	30.22
09	1253	7	FEW:02 60	10.00		79	26.1	65	18.6	57	13.9	47	6	VRB		29.23	8	+0.03	30.19	FM-15	0.00	30.21
09	1353	7	SCT:04 60	10.00		79	26.1	65	18.6	57	13.9	47	5	060		29.23			30.19	FM-15	0.00	30.20
09	1453	7	FEW:02 60	10.00		82	27.8	66	19.2	57	13.9	42	0	000		29.22			30.17	FM-15	0.00	30.19
09	1553	7	FEW:02 65	10.00		81	27.2	67	19.3	58	14.4	45	5	100		29.21	8	+0.03	30.16	FM-15	0.00	30.18
09	1653	7	FEW:02 60	10.00		80	26.7	65	18.5	56	13.3	44	3	050		29.20			30.16	FM-15	0.00	30.17
09	1753	7	CLR:00	10.00		78	25.6	65	18.4	57	13.9	48	8	130		29.19			30.14	FM-15	0.00	30.16
09	1853	7	CLR:00	10.00		75	23.9	65	18.1	58	14.4	55	7	110		29.20	5	+0.01	30.15	FM-15	0.00	30.17
09	1953	7	CLR:00	10.00		71	21.7	64	17.6	59	15.0	66	6	110		29.20			30.16	FM-15	0.00	30.17
09	2053	7	CLR:00	10.00		71	21.7	63	17.0	57	13.9	61	5	110		29.21			30.16	FM-15	0.00	30.18
09	2153	7	CLR:00	10.00		68	20.0	62	16.7	58	14.4	70	5	100		29.22	3	-0.02	30.17	FM-15	0.00	30.19
09	2253	7	CLR:00	10.00		68	20.0	62	16.7	58	14.4	70	5	120		29.22			30.17	FM-15	0.00	30.19
09	2353	7	CLR:00	10.00		65	18.3	61	16.0	58	14.4	78	3	130		29.22			30.17	FM-15	0.00	30.19
10	0053	7	CLR:00	10.00		61	16.1	59	14.8	57	13.9	87	0	000		29.21	8	+0.01	30.16	FM-15	0.00	30.18
10	0153	7	CLR:00	10.00		60	15.6	59	14.9	58	14.4	93	0	000		29.19			30.14	FM-15	0.00	30.16
10	0253	7	CLR:00	10.00		58	14.4	57	14.1	57	13.9	97	0	000		29.19			30.14	FM-15	0.00	30.16
10	0353	7	FEW:02 60	10.00		59	15.0	58	14.4	57	13.9	93	3	010		29.17	6	+0.03	30.13	FM-15	0.00	30.14
10	0453	7	FEW:02 55	10.00		59	15.0	58	14.4	57	13.9	93	3	020		29.17			30.12	FM-15	0.00	30.14
10	0553	7	FEW:02 110	10.00		59	15.0	58	14.7	58	14.4	96	0	000		29.18			30.14	FM-15	0.00	30.15
10	0653	7	BKN:07 110	10.00		63	17.2	61	16.2	60	15.6	90	0	000		29.19	3	-0.01	30.14	FM-15	0.00	30.16
10	0753	7	CLR:00	10.00		68	20.0	63	17.3	60	15.6	76	3	130		29.18			30.13	FM-15	0.00	30.15
10	0853	7	SCT:04 110	10.00		71	21.7	64	17.9	60	15.6	68	6	160		29.18			30.13	FM-15	0.00	30.15
10	0953	7	FEW:02 110	10.00		73	22.8	66	18.9	62	16.7	69	6	180		29.18	6	+0.01	30.13	FM-15	0.00	30.15
10	1053	7	SCT:04 80	10.00		77	25.0	68	20.0	63	17.2	62	0	000		29.17			30.12	FM-15	0.00	30.14
10	1153	7	SCT:04 70	10.00		79	26.1	69	20.7	64	17.8	60	7	320		29.17			30.12	FM-15	0.00	30.14
10	1253	7	SCT:04 65 BKN:07 80	10.00		81	27.2	69	20.7	63	17.2	54	3	VRB		29.16	6	+0.02	30.11	FM-15	0.00	30.13
10	1353	7	SCT:04 48 SCT:04 65	10.00		82	27.8	69	20.6	62	16.7	51	6	VRB		29.14			30.09	FM-15	0.00	30.11
10	1453	7	CLR:00	10.00		83	28.3	69	20.8	62	16.7	49	6	VRB		29.12			30.07	FM-15	0.00	30.09
10	1553	7	BKN:07 65	10.00		83	28.3	69	20.8	62	16.7	49	6	030		29.10	7	+0.05	30.06	FM-15	0.00	30.07
10	1653	7	BKN:07 50	10.00		82	27.8	70	20.9	63	17.2	53	7	VRB		29.10			30.05	FM-15	0.00	30.07
10	1753	7	FEW:02 55 BKN:07 75	10.00		81	27.2	70	21.1	64	17.8	57	7	310		29.08			30.03	FM-15	0.00	30.05
10	1836	7	BKN:07 50 BKN:07 75	10.00		78	25.6	73	22.6	70	21.1	76	10	110		29.09				FM-16		30.06
10	1853	7	FEW:02 50	10.00		76	24.4	72	22.2	70	21.1	82	8	110		29.09	5	+0.01	30.04	FM-15	0.00	30.06
10	1953	7	FEW:02 28 SCT:04 49	10.00		73	22.8	70	21.3	69	20.6	87	7	120		29.10			30.05	FM-15	0.00	30.07
10	2019	7	BKN:07 22 BKN:07 29	10.00		74	23.3	71	21.5	69	20.6	85	7	150		29.11				FM-16		30.08

10	2051	6	FEW:02 36 SCT:04 50	10.00		72	22.0	71	21.5	70	21.0	94	8	130		29.11				FM-16		30.08
10	2053	7	FEW:02 36 SCT:04 50	10.00		72	22.2	71	21.5	70	21.1	94	8	140		29.11			30.06	FM-15	0.00	30.08
10	2153	7	CLR:00	10.00		72	22.2	70	21.1	69	20.6	91	9	150		29.11	3	-0.02	30.06	FM-15	0.00	30.08
10	2253	7	BKN:07 41 BKN:07 50	10.00		72	22.2	70	21.1	69	20.6	91	6	140		29.11			30.06	FM-15	0.00	30.08
10	2344	7	BKN:07 11	10.00		69	20.6	68	20.2	68	20.0	96	6	110		29.10				FM-16		30.07
10	2353	7	OVC:08 10	10.00		69	20.6	69	20.6	69	20.6	100	5	100		29.10			30.06	FM-15	0.00	30.07
11	0021	7	OVC:08 9	10.00		70	21.1	69	20.7	69	20.6	97	3	VRB		29.11				FM-16		30.08
11	0053	7	OVC:08 8	10.00		71	21.7	70	21.3	70	21.1	96	7	180		29.11	5	+0.01	30.05	FM-15	0.00	30.08
11	0153	7	OVC:08 8	10.00		70	21.1	69	20.7	69	20.6	97	5	190		29.10			30.05	FM-15	0.00	30.07
11	0253	7	OVC:08 7	8.00		69	20.6	69	20.6	69	20.6	100	5	210		29.10			30.04	FM-15	0.00	30.07
11	0315	7	SCT:04 7	8.00		68	20.0	68	20.0	68	20.0	100	3	140		29.09				FM-16		30.06
11	0344	7	BKN:07 6	7.00		68	20.0	68	20.0	68	20.0	100	3	160		29.08				FM-16		30.05
11	0353	7	BKN:07 6	6.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	6	210		29.09	6	+0.01	30.04	FM-15	0.00	30.06
11	0451	6	OVC:08 4	5.00	BR:1 ||	66	19.0	66	18.9	66	19.0	100	3	190		29.08				FM-16		30.05
11	0453	7	BKN:07 4	5.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	3	200		29.08			30.03	FM-15	0.00	30.05
11	0515	7	FEW:02 4	5.00	BR:1 ||	66	18.9	66	18.9	66	18.9	100	3	160		29.08				FM-16		30.05
11	0553	7	SCT:04 4	3.00	BR:1 ||	66	18.9	66	18.9	66	18.9	100	6	170		29.09			30.03	FM-15	0.00	30.06
11	0653	7	CLR:00	5.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	5	140		29.09	6	+0.01	30.04	FM-15	0.00	30.06
11	0753	7	CLR:00	10.00		69	20.6	66	19.1	65	18.3	87	7	190		29.09			30.04	FM-15	0.00	30.06
11	0853	7	SCT:04 55 SCT:04 70 BKN:07 85	10.00		73	22.8	67	19.6	64	17.8	74	7	160		29.08			30.03	FM-15	0.00	30.05
11	0953	7	FEW:02 50	10.00		76	24.4	68	20.2	64	17.8	67	7	200		29.08	5	+0.00	30.03	FM-15	0.00	30.05
11	1053	7	BKN:07 47	10.00		77	25.0	69	20.7	65	18.3	66	5	240		29.08			30.03	FM-15	0.00	30.05
11	1153	7	SCT:04 46 SCT:04 60	10.00		80	26.7	70	21.2	65	18.3	60	8	240		29.07			30.02	FM-15	0.00	30.04
11	1253	7	FEW:02 60 SCT:04 90	10.00		80	26.7	70	21.2	65	18.3	60	8	260		29.06	8	+0.02	30.01	FM-15	0.00	30.03
11	1353	7	FEW:02 90	10.00		79	26.1	69	20.4	63	17.2	58	8	250		29.04			29.99	FM-15	0.00	30.01
11	1453	7	BKN:07 70 BKN:07 90	10.00		79	26.1	69	20.7	64	17.8	60	8	240		29.02			29.97	FM-15	0.00	29.99
11	1553	7	BKN:07 60 BKN:07 70	10.00		73	22.8	67	19.6	64	17.8	74	20	340	24	29.04	5	+0.02	29.99	FM-15	0.00	30.01
11	1603	7	FEW:02 42 OVC:08 60	10.00		72	22.2	68	19.7	65	18.3	79	15	350		29.04				FM-16		30.01
11	1642	7	FEW:02 55 BKN:07 100 OVC:08 110	10.00	VCTS:7 -RA:02 |RA |	70	21.1	67	19.3	65	18.3	84	6	030		29.03				FM-16	T	30.00
11	1653	7	FEW:02 55 BKN:07 80 OVC:08 100	9.00	VCTS:7 -RA:02 |RA |	69	20.6	67	19.5	66	18.9	90	7	030		29.02			29.97	FM-15	T	29.99
11	1725	7	FEW:02 35 BKN:07 60 OVC:08 75	5.00	VCTS:7 RA:02 BR:1 |RA |	68	20.0	67	19.6	67	19.4	96	11	340	20	29.02				FM-16	0.10	29.99
11	1731	7	SCT:04 41 BKN:07 60 OVC:08 80	8.00	VCTS:7 RA:02 |RA |	68	20.0	67	19.6	67	19.4	96	7	350		29.02				FM-16	0.10	29.99
11	1734	7	SCT:04 41 SCT:04 55 OVC:08 75	10.00	VCTS:7 RA:02 |RA |	68	20.0	67	19.6	67	19.4	96	7	350		29.02				FM-16	0.10	29.99
11	1747	7	FEW:02 43 BKN:07 55 OVC:08 80	2.50	TS:7 RA:02 |RA TS TS |	68	20.0	68	20.0	68	20.0	100	10	350		29.03				FM-16	0.15	30.00
11	1751	6	FEW:02 43 BKN:07 55 OVC:08 75	3.00	TS:7 RA:02 |RA TS |	68	20.0	68	20.0	68	20.0	100	13	340		29.03				FM-16		30.00
11	1753	7	FEW:02 45 BKN:07 55 OVC:08 75	3.00	TS:7 RA:02 |RA TS TS |	68	20.0	68	20.0	68	20.0	100	13	340		29.02			29.98	FM-15	0.20	29.99

11	1755	7	SCT:04 50 BKN:07 55 OVC:08 75	3.00	VCTS:7 -RA:02 BR:1 |RA |	69	20.6	68	20.2	68	20.0	96	11	340		29.02				FM-16	0.01	29.99
11	1810	7	SCT:04 48 BKN:07 60 OVC:08 110	3.00	TS:7 BR:1 |TS TS |	69	20.6	69	20.6	69	20.6	100	5	150		29.00				FM-16	0.05	29.97
11	1831	7	FEW:02 55 OVC:08 110	4.00	-RA:02 BR:1 |RA |	70	21.1	70	21.1	70	21.1	100	7	190		29.00				FM-16	0.06	29.97
11	1853	7	FEW:02 110	4.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	5	110		28.99	8	+0.05	29.95	FM-15	0.03	29.96
11	1953	7	FEW:02 80 BKN:07 100	5.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	3	180		29.01			29.97	FM-15	0.00	29.98
11	2053	7	FEW:02 39 SCT:04 90 SCT:04 110	5.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	5	220		29.01			29.96	FM-15	T	29.98
11	2153	7	SCT:04 100	5.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		29.00	0	-0.01	29.96	FM-15	T	29.97
11	2206	7	FEW:02 60 SCT:04 100	5.00	VCTS:7 -RA:02 BR:1 |RA |	68	20.0	68	20.0	68	20.0	100	8	270		29.01				FM-16	T	29.98
11	2233	7	SCT:04 100 SCT:04 120	8.00	TS:7 -RA:02 |RA TS TS |	68	20.0	68	20.0	68	20.0	100	8	240		29.00				FM-16	T	29.97
11	2246	7	SCT:04 100 BKN:07 120	8.00	-RA:02 |RA |	67	19.4	67	19.4	67	19.4	100	10	260		28.99				FM-16	0.01	29.96
11	2253	7	SCT:04 100 BKN:07 120	10.00	-RA:02 |RA |	67	19.4	67	19.4	67	19.4	100	8	230		28.99			29.95	FM-15	0.01	29.96
11	2353	7	FEW:02 70 OVC:08 90	7.00	-RA:02 |RA |	66	18.9	65	18.5	65	18.3	96	9	210		28.99			29.94	FM-15	0.03	29.96
12	0008	7	OVC:08 85	10.00	VCTS:7 -RA:02 |RA |	66	18.9	66	18.9	66	18.9	100	9	190		28.99				FM-16	T	29.96
12	0053	7	FEW:02 80 SCT:04 95 OVC:08 110	7.00	VCTS:7 -RA:02 |RA |	66	18.9	66	18.9	66	18.9	100	6	190		28.99	6	+0.01	29.94	FM-15	0.02	29.96
12	0100	7	FEW:02 100 BKN:07 120	10.00	-RA:02 |RA |	66	18.9	66	18.9	66	18.9	100	5	230		28.99				FM-16	T	29.96
12	0153	7	BKN:07 100 BKN:07 120	8.00		65	18.3	65	18.3	65	18.3	100	3	260		28.98			29.93	FM-15	T	29.95
12	0253	7	FEW:02 17 FEW:02 100	7.00		65	18.3	65	18.3	65	18.3	100	6	280		28.98			29.93	FM-15	0.00	29.95
12	0350	7	BKN:07 75	2.50V	BR:1 ||	64	18.0	64	17.8	64	18.0	100	0	000		28.98				FM-16		29.95
12	0353	7	BKN:07 75	3.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	3	270		28.98	5	+0.00	29.94	FM-15	0.00	29.95
12	0402	7	BKN:07 75	2.50	BR:1 ||	64	17.8	64	17.8	64	17.8	100	0	000		28.98				FM-16		29.95
12	0410	7	BKN:07 75	4.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	0	000		28.98				FM-16		29.95
12	0453	7	FEW:02 90	3.00	BR:1 ||	63	17.2	63	17.2	63	17.2	100	6	310		28.98			29.94	FM-15	0.00	29.95
12	0553	7	CLR:00	10.00		63	17.2	63	17.2	63	17.2	100	9	330		29.00			29.96	FM-15	0.00	29.97
12	0653	7	CLR:00	8.00		63	17.2	63	17.2	63	17.2	100	7	330		29.02	3	-0.04	29.98	FM-15	0.00	29.99
12	0743	7	FEW:02 8	10.00		65	18.3	64	18.0	64	17.8	97	7	330		29.02				FM-16		29.99
12	0753	7	FEW:02 8	10.00		66	18.9	64	17.9	63	17.2	90	8	360		29.02			29.98	FM-15	0.00	29.99
12	0853	7	CLR:00	10.00		69	20.6	66	18.8	64	17.8	84	8	340		29.02			29.98	FM-15	0.00	29.99
12	0953	7	CLR:00	10.00		71	21.7	65	18.6	62	16.7	73	9	310		29.03	3	-0.01	29.98	FM-15	0.00	30.00
12	1053	7	FEW:02 31	10.00		73	22.8	66	18.9	62	16.7	69	10	330		29.04			29.99	FM-15	0.00	30.01
12	1153	7	SCT:04 33	10.00		74	23.3	66	19.1	62	16.7	67	10	330		29.03			29.98	FM-15	0.00	30.00
12	1253	7	SCT:04 36	10.00		76	24.4	68	19.8	63	17.2	64	9	VRB	18	29.03	1	-0.00	29.98	FM-15	0.00	30.00
12	1353	7	SCT:04 42 SCT:04 50	10.00		77	25.0	67	19.4	61	16.1	58	14	300		29.03			29.98	FM-15	0.00	30.00
12	1453	7	FEW:02 46 BKN:07 55	10.00		76	24.4	66	18.9	60	15.6	58	8	330		29.02			29.98	FM-15	0.00	29.99
12	1553	7	CLR:00	10.00		76	24.4	64	18.0	57	13.9	52	10	310		29.02	8	+0.02	29.97	FM-15	0.00	29.99
12	1653	7	FEW:02 50	10.00		77	25.0	65	18.5	58	14.4	52	14	320		29.01			29.96	FM-15	0.00	29.98
12	1753	7	BKN:07 50 BKN:07 60	10.00		76	24.4	65	18.3	58	14.4	54	13	330		29.01			29.96	FM-15	0.00	29.98
12	1853	7	CLR:00	10.00		73	22.8	64	17.7	58	14.4	59	9	320		29.01	5	+0.00	29.97	FM-15	0.00	29.98
12	1953	7	CLR:00	10.00		71	21.7	63	17.3	58	14.4	63	0	000		29.01			29.97	FM-15	0.00	29.98
12	2053	7	CLR:00	10.00		69	20.6	63	17.2	59	15.0	70	3	260		29.03			29.98	FM-15	0.00	30.00
12	2153	7	CLR:00	10.00		67	19.4	62	16.8	59	15.0	76	5	290		29.05	3	-0.03	30.00	FM-15	0.00	30.02

12	2253	7	CLR:00	10.00		64	17.8	61	16.1	59	15.0	84	0	000		29.05			30.00	FM-15	0.00	30.02
12	2353	7	CLR:00	10.00		63	17.2	61	15.9	59	15.0	87	0	000		29.05			30.01	FM-15	0.00	30.02
13	0053	7	CLR:00	10.00		61	16.1	60	15.5	59	15.0	93	0	000		29.06	3	-0.01	30.01	FM-15	0.00	30.03
13	0153	7	CLR:00	10.00		61	16.1	60	15.5	59	15.0	93	0	000		29.06			30.01	FM-15	0.00	30.03
13	0253	7	CLR:00	10.00		59	15.0	58	14.7	58	14.4	96	6	340		29.06			30.01	FM-15	0.00	30.03
13	0353	7	CLR:00	10.00		60	15.6	59	15.2	59	15.0	96	5	330		29.07	3	-0.01	30.03	FM-15	0.00	30.04
13	0453	7	CLR:00	10.00		60	15.6	59	15.2	59	15.0	96	0	000		29.08			30.03	FM-15	0.00	30.05
13	0553	7	CLR:00	7.00		57	13.9	57	13.9	57	13.9	100	3	010		29.09			30.04	FM-15	0.00	30.06
13	0653	7	CLR:00	8.00		62	16.7	61	16.3	61	16.1	96	0	000		29.10	3	-0.02	30.05	FM-15	0.00	30.07
13	0753	7	CLR:00	9.00		65	18.3	63	17.3	62	16.7	90	0	000		29.11			30.06	FM-15	0.00	30.08
13	0853	7	CLR:00	10.00		69	20.6	65	18.5	63	17.2	81	5	070		29.10			30.06	FM-15	0.00	30.07
13	0953	7	CLR:00	10.00		72	22.2	66	18.8	62	16.7	71	5	VRB		29.11	2	-0.01	30.06	FM-15	0.00	30.08
13	1053	7	FEW:02 33	10.00		75	23.9	66	19.0	61	16.1	62	3	110		29.12			30.07	FM-15	0.00	30.09
13	1153	7	SCT:04 40	10.00		76	24.4	65	18.6	59	15.0	56	0	000		29.10			30.06	FM-15	0.00	30.07
13	1253	7	SCT:04 44	10.00		78	25.6	67	19.6	61	16.1	56	3	VRB		29.10	8	+0.01	30.05	FM-15	0.00	30.07
13	1353	7	SCT:04 45	10.00		78	25.6	66	19.0	59	15.0	52	3	090		29.09			30.04	FM-15	0.00	30.06
13	1453	7	FEW:02 55 BKN:07 70	10.00		80	26.7	67	19.3	59	15.0	49	10	090		29.07			30.02	FM-15	0.00	30.04
13	1553	7	SCT:04 50 BKN:07 70	10.00		78	25.6	67	19.3	60	15.6	54	6	080		29.05	8	+0.04	30.01	FM-15	0.00	30.02
13	1653	7	FEW:02 55	10.00		77	25.0	66	18.8	59	15.0	54	6	050		29.04			30.00	FM-15	0.00	30.01
13	1753	7	BKN:07 55 OVC:08 70	10.00		76	24.4	67	19.5	62	16.7	62	6	070		29.05			30.01	FM-15	0.00	30.02
13	1853	7	SCT:04 60	10.00		73	22.8	66	18.6	61	16.1	66	6	070		29.05	6	+0.01	30.00	FM-15	0.00	30.02
13	1953	7	BKN:07 55	10.00		72	22.2	65	18.4	61	16.1	68	5	070		29.04			29.99	FM-15	0.00	30.01
13	2053	7	SCT:04 60	10.00		71	21.7	65	18.6	62	16.7	73	3	090		29.04			30.00	FM-15	0.00	30.01
13	2153	7	CLR:00	10.00		69	20.6	64	17.8	61	16.1	76	5	110		29.05	3	-0.00	30.00	FM-15	0.00	30.02
13	2253	7	CLR:00	10.00		68	20.0	64	17.6	61	16.1	78	5	110		29.05			30.00	FM-15	0.00	30.02
13	2353	7	CLR:00	10.00		66	18.9	63	17.2	61	16.1	84	0	000		29.03			29.99	FM-15	0.00	30.00
14	0053	7	CLR:00	10.00		66	18.9	63	17.2	61	16.1	84	0	000		29.03	8	+0.02	29.98	FM-15	0.00	30.00
14	0153	7	CLR:00	10.00		62	16.7	61	16.0	60	15.6	93	3	360		29.03			29.98	FM-15	0.00	30.00
14	0253	7	CLR:00	10.00		62	16.7	61	16.3	61	16.1	96	3	010		29.03			29.98	FM-15	0.00	30.00
14	0353	7	CLR:00	10.00		63	17.2	62	16.6	61	16.1	93	0	000		29.02	8	+0.01	29.97	FM-15	0.00	29.99
14	0453	7	CLR:00	10.00		64	17.8	63	17.1	62	16.7	93	0	000		29.01			29.96	FM-15	0.00	29.98
14	0553	7	FEW:02 50	10.00		64	17.8	62	16.8	61	16.1	90	0	000		29.02			29.97	FM-15	0.00	29.99
14	0653	7	CLR:00	10.00		64	17.8	63	17.1	62	16.7	93	0	000		29.03	3	-0.01	29.98	FM-15	0.00	30.00
14	0753	7	CLR:00	10.00		67	19.4	65	18.4	64	17.8	91	0	000		29.01			29.96	FM-15	0.00	29.98
14	0853	7	BKN:07 50	10.00		72	22.2	66	19.1	63	17.2	73	5	170		29.01			29.96	FM-15	0.00	29.98
14	0953	7	CLR:00	10.00		75	23.9	68	20.0	64	17.8	69	5	120		29.01	6	+0.02	29.96	FM-15	0.00	29.98
14	1053	7	FEW:02 55	10.00		77	25.0	68	20.0	63	17.2	62	9	110		28.99			29.94	FM-15	0.00	29.96
14	1153	7	FEW:02 45 BKN:07 60	10.00		77	25.0	67	19.7	62	16.7	60	5	110		28.98			29.93	FM-15	0.00	29.95
14	1253	7	FEW:02 46	10.00		80	26.7	69	20.6	63	17.2	56	7	130	18	28.96	8	+0.04	29.91	FM-15	0.00	29.93
14	1353	7	FEW:02 46 SCT:04 55	10.00		79	26.1	68	20.1	62	16.7	56	7	VRB		28.96			29.91	FM-15	0.00	29.93
14	1453	7	FEW:02 50	10.00		81	27.2	68	20.1	61	16.1	51	0	000		28.93			29.88	FM-15	0.00	29.90
14	1553	7	CLR:00	10.00		81	27.2	69	20.4	62	16.7	53	8	160		28.91	8	+0.05	29.86	FM-15	0.00	29.88
14	1653	7	FEW:02 50 BKN:07 60	10.00		80	26.7	69	20.6	63	17.2	56	6	180		28.91			29.86	FM-15	0.00	29.88
14	1753	7	OVC:08 60	10.00		79	26.1	69	20.7	64	17.8	60	7	220		28.90			29.85	FM-15	0.00	29.87
14	1853	7	OVC:08 60	10.00		78	25.6	69	20.5	64	17.8	62	6	210		28.91	3	-0.00	29.86	FM-15	0.00	29.88
14	1953	7	OVC:08 55	10.00		77	25.0	69	20.7	65	18.3	66	7	190		28.90			29.85	FM-15	0.00	29.87
14	2053	7	CLR:00	10.00		75	23.9	69	20.6	66	18.9	74	6	190		28.92			29.86	FM-15	0.00	29.89
14	2153	7	FEW:02 60	10.00		74	23.3	69	20.8	67	19.4	79	5	190		28.92	3	-0.00	29.87	FM-15	0.00	29.89
14	2253	7	CLR:00	10.00		72	22.2	69	20.4	67	19.4	84	5	190		28.92			29.87	FM-15	0.00	29.89
14	2353	7	CLR:00	10.00		69	20.6	68	19.8	67	19.4	93	0	000		28.92			29.87	FM-15	0.00	29.89
15	0053	7	CLR:00	10.00		68	20.0	67	19.6	67	19.4	96	0	000		28.92	0	-0.00	29.87	FM-15	0.00	29.89
15	0153	7	CLR:00	8.00		68	20.0	67	19.6	67	19.4	96	0	000		28.91			29.86	FM-15	0.00	29.88

15	0253	7	CLR:00	10.00		68	20.0	68	20.0	68	20.0	100	0	000		28.91			29.85	FM-15	0.00	29.88
15	0353	7	CLR:00	8.00		67	19.4	67	19.4	67	19.4	100	0	000		28.91	5	+0.01	29.86	FM-15	0.00	29.88
15	0453	7	CLR:00	6.00	BR:1 ||	66	18.9	66	18.9	66	18.9	100	0	000		28.92			29.86	FM-15	0.00	29.89
15	0532	7	CLR:00	0.75	BR:1 ||	64	17.8	64	17.8	64	17.8	100	0	000		28.92				FM-16		29.89
15	0542	7	CLR:00	0.25	FG:2 |FG |	64	17.8	64	17.8	64	17.8	100	0	000		28.92				FM-16		29.89
15	0551	6	CLR:00	0.75	BR:1 ||	64	18.0	64	17.8	64	18.0	100	0	000		28.92				FM-16		29.89
15	0553	7	VV:09 5	0.25	FG:2 |FG |	65	18.3	65	18.3	65	18.3	100	0	000		28.92			29.87	FM-15	0.00	29.89
15	0623	7	CLR:00	4.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	0	000		28.93				FM-16		29.90
15	0653	7	CLR:00	7.00		67	19.4	67	19.4	67	19.4	100	0	000		28.94	3	-0.02	29.88	FM-15	0.00	29.91
15	0753	7	CLR:00	6.00	BR:1 ||	73	22.8	72	22.0	71	21.7	94	0	000		28.95			29.89	FM-15	0.00	29.92
15	0853	7	CLR:00	10.00		77	25.0	73	22.7	71	21.7	82	6	300		28.95			29.89	FM-15	0.00	29.92
15	0953	7	CLR:00	10.00		79	26.1	72	22.4	69	20.6	72	7	270		28.95	1	-0.02	29.90	FM-15	0.00	29.92
15	1053	7	SCT:04 30 BKN:07 45 BKN:07 55	10.00		80	26.7	73	22.5	69	20.6	69	7	320		28.96			29.91	FM-15	0.00	29.93
15	1153	7	BKN:07 37 BKN:07 46	10.00		82	27.8	73	22.9	69	20.6	65	9	280		28.97			29.91	FM-15	0.00	29.94
15	1253	6	FEW:02 40 SCT:04 80	10.00		82	27.8	73	22.5	68	20.0	63	6	310		28.97	0	-0.01	29.92	FM-15	0.00	29.94
15	1353	6	FEW:02 40	10.00		85	29.4	72	22.0	65	18.3	51	8	250		28.96			29.91	FM-15	0.00	29.93
15	1453	6	FEW:02 48	10.00		84	28.9	73	22.5	67	19.4	57	8	270		28.95			29.90	FM-15	0.00	29.92
15	1553	7	CLR:00	10.00		85	29.4	73	22.7	67	19.4	55	9	280		28.94	8	+0.03	29.89	FM-15	0.00	29.91
15	1653	7	CLR:00	10.00		84	28.9	73	22.5	67	19.4	57	10	290		28.94			29.89	FM-15	0.00	29.91
15	1753	7	CLR:00	10.00		83	28.3	72	22.4	67	19.4	59	10	270		28.95			29.90	FM-15	0.00	29.92
15	1853	7	CLR:00	10.00		80	26.7	73	22.5	69	20.6	69	5	290		28.95	1	-0.01	29.90	FM-15	0.00	29.92
15	1953	7	CLR:00	10.00		77	25.0	70	21.3	67	19.4	71	3	290		28.96			29.91	FM-15	0.00	29.93
15	2053	7	CLR:00	10.00		75	23.9	70	21.3	68	20.0	79	0	000		28.98			29.92	FM-15	0.00	29.95
15	2153	7	CLR:00	10.00		73	22.8	70	21.0	68	20.0	84	6	010		29.00	3	-0.05	29.94	FM-15	0.00	29.97
15	2253	7	CLR:00	10.00		72	22.2	69	20.8	68	20.0	87	0	000		29.01			29.96	FM-15	0.00	29.98
15	2353	7	CLR:00	10.00		72	22.2	69	20.8	68	20.0	87	3	100		29.02			29.96	FM-15	0.00	29.99
16	0053	7	BKN:07 60 OVC:08 70	10.00		71	21.7	70	20.9	69	20.6	94	5	020		29.03	1	-0.03	29.97	FM-15	0.00	30.00
16	0153	7	SCT:04 95	10.00		70	21.1	69	20.4	68	20.0	93	3	060		29.03			29.98	FM-15	0.00	30.00
16	0253	7	SCT:04 100	10.00		69	20.6	68	20.2	68	20.0	96	3	050		29.03			29.98	FM-15	0.00	30.00
16	0353	7	FEW:02 80	10.00		69	20.6	68	20.2	68	20.0	96	3	070		29.04	3	-0.01	29.98	FM-15	0.00	30.01
16	0453	7	FEW:02 60	10.00		68	20.0	68	20.0	68	20.0	100	0	000		29.05			30.00	FM-15	0.00	30.02
16	0553	7	FEW:02 80 BKN:07 90	6.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	0	000		29.07			30.02	FM-15	0.00	30.04
16	0653	7	CLR:00	5.00	BR:1 ||	70	21.1	69	20.7	69	20.6	97	5	040		29.08	1	-0.04	30.03	FM-15	0.00	30.05
16	0753	7	FEW:02 90	9.00		74	23.3	71	21.9	70	21.1	88	5	090		29.08			30.03	FM-15	0.00	30.05
16	0853	7	BKN:07 75	10.00		77	25.0	72	22.4	70	21.1	79	7	100		29.09			30.04	FM-15	0.00	30.06
16	0953	7	FEW:02 80	10.00		80	26.7	74	23.2	71	21.7	74	5	090		29.09	2	-0.01	30.04	FM-15	0.00	30.06
16	1053	7	CLR:00	10.00		83	28.3	75	23.7	71	21.7	67	0	000		29.10			30.04	FM-15	0.00	30.07
16	1153	7	FEW:02 36	10.00		86	30.0	75	23.9	70	21.1	59	7	VRB		29.08			30.03	FM-15	0.00	30.05
16	1253	7	FEW:02 41 FEW:02 90	10.00		86	30.0	75	23.9	70	21.1	59	5	240		29.07	8	+0.02	30.01	FM-15	0.00	30.04
16	1353	7	FEW:02 48	10.00		86	30.0	74	23.2	68	20.0	55	3	250		29.05			29.99	FM-15	0.00	30.02
16	1453	7	FEW:02 50	10.00		87	30.6	73	23.0	67	19.4	51	6	250		29.03			29.98	FM-15	0.00	30.00
16	1553	7	SCT:04 55	10.00		89	31.7	73	22.7	65	18.3	45	6	220		29.02	6	+0.05	29.96	FM-15	0.00	29.99
16	1653	7	FEW:02 50	10.00		88	31.1	74	23.2	67	19.4	50	0	000		29.00			29.95	FM-15	0.00	29.97
16	1753	7	CLR:00	10.00		86	30.0	74	23.2	68	20.0	55	5	280		29.00			29.95	FM-15	0.00	29.97
16	1853	7	CLR:00	10.00		84	28.9	73	22.9	68	20.0	59	5	220		29.02	5	+0.00	29.96	FM-15	0.00	29.99
16	1953	7	CLR:00	10.00		79	26.1	72	22.4	69	20.6	72	0	000		29.03			29.97	FM-15	0.00	30.00
16	2053	7	CLR:00	10.00		77	25.0	73	22.7	71	21.7	82	5	110		29.04			29.98	FM-15	0.00	30.01
16	2153	7	CLR:00	10.00		77	25.0	74	23.1	72	22.2	85	6	110		29.04	1	-0.02	29.98	FM-15	0.00	30.01
16	2253	7	CLR:00	10.00		76	24.4	73	22.9	72	22.2	88	6	110		29.03			29.98	FM-15	0.00	30.00
16	2353	7	CLR:00	10.00		76	24.4	73	22.6	71	21.7	85	6	130		29.02			29.97	FM-15	0.00	29.99
17	0053	7	CLR:00	10.00		77	25.0	73	22.7	71	21.7	82	7	140		29.01	8	+0.03	29.95	FM-15	0.00	29.98

17	0153	7	CLR:00	10.00		76	24.4	73	22.9	72	22.2	88	5	170		29.00			29.94	FM-15	0.00	29.97
17	0253	7	FEW:02 120	9.00		75	23.9	73	22.8	72	22.2	90	6	150		28.98			29.92	FM-15	0.00	29.95
17	0353	7	CLR:00	8.00		74	23.3	73	22.6	72	22.2	94	5	150		28.98	5	+0.03	29.92	FM-15	0.00	29.95
17	0453	7	CLR:00	8.00		74	23.3	73	22.6	72	22.2	94	7	160		28.98			29.93	FM-15	0.00	29.95
17	0553	7	CLR:00	7.00		74	23.3	73	23.0	73	22.8	97	8	180		29.00			29.94	FM-15	0.00	29.97
17	0653	7	SCT:04 110	4.00	-RA:02 BR:1 |RA |	73	22.8	73	22.8	73	22.8	100	11	230		29.01	3	-0.03	29.95	FM-15	0.02	29.98
17	0753	7	SCT:04 29 BKN:07 46 OVC:08 70	8.00	-RA:02 |RA |	73	22.8	73	22.8	73	22.8	100	3	210		29.00			29.95	FM-15	0.05	29.97
17	0853	7	SCT:04 29 BKN:07 44 BKN:07 100	10.00		77	25.0	76	24.2	75	23.9	94	9	200		28.99			29.94	FM-15	T	29.96
17	0953	7	SCT:04 12	10.00		81	27.2	78	25.6	77	25.0	88	9	190		28.97	8	+0.04	29.92	FM-15	0.00	29.94
17	1006	7	BKN:07 14 BKN:07 120	10.00		81	27.2	77	25.2	76	24.4	85	10	180		28.97				FM-16		29.94
17	1053	7	BKN:07 14 BKN:07 120	10.00		82	27.8	78	25.8	77	25.0	85	10	180		28.95			29.90	FM-15	0.00	29.92
17	1100	7	BKN:07 19	10.00		83	28.3	79	25.9	77	25.0	82	11	200		28.95				FM-16		29.92
17	1127	7	FEW:02 20 SCT:04 26 BKN:07 110	10.00		84	28.9	79	26.1	77	25.0	80	11	230		28.95				FM-16		29.92
17	1153	7	FEW:02 28	10.00		85	29.4	78	25.5	75	23.9	72	17	210	25	28.93			29.88	FM-15	0.00	29.90
17	1253	7	SCT:04 35 SCT:04 46	10.00		87	30.6	78	25.8	75	23.9	67	17	190	25	28.91	7	+0.06	29.85	FM-15	0.00	29.88
17	1353	7	FEW:02 38 FEW:02 85	10.00		85	29.4	77	24.7	73	22.8	68	16	200	23	28.90			29.83	FM-15	0.00	29.86
17	1453	7	FEW:02 90 BKN:07 110	8.00	VCTS:7 -RA:02 |RA |	82	27.8	77	25.0	75	23.9	79	7	210		28.89			29.82	FM-15	0.02	29.85
17	1518	7	FEW:02 16 BKN:07 46 OVC:08 100	1.50	VCTS:7 RA:02 BR:1 |RA |	76	24.4	75	23.7	74	23.3	94	17	270	23	28.91				FM-16	0.11	29.88
17	1521	7	SCT:04 13 BKN:07 36 OVC:08 75	0.50s	TS:7 s +RA:02 s BR:1 s |s RA s TS s |	74	23.3	74	23.3	74	23.3	100	13	260	23	28.91				FM-16	0.32	29.88
17	1528	7	SCT:04 11 BKN:07 37 OVC:08 75	0.25s	TS:7 s +RA:02 s BR:1 s |s RA s TS s |	75	23.9	75	23.9	75	23.9	100	10	250	22	28.90				FM-16	0.53	29.87
17	1532	7	SCT:04 11 SCT:04 42 BKN:07 50	8.00	TS:7 -RA:02 |RA TS TS |	75	23.9	75	23.9	75	23.9	100	11	210		28.90				FM-16	0.53	29.86
17	1551	7	FEW:02 10 BKN:07 60	10.00	VCTS:7 ||	75	24.0	75	23.9	75	24.0	100	6	210		28.90				FM-16	0.53	29.86
17	1553	7	BKN:07 60	10.00	VCTS:7 ||	75	23.9	75	23.9	75	23.9	100	6	200		28.90	3	-0.00	29.84	FM-15	0.52	29.86
17	1612	7	FEW:02 50 FEW:02 95	10.00		75	23.9	75	23.9	75	23.9	100	8	190		28.90				FM-16		29.87
17	1653	7	FEW:02 48 FEW:02 100	10.00	-RA:02 |RA |	75	23.9	75	23.9	75	23.9	100	10	200		28.89			29.83	FM-15	0.01	29.85
17	1753	7	BKN:07 100	10.00		75	23.9	74	23.5	74	23.3	96	9	210		28.87			29.82	FM-15	T	29.84
17	1853	7	SCT:04 85	10.00		76	24.4	75	23.7	74	23.3	94	8	200		28.87	6	+0.02	29.82	FM-15	0.00	29.84
17	1953	7	OVC:08 100	10.00		76	24.4	75	24.1	75	23.9	97	7	210		28.89			29.83	FM-15	0.00	29.85
17	2053	7	BKN:07 100	10.00		76	24.4	75	23.7	74	23.3	94	8	210		28.90			29.83	FM-15	0.00	29.86
17	2153	7	CLR:00	10.00		75	23.9	74	23.5	74	23.3	96	8	210		28.90	1	-0.02	29.84	FM-15	0.00	29.86
17	2253	7	FEW:02 30 SCT:04 55	10.00		75	23.9	74	23.5	74	23.3	96	10	220		28.90			29.83	FM-15	0.00	29.86
17	2353	7	FEW:02 120	10.00		75	23.9	74	23.5	74	23.3	96	8	230		28.89			29.82	FM-15	0.00	29.85
18	0053	7	BKN:07 120	10.00		75	23.9	74	23.5	74	23.3	96	9	220		28.87	8	+0.03	29.81	FM-15	0.00	29.84
18	0153	7	BKN:07 41 OVC:08 110	10.00		74	23.3	73	23.0	73	22.8	97	8	230		28.86			29.80	FM-15	0.00	29.82
18	0237	7	SCT:04 9 BKN:07 70 OVC:08 120	10.00		74	23.3	73	23.0	73	22.8	97	8	230		28.86				FM-16		29.82

18	0253	7	SCT:04 9 OVC:08 70	10.00		73	22.8	73	22.8	73	22.8	100	7	200		28.86			29.80	FM-15	0.00	29.82
18	0302	7	BKN:07 9 OVC:08 70	10.00		73	22.8	73	22.8	73	22.8	100	7	210		28.86				FM-16		29.82
18	0353	7	BKN:07 8 OVC:08 80	8.00		73	22.8	73	22.8	73	22.8	100	8	220		28.86	5	+0.01	29.80	FM-15	0.00	29.82
18	0427	7	FEW:02 8 BKN:07 70	7.00		73	22.8	73	22.8	73	22.8	100	6	220		28.87				FM-16		29.83
18	0453	7	BKN:07 75	8.00		73	22.8	73	22.8	73	22.8	100	7	230		28.87			29.81	FM-15	0.00	29.84
18	0553	7	FEW:02 70	5.00	BR:1 ||	72	22.2	72	22.2	72	22.2	100	5	210		28.89			29.83	FM-15	0.00	29.85
18	0653	7	CLR:00	7.00		73	22.8	73	22.8	73	22.8	100	8	240		28.89	1	-0.03	29.83	FM-15	0.00	29.85
18	0726	7	FEW:02 9	10.00		74	23.3	73	22.6	72	22.2	94	10	250		28.90				FM-16		29.86
18	0753	7	FEW:02 13	10.00		74	23.3	73	22.6	72	22.2	94	15	280		28.90			29.84	FM-15	0.00	29.86
18	0853	7	FEW:02 15	10.00		76	24.4	73	22.6	71	21.7	85	11	280		28.90			29.84	FM-15	0.00	29.87
18	0953	7	SCT:04 20	10.00		78	25.6	72	22.2	69	20.6	74	9	250	17	28.90	1	-0.02	29.85	FM-15	0.00	29.87
18	1053	7	FEW:02 32	10.00		80	26.7	72	22.2	68	20.0	67	15	270	22	28.91			29.86	FM-15	0.00	29.88
18	1153	7	SCT:04 44 SCT:04 55	10.00		82	27.8	72	22.2	67	19.4	60	13	260	22	28.90			29.85	FM-15	0.00	29.87
18	1253	7	SCT:04 47 SCT:04 55	10.00		82	27.8	72	22.2	67	19.4	60	17	270		28.91	1	-0.01	29.85	FM-15	0.00	29.88
18	1353	7	FEW:02 42	10.00		82	27.8	71	21.9	66	18.9	58	16	290	23	28.91			29.85	FM-15	0.00	29.88
18	1453	7	SCT:04 44	10.00		82	27.8	71	21.9	66	18.9	58	16	270		28.90			29.85	FM-15	0.00	29.87
18	1553	7	FEW:02 45 SCT:04 55	10.00		82	27.8	71	21.9	66	18.9	58	14	270		28.90	8	+0.01	29.84	FM-15	0.00	29.87
18	1653	7	SCT:04 40	10.00		81	27.2	71	21.7	66	18.9	61	13	250	23	28.90			29.85	FM-15	0.00	29.87
18	1753	7	SCT:04 45	10.00		80	26.7	71	21.5	66	18.9	62	13	260		28.90			29.84	FM-15	0.00	29.87
18	1853	7	FEW:02 45	10.00		78	25.6	70	20.8	65	18.3	64	9	260		28.91	3	-0.01	29.86	FM-15	0.00	29.88
18	1953	7	CLR:00	10.00		74	23.3	68	20.1	65	18.3	74	7	260		28.92			29.87	FM-15	0.00	29.89
18	2053	7	CLR:00	10.00		73	22.8	68	19.9	65	18.3	76	6	260		28.93			29.88	FM-15	0.00	29.90
18	2153	7	CLR:00	10.00		71	21.7	67	19.5	65	18.3	81	6	250		28.94	3	-0.03	29.89	FM-15	0.00	29.91
18	2253	7	CLR:00	10.00		70	21.1	67	19.3	65	18.3	84	3	250		28.95			29.90	FM-15	0.00	29.92
18	2353	7	CLR:00	10.00		68	20.0	66	18.9	65	18.3	90	5	270		28.96			29.91	FM-15	0.00	29.93
19	0053	7	CLR:00	10.00		67	19.4	66	18.7	65	18.3	93	3	280		28.97	1	-0.03	29.92	FM-15	0.00	29.94
19	0153	7	CLR:00	10.00		66	18.9	65	18.5	65	18.3	96	3	270		28.96			29.91	FM-15	0.00	29.93
19	0253	7	CLR:00	10.00		67	19.4	66	18.7	65	18.3	93	5	230		28.95			29.90	FM-15	0.00	29.92
19	0353	7	CLR:00	10.00		68	20.0	67	19.3	66	18.9	93	0	000		28.94	6	+0.03	29.89	FM-15	0.00	29.91
19	0453	7	CLR:00	10.00		67	19.4	66	19.1	66	18.9	97	5	180		28.94			29.89	FM-15	0.00	29.91
19	0553	7	FEW:02 120	10.00		67	19.4	66	19.1	66	18.9	97	6	180		28.95			29.90	FM-15	0.00	29.92
19	0653	7	SCT:04 95 OVC:08 110	9.00	-RA:02 |RA |	69	20.6	67	19.5	66	18.9	90	7	230		28.97	3	-0.03	29.92	FM-15	0.01	29.94
19	0753	7	CLR:00	10.00		70	21.1	69	20.4	68	20.0	93	5	190		28.96			29.91	FM-15	T	29.93
19	0853	7	SCT:04 110	10.00		73	22.8	70	21.3	69	20.6	87	7	200		28.96			29.91	FM-15	0.00	29.93
19	0953	7	CLR:00	10.00		78	25.6	71	21.9	68	20.0	71	7	VRB		28.97	3	-0.00	29.92	FM-15	0.00	29.94
19	1053	7	CLR:00	10.00		80	26.7	73	22.5	69	20.6	69	7	250		28.98			29.93	FM-15	0.00	29.95
19	1153	7	SCT:04 36	10.00		82	27.8	73	22.9	69	20.6	65	11	230		28.98			29.93	FM-15	0.00	29.95
19	1253	7	BKN:07 42	10.00		83	28.3	73	22.7	68	20.0	61	14	250	26	28.97	8	+0.01	29.92	FM-15	0.00	29.94
19	1351	6	FEW:02 44	10.00	VCTS:7 ||	82	28.0	74	23.2	70	21.0	66	14	270		28.96				FM-16		29.93
19	1353	7	FEW:02 44	10.00	VCTS:7 ||	83	28.3	74	23.4	70	21.1	65	15	260		28.96			29.91	FM-15	T	29.93
19	1435	7	SCT:04 45	10.00		83	28.3	73	22.7	68	20.0	61	13	250	22	28.96				FM-16		29.93
19	1453	7	BKN:07 45	10.00		84	28.9	73	22.9	68	20.0	59	13	250		28.95			29.90	FM-15	0.00	29.92
19	1530	7	SCT:04 43 BKN:07 110	10.00	VCTS:7 -RA:02 |RA |	80	26.7	71	21.9	67	19.4	64	17	270		28.95				FM-16	T	29.92
19	1545	7	SCT:04 43 BKN:07 110	10.00		79	26.1	71	21.7	67	19.4	67	10	250	25	28.96				FM-16	T	29.93
19	1553	7	SCT:04 43 BKN:07 90	10.00		79	26.1	72	22.0	68	20.0	69	7	250		28.96	5	+0.01	29.91	FM-15	T	29.93
19	1653	7	SCT:04 42	10.00		81	27.2	72	22.4	68	20.0	65	6	320		28.96			29.91	FM-15	0.00	29.93
19	1753	7	CLR:00	10.00		80	26.7	71	21.9	67	19.4	64	10	340		28.97			29.92	FM-15	0.00	29.94
19	1853	7	CLR:00	10.00		78	25.6	68	20.2	63	17.2	60	7	340		28.99	3	-0.03	29.94	FM-15	0.00	29.96

19	1953	7	CLR:00	10.00		72	22.2	66	18.7	62	16.7	71	6	360		29.00			29.96	FM-15	0.00	29.97
19	2053	7	CLR:00	10.00		73	22.8	66	18.6	61	16.1	66	0	000		29.03			29.98	FM-15	0.00	30.00
19	2153	7	CLR:00	10.00		67	19.4	64	17.7	62	16.7	84	0	000		29.04	3	-0.05	29.99	FM-15	0.00	30.01
19	2253	7	CLR:00	10.00		67	19.4	64	17.7	62	16.7	84	0	000		29.06			30.01	FM-15	0.00	30.03
19	2353	7	CLR:00	10.00		63	17.2	62	16.9	62	16.7	97	3	360		29.08			30.03	FM-15	0.00	30.05
20	0053	7	CLR:00	10.00		65	18.3	64	17.7	63	17.2	93	0	000		29.08	1	-0.04	30.03	FM-15	0.00	30.05
20	0153	7	CLR:00	10.00		63	17.2	62	16.9	62	16.7	97	0	000		29.08			30.03	FM-15	0.00	30.05
20	0253	7	CLR:00	8.00		62	16.7	62	16.7	62	16.7	100	3	010		29.08			30.03	FM-15	0.00	30.05
20	0353	7	CLR:00	6.00	BR:1 ||	61	16.1	61	16.1	61	16.1	100	5	030		29.09	3	-0.01	30.04	FM-15	0.00	30.06
20	0453	7	BKN:07 85	10.00		63	17.2	63	17.2	63	17.2	100	3	060		29.10			30.05	FM-15	0.00	30.07
20	0553	7	CLR:00	9.00		62	16.7	62	16.7	62	16.7	100	3	080		29.11			30.06	FM-15	0.00	30.08
20	0653	7	CLR:00	10.00		67	19.4	66	18.7	65	18.3	93	0	000		29.13	3	-0.04	30.08	FM-15	0.00	30.10
20	0753	7	CLR:00	10.00		70	21.1	67	19.7	66	18.9	87	8	130		29.13			30.08	FM-15	0.00	30.10
20	0853	7	BKN:07 60	10.00		73	22.8	68	20.3	66	18.9	79	8	120		29.15			30.10	FM-15	0.00	30.12
20	0953	7	SCT:04 60	10.00		77	25.0	70	21.0	66	18.9	69	7	150		29.14	0	-0.01	30.10	FM-15	0.00	30.11
20	1053	7	CLR:00	10.00		80	26.7	72	22.2	68	20.0	67	6	VRB		29.15			30.10	FM-15	0.00	30.12
20	1153	7	FEW:02 46	10.00		82	27.8	73	22.9	69	20.6	65	9	190		29.15			30.10	FM-15	0.00	30.12
20	1253	7	FEW:02 36 FEW:02 43	10.00		84	28.9	74	23.5	70	21.1	63	6	190		29.14	8	+0.01	30.09	FM-15	0.00	30.11
20	1353	7	SCT:04 60 BKN:07 80	10.00		84	28.9	74	23.2	69	20.6	61	9	200		29.13			30.08	FM-15	0.00	30.10
20	1453	7	SCT:04 46 SCT:04 55	10.00		86	30.0	74	23.2	68	20.0	55	0	000		29.10			30.05	FM-15	0.00	30.07
20	1553	7	FEW:02 50 BKN:07 80 OVC:08 90	10.00		85	29.4	73	23.0	68	20.0	57	8	180		29.09	7	+0.05	30.03	FM-15	0.00	30.06
20	1653	7	SCT:04 80	10.00		85	29.4	73	23.0	68	20.0	57	13	190		29.08			30.03	FM-15	0.00	30.05
20	1753	7	SCT:04 50 BKN:07 60	10.00		85	29.4	73	23.0	68	20.0	57	10	210		29.09			30.04	FM-15	0.00	30.06
20	1853	7	CLR:00	10.00		82	27.8	73	22.5	68	20.0	63	7	210		29.11	3	-0.02	30.06	FM-15	0.00	30.08
20	1953	7	FEW:02 100	10.00		80	26.7	72	22.2	68	20.0	67	5	190		29.12			30.07	FM-15	0.00	30.09
20	2053	7	FEW:02 60	10.00		80	26.7	72	22.2	68	20.0	67	6	180		29.13			30.07	FM-15	0.00	30.10
20	2153	7	CLR:00	10.00		77	25.0	72	22.0	69	20.6	77	5	210		29.14	3	-0.03	30.09	FM-15	0.00	30.11
20	2253	7	BKN:07 85	10.00		75	23.9	71	21.7	69	20.6	82	5	200		29.15			30.09	FM-15	0.00	30.12
20	2353	7	OVC:08 80	10.00		75	23.9	71	21.7	69	20.6	82	3	200		29.16			30.10	FM-15	0.00	30.13
21	0053	7	FEW:02 60 SCT:04 80	10.00		74	23.3	71	21.5	69	20.6	85	0	000		29.16	1	-0.01	30.10	FM-15	0.00	30.13
21	0153	7	CLR:00	10.00		72	22.2	69	20.8	68	20.0	87	0	000		29.16			30.11	FM-15	0.00	30.13
21	0253	7	CLR:00	10.00		70	21.1	69	20.4	68	20.0	93	0	000		29.16			30.10	FM-15	0.00	30.13
21	0353	7	SCT:04 60	9.00		69	20.6	69	20.6	69	20.6	100	3	140		29.15	8	+0.01	30.10	FM-15	0.00	30.12
21	0453	7	SCT:04 55	10.00		71	21.7	70	20.9	69	20.6	94	0	000		29.17			30.11	FM-15	0.00	30.14
21	0553	7	FEW:02 55	10.00		73	22.8	71	21.7	70	21.1	90	3	170		29.18			30.12	FM-15	0.00	30.15
21	0653	7	CLR:00	9.00		74	23.3	71	21.9	70	21.1	88	3	170		29.18	1	-0.03	30.13	FM-15	0.00	30.15
21	0753	7	CLR:00	10.00		78	25.6	73	22.6	70	21.1	76	9	230		29.19			30.14	FM-15	0.00	30.16
21	0853	7	SCT:04 75	10.00		80	26.7	74	23.2	71	21.7	74	9	260		29.19			30.13	FM-15	0.00	30.16
21	0953	7	CLR:00	10.00		82	27.8	76	24.3	73	22.8	74	5	250		29.19	1	-0.01	30.14	FM-15	0.00	30.16
21	1053	7	CLR:00	10.00		86	30.0	77	24.9	73	22.8	65	5	190		29.19			30.13	FM-15	0.00	30.16
21	1153	7	FEW:02 36	10.00		86	30.0	77	24.9	73	22.8	65	7	260		29.18			30.12	FM-15	0.00	30.15
21	1253	7	CLR:00	10.00		87	30.6	76	24.7	72	22.2	61	10	230		29.16	8	+0.03	30.11	FM-15	0.00	30.13
21	1353	7	CLR:00	10.00		84	28.9	74	23.2	69	20.6	61	9	220		29.15			30.10	FM-15	0.00	30.12
21	1453	7	FEW:02 80	10.00		86	30.0	76	24.2	71	21.7	61	13	200		29.13			30.08	FM-15	0.00	30.10
21	1553	7	SCT:04 70	10.00		88	31.1	76	24.5	71	21.7	57	10	220		29.14	5	+0.02	30.08	FM-15	0.00	30.11
21	1653	7	CLR:00	10.00		86	30.0	75	23.9	70	21.1	59	9	210		29.12			30.07	FM-15	0.00	30.09
21	1753	7	CLR:00	10.00		85	29.4	75	23.7	70	21.1	61	11	220		29.12			30.06	FM-15	0.00	30.09
21	1853	7	FEW:02 80	10.00		83	28.3	75	23.7	71	21.7	67	10	200		29.11	6	+0.02	30.06	FM-15	0.00	30.08
21	1953	7	CLR:00	10.00		81	27.2	74	23.4	71	21.7	72	7	190		29.11			30.05	FM-15	0.00	30.08
21	2053	7	CLR:00	10.00		80	26.7	73	22.9	70	21.1	71	7	190		29.11			30.06	FM-15	0.00	30.08
21	2153	7	CLR:00	10.00		79	26.1	73	22.7	70	21.1	74	6	200		29.11	8	+0.01	30.05	FM-15	0.00	30.08

21	2253	7	CLR:00	10.00		78	25.6	73	22.6	70	21.1	76	7	210		29.10			30.04	FM-15	0.00	30.07
21	2353	7	CLR:00	10.00		78	25.6	73	22.6	70	21.1	76	7	200		29.09			30.03	FM-15	0.00	30.06
22	0053	7	CLR:00	10.00		77	25.0	73	22.7	71	21.7	82	8	190		29.06	8	+0.04	30.00	FM-15	0.00	30.03
22	0153	7	CLR:00	10.00		76	24.4	73	22.6	71	21.7	85	9	190		29.04			29.98	FM-15	0.00	30.01
22	0253	7	FEW:02 110	10.00		76	24.4	73	22.6	71	21.7	85	8	200		29.03			29.97	FM-15	0.00	30.00
22	0353	7	CLR:00	10.00		76	24.4	72	22.2	70	21.1	82	9	200		29.01	6	+0.05	29.95	FM-15	0.00	29.98
22	0453	7	CLR:00	10.00		75	23.9	72	22.0	70	21.1	84	8	180		29.00			29.95	FM-15	0.00	29.97
22	0553	7	CLR:00	10.00		74	23.3	71	21.8	70	21.1	88	8	200		29.00			29.94	FM-15	0.00	29.97
22	0653	7	CLR:00	10.00		74	23.3	71	21.8	70	21.1	88	13	190	21	28.98	8	+0.02	29.93	FM-15	0.00	29.95
22	0753	7	FEW:02 31 SCT:04 120	10.00		77	25.0	72	22.4	70	21.1	79	13	210		28.98			29.92	FM-15	0.00	29.95
22	0853	7	CLR:00	10.00		80	26.7	74	23.6	72	22.2	76	16	210	24	28.97			29.91	FM-15	0.00	29.94
22	0953	7	FEW:02 31 SCT:04 50 BKN:07 110	10.00		80	26.7	75	24.0	73	22.8	79	16	230	22	28.96	8	+0.02	29.90	FM-15	0.00	29.93
22	1053	7	SCT:04 23	10.00		82	27.8	76	24.7	74	23.3	77	15	230	23	28.95			29.89	FM-15	0.00	29.92
22	1102	7	BKN:07 23	10.00		82	27.8	77	25.0	75	23.9	79	15	230		28.94				FM-16		29.91
22	1124	7	BKN:07 24 BKN:07 34	2.50	TS:7 RA:02 |RA TS TS |	82	27.8	76	24.7	74	23.3	77	14	250	22	28.95				FM-16	T	29.92
22	1145	7	FEW:02 23 OVC:08 30	2.50	TS:7 RA:02 BR:1 |RA TS |	71	21.7	71	21.7	71	21.7	100	17	230		28.96				FM-16	0.66	29.93
22	1151	6	FEW:02 23 BKN:07 33 OVC:08 95	8.00	TS:7 -RA:02 |RA TS |	72	22.0	71	21.5	70	21.0	94	13	230	24	28.94				FM-16		29.91
22	1153	7	BKN:07 30 BKN:07 70 OVC:08 100	8.00	TS:7 -RA:02 |RA TS TS |	71	21.7	70	21.3	70	21.1	96	13	250	24	28.95			29.90	FM-15	0.69	29.92
22	1203	7	SCT:04 35 BKN:07 75 OVC:08 95	8.00		73	22.8	72	22.4	72	22.2	96	8	220		28.94				FM-16	0.01	29.91
22	1253	7	FEW:02 60	10.00		77	25.0	75	23.8	74	23.3	90	10	260		28.94	6	+0.02	29.88	FM-15	T	29.91
22	1323	7	FEW:02 17 BKN:07 42 OVC:08 60	1.75V	+RA:02 BR:1 |RA |	72	22.2	71	21.9	71	21.7	97	18	280	33	28.95				FM-16	0.07	29.92
22	1334	7	FEW:02 12 BKN:07 35 OVC:08 65	10.00	-RA:02 |RA |	71	21.7	70	21.3	70	21.1	96	14	280	28	28.95				FM-16	0.11	29.92
22	1353	7	BKN:07 60 OVC:08 75	10.00		72	22.2	71	21.5	70	21.1	94	14	280	21	28.94			29.89	FM-15	0.11	29.91
22	1453	7	BKN:07 80 BKN:07 95	10.00		76	24.4	73	22.6	71	21.7	85	11	240		28.90			29.85	FM-15	T	29.87
22	1553	7	BKN:07 100	10.00		78	25.6	73	22.5	70	21.1	76	15	250		28.90	8	+0.04	29.85	FM-15	0.00	29.87
22	1653	7	FEW:02 100	10.00		78	25.6	72	22.2	69	20.6	74	15	270		28.90			29.85	FM-15	0.00	29.87
22	1753	7	CLR:00	10.00		77	25.0	72	22.0	69	20.6	77	13	270		28.91			29.85	FM-15	0.00	29.88
22	1853	7	CLR:00	10.00		76	24.4	71	21.8	69	20.6	79	7	250		28.91	1	-0.01	29.86	FM-15	0.00	29.88
22	1953	7	CLR:00	10.00		74	23.3	71	21.5	69	20.6	85	7	230		28.92			29.87	FM-15	0.00	29.89
22	2053	7	FEW:02 31	10.00		72	22.2	70	21.1	69	20.6	91	7	280		28.94			29.88	FM-15	0.00	29.91
22	2153	7	SCT:04 40	10.00		71	21.7	68	19.9	66	18.9	84	7	320		28.94	1	-0.04	29.89	FM-15	0.00	29.91
22	2253	7	BKN:07 50 OVC:08 65	10.00		71	21.7	67	19.2	64	17.8	79	10	310		28.96			29.90	FM-15	0.00	29.93
22	2353	7	SCT:04 60	10.00		68	20.0	64	17.6	61	16.1	78	10	330		28.98			29.93	FM-15	0.00	29.95
23	0053	7	CLR:00	10.00		66	18.9	62	16.6	59	15.0	78	10	330		28.98	1	-0.04	29.93	FM-15	0.00	29.95
23	0153	7	CLR:00	10.00		64	17.8	60	15.8	58	14.4	81	7	320		28.99			29.94	FM-15	0.00	29.96
23	0253	7	CLR:00	10.00		62	16.7	59	15.1	57	13.9	84	8	320		28.99			29.94	FM-15	0.00	29.96
23	0353	7	CLR:00	10.00		60	15.6	58	14.3	56	13.3	86	7	320		28.99	1	-0.01	29.95	FM-15	0.00	29.96
23	0453	7	CLR:00	10.00		58	14.4	56	13.5	55	12.8	90	3	300		29.00			29.96	FM-15	0.00	29.97
23	0553	7	CLR:00	10.00		57	13.9	56	13.3	55	12.8	93	0	000		29.02			29.97	FM-15	0.00	29.99
23	0653	7	CLR:00	10.00		60	15.6	58	14.3	56	13.3	86	0	000		29.03	3	-0.03	29.98	FM-15	0.00	30.00
23	0753	7	CLR:00	10.00		64	17.8	60	15.5	57	13.9	78	5	320		29.03			29.99	FM-15	0.00	30.00
23	0853	7	CLR:00	10.00		69	20.6	62	16.6	57	13.9	66	6	310		29.04			29.99	FM-15	0.00	30.01
23	0953	7	CLR:00	10.00		72	22.2	62	16.9	56	13.3	57	10	350		29.05	1	-0.02	30.00	FM-15	0.00	30.02

23	1013	7	FEW:02 38	10.00		73	22.8	63	17.1	56	13.3	55	9	340		29.04				FM-16		30.01
23	1053	7	FEW:02 46 BKN:07 60	10.00		73	22.8	62	16.6	54	12.2	51	9	320		29.05			30.00	FM-15	0.00	30.02
23	1153	7	FEW:02 50 FEW:02 60	10.00		73	22.8	62	16.8	55	12.8	53	9	320		29.04			29.99	FM-15	0.00	30.01
23	1253	7	BKN:07 65	10.00		73	22.8	62	16.8	55	12.8	53	6	320		29.04	8	+0.01	29.99	FM-15	0.00	30.01
23	1353	7	BKN:07 65	10.00		76	24.4	63	17.2	54	12.2	47	10	260		29.02			29.98	FM-15	0.00	29.99
23	1453	7	BKN:07 75	10.00		73	22.8	62	16.5	54	12.2	51	10	280		29.02			29.97	FM-15	0.00	29.99
23	1553	7	OVC:08 65	10.00		74	23.3	62	16.8	54	12.2	50	10	290		29.01	6	+0.03	29.96	FM-15	0.00	29.98
23	1653	7	OVC:08 75	10.00		73	22.8	62	16.8	55	12.8	53	7	310		29.00			29.96	FM-15	0.00	29.97
23	1658	7	BKN:07 75	10.00		72	22.2	62	16.9	56	13.3	57	6	310		29.01				FM-16		29.98
23	1753	7	SCT:04 80	10.00		71	21.7	62	16.4	55	12.8	57	8	300		29.00			29.96	FM-15	0.00	29.97
23	1853	7	CLR:00	10.00		69	20.6	61	16.0	55	12.8	61	6	290		29.00	8	+0.01	29.96	FM-15	0.00	29.97
23	1953	7	CLR:00	10.00		68	20.0	60	15.5	54	12.2	61	5	300		29.00			29.96	FM-15	0.00	29.97
23	2053	7	FEW:02 70	10.00		66	18.9	60	15.3	55	12.8	68	5	300		29.01			29.97	FM-15	0.00	29.98
23	2153	7	CLR:00	10.00		63	17.2	59	15.0	56	13.3	78	3	290		29.02	3	-0.02	29.98	FM-15	0.00	29.99
23	2253	7	CLR:00	10.00		61	16.1	58	14.5	56	13.3	84	7	280		29.03			29.98	FM-15	0.00	30.00
23	2353	7	CLR:00	10.00		62	16.7	58	14.4	55	12.8	78	7	320		29.04			29.99	FM-15	0.00	30.01
24	0053	7	CLR:00	10.00		58	14.4	56	13.2	54	12.2	87	6	290		29.04	1	-0.02	30.00	FM-15	0.00	30.01
24	0153	7	CLR:00	10.00		56	13.3	55	12.7	54	12.2	93	6	290		29.04			30.00	FM-15	0.00	30.01
24	0253	7	CLR:00	10.00		55	12.8	54	12.2	53	11.7	93	6	290		29.04			30.00	FM-15	0.00	30.01
24	0353	7	CLR:00	10.00		55	12.8	54	12.2	53	11.7	93	8	300		29.04	6	+0.00	30.00	FM-15	0.00	30.01
24	0453	7	CLR:00	10.00		53	11.7	52	11.4	52	11.1	96	6	300		29.05			30.01	FM-15	0.00	30.02
24	0553	7	CLR:00	10.00		52	11.1	51	10.8	51	10.6	97	6	290		29.06			30.03	FM-15	0.00	30.03
24	0653	7	CLR:00	10.00		57	13.9	55	12.7	53	11.7	87	7	320		29.07	3	-0.03	30.03	FM-15	0.00	30.04
24	0753	7	CLR:00	10.00		60	15.6	57	14.0	55	12.8	84	8	330		29.08			30.03	FM-15	0.00	30.05
24	0853	7	SCT:04 42	10.00		63	17.2	60	15.3	57	13.9	81	8	360		29.09			30.05	FM-15	0.00	30.06
24	0953	7	FEW:02 33 SCT:04 42 BKN:07 49	10.00		64	17.8	60	15.5	57	13.9	78	8	330		29.10	3	-0.03	30.06	FM-15	0.00	30.07
24	1053	7	SCT:04 41	10.00		70	21.1	64	17.7	60	15.6	71	9	360		29.09			30.05	FM-15	0.00	30.06
24	1153	7	FEW:02 39	10.00		71	21.7	62	16.4	55	12.8	57	10	320		29.08			30.04	FM-15	0.00	30.05
24	1253	7	FEW:02 48 FEW:02 65 SCT:04 80	10.00		73	22.8	62	16.8	55	12.8	53	9	350		29.08	6	+0.02	30.04	FM-15	0.00	30.05
24	1353	7	FEW:02 55	10.00		75	23.9	62	16.7	53	11.7	46	16	330	22	29.07			30.03	FM-15	0.00	30.04
24	1453	7	FEW:02 55 BKN:07 80	10.00		73	22.8	61	16.0	52	11.1	48	15	330	20	29.08			30.03	FM-15	0.00	30.05
24	1553	7	FEW:02 80	10.00		73	22.8	61	16.0	52	11.1	48	14	320		29.07	8	+0.01	30.03	FM-15	0.00	30.04
24	1653	7	FEW:02 60 SCT:04 95	10.00		73	22.8	61	16.0	52	11.1	48	8	340	18	29.07			30.03	FM-15	0.00	30.04
24	1753	7	FEW:02 65 BKN:07 90	10.00		70	21.1	60	15.4	52	11.1	53	15	330		29.08			30.04	FM-15	0.00	30.05
24	1853	7	SCT:04 90	10.00		66	18.9	57	13.9	50	10.0	56	11	020		29.09	3	-0.02	30.06	FM-15	0.00	30.06
24	1953	7	BKN:07 90	10.00		64	17.8	57	14.0	52	11.1	65	8	020		29.11			30.07	FM-15	0.00	30.08
24	2053	7	OVC:08 85	10.00		63	17.2	55	13.0	49	9.4	60	8	020		29.13			30.09	FM-15	0.00	30.10
24	2153	7	OVC:08 90	10.00		62	16.7	56	13.3	51	10.6	67	5	020		29.14	1	-0.04	30.10	FM-15	0.00	30.11
24	2253	7	OVC:08 90	10.00		61	16.1	56	13.3	52	11.1	72	5	010		29.14			30.10	FM-15	0.00	30.11
24	2353	7	SCT:04 65 OVC:08 95	10.00		59	15.0	55	12.9	52	11.1	78	6	020		29.15			30.11	FM-15	0.00	30.12
25	0053	7	CLR:00	10.00		59	15.0	55	12.6	51	10.6	75	0	000		29.17	3	-0.03	30.12	FM-15	0.00	30.14
25	0153	7	BKN:07 70	10.00		56	13.3	53	11.8	51	10.6	84	3	350		29.18			30.14	FM-15	0.00	30.15
25	0253	7	CLR:00	10.00		54	12.2	52	11.0	50	10.0	87	6	340		29.18			30.14	FM-15	0.00	30.15
25	0353	7	SCT:04 75	10.00		54	12.2	53	11.9	53	11.7	97	6	360		29.20	3	-0.03	30.16	FM-15	0.00	30.17
25	0453	7	OVC:08 75	10.00		55	12.8	54	12.2	53	11.7	93	0	000		29.21			30.17	FM-15	0.00	30.18
25	0553	7	BKN:07 70	10.00		54	12.2	53	11.9	53	11.7	97	0	000		29.23			30.19	FM-15	0.00	30.20
25	0653	7	CLR:00	10.00		55	12.8	54	12.5	54	12.2	96	3	010		29.23	1	-0.04	30.20	FM-15	0.00	30.21
25	0753	7	CLR:00	10.00		60	15.6	57	14.0	55	12.8	84	3	020		29.26			30.22	FM-15	0.00	30.23
25	0853	7	CLR:00	10.00		64	17.8	59	14.9	55	12.8	73	7	010		29.26			30.22	FM-15	0.00	30.23

25	0953	7	CLR:00	10.00		68	20.0	60	15.8	55	12.8	63	7	030		29.26	1	-0.02	30.22	FM-15	0.00	30.23
25	1053	7	SCT:04 39	10.00		68	20.0	59	14.9	52	11.1	57	5	030		29.26			30.22	FM-15	0.00	30.23
25	1153	7	FEW:02 47 BKN:07 60	10.00		71	21.7	61	15.9	53	11.7	53	8	010		29.26			30.22	FM-15	0.00	30.23
25	1253	7	CLR:00	10.00		72	22.2	58	14.5	47	8.3	41	3	VRB		29.26	1	-0.00	30.22	FM-15	0.00	30.23
25	1353	7	SCT:04 60	10.00		70	21.1	58	14.6	49	9.4	47	6	350		29.25			30.22	FM-15	0.00	30.22
25	1453	7	SCT:04 65	10.00		73	22.8	59	15.0	48	8.9	41	5	310		29.23			30.20	FM-15	0.00	30.21
25	1553	7	SCT:04 70	10.00		72	22.2	59	14.8	48	8.9	43	7	040		29.23	6	+0.02	30.20	FM-15	0.00	30.21
25	1653	7	SCT:04 65	10.00		74	23.3	61	16.0	51	10.6	45	6	010		29.23			30.19	FM-15	0.00	30.21
25	1753	7	CLR:00	10.00		70	21.1	60	15.7	53	11.7	55	7	020		29.23			30.20	FM-15	0.00	30.21
25	1853	7	CLR:00	10.00		66	18.9	58	14.5	52	11.1	61	7	020		29.25	3	-0.01	30.22	FM-15	0.00	30.22
25	1953	7	CLR:00	10.00		62	16.7	56	13.6	52	11.1	70	6	020		29.26			30.23	FM-15	0.00	30.23
25	2053	7	CLR:00	10.00		59	15.0	56	13.4	54	12.2	83	7	010		29.27			30.24	FM-15	0.00	30.25
25	2153	7	CLR:00	10.00		59	15.0	56	13.4	54	12.2	83	7	040		29.28	3	-0.04	30.25	FM-15	0.00	30.26
25	2253	7	CLR:00	10.00		58	14.4	55	12.6	52	11.1	81	8	040		29.28			30.26	FM-15	0.00	30.26
25	2353	7	CLR:00	10.00		56	13.3	53	11.8	51	10.6	84	5	030		29.29			30.26	FM-15	0.00	30.27
26	0053	7	CLR:00	10.00		55	12.8	53	11.6	51	10.6	87	5	010		29.29	2	-0.01	30.26	FM-15	0.00	30.27
26	0153	7	CLR:00	10.00		53	11.7	51	10.8	50	10.0	89	5	360		29.29			30.27	FM-15	0.00	30.27
26	0253	7	CLR:00	10.00		53	11.7	51	10.8	50	10.0	89	5	360		29.29			30.26	FM-15	0.00	30.27
26	0353	7	CLR:00	10.00		53	11.7	51	10.5	49	9.4	86	3	010		29.29	5	+0.01	30.26	FM-15	0.00	30.27
26	0453	7	CLR:00	10.00		50	10.0	49	9.7	49	9.4	96	5	020		29.30			30.27	FM-15	0.00	30.28
26	0553	7	CLR:00	10.00		52	11.1	50	10.2	49	9.4	89	0	000		29.31			30.29	FM-15	0.00	30.29
26	0653	7	CLR:00	10.00		52	11.1	51	10.5	50	10.0	93	3	310		29.32	2	-0.03	30.29	FM-15	0.00	30.30
26	0753	7	CLR:00	10.00		59	15.0	55	12.6	51	10.6	75	5	050		29.32			30.30	FM-15	0.00	30.30
26	0853	7	CLR:00	10.00		64	17.8	57	13.8	51	10.6	63	5	070		29.32			30.29	FM-15	0.00	30.30
26	0953	7	CLR:00	10.00		68	20.0	58	14.4	50	10.0	53	6	060		29.32	1	-0.01	30.29	FM-15	0.00	30.30
26	1053	7	CLR:00	10.00		70	21.1	59	15.1	51	10.6	51	7	080		29.31			30.28	FM-15	0.00	30.29
26	1153	7	CLR:00	10.00		71	21.7	59	15.1	50	10.0	47	6	VRB		29.30			30.27	FM-15	0.00	30.28
26	1253	7	CLR:00	10.00		72	22.2	60	15.3	50	10.0	46	5	VRB		29.28	8	+0.04	30.25	FM-15	0.00	30.26
26	1353	7	CLR:00	10.00		73	22.8	62	16.6	54	12.2	51	10	060		29.27			30.24	FM-15	0.00	30.25
26	1453	7	CLR:00	10.00		74	23.3	61	16.2	52	11.1	46	7	080		29.26			30.22	FM-15	0.00	30.23
26	1553	7	CLR:00	10.00		74	23.3	62	16.5	53	11.7	48	10	VRB		29.25	6	+0.04	30.21	FM-15	0.00	30.22
26	1653	7	CLR:00	10.00		73	22.8	62	16.6	54	12.2	51	8	090		29.25			30.22	FM-15	0.00	30.22
26	1753	7	CLR:00	10.00		70	21.1	60	15.7	53	11.7	55	8	070		29.25			30.22	FM-15	0.00	30.22
26	1853	7	CLR:00	10.00		67	19.4	59	15.0	53	11.7	61	6	070		29.26	3	-0.00	30.22	FM-15	0.00	30.23
26	1953	7	CLR:00	10.00		63	17.2	56	13.5	51	10.6	65	5	020		29.26			30.22	FM-15	0.00	30.23
26	2053	7	CLR:00	10.00		60	15.6	56	13.1	52	11.1	75	8	010		29.26			30.23	FM-15	0.00	30.24
26	2153	7	CLR:00	10.00		59	15.0	54	12.3	50	10.0	72	8	040		29.26	2	-0.01	30.23	FM-15	0.00	30.24
26	2253	7	CLR:00	10.00		57	13.9	53	11.8	50	10.0	78	5	030		29.26			30.23	FM-15	0.00	30.24
26	2353	7	CLR:00	10.00		56	13.3	52	11.3	49	9.4	77	5	050		29.26			30.22	FM-15	0.00	30.23
27	0053	7	CLR:00	10.00		55	12.8	52	11.3	50	10.0	83	6	060		29.25	8	+0.02	30.21	FM-15	0.00	30.22
27	0153	7	CLR:00	10.00		56	13.3	53	11.8	51	10.6	84	5	060		29.23			30.20	FM-15	0.00	30.21
27	0253	7	CLR:00	10.00		56	13.3	54	12.1	52	11.1	87	6	040		29.23			30.19	FM-15	0.00	30.20
27	0353	7	CLR:00	10.00		55	12.8	53	11.9	52	11.1	90	3	010		29.23	8	+0.02	30.19	FM-15	0.00	30.20
27	0453	7	CLR:00	10.00		55	12.8	53	11.9	52	11.1	90	5	030		29.22			30.18	FM-15	0.00	30.19
27	0553	7	CLR:00	10.00		53	11.7	52	11.4	52	11.1	96	3	040		29.22			30.18	FM-15	0.00	30.19
27	0653	7	CLR:00	10.00		53	11.7	52	11.4	52	11.1	96	0	000		29.22	5	+0.00	30.19	FM-15	0.00	30.19
27	0753	7	CLR:00	10.00		61	16.1	58	14.2	55	12.8	81	5	060		29.22			30.18	FM-15	0.00	30.19
27	0853	7	CLR:00	10.00		64	17.8	58	14.6	54	12.2	70	6	060		29.21			30.17	FM-15	0.00	30.18
27	0953	7	CLR:00	10.00		70	21.1	61	15.9	54	12.2	57	8	080		29.20	6	+0.02	30.16	FM-15	0.00	30.17
27	1053	7	CLR:00	10.00		72	22.2	61	16.4	54	12.2	53	7	090		29.20			30.16	FM-15	0.00	30.17
27	1153	7	CLR:00	10.00		74	23.3	61	16.2	52	11.1	46	3	VRB		29.21			30.17	FM-15	0.00	30.18
27	1253	7	CLR:00	10.00		76	24.4	62	16.9	53	11.7	45	7	040		29.18	8	+0.02	30.14	FM-15	0.00	30.15
27	1353	7	CLR:00	10.00		76	24.4	61	16.4	51	10.6	42	3	VRB		29.15			30.11	FM-15	0.00	30.12
27	1453	7	CLR:00	10.00		77	25.0	60	15.6	47	8.3	35	0	000		29.14			30.09	FM-15	0.00	30.11
27	1553	7	CLR:00	10.00		78	25.6	61	16.0	48	8.9	35	0	000		29.12	6	+0.06	30.07	FM-15	0.00	30.09
27	1653	7	CLR:00	10.00		77	25.0	63	17.4	54	12.2	45	6	050		29.12			30.07	FM-15	0.00	30.09

27	1753	7	CLR:00	10.00		75	23.9	64	17.8	57	13.9	54	6	080		29.11			30.07	FM-15	0.00	30.08
27	1853	7	CLR:00	10.00		71	21.7	62	16.4	55	12.8	57	5	070		29.10	8	+0.01	30.06	FM-15	0.00	30.07
27	1953	7	CLR:00	10.00		66	18.9	59	15.1	54	12.2	65	3	050		29.11			30.06	FM-15	0.00	30.08
27	2053	7	CLR:00	10.00		67	19.4	60	15.3	54	12.2	63	3	070		29.12			30.08	FM-15	0.00	30.09
27	2153	7	CLR:00	10.00		65	18.3	60	15.4	56	13.3	73	5	060		29.12	0	-0.02	30.08	FM-15	0.00	30.09
27	2253	7	CLR:00	10.00		64	17.8	60	15.5	57	13.9	78	3	050		29.11			30.06	FM-15	0.00	30.08
27	2353	7	CLR:00	10.00		63	17.2	60	15.6	58	14.4	84	3	060		29.10			30.06	FM-15	0.00	30.07
28	0053	7	CLR:00	10.00		62	16.7	60	15.7	59	15.0	90	0	000		29.09	8	+0.03	30.04	FM-15	0.00	30.06
28	0153	7	FEW:02 49	10.00		63	17.2	61	15.9	59	15.0	87	0	000		29.08			30.03	FM-15	0.00	30.05
28	0253	7	CLR:00	10.00		61	16.1	60	15.5	59	15.0	93	3	060		29.07			30.02	FM-15	0.00	30.04
28	0353	7	CLR:00	10.00		61	16.1	60	15.8	60	15.6	97	6	110		29.06	6	+0.02	30.02	FM-15	0.00	30.03
28	0453	7	CLR:00	10.00		64	17.8	63	17.4	63	17.2	96	5	130		29.08			30.03	FM-15	0.00	30.05
28	0553	7	FEW:02 55	10.00		63	17.2	63	17.2	63	17.2	100	5	100		29.11			30.06	FM-15	0.00	30.08
28	0653	7	SCT:04 47 SCT:04 60 BKN:07 120	10.00		66	18.9	64	17.9	63	17.2	90	6	120		29.11	1	-0.05	30.07	FM-15	0.00	30.08
28	0753	7	CLR:00	10.00		67	19.4	64	17.7	62	16.7	84	9	130		29.10			30.06	FM-15	0.00	30.07
28	0853	7	CLR:00	10.00		70	21.1	65	18.4	62	16.7	76	10	140		29.11			30.06	FM-15	0.00	30.08
28	0953	7	FEW:02 45 SCT:04 110	10.00		71	21.7	65	18.6	62	16.7	73	13	150		29.11	5	+0.00	30.06	FM-15	0.00	30.08
28	1053	7	CLR:00	10.00		73	22.8	67	19.6	64	17.8	74	7	150		29.10			30.06	FM-15	0.00	30.07
28	1151	6	BKN:07 28 BKN:07 41	10.00		73	23.0	67	19.6	64	18.0	74	7	130		29.10				FM-16		30.07
28	1153	7	BKN:07 28 BKN:07 41	10.00		74	23.3	68	19.8	64	17.8	71	7	160		29.10			30.06	FM-15	0.00	30.07
28	1223	7	SCT:04 29	10.00		74	23.3	68	19.8	64	17.8	71	9	170		29.09				FM-16		30.06
28	1242	7	BKN:07 29	10.00		75	23.9	69	20.3	65	18.3	71	6	190		29.09				FM-16		30.06
28	1253	7	OVC:08 29	10.00		74	23.3	68	19.8	64	17.8	71	9	170		29.10	6	+0.01	30.05	FM-15	0.00	30.07
28	1353	7	OVC:08 27	10.00		73	22.8	67	19.6	64	17.8	74	8	140		29.10			30.05	FM-15	0.00	30.07
28	1421	7	SCT:04 27	10.00		73	22.8	67	19.6	64	17.8	74	11	150		29.09				FM-16		30.06
28	1453	7	SCT:04 22	10.00		73	22.8	68	19.9	65	18.3	76	11	120		29.09			30.04	FM-15	0.00	30.06
28	1512	7	BKN:07 22 BKN:07 39	10.00		72	22.2	68	19.7	65	18.3	79	9	140		29.09				FM-16		30.06
28	1553	7	BKN:07 21 BKN:07 35	10.00		72	22.2	67	19.4	64	17.8	76	13	120		29.09	5	+0.01	30.04	FM-15	0.00	30.06
28	1653	7	BKN:07 22 BKN:07 70 OVC:08 110	10.00		71	21.7	67	19.2	64	17.8	79	11	130		29.09			30.04	FM-15	0.00	30.06
28	1753	7	OVC:08 20	10.00		71	21.7	67	19.5	65	18.3	81	13	150		29.09			30.04	FM-15	0.00	30.06
28	1851	6	FEW:02 30 SCT:04 42	10.00		70	21.0	66	18.7	63	17.0	78	9	150		29.09				FM-16		30.06
28	1853	7	FEW:02 30 SCT:04 42	10.00		70	21.1	66	18.7	63	17.2	79	9	150		29.09	7	+0.00	30.04	FM-15	0.00	30.06
28	1953	7	FEW:02 120	10.00		69	20.6	65	18.5	63	17.2	81	8	150		29.09			30.05	FM-15	0.00	30.06
28	2053	7	SCT:04 110	10.00		68	20.0	65	18.6	64	17.8	87	8	160		29.11			30.06	FM-15	0.00	30.08
28	2153	7	CLR:00	10.00		66	18.9	65	18.2	64	17.8	93	5	150		29.10	0	-0.01	30.06	FM-15	0.00	30.07
28	2253	7	BKN:07 48	10.00		64	17.8	63	17.4	63	17.2	96	0	000		29.10			30.06	FM-15	0.00	30.07
28	2353	7	SCT:04 37	10.00		63	17.2	63	17.2	63	17.2	100	5	090		29.10			30.05	FM-15	0.00	30.07
29	0053	7	CLR:00	10.00		65	18.3	64	18.0	64	17.8	97	7	130		29.09	8	+0.01	30.04	FM-15	0.00	30.06
29	0153	7	CLR:00	10.00		63	17.2	63	17.2	63	17.2	100	0	000		29.09			30.04	FM-15	0.00	30.06
29	0253	7	FEW:02 37	7.00		61	16.1	61	16.1	61	16.1	100	0	000		29.08			30.03	FM-15	0.00	30.05
29	0353	7	CLR:00	5.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	0	000		29.06	8	+0.02	30.02	FM-15	0.00	30.03
29	0453	7	BKN:07 110	4.00	BR:1 ||	61	16.1	61	16.1	61	16.1	100	0	000		29.08			30.03	FM-15	0.00	30.05
29	0553	7	BKN:07 110	5.00	BR:1 ||	62	16.7	62	16.7	62	16.7	100	0	000		29.09			30.04	FM-15	0.00	30.06
29	0653	7	FEW:02 55 BKN:07 100	4.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	0	000		29.10	3	-0.04	30.06	FM-15	0.00	30.07
29	0753	7	FEW:02 60 OVC:08 95	6.00	BR:1 ||	65	18.3	64	18.0	64	17.8	97	7	120		29.09			30.04	FM-15	0.00	30.06
29	0853	7	OVC:08 100	7.00	-RA:02 |RA |	66	18.9	65	18.5	65	18.3	96	8	130		29.08			30.03	FM-15	T	30.05
29	0953	7	FEW:02 15	10.00		69	20.6	66	19.1	65	18.3	87	6	130		29.08	5	+0.02	30.04	FM-15	T	30.05

29	1053	7	FEW:02 22	10.00		72	22.2	67	19.4	64	17.8	76	7	190		29.09			30.04	FM-15	0.00	30.06
29	1153	7	SCT:04 27 SCT:04 85	10.00		75	23.9	68	20.0	64	17.8	69	6	150		29.07			30.03	FM-15	0.00	30.04
29	1253	7	SCT:04 32 BKN:07 39 BKN:07 46	10.00		76	24.4	68	20.2	64	17.8	67	6	140		29.06	8	+0.03	30.01	FM-15	0.00	30.03
29	1353	7	BKN:07 60 BKN:07 80	10.00		74	23.3	67	19.5	63	17.2	69	6	190		29.05			30.00	FM-15	0.00	30.02
29	1453	7	BKN:07 65 BKN:07 90 BKN:07 120	10.00		76	24.4	67	19.5	62	16.7	62	7	210		29.03			29.99	FM-15	0.00	30.00
29	1553	7	FEW:02 32 BKN:07 100	10.00		77	25.0	68	20.0	63	17.2	62	0	000		29.02	6	+0.03	29.98	FM-15	T	29.99
29	1653	7	FEW:02 60	10.00		77	25.0	67	19.7	62	16.7	60	8	210		29.02			29.97	FM-15	0.00	29.99
29	1753	7	CLR:00	10.00		73	22.8	67	19.3	63	17.2	71	7	250		29.02			29.98	FM-15	0.00	29.99
29	1853	7	SCT:04 70 BKN:07 110	10.00		71	21.7	67	19.2	64	17.8	79	5	270		29.02	6	+0.01	29.97	FM-15	0.00	29.99
29	1953	7	FEW:02 55	10.00		69	20.6	66	19.1	65	18.3	87	0	000		29.03			29.98	FM-15	0.00	30.00
29	2053	7	FEW:02 32 SCT:04 45	10.00		68	20.0	65	18.3	63	17.2	84	0	000		29.05			30.01	FM-15	0.00	30.02
29	2153	7	OVC:08 100	8.00	-RA:02 |RA |	67	19.4	67	19.4	67	19.4	100	3	270		29.05	0	-0.03	30.00	FM-15	0.02s	30.02
29	2253	7	BKN:07 65	7.00		65	18.3	65	18.3	65	18.3	100	0	000		29.04			30.00	FM-15	T	30.01
29	2344	7	FEW:02 50	0.75	BR:1 ||	64	17.8	64	17.8	64	17.8	100	0	000		29.04				FM-16		30.01
29	2351	6	FEW:02 50	0.25	FG:2 |FG |	64	18.0	64	17.8	64	18.0	100	0	000		29.04				FM-16		30.01
29	2353	7	FEW:02 50	0.25	FG:2 |FG |	64	17.8	64	17.8	64	17.8	100	0	000		29.04			29.99	FM-15	0.00	30.01
29	2358	7	FEW:02 50	1.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	0	000		29.04				FM-16		30.01
30	0001	7	CLR:00	3.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	0	000		29.04				FM-16		30.01
30	0011	7	VV:09 2	1.00	BR:1 ||	63	17.2	63	17.2	63	17.2	100	3	320		29.04				FM-16		30.01
30	0016	7	VV:09 2	0.25	FG:2 |FG |	63	17.2	63	17.2	63	17.2	100	5	330		29.04				FM-16		30.01
30	0022	7	CLR:00	0.50	FG:2 |FG |	62	16.7	62	16.7	62	16.7	100	3	330		29.04				FM-16		30.01
30	0027	7	CLR:00	2.00	BR:1 ||	63	17.2	63	17.2	63	17.2	100	0	000		29.04				FM-16		30.01
30	0034	7	CLR:00	1.00	BR:1 ||	63	17.2	63	17.2	63	17.2	100	0	000		29.04				FM-16		30.01
30	0036	7	VV:09 3	0.75	BR:1 ||	63	17.2	63	17.2	63	17.2	100	3	290		29.04				FM-16		30.01
30	0046	7	VV:09 4	0.25	FG:2 |FG |	63	17.2	63	17.2	63	17.2	100	0	000		29.04				FM-16		30.01
30	0053	7	VV:09 4	0.25	FG:2 |FG |	63	17.2	63	17.2	63	17.2	100	0	000		29.03	6	+0.01	29.98	FM-15	0.00	30.00
30	0146	7	OVC:08 2	1.00	BR:1 ||	63	17.2	63	17.2	63	17.2	100	5	310		29.02				FM-16		29.99
30	0153	7	OVC:08 2	1.50	BR:1 ||	63	17.2	63	17.2	63	17.2	100	3	310		29.02			29.98	FM-15	0.00	29.99
30	0206	7	OVC:08 2	0.25	FG:2 |FG |	63	17.2	63	17.2	63	17.2	100	0	000		29.02				FM-16		29.99
30	0226	7	VV:09 2	0.50	FG:2 |FG |	62	16.7	62	16.7	62	16.7	100	6	320		29.02				FM-16		29.99
30	0237	7	VV:09 2	0.25	FG:2 |FG |	62	16.7	62	16.7	62	16.7	100	0	000		29.02				FM-16		29.99
30	0253	7	VV:09 2	0.25	FG:2 |FG |	63	17.2	63	17.2	63	17.2	100	0	000		29.02			29.97	FM-15	0.00	29.99
30	0317	7	VV:09 2	0.50	FG:2 |FG |	62	16.7	62	16.7	62	16.7	100	0	000		29.02				FM-16		29.99
30	0327	7	VV:09 2	0.25	FG:2 |FG |	63	17.2	63	17.2	63	17.2	100	0	000		29.02				FM-16		29.99
30	0353	7	VV:09 2	0.25	FG:2 |FG |	62	16.7	62	16.7	62	16.7	100	5	310		29.03	5	+0.01	29.98	FM-15	0.00	30.00
30	0453	7	VV:09 2	0.25	FG:2 |FG |	62	16.7	62	16.7	62	16.7	100	0	000		29.05			30.00	FM-15	0.00	30.02
30	0553	7	VV:09 2	0.25	FG:2 |FG |	61	16.1	61	16.1	61	16.1	100	0	000		29.06			30.01	FM-15	0.00	30.03
30	0653	7	VV:09 2	0.25	FG:2 |FG |	61	16.1	61	16.1	61	16.1	100	3	290		29.08	2	-0.05	30.03	FM-15	0.00	30.05
30	0751	6	VV:09 2	0.50	FG:2 |FG |	63	17.0	63	17.2	63	17.0	100	6	340		29.09				FM-16		30.06
30	0753	7	OVC:08 2	0.50	FG:2 |FG |	62	16.7	62	16.7	62	16.7	100	6	330		29.09			30.05	FM-15	0.00	30.06
30	0809	7	OVC:08 2	1.25	BR:1 ||	62	16.7	62	16.7	62	16.7	100	6	330		29.09				FM-16		30.06
30	0822	7	OVC:08 2	2.50	BR:1 ||	63	17.2	63	17.2	63	17.2	100	5	330		29.09				FM-16		30.06
30	0853	7	OVC:08 4	4.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	6	330		29.10			30.06	FM-15	0.00	30.07
30	0909	7	OVC:08 5	5.00	BR:1 ||	65	18.3	64	18.0	64	17.8	97	8	330		29.10				FM-16		30.07
30	0953	7	OVC:08 7	5.00	BR:1 ||	66	18.9	65	18.2	64	17.8	93	6	350		29.10	1	-0.02	30.06	FM-15	0.00	30.07
30	1024	7	OVC:08 10	7.00		68	20.0	65	18.6	64	17.8	87	7	340		29.11				FM-16		30.08
30	1051	6	OVC:08 16	8.00		70	21.0	66	19.0	64	18.0	83	7	310		29.11				FM-16		30.08
30	1053	7	OVC:08 16	8.00		69	20.6	66	18.8	64	17.8	84	8	320		29.11			30.06	FM-15	0.00	30.08
30	1153	7	BKN:07 22 OVC:08 28	10.00		71	21.7	67	19.2	64	17.8	79	6	350		29.10			30.06	FM-15	0.00	30.07

30	1230	7	SCT:04 28	10.00		73	22.8	67	19.3	63	17.2	71	0	000		29.09				FM-16		30.06
30	1253	7	FEW:02 30 SCT:04 35	10.00		75	23.9	67	19.6	63	17.2	66	5	350		29.09	8	+0.02	30.04	FM-15	0.00	30.06
30	1353	7	SCT:04 35	10.00		76	24.4	67	19.5	62	16.7	62	3	VRB		29.07			30.02	FM-15	0.00	30.04
30	1453	7	FEW:02 38	10.00		77	25.0	68	20.0	63	17.2	62	10	330		29.06			30.01	FM-15	0.00	30.03
30	1553	7	SCT:04 47 BKN:07 75	10.00		76	24.4	67	19.2	61	16.1	60	6	330		29.06	6	+0.03	30.01	FM-15	0.00	30.03
30	1653	7	FEW:02 43	10.00		75	23.9	67	19.3	62	16.7	64	8	290		29.05			30.01	FM-15	0.00	30.02
30	1753	7	CLR:00	10.00		75	23.9	67	19.6	63	17.2	66	5	310		29.06			30.01	FM-15	0.00	30.03
30	1853	7	CLR:00	10.00		72	22.2	66	18.7	62	16.7	71	3	280		29.06	3	-0.00	30.02	FM-15	0.00	30.03
30	1953	7	CLR:00	10.00		69	20.6	65	18.1	62	16.7	78	3	320		29.07			30.02	FM-15	0.00	30.04
30	2053	7	CLR:00	10.00		69	20.6	65	18.5	63	17.2	81	0	000		29.08			30.03	FM-15	0.00	30.05
30	2153	7	CLR:00	10.00		69	20.6	65	18.5	63	17.2	81	3	250		29.07	0	-0.01	30.03	FM-15	0.00	30.04
30	2253	7	CLR:00	10.00		66	18.9	64	17.9	63	17.2	90	6	270		29.06			30.02	FM-15	0.00	30.03
30	2353	7	CLR:00	10.00		65	18.3	64	18.0	64	17.8	97	0	000		29.07			30.02	FM-15	0.00	30.04
31	0053	7	CLR:00	10.00		64	17.8	63	17.4	63	17.2	96	3	260		29.07	5	+0.00	30.03	FM-15	0.00	30.04
31	0153	7	CLR:00	9.00		61	16.1	61	16.1	61	16.1	100	0	000		29.07			30.03	FM-15	0.00	30.04
31	0253	7	CLR:00	10.00		63	17.2	62	16.9	62	16.7	97	0	000		29.07			30.03	FM-15	0.00	30.04
31	0353	7	FEW:02 60	9.00		63	17.2	62	16.9	62	16.7	97	0	000		29.08	3	-0.01	30.03	FM-15	0.00	30.05
31	0453	7	CLR:00	7.00		60	15.6	60	15.6	60	15.6	100	0	000		29.08			30.04	FM-15	0.00	30.05
31	0553	7	CLR:00	3.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	0	000		29.09			30.05	FM-15	0.00	30.06
31	0653	7	BKN:07 60	8.00		62	16.7	62	16.7	62	16.7	100	5	170		29.11	3	-0.03	30.07	FM-15	0.00	30.08
31	0753	7	CLR:00	7.00		65	18.3	64	17.7	63	17.2	93	0	000		29.12			30.07	FM-15	0.00	30.09
31	0853	7	CLR:00	8.00		69	20.6	66	18.8	64	17.8	84	0	000		29.13			30.08	FM-15	0.00	30.10
31	0953	7	FEW:02 43 FEW:02 50	10.00		72	22.2	67	19.4	64	17.8	76	0	000		29.12	0	-0.01	30.08	FM-15	0.00	30.09
31	1053	7	CLR:00	10.00		75	23.9	68	20.0	64	17.8	69	3	VRB		29.13			30.08	FM-15	0.00	30.10
31	1153	7	SCT:04 29 BKN:07 42	10.00		76	24.4	68	20.2	64	17.8	67	8	350		29.11			30.06	FM-15	0.00	30.08
31	1253	7	SCT:04 31 SCT:04 41 BKN:07 49	10.00		75	23.9	68	20.0	64	17.8	69	9	360		29.10	8	+0.02	30.05	FM-15	0.00	30.07
31	1353	7	SCT:04 36	10.00		77	25.0	68	20.0	63	17.2	62	10	350		29.08			30.04	FM-15	0.00	30.05
31	1453	7	BKN:07 70	10.00		78	25.6	68	20.2	63	17.2	60	13	020		29.07			30.03	FM-15	0.00	30.04
31	1553	7	FEW:02 34	10.00		75	23.9	68	20.0	64	17.8	69	14	010		29.07	6	+0.03	30.03	FM-15	0.00	30.04
31	1653	7	CLR:00	10.00		73	22.8	66	18.9	62	16.7	69	15	010		29.08			30.04	FM-15	0.00	30.05
31	1753	7	CLR:00	10.00		70	21.1	64	17.7	60	15.6	71	15	010		29.09			30.05	FM-15	0.00	30.06
31	1853	7	CLR:00	10.00		67	19.4	62	16.8	59	15.0	76	14	010		29.10	3	-0.02	30.06	FM-15	0.00	30.07
31	1953	7	CLR:00	10.00		64	17.8	59	15.2	56	13.3	75	10	020		29.12			30.08	FM-15	0.00	30.09
31	2053	7	CLR:00	10.00		62	16.7	57	13.9	53	11.7	73	10	040		29.14			30.10	FM-15	0.00	30.11
31	2153	7	CLR:00	10.00		61	16.1	56	13.3	52	11.1	72	11	040		29.13	0	-0.03	30.08	FM-15	0.00	30.10
31	2253	7	CLR:00	10.00		61	16.1	56	13.3	52	11.1	72	10	040		29.14			30.09	FM-15	0.00	30.11
31	2353	7	CLR:00	10.00		59	15.0	55	12.9	52	11.1	78	8	030		29.16			30.11	FM-15	0.00	30.13

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
August 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01																									01
02																		T	0.10	T		T	T		02
03																					0.03	T			03
04				0.18			T		0.04				T			T	T	T	T	T					04
05																									05
06													T	T											06
07				T	0.02	T	0.01	0.01	0.02	0.02	0.02	T													07
08																					T				08
09																									09
10																									10
11																	T	0.20	0.03		T	T	0.01	0.03	11
12	0.02	T																							12
13																									13
14																									14
15																									15
16																									16
17							0.02	0.05	T						0.02	0.52	0.01	T							17
18																									18
19							0.01	T						T		T									19
20																									20
21																									21
22												0.69	T	0.11	T										22
23																									23
24																									24
25																									25
26																									26
27																									27
28																									28
29									T	T						T						0.02s	T		29
30																									30
31																									31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.35	0.50	0.59	0.66	0.68	0.69	0.69	0.69	0.69	0.77	0.80	0.80
Ending Date Time (yyyy-mm-dd hh:mi)	2017-08-17 15:23	2017-08-17 15:25	2017-08-22 11:39	2017-08-22 11:44	2017-08-22 11:48	2017-08-22 11:56	2017-08-22 11:56	2017-08-22 11:56	2017-08-22 11:56	2017-08-22 13:24	2017-08-22 13:27	2017-08-22 13:27

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
September 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	61	54	57	-13.1				8	0	0600	1904	RA BR	0.11			29.12		12.2	28	040	21	070
02	60	52	56	-13.9				9	0	0601	1903	RA BR	1.08			29.02		5.7	15	070	12	070
03	77	59	68	-1.6				0	3	0602	1901	RA BR	T			29.03		7.5	22	240	17	270
04	85	55	70	0.7				0	5	0603	1859	TS RA FG BR	0.02			28.94		10.9	35	220	26	230
05	74	54	64	-5.0				1	0	0603	1858	TS RA FG BR	0.90			28.84		8.4	24	270	20	270
06	68	47	57	-11.7				8	0	0604	1856	BR	0.00			28.96		6.8	25	280	18	280
07	67	47	57	-11.4				8	0	0605	1855		0.01			29.05		8.8	24	290	18	260
08	67	49	58	-10.1				7	0	0606	1853		T			29.21		5.8	16	290	12	310
09	70	48	59	-8.8				6	0	0607	1851		0.00			29.38		6.8	20	040	13	020
10	70	45	57	-10.4				8	0	0608	1850		0.00			29.41		5.7	14	090	12	050
11	72	48	60	-7.1				5	0	0609	1848		0.00			29.26		5.9	18	040	13	100
12	74	53	64	-2.7				1	0	0610	1846	RA BR	0.13			28.98		6.5	16	010	13	050
13	70	58	64	-2.4				1	0	0611	1845	RA BR	0.33			28.86		5.8	28	210	22	200
14	70	60	65	-1.0				0	0	0612	1843	RA BR	0.06			28.94		2.9	12	170	9	170
15	77	58	67	1.4				0	2	0613	1841	FG BR	0.00			29.11		2.3	10	120	9	100
16	80	56	68	2.8				0	3	0614	1840	FG BR	0.00			29.18		1.4	11	110	8	100
17	82	54	68	3.2				0	3	0615	1838	FG BR	0.00			29.15		1.5	13	150	9	110
18	81	58	69	4.6				0	4	0616	1836	FG BR	T			29.10		2.2	9	210	7	220
19	77	66	72	8.0				0	7	0617	1835	RA BR	0.09			29.02		4.0	18	210	16	220
20	83	65	74	10.4				0	9	0618	1833	TS RA BR	T			29.03		1.4	14	320	13	320
21	89	62	76	12.8				0	11	0619	1831	FG BR	0.00			29.10		1.5	10	100	7	070
22	88	64	76	13.2				0	11	0620	1830	BR	0.00			29.12		1.3	9	240	7	090
23	90	61	75	12.6				0	10	0621	1828		0.00			29.13		3.8	18	090	15	090
24	88	62	75	13.0				0	10	0622	1826		0.00			29.13		4.4	19	150	14	130
25	90	63	76	14.4				0	11	0622	1825		0.00			29.07		2.4	12	100	10	100
26	90*	62	76	14.9				0	11	0624	1823	BR	0.00			29.04		1.2	9	290	7	090
27	89	61	75	14.3				0	10	0624	1822		0.00			29.00		6.8	24	320	18	330
28	72	50	61	0.7				4	0	0625	1820		0.00			29.11		8.7	20	030	16	030
29	74	45	59	-0.9				6	0	0626	1818		0.00			29.16		7.5	25	300	22	300
30	68	45*	56	-3.5				9	0	0627	1817		0.00			29.35		7.1	18	010	15	010
	76.8	55.4	66.1							Monthly Averages | Totals			2.73s			29.10	30.05	5.4				
	0.1	1.7	0.9	Departure from Normal (1981-2010)									-0.19s									

Degree Days

	Monthly Total	Monthly Departure	Season-to-date Total	Season-to-date Departure
Heating	79	-2	86	
Cooling	111	24	825	

Number of days with...

	Temperature Max >=90°	Temperature Max <=32°	Temperature Min <=32°	Temperature Min <=0°	Precipitation >=0.01"	Precipitation >=0.1"	Snow >=1"	Weather T-Storms	Weather Heavy Fog
Heating									
Cooling	3	0s	0	0	9	5			

Date of 5-sec to 3-sec wind equipment change

N/A

Sea Level Pressure

		Date	Time
Maximum	30.46	10	0906
Minimum	29.71	04	2126

Greatest...

24-Hr... Precip	24-Hr... Snowfall	Snow Depth
1.18s		
Date		
01-02		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
September 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	CLR:00	10.00		59	15.0	55	12.9	52	11.1	78	8	040		29.16	0	-0.03	30.11	FM-15	0.00	30.13
01	0153	7	CLR:00	10.00		58	14.4	56	13.2	54	12.2	87	10	040		29.15			30.10	FM-15	0.00	30.12
01	0253	7	CLR:00	10.00		57	13.9	55	13.0	54	12.2	90	7	050		29.15			30.10	FM-15	0.00	30.12
01	0353	7	CLR:00	10.00		58	14.4	55	12.9	53	11.7	84	10	060		29.13	8	+0.02	30.09	FM-15	0.00	30.10
01	0453	7	CLR:00	10.00		57	13.9	54	12.4	52	11.1	83	11	060	22	29.12			30.08	FM-15	0.00	30.09
01	0553	7	CLR:00	10.00		56	13.3	53	11.6	50	10.0	81	10	070		29.13			30.09	FM-15	0.00	30.10
01	0653	7	CLR:00	10.00		55	12.8	52	11.3	50	10.0	83	11	060		29.16	3	-0.02	30.12	FM-15	0.00	30.13
01	0753	7	CLR:00	10.00		56	13.3	52	11.3	49	9.4	77	10	050		29.12			30.08	FM-15	0.00	30.09
01	0853	7	CLR:00	10.00		57	13.9	53	11.5	49	9.4	74	13	070		29.14			30.11	FM-15	0.00	30.11
01	0953	7	CLR:00	10.00		57	13.9	53	11.5	49	9.4	74	14	050		29.14	6	+0.02	30.10	FM-15	0.00	30.11
01	1053	7	CLR:00	10.00		58	14.4	52	11.2	47	8.3	67	16	060	24	29.14			30.10	FM-15	0.00	30.11
01	1153	7	CLR:00	10.00		58	14.4	52	11.0	46	7.8	65	18	050	24	29.12			30.09	FM-15	0.00	30.09
01	1253	7	FEW:02 120	10.00		58	14.4	51	10.7	45	7.2	62	18	050	28	29.11	8	+0.03	30.08	FM-15	0.00	30.08
01	1353	7	CLR:00	10.00		61	16.1	54	12.0	47	8.3	60	16	050	20	29.10			30.07	FM-15	0.00	30.07
01	1453	7	BKN:07 100 OVC:08 120	10.00		60	15.6	52	11.2	45	7.2	58	14	060	24	29.06			30.03	FM-15	0.00	30.03
01	1553	7	SCT:04 41 BKN:07 50 BKN:07 95	10.00		60	15.6	53	11.7	47	8.3	62	14	050		29.06	5	+0.05	30.03	FM-15	T	30.03
01	1653	7	FEW:02 42 OVC:08 60	10.00		60	15.6	53	11.7	47	8.3	62	10	050		29.06			30.03	FM-15	0.00	30.03
01	1753	7	SCT:04 60	10.00		60	15.6	52	11.0	44	6.7	56	16	040	26	29.05			30.02	FM-15	0.00	30.02
01	1853	7	CLR:00	10.00		60	15.6	52	11.0	44	6.7	56	13	050		29.07	3	-0.00	30.03	FM-15	0.00	30.04
01	1953	7	CLR:00	10.00		60	15.6	52	11.2	45	7.2	58	10	070		29.07			30.03	FM-15	0.00	30.04
01	2053	7	CLR:00	10.00		60	15.6	52	11.2	45	7.2	58	14	060		29.06			30.03	FM-15	0.00	30.03
01	2153	7	BKN:07 50	10.00		60	15.6	53	11.5	46	7.8	60	11	060		29.06	7	+0.01	30.02	FM-15	0.00	30.03
01	2253	7	OVC:08 45	10.00	-RA:02 |RA |	57	13.9	53	11.5	49	9.4	74	9	060		29.04			30.01	FM-15	0.01	30.01
01	2353	7	OVC:08 37	6.00	RA:02 BR:1 |RA |	55	12.8	53	11.9	52	11.1	90	7	060		29.04			30.00	FM-15	0.10	30.01
02	0030	7	BKN:07 28 OVC:08 33	4.00	RA:02 BR:1 |RA |	54	12.2	53	11.6	52	11.1	93	9	060		29.03				FM-16	0.08	30.00
02	0053	7	OVC:08 28	3.00	+RA:02 BR:1 |RA |	53	11.7	52	11.4	52	11.1	96	8	070		29.03	6	+0.03	30.00	FM-15	0.17	30.00
02	0113	7	SCT:04 25 OVC:08 32	3.00	RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	9	060		29.02				FM-16	0.11	29.99
02	0135	7	BKN:07 23 OVC:08 32	10.00	-RA:02 |RA |	53	11.7	53	11.7	53	11.7	100	8	070		29.02				FM-16	0.14	29.99
02	0153	7	OVC:08 26	10.00		53	11.7	53	11.7	53	11.7	100	9	050		29.01			29.98	FM-15	0.11	29.98
02	0236	7	FEW:02 9 OVC:08 26	10.00		53	11.7	53	11.7	53	11.7	100	7	070		29.00				FM-16	T	29.97
02	0253	7	FEW:02 8 BKN:07 26 OVC:08 36	3.00	RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	8	070		29.00			29.97	FM-15	0.04	29.97
02	0353	7	OVC:08 22	10.00	-RA:02 |RA |	53	11.7	53	11.7	53	11.7	100	8	050		28.99	6	+0.04	29.96	FM-15	0.05	29.96
02	0451	6	FEW:02 10 BKN:07 14 OVC:08 19	4.00	-RA:02 BR:1 |RA |	54	12.0	54	12.2	54	12.0	100	8	070		28.99				FM-16		29.96
02	0453	7	SCT:04 10 BKN:07 14 OVC:08 19	5.00	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	9	070		28.99			29.96	FM-15	0.01	29.96
02	0511	7	BKN:07 9 OVC:08 13	2.50	RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	8	070		28.99				FM-16	0.04	29.96

02	0553	7	OVC:08 7	2.50	RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	8	070		28.99			29.96	FM-15	0.20	29.96
02	0638	7	OVC:08 14	3.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	7	080		29.00				FM-16	0.07	29.97
02	0653	7	OVC:08 14	4.00	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	7	080		29.01	3	-0.02	29.97	FM-15	0.09	29.98
02	0746	7	OVC:08 17	8.00	-RA:02 |RA |	53	11.7	53	11.7	53	11.7	100	7	080		29.00				FM-16	0.02	29.97
02	0753	7	OVC:08 17	8.00	-RA:02 |RA |	54	12.2	53	11.9	53	11.7	97	7	080		29.00			29.97	FM-15	0.01	29.97
02	0841	7	OVC:08 14	8.00	-RA:02 |RA |	54	12.2	54	12.2	54	12.2	100	5	070		29.00				FM-16	0.01	29.97
02	0853	7	OVC:08 14	10.00		55	12.8	54	12.5	54	12.2	96	5	060		29.01			29.98	FM-15	0.01	29.98
02	0953	7	OVC:08 12	6.00	BR:1 ||	56	13.3	55	13.0	55	12.8	97	5	050		29.01	3	-0.01	29.98	FM-15	0.00	29.98
02	1016	7	OVC:08 11	2.00	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	5	070		29.01				FM-16	T	29.98
02	1026	7	OVC:08 9	2.50	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	5	060		29.01				FM-16	T	29.98
02	1051	6	BKN:07 4 OVC:08 9	2.00	-RA:02 BR:1 |RA |	55	13.0	55	12.8	55	13.0	100	6	070		29.01				FM-16		29.98
02	1053	7	BKN:07 4 OVC:08 9	2.00	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	5	070		29.01			29.98	FM-15	0.02	29.98
02	1153	7	OVC:08 4	2.00	-RA:02 BR:1 |RA |	57	13.9	57	13.9	57	13.9	100	3	080		29.01			29.97	FM-15	0.06	29.98
02	1251	6	OVC:08 4	1.75	-RA:02 BR:1 |RA |	57	14.0	57	13.9	57	14.0	100	3	100		29.01				FM-16		29.98
02	1253	7	BKN:07 6 OVC:08 13	1.50	-RA:02 BR:1 |RA |	58	14.4	58	14.4	58	14.4	100	3	100		29.01	5	+0.00	29.98	FM-15	0.03	29.98
02	1353	7	BKN:07 8 OVC:08 12	1.50	BR:1 ||	59	15.0	59	15.0	59	15.0	100	0	000		29.00			29.97	FM-15	0.01	29.97
02	1453	7	BKN:07 6 OVC:08 10	1.50	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	0	000		29.00			29.96	FM-15	0.07	29.97
02	1553	7	BKN:07 6 OVC:08 10	1.50	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	5	210		29.00	6	+0.01	29.96	FM-15	0.06	29.97
02	1605	7	BKN:07 5 OVC:08 10	1.50	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	3	220		29.00				FM-16	0.02	29.97
02	1653	7	BKN:07 5 OVC:08 10	1.50	-RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	5	220		29.00			29.96	FM-15	0.08	29.97
02	1657	7	SCT:04 7 OVC:08 11	3.00	-RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	6	220		29.00				FM-16	T	29.97
02	1700	7	BKN:07 7 OVC:08 11	3.00	-RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	6	220		29.00				FM-16	T	29.97
02	1751	6	FEW:02 5 BKN:07 35 OVC:08 44	2.50	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	6	240		29.01				FM-16		29.98
02	1753	7	FEW:02 5 SCT:04 16 OVC:08 35	2.00	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	6	240		29.01			29.97	FM-15	0.04	29.98
02	1756	7	FEW:02 16 OVC:08 35	1.50	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	6	240		29.01				FM-16	0.01	29.98
02	1757	7	BKN:07 7 OVC:08 35	1.50	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	6	240		29.01				FM-16	0.01	29.98
02	1853	7	BKN:07 7 OVC:08 35	1.50	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	7	260		29.01	3	-0.01	29.98	FM-15	0.01	29.98
02	1900	7	BKN:07 13 OVC:08 19	10.00		59	15.0	59	15.0	59	15.0	100	6	260		29.01				FM-16	T	29.98
02	1930	7	OVC:08 11	3.00	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	6	230		29.01				FM-16	T	29.98
02	1953	7	OVC:08 11	3.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	6	240		29.01			29.98	FM-15	T	29.98
02	1958	7	BKN:07 10 OVC:08 25	5.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	6	240		29.01				FM-16		29.98
02	2053	7	BKN:07 10 OVC:08 25	5.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	6	240		29.02			29.99	FM-15	0.00	29.99
02	2055	7	BKN:07 6 OVC:08 14	5.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	7	240		29.02				FM-16		29.99
02	2153	7	OVC:08 9	10.00		59	15.0	59	15.0	59	15.0	100	6	210		29.02	0	-0.01	29.98	FM-15	0.00	29.99
02	2231	7	OVC:08 10	8.00		59	15.0	59	15.0	59	15.0	100	7	230		29.02				FM-16		29.99
02	2253	7	OVC:08 10	8.00		59	15.0	59	15.0	59	15.0	100	6	230		29.03			29.99	FM-15	0.00	30.00
02	2303	7	OVC:08 9	8.00		59	15.0	59	15.0	59	15.0	100	7	230		29.02				FM-16		29.99
02	2333	7	SCT:04 7 BKN:07 44 OVC:08 50	6.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	6	230		29.02				FM-16		29.99

02	2345	7	SCT:04 7 BKN:07 11 OVC:08 46	4.00	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	6	230		29.02				FM-16	0.01	29.99
02	2351	6	SCT:04 9 BKN:07 28 OVC:08 37	4.00	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	6	220		29.02				FM-16		29.99
02	2353	7	SCT:04 9 BKN:07 28 OVC:08 37	5.00	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	6	220		29.02			29.99	FM-15	0.01	29.99
03	0000	7	BKN:07 8 BKN:07 12 OVC:08 29	7.00		59	15.0	59	15.0	59	15.0	100	6	220		29.02				FM-16	T	29.99
03	0053	7	OVC:08 6	6.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	9	240		29.02	5	+0.00	29.98	FM-15	0.00	29.99
03	0153	7	OVC:08 6	6.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	10	240		29.01			29.97	FM-15	0.00	29.98
03	0253	7	BKN:07 8 OVC:08 110	6.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	10	240		29.00			29.96	FM-15	0.00	29.97
03	0310	7	FEW:02 8 BKN:07 90 OVC:08 110	6.00	-RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	9	230		29.00				FM-16	T	29.97
03	0353	7	FEW:02 7 BKN:07 70 OVC:08 85	6.00	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	8	230		29.01	5	+0.01	29.97	FM-15	T	29.98
03	0451	6	BKN:07 7 OVC:08 60	5.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	8	240		29.02				FM-16		29.99
03	0453	7	BKN:07 7 OVC:08 60	5.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	7	240		29.02			29.98	FM-15	T	29.99
03	0530	7	SCT:04 7 OVC:08 50	5.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	9	230		29.03				FM-16		30.00
03	0553	7	FEW:02 8 OVC:08 48	5.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	6	230		29.03			29.99	FM-15	0.00	30.00
03	0653	7	OVC:08 43	4.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	7	220		29.04	3	-0.02	30.00	FM-15	0.00	30.01
03	0751	6	FEW:02 8 BKN:07 43 OVC:08 60	5.00	BR:1 ||	61	16.0	60	15.5	59	15.0	94	7	230		29.04				FM-16		30.01
03	0753	7	FEW:02 8 BKN:07 43 OVC:08 60	5.00	BR:1 ||	60	15.6	59	15.2	59	15.0	96	9	220		29.04			30.01	FM-15	0.00	30.01
03	0853	7	BKN:07 48	10.00		62	16.7	60	15.7	59	15.0	90	7	260		29.05			30.01	FM-15	0.00	30.02
03	0953	7	FEW:02 43	10.00		67	19.4	63	17.1	60	15.6	79	13	260	17	29.06	3	-0.01	30.02	FM-15	0.00	30.03
03	1053	7	FEW:02 27	10.00		69	20.6	63	17.2	59	15.0	70	10	300		29.06			30.01	FM-15	0.00	30.03
03	1153	7	SCT:04 32	10.00		71	21.7	64	17.9	60	15.6	68	10	280		29.05			30.01	FM-15	0.00	30.02
03	1253	7	BKN:07 36	10.00		72	22.2	65	18.1	60	15.6	66	9	290		29.05	8	+0.01	30.01	FM-15	0.00	30.02
03	1353	7	FEW:02 43	10.00		75	23.9	65	18.1	58	14.4	55	9	280	20	29.04			29.99	FM-15	0.00	30.01
03	1453	7	FEW:02 48	10.00		75	23.9	65	18.1	58	14.4	55	11	280		29.03			29.99	FM-15	0.00	30.00
03	1553	7	FEW:02 50	10.00		76	24.4	64	18.0	57	13.9	52	16	270		29.04	6	+0.01	29.99	FM-15	0.00	30.01
03	1653	7	CLR:00	10.00		77	25.0	65	18.2	57	13.9	50	10	260		29.03			29.99	FM-15	0.00	30.00
03	1753	7	CLR:00	10.00		75	23.9	63	17.2	55	12.8	50	9	270		29.04			29.99	FM-15	0.00	30.01
03	1853	7	CLR:00	10.00		68	20.0	61	16.1	56	13.3	65	5	270		29.05	3	-0.01	30.01	FM-15	0.00	30.02
03	1953	7	CLR:00	10.00		70	21.1	61	16.2	55	12.8	59	0	000		29.05			30.01	FM-15	0.00	30.02
03	2053	7	CLR:00	10.00		65	18.3	60	15.4	56	13.3	73	0	000		29.06			30.01	FM-15	0.00	30.03
03	2153	7	CLR:00	10.00		63	17.2	60	15.3	57	13.9	81	0	000		29.06	3	-0.01	30.02	FM-15	0.00	30.03
03	2253	7	CLR:00	10.00		60	15.6	59	14.9	58	14.4	93	0	000		29.05			30.01	FM-15	0.00	30.02
03	2353	7	CLR:00	9.00		60	15.6	59	14.9	58	14.4	93	3	230		29.05			30.00	FM-15	0.00	30.02
04	0053	7	CLR:00	10.00		59	15.0	58	14.7	58	14.4	96	0	000		29.04	7	+0.02	30.00	FM-15	0.00	30.01
04	0153	7	CLR:00	10.00		59	15.0	57	14.1	56	13.3	90	0	000		29.03			29.99	FM-15	0.00	30.00
04	0253	7	CLR:00	10.00		56	13.3	56	13.3	56	13.3	100	0	000		29.03			29.98	FM-15	0.00	30.00
04	0353	7	CLR:00	10.00		58	14.4	57	14.1	57	13.9	97	5	150		29.02	6	+0.01	29.98	FM-15	0.00	29.99
04	0453	7	CLR:00	6.00	BR:1 ||	55	12.8	55	12.8	55	12.8	100	0	000		29.02			29.98	FM-15	0.00	29.99
04	0553	7	CLR:00	9.00		57	13.9	57	13.9	57	13.9	100	5	150		29.01			29.97	FM-15	0.00	29.98
04	0640	7	SCT:04 3 SCT:04 32	2.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	6	170		29.01				FM-16		29.98

04	0647	7	BKN:07 3 BKN:07 32	0.50	FG:2 |FG |	59	15.0	59	15.0	59	15.0	100	6	170		29.01				FM-16		29.98
04	0653	7	BKN:07 2 BKN:07 32	0.25	FG:2 |FG |	59	15.0	59	15.0	59	15.0	100	6	170		29.01	7	+0.01	29.97	FM-15	0.00	29.98
04	0750	7	OVC:08 2	0.50	FG:2 |FG |	61	16.0	61	16.1	61	16.0	100	10	190		29.00				FM-16		29.97
04	0753	7	OVC:08 2	0.50	FG:2 |FG |	61	16.1	61	16.1	61	16.1	100	10	190		29.00			29.96	FM-15	0.00	29.97
04	0813	7	OVC:08 2	1.25	BR:1 ||	62	16.7	62	16.7	62	16.7	100	9	190		28.99				FM-16		29.96
04	0825	7	OVC:08 2	2.50	BR:1 ||	63	17.2	63	17.2	63	17.2	100	8	190		28.99				FM-16		29.96
04	0834	7	OVC:08 3	3.00	BR:1 ||	63	17.2	63	17.2	63	17.2	100	7	190		28.99				FM-16		29.96
04	0853	7	OVC:08 4	5.00	BR:1 ||	66	18.9	66	18.9	66	18.9	100	7	180		28.99			29.95	FM-15	0.00	29.96
04	0907	7	BKN:07 6 OVC:08 12	6.00	BR:1 ||	67	19.4	66	19.1	66	18.9	97	9	200		28.98				FM-16		29.95
04	0953	7	OVC:08 8	6.00	BR:1 ||	70	21.1	69	20.4	68	20.0	93	13	200		28.98	8	+0.02	29.93	FM-15	0.00	29.95
04	1039	7	OVC:08 11	6.00	BR:1 ||	73	22.8	70	21.3	69	20.6	87	14	190		28.97				FM-16		29.94
04	1053	7	BKN:07 13	7.00		74	23.3	71	21.5	69	20.6	85	9	210		28.96			29.92	FM-15	0.00	29.93
04	1103	7	SCT:04 13	7.00		75	23.9	71	21.7	69	20.6	82	13	210		28.96				FM-16		29.93
04	1153	7	FEW:02 13	10.00		79	26.1	72	22.4	69	20.6	72	15	210	20	28.94			29.89	FM-15	0.00	29.91
04	1253	7	FEW:02 32	10.00		81	27.2	73	23.1	70	21.1	69	15	240		28.90	8	+0.07	29.85	FM-15	0.00	29.87
04	1353	7	BKN:07 36	10.00		83	28.3	74	23.4	70	21.1	65	17	210		28.89			29.83	FM-15	0.00	29.85
04	1453	7	BKN:07 42	10.00		84	28.9	74	23.2	69	20.6	61	17	220	28	28.86			29.80	FM-15	0.00	29.82
04	1553	7	SCT:04 44	10.00		84	28.9	74	23.2	69	20.6	61	17	210	30	28.84	6	+0.07	29.78	FM-15	0.00	29.80
04	1653	7	BKN:07 47	10.00		83	28.3	74	23.4	70	21.1	65	17	220	24	28.83			29.78	FM-15	0.00	29.79
04	1753	7	BKN:07 48	10.00		81	27.2	73	23.0	70	21.1	69	17	210	28	28.80			29.74	FM-15	0.00	29.76
04	1853	7	FEW:02 44	10.00		79	26.1	73	22.7	70	21.1	74	13	210		28.81	5	+0.03	29.75	FM-15	0.00	29.77
04	1953	7	BKN:07 47	10.00		79	26.1	72	22.4	69	20.6	72	18	210		28.84			29.78	FM-15	0.00	29.80
04	2053	7	CLR:00	10.00		77	25.0	72	22.0	69	20.6	77	13	200	23	28.80			29.75	FM-15	0.00	29.76
04	2153	7	CLR:00	10.00		76	24.4	71	21.8	69	20.6	79	17	210	24	28.80	8	+0.01	29.74	FM-15	0.00	29.76
04	2251	6	BKN:07 41 OVC:08 55	10.00	VCTS:7 ||	75	24.0	70	21.3	68	20.0	78	11	230		28.83				FM-16		29.79
04	2253	7	BKN:07 39 OVC:08 50	10.00	VCTS:7 ||	76	24.4	71	21.5	68	20.0	77	15	230		28.83			29.77	FM-15	0.00	29.79
04	2328	7	FEW:02 30 BKN:07 100 OVC:08 110	6.00	-RA:02 BR:1 |RA |	69	20.6	68	19.8	67	19.4	93	16	260	26	28.83				FM-16	0.01	29.79
04	2339	7	FEW:02 50 SCT:04 100 OVC:08 120	6.00	VCTS:7 -RA:02 BR:1 |RA |	69	20.6	68	19.8	67	19.4	93	9	220		28.80				FM-16	0.02	29.76
04	2353	7	SCT:04 95 OVC:08 110	7.00	VCTS:7 -RA:02 |RA |	69	20.6	68	19.8	67	19.4	93	16	190		28.78			29.72	FM-15	0.02	29.74
05	0000	7	SCT:04 95 OVC:08 110	7.00	TS:7 -RA:02 |RA TS TS |	69	20.6	68	19.8	67	19.4	93	13	200	21	28.80				FM-16	T	29.76
05	0015	7	FEW:02 95 OVC:08 110	6.00	VCTS:7 -RA:02 BR:1 |RA |	68	20.0	67	19.3	66	18.9	93	10	240		28.83				FM-16	0.01	29.79
05	0033	7	FEW:02 43 FEW:02 100 BKN:07 110	5.00	TS:7 -RA:02 BR:1 |RA TS |	68	20.0	67	19.3	66	18.9	93	6	250		28.82				FM-16	0.01	29.78
05	0048	7	FEW:02 42 FEW:02 65 BKN:07 90	5.00	VCTS:7 -RA:02 BR:1 |RA |	66	19.0	66	18.9	66	19.0	100	5	260		28.82				FM-16	0.02	29.78
05	0053	7	FEW:02 70 BKN:07 90 BKN:07 110	4.00	VCTS:7 -RA:02 BR:1 |RA |	67	19.4	66	19.1	66	18.9	97	3	VRB		28.80	6	+0.02	29.74	FM-15	0.04	29.76
05	0101	7	FEW:02 50 BKN:07 90 OVC:08 110	2.50	TS:7 RA:02 BR:1 |RA TS |	67	19.4	66	19.1	66	18.9	97	10	200		28.82				FM-16	0.04	29.78
05	0111	7	SCT:04 40 BKN:07 60 OVC:08 110	1.75	TS:7 RA:02 BR:1 |RA TS |	66	18.9	66	18.9	66	18.9	100	13	220		28.84				FM-16	0.14	29.81
05	0119	7	FEW:02 33 BKN:07 49 OVC:08 110	2.50	TS:7 +RA:02 BR:1 |RA TS |	66	18.9	66	18.9	66	18.9	100	11	200		28.82				FM-16	0.18	29.78

05	0138	7	FEW:02 30 BKN:07 95 OVC:08 110	3.00	TS:7 -RA:02 BR:1 |RA TS |	66	18.9	66	18.9	66	18.9	100	11	270		28.84				FM-16	0.24	29.80
05	0151	6	BKN:07 95 OVC:08 120	3.00	VCTS:7 -RA:02 BR:1 |RA |	66	19.0	66	18.9	66	19.0	100	11	180		28.80				FM-16		29.76
05	0153	7	BKN:07 100 OVC:08 120	3.00	VCTS:7 -RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100	9	170		28.79			29.73	FM-15	0.23	29.75
05	0215	7	FEW:02 40 BKN:07 95 OVC:08 120	1.75	TS:7 +RA:02 BR:1 |RA TS |	65	18.3	65	18.3	65	18.3	100	5	290		28.80				FM-16	0.06	29.76
05	0226	7	FEW:02 40 SCT:04 85 OVC:08 110	2.50	TS:7 -RA:02 BR:1 |RA TS |	65	18.3	65	18.3	65	18.3	100	0	000		28.80				FM-16	0.07	29.76
05	0233	7	FEW:02 40 BKN:07 90 OVC:08 110	3.00	VCTS:7 BR:1 ||	65	18.3	65	18.3	65	18.3	100	3	310		28.80				FM-16	0.07	29.76
05	0246	7	SCT:04 42 BKN:07 65 OVC:08 110	2.50	-RA:02 BR:1 |RA |	65	18.3	65	18.3	65	18.3	100	6	280		28.81				FM-16	0.09	29.77
05	0251	7	SCT:04 26 BKN:07 42 OVC:08 110	1.25	VCTS:7 +RA:02 BR:1 |RA |	64	18.0	64	17.8	64	18.0	100	7	280		28.81				FM-16	0.18	29.77
05	0253	7	SCT:04 26 BKN:07 42 OVC:08 65	1.00	VCTS:7 +RA:02 BR:1 |RA |	65	18.3	65	18.3	65	18.3	100	6	290		28.80			29.74	FM-15	0.31	29.76
05	0301	7	SCT:04 29 BKN:07 41 OVC:08 60	1.00	TS:7 +RA:02 BR:1 |RA TS |	65	18.3	65	18.3	65	18.3	100	9	310		28.81				FM-16	0.18	29.77
05	0313	7	SCT:04 27 OVC:08 37	3.00	TS:7 -RA:02 BR:1 |RA TS |	65	18.3	65	18.3	65	18.3	100	6	310		28.80				FM-16	0.21	29.76
05	0323	7	FEW:02 16 FEW:02 28 OVC:08 33	4.00	VCTS:7 BR:1 ||	65	18.3	65	18.3	65	18.3	100	5	220		28.80				FM-16	0.21	29.76
05	0335	7	SCT:04 14 OVC:08 34	4.00	TS:7 BR:1 |TS TS |	65	18.3	65	18.3	65	18.3	100	3	140		28.78				FM-16	0.21	29.74
05	0342	7	BKN:07 14 OVC:08 32	3.00	TS:7 BR:1 |TS TS |	65	18.3	65	18.3	65	18.3	100	9	290		28.82				FM-16	0.24	29.78
05	0345	7	BKN:07 12 OVC:08 32	0.75	TS:7 +RA:02 BR:1 |RA TS |	65	18.3	65	18.3	65	18.3	100	3	220		28.79				FM-16	0.42	29.75
05	0351	6	FEW:02 6 OVC:08 12	0.50	TS:7 -RA:02 FG:2 |FG RA TS |	64	18.0	64	17.8	64	18.0	100	3	220		28.81				FM-16		29.77
05	0353	7	FEW:02 6 OVC:08 12	0.75	TS:7 -RA:02 BR:1 |RA TS |	65	18.3	65	18.3	65	18.3	100	5	230		28.81	3	-0.01	29.75	FM-15	0.32	29.77
05	0356	7	SCT:04 6 OVC:08 12	2.00	TS:7 -RA:02 BR:1 |RA TS |	65	18.3	65	18.3	65	18.3	100	3	250		28.81				FM-16	T	29.77
05	0402	7	FEW:02 6 OVC:08 12	3.00	VCTS:7 -RA:02 BR:1 |RA |	65	18.3	65	18.3	65	18.3	100	0	000		28.81				FM-16	T	29.77
05	0419	7	SCT:04 6 OVC:08 12	3.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	0	000		28.82				FM-16	T	29.78
05	0453	7	BKN:07 12 OVC:08 18	3.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	3	230		28.82			29.75	FM-15	T	29.78
05	0553	7	OVC:08 14	4.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	5	290		28.82			29.75	FM-15	0.00	29.78
05	0618	7	SCT:04 9 BKN:07 13 OVC:08 22	3.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	3	260		28.83				FM-16		29.79
05	0625	7	SCT:04 8 BKN:07 13 BKN:07 22	2.50	BR:1 ||	65	18.3	65	18.3	65	18.3	100	5	280		28.84				FM-16		29.80
05	0636	7	SCT:04 8 BKN:07 20	3.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	6	290		28.84				FM-16		29.80
05	0653	7	BKN:07 20	4.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	6	290		28.84	3	-0.03	29.78	FM-15	0.00	29.80
05	0709	7	SCT:04 19	5.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	5	290		28.84				FM-16		29.80
05	0753	7	SCT:04 17	8.00		64	17.8	64	17.8	64	17.8	100	7	280		28.84			29.79	FM-15	0.00	29.81
05	0821	7	BKN:07 13	10.00		64	17.8	63	17.1	62	16.7	93	9	300		28.86				FM-16		29.82

05	0853	7	SCT:04 10 BKN:07 12	10.00		64	17.8	63	17.4	63	17.2	96	8	300		28.86			29.80	FM-15	0.00	29.82
05	0951	6	FEW:02 12	10.00		66	19.0	64	17.9	63	17.0	88	8	270		28.87				FM-16		29.83
05	0953	7	FEW:02 12	10.00		66	18.9	64	17.9	63	17.2	90	7	260		28.87	2	-0.03	29.81	FM-15	0.00	29.83
05	1053	7	CLR:00	10.00		68	20.0	63	17.0	59	15.0	73	13	290		28.87			29.81	FM-15	0.00	29.83
05	1153	7	CLR:00	10.00		71	21.7	64	17.9	60	15.6	68	11	260		28.87			29.82	FM-15	0.00	29.83
05	1253	7	FEW:02 75	10.00		72	22.2	63	17.5	58	14.4	61	11	240		28.87	6	+0.00	29.81	FM-15	0.00	29.83
05	1353	7	FEW:02 46	10.00		74	23.3	64	17.9	58	14.4	57	13	250	22	28.87			29.81	FM-15	0.00	29.83
05	1453	7	FEW:02 50	10.00		73	22.8	62	16.8	55	12.8	53	15	290	23	28.84			29.79	FM-15	0.00	29.81
05	1553	7	CLR:00	10.00		72	22.2	61	16.1	53	11.7	52	11	260		28.86	5	+0.02	29.80	FM-15	0.00	29.82
05	1653	7	CLR:00	10.00		71	21.7	60	15.6	52	11.1	51	14	290		28.86			29.80	FM-15	0.00	29.82
05	1655	7	FEW:02 55	10.00		71	21.7	60	15.6	52	11.1	51	11	300		28.86				FM-16		29.82
05	1753	7	FEW:02 55	10.00		69	20.6	58	14.6	50	10.0	51	10	290		28.87			29.81	FM-15	0.00	29.83
05	1756	7	FEW:02 55	10.00		69	20.6	59	14.9	51	10.6	53	10	290		28.87				FM-16		29.83
05	1853	7	FEW:02 55	10.00		64	17.8	57	13.7	51	10.6	63	11	290		28.89	3	-0.04	29.84	FM-15	0.00	29.85
05	1856	7	CLR:00	10.00		65	18.3	57	13.7	50	10.0	59	11	290		28.90				FM-16		29.86
05	1953	7	CLR:00	10.00		62	16.7	55	13.0	50	10.0	65	8	290		28.91			29.87	FM-15	0.00	29.88
05	2053	7	CLR:00	10.00		59	15.0	54	12.3	50	10.0	72	8	300		28.92			29.88	FM-15	0.00	29.89
05	2153	7	CLR:00	10.00		58	14.4	54	12.0	50	10.0	75	5	270		28.93	1	-0.04	29.89	FM-15	0.00	29.90
05	2253	7	CLR:00	10.00		55	12.8	52	11.3	50	10.0	83	7	290		28.94			29.91	FM-15	0.00	29.91
05	2353	7	CLR:00	10.00		54	12.2	52	11.0	50	10.0	87	6	290		28.95			29.91	FM-15	0.00	29.92
06	0053	7	CLR:00	10.00		52	11.1	51	10.5	50	10.0	93	8	290		28.94	0	-0.01	29.90	FM-15	0.00	29.91
06	0153	7	CLR:00	10.00		51	10.6	50	10.3	50	10.0	96	8	300		28.94			29.90	FM-15	0.00	29.91
06	0253	7	CLR:00	10.00		52	11.1	51	10.5	50	10.0	93	3	150		28.94			29.90	FM-15	0.00	29.91
06	0353	7	CLR:00	10.00		50	10.0	50	10.0	50	10.0	100	0	000		28.95	3	-0.01	29.91	FM-15	0.00	29.92
06	0453	7	CLR:00	5.00	BR:1 ||	50	10.0	50	10.0	50	10.0	100	0	000		28.95			29.91	FM-15	0.00	29.92
06	0553	7	CLR:00	7.00		50	10.0	50	10.0	50	10.0	100	3	270		28.95			29.91	FM-15	0.00	29.92
06	0653	7	CLR:00	7.00		51	10.6	50	10.3	50	10.0	96	3	280		28.96	3	-0.01	29.93	FM-15	0.00	29.93
06	0753	7	CLR:00	10.00		56	13.3	54	12.1	52	11.1	87	3	310		28.97			29.94	FM-15	0.00	29.94
06	0853	7	CLR:00	10.00		60	15.6	55	12.5	50	10.0	70	5	320		28.98			29.94	FM-15	0.00	29.95
06	0953	7	CLR:00	10.00		62	16.7	56	13.3	51	10.6	67	6	290		28.98	1	-0.02	29.95	FM-15	0.00	29.95
06	1053	7	SCT:04 30	10.00		64	17.8	57	13.8	51	10.6	63	6	210		28.98			29.94	FM-15	0.00	29.95
06	1153	7	SCT:04 38 BKN:07 60 OVC:08 75	10.00		63	17.2	56	13.5	51	10.6	65	8	260		28.97			29.94	FM-15	0.00	29.94
06	1253	7	FEW:02 45 OVC:08 90	10.00		65	18.3	56	13.4	49	9.4	56	7	240		28.97	6	+0.01	29.93	FM-15	0.00	29.94
06	1353	7	FEW:02 47 OVC:08 95	10.00		68	20.0	57	13.9	48	8.9	49	10	250		28.96			29.92	FM-15	0.00	29.93
06	1453	7	FEW:02 60 SCT:04 100	10.00		63	17.2	54	12.4	47	8.3	56	14	290		28.96			29.93	FM-15	0.00	29.93
06	1553	7	OVC:08 100	10.00		64	17.8	55	12.9	48	8.9	56	11	300		28.96	6	+0.01	29.93	FM-15	0.00	29.93
06	1653	7	FEW:02 45 SCT:04 55 BKN:07 110	10.00		64	17.8	56	13.2	49	9.4	58	11	310		28.96			29.93	FM-15	0.00	29.93
06	1753	7	BKN:07 100	10.00		63	17.2	54	12.2	46	7.8	54	16	280		28.97			29.94	FM-15	0.00	29.94
06	1853	7	FEW:02 44	10.00		57	13.9	52	11.2	48	8.9	72	9	330		28.98	3	-0.02	29.95	FM-15	0.00	29.95
06	1953	7	CLR:00	10.00		55	12.8	52	11.3	50	10.0	83	7	320		29.00			29.96	FM-15	0.00	29.97
06	2053	7	CLR:00	10.00		52	11.1	50	10.2	49	9.4	89	5	270		29.01			29.98	FM-15	0.00	29.98
06	2153	7	CLR:00	10.00		53	11.7	51	10.5	49	9.4	86	5	250		29.02	1	-0.04	29.98	FM-15	0.00	29.99
06	2253	7	FEW:02 80	10.00		51	10.6	49	9.7	48	8.9	89	5	250		29.03			29.99	FM-15	0.00	30.00
06	2353	7	CLR:00	10.00		50	10.0	49	9.7	49	9.4	96	8	270		29.02			29.99	FM-15	0.00	29.99
07	0053	7	CLR:00	10.00		50	10.0	49	9.7	49	9.4	96	8	270		29.02	8	+0.00	29.98	FM-15	0.00	29.99
07	0153	7	CLR:00	10.00		49	9.4	48	9.2	48	8.9	97	9	280		29.02			29.98	FM-15	0.00	29.99
07	0253	7	CLR:00	10.00		49	9.4	48	9.2	48	8.9	97	8	270		29.02			29.99	FM-15	0.00	29.99
07	0353	7	CLR:00	10.00		47	8.3	47	8.3	47	8.3	100	5	260		29.02	1	-0.00	29.99	FM-15	0.00	29.99
07	0453	7	CLR:00	10.00		47	8.3	47	8.3	47	8.3	100	7	260		29.03			30.00	FM-15	0.00	30.00
07	0553	7	CLR:00	10.00		47	8.3	47	8.3	47	8.3	100	6	250		29.04			30.01	FM-15	0.00	30.01

07	0653	7	CLR:00	10.00		49	9.4	48	9.2	48	8.9	97	6	250		29.06	3	-0.04	30.03	FM-15	0.00	30.03
07	0753	7	CLR:00	10.00		52	11.1	50	10.2	49	9.4	89	8	270		29.07			30.03	FM-15	0.00	30.04
07	0853	7	BKN:07 80	10.00		57	13.9	54	12.1	51	10.6	81	10	280		29.08			30.04	FM-15	0.00	30.05
07	0953	7	CLR:00	10.00		62	16.7	56	13.6	52	11.1	70	11	270	21	29.08	1	-0.02	30.04	FM-15	0.00	30.05
07	1053	7	BKN:07 34	10.00		64	17.8	57	13.8	51	10.6	63	15	260	21	29.09			30.05	FM-15	0.00	30.06
07	1153	7	BKN:07 39	10.00		65	18.3	57	13.7	50	10.0	59	10	270	22	29.08			30.04	FM-15	0.00	30.05
07	1253	7	BKN:07 47 OVC:08 65	10.00		63	17.2	55	13.0	49	9.4	60	15	270		29.07	8	+0.00	30.04	FM-15	0.00	30.04
07	1353	7	OVC:08 90	10.00		65	18.3	57	13.7	50	10.0	59	14	240		29.07			30.04	FM-15	0.00	30.04
07	1453	7	OVC:08 90	10.00		65	18.3	56	13.2	48	8.9	54	14	260		29.06			30.03	FM-15	0.00	30.03
07	1553	7	BKN:07 90	10.00		65	18.3	56	13.2	48	8.9	54	14	260		29.06	6	+0.01	30.03	FM-15	0.00	30.03
07	1653	7	BKN:07 95	10.00		65	18.3	56	13.2	48	8.9	54	11	260	22	29.06			30.03	FM-15	0.00	30.03
07	1753	7	OVC:08 95	10.00		63	17.2	55	12.7	48	8.9	58	14	270		29.07			30.04	FM-15	0.00	30.04
07	1853	7	BKN:07 90	10.00		60	15.6	54	12.3	49	9.4	67	6	260		29.08	3	-0.02	30.05	FM-15	0.00	30.05
07	1953	7	SCT:04 60 SCT:04 75 OVC:08 100	10.00		60	15.6	55	12.5	50	10.0	70	6	250		29.10			30.06	FM-15	0.00	30.07
07	2053	7	SCT:04 48 BKN:07 55 OVC:08 100	10.00		58	14.4	54	12.3	51	10.6	78	6	260		29.12			30.09	FM-15	0.00	30.09
07	2153	7	FEW:02 55 SCT:04 80 BKN:07 100	10.00		55	12.8	53	11.6	51	10.6	87	6	260		29.13	1	-0.05	30.09	FM-15	0.01	30.10
07	2253	7	BKN:07 80 OVC:08 100	10.00		57	13.9	55	12.7	53	11.7	87	3	240		29.13			30.09	FM-15	0.00	30.10
07	2353	7	OVC:08 65	10.00		57	13.9	54	12.4	52	11.1	83	0	000		29.14			30.10	FM-15	0.00	30.11
08	0053	7	FEW:02 65 OVC:08 80	10.00		57	13.9	54	12.4	52	11.1	83	5	230		29.14	1	-0.01	30.10	FM-15	0.00	30.11
08	0153	7	OVC:08 100	10.00		57	13.9	54	12.1	51	10.6	81	9	240		29.14			30.11	FM-15	0.00	30.11
08	0253	7	CLR:00	10.00		55	12.8	52	11.3	50	10.0	83	7	260		29.15			30.11	FM-15	0.00	30.12
08	0353	7	CLR:00	10.00		53	11.7	51	10.8	50	10.0	89	7	260		29.16	3	-0.02	30.12	FM-15	0.00	30.13
08	0453	7	CLR:00	10.00		52	11.1	50	10.2	49	9.4	89	6	250		29.18			30.14	FM-15	0.00	30.15
08	0553	7	CLR:00	10.00		51	10.6	50	10.0	49	9.4	92	6	220		29.19			30.16	FM-15	0.00	30.16
08	0653	7	CLR:00	10.00		51	10.6	50	10.0	49	9.4	92	3	260		29.21	3	-0.05	30.18	FM-15	0.00	30.18
08	0753	7	CLR:00	10.00		57	13.9	54	12.1	51	10.6	81	10	270		29.22			30.19	FM-15	0.00	30.19
08	0853	7	CLR:00	10.00		61	16.1	56	13.3	52	11.1	72	6	300		29.23			30.20	FM-15	0.00	30.21
08	0953	7	CLR:00	10.00		65	18.3	58	14.6	53	11.7	66	5	VRB		29.25	3	-0.04	30.22	FM-15	0.00	30.22
08	1053	7	BKN:07 100	10.00		66	18.9	58	14.5	52	11.1	61	8	290		29.25			30.22	FM-15	0.00	30.22
08	1153	7	SCT:04 40 OVC:08 90	10.00		65	18.3	59	14.8	54	12.2	68	8	280		29.26			30.24	FM-15	0.00	30.24
08	1253	7	FEW:02 38 OVC:08 80	10.00		64	17.8	57	13.8	51	10.6	63	9	300		29.26	3	-0.02	30.24	FM-15	0.00	30.24
08	1353	7	OVC:08 70	10.00		65	18.3	58	14.6	53	11.7	66	7	290		29.27			30.25	FM-15	0.00	30.25
08	1453	7	OVC:08 75	10.00		65	18.3	58	14.3	52	11.1	63	6	320		29.26			30.23	FM-15	0.00	30.24
08	1553	7	OVC:08 70	10.00		65	18.3	59	14.8	54	12.2	68	7	300		29.26	8	+0.01	30.23	FM-15	0.00	30.24
08	1653	7	SCT:04 70	10.00		66	18.9	59	14.8	53	11.7	63	6	330		29.26			30.22	FM-15	0.00	30.23
08	1753	7	CLR:00	10.00		65	18.3	58	14.6	53	11.7	66	5	VRB		29.26			30.23	FM-15	0.00	30.23
08	1853	7	CLR:00	10.00		62	16.7	57	13.9	53	11.7	73	5	260		29.26	3	-0.00	30.24	FM-15	0.00	30.24
08	1953	7	CLR:00	10.00		59	15.0	55	12.9	52	11.1	78	0	000		29.27			30.25	FM-15	T	30.25
08	2053	7	FEW:02 42	10.00		56	13.3	54	12.4	53	11.7	90	5	340		29.29			30.26	FM-15	0.00	30.27
08	2153	7	SCT:04 75	10.00		55	12.8	54	12.2	53	11.7	93	6	040		29.30	3	-0.04	30.28	FM-15	0.00	30.28
08	2253	7	FEW:02 36	10.00		57	13.9	55	12.7	53	11.7	87	3	100		29.31			30.29	FM-15	0.00	30.29
08	2353	7	BKN:07 70	10.00		53	11.7	52	11.4	52	11.1	96	3	360		29.33			30.31	FM-15	0.00	30.31
09	0053	7	SCT:04 65 BKN:07 80	10.00		53	11.7	52	11.4	52	11.1	96	7	020		29.33	1	-0.03	30.31	FM-15	0.00	30.31
09	0153	7	BKN:07 60 OVC:08 70	10.00		54	12.2	53	11.6	52	11.1	93	5	010		29.34			30.32	FM-15	0.00	30.32
09	0253	7	OVC:08 60	10.00		54	12.2	53	11.6	52	11.1	93	7	010		29.35			30.32	FM-15	0.00	30.33
09	0353	7	SCT:04 60	10.00		52	11.1	51	10.8	51	10.6	97	7	030		29.36	2	-0.02	30.33	FM-15	0.00	30.34
09	0453	7	CLR:00	10.00		49	9.4	49	9.4	49	9.4	100	6	010		29.37			30.35	FM-15	0.00	30.35

09	0553	7	CLR:00	10.00		48	8.9	48	8.6	47	8.3	96	0	000		29.38			30.36	FM-15	0.00	30.36
09	0653	7	CLR:00	10.00		50	10.0	49	9.7	49	9.4	96	0	000		29.41	3	-0.05	30.38	FM-15	0.00	30.39
09	0753	7	CLR:00	10.00		55	12.8	53	11.6	51	10.6	87	6	030		29.41			30.39	FM-15	0.00	30.39
09	0853	7	CLR:00	10.00		59	15.0	56	13.2	53	11.7	81	7	020		29.43			30.41	FM-15	0.00	30.41
09	0953	7	FEW:02 45	10.00		62	16.7	56	13.3	51	10.6	67	8	030		29.43	1	-0.03	30.41	FM-15	0.00	30.41
09	1053	7	FEW:02 32	10.00		65	18.3	58	14.3	52	11.1	63	8	070		29.43			30.41	FM-15	0.00	30.41
09	1153	7	CLR:00	10.00		66	18.9	57	13.7	49	9.4	54	9	020		29.42			30.40	FM-15	0.00	30.40
09	1253	7	SCT:04 39	10.00		67	19.4	57	13.7	48	8.9	51	8	070		29.41	8	+0.02	30.38	FM-15	0.00	30.39
09	1353	7	SCT:04 60	10.00		69	20.6	57	13.9	47	8.3	45	8	360		29.39			30.37	FM-15	0.00	30.37
09	1453	7	SCT:04 60	10.00		70	21.1	57	13.8	46	7.8	42	10	030		29.37			30.35	FM-15	0.00	30.35
09	1553	7	SCT:04 60	10.00		70	21.1	57	13.8	46	7.8	42	7	030		29.37	6	+0.04	30.35	FM-15	0.00	30.35
09	1653	7	SCT:04 60	10.00		69	20.6	57	13.6	46	7.8	44	8	060		29.36			30.34	FM-15	0.00	30.34
09	1753	7	SCT:04 60	10.00		66	18.9	55	12.9	46	7.8	49	6	050		29.36			30.34	FM-15	0.00	30.34
09	1853	7	CLR:00	10.00		61	16.1	53	11.7	46	7.8	58	7	040		29.37	5	+0.01	30.35	FM-15	0.00	30.35
09	1953	7	CLR:00	10.00		59	15.0	52	11.2	46	7.8	62	3	020		29.38			30.36	FM-15	0.00	30.36
09	2053	7	CLR:00	10.00		57	13.9	54	12.1	51	10.6	81	10	030		29.40			30.38	FM-15	0.00	30.38
09	2153	7	CLR:00	10.00		56	13.3	53	11.6	50	10.0	81	9	040		29.40	1	-0.04	30.38	FM-15	0.00	30.38
09	2253	7	CLR:00	10.00		54	12.2	52	11.1	50	10.0	87	8	040		29.41			30.39	FM-15	0.00	30.39
09	2353	7	CLR:00	10.00		53	11.7	50	10.2	48	8.9	83	8	060		29.41			30.39	FM-15	0.00	30.39
10	0053	7	CLR:00	10.00		52	11.1	49	9.7	47	8.3	83	8	060		29.41	0	-0.00	30.38	FM-15	0.00	30.39
10	0153	7	CLR:00	10.00		51	10.6	49	9.4	47	8.3	86	7	060		29.41			30.38	FM-15	0.00	30.39
10	0253	7	CLR:00	10.00		50	10.0	48	8.9	46	7.8	86	3	040		29.41			30.39	FM-15	0.00	30.39
10	0353	7	CLR:00	10.00		46	7.8	46	7.5	45	7.2	96	5	020		29.41	3	-0.00	30.39	FM-15	0.00	30.39
10	0453	7	CLR:00	10.00		46	7.8	46	7.5	45	7.2	96	6	020		29.42			30.40	FM-15	0.00	30.40
10	0553	7	CLR:00	10.00		46	7.8	46	7.5	45	7.2	96	5	360		29.43			30.41	FM-15	0.00	30.41
10	0653	7	CLR:00	10.00		46	7.8	46	7.5	45	7.2	96	6	010		29.45	3	-0.04	30.43	FM-15	0.00	30.43
10	0753	7	CLR:00	10.00		51	10.6	49	9.7	48	8.9	89	3	050		29.46			30.44	FM-15	0.00	30.44
10	0853	7	CLR:00	10.00		55	12.8	52	11.0	49	9.4	80	3	060		29.47			30.45	FM-15	0.00	30.45
10	0953	7	CLR:00	10.00		61	16.1	55	12.8	50	10.0	67	0	000		29.47	0	-0.02	30.45	FM-15	0.00	30.45
10	1053	7	CLR:00	10.00		64	17.8	56	13.2	49	9.4	58	8	050		29.46			30.43	FM-15	0.00	30.44
10	1153	7	CLR:00	10.00		67	19.4	55	12.9	45	7.2	45	9	080		29.44			30.42	FM-15	0.00	30.42
10	1253	7	CLR:00	10.00		67	19.4	55	12.9	45	7.2	45	7	110		29.43	8	+0.04	30.40	FM-15	0.00	30.41
10	1353	7	CLR:00	10.00		69	20.6	57	13.9	47	8.3	45	7	090		29.41			30.39	FM-15	0.00	30.39
10	1453	7	CLR:00	10.00		70	21.1	58	14.3	48	8.9	46	6	050		29.39			30.37	FM-15	0.00	30.37
10	1553	7	CLR:00	10.00		70	21.1	57	14.1	47	8.3	44	9	060		29.39	6	+0.04	30.36	FM-15	0.00	30.37
10	1653	7	CLR:00	10.00		68	20.0	57	13.9	48	8.9	49	10	050		29.37			30.35	FM-15	0.00	30.35
10	1753	7	CLR:00	10.00		66	18.9	57	13.7	49	9.4	54	6	060		29.37			30.35	FM-15	0.00	30.35
10	1853	7	CLR:00	10.00		60	15.6	54	12.3	49	9.4	67	6	060		29.37	6	+0.01	30.35	FM-15	0.00	30.35
10	1953	7	CLR:00	10.00		58	14.4	53	11.8	49	9.4	72	6	050		29.38			30.36	FM-15	0.00	30.36
10	2053	7	CLR:00	10.00		58	14.4	54	12.1	50	10.0	75	6	060		29.38			30.36	FM-15	0.00	30.36
10	2153	7	CLR:00	10.00		55	12.8	52	11.3	50	10.0	83	6	060		29.37	0	-0.00	30.35	FM-15	0.00	30.35
10	2253	7	CLR:00	10.00		54	12.2	51	10.8	49	9.4	83	0	000		29.37			30.35	FM-15	0.00	30.35
10	2353	7	CLR:00	10.00		52	11.1	50	10.2	49	9.4	89	5	040		29.35			30.32	FM-15	0.00	30.33
11	0053	7	CLR:00	10.00		52	11.1	51	10.5	50	10.0	93	6	030		29.34	8	+0.03	30.32	FM-15	0.00	30.32
11	0153	7	CLR:00	10.00		51	10.6	50	10.3	50	10.0	96	3	030		29.33			30.30	FM-15	0.00	30.31
11	0253	7	CLR:00	10.00		50	10.0	49	9.7	49	9.4	96	5	060		29.32			30.30	FM-15	0.00	30.30
11	0353	7	CLR:00	10.00		52	11.1	50	10.2	49	9.4	89	7	050		29.31	6	+0.03	30.29	FM-15	0.00	30.29
11	0453	7	CLR:00	10.00		51	10.6	50	10.0	49	9.4	92	3	100		29.30			30.27	FM-15	0.00	30.28
11	0553	7	CLR:00	10.00		48	8.9	48	8.9	48	8.9	100	3	030		29.32			30.29	FM-15	0.00	30.30
11	0653	7	CLR:00	10.00		50	10.0	49	9.7	49	9.4	96	5	070		29.32	3	-0.01	30.30	FM-15	0.00	30.30
11	0753	7	CLR:00	10.00		56	13.3	54	12.1	52	11.1	87	6	070		29.31			30.29	FM-15	0.00	30.29
11	0853	7	CLR:00	10.00		59	15.0	56	13.2	53	11.7	81	6	070		29.30			30.27	FM-15	0.00	30.28
11	0953	7	CLR:00	10.00		62	16.7	57	13.9	53	11.7	73	5	100		29.29	6	+0.03	30.27	FM-15	0.00	30.27
11	1053	7	CLR:00	10.00		65	18.3	58	14.6	53	11.7	66	7	170		29.28			30.26	FM-15	0.00	30.26
11	1153	7	CLR:00	10.00		67	19.4	59	15.0	53	11.7	61	3	030		29.26			30.24	FM-15	0.00	30.24
11	1253	7	CLR:00	10.00		69	20.6	59	15.2	52	11.1	55	8	090		29.26	8	+0.04	30.22	FM-15	0.00	30.23
11	1353	7	CLR:00	10.00		70	21.1	59	15.1	51	10.6	51	7	050		29.23			30.19	FM-15	0.00	30.20

11	1453	7	CLR:00	10.00		71	21.7	60	15.6	52	11.1	51	7	060		29.20			30.16	FM-15	0.00	30.17
11	1553	7	CLR:00	10.00		70	21.1	60	15.4	52	11.1	53	8	070		29.18	6	+0.08	30.14	FM-15	0.00	30.15
11	1653	7	CLR:00	10.00		69	20.6	59	15.2	52	11.1	55	9	080		29.16			30.13	FM-15	0.00	30.13
11	1753	7	CLR:00	10.00		67	19.4	58	14.7	52	11.1	59	10	100		29.16			30.13	FM-15	0.00	30.13
11	1853	7	CLR:00	10.00		62	16.7	57	13.9	53	11.7	73	7	080		29.15	7	+0.02	30.12	FM-15	0.00	30.12
11	1953	7	CLR:00	10.00		62	16.7	57	13.9	53	11.7	73	5	080		29.15			30.12	FM-15	0.00	30.12
11	2053	7	CLR:00	10.00		61	16.1	57	13.9	54	12.2	78	5	070		29.13			30.10	FM-15	0.00	30.10
11	2153	7	CLR:00	10.00		61	16.1	57	13.9	54	12.2	78	5	070		29.11	8	+0.04	30.08	FM-15	0.00	30.08
11	2253	7	CLR:00	10.00		60	15.6	57	13.7	54	12.2	80	6	050		29.11			30.07	FM-15	0.00	30.08
11	2353	7	CLR:00	10.00		58	14.4	56	13.2	54	12.2	87	7	040		29.08			30.05	FM-15	0.00	30.05
12	0053	7	CLR:00	10.00		56	13.3	54	12.4	53	11.7	90	6	050		29.06	8	+0.05	30.02	FM-15	0.00	30.03
12	0153	7	CLR:00	10.00		55	12.8	54	12.2	53	11.7	93	0	000		29.05			30.01	FM-15	0.00	30.02
12	0253	7	CLR:00	10.00		55	12.8	54	12.2	53	11.7	93	8	030		29.04			30.00	FM-15	0.00	30.01
12	0353	7	CLR:00	10.00		56	13.3	54	12.4	53	11.7	90	5	020		29.02	8	+0.04	29.98	FM-15	0.00	29.99
12	0453	7	CLR:00	10.00		56	13.3	54	12.4	53	11.7	90	3	040		29.03			29.99	FM-15	0.00	30.00
12	0553	7	CLR:00	10.00		55	12.8	54	12.2	53	11.7	93	9	020		29.02			29.98	FM-15	0.00	29.99
12	0653	7	CLR:00	10.00		56	13.3	54	12.4	53	11.7	90	3	060		29.02	8	+0.00	29.98	FM-15	0.00	29.99
12	0753	7	CLR:00	10.00		58	14.4	56	13.2	54	12.2	87	6	090		29.03			29.99	FM-15	0.00	30.00
12	0853	7	CLR:00	10.00		61	16.1	58	14.2	55	12.8	81	5	040		29.01			29.98	FM-15	0.00	29.98
12	0953	7	CLR:00	10.00		63	17.2	58	14.4	54	12.2	73	8	030		29.00	8	+0.02	29.96	FM-15	0.00	29.97
12	1053	7	CLR:00	10.00		65	18.3	60	15.4	56	13.3	73	5	090		29.00			29.96	FM-15	0.00	29.97
12	1153	7	BKN:07 110	10.00		67	19.4	60	15.6	55	12.8	66	7	050		28.97			29.93	FM-15	0.00	29.94
12	1253	7	SCT:04 95 BKN:07 120	10.00	-RA:02 |RA |	68	20.0	60	15.5	54	12.2	61	7	060		28.96	8	+0.03	29.93	FM-15	T	29.93
12	1353	7	FEW:02 49 FEW:02 110	10.00		71	21.7	62	16.4	55	12.8	57	11	040		28.94			29.90	FM-15	T	29.91
12	1453	7	SCT:04 60	10.00		73	22.8	63	17.1	56	13.3	55	8	070		28.92			29.88	FM-15	0.00	29.89
12	1553	7	SCT:04 65	10.00		72	22.2	62	16.9	56	13.3	57	9	050		28.90	6	+0.06	29.85	FM-15	0.00	29.87
12	1653	7	SCT:04 47 OVC:08 90	10.00		71	21.7	63	17.3	58	14.4	63	7	100		28.91			29.87	FM-15	0.00	29.88
12	1736	7	SCT:04 34 BKN:07 50 OVC:08 90	2.00	-RA:02 |RA |	67	19.4	62	16.8	59	15.0	76	7	090		28.92				FM-16	0.03	29.89
12	1751	6	FEW:02 36 BKN:07 85 OVC:08 110	5.00	RA:02 BR:1 |RA |	64	18.0	62	16.8	61	16.0	88	6	040		28.90				FM-16		29.87
12	1753	7	FEW:02 36 SCT:04 80 BKN:07 110	5.00	RA:02 BR:1 |RA |	64	17.8	62	16.8	61	16.1	90	5	040		28.90			29.86	FM-15	0.07	29.87
12	1853	7	BKN:07 49 BKN:07 65 OVC:08 95	10.00		63	17.2	62	16.9	62	16.7	97	5	030		28.90	8	+0.01	29.85	FM-15	0.02	29.86
12	1953	7	FEW:02 28 SCT:04 42 OVC:08 85	7.00	-RA:02 |RA |	63	17.2	62	16.9	62	16.7	97	8	110		28.92			29.88	FM-15	0.02	29.89
12	2053	7	FEW:02 37 SCT:04 50 OVC:08 75	5.00	-RA:02 BR:1 |RA |	62	16.7	62	16.7	62	16.7	100	10	090		28.90			29.86	FM-15	0.02	29.87
12	2153	7	OVC:08 70	10.00		62	16.7	62	16.7	62	16.7	100	10	080		28.87	8	+0.02	29.83	FM-15	T	29.83
12	2253	7	FEW:02 70	10.00		61	16.1	61	16.1	61	16.1	100	7	080		28.87			29.82	FM-15	0.00	29.83
12	2353	7	CLR:00	10.00		60	15.6	60	15.6	60	15.6	100	5	060		28.84			29.80	FM-15	0.00	29.81
13	0053	7	CLR:00	10.00		59	15.0	59	15.0	59	15.0	100	3	080		28.84	6	+0.02	29.80	FM-15	0.00	29.81
13	0153	7	CLR:00	2.50V	BR:1 ||	59	15.0	59	15.0	59	15.0	100	0	000		28.84			29.79	FM-15	0.00	29.80
13	0201	7	SCT:04 80	4.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	3	040		28.84				FM-16		29.80
13	0250	7	BKN:07 22 BKN:07 45 OVC:08 60	10.00		63	17.0	63	17.2	63	17.0	100	3	150		28.84				FM-16		29.81
13	0253	7	BKN:07 22 OVC:08 60	10.00		62	16.7	62	16.7	62	16.7	100	0	000		28.84			29.79	FM-15	0.00	29.81
13	0353	7	BKN:07 15 OVC:08 28	10.00		63	17.2	62	16.9	62	16.7	97	5	130		28.86	3	-0.01	29.80	FM-15	0.00	29.82

13	0410	7	FEW:02 14 OVC:08 31	10.00		63	17.2	63	17.2	63	17.2	100	5	150		28.86				FM-16		29.82
13	0424	7	BKN:07 12 OVC:08 33	10.00		64	17.8	63	17.4	63	17.2	96	6	170		28.86				FM-16		29.82
13	0431	7	SCT:04 12 OVC:08 35	10.00		64	17.8	63	17.4	63	17.2	96	7	180		28.86				FM-16		29.82
13	0453	7	OVC:08 35	10.00		63	17.2	63	17.2	63	17.2	100	8	170		28.87			29.82	FM-15	0.00	29.83
13	0553	7	SCT:04 46 OVC:08 55	10.00		63	17.2	63	17.2	63	17.2	100	3	230		28.87			29.83	FM-15	0.00	29.84
13	0653	7	BKN:07 65	10.00		63	17.2	63	17.2	63	17.2	100	6	190		28.89	1	-0.03	29.84	FM-15	0.00	29.85
13	0753	7	SCT:04 14 BKN:07 70	10.00		64	17.8	63	17.4	63	17.2	96	8	170		28.89			29.84	FM-15	0.00	29.85
13	0805	7	SCT:04 7 BKN:07 70	10.00		64	17.8	64	17.8	64	17.8	100	6	180		28.89				FM-16		29.85
13	0853	7	SCT:04 7 BKN:07 70	10.00		65	18.3	64	17.6	63	17.2	93	5	170		28.90			29.85	FM-15	0.00	29.86
13	0923	7	FEW:02 7 BKN:07 29	10.00		66	18.9	64	17.9	63	17.2	90	5	160		28.90				FM-16		29.86
13	0953	7	FEW:02 12 BKN:07 29	10.00		67	19.4	65	18.4	64	17.8	91	6	180		28.90	1	-0.01	29.85	FM-15	0.00	29.86
13	1051	6	FEW:02 18 BKN:07 70	10.00		70	21.0	66	18.7	63	17.0	78	9	150		28.89				FM-16		29.85
13	1053	7	SCT:04 18 BKN:07 70	10.00		68	20.0	65	18.3	63	17.2	84	10	160		28.89			29.84	FM-15	0.00	29.85
13	1153	7	SCT:04 11 BKN:07 80	10.00		69	20.6	66	18.8	64	17.8	84	10	170		28.87			29.83	FM-15	0.00	29.84
13	1222	7	BKN:07 14 BKN:07 80	10.00		70	21.1	67	19.3	65	18.3	84	9	180		28.87				FM-16		29.84
13	1253	7	BKN:07 14 BKN:07 80	10.00		70	21.1	66	19.0	64	17.8	82	7	190		28.87	8	+0.03	29.82	FM-15	0.00	29.83
13	1300	7	FEW:02 19 BKN:07 120	10.00		70	21.1	66	19.0	64	17.8	82	9	180		28.87				FM-16		29.83
13	1353	7	OVC:08 110	10.00		69	20.6	65	18.5	63	17.2	81	5	160		28.84			29.80	FM-15	0.00	29.81
13	1453	7	OVC:08 100	10.00		69	20.6	66	18.8	64	17.8	84	3	100		28.84			29.78	FM-15	T	29.80
13	1553	7	OVC:08 70	10.00	-RA:02 |RA |	69	20.6	66	18.8	64	17.8	84	3	130		28.84	5	+0.03	29.79	FM-15	T	29.80
13	1628	7	FEW:02 22 BKN:07 33 OVC:08 60	3.00	RA:02 BR:1 |RA |	62	16.7	61	16.3	61	16.1	96	13	190	22	28.86				FM-16	0.06	29.82
13	1653	7	BKN:07 38 BKN:07 45 OVC:08 55	3.00	RA:02 BR:1 |RA |	62	16.7	61	16.3	61	16.1	96	11	170		28.87			29.82	FM-15	0.10	29.83
13	1753	7	OVC:08 70	6.00	-RA:02 BR:1 |RA |	62	16.7	62	16.7	62	16.7	100	6	150		28.87			29.83	FM-15	0.06	29.83
13	1840	7	SCT:04 8 SCT:04 22 OVC:08 90	6.00	-RA:02 BR:1 |RA |	61	16.1	61	16.1	61	16.1	100	6	100		28.87				FM-16	0.03	29.84
13	1849	7	BKN:07 8 BKN:07 22 OVC:08 90	7.00	-RA:02 |RA |	61	16.0	61	16.1	61	16.0	100	5	110		28.87				FM-16	0.03	29.83
13	1853	7	SCT:04 6 BKN:07 11 OVC:08 90	8.00	-RA:02 |RA |	61	16.1	61	16.1	61	16.1	100	6	120		28.87	0	-0.03	29.82	FM-15	0.02	29.83
13	1900	7	BKN:07 6 BKN:07 11 OVC:08 42	8.00	-RA:02 |RA |	61	16.1	61	16.1	61	16.1	100	6	120		28.87				FM-16	T	29.83
13	1951	6	SCT:04 14 BKN:07 20 OVC:08 46	8.00	-RA:02 |RA |	61	16.0	61	16.1	61	16.0	100	6	110		28.87				FM-16		29.84
13	1953	7	BKN:07 14 BKN:07 20 OVC:08 46	8.00	-RA:02 |RA |	61	16.1	61	16.1	61	16.1	100	6	120		28.87			29.83	FM-15	0.03	29.84
13	2022	7	SCT:04 7 BKN:07 13 OVC:08 19	8.00	-RA:02 |RA |	61	16.1	61	16.1	61	16.1	100	7	180		28.87				FM-16	0.02	29.84

13	2051	6	SCT:04 12 BKN:07 29 OVC:08 43	10.00	-RA:02 |RA |	61	16.0	61	16.1	61	16.0	100	9	170		28.89				FM-16		29.85
13	2053	7	FEW:02 9 BKN:07 29 OVC:08 43	10.00	-RA:02 |RA |	61	16.1	61	16.1	61	16.1	100	7	170		28.89			29.83	FM-15	0.03	29.85
13	2109	7	SCT:04 9 BKN:07 13 OVC:08 47	9.00	-RA:02 |RA |	61	16.1	61	16.1	61	16.1	100	6	170		28.89				FM-16	T	29.85
13	2134	7	BKN:07 9 BKN:07 12 OVC:08 47	7.00	-RA:02 |RA |	61	16.1	61	16.1	61	16.1	100	7	180		28.89				FM-16	0.02	29.85
13	2151	6	OVC:08 10	9.00	-RA:02 |RA |	61	16.0	61	16.1	61	16.0	100	7	170		28.89				FM-16		29.85
13	2153	7	BKN:07 8 OVC:08 12	9.00	-RA:02 |RA |	61	16.1	61	16.1	61	16.1	100	7	170		28.89	1	-0.02	29.84	FM-15	0.04	29.85
13	2202	7	BKN:07 10 OVC:08 19	9.00	-RA:02 |RA |	61	16.1	61	16.1	61	16.1	100	9	170		28.89				FM-16	0.01	29.85
13	2223	7	BKN:07 8 OVC:08 14	10.00	-RA:02 |RA |	61	16.1	61	16.1	61	16.1	100	7	180		28.89				FM-16	0.01	29.85
13	2253	7	BKN:07 6 OVC:08 30	10.00	-RA:02 |RA |	60	15.6	60	15.6	60	15.6	100	8	190		28.89			29.84	FM-15	0.01	29.85
13	2315	7	SCT:04 8 SCT:04 12 OVC:08 22	7.00	-RA:02 |RA |	60	15.6	60	15.6	60	15.6	100	7	190		28.89				FM-16	0.02	29.85
13	2330	7	BKN:07 9 OVC:08 21	7.00	-RA:02 |RA |	60	15.6	60	15.6	60	15.6	100	6	180		28.89				FM-16	0.04	29.85
13	2353	7	OVC:08 7	10.00	-RA:02 |RA |	60	15.6	60	15.6	60	15.6	100	7	190		28.89			29.83	FM-15	0.04	29.85
14	0053	7	OVC:08 7	7.00	-RA:02 |RA |	60	15.6	60	15.6	60	15.6	100	6	180		28.89	8	+0.00	29.83	FM-15	0.03	29.85
14	0153	7	OVC:08 6	5.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	7	170		28.87			29.83	FM-15	0.01	29.84
14	0215	7	OVC:08 4	5.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	5	170		28.87				FM-16		29.84
14	0253	7	OVC:08 6	6.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	5	170		28.89			29.83	FM-15	0.00	29.85
14	0353	7	OVC:08 7	9.00		60	15.6	60	15.6	60	15.6	100	5	180		28.89	3	-0.01	29.84	FM-15	0.00	29.85
14	0453	7	OVC:08 7	10.00		60	15.6	60	15.6	60	15.6	100	5	170		28.90			29.86	FM-15	0.00	29.87
14	0553	7	OVC:08 9	10.00		60	15.6	60	15.6	60	15.6	100	3	170		28.91			29.87	FM-15	0.00	29.88
14	0651	6	BKN:07 11 BKN:07 30 OVC:08 36	10.00		61	16.0	61	16.1	61	16.0	100	3	190		28.93				FM-16		29.90
14	0653	7	BKN:07 11 BKN:07 30 OVC:08 36	10.00		61	16.1	61	16.1	61	16.1	100	3	190		28.93	1	-0.04	29.89	FM-15	0.00	29.90
14	0744	7	SCT:04 10 BKN:07 43 OVC:08 50	10.00		61	16.1	61	16.1	61	16.1	100	5	210		28.93				FM-16		29.90
14	0753	7	FEW:02 10 OVC:08 47	10.00		62	16.7	61	16.3	61	16.1	96	5	220		28.93			29.89	FM-15	0.00	29.90
14	0804	7	BKN:07 8 OVC:08 47	10.00		62	16.7	61	16.3	61	16.1	96	0	000		28.94				FM-16		29.91
14	0853	7	BKN:07 8 OVC:08 33	10.00		62	16.7	61	16.3	61	16.1	96	3	210		28.95			29.91	FM-15	0.00	29.92
14	0953	7	BKN:07 14 OVC:08 19	10.00		63	17.2	62	16.6	61	16.1	93	0	000		28.97	3	-0.04	29.93	FM-15	0.00	29.94
14	1000	7	BKN:07 8 OVC:08 19	10.00		63	17.2	62	16.6	61	16.1	93	0	000		28.97				FM-16		29.94
14	1045	7	BKN:07 8 OVC:08 19	2.00	-RA:02 BR:1 |RA |	63	17.2	62	16.9	62	16.7	97	0	000		28.97				FM-16	0.01	29.94
14	1051	6	BKN:07 8 OVC:08 19	1.50	-RA:02 BR:1 |RA |	63	17.0	63	17.2	63	17.0	100	0	000		28.97				FM-16		29.94
14	1053	7	BKN:07 8 OVC:08 19	1.50	-RA:02 BR:1 |RA |	62	16.7	62	16.7	62	16.7	100	0	000		28.97			29.93	FM-15	0.02	29.94
14	1058	7	FEW:02 14 BKN:07 19 OVC:08 33	2.00	-RA:02 BR:1 |RA |	62	16.7	62	16.7	62	16.7	100	0	000		28.97				FM-16	0.01	29.94

14	1107	7	BKN:07 10 BKN:07 27 OVC:08 35	4.00	-RA:02 BR:1 |RA |	63	17.2	62	16.9	62	16.7	97	0	000		28.97				FM-16	0.01	29.94
14	1151	6	OVC:08 42	10.00		64	18.0	62	16.8	61	16.0	88	5	220		28.96				FM-16		29.93
14	1153	7	BKN:07 12 BKN:07 32	10.00		65	18.3	63	17.3	62	16.7	90	5	240		28.96			29.92	FM-15	T	29.93
14	1207	7	BKN:07 12 BKN:07 32	10.00		66	18.9	64	17.5	62	16.7	87	3	VRB		28.96				FM-16		29.93
14	1251	6	BKN:07 24 BKN:07 50	10.00		70	21.0	64	18.0	61	16.0	73	0	000		28.96				FM-16		29.93
14	1253	7	BKN:07 24 BKN:07 50	10.00		68	20.0	64	17.6	61	16.1	78	0	000		28.96	7	+0.01	29.92	FM-15	0.00	29.93
14	1300	7	SCT:04 24 BKN:07 31 BKN:07 50	10.00		68	20.0	64	17.6	61	16.1	78	5	280		28.96				FM-16		29.93
14	1353	7	FEW:02 24 BKN:07 42 BKN:07 55	10.00		68	20.0	64	17.6	61	16.1	78	3	220		28.95			29.91	FM-15	0.00	29.92
14	1453	7	OVC:08 60	10.00		69	20.6	64	17.8	61	16.1	76	0	000		28.96			29.91	FM-15	0.00	29.93
14	1535	7	BKN:07 24 OVC:08 31	10.00		69	20.6	65	18.1	62	16.7	78	3	230		28.96				FM-16		29.93
14	1553	7	BKN:07 24 OVC:08 80	10.00		69	20.6	64	17.8	61	16.1	76	3	240		28.95	6	+0.01	29.91	FM-15	0.00	29.92
14	1653	7	OVC:08 75	10.00		69	20.6	65	18.1	62	16.7	78	5	200		28.97			29.92	FM-15	0.00	29.94
14	1753	7	OVC:08 75	10.00		69	20.6	64	17.8	61	16.1	76	3	220		28.98			29.94	FM-15	0.00	29.95
14	1853	7	FEW:02 28 BKN:07 75	10.00		67	19.4	63	17.4	61	16.1	81	6	210		28.99	3	-0.04	29.95	FM-15	0.00	29.96
14	1953	7	FEW:02 28 OVC:08 75	10.00		65	18.3	63	17.3	62	16.7	90	3	200		29.01			29.97	FM-15	0.00	29.98
14	2053	7	OVC:08 75	10.00		63	17.2	63	17.2	63	17.2	100	0	000		29.02			29.98	FM-15	0.00	29.99
14	2153	7	OVC:08 70	10.00		63	17.2	62	16.9	62	16.7	97	0	000		29.03	1	-0.04	29.99	FM-15	0.00	30.00
14	2253	7	OVC:08 70	10.00		63	17.2	63	17.2	63	17.2	100	0	000		29.04			30.00	FM-15	0.00	30.01
14	2353	7	OVC:08 70	10.00		62	16.7	62	16.7	62	16.7	100	0	000		29.05			30.01	FM-15	0.00	30.02
15	0053	7	FEW:02 70	10.00		60	15.6	60	15.6	60	15.6	100	0	000		29.06	1	-0.02	30.01	FM-15	0.00	30.03
15	0153	7	CLR:00	3.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	3	100		29.06			30.02	FM-15	0.00	30.03
15	0156	7	CLR:00	1.50V	BR:1 ||	60	15.6	60	15.6	60	15.6	100	3	080		29.07				FM-16		30.04
15	0205	7	CLR:00	0.50	FG:2 |FG |	59	15.0	59	15.0	59	15.0	100	0	000		29.07				FM-16		30.04
15	0212	7	VV:09 2	0.25	FG:2 |FG |	59	15.0	59	15.0	59	15.0	100	3	050		29.06				FM-16		30.03
15	0244	7	VV:09 2	1.00V	BR:1 ||	59	15.0	59	15.0	59	15.0	100	0	000		29.07				FM-16		30.04
15	0250	7	SCT:04 2	2.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	0	000		29.06				FM-16		30.03
15	0253	7	FEW:02 2	4.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	0	000		29.07			30.02	FM-15	0.00	30.04
15	0314	7	BKN:07 2	2.00V	BR:1 ||	58	14.4	58	14.4	58	14.4	100	0	000		29.07				FM-16		30.04
15	0317	7	VV:09 2	0.75V	BR:1 ||	59	15.0	59	15.0	59	15.0	100	3	160		29.07				FM-16		30.04
15	0327	7	VV:09 2	0.25	FG:2 |FG |	60	15.6	60	15.6	60	15.6	100	0	000		29.07				FM-16		30.04
15	0353	7	VV:09 2	0.25	FG:2 |FG |	59	15.0	59	15.0	59	15.0	100	3	160		29.08	3	-0.02	30.03	FM-15	0.00	30.05
15	0453	7	VV:09 2	0.00	FG:2 |FG |	59	15.0	59	15.0	59	15.0	100	0	000		29.08			30.04	FM-15	0.00	30.05
15	0553	7	VV:09 2	0.25	FG:2 |FG |	59	15.0	59	15.0	59	15.0	100	0	000		29.11			30.07	FM-15	0.00	30.08
15	0653	7	VV:09 2	0.00	FG:2 |FG |	59	15.0	59	15.0	59	15.0	100	0	000		29.14	3	-0.06	30.10	FM-15	0.00	30.11
15	0753	7	VV:09 2	0.00	FG:2 |FG |	59	15.0	59	15.0	59	15.0	100	0	000		29.15			30.11	FM-15	0.00	30.12
15	0853	7	VV:09 2	0.25	FG:2 |FG |	62	16.7	62	16.7	62	16.7	100	0	000		29.17			30.13	FM-15	0.00	30.14
15	0900	7	VV:09 2	0.50	FG:2 |FG |	62	16.7	62	16.7	62	16.7	100	3	100		29.17				FM-16		30.14
15	0915	7	OVC:08 2	1.75	BR:1 ||	62	16.7	62	16.7	62	16.7	100	0	000		29.17				FM-16		30.14
15	0920	7	OVC:08 2	3.00	BR:1 ||	63	17.2	63	17.2	63	17.2	100	3	VRB		29.17				FM-16		30.14
15	0951	6	SCT:04 4	7.00		64	18.0	64	17.8	64	18.0	100	0	000		29.17				FM-16		30.14
15	0953	7	SCT:04 4	7.00		66	18.9	65	18.5	65	18.3	96	0	000		29.17	1	-0.03	30.13	FM-15	0.00	30.14
15	1053	7	CLR:00	10.00		71	21.7	66	18.9	63	17.2	76	5	VRB		29.16			30.12	FM-15	0.00	30.13
15	1143	7	BKN:07 26 BKN:07 33	10.00		72	22.2	66	18.8	62	16.7	71	0	000		29.16				FM-16		30.13
15	1153	7	BKN:07 28 BKN:07 33	10.00		72	22.2	66	18.8	62	16.7	71	0	000		29.15			30.11	FM-15	0.00	30.12

15	1214	7	SCT:04 29 BKN:07 37	10.00		72	22.2	66	18.8	62	16.7	71	5	110		29.15				FM-16		30.12
15	1253	7	BKN:07 37	10.00		72	22.2	65	18.4	61	16.1	68	0	000		29.14	8	+0.03	30.10	FM-15	0.00	30.11
15	1353	7	BKN:07 47	10.00		74	23.3	66	19.1	62	16.7	67	0	000		29.13			30.08	FM-15	0.00	30.10
15	1453	7	CLR:00	10.00		75	23.9	66	19.0	61	16.1	62	3	090		29.12			30.07	FM-15	0.00	30.09
15	1553	7	FEW:02 46 BKN:07 55	10.00		77	25.0	67	19.4	61	16.1	58	7	060		29.12	5	+0.02	30.07	FM-15	0.00	30.09
15	1653	7	OVC:08 65	10.00		75	23.9	66	19.0	61	16.1	62	8	110		29.13			30.08	FM-15	0.00	30.10
15	1753	7	OVC:08 65	10.00		74	23.3	66	18.8	61	16.1	64	6	130		29.14			30.09	FM-15	0.00	30.11
15	1853	7	SCT:04 65	10.00		68	20.0	64	17.9	62	16.7	81	6	100		29.14	1	-0.02	30.10	FM-15	0.00	30.11
15	1953	7	SCT:04 65	10.00		67	19.4	64	17.7	62	16.7	84	5	100		29.15			30.11	FM-15	0.00	30.12
15	2053	7	CLR:00	10.00		65	18.3	64	17.7	63	17.2	93	3	100		29.16			30.12	FM-15	0.00	30.13
15	2153	7	CLR:00	10.00		64	17.8	63	17.4	63	17.2	96	3	090		29.17	1	-0.03	30.13	FM-15	0.00	30.14
15	2253	7	CLR:00	10.00		64	17.8	63	17.4	63	17.2	96	3	080		29.18			30.13	FM-15	0.00	30.15
15	2353	7	CLR:00	10.00		61	16.1	61	16.1	61	16.1	100	0	000		29.18			30.14	FM-15	0.00	30.15
16	0053	7	CLR:00	8.00		62	16.7	62	16.7	62	16.7	100	0	000		29.18	1	-0.01	30.14	FM-15	0.00	30.15
16	0107	7	CLR:00	1.50V	BR:1 ||	60	15.6	60	15.6	60	15.6	100	0	000		29.18				FM-16		30.15
16	0130	7	CLR:00	3.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	0	000		29.18				FM-16		30.15
16	0132	7	CLR:00	1.75V	BR:1 ||	60	15.6	60	15.6	60	15.6	100	0	000		29.18				FM-16		30.15
16	0144	7	CLR:00	0.50	FG:2 |FG |	59	15.0	59	15.0	59	15.0	100	0	000		29.18				FM-16		30.15
16	0153	7	CLR:00	1.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	3	070		29.18			30.14	FM-15	0.00	30.15
16	0157	7	CLR:00	3.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	3	070		29.18				FM-16		30.15
16	0219	7	CLR:00	1.50	BR:1 ||	59	15.0	59	15.0	59	15.0	100	0	000		29.18				FM-16		30.15
16	0227	7	CLR:00	0.50	FG:2 |FG |	58	14.4	58	14.4	58	14.4	100	0	000		29.18				FM-16		30.15
16	0246	7	CLR:00	2.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	0	000		29.18				FM-16		30.15
16	0251	6	CLR:00	4.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	0	000		29.18				FM-16		30.15
16	0253	7	CLR:00	5.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	0	000		29.18			30.14	FM-15	0.00	30.15
16	0312	7	CLR:00	1.75V	BR:1 ||	58	14.4	58	14.4	58	14.4	100	0	000		29.18				FM-16		30.15
16	0323	7	CLR:00	0.50	FG:2 |FG |	59	15.0	59	15.0	59	15.0	100	0	000		29.18				FM-16		30.15
16	0331	7	CLR:00	0.25	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	0	000		29.18				FM-16		30.15
16	0340	7	VV:09 2	0.25	FG:2 |FG |	58	14.4	58	14.4	58	14.4	100	3	090		29.18				FM-16		30.15
16	0351	6	VV:09 2	0.50	FG:2 |FG |	57	14.0	57	13.9	57	14.0	100	3	100		29.18				FM-16		30.15
16	0353	7	VV:09 2	0.50	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	3	100		29.18	6	+0.00	30.14	FM-15	0.00	30.15
16	0414	7	CLR:00	0.25	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	0	000		29.18				FM-16		30.15
16	0435	7	CLR:00	1.00	BR:1 ||	58	14.4	58	14.4	58	14.4	100	0	000		29.18				FM-16		30.15
16	0445	7	CLR:00	2.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	0	000		29.18				FM-16		30.15
16	0451	6	CLR:00	1.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	0	000		29.19				FM-16		30.16
16	0453	7	CLR:00	0.75	BR:1 ||	59	15.0	59	15.0	59	15.0	100	0	000		29.19			30.14	FM-15	0.00	30.16
16	0505	7	CLR:00	1.25	BR:1 ||	57	13.9	57	13.9	57	13.9	100	0	000		29.19				FM-16		30.16
16	0515	7	CLR:00	0.50	FG:2 |FG |	58	14.4	58	14.4	58	14.4	100	0	000		29.19				FM-16		30.16
16	0537	7	CLR:00	0.25	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	0	000		29.20				FM-16		30.17
16	0553	7	CLR:00	0.25	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	0	000		29.20			30.16	FM-15	0.00	30.17
16	0627	7	CLR:00	0.50	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	0	000		29.22				FM-16		30.19
16	0634	7	CLR:00	0.25	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	0	000		29.22				FM-16		30.19
16	0651	6	CLR:00	0.50	FG:2 |FG |	57	14.0	57	13.9	57	14.0	100	0	000		29.22				FM-16		30.19
16	0653	7	CLR:00	0.50	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	0	000		29.22	3	-0.03	30.18	FM-15	0.00	30.19
16	0659	7	CLR:00	2.00	BR:1 ||	58	14.4	58	14.4	58	14.4	100	0	000		29.22				FM-16		30.19
16	0709	7	CLR:00	3.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	0	000		29.22				FM-16		30.19
16	0753	7	CLR:00	6.00	BR:1 ||	62	16.7	62	16.7	62	16.7	100	0	000		29.23			30.19	FM-15	0.00	30.20
16	0853	7	CLR:00	10.00		68	20.0	66	19.0	65	18.3	90	0	000		29.23			30.19	FM-15	0.00	30.21
16	0953	7	CLR:00	10.00		72	22.2	68	19.7	65	18.3	79	5	110		29.23	0	-0.01	30.19	FM-15	0.00	30.20
16	1053	7	CLR:00	10.00		75	23.9	69	20.3	65	18.3	71	7	080		29.22			30.17	FM-15	0.00	30.19
16	1153	7	CLR:00	10.00		76	24.4	68	19.8	63	17.2	64	0	000		29.22			30.17	FM-15	0.00	30.19
16	1253	7	SCT:04 39 SCT:04 50 OVC:08 70	10.00		78	25.6	68	20.2	63	17.2	60	0	000		29.20	8	+0.02	30.16	FM-15	0.00	30.17
16	1353	7	FEW:02 50 BKN:07 80	10.00		79	26.1	68	19.8	61	16.1	54	5	300		29.19			30.14	FM-15	0.00	30.16

16	1453	7	OVC:08 80	10.00		80	26.7	67	19.7	60	15.6	51	0	000		29.18			30.13	FM-15	0.00	30.15
16	1553	7	OVC:08 75	10.00		79	26.1	68	20.1	62	16.7	56	5	090		29.16	6	+0.04	30.12	FM-15	0.00	30.13
16	1653	7	OVC:08 80	10.00		78	25.6	67	19.6	61	16.1	56	0	000		29.16			30.12	FM-15	0.00	30.13
16	1753	7	BKN:07 80	10.00		77	25.0	67	19.4	61	16.1	58	0	000		29.15			30.11	FM-15	0.00	30.12
16	1853	7	CLR:00	10.00		69	20.6	65	18.2	62	16.7	78	0	000		29.15	8	+0.01	30.11	FM-15	0.00	30.12
16	1953	7	CLR:00	10.00		67	19.4	64	17.7	62	16.7	84	0	000		29.16			30.11	FM-15	0.00	30.13
16	2053	7	CLR:00	10.00		65	18.3	63	17.0	61	16.1	87	3	080		29.16			30.11	FM-15	0.00	30.13
16	2153	7	CLR:00	10.00		65	18.3	64	17.7	63	17.2	93	3	080		29.16	3	-0.01	30.12	FM-15	0.00	30.13
16	2253	7	CLR:00	10.00		65	18.3	64	17.7	63	17.2	93	0	000		29.17			30.12	FM-15	0.00	30.14
16	2353	7	CLR:00	7.00		62	16.7	62	16.7	62	16.7	100	0	000		29.17			30.13	FM-15	0.00	30.14
17	0053	7	CLR:00	5.00	BR:1 ||	61	16.1	61	16.1	61	16.1	100	0	000		29.17	0	-0.00	30.12	FM-15	0.00	30.14
17	0124	7	CLR:00	1.75	BR:1 ||	60	15.6	60	15.6	60	15.6	100	0	000		29.17				FM-16		30.14
17	0131	7	CLR:00	3.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	0	000		29.17				FM-16		30.14
17	0153	7	CLR:00	5.00	BR:1 ||	61	16.1	61	16.1	61	16.1	100	0	000		29.16			30.12	FM-15	0.00	30.13
17	0237	7	CLR:00	2.00V	BR:1 ||	59	15.0	59	15.0	59	15.0	100	0	000		29.16				FM-16		30.13
17	0246	7	CLR:00	3.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	0	000		29.16				FM-16		30.13
17	0251	6	CLR:00	2.50	BR:1 ||	61	16.0	61	16.1	61	16.0	100	0	000		29.16				FM-16		30.13
17	0253	7	CLR:00	1.75	BR:1 ||	60	15.6	60	15.6	60	15.6	100	0	000		29.16			30.12	FM-15	0.00	30.13
17	0300	7	CLR:00	0.25	FG:2 |FG |	59	15.0	59	15.0	59	15.0	100	0	000		29.16				FM-16		30.13
17	0316	7	CLR:00	1.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	0	000		29.16				FM-16		30.13
17	0319	7	CLR:00	3.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	0	000		29.16				FM-16		30.13
17	0350	7	CLR:00	1.75V	BR:1 ||	57	14.0	57	13.9	57	14.0	100	0	000		29.16				FM-16		30.13
17	0353	7	CLR:00	1.50V	BR:1 ||	58	14.4	58	14.4	58	14.4	100	0	000		29.16	8	+0.01	30.11	FM-15	0.00	30.13
17	0408	7	CLR:00	0.25	FG:2 |FG |	56	13.3	56	13.3	56	13.3	100	0	000		29.16				FM-16		30.13
17	0424	7	CLR:00	0.75V	BR:1 ||	58	14.4	58	14.4	58	14.4	100	0	000		29.16				FM-16		30.13
17	0431	7	CLR:00	1.25	BR:1 ||	58	14.4	58	14.4	58	14.4	100	3	010		29.16				FM-16		30.13
17	0444	7	CLR:00	0.50	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	3	010		29.16				FM-16		30.13
17	0453	7	CLR:00	0.75	BR:1 ||	58	14.4	58	14.4	58	14.4	100	0	000		29.16			30.12	FM-15	0.00	30.13
17	0505	7	CLR:00	2.00V	BR:1 ||	59	15.0	59	15.0	59	15.0	100	0	000		29.16				FM-16		30.13
17	0518	7	FEW:02 2	2.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	0	000		29.16				FM-16		30.13
17	0520	7	VV:09 2	0.75	BR:1 ||	59	15.0	59	15.0	59	15.0	100	0	000		29.16				FM-16		30.13
17	0528	7	VV:09 2	0.25	FG:2 |FG |	58	14.4	58	14.4	58	14.4	100	0	000		29.17				FM-16		30.14
17	0553	7	VV:09 2	0.25	FG:2 |FG |	58	14.4	58	14.4	58	14.4	100	0	000		29.17			30.13	FM-15	0.00	30.14
17	0600	7	CLR:00	5.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	0	000		29.17				FM-16		30.14
17	0653	7	CLR:00	4.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	0	000		29.20	3	-0.04	30.16	FM-15	0.00	30.17
17	0753	7	CLR:00	4.00	BR:1 ||	63	17.2	63	17.2	63	17.2	100	3	280		29.19			30.15	FM-15	0.00	30.16
17	0853	7	CLR:00	9.00		71	21.7	68	19.9	66	18.9	84	0	000		29.20			30.16	FM-15	0.00	30.17
17	0953	7	CLR:00	10.00		75	23.9	69	20.3	65	18.3	71	0	000		29.21	3	-0.01	30.16	FM-15	0.00	30.18
17	1053	7	CLR:00	10.00		77	25.0	68	20.0	63	17.2	62	0	000		29.19			30.14	FM-15	0.00	30.16
17	1153	7	CLR:00	10.00		78	25.6	67	19.3	60	15.6	54	0	000		29.18			30.13	FM-15	0.00	30.15
17	1253	7	SCT:04 50	10.00		80	26.7	68	20.3	62	16.7	54	6	090		29.15	8	+0.06	30.10	FM-15	0.00	30.12
17	1353	7	BKN:07 55	10.00		82	27.8	69	20.6	62	16.7	51	7	190		29.13			30.09	FM-15	0.00	30.10
17	1453	7	BKN:07 55	10.00		81	27.2	68	19.8	60	15.6	49	5	190		29.12			30.07	FM-15	0.00	30.09
17	1553	7	FEW:02 60	10.00		82	27.8	69	20.6	62	16.7	51	5	VRB		29.12	6	+0.03	30.07	FM-15	0.00	30.09
17	1653	7	CLR:00	10.00		81	27.2	69	20.7	63	17.2	54	5	250		29.11			30.06	FM-15	0.00	30.08
17	1753	7	CLR:00	10.00		80	26.7	67	19.6	60	15.6	51	3	180		29.11			30.06	FM-15	0.00	30.08
17	1853	7	CLR:00	10.00		73	22.8	66	18.6	61	16.1	66	0	000		29.11	5	+0.01	30.06	FM-15	0.00	30.08
17	1953	7	CLR:00	10.00		72	22.2	65	18.4	61	16.1	68	0	000		29.13			30.08	FM-15	0.00	30.10
17	2053	7	CLR:00	10.00		69	20.6	65	18.2	62	16.7	78	0	000		29.13			30.08	FM-15	0.00	30.10
17	2153	7	CLR:00	10.00		67	19.4	64	17.7	62	16.7	84	0	000		29.14	1	-0.03	30.09	FM-15	0.00	30.11
17	2253	7	CLR:00	10.00		67	19.4	65	18.1	63	17.2	87	3	100		29.13			30.08	FM-15	0.00	30.10
17	2353	7	CLR:00	10.00		64	17.8	63	17.1	62	16.7	93	0	000		29.13			30.08	FM-15	0.00	30.10
18	0053	7	CLR:00	9.00		63	17.2	62	16.9	62	16.7	97	0	000		29.13	6	+0.01	30.08	FM-15	0.00	30.10
18	0153	7	CLR:00	9.00		63	17.2	62	16.9	62	16.7	97	0	000		29.12			30.06	FM-15	0.00	30.09
18	0253	7	CLR:00	7.00		61	16.1	61	16.1	61	16.1	100	0	000		29.10			30.05	FM-15	0.00	30.07
18	0353	7	CLR:00	6.00	BR:1 ||	61	16.1	61	16.1	61	16.1	100	0	000		29.11	5	+0.01	30.06	FM-15	0.00	30.08
18	0417	7	CLR:00	2.00V	BR:1 ||	59	15.0	59	15.0	59	15.0	100	0	000		29.11				FM-16		30.08

18	0431	7	CLR:00	0.75V	BR:1 ||	59	15.0	59	15.0	59	15.0	100	0	000		29.11				FM-16		30.08
18	0447	7	CLR:00	2.00	BR:1 ||	61	16.0	61	16.1	61	16.0	100	0	000		29.11				FM-16		30.08
18	0451	7	VV:09 2	0.75	BR:1 ||	61	16.0	61	16.1	61	16.0	100	0	000		29.11				FM-16		30.08
18	0453	7	VV:09 2	0.50	FG:2 |FG |	60	15.6	60	15.6	60	15.6	100	0	000		29.11			30.06	FM-15	0.00	30.08
18	0503	7	CLR:00	1.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	3	090		29.11				FM-16		30.08
18	0507	7	CLR:00	3.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	3	090		29.11				FM-16		30.08
18	0538	7	CLR:00	2.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	0	000		29.11				FM-16		30.08
18	0551	6	CLR:00	3.00	BR:1 ||	61	16.0	61	16.1	61	16.0	100	0	000		29.11				FM-16		30.08
18	0553	7	CLR:00	3.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	0	000		29.11			30.07	FM-15	0.00	30.08
18	0653	7	BKN:07 50	4.00	BR:1 ||	62	16.7	62	16.7	62	16.7	100	0	000		29.12	3	-0.01	30.08	FM-15	0.00	30.09
18	0753	7	CLR:00	6.00	BR:1 ||	66	18.9	65	18.5	65	18.3	96	3	150		29.13			30.09	FM-15	0.00	30.10
18	0853	7	BKN:07 80	10.00		72	22.2	67	19.4	64	17.8	76	5	230		29.14			30.09	FM-15	0.00	30.11
18	0953	7	OVC:08 75	10.00		75	23.9	68	20.0	64	17.8	69	7	210		29.14	0	-0.01	30.09	FM-15	0.00	30.11
18	1053	7	OVC:08 80	10.00		75	23.9	69	20.6	66	18.9	74	0	000		29.13			30.09	FM-15	0.00	30.10
18	1153	6	BKN:07 75 OVC:08 90	10.00		78	25.6	70	21.2	66	18.9	67	5	240		29.12			30.08	FM-15	0.00	30.09
18	1253	7	BKN:07 100	10.00		81	27.2	70	21.1	64	17.8	57	5	240		29.10	8	+0.03	30.06	FM-15	0.00	30.07
18	1353	7	OVC:08 80	10.00		79	26.1	69	20.4	63	17.2	58	5	170		29.08			30.03	FM-15	0.00	30.05
18	1453	7	OVC:08 60	10.00		79	26.1	70	21.0	65	18.3	62	3	320		29.07			30.03	FM-15	0.00	30.04
18	1553	7	OVC:08 80	10.00		78	25.6	71	21.9	68	20.0	71	3	060		29.06	6	+0.05	30.01	FM-15	0.00	30.03
18	1653	7	OVC:08 95	10.00		80	26.7	70	21.2	65	18.3	60	3	060		29.05			30.00	FM-15	0.00	30.02
18	1753	7	FEW:02 95	10.00		77	25.0	69	20.3	64	17.8	64	0	000		29.05			30.00	FM-15	0.00	30.02
18	1853	7	OVC:08 85	10.00		73	22.8	69	20.6	67	19.4	81	0	000		29.05	5	+0.01	30.01	FM-15	0.00	30.02
18	1953	7	OVC:08 95	10.00		73	22.8	68	19.9	65	18.3	76	0	000		29.06			30.01	FM-15	0.00	30.03
18	2053	7	SCT:04 75 BKN:07 95	10.00		70	21.1	66	19.0	64	17.8	82	3	270		29.06			30.01	FM-15	0.00	30.03
18	2153	7	BKN:07 80 OVC:08 110	10.00		71	21.7	68	19.9	66	18.9	84	0	000		29.06	2	-0.01	30.01	FM-15	0.00	30.03
18	2253	7	FEW:02 75 BKN:07 95 OVC:08 120	10.00		70	21.1	68	20.0	67	19.4	90	5	330		29.06			30.01	FM-15	T	30.03
18	2353	7	BKN:07 80 OVC:08 100	10.00		69	20.6	68	19.8	67	19.4	93	5	080		29.05			30.00	FM-15	T	30.02
19	0053	7	BKN:07 85 OVC:08 100	10.00		70	21.1	68	20.0	67	19.4	90	3	090		29.04	8	+0.03	29.98	FM-15	0.00	30.01
19	0153	7	FEW:02 65 OVC:08 85	9.00		69	20.6	68	19.8	67	19.4	93	0	000		29.03			29.98	FM-15	0.00	30.00
19	0253	7	FEW:02 75 OVC:08 90	9.00		68	20.0	67	19.6	67	19.4	96	0	000		29.02			29.97	FM-15	0.00	29.99
19	0353	7	SCT:04 85	9.00		68	20.0	67	19.6	67	19.4	96	0	000		29.01	6	+0.02	29.96	FM-15	0.00	29.98
19	0453	7	CLR:00	9.00		67	19.4	67	19.4	67	19.4	100	0	000		29.01			29.96	FM-15	0.00	29.98
19	0553	7	BKN:07 50 OVC:08 85	10.00		69	20.6	68	19.8	67	19.4	93	5	130		29.02			29.97	FM-15	0.00	29.99
19	0653	7	BKN:07 80	7.00		68	20.0	67	19.6	67	19.4	96	0	000		29.02	3	-0.01	29.98	FM-15	0.00	29.99
19	0753	7	BKN:07 55 BKN:07 80 OVC:08 100	9.00		71	21.7	68	20.2	67	19.4	87	5	170		29.03			29.98	FM-15	0.00	30.00
19	0853	7	BKN:07 80 OVC:08 100	10.00		72	22.2	68	20.1	66	18.9	82	6	150		29.03			29.98	FM-15	0.00	30.00
19	0953	7	SCT:04 90 OVC:08 110	10.00		74	23.3	69	20.5	66	18.9	76	6	170		29.04	3	-0.02	29.99	FM-15	0.00	30.01
19	1053	7	BKN:07 60	10.00		77	25.0	71	21.7	68	20.0	74	6	220		29.05			30.00	FM-15	0.00	30.02
19	1153	7	BKN:07 70 BKN:07 110	10.00	-RA:02 |RA |	75	23.9	70	21.0	67	19.4	76	11	240		29.04			29.99	FM-15	T	30.01
19	1253	7	OVC:08 100	5.00	-RA:02 BR:1 |RA |	71	21.7	70	20.9	69	20.6	94	10	210		29.04	8	+0.00	29.99	FM-15	0.02	30.01
19	1351	6	FEW:02 9 SCT:04 100 OVC:08 110	6.00	-RA:02 BR:1 |RA |	70	21.0	70	21.1	70	21.0	100	10	210		29.02				FM-16		29.99
19	1353	7	FEW:02 9 OVC:08 110	6.00	-RA:02 BR:1 |RA |	70	21.1	70	21.1	70	21.1	100	9	200		29.01			29.97	FM-15	0.02	29.98

19	1453	7	FEW:02 70 OVC:08 110	10.00	-RA:02 |RA |	71	21.7	70	20.9	69	20.6	94	0	000		28.99			29.95	FM-15	0.05	29.96
19	1553	7	FEW:02 14	10.00		73	22.8	70	21.0	68	20.0	84	3	160		28.98	6	+0.06	29.93	FM-15	T	29.95
19	1653	7	FEW:02 90 FEW:02 110	10.00		76	24.4	70	21.2	67	19.4	74	5	180		28.98			29.93	FM-15	0.00	29.95
19	1753	7	BKN:07 100 OVC:08 110	10.00		74	23.3	70	21.1	68	20.0	82	5	090		28.98			29.93	FM-15	0.00	29.95
19	1853	7	OVC:08 90	10.00		73	22.8	69	20.6	67	19.4	81	6	160		28.98	3	-0.00	29.93	FM-15	0.00	29.95
19	1953	7	FEW:02 75 SCT:04 90 OVC:08 110	10.00		72	22.2	69	20.4	67	19.4	84	3	210		29.00			29.95	FM-15	0.00	29.97
19	2053	7	OVC:08 90	10.00		72	22.2	69	20.4	67	19.4	84	6	180		28.99			29.94	FM-15	T	29.96
19	2153	7	FEW:02 55 OVC:08 90	10.00		71	21.7	69	20.6	68	20.0	90	0	000		29.00	1	-0.02	29.95	FM-15	T	29.97
19	2253	7	OVC:08 110	10.00		71	21.7	69	20.6	68	20.0	90	5	150		29.00			29.95	FM-15	0.00	29.97
19	2353	7	OVC:08 110	10.00		70	21.1	69	20.4	68	20.0	93	3	150		29.00			29.95	FM-15	0.00	29.97
20	0053	7	BKN:07 80	9.00		68	20.0	68	20.0	68	20.0	100	0	000		29.01	3	-0.00	29.96	FM-15	0.00	29.98
20	0114	7	BKN:07 26 OVC:08 85	9.00		69	20.6	68	20.2	68	20.0	96	0	000		29.01				FM-16		29.98
20	0142	7	SCT:04 28 OVC:08 75	9.00		68	20.0	68	20.0	68	20.0	100	3	080		29.01				FM-16		29.98
20	0153	7	FEW:02 28 OVC:08 75	8.00		68	20.0	68	20.0	68	20.0	100	0	000		29.00			29.96	FM-15	0.00	29.97
20	0253	7	OVC:08 80	8.00		68	20.0	68	20.0	68	20.0	100	0	000		29.00			29.95	FM-15	0.00	29.97
20	0351	6	SCT:04 19 BKN:07 24 OVC:08 50	7.00		68	20.0	68	20.0	68	20.0	100	3	210		29.01				FM-16		29.98
20	0353	7	SCT:04 19 BKN:07 26 OVC:08 50	7.00		68	20.0	68	20.0	68	20.0	100	3	200		29.01	3	-0.01	29.96	FM-15	0.00	29.98
20	0411	7	FEW:02 19 BKN:07 31 OVC:08 70	8.00		69	20.6	68	20.2	68	20.0	96	3	190		29.01				FM-16		29.98
20	0453	7	FEW:02 55 OVC:08 70	9.00		69	20.6	68	20.2	68	20.0	96	0	000		29.01			29.96	FM-15	0.00	29.98
20	0553	7	CLR:00	7.00		66	18.9	66	18.9	66	18.9	100	3	260		29.04			29.99	FM-15	0.00	30.01
20	0653	7	CLR:00	5.00	BR:1 ||	66	18.9	66	18.9	66	18.9	100	0	000		29.06	3	-0.05	30.01	FM-15	0.00	30.03
20	0753	7	CLR:00	5.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	5	240		29.08			30.03	FM-15	0.00	30.05
20	0853	7	CLR:00	10.00		74	23.3	71	21.5	69	20.6	85	0	000		29.08			30.03	FM-15	0.00	30.05
20	0953	7	FEW:02 80	10.00		76	24.4	71	21.9	69	20.6	79	0	000		29.08	0	-0.02	30.03	FM-15	0.00	30.05
20	1053	7	SCT:04 60	10.00		79	26.1	72	22.0	68	20.0	69	5	200		29.07			30.02	FM-15	0.00	30.04
20	1153	7	FEW:02 37 SCT:04 45	10.00		80	26.7	71	21.9	67	19.4	64	0	000		29.06			30.01	FM-15	0.00	30.03
20	1253	7	FEW:02 45	10.00		80	26.7	71	21.5	66	18.9	62	0	000		29.05	8	+0.03	29.99	FM-15	0.00	30.02
20	1353	7	BKN:07 90	10.00	VCTS:7 ||	82	27.8	73	22.5	68	20.0	63	7	240		29.03			29.98	FM-15	0.00	30.00
20	1445	7	FEW:02 42 SCT:04 65 OVC:08 90	10.00	TS:7 -RA:02 |RA TS TS |	77	25.0	73	22.7	71	21.7	82	5	340		29.04				FM-16	T	30.01
20	1453	7	FEW:02 43 FEW:02 65 OVC:08 95	9.00	TS:7 -RA:02 |RA TS TS |	76	24.4	73	22.9	72	22.2	88	8	300		29.03			29.99	FM-15	T	30.00
20	1500	7	FEW:02 42 OVC:08 95	10.00	VCTS:7 -RA:02 |RA |	75	23.9	72	22.4	71	21.7	88	6	310		29.03				FM-16	T	30.00
20	1553	7	BKN:07 100	10.00		77	25.0	72	22.4	70	21.1	79	0	000		29.03	6	+0.01	29.98	FM-15	T	30.00
20	1653	7	CLR:00	10.00		79	26.1	74	23.1	71	21.7	77	0	000		29.03			29.98	FM-15	0.00	30.00
20	1753	7	CLR:00	10.00		76	24.4	73	22.9	72	22.2	88	3	110		29.03			29.99	FM-15	0.00	30.00
20	1853	7	CLR:00	10.00		73	22.8	72	22.0	71	21.7	94	0	000		29.04	3	-0.01	29.99	FM-15	0.00	30.01
20	1953	6	CLR:00	10.00		71	21.7	70	20.9	69	20.6	94	0	000		29.05			30.00	FM-15	0.00	30.02
20	2053	6	FEW:02 47	10.00		70	21.1	70	21.1	70	21.1	100	0	000		29.05			30.01	FM-15	0.00	30.02
20	2153	6	SCT:04 47	10.00		70	21.1	69	20.7	69	20.6	97	0	000		29.06	2	-0.02	30.01	FM-15	0.00	30.03
20	2253	6	CLR:00	10.00		69	20.6	69	20.6	69	20.6	100	0	000		29.06			30.01	FM-15	0.00	30.03

20	2353	6	CLR:00	8.00		67	19.4	67	19.4	67	19.4	100	0	000		29.07			30.02	FM-15	0.00	30.04
21	0053	6	CLR:00	6.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	0	000		29.09	3	-0.03	30.04	FM-15	0.00	30.06
21	0145	6	CLR:00	1.50	BR:1 ||	66	18.9	66	18.9	66	18.9	100	0	000		29.10				FM-16		30.07
21	0151	6	CLR:00	0.50	FG:2 |FG |	64	18.0	64	17.8	64	18.0	100	0	000		29.10				FM-16		30.07
21	0153	6	CLR:00	0.50	FG:2 |FG |	65	18.3	65	18.3	65	18.3	100	0	000		29.10			30.05	FM-15	0.00	30.07
21	0215	6	CLR:00	0.25	FG:2 |FG |	65	18.3	65	18.3	65	18.3	100	0	000		29.10				FM-16		30.07
21	0222	6	CLR:00	1.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	0	000		29.10				FM-16		30.07
21	0242	6	CLR:00	0.25	FG:2 |FG |	65	18.3	65	18.3	65	18.3	100	0	000		29.10				FM-16		30.07
21	0251	6	CLR:00	0.50V	FG:2 |FG |	64	18.0	64	17.8	64	18.0	100	3	100		29.10				FM-16		30.07
21	0253	6	CLR:00	0.75V	BR:1 ||	64	17.8	64	17.8	64	17.8	100	3	100		29.10			30.05	FM-15	0.00	30.07
21	0338	6	CLR:00	2.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	0	000		29.11				FM-16		30.08
21	0345	6	CLR:00	4.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	0	000		29.11				FM-16		30.08
21	0353	6	CLR:00	5.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	0	000		29.11	2	-0.01	30.06	FM-15	0.00	30.08
21	0407	6	CLR:00	1.50	BR:1 ||	64	17.8	64	17.8	64	17.8	100	0	000		29.11				FM-16		30.08
21	0415	6	CLR:00	0.25	FG:2 |FG |	63	17.2	63	17.2	63	17.2	100	0	000		29.11				FM-16		30.08
21	0441	6	CLR:00	0.75V	BR:1 ||	64	17.8	64	17.8	64	17.8	100	0	000		29.11				FM-16		30.08
21	0449	6	FEW:02 65	2.50	BR:1 ||	63	17.0	63	17.2	63	17.0	100	0	000		29.12				FM-16		30.09
21	0451	6	FEW:02 65	4.00	BR:1 ||	63	17.0	63	17.2	63	17.0	100	0	000		29.12				FM-16		30.09
21	0453	6	FEW:02 65	4.00	BR:1 ||	63	17.2	63	17.2	63	17.2	100	0	000		29.12			30.07	FM-15	0.00	30.09
21	0503	6	FEW:02 65	1.75	BR:1 ||	64	17.8	64	17.8	64	17.8	100	0	000		29.12				FM-16		30.09
21	0511	6	SCT:04 65	0.25	FG:2 |FG |	63	17.2	63	17.2	63	17.2	100	0	000		29.12				FM-16		30.09
21	0553	6	CLR:00	0.25	FG:2 |FG |	62	16.7	62	16.7	62	16.7	100	0	000		29.13			30.09	FM-15	0.00	30.10
21	0601	6	VV:09 3	0.25	FG:2 |FG |	63	17.2	63	17.2	63	17.2	100	0	000		29.13				FM-16		30.10
21	0606	6	VV:09 3	1.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	0	000		29.13				FM-16		30.10
21	0608	6	FEW:02 3	2.50	BR:1 ||	64	17.8	64	17.8	64	17.8	100	0	000		29.13				FM-16		30.10
21	0610	6	VV:09 3	0.50	FG:2 |FG |	64	17.8	64	17.8	64	17.8	100	0	000		29.13				FM-16		30.10
21	0629	6	CLR:00	3.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	0	000		29.14				FM-16		30.11
21	0653	6	CLR:00	5.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	0	000		29.14	2	-0.03	30.09	FM-15	0.00	30.11
21	0753	6	CLR:00	3.00	BR:1 ||	71	21.7	70	21.3	70	21.1	96	3	230		29.15			30.10	FM-15	0.00	30.12
21	0853	6	CLR:00	7.00		75	23.9	72	22.0	70	21.1	84	3	220		29.15			30.10	FM-15	0.00	30.12
21	0953	6	CLR:00	10.00		79	26.1	73	22.7	70	21.1	74	0	000		29.15	0	-0.01	30.10	FM-15	0.00	30.12
21	1053	6	CLR:00	10.00		82	27.8	74	23.6	71	21.7	69	0	000		29.14			30.09	FM-15	0.00	30.11
21	1153	6	CLR:00	10.00		84	28.9	74	23.5	70	21.1	63	0	000		29.14			30.09	FM-15	0.00	30.11
21	1253	6	CLR:00	10.00		86	30.0	74	23.5	69	20.6	57	3	250		29.12	8	+0.02	30.07	FM-15	0.00	30.09
21	1353	6	FEW:02 50	10.00		86	30.0	74	23.2	68	20.0	55	0	000		29.10			30.05	FM-15	0.00	30.07
21	1453	6	FEW:02 50	10.00		89	31.7	74	23.3	67	19.4	48	0	000		29.09			30.04	FM-15	0.00	30.06
21	1553	6	CLR:00	10.00		88	31.1	73	22.9	66	18.9	48	3	110		29.08	6	+0.04	30.03	FM-15	0.00	30.05
21	1653	6	FEW:02 60	10.00		87	30.6	74	23.3	68	20.0	53	3	070		29.07			30.02	FM-15	0.00	30.04
21	1753	6	OVC:08 60	10.00		85	29.4	73	23.0	68	20.0	57	3	110		29.07			30.02	FM-15	0.00	30.04
21	1853	6	BKN:07 60	10.00		83	28.3	72	22.0	66	18.9	57	5	140		29.08	3	-0.00	30.03	FM-15	0.00	30.05
21	1953	6	BKN:07 60	10.00		77	25.0	71	21.7	68	20.0	74	5	110		29.10			30.05	FM-15	0.00	30.07
21	2053	6	CLR:00	10.00		75	23.9	70	21.3	68	20.0	79	3	160		29.11			30.06	FM-15	0.00	30.08
21	2153	6	CLR:00	10.00		73	22.8	70	21.0	68	20.0	84	0	000		29.12	1	-0.04	30.06	FM-15	0.00	30.09
21	2253	6	CLR:00	10.00		73	22.8	70	21.0	68	20.0	84	0	000		29.13			30.07	FM-15	0.00	30.10
21	2353	6	CLR:00	9.00		73	22.8	70	21.0	68	20.0	84	0	000		29.12			30.06	FM-15	0.00	30.09
22	0053	6	CLR:00	6.00	BR:1 ||	69	20.6	68	20.2	68	20.0	96	0	000		29.12	0	-0.00	30.07	FM-15	0.00	30.09
22	0153	6	CLR:00	6.00	BR:1 ||	68	20.0	67	19.6	67	19.4	96	0	000		29.12			30.07	FM-15	0.00	30.09
22	0253	6	SCT:04 55	9.00		68	20.0	67	19.6	67	19.4	96	0	000		29.12			30.06	FM-15	0.00	30.09
22	0353	6	SCT:04 55	7.00		68	20.0	68	20.0	68	20.0	100	0	000		29.13	3	-0.01	30.08	FM-15	0.00	30.10
22	0453	6	CLR:00	6.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	0	000		29.13			30.08	FM-15	0.00	30.10
22	0553	6	CLR:00	7.00		66	18.9	66	18.9	66	18.9	100	0	000		29.15			30.10	FM-15	0.00	30.12
22	0653	6	BKN:07 55	5.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	0	000		29.16	3	-0.03	30.11	FM-15	0.00	30.13
22	0753	6	BKN:07 55	6.00	BR:1 ||	71	21.7	70	20.9	69	20.6	94	0	000		29.17			30.12	FM-15	0.00	30.14
22	0756	6	FEW:02 55	6.00	BR:1 ||	70	21.1	69	20.7	69	20.6	97	0	000		29.17				FM-16		30.14
22	0853	6	CLR:00	9.00		76	24.4	71	21.9	69	20.6	79	0	000		29.17			30.11	FM-15	0.00	30.14
22	0953	6	CLR:00	10.00		80	26.7	73	22.5	69	20.6	69	0	000		29.17	0	-0.00	30.11	FM-15	0.00	30.14
22	1053	6	CLR:00	10.00		83	28.3	73	23.0	69	20.6	63	3	VRB		29.16			30.10	FM-15	0.00	30.13

22	1153	6	CLR:00	10.00		84	28.9	74	23.2	69	20.6	61	5	110		29.15			30.09	FM-15	0.00	30.12
22	1253	6	CLR:00	10.00		87	30.6	74	23.3	68	20.0	53	0	000		29.13	8	+0.03	30.08	FM-15	0.00	30.10
22	1353	6	CLR:00	10.00		87	30.6	74	23.3	68	20.0	53	5	140		29.12			30.06	FM-15	0.00	30.09
22	1453	6	CLR:00	10.00		86	30.0	73	22.5	66	18.9	51	0	000		29.10			30.05	FM-15	0.00	30.07
22	1553	6	CLR:00	10.00		86	30.0	73	22.5	66	18.9	51	0	000		29.09	6	+0.04	30.04	FM-15	0.00	30.06
22	1653	6	CLR:00	10.00		86	30.0	73	22.5	66	18.9	51	5	100		29.09			30.03	FM-15	0.00	30.06
22	1753	6	CLR:00	10.00		83	28.3	72	22.4	67	19.4	59	5	100		29.09			30.03	FM-15	0.00	30.06
22	1853	6	CLR:00	7.00		79	26.1	72	22.0	68	20.0	69	0	000		29.09	3	-0.00	30.04	FM-15	0.00	30.06
22	1953	6	CLR:00	10.00		76	24.4	70	21.2	67	19.4	74	3	060		29.11			30.06	FM-15	0.00	30.08
22	2053	6	CLR:00	10.00		74	23.3	69	20.5	66	18.9	76	3	080		29.11			30.06	FM-15	0.00	30.08
22	2153	6	CLR:00	10.00		73	22.8	68	20.3	66	18.9	79	0	000		29.11	1	-0.02	30.06	FM-15	0.00	30.08
22	2253	6	CLR:00	10.00		70	21.1	67	19.7	66	18.9	87	0	000		29.11			30.06	FM-15	0.00	30.08
22	2353	6	CLR:00	10.00		68	20.0	66	18.9	65	18.3	90	3	360		29.12			30.07	FM-15	0.00	30.09
23	0053	6	CLR:00	10.00		66	18.9	65	18.5	65	18.3	96	0	000		29.12	0	-0.01	30.07	FM-15	0.00	30.09
23	0153	6	CLR:00	10.00		66	18.9	65	18.5	65	18.3	96	3	020		29.11			30.06	FM-15	0.00	30.08
23	0253	6	CLR:00	10.00		67	19.4	65	18.4	64	17.8	91	0	000		29.11			30.05	FM-15	0.00	30.08
23	0353	6	CLR:00	9.00		64	17.8	64	17.8	64	17.8	100	5	030		29.12	5	+0.00	30.07	FM-15	0.00	30.09
23	0453	6	CLR:00	7.00		62	16.7	62	16.7	62	16.7	100	0	000		29.13			30.08	FM-15	0.00	30.10
23	0553	6	CLR:00	9.00		63	17.2	62	16.9	62	16.7	97	0	000		29.14			30.09	FM-15	0.00	30.11
23	0653	6	CLR:00	7.00		63	17.2	62	16.9	62	16.7	97	3	010		29.16	3	-0.04	30.11	FM-15	0.00	30.13
23	0753	6	CLR:00	10.00		70	21.1	67	19.7	66	18.9	87	0	000		29.17			30.12	FM-15	0.00	30.14
23	0853	6	CLR:00	10.00		75	23.9	69	20.3	65	18.3	71	0	000		29.17			30.12	FM-15	0.00	30.14
23	0953	6	CLR:00	10.00		79	26.1	70	21.4	66	18.9	65	0	000		29.18	1	-0.02	30.13	FM-15	0.00	30.15
23	1053	6	CLR:00	10.00		83	28.3	72	22.0	66	18.9	57	3	130		29.17			30.12	FM-15	0.00	30.14
23	1153	6	CLR:00	10.00		86	30.0	69	20.7	60	15.6	42	7	090		29.17			30.11	FM-15	0.00	30.14
23	1253	6	CLR:00	10.00		87	30.6	69	20.6	59	15.0	39	8	060		29.15	8	+0.03	30.10	FM-15	0.00	30.12
23	1353	6	CLR:00	10.00		88	31.1	69	20.5	58	14.4	36	3	VRB		29.14			30.08	FM-15	0.00	30.11
23	1453	6	CLR:00	10.00		90	32.2	70	21.1	59	15.0	35	7	VRB		29.12			30.06	FM-15	0.00	30.09
23	1553	6	CLR:00	10.00		89	31.7	71	21.5	61	16.1	39	10	100		29.11	6	+0.04	30.06	FM-15	0.00	30.08
23	1653	6	CLR:00	10.00		87	30.6	70	21.2	61	16.1	42	10	080		29.12			30.06	FM-15	0.00	30.09
23	1753	6	CLR:00	10.00		83	28.3	71	21.4	64	17.8	53	8	090		29.12			30.07	FM-15	0.00	30.09
23	1853	6	CLR:00	10.00		80	26.7	68	20.0	61	16.1	52	6	110		29.12	3	-0.01	30.08	FM-15	0.00	30.09
23	1953	6	CLR:00	10.00		78	25.6	67	19.6	61	16.1	56	3	100		29.13			30.08	FM-15	0.00	30.10
23	2053	6	CLR:00	10.00		74	23.3	66	19.1	62	16.7	67	0	000		29.13			30.08	FM-15	0.00	30.10
23	2153	6	CLR:00	10.00		70	21.1	64	18.0	61	16.1	73	5	050		29.13	1	-0.01	30.08	FM-15	0.00	30.10
23	2253	6	CLR:00	10.00		71	21.7	65	18.2	61	16.1	71	3	070		29.14			30.09	FM-15	0.00	30.11
23	2353	6	CLR:00	10.00		67	19.4	63	17.4	61	16.1	81	5	030		29.14			30.09	FM-15	0.00	30.11
24	0053	6	CLR:00	10.00		66	18.9	63	17.2	61	16.1	84	5	360		29.15	3	-0.01	30.09	FM-15	0.00	30.12
24	0153	6	CLR:00	10.00		65	18.3	63	17.0	61	16.1	87	0	000		29.15			30.10	FM-15	0.00	30.12
24	0253	6	CLR:00	10.00		64	17.8	63	17.4	63	17.2	96	0	000		29.16			30.11	FM-15	0.00	30.13
24	0353	6	CLR:00	10.00		64	17.8	62	16.8	61	16.1	90	3	070		29.16	1	-0.01	30.11	FM-15	0.00	30.13
24	0453	6	CLR:00	10.00		63	17.2	61	16.2	60	15.6	90	6	050		29.16			30.11	FM-15	0.00	30.13
24	0553	6	CLR:00	10.00		64	17.8	62	16.4	60	15.6	87	3	070		29.17			30.12	FM-15	0.00	30.14
24	0653	6	CLR:00	10.00		65	18.3	61	16.0	58	14.4	78	5	100		29.18	3	-0.02	30.13	FM-15	0.00	30.15
24	0753	6	CLR:00	10.00		72	22.2	65	18.1	60	15.6	66	6	130		29.18			30.13	FM-15	0.00	30.15
24	0853	6	CLR:00	10.00		76	24.4	66	18.9	60	15.6	58	7	130		29.19			30.14	FM-15	0.00	30.16
24	0953	6	CLR:00	10.00		80	26.7	67	19.7	60	15.6	51	6	140		29.18	0	-0.00	30.13	FM-15	0.00	30.15
24	1053	6	CLR:00	10.00		84	28.9	68	19.8	58	14.4	41	8	120		29.18			30.13	FM-15	0.00	30.15
24	1153	6	CLR:00	10.00		86	30.0	69	20.7	60	15.6	42	8	120		29.17			30.11	FM-15	0.00	30.14
24	1253	6	CLR:00	10.00		87	30.6	70	20.9	60	15.6	40	9	140		29.15	8	+0.04	30.09	FM-15	0.00	30.12
24	1353	6	CLR:00	10.00		87	30.6	70	20.9	60	15.6	40	10	130	16	29.13			30.08	FM-15	0.00	30.10
24	1453	6	CLR:00	10.00		88	31.1	70	21.0	60	15.6	39	9	110		29.11			30.06	FM-15	0.00	30.08
24	1553	6	CLR:00	10.00		87	30.6	71	21.5	62	16.7	43	7	080		29.09	8	+0.05	30.04	FM-15	0.00	30.06
24	1653	6	CLR:00	10.00		86	30.0	71	21.6	63	17.2	46	6	080		29.10			30.05	FM-15	0.00	30.07
24	1753	6	CLR:00	10.00		84	28.9	70	21.0	62	16.7	48	5	110		29.10			30.05	FM-15	0.00	30.07
24	1853	6	CLR:00	10.00		78	25.6	68	20.2	63	17.2	60	0	000		29.09	0	-0.00	30.05	FM-15	0.00	30.06
24	1953	6	CLR:00	10.00		75	23.9	67	19.7	63	17.2	66	0	000		29.10			30.05	FM-15	0.00	30.07

24	2053	6	CLR:00	10.00		73	22.8	67	19.3	63	17.2	71	0	000		29.10			30.06	FM-15	0.00	30.07
24	2153	6	CLR:00	10.00		71	21.7	67	19.2	64	17.8	79	0	000		29.11	1	-0.01	30.06	FM-15	0.00	30.08
24	2253	6	CLR:00	10.00		70	21.1	66	18.7	63	17.2	79	0	000		29.11			30.05	FM-15	0.00	30.08
24	2353	6	CLR:00	10.00		69	20.6	66	18.8	64	17.8	84	3	020		29.10			30.04	FM-15	0.00	30.07
25	0053	6	CLR:00	10.00		68	20.0	65	18.6	64	17.8	87	0	000		29.09	8	+0.02	30.03	FM-15	0.00	30.06
25	0153	6	CLR:00	10.00		67	19.4	65	18.4	64	17.8	91	3	030		29.08			30.03	FM-15	0.00	30.05
25	0253	6	CLR:00	10.00		66	18.9	65	18.2	64	17.8	93	3	250		29.07			30.02	FM-15	0.00	30.04
25	0353	6	CLR:00	10.00		66	18.9	65	18.2	64	17.8	93	3	360		29.08	5	+0.01	30.02	FM-15	0.00	30.05
25	0453	6	CLR:00	10.00		65	18.3	64	17.7	63	17.2	93	3	020		29.08			30.02	FM-15	0.00	30.05
25	0553	6	CLR:00	10.00		63	17.2	63	17.2	63	17.2	100	0	000		29.09			30.04	FM-15	0.00	30.06
25	0653	6	CLR:00	10.00		65	18.3	64	18.0	64	17.8	97	0	000		29.10	3	-0.02	30.05	FM-15	0.00	30.07
25	0753	6	CLR:00	10.00		70	21.1	67	19.7	66	18.9	87	0	000		29.11			30.06	FM-15	0.00	30.08
25	0853	6	CLR:00	10.00		75	23.9	69	20.6	66	18.9	74	5	110		29.11			30.06	FM-15	0.00	30.08
25	0953	6	CLR:00	10.00		79	26.1	71	21.7	67	19.4	67	0	000		29.11	0	-0.01	30.06	FM-15	0.00	30.08
25	1053	6	CLR:00	10.00		82	27.8	71	21.9	66	18.9	58	0	000		29.10			30.05	FM-15	0.00	30.07
25	1153	6	CLR:00	10.00		85	29.4	71	21.4	63	17.2	48	3	VRB		29.09			30.04	FM-15	0.00	30.06
25	1253	6	CLR:00	10.00		86	30.0	70	21.3	62	16.7	45	3	340		29.07	8	+0.04	30.02	FM-15	0.00	30.04
25	1353	6	CLR:00	10.00		88	31.1	71	21.9	63	17.2	43	0	000		29.05			30.00	FM-15	0.00	30.02
25	1453	6	FEW:02 70	10.00		88	31.1	71	21.9	63	17.2	43	5	VRB		29.03			29.98	FM-15	0.00	30.00
25	1553	6	CLR:00	10.00		86	30.0	71	21.9	64	17.8	48	7	120		29.02	6	+0.05	29.97	FM-15	0.00	29.99
25	1653	6	CLR:00	10.00		85	29.4	72	22.1	65	18.3	51	0	000		29.02			29.97	FM-15	0.00	29.99
25	1753	6	CLR:00	10.00		84	28.9	69	20.4	60	15.6	44	0	000		29.02			29.96	FM-15	0.00	29.99
25	1853	6	CLR:00	10.00		77	25.0	68	20.0	63	17.2	62	3	070		29.02	5	+0.00	29.97	FM-15	0.00	29.99
25	1953	6	CLR:00	10.00		79	26.1	69	20.7	64	17.8	60	6	140		29.03			29.98	FM-15	0.00	30.00
25	2053	6	CLR:00	10.00		78	25.6	70	20.8	65	18.3	64	7	150		29.03			29.98	FM-15	0.00	30.00
25	2153	6	CLR:00	10.00		76	24.4	69	20.5	65	18.3	69	5	150		29.04	1	-0.01	29.98	FM-15	0.00	30.01
25	2253	6	CLR:00	10.00		70	21.1	67	19.3	65	18.3	84	0	000		29.04			29.98	FM-15	0.00	30.01
25	2353	6	CLR:00	10.00		71	21.7	67	19.5	65	18.3	81	0	000		29.04			29.99	FM-15	0.00	30.01
26	0053	6	CLR:00	10.00		66	18.9	64	17.9	63	17.2	90	0	000		29.05	3	-0.01	29.99	FM-15	0.00	30.02
26	0153	6	CLR:00	10.00		67	19.4	65	18.4	64	17.8	91	3	100		29.05			29.99	FM-15	0.00	30.02
26	0253	6	CLR:00	10.00		65	18.3	65	18.3	65	18.3	100	0	000		29.05			29.99	FM-15	0.00	30.02
26	0353	6	CLR:00	10.00		63	17.2	63	17.2	63	17.2	100	0	000		29.05	3	-0.00	30.00	FM-15	0.00	30.02
26	0453	6	CLR:00	10.00		65	18.3	64	18.0	64	17.8	97	0	000		29.05			30.00	FM-15	0.00	30.02
26	0553	6	CLR:00	7.00		64	17.8	64	17.8	64	17.8	100	0	000		29.07			30.02	FM-15	0.00	30.04
26	0653	6	CLR:00	4.00	BR:1 ||	63	17.2	63	17.2	63	17.2	100	0	000		29.08	3	-0.03	30.03	FM-15	0.00	30.05
26	0753	6	CLR:00	7.00		70	21.1	68	20.0	67	19.4	90	0	000		29.08			30.03	FM-15	0.00	30.05
26	0853	6	CLR:00	10.00		77	25.0	70	21.3	67	19.4	71	0	000		29.08			30.03	FM-15	0.00	30.05
26	0953	6	CLR:00	10.00		80	26.7	70	21.2	65	18.3	60	3	280		29.08	3	-0.00	30.03	FM-15	0.00	30.05
26	1053	6	CLR:00	10.00		84	28.9	72	22.2	66	18.9	55	5	230		29.08			30.02	FM-15	0.00	30.05
26	1153	6	CLR:00	10.00		86	30.0	71	21.9	64	17.8	48	0	000		29.06			30.01	FM-15	0.00	30.03
26	1253	6	CLR:00	10.00		87	30.6	71	21.8	63	17.2	45	5	340		29.05	8	+0.04	29.99	FM-15	0.00	30.02
26	1353	6	CLR:00	10.00		88	31.1	70	21.3	61	16.1	40	0	000		29.02			29.97	FM-15	0.00	29.99
26	1453	6	CLR:00	10.00		89	31.7	71	21.8	62	16.7	41	3	090		29.00			29.95	FM-15	0.00	29.97
26	1553	6	CLR:00	10.00		89	31.7	71	21.8	62	16.7	41	3	VRB		28.99	6	+0.06	29.93	FM-15	0.00	29.96
26	1653	6	CLR:00	10.00		88	31.1	71	21.6	62	16.7	42	0	000		28.99			29.93	FM-15	0.00	29.96
26	1753	6	CLR:00	10.00		85	29.4	71	21.7	64	17.8	50	3	080		28.99			29.93	FM-15	0.00	29.96
26	1853	6	SCT:04 75	10.00		81	27.2	69	20.7	63	17.2	54	0	000		28.99	3	-0.01	29.94	FM-15	0.00	29.96
26	1953	6	SCT:04 75	10.00		81	27.2	68	20.1	61	16.1	51	0	000		29.00			29.95	FM-15	0.00	29.97
26	2053	6	CLR:00	10.00		74	23.3	66	19.1	62	16.7	67	3	250		29.01			29.96	FM-15	0.00	29.98
26	2153	6	CLR:00	10.00		74	23.3	67	19.5	63	17.2	69	0	000		29.01	1	-0.02	29.96	FM-15	0.00	29.98
26	2253	6	CLR:00	10.00		71	21.7	67	19.2	64	17.8	79	0	000		29.01			29.96	FM-15	0.00	29.98
26	2353	6	CLR:00	10.00		70	21.1	65	18.3	62	16.7	76	0	000		29.01			29.96	FM-15	0.00	29.98
27	0053	6	CLR:00	10.00		68	20.0	65	18.3	63	17.2	84	0	000		29.01	8	+0.01	29.96	FM-15	0.00	29.98
27	0153	6	CLR:00	10.00		66	18.9	64	17.5	62	16.7	87	0	000		29.01			29.96	FM-15	0.00	29.98
27	0253	6	CLR:00	9.00		65	18.3	64	17.6	63	17.2	93	0	000		29.00			29.94	FM-15	0.00	29.97
27	0353	6	CLR:00	10.00		66	18.9	64	17.5	62	16.7	87	0	000		29.00	8	+0.01	29.94	FM-15	0.00	29.97
27	0453	6	CLR:00	10.00		64	17.8	63	17.1	62	16.7	93	0	000		29.00			29.95	FM-15	0.00	29.97

27	0553	6	CLR:00	10.00		64	17.8	63	17.1	62	16.7	93	0	000		29.01			29.96	FM-15	0.00	29.98
27	0653	6	CLR:00	9.00		63	17.2	62	16.9	62	16.7	97	0	000		29.01	3	-0.01	29.96	FM-15	0.00	29.98
27	0753	6	CLR:00	10.00		72	22.2	67	19.4	64	17.8	76	0	000		29.01			29.96	FM-15	0.00	29.98
27	0853	6	CLR:00	10.00		77	25.0	69	20.7	65	18.3	66	3	290		29.02			29.96	FM-15	0.00	29.99
27	0953	6	CLR:00	10.00		82	27.8	71	21.9	66	18.9	58	0	000		29.01	0	-0.00	29.96	FM-15	0.00	29.98
27	1053	6	CLR:00	10.00		85	29.4	72	22.4	66	18.9	53	6	320		29.00			29.94	FM-15	0.00	29.97
27	1153	6	CLR:00	10.00		88	31.1	73	22.8	66	18.9	48	6	VRB		28.98			29.93	FM-15	0.00	29.95
27	1253	6	BKN:07 100	9.00		85	29.4	72	22.4	66	18.9	53	10	300	17	28.98	6	+0.04	29.92	FM-15	0.00	29.95
27	1353	6	BKN:07 65 OVC:08 100	10.00		85	29.4	72	22.0	65	18.3	51	11	340		28.97			29.91	FM-15	0.00	29.94
27	1453	6	FEW:02 55	10.00		87	30.6	72	22.4	65	18.3	48	10	320		28.96			29.91	FM-15	0.00	29.93
27	1553	6	SCT:04 55	10.00		86	30.0	72	22.2	65	18.3	49	8	330		28.95	6	+0.02	29.90	FM-15	0.00	29.92
27	1653	6	FEW:02 55	10.00		84	28.9	72	22.2	66	18.9	55	15	320		28.96			29.91	FM-15	0.00	29.93
27	1753	6	CLR:00	10.00		81	27.2	72	22.0	67	19.4	62	10	320		28.97			29.92	FM-15	0.00	29.94
27	1853	6	CLR:00	10.00		76	24.4	68	20.2	64	17.8	67	14	340		28.99	3	-0.04	29.94	FM-15	0.00	29.96
27	1953	6	SCT:04 48	10.00		74	23.3	65	18.5	60	15.6	62	14	330		29.02			29.96	FM-15	0.00	29.99
27	2053	6	CLR:00	10.00		72	22.2	63	17.2	57	13.9	59	15	330	22	29.04			29.98	FM-15	0.00	30.01
27	2153	6	CLR:00	10.00		69	20.6	60	15.7	54	12.2	59	14	330		29.05	1	-0.05	29.99	FM-15	0.00	30.02
27	2253	6	CLR:00	10.00		66	18.9	59	15.1	54	12.2	65	13	330	20	29.05			30.00	FM-15	0.00	30.02
27	2353	6	CLR:00	10.00		63	17.2	57	14.1	53	11.7	70	14	330		29.06			30.00	FM-15	0.00	30.03
28	0053	6	CLR:00	10.00		61	16.1	57	13.6	53	11.7	75	10	330		29.07	3	-0.02	30.02	FM-15	0.00	30.04
28	0153	6	CLR:00	10.00		59	15.0	55	12.9	52	11.1	78	9	330		29.07			30.02	FM-15	0.00	30.04
28	0253	6	CLR:00	10.00		58	14.4	55	12.6	52	11.1	81	11	330		29.07			30.02	FM-15	0.00	30.04
28	0353	6	CLR:00	10.00		57	13.9	54	12.4	52	11.1	83	10	330		29.08	3	-0.01	30.03	FM-15	0.00	30.05
28	0453	6	CLR:00	10.00		56	13.3	54	12.1	52	11.1	87	8	350		29.10			30.05	FM-15	0.00	30.07
28	0553	6	CLR:00	10.00		56	13.3	54	12.4	53	11.7	90	10	350		29.11			30.07	FM-15	0.00	30.08
28	0653	6	CLR:00	10.00		56	13.3	54	12.4	53	11.7	90	10	350		29.13	3	-0.05	30.09	FM-15	0.00	30.10
28	0753	6	CLR:00	10.00		59	15.0	56	13.2	53	11.7	81	13	010		29.14			30.10	FM-15	0.00	30.11
28	0853	6	CLR:00	10.00		62	16.7	57	13.9	53	11.7	73	10	010		29.15			30.11	FM-15	0.00	30.12
28	0953	6	CLR:00	10.00		65	18.3	58	14.3	52	11.1	63	9	010		29.16	1	-0.03	30.11	FM-15	0.00	30.13
28	1053	6	CLR:00	10.00		67	19.4	58	14.7	52	11.1	59	10	340		29.15			30.11	FM-15	0.00	30.12
28	1153	6	CLR:00	10.00		68	20.0	58	14.4	50	10.0	53				29.15			30.10	FM-15	0.00	30.12
28	1156	6	CLR:00	10.00		68	20.0	57	14.1	49	9.4	51	10	340		29.14				FM-16		30.11
28	1253	6	CLR:00	10.00		70	21.1	58	14.3	48	8.9	46	9	340		29.14	8	+0.02	30.09	FM-15	0.00	30.11
28	1313	6	CLR:00			69	20.6	57	13.8	47	8.3	45				29.13				FM-16		30.10
28	1353	6	CLR:00	10.00		71	21.7	58	14.5	48	8.9	44	10	VRB		29.11			30.07	FM-15	0.00	30.08
28	1453	6	CLR:00	10.00		71	21.7	58	14.3	47	8.3	42	11	350	18	29.11			30.07	FM-15	0.00	30.08
28	1553	6	CLR:00	10.00		71	21.7	57	14.0	46	7.8	41	10	340		29.11	5	+0.02	30.07	FM-15	0.00	30.08
28	1653	6	CLR:00	10.00		70	21.1	57	13.8	46	7.8	42	8	360	18	29.11			30.07	FM-15	0.00	30.08
28	1753	6	CLR:00	10.00		67	19.4	56	13.1	46	7.8	47	10	330		29.11			30.08	FM-15	0.00	30.08
28	1853	6	CLR:00	10.00		61	16.1	53	11.7	46	7.8	58	7	360		29.12	3	-0.01	30.08	FM-15	0.00	30.09
28	1953	6	CLR:00	10.00		59	15.0	53	11.5	47	8.3	64	6	020		29.13			30.10	FM-15	0.00	30.10
28	2053	6	CLR:00	10.00		57	13.9	52	11.3	48	8.9	72	9	040		29.15			30.11	FM-15	0.00	30.12
28	2153	6	CLR:00	10.00		55	12.8	51	10.5	47	8.3	74	6	050		29.16	1	-0.04	30.13	FM-15	0.00	30.13
28	2253	6	CLR:00	10.00		54	12.2	50	10.2	47	8.3	77	0	000		29.17			30.13	FM-15	0.00	30.14
28	2353	6	CLR:00	10.00		51	10.6	48	9.2	46	7.8	83	0	000		29.16			30.13	FM-15	0.00	30.13
29	0053	6	CLR:00	10.00		52	11.1	49	9.7	47	8.3	83	0	000		29.17	3	-0.00	30.13	FM-15	0.00	30.14
29	0153	6	CLR:00	10.00		50	10.0	48	8.9	46	7.8	86	0	000		29.16			30.13	FM-15	0.00	30.13
29	0253	6	CLR:00	10.00		50	10.0	48	9.2	47	8.3	89	3	270		29.16			30.12	FM-15	0.00	30.13
29	0353	6	CLR:00	10.00		47	8.3	47	8.3	47	8.3	100	0	000		29.16	5	+0.01	30.13	FM-15	0.00	30.13
29	0453	6	CLR:00	10.00		49	9.4	48	8.9	47	8.3	93	3	270		29.16			30.13	FM-15	0.00	30.13
29	0553	6	CLR:00	10.00		48	8.9	47	8.3	46	7.8	93	0	000		29.18			30.15	FM-15	0.00	30.15
29	0653	6	CLR:00	10.00		46	7.8	46	7.5	45	7.2	96	0	000		29.18	2	-0.02	30.16	FM-15	0.00	30.15
29	0753	6	CLR:00	10.00		54	12.2	51	10.8	49	9.4	83	3	210		29.19			30.16	FM-15	0.00	30.16
29	0853	6	BKN:07 90	10.00		59	15.0	54	12.3	50	10.0	72	5	190		29.19			30.16	FM-15	0.00	30.16
29	0953	6	BKN:07 90	10.00		63	17.2	55	13.0	49	9.4	60	7	230		29.19	1	-0.01	30.16	FM-15	0.00	30.16
29	1053	6	OVC:08 85	10.00		65	18.3	56	13.5	49	9.4	56	8	220		29.19			30.15	FM-15	0.00	30.16

29	1153	6	BKN:07 70 OVC:08 90	10.00		67	19.4	57	13.6	48	8.9	51	9	230		29.17			30.13	FM-15	0.00	30.14
29	1253	6	SCT:04 75	10.00		73	22.8	59	15.2	49	9.4	43	11	260		29.14	8	+0.05	30.10	FM-15	0.00	30.11
29	1353	6	BKN:07 60 BKN:07 95	10.00		73	22.8	60	15.5	50	10.0	44	15	260	22	29.12			30.08	FM-15	0.00	30.09
29	1453	6	FEW:02 60 SCT:04 70 BKN:07 100	10.00		70	21.1	59	15.1	51	10.6	51	14	270		29.12			30.08	FM-15	0.00	30.09
29	1553	6	BKN:07 70 OVC:08 100	10.00		73	22.8	59	15.2	49	9.4	43	15	310		29.11	6	+0.03	30.07	FM-15	0.00	30.08
29	1606	6	SCT:04 70 BKN:07 95	10.00		73	22.8	60	15.7	51	10.6	46	13	330		29.11				FM-16		30.08
29	1653	6	FEW:02 60 SCT:04 100	10.00		71	21.7	58	14.5	48	8.9	44	14	320		29.12			30.09	FM-15	0.00	30.09
29	1753	6	FEW:02 85	10.00		68	20.0	57	13.6	47	8.3	47	14	340		29.14			30.11	FM-15	0.00	30.11
29	1853	6	CLR:00	10.00		65	18.3	54	12.2	44	6.7	47	10	340		29.17	3	-0.06	30.14	FM-15	0.00	30.14
29	1953	6	CLR:00	10.00		61	16.1	51	10.7	42	5.6	50	11	360		29.20			30.16	FM-15	0.00	30.17
29	2053	6	CLR:00	10.00		57	13.9	50	10.0	43	6.1	60	8	010		29.22			30.19	FM-15	0.00	30.19
29	2153	6	CLR:00	10.00		57	13.9	50	10.0	43	6.1	60	6	330		29.23	1	-0.06	30.20	FM-15	0.00	30.20
29	2253	6	CLR:00	10.00		55	12.8	49	9.7	44	6.7	67	7	010		29.25			30.22	FM-15	0.00	30.22
29	2353	6	CLR:00	10.00		56	13.3	50	10.2	45	7.2	67	15	010		29.26			30.24	FM-15	0.00	30.24
30	0053	6	CLR:00	10.00		51	10.6	48	9.2	46	7.8	83	7	010		29.28	1	-0.05	30.25	FM-15	0.00	30.26
30	0153	6	CLR:00	10.00		50	10.0	48	8.9	46	7.8	86	6	350		29.30			30.27	FM-15	0.00	30.28
30	0253	6	CLR:00	10.00		49	9.4	48	8.6	46	7.8	90	5	340		29.31			30.28	FM-15	0.00	30.29
30	0353	6	CLR:00	10.00		49	9.4	48	8.6	46	7.8	90	5	330		29.32	1	-0.04	30.29	FM-15	0.00	30.30
30	0453	6	CLR:00	10.00		47	8.3	47	8.1	46	7.8	97	5	330		29.34			30.32	FM-15	0.00	30.32
30	0553	6	FEW:02 26	10.00		47	8.3	47	8.1	46	7.8	97	6	320		29.37			30.35	FM-15	0.00	30.35
30	0653	6	CLR:00	10.00		46	7.8	46	7.5	45	7.2	96	6	360		29.38	1	-0.06	30.36	FM-15	0.00	30.36
30	0753	6	CLR:00	10.00		52	11.1	50	10.2	49	9.4	89	7	360		29.39			30.37	FM-15	0.00	30.37
30	0853	6	CLR:00	10.00		56	13.3	53	11.6	50	10.0	81	6	020		29.41			30.39	FM-15	0.00	30.39
30	0953	6	FEW:02 25	10.00		59	15.0	53	11.5	47	8.3	64	11	040		29.42	1	-0.04	30.40	FM-15	0.00	30.40
30	1053	6	SCT:04 36	10.00		58	14.4	52	11.0	46	7.8	65	7	060		29.42			30.40	FM-15	0.00	30.40
30	1153	6	BKN:07 44	10.00		63	17.2	54	12.2	46	7.8	54	8	360		29.42			30.40	FM-15	0.00	30.40
30	1253	6	FEW:02 48	10.00		65	18.3	54	12.2	44	6.7	47	10	040	17	29.40	8	+0.02	30.37	FM-15	0.00	30.38
30	1353	6	CLR:00	10.00		67	19.4	54	12.2	42	5.6	41	10	360		29.37			30.35	FM-15	0.00	30.35
30	1453	6	CLR:00	10.00		66	18.9	53	11.7	41	5.0	40	6	VRB		29.36			30.34	FM-15	0.00	30.34
30	1553	6	CLR:00	10.00		67	19.4	54	12.0	41	5.0	39	6	030		29.35	6	+0.04	30.33	FM-15	0.00	30.33
30	1653	6	CLR:00	10.00		66	18.9	53	11.7	41	5.0	40	10	010		29.34			30.32	FM-15	0.00	30.32
30	1753	6	CLR:00	10.00		61	16.1	51	10.7	42	5.6	50	7	030		29.34			30.33	FM-15	0.00	30.32
30	1853	6	CLR:00	10.00		56	13.3	49	9.5	42	5.6	60	8	020		29.35	3	-0.00	30.34	FM-15	0.00	30.33
30	1953	7	CLR:00	10.00		56	13.3	49	9.5	42	5.6	60	11	010		29.37			30.35	FM-15	0.00	30.35
30	2053	7	CLR:00	10.00		53	11.7	48	8.7	42	5.6	66	9	010		29.38			30.36	FM-15	0.00	30.36
30	2153	7	CLR:00	10.00		49	9.4	46	7.6	42	5.6	77	6	020		29.39	1	-0.04	30.37	FM-15	0.00	30.37
30	2253	7	CLR:00	10.00		48	8.9	45	7.3	42	5.6	80	6	040		29.39			30.37	FM-15	0.00	30.37
30	2353	7	CLR:00	10.00		48	8.9	45	7.3	42	5.6	80	3	070		29.38			30.36	FM-15	0.00	30.36

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
September 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01																T							0.01	0.10	01
02	0.17	0.11	0.04	0.05	0.01	0.20	0.09	0.01	0.01		0.02	0.06	0.03	0.01	0.07	0.06	0.08	0.04	0.01	T				0.01	02
03				T	T																				03
04																								0.02	04
05	0.04	0.23	0.31	0.32	T																				05
06																									06
07																						0.01			07
08																				T					08
09																									09
10																									10
11																									11
12													T	T				0.07	0.02	0.02	0.02	T			12
13															T	T	0.10	0.06	0.02	0.03	0.03	0.04	0.01	0.04	13
14	0.03	0.01									0.02	T													14
15																									15
16																									16
17																									17
18																							T	T	18
19												T	0.02	0.02	0.05	T					T	T			19
20															T	T									20
21																									21
22																									22
23																									23
24																									24
25																									25
26																									26
27																									27
28																									28
29																									29
30																									30

Maximum Short Duration Precipitation

Time Period (Minutes)	**5**	**10**	**15**	**20**	**30**	**45**	**60**	**80**	**100**	**120**	**150**	**180**
Precipitation (inches)	0.21	0.22	0.29	0.34	0.34	0.35	0.55	0.56	0.62	0.64	0.72	0.88
Ending Date Time (yyyy-mm-dd hh:mi)	2017-09-05 03:45	2017-09-05 03:47	2017-09-05 03:02	2017-09-05 03:04	2017-09-05 03:04	2017-09-05 03:04	2017-09-05 03:45	2017-09-05 03:47	2017-09-05 03:47	2017-09-05 03:47	2017-09-05 03:47	2017-09-05 03:47

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
October 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	69	41	55	-4.1				10	0	0628	1815		0.00			29.33		5.5	18	130	14	110
02	77	44	61	2.3				4	0	0629	1813		0.00			29.32		3.6	15	160	12	160
03	83	49	66	7.7				0	1	0630	1812		0.00			29.42		5.4	19	180	15	160
04	84*	56	70	12.1				0	5	0631	1810		0.00			29.37		7.0	22	230	16	270
05	69	59	64	6.5				1	0	0632	1809	RA FG BR	1.12			29.22		4.2	14	270	12	210
06	75	61	68	10.9				0	3	0633	1807	RA BR	T			29.11		5.2	14	190	10	190
07	83	66	74	17.3				0	9	0634	1805	RA BR	0.49			28.92		12.2	50s	280s	32	270
08	70	59	64	7.7				1	0	0635	1804	RA BR	2.35			28.90		7.0	25	220	18	220
09	72	60	66	10.0				0	1	0636	1802	RA BR	0.27			28.90		5.7	16	310	14	310
10	76	54	65	9.4				0	0	0637	1801	RA FG BR	T			29.13		3.8	13	150	9	110
11	78	59	69	13.8				0	4	0638	1759	RA BR	0.31			29.02		9.9	29	260	22	290
12	65	57	61	6.1				4	0	0639	1758	RA FG BR	0.04			29.16		3.9	13	320	12	310
13	73	51	62	7.5				3	0	0641	1756	FG BR	0.00			29.20		1.6	15	180	12	190
14	79	52	65	10.8				0	0	0642	1754	BR	0.00			29.17		6.8	18	150	14	170
15	77	49	63	9.2				2	0	0643	1753	RA	T			28.98		14.9	46	280	35	300
16	59	43	51	-2.5				14	0	0644	1751		0.00			29.27		6.1	21	310	16	320
17	66	38	52	-1.2				13	0	0645	1750	BR	0.00			29.32		4.7	20	270	15	230
18	68	40	54	1.2				11	0	0646	1749		0.00			29.29		5.4	18	190	15	210
19	74	45	59	6.5				6	0	0647	1747		0.00			29.21		8.3	22	230	17	230
20	73	45	59	6.8				6	0	0648	1746	BR	0.00			29.26		2.6	11	130	9	140
21	74	47	60	8.1				5	0	0649	1744		0.00			29.26		4.6	14	180	12	150
22	77	49	63	11.5				2	0	0650	1743		0.00			29.21		6.7	22	130	17	130
23	65	51	58	6.8				7	0	0651	1742	RA BR	0.49			28.86		11.3	29	210	21	200
24	56	45	50	-0.9				15	0	0652	1740	RA BR	0.02			28.74		14.3	36	220	28	220
25	51	33	42	-8.6				23	0	0653	1739	RA	T			28.84		8.3	23	230	17	240
26	55	29*	42	-8.3				23	0	0655	1738		0.00			28.94		4.7	20	210	13	130
27	69	41	55	5.0				10	0	0656	1736	RA	T			28.86		11.3	30	220	23	200
28	41	34	37	-12.6				28	0	0657	1735	RA SN BR	0.19			28.92		7.0	20	280	15	280
29	43	37	40	-9.3				25	0	0658	1734		0.00			28.84		10.3	23	300	17	290
30	43	32	37	-12.0				28	0	0659	1732	RA	0.03			28.82		11.4	29	230	21	230
31	42	30	36	-12.7				29	0	0700	1731		0.00			29.13		7.5	26	290	20	280
	67.3	47.0	57.2							Monthly Averages | Totals			5.31s			29.10	30.06	7.2				
	2.9	4.1	3.6	Departure from Normal (1981-2010)									2.81s									

Degree Days	Monthly Total	Monthly Departure	Season-to-date Total	Season-to-date Departure
Heating	267	-96	353	
Cooling	23	11	848	

Number of days with... Temperature: Max >=90°	Max <=32°	Min <=32°	Min <=0°	Precipitation >=0.01"	Precipitation >=0.1"	Snow >=1"	Weather T-Storms	Weather Heavy Fog
0	0	3	0	10	7			

Date of 5-sec to 3-sec wind equipment change	Sea Level Pressure		Date	Time
N/A	Maximum	30.47	03	1001
	Minimum	29.59	23	1707

Greatest... 24-Hr... Precip	Snowfall	Snow Depth
2.62s		
Date		
08-09		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
October 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	CLR:00	10.00		47	8.3	45	7.0	42	5.6	83	6	080		29.38	8	+0.01	30.36	FM-15	0.00	30.36
01	0153	7	CLR:00	10.00		45	7.2	43	6.2	41	5.0	86	3	050		29.38			30.36	FM-15	0.00	30.36
01	0253	7	CLR:00	10.00		43	6.1	41	5.1	39	3.9	86	5	060		29.37			30.36	FM-15	0.00	30.35
01	0353	7	CLR:00	10.00		45	7.2	43	5.9	40	4.4	83	5	080		29.37	8	+0.01	30.35	FM-15	0.00	30.35
01	0453	7	CLR:00	10.00		43	6.1	42	5.4	40	4.4	89	5	070		29.36			30.35	FM-15	0.00	30.34
01	0553	7	CLR:00	10.00		44	6.7	42	5.6	40	4.4	85	3	070		29.37			30.35	FM-15	0.00	30.35
01	0653	7	CLR:00	10.00		44	6.7	42	5.6	40	4.4	85	5	080		29.37	3	-0.01	30.36	FM-15	0.00	30.35
01	0753	7	CLR:00	10.00		50	10.0	47	8.1	43	6.1	77	6	090		29.37			30.36	FM-15	0.00	30.35
01	0853	7	CLR:00	10.00		56	13.3	49	9.7	43	6.1	62	8	110		29.37			30.35	FM-15	0.00	30.35
01	0953	7	CLR:00	10.00		60	15.6	52	11.0	44	6.7	56	6	VRB		29.37	8	+0.00	30.35	FM-15	0.00	30.35
01	1053	7	CLR:00	10.00		62	16.7	52	11.2	43	6.1	50	8	150		29.36			30.34	FM-15	0.00	30.34
01	1153	7	CLR:00	10.00		65	18.3	53	11.5	41	5.0	42	10	110		29.33			30.31	FM-15	0.00	30.31
01	1253	7	CLR:00	10.00		67	19.4	53	11.8	40	4.4	37	13	130	17	29.30	8	+0.07	30.28	FM-15	0.00	30.28
01	1353	7	CLR:00	10.00		69	20.6	53	11.8	38	3.3	32	11	140		29.27			30.25	FM-15	0.00	30.25
01	1453	7	CLR:00	10.00		68	20.0	52	11.4	37	2.8	32	8	150		29.26			30.24	FM-15	0.00	30.24
01	1553	7	CLR:00	10.00		67	19.4	53	11.5	39	3.9	36	5	VRB		29.26	6	+0.05	30.22	FM-15	0.00	30.23
01	1653	7	CLR:00	10.00		68	20.0	54	12.0	40	4.4	36	8	140		29.25			30.22	FM-15	0.00	30.22
01	1753	7	CLR:00	10.00		64	17.8	53	11.5	42	5.6	45	6	110		29.26			30.23	FM-15	0.00	30.23
01	1853	7	CLR:00	10.00		64	17.8	52	11.0	40	4.4	41	5	150		29.26	3	-0.01	30.24	FM-15	0.00	30.24
01	1953	7	CLR:00	10.00		57	13.9	50	10.0	43	6.1	60	5	100		29.26			30.23	FM-15	0.00	30.23
01	2053	7	CLR:00	10.00		55	12.8	49	9.4	43	6.1	64	3	100		29.26			30.24	FM-15	0.00	30.24
01	2153	7	CLR:00	10.00		51	10.6	48	8.6	44	6.7	77	0	000		29.26	3	-0.01	30.24	FM-15	0.00	30.24
01	2253	7	CLR:00	10.00		53	11.7	48	8.9	43	6.1	69	0	000		29.27			30.24	FM-15	0.00	30.25
01	2353	7	CLR:00	10.00		50	10.0	47	8.4	44	6.7	80	0	000		29.27			30.25	FM-15	0.00	30.25
02	0053	7	CLR:00	10.00		48	8.9	46	7.5	43	6.1	83	3	080		29.26	0	-0.00	30.24	FM-15	0.00	30.24
02	0153	7	CLR:00	10.00		44	6.7	44	6.7	44	6.7	100	3	070		29.27			30.24	FM-15	0.00	30.25
02	0253	7	CLR:00	10.00		49	9.4	46	7.6	42	5.6	77	0	000		29.27			30.25	FM-15	0.00	30.25
02	0353	7	CLR:00	10.00		47	8.3	45	7.0	42	5.6	83	3	130		29.28	3	-0.01	30.25	FM-15	0.00	30.26
02	0453	7	CLR:00	10.00		49	9.4	46	7.6	42	5.6	77	0	000		29.29			30.27	FM-15	0.00	30.27
02	0553	7	CLR:00	10.00		45	7.2	43	6.2	41	5.0	86	3	090		29.31			30.29	FM-15	0.00	30.29
02	0653	7	CLR:00	10.00		45	7.2	44	6.4	42	5.6	90	5	100		29.33	3	-0.06	30.32	FM-15	0.00	30.31
02	0753	7	CLR:00	10.00		52	11.1	49	9.7	47	8.3	83	3	100		29.34			30.32	FM-15	0.00	30.32
02	0853	7	CLR:00	10.00		58	14.4	52	11.2	47	8.3	67	5	170		29.36			30.34	FM-15	0.00	30.34
02	0953	7	CLR:00	10.00		63	17.2	54	12.5	47	8.3	56	0	000		29.36	1	-0.03	30.34	FM-15	0.00	30.34
02	1053	7	CLR:00	10.00		68	20.0	57	13.9	48	8.9	49	3	VRB		29.37			30.35	FM-15	0.00	30.35
02	1153	7	CLR:00	10.00		71	21.7	60	15.3	51	10.6	49	3	VRB		29.36			30.34	FM-15	0.00	30.34
02	1253	7	CLR:00	10.00		73	22.8	60	15.5	50	10.0	44	5	020		29.35	8	+0.02	30.32	FM-15	0.00	30.33
02	1353	7	CLR:00	10.00		75	23.9	61	16.2	51	10.6	43	3	VRB		29.33			30.30	FM-15	0.00	30.31
02	1453	7	CLR:00	10.00		76	24.4	61	16.1	50	10.0	40	3	130		29.31			30.29	FM-15	0.00	30.29
02	1553	7	CLR:00	10.00		76	24.4	61	15.9	49	9.4	39	5	VRB		29.31	6	+0.04	30.28	FM-15	0.00	30.29
02	1653	7	CLR:00	10.00		76	24.4	61	15.9	49	9.4	39	3	130		29.32			30.29	FM-15	0.00	30.30
02	1753	7	CLR:00	10.00		75	23.9	60	15.7	49	9.4	40	3	120		29.32			30.30	FM-15	0.00	30.30
02	1853	7	CLR:00	10.00		70	21.1	58	14.6	49	9.4	47	6	130		29.33	1	-0.02	30.31	FM-15	0.00	30.31
02	1953	7	CLR:00	10.00		67	19.4	57	13.9	49	9.4	53	7	130		29.35			30.32	FM-15	0.00	30.33
02	2053	7	CLR:00	10.00		65	18.3	56	13.2	48	8.9	54	3	130		29.36			30.33	FM-15	0.00	30.34
02	2153	7	CLR:00	10.00		61	16.1	54	12.2	48	8.9	63	6	130		29.37	1	-0.04	30.35	FM-15	0.00	30.35
02	2253	7	CLR:00	10.00		60	15.6	54	12.0	48	8.9	65	6	120		29.37			30.34	FM-15	0.00	30.35

02	2353	6	CLR:00	10.00		60	15.6	54	12.0	48	8.9	65	3	150		29.37			30.34	FM-15	0.00	30.35
03	0053	7	CLR:00	10.00		54	12.2	50	10.2	47	8.3	77	3	150		29.37	3	-0.00	30.35	FM-15	0.00	30.35
03	0153	7	CLR:00	10.00		53	11.7	50	10.2	48	8.9	83	0	000		29.38			30.35	FM-15	0.00	30.36
03	0253	7	CLR:00	10.00		50	10.0	49	9.7	49	9.4	96	0	000		29.38			30.35	FM-15	0.00	30.36
03	0353	7	CLR:00	10.00		49	9.4	48	9.2	48	8.9	97	3	070		29.39	3	-0.01	30.36	FM-15	0.00	30.37
03	0453	7	CLR:00	10.00		50	10.0	48	9.2	47	8.3	89	0	000		29.41			30.39	FM-15	0.00	30.39
03	0553	7	CLR:00	10.00		50	10.0	48	9.2	47	8.3	89	0	000		29.43			30.40	FM-15	0.00	30.41
03	0653	7	CLR:00	10.00		52	11.1	49	9.7	47	8.3	83	0	000		29.46	3	-0.07	30.44	FM-15	0.00	30.44
03	0753	7	CLR:00	10.00		57	13.9	53	11.8	50	10.0	78	6	150		29.48			30.45	FM-15	0.00	30.46
03	0853	7	CLR:00	10.00		63	17.2	56	13.5	51	10.6	65	7	140		29.49			30.46	FM-15	0.00	30.47
03	0953	7	CLR:00	10.00		68	20.0	58	14.7	51	10.6	55	5	VRB		29.50	1	-0.04	30.47	FM-15	0.00	30.48
03	1053	7	CLR:00	10.00		73	22.8	61	16.3	53	11.7	50	6	180		29.49			30.45	FM-15	0.00	30.47
03	1153	7	CLR:00	10.00		77	25.0	63	17.4	54	12.2	45	9	180		29.47			30.44	FM-15	0.00	30.45
03	1253	7	CLR:00	10.00		79	26.1	65	18.1	55	12.8	44	6	VRB		29.45	8	+0.05	30.41	FM-15	0.00	30.43
03	1353	7	CLR:00	10.00		82	27.8	66	18.9	56	13.3	41	11	150	17	29.42			30.39	FM-15	0.00	30.40
03	1453	7	CLR:00	10.00		82	27.8	67	19.2	57	13.9	42	8	140		29.40			30.37	FM-15	0.00	30.38
03	1553	7	CLR:00	10.00		82	27.8	67	19.2	57	13.9	42	9	170		29.39	6	+0.05	30.37	FM-15	0.00	30.37
03	1653	7	CLR:00	10.00		81	27.2	66	18.7	56	13.3	42	13	170		29.39			30.37	FM-15	0.00	30.37
03	1753	7	CLR:00	10.00		79	26.1	65	18.3	56	13.3	45	9	170		29.40			30.37	FM-15	0.00	30.38
03	1853	7	CLR:00	10.00		76	24.4	64	18.0	57	13.9	52	6	180		29.41	3	-0.01	30.37	FM-15	0.00	30.39
03	1953	7	CLR:00	10.00		73	22.8	63	17.4	57	13.9	57	6	170		29.42			30.39	FM-15	0.00	30.40
03	2053	7	CLR:00	10.00		71	21.7	63	17.0	57	13.9	61	6	170		29.43			30.39	FM-15	0.00	30.41
03	2153	7	CLR:00	10.00		69	20.6	62	16.9	58	14.4	68	7	160		29.43	1	-0.03	30.40	FM-15	0.00	30.41
03	2253	7	CLR:00	10.00		68	20.0	62	16.4	57	13.9	68	5	190		29.44			30.40	FM-15	0.00	30.42
03	2353	7	CLR:00	10.00		66	18.9	61	16.0	57	13.9	73	5	190		29.44			30.41	FM-15	0.00	30.42
04	0053	7	CLR:00	10.00		60	15.6	58	14.3	56	13.3	86	3	200		29.44	0	-0.01	30.40	FM-15	0.00	30.42
04	0153	7	CLR:00	10.00		62	16.7	59	14.8	56	13.3	80	3	200		29.43			30.39	FM-15	0.00	30.41
04	0253	7	CLR:00	10.00		57	13.9	56	13.3	55	12.8	93	3	130		29.43			30.39	FM-15	0.00	30.41
04	0353	7	CLR:00	10.00		62	16.7	59	15.1	57	13.9	84	5	150		29.42	6	+0.02	30.39	FM-15	0.00	30.40
04	0453	7	CLR:00	10.00		61	16.1	59	14.8	57	13.9	87	7	170		29.41			30.37	FM-15	0.00	30.39
04	0553	7	CLR:00	10.00		60	15.6	58	14.3	56	13.3	86	5	170		29.41			30.37	FM-15	0.00	30.39
04	0653	7	CLR:00	10.00		60	15.6	58	14.3	56	13.3	86	6	170		29.42	3	-0.00	30.39	FM-15	0.00	30.40
04	0753	7	BKN:07 85	10.00		64	17.8	60	15.5	57	13.9	78	6	190		29.42			30.39	FM-15	0.00	30.40
04	0853	7	SCT:04 60	10.00		69	20.6	62	16.6	57	13.9	66	7	180		29.42			30.38	FM-15	0.00	30.40
04	0953	7	OVC:08 65	10.00		74	23.3	64	17.6	57	13.9	56	9	220		29.41	8	+0.01	30.38	FM-15	0.00	30.39
04	1053	7	SCT:04 70	10.00		78	25.6	66	19.0	59	15.0	52	9	210		29.39			30.35	FM-15	0.00	30.37
04	1153	7	CLR:00	10.00		81	27.2	67	19.6	59	15.0	47	10	220		29.36			30.32	FM-15	0.00	30.34
04	1253	7	SCT:04 65	10.00		81	27.2	68	20.1	61	16.1	51	10	250		29.33	8	+0.08	30.29	FM-15	0.00	30.31
04	1353	7	BKN:07 70	10.00		82	27.8	69	20.3	61	16.1	49	14	230		29.31			30.28	FM-15	0.00	30.29
04	1453	7	BKN:07 100 OVC:08 110	10.00		81	27.2	69	20.4	62	16.7	53	8	260		29.30			30.26	FM-15	0.00	30.28
04	1553	7	OVC:08 85	10.00		79	26.1	69	20.4	63	17.2	58	11	270		29.29	6	+0.04	30.26	FM-15	0.00	30.27
04	1653	7	SCT:04 75 BKN:07 95	10.00		78	25.6	68	19.9	62	16.7	58	9	270		29.28			30.24	FM-15	0.00	30.26
04	1753	7	FEW:02 80 BKN:07 95	10.00		76	24.4	67	19.5	62	16.7	62	8	250		29.28			30.24	FM-15	0.00	30.26
04	1853	7	BKN:07 85	10.00		73	22.8	67	19.3	63	17.2	71	6	240		29.28	5	+0.01	30.25	FM-15	0.00	30.26
04	1953	7	FEW:02 60	10.00		71	21.7	66	18.9	63	17.2	76	6	250		29.29			30.25	FM-15	0.00	30.27
04	2053	7	CLR:00	10.00		69	20.6	66	18.8	64	17.8	84	6	270		29.28			30.25	FM-15	0.00	30.26
04	2153	7	FEW:02 70	10.00		67	19.4	65	18.4	64	17.8	91	6	270		29.28	1	-0.00	30.25	FM-15	0.00	30.26
04	2253	7	CLR:00	10.00		67	19.4	65	18.4	64	17.8	91	5	230		29.28			30.24	FM-15	0.00	30.26
04	2353	7	CLR:00	10.00		67	19.4	65	18.4	64	17.8	91	7	250		29.27			30.23	FM-15	0.00	30.25
05	0053	7	OVC:08 60	10.00		69	20.6	66	18.8	64	17.8	84	7	240		29.26	8	+0.03	30.22	FM-15	0.00	30.23
05	0153	7	BKN:07 65	10.00		69	20.6	66	18.8	64	17.8	84	7	230		29.25			30.20	FM-15	0.00	30.22
05	0253	7	OVC:08 75	10.00		68	20.0	65	18.6	64	17.8	87	3	240		29.23			30.19	FM-15	0.00	30.21
05	0353	7	SCT:04 40 BKN:07 60 OVC:08 80	10.00		68	20.0	66	18.6	64	17.8	87	0	000		29.25	5	+0.02	30.20	FM-15	0.00	30.22

05	0453	7	OVC:08 41	10.00		67	19.4	65	18.4	64	17.8	91	0	000		29.25			30.20	FM-15	0.00	30.22
05	0553	7	FEW:02 46 OVC:08 75	10.00		67	19.4	65	18.4	64	17.8	91	5	210		29.23			30.20	FM-15	0.00	30.21
05	0653	7	FEW:02 21 BKN:07 55 OVC:08 75	10.00		67	19.4	65	18.4	64	17.8	91	0	000		29.23	8	+0.00	30.20	FM-15	0.00	30.21
05	0753	7	FEW:02 26 OVC:08 40	10.00	-RA:02 |RA |	67	19.4	66	18.7	65	18.3	93	5	290		29.26			30.22	FM-15	T	30.23
05	0844	7	SCT:04 15 BKN:07 24 OVC:08 39	4.00	-RA:02 BR:1 |RA |	65	18.3	65	18.3	65	18.3	100	0	000		29.26				FM-16	0.01	30.24
05	0853	7	BKN:07 17 BKN:07 24 OVC:08 39	4.00	-RA:02 BR:1 |RA |	65	18.3	65	18.3	65	18.3	100	0	000		29.26			30.22	FM-15	0.02	30.24
05	0907	7	FEW:02 7 BKN:07 18 OVC:08 43	1.75	+RA:02 BR:1 |RA |	64	17.8	64	17.8	64	17.8	100	0	000		29.26				FM-16	0.02	30.24
05	0919	7	FEW:02 6 BKN:07 18 OVC:08 43	0.25	+RA:02 FG:2 |FG RA |	64	17.8	64	17.8	64	17.8	100	0	000		29.26				FM-16	0.25	30.24
05	0935	7	SCT:04 6 BKN:07 11 OVC:08 21	1.00	+RA:02 BR:1 |RA |	64	17.8	64	17.8	64	17.8	100	3	300		29.27				FM-16	0.43	30.25
05	0943	7	BKN:07 6 BKN:07 11 OVC:08 19	1.00	+RA:02 BR:1 |RA |	64	17.8	64	17.8	64	17.8	100	5	320		29.27				FM-16	0.46	30.25
05	0953	7	BKN:07 6 OVC:08 13	1.00	+RA:02 BR:1 |RA |	64	17.8	64	17.8	64	17.8	100	6	310		29.27	1	-0.03	30.24	FM-15	0.54	30.25
05	1009	7	OVC:08 5	2.00	RA:02 BR:1 |RA |	63	17.2	63	17.2	63	17.2	100	7	310		29.27				FM-16	0.03	30.25
05	1051	6	FEW:02 9 BKN:07 35 OVC:08 50	2.00	RA:02 BR:1 |RA |	64	18.0	64	17.8	64	18.0	100	7	240		29.27				FM-16		30.25
05	1053	7	FEW:02 9 BKN:07 35 OVC:08 50	2.00	RA:02 BR:1 |RA |	64	17.8	64	17.8	64	17.8	100	6	250		29.27			30.24	FM-15	0.23	30.25
05	1153	7	FEW:02 8 BKN:07 55 OVC:08 80	2.50	RA:02 BR:1 |RA |	65	18.3	65	18.3	65	18.3	100	3	230		29.26			30.22	FM-15	0.17	30.23
05	1251	6	SCT:04 6 BKN:07 55 OVC:08 100	3.00	RA:02 BR:1 |RA |	66	19.0	66	18.9	66	19.0	100	6	210		29.23				FM-16		30.21
05	1253	7	BKN:07 6 BKN:07 60 OVC:08 90	3.00	RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100	6	210		29.23	8	+0.04	30.19	FM-15	0.14	30.20
05	1353	7	OVC:08 7	10.00	-RA:02 |RA |	68	20.0	68	20.0	68	20.0	100	8	220		29.20			30.16	FM-15	0.02	30.17
05	1453	7	OVC:08 7	10.00		69	20.6	68	20.2	68	20.0	96	7	250		29.18			30.14	FM-15	T	30.15
05	1551	6	OVC:08 12	10.00		68	20.0	68	20.0	68	20.0	100	8	260		29.18				FM-16		30.15
05	1553	7	OVC:08 12	10.00		68	20.0	68	20.0	68	20.0	100	7	270		29.18	6	+0.05	30.14	FM-15	T	30.15
05	1653	7	BKN:07 13 BKN:07 18 OVC:08 46	10.00		69	20.6	68	19.8	67	19.4	93	6	220		29.17			30.12	FM-15	T	30.14
05	1753	7	BKN:07 13 BKN:07 19 BKN:07 23	10.00		68	20.0	67	19.6	67	19.4	96	6	200		29.17			30.12	FM-15	0.00	30.14
05	1755	7	OVC:08 49	10.00		68	20.0	67	19.6	67	19.4	96	6	200		29.17				FM-16		30.14
05	1853	7	CLR:00	10.00		66	18.9	66	18.9	66	18.9	100	5	210		29.17	5	+0.01	30.13	FM-15	0.00	30.14
05	1953	7	CLR:00	6.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	5	200		29.18			30.14	FM-15	0.00	30.15
05	2032	7	CLR:00	2.50V	BR:1 ||	64	17.8	64	17.8	64	17.8	100	3	220		29.18				FM-16		30.15
05	2051	6	CLR:00	4.00	BR:1 ||	64	18.0	64	17.8	64	18.0	100	3	200		29.17				FM-16		30.14
05	2053	7	CLR:00	4.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	3	200		29.17			30.13	FM-15	0.00	30.14
05	2102	7	VV:09 4	0.75	BR:1 ||	61	16.1	61	16.1	61	16.1	100	0	000		29.17				FM-16		30.14
05	2118	7	CLR:00	0.75	BR:1 ||	62	16.7	62	16.7	62	16.7	100	3	220		29.17				FM-16		30.14
05	2153	7	CLR:00	0.75	BR:1 ||	63	17.2	63	17.2	63	17.2	100	3	210		29.18	2	-0.01	30.14	FM-15	0.00	30.15

05	2200	7	BKN:07 120	1.75	BR:1 ||	63	17.2	63	17.2	63	17.2	100	3	210		29.18				FM-16		30.15
05	2249	7	VV:09 4	0.50	FG:2 |FG |	61	16.0	61	16.1	61	16.0	100	0	000		29.17				FM-16		30.14
05	2251	6	VV:09 4	0.25	FG:2 |FG |	61	16.0	61	16.1	61	16.0	100	0	000		29.17				FM-16		30.14
05	2253	7	VV:09 4	0.25	FG:2 |FG |	60	15.6	60	15.6	60	15.6	100	0	000		29.17			30.13	FM-15	0.00	30.14
05	2353	7	VV:09 2	0.25	FG:2 |FG |	60	15.6	60	15.6	60	15.6	100	3	150		29.16			30.12	FM-15	0.00	30.13
06	0023	7	OVC:08 2	0.75	BR:1 ||	63	17.2	63	17.2	63	17.2	100	3	160		29.15				FM-16		30.12
06	0051	6	OVC:08 2	1.00	BR:1 ||	63	17.0	63	17.2	63	17.0	100	5	150		29.15				FM-16		30.12
06	0053	7	OVC:08 2	1.25	BR:1 ||	63	17.2	63	17.2	63	17.2	100	5	150		29.15	8	+0.03	30.11	FM-15	0.00	30.12
06	0104	7	BKN:07 2 OVC:08 41	2.50	BR:1 ||	64	17.8	64	17.8	64	17.8	100	6	160		29.15				FM-16		30.12
06	0151	6	OVC:08 2	3.00	BR:1 ||	64	18.0	64	17.8	64	18.0	100	3	180		29.15				FM-16		30.12
06	0153	7	OVC:08 2	3.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	3	170		29.15			30.11	FM-15	0.00	30.12
06	0230	7	OVC:08 3	2.50	BR:1 ||	64	17.8	64	17.8	64	17.8	100	5	140		29.14				FM-16		30.11
06	0245	7	OVC:08 3	3.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	3	180		29.15				FM-16		30.12
06	0253	7	BKN:07 3 OVC:08 38	3.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	0	000		29.14			30.10	FM-15	0.00	30.11
06	0322	7	BKN:07 3 OVC:08 37	2.50	BR:1 ||	64	17.8	64	17.8	64	17.8	100	3	140		29.13				FM-16		30.10
06	0334	7	SCT:04 3 BKN:07 37 OVC:08 50	3.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	5	150		29.13				FM-16		30.10
06	0353	7	FEW:02 37 BKN:07 47 OVC:08 55	3.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	5	160		29.13	8	+0.01	30.09	FM-15	0.00	30.10
06	0453	7	BKN:07 37 BKN:07 46 OVC:08 60	4.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	5	160		29.14			30.09	FM-15	T	30.11
06	0545	7	FEW:02 4 OVC:08 37	3.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	6	180		29.13				FM-16		30.10
06	0553	7	FEW:02 4 OVC:08 37	3.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	8	170		29.13			30.09	FM-15	0.00	30.10
06	0653	7	OVC:08 39	5.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	5	190		29.14	3	-0.01	30.10	FM-15	T	30.11
06	0751	6	BKN:07 43 OVC:08 55	2.50	-RA:02 BR:1 |RA |	64	18.0	64	17.8	64	18.0	100	6	140		29.14				FM-16		30.11
06	0753	7	BKN:07 46 OVC:08 55	3.00	-RA:02 BR:1 |RA |	64	17.8	64	17.8	64	17.8	100	7	150		29.15			30.10	FM-15	T	30.12
06	0853	7	OVC:08 46	3.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	0	000		29.16			30.11	FM-15	T	30.13
06	0911	7	FEW:02 5 OVC:08 47	4.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	0	000		29.16				FM-16		30.13
06	0953	7	OVC:08 49	6.00	BR:1 ||	66	18.9	66	18.9	66	18.9	100	5	150		29.15	0	-0.01	30.11	FM-15	T	30.12
06	1053	7	OVC:08 48	8.00		68	20.0	67	19.3	66	18.9	93	8	210		29.15			30.11	FM-15	T	30.12
06	1153	7	SCT:04 49 OVC:08 60	10.00		69	20.6	66	19.1	65	18.3	87	7	210		29.14			30.10	FM-15	0.00	30.11
06	1253	7	OVC:08 55	10.00		71	21.7	68	19.9	66	18.9	84	5	200		29.12	8	+0.03	30.08	FM-15	0.00	30.09
06	1353	7	FEW:02 50	10.00		72	22.2	68	19.7	65	18.3	79	9	200		29.09			30.04	FM-15	0.00	30.06
06	1453	7	CLR:00	10.00		74	23.3	68	19.8	64	17.8	71	7	170		29.07			30.03	FM-15	0.00	30.04
06	1553	7	FEW:02 75	10.00		74	23.3	66	19.1	62	16.7	67	3	210		29.06	6	+0.06	30.02	FM-15	0.00	30.03
06	1653	7	BKN:07 100	10.00		74	23.3	67	19.5	63	17.2	69	3	250		29.05			30.00	FM-15	0.00	30.02
06	1753	7	FEW:02 110	10.00		72	22.2	66	18.7	62	16.7	71	5	140		29.04			29.99	FM-15	0.00	30.01
06	1853	7	SCT:04 120	10.00		69	20.6	65	18.5	63	17.2	81	5	100		29.04	6	+0.02	29.99	FM-15	0.00	30.01
06	1953	7	CLR:00	10.00		70	21.1	66	18.7	63	17.2	79	6	140		29.03			29.98	FM-15	0.00	30.00
06	2053	7	CLR:00	10.00		69	20.6	65	18.5	63	17.2	81	5	120		29.03			29.98	FM-15	0.00	30.00
06	2153	7	CLR:00	10.00		68	20.0	65	18.3	63	17.2	84	7	120		29.02	7	+0.01	29.98	FM-15	0.00	29.99
06	2253	7	CLR:00	10.00		68	20.0	64	17.9	62	16.7	81	7	140		29.02			29.97	FM-15	0.00	29.99
06	2353	7	FEW:02 120	10.00		67	19.4	64	17.7	62	16.7	84	7	130		29.00			29.95	FM-15	T	29.97
07	0053	7	CLR:00	10.00		67	19.4	64	17.7	62	16.7	84	7	130		28.99	7	+0.03	29.94	FM-15	0.00	29.96
07	0153	7	CLR:00	10.00		66	18.9	64	17.5	62	16.7	87	6	130		28.99			29.94	FM-15	0.00	29.96
07	0253	7	SCT:04 60	10.00		66	18.9	64	17.5	62	16.7	87	5	160		28.98			29.93	FM-15	0.00	29.95
07	0353	7	OVC:08 60	10.00		66	18.9	63	17.2	61	16.1	84	7	150		28.97	8	+0.02	29.92	FM-15	0.00	29.94
07	0453	7	CLR:00	10.00		66	18.9	62	16.9	60	15.6	81	8	160		28.96			29.91	FM-15	0.00	29.93

07	0553	7	CLR:00	10.00		66	18.9	62	16.9	60	15.6	81	8	160		28.96			29.91	FM-15	0.00	29.93
07	0653	7	BKN:07 50	10.00		66	18.9	62	16.9	60	15.6	81	8	160		28.97	5	+0.00	29.92	FM-15	0.00	29.94
07	0753	7	SCT:04 55	10.00		67	19.4	63	17.1	60	15.6	79	9	170		28.99			29.94	FM-15	0.00	29.96
07	0853	7	BKN:07 50	10.00		70	21.1	64	18.0	61	16.1	73	10	180		29.00			29.95	FM-15	0.00	29.97
07	0953	7	SCT:04 39 SCT:04 49 BKN:07 65	10.00		74	23.3	68	19.8	64	17.8	71	9	190		28.99	0	-0.02	29.94	FM-15	0.00	29.96
07	1053	7	SCT:04 37 SCT:04 50 SCT:04 65	10.00		76	24.4	68	20.2	64	17.8	67	18	210	29	28.97			29.92	FM-15	0.00	29.94
07	1153	7	BKN:07 39 BKN:07 49	10.00		77	25.0	70	21.0	66	18.9	69	11	200		28.94			29.89	FM-15	0.00	29.91
07	1253	7	FEW:02 40 SCT:04 47 BKN:07 65	10.00		80	26.7	70	21.2	65	18.3	60	17	180	25	28.91	8	+0.07	29.86	FM-15	0.00	29.88
07	1353	7	SCT:04 49	10.00		82	27.8	70	21.2	64	17.8	55	17	200	31	28.87			29.82	FM-15	0.00	29.84
07	1453	7	SCT:04 70	10.00		82	27.8	70	21.2	64	17.8	55	17	190	28	28.86			29.80	FM-15	0.00	29.82
07	1553	7	FEW:02 75	10.00		83	28.3	70	21.1	63	17.2	51	16	180	24	28.83	6	+0.09	29.77	FM-15	0.00	29.79
07	1653	7	SCT:04 55	10.00		82	27.8	70	20.9	63	17.2	53	17	190	31	28.83			29.77	FM-15	0.00	29.79
07	1753	7	BKN:07 90	10.00		80	26.7	70	20.9	64	17.8	58	14	170		28.81			29.75	FM-15	0.00	29.77
07	1853	7	BKN:07 75 OVC:08 95	10.00		80	26.7	70	20.9	64	17.8	58	17	170	24	28.80	8	+0.03	29.74	FM-15	0.00	29.76
07	1953	7	OVC:08 70	10.00		79	26.1	70	21.0	65	18.3	62	15	170	24	28.80			29.74	FM-15	0.00	29.76
07	2053	7	BKN:07 70 OVC:08 95	10.00		78	25.6	70	21.2	66	18.9	67	15	180	23	28.79			29.72	FM-15	0.00	29.75
07	2153	7	FEW:02 60 BKN:07 75 OVC:08 90	10.00		77	25.0	70	21.0	66	18.9	69	14	170	22	28.78	8	+0.02	29.72	FM-15	T	29.74
07	2223	7	FEW:02 22 BKN:07 65 OVC:08 100	1.75	+RA:02 |RA |	74	23.3	70	21.1	68	20.0	82	23	250	51	28.82				FM-16	0.07	29.78
07	2231	7	FEW:02 23 BKN:07 47 OVC:08 95	2.00V	RA:02 BR:1 |RA |	70	21.1	69	20.7	69	20.6	97	13	270	26	28.81				FM-16	0.09	29.77
07	2238	7	FEW:02 23 BKN:07 36 OVC:08 70	6.00	-RA:02 BR:1 |RA |	70	21.1	69	20.4	68	20.0	93	17	270	28	28.82				FM-16	0.10	29.78
07	2250	7	FEW:02 20 BKN:07 29 OVC:08 42	2.50	RA:02 BR:1 |RA |	70	21.0	70	21.1	70	21.0	100	16	250	24	28.82				FM-16	0.21	29.78
07	2251	6	FEW:02 20 BKN:07 29 OVC:08 42	1.75	RA:02 BR:1 |RA |	70	21.0	70	21.1	70	21.0	100	16	250	24	28.82				FM-16		29.78
07	2253	7	SCT:04 20 BKN:07 29 OVC:08 38	1.25	+RA:02 BR:1 |RA |	69	20.6	69	20.6	69	20.6	100	17	260	24	28.83			29.77	FM-15	0.36	29.79
07	2304	7	FEW:02 29 BKN:07 34 OVC:08 75	2.00	RA:02 BR:1 |RA |	69	20.6	69	20.6	69	20.6	100	9	260	22	28.82				FM-16	0.08	29.78
07	2313	7	BKN:07 33 BKN:07 70 OVC:08 80	6.00	-RA:02 BR:1 |RA |	69	20.6	69	20.6	69	20.6	100	9	240		28.82				FM-16	0.10	29.78
07	2351	6	BKN:07 25 BKN:07 44 OVC:08 110	4.00	RA:02 BR:1 |RA |	70	21.0	70	21.1	70	21.0	100	7	180		28.81				FM-16		29.77
07	2353	7	BKN:07 27 BKN:07 50 OVC:08 110	4.00	RA:02 BR:1 |RA |	69	20.6	69	20.6	69	20.6	100	9	210		28.82			29.76	FM-15	0.13	29.78
08	0029	7	FEW:02 8 BKN:07 15 BKN:07 31	10.00		70	21.1	69	20.7	69	20.6	97	16	210	23	28.84				FM-16	0.01	29.80
08	0053	7	BKN:07 16 BKN:07 26 OVC:08 37	10.00		69	20.6	68	20.2	68	20.0	96	15	230	23	28.84	3	-0.02	29.79	FM-15	T	29.81

08	0121	7	FEW:02 17 SCT:04 30 BKN:07 70	10.00		69	20.6	68	20.2	68	20.0	96	13	250		28.86				FM-16		29.82
08	0153	7	CLR:00	10.00		68	20.0	66	18.9	65	18.3	90	9	260		28.87			29.80	FM-15	0.00	29.83
08	0253	7	CLR:00	10.00		66	18.9	65	18.2	64	17.8	93	10	230		28.87			29.82	FM-15	0.00	29.84
08	0353	7	CLR:00	10.00		64	17.8	62	16.8	61	16.1	90	13	260	18	28.90	2	-0.05	29.84	FM-15	0.00	29.86
08	0453	7	FEW:02 28	10.00		63	17.2	61	15.9	59	15.0	87	10	260		28.92			29.87	FM-15	0.00	29.89
08	0553	7	CLR:00	10.00		62	16.7	60	15.7	59	15.0	90	8	240		28.94			29.89	FM-15	0.00	29.91
08	0653	7	CLR:00	10.00		60	15.6	59	14.9	58	14.4	93	5	180		28.96	1	-0.07	29.91	FM-15	0.00	29.93
08	0753	7	CLR:00	10.00		60	15.6	59	14.9	58	14.4	93	3	200		28.97			29.92	FM-15	0.00	29.94
08	0853	7	CLR:00	10.00		62	16.7	60	15.7	59	15.0	90	6	240		28.98			29.93	FM-15	0.00	29.95
08	0953	7	CLR:00	10.00		65	18.3	61	16.3	59	15.0	81	5	250		28.98	1	-0.02	29.93	FM-15	0.00	29.95
08	1053	7	CLR:00	10.00		67	19.4	63	17.1	60	15.6	79	5	210		28.98			29.93	FM-15	0.00	29.95
08	1153	7	BKN:07 110	10.00		68	20.0	64	17.6	61	16.1	78	5	200		28.98			29.93	FM-15	0.00	29.95
08	1253	7	OVC:08 95	10.00		68	20.0	63	17.3	60	15.6	76	5	160		28.96	8	+0.02	29.91	FM-15	0.00	29.93
08	1353	7	OVC:08 75	10.00	-RA:02 |RA |	68	20.0	64	17.9	62	16.7	81	6	130		28.93			29.88	FM-15	T	29.90
08	1453	7	BKN:07 28 BKN:07 37 OVC:08 45	10.00	-RA:02 |RA |	67	19.4	65	18.4	64	17.8	91	8	130		28.91			29.86	FM-15	0.01	29.88
08	1526	7	FEW:02 23 OVC:08 35	6.00	-RA:02 BR:1 |RA |	65	18.3	65	18.3	65	18.3	100	6	100		28.90				FM-16	0.03	29.87
08	1544	7	BKN:07 16 BKN:07 23 OVC:08 36	6.00	-RA:02 BR:1 |RA |	65	18.3	65	18.3	65	18.3	100	6	100		28.90				FM-16	0.05	29.87
08	1551	6	SCT:04 15 SCT:04 23 OVC:08 31	5.00	RA:02 BR:1 |RA |	64	18.0	64	17.8	64	18.0	100	6	100		28.90				FM-16		29.87
08	1553	7	SCT:04 15 BKN:07 31 OVC:08 35	5.00	RA:02 BR:1 |RA |	65	18.3	65	18.3	65	18.3	100	6	100		28.90	6	+0.06	29.85	FM-15	0.07	29.87
08	1646	7	FEW:02 9 BKN:07 15 OVC:08 20	5.00	-RA:02 BR:1 |RA |	65	18.3	65	18.3	65	18.3	100	7	090		28.89				FM-16	0.08	29.85
08	1651	6	FEW:02 9 OVC:08 13	6.00	-RA:02 BR:1 |RA |	64	18.0	64	17.8	64	18.0	100	7	100		28.89				FM-16		29.85
08	1653	7	BKN:07 9 OVC:08 13	6.00	-RA:02 BR:1 |RA |	65	18.3	65	18.3	65	18.3	100	7	100		28.89			29.84	FM-15	0.08	29.85
08	1751	6	OVC:08 11	3.00	RA:02 BR:1 |RA |	64	18.0	64	17.8	64	18.0	100	8	100		28.87				FM-16		29.83
08	1753	7	OVC:08 11	4.00	RA:02 BR:1 |RA |	64	17.8	64	17.8	64	17.8	100	10	090		28.87			29.82	FM-15	0.06	29.83
08	1809	7	BKN:07 9 OVC:08 12	4.00	RA:02 BR:1 |RA |	64	17.8	64	17.8	64	17.8	100	10	090		28.86				FM-16	0.04	29.82
08	1843	7	BKN:07 5 OVC:08 20	2.00	+RA:02 BR:1 |RA |	65	18.3	65	18.3	65	18.3	100	10	090		28.84				FM-16	0.26	29.81
08	1853	7	BKN:07 5 OVC:08 11	2.00	+RA:02 BR:1 |RA |	65	18.3	65	18.3	65	18.3	100	8	090		28.84	8	+0.06	29.80	FM-15	0.38	29.81
08	1953	7	BKN:07 5 OVC:08 10	2.00	+RA:02 BR:1 |RA |	65	18.3	65	18.3	65	18.3	100	5	050		28.84			29.79	FM-15	0.43	29.80
08	2013	7	SCT:04 6 BKN:07 20 OVC:08 28	2.00	+RA:02 BR:1 |RA |	65	18.3	65	18.3	65	18.3	100	7	050		28.83				FM-16	0.18	29.79
08	2035	7	BKN:07 8 BKN:07 14 OVC:08 21	2.00	+RA:02 BR:1 |RA |	65	18.3	65	18.3	65	18.3	100	7	060		28.82				FM-16	0.25	29.78
08	2053	7	SCT:04 5 BKN:07 9 OVC:08 24	2.00	+RA:02 BR:1 |RA |	65	18.3	65	18.3	65	18.3	100	6	070		28.82			29.76	FM-15	0.44	29.78
08	2055	7	SCT:04 5 BKN:07 11 OVC:08 20	2.00	+RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100	6	070		28.81				FM-16	0.04	29.77
08	2107	7	FEW:02 5 OVC:08 17	2.00	+RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100	5	070		28.81				FM-16	0.27	29.77

08	2125	7	BKN:07 5 BKN:07 13 OVC:08 20	2.00	+RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100	3	020		28.81				FM-16	0.41	29.77
08	2140	7	BKN:07 4 BKN:07 9 OVC:08 13	2.00	+RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100	5	040		28.80				FM-16	0.52	29.76
08	2151	7	BKN:07 5 OVC:08 11	2.00	+RA:02 BR:1 |RA |	66	19.0	66	18.9	66	19.0	100	6	060		28.79				FM-16	0.58	29.75
08	2153	7	BKN:07 5 OVC:08 11	2.00	RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100	6	060		28.79	6	+0.05	29.74	FM-15	0.48	29.75
08	2156	7	SCT:04 5 OVC:08 11	4.00	RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100	3	060		28.79				FM-16	T	29.75
08	2205	7	OVC:08 7	5.00	RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100	5	090		28.79				FM-16	0.02	29.75
08	2253	7	OVC:08 6	10.00		69	20.6	69	20.6	69	20.6	100	6	130		28.77			29.71	FM-15	0.02	29.73
08	2329	7	BKN:07 6 OVC:08 12	1.75	+RA:02 BR:1 |RA |	70	21.1	70	21.1	70	21.1	100	6	130		28.76				FM-16	0.09	29.72
08	2333	7	BKN:07 4 BKN:07 10 OVC:08 15	1.75	+RA:02 BR:1 |RA |	70	21.1	70	21.1	70	21.1	100	7	120		28.76				FM-16	0.11	29.72
08	2341	7	SCT:04 4 BKN:07 13 OVC:08 31	1.25	+RA:02 BR:1 |RA |	70	21.1	70	21.1	70	21.1	100	3	110		28.75				FM-16	0.21	29.71
08	2348	7	SCT:04 4 BKN:07 19 OVC:08 28	1.25	+RA:02 BR:1 |RA |	70	21.0	70	21.1	70	21.0	100	0	000		28.75				FM-16	0.29	29.71
08	2353	7	FEW:02 4 BKN:07 22 OVC:08 28	1.25	+RA:02 BR:1 |RA |	70	21.1	70	21.1	70	21.1	100	3	140		28.75			29.69	FM-15	0.38	29.71
09	0012	7	FEW:02 4 BKN:07 20 OVC:08 25	3.00	-RA:02 BR:1 |RA |	70	21.1	70	21.1	70	21.1	100	3	310		28.74				FM-16	0.09	29.70
09	0021	7	BKN:07 8 BKN:07 13 OVC:08 25	4.00	-RA:02 BR:1 |RA |	70	21.1	70	21.1	70	21.1	100	5	310		28.74				FM-16	0.09	29.70
09	0049	7	OVC:08 8	2.00	+RA:02 BR:1 |RA |	70	21.0	70	21.1	70	21.0	100	5	150		28.74				FM-16	0.13	29.70
09	0053	7	OVC:08 7	1.75	+RA:02 BR:1 |RA |	70	21.1	70	21.1	70	21.1	100	3	150		28.74	7	+0.01	29.68	FM-15	0.15	29.70
09	0109	7	SCT:04 7 BKN:07 11 OVC:08 24	2.00	RA:02 BR:1 |RA |	70	21.1	70	21.1	70	21.1	100	0	000		28.73				FM-16	0.08	29.69
09	0122	7	FEW:02 10 BKN:07 16 OVC:08 27	2.50	-RA:02 BR:1 |RA |	70	21.1	70	21.1	70	21.1	100	3	100		28.73				FM-16	0.10	29.69
09	0133	7	FEW:02 10 BKN:07 20 OVC:08 26	3.00	-RA:02 BR:1 |RA |	70	21.1	70	21.1	70	21.1	100	0	000		28.73				FM-16	0.11	29.69
09	0140	7	SCT:04 8 BKN:07 18 OVC:08 24	3.00	-RA:02 BR:1 |RA |	70	21.1	70	21.1	70	21.1	100	0	000		28.73				FM-16	0.12	29.69
09	0149	7	SCT:04 9 BKN:07 14 OVC:08 23	2.50	-RA:02 BR:1 |RA |	70	21.0	70	21.1	70	21.0	100	0	000		28.73				FM-16	0.13	29.69
09	0153	7	BKN:07 9 BKN:07 16 OVC:08 21	2.50	-RA:02 BR:1 |RA |	70	21.1	70	21.1	70	21.1	100	0	000		28.73			29.67	FM-15	0.09	29.69
09	0159	7	FEW:02 5 BKN:07 11 OVC:08 22	3.00	-RA:02 BR:1 |RA |	70	21.1	70	21.1	70	21.1	100	5	170		28.73				FM-16	T	29.69
09	0230	7	BKN:07 9 BKN:07 16 OVC:08 22	4.00	-RA:02 BR:1 |RA |	70	21.1	70	21.1	70	21.1	100	3	230		28.73				FM-16	0.01	29.69
09	0251	6	SCT:04 8 BKN:07 16 OVC:08 32	6.00	-RA:02 BR:1 |RA |	70	21.0	70	21.1	70	21.0	100	0	000		28.73				FM-16		29.69

09	0253	7	SCT:04 8 BKN:07 16 OVC:08 32	6.00	-RA:02 BR:1 |RA |	70	21.1	70	21.1	70	21.1	100	0	000		28.73			29.67	FM-15	0.02	29.69
09	0321	7	FEW:02 8 OVC:08 13	2.50	BR:1 ||	70	21.1	70	21.1	70	21.1	100	0	000		28.72				FM-16	T	29.68
09	0328	7	FEW:02 8 OVC:08 13	0.75	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		28.73				FM-16	T	29.69
09	0338	7	OVC:08 13	1.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		28.73				FM-16	T	29.69
09	0351	6	BKN:07 12 BKN:07 31 OVC:08 39	2.50V	BR:1 ||	70	21.0	70	21.1	70	21.0	100	3	270		28.73				FM-16		29.69
09	0353	7	BKN:07 12 BKN:07 25 OVC:08 39	3.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	3	270		28.74	3	-0.01	29.68	FM-15	T	29.70
09	0406	7	SCT:04 12 BKN:07 21 OVC:08 30	10.00		69	20.6	69	20.6	69	20.6	100	6	280		28.74				FM-16		29.70
09	0418	7	FEW:02 6 BKN:07 14 OVC:08 26	7.00		69	20.6	69	20.6	69	20.6	100	8	280		28.75				FM-16		29.71
09	0433	7	BKN:07 4 OVC:08 12	5.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	11	310		28.75				FM-16		29.71
09	0453	7	BKN:07 4 OVC:08 18	10.00		68	20.0	68	20.0	68	20.0	100	9	310		28.77			29.71	FM-15	0.00	29.73
09	0516	7	SCT:04 5 OVC:08 18	10.00		68	20.0	68	20.0	68	20.0	100	8	310		28.78				FM-16		29.74
09	0535	7	BKN:07 5 OVC:08 15	10.00		68	20.0	68	20.0	68	20.0	100	7	300		28.80				FM-16		29.76
09	0553	7	OVC:08 5	10.00		68	20.0	68	20.0	68	20.0	100	7	290		28.81			29.76	FM-15	0.00	29.77
09	0653	7	OVC:08 6	10.00		67	19.4	67	19.4	67	19.4	100	10	290		28.84	3	-0.12	29.80	FM-15	0.00	29.81
09	0753	7	BKN:07 8 OVC:08 14	10.00		68	20.0	68	20.0	68	20.0	100	8	280		28.87			29.83	FM-15	0.00	29.84
09	0853	7	OVC:08 9	10.00		69	20.6	68	20.2	68	20.0	96	11	300		28.90			29.86	FM-15	0.00	29.87
09	0951	6	OVC:08 11	10.00		70	21.0	69	20.4	68	20.0	94	8	280		28.93				FM-16		29.90
09	0953	7	OVC:08 11	10.00		69	20.6	68	20.2	68	20.0	96	9	290		28.93	1	-0.09	29.88	FM-15	0.00	29.90
09	1053	7	BKN:07 11 OVC:08 14	10.00		68	20.0	67	19.6	67	19.4	96	8	320		28.96			29.91	FM-15	0.00	29.93
09	1153	7	OVC:08 9	5.00	BR:1 ||	68	20.0	67	19.6	67	19.4	96	6	310		28.98			29.93	FM-15	T	29.95
09	1202	7	OVC:08 9	1.75	-RA:02 BR:1 |RA |	68	20.0	68	20.0	68	20.0	100	3	270		28.98				FM-16	0.01	29.95
09	1217	7	BKN:07 4 OVC:08 9	2.00	-RA:02 BR:1 |RA |	68	20.0	68	20.0	68	20.0	100	7	250		28.98				FM-16	0.01	29.95
09	1229	7	OVC:08 5	1.75	BR:1 ||	68	20.0	68	20.0	68	20.0	100	6	230		28.98				FM-16	0.01	29.95
09	1251	6	BKN:07 5 BKN:07 10 OVC:08 24	8.00		70	21.0	70	21.1	70	21.0	100	7	270		28.98				FM-16		29.95
09	1253	7	BKN:07 5 BKN:07 10 OVC:08 24	10.00		70	21.1	69	20.7	69	20.6	97	8	280		28.98	1	-0.04	29.93	FM-15	0.01	29.95
09	1351	6	FEW:02 13 OVC:08 24	10.00		72	22.0	69	20.8	68	20.0	88	3	260		28.98				FM-16		29.95
09	1353	7	FEW:02 13 OVC:08 24	10.00		72	22.2	69	20.8	68	20.0	87	6	VRB		28.98			29.93	FM-15	0.00	29.95
09	1453	7	OVC:08 17	10.00		72	22.2	69	20.8	68	20.0	87	7	270		28.98			29.93	FM-15	0.00	29.95
09	1553	7	OVC:08 16	10.00		70	21.1	68	20.0	67	19.4	90	7	250		29.00	3	-0.02	29.95	FM-15	0.00	29.97
09	1610	7	OVC:08 14	10.00		70	21.1	68	20.0	67	19.4	90	8	240		29.00				FM-16		29.97
09	1633	7	OVC:08 15	10.00		70	21.1	68	20.0	67	19.4	90	7	240		29.01				FM-16		29.98
09	1653	7	OVC:08 15	10.00		70	21.1	68	20.0	67	19.4	90	8	270		29.01			29.97	FM-15	0.00	29.98
09	1706	7	OVC:08 14	10.00		69	20.6	68	19.8	67	19.4	93	8	270		29.01				FM-16		29.98
09	1751	6	OVC:08 15	10.00		70	21.0	67	19.7	66	19.0	88	5	250		29.03				FM-16		30.00
09	1753	7	OVC:08 15	10.00		69	20.6	68	19.8	67	19.4	93	6	240		29.03			29.98	FM-15	0.00	30.00
09	1853	7	OVC:08 17	10.00		69	20.6	68	19.8	67	19.4	93	5	260		29.05	1	-0.05	30.00	FM-15	0.00	30.02
09	1953	7	OVC:08 16	10.00		68	20.0	67	19.3	66	18.9	93	7	240		29.07			30.02	FM-15	0.00	30.04

09	2053	7	OVC:08 20	10.00		67	19.4	66	18.7	65	18.3	93	3	220		29.09			30.04	FM-15	0.00	30.06
09	2140	7	SCT:04 20	10.00		66	18.9	65	18.5	65	18.3	96	0	000		29.10				FM-16		30.07
09	2153	7	CLR:00	10.00		64	17.8	64	17.8	64	17.8	100	0	000		29.10	1	-0.05	30.05	FM-15	0.00	30.07
09	2247	7	CLR:00	1.75V	BR:1 ||	61	16.0	61	16.1	61	16.0	100	3	280		29.10				FM-16		30.07
09	2253	7	CLR:00	1.00V	BR:1 ||	61	16.1	61	16.1	61	16.1	100	0	000		29.10			30.06	FM-15	0.00	30.07
09	2300	7	CLR:00	0.75V	BR:1 ||	61	16.1	61	16.1	61	16.1	100	3	240		29.09				FM-16		30.06
09	2307	7	CLR:00	2.50	BR:1 ||	63	17.2	63	17.2	63	17.2	100	0	000		29.09				FM-16		30.06
09	2314	7	CLR:00	5.00	BR:1 ||	61	16.1	61	16.1	61	16.1	100	0	000		29.09				FM-16		30.06
09	2345	7	CLR:00	1.75V	BR:1 ||	63	17.2	63	17.2	63	17.2	100	0	000		29.10				FM-16		30.07
09	2353	7	CLR:00	1.00	BR:1 ||	63	17.2	63	17.2	63	17.2	100	3	300		29.10			30.06	FM-15	0.00	30.07
09	2358	7	CLR:00	4.00	BR:1 ||	63	17.2	63	17.2	63	17.2	100	3	330		29.10				FM-16		30.07
10	0053	7	CLR:00	9.00		63	17.2	63	17.2	63	17.2	100	0	000		29.11	3	-0.01	30.07	FM-15	0.00	30.08
10	0151	6	CLR:00	2.50	BR:1 ||	61	16.0	61	16.1	61	16.0	100	0	000		29.12				FM-16		30.09
10	0153	7	CLR:00	2.50V	BR:1 ||	61	16.1	61	16.1	61	16.1	100	0	000		29.12			30.07	FM-15	0.00	30.09
10	0157	7	CLR:00	0.75	BR:1 ||	61	16.1	61	16.1	61	16.1	100	0	000		29.11				FM-16		30.08
10	0207	7	CLR:00	0.25	FG:2 |FG |	59	15.0	59	15.0	59	15.0	100	0	000		29.12				FM-16		30.09
10	0218	7	CLR:00	1.25	BR:1 ||	60	15.6	60	15.6	60	15.6	100	0	000		29.12				FM-16		30.09
10	0235	7	CLR:00	3.00	BR:1 ||	61	16.1	61	16.1	61	16.1	100	0	000		29.12				FM-16		30.09
10	0248	7	CLR:00	1.50	BR:1 ||	61	16.0	61	16.1	61	16.0	100	0	000		29.12				FM-16		30.09
10	0251	6	CLR:00	0.75	BR:1 ||	61	16.0	61	16.1	61	16.0	100	0	000		29.12				FM-16		30.09
10	0253	7	CLR:00	0.50	FG:2 |FG |	60	15.6	60	15.6	60	15.6	100	0	000		29.12			30.08	FM-15	0.00	30.09
10	0326	7	CLR:00	1.50	BR:1 ||	60	15.6	60	15.6	60	15.6	100	0	000		29.11				FM-16		30.08
10	0329	7	CLR:00	4.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	0	000		29.11				FM-16		30.08
10	0353	7	CLR:00	6.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	3	110		29.11	0	-0.00	30.07	FM-15	0.00	30.08
10	0404	7	FEW:02 2	2.00	BR:1 ||	56	13.3	56	13.3	56	13.3	100	5	090		29.11				FM-16		30.08
10	0406	7	VV:09 2	1.00	BR:1 ||	56	13.3	56	13.3	56	13.3	100	5	090		29.11				FM-16		30.08
10	0410	7	VV:09 2	0.25	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	5	090		29.11				FM-16		30.08
10	0426	7	VV:09 1	0.50	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	3	020		29.12				FM-16		30.09
10	0443	7	VV:09 2	0.25	FG:2 |FG |	58	14.4	58	14.4	58	14.4	100	0	000		29.13				FM-16		30.10
10	0451	7	VV:09 1	0.25	FG:2 |FG |	57	14.0	57	13.9	57	14.0	100	0	000		29.13				FM-16		30.10
10	0453	7	VV:09 1	0.25	FG:2 |FG |	58	14.4	58	14.4	58	14.4	100	0	000		29.13			30.09	FM-15	0.00	30.10
10	0458	7	VV:09 1	1.00	BR:1 ||	58	14.4	58	14.4	58	14.4	100	3	160		29.13				FM-16		30.10
10	0500	7	SCT:04 1	2.00	BR:1 ||	58	14.4	58	14.4	58	14.4	100	0	000		29.13				FM-16		30.10
10	0507	7	SCT:04 1	8.00		58	14.4	58	14.4	58	14.4	100	0	000		29.14				FM-16		30.11
10	0512	7	SCT:04 1	1.50	BR:1 ||	57	13.9	57	13.9	57	13.9	100	0	000		29.14				FM-16		30.11
10	0514	7	VV:09 1	0.75	BR:1 ||	57	13.9	57	13.9	57	13.9	100	0	000		29.14				FM-16		30.11
10	0524	7	CLR:00	0.25	FG:2 |FG |	58	14.4	58	14.4	58	14.4	100	0	000		29.14				FM-16		30.11
10	0531	7	VV:09 3	0.25	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	0	000		29.14				FM-16		30.11
10	0553	7	VV:09 3	0.25	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	0	000		29.15			30.11	FM-15	0.00	30.12
10	0628	7	VV:09 2	1.00V	BR:1 ||	57	13.9	57	13.9	57	13.9	100	0	000		29.16				FM-16		30.13
10	0631	7	SCT:04 2	2.50V	BR:1 ||	58	14.4	58	14.4	58	14.4	100	0	000		29.16				FM-16		30.13
10	0638	7	FEW:02 2	8.00		58	14.4	58	14.4	58	14.4	100	0	000		29.16				FM-16		30.13
10	0646	7	SCT:04 2	1.25	BR:1 ||	54	12.2	54	12.2	54	12.2	100	5	300		29.17				FM-16		30.14
10	0651	6	VV:09 2	0.25	FG:2 |FG |	55	13.0	55	12.8	55	13.0	100	7	310		29.17				FM-16		30.14
10	0653	7	SCT:04 2 SCT:04 20	0.25	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	7	320		29.17	3	-0.04	30.13	FM-15	0.00	30.14
10	0658	7	FEW:02 2 BKN:07 20	0.50	FG:2 |FG |	59	15.0	59	15.0	59	15.0	100	8	320		29.17				FM-16		30.14
10	0659	7	SCT:04 2 SCT:04 20	0.25	FG:2 |FG |	59	15.0	59	15.0	59	15.0	100	8	320		29.17				FM-16		30.14
10	0733	7	VV:09 2	0.25	FG:2 |FG |	61	16.1	61	16.1	61	16.1	100	3	350		29.19				FM-16		30.16
10	0750	7	SCT:04 1 OVC:08 18	0.50	FG:2 |FG |	61	16.0	61	16.1	61	16.0	100	3	010		29.20				FM-16		30.17
10	0751	6	BKN:07 1 OVC:08 18	0.50	FG:2 |FG |	61	16.0	61	16.1	61	16.0	100	3	010		29.20				FM-16		30.17
10	0753	7	BKN:07 1 OVC:08 18	0.50	FG:2 |FG |	61	16.1	61	16.1	61	16.1	100	3	350		29.20			30.16	FM-15	0.00	30.17

10	0802	7	BKN:07 1 OVC:08 18	1.00	BR:1 ||	62	16.7	62	16.7	62	16.7	100	0	000		29.20				FM-16		30.17
10	0841	7	FEW:02 3 OVC:08 18	4.00	BR:1 ||	63	17.2	63	17.2	63	17.2	100	3	060		29.20				FM-16		30.17
10	0843	7	FEW:02 3 OVC:08 18	2.00	BR:1 ||	63	17.2	63	17.2	63	17.2	100	3	070		29.20				FM-16		30.17
10	0853	7	SCT:04 2 OVC:08 19	2.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	6	080		29.19			30.15	FM-15	0.00	30.16
10	0900	7	FEW:02 3 BKN:07 19	5.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	6	060		29.19				FM-16		30.16
10	0931	7	OVC:08 16	8.00		66	18.9	65	18.5	65	18.3	96	3	060		29.19				FM-16		30.16
10	0953	7	OVC:08 16	9.00		67	19.4	66	19.1	66	18.9	97	5	090		29.18	0	-0.01	30.14	FM-15	0.00	30.15
10	1053	7	BKN:07 15 OVC:08 21	10.00		70	21.1	67	19.7	66	18.9	87	3	010		29.18			30.14	FM-15	0.00	30.15
10	1125	7	SCT:04 17	10.00		72	22.2	68	19.7	65	18.3	79	0	000		29.18				FM-16		30.15
10	1153	7	SCT:04 17	10.00		73	22.8	67	19.6	64	17.8	74	0	000		29.17			30.13	FM-15	0.00	30.14
10	1253	7	CLR:00	10.00		74	23.3	68	20.1	65	18.3	74	0	000		29.15	8	+0.03	30.11	FM-15	0.00	30.12
10	1353	7	OVC:08 32	10.00		75	23.9	67	19.7	63	17.2	66	5	170		29.13			30.09	FM-15	0.00	30.10
10	1453	7	SCT:04 110	10.00		75	23.9	68	20.0	64	17.8	69	6	VRB		29.12			30.07	FM-15	0.00	30.09
10	1553	7	CLR:00	10.00		74	23.3	68	19.8	64	17.8	71	7	080		29.11	6	+0.04	30.06	FM-15	0.00	30.08
10	1653	7	BKN:07 35	10.00		73	22.8	68	19.9	65	18.3	76	3	110		29.13			30.09	FM-15	0.00	30.10
10	1753	7	CLR:00	10.00		71	21.7	67	19.5	65	18.3	81	5	100		29.13			30.09	FM-15	0.00	30.10
10	1853	7	SCT:04 100 BKN:07 120	10.00	-RA:02 |RA |	71	21.7	67	19.5	65	18.3	81	6	110		29.11	8	+0.00	30.07	FM-15	T	30.08
10	1953	7	BKN:07 110	10.00		69	20.6	67	19.5	66	18.9	90	7	070		29.10			30.06	FM-15	0.00	30.07
10	2053	7	SCT:04 100	10.00		69	20.6	67	19.5	66	18.9	90	6	090		29.11			30.06	FM-15	0.00	30.08
10	2153	7	BKN:07 70	10.00		68	20.0	66	18.9	65	18.3	90	6	100		29.10	8	+0.01	30.05	FM-15	0.00	30.07
10	2253	7	FEW:02 25 FEW:02 33 OVC:08 65	10.00		69	20.6	67	19.5	66	18.9	90	8	110		29.09			30.04	FM-15	0.00	30.06
10	2353	7	OVC:08 120	10.00		68	20.0	67	19.3	66	18.9	93	6	090		29.06			30.01	FM-15	0.00	30.03
11	0053	7	BKN:07 95 OVC:08 110	10.00		67	19.4	66	19.1	66	18.9	97	5	110		29.04	8	+0.06	29.99	FM-15	T	30.01
11	0153	7	BKN:07 48 OVC:08 90	10.00		67	19.4	66	19.1	66	18.9	97	7	070		29.01			29.96	FM-15	0.00	29.98
11	0253	7	SCT:04 47 OVC:08 60	3.00	RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100	0	000		29.03			29.98	FM-15	0.06	30.00
11	0302	7	BKN:07 49 OVC:08 60	2.00	+RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100	0	000		29.03				FM-16	0.04	30.00
11	0328	7	FEW:02 33 BKN:07 90 OVC:08 110	4.00	-RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100	6	VRB		29.00				FM-16	0.15	29.97
11	0335	7	SCT:04 7 BKN:07 70 OVC:08 110	2.50	+RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100				29.00				FM-16	0.19	29.97
11	0340	7	BKN:07 7 BKN:07 75 OVC:08 100	2.50	+RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100	3	VRB		29.00				FM-16	0.21	29.97
11	0353	7	BKN:07 6 OVC:08 90	2.50	+RA:02 BR:1 |RA |	66	18.9	66	18.9	66	18.9	100	0	000		29.00	7	+0.03	29.96	FM-15	0.22	29.97
11	0402	7	OVC:08 6	7.00	-RA:02 |RA |	66	18.9	66	18.9	66	18.9	100	7	100		29.00				FM-16	T	29.97
11	0415	7	SCT:04 6 OVC:08 30	5.00	BR:1 ||	66	18.9	66	18.9	66	18.9	100	7	110		28.99				FM-16	0.01	29.96
11	0432	7	BKN:07 27 OVC:08 32	5.00	BR:1 ||	66	18.9	66	18.9	66	18.9	100	8	110		28.99				FM-16	0.01	29.96
11	0451	6	BKN:07 21 OVC:08 28	2.50	-RA:02 BR:1 |RA |	64	18.0	64	17.8	64	18.0	100	7	110		28.99				FM-16		29.96
11	0453	7	FEW:02 8 BKN:07 21 OVC:08 26	2.50	-RA:02 BR:1 |RA |	65	18.3	65	18.3	65	18.3	100	8	110		28.99			29.95	FM-15	0.01	29.96

11	0518	7	SCT:04 4 BKN:07 8 OVC:08 23	3.00	-RA:02 BR:1 |RA |	65	18.3	65	18.3	65	18.3	100	8	120		28.99				FM-16	0.01	29.96
11	0528	7	BKN:07 4 OVC:08 16	4.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	8	130		28.99				FM-16	0.01	29.96
11	0538	7	BKN:07 5 OVC:08 14	4.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	8	120		28.99				FM-16	0.01	29.96
11	0553	7	BKN:07 6 OVC:08 12	6.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	8	130		28.99			29.94	FM-15	0.01	29.96
11	0643	7	BKN:07 4 OVC:08 10	4.00	BR:1 ||	66	18.9	66	18.9	66	18.9	100	5	130		28.98				FM-16		29.95
11	0651	6	OVC:08 4	2.50	BR:1 ||	66	19.0	66	18.9	66	19.0	100	6	120		28.98				FM-16		29.95
11	0653	7	OVC:08 4	2.50	BR:1 ||	66	18.9	66	18.9	66	18.9	100	6	120		28.98	6	+0.02	29.93	FM-15	0.00	29.95
11	0753	7	OVC:08 4	2.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	7	170		28.99			29.95	FM-15	0.00	29.96
11	0801	7	OVC:08 4	1.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	6	170		28.99				FM-16		29.96
11	0851	6	OVC:08 3	2.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	6	170		28.99				FM-16		29.96
11	0853	7	OVC:08 3	2.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	7	170		28.99			29.94	FM-15	0.01	29.96
11	0917	7	OVC:08 4	5.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	7	210		29.00				FM-16		29.97
11	0951	6	OVC:08 5	5.00	BR:1 ||	70	21.0	70	21.1	70	21.0	100	9	210		29.00				FM-16		29.97
11	0953	7	OVC:08 5	5.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	8	210		29.00	1	-0.02	29.96	FM-15	0.00	29.97
11	1040	7	FEW:02 9 BKN:07 14 OVC:08 21	9.00		72	22.2	71	21.5	70	21.1	94	9	220		29.00				FM-16		29.97
11	1053	7	BKN:07 14 BKN:07 21 OVC:08 26	9.00		73	22.8	71	21.7	70	21.1	90	9	230		29.00			29.95	FM-15	0.00	29.97
11	1108	7	SCT:04 16 BKN:07 24 OVC:08 34	10.00		73	22.8	71	21.7	70	21.1	90	13	240	18	29.00				FM-16		29.97
11	1153	7	SCT:04 18 BKN:07 28 BKN:07 34	10.00		75	23.9	70	21.0	67	19.4	76	11	240		28.99			29.94	FM-15	0.00	29.96
11	1155	7	FEW:02 23 SCT:04 70	10.00		75	23.9	70	21.0	67	19.4	76	11	240		28.99				FM-16		29.96
11	1253	7	FEW:02 38	10.00		78	25.6	70	20.8	65	18.3	64	16	240		28.97	8	+0.03	29.92	FM-15	0.00	29.94
11	1353	7	CLR:00	10.00		77	25.0	65	18.5	58	14.4	52	16	260	26	28.98			29.93	FM-15	0.00	29.95
11	1453	7	FEW:02 30	10.00		73	22.8	66	18.9	62	16.7	69	22	270	29	29.00			29.96	FM-15	0.00	29.97
11	1553	7	SCT:04 26	10.00		68	20.0	63	17.3	60	15.6	76	20	300	25	29.03	3	-0.06	29.98	FM-15	0.00	30.00
11	1616	7	BKN:07 26	10.00		67	19.4	63	17.1	60	15.6	79	14	290		29.04				FM-16		30.01
11	1653	7	OVC:08 28	10.00		65	18.3	61	16.3	59	15.0	81	13	300		29.05			30.01	FM-15	0.00	30.02
11	1738	7	OVC:08 33	10.00		64	17.8	60	15.8	58	14.4	81	15	280		29.07				FM-16		30.04
11	1753	7	FEW:02 21 OVC:08 38	10.00		64	17.8	61	16.1	59	15.0	84	13	280		29.07			30.03	FM-15	0.00	30.04
11	1834	7	BKN:07 19 OVC:08 39	10.00		63	17.2	60	15.6	58	14.4	84	13	300		29.08				FM-16		30.05
11	1853	7	OVC:08 17	10.00		62	16.7	60	15.4	58	14.4	86	13	290		29.08	1	-0.05	30.04	FM-15	0.00	30.05
11	1953	7	OVC:08 15	10.00		61	16.1	59	15.1	58	14.4	90	10	280		29.09			30.05	FM-15	0.00	30.06
11	2001	7	OVC:08 13	10.00		61	16.1	59	15.1	58	14.4	90	10	280		29.09				FM-16		30.06
11	2053	7	OVC:08 12	10.00		60	15.6	59	15.2	59	15.0	96	13	280		29.10			30.06	FM-15	0.00	30.07
11	2142	7	OVC:08 7	6.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	10	270		29.11				FM-16		30.08
11	2153	7	OVC:08 5	5.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	9	270		29.11	1	-0.02	30.06	FM-15	0.00	30.08
11	2226	7	OVC:08 4	3.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	11	310		29.11				FM-16		30.08
11	2245	7	OVC:08 4	2.50	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	10	300		29.11				FM-16	T	30.08
11	2251	6	OVC:08 4	3.00	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	10	310		29.11				FM-16		30.08
11	2253	7	OVC:08 4	3.00	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	10	300		29.11			30.07	FM-15	T	30.08
11	2353	7	OVC:08 3	5.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	8	310		29.12			30.07	FM-15	0.00	30.09
12	0053	7	OVC:08 4	5.00	BR:1 ||	58	14.4	58	14.4	58	14.4	100	9	310		29.12	3	-0.01	30.08	FM-15	0.00	30.09
12	0153	7	OVC:08 3	5.00	BR:1 ||	58	14.4	58	14.4	58	14.4	100	9	300		29.14			30.09	FM-15	0.00	30.11
12	0253	7	OVC:08 4	3.00	-RA:02 BR:1 |RA |	57	13.9	57	13.9	57	13.9	100	8	320		29.13			30.09	FM-15	T	30.10
12	0316	7	OVC:08 3	2.50	-RA:02 BR:1 |RA |	57	13.9	57	13.9	57	13.9	100	7	310		29.13				FM-16	0.01	30.10

12	0336	7	OVC:08 4	3.00	-RA:02 BR:1 |RA |	57	13.9	57	13.9	57	13.9	100	7	300		29.13				FM-16	0.02	30.10
12	0350	7	OVC:08 4	2.50	-RA:02 BR:1 |RA |	57	14.0	57	13.9	57	14.0	100	7	300		29.13				FM-16	0.03	30.10
12	0353	7	OVC:08 4	2.50	-RA:02 BR:1 |RA |	58	14.4	58	14.4	58	14.4	100	8	300		29.13	5	+0.00	30.09	FM-15	0.04s	30.10
12	0407	7	OVC:08 4	5.00	-RA:02 BR:1 |RA |	58	14.4	58	14.4	58	14.4	100	6	310		29.13				FM-16	0.01	30.10
12	0453	7	OVC:08 3	4.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	8	310		29.14			30.11	FM-15	T	30.11
12	0553	7	OVC:08 3	4.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	8	320		29.15			30.12	FM-15	0.00	30.12
12	0626	7	OVC:08 2	2.50	BR:1 ||	57	13.9	57	13.9	57	13.9	100	6	310		29.16				FM-16		30.13
12	0644	7	OVC:08 2	1.75	BR:1 ||	57	13.9	57	13.9	57	13.9	100	6	330		29.17				FM-16		30.14
12	0645	7	OVC:08 2	2.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	6	330		29.17				FM-16		30.14
12	0653	7	OVC:08 2	2.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	6	330		29.17	3	-0.04	30.14	FM-15	0.00	30.14
12	0657	7	OVC:08 2	0.75	BR:1 ||	57	13.9	57	13.9	57	13.9	100	6	330		29.17				FM-16		30.14
12	0751	6	OVC:08 2	1.00	BR:1 ||	57	14.0	57	13.9	57	14.0	100	7	330		29.19				FM-16		30.16
12	0753	7	OVC:08 2	1.00	BR:1 ||	58	14.4	58	14.4	58	14.4	100	7	320		29.19			30.15	FM-15	0.00	30.16
12	0809	7	OVC:08 2	0.50	FG:2 |FG |	58	14.4	58	14.4	58	14.4	100	7	330		29.19				FM-16		30.16
12	0853	7	OVC:08 2	1.00	BR:1 ||	58	14.4	58	14.4	58	14.4	100	7	320		29.20			30.16	FM-15	0.00	30.17
12	0951	6	OVC:08 3	2.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	5	350		29.20				FM-16		30.17
12	0953	7	OVC:08 3	2.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	5	330		29.20	1	-0.03	30.17	FM-15	0.00	30.17
12	1051	6	OVC:08 4	3.00	BR:1 ||	61	16.0	61	16.1	61	16.0	100	5	330		29.21				FM-16		30.18
12	1053	7	OVC:08 4	3.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	5	320		29.21			30.17	FM-15	0.00	30.18
12	1151	6	OVC:08 5	5.00	BR:1 ||	63	17.0	62	16.6	61	16.0	94	0	000		29.20				FM-16		30.17
12	1153	7	OVC:08 5	5.00	BR:1 ||	62	16.7	61	16.0	60	15.6	93	0	000		29.20			30.17	FM-15	0.00	30.17
12	1253	7	OVC:08 5	5.00	BR:1 ||	63	17.2	61	16.2	60	15.6	90	0	000		29.19	8	+0.01	30.15	FM-15	0.00	30.16
12	1300	7	FEW:02 11 FEW:02 23 OVC:08 47	10.00		64	17.8	62	16.4	60	15.6	87	0	000		29.19				FM-16		30.16
12	1353	7	FEW:02 11 FEW:02 23 OVC:08 47	10.00		64	17.8	61	16.1	59	15.0	84	0	000		29.17			30.13	FM-15	0.00	30.14
12	1453	7	FEW:02 20 SCT:04 28 OVC:08 47	10.00		64	17.8	62	16.4	60	15.6	87	3	290		29.17			30.14	FM-15	0.00	30.14
12	1455	7	BKN:07 18 BKN:07 23 OVC:08 47	10.00		64	17.8	61	16.1	59	15.0	84	0	000		29.17				FM-16		30.14
12	1553	7	FEW:02 18 BKN:07 27 OVC:08 45	10.00		65	18.3	61	16.3	59	15.0	81	0	000		29.17	6	+0.02	30.13	FM-15	0.00	30.14
12	1653	7	SCT:04 18 BKN:07 23 OVC:08 45	10.00		64	17.8	62	16.4	60	15.6	87	0	000		29.17			30.13	FM-15	0.00	30.14
12	1753	7	SCT:04 18 OVC:08 44	10.00		64	17.8	62	16.4	60	15.6	87	0	000		29.17			30.14	FM-15	0.00	30.14
12	1853	7	OVC:08 44	10.00		63	17.2	61	16.2	60	15.6	90	0	000		29.18	3	-0.01	30.15	FM-15	0.00	30.15
12	1953	7	OVC:08 44	10.00		63	17.2	61	16.2	60	15.6	90	0	000		29.19			30.15	FM-15	0.00	30.16
12	2053	7	OVC:08 43	10.00		62	16.7	61	16.0	60	15.6	93	3	070		29.19			30.15	FM-15	0.00	30.16
12	2153	7	OVC:08 40	10.00		61	16.1	61	16.1	61	16.1	100	3	110		29.19	0	-0.01	30.15	FM-15	0.00	30.16
12	2253	7	OVC:08 40	10.00		62	16.7	61	16.3	61	16.1	96	3	200		29.19			30.16	FM-15	0.00	30.16
12	2353	7	OVC:08 39	10.00		62	16.7	61	16.3	61	16.1	96	0	000		29.19			30.15	FM-15	0.00	30.16
13	0053	7	FEW:02 38	10.00		60	15.6	60	15.6	60	15.6	100	0	000		29.20	3	-0.01	30.16	FM-15	0.00	30.17
13	0106	7	CLR:00	1.50	BR:1 ||	57	13.9	57	13.9	57	13.9	100	0	000		29.20				FM-16		30.17
13	0117	7	CLR:00	3.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	0	000		29.20				FM-16		30.17
13	0148	7	CLR:00	1.25	BR:1 ||	55	13.0	55	12.8	55	13.0	100	0	000		29.20				FM-16		30.17
13	0151	6	CLR:00	0.75	BR:1 ||	55	13.0	55	12.8	55	13.0	100	0	000		29.20				FM-16		30.17
13	0153	7	CLR:00	0.50	FG:2 |FG |	55	12.8	55	12.8	55	12.8	100	0	000		29.20			30.16	FM-15	0.00	30.17
13	0202	7	CLR:00	0.25	FG:2 |FG |	56	13.3	56	13.3	56	13.3	100	0	000		29.20				FM-16		30.17
13	0249	7	SCT:04 31	0.75	BR:1 ||	55	13.0	55	12.8	55	13.0	100	0	000		29.20				FM-16		30.17
13	0253	7	SCT:04 31	0.75	BR:1 ||	55	12.8	55	12.8	55	12.8	100	0	000		29.20			30.16	FM-15	0.00	30.17
13	0315	7	FEW:02 2 FEW:02 30	0.25	FG:2 |FG |	53	11.7	53	11.7	53	11.7	100	0	000		29.20				FM-16		30.17
13	0322	7	VV:09 2	0.25	FG:2 |FG |	53	11.7	53	11.7	53	11.7	100	0	000		29.20				FM-16		30.17

13	0338	7		0.25	FG:2 |FG |	54	12.2	54	12.2	54	12.2	100	3	090		29.21				FM-16		30.18
13	0353	7		0.25	FG:2 |FG |	53	11.7	53	11.7	53	11.7	100	3	110		29.21	3	-0.01	30.17	FM-15	0.00	30.18
13	0407	7	VV:09 1	0.25	FG:2 |FG |	51	10.6	51	10.6	51	10.6	100	0	000		29.21				FM-16		30.18
13	0453	7	VV:09 1	0.25	FG:2 |FG |	53	11.7	53	11.7	53	11.7	100	0	000		29.22			30.18	FM-15	0.00	30.19
13	0553	7	VV:09 1	0.00	FG:2 |FG |	53	11.7	53	11.7	53	11.7	100	0	000		29.23			30.19	FM-15	0.00	30.20
13	0637	7	VV:09 2	0.25	FG:2 |FG |	54	12.2	54	12.2	54	12.2	100	0	000		29.23				FM-16		30.21
13	0653	7	BKN:07 2 OVC:08 35	0.00	FG:2 |FG |	54	12.2	54	12.2	54	12.2	100	0	000		29.23	3	-0.03	30.21	FM-15	0.00	30.21
13	0753	7	VV:09 2	0.25	FG:2 |FG |	55	12.8	55	12.8	55	12.8	100	0	000		29.23			30.21	FM-15	0.00	30.21
13	0853	7	VV:09 2	0.25	FG:2 |FG |	57	13.9	57	13.9	57	13.9	100	0	000		29.25			30.22	FM-15	0.00	30.22
13	0922	7	OVC:08 2	1.00	BR:1 ||	59	15.0	59	15.0	59	15.0	100	0	000		29.25				FM-16		30.22
13	0930	7	BKN:07 2	3.00	BR:1 ||	60	15.6	60	15.6	60	15.6	100	5	280		29.25				FM-16		30.22
13	0943	7	SCT:04 2	6.00	BR:1 ||	61	16.1	61	16.1	61	16.1	100	0	000		29.25				FM-16		30.22
13	0953	7	FEW:02 4	7.00		63	17.2	62	16.9	62	16.7	97	0	000		29.25	3	-0.01	30.22	FM-15	0.00	30.22
13	1027	7	BKN:07 29	9.00		65	18.3	63	17.0	61	16.1	87	0	000		29.25				FM-16		30.22
13	1053	7	SCT:04 16 OVC:08 23	10.00		65	18.3	61	16.0	58	14.4	78	3	240		29.25			30.21	FM-15	0.00	30.22
13	1114	7	SCT:04 16 OVC:08 31	10.00		66	18.9	62	16.6	59	15.0	78	5	210		29.25				FM-16		30.22
13	1151	6	BKN:07 25	10.00		66	19.0	61	15.9	57	14.0	73	0	000		29.23				FM-16		30.21
13	1153	7	BKN:07 25	10.00		67	19.4	62	16.5	58	14.4	73	0	000		29.23			30.19	FM-15	0.00	30.20
13	1251	6	SCT:04 31	10.00		70	21.0	62	16.8	57	14.0	64	8	170		29.21				FM-16		30.18
13	1253	7	SCT:04 31	10.00		70	21.1	63	17.1	58	14.4	66	5	200		29.21	6	+0.04	30.16	FM-15	0.00	30.18
13	1353	7	CLR:00	9.00		70	21.1	62	16.8	57	13.9	64	3	260		29.19			30.16	FM-15	0.00	30.16
13	1453	7	CLR:00	10.00		71	21.7	62	16.7	56	13.3	59	0	000		29.19			30.15	FM-15	0.00	30.16
13	1553	7	CLR:00	10.00		72	22.2	63	17.2	57	13.9	59	3	140		29.18	6	+0.02	30.14	FM-15	0.00	30.15
13	1653	7	CLR:00	10.00		72	22.2	63	17.2	57	13.9	59	7	180		29.18			30.14	FM-15	0.00	30.15
13	1753	7	CLR:00	10.00		70	21.1	62	16.5	56	13.3	61	5	160		29.18			30.14	FM-15	0.00	30.15
13	1853	7	CLR:00	10.00		63	17.2	59	15.0	56	13.3	78	0	000		29.19	3	-0.01	30.16	FM-15	0.00	30.16
13	1953	7	CLR:00	10.00		67	19.4	61	15.9	56	13.3	68	5	180		29.19			30.15	FM-15	0.00	30.16
13	2053	7	CLR:00	10.00		60	15.6	58	14.3	56	13.3	86	3	260		29.21			30.17	FM-15	0.00	30.18
13	2153	7	CLR:00	10.00		58	14.4	57	13.8	56	13.3	93	0	000		29.22	3	-0.02	30.18	FM-15	0.00	30.19
13	2253	7	CLR:00	10.00		57	13.9	56	13.3	55	12.8	93	0	000		29.22			30.18	FM-15	0.00	30.19
13	2353	7	CLR:00	9.00		57	13.9	56	13.6	56	13.3	96	0	000		29.21			30.17	FM-15	0.00	30.18
14	0053	7	CLR:00	6.00	BR:1 ||	56	13.3	56	13.3	56	13.3	100	0	000		29.22	3	-0.00	30.18	FM-15	0.00	30.19
14	0153	7	BKN:07 100	5.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	0	000		29.22			30.18	FM-15	0.00	30.19
14	0253	7	CLR:00	6.00	BR:1 ||	53	11.7	53	11.7	53	11.7	100	0	000		29.21			30.17	FM-15	0.00	30.18
14	0353	7	CLR:00	7.00		53	11.7	53	11.7	53	11.7	100	5	110		29.21	5	+0.01	30.17	FM-15	0.00	30.18
14	0453	7	CLR:00	6.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	0	000		29.22			30.19	FM-15	0.00	30.19
14	0528	7	CLR:00	2.00V	BR:1 ||	53	11.7	53	11.7	53	11.7	100	0	000		29.23				FM-16		30.20
14	0543	7	CLR:00	1.50	BR:1 ||	52	11.1	52	11.1	52	11.1	100	0	000		29.23				FM-16		30.20
14	0548	7	FEW:02 90	3.00	BR:1 ||	52	11.0	52	11.1	52	11.0	100	3	100		29.23				FM-16		30.20
14	0553	7	SCT:04 85	4.00	BR:1 ||	52	11.1	52	11.1	52	11.1	100	0	000		29.23			30.20	FM-15	0.00	30.20
14	0653	7	BKN:07 100	4.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	3	110		29.23	1	-0.03	30.20	FM-15	0.00	30.21
14	0753	7	BKN:07 90	7.00		58	14.4	57	14.1	57	13.9	97	3	120		29.23			30.21	FM-15	0.00	30.21
14	0853	7	CLR:00	9.00		63	17.2	60	15.6	58	14.4	84	7	130		29.23			30.20	FM-15	0.00	30.21
14	0953	7	CLR:00	10.00		68	20.0	63	17.0	59	15.0	73	5	140		29.23	8	+0.01	30.19	FM-15	0.00	30.20
14	1053	7	CLR:00	10.00		71	21.7	64	17.9	60	15.6	68	7	150		29.22			30.18	FM-15	0.00	30.19
14	1153	7	SCT:04 95	10.00		73	22.8	65	18.3	60	15.6	64	8	150		29.20			30.16	FM-15	0.00	30.17
14	1253	7	OVC:08 95	10.00		75	23.9	65	18.1	58	14.4	55	10	150		29.17	8	+0.06	30.13	FM-15	0.00	30.14
14	1353	7	SCT:04 80 OVC:08 100	10.00		75	23.9	64	17.5	56	13.3	52	9	160		29.15			30.10	FM-15	0.00	30.12
14	1453	7	BKN:07 95	10.00		79	26.1	64	18.0	55	12.8	44	15	150		29.11			30.07	FM-15	0.00	30.08
14	1553	7	CLR:00	10.00		78	25.6	65	18.1	56	13.3	47	11	160		29.09	6	+0.07	30.05	FM-15	0.00	30.06
14	1653	7	CLR:00	10.00		77	25.0	64	17.9	56	13.3	48	9	170		29.09			30.05	FM-15	0.00	30.06
14	1753	7	CLR:00	10.00		74	23.3	64	17.6	57	13.9	56	7	160		29.09			30.05	FM-15	0.00	30.06
14	1853	7	CLR:00	10.00		73	22.8	63	17.4	57	13.9	57	8	160		29.08	6	+0.01	30.04	FM-15	0.00	30.05
14	1953	7	CLR:00	10.00		71	21.7	62	16.7	56	13.3	59	9	160		29.06			30.01	FM-15	0.00	30.03

14	2053	7	CLR:00	10.00		70	21.1	62	16.5	56	13.3	61	10	170		29.05			30.00	FM-15	0.00	30.02
14	2153	7	CLR:00	10.00		69	20.6	62	16.6	57	13.9	66	10	180		29.06	5	+0.02	30.01	FM-15	0.00	30.03
14	2253	7	CLR:00	10.00		68	20.0	62	16.7	58	14.4	70	11	180		29.05			30.00	FM-15	0.00	30.02
14	2353	7	CLR:00	10.00		68	20.0	63	17.3	60	15.6	76	13	170		29.02			29.97	FM-15	0.00	29.99
15	0053	7	CLR:00	10.00		68	20.0	64	17.6	61	16.1	78	10	180		29.01	6	+0.05	29.96	FM-15	0.00	29.98
15	0153	7	CLR:00	10.00		67	19.4	65	18.1	63	17.2	87	9	180		29.00			29.95	FM-15	0.00	29.97
15	0253	7	FEW:02 50	10.00		67	19.4	65	18.4	64	17.8	91	10	180		28.98			29.93	FM-15	0.00	29.95
15	0353	7	CLR:00	10.00		67	19.4	66	18.7	65	18.3	93	10	180		28.97	6	+0.04	29.92	FM-15	0.00	29.94
15	0453	7	BKN:07 48	10.00		67	19.4	66	19.1	66	18.9	97	10	180		28.97			29.92	FM-15	0.00	29.94
15	0539	7	BKN:07 14 BKN:07 19 BKN:07 46	10.00		69	20.6	68	19.8	67	19.4	93	13	200		28.97				FM-16		29.94
15	0553	7	OVC:08 14	10.00		69	20.6	68	19.8	67	19.4	93	10	190	20	28.96			29.91	FM-15	0.00	29.93
15	0653	7	OVC:08 10	10.00		68	20.0	67	19.3	66	18.9	93	10	190		28.95	8	+0.02	29.90	FM-15	0.00	29.92
15	0751	6	BKN:07 16 OVC:08 38	10.00		70	21.0	67	19.7	66	19.0	88	16	200		28.95				FM-16		29.92
15	0753	7	BKN:07 16 OVC:08 38	10.00		69	20.6	67	19.5	66	18.9	90	15	200		28.95			29.90	FM-15	0.00	29.92
15	0853	7	OVC:08 17	10.00		70	21.1	67	19.7	66	18.9	87	16	210	29	28.95			29.90	FM-15	0.00	29.92
15	0953	7	SCT:04 21 BKN:07 32	10.00		73	22.8	69	20.6	67	19.4	81	25	220	34	28.94	8	+0.01	29.89	FM-15	T	29.91
15	1051	6	OVC:08 21	10.00		72	22.0	68	20.1	66	19.0	83	17	220	31	28.93				FM-16		29.90
15	1053	7	OVC:08 21	10.00		72	22.2	69	20.4	67	19.4	84	20	220	29	28.93			29.88	FM-15	T	29.90
15	1153	7	BKN:07 22	10.00	-RA:02 |RA |	75	23.9	70	21.0	67	19.4	76	20	200	31	28.91			29.86	FM-15	T	29.88
15	1251	6	FEW:02 30 BKN:07 36 BKN:07 48	10.00		75	24.0	69	20.6	66	19.0	74	20	220	26	28.90				FM-16		29.87
15	1253	7	FEW:02 30 BKN:07 36 BKN:07 46	10.00		76	24.4	69	20.8	66	18.9	72	21	230	26	28.90	8	+0.04	29.85	FM-15	T	29.87
15	1353	7	FEW:02 34 BKN:07 45 OVC:08 95	10.00	-RA:02 |RA |	73	22.8	66	18.9	62	16.7	69	21	260	34	28.90			29.85	FM-15	T	29.87
15	1453	7	FEW:02 29 BKN:07 70 OVC:08 110	10.00		63	17.2	60	15.3	57	13.9	81	21	290	31	28.96			29.91	FM-15	T	29.93
15	1553	7	BKN:07 41 OVC:08 48	10.00	-RA:02 |RA |	61	16.1	57	13.6	53	11.7	75	16	290	28	28.98	3	-0.08	29.94	FM-15	T	29.95
15	1616	7	BKN:07 22 BKN:07 49 OVC:08 55	10.00		60	15.6	57	13.7	54	12.2	80	18	290	26	28.99				FM-16	T	29.96
15	1653	7	BKN:07 26 BKN:07 65 OVC:08 90	10.00	-RA:02 |RA |	59	15.0	55	12.6	51	10.6	75	17	300	30	29.01			29.97	FM-15	T	29.98
15	1753	7	SCT:04 26 OVC:08 37	10.00		57	13.9	52	11.2	48	8.9	72	16	290	24	29.04			30.00	FM-15	T	30.01
15	1853	7	BKN:07 33	10.00		56	13.3	51	10.7	47	8.3	72	16	300	22	29.08	3	-0.09	30.04	FM-15	T	30.05
15	1953	7	OVC:08 37	10.00		56	13.3	51	10.7	47	8.3	72	20	310	30	29.10			30.06	FM-15	T	30.07
15	2053	7	OVC:08 47	10.00		53	11.7	50	10.2	48	8.9	83	14	300	21	29.13			30.09	FM-15	T	30.10
15	2153	7	CLR:00	10.00		51	10.6	49	9.7	48	8.9	89	13	300		29.15	3	-0.07	30.11	FM-15	0.00	30.12
15	2253	7	CLR:00	10.00		51	10.6	49	9.4	47	8.3	86	9	330		29.17			30.13	FM-15	0.00	30.14
15	2353	7	SCT:04 34	10.00		50	10.0	48	8.9	46	7.8	86	8	310		29.19			30.15	FM-15	0.00	30.16
16	0053	7	CLR:00	10.00		49	9.4	47	8.3	45	7.2	86	8	320		29.20	1	-0.04	30.16	FM-15	0.00	30.17
16	0153	7	FEW:02 38 BKN:07 46	10.00		48	8.9	46	7.8	44	6.7	86	9	310		29.21			30.18	FM-15	0.00	30.18
16	0253	7	OVC:08 47	10.00		48	8.9	46	7.8	44	6.7	86	10	330		29.22			30.19	FM-15	0.00	30.19
16	0353	7	CLR:00	10.00		45	7.2	44	6.7	43	6.1	93	8	320		29.23	1	-0.03	30.20	FM-15	0.00	30.20
16	0453	7	CLR:00	10.00		44	6.7	44	6.4	43	6.1	96	8	320		29.25			30.22	FM-15	0.00	30.22
16	0553	7	CLR:00	10.00		44	6.7	43	6.1	42	5.6	93	9	320		29.26			30.23	FM-15	0.00	30.23
16	0653	7	CLR:00	10.00		43	6.1	43	5.9	42	5.6	97	8	310		29.27	3	-0.04	30.25	FM-15	0.00	30.25
16	0753	7	CLR:00	10.00		45	7.2	44	6.7	43	6.1	93	8	320		29.30			30.28	FM-15	0.00	30.28

16	0853	7	CLR:00	10.00		49	9.4	47	8.1	44	6.7	83	9	320		29.32			30.30	FM-15	0.00	30.30
16	0953	7	FEW:02 26	10.00		53	11.7	48	8.7	42	5.6	66	10	350		29.32	1	-0.05	30.30	FM-15	0.00	30.30
16	1053	7	BKN:07 30	10.00		54	12.2	49	9.2	43	6.1	67	10	350	18	29.32			30.30	FM-15	0.00	30.30
16	1153	7	SCT:04 34	10.00		56	13.3	49	9.5	42	5.6	60	8	350		29.32			30.30	FM-15	0.00	30.30
16	1253	7	SCT:04 42	10.00		57	13.9	50	9.7	42	5.6	58	9	310		29.31	8	+0.01	30.29	FM-15	0.00	30.29
16	1353	7	BKN:07 65	10.00		55	12.8	48	9.0	41	5.0	59	8	350		29.29			30.28	FM-15	0.00	30.27
16	1453	7	BKN:07 65	10.00		56	13.3	48	9.0	40	4.4	55	8	350		29.29			30.28	FM-15	0.00	30.27
16	1553	7	BKN:07 75	10.00		56	13.3	48	8.8	39	3.9	53	7	330		29.29	6	+0.01	30.28	FM-15	0.00	30.27
16	1653	7	SCT:04 70	10.00		56	13.3	49	9.5	42	5.6	60	5	350		29.28			30.27	FM-15	0.00	30.26
16	1753	7	OVC:08 70	10.00		53	11.7	46	8.0	39	3.9	59	3	320		29.29			30.28	FM-15	0.00	30.27
16	1853	7	CLR:00	10.00		52	11.1	46	7.7	39	3.9	61	0	000		29.31	3	-0.01	30.29	FM-15	0.00	30.29
16	1953	7	CLR:00	10.00		48	8.9	44	6.8	40	4.4	74	0	000		29.31			30.30	FM-15	0.00	30.29
16	2053	7	CLR:00	10.00		47	8.3	44	6.5	40	4.4	77	0	000		29.32			30.31	FM-15	0.00	30.30
16	2153	7	CLR:00	10.00		45	7.2	43	5.9	40	4.4	83	0	000		29.33	2	-0.02	30.32	FM-15	0.00	30.31
16	2253	7	CLR:00	9.00		46	7.8	44	6.5	41	5.0	83	0	000		29.33			30.32	FM-15	0.00	30.31
16	2353	7	CLR:00	10.00		44	6.7	43	5.9	41	5.0	89	0	000		29.32			30.31	FM-15	0.00	30.30
17	0053	7	CLR:00	5.00	BR:1 ||	43	6.1	43	5.9	42	5.6	97	0	000		29.32	5	+0.01	30.31	FM-15	0.00	30.30
17	0153	7	CLR:00	10.00		42	5.6	42	5.3	41	5.0	96	0	000		29.33			30.32	FM-15	0.00	30.31
17	0253	7	CLR:00	10.00		41	5.0	41	5.0	41	5.0	100	0	000		29.33			30.32	FM-15	0.00	30.31
17	0353	7	CLR:00	10.00		40	4.4	40	4.4	40	4.4	100	0	000		29.34	3	-0.02	30.33	FM-15	0.00	30.32
17	0453	7	CLR:00	10.00		39	3.9	39	3.9	39	3.9	100	0	000		29.35			30.34	FM-15	0.00	30.33
17	0553	7	CLR:00	10.00		39	3.9	39	3.9	39	3.9	100	0	000		29.37			30.36	FM-15	0.00	30.35
17	0653	7	CLR:00	10.00		40	4.4	40	4.4	40	4.4	100	0	000		29.37	1	-0.03	30.36	FM-15	0.00	30.35
17	0753	7	CLR:00	10.00		44	6.7	43	6.1	42	5.6	93	0	000		29.38			30.37	FM-15	0.00	30.36
17	0853	7	CLR:00	10.00		50	10.0	47	8.1	43	6.1	77	6	210		29.38			30.37	FM-15	0.00	30.36
17	0953	7	CLR:00	10.00		57	13.9	50	10.0	43	6.1	60	8	220		29.38	0	-0.01	30.36	FM-15	0.00	30.36
17	1053	7	CLR:00	10.00		61	16.1	51	10.8	42	5.6	50	13	200		29.36			30.34	FM-15	0.00	30.34
17	1153	7	CLR:00	10.00		62	16.7	51	10.5	40	4.4	44	11	230		29.34			30.32	FM-15	0.00	30.32
17	1253	7	CLR:00	10.00		64	17.8	52	11.3	41	5.0	43	10	200		29.32	8	+0.06	30.30	FM-15	0.00	30.30
17	1353	7	CLR:00	10.00		65	18.3	52	11.1	39	3.9	39	8	250		29.30			30.28	FM-15	0.00	30.28
17	1453	7	CLR:00	10.00		65	18.3	52	11.3	40	4.4	40	11	230		29.28			30.26	FM-15	0.00	30.26
17	1553	7	CLR:00	10.00		65	18.3	52	10.8	38	3.3	37	6	210		29.27	6	+0.05	30.25	FM-15	0.00	30.25
17	1653	7	CLR:00	10.00		63	17.2	51	10.6	39	3.9	41	9	250		29.26			30.25	FM-15	0.00	30.24
17	1753	7	CLR:00	10.00		61	16.1	50	9.8	38	3.3	43	7	220		29.27			30.25	FM-15	0.00	30.25
17	1853	7	CLR:00	10.00		57	13.9	48	9.0	39	3.9	51	5	220		29.27	5	+0.00	30.26	FM-15	0.00	30.25
17	1953	7	CLR:00	10.00		55	12.8	48	8.7	40	4.4	57	5	200		29.27			30.26	FM-15	0.00	30.25
17	2053	7	CLR:00	10.00		53	11.7	47	8.2	40	4.4	61	6	200		29.28			30.27	FM-15	0.00	30.26
17	2153	7	CLR:00	10.00		52	11.1	46	7.9	40	4.4	64	5	200		29.30	3	-0.02	30.28	FM-15	0.00	30.28
17	2253	7	CLR:00	10.00		50	10.0	46	7.6	41	5.0	71	3	190		29.30			30.28	FM-15	0.00	30.28
17	2353	7	CLR:00	10.00		46	7.8	44	6.7	42	5.6	86	0	000		29.30			30.29	FM-15	0.00	30.28
18	0053	7	CLR:00	10.00		45	7.2	44	6.4	42	5.6	90	0	000		29.31	1	-0.01	30.29	FM-15	0.00	30.29
18	0153	7	CLR:00	10.00		45	7.2	44	6.4	42	5.6	90	3	150		29.31			30.29	FM-15	0.00	30.29
18	0253	7	CLR:00	10.00		46	7.8	45	7.0	43	6.1	89	0	000		29.31			30.29	FM-15	0.00	30.29
18	0353	7	CLR:00	10.00		43	6.1	43	5.9	42	5.6	97	0	000		29.31	3	-0.00	30.29	FM-15	0.00	30.29
18	0453	7	CLR:00	10.00		42	5.6	42	5.6	42	5.6	100	0	000		29.32			30.30	FM-15	0.00	30.30
18	0553	7	CLR:00	10.00		41	5.0	41	5.0	41	5.0	100	0	000		29.33			30.31	FM-15	0.00	30.31
18	0653	7	CLR:00	10.00		43	6.1	42	5.6	41	5.0	93	3	180		29.34	3	-0.02	30.32	FM-15	0.00	30.32
18	0753	7	CLR:00	10.00		47	8.3	46	7.5	44	6.7	90	7	180		29.35			30.34	FM-15	0.00	30.33
18	0853	7	CLR:00	10.00		53	11.7	49	9.4	45	7.2	74	6	190		29.35			30.34	FM-15	0.00	30.33
18	0953	7	CLR:00	10.00		58	14.4	52	11.0	46	7.8	65	5	210		29.35	0	-0.02	30.34	FM-15	0.00	30.33
18	1053	7	CLR:00	10.00		62	16.7	53	11.7	45	7.2	54	9	190		29.34			30.32	FM-15	0.00	30.32
18	1153	7	CLR:00	10.00		64	17.8	54	12.2	45	7.2	50	6	210		29.33			30.31	FM-15	0.00	30.31
18	1253	7	CLR:00	10.00		66	18.9	54	12.4	44	6.7	45	9	210	17	29.29	8	+0.06	30.27	FM-15	0.00	30.27
18	1353	7	CLR:00	10.00		67	19.4	55	12.7	44	6.7	44	11	180		29.26			30.24	FM-15	0.00	30.24
18	1453	7	CLR:00	10.00		68	20.0	55	12.7	43	6.1	40	9	190	17	29.25			30.22	FM-15	0.00	30.22
18	1553	7	CLR:00	10.00		68	20.0	55	12.7	43	6.1	40	9	160		29.23	6	+0.06	30.21	FM-15	0.00	30.21
18	1653	7	CLR:00	10.00		67	19.4	54	12.2	42	5.6	41	10	180		29.23			30.20	FM-15	0.00	30.20

18	1753	7	CLR:00	10.00		64	17.8	53	11.5	42	5.6	45	6	160		29.23			30.20	FM-15	0.00	30.20
18	1853	7	CLR:00	10.00		61	16.1	51	10.5	41	5.0	48	6	170		29.23	6	+0.01	30.20	FM-15	0.00	30.20
18	1953	7	CLR:00	10.00		59	15.0	50	10.2	42	5.6	54	7	180		29.23			30.20	FM-15	0.00	30.20
18	2053	7	CLR:00	10.00		56	13.3	49	9.7	43	6.1	62	6	180		29.23			30.19	FM-15	0.00	30.20
18	2153	7	CLR:00	10.00		55	12.8	49	9.7	44	6.7	67	7	190		29.22	8	+0.01	30.19	FM-15	0.00	30.19
18	2253	7	CLR:00	10.00		54	12.2	49	9.2	43	6.1	67	5	200		29.22			30.19	FM-15	0.00	30.19
18	2353	7	CLR:00	10.00		53	11.7	49	9.2	44	6.7	72	5	160		29.22			30.19	FM-15	0.00	30.19
19	0053	7	CLR:00	10.00		51	10.6	48	8.6	44	6.7	77	5	180		29.23	3	-0.00	30.19	FM-15	0.00	30.20
19	0153	7	CLR:00	10.00		47	8.3	45	7.3	43	6.1	86	3	150		29.22			30.19	FM-15	0.00	30.19
19	0253	7	CLR:00	10.00		48	8.9	46	7.8	44	6.7	86	5	170		29.22			30.19	FM-15	0.00	30.19
19	0353	7	CLR:00	10.00		48	8.9	46	7.8	44	6.7	86	7	180		29.22	5	+0.00	30.19	FM-15	0.00	30.19
19	0453	7	CLR:00	10.00		47	8.3	46	7.5	44	6.7	90	6	180		29.23			30.19	FM-15	0.00	30.20
19	0553	7	CLR:00	10.00		47	8.3	46	7.5	44	6.7	90	7	180		29.22			30.19	FM-15	0.00	30.19
19	0653	7	CLR:00	10.00		46	7.8	45	7.2	44	6.7	93	3	150		29.23	3	-0.01	30.20	FM-15	0.00	30.20
19	0753	7	CLR:00	10.00		49	9.4	47	8.3	45	7.2	86	7	190		29.25			30.22	FM-15	0.00	30.22
19	0853	7	CLR:00	10.00		55	12.8	51	10.5	47	8.3	74	7	220		29.26			30.22	FM-15	0.00	30.23
19	0953	7	CLR:00	10.00		61	16.1	55	12.5	49	9.4	65	13	220		29.25	0	-0.02	30.22	FM-15	0.00	30.22
19	1053	7	CLR:00	10.00		66	18.9	58	14.2	51	10.6	59	15	210		29.23			30.20	FM-15	0.00	30.21
19	1153	7	CLR:00	10.00		69	20.6	59	15.2	52	11.1	55	14	230	20	29.23			30.20	FM-15	0.00	30.21
19	1253	7	CLR:00	10.00		71	21.7	60	15.6	52	11.1	51	14	210		29.22	8	+0.04	30.18	FM-15	0.00	30.19
19	1353	7	CLR:00	10.00		73	22.8	61	16.0	52	11.1	48	14	250		29.20			30.16	FM-15	0.00	30.17
19	1453	7	CLR:00	10.00		73	22.8	60	15.5	50	10.0	44	13	240		29.20			30.16	FM-15	0.00	30.17
19	1553	7	CLR:00	10.00		73	22.8	60	15.5	50	10.0	44	13	230		29.18	6	+0.03	30.15	FM-15	0.00	30.15
19	1653	7	CLR:00	10.00		72	22.2	59	15.3	50	10.0	46	13	230		29.19			30.16	FM-15	0.00	30.16
19	1753	7	CLR:00	10.00		68	20.0	58	14.7	51	10.6	55	8	240		29.20			30.17	FM-15	0.00	30.17
19	1853	7	CLR:00	10.00		66	18.9	58	14.2	51	10.6	59	8	230		29.21	3	-0.03	30.18	FM-15	0.00	30.18
19	1953	7	CLR:00	10.00		63	17.2	56	13.5	51	10.6	65	6	220		29.23			30.19	FM-15	0.00	30.20
19	2053	7	CLR:00	10.00		62	16.7	56	13.3	51	10.6	67	8	230		29.22			30.19	FM-15	0.00	30.19
19	2153	7	CLR:00	10.00		59	15.0	55	12.6	51	10.6	75	5	240		29.23	1	-0.02	30.19	FM-15	0.00	30.20
19	2253	7	CLR:00	10.00		57	13.9	54	12.1	51	10.6	81	6	270		29.23			30.20	FM-15	0.00	30.21
19	2353	7	CLR:00	10.00		54	12.2	52	11.3	51	10.6	90	3	270		29.23			30.21	FM-15	0.00	30.21
20	0053	7	CLR:00	10.00		53	11.7	52	11.1	51	10.6	93	0	000		29.25	1	-0.02	30.21	FM-15	0.00	30.22
20	0153	7	CLR:00	10.00		53	11.7	52	11.1	51	10.6	93	0	000		29.26			30.22	FM-15	0.00	30.23
20	0253	7	CLR:00	7.00		50	10.0	50	10.0	50	10.0	100	0	000		29.26			30.23	FM-15	0.00	30.24
20	0353	7	CLR:00	7.00		50	10.0	50	10.0	50	10.0	100	0	000		29.26	0	-0.02	30.23	FM-15	0.00	30.24
20	0421	7	CLR:00	0.75	BR:1 ||	47	8.3	47	8.3	47	8.3	100	0	000		29.26				FM-16		30.24
20	0432	7	CLR:00	2.50	BR:1 ||	47	8.3	47	8.3	47	8.3	100	3	300		29.27				FM-16		30.25
20	0439	7	CLR:00	4.00	BR:1 ||	47	8.3	47	8.3	47	8.3	100	5	290		29.27				FM-16		30.25
20	0453	7	CLR:00	7.00		49	9.4	49	9.4	49	9.4	100	5	310		29.27			30.25	FM-15	0.00	30.25
20	0553	7	CLR:00	7.00		49	9.4	49	9.4	49	9.4	100	3	360		29.29			30.26	FM-15	0.00	30.27
20	0630	7	CLR:00	1.75		46	7.8	46	7.8	46	7.8	100	3	240		29.30				FM-16		30.28
20	0633	7	CLR:00	5.00	BR:1 ||	46	7.8	46	7.8	46	7.8	100	3	230		29.30				FM-16		30.28
20	0653	7	CLR:00	5.00	BR:1 ||	47	8.3	47	8.3	47	8.3	100	0	000		29.30	3	-0.04	30.28	FM-15	0.00	30.28
20	0753	7	CLR:00	5.00	BR:1 ||	50	10.0	50	10.0	50	10.0	100	0	000		29.33			30.31	FM-15	0.00	30.31
20	0800	7	CLR:00	5.00	BR:1 ||	51	10.6	51	10.6	51	10.6	100	0	000		29.33				FM-16		30.31
20	0853	7	CLR:00	5.00	BR:1 ||	56	13.3	54	12.1	52	11.1	87	0	000		29.34			30.32	FM-15	0.00	30.32
20	0856	7	CLR:00	8.00		57	13.9	54	12.4	52	11.1	83	0	000		29.34				FM-16		30.32
20	0953	7	CLR:00	10.00		61	16.1	55	12.8	50	10.0	67	0	000		29.34	1	-0.04	30.32	FM-15	0.00	30.32
20	1053	7	CLR:00	10.00		66	18.9	55	12.9	46	7.8	49	5	200		29.33			30.31	FM-15	0.00	30.31
20	1153	7	CLR:00	10.00		69	20.6	55	12.9	43	6.1	39	0	000		29.32			30.29	FM-15	0.00	30.30
20	1253	7	CLR:00	10.00		71	21.7	57	13.8	45	7.2	39	3	VRB		29.29	8	+0.06	30.26	FM-15	0.00	30.27
20	1353	7	CLR:00	10.00		72	22.2	57	13.8	44	6.7	37	3	VRB		29.26			30.24	FM-15	0.00	30.24
20	1453	7	CLR:00	10.00		72	22.2	56	13.6	43	6.1	35	6	150		29.25			30.22	FM-15	0.00	30.22
20	1553	7	CLR:00	10.00		72	22.2	56	13.6	43	6.1	35	6	150		29.25	6	+0.05	30.21	FM-15	0.00	30.22
20	1653	7	CLR:00	10.00		71	21.7	56	13.3	43	6.1	36	6	160		29.23			30.19	FM-15	0.00	30.20
20	1753	7	CLR:00	10.00		70	21.1	55	12.7	41	5.0	35	5	160		29.23			30.20	FM-15	0.00	30.20
20	1853	7	CLR:00	10.00		62	16.7	52	11.2	43	6.1	50	5	130		29.23	5	+0.01	30.21	FM-15	0.00	30.21

20	1953	7	CLR:00	10.00		58	14.4	51	10.5	44	6.7	60	5	130		29.23			30.21	FM-15	0.00	30.21
20	2053	7	CLR:00	10.00		57	13.9	50	10.2	44	6.7	62	7	130		29.23			30.20	FM-15	0.00	30.21
20	2153	7	CLR:00	10.00		59	15.0	51	10.5	43	6.1	56	6	150		29.23	3	-0.00	30.21	FM-15	0.00	30.21
20	2253	7	CLR:00	10.00		56	13.3	49	9.7	43	6.1	62	0	000		29.23			30.21	FM-15	0.00	30.21
20	2353	7	CLR:00	10.00		56	13.3	50	10.0	44	6.7	65	0	000		29.23			30.20	FM-15	0.00	30.21
21	0053	7	CLR:00	10.00		52	11.1	48	8.9	44	6.7	75	0	000		29.23	1	-0.00	30.21	FM-15	0.00	30.21
21	0153	7	CLR:00	10.00		50	10.0	47	8.4	44	6.7	80	0	000		29.25			30.21	FM-15	0.00	30.22
21	0253	7	CLR:00	10.00		49	9.4	47	8.3	45	7.2	86	0	000		29.23			30.21	FM-15	0.00	30.21
21	0353	7	CLR:00	10.00		47	8.3	46	7.8	45	7.2	93	3	080		29.23	8	+0.00	30.21	FM-15	0.00	30.21
21	0453	7	CLR:00	10.00		49	9.4	47	8.3	45	7.2	86	0	000		29.26			30.22	FM-15	0.00	30.23
21	0553	7	CLR:00	10.00		48	8.9	46	7.8	44	6.7	86	0	000		29.26			30.23	FM-15	0.00	30.24
21	0653	7	CLR:00	10.00		48	8.9	47	8.1	45	7.2	89	0	000		29.27	1	-0.04	30.25	FM-15	0.00	30.25
21	0753	7	CLR:00	10.00		50	10.0	48	8.9	46	7.8	86	0	000		29.28			30.27	FM-15	0.00	30.26
21	0853	7	CLR:00	10.00		58	14.4	53	11.5	48	8.9	70	5	130		29.29			30.27	FM-15	0.00	30.27
21	0953	7	CLR:00	10.00		64	17.8	56	13.5	50	10.0	60	8	170		29.29	0	-0.02	30.26	FM-15	0.00	30.27
21	1053	7	CLR:00	10.00		67	19.4	59	14.7	52	11.1	59	5	VRB		29.29			30.26	FM-15	0.00	30.27
21	1153	7	CLR:00	10.00		71	21.7	61	15.9	53	11.7	53	9	150		29.27			30.24	FM-15	0.00	30.25
21	1253	7	CLR:00	10.00		72	22.2	61	16.4	54	12.2	53	8	170		29.26	8	+0.04	30.22	FM-15	0.00	30.23
21	1353	7	CLR:00	10.00		73	22.8	62	16.8	55	12.8	53	7	150		29.25			30.21	FM-15	0.00	30.22
21	1453	7	CLR:00	10.00		72	22.2	62	16.9	56	13.3	57	8	140		29.25			30.22	FM-15	0.00	30.22
21	1553	7	CLR:00	10.00		72	22.2	62	16.9	56	13.3	57	8	140		29.23	8	+0.02	30.20	FM-15	0.00	30.21
21	1653	7	CLR:00	10.00		71	21.7	62	16.4	55	12.8	57	8	160		29.23			30.21	FM-15	0.00	30.21
21	1753	7	CLR:00	10.00		69	20.6	59	15.2	52	11.1	55	8	170		29.25			30.22	FM-15	0.00	30.22
21	1853	7	CLR:00	10.00		67	19.4	58	14.4	51	10.6	57	6	160		29.26	3	-0.02	30.23	FM-15	0.00	30.23
21	1953	7	CLR:00	10.00		65	18.3	57	14.0	51	10.6	61	6	170		29.26			30.23	FM-15	0.00	30.23
21	2053	7	CLR:00	10.00		65	18.3	58	14.3	52	11.1	63	6	160		29.26			30.22	FM-15	0.00	30.23
21	2153	7	CLR:00	10.00		64	17.8	58	14.3	53	11.7	68	7	150		29.25	8	+0.01	30.21	FM-15	0.00	30.22
21	2253	7	CLR:00	10.00		62	16.7	57	13.9	53	11.7	73	5	160		29.25			30.21	FM-15	0.00	30.22
21	2353	7	CLR:00	10.00		61	16.1	56	13.3	52	11.1	72	6	150		29.23			30.19	FM-15	0.00	30.20
22	0053	7	CLR:00	10.00		57	13.9	54	12.1	51	10.6	81	0	000		29.23	5	+0.01	30.19	FM-15	0.00	30.20
22	0153	7	CLR:00	10.00		54	12.2	52	11.0	50	10.0	87	0	000		29.25			30.20	FM-15	0.00	30.22
22	0253	7	CLR:00	10.00		49	9.4	49	9.4	49	9.4	100	0	000		29.23			30.20	FM-15	0.00	30.21
22	0353	7	CLR:00	10.00		54	12.2	53	11.6	52	11.1	93	0	000		29.23	1	-0.01	30.20	FM-15	0.00	30.21
22	0453	7	CLR:00	10.00		56	13.3	54	12.1	52	11.1	87	7	140		29.23			30.20	FM-15	0.00	30.21
22	0553	7	CLR:00	10.00		55	12.8	53	11.6	51	10.6	87	3	140		29.25			30.21	FM-15	0.00	30.22
22	0653	7	CLR:00	10.00		52	11.1	51	10.5	50	10.0	93	6	130		29.25	3	-0.01	30.22	FM-15	0.00	30.22
22	0753	7	CLR:00	10.00		57	13.9	54	12.4	52	11.1	83	7	140		29.26			30.23	FM-15	0.00	30.23
22	0853	7	CLR:00	10.00		61	16.1	57	13.6	53	11.7	75	7	160		29.27			30.24	FM-15	0.00	30.25
22	0953	7	CLR:00	10.00		65	18.3	59	14.8	54	12.2	68	9	160		29.26	0	-0.01	30.23	FM-15	0.00	30.24
22	1053	7	CLR:00	10.00		71	21.7	61	16.1	54	12.2	55	7	VRB		29.26			30.22	FM-15	0.00	30.23
22	1153	7	CLR:00	10.00		74	23.3	63	17.0	55	12.8	52	14	200	20	29.23			30.19	FM-15	0.00	30.21
22	1253	7	CLR:00	10.00		75	23.9	63	17.2	55	12.8	50	9	190	18	29.21	8	+0.06	30.16	FM-15	0.00	30.18
22	1353	7	CLR:00	10.00		77	25.0	64	17.6	55	12.8	47	14	150		29.16			30.12	FM-15	0.00	30.13
22	1453	7	CLR:00	10.00		74	23.3	62	16.5	53	11.7	48	10	170		29.16			30.12	FM-15	0.00	30.13
22	1553	7	CLR:00	10.00		73	22.8	60	15.5	50	10.0	44	15	170		29.16	5	+0.04	30.12	FM-15	0.00	30.13
22	1653	7	CLR:00	10.00		72	22.2	60	15.5	51	10.6	48	8	180		29.16			30.12	FM-15	0.00	30.13
22	1753	7	CLR:00	10.00		70	21.1	59	14.8	50	10.0	49	6	160		29.15			30.11	FM-15	0.00	30.12
22	1853	7	CLR:00	10.00		67	19.4	58	14.2	50	10.0	55	7	150		29.15	7	+0.01	30.11	FM-15	0.00	30.12
22	1953	7	CLR:00	10.00		67	19.4	58	14.4	51	10.6	57	6	160		29.15			30.11	FM-15	0.00	30.12
22	2053	7	CLR:00	10.00		65	18.3	57	14.0	51	10.6	61	7	150		29.14			30.10	FM-15	0.00	30.11
22	2153	7	CLR:00	10.00		64	17.8	57	14.0	52	11.1	65	7	140		29.13	8	+0.02	30.09	FM-15	0.00	30.10
22	2253	7	CLR:00	10.00		62	16.7	57	13.9	53	11.7	73	6	130		29.10			30.06	FM-15	0.00	30.07
22	2353	7	CLR:00	10.00		62	16.7	57	13.9	53	11.7	73	6	120		29.08			30.04	FM-15	0.00	30.05
23	0053	7	CLR:00	10.00		64	17.8	57	13.8	51	10.6	63	10	130		29.07	6	+0.05	30.03	FM-15	0.00	30.04
23	0153	7	CLR:00	10.00		64	17.8	57	14.0	52	11.1	65	10	130		29.06			30.01	FM-15	0.00	30.03
23	0253	7	CLR:00	10.00		64	17.8	57	14.0	52	11.1	65	10	140		29.04			30.00	FM-15	0.00	30.01
23	0353	7	SCT:04 65	10.00		63	17.2	57	14.1	53	11.7	70	9	130		29.02	8	+0.05	29.98	FM-15	0.00	29.99

23	0453	7	SCT:04 60	10.00		63	17.2	57	14.1	53	11.7	70	9	130		29.00			29.95	FM-15	0.00	29.97
23	0553	7	OVC:08 70	10.00		63	17.2	57	14.1	53	11.7	70	8	130		28.98			29.94	FM-15	0.00	29.95
23	0653	7	BKN:07 65 OVC:08 90	10.00		62	16.7	57	14.1	54	12.2	75	8	110		28.96	8	+0.06	29.91	FM-15	0.00	29.93
23	0753	7	CLR:00	10.00		63	17.2	58	14.4	54	12.2	73	13	130		28.93			29.89	FM-15	0.00	29.90
23	0853	7	FEW:02 65 OVC:08 85	10.00		65	18.3	60	15.4	56	13.3	73	13	130		28.91			29.86	FM-15	0.00	29.88
23	0953	7	BKN:07 60 OVC:08 75	10.00	-RA:02 |RA |	63	17.2	61	15.9	59	15.0	87	11	130		28.89	6	+0.07	29.84	FM-15	0.01	29.85
23	1051	6	BKN:07 20 OVC:08 60	8.00	-RA:02 |RA |	63	17.0	62	16.6	61	16.0	94	11	130		28.86				FM-16		29.82
23	1053	7	BKN:07 20 BKN:07 46 OVC:08 60	8.00	-RA:02 |RA |	63	17.2	62	16.6	61	16.1	93	13	130		28.86			29.81	FM-15	0.07	29.82
23	1151	6	OVC:08 12	6.00	-RA:02 BR:1 |RA |	64	18.0	63	17.4	63	17.0	94	14	130	23	28.81				FM-16		29.77
23	1153	7	OVC:08 12	7.00	-RA:02 |RA |	64	17.8	63	17.4	63	17.2	96	15	130	23	28.81			29.75	FM-15	0.03	29.77
23	1203	7	BKN:07 8 BKN:07 12 OVC:08 32	7.00	-RA:02 |RA |	64	17.8	64	17.8	64	17.8	100	14	130	23	28.80				FM-16	0.01	29.76
23	1251	6	SCT:04 8 BKN:07 12 OVC:08 21	2.00V	RA:02 BR:1 |RA |	64	18.0	64	17.8	64	18.0	100	15	150		28.75				FM-16		29.71
23	1253	7	BKN:07 10 OVC:08 21	1.50V	RA:02 BR:1 |RA |	64	17.8	64	17.8	64	17.8	100	14	140		28.75	8	+0.14	29.70	FM-15	0.06	29.71
23	1310	7	OVC:08 8	1.25	+RA:02 BR:1 |RA |	64	17.8	64	17.8	64	17.8	100	8	160		28.74				FM-16	0.07	29.70
23	1322	7	SCT:04 5 BKN:07 11 OVC:08 19	0.75	+RA:02 BR:1 |RA |	62	16.7	62	16.7	62	16.7	100	17	200	26	28.73				FM-16	0.15	29.69
23	1328	7	SCT:04 5 BKN:07 11 OVC:08 37	1.50	-RA:02 BR:1 |RA |	62	16.7	61	16.0	60	15.6	93	13	230	25	28.73				FM-16	0.16	29.69
23	1331	7	SCT:04 5 BKN:07 10 OVC:08 39	3.00	-RA:02 BR:1 |RA |	62	16.7	61	16.0	60	15.6	93	10	230	25	28.73				FM-16	0.16	29.69
23	1333	7	FEW:02 5 SCT:04 10 OVC:08 39	5.00	-RA:02 BR:1 |RA |	62	16.7	61	16.0	60	15.6	93	9	230		28.73				FM-16	0.16	29.69
23	1353	7	OVC:08 39	10.00	-RA:02 |RA |	62	16.7	61	16.0	60	15.6	93	5	200		28.73			29.67	FM-15	0.13	29.69
23	1453	7	FEW:02 19 BKN:07 55 OVC:08 80	10.00		63	17.2	61	16.2	60	15.6	90	16	200	25	28.73			29.67	FM-15	T	29.69
23	1553	7	FEW:02 55 SCT:04 70 OVC:08 100	10.00	-RA:02 |RA |	62	16.7	60	15.7	59	15.0	90	10	190		28.71	6	+0.04	29.66	FM-15	T	29.67
23	1653	7	OVC:08 95	10.00	-RA:02 |RA |	60	15.6	59	14.9	58	14.4	93	10	140		28.67			29.62	FM-15	0.01	29.63
23	1753	7	BKN:07 46 BKN:07 60 OVC:08 75	10.00		59	15.0	58	14.7	58	14.4	96	8	190		28.67			29.62	FM-15	T	29.63
23	1853	7	OVC:08 50	10.00		59	15.0	58	14.4	57	13.9	93	13	160	20	28.68	5	+0.03	29.63	FM-15	0.00	29.64
23	1953	7	OVC:08 85	10.00		58	14.4	57	13.8	56	13.3	93	9	180	18	28.66			29.61	FM-15	0.00	29.62
23	2022	7	BKN:07 14 BKN:07 20 OVC:08 100	10.00		58	14.4	57	13.8	56	13.3	93	15	180		28.66				FM-16		29.62
23	2053	7	OVC:08 12	10.00		57	13.9	57	13.9	57	13.9	100	13	170		28.66			29.61	FM-15	T	29.62
23	2113	7	BKN:07 8 BKN:07 12 OVC:08 18	2.50	RA:02 BR:1 |RA |	57	13.9	57	13.9	57	13.9	100	15	200	24	28.66				FM-16	0.02	29.62
23	2124	7	BKN:07 8 OVC:08 12	4.00	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	20	210	29	28.66				FM-16	0.03	29.62
23	2145	7	OVC:08 10	6.00	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	15	210		28.67				FM-16	0.03	29.63
23	2151	6	BKN:07 8 OVC:08 12	4.00	-RA:02 BR:1 |RA |	55	13.0	55	12.8	55	13.0	100	20	210	25	28.67				FM-16		29.63
23	2153	7	BKN:07 8 OVC:08 12	3.00	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	16	210	25	28.67	5	+0.01	29.62	FM-15	0.04	29.63

23	2159	7	OVC:08 10	2.50	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	16	220	25	28.67				FM-16	T	29.63
23	2207	7	BKN:07 8 OVC:08 12	2.00	-RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	11	230	21	28.67				FM-16	0.01	29.63
23	2238	7	SCT:04 5 BKN:07 12 OVC:08 17	3.00	+RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	16	250	23	28.69				FM-16	0.08	29.65
23	2253	7	BKN:07 7 BKN:07 13 OVC:08 19	5.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	14	250		28.69			29.65	FM-15	0.09	29.65
23	2303	7	SCT:04 7 BKN:07 13 OVC:08 18	6.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	10	250		28.70				FM-16	T	29.66
23	2353	7	BKN:07 10 OVC:08 16	3.00	RA:02 BR:1 |RA |	51	10.6	51	10.6	51	10.6	100	14	260	22	28.72			29.67	FM-15	0.05	29.68
24	0006	7	SCT:04 8 BKN:07 12 OVC:08 36	5.00	-RA:02 BR:1 |RA |	51	10.6	51	10.6	51	10.6	100	17	280	31	28.72				FM-16	0.01	29.68
24	0022	7	FEW:02 7 BKN:07 38 OVC:08 48	10.00		50	10.0	49	9.7	49	9.4	96	15	270	25	28.71				FM-16	0.01	29.67
24	0053	7	OVC:08 60	10.00		50	10.0	49	9.4	48	8.9	93	9	270		28.71	0	-0.04	29.66	FM-15	T	29.67
24	0153	7	SCT:04 80	10.00		49	9.4	48	8.9	47	8.3	93	11	230		28.74			29.70	FM-15	0.00	29.70
24	0253	7	CLR:00	10.00		48	8.9	47	8.6	47	8.3	96	9	210		28.72			29.67	FM-15	0.00	29.68
24	0353	7	BKN:07 65 OVC:08 80	10.00		48	8.9	47	8.6	47	8.3	96	8	190		28.72	0	-0.01	29.67	FM-15	0.00	29.68
24	0440	7	BKN:07 22 BKN:07 30 OVC:08 50	10.00		48	8.9	47	8.3	46	7.8	93	10	190		28.71				FM-16		29.67
24	0453	7	BKN:07 21 BKN:07 27 OVC:08 43	10.00	-RA:02 |RA |	48	8.9	47	8.3	46	7.8	93	13	200		28.71			29.67	FM-15	T	29.67
24	0520	7	FEW:02 15 SCT:04 21 OVC:08 55	9.00	-RA:02 |RA |	48	8.9	47	8.3	46	7.8	93	15	200	23	28.71				FM-16	0.01	29.67
24	0551	6	BKN:07 12 BKN:07 37 OVC:08 55	10.00	-RA:02 |RA |	46	8.0	46	7.8	46	8.0	100	15	190		28.71				FM-16		29.67
24	0553	7	BKN:07 10 BKN:07 37 OVC:08 55	10.00	-RA:02 |RA |	47	8.3	47	8.3	47	8.3	100	11	190		28.71			29.67	FM-15	0.02	29.67
24	0653	7	BKN:07 13 BKN:07 32 OVC:08 50	10.00		48	8.9	47	8.6	47	8.3	96	11	190		28.69	8	+0.02	29.65	FM-15	T	29.65
24	0753	7	BKN:07 11 OVC:08 14	10.00		49	9.4	48	9.2	48	8.9	97	13	190		28.71			29.67	FM-15	0.00	29.67
24	0853	7	BKN:07 11 BKN:07 29 OVC:08 37	10.00		50	10.0	49	9.4	48	8.9	93	9	200		28.72			29.68	FM-15	0.00	29.68
24	0953	7	BKN:07 18 BKN:07 70	10.00		52	11.1	50	10.0	48	8.9	86	16	210		28.73	1	-0.04	29.68	FM-15	T	29.69
24	1030	7	FEW:02 20 SCT:04 27 SCT:04 36	10.00		52	11.1	49	9.4	46	7.8	80	18	210	26	28.73				FM-16		29.69
24	1053	7	FEW:02 24 BKN:07 34	10.00		54	12.2	50	9.9	46	7.8	75	21	210	30	28.74			29.69	FM-15	0.00	29.70
24	1153	7	FEW:02 31 SCT:04 49 BKN:07 80	10.00		53	11.7	48	8.9	43	6.1	69	15	220		28.75			29.71	FM-15	T	29.71
24	1253	7	FEW:02 35 SCT:04 60 BKN:07 100	10.00		56	13.3	49	9.4	42	5.6	60	18	230	29	28.75	1	-0.02	29.71	FM-15	0.00	29.71
24	1353	7	FEW:02 39 BKN:07 75 BKN:07 95	10.00		54	12.2	48	8.7	41	5.0	62	18	220	29	28.76			29.72	FM-15	0.00	29.72

24	1453	7	SCT:04 41 BKN:07 100	10.00		54	12.2	47	8.4	40	4.4	59	16	230	29	28.77			29.72	FM-15	0.00	29.73
24	1553	7	SCT:04 65 BKN:07 80 BKN:07 110	10.00		52	11.1	47	8.1	41	5.0	66	18	230	26	28.80	3	-0.05	29.76	FM-15	T	29.76
24	1653	7	BKN:07 60 BKN:07 85	10.00		50	10.0	46	7.6	41	5.0	71	15	230	28	28.81			29.78	FM-15	0.00	29.77
24	1753	7	OVC:08 55	10.00		49	9.4	45	7.1	40	4.4	71	24	230	32	28.83			29.79	FM-15	T	29.79
24	1853	7	OVC:08 80	10.00		48	8.9	44	6.5	39	3.9	71	15	230		28.84	3	-0.05	29.81	FM-15	T	29.81
24	1953	7	SCT:04 25 SCT:04 37 OVC:08 75	10.00		47	8.3	44	6.5	40	4.4	77	14	220		28.87			29.83	FM-15	0.00	29.83
24	2007	7	BKN:07 25 BKN:07 34 OVC:08 75	10.00		47	8.3	44	6.5	40	4.4	77	15	230		28.87				FM-16		29.83
24	2053	7	OVC:08 20	10.00		47	8.3	44	6.5	40	4.4	77	14	260	22	28.87			29.84	FM-15	0.00	29.84
24	2130	7	FEW:02 23 OVC:08 31	10.00		46	7.8	43	6.0	39	3.9	77	11	250	22	28.87				FM-16		29.84
24	2153	7	FEW:02 26 OVC:08 34	10.00		46	7.8	43	6.0	39	3.9	77	14	250	21	28.87	1	-0.03	29.84	FM-15	0.00	29.84
24	2253	7	BKN:07 40	10.00		45	7.2	41	5.2	37	2.8	74	15	240		28.87			29.84	FM-15	0.00	29.83
24	2350	7	BKN:07 29 OVC:08 35	10.00		45	7.0	41	5.2	37	3.0	76	16	250	23	28.87				FM-16		29.83
24	2353	7	BKN:07 27 OVC:08 35	10.00		45	7.2	42	5.4	38	3.3	77	15	240	23	28.87			29.83	FM-15	0.00	29.83
25	0023	7	SCT:04 23 OVC:08 38	10.00		45	7.2	42	5.4	38	3.3	77	17	240	23	28.86				FM-16		29.82
25	0053	7	FEW:02 30 BKN:07 60 OVC:08 75	10.00		44	6.7	41	5.2	38	3.3	79	11	250		28.86	7	+0.01	29.82	FM-15	0.00	29.82
25	0119	7	SCT:04 22 BKN:07 29 OVC:08 60	10.00	-RA:02 |RA |	44	6.7	42	5.4	39	3.9	83	11	250	22	28.86				FM-16	T	29.82
25	0153	7	SCT:04 21 BKN:07 27 OVC:08 50	10.00		43	6.1	42	5.3	40	4.4	89	8	240		28.84			29.82	FM-15	T	29.81
25	0253	7	BKN:07 21 OVC:08 28	10.00	-RA:02 |RA |	42	5.6	41	5.0	40	4.4	92	11	240		28.84			29.80	FM-15	T	29.80
25	0351	6	BKN:07 14 OVC:08 23	10.00		43	6.0	42	5.6	41	5.0	93	9	230		28.83				FM-16		29.79
25	0353	7	BKN:07 14 OVC:08 23	10.00		43	6.1	42	5.6	41	5.0	93	8	240		28.83	8	+0.03	29.79	FM-15	T	29.79
25	0442	7	BKN:07 17 OVC:08 22	10.00	-RA:02 |RA |	43	6.1	42	5.3	40	4.4	89	11	240		28.82				FM-16	T	29.78
25	0453	7	BKN:07 17 OVC:08 22	10.00	-RA:02 |RA |	42	5.6	42	5.3	41	5.0	96	9	240		28.83			29.79	FM-15	T	29.79
25	0508	7	BKN:07 14 OVC:08 20	10.00	-RA:02 |RA |	42	5.6	42	5.3	41	5.0	96	11	250		28.83				FM-16	T	29.79
25	0533	7	OVC:08 16	10.00		42	5.6	41	5.0	40	4.4	92	9	230		28.83				FM-16	T	29.79
25	0551	6	BKN:07 14 OVC:08 19	10.00		43	6.0	41	5.1	39	4.0	87	10	240		28.83				FM-16		29.79
25	0553	7	OVC:08 16	10.00		42	5.6	41	5.0	40	4.4	92	13	230		28.83			29.80	FM-15	T	29.79
25	0601	7	OVC:08 14	10.00		42	5.6	41	5.0	40	4.4	92	14	230		28.83				FM-16		29.79
25	0653	7	BKN:07 11 OVC:08 17	10.00		42	5.6	42	5.3	41	5.0	96	8	230		28.83	3	-0.01	29.80	FM-15	T	29.79
25	0751	6	BKN:07 23 OVC:08 29	10.00		43	6.0	42	5.6	41	5.0	93	10	230		28.84				FM-16		29.80
25	0753	7	FEW:02 14 BKN:07 23 OVC:08 29	10.00		43	6.1	42	5.6	41	5.0	93	10	230		28.84			29.81	FM-15	0.00	29.80
25	0817	7	FEW:02 14 OVC:08 30	10.00		43	6.1	42	5.6	41	5.0	93	9	230		28.84				FM-16		29.81

25	0853	7	FEW:02 14 BKN:07 26 OVC:08 31	10.00		43	6.1	42	5.3	40	4.4	89	8	240		28.84			29.82	FM-15	0.00	29.81
25	0940	7	FEW:02 18 SCT:04 26 OVC:08 32	10.00		46	7.8	44	6.5	41	5.0	83	13	240		28.84				FM-16		29.80
25	0953	7	FEW:02 18 OVC:08 30	10.00		45	7.2	42	5.7	39	3.9	80	11	240		28.84	0	-0.01	29.81	FM-15	0.00	29.80
25	1010	7	BKN:07 20 BKN:07 25 OVC:08 30	10.00		45	7.2	42	5.7	39	3.9	80	6	270		28.84				FM-16		29.81
25	1051	6	FEW:02 27 OVC:08 36	10.00		46	8.0	42	5.5	37	3.0	71	10	250		28.84				FM-16		29.80
25	1053	7	SCT:04 29 OVC:08 39	10.00		47	8.3	42	5.8	37	2.8	69	9	240		28.84			29.81	FM-15	0.00	29.80
25	1153	7	FEW:02 26 BKN:07 42	10.00		48	8.9	43	6.3	38	3.3	68	10	240		28.83			29.79	FM-15	0.00	29.79
25	1253	7	BKN:07 45	10.00		50	10.0	44	6.9	38	3.3	63	9	230		28.80	8	+0.04	29.77	FM-15	0.00	29.76
25	1353	7	BKN:07 39 OVC:08 65	10.00		49	9.4	43	6.1	36	2.2	61	15	270		28.80			29.77	FM-15	0.00	29.76
25	1453	7	FEW:02 44 OVC:08 65	10.00		49	9.4	43	6.1	36	2.2	61	7	270		28.81			29.78	FM-15	0.00	29.77
25	1553	7	OVC:08 65	10.00		50	10.0	43	6.0	34	1.1	54	11	260		28.82	3	-0.01	29.79	FM-15	0.00	29.78
25	1653	7	FEW:02 48 BKN:07 70	10.00		48	8.9	41	5.2	33	0.6	56	9	270		28.84			29.80	FM-15	0.00	29.80
25	1753	7	SCT:04 65	10.00		44	6.7	39	4.0	33	0.6	65	6	280		28.84			29.82	FM-15	0.00	29.81
25	1853	7	BKN:07 55	10.00		42	5.6	39	3.6	34	1.1	73	6	280		28.87	3	-0.05	29.85	FM-15	0.00	29.83
25	1953	7	BKN:07 55	10.00		42	5.6	37	3.0	31	-0.6	65	5	330		28.89			29.86	FM-15	0.00	29.85
25	2053	7	CLR:00	10.00		40	4.4	37	2.6	32	0.0	73	3	280		28.90			29.88	FM-15	0.00	29.86
25	2153	7	CLR:00	10.00		37	2.8	35	1.4	31	-0.6	79	3	300		28.90	1	-0.04	29.88	FM-15	0.00	29.87
25	2253	7	CLR:00	10.00		36	2.2	34	1.3	32	0.0	86	3	270		28.91			29.89	FM-15	0.00	29.88
25	2353	7	CLR:00	10.00		33	0.6	33	0.6	33	0.6	100	5	270		28.91			29.89	FM-15	0.00	29.88
26	0053	7	CLR:00	10.00		36	2.2	34	1.3	32	0.0	86	0	000		28.90	0	-0.00	29.88	FM-15	0.00	29.87
26	0153	7	CLR:00	10.00		33	0.6	32	-0.1	30	-1.1	89	0	000		28.92			29.90	FM-15	0.00	29.89
26	0253	7	CLR:00	10.00		34	1.1	33	0.4	31	-0.6	89	0	000		28.93			29.91	FM-15	0.00	29.90
26	0353	7	CLR:00	10.00		31	-0.6	31	-0.8	30	-1.1	96	0	000		28.93	1	-0.02	29.91	FM-15	0.00	29.90
26	0453	7	CLR:00	10.00		32	0.0	31	-0.4	30	-1.1	92	0	000		28.95			29.94	FM-15	0.00	29.92
26	0553	7	CLR:00	10.00		31	-0.6	31	-0.8	30	-1.1	96	0	000		28.97			29.96	FM-15	0.00	29.94
26	0653	7	CLR:00	10.00		29	-1.7	29	-1.7	29	-1.7	100	0	000		28.97	1	-0.04	29.96	FM-15	0.00	29.94
26	0753	7	CLR:00	10.00		32	0.0	32	-0.2	31	-0.6	96	0	000		28.99			29.98	FM-15	0.00	29.96
26	0853	7	CLR:00	10.00		41	5.0	39	4.0	37	2.8	86	0	000		28.99			29.98	FM-15	0.00	29.96
26	0953	7	CLR:00	10.00		46	7.8	41	4.8	34	1.1	63	6	200		28.99	1	-0.02	29.98	FM-15	0.00	29.96
26	1053	7	CLR:00	10.00		49	9.4	42	5.7	34	1.1	56	8	170		28.99			29.98	FM-15	0.00	29.96
26	1153	7	CLR:00	10.00		51	10.6	43	6.3	34	1.1	52	8	VRB		28.98			29.96	FM-15	0.00	29.95
26	1253	7	CLR:00	10.00		52	11.1	44	6.6	34	1.1	50	6	200		28.96	8	+0.03	29.94	FM-15	0.00	29.93
26	1353	7	CLR:00	10.00		53	11.7	44	6.8	34	1.1	48	8	160		28.94			29.92	FM-15	0.00	29.91
26	1453	7	CLR:00	10.00		53	11.7	44	6.4	32	0.0	45	3	180		28.93			29.91	FM-15	0.00	29.90
26	1553	7	CLR:00	10.00		54	12.2	44	6.9	33	0.6	45	9	180		28.93	6	+0.03	29.91	FM-15	0.00	29.90
26	1653	7	CLR:00	10.00		53	11.7	44	6.8	34	1.1	48	9	160		28.94			29.92	FM-15	0.00	29.91
26	1753	7	CLR:00	10.00		51	10.6	44	6.5	35	1.7	54	7	140		28.93			29.91	FM-15	0.00	29.90
26	1853	7	CLR:00	10.00		48	8.9	43	5.9	36	2.2	63	7	130		28.92	8	+0.01	29.91	FM-15	0.00	29.89
26	1953	7	CLR:00	10.00		49	9.4	43	5.9	35	1.7	59	8	140		28.92			29.91	FM-15	0.00	29.89
26	2053	7	CLR:00	10.00		48	8.9	42	5.6	35	1.7	61	9	130		28.91			29.89	FM-15	0.00	29.88
26	2153	7	CLR:00	10.00		48	8.9	43	5.9	36	2.2	63	10	140		28.91	7	+0.01	29.89	FM-15	0.00	29.88
26	2253	7	CLR:00	10.00		47	8.3	42	5.6	36	2.2	66	8	140		28.90			29.88	FM-15	0.00	29.87
26	2353	7	CLR:00	10.00		45	7.2	41	5.2	37	2.8	74	6	140		28.90			29.88	FM-15	0.00	29.87
27	0053	7	CLR:00	10.00		45	7.2	41	5.2	37	2.8	74	8	130		28.90	8	+0.01	29.87	FM-15	0.00	29.87
27	0153	7	CLR:00	10.00		46	7.8	42	5.5	37	2.8	71	8	140		28.89			29.86	FM-15	0.00	29.85
27	0253	7	CLR:00	10.00		46	7.8	42	5.3	36	2.2	68	8	150		28.87			29.84	FM-15	0.00	29.84
27	0353	7	CLR:00	10.00		48	8.9	43	6.1	37	2.8	66	11	160		28.87	8	+0.04	29.83	FM-15	0.00	29.83

27	0453	7	CLR:00	10.00		47	8.3	43	6.0	38	3.3	71	11	140		28.86			29.82	FM-15	0.00	29.82
27	0553	7	CLR:00	10.00		47	8.3	43	6.3	39	3.9	74	9	160		28.86			29.82	FM-15	0.00	29.82
27	0653	7	CLR:00	10.00		48	8.9	45	7.0	41	5.0	77	9	170		28.84	6	+0.01	29.82	FM-15	0.00	29.81
27	0753	7	CLR:00	10.00		49	9.4	46	7.6	42	5.6	77	11	170		28.87			29.83	FM-15	0.00	29.83
27	0853	7	CLR:00	10.00		54	12.2	49	9.7	45	7.2	72	11	180	21	28.87			29.83	FM-15	0.00	29.83
27	0953	7	CLR:00	10.00		61	16.1	54	12.2	48	8.9	63	13	200		28.87	1	-0.02	29.83	FM-15	0.00	29.83
27	1053	7	CLR:00	10.00		64	17.8	55	12.7	47	8.3	54	18	210	28	28.87			29.83	FM-15	0.00	29.83
27	1153	7	CLR:00	10.00		66	18.9	56	13.4	48	8.9	52	17	210	24	28.86			29.81	FM-15	0.00	29.82
27	1253	7	FEW:02 85	10.00		68	20.0	57	14.1	49	9.4	51	20	200	28	28.84	8	+0.02	29.80	FM-15	0.00	29.81
27	1353	7	BKN:07 50 OVC:08 85	10.00		67	19.4	57	13.9	49	9.4	53	15	220	26	28.83			29.79	FM-15	0.00	29.79
27	1453	7	OVC:08 55	10.00		66	18.9	57	13.9	50	10.0	56	11	210	22	28.83			29.78	FM-15	0.00	29.79
27	1553	7	OVC:08 55	10.00		66	18.9	58	14.2	51	10.6	59	10	220		28.82	6	+0.02	29.78	FM-15	0.00	29.78
27	1653	7	FEW:02 48 SCT:04 55 OVC:08 75	10.00		62	16.7	55	13.0	50	10.0	65	8	260		28.84			29.79	FM-15	0.00	29.80
27	1753	7	BKN:07 55 OVC:08 70	10.00		57	13.9	52	11.2	48	8.9	72	9	300		28.84			29.81	FM-15	0.00	29.81
27	1853	7	OVC:08 55	10.00		53	11.7	49	9.4	45	7.2	74	16	300		28.87	3	-0.05	29.83	FM-15	0.00	29.83
27	1944	7	SCT:04 18 BKN:07 28 OVC:08 65	10.00		50	10.0	48	8.6	45	7.2	83	13	290		28.90				FM-16		29.86
27	1953	7	FEW:02 12 BKN:07 16 OVC:08 65	10.00		49	9.4	47	8.6	46	7.8	90	11	330		28.90			29.87	FM-15	0.00	29.87
27	2012	7	BKN:07 12 OVC:08 27	10.00		48	8.9	47	8.1	45	7.2	89	11	310		28.90				FM-16		29.87
27	2053	7	BKN:07 12 OVC:08 33	10.00	-RA:02 |RA |	46	7.8	45	7.2	44	6.7	93	11	320		28.92			29.89	FM-15	T	29.89
27	2100	7	BKN:07 10 OVC:08 33	10.00	-RA:02 |RA |	45	7.2	45	7.0	44	6.7	97	10	330		28.92				FM-16	T	29.89
27	2151	6	OVC:08 8	10.00		45	7.0	44	6.7	43	6.0	93	7	350		28.91				FM-16		29.88
27	2153	7	OVC:08 8	10.00		43	6.1	43	6.1	43	6.1	100	7	350		28.91	0	-0.04	29.88	FM-15	T	29.88
27	2253	7	SCT:04 7 OVC:08 14	9.00	-RA:02 |RA |	41	5.0	41	4.7	40	4.4	96	7	340		28.91			29.88	FM-15	T	29.88
27	2351	7	FEW:02 9 OVC:08 16	10.00		41	5.0	40	4.5	39	4.0	93	10	320		28.90				FM-16	T	29.87
27	2353	7	FEW:02 9 OVC:08 16	10.00		41	5.0	41	4.7	40	4.4	96	8	330		28.90			29.86	FM-15	T	29.87
28	0005	7	BKN:07 8 OVC:08 16	10.00		41	5.0	41	4.7	40	4.4	96	8	330		28.90				FM-16		29.86
28	0017	7	OVC:08 10	10.00	-RA:02 |RA |	40	4.4	40	4.2	39	3.9	97	6	330		28.90				FM-16	T	29.86
28	0040	7	FEW:02 10 BKN:07 17 OVC:08 23	10.00		40	4.4	39	4.0	38	3.3	93	9	330		28.90				FM-16	T	29.86
28	0053	7	BKN:07 17 OVC:08 23	10.00		40	4.4	39	4.0	38	3.3	93	6	320		28.90	6	+0.01	29.86	FM-15	T	29.87
28	0153	7	FEW:02 10 OVC:08 24	8.00	-RA:02 |RA |	39	3.9	39	3.6	38	3.3	96	6	310		28.91			29.88	FM-15	0.02	29.88
28	0220	7	BKN:07 10 OVC:08 18	8.00	-RA:02 |RA |	39	3.9	39	3.9	39	3.9	100	5	360		28.89				FM-16	0.02	29.85
28	0253	7	OVC:08 11	7.00	-RA:02 |RA |	39	3.9	39	3.9	39	3.9	100	3	020		28.89			29.84	FM-15	0.02	29.85
28	0310	7	BKN:07 8 OVC:08 12	7.00	-RA:02 |RA |	39	3.9	39	3.9	39	3.9	100	0	000		28.89				FM-16	0.01	29.85
28	0338	7	FEW:02 6 SCT:04 10 OVC:08 15	8.00	-RA:02 |RA |	39	3.9	39	3.6	38	3.3	96	10	280		28.90				FM-16	0.02	29.86
28	0353	7	SCT:04 8 OVC:08 17	10.00	-RA:02 |RA |	39	3.9	39	3.6	38	3.3	96	7	270		28.87	8	+0.03	29.83	FM-15	0.01	29.83
28	0417	7	BKN:07 8 OVC:08 17	10.00		39	3.9	39	3.6	38	3.3	96	7	290		28.87				FM-16	T	29.84

28	0433	7	SCT:04 8 OVC:08 14	10.00		38	3.3	38	3.1	37	2.8	97	10	300		28.89				FM-16	T	29.85
28	0451	6	OVC:08 15	10.00	-RA:02 |RA |	37	3.0	37	2.8	37	3.0	100	8	310		28.90				FM-16		29.86
28	0453	7	FEW:02 9 OVC:08 15	9.00	-RA:02 |RA |	38	3.3	38	3.1	37	2.8	97	7	310		28.90			29.87	FM-15	T	29.86
28	0515	7	SCT:04 8 BKN:07 13 OVC:08 29	5.00	-RA:02 BR:1 |RA |	38	3.3	38	3.1	37	2.8	97	10	280		28.90				FM-16	0.01	29.87
28	0553	7	BKN:07 10 OVC:08 32	7.00	-RA:02 |RA |	38	3.3	38	3.1	37	2.8	97	9	290		28.90			29.87	FM-15	0.04	29.86
28	0651	6	OVC:08 39	4.00	-RA:02 BR:1 |RA |	37	3.0	37	2.8	37	3.0	100	6	290		28.90				FM-16		29.86
28	0653	7	OVC:08 39	4.00	-RA:02 BR:1 |RA |	37	2.8	37	2.8	37	2.8	100	6	300		28.90	0	-0.02	29.87	FM-15	0.02	29.86
28	0709	7	BKN:07 9 OVC:08 42	5.00	-RA:02 BR:1 |RA |	37	2.8	37	2.8	37	2.8	100	6	290		28.90				FM-16	0.01	29.87
28	0751	6	SCT:04 9 OVC:08 13	5.00	-SN:03 BR:1 |SN |	36	2.0	36	2.2	36	2.0	100	8	290		28.92				FM-16		29.89
28	0753	7	SCT:04 9 OVC:08 13	3.00	-SN:03 BR:1 |SN |	35	1.7	35	1.7	35	1.7	100	7	290		28.92			29.91	FM-15	0.04	29.89
28	0812	7	BKN:07 9 OVC:08 48	5.00	-RA:02 BR:1 |RA |	35	1.7	35	1.7	35	1.7	100	8	280		28.93				FM-16	0.01	29.90
28	0853	7	BKN:07 9 OVC:08 48	3.00	-SN:03 BR:1 |SN |	34	1.1	34	1.1	34	1.1	100	7	280		28.93			29.92	FM-15	0.02	29.90
28	0900	7	FEW:02 7 OVC:08 26	1.00	-SN:03 BR:1 |SN |	34	1.1	34	1.1	34	1.1	100	7	280		28.94				FM-16	T	29.91
28	0931	7	FEW:02 5 BKN:07 28 OVC:08 40	3.00	-SN:03 BR:1 |SN |	34	1.1	34	1.1	34	1.1	100	6	270		28.94				FM-16	0.02	29.91
28	0944	7	SCT:04 6 OVC:08 26	2.50	-SN:03 BR:1 |SN |	34	1.1	34	1.1	34	1.1	100	7	260		28.94				FM-16	0.02	29.91
28	0946	7	SCT:04 6 BKN:07 30 OVC:08 39	2.50	-SN:03 BR:1 |SN |	35	1.7	35	1.4	34	1.1	96	6	270		28.94				FM-16	0.02	29.91
28	0953	7	SCT:04 6 BKN:07 35 OVC:08 50	2.50	-SN:03 BR:1 |SN |	35	1.7	35	1.7	35	1.7	100	7	260		28.94	1	-0.05	29.93	FM-15	0.02	29.91
28	1022	7	FEW:02 7 SCT:04 48 OVC:08 55	10.00		36	2.2	36	2.0	35	1.7	97	6	230		28.93				FM-16	T	29.90
28	1053	7	FEW:02 9 OVC:08 60	10.00		37	2.8	36	2.3	35	1.7	93	6	240		28.94			29.93	FM-15	T	29.91
28	1114	7	BKN:07 11 BKN:07 16 OVC:08 60	10.00		38	3.3	37	2.9	36	2.2	93	7	240		28.94				FM-16		29.91
28	1130	7	FEW:02 9 BKN:07 18 OVC:08 27	10.00		39	3.9	38	3.2	36	2.2	89	10	270		28.94				FM-16		29.91
28	1153	7	BKN:07 18 BKN:07 23 BKN:07 28	10.00		40	4.4	38	3.5	36	2.2	86	7	250		28.92			29.91	FM-15	0.00	29.89
28	1215	7	FEW:02 22 BKN:07 31	10.00		41	5.0	38	3.3	34	1.1	76	11	270		28.92				FM-16		29.89
28	1251	6	OVC:08 29	10.00		41	5.0	38	3.3	34	1.0	76	10	280		28.91				FM-16		29.88
28	1253	7	FEW:02 23 OVC:08 29	10.00		41	5.0	38	3.1	33	0.6	73	11	270		28.92	5	+0.02	29.90	FM-15	0.00	29.89
28	1353	7	SCT:04 25 OVC:08 31	10.00		41	5.0	38	3.3	34	1.1	76	9	280		28.91			29.90	FM-15	0.00	29.88
28	1453	7	SCT:04 25 OVC:08 31	10.00		40	4.4	37	2.8	33	0.6	77	14	270		28.92			29.91	FM-15	0.00	29.89
28	1553	7	SCT:04 25	10.00		38	3.3	36	2.0	32	0.0	79	13	270		28.94	3	-0.02	29.93	FM-15	0.00	29.91
28	1555	7	OVC:08 23	10.00		38	3.3	36	2.0	32	0.0	79	10	250		28.94				FM-16		29.91
28	1653	7	OVC:08 23	10.00		38	3.3	36	2.0	32	0.0	79	9	280		28.95			29.93	FM-15	0.00	29.92
28	1753	7	OVC:08 24	10.00		38	3.3	35	1.7	31	-0.6	76	7	290		28.95			29.94	FM-15	0.00	29.92
28	1853	7	OVC:08 29	10.00		38	3.3	35	1.5	30	-1.1	73	5	310		28.96	3	-0.02	29.95	FM-15	0.00	29.93

28	1953	7	OVC:08 29	10.00		38	3.3	35	1.7	31	-0.6	76	3	230		28.95			29.94	FM-15	0.00	29.92
28	1955	7	OVC:08 33	10.00		38	3.3	35	1.7	31	-0.6	76	0	000		28.95				FM-16		29.92
28	2053	7	OVC:08 32	10.00		38	3.3	36	2.0	32	0.0	79	5	260		28.95			29.94	FM-15	0.00	29.92
28	2153	7	OVC:08 35	10.00		38	3.3	36	2.0	32	0.0	79	6	180		28.98	3	-0.02	29.97	FM-15	0.00	29.95
28	2253	7	OVC:08 39	10.00		37	2.8	35	1.9	33	0.6	86	6	270		28.94			29.93	FM-15	0.00	29.91
28	2353	7	OVC:08 38	10.00		38	3.3	36	2.2	33	0.6	83	5	240		28.93			29.91	FM-15	0.00	29.90
29	0053	7	OVC:08 38	10.00		38	3.3	36	2.2	33	0.6	83	7	290		28.91	6	+0.07	29.89	FM-15	0.00	29.88
29	0153	7	OVC:08 39	10.00		38	3.3	36	2.4	34	1.1	86	5	280		28.90			29.88	FM-15	0.00	29.87
29	0253	7	OVC:08 39	10.00		38	3.3	36	2.4	34	1.1	86	5	300		28.90			29.88	FM-15	0.00	29.86
29	0353	7	OVC:08 39	10.00		38	3.3	36	2.4	34	1.1	86	7	310		28.89	8	+0.03	29.86	FM-15	0.00	29.85
29	0453	7	OVC:08 40	10.00		38	3.3	36	2.4	34	1.1	86	6	320		28.89			29.86	FM-15	0.00	29.85
29	0553	7	OVC:08 40	10.00		38	3.3	37	2.6	35	1.7	89	7	320		28.90			29.87	FM-15	0.00	29.86
29	0653	7	FEW:02 14 OVC:08 41	10.00		38	3.3	37	2.6	35	1.7	89	7	310		28.87	8	+0.00	29.86	FM-15	0.00	29.84
29	0753	7	OVC:08 41	10.00		38	3.3	36	2.4	34	1.1	86	10	330		28.87			29.86	FM-15	0.00	29.84
29	0853	7	OVC:08 43	10.00		38	3.3	36	2.4	34	1.1	86	14	310		28.87			29.85	FM-15	0.00	29.83
29	0953	7	OVC:08 41	10.00		39	3.9	37	2.7	34	1.1	82	10	320		28.87	8	+0.01	29.85	FM-15	0.00	29.83
29	1053	7	OVC:08 45	10.00		40	4.4	37	2.8	33	0.6	77	13	320		28.86			29.83	FM-15	0.00	29.82
29	1153	7	BKN:07 40 OVC:08 55	10.00		42	5.6	38	3.4	33	0.6	71	10	300		28.84			29.82	FM-15	0.00	29.80
29	1253	7	SCT:04 33 OVC:08 40	10.00		43	6.1	38	3.5	32	0.0	65	8	330		28.82	8	+0.05	29.79	FM-15	0.00	29.78
29	1353	7	FEW:02 30 OVC:08 38	10.00		43	6.1	39	3.7	33	0.6	68	10	330		28.80			29.77	FM-15	0.00	29.76
29	1453	7	OVC:08 35	10.00		43	6.1	39	3.7	33	0.6	68	14	320		28.79			29.77	FM-15	0.00	29.75
29	1553	7	BKN:07 33 OVC:08 40	10.00		43	6.1	39	3.7	33	0.6	68	15	320		28.79	6	+0.03	29.76	FM-15	0.00	29.75
29	1653	7	FEW:02 30 OVC:08 41	10.00		43	6.1	39	3.9	34	1.1	71	11	310		28.79			29.76	FM-15	0.00	29.75
29	1751	6	BKN:07 28 BKN:07 38 OVC:08 60	10.00		43	6.0	39	3.9	34	1.0	71	15	310		28.79				FM-16		29.75
29	1753	7	SCT:04 28 BKN:07 35 OVC:08 60	10.00		42	5.6	39	3.6	34	1.1	73	15	320		28.79			29.77	FM-15	0.00	29.75
29	1851	6	BKN:07 28 OVC:08 60	10.00		41	5.0	39	3.8	36	2.0	81	13	320		28.79				FM-16		29.75
29	1853	7	BKN:07 27 OVC:08 60	10.00		41	5.0	38	3.3	34	1.1	76	15	320		28.79	3	-0.00	29.77	FM-15	0.00	29.75
29	1951	6	FEW:02 22 SCT:04 29 OVC:08 55	10.00		39	4.0	37	2.7	34	1.0	81	11	300		28.80				FM-16		29.76
29	1953	7	FEW:02 22 SCT:04 29 OVC:08 55	10.00		40	4.4	37	3.0	34	1.1	79	10	300		28.81			29.78	FM-15	0.00	29.77
29	2053	7	FEW:02 32 OVC:08 55	10.00		39	3.9	37	2.7	34	1.1	82	9	290		28.80			29.77	FM-15	0.00	29.76
29	2153	7	OVC:08 48	10.00		39	3.9	36	2.3	32	0.0	76	13	300		28.79	8	+0.00	29.77	FM-15	0.00	29.75
29	2253	7	OVC:08 50	10.00		39	3.9	36	2.1	31	-0.6	73	13	280		28.78			29.76	FM-15	0.00	29.74
29	2330	7	BKN:07 29 OVC:08 50	10.00		39	3.9	36	2.3	32	0.0	76	11	280		28.78				FM-16		29.74
29	2337	7	BKN:07 30 OVC:08 49	10.00		39	3.9	36	2.3	32	0.0	76	13	280	22	28.78				FM-16		29.74
29	2353	7	OVC:08 30	10.00		39	3.9	36	2.3	32	0.0	76	13	290		28.78			29.76	FM-15	0.00	29.74
30	0053	7	OVC:08 47	10.00		39	3.9	36	2.1	31	-0.6	73	16	280		28.79	3	-0.00	29.76	FM-15	0.00	29.75
30	0153	7	OVC:08 50	10.00		37	2.8	34	1.2	30	-1.1	76	13	270		28.80			29.78	FM-15	0.00	29.76
30	0253	7	CLR:00	10.00		33	0.6	31	-0.3	29	-1.7	85	7	260		28.81			29.79	FM-15	0.00	29.77
30	0353	7	CLR:00	10.00		33	0.6	31	-0.3	29	-1.7	85	8	230		28.81	0	-0.02	29.78	FM-15	0.00	29.77
30	0453	7	FEW:02 75	10.00		33	0.6	31	-0.3	29	-1.7	85	8	220		28.81			29.78	FM-15	0.00	29.77
30	0553	7	BKN:07 75 OVC:08 100	10.00		34	1.1	32	0.0	29	-1.7	82	10	220		28.79			29.77	FM-15	0.00	29.75

30	0653	7	BKN:07 70 OVC:08 90	10.00		35	1.7	33	0.6	30	-1.1	82	11	200		28.79	8	+0.02	29.76	FM-15	0.00	29.75
30	0753	7	OVC:08 60	10.00		37	2.8	34	1.2	30	-1.1	76	11	210		28.80			29.78	FM-15	0.00	29.76
30	0853	7	OVC:08 60	10.00		39	3.9	36	2.1	31	-0.6	73	13	190		28.78			29.76	FM-15	0.00	29.74
30	0953	7	SCT:04 50 OVC:08 60	10.00		40	4.4	36	2.2	30	-1.1	68	13	200	25	28.78	8	+0.01	29.75	FM-15	0.00	29.74
30	1053	7	OVC:08 55	10.00		41	5.0	36	2.5	30	-1.1	65	15	220		28.80			29.77	FM-15	0.00	29.76
30	1153	7	BKN:07 65 OVC:08 80	10.00		43	6.1	38	3.3	31	-0.6	63	10	220	21	28.80			29.77	FM-15	0.00	29.76
30	1253	7	OVC:08 60	10.00	-RA:02 |RA |RA	42	5.6	38	3.2	32	0.0	68	11	220		28.79	0	-0.01	29.77	FM-15	T	29.75
30	1353	7	FEW:02 31 SCT:04 39 OVC:08 50	10.00	-RA:02 |RA |RA	43	6.1	39	3.7	33	0.6	68	14	220		28.78			29.76	FM-15	T	29.74
30	1416	7	BKN:07 29 OVC:08 36	10.00	-RA:02 |RA |RA	42	5.6	39	3.9	35	1.7	76	11	210		28.79				FM-16		29.75
30	1451	6	FEW:02 25 SCT:04 30 OVC:08 41	10.00	-RA:02 |RA |	43	6.0	40	4.4	36	2.0	76	11	230		28.80				FM-16		29.76
30	1453	7	SCT:04 25 SCT:04 30 OVC:08 41	10.00	-RA:02 |RA |RA	43	6.1	40	4.4	36	2.2	76	10	230		28.80			29.78	FM-15	T	29.76
30	1551	6	OVC:08 21	10.00	-RA:02 |RA |	43	6.0	41	5.1	39	4.0	87	13	240		28.82				FM-16		29.78
30	1553	7	OVC:08 21	10.00	-RA:02 |RA |	43	6.1	41	5.1	39	3.9	86	13	230		28.83	3	-0.03	29.80	FM-15	T	29.79
30	1653	7	BKN:07 16 OVC:08 22	10.00	-RA:02 |RA |	42	5.6	41	5.0	40	4.4	92	11	230	24	28.84			29.82	FM-15	0.03	29.80
30	1751	6	FEW:02 120	10.00		41	5.0	39	4.0	37	3.0	87	13	230	21	28.87				FM-16		29.83
30	1753	7	CLR:00	10.00		41	5.0	39	4.0	37	2.8	86	13	230		28.87			29.85	FM-15	T	29.83
30	1853	7	CLR:00	10.00		40	4.4	39	3.7	37	2.8	89	15	240		28.90	3	-0.09	29.89	FM-15	0.00	29.87
30	1953	7	CLR:00	10.00		40	4.4	38	3.5	36	2.2	86	14	240		28.92			29.91	FM-15	0.00	29.89
30	2053	7	CLR:00	10.00		39	3.9	38	3.4	37	2.8	93	10	240		28.94			29.93	FM-15	0.00	29.91
30	2153	7	FEW:02 45 OVC:08 60	10.00		40	4.4	39	4.0	38	3.3	93	9	220		28.96	3	-0.06	29.95	FM-15	0.00	29.93
30	2253	7	OVC:08 55	10.00		40	4.4	39	4.0	38	3.3	93	8	220		28.98			29.96	FM-15	0.00	29.95
30	2353	7	FEW:02 20	10.00		38	3.3	37	2.9	36	2.2	93	9	220		28.99			29.98	FM-15	0.00	29.96
31	0053	7	SCT:04 50	10.00		39	3.9	38	3.2	36	2.2	89	9	230		29.00	1	-0.04	29.99	FM-15	0.00	29.97
31	0153	7	SCT:04 44	10.00		38	3.3	36	2.4	34	1.1	86	11	250		29.02			30.01	FM-15	0.00	29.99
31	0253	7	CLR:00	10.00		35	1.7	35	1.4	34	1.1	96	6	210		29.04			30.03	FM-15	0.00	30.01
31	0353	7	CLR:00	10.00		35	1.7	34	1.2	33	0.6	93	9	220		29.05	1	-0.05	30.04	FM-15	0.00	30.02
31	0453	7	CLR:00	10.00		34	1.1	33	0.7	32	0.0	92	9	220		29.07			30.06	FM-15	0.00	30.04
31	0553	7	BKN:07 55	10.00		34	1.1	33	0.7	32	0.0	92	10	220		29.10			30.09	FM-15	0.00	30.07
31	0653	7	SCT:04 49	10.00		34	1.1	33	0.5	31	-0.6	89	9	230		29.12	1	-0.06	30.11	FM-15	0.00	30.09
31	0753	7	CLR:00	10.00		35	1.7	33	0.8	31	-0.6	85	8	230		29.15			30.14	FM-15	0.00	30.12
31	0853	7	OVC:08 41	10.00		37	2.8	35	1.4	31	-0.6	79	11	240		29.19			30.17	FM-15	0.00	30.16
31	0953	7	FEW:02 25 OVC:08 38	10.00		38	3.3	34	1.3	29	-1.7	70	20	280	25	29.21	1	-0.09	30.20	FM-15	0.00	30.18
31	1053	7	OVC:08 31	10.00		38	3.3	34	1.3	29	-1.7	70	9	260		29.23			30.22	FM-15	0.00	30.20
31	1153	7	OVC:08 33	10.00		38	3.3	34	1.2	28	-2.2	68	14	270		29.23			30.22	FM-15	0.00	30.21
31	1253	7	OVC:08 36	10.00		39	3.9	35	1.5	28	-2.2	65	11	250		29.23	0	-0.02	30.22	FM-15	0.00	30.20
31	1353	7	BKN:07 38	10.00		40	4.4	35	1.8	28	-2.2	63	7	250		29.22			30.21	FM-15	0.00	30.19
31	1453	7	SCT:04 40	10.00		40	4.4	35	1.6	27	-2.8	60	7	280		29.20			30.19	FM-15	0.00	30.17
31	1553	7	FEW:02 40	10.00		41	5.0	35	1.9	27	-2.8	57	3	230		29.20	6	+0.03	30.19	FM-15	0.00	30.17
31	1653	7	CLR:00	10.00		39	3.9	35	1.5	28	-2.2	65	5	280		29.20			30.19	FM-15	0.00	30.17
31	1753	7	CLR:00	10.00		38	3.3	34	1.0	27	-2.8	65	0	000		29.20			30.19	FM-15	0.00	30.17
31	1853	7	CLR:00	10.00		37	2.8	33	0.8	28	-2.2	70	3	050		29.20	8	+0.00	30.19	FM-15	0.00	30.17
31	1953	7	CLR:00	10.00		34	1.1	32	0.0	29	-1.7	82	3	010		29.20			30.19	FM-15	0.00	30.17
31	2053	7	CLR:00	10.00		33	0.6	31	-0.5	28	-2.2	82	3	080		29.20			30.19	FM-15	0.00	30.17
31	2153	7	CLR:00	10.00		33	0.6	31	-0.5	28	-2.2	82	3	090		29.20	3	-0.01	30.19	FM-15	0.00	30.17
31	2253	7	CLR:00	10.00		32	0.0	31	-0.6	29	-1.7	88	3	090		29.19			30.19	FM-15	0.00	30.16
31	2353	7	CLR:00	10.00		31	-0.6	30	-1.2	28	-2.2	89	3	080		29.17			30.17	FM-15	0.00	30.14

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
October 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01																									01
02																									02
03																									03
04																									04
05								T	0.02	0.54	0.23	0.17	0.14	0.02	T	T	T								05
06					T		T	T	T	T	T													T	06
07																						T	0.36	0.13	07
08	T													T	0.01	0.07	0.08	0.06	0.38	0.43	0.44	0.48	0.02	0.38	08
09	0.15	0.09	0.02	T								T	0.01												09
10																			T						10
11	T		0.06	0.22	0.01	0.01			0.01														T		11
12			T	0.04s	T																				12
13																									13
14																									14
15										T	T	T	T	T	T	T	T	T	T	T	T				15
16																									16
17																									17
18																									18
19																									19
20																									20
21																									21
22																									22
23										0.01	0.07	0.03	0.06	0.13	T	T	0.01	T			T	0.04	0.09	0.05	23
24	T				T	0.02	T			T		T				T		T	T						24
25		T	T	T	T	T	T																		25
26																									26
27																					T	T	T	T	27
28	T	0.02	0.02	0.01	T	0.04	0.02	0.04	0.02	0.02	T														28
29																									29
30													T	T	T	T	0.03	T							30
31																									31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.17	0.28	0.32	0.38	0.43	0.54	0.65	0.74	0.85	1.03	1.25	1.45
Ending Date Time (yyyy-mm-dd hh:mi)	2017-10-07 22:52	2017-10-05 09:24	2017-10-05 09:27	2017-10-05 09:27	2017-10-05 09:36	2017-10-08 21:29	2017-10-08 21:41	2017-10-08 21:48	2017-10-08 21:33	2017-10-08 21:19	2017-10-08 21:47	2017-10-08 21:38

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
November 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	51	32	42	-6.4				23	0	0701	1730	RA BR	0.82			29.11		5.4	16	170	12	160
02	67	51	59	11.0				6	0	0702	1729	RA	0.02			29.05		9.9	24	190	18	170
03	63	40	51	3.3				14	0	0704	1728	TS RA BR	0.24			29.17		10.3	26	340	20	340
04	60	36	48	0.6				17	0	0705	1727	RA BR	T			29.15		6.9	17	110	13	130
05	72*	59	65	18.0				0	0	0706	1725	TS RA BR	1.39			28.91		12.6	47	320	37	330
06	60	40	50	3.3				15	0	0707	1724	TS RA BR	0.58			29.08		10.3	28	350	21	330
07	48	37	43	-3.3				22	0	0708	1723	RA	0.04			29.21		9.1	20	040	16	360
08	51	33	42	-4.0				23	0	0709	1722		0.00			29.26		5.7	20	030	13	040
09	52	29	41	-4.6				24	0	0710	1721	SN BR	T			29.15		7.7	33	320	25	330
10	33	23	28	-17.2				37	0	0712	1720		0.00			29.44		10.9	26	360	20	010
11	36	19*	28	-16.9				37	0	0713	1719		0.00			29.46		4.7	16	070	12	070
12	51	27	39	-5.5				26	0	0714	1719	RA BR	0.31			29.30		4.1	16	360	13	350
13	42	33	38	-6.1				27	0	0715	1718	RA BR	T			29.39		7.7	22	320	15	330
14	47	30	39	-4.7				26	0	0716	1717	BR	0.00			29.36		3.9	15	120	10	120
15	49	31	40	-3.3				25	0	0717	1716	RA BR	0.10			29.07		8.8	22	230	17	230
16	47	36	41	-1.9				24	0	0719	1715	RA SN	T			29.10		10.8	34s	290s	25	280
17	48	36	42	-0.5				23	0	0720	1714		0.00			29.18		8.0	20	160	15	160
18	64	37	51	8.9				14	0	0721	1714	TS RA SN BR	0.93			28.51		13.4	41	320	30	310
19	41	30	36	-5.7				29	0	0722	1713	RA	T			28.89		15.7	35	270	25	280
20	46	24	35	-6.3				30	0	0723	1712		0.00			29.14		9.6	24	200	18	200
21	55	33	44	3.1				21	0	0724	1712	RA	0.01			28.95		12.7	35	190	25	200
22	37	25	31	-9.5				34	0	0725	1711	RA	0.01			29.21		7.2	22	330	16	330
23	41	20	31	-9.1				34	0	0726	1711		0.00			29.14		3.8	15	200	12	170
24	54	26	40	0.3				25	0	0728	1710		0.00			28.94		9.2	24	190	18	190
25	55	34	45	5.7				20	0	0729	1710		T			28.84		11.8	29	280	24	280
26	45	25	35	-3.8				30	0	0730	1709		0.00			29.18		6.9	20	260	16	240
27	58	28	43	4.6				22	0	0731	1709		0.00			29.15		5.1	16	220	13	220
28	62	41	52	14.0				13	0	0732	1708		0.00			29.15		10.5	29	200	23	200
29	55	38	46	8.4				19	0	0733	1708		0.00			29.26		4.7	16	360	13	360
30	52	33	43	5.8				22	0	0734	1708	RA BR	0.15			29.11		6.8	19	240	15	240
	51.4	32.9	42.2							Monthly Averages | Totals			4.60s			29.13	30.11	8.5				
	-0.4	-1.3	-0.8	Departure from Normal (1981-2010)									1.42s									

Degree Days

	Monthly Total	Monthly Departure	Season-to-date Total	Season-to-date Departure
Heating	685	25	1038	
Cooling	0	0	849	

Number of days with...

	Temperature Max >=90°	Temperature Max <=32°	Temperature Min <=32°	Temperature Min <=0°	Precipitation >=0.01"	Precipitation >=0.1"	Snow >=1"	Weather T-Storms	Weather Heavy Fog
Heating									
Cooling	0	0	14	0	12	8			

Date of 5-sec to 3-sec wind equipment change

N/A

Sea Level Pressure

		Date	Time
Maximum	30.59	10	2105
Minimum	29.18	18	1841

Greatest...

24-Hr... Precip	24-Hr... Snowfall	Snow Depth
1.97s		
Date		
05-06		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
November 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	SCT:04 100 SCT:04 120	10.00		34	1.1	32	0.0	29	-1.7	82	3	120		29.17	6	+0.03	30.16	FM-15	0.00	30.14
01	0153	7	BKN:07 110	10.00		34	1.1	32	0.0	29	-1.7	82	3	100		29.18			30.17	FM-15	0.00	30.15
01	0253	7	OVC:08 100	10.00		35	1.7	33	0.6	30	-1.1	82	0	000		29.19			30.18	FM-15	0.00	30.16
01	0353	7	OVC:08 95	10.00		36	2.2	34	0.9	30	-1.1	79	3	100		29.18	0	-0.00	30.16	FM-15	0.00	30.15
01	0453	7	BKN:07 70 OVC:08 90	10.00		36	2.2	34	1.3	32	0.0	86	0	000		29.17			30.16	FM-15	0.00	30.14
01	0553	7	OVC:08 65	10.00		36	2.2	34	1.3	32	0.0	86	0	000		29.15			30.14	FM-15	0.00	30.12
01	0653	7	OVC:08 50	10.00		37	2.8	35	1.6	32	0.0	82	5	100		29.15	6	+0.03	30.14	FM-15	0.00	30.12
01	0753	7	OVC:08 44	9.00	-RA:02 |RA |	37	2.8	35	1.9	33	0.6	86	3	100		29.16			30.16	FM-15	T	30.13
01	0853	7	OVC:08 44	7.00	-RA:02 |RA |	37	2.8	36	2.3	35	1.7	93	6	110		29.16			30.15	FM-15	0.02	30.13
01	0930	7	BKN:07 42 OVC:08 50	5.00	-RA:02 BR:1 |RA |	38	3.3	38	3.1	37	2.8	97	5	120		29.16				FM-16	0.02	30.13
01	0953	7	OVC:08 40	5.00	-RA:02 BR:1 |RA |	39	3.9	38	3.4	37	2.8	93	6	130		29.16	0	-0.01	30.15	FM-15	0.02	30.13
01	1053	7	OVC:08 34	4.00	-RA:02 BR:1 |RA |	39	3.9	39	3.9	39	3.9	100	6	120		29.15			30.14	FM-15	0.02	30.12
01	1138	7	FEW:02 6 OVC:08 33	4.00	RA:02 BR:1 |RA |	40	4.4	40	4.4	40	4.4	100	5	110		29.14				FM-16	0.04	30.11
01	1153	7	FEW:02 6 OVC:08 32	4.00	-RA:02 BR:1 |RA |	40	4.4	40	4.4	40	4.4	100	6	110		29.12			30.11	FM-15	0.05	30.09
01	1211	7	BKN:07 5 BKN:07 21 OVC:08 31	5.00	-RA:02 BR:1 |RA |	41	5.0	41	5.0	41	5.0	100	3	110		29.12				FM-16	0.01	30.09
01	1253	7	BKN:07 5 OVC:08 12	6.00	-RA:02 BR:1 |RA |	41	5.0	41	5.0	41	5.0	100	7	110		29.09	8	+0.06	30.08	FM-15	T	30.06
01	1351	7	OVC:08 6	2.50	-RA:02 BR:1 |RA |	43	6.0	43	6.1	43	6.0	100	7	130		29.07				FM-16	0.01	30.04
01	1353	7	OVC:08 6	2.50	-RA:02 BR:1 |RA |	42	5.6	42	5.6	42	5.6	100	8	130		29.07			30.06	FM-15	0.01	30.04
01	1407	7	OVC:08 4	2.50	BR:1 ||	42	5.6	42	5.6	42	5.6	100	5	120		29.07				FM-16	T	30.04
01	1451	6	OVC:08 4	3.00	BR:1 ||	43	6.0	43	6.1	43	6.0	100	8	130		29.07				FM-16		30.04
01	1453	7	OVC:08 4	3.00	BR:1 ||	43	6.1	43	6.1	43	6.1	100	6	130		29.07			30.05	FM-15	T	30.04
01	1526	7	OVC:08 4	2.00	-RA:02 BR:1 |RA |	43	6.1	43	6.1	43	6.1	100	9	150		29.06				FM-16	T	30.03
01	1553	7	OVC:08 4	2.00	-RA:02 BR:1 |RA |	43	6.1	43	6.1	43	6.1	100	7	150		29.06	8	+0.01	30.05	FM-15	0.01	30.03
01	1653	7	OVC:08 4	2.00	-RA:02 BR:1 |RA |	44	6.7	44	6.7	44	6.7	100	7	160		29.04			30.03	FM-15	0.02	30.01
01	1753	7	BKN:07 4 OVC:08 7	2.00	-RA:02 BR:1 |RA |	44	6.7	44	6.7	44	6.7	100	7	140		29.04			30.03	FM-15	0.06	30.01
01	1800	7	OVC:08 3	6.00	-RA:02 BR:1 |RA |	44	6.7	44	6.7	44	6.7	100	8	150		29.04				FM-16	T	30.01
01	1851	6	OVC:08 4	2.00	+RA:02 BR:1 |RA |	45	7.0	45	7.2	45	7.0	100	3	120		29.05				FM-16		30.02
01	1853	7	OVC:08 4	2.00	+RA:02 BR:1 |RA |	45	7.2	45	7.2	45	7.2	100	3	120		29.05	3	-0.01	30.03	FM-15	0.14	30.02
01	1951	6	BKN:07 24 OVC:08 40	2.50	+RA:02 BR:1 |RA |	45	7.0	45	7.2	45	7.0	100	6	110		29.05				FM-16		30.02
01	1953	7	BKN:07 24 BKN:07 35 OVC:08 42	2.50	+RA:02 BR:1 |RA |	45	7.2	45	7.2	45	7.2	100	7	110		29.05			30.03	FM-15	0.34	30.02
01	2033	7	OVC:08 4	2.00	-RA:02 BR:1 |RA |	45	7.2	45	7.2	45	7.2	100	7	120		29.04				FM-16	0.12	30.01
01	2053	7	OVC:08 4	2.00	-RA:02 BR:1 |RA |	46	7.8	46	7.8	46	7.8	100	8	140		29.03			30.01	FM-15	0.11	30.00
01	2151	6	BKN:07 4 BKN:07 35 OVC:08 44	3.00	-RA:02 BR:1 |RA |	48	9.0	48	8.9	48	9.0	100	10	150		29.03				FM-16		30.00
01	2153	7	BKN:07 4 BKN:07 35 OVC:08 44	3.00	-RA:02 BR:1 |RA |	48	8.9	48	8.9	48	8.9	100	10	150		29.03	7	+0.02	30.01	FM-15	0.01	30.00

01	2217	7	SCT:04 4 BKN:07 26 OVC:08 55	6.00	BR:1 ||	49	9.4	49	9.4	49	9.4	100	9	170		29.03				FM-16	T	30.00
01	2251	7	FEW:02 27 BKN:07 46 OVC:08 55	7.00		50	10.0	50	10.0	50	10.0	100	11	160		29.02				FM-16	T	29.99
01	2253	7	FEW:02 27 BKN:07 46 OVC:08 55	7.00		50	10.0	50	10.0	50	10.0	100	9	160		29.02			30.01	FM-15	T	29.99
01	2353	7	FEW:02 38 SCT:04 49 OVC:08 65	9.00		51	10.6	51	10.6	51	10.6	100	9	150		29.03			30.01	FM-15	0.01	30.00
02	0053	7	OVC:08 55	10.00		53	11.7	52	11.4	52	11.1	96	9	170		29.03	2	-0.00	30.01	FM-15	T	30.00
02	0153	7	SCT:04 37 BKN:07 49 OVC:08 70	10.00		54	12.2	53	11.9	53	11.7	97	9	170		29.04			30.01	FM-15	0.00	30.01
02	0253	7	OVC:08 34	9.00	-RA:02 |RA |	54	12.2	53	11.9	53	11.7	97	10	160		29.04			30.01	FM-15	0.01	30.01
02	0353	7	OVC:08 33	10.00		55	12.8	54	12.2	53	11.7	93	10	170		29.04	1	-0.01	30.01	FM-15	T	30.01
02	0453	7	OVC:08 33	10.00		54	12.2	53	11.9	53	11.7	97	7	170		29.05			30.03	FM-15	0.01	30.02
02	0510	7	OVC:08 29	10.00		55	12.8	54	12.2	53	11.7	93	10	180		29.06				FM-16		30.03
02	0553	7	OVC:08 27	10.00		55	12.8	54	12.2	53	11.7	93	9	180		29.06			30.04	FM-15	T	30.03
02	0653	7	OVC:08 29	10.00		56	13.3	55	12.7	54	12.2	93	14	190		29.07	1	-0.03	30.04	FM-15	0.00	30.04
02	0716	7	OVC:08 30	10.00		56	13.3	55	12.7	54	12.2	93	14	180		29.07				FM-16		30.04
02	0753	7	OVC:08 30	10.00		56	13.3	55	12.7	54	12.2	93	14	180		29.07			30.05	FM-15	0.00	30.04
02	0853	7	OVC:08 31	10.00		57	13.9	56	13.3	55	12.8	93	10	160		29.10			30.07	FM-15	0.00	30.07
02	0953	7	BKN:07 31	10.00		60	15.6	58	14.3	56	13.3	86	13	170		29.09	0	-0.02	30.06	FM-15	0.00	30.06
02	1003	7	BKN:07 31	10.00		60	15.6	58	14.3	56	13.3	86	13	180		29.09				FM-16		30.06
02	1036	7	OVC:08 31	10.00		62	16.7	59	14.7	56	13.3	80	10	190		29.09				FM-16		30.06
02	1053	7	OVC:08 30	10.00		62	16.7	59	14.7	56	13.3	80	10	180		29.09			30.05	FM-15	0.00	30.06
02	1107	7	OVC:08 27	10.00		62	16.7	59	14.7	56	13.3	80	11	190		29.08				FM-16		30.05
02	1153	7	OVC:08 26	10.00		64	17.8	59	15.2	56	13.3	75	15	190	24	29.07			30.03	FM-15	0.00	30.04
02	1253	7	OVC:08 29	10.00		66	18.9	61	16.2	58	14.4	75	9	210		29.05	8	+0.03	30.02	FM-15	0.00	30.02
02	1309	7	BKN:07 30 OVC:08 60	10.00		66	18.9	61	16.3	58	14.4	75	15	200	20	29.06				FM-16		30.03
02	1353	7	FEW:02 49 OVC:08 55	10.00		66	18.9	61	16.2	58	14.4	75	11	200		29.05			30.01	FM-15	0.00	30.02
02	1453	7	OVC:08 60	10.00		67	19.4	62	16.5	58	14.4	73	11	190		29.04			30.01	FM-15	0.00	30.01
02	1553	7	OVC:08 60	10.00		67	19.4	62	16.5	58	14.4	73	10	180		29.03	8	+0.02	30.00	FM-15	0.00	30.00
02	1653	7	OVC:08 60	10.00		67	19.4	62	16.5	58	14.4	73	11	190		29.05			30.01	FM-15	0.00	30.02
02	1753	7	OVC:08 60	10.00		66	18.9	61	15.9	57	13.9	73	7	190		29.06			30.02	FM-15	0.00	30.03
02	1853	7	OVC:08 55	10.00		66	18.9	61	16.3	58	14.4	75	6	160		29.06	1	-0.03	30.03	FM-15	0.00	30.03
02	1953	7	FEW:02 38 OVC:08 65	10.00		65	18.3	61	16.0	58	14.4	78	7	170		29.06			30.03	FM-15	0.00	30.03
02	2053	7	SCT:04 45 OVC:08 85	10.00		65	18.3	61	16.0	58	14.4	78	9	180		29.06			30.02	FM-15	0.00	30.03
02	2153	7	BKN:07 35 BKN:07 43 OVC:08 50	10.00		64	17.8	61	16.1	59	15.0	84	8	190		29.05	8	+0.01	30.01	FM-15	0.00	30.02
02	2253	7	SCT:04 85	10.00		62	16.7	60	15.4	58	14.4	86	7	170		29.03			30.00	FM-15	0.00	30.00
02	2353	7	FEW:02 25	10.00		61	16.1	59	15.1	58	14.4	90	8	190		29.03			29.99	FM-15	0.00	30.00
03	0053	7	CLR:00	10.00		62	16.7	60	15.7	59	15.0	90	9	190		29.03	6	+0.02	29.98	FM-15	0.00	30.00
03	0151	6	BKN:07 20	10.00		63	17.0	62	16.6	61	16.0	94	9	200		29.02				FM-16		29.99
03	0153	7	BKN:07 20	10.00		62	16.7	61	16.0	60	15.6	93	8	190		29.02			29.97	FM-15	0.00	29.99
03	0208	7	OVC:08 19	10.00	TS:7 |TS TS |	62	16.7	61	16.0	60	15.6	93	8	190		29.02				FM-16		29.99
03	0222	7	FEW:02 13 OVC:08 17	1.75	TS:7 +RA:02 BR:1 |RA TS |	61	16.1	61	16.1	61	16.1	100	13	240		29.05				FM-16	0.15	30.02
03	0232	7	BKN:07 17 BKN:07 31 OVC:08 70	3.00	TS:7 -RA:02 BR:1 |RA TS |	63	17.2	62	16.9	62	16.7	97	14	240	20	29.04				FM-16	0.20	30.01

03	0239	7	SCT:04 17 BKN:07 43 OVC:08 85	5.00	TS:7 RA:02 BR:1 |RA TS |	62	16.7	62	16.7	62	16.7	100	10	210		29.03				FM-16	0.23	30.00
03	0253	7	FEW:02 42 BKN:07 65 OVC:08 80	10.00		62	16.7	62	16.7	62	16.7	100	9	220		29.03			29.99	FM-15	0.23	30.00
03	0353	7	SCT:04 28 BKN:07 110	7.00		61	16.1	61	16.1	61	16.1	100	6	210		29.03	3	-0.00	29.99	FM-15	0.01	30.00
03	0401	7	BKN:07 26	7.00		61	16.1	61	16.1	61	16.1	100	6	210		29.03				FM-16		30.00
03	0437	7	BKN:07 12 OVC:08 18	7.00		62	16.7	62	16.7	62	16.7	100	7	240		29.05				FM-16		30.02
03	0453	7	OVC:08 11	6.00	-RA:02 BR:1 |RA |	62	16.7	62	16.7	62	16.7	100	8	260		29.06			30.01	FM-15	T	30.03
03	0538	7	SCT:04 8 OVC:08 13	8.00	-RA:02 |RA |	62	16.7	62	16.7	62	16.7	100	16	330	24	29.07				FM-16	T	30.04
03	0545	7	BKN:07 8 OVC:08 13	10.00	-RA:02 |RA |	61	16.1	61	16.1	61	16.1	100	16	340		29.08				FM-16	T	30.05
03	0553	7	BKN:07 6 OVC:08 13	8.00		59	15.0	59	15.0	59	15.0	100	18	340	25	29.09			30.05	FM-15	T	30.06
03	0653	7	OVC:08 6	6.00	BR:1 ||	55	12.8	55	12.8	55	12.8	100	13	350		29.12	3	-0.09	30.09	FM-15	0.00	30.09
03	0741	7	SCT:04 12 SCT:04 17 OVC:08 65	10.00		53	11.7	52	11.1	51	10.6	93	13	350		29.15				FM-16		30.12
03	0753	7	FEW:02 12 OVC:08 65	10.00		53	11.7	52	11.1	51	10.6	93	13	350		29.16			30.12	FM-15	0.00	30.13
03	0807	7	BKN:07 11 OVC:08 65	10.00		53	11.7	52	11.1	51	10.6	93	14	340	23	29.17				FM-16		30.14
03	0853	7	OVC:08 11	10.00		53	11.7	52	11.1	51	10.6	93	14	010		29.20			30.16	FM-15	0.00	30.17
03	0923	7	OVC:08 10	10.00		52	11.1	51	10.8	51	10.6	97	17	360		29.22				FM-16		30.19
03	0951	6	OVC:08 7	8.00		52	11.0	52	11.1	52	11.0	100	13	350		29.23				FM-16		30.20
03	0953	7	OVC:08 7	7.00		51	10.6	51	10.6	51	10.6	100	14	360		29.23	1	-0.10	30.19	FM-15	0.00	30.20
03	1053	7	OVC:08 8	8.00		51	10.6	50	10.3	50	10.0	96	13	360		29.25			30.21	FM-15	0.00	30.22
03	1134	7	OVC:08 10	10.00		51	10.6	50	10.0	49	9.4	92	14	020	18	29.23				FM-16		30.21
03	1153	7	OVC:08 14	10.00		51	10.6	49	9.4	47	8.3	86	13	020	21	29.23			30.21	FM-15	0.00	30.21
03	1251	6	OVC:08 19	10.00		52	11.0	49	9.4	46	8.0	82	14	010	22	29.25				FM-16		30.22
03	1253	7	OVC:08 19	10.00		52	11.1	49	9.4	46	7.8	80	16	030	22	29.25	1	-0.02	30.22	FM-15	0.00	30.22
03	1353	7	OVC:08 19	10.00		52	11.1	49	9.4	46	7.8	80	14	360		29.26			30.22	FM-15	0.00	30.23
03	1451	6	SCT:04 24	10.00		55	13.0	50	10.2	46	8.0	72	10	050		29.26				FM-16		30.23
03	1453	7	SCT:04 24	10.00		55	12.8	50	10.2	46	7.8	72	7	040		29.26			30.22	FM-15	0.00	30.23
03	1553	7	FEW:02 29	10.00		54	12.2	49	9.4	44	6.7	69	10	030		29.26	3	-0.02	30.24	FM-15	0.00	30.24
03	1653	7	CLR:00	10.00		51	10.6	47	8.4	43	6.1	74	9	010		29.27			30.24	FM-15	0.00	30.25
03	1753	7	CLR:00	10.00		48	8.9	45	7.3	42	5.6	80	9	360		29.29			30.27	FM-15	0.00	30.27
03	1853	7	CLR:00	10.00		44	6.7	43	5.9	41	5.0	89	7	010		29.30	3	-0.04	30.29	FM-15	0.00	30.28
03	1953	7	CLR:00	10.00		44	6.7	43	5.9	41	5.0	89	9	030		29.31			30.29	FM-15	0.00	30.29
03	2053	7	CLR:00	10.00		44	6.7	42	5.6	40	4.4	85	8	050		29.30			30.29	FM-15	0.00	30.28
03	2153	7	CLR:00	10.00		43	6.1	41	5.1	39	3.9	86	9	050		29.30	8	+0.00	30.29	FM-15	0.00	30.28
03	2253	7	CLR:00	10.00		41	5.0	40	4.3	38	3.3	89	6	060		29.30			30.29	FM-15	0.00	30.28
03	2353	7	CLR:00	10.00		40	4.4	39	3.7	37	2.8	89	6	050		29.29			30.28	FM-15	0.00	30.27
04	0053	7	CLR:00	10.00		39	3.9	38	3.4	37	2.8	93	6	060		29.28	8	+0.02	30.27	FM-15	0.00	30.26
04	0153	7	CLR:00	10.00		39	3.9	38	3.4	37	2.8	93	6	060		29.26			30.25	FM-15	0.00	30.24
04	0253	7	CLR:00	10.00		38	3.3	37	2.9	36	2.2	93	5	050		29.26			30.24	FM-15	0.00	30.23
04	0353	7	CLR:00	10.00		38	3.3	38	3.1	37	2.8	97	5	080		29.23	8	+0.06	30.21	FM-15	0.00	30.20
04	0453	7	CLR:00	10.00		37	2.8	37	2.8	37	2.8	100	5	080		29.22			30.21	FM-15	0.00	30.19
04	0553	7	CLR:00	10.00		36	2.2	36	2.0	35	1.7	97	7	090		29.22			30.20	FM-15	0.00	30.19
04	0608	7	BKN:07 10	10.00		38	3.3	38	3.1	37	2.8	97	6	070		29.21				FM-16		30.18
04	0653	7	OVC:08 13	10.00		41	5.0	40	4.5	39	3.9	93	8	090		29.20	8	+0.03	30.18	FM-15	0.00	30.17
04	0753	7	OVC:08 10	10.00		42	5.6	41	5.1	40	4.4	92	6	100		29.21			30.19	FM-15	0.00	30.18
04	0755	7	OVC:08 8	10.00		42	5.6	41	5.1	40	4.4	92	6	110		29.21				FM-16		30.18
04	0853	7	OVC:08 7	6.00	BR:1 ||	43	6.1	43	5.9	42	5.6	97	9	120		29.20			30.18	FM-15	0.00	30.17
04	0953	7	OVC:08 6	6.00	BR:1 ||	45	7.2	45	7.2	45	7.2	100	8	120		29.19	8	+0.01	30.17	FM-15	0.00	30.16
04	1053	7	OVC:08 7	8.00		48	8.9	47	8.3	46	7.8	93	9	130		29.15			30.13	FM-15	0.00	30.12

04	1153	7	OVC:08 9	10.00		52	11.1	50	10.2	49	9.4	89	10	130		29.13			30.11	FM-15	0.00	30.10
04	1229	7	OVC:08 10	10.00		53	11.7	51	10.8	50	10.0	89	11	130		29.10				FM-16		30.07
04	1253	7	OVC:08 10	10.00		54	12.2	52	11.0	50	10.0	87	10	160		29.09	8	+0.09	30.07	FM-15	0.00	30.06
04	1353	7	OVC:08 13	10.00		55	12.8	53	11.6	51	10.6	87	6	200		29.07			30.05	FM-15	0.00	30.04
04	1453	7	BKN:07 14 OVC:08 37	10.00		56	13.3	54	12.1	52	11.1	87	5	220		29.06			30.03	FM-15	0.00	30.03
04	1553	7	BKN:07 14 OVC:08 37	10.00		57	13.9	55	12.7	53	11.7	87	7	200		29.05	6	+0.04	30.02	FM-15	0.00	30.02
04	1600	7	OVC:08 18	10.00		56	13.3	54	12.4	53	11.7	90	7	190		29.05				FM-16		30.02
04	1653	7	OVC:08 19	10.00		57	13.9	55	12.7	53	11.7	87	5	130		29.04			30.02	FM-15	0.00	30.01
04	1753	7	OVC:08 18	10.00		57	13.9	55	12.7	53	11.7	87	6	120		29.03			30.01	FM-15	0.00	30.00
04	1853	7	OVC:08 17	10.00		59	15.0	56	13.4	54	12.2	83	5	160		29.02	6	+0.02	30.00	FM-15	0.00	29.99
04	1953	7	OVC:08 17	10.00		59	15.0	57	13.7	55	12.8	87	6	170		29.02			30.00	FM-15	0.00	29.99
04	2051	6	FEW:02 14 BKN:07 55 OVC:08 80	10.00		59	15.0	57	13.7	55	13.0	88	8	140		29.02				FM-16		29.99
04	2053	7	FEW:02 14 SCT:04 21 BKN:07 55	10.00		59	15.0	57	13.7	55	12.8	87	8	150		29.02			29.99	FM-15	0.00	29.99
04	2153	7	FEW:02 15 FEW:02 29 OVC:08 40	10.00	-RA:02 |RA |	59	15.0	57	14.1	56	13.3	90	8	160		29.02	8	+0.01	29.99	FM-15	T	29.99
04	2253	7	FEW:02 23 BKN:07 32 OVC:08 60	10.00		59	15.0	58	14.4	57	13.9	93	9	150		29.00			29.97	FM-15	T	29.97
04	2353	7	BKN:07 31 OVC:08 35	10.00		60	15.6	59	14.9	58	14.4	93	9	160		28.99			29.96	FM-15	0.00	29.96
05	0053	7	FEW:02 22 BKN:07 30 OVC:08 37	10.00		60	15.6	59	14.9	58	14.4	93	8	160		28.98	6	+0.03	29.95	FM-15	0.00	29.95
05	0153	7	BKN:07 39	10.00		59	15.0	59	15.0	59	15.0	100	8	160		28.98			29.94	FM-15	0.00	29.95
05	0253	7	SCT:04 30	8.00		59	15.0	59	15.0	59	15.0	100	10	160		28.96			29.93	FM-15	0.00	29.93
05	0353	7	FEW:02 75	8.00		59	15.0	59	15.0	59	15.0	100	9	160		28.94	8	+0.04	29.91	FM-15	0.00	29.91
05	0451	7	BKN:07 29 BKN:07 40 OVC:08 70	8.00	VCTS:7 -RA:02 |RA |	61	16.0	61	16.1	61	16.0	100	9	170		28.94				FM-16	0.01	29.91
05	0453	7	BKN:07 29 BKN:07 35 BKN:07 70	8.00	VCTS:7 -RA:02 |RA |	60	15.6	60	15.6	60	15.6	100	10	170		28.94			29.90	FM-15	0.01	29.91
05	0503	7	FEW:02 9 BKN:07 29 OVC:08 45	8.00	VCTS:7 ||	60	15.6	60	15.6	60	15.6	100	10	180		28.93				FM-16	T	29.90
05	0518	7	SCT:04 7 BKN:07 28 BKN:07 46	8.00		60	15.6	60	15.6	60	15.6	100	14	180		28.93				FM-16	T	29.90
05	0527	7	FEW:02 8 SCT:04 24 BKN:07 44	8.00		60	15.6	60	15.6	60	15.6	100	13	180		28.93				FM-16	T	29.90
05	0537	7	FEW:02 7 BKN:07 23	8.00		60	15.6	60	15.6	60	15.6	100	11	190		28.94				FM-16	T	29.91
05	0553	7	BKN:07 18 OVC:08 23	8.00		60	15.6	60	15.6	60	15.6	100	10	190		28.95			29.91	FM-15	0.00	29.92
05	0617	7	OVC:08 14	3.00	BR:1 ||	61	16.1	61	16.1	61	16.1	100	9	190		28.95				FM-16		29.92
05	0653	7	BKN:07 9 OVC:08 12	8.00		62	16.7	62	16.7	62	16.7	100	11	190		28.95	3	-0.01	29.91	FM-15	0.00	29.92
05	0753	7	OVC:08 6	1.75	BR:1 ||	63	17.2	63	17.2	63	17.2	100	11	190		28.95			29.92	FM-15	0.00	29.92
05	0851	6	OVC:08 6	2.00	BR:1 ||	63	17.0	63	17.2	63	17.0	100	10	180		28.95				FM-16		29.92
05	0853	7	OVC:08 6	2.00	BR:1 ||	62	16.7	62	16.7	62	16.7	100	10	190		28.95			29.92	FM-15	0.00	29.92
05	0855	7	OVC:08 4	2.50	BR:1 ||	62	16.7	62	16.7	62	16.7	100	10	190		28.96				FM-16		29.93
05	0949	7	OVC:08 5	3.00	BR:1 ||	64	18.0	64	17.8	64	18.0	100	11	210		28.95				FM-16		29.92
05	0953	7	OVC:08 5	3.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	14	200		28.95	8	+0.01	29.91	FM-15	0.00	29.92
05	1051	6	OVC:08 12	8.00		66	19.0	65	18.2	64	18.0	94	11	200	21	28.93				FM-16		29.90

05	1053	7	OVC:08 12	8.00		66	18.9	65	18.5	65	18.3	96	11	200	21	28.93			29.89	FM-15	0.00	29.90
05	1153	7	OVC:08 14	8.00		67	19.4	66	18.7	65	18.3	93	13	190		28.91			29.87	FM-15	0.00	29.88
05	1224	7	OVC:08 16	9.00		67	19.4	66	18.7	65	18.3	93	15	200		28.90				FM-16		29.87
05	1253	7	BKN:07 17 BKN:07 24 OVC:08 32	10.00		68	20.0	66	18.9	65	18.3	90	14	190	22	28.89	8	+0.06	29.84	FM-15	0.00	29.85
05	1353	7	BKN:07 23 OVC:08 31	10.00		70	21.1	67	19.3	65	18.3	84	15	190	23	28.86			29.81	FM-15	0.00	29.82
05	1451	6	FEW:02 28 BKN:07 41 OVC:08 48	10.00		72	22.0	67	19.4	64	18.0	78	13	190		28.84				FM-16		29.81
05	1453	7	FEW:02 28 BKN:07 41 OVC:08 48	10.00		71	21.7	67	19.2	64	17.8	79	13	190		28.84			29.79	FM-15	0.00	29.81
05	1553	7	FEW:02 40 SCT:04 50	10.00		72	22.2	66	19.1	63	17.2	73	18	200	32	28.81	8	+0.05	29.75	FM-15	0.00	29.77
05	1635	7	CLR:00	10.00		71	21.7	65	18.5	62	16.7	73	16	200	25	28.83				FM-16	T	29.79
05	1653	7	SCT:04 60 SCT:04 90	10.00	-RA:02 |RA |	71	21.7	66	18.9	63	17.2	76	14	200	23	28.83			29.77	FM-15	T	29.79
05	1753	7	OVC:08 110	9.00	-RA:02 |RA |	68	20.0	65	18.6	64	17.8	87	10	180		28.82			29.77	FM-15	0.03	29.78
05	1821	7	BKN:07 65 OVC:08 100	7.00	VCTS:7 ||	67	19.4	66	18.7	65	18.3	93	5	170		28.82				FM-16	0.03	29.78
05	1837	7	FEW:02 46 OVC:08 60	6.00	TS:7 -RA:02 BR:1 |RA TS |	65	18.3	65	18.3	65	18.3	100	8	070		28.80				FM-16	0.07	29.76
05	1851	7	FEW:02 7 BKN:07 46 OVC:08 60	1.50	TS:7 +RA:02 BR:1 |RA TS |	63	17.0	63	17.2	63	17.0	100	30	330	47	28.82				FM-16	0.29	29.78
05	1853	7	FEW:02 7 BKN:07 46 OVC:08 60	1.00	TS:7 +RA:02 BR:1 |RA TS |	62	16.7	62	16.7	62	16.7	100	33	340	47	28.82	0	-0.01	29.77	FM-15	0.43s	29.78
05	1856	7	FEW:02 7 BKN:07 20 OVC:08 60	1.00	TS:7 +RA:02 BR:1 |RA TS |	60	15.6	60	15.6	60	15.6	100	17	350	47	28.86				FM-16	0.05	29.82
05	1904	7	FEW:02 7 BKN:07 38 OVC:08 60	2.00	TS:7 +RA:02 BR:1 |RA TS |	61	16.1	61	16.1	61	16.1	100	13	030		28.83				FM-16	0.13	29.79
05	1909	7	FEW:02 12 BKN:07 40 OVC:08 95	3.00	TS:7 +RA:02 BR:1 |RA TS |	61	16.1	61	16.1	61	16.1	100	9	040		28.84				FM-16	0.15	29.80
05	1912	7	FEW:02 12 BKN:07 40 OVC:08 90	5.00	TS:7 -RA:02 BR:1 |RA TS |	61	16.1	61	16.1	61	16.1	100	7	050		28.84				FM-16	0.15	29.81
05	1928	7	FEW:02 50 OVC:08 95	6.00	RA:02 BR:1 |RA |	61	16.1	61	16.1	61	16.1	100	5	060		28.84				FM-16	0.18	29.80
05	1936	7	OVC:08 90	6.00	VCTS:7 ||	60	15.6	60	15.6	60	15.6	100	5	VRB		28.86				FM-16	0.20	29.82
05	1953	7	FEW:02 10 BKN:07 70 OVC:08 90	4.00	VCTS:7 ||	60	15.6	60	15.6	60	15.6	100	14	210		28.90			29.85	FM-15	0.21	29.86
05	1958	7	FEW:02 10 BKN:07 70 OVC:08 90	2.50	TS:7 -RA:02 BR:1 |RA TS |	60	15.6	60	15.6	60	15.6	100	11	210		28.89				FM-16	0.04	29.85
05	1959	7	FEW:02 10 BKN:07 70 OVC:08 90	2.50	TS:7 -RA:02 BR:1 |RA TS |	60	15.6	60	15.6	60	15.6	100	9	210		28.87				FM-16	0.05	29.84
05	2042	7	OVC:08 75	4.00	VCTS:7 ||	60	15.6	60	15.6	60	15.6	100	11	190		28.90				FM-16	0.17	29.86
05	2053	7	OVC:08 75	4.00	VCTS:7 ||	61	16.1	61	16.1	61	16.1	100	8	190		28.90			29.85	FM-15	0.16	29.86
05	2153	7	FEW:02 60 BKN:07 70 OVC:08 90	4.00	VCTS:7 ||	61	16.1	61	16.1	61	16.1	100	9	160		28.90	0	-0.08	29.85	FM-15	0.20	29.86
05	2211	7	FEW:02 4 BKN:07 45 OVC:08 70	3.00	VCTS:7 ||	61	16.1	61	16.1	61	16.1	100	10	150		28.89				FM-16	0.10	29.85

05	2234	7	BKN:07 4 BKN:07 49 OVC:08 70	4.00	VCTS:7 ||	60	15.6	60	15.6	60	15.6	100	13	170		28.89				FM-16	0.17	29.85
05	2251	6	SCT:04 4 BKN:07 55 OVC:08 65	4.00	VCTS:7 RA:02 BR:1 |RA |	61	16.0	61	16.1	61	16.0	100	13	180		28.90				FM-16		29.86
05	2253	7	SCT:04 4 BKN:07 55 OVC:08 70	4.00	VCTS:7 RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	14	180		28.90			29.85	FM-15	0.23	29.86
05	2319	7	FEW:02 4 BKN:07 50 OVC:08 60	4.00	+RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	13	160		28.89				FM-16	0.08	29.85
05	2334	7	SCT:04 4 OVC:08 55	5.00	VCTS:7 RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	11	170		28.87				FM-16	0.12	29.84
05	2347	7	BKN:07 4 BKN:07 46 OVC:08 60	5.00	RA:02 BR:1 |RA |	61	16.0	61	16.1	61	16.0	100	10	150		28.87				FM-16	0.15	29.83
05	2353	7	BKN:07 4 BKN:07 44 OVC:08 60	7.00	-RA:02 |RA |	60	15.6	60	15.6	60	15.6	100	11	160		28.87			29.82	FM-15	0.12	29.83
06	0018	7	OVC:08 4	1.75	+RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	7	160		28.87				FM-16	0.10	29.84
06	0028	7	BKN:07 4 BKN:07 43 OVC:08 70	3.00	+RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	11	160		28.87				FM-16	0.15	29.84
06	0037	7	BKN:07 4 BKN:07 8 OVC:08 40	5.00	VCTS:7 +RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	11	190		28.90				FM-16	0.18	29.86
06	0047	7	BKN:07 4 OVC:08 40	2.50	TS:7 +RA:02 BR:1 |RA TS |	61	16.0	61	16.1	61	16.0	100	9	180		28.89				FM-16	0.25	29.85
06	0048	7	BKN:07 6 OVC:08 32	2.50	TS:7 +RA:02 BR:1 |RA TS |	61	16.0	61	16.1	61	16.0	100	10	180		28.89				FM-16	0.26	29.85
06	0053	7	BKN:07 6 BKN:07 25 OVC:08 46	2.00	TS:7 +RA:02 BR:1 |RA TS |	60	15.6	60	15.6	60	15.6	100	10	190		28.89	5	+0.00	29.84	FM-15	0.35	29.85
06	0057	7	BKN:07 6 BKN:07 24 OVC:08 44	2.00	+RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	11	160		28.87				FM-16	0.03	29.84
06	0103	7	SCT:04 6 BKN:07 33 OVC:08 80	3.00	RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	10	170	21	28.87				FM-16	0.05	29.83
06	0126	7	FEW:02 6 BKN:07 55 OVC:08 90	5.00	VCTS:7 RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	6	160		28.87				FM-16	0.12	29.83
06	0136	7	BKN:07 6 BKN:07 36 OVC:08 48	5.00	TS:7 RA:02 BR:1 |RA TS |	60	15.6	60	15.6	60	15.6	100	7	190		28.89				FM-16	0.14	29.85
06	0149	7	SCT:04 6 BKN:07 11 OVC:08 85	5.00	VCTS:7 RA:02 BR:1 |RA |	61	16.0	61	16.1	61	16.0	100	11	150		28.87				FM-16	0.18	29.83
06	0151	6	SCT:04 8 BKN:07 19 OVC:08 90	5.00	VCTS:7 RA:02 BR:1 |RA |	61	16.0	61	16.1	61	16.0	100	11	160		28.87				FM-16		29.83
06	0153	7	SCT:04 8 BKN:07 33 OVC:08 90	5.00	RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	10	170		28.87			29.83	FM-15	0.16	29.84
06	0211	7	BKN:07 4 BKN:07 24 OVC:08 85	6.00	-RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	8	170		28.86				FM-16	0.04	29.82
06	0228	7	BKN:07 6 BKN:07 13 OVC:08 23	4.00	RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	6	220		28.87				FM-16	0.06	29.83
06	0253	7	SCT:04 5 BKN:07 10 OVC:08 18	10.00		60	15.6	60	15.6	60	15.6	100	5	240		28.87			29.82	FM-15	0.06	29.83
06	0303	7	BKN:07 5 OVC:08 18	10.00		60	15.6	60	15.6	60	15.6	100	0	000		28.87				FM-16		29.84

06	0320	7	BKN:07 4 OVC:08 8	10.00		59	15.0	59	15.0	59	15.0	100	8	310		28.89				FM-16		29.85
06	0345	7	OVC:08 4	2.50	-RA:02 BR:1 |RA |	57	13.9	57	13.9	57	13.9	100	10	350		28.89				FM-16	0.01	29.85
06	0353	7	BKN:07 4 OVC:08 9	3.00	-RA:02 BR:1 |RA |	57	13.9	57	13.9	57	13.9	100	11	340		28.90	3	-0.00	29.85	FM-15	0.01	29.86
06	0400	7	BKN:07 6 OVC:08 9	3.00	-RA:02 BR:1 |RA |	57	13.9	57	13.9	57	13.9	100	11	330		28.90				FM-16	T	29.86
06	0411	7	BKN:07 4 OVC:08 9	2.50	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	14	330		28.90				FM-16	T	29.87
06	0435	7	BKN:07 5 OVC:08 9	2.50	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	18	340	24	28.92				FM-16	T	29.89
06	0445	7	BKN:07 6 BKN:07 11 OVC:08 15	5.00	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	15	340		28.93				FM-16	T	29.90
06	0453	7	FEW:02 4 BKN:07 8 OVC:08 18	7.00		53	11.7	53	11.7	53	11.7	100	17	330	23	28.94			29.90	FM-15	T	29.91
06	0553	7	BKN:07 8 BKN:07 12 OVC:08 18	10.00		49	9.4	48	9.2	48	8.9	97	20	340	28	29.00			29.96	FM-15	T	29.97
06	0601	7	BKN:07 10 OVC:08 16	10.00		48	8.9	47	8.6	47	8.3	96	20	340	28	29.00				FM-16		29.97
06	0607	7	BKN:07 8 OVC:08 14	10.00		48	8.9	47	8.6	47	8.3	96	15	340	26	29.01				FM-16		29.98
06	0614	7	BKN:07 11 OVC:08 16	8.00		48	8.9	47	8.6	47	8.3	96	16	350		29.01				FM-16		29.98
06	0648	7	OVC:08 9	10.00		46	8.0	46	7.8	46	8.0	100	15	330		29.04				FM-16		30.01
06	0653	7	OVC:08 9	10.00		47	8.3	47	8.1	46	7.8	97	13	340	21	29.04	1	-0.09	30.01	FM-15	0.00	30.01
06	0751	6	SCT:04 9 OVC:08 12	10.00		46	8.0	46	7.8	46	8.0	100	11	350		29.06				FM-16		30.03
06	0753	7	OVC:08 12	10.00		47	8.3	47	8.1	46	7.8	97	9	350		29.06			30.03	FM-15	0.00	30.03
06	0853	7	OVC:08 12	10.00		47	8.3	46	7.8	45	7.2	93	13	350		29.09			30.06	FM-15	0.00	30.06
06	0949	7	OVC:08 15	10.00		48	9.0	47	8.1	45	7.0	87	9	350		29.12				FM-16		30.09
06	0953	7	OVC:08 15	10.00		48	8.9	47	8.1	45	7.2	89	14	360		29.13	1	-0.07	30.10	FM-15	0.00	30.10
06	1053	7	OVC:08 19	10.00		49	9.4	47	8.3	45	7.2	86	11	360		29.15			30.12	FM-15	0.00	30.12
06	1153	7	OVC:08 20	10.00		49	9.4	47	8.1	44	6.7	83	13	360	20	29.16			30.14	FM-15	0.00	30.13
06	1253	7	OVC:08 24	10.00		50	10.0	47	8.4	44	6.7	80	11	360		29.16	0	-0.03	30.13	FM-15	0.00	30.13
06	1353	7	BKN:07 27	10.00		52	11.1	48	8.6	43	6.1	72	9	030		29.16			30.12	FM-15	0.00	30.13
06	1451	6	OVC:08 31	10.00		50	10.0	47	8.1	43	6.0	76	11	010		29.18				FM-16		30.15
06	1453	7	OVC:08 31	10.00		50	10.0	47	8.1	43	6.1	77	11	010		29.18			30.15	FM-15	0.00	30.15
06	1553	7	OVC:08 32	10.00		50	10.0	47	8.1	43	6.1	77	6	360		29.20	3	-0.04	30.17	FM-15	0.00	30.17
06	1653	7	BKN:07 31	10.00		49	9.4	46	7.6	42	5.6	77	7	020		29.21			30.18	FM-15	0.00	30.18
06	1753	7	BKN:07 34	10.00		47	8.3	45	7.0	42	5.6	83	7	040		29.22			30.19	FM-15	0.00	30.19
06	1853	7	OVC:08 30	10.00		47	8.3	44	6.5	40	4.4	77	7	060		29.25	3	-0.05	30.23	FM-15	0.00	30.22
06	1953	7	FEW:02 31	10.00		45	7.2	42	5.7	39	3.9	80	10	060		29.22			30.20	FM-15	0.00	30.19
06	2053	7	FEW:02 120	10.00		43	6.1	41	4.9	38	3.3	82	8	050		29.22			30.21	FM-15	0.00	30.19
06	2153	7	BKN:07 120	10.00		43	6.1	41	4.9	38	3.3	82	7	040		29.23	5	+0.01	30.22	FM-15	0.00	30.21
06	2253	7	BKN:07 120	10.00		42	5.6	40	4.3	37	2.8	82	9	060		29.22			30.20	FM-15	0.00	30.19
06	2353	7	CLR:00	10.00		40	4.4	38	3.5	36	2.2	86	7	050		29.23			30.21	FM-15	0.00	30.20
07	0053	7	SCT:04 31	10.00		41	5.0	39	4.0	37	2.8	86	7	040		29.22	6	+0.01	30.20	FM-15	0.00	30.19
07	0153	7	CLR:00	10.00		41	5.0	39	3.8	36	2.2	82	10	060		29.21			30.19	FM-15	0.00	30.18
07	0253	7	OVC:08 100	10.00		42	5.6	39	3.9	35	1.7	76	8	060		29.21			30.19	FM-15	0.00	30.18
07	0353	7	OVC:08 95	10.00		42	5.6	39	3.9	35	1.7	76	10	060		29.20	6	+0.02	30.18	FM-15	0.00	30.17
07	0453	7	SCT:04 65 OVC:08 80	10.00		42	5.6	39	3.9	35	1.7	76	10	060		29.22			30.20	FM-15	T	30.19
07	0553	7	SCT:04 50 OVC:08 70	8.00	-RA:02 |RA |	41	5.0	39	4.0	37	2.8	86	13	060		29.19			30.17	FM-15	0.02	30.16
07	0653	7	OVC:08 60	10.00	-RA:02 |RA |	40	4.4	39	3.7	37	2.8	89	9	040		29.21	3	-0.01	30.19	FM-15	0.01	30.18
07	0753	7	OVC:08 85	10.00	-RA:02 |RA |	41	5.0	40	4.3	38	3.3	89	11	060		29.20			30.18	FM-15	T	30.17
07	0853	7	OVC:08 75	10.00	-RA:02 |RA |	41	5.0	40	4.5	39	3.9	93	9	060		29.20			30.18	FM-15	0.01	30.17

07	0953	7	FEW:02 55 BKN:07 85	10.00		43	6.1	41	5.1	39	3.9	86	10	040		29.19	6	+0.02	30.17	FM-15	T	30.16
07	1053	7	FEW:02 17 BKN:07 110	10.00		44	6.7	42	5.4	39	3.9	83	13	020		29.20			30.19	FM-15	0.00	30.17
07	1153	7	FEW:02 18 SCT:04 100	10.00		45	7.2	42	5.7	39	3.9	80	11	030		29.20			30.18	FM-15	0.00	30.17
07	1253	7	FEW:02 23 FEW:02 75	10.00		47	8.3	43	6.3	39	3.9	74	10	050		29.18	8	+0.01	30.16	FM-15	0.00	30.15
07	1325	7	BKN:07 27 BKN:07 75	10.00		47	8.3	43	6.3	39	3.9	74	13	040	20	29.17				FM-16		30.14
07	1353	7	OVC:08 27	10.00		47	8.3	43	6.3	39	3.9	74	14	030		29.16			30.14	FM-15	0.00	30.13
07	1453	7	OVC:08 28	10.00		47	8.3	43	6.3	39	3.9	74	10	050		29.17			30.15	FM-15	0.00	30.14
07	1553	7	OVC:08 29	10.00		47	8.3	43	6.0	38	3.3	71	10	360		29.20	3	-0.02	30.18	FM-15	0.00	30.17
07	1637	7	OVC:08 31	10.00		46	7.8	42	5.5	37	2.8	71	10	030		29.21				FM-16		30.18
07	1653	7	OVC:08 34	10.00		46	7.8	42	5.8	38	3.3	73	8	050		29.21			30.19	FM-15	0.00	30.18
07	1655	7	BKN:07 34	10.00		45	7.2	42	5.5	38	3.3	77	8	060		29.21				FM-16		30.18
07	1753	7	BKN:07 34	10.00		42	5.6	40	4.3	37	2.8	82	5	070		29.22			30.20	FM-15	0.00	30.19
07	1755	7	BKN:07 34 BKN:07 95	10.00		42	5.6	40	4.3	37	2.8	82	5	070		29.22				FM-16		30.19
07	1853	7	FEW:02 37 BKN:07 100	10.00		42	5.6	40	4.3	37	2.8	82	5	040		29.23	3	-0.04	30.22	FM-15	0.00	30.21
07	1953	7	FEW:02 32 BKN:07 95	10.00		39	3.9	38	3.4	37	2.8	93	6	030		29.23			30.23	FM-15	0.00	30.21
07	2018	7	BKN:07 29	10.00		40	4.4	39	4.0	38	3.3	93	5	010		29.23				FM-16		30.21
07	2051	6	FEW:02 29 BKN:07 100	10.00		39	4.0	38	3.4	37	3.0	93	7	010		29.25				FM-16		30.22
07	2053	7	FEW:02 29 SCT:04 100	10.00		40	4.4	38	3.5	36	2.2	86	7	360		29.26			30.24	FM-15	0.00	30.23
07	2153	7	CLR:00	10.00		40	4.4	38	3.3	35	1.7	83	8	010		29.26	3	-0.02	30.24	FM-15	0.00	30.23
07	2253	7	CLR:00	10.00		38	3.3	36	2.4	34	1.1	86	7	010		29.26			30.25	FM-15	0.00	30.24
07	2353	7	FEW:02 110	10.00		38	3.3	36	2.4	34	1.1	86	5	340		29.26			30.26	FM-15	0.00	30.24
08	0053	7	CLR:00	10.00		37	2.8	36	2.1	34	1.1	89	3	010		29.26	0	-0.01	30.25	FM-15	0.00	30.24
08	0153	7	OVC:08 100	10.00		38	3.3	37	2.9	36	2.2	93	6	360		29.26			30.25	FM-15	0.00	30.24
08	0253	7	BKN:07 110	10.00		37	2.8	36	2.1	34	1.1	89	5	360		29.26			30.26	FM-15	0.00	30.24
08	0353	7	BKN:07 110	10.00		36	2.2	36	2.0	35	1.7	97	7	010		29.27	3	-0.01	30.26	FM-15	0.00	30.25
08	0453	7	CLR:00	10.00		35	1.7	35	1.4	34	1.1	96	7	010		29.27			30.27	FM-15	0.00	30.25
08	0553	7	CLR:00	10.00		34	1.1	34	0.9	33	0.6	97	7	360		29.28			30.28	FM-15	0.00	30.26
08	0653	7	CLR:00	10.00		33	0.6	33	0.3	32	0.0	96	7	360		29.29	3	-0.02	30.29	FM-15	0.00	30.27
08	0753	7	CLR:00	10.00		34	1.1	34	0.9	33	0.6	97	6	360		29.31			30.31	FM-15	0.00	30.29
08	0853	7	CLR:00	10.00		41	5.0	39	3.8	36	2.2	82	7	030		29.31			30.31	FM-15	0.00	30.29
08	0953	7	CLR:00	10.00		44	6.7	39	4.0	33	0.6	65	10	050		29.31	0	-0.02	30.31	FM-15	0.00	30.29
08	1053	7	CLR:00	10.00		45	7.2	40	4.3	33	0.6	63	6	060		29.31			30.30	FM-15	0.00	30.29
08	1153	7	CLR:00	10.00		48	8.9	42	5.4	34	1.1	58	10	080		29.29			30.29	FM-15	0.00	30.27
08	1253	7	FEW:02 36	10.00		49	9.4	42	5.5	33	0.6	55	7	050		29.26	8	+0.05	30.26	FM-15	0.00	30.24
08	1353	7	FEW:02 41	10.00		50	10.0	43	6.0	34	1.1	54	7	VRB		29.26			30.24	FM-15	0.00	30.23
08	1453	7	FEW:02 44	10.00		50	10.0	42	5.8	33	0.6	52	3	VRB		29.25			30.23	FM-15	0.00	30.22
08	1553	7	CLR:00	10.00		50	10.0	43	6.0	34	1.1	54	7	080		29.23	6	+0.03	30.23	FM-15	0.00	30.21
08	1653	7	CLR:00	10.00		48	8.9	42	5.4	34	1.1	58	0	000		29.23			30.23	FM-15	0.00	30.21
08	1753	7	CLR:00	10.00		43	6.1	39	4.0	34	1.1	71	7	020		29.23			30.22	FM-15	0.00	30.21
08	1853	7	CLR:00	10.00		41	5.0	38	3.3	34	1.1	76	5	360		29.23	6	+0.01	30.23	FM-15	0.00	30.21
08	1953	7	CLR:00	10.00		39	3.9	36	2.5	33	0.6	79	6	360		29.23			30.22	FM-15	0.00	30.20
08	2053	7	CLR:00	10.00		39	3.9	36	2.5	33	0.6	79	3	010		29.23			30.22	FM-15	0.00	30.20
08	2153	7	CLR:00	10.00		37	2.8	35	1.9	33	0.6	86	3	360		29.22	8	+0.02	30.20	FM-15	0.00	30.19
08	2253	7	CLR:00	10.00		34	1.1	33	0.5	31	-0.6	89	7	350		29.22			30.21	FM-15	0.00	30.19
08	2353	7	CLR:00	10.00		36	2.2	34	1.3	32	0.0	86	0	000		29.21			30.20	FM-15	0.00	30.18
09	0053	7	CLR:00	10.00		34	1.1	33	0.5	31	-0.6	89	3	020		29.21	8	+0.01	30.20	FM-15	0.00	30.18
09	0153	7	CLR:00	10.00		32	0.0	31	-0.4	30	-1.1	92	6	350		29.20			30.19	FM-15	0.00	30.17
09	0253	7	CLR:00	10.00		32	0.0	32	-0.2	31	-0.6	96	0	000		29.20			30.19	FM-15	0.00	30.17
09	0353	7	CLR:00	9.00		32	0.0	31	-0.4	30	-1.1	92	0	000		29.19	8	+0.02	30.18	FM-15	0.00	30.16

09	0453	7	CLR:00	5.00	BR:1 ||	31	-0.6	31	-0.6	31	-0.6	100	0	000		29.20			30.19	FM-15	0.00	30.17
09	0553	7	CLR:00	5.00	BR:1 ||	30	-1.1	30	-1.1	30	-1.1	100	0	000		29.20			30.19	FM-15	0.00	30.17
09	0644	7	CLR:00	2.50	BR:1 ||	30	-1.1	30	-1.1	30	-1.1	100	3	270		29.18				FM-16		30.15
09	0651	6	CLR:00	3.00	BR:1 ||	30	-1.0	30	-1.1	30	-1.0	100	3	280		29.18				FM-16		30.15
09	0653	7	CLR:00	5.00	BR:1 ||	*	*	*	*	*	*	*	3	270		29.18				FM-15	0.00	30.15
09	0753	7	CLR:00	5.00	BR:1 ||	30	-1.1	30	-1.1	30	-1.1	100	0	000		29.18			30.17	FM-15	0.00	30.15
09	0853	7	CLR:00	5.00	BR:1 ||	36	2.2	36	2.0	35	1.7	97	0	000		29.19			30.18	FM-15	0.00	30.16
09	0953	7	CLR:00	8.00		42	5.6	40	4.3	37	2.8	82	5	220		29.18			30.17	FM-15	0.00	30.15
09	1053	7	CLR:00	10.00		48	8.9	43	5.9	36	2.2	63	8	260		29.16			30.15	FM-15	0.00	30.13
09	1153	7	CLR:00	10.00		50	10.0	44	6.4	36	2.2	59	8	260	18	29.13			30.11	FM-15	0.00	30.10
09	1253	7	CLR:00	10.00		51	10.6	44	6.7	36	2.2	56	14	270		29.11	8	+0.07	30.09	FM-15	0.00	30.08
09	1353	7	CLR:00	10.00		51	10.6	44	6.7	36	2.2	56	11	270	22	29.09			30.07	FM-15	0.00	30.06
09	1453	7	CLR:00	10.00		52	11.1	44	6.8	35	1.7	53	13	240		29.08			30.06	FM-15	0.00	30.05
09	1553	7	CLR:00	10.00		52	11.1	44	6.8	35	1.7	53	13	240		29.08	5	+0.02	30.07	FM-15	0.00	30.05
09	1653	7	CLR:00	10.00		50	10.0	43	6.0	34	1.1	54	10	250		29.09			30.08	FM-15	0.00	30.06
09	1753	7	CLR:00	10.00		47	8.3	41	5.1	34	1.1	61	7	250		29.11			30.09	FM-15	0.00	30.08
09	1853	7	BKN:07 60	10.00		45	7.2	41	5.0	36	2.2	71	7	260		29.13	3	-0.04	30.11	FM-15	0.00	30.10
09	1953	7	OVC:08 60	10.00		47	8.3	42	5.6	36	2.2	66	14	300		29.15			30.14	FM-15	0.00	30.12
09	2053	7	BKN:07 44 OVC:08 60	10.00		45	7.2	40	4.6	34	1.1	66	15	310		29.17			30.16	FM-15	0.00	30.14
09	2153	7	SCT:04 32 BKN:07 42	10.00		40	4.4	37	2.8	33	0.6	77	17	320	24	29.21	3	-0.09	30.20	FM-15	0.00	30.18
09	2253	7	BKN:07 30 OVC:08 34	10.00	-SN:03 |SN |	35	1.7	29	-1.4	19	-7.2	52	21	330	32	29.26			30.25	FM-15	T	30.23
09	2353	7	SCT:04 47	10.00		32	0.0	27	-2.6	18	-7.8	56	14	330	28	29.28			30.27	FM-15	T	30.26
10	0053	7	CLR:00	10.00		31	-0.6	26	-3.3	16	-8.9	54	13	340	21	29.29	1	-0.08	30.28	FM-15	0.00	30.27
10	0153	7	CLR:00	10.00		30	-1.1	26	-3.5	17	-8.3	58	11	330		29.30			30.30	FM-15	0.00	30.28
10	0253	7	CLR:00	10.00		29	-1.7	25	-3.7	18	-7.8	63	11	340		29.33			30.32	FM-15	0.00	30.31
10	0353	7	CLR:00	10.00		27	-2.8	23	-5.0	14	-10.0	58	13	350		29.35	3	-0.06	30.35	FM-15	0.00	30.33
10	0453	7	CLR:00	10.00		25	-3.9	23	-5.3	17	-8.3	72	13	350		29.38			30.38	FM-15	0.00	30.36
10	0553	7	CLR:00	10.00		24	-4.4	22	-5.5	18	-7.8	77	10	340		29.42			30.42	FM-15	0.00	30.40
10	0653	7	CLR:00	10.00		24	-4.4	22	-5.6	17	-8.3	75	13	350		29.44	2	-0.09	30.45	FM-15	0.00	30.42
10	0753	7	CLR:00	10.00		24	-4.4	21	-6.4	12	-11.1	60	13	010		29.48			30.48	FM-15	0.00	30.46
10	0853	7	CLR:00	10.00		26	-3.3	21	-5.9	10	-12.2	51	15	010	23	29.51			30.51	FM-15	0.00	30.49
10	0953	7	FEW:02 40	10.00		28	-2.2	23	-4.9	12	-11.1	51	13	040		29.54	1	-0.09	30.54	FM-15	0.00	30.52
10	1053	7	FEW:02 40	10.00		29	-1.7	24	-4.4	13	-10.6	51	10	VRB		29.55			30.56	FM-15	0.00	30.53
10	1153	7	FEW:02 55	10.00		30	-1.1	25	-4.0	13	-10.6	49	13	010	18	29.54			30.55	FM-15	0.00	30.52
10	1253	7	SCT:04 43	10.00		32	0.0	26	-3.3	13	-10.6	45	14	360	21	29.52	8	+0.02	30.53	FM-15	0.00	30.50
10	1353	7	SCT:04 45	10.00		32	0.0	26	-3.2	14	-10.0	47	6	VRB	16	29.52			30.53	FM-15	0.00	30.50
10	1453	7	SCT:04 43	10.00		31	-0.6	26	-3.4	15	-9.4	52	9	060	18	29.53			30.54	FM-15	0.00	30.51
10	1553	7	BKN:07 39	10.00		29	-1.7	25	-4.1	15	-9.4	56	10	050		29.54	3	-0.02	30.55	FM-15	0.00	30.52
10	1653	7	OVC:08 40	10.00		29	-1.7	25	-4.1	15	-9.4	56	14	020		29.55			30.57	FM-15	0.00	30.53
10	1753	7	CLR:00	10.00		27	-2.8	23	-4.8	15	-9.4	61	9	030		29.56			30.58	FM-15	0.00	30.54
10	1853	7	CLR:00	10.00		24	-4.4	21	-5.9	15	-9.4	68	6	030		29.55	0	-0.02	30.57	FM-15	0.00	30.53
10	1953	6	CLR:00	10.00		25	-3.9	22	-5.6	15	-9.4	66	10	040		29.56			30.58	FM-15	0.00	30.54
10	2053	6	CLR:00	10.00		25	-3.9	22	-5.6	15	-9.4	66	10	040		29.56			30.58	FM-15	0.00	30.54
10	2153	6	CLR:00	10.00		24	-4.4	22	-5.6	17	-8.3	75	8	050		29.56	0	-0.00	30.57	FM-15	0.00	30.54
10	2253	6	CLR:00	10.00		24	-4.4	22	-5.8	16	-8.9	71	9	070		29.55			30.57	FM-15	0.00	30.53
10	2353	6	CLR:00	10.00		24	-4.4	21	-5.9	15	-9.4	68	9	070		29.55			30.56	FM-15	0.00	30.53
11	0053	6	CLR:00	10.00		23	-5.0	21	-6.3	15	-9.4	72	8	070		29.55	5	+0.01	30.56	FM-15	0.00	30.53
11	0153	6	CLR:00	10.00		22	-5.6	20	-6.8	14	-10.0	71	9	090		29.54			30.55	FM-15	0.00	30.52
11	0253	6	CLR:00	10.00		22	-5.6	20	-6.8	14	-10.0	71	10	080		29.53			30.55	FM-15	0.00	30.51
11	0353	6	CLR:00	10.00		22	-5.6	19	-7.0	13	-10.6	68	9	080		29.52	8	+0.04	30.53	FM-15	0.00	30.50
11	0453	6	CLR:00	10.00		21	-6.1	19	-7.4	13	-10.6	71	7	090		29.51			30.53	FM-15	0.00	30.49
11	0553	6	CLR:00	10.00		21	-6.1	19	-7.4	13	-10.6	71	5	110		29.50			30.52	FM-15	0.00	30.48
11	0653	6	CLR:00	10.00		21	-6.1	18	-7.5	12	-11.1	68	5	100		29.50	6	+0.02	30.52	FM-15	0.00	30.48
11	0753	6	CLR:00	10.00		21	-6.1	19	-7.4	13	-10.6	71	7	090		29.49			30.51	FM-15	0.00	30.47

11	0853	6	CLR:00	10.00		24	-4.4	21	-6.2	13	-10.6	62	8	090		29.50			30.52	FM-15	0.00	30.48
11	0953	6	CLR:00	10.00		27	-2.8	23	-5.1	13	-10.6	55	8	090		29.48	8	+0.01	30.50	FM-15	0.00	30.46
11	1053	6	CLR:00	10.00		29	-1.7	24	-4.2	14	-10.0	54	3	VRB		29.47			30.48	FM-15	0.00	30.45
11	1153	6	CLR:00	10.00		33	0.6	27	-2.5	16	-8.9	49	6	130		29.46			30.47	FM-15	0.00	30.44
11	1253	6	CLR:00	10.00		34	1.1	28	-2.2	16	-8.9	48	0	000		29.42	8	+0.06	30.43	FM-15	0.00	30.40
11	1353	6	CLR:00	10.00		35	1.7	29	-1.7	17	-8.3	48	6	080		29.38			30.39	FM-15	0.00	30.36
11	1453	6	CLR:00	10.00		36	2.2	29	-1.5	16	-8.9	44	0	000		29.37			30.38	FM-15	0.00	30.35
11	1553	6	CLR:00	10.00		36	2.2	30	-1.2	18	-7.8	48	5	110		29.35	6	+0.06	30.36	FM-15	0.00	30.33
11	1653	6	CLR:00	10.00		35	1.7	29	-1.6	18	-7.8	50	7	130		29.36			30.37	FM-15	0.00	30.34
11	1753	6	CLR:00	10.00		33	0.6	28	-2.1	19	-7.2	56	5	100		29.37			30.38	FM-15	0.00	30.35
11	1853	6	CLR:00	10.00		32	0.0	28	-2.4	19	-7.2	59	0	000		29.37	1	-0.02	30.38	FM-15	0.00	30.35
11	1953	6	CLR:00	10.00		30	-1.1	27	-2.8	21	-6.1	69	0	000		29.37			30.38	FM-15	0.00	30.35
11	2053	6	CLR:00	10.00		30	-1.1	27	-3.0	20	-6.7	66	0	000		29.36			30.37	FM-15	0.00	30.34
11	2153	6	CLR:00	10.00		28	-2.2	26	-3.5	21	-6.1	75	0	000		29.35	8	+0.02	30.36	FM-15	0.00	30.33
11	2253	6	CLR:00	10.00		29	-1.7	26	-3.2	21	-6.1	72	6	130		29.32			30.33	FM-15	0.00	30.30
11	2353	6	CLR:00	10.00		29	-1.7	27	-3.0	22	-5.6	75	0	000		29.33			30.34	FM-15	0.00	30.31
12	0053	6	CLR:00	10.00		30	-1.1	28	-2.5	23	-5.0	75	0	000		29.33	6	+0.02	30.34	FM-15	0.00	30.31
12	0153	6	CLR:00	10.00		29	-1.7	27	-2.8	23	-5.0	78	3	160		29.31			30.32	FM-15	0.00	30.29
12	0253	6	CLR:00	10.00		30	-1.1	28	-2.5	23	-5.0	75	3	080		29.32			30.32	FM-15	0.00	30.30
12	0353	6	SCT:04 110	10.00		29	-1.7	28	-2.3	26	-3.3	89	0	000		29.32	5	+0.01	30.33	FM-15	0.00	30.30
12	0453	6	OVC:08 110	10.00		30	-1.1	29	-1.7	27	-2.8	88	0	000		29.33			30.33	FM-15	0.00	30.31
12	0553	6	BKN:07 110	10.00		31	-0.6	29	-1.8	25	-3.9	79	0	000		29.33			30.34	FM-15	0.00	30.31
12	0653	6	OVC:08 100	10.00		30	-1.1	29	-1.7	27	-2.8	88	0	000		29.34	3	-0.01	30.35	FM-15	0.00	30.32
12	0753	6	SCT:04 100 SCT:04 120	10.00		32	0.0	30	-0.8	28	-2.2	85	5	120		29.34			30.35	FM-15	0.00	30.32
12	0853	6	CLR:00	10.00		36	2.2	34	0.9	30	-1.1	79	5	040		29.35			30.36	FM-15	0.00	30.33
12	0953	6	FEW:02 120	10.00		39	3.9	35	1.7	29	-1.7	67	3	120		29.35	0	-0.01	30.36	FM-15	0.00	30.33
12	1053	6	SCT:04 120	10.00		43	6.1	38	3.1	30	-1.1	60	5	080		29.34			30.35	FM-15	0.00	30.32
12	1153	6	BKN:07 110	10.00		45	7.2	39	3.9	31	-0.6	58	5	100		29.31			30.32	FM-15	0.00	30.29
12	1253	6	BKN:07 100	10.00		49	9.4	42	5.3	32	0.0	52	7	130		29.28	8	+0.06	30.28	FM-15	0.00	30.26
12	1353	6	OVC:08 95	10.00		50	10.0	43	6.0	34	1.1	54	7	140		29.27			30.27	FM-15	0.00	30.25
12	1453	6	FEW:02 50 OVC:08 90	10.00		50	10.0	43	6.0	34	1.1	54	8	110		29.26			30.25	FM-15	0.00	30.23
12	1553	6	OVC:08 90	10.00		50	10.0	43	6.2	35	1.7	57	6	110		29.25	6	+0.04	30.24	FM-15	0.00	30.22
12	1653	6	SCT:04 43 OVC:08 55	10.00	-RA:02 |RA |	49	9.4	43	6.4	37	2.8	64	5	150		29.26			30.24	FM-15	T	30.23
12	1753	6	OVC:08 48	10.00	-RA:02 |RA |	47	8.3	44	6.8	41	5.0	80	0	000		29.26			30.25	FM-15	T	30.24
12	1853	6	OVC:08 46	7.00	-RA:02 |RA |	44	6.7	43	6.1	42	5.6	93	6	080		29.25	0	-0.00	30.24	FM-15	0.02	30.22
12	1926	6	BKN:07 26 OVC:08 34	5.00	RA:02 BR:1 |RA |	44	6.7	44	6.4	43	6.1	96	3	090		29.26				FM-16		30.23
12	1933	6	SCT:04 26 BKN:07 34 OVC:08 46	5.00	-RA:02 BR:1 |RA |	44	6.7	44	6.7	44	6.7	100	5	090		29.26				FM-16		30.23
12	1953	6	SCT:04 33 OVC:08 46	5.00	-RA:02 BR:1 |RA |	44	6.7	44	6.7	44	6.7	100	3	080		29.25			30.24	FM-15	0.06	30.22
12	2041	6	SCT:04 22 BKN:07 29 OVC:08 34	3.00	RA:02 BR:1 |RA |	44	6.7	44	6.7	44	6.7	100	5	020		29.25				FM-16		30.22
12	2053	6	BKN:07 22 OVC:08 28	3.00	RA:02 BR:1 |RA |	44	6.7	44	6.7	44	6.7	100	5	020		29.25			30.24	FM-15	0.05	30.22
12	2116	6	FEW:02 8 BKN:07 16 OVC:08 28	2.50	+RA:02 BR:1 |RA |	43	6.1	43	6.1	43	6.1	100	5	290		29.26				FM-16		30.24
12	2153	6	BKN:07 16 OVC:08 24	2.50	RA:02 BR:1 |RA |	42	5.6	42	5.6	42	5.6	100	7	360		29.26	3	-0.01	30.25	FM-15	0.16	30.23
12	2203	6	BKN:07 15 OVC:08 20	3.00	RA:02 BR:1 |RA |	42	5.6	42	5.6	42	5.6	100	7	010		29.26				FM-16		30.23
12	2217	6	OVC:08 14	4.00	-RA:02 BR:1 |RA |	42	5.6	42	5.6	42	5.6	100	7	360		29.26				FM-16		30.23
12	2253	6	OVC:08 12	4.00	-RA:02 BR:1 |RA |	42	5.6	42	5.6	42	5.6	100	7	010		29.26			30.24	FM-15	0.02	30.23

12	2315	6	FEW:02 4 OVC:08 12	4.00	-RA:02 BR:1 |RA |	41	5.0	41	5.0	41	5.0	100	9	360		29.26				FM-16		30.23
12	2330	6	BKN:07 5 OVC:08 12	5.00	-RA:02 BR:1 |RA |	41	5.0	41	5.0	41	5.0	100	9	350		29.26				FM-16		30.23
12	2353	6	BKN:07 5 OVC:08 13	5.00	-RA:02 BR:1 |RA |	41	5.0	41	4.7	40	4.4	96	10	360		29.26			30.25	FM-15	T	30.23
13	0053	6	OVC:08 8	5.00	BR:1 ||	39	3.9	39	3.9	39	3.9	100	9	350		29.27	3	-0.02	30.26	FM-15	T	30.25
13	0153	6	SCT:04 8 OVC:08 17	6.00	BR:1 ||	38	3.3	38	3.1	37	2.8	97	11	350		29.29			30.28	FM-15	0.00	30.27
13	0253	6	FEW:02 10 OVC:08 19	7.00		38	3.3	38	3.1	37	2.8	97	10	350		29.31			30.30	FM-15	0.00	30.29
13	0315	6	BKN:07 10 OVC:08 19	6.00	BR:1 ||	38	3.3	38	3.3	38	3.3	100	15	330		29.32				FM-16		30.30
13	0334	6	OVC:08 8	7.00		38	3.3	38	3.3	38	3.3	100	9	330		29.33				FM-16		30.31
13	0353	6	OVC:08 6	4.00	-RA:02 BR:1 |RA |	38	3.3	38	3.3	38	3.3	100	14	320		29.33	3	-0.06	30.33	FM-15	T	30.31
13	0414	6	OVC:08 3	2.50	BR:1 ||	37	2.8	37	2.8	37	2.8	100	11	340	22	29.34				FM-16		30.32
13	0429	6	OVC:08 3	1.50	BR:1 ||	37	2.8	37	2.8	37	2.8	100	13	330		29.34				FM-16		30.32
13	0448	6	OVC:08 3	2.00	BR:1 ||	37	3.0	37	2.8	37	3.0	100	11	340	21	29.35				FM-16		30.33
13	0453	6	OVC:08 3	2.50	BR:1 ||	37	2.8	37	2.8	37	2.8	100	9	340		29.35			30.35	FM-15	T	30.33
13	0505	6	OVC:08 5	3.00	BR:1 ||	38	3.3	38	3.1	37	2.8	97	13	330		29.36				FM-16		30.34
13	0524	6	OVC:08 10	5.00	BR:1 ||	38	3.3	38	3.1	37	2.8	97	10	320		29.37				FM-16		30.35
13	0532	6	OVC:08 8	6.00	BR:1 ||	37	2.8	37	2.5	36	2.2	96	13	320		29.37				FM-16		30.35
13	0542	6	OVC:08 10	6.00	BR:1 ||	37	2.8	37	2.5	36	2.2	96	13	330		29.37				FM-16		30.35
13	0551	6	OVC:08 9	7.00		37	3.0	37	2.5	36	2.0	93	11	330		29.38				FM-16		30.36
13	0553	6	BKN:07 9 OVC:08 13	7.00		37	2.8	37	2.5	36	2.2	96	9	330		29.38			30.37	FM-15	0.00	30.36
13	0600	6	BKN:07 11 OVC:08 14	7.00		37	2.8	37	2.5	36	2.2	96	9	330		29.38				FM-16		30.36
13	0609	6	BKN:07 9 OVC:08 14	7.00		37	2.8	37	2.5	36	2.2	96	10	330		29.38				FM-16		30.36
13	0626	6	BKN:07 10 OVC:08 15	7.00		37	2.8	37	2.5	36	2.2	96	11	330		29.38				FM-16		30.36
13	0641	6	SCT:04 10 OVC:08 16	7.00		37	2.8	37	2.5	36	2.2	96	7	330		29.39				FM-16		30.37
13	0651	6	BKN:07 8 OVC:08 16	7.00		37	3.0	37	2.5	36	2.0	93	10	330		29.40				FM-16		30.38
13	0653	6	BKN:07 8 OVC:08 16	7.00		37	2.8	37	2.5	36	2.2	96	9	330		29.40	3	-0.04	30.39	FM-15	0.00	30.38
13	0753	6	OVC:08 7	3.00	BR:1 ||	37	2.8	37	2.5	36	2.2	96	9	330		29.42			30.42	FM-15	0.00	30.40
13	0825	6	OVC:08 5	2.50	BR:1 ||	37	2.8	37	2.8	37	2.8	100	10	320		29.44				FM-16		30.42
13	0853	6	OVC:08 5	2.50	BR:1 ||	37	2.8	37	2.8	37	2.8	100	11	330		29.44			30.44	FM-15	0.00	30.42
13	0951	6	OVC:08 7	3.00	BR:1 ||	37	3.0	37	2.8	37	3.0	100	10	310		29.46				FM-16		30.44
13	0953	6	OVC:08 7	3.00	BR:1 ||	38	3.3	38	3.1	37	2.8	97	9	330		29.46	1	-0.06	30.46	FM-15	0.00	30.44
13	1053	6	OVC:08 9	6.00	BR:1 ||	40	4.4	39	3.7	37	2.8	89	10	330		29.46			30.46	FM-15	0.00	30.44
13	1106	6	OVC:08 10	6.00	BR:1 ||	40	4.4	39	3.7	37	2.8	89	10	340		29.47				FM-16		30.45
13	1153	6	OVC:08 12	6.00	BR:1 ||	40	4.4	39	3.7	37	2.8	89	9	340		29.47			30.47	FM-15	0.00	30.45
13	1223	6	OVC:08 16	6.00	BR:1 ||	41	5.0	39	4.0	37	2.8	86	11	330		29.46				FM-16		30.44
13	1253	6	BKN:07 15 OVC:08 33	7.00		41	5.0	39	3.8	36	2.2	82	10	360		29.45	8	+0.01	30.45	FM-15	0.00	30.43
13	1353	6	BKN:07 15 OVC:08 33	7.00		42	5.6	39	4.1	36	2.2	79	8	330		29.45			30.45	FM-15	0.00	30.43
13	1451	6	OVC:08 30	10.00		43	6.0	39	4.0	34	1.0	71	8	330		29.45				FM-16		30.43
13	1453	6	OVC:08 30	10.00		42	5.6	39	3.7	34	1.1	73	9	340		29.45			30.45	FM-15	0.00	30.43
13	1551	6	OVC:08 23	10.00		39	4.0	37	2.7	34	1.0	81	8	320		29.45				FM-16		30.43
13	1553	6	OVC:08 23	10.00		40	4.4	37	2.8	33	0.6	77	9	330		29.45	5	+0.00	30.45	FM-15	0.00	30.43
13	1653	6	OVC:08 24	10.00		40	4.4	37	2.8	33	0.6	77	5	350		29.46			30.45	FM-15	0.00	30.44
13	1753	6	OVC:08 24	10.00		39	3.9	37	2.5	33	0.6	79	7	360		29.46			30.46	FM-15	0.00	30.44
13	1853	6	OVC:08 27	10.00		39	3.9	36	2.1	31	-0.6	73	6	350		29.47	3	-0.02	30.47	FM-15	0.00	30.45
13	1953	6	OVC:08 27	10.00		39	3.9	36	2.3	32	0.0	76	5	010		29.46			30.46	FM-15	0.00	30.44
13	2053	6	OVC:08 28	10.00		39	3.9	36	2.3	32	0.0	76	0	000		29.45			30.45	FM-15	0.00	30.43

13	2153	6	BKN:07 34	10.00		36	2.2	34	0.9	30	-1.1	79	0	000		29.44	8	+0.03	30.44	FM-15	0.00	30.42
13	2253	6	OVC:08 32	10.00		34	1.1	33	0.5	31	-0.6	89	0	000		29.43			30.43	FM-15	0.00	30.41
13	2353	6	OVC:08 33	10.00		33	0.6	32	-0.1	30	-1.1	89	3	100		29.43			30.43	FM-15	0.00	30.41
14	0053	6	OVC:08 35	10.00		33	0.6	32	0.1	31	-0.6	92	0	000		29.42	6	+0.02	30.42	FM-15	0.00	30.40
14	0153	6	OVC:08 34	10.00		32	0.0	32	-0.2	31	-0.6	96	3	300		29.42			30.42	FM-15	0.00	30.40
14	0253	6	BKN:07 34	10.00		33	0.6	32	0.1	31	-0.6	92	3	210		29.43			30.43	FM-15	0.00	30.41
14	0353	6	OVC:08 38	10.00		33	0.6	32	-0.1	30	-1.1	89	5	240		29.42	8	+0.00	30.42	FM-15	0.00	30.40
14	0453	6	OVC:08 38	9.00		33	0.6	32	0.1	31	-0.6	92	3	280		29.42			30.42	FM-15	0.00	30.40
14	0553	6	OVC:08 38	8.00		31	-0.6	31	-0.8	30	-1.1	96	3	290		29.42			30.42	FM-15	0.00	30.40
14	0653	6	SCT:04 38	8.00		32	0.0	31	-0.4	30	-1.1	92	0	000		29.42	5	+0.00	30.42	FM-15	0.00	30.40
14	0753	6	CLR:00	5.00	BR:1 ||	31	-0.6	31	-0.8	30	-1.1	96	0	000		29.42			30.42	FM-15	0.00	30.40
14	0853	6	CLR:00	7.00		35	1.7	34	1.0	32	0.0	89	0	000		29.43			30.43	FM-15	0.00	30.41
14	0953	6	CLR:00	10.00		40	4.4	37	2.6	32	0.0	73	0	000		29.42	0	-0.00	30.42	FM-15	0.00	30.40
14	1053	6	CLR:00	10.00		42	5.6	37	3.0	31	-0.6	65	3	VRB		29.41			30.41	FM-15	0.00	30.39
14	1153	6	CLR:00	10.00		44	6.7	39	3.8	32	0.0	63	6	160		29.38			30.38	FM-15	0.00	30.36
14	1253	6	CLR:00	10.00		45	7.2	39	4.1	32	0.0	61	6	110		29.35	8	+0.07	30.35	FM-15	0.00	30.33
14	1353	6	CLR:00	10.00		46	7.8	40	4.2	31	-0.6	56	5	150		29.33			30.33	FM-15	0.00	30.31
14	1453	6	CLR:00	10.00		46	7.8	40	4.2	31	-0.6	56	3	VRB		29.31			30.31	FM-15	0.00	30.29
14	1553	6	CLR:00	10.00		46	7.8	40	4.2	31	-0.6	56	5	130		29.30	6	+0.04	30.30	FM-15	0.00	30.28
14	1653	6	CLR:00	10.00		44	6.7	39	3.6	31	-0.6	60	6	120		29.29			30.29	FM-15	0.00	30.27
14	1753	6	CLR:00	10.00		41	5.0	37	2.7	31	-0.6	67	5	100		29.28			30.29	FM-15	0.00	30.26
14	1853	6	CLR:00	10.00		41	5.0	37	2.7	31	-0.6	67	5	110		29.28	6	+0.03	30.28	FM-15	0.00	30.26
14	1953	6	CLR:00	10.00		38	3.3	35	1.8	31	-0.6	76	6	110		29.26			30.27	FM-15	0.00	30.24
14	2053	6	CLR:00	10.00		38	3.3	35	1.6	30	-1.1	73	7	120		29.26			30.25	FM-15	0.00	30.23
14	2153	6	CLR:00	10.00		38	3.3	35	1.8	31	-0.6	76	7	120		29.26	5	+0.02	30.25	FM-15	0.00	30.24
14	2253	6	CLR:00	10.00		37	2.8	35	1.4	31	-0.6	79	7	130		29.25			30.24	FM-15	0.00	30.22
14	2353	6	CLR:00	10.00		37	2.8	35	1.4	31	-0.6	79	7	130		29.25			30.24	FM-15	0.00	30.22
15	0053	6	CLR:00	10.00		36	2.2	34	1.1	31	-0.6	82	7	130		29.25	6	+0.01	30.24	FM-15	0.00	30.22
15	0153	6	CLR:00	10.00		34	1.1	32	0.2	30	-1.1	85	7	130		29.22			30.21	FM-15	0.00	30.19
15	0253	6	CLR:00	10.00		33	0.6	32	-0.1	30	-1.1	89	5	110		29.22			30.21	FM-15	0.00	30.19
15	0353	6	CLR:00	10.00		33	0.6	32	-0.1	30	-1.1	89	8	130		29.19	7	+0.06	30.18	FM-15	0.00	30.16
15	0453	6	CLR:00	10.00		34	1.1	32	0.2	30	-1.1	85	5	150		29.18			30.16	FM-15	0.00	30.15
15	0553	6	CLR:00	10.00		31	-0.6	30	-1.0	29	-1.7	92	0	000		29.17			30.16	FM-15	0.00	30.14
15	0653	6	CLR:00	10.00		34	1.1	33	0.5	31	-0.6	89	7	130		29.14	8	+0.05	30.13	FM-15	0.00	30.11
15	0753	6	CLR:00	9.00		35	1.7	33	0.8	31	-0.6	85	8	150		29.12			30.11	FM-15	0.00	30.09
15	0853	6	CLR:00	9.00		36	2.2	34	1.3	32	0.0	86	9	190		29.12			30.11	FM-15	0.00	30.09
15	0953	6	CLR:00	9.00		38	3.3	36	2.2	33	0.6	83	10	160		29.09	8	+0.05	30.08	FM-15	0.00	30.06
15	1053	6	CLR:00	10.00		39	3.9	37	2.7	34	1.1	82	9	160		29.06			30.05	FM-15	0.00	30.03
15	1153	6	CLR:00	10.00		41	5.0	39	3.8	36	2.2	82	10	190		29.02			30.01	FM-15	0.00	29.99
15	1253	6	SCT:04 90 BKN:07 110	10.00		43	6.1	41	4.9	38	3.3	82	7	190		28.98	8	+0.11	29.96	FM-15	0.00	29.95
15	1353	6	OVC:08 75	6.00	-RA:02 BR:1 |RA |	42	5.6	41	5.0	40	4.4	92	9	180		28.94			29.93	FM-15	0.01	29.91
15	1453	6	OVC:08 65	5.00	-RA:02 BR:1 |RA |	43	6.1	43	5.9	42	5.6	97	9	170		28.94			29.93	FM-15	0.02	29.91
15	1526	6	BKN:07 22 BKN:07 43 OVC:08 60	2.50	RA:02 BR:1 |RA |	43	6.1	43	6.1	43	6.1	100	9	170		28.93				FM-16		29.90
15	1541	6	BKN:07 18 BKN:07 23 OVC:08 42	3.00	-RA:02 BR:1 |RA |	43	6.1	43	6.1	43	6.1	100	9	160		28.93				FM-16		29.90
15	1553	6	BKN:07 18 BKN:07 55 OVC:08 75	4.00	-RA:02 BR:1 |RA |	44	6.7	44	6.4	43	6.1	96	10	170		28.91	8	+0.07	29.89	FM-15	0.06	29.88
15	1650	6	OVC:08 10	2.50	-RA:02 BR:1 |RA |	46	8.0	46	7.5	45	7.0	93	15	210		28.92				FM-16		29.89
15	1653	6	OVC:08 10	2.00	-RA:02 BR:1 |RA |	46	7.8	46	7.8	46	7.8	100	10	210		28.92			29.91	FM-15	0.01	29.89
15	1751	6	OVC:08 7	3.00	BR:1 ||	46	8.0	46	7.8	46	8.0	100	15	210	21	28.92				FM-16		29.89
15	1753	6	OVC:08 7	3.00	BR:1 ||	47	8.3	47	8.1	46	7.8	97	14	210		28.92			29.90	FM-15	T	29.89
15	1853	6	OVC:08 7	10.00		47	8.3	47	8.3	47	8.3	100	13	210		28.90	8	+0.01	29.88	FM-15	0.00	29.87
15	1953	6	OVC:08 8	8.00		48	8.9	47	8.6	47	8.3	96	13	230		28.90			29.88	FM-15	0.00	29.87

15	2053	6	OVC:08 7	4.00	BR:1 ||	48	8.9	48	8.9	48	8.9	100	13	240		28.91			29.90	FM-15	0.00	29.88
15	2151	6	SCT:04 14 BKN:07 21 OVC:08 39	10.00		48	9.0	48	8.9	48	9.0	100	8	230		28.92				FM-16		29.89
15	2153	6	SCT:04 14 BKN:07 18 OVC:08 39	10.00		49	9.4	48	9.2	48	8.9	97	9	240		28.93	1	-0.02	29.91	FM-15	0.00	29.90
15	2253	6	OVC:08 18	10.00		49	9.4	47	8.6	46	7.8	90	10	240		28.93			29.91	FM-15	0.00	29.90
15	2319	6	SCT:04 19 OVC:08 40	10.00		48	8.9	47	8.1	45	7.2	89	9	260		28.94				FM-16		29.91
15	2353	6	FEW:02 24 SCT:04 32 OVC:08 40	10.00		47	8.3	46	7.8	45	7.2	93	9	250		28.94			29.92	FM-15	0.00	29.91
16	0034	6	BKN:07 25 BKN:07 37	10.00		47	8.3	46	7.5	44	6.7	90	10	250		28.94				FM-16		29.91
16	0053	6	SCT:04 24	10.00		46	7.8	45	7.0	43	6.1	89	13	250		28.95	1	-0.02	29.93	FM-15	0.00	29.92
16	0153	6	CLR:00	10.00		44	6.7	43	6.1	42	5.6	93	8	220		28.94			29.92	FM-15	0.00	29.91
16	0253	6	CLR:00	9.00		43	6.1	43	5.9	42	5.6	97	9	230		28.93			29.91	FM-15	0.00	29.90
16	0345	6	FEW:02 22 BKN:07 29 BKN:07 35	10.00		43	6.1	42	5.6	41	5.0	93	9	240		28.94				FM-16		29.91
16	0351	6	FEW:02 22 OVC:08 32	10.00		43	6.0	42	5.6	41	5.0	93	14	260		28.94				FM-16		29.91
16	0353	6	FEW:02 22 BKN:07 32	10.00		43	6.1	42	5.3	40	4.4	89	15	260		28.94	5	+0.00	29.93	FM-15	0.00	29.91
16	0451	6	FEW:02 19 BKN:07 25 OVC:08 34	10.00	-RA:02 |RA |	37	3.0	36	2.1	34	1.0	87	25	280	34	29.00				FM-16		29.97
16	0453	6	BKN:07 25 OVC:08 34	10.00	-SN:03 |SN |	38	3.3	36	2.4	34	1.1	86	21	290	34	29.00			29.98	FM-15	T	29.97
16	0551	6	SCT:04 19 OVC:08 30	10.00		37	3.0	36	2.1	34	1.0	87	13	280	20	29.03				FM-16		30.00
16	0553	6	FEW:02 17 BKN:07 25 OVC:08 30	10.00		37	2.8	35	1.9	33	0.6	86	16	280		29.03			30.01	FM-15	T	30.00
16	0635	6	FEW:02 20 FEW:02 26 OVC:08 31	10.00		36	2.2	34	1.3	32	0.0	86	13	270	21	29.04				FM-16		30.01
16	0650	6	OVC:08 29	10.00		36	2.0	35	1.8	34	1.0	93	15	270		29.05				FM-16		30.02
16	0653	6	FEW:02 20 OVC:08 29	10.00		36	2.2	34	1.3	32	0.0	86	14	280		29.05	1	-0.05	30.03	FM-15	0.00	30.02
16	0753	6	SCT:04 17 OVC:08 29	9.00		36	2.2	34	1.3	32	0.0	86	11	280		29.09			30.07	FM-15	0.00	30.06
16	0853	6	OVC:08 22	10.00		36	2.2	35	1.5	33	0.6	89	9	270		29.12			30.10	FM-15	0.00	30.09
16	0953	6	OVC:08 22	10.00		37	2.8	35	1.6	32	0.0	82	13	290		29.14	1	-0.09	30.13	FM-15	0.00	30.11
16	1053	6	OVC:08 20	10.00		37	2.8	35	1.6	32	0.0	82	15	280	22	29.17			30.15	FM-15	0.00	30.14
16	1153	6	SCT:04 20 OVC:08 29	10.00		38	3.3	36	2.0	32	0.0	79	16	260	22	29.16			30.14	FM-15	0.00	30.13
16	1253	6	BKN:07 21 OVC:08 27	10.00		38	3.3	36	2.0	32	0.0	79	15	270		29.16	0	-0.01	30.14	FM-15	0.00	30.13
16	1353	6	OVC:08 21	10.00		38	3.3	36	2.0	32	0.0	79	14	290		29.17			30.15	FM-15	0.00	30.14
16	1453	6	OVC:08 23	10.00		39	3.9	36	2.5	33	0.6	79	8	290		29.18			30.16	FM-15	0.00	30.15
16	1553	6	OVC:08 25	10.00		39	3.9	36	2.5	33	0.6	79	9	300		29.20	3	-0.04	30.18	FM-15	0.00	30.17
16	1653	6	OVC:08 25	10.00		39	3.9	36	2.3	32	0.0	76	8	300		29.21			30.19	FM-15	0.00	30.18
16	1753	6	OVC:08 26	10.00		39	3.9	36	2.3	32	0.0	76	9	300	17	29.22			30.21	FM-15	0.00	30.19
16	1853	6	OVC:08 25	10.00		39	3.9	36	2.5	33	0.6	79	6	270		29.23	3	-0.04	30.23	FM-15	0.00	30.21
16	1953	6	OVC:08 25	10.00		39	3.9	37	2.5	33	0.6	79	7	310		29.25			30.23	FM-15	0.00	30.22
16	2053	6	OVC:08 23	10.00		39	3.9	37	2.5	33	0.6	79	7	310		29.26			30.25	FM-15	0.00	30.23
16	2153	6	OVC:08 26	10.00		39	3.9	36	2.3	32	0.0	76	6	310		29.27	3	-0.04	30.27	FM-15	0.00	30.25
16	2253	6	OVC:08 25	10.00		39	3.9	36	2.1	31	-0.6	73	6	360		29.26			30.26	FM-15	0.00	30.24
16	2353	6	OVC:08 25	10.00		38	3.3	35	1.8	31	-0.6	76	6	010		29.27			30.26	FM-15	0.00	30.25
17	0053	6	OVC:08 25	10.00		37	2.8	34	1.0	29	-1.7	73	7	030		29.27	5	+0.01	30.27	FM-15	0.00	30.25

17	0153	6	OVC:08 25	10.00		37	2.8	34	1.2	30	-1.1	76	3	080		29.27			30.27	FM-15	0.00	30.25
17	0253	6	OVC:08 24	10.00		37	2.8	34	1.0	29	-1.7	73	0	000		29.27			30.27	FM-15	0.00	30.25
17	0353	6	OVC:08 23	10.00		37	2.8	34	1.0	29	-1.7	73	3	090		29.27	0	-0.00	30.27	FM-15	0.00	30.25
17	0453	6	OVC:08 23	10.00		36	2.2	34	0.9	30	-1.1	79	3	110		29.27			30.27	FM-15	0.00	30.25
17	0553	6	OVC:08 22	10.00		36	2.2	33	0.7	29	-1.7	76	7	160		29.26			30.25	FM-15	0.00	30.23
17	0653	6	OVC:08 22	10.00		37	2.8	34	1.0	29	-1.7	73	3	170		29.28	3	-0.02	30.28	FM-15	0.00	30.26
17	0753	6	OVC:08 23	10.00		37	2.8	35	1.4	31	-0.6	79	3	090		29.28			30.28	FM-15	0.00	30.26
17	0853	6	OVC:08 22	10.00		38	3.3	35	1.8	31	-0.6	76	6	190		29.30			30.30	FM-15	0.00	30.28
17	0953	6	OVC:08 22	10.00		39	3.9	36	2.3	32	0.0	76	9	130		29.27	8	+0.01	30.27	FM-15	0.00	30.25
17	1053	6	BKN:07 22	10.00		40	4.4	37	2.6	32	0.0	73	7	120		29.26			30.25	FM-15	0.00	30.23
17	1118	6	SCT:04 23	10.00		41	5.0	37	2.9	32	0.0	70	11	160		29.25				FM-16		30.22
17	1153	6	CLR:00	10.00		43	6.1	39	3.7	33	0.6	68	10	140		29.22			30.21	FM-15	0.00	30.19
17	1253	6	CLR:00	10.00		44	6.7	39	4.0	33	0.6	65	9	130		29.19	8	+0.10	30.17	FM-15	0.00	30.16
17	1353	6	CLR:00	10.00		46	7.8	40	4.6	33	0.6	61	11	150	20	29.14			30.13	FM-15	0.00	30.11
17	1453	6	CLR:00	10.00		47	8.3	41	4.9	33	0.6	59	11	150		29.10			30.08	FM-15	0.00	30.07
17	1553	6	CLR:00	10.00		47	8.3	41	4.9	33	0.6	59	11	130		29.07	6	+0.12	30.05	FM-15	0.00	30.04
17	1653	6	CLR:00	10.00		46	7.8	40	4.6	33	0.6	61	8	140		29.04			30.02	FM-15	0.00	30.01
17	1753	6	CLR:00	10.00		45	7.2	40	4.3	33	0.6	63	9	130		29.02			30.01	FM-15	0.00	29.99
17	1853	6	CLR:00	10.00		45	7.2	39	4.1	32	0.0	61	8	150		29.01	6	+0.06	29.99	FM-15	0.00	29.98
17	1953	6	CLR:00	10.00		44	6.7	39	3.8	32	0.0	63	10	150		28.98			29.97	FM-15	0.00	29.95
17	2053	6	CLR:00	10.00		44	6.7	39	3.8	32	0.0	63	10	150		28.95			29.94	FM-15	0.00	29.92
17	2153	6	CLR:00	10.00		43	6.1	38	3.5	32	0.0	65	13	160		28.92	8	+0.09	29.90	FM-15	0.00	29.89
17	2253	6	CLR:00	10.00		44	6.7	38	3.6	31	-0.6	60	13	150		28.87			29.84	FM-15	0.00	29.83
17	2353	6	SCT:04 100	10.00		44	6.7	39	3.8	32	0.0	63	13	160		28.82			29.79	FM-15	0.00	29.78
18	0053	6	BKN:07 75 OVC:08 90	10.00		47	8.3	40	4.7	32	0.0	56	13	160		28.78	6	+0.14	29.74	FM-15	0.00	29.74
18	0153	6	BKN:07 47 OVC:08 55	7.00	-RA:02 |RA |	44	6.7	41	4.9	37	2.8	76	11	160		28.75			29.72	FM-15	0.04	29.71
18	0253	6	OVC:08 42	10.00	-RA:02 |RA |	43	6.1	42	5.3	40	4.4	89	8	160		28.73			29.70	FM-15	0.08	29.69
18	0353	6	OVC:08 34	9.00	-RA:02 |RA |	43	6.1	42	5.6	41	5.0	93	9	150		28.69	7	+0.08	29.66	FM-15	0.05	29.65
18	0423	6	BKN:07 26 OVC:08 33	10.00	-RA:02 |RA |	44	6.7	43	5.9	41	5.0	89	6	160		28.69				FM-16		29.65
18	0439	6	SCT:04 26 OVC:08 37	10.00		44	6.7	43	5.9	41	5.0	89	9	170		28.68				FM-16		29.64
18	0453	6	OVC:08 39	10.00		45	7.2	44	6.4	42	5.6	90	10	170		28.67			29.64	FM-15	T	29.63
18	0553	6	OVC:08 37	10.00		46	7.8	46	7.5	45	7.2	96	5	140		28.65			29.62	FM-15	0.00	29.61
18	0653	6	OVC:08 32	10.00		48	8.9	47	8.6	47	8.3	96	0	000		28.64	6	+0.06	29.60	FM-15	T	29.60
18	0705	6	OVC:08 32	10.00	VCTS:7 ||	48	8.9	47	8.3	46	7.8	93	0	000		28.63				FM-16		29.59
18	0727	6	OVC:08 33	9.00		47	8.3	47	8.3	47	8.3	100	6	080		28.62				FM-16		29.58
18	0753	6	OVC:08 31	10.00		48	8.9	47	8.6	47	8.3	96	7	090		28.60			29.56	FM-15	0.00	29.56
18	0839	6	OVC:08 32	9.00	VCTS:7 ||	48	8.9	47	8.6	47	8.3	96	14	360		28.62				FM-16		29.58
18	0853	6	OVC:08 32	10.00	VCTS:7 ||	49	9.4	48	8.9	47	8.3	93	6	020		28.62			29.59	FM-15	0.00	29.58
18	0911	6	OVC:08 33	10.00		48	8.9	47	8.6	47	8.3	96	6	060		28.60				FM-16		29.56
18	0953	6	OVC:08 31	10.00		49	9.4	48	9.2	48	8.9	97	7	120		28.56	8	+0.07	29.52	FM-15	T	29.52
18	1030	6	OVC:08 29	10.00		49	9.4	49	9.4	49	9.4	100	7	100		28.54				FM-16		29.50
18	1053	6	OVC:08 27	10.00	-RA:02 |RA |	50	10.0	49	9.7	49	9.4	96	7	110		28.53			29.49	FM-15	T	29.49
18	1153	6	OVC:08 26	10.00		55	12.8	52	11.3	50	10.0	83	9	180		28.48			29.43	FM-15	T	29.43
18	1253	6	OVC:08 24	10.00		58	14.4	55	12.6	52	11.1	81	18	180	25	28.40	8	+0.17	29.34	FM-15	0.00	29.35
18	1353	6	OVC:08 23	10.00		60	15.6	57	13.7	54	12.2	80	16	180	24	28.34			29.29	FM-15	0.00	29.29
18	1453	6	OVC:08 23	10.00		61	16.1	58	14.2	55	12.8	81	14	190	22	28.32			29.27	FM-15	0.00	29.27
18	1553	6	OVC:08 24	10.00		63	17.2	59	15.3	57	13.9	81	24	210	33	28.30	6	+0.09	29.25	FM-15	0.00	29.25
18	1653	6	OVC:08 22	10.00		63	17.2	60	15.6	58	14.4	84	20	210	31	28.28			29.23	FM-15	0.01	29.23
18	1733	6	OVC:08 22	6.00	RA:02 BR:1 |RA |	61	16.1	60	15.5	59	15.0	93	17	200	28	28.27				FM-16		29.22
18	1742	6	OVC:08 20	3.00	+RA:02 BR:1 |RA |	61	16.1	60	15.5	59	15.0	93	18	200	28	28.27				FM-16		29.22
18	1753	6	OVC:08 20	3.00	+RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	15	200	32	28.27			29.21	FM-15	0.19	29.22
18	1851	6	SCT:04 9 BKN:07 15 OVC:08 75	4.00	RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	13	210	21	28.27				FM-16		29.22

18	1853	6	SCT:04 9 BKN:07 17 OVC:08 26	5.00	RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	15	220	22	28.27	6	+0.03	29.21	FM-15	0.50	29.22
18	1923	6	SCT:04 13 OVC:08 21	10.00		57	13.9	57	13.9	57	13.9	100	14	270	20	28.27				FM-16		29.22
18	1951	6	OVC:08 7	10.00	-RA:02 |RA |	50	10.0	50	10.0	50	10.0	100	24	310	36	28.29				FM-16		29.24
18	1953	6	BKN:07 7 OVC:08 11	10.00	-RA:02 |RA |	50	10.0	49	9.7	49	9.4	96	23	310	36	28.29			29.24	FM-15	0.02	29.24
18	1956	6	OVC:08 7	10.00	-RA:02 |RA |	49	9.4	49	9.4	49	9.4	100	22	310	36	28.30				FM-16		29.25
18	2042	6	OVC:08 7	6.00	RA:02 BR:1 |RA |	47	8.3	46	7.8	45	7.2	93	17	310		28.35				FM-16		29.30
18	2053	6	BKN:07 9 OVC:08 17	5.00	-RA:02 BR:1 |RA |	46	7.8	46	7.5	45	7.2	96	17	320	36	28.37			29.32	FM-15	0.01	29.32
18	2100	6	BKN:07 11 OVC:08 17	7.00	-RA:02 |RA |	46	7.8	46	7.5	45	7.2	96	18	300	25	28.38				FM-16		29.33
18	2149	6	SCT:04 15 SCT:04 24 OVC:08 32	10.00	-RA:02 |RA |	43	6.0	41	5.1	39	4.0	87	25	320	41	28.43				FM-16		29.38
18	2150	6	SCT:04 15 SCT:04 24 OVC:08 32	10.00	-RA:02 |RA |	42	5.6	41	5.0	40	4.4	92	25	320	41	28.43	3	-0.16	29.39	FM-15	T	29.38
18	2205	6	BKN:07 13 BKN:07 28 OVC:08 34	4.00	-RA:02 BR:1 |RA |	41	5.0	41	4.7	40	4.4	96	22	320	31	28.45				FM-16		29.40
18	2253	6	OVC:08 13	8.00	-RA:02 |RA |	38	3.3	38	3.1	37	2.8	97	22	310	31	28.53			29.49	FM-15	0.02	29.48
18	2353	6	BKN:07 14 OVC:08 20	6.00	-SN:03 BR:1 |SN |	38	3.3	37	2.9	36	2.2	93	21	300	32	28.60			29.57	FM-15	0.01	29.56
19	0017	6	OVC:08 15	10.00	-RA:02 |RA |	38	3.3	37	2.9	36	2.2	93	20	300	26	28.63				FM-16		29.59
19	0053	6	SCT:04 17 OVC:08 25	10.00		39	3.9	38	3.2	36	2.2	89	20	320	32	28.66	1	-0.24	29.63	FM-15	T	29.62
19	0153	6	BKN:07 21 OVC:08 26	10.00		40	4.4	39	3.7	37	2.8	89	18	280	26	28.71			29.67	FM-15	0.00	29.67
19	0253	6	BKN:07 24 OVC:08 31	10.00		41	5.0	39	3.8	36	2.2	82	15	300		28.76			29.72	FM-15	T	29.72
19	0316	6	SCT:04 26 BKN:07 33 OVC:08 47	10.00		40	4.4	38	3.2	35	1.7	83	15	300		28.78				FM-16		29.74
19	0353	6	OVC:08 43	10.00		40	4.4	37	2.6	32	0.0	73	18	310		28.79	1	-0.12	29.75	FM-15	T	29.75
19	0453	6	OVC:08 37	10.00		39	3.9	36	2.3	32	0.0	76	14	300		28.82			29.78	FM-15	T	29.78
19	0553	6	FEW:02 28 OVC:08 47	10.00		39	3.9	37	2.7	34	1.1	82	9	290		28.84			29.81	FM-15	0.00	29.81
19	0653	6	SCT:04 31 OVC:08 41	10.00		38	3.3	36	2.2	33	0.6	83	9	290		28.87	1	-0.08	29.84	FM-15	0.00	29.84
19	0753	6	OVC:08 40	10.00		38	3.3	36	2.0	32	0.0	79	11	290		28.90			29.88	FM-15	0.00	29.87
19	0850	6	BKN:07 21 BKN:07 29 OVC:08 42	10.00	-RA:02 |RA |	37	3.0	36	2.1	34	1.0	87	11	270		28.91				FM-16		29.88
19	0853	6	BKN:07 19 BKN:07 29 OVC:08 42	10.00	-RA:02 |RA |	38	3.3	36	2.4	34	1.1	86	11	270		28.91			29.89	FM-15	T	29.88
19	0953	6	BKN:07 20 OVC:08 55	10.00		39	3.9	37	2.7	34	1.1	82	17	280	23	28.93	3	-0.03	29.91	FM-15	T	29.90
19	1053	6	SCT:04 23 BKN:07 29 OVC:08 33	10.00		39	3.9	36	2.5	33	0.6	79	21	280	26	28.95			29.93	FM-15	0.00	29.92
19	1153	6	SCT:04 23 BKN:07 28 OVC:08 60	10.00		40	4.4	37	2.8	33	0.6	77	17	270	26	28.95			29.94	FM-15	T	29.92
19	1251	6	FEW:02 22 BKN:07 30 OVC:08 38	10.00		37	3.0	36	2.1	34	1.0	87	17	270	25	28.95				FM-16		29.92
19	1253	6	FEW:02 22 BKN:07 30 OVC:08 40	10.00		38	3.3	36	2.2	33	0.6	83	21	270	25	28.95	0	-0.02	29.93	FM-15	T	29.92

19	1353	6	SCT:04 50 BKN:07 60	10.00		38	3.3	35	1.5	30	-1.1	73	20	270	29	28.96			29.94	FM-15	0.00	29.93
19	1453	6	FEW:02 27 SCT:04 38 OVC:08 47	10.00		37	2.8	34	1.0	29	-1.7	73	16	280	23	28.97			29.96	FM-15	0.00	29.94
19	1553	6	SCT:04 33 BKN:07 43 OVC:08 50	9.00		36	2.2	32	0.1	26	-3.3	67	22	290	30	29.00	3	-0.05	29.99	FM-15	T	29.97
19	1653	6	OVC:08 41	10.00		34	1.1	31	-0.6	26	-3.3	73	18	270	25	29.03			30.02	FM-15	T	30.00
19	1753	6	OVC:08 43	10.00		33	0.6	30	-1.3	24	-4.4	70	20	280	25	29.05			30.04	FM-15	0.00	30.02
19	1853	6	OVC:08 40	10.00		32	0.0	29	-1.8	23	-5.0	69	16	270		29.08	3	-0.07	30.07	FM-15	0.00	30.05
19	1953	6	OVC:08 41	10.00		31	-0.6	28	-2.1	23	-5.0	72	15	270		29.10			30.09	FM-15	0.00	30.07
19	2053	6	OVC:08 39	10.00		31	-0.6	28	-2.3	22	-5.6	69	15	270	21	29.10			30.09	FM-15	0.00	30.07
19	2153	6	OVC:08 30	10.00		31	-0.6	28	-2.3	22	-5.6	69	14	260	24	29.13	3	-0.05	30.12	FM-15	0.00	30.10
19	2253	6	OVC:08 30	10.00		31	-0.6	28	-2.1	23	-5.0	72	10	270		29.15			30.14	FM-15	0.00	30.12
19	2300	6	OVC:08 26	10.00		31	-0.6	28	-2.1	23	-5.0	72	11	280		29.15				FM-16		30.12
19	2353	6	OVC:08 26	10.00		30	-1.1	28	-2.5	23	-5.0	75	8	250		29.15			30.14	FM-15	0.00	30.12
20	0040	6	SCT:04 23	10.00		29	-1.7	27	-2.8	23	-5.0	78	8	250		29.16				FM-16		30.13
20	0053	6	CLR:00	10.00		28	-2.2	26	-3.2	23	-5.0	81	9	250		29.16	1	-0.03	30.15	FM-15	0.00	30.13
20	0153	6	CLR:00	10.00		27	-2.8	26	-3.5	23	-5.0	85	7	230		29.16			30.16	FM-15	0.00	30.13
20	0253	6	CLR:00	10.00		26	-3.3	25	-3.9	23	-5.0	88	6	210		29.17			30.17	FM-15	0.00	30.14
20	0353	6	CLR:00	10.00		25	-3.9	24	-4.3	23	-5.0	92	7	210		29.17	0	-0.01	30.16	FM-15	0.00	30.14
20	0453	6	CLR:00	10.00		25	-3.9	24	-4.3	23	-5.0	92	6	210		29.18			30.18	FM-15	0.00	30.15
20	0553	6	CLR:00	10.00		25	-3.9	24	-4.3	23	-5.0	92	5	190		29.19			30.19	FM-15	0.00	30.16
20	0653	6	CLR:00	9.00		25	-3.9	24	-4.3	23	-5.0	92	8	190		29.21	3	-0.04	30.21	FM-15	0.00	30.18
20	0753	6	CLR:00	9.00		26	-3.3	25	-3.9	23	-5.0	88	9	200		29.21			30.21	FM-15	0.00	30.18
20	0853	6	CLR:00	10.00		29	-1.7	28	-2.5	25	-3.9	85	10	200		29.22			30.22	FM-15	0.00	30.19
20	0953	6	CLR:00	10.00		33	0.6	30	-1.1	25	-3.9	72	11	210		29.23	3	-0.02	30.23	FM-15	0.00	30.20
20	1053	6	CLR:00	10.00		36	2.2	32	0.1	26	-3.3	67	13	180		29.21			30.20	FM-15	0.00	30.18
20	1153	6	CLR:00	10.00		39	3.9	34	1.1	26	-3.3	60	13	190		29.18			30.18	FM-15	0.00	30.15
20	1253	6	CLR:00	10.00		41	5.0	35	1.9	27	-2.8	57	14	190		29.14	8	+0.09	30.14	FM-15	0.00	30.11
20	1353	6	CLR:00	10.00		43	6.1	37	2.7	28	-2.2	56	14	190		29.12			30.11	FM-15	0.00	30.09
20	1453	6	CLR:00	10.00		45	7.2	38	3.3	28	-2.2	52	13	190		29.10			30.09	FM-15	0.00	30.07
20	1553	6	CLR:00	10.00		45	7.2	38	3.3	28	-2.2	52	11	190	24	29.09	6	+0.05	30.09	FM-15	0.00	30.06
20	1653	6	CLR:00	10.00		43	6.1	37	2.5	27	-2.8	53	11	190		29.08			30.07	FM-15	0.00	30.05
20	1753	6	CLR:00	10.00		42	5.6	36	2.0	26	-3.3	53	9	190		29.08			30.07	FM-15	0.00	30.05
20	1853	6	CLR:00	10.00		39	3.9	34	1.1	26	-3.3	60	9	180		29.08	6	+0.01	30.08	FM-15	0.00	30.05
20	1953	7	CLR:00	10.00		40	4.4	35	1.4	26	-3.3	58	10	180		29.07			30.07	FM-15	0.00	30.04
20	2053	7	CLR:00	10.00		38	3.3	33	0.8	26	-3.3	62	8	170		29.06			30.05	FM-15	0.00	30.03
20	2153	7	CLR:00	10.00		36	2.2	32	-0.1	25	-3.9	64	7	180		29.04	8	+0.04	30.03	FM-15	0.00	30.01
20	2253	7	CLR:00	10.00		37	2.8	32	0.3	25	-3.9	62	10	170		29.02			30.01	FM-15	0.00	29.99
20	2353	7	CLR:00	10.00		36	2.2	32	-0.1	25	-3.9	64	10	170		29.00			29.98	FM-15	0.00	29.97
21	0053	7	CLR:00	10.00		35	1.7	31	-0.4	25	-3.9	67	9	180		28.98	6	+0.06	29.97	FM-15	0.00	29.95
21	0153	7	CLR:00	10.00		34	1.1	31	-0.7	25	-3.9	70	10	180		28.97			29.95	FM-15	0.00	29.94
21	0253	7	CLR:00	10.00		35	1.7	31	-0.4	25	-3.9	67	10	190		28.97			29.96	FM-15	0.00	29.94
21	0353	7	CLR:00	10.00		34	1.1	31	-0.7	25	-3.9	70	8	190		28.97	6	+0.01	29.96	FM-15	0.00	29.94
21	0453	7	CLR:00	10.00		34	1.1	31	-0.7	25	-3.9	70	10	180		28.96			29.95	FM-15	0.00	29.93
21	0553	7	CLR:00	10.00		34	1.1	31	-0.6	26	-3.3	73	8	180		28.96			29.94	FM-15	0.00	29.93
21	0653	7	CLR:00	10.00		37	2.8	33	0.4	26	-3.3	65	10	200		28.95	7	+0.02	29.93	FM-15	0.00	29.92
21	0753	7	CLR:00	10.00		39	3.9	34	1.3	27	-2.8	62	14	190		28.95			29.93	FM-15	0.00	29.92
21	0853	7	CLR:00	10.00		41	5.0	36	2.3	29	-1.7	62	15	200		28.95			29.94	FM-15	0.00	29.92
21	0953	7	CLR:00	10.00		44	6.7	38	3.2	29	-1.7	55	18	190	30	28.95	0	-0.00	29.93	FM-15	0.00	29.92
21	1053	7	CLR:00	10.00		46	7.8	39	4.0	30	-1.1	54	14	200	29	28.95			29.93	FM-15	0.00	29.92
21	1153	7	CLR:00	10.00		49	9.4	41	5.1	31	-0.6	50	24	210	34	28.94			29.92	FM-15	0.00	29.91
21	1253	7	CLR:00	10.00		51	10.6	43	5.9	32	0.0	48	18	200	28	28.91	8	+0.04	29.89	FM-15	T	29.88
21	1353	7	CLR:00	10.00		53	11.7	44	6.4	32	0.0	45	14	210	25	28.92			29.90	FM-15	0.00	29.89
21	1453	7	CLR:00	10.00		54	12.2	44	6.7	32	0.0	43	14	210	25	28.91			29.89	FM-15	0.00	29.88
21	1553	7	CLR:00	10.00		53	11.7	44	6.4	32	0.0	45	14	210	31	28.93	3	-0.01	29.91	FM-15	0.00	29.90

21	1653	7	CLR:00	10.00		51	10.6	43	6.1	33	0.6	50	9	230		28.95			29.93	FM-15	0.00	29.92
21	1753	7	CLR:00	10.00		50	10.0	42	5.8	33	0.6	52	8	230		28.95			29.93	FM-15	0.00	29.92
21	1853	7	CLR:00	10.00		50	10.0	42	5.8	33	0.6	52	9	240		28.95	1	-0.02	29.93	FM-15	0.00	29.92
21	1953	7	FEW:02 60	10.00		48	8.9	42	5.4	34	1.1	58	8	250		28.97			29.95	FM-15	0.00	29.94
21	2053	7	OVC:08 60	10.00		47	8.3	42	5.6	36	2.2	66	15	290		28.99			29.97	FM-15	0.00	29.96
21	2153	7	OVC:08 50	10.00		45	7.2	41	5.2	37	2.8	74	11	290		29.01	3	-0.06	30.00	FM-15	0.00	29.98
21	2230	7	BKN:07 24 OVC:08 60	10.00		43	6.1	40	4.4	36	2.2	76	14	310		29.03				FM-16		30.00
21	2253	7	BKN:07 19 OVC:08 24	10.00	-RA:02 |RA |	42	5.6	40	4.3	37	2.8	82	15	320		29.04			30.02	FM-15	T	30.01
21	2353	7	FEW:02 12 FEW:02 16 OVC:08 24	7.00	-RA:02 |RA |	37	2.8	36	2.3	35	1.7	93	17	320		29.07			30.05	FM-15	0.01	30.04
22	0019	7	SCT:04 9 BKN:07 27 OVC:08 55	7.00	-RA:02 |RA |	36	2.2	36	2.0	35	1.7	97	9	320		29.08				FM-16	0.01	30.05
22	0053	7	OVC:08 19	7.00		36	2.2	36	2.2	36	2.2	100	7	310		29.09	1	-0.07	30.07	FM-15	0.01	30.06
22	0153	7	FEW:02 16 BKN:07 21 OVC:08 49	10.00		37	2.8	36	2.1	34	1.1	89	8	330		29.09			30.08	FM-15	0.00	30.06
22	0240	7	SCT:04 29 OVC:08 35	10.00		36	2.2	33	0.7	29	-1.7	76	8	320		29.12				FM-16		30.09
22	0253	7	OVC:08 38	10.00		35	1.7	33	0.4	29	-1.7	78	11	310		29.13			30.11	FM-15	0.00	30.10
22	0353	7	FEW:02 24 BKN:07 41	10.00		33	0.6	31	-0.3	29	-1.7	85	10	300		29.14	3	-0.05	30.13	FM-15	0.00	30.11
22	0453	7	OVC:08 43	10.00		33	0.6	31	-0.3	29	-1.7	85	7	300		29.17			30.16	FM-15	0.00	30.14
22	0553	7	OVC:08 41	10.00		34	1.1	31	-0.6	26	-3.3	73	14	330	22	29.19			30.18	FM-15	0.00	30.16
22	0653	7	OVC:08 38	10.00		33	0.6	30	-1.1	25	-3.9	72	10	330		29.21	1	-0.07	30.20	FM-15	0.00	30.18
22	0753	7	OVC:08 37	10.00		33	0.6	30	-1.1	25	-3.9	72	14	330	22	29.23			30.23	FM-15	0.00	30.21
22	0853	7	OVC:08 39	10.00		33	0.6	30	-1.1	25	-3.9	72	9	330		29.26			30.26	FM-15	0.00	30.24
22	0953	7	OVC:08 37	10.00		34	1.1	31	-0.7	25	-3.9	70	8	320		29.28	1	-0.07	30.28	FM-15	0.00	30.26
22	1053	7	OVC:08 32	10.00		34	1.1	30	-0.9	24	-4.4	67	8	340		29.29			30.29	FM-15	0.00	30.27
22	1153	7	OVC:08 32	10.00		35	1.7	31	-0.4	25	-3.9	67	9	360		29.28			30.28	FM-15	0.00	30.26
22	1253	7	OVC:08 32	10.00		34	1.1	30	-1.1	23	-5.0	64	10	320		29.28	8	+0.00	30.28	FM-15	0.00	30.26
22	1353	7	OVC:08 32	10.00		34	1.1	30	-1.1	23	-5.0	64	10	310		29.28			30.28	FM-15	0.00	30.26
22	1453	7	OVC:08 34	10.00		34	1.1	30	-1.3	22	-5.6	61	6	VRB		29.27			30.28	FM-15	0.00	30.25
22	1553	7	OVC:08 32	10.00		33	0.6	29	-1.6	22	-5.6	64	10	340		29.28	3	-0.00	30.29	FM-15	0.00	30.26
22	1653	7	OVC:08 32	10.00		33	0.6	29	-1.6	22	-5.6	64	6	340		29.28			30.29	FM-15	0.00	30.26
22	1753	7	FEW:02 33	10.00		30	-1.1	27	-2.8	21	-6.1	69	6	010		29.29			30.30	FM-15	0.00	30.27
22	1853	7	OVC:08 35	10.00		31	-0.6	28	-2.3	22	-5.6	69	5	040		29.29	3	-0.01	30.30	FM-15	0.00	30.27
22	1953	7	OVC:08 34	10.00		29	-1.7	27	-3.0	22	-5.6	75	5	050		29.28			30.29	FM-15	0.00	30.26
22	2053	7	CLR:00	10.00		28	-2.2	26	-3.5	21	-6.1	75	0	000		29.26			30.27	FM-15	0.00	30.24
22	2153	7	CLR:00	10.00		28	-2.2	26	-3.5	21	-6.1	75	0	000		29.26	5	+0.04	30.27	FM-15	0.00	30.24
22	2253	7	CLR:00	10.00		25	-3.9	23	-4.8	20	-6.7	81	0	000		29.27			30.28	FM-15	0.00	30.25
22	2353	7	CLR:00	10.00		26	-3.3	24	-4.4	20	-6.7	78	0	000		29.26			30.26	FM-15	0.00	30.24
23	0053	7	CLR:00	10.00		26	-3.3	24	-4.3	21	-6.1	81	3	160		29.23	8	+0.04	30.23	FM-15	0.00	30.20
23	0153	7	CLR:00	10.00		23	-5.0	23	-5.2	22	-5.6	96	0	000		29.23			30.23	FM-15	0.00	30.20
23	0253	7	CLR:00	10.00		24	-4.4	23	-4.8	22	-5.6	91	0	000		29.23			30.24	FM-15	0.00	30.21
23	0353	7	CLR:00	9.00		24	-4.4	24	-4.4	24	-4.4	100	0	000		29.23	8	+0.01	30.22	FM-15	0.00	30.20
23	0453	7	CLR:00	10.00		25	-3.9	24	-4.3	23	-5.0	92	0	000		29.21			30.21	FM-15	0.00	30.18
23	0553	7	CLR:00	10.00		24	-4.4	23	-4.8	22	-5.6	91	0	000		29.21			30.21	FM-15	0.00	30.18
23	0653	7	CLR:00	10.00		26	-3.3	25	-4.1	22	-5.6	84	3	160		29.19	8	+0.04	30.19	FM-15	0.00	30.16
23	0753	7	FEW:02 110	10.00		26	-3.3	25	-3.9	23	-5.0	88	6	170		29.18			30.18	FM-15	0.00	30.15
23	0853	7	BKN:07 110	10.00		28	-2.2	27	-3.0	24	-4.4	85	6	190		29.18			30.18	FM-15	0.00	30.15
23	0953	7	SCT:04 80 BKN:07 100	10.00		31	-0.6	29	-1.8	25	-3.9	79	6	190		29.18	6	+0.01	30.18	FM-15	0.00	30.15
23	1053	7	FEW:02 120	10.00		35	1.7	32	-0.2	26	-3.3	70	6	190		29.17			30.17	FM-15	0.00	30.14
23	1153	7	FEW:02 120			37	2.8	33	0.4	26	-3.3	65				29.13			30.13	FM-15	0.00	30.10
23	1253	7	CLR:00	10.00		39	3.9	34	1.3	27	-2.8	62	5	VRB		29.11	8	+0.07	30.11	FM-15	0.00	30.08

23	1353	7	OVC:08 70	10.00		40	4.4	35	1.6	27	-2.8	60	6	VRB		29.08			30.08	FM-15	0.00	30.05
23	1453	7	OVC:08 70	10.00		40	4.4	35	1.4	26	-3.3	58	11	210		29.05			30.05	FM-15	0.00	30.02
23	1553	7	OVC:08 70	10.00		41	5.0	35	1.9	27	-2.8	57	9	200		29.06	5	+0.05	30.05	FM-15	0.00	30.03
23	1653	7	BKN:07 75	10.00		39	3.9	34	1.1	26	-3.3	60	7	180		29.05			30.04	FM-15	0.00	30.02
23	1753	7	CLR:00	10.00		37	2.8	33	0.6	27	-2.8	67	5	160		29.05			30.05	FM-15	0.00	30.02
23	1853	7	CLR:00	10.00		35	1.7	32	0.0	27	-2.8	72	6	170		29.04	8	+0.01	30.04	FM-15	0.00	30.01
23	1953	7	CLR:00	10.00		35	1.7	32	0.0	27	-2.8	72	3	200		29.05			30.05	FM-15	0.00	30.02
23	2053	7	CLR:00	10.00		34	1.1	31	-0.6	26	-3.3	73	0	000		29.04			30.04	FM-15	0.00	30.01
23	2153	7	CLR:00	10.00		33	0.6	30	-0.9	26	-3.3	75	0	000		29.05	1	-0.01	30.04	FM-15	0.00	30.02
23	2253	7	CLR:00	10.00		32	0.0	30	-1.2	26	-3.3	79	0	000		29.07			30.06	FM-15	0.00	30.04
23	2353	7	CLR:00	10.00		29	-1.7	27	-2.6	24	-4.4	82	5	140		29.05			30.04	FM-15	0.00	30.02
24	0053	7	CLR:00	10.00		28	-2.2	27	-2.6	26	-3.3	92	0	000		29.05	8	+0.00	30.04	FM-15	0.00	30.02
24	0153	7	CLR:00	10.00		31	-0.6	29	-1.8	25	-3.9	79	6	170		29.03			30.01	FM-15	0.00	30.00
24	0253	7	CLR:00	10.00		31	-0.6	29	-1.8	25	-3.9	79	7	170		29.02			30.01	FM-15	0.00	29.99
24	0353	7	CLR:00	10.00		31	-0.6	29	-1.8	25	-3.9	79	6	170		29.01	6	+0.03	30.00	FM-15	0.00	29.98
24	0453	7	CLR:00	10.00		31	-0.6	29	-1.8	25	-3.9	79	5	170		29.00			30.00	FM-15	0.00	29.97
24	0553	7	CLR:00	10.00		30	-1.1	28	-2.1	25	-3.9	82	5	180		29.00			29.99	FM-15	0.00	29.97
24	0653	7	CLR:00	10.00		29	-1.7	27	-2.6	24	-4.4	82	6	170		29.00	6	+0.01	29.99	FM-15	0.00	29.97
24	0753	7	CLR:00	10.00		30	-1.1	28	-2.1	25	-3.9	82	6	170		29.00			29.99	FM-15	0.00	29.97
24	0853	7	CLR:00	10.00		33	0.6	31	-0.7	27	-2.8	78	7	180		29.01			30.00	FM-15	0.00	29.98
24	0953	7	CLR:00	10.00		39	3.9	35	1.5	28	-2.2	65	9	190		29.00	8	+0.00	29.99	FM-15	0.00	29.97
24	1053	7	CLR:00	10.00		45	7.2	38	3.5	29	-1.7	54	10	200		28.98			29.96	FM-15	0.00	29.95
24	1153	7	CLR:00	10.00		48	8.9	40	4.4	29	-1.7	48	13	170		28.95			29.93	FM-15	0.00	29.92
24	1253	7	CLR:00	10.00		50	10.0	41	5.0	29	-1.7	44	14	190		28.90	8	+0.09	29.88	FM-15	0.00	29.87
24	1353	7	CLR:00	10.00		53	11.7	43	5.8	29	-1.7	40	16	170		28.87			29.85	FM-15	0.00	29.84
24	1453	7	CLR:00	10.00		54	12.2	43	5.9	28	-2.2	37	15	200		28.84			29.82	FM-15	0.00	29.81
24	1553	7	CLR:00	10.00		53	11.7	42	5.7	28	-2.2	38	13	200	22	28.84	6	+0.07	29.81	FM-15	0.00	29.80
24	1653	7	CLR:00	10.00		51	10.6	41	5.1	28	-2.2	41	10	200		28.83			29.80	FM-15	0.00	29.79
24	1753	7	CLR:00	10.00		50	10.0	41	4.8	28	-2.2	43	11	190		28.82			29.80	FM-15	0.00	29.78
24	1853	7	CLR:00	10.00		49	9.4	40	4.5	28	-2.2	44	10	180		28.82	5	+0.01	29.80	FM-15	0.00	29.78
24	1953	7	CLR:00	10.00		47	8.3	39	3.9	28	-2.2	48	9	180		28.82			29.79	FM-15	0.00	29.78
24	2053	7	CLR:00	10.00		47	8.3	39	3.9	28	-2.2	48	9	180		28.80			29.78	FM-15	0.00	29.76
24	2153	7	CLR:00	10.00		47	8.3	39	3.7	27	-2.8	46	13	180		28.77	8	+0.05	29.74	FM-15	0.00	29.73
24	2253	7	CLR:00	10.00		48	8.9	39	4.0	27	-2.8	44	13	190		28.76			29.73	FM-15	0.00	29.72
24	2353	7	CLR:00	10.00		46	7.8	39	3.6	28	-2.2	50	9	180		28.76			29.72	FM-15	0.00	29.72
25	0053	7	OVC:08 100	10.00		49	9.4	40	4.5	28	-2.2	44	13	200		28.76	6	+0.01	29.72	FM-15	0.00	29.72
25	0153	7	BKN:07 95	10.00		49	9.4	40	4.5	28	-2.2	44	11	190		28.74			29.70	FM-15	0.00	29.70
25	0253	7	CLR:00	10.00		48	8.9	40	4.6	30	-1.1	50	13	200		28.74			29.70	FM-15	0.00	29.70
25	0353	7	CLR:00	10.00		48	8.9	41	4.8	31	-0.6	52	9	220		28.75	5	+0.01	29.71	FM-15	0.00	29.71
25	0453	7	CLR:00	10.00		49	9.4	41	5.1	31	-0.6	50	10	220		28.75			29.71	FM-15	0.00	29.71
25	0553	7	FEW:02 110	10.00		48	8.9	41	5.0	32	0.0	54	10	220		28.75			29.71	FM-15	0.00	29.71
25	0653	7	CLR:00	10.00		45	7.2	39	4.1	32	0.0	61	8	230		28.77	3	-0.02	29.73	FM-15	0.00	29.73
25	0753	7	CLR:00	10.00		43	6.1	39	3.7	33	0.6	68	9	240		28.79			29.76	FM-15	0.00	29.75
25	0853	7	OVC:08 60	10.00		47	8.3	42	5.3	35	1.7	63	10	250		28.82			29.78	FM-15	0.00	29.78
25	0953	7	CLR:00	10.00		50	10.0	45	7.1	39	3.9	66	13	270		28.84	1	-0.07	29.80	FM-15	0.00	29.80
25	1039	7	SCT:04 24 BKN:07 31	10.00		51	10.6	47	8.1	42	5.6	71	15	290	21	28.86				FM-16		29.82
25	1053	7	SCT:04 24 OVC:08 30	10.00		51	10.6	47	8.1	42	5.6	71	14	290		28.87			29.83	FM-15	0.00	29.83
25	1153	7	SCT:04 24 OVC:08 30	10.00		52	11.1	47	8.4	42	5.6	69	15	280		28.87			29.84	FM-15	0.00	29.83
25	1156	7	BKN:07 27	10.00		53	11.7	48	8.9	43	6.1	69	14	290		28.87				FM-16		29.83
25	1212	7	SCT:04 27	10.00		54	12.2	48	8.9	42	5.6	64	20	290	26	28.87				FM-16		29.83
25	1253	7	FEW:02 30	10.00		54	12.2	47	8.2	39	3.9	57	17	280	24	28.87	1	-0.04	29.84	FM-15	T	29.84
25	1353	7	FEW:02 44	10.00		55	12.8	47	8.2	38	3.3	53	16	270		28.89			29.85	FM-15	0.00	29.85
25	1453	7	FEW:02 47	10.00		54	12.2	46	7.5	36	2.2	51	23	280	29	28.90			29.87	FM-15	T	29.86
25	1553	7	FEW:02 50	10.00		52	11.1	44	6.8	35	1.7	53	14	290	23	28.90	1	-0.03	29.88	FM-15	T	29.87

25	1653	7	CLR:00	10.00		49	9.4	42	5.5	33	0.6	55	10	290		28.92			29.89	FM-15	0.00	29.89
25	1753	7	CLR:00	10.00		46	7.8	40	4.6	33	0.6	61	10	300		28.96			29.94	FM-15	0.00	29.93
25	1853	7	FEW:02 46	10.00		42	5.6	38	3.4	33	0.6	71	7	290		28.98	3	-0.08	29.96	FM-15	0.00	29.95
25	1953	7	FEW:02 44	10.00		42	5.6	38	3.4	33	0.6	71	9	300		29.01			29.99	FM-15	0.00	29.98
25	2053	7	CLR:00	10.00		41	5.0	37	2.9	32	0.0	70	15	310	22	29.04			30.03	FM-15	0.00	30.01
25	2153	7	CLR:00	10.00		40	4.4	36	2.2	30	-1.1	68	13	320		29.07	3	-0.09	30.05	FM-15	0.00	30.04
25	2253	7	CLR:00	10.00		37	2.8	34	1.0	29	-1.7	73	8	290		29.09			30.08	FM-15	0.00	30.06
25	2353	7	CLR:00	10.00		34	1.1	32	0.0	29	-1.7	82	6	290		29.12			30.10	FM-15	0.00	30.09
26	0053	7	CLR:00	10.00		34	1.1	32	-0.2	28	-2.2	79	9	290		29.13	1	-0.06	30.11	FM-15	0.00	30.10
26	0153	7	CLR:00	10.00		32	0.0	30	-0.8	28	-2.2	85	6	280		29.14			30.12	FM-15	0.00	30.11
26	0253	7	CLR:00	10.00		29	-1.7	28	-2.3	26	-3.3	89	7	280		29.16			30.14	FM-15	0.00	30.13
26	0353	6	CLR:00	10.00		28	-2.2	27	-2.6	26	-3.3	92	7	280		29.17	1	-0.04	30.15	FM-15	0.00	30.14
26	0453	6	CLR:00	10.00		27	-2.8	27	-3.0	26	-3.3	96	6	280		29.17			30.16	FM-15	0.00	30.14
26	0553	6	CLR:00	10.00		27	-2.8	26	-3.2	25	-3.9	92	6	300		29.20			30.19	FM-15	0.00	30.17
26	0653	6	CLR:00	10.00		27	-2.8	27	-3.0	26	-3.3	96	5	270		29.22	3	-0.06	30.22	FM-15	0.00	30.19
26	0753	6	CLR:00	10.00		28	-2.2	27	-2.6	26	-3.3	92	5	290		29.23			30.22	FM-15	0.00	30.20
26	0853	6	CLR:00	10.00		31	-0.6	30	-1.2	28	-2.2	89	0	000		29.22			30.21	FM-15	0.00	30.19
26	0953	7	CLR:00	10.00		36	2.2	33	0.5	28	-2.2	73	3	320		29.23	3	-0.02	30.23	FM-15	0.00	30.21
26	1053	7	CLR:00	10.00		39	3.9	35	1.5	28	-2.2	65	7	270		29.25			30.24	FM-15	0.00	30.22
26	1153	7	FEW:02 32	10.00		41	5.0	36	2.3	29	-1.7	62	7	260		29.23			30.22	FM-15	0.00	30.20
26	1253	6	FEW:02 33	10.00		43	6.1	37	2.9	29	-1.7	58	11	290		29.22	8	+0.02	30.21	FM-15	0.00	30.19
26	1353	7	CLR:00	10.00		44	6.7	38	3.2	29	-1.7	55	10	240	17	29.19			30.18	FM-15	0.00	30.16
26	1453	7	CLR:00	10.00		45	7.2	38	3.5	29	-1.7	54	13	240		29.18			30.17	FM-15	0.00	30.15
26	1553	7	CLR:00	10.00		45	7.2	38	3.5	29	-1.7	54	13	240		29.16	6	+0.06	30.15	FM-15	0.00	30.13
26	1653	7	CLR:00	10.00		43	6.1	37	2.9	29	-1.7	58	8	230		29.16			30.15	FM-15	0.00	30.13
26	1753	7	CLR:00	10.00		41	5.0	36	2.3	29	-1.7	62	6	230		29.16			30.15	FM-15	0.00	30.13
26	1853	7	CLR:00	10.00		39	3.9	35	1.7	29	-1.7	67	6	210		29.16	3	-0.00	30.16	FM-15	0.00	30.13
26	1953	7	CLR:00	10.00		37	2.8	33	0.8	28	-2.2	70	7	210		29.16			30.15	FM-15	0.00	30.13
26	2053	7	CLR:00	10.00		37	2.8	33	0.8	28	-2.2	70	6	220		29.15			30.14	FM-15	0.00	30.12
26	2153	7	CLR:00	10.00		37	2.8	33	0.6	27	-2.8	67	7	240		29.16	5	+0.00	30.15	FM-15	0.00	30.13
26	2253	7	CLR:00	10.00		36	2.2	33	0.5	28	-2.2	73	7	220		29.14			30.13	FM-15	0.00	30.11
26	2353	7	CLR:00	10.00		36	2.2	33	0.3	27	-2.8	70	6	230		29.14			30.12	FM-15	0.00	30.11
27	0053	7	CLR:00	10.00		35	1.7	32	0.0	27	-2.8	72	3	220		29.14	6	+0.02	30.12	FM-15	0.00	30.11
27	0153	7	CLR:00	10.00		36	2.2	33	0.3	27	-2.8	70	5	210		29.14			30.13	FM-15	0.00	30.11
27	0253	7	CLR:00	10.00		35	1.7	32	-0.2	26	-3.3	70	5	250		29.15			30.13	FM-15	0.00	30.12
27	0353	7	CLR:00	10.00		35	1.7	32	-0.2	26	-3.3	70	3	220		29.15	2	-0.01	30.14	FM-15	0.00	30.12
27	0453	7	CLR:00	10.00		30	-1.1	29	-1.9	26	-3.3	85	3	230		29.16			30.15	FM-15	0.00	30.13
27	0553	7	CLR:00	10.00		33	0.6	31	-0.7	27	-2.8	78	6	210		29.16			30.15	FM-15	0.00	30.13
27	0653	7	CLR:00	10.00		34	1.1	31	-0.6	26	-3.3	73	5	230		29.18	3	-0.04	30.17	FM-15	0.00	30.15
27	0753	7	CLR:00	10.00		30	-1.1	29	-1.9	26	-3.3	85	0	000		29.20			30.19	FM-15	0.00	30.17
27	0853	7	CLR:00	10.00		38	3.3	35	1.5	30	-1.1	73	3	200		29.20			30.19	FM-15	0.00	30.17
27	0953	7	CLR:00	10.00		42	5.6	37	3.0	31	-0.6	65	3	200		29.20	1	-0.02	30.19	FM-15	0.00	30.17
27	1053	7	CLR:00	10.00		48	8.9	41	5.2	33	0.6	56	0	000		29.20			30.19	FM-15	0.00	30.17
27	1153	7	SCT:04 75	10.00		51	10.6	43	6.3	34	1.1	52	5	160		29.19			30.17	FM-15	0.00	30.16
27	1253	7	BKN:07 80	10.00		53	11.7	45	7.1	35	1.7	51	6	150		29.17	8	+0.03	30.16	FM-15	0.00	30.14
27	1353	7	FEW:02 85	10.00		54	12.2	46	7.6	36	2.2	51	7	110		29.16			30.14	FM-15	0.00	30.13
27	1453	7	FEW:02 85	10.00		55	12.8	46	8.0	37	2.8	51	9	150		29.14			30.12	FM-15	0.00	30.11
27	1553	7	CLR:00	10.00		58	14.4	47	8.4	35	1.7	42	8	200		29.13	6	+0.04	30.11	FM-15	0.00	30.10
27	1653	7	CLR:00	10.00		55	12.8	46	7.6	35	1.7	47	7	190		29.13			30.11	FM-15	0.00	30.10
27	1753	7	CLR:00	10.00		52	11.1	44	6.6	34	1.1	50	6	190		29.15			30.13	FM-15	0.00	30.12
27	1853	7	CLR:00	10.00		50	10.0	43	6.0	34	1.1	54	6	180		29.15	3	-0.02	30.14	FM-15	0.00	30.12
27	1953	7	CLR:00	10.00		50	10.0	43	6.0	34	1.1	54	8	190		29.16			30.15	FM-15	0.00	30.13
27	2053	7	CLR:00	10.00		49	9.4	42	5.5	33	0.6	55	8	180		29.16			30.14	FM-15	0.00	30.13
27	2153	7	CLR:00	10.00		47	8.3	41	4.9	33	0.6	59	7	170		29.16	1	-0.00	30.14	FM-15	0.00	30.13
27	2253	7	CLR:00	10.00		45	7.2	40	4.3	33	0.6	63	6	160		29.17			30.14	FM-15	0.00	30.14
27	2353	7	CLR:00	10.00		44	6.7	39	4.0	33	0.6	65	5	170		29.17			30.15	FM-15	0.00	30.14
28	0053	7	CLR:00	10.00		43	6.1	39	3.7	33	0.6	68	7	170		29.16	0	-0.01	30.14	FM-15	0.00	30.13

28	0153	7	CLR:00	10.00		44	6.7	39	4.0	33	0.6	65	8	170		29.16			30.14	FM-15	0.00	30.13
28	0253	7	CLR:00	10.00		43	6.1	38	3.5	32	0.0	65	9	170		29.17			30.15	FM-15	0.00	30.14
28	0353	7	CLR:00	10.00		42	5.6	38	3.2	32	0.0	68	7	170		29.17	1	-0.01	30.15	FM-15	0.00	30.14
28	0453	7	CLR:00	10.00		42	5.6	37	3.0	31	-0.6	65	6	160		29.19			30.16	FM-15	0.00	30.16
28	0553	7	CLR:00	10.00		43	6.1	38	3.3	31	-0.6	63	7	170		29.19			30.16	FM-15	0.00	30.16
28	0653	7	CLR:00	10.00		43	6.1	38	3.1	30	-1.1	60	10	170		29.19	1	-0.02	30.17	FM-15	0.00	30.16
28	0753	7	CLR:00	10.00		43	6.1	38	3.1	30	-1.1	60	9	170		29.20			30.18	FM-15	0.00	30.17
28	0853	7	CLR:00	10.00		46	7.8	40	4.2	31	-0.6	56	10	190		29.21			30.19	FM-15	0.00	30.18
28	0953	7	CLR:00	10.00		50	10.0	42	5.4	31	-0.6	48	8	200		29.22	1	-0.03	30.19	FM-15	0.00	30.19
28	1053	7	CLR:00	10.00		55	12.8	44	6.8	31	-0.6	40	10	200		29.21			30.19	FM-15	0.00	30.18
28	1153	7	CLR:00	10.00		59	15.0	46	7.9	31	-0.6	35	18	190		29.16			30.14	FM-15	0.00	30.13
28	1253	7	CLR:00	10.00		61	16.1	47	8.4	31	-0.6	32	17	210	24	29.13	8	+0.09	30.10	FM-15	0.00	30.10
28	1353	7	CLR:00	10.00		62	16.7	48	8.7	31	-0.6	31	16	190	23	29.11			30.08	FM-15	0.00	30.08
28	1453	7	CLR:00	10.00		62	16.7	47	8.3	29	-1.7	29	14	190	24	29.12			30.09	FM-15	0.00	30.09
28	1553	7	CLR:00	10.00		60	15.6	46	8.0	30	-1.1	32	15	200	25	29.13	5	+0.00	30.10	FM-15	0.00	30.10
28	1653	7	CLR:00	10.00		58	14.4	46	7.8	32	0.0	38	11	190	22	29.13			30.11	FM-15	0.00	30.10
28	1753	7	CLR:00	10.00		56	13.3	45	7.5	33	0.6	42	8	190		29.13			30.11	FM-15	0.00	30.10
28	1853	7	CLR:00	10.00		54	12.2	44	6.9	33	0.6	45	11	190		29.14	3	-0.01	30.11	FM-15	0.00	30.11
28	1953	7	CLR:00	10.00		53	11.7	44	6.6	33	0.6	47	9	200		29.15			30.12	FM-15	0.00	30.12
28	2053	7	CLR:00	10.00		52	11.1	43	6.4	33	0.6	49	9	210		29.17			30.15	FM-15	0.00	30.14
28	2153	7	CLR:00	10.00		50	10.0	42	5.8	33	0.6	52	9	220		29.18	1	-0.04	30.15	FM-15	0.00	30.15
28	2253	7	BKN:07 65	10.00		51	10.6	43	6.3	34	1.1	52	10	230		29.18			30.15	FM-15	0.00	30.15
28	2353	7	FEW:02 65	10.00		50	10.0	42	5.8	33	0.6	52	10	230		29.19			30.16	FM-15	0.00	30.16
29	0053	7	OVC:08 70	10.00		50	10.0	43	6.0	34	1.1	54	8	220		29.18	0	-0.01	30.15	FM-15	0.00	30.15
29	0153	7	FEW:02 80	10.00		50	10.0	42	5.8	33	0.6	52	10	230		29.18			30.15	FM-15	0.00	30.15
29	0253	7	OVC:08 75	10.00		50	10.0	43	6.0	34	1.1	54	7	250		29.20			30.17	FM-15	0.00	30.17
29	0353	7	OVC:08 55	10.00		48	8.9	43	5.9	36	2.2	63	8	270		29.20	3	-0.02	30.17	FM-15	0.00	30.17
29	0453	7	CLR:00	10.00		44	6.7	40	4.3	34	1.1	68	7	280		29.22			30.20	FM-15	0.00	30.19
29	0553	7	CLR:00	10.00		44	6.7	40	4.3	34	1.1	68	6	280		29.25			30.22	FM-15	0.00	30.22
29	0653	7	CLR:00	10.00		45	7.2	40	4.6	34	1.1	66	5	310		29.26	2	-0.06	30.24	FM-15	0.00	30.24
29	0753	7	CLR:00	10.00		42	5.6	38	3.4	33	0.6	71	6	320		29.29			30.28	FM-15	0.00	30.27
29	0853	7	CLR:00	10.00		46	7.8	41	4.9	34	1.1	63	10	350		29.32			30.31	FM-15	0.00	30.30
29	0953	7	CLR:00	10.00		48	8.9	40	4.6	30	-1.1	50	11	360		29.33	1	-0.07	30.32	FM-15	0.00	30.31
29	1053	7	CLR:00	10.00		50	10.0	41	5.0	29	-1.7	44	7	VRB		29.35			30.33	FM-15	0.00	30.33
29	1153	7	CLR:00	10.00		51	10.6	41	5.1	28	-2.2	41	5	VRB		29.33			30.31	FM-15	0.00	30.31
29	1253	7	CLR:00	10.00		52	11.1	41	5.2	27	-2.8	38	0	000		29.32	8	+0.01	30.30	FM-15	0.00	30.30
29	1353	7	CLR:00	10.00		53	11.7	42	5.5	27	-2.8	37	0	000		29.30			30.28	FM-15	0.00	30.28
29	1453	7	CLR:00	10.00		54	12.2	42	5.8	27	-2.8	35	3	330		29.29			30.27	FM-15	0.00	30.27
29	1553	7	CLR:00	10.00		53	11.7	43	5.9	29	-1.7	40	0	000		29.28	6	+0.04	30.27	FM-15	0.00	30.26
29	1653	7	CLR:00	10.00		48	8.9	40	4.3	28	-2.2	46	5	040		29.28			30.27	FM-15	0.00	30.26
29	1753	7	CLR:00	10.00		47	8.3	38	3.6	26	-3.3	44	5	010		29.27			30.27	FM-15	0.00	30.25
29	1853	7	CLR:00	10.00		43	6.1	36	2.4	26	-3.3	51	0	000		29.27	6	+0.01	30.27	FM-15	0.00	30.25
29	1953	7	CLR:00	10.00		43	6.1	36	2.0	24	-4.4	47	3	360		29.27			30.26	FM-15	0.00	30.25
29	2053	7	CLR:00	10.00		39	3.9	34	0.9	25	-3.9	57	3	050		29.26			30.24	FM-15	0.00	30.23
29	2153	7	CLR:00	10.00		40	4.4	34	1.2	25	-3.9	55	5	080		29.23	8	+0.04	30.22	FM-15	0.00	30.21
29	2253	7	CLR:00	10.00		40	4.4	34	1.2	25	-3.9	55	0	000		29.23			30.22	FM-15	0.00	30.21
29	2353	7	CLR:00	10.00		40	4.4	34	1.2	25	-3.9	55	0	000		29.22			30.20	FM-15	0.00	30.19
30	0053	7	BKN:07 65	10.00		40	4.4	35	1.4	26	-3.3	58	0	000		29.21	8	+0.03	30.19	FM-15	0.00	30.18
30	0153	7	OVC:08 75	10.00		40	4.4	36	2.2	30	-1.1	68	5	130		29.19			30.17	FM-15	0.00	30.16
30	0253	7	FEW:02 65 OVC:08 80	10.00		44	6.7	37	2.8	27	-2.8	51	5	140		29.17			30.15	FM-15	0.00	30.14
30	0353	7	OVC:08 85	10.00		44	6.7	37	2.8	27	-2.8	51	6	140		29.15	8	+0.06	30.12	FM-15	0.00	30.12
30	0453	7	OVC:08 85	10.00		45	7.2	38	3.3	28	-2.2	52	5	170		29.14			30.12	FM-15	0.00	30.11
30	0553	7	OVC:08 90	10.00		44	6.7	37	3.0	28	-2.2	53	7	140		29.11			30.09	FM-15	0.00	30.08
30	0653	7	BKN:07 90	10.00		44	6.7	39	3.6	31	-0.6	60	6	220		29.11	6	+0.04	30.09	FM-15	0.00	30.08
30	0753	7	CLR:00	10.00		43	6.1	38	3.3	31	-0.6	63	8	150		29.08			30.06	FM-15	0.00	30.05

30	0853	7	SCT:04 60 BKN:07 95	10.00		46	7.8	41	4.8	34	1.1	63	7	180		29.08			30.06	FM-15	0.00	30.05
30	0953	7	OVC:08 55	10.00		48	8.9	43	5.9	36	2.2	63	9	200		29.08	6	+0.03	30.06	FM-15	0.00	30.05
30	1053	7	OVC:08 70	10.00		52	11.1	46	7.7	39	3.9	61	10	220		29.06			30.04	FM-15	T	30.03
30	1153	7	BKN:07 15 OVC:08 47	5.00	-RA:02 |RA |	50	10.0	48	8.6	45	7.2	83	11	240		29.05			30.03	FM-15	0.01	30.02
30	1201	7	BKN:07 13 OVC:08 45	4.00	-RA:02 BR:1 |RA |	49	9.4	47	8.6	46	7.8	90	9	230		29.04				FM-16	0.01	30.01
30	1226	7	OVC:08 13	2.00	RA:02 BR:1 |RA |	49	9.4	48	9.2	48	8.9	97	9	230		29.03				FM-16	0.05	30.00
30	1241	7	FEW:02 9 OVC:08 13	2.00	-RA:02 BR:1 |RA |	49	9.4	48	9.2	48	8.9	97	11	250		29.04				FM-16	0.05	30.01
30	1251	6	BKN:07 9 OVC:08 15	5.00	BR:1 ||	48	9.0	48	8.9	48	9.0	100	8	240		29.03				FM-16		30.00
30	1253	7	BKN:07 9 OVC:08 15	5.00	-RA:02 BR:1 |RA |	48	8.9	48	8.9	48	8.9	100	11	240		29.03	8	+0.05	30.01	FM-15	0.04	30.00
30	1345	7	BKN:07 8 BKN:07 19 OVC:08 37	2.00	-RA:02 BR:1 |RA |	48	8.9	48	8.9	48	8.9	100	10	220		29.01				FM-16	0.03	29.98
30	1351	6	BKN:07 8 BKN:07 36 OVC:08 55	1.75	RA:02 BR:1 |RA |	48	9.0	48	8.9	48	9.0	100	10	220		29.01				FM-16		29.98
30	1353	7	BKN:07 8 BKN:07 36 OVC:08 55	1.75	RA:02 BR:1 |RA |	48	8.9	48	8.9	48	8.9	100	9	220		29.00			29.98	FM-15	0.07	29.97
30	1431	7	OVC:08 7	3.00	BR:1 ||	48	8.9	48	8.9	48	8.9	100	9	240		29.01				FM-16	0.05	29.98
30	1453	7	OVC:08 6	3.00	BR:1 ||	48	8.9	48	8.9	48	8.9	100	8	240		29.01			29.99	FM-15	0.03	29.98
30	1553	7	BKN:07 7	6.00	BR:1 ||	49	9.4	48	9.2	48	8.9	97	8	260		29.04	3	-0.01	30.01	FM-15	0.00	30.01
30	1617	7	BKN:07 12	6.00	BR:1 ||	49	9.4	48	8.9	47	8.3	93	7	260		29.04				FM-16		30.01
30	1651	6	CLR:00	5.00	BR:1 ||	46	8.0	46	7.8	46	8.0	100	8	230		29.04				FM-16		30.01
30	1653	7	CLR:00	5.00	BR:1 ||	47	8.3	46	7.8	45	7.2	93	9	230		29.04			30.02	FM-15	0.00	30.01
30	1753	7	CLR:00	4.00	BR:1 ||	43	6.1	43	5.9	42	5.6	97	7	250		29.08			30.06	FM-15	0.00	30.05
30	1853	7	CLR:00	3.00	BR:1 ||	41	5.0	41	5.0	41	5.0	100	7	270		29.11	3	-0.08	30.09	FM-15	0.00	30.08
30	1953	7	CLR:00	3.00	BR:1 ||	41	5.0	41	5.0	41	5.0	100	6	250		29.14			30.13	FM-15	0.00	30.11
30	2053	7	CLR:00	4.00	BR:1 ||	39	3.9	39	3.9	39	3.9	100	3	280		29.16			30.14	FM-15	0.00	30.13
30	2153	7	CLR:00	8.00		38	3.3	38	3.1	37	2.8	97	5	280		29.18	1	-0.06	30.16	FM-15	0.00	30.15
30	2253	7	CLR:00	9.00		36	2.2	36	2.0	35	1.7	97	6	250		29.19			30.17	FM-15	0.00	30.16
30	2353	7	CLR:00	8.00		36	2.2	36	2.0	35	1.7	97	5	260		29.20			30.18	FM-15	0.00	30.17

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
November 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01								T	0.02	0.02	0.02	0.05	T	0.01	T	0.01	0.02	0.06	0.14	0.34	0.11	0.01	T	0.01	01
02	T		0.01	T	0.01	T																			02
03			0.23	0.01	T	T																			03
04																						T	T		04
05					0.01												T	0.03	0.43s	0.21	0.16	0.20	0.23	0.12	05
06	0.35	0.16	0.06	0.01	T	T																			06
07					T	0.02	0.01	T	0.01	T															07
08																									08
09																							T	T	09
10																									10
11																									11
12																	T	T	0.02	0.06	0.05	0.16	0.02	T	12
13	T			T	T																				13
14																									14
15														0.01	0.02	0.06	0.01	T							15
16					T	T																			16
17																									17
18		0.04	0.08	0.05	T		T			T	T	T					0.01	0.19	0.50	0.02	0.01	T	0.02	0.01	18
19	T		T	T	T				T	T		T	T			T	T								19
20																									20
21													T										T	0.01	21
22	0.01																								22
23																									23
24																									24
25													T		T	T									25
26																									26
27																									27
28																									28
29																									29
30											T	0.01	0.04	0.07	0.03										30

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.21	0.30	0.36	0.39	0.43	0.50	0.59	0.65	0.69	0.70	0.77	0.87
Ending Date Time (yyyy-mm-dd hh:mi)	2017-11-18 18:40	2017-11-05 18:57	2017-11-05 19:01	2017-11-05 19:03	2017-11-05 19:08	2017-11-18 18:41	2017-11-18 18:41	2017-11-18 18:54	2017-11-18 19:00	2017-11-05 20:22	2017-11-05 21:08	2017-11-05 21:38

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
December 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	50	28	39	2.2				26	0	0735	1707	BR	0.00			29.24		1.9	8	240	8	290
02	50	26	38	1.6				27	0	0736	1707	BR	0.00			29.20		2.4	13	140	10	170
03	55	27	41	5.0				24	0	0737	1707	BR	0.00			29.22		1.1	9	160	6	150
04	57*	34	46	10.4				19	0	0738	1707	RA	0.02			29.13		9.5	22	160	17	160
05	55	30	43	7.8				22	0	0739	1707	TS RA BR	0.40			28.95		13.7	33	270	25	260
06	43	27	35	0.1				30	0	0740	1707		T			29.08		12.2	40	230	31	230
07	34	21	28	-6.5				37	0	0741	1707	SN	T			29.11		11.3	33	300	24	290
08	30	18	24	-10.1				41	0	0742	1707		0.00			29.10		8.3	19	200	15	220
09	30	19	25	-8.8				40	0	0742	1707	SN BR	T			28.87		9.9	22	320	18	240
10	32	24	28	-5.4				37	0	0743	1707		0.00			29.04		11.6	27	220	22	210
11	39	29	34	0.9				31	0	0744	1707		0.00			28.97		8.4	26	320	20	310
12	39	18	29	-3.8				36	0	0745	1707	SN FZFG BR FG	T			28.83		16.5	39	300	31	310
13	36	13	25	-7.5				40	0	0746	1707	SN BR	0.01			28.77		12.1	41	280	32	280
14	34	18	26	-6.2				39	0	0746	1707	SN BR HZ	T			28.90		8.8	39	280	31	270
15	30	15	23	-8.9				42	0	0747	1708	SN	T			29.03		9.8	29	230	22	230
16	47	29	38	6.4				27	0	0748	1708		0.00			29.08		11.0	31	240	23	210
17	40	30	35	3.7				30	0	0748	1708	RA	0.01			29.16		5.1	11	200	8	210
18	46	37	42	10.9				23	0	0749	1709	RA BR	0.01			29.05		9.2	22	220	16	230
19	51	41	46	15.2				19	0	0750	1709	BR HZ	0.00			29.02		11.8	27	230	22	210
20	43	27	35	4.4				30	0	0750	1710	BR	0.00			29.09		6.5	16	340	13	340
21	47	24	36	5.6				29	0	0751	1710		0.00			29.08		7.1	17	110	14	130
22	54	46	50	19.8				15	0	0751	1710	RA BR	0.02			28.98		7.2	16	220	14	220
23	52s	30	41s	11.0s				24s	0s	0752	1711	RA SN BR UP	0.57			28.97		9.7	25	340	21	350
24	35	22	29	-0.8				36	0	0752	1712	RA SN FZFG BR UP FG	0.03			29.02		7.2	44	270	33	260
25	24	14	19	-10.6				46	0	0753	1712	SN BR	T			29.21		16.2	40	270	28	270
26	17	11	14	-15.5				51	0	0753	1713	SN	T			29.50		9.2	18	280	14	270
27	14	2	8	-21.3				57	0	0753	1714		T			29.63		7.4	18	330	13	320
28	16	3	10	-19.2				55	0	0754	1714		0.00			29.57		5.0	17	100	13	140
29	20	13	17	-12.1				48	0	0754	1715	SN BR	0.05			29.32		6.9	25	270	20	270
30	17	0	9	-19.9				56	0	0754	1716	SN BR	T			29.17		9.7	29	290	23	290
31	15	-3*	6	-22.8				59	0	0754	1716		T			29.42		5.9	13	330	10	330
	37.2	21.7	29.5									**Monthly Averages | Totals**	0.70s			29.12	30.12	8.7				
	-2.1	-3.1	-2.6									**Departure from Normal (1981-2010)**	-2.11s									

Degree Days

	Monthly		Season-to-date	
	Total	Departure	Total	Departure
Heating	1099	78	2137	
Cooling	0	0	849	

Number of days with...

Temperature				Precipitation		Snow	Weather	
Max		Min						
>=90°	<=32°	<=32°	<=0°	>=0.01"	>=0.1"	>=1"	T-Storms	Heavy Fog
0	11	27	2	6s	1s			

Date of 5-sec to 3-sec wind equipment change

N/A

Sea Level Pressure

		Date	Time
Maximum	30.74	28	0831
Minimum	29.40	13	2152

Greatest...

24-Hr...		Snow Depth
Precip	Snowfall	
0.58		
Date		
22-23		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
December 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	CLR:00	10.00		36	2.2	36	2.0	35	1.7	97	5	240		29.21	1	-0.03	30.19	FM-15	0.00	30.18
01	0153	7	CLR:00	10.00		32	0.0	32	0.0	32	0.0	100	5	260		29.22			30.21	FM-15	0.00	30.19
01	0253	7	CLR:00	9.00		33	0.6	33	0.6	33	0.6	100	6	270		29.23			30.22	FM-15	0.00	30.21
01	0353	7	CLR:00	9.00		32	0.0	32	0.0	32	0.0	100	6	260		29.23	0	-0.03	30.22	FM-15	0.00	30.20
01	0453	7	CLR:00	9.00		29	-1.7	29	-1.7	29	-1.7	100	6	290		29.23			30.23	FM-15	0.00	30.21
01	0553	7	CLR:00	7.00		32	0.0	32	0.0	32	0.0	100	0	000		29.25			30.24	FM-15	0.00	30.22
01	0631	7	CLR:00	1.75	BR:1 ||	30	-1.1	30	-1.1	30	-1.1	100	0	000		29.25				FM-16		30.22
01	0640	7	CLR:00	0.75	BR:1 ||	29	-1.7	29	-1.7	29	-1.7	100	0	000		29.26				FM-16		30.23
01	0646	7	CLR:00	2.00	BR:1 ||	29	-1.7	29	-1.7	29	-1.7	100	0	000		29.26				FM-16		30.23
01	0653	7	CLR:00	6.00	BR:1 ||	28	-2.2	28	-2.2	28	-2.2	100	0	000		29.26	3	-0.03	30.26	FM-15	0.00	30.24
01	0704	7	CLR:00	6.00	BR:1 ||	29	-1.7	29	-1.7	29	-1.7	100	0	000		29.26				FM-16		30.24
01	0753	7	CLR:00	6.00	BR:1 ||	30	-1.1	30	-1.1	30	-1.1	100	0	000		29.28			30.28	FM-15	0.00	30.26
01	0853	7	CLR:00	6.00	BR:1 ||	31	-0.6	31	-0.6	31	-0.6	100	0	000		29.30			30.30	FM-15	0.00	30.28
01	0953	7	CLR:00	10.00		39	3.9	37	2.9	35	1.7	86	0	000		29.30	1	-0.04	30.29	FM-15	0.00	30.28
01	1053	7	CLR:00	10.00		42	5.6	39	4.1	36	2.2	79	0	000		29.30			30.30	FM-15	0.00	30.28
01	1153	7	CLR:00	10.00		45	7.2	41	5.2	37	2.8	74	0	000		29.28			30.28	FM-15	0.00	30.26
01	1253	7	CLR:00	10.00		48	8.9	42	5.7	35	1.7	61	0	000		29.27	8	+0.03	30.26	FM-15	0.00	30.25
01	1353	7	CLR:00	10.00		50	10.0	42	5.8	33	0.6	52	5	230		29.26			30.26	FM-15	0.00	30.24
01	1453	7	CLR:00	10.00		50	10.0	42	5.4	31	-0.6	48	3	VRB		29.26			30.25	FM-15	0.00	30.23
01	1553	7	CLR:00	10.00		49	9.4	42	5.3	32	0.0	52	5	250		29.26	6	+0.02	30.24	FM-15	0.00	30.23
01	1653	7	CLR:00	10.00		44	6.7	39	3.8	32	0.0	63	6	290		29.26			30.25	FM-15	0.00	30.23
01	1753	7	CLR:00	10.00		41	5.0	37	2.5	30	-1.1	65	0	000		29.26			30.25	FM-15	0.00	30.23
01	1853	7	CLR:00	10.00		43	6.1	38	3.5	32	0.0	65	0	000		29.26	3	-0.00	30.25	FM-15	0.00	30.23
01	1953	7	CLR:00	10.00		38	3.3	35	1.8	31	-0.6	76	0	000		29.26			30.26	FM-15	0.00	30.23
01	2053	7	CLR:00	10.00		37	2.8	35	1.4	31	-0.6	79	0	000		29.25			30.25	FM-15	0.00	30.22
01	2153	7	CLR:00	10.00		35	1.7	33	0.8	31	-0.6	85	0	000		29.26	8	+0.01	30.25	FM-15	0.00	30.23
01	2253	7	CLR:00	10.00		32	0.0	31	-0.4	30	-1.1	92	0	000		29.25			30.24	FM-15	0.00	30.22
01	2353	7	CLR:00	10.00		32	0.0	31	-0.6	29	-1.7	88	0	000		29.25			30.24	FM-15	0.00	30.22
02	0053	7	CLR:00	9.00		32	0.0	31	-0.4	30	-1.1	92	0	000		29.23	8	+0.01	30.23	FM-15	0.00	30.21
02	0153	7	CLR:00	10.00		30	-1.1	29	-1.5	28	-2.2	92	0	000		29.23			30.22	FM-15	0.00	30.21
02	0253	7	CLR:00	10.00		30	-1.1	30	-1.3	29	-1.7	96	0	000		29.23			30.22	FM-15	0.00	30.21
02	0353	7	CLR:00	9.00		30	-1.1	30	-1.3	29	-1.7	96	0	000		29.23	6	+0.01	30.22	FM-15	0.00	30.20
02	0453	7	CLR:00	8.00		28	-2.2	28	-2.2	28	-2.2	100	0	000		29.23			30.23	FM-15	0.00	30.21
02	0553	7	CLR:00	7.00		29	-1.7	28	-2.1	27	-2.8	92	0	000		29.23			30.23	FM-15	0.00	30.20
02	0653	7	CLR:00	7.00		27	-2.8	27	-2.8	27	-2.8	100	0	000		29.23	3	-0.01	30.23	FM-15	0.00	30.21
02	0753	7	CLR:00	4.00	BR:1 ||	28	-2.2	28	-2.4	27	-2.8	96	0	000		29.23			30.23	FM-15	0.00	30.21
02	0853	7	CLR:00	6.00	BR:1 ||	31	-0.6	31	-0.8	30	-1.1	96	0	000		29.25			30.24	FM-15	0.00	30.22
02	0953	7	CLR:00	8.00		37	2.8	35	1.9	33	0.6	86	0	000		29.26	3	-0.02	30.25	FM-15	0.00	30.23
02	1053	7	CLR:00	10.00		42	5.6	39	3.7	34	1.1	73	0	000		29.26			30.25	FM-15	0.00	30.23
02	1153	7	BKN:07 110	10.00		45	7.2	40	4.6	34	1.1	66	8	180		29.21			30.20	FM-15	0.00	30.18
02	1253	7	FEW:02 110	10.00		47	8.3	41	5.1	34	1.1	61	5	VRB		29.18	8	+0.08	30.17	FM-15	0.00	30.15
02	1353	7	CLR:00	10.00		49	9.4	42	5.7	34	1.1	56	7	170		29.17			30.16	FM-15	0.00	30.14
02	1453	7	CLR:00	10.00		49	9.4	42	5.7	34	1.1	56	8	160		29.16			30.14	FM-15	0.00	30.13
02	1553	7	SCT:04 85	10.00		49	9.4	42	5.7	34	1.1	56	7	120		29.15	8	+0.03	30.14	FM-15	0.00	30.12
02	1653	7	SCT:04 90	10.00		47	8.3	41	4.9	33	0.6	59	6	170		29.15			30.14	FM-15	0.00	30.12
02	1753	7	CLR:00	10.00		43	6.1	39	3.7	33	0.6	68	3	320		29.17			30.16	FM-15	0.00	30.14
02	1853	7	CLR:00	10.00		41	5.0	38	3.1	33	0.6	73	0	000		29.17	2	-0.02	30.17	FM-15	0.00	30.14

02	1953	7	CLR:00	10.00		39	3.9	36	2.5	33	0.6	79	0	000		29.17			30.17	FM-15	0.00	30.14
02	2053	7	CLR:00	10.00		37	2.8	35	1.6	32	0.0	82	6	120		29.15			30.15	FM-15	0.00	30.12
02	2153	7	CLR:00	9.00		34	1.1	33	0.5	31	-0.6	89	5	310		29.18	3	-0.01	30.17	FM-15	0.00	30.15
02	2253	7	CLR:00	8.00		34	1.1	33	0.7	32	0.0	92	5	290		29.19			30.17	FM-15	0.00	30.16
02	2353	7	CLR:00	9.00		37	2.8	35	1.9	33	0.6	86	0	000		29.18			30.16	FM-15	0.00	30.15
03	0053	7	CLR:00	8.00		33	0.6	32	0.1	31	-0.6	92	0	000		29.18	8	+0.00	30.16	FM-15	0.00	30.15
03	0153	7	CLR:00	6.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	0	000		29.18			30.17	FM-15	0.00	30.15
03	0253	7	CLR:00	4.00	BR:1 ||	32	0.0	31	-0.4	30	-1.1	92	0	000		29.19			30.17	FM-15	0.00	30.16
03	0353	7	CLR:00	7.00		30	-1.1	30	-1.3	29	-1.7	96	0	000		29.19	1	-0.01	30.18	FM-15	0.00	30.16
03	0453	7	CLR:00	6.00	BR:1 ||	30	-1.1	30	-1.1	30	-1.1	100	0	000		29.19			30.18	FM-15	0.00	30.16
03	0553	7	CLR:00	6.00	BR:1 ||	28	-2.2	28	-2.4	27	-2.8	96	0	000		29.20			30.19	FM-15	0.00	30.17
03	0653	7	CLR:00	4.00	BR:1 ||	30	-1.1	30	-1.3	29	-1.7	96	0	000		29.22	3	-0.03	30.22	FM-15	0.00	30.19
03	0753	7	CLR:00	3.00	BR:1 ||	28	-2.2	28	-2.2	28	-2.2	100	0	000		29.23			30.23	FM-15	0.00	30.21
03	0853	7	CLR:00	3.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	0	000		29.26			30.26	FM-15	0.00	30.23
03	0953	7	CLR:00	5.00	BR:1 ||	39	3.9	37	2.9	35	1.7	86	0	000		29.27	1	-0.05	30.27	FM-15	0.00	30.25
03	1053	7	CLR:00	8.00		44	6.7	40	4.3	34	1.1	68	0	000		29.27			30.27	FM-15	0.00	30.25
03	1153	7	CLR:00	9.00		49	9.4	43	5.9	35	1.7	59	0	000		29.26			30.25	FM-15	0.00	30.24
03	1253	7	CLR:00	10.00		52	11.1	44	6.8	35	1.7	53	0	000		29.25	8	+0.02	30.23	FM-15	0.00	30.22
03	1353	7	CLR:00	10.00		54	12.2	45	7.1	34	1.1	47	0	000		29.23			30.22	FM-15	0.00	30.21
03	1453	7	CLR:00	10.00		54	12.2	44	6.9	33	0.6	45	6	260		29.23			30.21	FM-15	0.00	30.20
03	1553	7	CLR:00	10.00		55	12.8	45	7.0	32	0.0	42	0	000		29.23	6	+0.02	30.21	FM-15	0.00	30.20
03	1653	7	CLR:00	10.00		50	10.0	42	5.8	33	0.6	52	3	160		29.23			30.22	FM-15	0.00	30.20
03	1753	7	CLR:00	10.00		49	9.4	43	5.9	35	1.7	59	5	160		29.23			30.23	FM-15	0.00	30.21
03	1853	7	CLR:00	10.00		46	7.8	41	5.1	35	1.7	66	0	000		29.25	3	-0.03	30.24	FM-15	0.00	30.22
03	1953	7	CLR:00	10.00		41	5.0	38	3.3	34	1.1	76	0	000		29.26			30.25	FM-15	0.00	30.23
03	2053	7	CLR:00	9.00		39	3.9	37	2.5	33	0.6	79	5	140		29.25			30.24	FM-15	0.00	30.22
03	2153	7	CLR:00	8.00		37	2.8	35	1.9	33	0.6	86	0	000		29.25	8	+0.00	30.24	FM-15	0.00	30.22
03	2253	7	CLR:00	9.00		39	3.9	36	2.5	33	0.6	79	3	140		29.23			30.22	FM-15	0.00	30.21
03	2353	7	CLR:00	8.00		37	2.8	35	1.6	32	0.0	82	5	120		29.23			30.22	FM-15	0.00	30.21
04	0053	7	CLR:00	9.00		38	3.3	36	2.2	33	0.6	83	6	120		29.23	8	+0.02	30.21	FM-15	0.00	30.20
04	0153	7	CLR:00	9.00		34	1.1	33	0.5	31	-0.6	89	7	120		29.22			30.20	FM-15	0.00	30.19
04	0253	7	CLR:00	9.00		37	2.8	35	1.6	32	0.0	82	3	090		29.22			30.20	FM-15	0.00	30.19
04	0353	7	CLR:00	10.00		39	3.9	36	2.3	32	0.0	76	5	140		29.23	3	-0.01	30.22	FM-15	0.00	30.21
04	0453	7	CLR:00	10.00		38	3.3	36	2.0	32	0.0	79	7	120		29.22			30.20	FM-15	0.00	30.19
04	0553	7	CLR:00	10.00		37	2.8	35	1.6	32	0.0	82	6	130		29.22			30.20	FM-15	0.00	30.19
04	0653	7	CLR:00	10.00		37	2.8	35	1.6	32	0.0	82	8	130		29.21	6	+0.02	30.19	FM-15	0.00	30.18
04	0753	7	BKN:07 110	10.00		37	2.8	35	1.6	32	0.0	82	6	130		29.23			30.22	FM-15	0.00	30.20
04	0853	7	FEW:02 120	10.00		41	5.0	38	3.1	33	0.6	73	9	130		29.21			30.19	FM-15	0.00	30.18
04	0953	7	FEW:02 100	10.00		44	6.7	40	4.3	34	1.1	68	7	130		29.19	8	+0.02	30.18	FM-15	0.00	30.16
04	1053	7	CLR:00	10.00		48	8.9	42	5.7	35	1.7	61	11	150		29.17			30.15	FM-15	0.00	30.14
04	1153	7	CLR:00	10.00		51	10.6	45	6.9	37	2.8	59	14	180		29.14			30.12	FM-15	0.00	30.11
04	1253	7	CLR:00	10.00		54	12.2	46	7.8	37	2.8	53	13	160		29.10	8	+0.09	30.08	FM-15	0.00	30.07
04	1353	7	CLR:00	10.00		55	12.8	47	8.3	38	3.3	53	9	160		29.06			30.04	FM-15	0.00	30.03
04	1453	7	CLR:00	10.00		55	12.8	47	8.5	39	3.9	55	13	170		29.05			30.02	FM-15	0.00	30.02
04	1553	7	CLR:00	10.00		56	13.3	48	8.7	39	3.9	53	14	160		29.03	6	+0.07	30.00	FM-15	0.00	30.00
04	1653	7	CLR:00	10.00		55	12.8	47	8.5	39	3.9	55	13	170		29.02			30.00	FM-15	0.00	29.99
04	1753	7	CLR:00	10.00		54	12.2	47	8.2	39	3.9	57	13	160		29.01			29.98	FM-15	0.00	29.98
04	1853	7	FEW:02 120	10.00		54	12.2	46	8.0	38	3.3	55	8	160		29.00	8	+0.02	29.98	FM-15	0.00	29.97
04	1953	7	BKN:07 95	10.00		55	12.8	46	8.0	37	2.8	51	11	160		28.97			29.95	FM-15	0.00	29.94
04	2053	7	FEW:02 100 SCT:04 120	10.00		54	12.2	46	7.8	37	2.8	53	11	170		28.96			29.94	FM-15	0.00	29.93
04	2153	7	OVC:08 100	10.00		55	12.8	46	8.0	37	2.8	51	11	170		28.96	6	+0.04	29.93	FM-15	0.00	29.93
04	2253	7	FEW:02 60 BKN:07 70 OVC:08 90	10.00		56	13.3	47	8.3	37	2.8	49	10	170		28.96			29.93	FM-15	0.00	29.93
04	2353	7	SCT:04 44 BKN:07 60 OVC:08 90	8.00	-RA:02 |RA |	52	11.1	48	8.9	44	6.7	75	13	170		28.95			29.92	FM-15	0.02	29.92

05	0053	7	BKN:07 55 OVC:08 70	10.00		51	10.6	49	9.7	48	8.9	89	13	170		28.91	8	+0.05	29.88	FM-15	0.07	29.88
05	0153	7	SCT:04 65 BKN:07 80	10.00		51	10.6	48	9.2	46	7.8	83	11	170	23	28.90			29.85	FM-15	0.00	29.86
05	0253	7	BKN:07 50 BKN:07 70	10.00		53	11.7	49	9.4	45	7.2	74	14	170		28.89			29.85	FM-15	0.00	29.85
05	0353	7	BKN:07 45 BKN:07 70 OVC:08 90	3.00	RA:02 BR:1 |RA |	50	10.0	48	9.2	47	8.3	89	7	190		28.90	5	+0.01	29.86	FM-15	0.06s	29.86
05	0414	7	FEW:02 33 BKN:07 49 OVC:08 65	2.50	VCTS:7 +RA:02 BR:1 |RA |	50	10.0	49	9.4	48	8.9	93	10	190		28.91				FM-16	0.05	29.88
05	0426	7	FEW:02 39 BKN:07 49 OVC:08 90	4.00	VCTS:7 -RA:02 BR:1 |RA |	50	10.0	49	9.4	48	8.9	93	9	180		28.90				FM-16	0.08	29.87
05	0445	7	SCT:04 47 OVC:08 75	4.00	RA:02 BR:1 |RA |	51	10.6	50	10.3	50	10.0	96	14	200		28.90				FM-16	0.14	29.87
05	0453	7	FEW:02 47 OVC:08 75	5.00	RA:02 BR:1 |RA |	51	10.6	50	10.3	50	10.0	96	16	190		28.90			29.87	FM-15	0.16	29.87
05	0553	7	SCT:04 30 BKN:07 49 OVC:08 70	6.00	-RA:02 BR:1 |RA |	52	11.1	51	10.8	51	10.6	97	13	190	21	28.90			29.86	FM-15	0.06	29.87
05	0643	7	BKN:07 12 BKN:07 19 OVC:08 80	7.00	-RA:02 |RA |	52	11.1	52	11.1	52	11.1	100	15	190	25	28.90				FM-16	0.05	29.86
05	0653	7	BKN:07 12 OVC:08 85	6.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	16	190		28.90	0	-0.00	29.86	FM-15	0.05	29.86
05	0753	7	OVC:08 11	10.00		53	11.7	53	11.7	53	11.7	100	13	190		28.90			29.86	FM-15	T	29.86
05	0853	7	OVC:08 11	10.00		54	12.2	54	12.2	54	12.2	100	11	220		28.91			29.88	FM-15	0.00	29.88
05	0921	7	BKN:07 9 OVC:08 13	10.00		50	10.0	49	9.4	48	8.9	93	15	290	24	28.91				FM-16		29.88
05	0934	7	BKN:07 9 OVC:08 13	10.00		49	9.4	48	8.9	47	8.3	93	14	280		28.92				FM-16		29.89
05	0951	6	OVC:08 16	10.00		48	9.0	47	8.3	46	8.0	94	13	290		28.92				FM-16		29.89
05	0953	7	OVC:08 16	10.00		49	9.4	47	8.6	46	7.8	90	9	290		28.92	3	-0.02	29.89	FM-15	0.00	29.89
05	1020	7	OVC:08 14	10.00		48	8.9	47	8.1	45	7.2	89	11	280		28.94				FM-16		29.91
05	1053	7	BKN:07 14 OVC:08 23	10.00		47	8.3	46	7.5	44	6.7	90	14	290		28.96			29.93	FM-15	0.00	29.93
05	1151	6	FEW:02 17 BKN:07 33 OVC:08 41	10.00		45	7.0	43	6.2	41	5.0	87	14	290		28.94				FM-16		29.91
05	1153	7	SCT:04 17 BKN:07 33 OVC:08 41	10.00		45	7.2	43	6.2	41	5.0	86	15	290		28.94			29.91	FM-15	0.00	29.91
05	1253	7	SCT:04 17 BKN:07 33 OVC:08 41	10.00		46	7.8	43	6.0	39	3.9	77	14	270		28.94	0	-0.02	29.91	FM-15	0.00	29.91
05	1353	7	CLR:00	10.00		43	6.1	39	4.2	35	1.7	74	16	270	23	28.91			29.89	FM-15	0.00	29.88
05	1453	7	FEW:02 120	10.00		42	5.6	37	3.0	31	-0.6	65	18	260	31	28.95			29.92	FM-15	0.00	29.92
05	1541	7	BKN:07 26 BKN:07 110	10.00		41	5.0	38	3.1	33	0.6	73	16	260	24	28.96				FM-16		29.93
05	1553	7	BKN:07 26 BKN:07 33	10.00		41	5.0	37	2.9	32	0.0	70	16	260	29	28.97	3	-0.03	29.95	FM-15	0.00	29.94
05	1601	7	SCT:04 26 SCT:04 32 BKN:07 120	10.00		40	4.4	37	2.6	32	0.0	73	20	270		28.98				FM-16		29.95
05	1653	7	SCT:04 110	10.00		37	2.8	33	0.6	27	-2.8	67	21	260	29	29.00			29.98	FM-15	0.00	29.97
05	1753	7	CLR:00	10.00		35	1.7	30	-1.1	21	-6.1	57	20	270	29	29.03			30.01	FM-15	0.00	30.00
05	1853	7	CLR:00	10.00		34	1.1	29	-1.4	21	-6.1	59	15	270	22	29.05	1	-0.08	30.03	FM-15	0.00	30.02
05	1953	7	CLR:00	10.00		32	0.0	28	-2.1	21	-6.1	64	10	250	20	29.08			30.06	FM-15	0.00	30.05
05	2053	7	CLR:00	10.00		31	-0.6	28	-2.5	21	-6.1	67	9	260		29.11			30.09	FM-15	0.00	30.08
05	2153	7	CLR:00	10.00		31	-0.6	28	-2.5	21	-6.1	67	10	240		29.10	0	-0.05	30.09	FM-15	0.00	30.07
05	2253	7	CLR:00	10.00		31	-0.6	28	-2.5	21	-6.1	67	15	230	21	29.11			30.09	FM-15	0.00	30.08

05	2353	7	CLR:00	10.00		31	-0.6	28	-2.5	21	-6.1	67	11	250		29.13			30.11	FM-15	0.00	30.10
06	0053	7	CLR:00	10.00		30	-1.1	27	-2.8	21	-6.1	69	9	250		29.12	0	-0.02	30.11	FM-15	0.00	30.09
06	0153	7	CLR:00	10.00		30	-1.1	27	-2.8	21	-6.1	69	13	230		29.13			30.11	FM-15	0.00	30.10
06	0253	7	CLR:00	10.00		29	-1.7	26	-3.2	21	-6.1	72	9	210		29.13			30.12	FM-15	0.00	30.10
06	0353	7	CLR:00	10.00		27	-2.8	25	-3.7	22	-5.6	81	8	190		29.12	8	+0.01	30.11	FM-15	0.00	30.09
06	0453	7	CLR:00	10.00		27	-2.8	25	-3.7	22	-5.6	81	10	200		29.12			30.11	FM-15	0.00	30.09
06	0553	7	CLR:00	10.00		28	-2.2	26	-3.4	22	-5.6	78	11	200		29.11			30.10	FM-15	0.00	30.08
06	0653	7	CLR:00	10.00		28	-2.2	26	-3.4	22	-5.6	78	10	200		29.11	6	+0.01	30.10	FM-15	0.00	30.08
06	0753	7	CLR:00	10.00		28	-2.2	26	-3.4	22	-5.6	78	10	200		29.10			30.10	FM-15	0.00	30.07
06	0853	7	CLR:00	10.00		30	-1.1	28	-2.5	23	-5.0	75	10	190		29.09			30.09	FM-15	0.00	30.06
06	0953	7	CLR:00	10.00		33	0.6	30	-1.3	24	-4.4	70	11	210		29.09	6	+0.01	30.09	FM-15	0.00	30.06
06	1053	7	OVC:08 80	10.00		37	2.8	32	0.1	24	-4.4	59	16	210		29.07			30.06	FM-15	0.00	30.04
06	1153	7	OVC:08 80	10.00		39	3.9	33	0.7	24	-4.4	55	23	220	29	29.03			30.03	FM-15	0.00	30.00
06	1253	7	CLR:00	10.00		42	5.6	35	1.7	24	-4.4	49	17	240	29	29.02	6	+0.06	30.01	FM-15	T	29.99
06	1353	7	FEW:02 55	10.00		43	6.1	36	2.0	24	-4.4	47	23	250	32	29.03			30.02	FM-15	0.00	30.00
06	1453	7	CLR:00	10.00		42	5.6	35	1.9	25	-3.9	51	22	250	29	29.02			30.01	FM-15	0.00	29.99
06	1553	7	FEW:02 43	10.00		41	5.0	35	1.5	25	-3.9	53	15	250	29	29.03	3	-0.00	30.02	FM-15	0.00	30.00
06	1653	7	FEW:02 48	10.00		38	3.3	33	0.6	25	-3.9	60	13	260	23	29.03			30.02	FM-15	0.00	30.00
06	1753	7	SCT:04 49	10.00		37	2.8	33	0.4	26	-3.3	65	9	250		29.05			30.04	FM-15	0.00	30.02
06	1853	7	BKN:07 50	10.00		36	2.2	32	-0.1	25	-3.9	64	9	270		29.07	3	-0.04	30.07	FM-15	0.00	30.04
06	1953	7	BKN:07 55	10.00		35	1.7	31	-0.4	25	-3.9	67	8	250		29.08			30.08	FM-15	0.00	30.05
06	2053	7	CLR:00	10.00		34	1.1	31	-0.6	26	-3.3	73	7	260		29.10			30.09	FM-15	0.00	30.07
06	2153	7	CLR:00	10.00		34	1.1	31	-0.7	25	-3.9	70	10	260		29.10	1	-0.03	30.09	FM-15	0.00	30.07
06	2253	7	CLR:00	10.00		32	0.0	29	-1.4	25	-3.9	75	7	260		29.10			30.10	FM-15	0.00	30.07
06	2353	7	CLR:00	10.00		32	0.0	29	-1.6	24	-4.4	73	9	240		29.11			30.10	FM-15	0.00	30.08
07	0053	7	OVC:08 55	10.00		33	0.6	30	-1.1	25	-3.9	72	7	260		29.08	8	+0.01	30.07	FM-15	0.00	30.05
07	0153	7	OVC:08 55	10.00		34	1.1	30	-0.9	24	-4.4	67	7	240		29.09			30.07	FM-15	0.00	30.06
07	0253	7	FEW:02 37 OVC:08 47	10.00		33	0.6	30	-1.1	25	-3.9	72	6	210		29.08			30.07	FM-15	0.00	30.05
07	0353	7	CLR:00	10.00		30	-1.1	28	-2.3	24	-4.4	79	7	210		29.08	8	+0.01	30.07	FM-15	0.00	30.05
07	0453	7	CLR:00	10.00		28	-2.2	27	-3.0	24	-4.4	85	7	210		29.07			30.06	FM-15	0.00	30.04
07	0553	7	SCT:04 30	10.00		29	-1.7	27	-2.6	24	-4.4	82	8	220		29.07			30.06	FM-15	0.00	30.04
07	0653	7	BKN:07 55 OVC:08 80	10.00		31	-0.6	29	-1.8	25	-3.9	79	7	230		29.08	5	+0.00	30.07	FM-15	0.00	30.05
07	0713	7	BKN:07 29 BKN:07 55 OVC:08 80	10.00		31	-0.6	29	-1.6	26	-3.3	82	8	250		29.08				FM-16		30.05
07	0720	7	BKN:07 55 OVC:08 80	10.00		31	-0.6	29	-1.6	26	-3.3	82	8	260		29.08				FM-16		30.05
07	0751	6	BKN:07 24 OVC:08 65	10.00		30	-1.0	29	-1.7	27	-3.0	86	9	270		29.09				FM-16		30.06
07	0753	7	BKN:07 24 OVC:08 65	10.00		31	-0.6	29	-1.8	25	-3.9	79	8	270		29.09			30.08	FM-15	0.00	30.06
07	0853	7	BKN:07 21 BKN:07 47 OVC:08 70	10.00		30	-1.1	27	-2.7	22	-5.6	72	8	270		29.10			30.10	FM-15	0.00	30.07
07	0951	6	FEW:02 27 BKN:07 49 OVC:08 75	10.00		30	-1.0	27	-2.8	21	-6.0	69	10	260		29.11				FM-16		30.08
07	0953	7	FEW:02 27 BKN:07 49 OVC:08 60	10.00		31	-0.6	28	-2.5	21	-6.1	67	11	270		29.11	2	-0.04	30.11	FM-15	0.00	30.08
07	1053	7	BKN:07 31 BKN:07 50 OVC:08 70	10.00		33	0.6	29	-1.8	21	-6.1	61	14	300	21	29.12			30.11	FM-15	0.00	30.09
07	1153	7	BKN:07 31	10.00		31	-0.6	27	-2.6	20	-6.7	64	17	270	26	29.12			30.11	FM-15	0.00	30.09
07	1253	7	OVC:08 29	9.00		29	-1.7	25	-3.7	18	-7.8	63	18	280		29.11	0	-0.00	30.11	FM-15	T	30.08
07	1353	7	OVC:08 23	10.00		27	-2.8	24	-4.4	18	-7.8	69	17	260	24	29.12			30.11	FM-15	0.00	30.09
07	1453	7	OVC:08 26	9.00	-SN:03 |SN |	26	-3.3	23	-4.8	18	-7.8	71	18	270	23	29.14			30.14	FM-15	T	30.11
07	1553	7	OVC:08 28	9.00	-SN:03 |SN |	26	-3.3	23	-4.8	18	-7.8	71	16	280	22	29.14	3	-0.03	30.14	FM-15	T	30.11

07	1653	7	OVC:08 29	10.00		25	-3.9	22	-5.4	16	-8.9	69	17	270		29.15			30.16	FM-15	T	30.12
07	1753	7	OVC:08 28	10.00		25	-3.9	22	-5.4	16	-8.9	69	13	280		29.18			30.19	FM-15	0.00	30.15
07	1853	7	OVC:08 27	10.00		24	-4.4	21	-6.0	15	-9.4	68	15	290	21	29.20	3	-0.05	30.20	FM-15	0.00	30.17
07	1953	7	OVC:08 28	10.00		24	-4.4	22	-5.8	16	-8.9	71	11	280		29.20			30.20	FM-15	0.00	30.17
07	2053	7	OVC:08 28	10.00		23	-5.0	20	-6.5	14	-10.0	68	14	300		29.19			30.20	FM-15	0.00	30.16
07	2153	7	OVC:08 28	10.00		23	-5.0	20	-6.5	14	-10.0	68	13	290		29.18	8	+0.01	30.19	FM-15	0.00	30.15
07	2230	7	BKN:07 30	10.00		22	-5.6	20	-6.9	14	-10.0	71	9	280		29.18				FM-16		30.15
07	2253	7	BKN:07 30	10.00		21	-6.1	19	-7.2	14	-10.0	74	7	270		29.17			30.18	FM-15	0.00	30.14
07	2304	7	BKN:07 29	10.00		22	-5.6	20	-6.9	14	-10.0	71	5	250		29.18				FM-16		30.15
07	2349	7	OVC:08 30	10.00		21	-6.0	20	-6.9	16	-9.0	80	7	230		29.18				FM-16		30.15
07	2353	7	OVC:08 30	10.00		22	-5.6	20	-6.7	15	-9.4	75	5	230		29.18			30.18	FM-15	0.00	30.15
08	0053	7	CLR:00	10.00		21	-6.1	19	-7.1	15	-9.4	78	7	220		29.16	8	+0.01	30.17	FM-15	0.00	30.13
08	0153	7	CLR:00	10.00		20	-6.7	18	-7.6	14	-10.0	78	7	220		29.16			30.16	FM-15	0.00	30.13
08	0253	7	CLR:00	10.00		20	-6.7	18	-7.6	14	-10.0	78	7	230		29.16			30.17	FM-15	0.00	30.13
08	0353	7	CLR:00	10.00		19	-7.2	18	-7.9	15	-9.4	84	7	230		29.15	7	+0.01	30.16	FM-15	0.00	30.12
08	0453	7	CLR:00	10.00		19	-7.2	18	-7.9	15	-9.4	84	8	210		29.14			30.15	FM-15	0.00	30.11
08	0553	7	CLR:00	10.00		19	-7.2	18	-7.9	15	-9.4	84	7	220		29.13			30.14	FM-15	0.00	30.10
08	0653	7	CLR:00	10.00		19	-7.2	18	-7.9	15	-9.4	84	8	210		29.13	5	+0.02	30.14	FM-15	0.00	30.10
08	0753	7	CLR:00	9.00		18	-7.8	17	-8.3	15	-9.4	88	8	230		29.14			30.15	FM-15	0.00	30.11
08	0853	7	CLR:00	10.00		20	-6.7	19	-7.3	16	-8.9	85	8	230		29.12			30.13	FM-15	0.00	30.09
08	0953	7	CLR:00	10.00		23	-5.0	20	-6.5	14	-10.0	68	9	250		29.16	3	-0.02	30.16	FM-15	0.00	30.13
08	1053	7	CLR:00	10.00		25	-3.9	22	-5.7	14	-10.0	63	14	230		29.13			30.14	FM-15	0.00	30.10
08	1153	7	CLR:00	10.00		26	-3.3	22	-5.5	13	-10.6	57	9	220		29.10			30.11	FM-15	0.00	30.07
08	1253	7	CLR:00	10.00		27	-2.8	23	-5.0	14	-10.0	58	11	220	18	29.09	6	+0.06	30.09	FM-15	0.00	30.06
08	1353	7	CLR:00	10.00		28	-2.2	24	-4.6	14	-10.0	56	10	210		29.05			30.06	FM-15	0.00	30.02
08	1453	7	CLR:00	10.00		29	-1.7	24	-4.3	14	-10.0	54	13	210		29.05			30.06	FM-15	0.00	30.02
08	1553	7	CLR:00	10.00		29	-1.7	24	-4.5	12	-11.1	49	10	210		29.02	6	+0.06	30.03	FM-15	0.00	29.99
08	1653	7	CLR:00	10.00		28	-2.2	23	-4.9	12	-11.1	51	10	210		29.03			30.03	FM-15	0.00	30.00
08	1753	7	CLR:00	10.00		26	-3.3	22	-5.6	12	-11.1	55	5	230		29.00			30.01	FM-15	0.00	29.97
08	1853	7	CLR:00	10.00		24	-4.4	21	-6.4	12	-11.1	60	6	200		29.00	8	+0.02	30.01	FM-15	0.00	29.97
08	1953	7	CLR:00	10.00		24	-4.4	21	-6.2	13	-10.6	62	8	200		29.03			30.03	FM-15	0.00	30.00
08	2053	7	CLR:00	10.00		24	-4.4	21	-6.4	12	-11.1	60	6	200		29.00			30.01	FM-15	0.00	29.97
08	2153	7	CLR:00	10.00		24	-4.4	21	-6.2	13	-10.6	62	8	210		28.99	8	+0.01	29.99	FM-15	0.00	29.96
08	2253	7	CLR:00	10.00		22	-5.6	19	-7.0	13	-10.6	68	6	190		28.98			29.98	FM-15	0.00	29.95
08	2353	7	CLR:00	10.00		22	-5.6	20	-6.9	14	-10.0	71	7	180		28.97			29.98	FM-15	0.00	29.94
09	0053	7	CLR:00	10.00		20	-6.7	19	-7.5	15	-9.4	81	5	200		28.96	8	+0.03	29.96	FM-15	0.00	29.93
09	0153	7	CLR:00	10.00		20	-6.7	19	-7.5	15	-9.4	81	6	200		28.93			29.93	FM-15	0.00	29.90
09	0253	7	CLR:00	10.00		20	-6.7	18	-7.8	13	-10.6	74	6	180		28.93			29.93	FM-15	0.00	29.90
09	0353	7	CLR:00	10.00		21	-6.1	19	-7.2	14	-10.0	74	9	170		28.91	6	+0.05	29.92	FM-15	0.00	29.88
09	0453	7	CLR:00	10.00		20	-6.7	19	-7.5	15	-9.4	81	6	180		28.89			29.88	FM-15	0.00	29.85
09	0553	7	CLR:00	10.00		20	-6.7	19	-7.5	15	-9.4	81	7	150		28.87			29.87	FM-15	0.00	29.83
09	0653	7	SCT:04 110	10.00		20	-6.7	19	-7.5	15	-9.4	81	8	170		28.87	5	+0.04	29.88	FM-15	0.00	29.84
09	0753	7	OVC:08 120	10.00		22	-5.6	20	-6.6	16	-8.9	78	11	170		28.87			29.86	FM-15	0.00	29.83
09	0853	7	OVC:08 95	10.00		23	-5.0	21	-6.2	16	-8.9	74	10	180		28.86			29.85	FM-15	0.00	29.82
09	0953	7	OVC:08 90	10.00		25	-3.9	22	-5.3	17	-8.3	72	10	160		28.84	8	+0.04	29.83	FM-15	0.00	29.80
09	1053	7	FEW:02 60 BKN:07 90 OVC:08 110	10.00		27	-2.8	24	-4.6	17	-8.3	66	11	170		28.82			29.81	FM-15	0.00	29.78
09	1153	7	OVC:08 75	10.00		28	-2.2	25	-4.0	18	-7.8	66	14	180		28.80			29.79	FM-15	0.00	29.76
09	1253	7	FEW:02 36 BKN:07 43 OVC:08 55	10.00		30	-1.1	26	-3.2	19	-7.2	64	8	VRB		28.78	6	+0.06	29.77	FM-15	T	29.74
09	1351	6	BKN:07 26 OVC:08 36	3.00	-SN:03 |SN |	30	-1.0	27	-2.8	21	-6.0	69	11	200		28.76				FM-16		29.72
09	1353	7	BKN:07 26 OVC:08 36	2.00	-SN:03 |SN |	29	-1.7	27	-3.0	22	-5.6	75	10	190		28.76			29.76	FM-15	T	29.72
09	1405	7	OVC:08 22	1.50	-SN:03 |SN |	29	-1.7	27	-2.8	23	-5.0	78	8	200		28.76				FM-16	T	29.72
09	1425	7	VV:09 16	0.75	-SN:03 BR:1 |SN |	28	-2.2	27	-2.6	26	-3.3	92	9	200		28.77				FM-16	T	29.73

09	1453	7	FEW:02 9 BKN:07 16 OVC:08 23	0.75	-SN:03 BR:1 |SN |	28	-2.2	27	-2.6	26	-3.3	92	11	200		28.78			29.78	FM-15	T	29.74
09	1503	7	FEW:02 9 SCT:04 12 OVC:08 18	1.00	-SN:03 BR:1 |SN |	28	-2.2	27	-2.6	26	-3.3	92	9	210		28.79				FM-16	T	29.75
09	1515	7	BKN:07 11 OVC:08 17	1.50	-SN:03 BR:1 |SN |	28	-2.2	27	-2.6	26	-3.3	92	10	240		28.79				FM-16	T	29.75
09	1526	7	FEW:02 11 BKN:07 20 OVC:08 28	1.50	-SN:03 BR:1 |SN |	28	-2.2	27	-3.0	24	-4.4	85	14	230		28.79				FM-16	T	29.75
09	1553	7	BKN:07 24 BKN:07 32 OVC:08 46	1.50	-SN:03 BR:1 |SN |	27	-2.8	26	-3.5	23	-5.0	85	13	230		28.81	3	-0.03	29.80	FM-15	T	29.77
09	1603	7	BKN:07 29 OVC:08 44	2.00	-SN:03 BR:1 |SN |	27	-2.8	26	-3.5	23	-5.0	85	11	240		28.82				FM-16	T	29.78
09	1620	7	BKN:07 24 BKN:07 31 OVC:08 44	1.75	-SN:03 BR:1 |SN |	27	-2.8	26	-3.5	23	-5.0	85	13	230		28.83				FM-16	T	29.79
09	1627	7	BKN:07 24 OVC:08 29	2.50	-SN:03 BR:1 |SN |	27	-2.8	26	-3.5	23	-5.0	85	10	230		28.83				FM-16	T	29.79
09	1644	7	BKN:07 24 OVC:08 30	1.50	-SN:03 BR:1 |SN |	26	-3.3	25	-3.9	23	-5.0	88	13	220		28.84				FM-16	T	29.80
09	1653	7	SCT:04 26 OVC:08 32	1.75	-SN:03 BR:1 |SN |	26	-3.3	25	-3.9	23	-5.0	88	9	230		28.84			29.83	FM-15	T	29.80
09	1702	7	FEW:02 22 OVC:08 32	2.50	-SN:03 BR:1 |SN |	26	-3.3	25	-3.9	23	-5.0	88	11	230		28.84				FM-16	T	29.80
09	1711	7	FEW:02 18 BKN:07 31 OVC:08 46	3.00	-SN:03 BR:1 |SN |	26	-3.3	25	-3.9	23	-5.0	88	8	230		28.84				FM-16	T	29.80
09	1738	7	FEW:02 16 BKN:07 27 OVC:08 44	7.00	-SN:03 |SN |	26	-3.3	25	-3.9	23	-5.0	88	8	220		28.84				FM-16	T	29.81
09	1753	7	FEW:02 18 OVC:08 26	7.00	-SN:03 |SN |	26	-3.3	25	-3.7	24	-4.4	92	9	220		28.86			29.85	FM-15	T	29.82
09	1837	7	BKN:07 14 OVC:08 21	9.00		27	-2.8	26	-3.4	24	-4.4	89	9	220		28.87				FM-16	T	29.83
09	1853	7	BKN:07 13 OVC:08 28	8.00		27	-2.8	26	-3.4	24	-4.4	89	8	230		28.87	1	-0.06	29.87	FM-15	0.00	29.84
09	1900	7	SCT:04 13 OVC:08 28	8.00		27	-2.8	26	-3.4	24	-4.4	89	9	230		28.87				FM-16		29.84
09	1953	7	FEW:02 12 BKN:07 21 OVC:08 26	6.00	BR:1 ||	27	-2.8	26	-3.2	25	-3.9	92	10	230		28.89			29.88	FM-15	T	29.85
09	2039	7	FEW:02 14 SCT:04 22 OVC:08 37	7.00		28	-2.2	27	-2.6	26	-3.3	92	10	240		28.90				FM-16	T	29.86
09	2053	7	FEW:02 15 OVC:08 39	7.00		28	-2.2	27	-2.6	26	-3.3	92	11	240		28.90			29.89	FM-15	T	29.86
09	2153	7	FEW:02 17 OVC:08 39	8.00		28	-2.2	27	-2.6	26	-3.3	92	8	260		28.91	3	-0.04	29.91	FM-15	0.00	29.88
09	2200	7	OVC:08 12	8.00		28	-2.2	27	-2.6	26	-3.3	92	9	260		28.92				FM-16		29.89
09	2253	7	BKN:07 14 BKN:07 22 OVC:08 42	8.00		29	-1.7	28	-2.3	26	-3.3	89	13	310		28.95			29.95	FM-15	0.00	29.92
09	2305	7	SCT:04 14 BKN:07 23 OVC:08 31	10.00		29	-1.7	27	-2.7	24	-4.4	82	11	320		28.96				FM-16		29.93
09	2353	7	BKN:07 17 OVC:08 25	9.00		28	-2.2	27	-3.0	24	-4.4	85	15	310		28.98			29.98	FM-15	0.00	29.95
10	0053	7	OVC:08 27	9.00		28	-2.2	27	-3.0	24	-4.4	85	9	290		29.00	1	-0.08	30.00	FM-15	0.00	29.97
10	0107	7	OVC:08 30	10.00		28	-2.2	26	-3.4	22	-5.6	78	10	290		29.00				FM-16		29.97
10	0153	7	FEW:02 30 OVC:08 37	10.00		28	-2.2	26	-3.4	22	-5.6	78	13	290		29.02			30.02	FM-15	0.00	29.99

10	0253	7	OVC:08 37	10.00		28	-2.2	26	-3.4	22	-5.6	78	9	270		29.05			30.05	FM-15	0.00	30.02
10	0353	7	OVC:08 36	10.00		27	-2.8	26	-3.5	23	-5.0	85	8	260		29.05	1	-0.06	30.06	FM-15	0.00	30.02
10	0453	7	BKN:07 33	10.00		27	-2.8	25	-3.7	22	-5.6	81	9	240		29.05			30.05	FM-15	0.00	30.02
10	0532	7	OVC:08 29	9.00		27	-2.8	26	-3.5	23	-5.0	85	10	240		29.06				FM-16		30.03
10	0553	7	OVC:08 27	9.00		27	-2.8	26	-3.4	24	-4.4	89	8	240		29.06			30.07	FM-15	0.00	30.03
10	0653	7	OVC:08 22	10.00		26	-3.3	24	-4.3	21	-6.1	81	10	260	20	29.09	3	-0.03	30.09	FM-15	0.00	30.06
10	0753	7	OVC:08 22	10.00		26	-3.3	24	-4.3	21	-6.1	81	13	220		29.09			30.09	FM-15	0.00	30.06
10	0853	7	SCT:04 19 OVC:08 29	10.00		25	-3.9	23	-5.0	19	-7.2	78	13	230		29.10			30.10	FM-15	0.00	30.07
10	0953	7	OVC:08 29	10.00		25	-3.9	23	-5.1	18	-7.8	75	17	220		29.11	3	-0.02	30.11	FM-15	0.00	30.08
10	1000	7	SCT:04 100	10.00		25	-3.9	23	-5.1	18	-7.8	75	16	220		29.11				FM-16		30.08
10	1053	7	BKN:07 75 OVC:08 95	10.00		26	-3.3	23	-4.8	18	-7.8	71	16	230		29.11			30.11	FM-15	0.00	30.08
10	1153	7	BKN:07 75 OVC:08 90	10.00		26	-3.3	23	-4.8	18	-7.8	71	15	220	23	29.09			30.09	FM-15	0.00	30.06
10	1253	7	FEW:02 65 OVC:08 90	10.00		28	-2.2	25	-3.9	19	-7.2	69	13	220		29.04	8	+0.06	30.04	FM-15	0.00	30.01
10	1353	7	SCT:04 75 BKN:07 100 BKN:07 120	10.00		29	-1.7	26	-3.4	20	-6.7	69	22	220	26	29.01			30.01	FM-15	0.00	29.98
10	1453	7	OVC:08 90	10.00		30	-1.1	27	-3.0	20	-6.7	66	18	210	25	28.99			29.99	FM-15	0.00	29.96
10	1553	7	OVC:08 90	10.00		30	-1.1	27	-2.8	21	-6.1	69	18	200	24	28.98	6	+0.06	29.98	FM-15	0.00	29.95
10	1653	7	CLR:00	10.00		30	-1.1	27	-2.8	21	-6.1	69	11	190		28.98			29.98	FM-15	0.00	29.95
10	1753	7	BKN:07 60	10.00		30	-1.1	27	-2.8	21	-6.1	69	7	220		29.02			30.01	FM-15	0.00	29.99
10	1853	7	OVC:08 49	10.00		31	-0.6	28	-2.3	22	-5.6	69	7	220		29.04	3	-0.05	30.03	FM-15	0.00	30.01
10	1953	7	OVC:08 44	10.00		31	-0.6	28	-2.3	22	-5.6	69	7	210		29.03			30.03	FM-15	0.00	30.00
10	2053	7	OVC:08 42	10.00		31	-0.6	28	-2.3	22	-5.6	69	7	200		29.02			30.02	FM-15	0.00	29.99
10	2153	7	OVC:08 42	10.00		32	0.0	28	-2.1	21	-6.1	64	11	220		29.02	6	+0.01	30.02	FM-15	0.00	29.99
10	2253	7	OVC:08 40	10.00		32	0.0	28	-2.0	22	-5.6	66	8	230		29.01			30.01	FM-15	0.00	29.98
10	2353	7	OVC:08 37	10.00		32	0.0	29	-1.8	23	-5.0	69	9	240		29.02			30.01	FM-15	0.00	29.99
11	0053	7	OVC:08 32	10.00		32	0.0	29	-1.4	25	-3.9	75	9	280		29.04	3	-0.02	30.04	FM-15	0.00	30.01
11	0123	7	OVC:08 29	10.00		32	0.0	29	-1.6	24	-4.4	73	15	310	23	29.05				FM-16		30.02
11	0153	7	OVC:08 27	10.00		31	-0.6	28	-2.1	23	-5.0	72	13	320		29.07			30.07	FM-15	0.00	30.04
11	0253	7	OVC:08 25	10.00		31	-0.6	28	-2.1	23	-5.0	72	11	300		29.08			30.07	FM-15	0.00	30.05
11	0353	7	OVC:08 25	10.00		30	-1.1	28	-2.5	23	-5.0	75	10	310		29.08	0	-0.04	30.07	FM-15	0.00	30.05
11	0453	7	OVC:08 27	10.00		30	-1.1	27	-2.7	22	-5.6	72	6	300		29.09			30.09	FM-15	0.00	30.06
11	0553	7	OVC:08 26	10.00		30	-1.1	27	-2.7	22	-5.6	72	5	310		29.10			30.09	FM-15	0.00	30.07
11	0653	7	OVC:08 24	10.00		29	-1.7	27	-2.8	23	-5.0	78	5	080		29.08	0	-0.01	30.08	FM-15	0.00	30.05
11	0753	7	OVC:08 24	10.00		30	-1.1	28	-2.5	23	-5.0	75	5	200		29.09			30.09	FM-15	0.00	30.06
11	0853	7	OVC:08 25	10.00		31	-0.6	28	-2.1	23	-5.0	72	8	220		29.09			30.08	FM-15	0.00	30.06
11	0953	7	BKN:07 26 BKN:07 65 OVC:08 80	10.00		31	-0.6	28	-2.3	22	-5.6	69	10	220		29.08	8	+0.01	30.07	FM-15	0.00	30.05
11	1004	7	SCT:04 26 OVC:08 65	10.00		31	-0.6	28	-2.3	22	-5.6	69	8	210		29.07				FM-16		30.04
11	1053	7	FEW:02 85	10.00		32	0.0	28	-2.0	22	-5.6	66	10	180		29.04			30.03	FM-15	0.00	30.01
11	1153	7	FEW:02 70 BKN:07 85	10.00		34	1.1	30	-0.9	24	-4.4	67	9	190		29.00			29.99	FM-15	0.00	29.97
11	1253	7	BKN:07 55 BKN:07 70	10.00		35	1.7	31	-0.4	25	-3.9	67	9	200		28.96	6	+0.11	29.95	FM-15	0.00	29.93
11	1353	7	SCT:04 55 BKN:07 90 BKN:07 100	10.00		36	2.2	32	-0.1	25	-3.9	64	9	180		28.92			29.92	FM-15	0.00	29.89
11	1453	7	SCT:04 90 OVC:08 110	10.00		37	2.8	33	0.4	26	-3.3	65	8	190		28.90			29.88	FM-15	0.00	29.86
11	1553	7	SCT:04 50	10.00		38	3.3	34	0.9	27	-2.8	65	7	190		28.87	6	+0.09	29.86	FM-15	0.00	29.84
11	1653	7	CLR:00	10.00		37	2.8	33	0.4	26	-3.3	65	9	140		28.84			29.82	FM-15	0.00	29.80
11	1753	7	CLR:00	10.00		35	1.7	32	-0.2	26	-3.3	70	6	110		28.81			29.80	FM-15	0.00	29.77
11	1853	7	FEW:02 120	10.00		36	2.2	33	0.3	27	-2.8	70	6	140		28.80	6	+0.08	29.78	FM-15	0.00	29.76
11	1953	7	CLR:00	10.00		36	2.2	33	0.3	27	-2.8	70	8	130		28.76			29.74	FM-15	0.00	29.72

11	2053	7	CLR:00	10.00		36	2.2	32	0.1	26	-3.3	67	9	130		28.72			29.70	FM-15	0.00	29.68
11	2153	7	CLR:00	10.00		36	2.2	33	0.3	27	-2.8	70	8	160		28.68	6	+0.11	29.66	FM-15	0.00	29.64
11	2253	7	CLR:00	10.00		37	2.8	33	0.6	27	-2.8	67	7	190		28.66			29.64	FM-15	0.00	29.62
11	2353	7	BKN:07 95	10.00		39	3.9	35	1.6	29	-1.7	67	15	240		28.65			29.63	FM-15	0.00	29.61
12	0053	7	FEW:02 55 OVC:08 90	10.00		38	3.3	34	1.3	29	-1.7	70	15	250		28.67	5	+0.01	29.65	FM-15	0.00	29.63
12	0153	7	BKN:07 44 OVC:08 65	10.00		38	3.3	34	1.3	29	-1.7	70	16	270	25	28.69			29.67	FM-15	0.00	29.65
12	0220	7	BKN:07 27 OVC:08 45	10.00		38	3.3	34	1.3	29	-1.7	70	20	290	25	28.71				FM-16		29.67
12	0253	7	OVC:08 20	9.00		35	1.7	33	0.4	29	-1.7	78	18	310	25	28.73			29.70	FM-15	T	29.69
12	0320	7	OVC:08 14	7.00		34	1.1	32	0.0	29	-1.7	82	15	290	25	28.74				FM-16		29.70
12	0330	7	BKN:07 15 OVC:08 27	7.00		34	1.1	32	0.0	29	-1.7	82	14	300	24	28.74				FM-16		29.70
12	0340	7	BKN:07 14 OVC:08 27	7.00		33	0.6	31	-0.3	29	-1.7	85	13	300		28.74				FM-16		29.70
12	0353	7	BKN:07 14 OVC:08 27	7.00		33	0.6	31	-0.3	29	-1.7	85	17	300		28.74	2	-0.06	29.72	FM-15	0.00	29.70
12	0451	7	OVC:08 9	4.00	BR:1 ||	34	1.0	32	0.2	30	-1.0	87	17	290	24	28.76				FM-16		29.72
12	0453	7	OVC:08 9	4.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	14	290	24	28.76			29.74	FM-15	T	29.72
12	0549	7	SCT:04 10 BKN:07 18 OVC:08 24	7.00		34	1.0	32	-0.2	28	-2.0	81	16	310	28	28.78				FM-16	T	29.74
12	0553	7	SCT:04 10 BKN:07 21 OVC:08 26	9.00		33	0.6	31	-0.3	29	-1.7	85	17	310	28	28.78			29.76	FM-15	T	29.74
12	0628	7	BKN:07 17 BKN:07 31 OVC:08 39	2.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	11	310		28.79				FM-16	T	29.75
12	0637	7	BKN:07 15 BKN:07 23 OVC:08 39	1.50	-SN:03 BR:1 |SN |	31	-0.6	30	-1.0	29	-1.7	92	16	320	22	28.80				FM-16	T	29.76
12	0645	7	BKN:07 15 OVC:08 23	2.00	-SN:03 BR:1 |SN |	31	-0.6	30	-1.2	28	-2.2	89	16	330		28.80				FM-16	T	29.76
12	0651	6	SCT:04 13 OVC:08 23	3.00	-SN:03 BR:1 |SN |	30	-1.0	29	-1.5	28	-2.0	93	14	320	24	28.81				FM-16		29.77
12	0653	7	SCT:04 13 OVC:08 23	3.00	-SN:03 BR:1 |SN |	31	-0.6	30	-1.2	28	-2.2	89	14	320	24	28.81	3	-0.05	29.79	FM-15	T	29.77
12	0745	7	BKN:07 17 OVC:08 25	1.75	-SN:03 BR:1 |SN |	28	-2.2	27	-2.8	25	-3.9	88	25	320	39	28.84				FM-16	T	29.80
12	0753	7	BKN:07 20 OVC:08 27	3.00	-SN:03 BR:1 |SN |	28	-2.2	27	-2.8	25	-3.9	88	20	310	32	28.84			29.82	FM-15	T	29.80
12	0822	7	FEW:02 18 BKN:07 34 OVC:08 65	5.00	-SN:03 BR:1 |SN |	28	-2.2	27	-3.0	24	-4.4	85	15	310		28.84				FM-16	T	29.81
12	0853	7	FEW:02 26 OVC:08 70	9.00	-SN:03 |SN |	28	-2.2	25	-3.7	20	-6.7	72	20	320	34	28.86			29.84	FM-15	T	29.82
12	0953	7	FEW:02 60	9.00	-SN:03 |SN |	26	-3.3	22	-5.4	14	-10.0	60	25	320	37	28.87	1	-0.08	29.87	FM-15	T	29.84
12	1053	7	FEW:02 42	9.00	-SN:03 |SN |	26	-3.3	22	-5.5	13	-10.6	57	22	320	32	28.90			29.90	FM-15	T	29.87
12	1153	7	FEW:02 46	9.00		26	-3.3	21	-5.9	10	-12.2	51	21	310	31	28.90			29.89	FM-15	T	29.87
12	1253	7	OVC:08 50	10.00		24	-4.4	20	-6.9	8	-13.3	50	23	310	32	28.90	0	-0.01	29.89	FM-15	T	29.86
12	1353	7	FEW:02 48 OVC:08 65	10.00		25	-3.9	20	-6.5	8	-13.3	48	20	300	29	28.90			29.88	FM-15	0.00	29.86
12	1453	7	FEW:02 42 BKN:07 48 OVC:08 70	10.00		26	-3.3	21	-6.0	9	-12.8	48	17	310		28.90			29.88	FM-15	0.00	29.86
12	1553	7	FEW:02 48 OVC:08 65	10.00		24	-4.4	20	-6.9	8	-13.3	50	20	300	31	28.90	3	-0.00	29.89	FM-15	T	29.86
12	1653	7	OVC:08 39	6.00	-SN:03 |SN |	23	-5.0	20	-6.8	12	-11.1	63	21	300	26	28.91			29.91	FM-15	T	29.88
12	1740	7	SCT:04 22 BKN:07 26 OVC:08 70	2.50	-SN:03 |SN |	21	-6.1	19	-7.1	15	-9.4	78	21	300	24	28.94				FM-16	T	29.91

12	1748	7	BKN:07 21 BKN:07 28 OVC:08 70	1.00	-SN:03 |SN |	21	-6.0	20	-6.9	16	-9.0	80	13	310		28.94				FM-16	T	29.91
12	1753	7	BKN:07 26 BKN:07 39 OVC:08 70	8.00	-SN:03 |SN |	21	-6.1	20	-6.9	16	-8.9	81	11	300		28.94			29.94	FM-15	T	29.91
12	1806	7	SCT:04 22 BKN:07 65	9.00		20	-6.7	19	-7.3	16	-8.9	85	9	300		28.94				FM-16	T	29.91
12	1853	7	FEW:02 28 SCT:04 50 OVC:08 60	10.00		21	-6.1	19	-7.2	14	-10.0	74	15	310		28.95	1	-0.04	29.96	FM-15	T	29.92
12	1912	7	BKN:07 27 OVC:08 36	1.75V	-SN:03 |SN |	20	-6.7	19	-7.5	15	-9.4	81	17	300		28.96				FM-16	T	29.93
12	1925	7	OVC:08 27	3.00	-SN:03 BR:1 |SN |	20	-6.7	19	-7.3	16	-8.9	85	15	300		28.96				FM-16	T	29.93
12	1935	7	FEW:02 22 BKN:07 32 OVC:08 60	9.00	-SN:03 |SN |	20	-6.7	19	-7.3	16	-8.9	85	9	310		28.95				FM-16	T	29.92
12	1953	7	FEW:02 22 BKN:07 36 OVC:08 55	5.00	-SN:03 |SN |	20	-6.7	19	-7.5	15	-9.4	81	14	290		28.96			29.96	FM-15	T	29.93
12	2042	7	BKN:07 29 OVC:08 50	1.25	-SN:03 BR:1 |SN |	20	-6.7	19	-7.3	16	-8.9	85	13	290		28.96				FM-16	T	29.93
12	2053	7	BKN:07 27 BKN:07 40 OVC:08 50	1.50	-SN:03 BR:1 |SN |	19	-7.2	18	-7.6	17	-8.3	92	11	280		28.96			29.96	FM-15	T	29.93
12	2056	7	BKN:07 27 BKN:07 40 OVC:08 60	3.00	-SN:03 BR:1 |SN |	19	-7.2	18	-7.7	16	-8.9	88	14	290		28.96				FM-16	T	29.93
12	2113	7	BKN:07 25 OVC:08 60	1.75	-SN:03 BR:1 |SN |	20	-6.7	19	-7.3	16	-8.9	85	17	310	21	28.96				FM-16	T	29.93
12	2123	7	VV:09 14	0.50	SN:03 FZ:8 FG:2 |FG SN |	19	-7.2	18	-7.7	16	-8.9	88	15	300	23	28.96				FM-16	T	29.93
12	2132	7	VV:09 9	0.25	SN:03 FZ:8 FG:2 |FG SN |	18	-7.8	17	-8.1	16	-8.9	92	14	310		28.96				FM-16	T	29.93
12	2139	7	BKN:07 7 OVC:08 22	0.75	-SN:03 BR:1 |SN |	19	-7.2	18	-7.7	16	-8.9	88	10	310		28.96				FM-16	T	29.93
12	2145	7	BKN:07 7 OVC:08 22	2.00V	-SN:03 BR:1 |SN |	19	-7.2	18	-7.7	16	-8.9	88	11	310		28.96				FM-16	T	29.93
12	2151	7	SCT:04 9 OVC:08 22	3.00	-SN:03 BR:1 |SN |	19	-7.0	18	-7.7	16	-9.0	86	9	320		28.96				FM-16	T	29.93
12	2153	7	SCT:04 11 OVC:08 20	3.00	-SN:03 BR:1 |SN |	19	-7.2	18	-7.7	16	-8.9	88	9	330		28.96	0	-0.00	29.96	FM-15	T	29.93
12	2157	7	BKN:07 11 OVC:08 20	1.25	-SN:03 BR:1 |SN |	19	-7.2	18	-7.7	16	-8.9	88	14	310		28.96				FM-16	T	29.93
12	2200	7	BKN:07 9 OVC:08 20	0.75	-SN:03 BR:1 |SN |	19	-7.2	18	-7.7	16	-8.9	88	11	320		28.96				FM-16	T	29.93
12	2207	7	SCT:04 11 BKN:07 20 OVC:08 25	1.00	-SN:03 BR:1 |SN |	18	-7.8	17	-8.1	16	-8.9	92	11	320		28.96				FM-16	T	29.93
12	2251	6	OVC:08 14	1.00	-SN:03 BR:1 |SN |	18	-8.0	17	-8.1	16	-9.0	93	11	310		28.96				FM-16		29.93
12	2253	7	VV:09 13	1.00	-SN:03 BR:1 |SN |	18	-7.8	17	-8.3	15	-9.4	88	8	310		28.96			29.96	FM-15	T	29.93
12	2339	7	SCT:04 12 OVC:08 18	2.00	-SN:03 BR:1 |SN |	19	-7.2	18	-7.9	15	-9.4	84	14	280		28.95				FM-16	T	29.92
12	2350	7	FEW:02 13 BKN:07 20 OVC:08 34	6.00	-SN:03 |SN |	19	-7.0	18	-8.0	14	-10.0	79	14	290		28.95				FM-16	T	29.92
12	2353	7	SCT:04 18 BKN:07 23 OVC:08 50	8.00	-SN:03 |SN |	19	-7.2	18	-8.0	14	-10.0	81	9	290		28.95			29.96	FM-15	T	29.92
13	0006	7	FEW:02 20 SCT:04 26 OVC:08 50	10.00		19	-7.2	18	-8.0	14	-10.0	81	10	280		28.95				FM-16	T	29.92
13	0053	7	BKN:07 35 OVC:08 50	9.00	-SN:03 |SN |	19	-7.2	18	-8.0	14	-10.0	81	10	290		28.94	8	+0.02	29.95	FM-15	T	29.91
13	0126	7	OVC:08 29	8.00	-SN:03 |SN |	19	-7.2	17	-8.2	13	-10.6	77	10	290		28.93				FM-16	T	29.90
13	0151	6	OVC:08 30	10.00		19	-7.0	17	-8.3	12	-11.0	73	10	280		28.93				FM-16		29.90

13	0153	7	OVC:08 30	10.00		19	-7.2	17	-8.3	12	-11.1	74	10	290		28.94			29.94	FM-15	T	29.91
13	0253	7	OVC:08 41	10.00		19	-7.2	17	-8.3	12	-11.1	74	14	280		28.94			29.95	FM-15	T	29.91
13	0353	7	OVC:08 41	10.00		19	-7.2	17	-8.4	11	-11.7	71	11	270		28.93	8	+0.01	29.94	FM-15	T	29.90
13	0453	7	BKN:07 41	10.00		16	-8.9	14	-9.9	9	-12.8	74	8	250		28.93			29.94	FM-15		29.90
13	0553	7	CLR:00	10.00		13	-10.6	12	-11.4	7	-13.9	77	7	250		28.94			29.95	FM-15		29.91
13	0653	7	BKN:07 110	10.00		16	-8.9	14	-9.8	10	-12.2	77	7	220		28.93	8	+0.00	29.94	FM-15		29.90
13	0753	7	OVC:08 75	10.00		17	-8.3	15	-9.4	10	-12.2	74	7	210		28.92			29.93	FM-15		29.89
13	0853	7	BKN:07 42 OVC:08 50	10.00		18	-7.8	16	-8.8	11	-11.7	74	9	200		28.90			29.91	FM-15		29.87
13	0953	7	OVC:08 40	10.00		20	-6.7	18	-7.8	13	-10.6	74	10	180		28.87	8	+0.07	29.87	FM-15		29.83
13	1053	7	FEW:02 50 BKN:07 90	10.00		22	-5.6	19	-7.1	12	-11.1	66	8	190		28.86			29.86	FM-15		29.82
13	1153	7	OVC:08 70	10.00		23	-5.0	20	-6.9	11	-11.7	60	13	180		28.80			29.80	FM-15	0.00	29.76
13	1253	7	BKN:07 50 OVC:08 65	10.00		24	-4.4	20	-6.4	12	-11.1	60	13	170		28.74			29.74	FM-15	0.00	29.70
13	1353	7	BKN:07 100 BKN:07 120	10.00		25	-3.9	21	-6.0	12	-11.1	58	14	150		28.67			29.66	FM-15	0.00	29.63
13	1453	7	SCT:04 100	10.00		26	-3.3	22	-5.7	12	-11.1	55	16	150		28.59			29.58	FM-15	0.00	29.55
13	1553	7	CLR:00	10.00		27	-2.8	22	-5.3	12	-11.1	53	18	160	25	28.53	6	+0.20	29.52	FM-15	0.00	29.49
13	1653	7	BKN:07 60	10.00		27	-2.8	23	-5.2	13	-10.6	55	15	160		28.53			29.52	FM-15	0.00	29.48
13	1753	7	OVC:08 32	10.00		28	-2.2	24	-4.7	14	-10.0	56	14	170		28.53			29.51	FM-15	0.00	29.48
13	1805	7	BKN:07 28 OVC:08 50	7.00	-SN:03 |SN |	29	-1.7	25	-3.9	17	-8.3	61	15	190	23	28.53				FM-16	T	29.48
13	1820	7	SCT:04 26 OVC:08 46	9.00		29	-1.7	25	-3.7	18	-7.8	63	11	190	23	28.51				FM-16	T	29.47
13	1851	6	OVC:08 28	7.00	-SN:03 |SN |	28	-2.0	25	-3.9	19	-7.0	69	11	180		28.48				FM-16		29.44
13	1853	7	OVC:08 28	6.00	-SN:03 |SN |	29	-1.7	26	-3.5	19	-7.2	66	8	170		28.48	6	+0.04	29.47	FM-15	T	29.44
13	1951	6	OVC:08 45	10.00		30	-1.0	26	-3.3	18	-8.0	59	9	160		28.47				FM-16		29.42
13	1953	7	OVC:08 45	10.00		31	-0.6	27	-3.0	18	-7.8	59	9	170		28.46			29.44	FM-15	T	29.41
13	2053	7	OVC:08 36	9.00	-SN:03 |SN |	32	0.0	28	-2.0	22	-5.6	66	6	180		28.44			29.41	FM-15	T	29.39
13	2153	7	OVC:08 34	10.00		35	1.7	31	-0.6	24	-4.4	64	14	230		28.43	6	+0.06	29.41	FM-15	T	29.38
13	2225	7	BKN:07 20 OVC:08 28	7.00	-SN:03 |SN |	36	2.2	33	0.7	29	-1.7	76	16	260	29	28.45				FM-16	T	29.40
13	2253	7	BKN:07 18 BKN:07 28 OVC:08 36	8.00	-SN:03 |SN |	36	2.2	34	1.3	32	0.0	86	26	270	38	28.47			29.44	FM-15	T	29.42
13	2314	7	BKN:07 14 BKN:07 19 OVC:08 27	6.00	-SN:03 BR:1 |SN |	35	1.7	34	1.0	32	0.0	89	22	270	37	28.48				FM-16	T	29.44
13	2330	7	SCT:04 13 SCT:04 19 OVC:08 26	8.00	-SN:03 |SN |	34	1.1	32	0.2	30	-1.1	85	22	270	39	28.48				FM-16	0.01	29.44
13	2353	7	BKN:07 20 OVC:08 28	9.00	-SN:03 |SN |	34	1.1	32	0.2	30	-1.1	85	22	270	33	28.51			29.48	FM-15	0.01	29.46
14	0053	7	OVC:08 18	9.00	-SN:03 |SN |	33	0.6	31	-0.5	28	-2.2	82	26	270	37	28.54	3	-0.12	29.53	FM-15	T	29.50
14	0153	7	OVC:08 23	5.00	-SN:03 |SN |	32	0.0	30	-1.2	26	-3.3	79	25	290	37	28.60			29.58	FM-15	T	29.56
14	0253	7	SCT:04 20 BKN:07 28 OVC:08 38	9.00	-SN:03 |SN |	29	-1.7	27	-2.8	23	-5.0	78	18	310	33	28.68			29.66	FM-15	T	29.64
14	0353	7	OVC:08 15	9.00		26	-3.3	24	-4.3	21	-6.1	81	17	320	26	28.74	3	-0.20	29.73	FM-15	T	29.70
14	0416	7	BKN:07 14 OVC:08 28	9.00	-SN:03 |SN |	25	-3.9	23	-4.8	20	-6.7	81	14	320	31	28.77				FM-16	T	29.73
14	0427	7	BKN:07 15 OVC:08 28	10.00		25	-3.9	23	-4.8	20	-6.7	81	18	320	24	28.78				FM-16	T	29.74
14	0453	7	OVC:08 15	10.00		25	-3.9	23	-4.8	20	-6.7	81	16	320		28.80			29.79	FM-15	T	29.76
14	0514	7	OVC:08 14	10.00		25	-3.9	23	-4.8	20	-6.7	81	16	330	23	28.82				FM-16		29.78
14	0553	7	OVC:08 13	10.00		23	-5.0	22	-5.7	19	-7.2	85	16	340		28.86			29.85	FM-15	0.00	29.82
14	0640	7	OVC:08 16	10.00		22	-5.6	20	-6.4	17	-8.3	82	8	340		28.90				FM-16		29.86
14	0653	7	OVC:08 18	10.00		22	-5.6	20	-6.4	17	-8.3	82	9	330		28.90	1	-0.16	29.90	FM-15	0.00	29.87
14	0753	7	OVC:08 24	10.00		22	-5.6	20	-6.4	17	-8.3	82	8	310		28.95			29.95	FM-15	0.00	29.92

14	0850	7	BKN:07 17 OVC:08 24	2.50	-SN:03 BR:1 |SN |	21	-6.0	20	-6.6	18	-8.0	86	9	320		28.98				FM-16	T	29.95
14	0853	7	BKN:07 17 OVC:08 26	2.00	-SN:03 BR:1 |SN |	22	-5.6	21	-6.2	18	-7.8	85	11	320		28.98			29.98	FM-15	T	29.95
14	0912	7	SCT:04 16 SCT:04 21 OVC:08 32	2.00	-SN:03 BR:1 |SN |	22	-5.6	21	-6.2	18	-7.8	85	8	330		28.99				FM-16	T	29.96
14	0944	7	FEW:02 14 OVC:08 33	3.00	-SN:03 BR:1 |SN |	22	-5.6	21	-6.2	18	-7.8	85	8	340		29.01				FM-16	T	29.98
14	0953	7	FEW:02 13 FEW:02 23 OVC:08 33	4.00	-SN:03 |SN |	22	-5.6	20	-6.4	17	-8.3	82	8	320		29.02	1	-0.07	30.01	FM-15	T	29.99
14	1017	7	OVC:08 15	6.00	HZ:7 |FU |HZ	22	-5.6	20	-6.4	17	-8.3	82	6	330		29.03				FM-16	T	30.00
14	1053	7	BKN:07 15	8.00		23	-5.0	21	-5.9	18	-7.8	81	8	340		29.04			30.04	FM-15	T	30.01
14	1153	7	OVC:08 16	10.00		23	-5.0	21	-5.9	18	-7.8	81	13	360		29.04			30.03	FM-15	0.00	30.01
14	1253	7	OVC:08 17	10.00		23	-5.0	21	-6.0	17	-8.3	78	5	340		29.05	1	-0.03	30.05	FM-15	0.00	30.02
14	1353	7	BKN:07 19	10.00		24	-4.4	22	-5.5	18	-7.8	77	6	320		29.05			30.05	FM-15	0.00	30.02
14	1451	6	SCT:04 20	10.00		25	-4.0	23	-5.1	18	-8.0	74	5	320		29.04				FM-16		30.01
14	1453	7	SCT:04 20	10.00		25	-3.9	23	-5.1	18	-7.8	75	6	300		29.05			30.05	FM-15	0.00	30.02
14	1553	7	SCT:04 20	10.00		25	-3.9	22	-5.3	17	-8.3	72	3	010		29.05	3	-0.01	30.06	FM-15	0.00	30.02
14	1653	7	FEW:02 20	10.00		23	-5.0	21	-6.2	16	-8.9	74	0	000		29.06			30.06	FM-15	0.00	30.03
14	1753	7	CLR:00	10.00		21	-6.1	20	-6.9	16	-8.9	81	0	000		29.09			30.10	FM-15	0.00	30.06
14	1853	7	CLR:00	10.00		21	-6.1	19	-7.1	15	-9.4	78	5	330		29.10	3	-0.04	30.11	FM-15	0.00	30.07
14	1953	7	CLR:00	10.00		21	-6.1	20	-6.9	16	-8.9	81	3	010		29.10			30.11	FM-15	0.00	30.07
14	2053	7	CLR:00	10.00		20	-6.7	19	-7.3	16	-8.9	85	0	000		29.10			30.11	FM-15	0.00	30.07
14	2153	7	CLR:00	10.00		20	-6.7	19	-7.3	16	-8.9	85	0	000		29.11	3	-0.01	30.11	FM-15	0.00	30.08
14	2253	7	CLR:00	10.00		20	-6.7	19	-7.5	15	-9.4	81	3	340		29.11			30.12	FM-15	0.00	30.08
14	2353	7	CLR:00	10.00		18	-7.8	17	-8.3	15	-9.4	88	3	360		29.10			30.11	FM-15	0.00	30.07
15	0053	7	CLR:00	10.00		18	-7.8	17	-8.3	15	-9.4	88	0	000		29.08	8	+0.02	30.09	FM-15	0.00	30.05
15	0153	7	CLR:00	10.00		18	-7.8	17	-8.4	14	-10.0	84	0	000		29.07			30.08	FM-15	0.00	30.04
15	0253	7	CLR:00	9.00		16	-8.9	15	-9.2	14	-10.0	92	0	000		29.06			30.07	FM-15	0.00	30.03
15	0353	7	CLR:00	9.00		17	-8.3	16	-8.6	15	-9.4	92	0	000		29.06	6	+0.03	30.06	FM-15	0.00	30.03
15	0453	7	CLR:00	9.00		18	-7.8	17	-8.3	15	-9.4	88	0	000		29.04			30.05	FM-15	0.00	30.01
15	0553	7	CLR:00	9.00		19	-7.2	18	-7.9	15	-9.4	84	5	190		29.04			30.05	FM-15	0.00	30.01
15	0653	7	SCT:04 41	9.00		20	-6.7	19	-7.3	16	-8.9	85	5	210		29.03	6	+0.02	30.04	FM-15	0.00	30.00
15	0753	7	OVC:08 43	8.00		20	-6.7	19	-7.2	17	-8.3	89	5	220		29.02			30.03	FM-15	0.00	29.99
15	0853	7	OVC:08 44	9.00		21	-6.1	20	-6.8	17	-8.3	85	6	220		29.02			30.02	FM-15	0.00	29.99
15	0953	7	BKN:07 42	10.00		23	-5.0	21	-6.0	17	-8.3	78	9	210		29.01	6	+0.02	30.02	FM-15	0.00	29.98
15	1053	7	OVC:08 42	10.00		25	-3.9	23	-5.1	18	-7.8	75	14	220		29.01			30.02	FM-15	0.00	29.98
15	1153	7	OVC:08 39	10.00		27	-2.8	24	-4.6	17	-8.3	66	16	220	21	28.98			29.99	FM-15	0.00	29.95
15	1253	7	BKN:07 43 OVC:08 49	10.00		29	-1.7	26	-3.5	19	-7.2	66	16	210	28	28.96	8	+0.06	29.96	FM-15	0.00	29.93
15	1353	7	BKN:07 31 OVC:08 50	3.00	-SN:03 |SN |	29	-1.7	26	-3.4	20	-6.7	69	17	240	26	28.95			29.96	FM-15	T	29.92
15	1451	7	OVC:08 29	4.00	-SN:03 |SN |	28	-2.0	26	-3.5	21	-6.0	74	16	240		28.95				FM-16	T	29.92
15	1453	7	OVC:08 29	5.00	-SN:03 |SN |	29	-1.7	26	-3.2	21	-6.1	72	17	240		28.95			29.96	FM-15	T	29.92
15	1553	7	OVC:08 28	10.00		29	-1.7	26	-3.2	21	-6.1	72	15	260	23	28.97	3	-0.01	29.97	FM-15	0.00	29.94
15	1651	6	OVC:08 34	10.00		28	-2.0	26	-3.5	21	-6.0	74	18	250	24	28.98				FM-16		29.95
15	1653	7	OVC:08 34	10.00		29	-1.7	26	-3.2	21	-6.1	72	16	250	24	28.98			29.99	FM-15	0.00	29.95
15	1753	7	OVC:08 43	10.00		29	-1.7	26	-3.2	21	-6.1	72	14	260		29.00			30.01	FM-15	0.00	29.97
15	1853	7	BKN:07 40 OVC:08 47	10.00		29	-1.7	26	-3.4	20	-6.7	69	14	250	24	29.03	3	-0.06	30.03	FM-15	0.00	30.00
15	1953	7	FEW:02 36 OVC:08 45	10.00		29	-1.7	26	-3.4	20	-6.7	69	18	250	23	29.05			30.06	FM-15	0.00	30.02
15	2053	7	OVC:08 44	10.00		30	-1.1	27	-2.8	21	-6.1	69	11	230		29.06			30.06	FM-15	0.00	30.03
15	2153	7	OVC:08 47	10.00		29	-1.7	26	-3.2	21	-6.1	72	13	240		29.07	1	-0.04	30.08	FM-15	0.00	30.04
15	2253	7	OVC:08 55	10.00		29	-1.7	27	-3.0	22	-5.6	75	13	240		29.09			30.09	FM-15	0.00	30.06
15	2353	7	OVC:08 50	10.00		29	-1.7	27	-3.0	22	-5.6	75	13	230		29.08			30.08	FM-15	0.00	30.05

16	0053	7	BKN:07 43 OVC:08 60	10.00		29	-1.7	27	-3.0	22	-5.6	75	10	200		29.06	8	+0.01	30.06	FM-15	0.00	30.03
16	0153	7	BKN:07 43 OVC:08 50	10.00		30	-1.1	28	-2.3	24	-4.4	79	10	200		29.06			30.06	FM-15	0.00	30.03
16	0253	7	OVC:08 50	10.00		31	-0.6	28	-2.0	24	-4.4	76	11	210		29.07			30.07	FM-15	0.00	30.04
16	0353	7	OVC:08 60	10.00		32	0.0	29	-1.4	25	-3.9	75	10	220		29.08	3	-0.02	30.07	FM-15	0.00	30.05
16	0453	7	BKN:07 60 OVC:08 100	10.00		32	0.0	29	-1.4	25	-3.9	75	13	220		29.05			30.05	FM-15	0.00	30.02
16	0553	7	OVC:08 100	10.00		33	0.6	30	-1.1	25	-3.9	72	15	220	21	29.06			30.05	FM-15	0.00	30.03
16	0653	7	OVC:08 100	10.00		33	0.6	30	-1.1	25	-3.9	72	14	210		29.05	6	+0.02	30.05	FM-15	0.00	30.02
16	0753	7	OVC:08 100	10.00		33	0.6	30	-0.9	26	-3.3	75	11	210		29.05			30.05	FM-15	0.00	30.02
16	0853	7	OVC:08 90	10.00		34	1.1	31	-0.6	26	-3.3	73	13	210		29.06			30.06	FM-15	0.00	30.03
16	0953	7	BKN:07 90	10.00		35	1.7	32	0.0	27	-2.8	72	15	220		29.08	3	-0.02	30.07	FM-15	0.00	30.05
16	1053	7	CLR:00	10.00		38	3.3	34	1.1	28	-2.2	68	14	210		29.08			30.07	FM-15	0.00	30.05
16	1153	7	CLR:00	10.00		42	5.6	37	2.6	29	-1.7	60	16	230		29.06			30.05	FM-15	0.00	30.03
16	1253	7	CLR:00	10.00		44	6.7	37	3.0	28	-2.2	53	18	230	25	29.05	8	+0.02	30.04	FM-15	0.00	30.02
16	1353	7	CLR:00	10.00		46	7.8	39	3.6	28	-2.2	50	21	230	28	29.03			30.02	FM-15	0.00	30.00
16	1453	7	CLR:00	10.00		47	8.3	39	3.9	28	-2.2	48	17	220	25	29.03			30.02	FM-15	0.00	30.00
16	1553	7	CLR:00	10.00		47	8.3	39	3.9	28	-2.2	48	16	230	26	29.04	5	+0.01	30.03	FM-15	0.00	30.01
16	1653	7	CLR:00	10.00		45	7.2	38	3.3	28	-2.2	52	7	200		29.05			30.04	FM-15	0.00	30.02
16	1753	7	CLR:00	10.00		41	5.0	36	2.1	28	-2.2	60	7	210		29.08			30.07	FM-15	0.00	30.05
16	1853	7	CLR:00	10.00		41	5.0	36	2.1	28	-2.2	60	5	200		29.11	3	-0.06	30.10	FM-15	0.00	30.08
16	1953	7	CLR:00	10.00		40	4.4	35	1.8	28	-2.2	63	0	000		29.12			30.11	FM-15	0.00	30.09
16	2053	7	CLR:00	10.00		38	3.3	34	1.1	28	-2.2	68	5	200		29.14			30.13	FM-15	0.00	30.11
16	2153	7	CLR:00	10.00		37	2.8	33	0.8	28	-2.2	70	5	190		29.15	3	-0.04	30.14	FM-15	0.00	30.12
16	2253	7	CLR:00	10.00		35	1.7	32	0.2	28	-2.2	76	6	180		29.17			30.16	FM-15	0.00	30.14
16	2353	7	CLR:00	10.00		34	1.1	32	-0.2	28	-2.2	79	6	180		29.19			30.18	FM-15	0.00	30.16
17	0053	7	CLR:00	10.00		33	0.6	31	-0.7	27	-2.8	78	5	170		29.18	0	-0.03	30.17	FM-15	0.00	30.15
17	0153	7	CLR:00	10.00		33	0.6	31	-0.7	27	-2.8	78	6	180		29.19			30.18	FM-15	0.00	30.16
17	0253	7	CLR:00	10.00		32	0.0	30	-0.8	28	-2.2	85	6	170		29.19			30.17	FM-15	0.00	30.16
17	0353	7	CLR:00	10.00		32	0.0	30	-0.8	28	-2.2	85	6	180		29.18	0	-0.00	30.17	FM-15	0.00	30.15
17	0453	7	CLR:00	10.00		32	0.0	30	-0.8	28	-2.2	85	5	170		29.19			30.18	FM-15	0.00	30.16
17	0553	7	CLR:00	10.00		31	-0.6	30	-1.2	28	-2.2	89	6	130		29.19			30.18	FM-15	0.00	30.16
17	0653	7	CLR:00	10.00		32	0.0	31	-0.6	29	-1.7	88	5	160		29.20	1	-0.01	30.19	FM-15	0.00	30.17
17	0753	7	CLR:00	10.00		33	0.6	31	-0.3	29	-1.7	85	5	180		29.20			30.19	FM-15	0.00	30.17
17	0853	7	CLR:00	10.00		34	1.1	32	0.2	30	-1.1	85	5	180		29.23			30.22	FM-15	0.00	30.20
17	0953	7	CLR:00	10.00		36	2.2	34	1.1	31	-0.6	82	6	180		29.21	0	-0.02	30.20	FM-15	0.00	30.18
17	1053	7	CLR:00	10.00		38	3.3	36	2.0	32	0.0	79	5	160		29.19			30.18	FM-15	0.00	30.16
17	1153	7	BKN:07 110	10.00		38	3.3	36	2.0	32	0.0	79	6	170		29.17			30.16	FM-15	0.00	30.14
17	1253	7	BKN:07 70 OVC:08 90	8.00	-RA:02 |RA |	39	3.9	36	2.5	33	0.6	79	6	180		29.13	8	+0.08	30.12	FM-15	T	30.10
17	1353	7	BKN:07 60 OVC:08 75	10.00	-RA:02 |RA |	39	3.9	37	2.9	35	1.7	86	5	210		29.14			30.13	FM-15	T	30.11
17	1453	7	BKN:07 44 OVC:08 50	7.00	-RA:02 |RA |	40	4.4	38	3.5	36	2.2	86	5	210		29.16			30.15	FM-15	0.01	30.13
17	1553	7	FEW:02 38 BKN:07 49 OVC:08 100	10.00	-RA:02 |RA |	40	4.4	38	3.5	36	2.2	86	3	160		29.13	0	-0.01	30.12	FM-15	T	30.10
17	1653	7	OVC:08 43	10.00		40	4.4	38	3.5	36	2.2	86	3	170		29.13			30.12	FM-15	T	30.10
17	1753	7	BKN:07 90	10.00		39	3.9	37	2.9	35	1.7	86	7	150		29.11			30.10	FM-15	0.00	30.08
17	1853	7	SCT:04 42 OVC:08 70	10.00		40	4.4	38	3.3	35	1.7	83	6	180		29.12	5	+0.01	30.11	FM-15	0.00	30.09
17	1953	7	BKN:07 65 OVC:08 85	10.00		40	4.4	37	3.0	34	1.1	79	6	170		29.12			30.11	FM-15	0.00	30.09
17	2053	7	OVC:08 60	10.00		40	4.4	37	3.0	34	1.1	79	3	170		29.13			30.12	FM-15	0.00	30.10
17	2153	7	OVC:08 55	10.00		40	4.4	37	3.0	34	1.1	79	3	160		29.13	0	-0.01	30.11	FM-15	0.00	30.10
17	2253	7	OVC:08 55	10.00		40	4.4	37	3.0	34	1.1	79	7	190		29.13			30.11	FM-15	0.00	30.10
17	2353	7	OVC:08 50	10.00		39	3.9	37	2.7	34	1.1	82	6	220		29.12			30.11	FM-15	0.00	30.09
18	0053	7	SCT:04 50	10.00		37	2.8	36	2.1	34	1.1	89	6	200		29.09	8	+0.04	30.08	FM-15	0.00	30.06

18	0153	7	OVC:08 46	10.00		38	3.3	37	2.6	35	1.7	89	7	200		29.10			30.09	FM-15	0.00	30.07
18	0253	7	OVC:08 49	10.00		39	3.9	38	3.2	36	2.2	89	6	190		29.10			30.09	FM-15	0.00	30.07
18	0353	7	FEW:02 13 OVC:08 50	10.00		39	3.9	38	3.4	37	2.8	93	7	190		29.10	0	-0.01	30.09	FM-15	0.00	30.07
18	0411	7	BKN:07 11 OVC:08 50	10.00		39	3.9	38	3.4	37	2.8	93	6	190		29.09				FM-16		30.06
18	0446	7	OVC:08 9	8.00		39	3.9	38	3.4	37	2.8	93	6	180		29.08				FM-16		30.05
18	0453	7	OVC:08 9	8.00		39	3.9	39	3.6	38	3.3	96	6	200		29.09			30.07	FM-15	0.00	30.06
18	0553	7	OVC:08 7	7.00		39	3.9	39	3.9	39	3.9	100	9	200		29.08			30.07	FM-15	0.00	30.05
18	0653	7	OVC:08 6	5.00	BR:1 ||	39	3.9	39	3.9	39	3.9	100	8	200		29.09	5	+0.01	30.08	FM-15	0.00	30.06
18	0753	7	OVC:08 7	6.00	BR:1 ||	40	4.4	40	4.2	39	3.9	97	7	190		29.08			30.07	FM-15	0.00	30.05
18	0853	7	OVC:08 6	4.00	BR:1 ||	40	4.4	40	4.4	40	4.4	100	9	200		29.08			30.06	FM-15	0.00	30.05
18	0953	7	OVC:08 5	5.00	BR:1 ||	41	5.0	41	5.0	41	5.0	100	8	220		29.09	5	+0.00	30.08	FM-15	0.00	30.06
18	1053	7	OVC:08 6	5.00	BR:1 ||	42	5.6	42	5.3	41	5.0	96	13	210		29.08			30.07	FM-15	0.00	30.05
18	1153	7	OVC:08 9	9.00		44	6.7	43	6.1	42	5.6	93	11	230		29.06			30.04	FM-15	0.00	30.03
18	1231	7	OVC:08 10	9.00		44	6.7	43	6.1	42	5.6	93	13	230		29.04				FM-16		30.01
18	1253	7	OVC:08 11	9.00		44	6.7	43	6.1	42	5.6	93	13	230	22	29.03	8	+0.06	30.02	FM-15	0.00	30.00
18	1353	7	BKN:07 13 OVC:08 36	10.00		45	7.2	44	6.4	42	5.6	90	14	230		29.03			30.01	FM-15	0.00	30.00
18	1435	7	SCT:04 14 BKN:07 22 OVC:08 37	10.00		46	7.8	44	6.7	42	5.6	86	10	230		29.02				FM-16		29.99
18	1446	7	FEW:02 14 SCT:04 21 OVC:08 36	10.00		46	7.8	44	6.7	42	5.6	86	10	230		29.02				FM-16		29.99
18	1453	7	FEW:02 16 FEW:02 21 OVC:08 36	10.00		46	7.8	44	6.7	42	5.6	86	13	240		29.02			30.00	FM-15	0.00	29.99
18	1553	7	OVC:08 32	10.00		46	7.8	44	6.7	42	5.6	86	10	230		29.01	8	+0.02	29.99	FM-15	0.00	29.98
18	1634	7	BKN:07 27 OVC:08 32	10.00		45	7.2	44	6.4	42	5.6	90	9	230		29.02				FM-16		29.99
18	1653	7	SCT:04 25 OVC:08 32	10.00		45	7.2	44	6.4	42	5.6	90	10	240		29.01			30.00	FM-15	0.00	29.98
18	1753	7	FEW:02 15 BKN:07 30 OVC:08 36	6.00	BR:1 ||	44	6.7	44	6.4	43	6.1	96	8	220		29.04			30.02	FM-15	0.00	30.01
18	1813	7	FEW:02 6 BKN:07 28 OVC:08 32	4.00	BR:1 ||	44	6.7	44	6.4	43	6.1	96	7	200		29.04				FM-16		30.01
18	1851	6	BKN:07 6 OVC:08 14	3.00	BR:1 ||	45	7.0	45	7.2	45	7.0	100	5	220		29.04				FM-16		30.01
18	1853	7	OVC:08 6	3.00	BR:1 ||	44	6.7	44	6.7	44	6.7	100	6	210		29.04	3	-0.03	30.03	FM-15	T	30.01
18	1951	6	BKN:07 6 OVC:08 10	2.50	-RA:02 BR:1 |RA |	45	7.0	45	7.2	45	7.0	100	8	200		29.04				FM-16		30.01
18	1953	7	BKN:07 6 OVC:08 10	3.00	-RA:02 BR:1 |RA |	44	6.7	44	6.7	44	6.7	100	8	200		29.04			30.02	FM-15	0.01	30.01
18	2005	7	BKN:07 6 OVC:08 11	2.50	-RA:02 BR:1 |RA |	44	6.7	44	6.7	44	6.7	100	10	210		29.04				FM-16	T	30.01
18	2016	7	SCT:04 6 BKN:07 10 OVC:08 43	8.00		44	6.7	44	6.7	44	6.7	100	10	210		29.04				FM-16	T	30.01
18	2023	7	BKN:07 6 OVC:08 14	8.00		44	6.7	44	6.7	44	6.7	100	9	210		29.04				FM-16	T	30.01
18	2051	6	FEW:02 8 SCT:04 35 OVC:08 43	6.00	BR:1 ||	45	7.0	45	7.2	45	7.0	100	11	210		29.04				FM-16		30.01
18	2053	7	FEW:02 8 FEW:02 14 OVC:08 43	6.00	BR:1 ||	44	6.7	44	6.7	44	6.7	100	9	210		29.04			30.02	FM-15	T	30.01
18	2153	7	FEW:02 16 OVC:08 45	8.00		44	6.7	44	6.4	43	6.1	96	11	220		29.04	6	+0.01	30.02	FM-15	0.00	30.01
18	2253	7	FEW:02 16 OVC:08 45	9.00		44	6.7	44	6.4	43	6.1	96	9	220		29.03			30.01	FM-15	0.00	30.00

18	2309	7	BKN:07 12 BKN:07 22 OVC:08 36	10.00		44	6.7	44	6.4	43	6.1	96	10	210		29.03				FM-16		30.00
18	2327	7	SCT:04 12 BKN:07 22 OVC:08 34	9.00		44	6.7	44	6.4	43	6.1	96	10	210		29.03				FM-16		30.00
18	2340	7	BKN:07 13 BKN:07 22 OVC:08 33	9.00		44	6.7	44	6.4	43	6.1	96	11	210		29.02				FM-16		29.99
18	2353	7	BKN:07 13 BKN:07 22 OVC:08 32	9.00		44	6.7	44	6.4	43	6.1	96	11	220		29.03			30.01	FM-15	0.00	30.00
19	0020	7	SCT:04 12 OVC:08 30	9.00		44	6.7	44	6.4	43	6.1	96	9	220		29.04				FM-16		30.01
19	0045	7	BKN:07 28 OVC:08 32	10.00		44	6.7	43	6.1	42	5.6	93	10	220		29.03				FM-16		30.00
19	0053	7	FEW:02 17 BKN:07 26 OVC:08 32	10.00		44	6.7	43	6.1	42	5.6	93	10	210		29.03	5	+0.01	30.01	FM-15	0.00	30.00
19	0105	7	FEW:02 16 FEW:02 22 OVC:08 30	9.00		44	6.7	44	6.4	43	6.1	96	11	210		29.02				FM-16		29.99
19	0116	7	FEW:02 16 OVC:08 27	9.00		44	6.7	44	6.4	43	6.1	96	9	220		29.03				FM-16		30.00
19	0153	7	SCT:04 20 OVC:08 28	9.00		44	6.7	43	6.1	42	5.6	93	11	240		29.03			30.01	FM-15	0.00	30.00
19	0253	7	OVC:08 27	10.00		44	6.7	43	5.9	41	5.0	89	15	220		29.03			30.01	FM-15	0.00	30.00
19	0323	7	OVC:08 30	10.00		44	6.7	43	5.9	41	5.0	89	13	220		29.04				FM-16		30.01
19	0332	7	OVC:08 28	10.00		44	6.7	42	5.6	40	4.4	85	11	220		29.04				FM-16		30.01
19	0339	7	FEW:02 23 OVC:08 30	10.00		44	6.7	43	5.9	41	5.0	89	13	220		29.04				FM-16		30.01
19	0353	7	BKN:07 30 OVC:08 34	10.00		44	6.7	43	5.9	41	5.0	89	10	220		29.04	3	-0.01	30.02	FM-15	0.00	30.01
19	0453	7	FEW:02 27 OVC:08 33	10.00		44	6.7	43	5.9	41	5.0	89	15	210		29.03			30.01	FM-15	0.00	30.00
19	0528	7	BKN:07 24 OVC:08 32	10.00		44	6.7	43	5.9	41	5.0	89	10	220		29.03				FM-16		30.00
19	0538	7	SCT:04 25 OVC:08 32	10.00		44	6.7	43	5.9	41	5.0	89	11	210		29.03				FM-16		30.00
19	0550	7	FEW:02 22 OVC:08 29	10.00		45	7.0	43	6.2	41	5.0	87	11	210		29.03				FM-16		30.00
19	0553	7	FEW:02 22 OVC:08 29	10.00		44	6.7	43	5.9	41	5.0	89	10	200		29.03			30.01	FM-15	0.00	30.00
19	0653	7	OVC:08 26	10.00		44	6.7	43	5.9	41	5.0	89	11	210		29.04	3	-0.01	30.02	FM-15	0.00	30.01
19	0753	7	OVC:08 23	10.00		44	6.7	43	5.9	41	5.0	89	9	210		29.04			30.02	FM-15	0.00	30.01
19	0853	7	BKN:07 23	8.00		44	6.7	43	5.9	41	5.0	89	10	200		29.03			30.01	FM-15	0.00	30.00
19	0953	7	BKN:07 17	8.00		46	7.8	44	6.7	42	5.6	86	13	200		29.03	8	+0.01	30.01	FM-15	0.00	30.00
19	0957	7	BKN:07 17	8.00		47	8.3	45	7.3	43	6.1	86	15	210		29.03				FM-16		30.00
19	1053	7	BKN:07 17	8.00		47	8.3	44	6.8	41	5.0	80	16	230		29.03			30.00	FM-15	0.00	30.00
19	1151	6	SCT:04 18	7.00		46	8.0	44	6.5	41	5.0	82	17	230		29.00				FM-16		29.97
19	1153	7	SCT:04 18	7.00		47	8.3	44	6.8	41	5.0	80	16	220		29.00			29.98	FM-15	0.00	29.97
19	1253	7	SCT:04 21	8.00		49	9.4	46	7.6	42	5.6	77	16	220		28.97	8	+0.06	29.95	FM-15	0.00	29.94
19	1313	7	BKN:07 21	8.00		50	10.0	46	7.8	42	5.6	74	17	210		28.97				FM-16		29.94
19	1351	6	SCT:04 21	7.00		48	9.0	46	7.5	43	6.0	82	15	210	26	28.97				FM-16		29.94
19	1353	7	SCT:04 21	7.00		50	10.0	46	7.8	42	5.6	74	15	210	25	28.96			29.94	FM-15	0.00	29.93
19	1433	7	BKN:07 20	7.00		47	8.3	44	6.8	41	5.0	80	17	210	26	28.97				FM-16		29.94
19	1453	7	BKN:07 20	7.00		47	8.3	44	6.8	41	5.0	80	17	220	25	28.97			29.95	FM-15	0.00	29.94
19	1551	6	SCT:04 20	6.00	HZ:7 ||HZ	46	8.0	44	6.5	41	5.0	82	13	230	22	28.98				FM-16		29.95
19	1553	7	SCT:04 20	6.00	HZ:7 |FU |HZ	47	8.3	44	6.8	41	5.0	80	15	240	22	28.98	3	-0.01	29.96	FM-15	0.00	29.95
19	1651	6	OVC:08 20	6.00	HZ:7 ||HZ	46	8.0	44	6.5	41	5.0	82	9	250		28.99				FM-16		29.96
19	1653	7	OVC:08 20	6.00	HZ:7 |FU |HZ	46	7.8	44	6.5	41	5.0	83	9	250		28.99			29.97	FM-15	0.00	29.96
19	1753	7	OVC:08 20	8.00		45	7.2	43	5.9	40	4.4	83	9	270		28.99			29.98	FM-15	0.00	29.96

19	1853	7	OVC:08 20	7.00		45	7.2	43	6.2	41	5.0	86	9	270		29.02	3	-0.04	30.00	FM-15	0.00	29.99
19	1948	7	FEW:02 22	7.00		45	7.0	43	6.2	41	5.0	87	9	260		29.03				FM-16		30.00
19	1953	7	FEW:02 22	7.00		44	6.7	43	5.9	41	5.0	89	9	260		29.03			30.01	FM-15	0.00	30.00
19	2053	7	CLR:00	7.00		43	6.1	42	5.3	40	4.4	89	10	250		29.04			30.02	FM-15	0.00	30.01
19	2151	6	BKN:07 16	6.00	BR:1 ||	43	6.0	42	5.6	41	5.0	93	9	270		29.05				FM-16		30.02
19	2153	7	BKN:07 16	6.00	BR:1 ||	43	6.1	42	5.6	41	5.0	93	9	260		29.05	3	-0.02	30.03	FM-15	0.00	30.02
19	2251	6	OVC:08 13	6.00	BR:1 ||	43	6.0	42	5.6	41	5.0	93	10	260		29.05				FM-16		30.02
19	2253	7	OVC:08 13	6.00	BR:1 ||	43	6.1	42	5.6	41	5.0	93	8	260		29.05			30.03	FM-15	0.00	30.02
19	2312	7	FEW:02 13	5.00	BR:1 ||	42	5.6	41	5.0	40	4.4	92	9	260		29.06				FM-16		30.03
19	2353	7	CLR:00	5.00	BR:1 ||	41	5.0	41	4.7	40	4.4	96	8	260		29.06			30.04	FM-15	0.00	30.03
20	0053	7	CLR:00	4.00	BR:1 ||	40	4.4	40	4.2	39	3.9	97	8	280		29.05	8	+0.00	30.03	FM-15	0.00	30.02
20	0153	7	CLR:00	5.00	BR:1 ||	39	3.9	39	3.6	38	3.3	96	8	290		29.06			30.04	FM-15	0.00	30.03
20	0253	7	CLR:00	8.00		36	2.2	36	2.0	35	1.7	97	5	290		29.08			30.06	FM-15	0.00	30.05
20	0353	7	CLR:00	7.00		36	2.2	36	2.0	35	1.7	97	5	290		29.08	1	-0.03	30.06	FM-15	0.00	30.05
20	0453	7	CLR:00	10.00		37	2.8	33	0.8	28	-2.2	70	8	330		29.07			30.06	FM-15	0.00	30.04
20	0553	7	CLR:00	10.00		36	2.2	32	0.1	26	-3.3	67	8	330		29.08			30.06	FM-15	0.00	30.05
20	0653	7	CLR:00	10.00		34	1.1	31	-0.7	25	-3.9	70	7	330		29.11	3	-0.03	30.09	FM-15	0.00	30.08
20	0753	7	CLR:00	10.00		33	0.6	30	-1.1	25	-3.9	72	6	330		29.11			30.10	FM-15	0.00	30.08
20	0853	7	CLR:00	10.00		33	0.6	30	-0.9	26	-3.3	75	5	320		29.12			30.11	FM-15	0.00	30.09
20	0953	7	CLR:00	10.00		35	1.7	32	-0.2	26	-3.3	70	9	350		29.13	3	-0.02	30.12	FM-15	0.00	30.10
20	1053	7	CLR:00	10.00		38	3.3	33	0.8	26	-3.3	62	7	350		29.12			30.11	FM-15	0.00	30.09
20	1153	7	CLR:00	10.00		39	3.9	34	0.9	25	-3.9	57	6	040		29.10			30.08	FM-15	0.00	30.07
20	1253	7	CLR:00	10.00		41	5.0	35	1.5	25	-3.9	53	3	VRB		29.07	8	+0.06	30.06	FM-15	0.00	30.04
20	1353	7	CLR:00	10.00		41	5.0	35	1.5	25	-3.9	53	3	VRB		29.06			30.05	FM-15	0.00	30.03
20	1453	7	CLR:00	10.00		43	6.1	36	2.0	24	-4.4	47	7	360		29.06			30.04	FM-15	0.00	30.03
20	1553	7	CLR:00			41	5.0	34	0.9	21	-6.1	45	9	330		29.06	5	+0.01	30.05	FM-15	0.00	30.03
20	1653	7	CLR:00	10.00		37	2.8	32	-0.1	23	-5.0	57	8	340		29.08			30.07	FM-15	0.00	30.05
20	1753	7	CLR:00	10.00		34	1.1	30	-1.3	22	-5.6	61	6	010		29.09			30.08	FM-15	0.00	30.06
20	1853	7	CLR:00	10.00		32	0.0	28	-2.1	21	-6.1	64	6	360		29.10	1	-0.04	30.09	FM-15	0.00	30.07
20	1953	7	CLR:00	10.00		30	-1.1	27	-2.8	21	-6.1	69	7	020		29.10			30.10	FM-15	0.00	30.07
20	2053	7	CLR:00	10.00		28	-2.2	26	-3.5	21	-6.1	75	7	010		29.11			30.10	FM-15	0.00	30.08
20	2153	7	CLR:00	10.00		29	-1.7	26	-3.2	21	-6.1	72	8	020		29.11	3	-0.01	30.11	FM-15	0.00	30.08
20	2253	7	OVC:08 90	10.00		30	-1.1	28	-2.5	23	-5.0	75	6	030		29.13			30.12	FM-15	0.00	30.10
20	2353	7	OVC:08 95	10.00		31	-0.6	28	-2.1	23	-5.0	72	5	060		29.12			30.12	FM-15	0.00	30.09
21	0053	7	OVC:08 90	10.00		31	-0.6	28	-1.9	24	-4.4	76	7	080		29.12	0	-0.01	30.11	FM-15	0.00	30.09
21	0153	7	BKN:07 90	10.00		29	-1.7	27	-3.0	22	-5.6	75	5	050		29.12			30.11	FM-15	0.00	30.09
21	0253	7	FEW:02 95	10.00		26	-3.3	24	-4.3	21	-6.1	81	6	090		29.11			30.11	FM-15	0.00	30.08
21	0353	7	CLR:00	10.00		26	-3.3	24	-4.3	21	-6.1	81	6	060		29.13	3	-0.01	30.12	FM-15	0.00	30.10
21	0453	7	CLR:00	10.00		26	-3.3	24	-4.3	21	-6.1	81	6	040		29.13			30.12	FM-15	0.00	30.10
21	0553	7	OVC:08 90	10.00		28	-2.2	26	-3.2	23	-5.0	81	6	070		29.13			30.13	FM-15	0.00	30.10
21	0653	7	FEW:02 90	10.00		27	-2.8	25	-3.9	21	-6.1	78	7	120		29.13	0	-0.00	30.12	FM-15	0.00	30.10
21	0753	7	CLR:00	10.00		27	-2.8	25	-3.9	21	-6.1	78	3	090		29.14			30.14	FM-15	0.00	30.11
21	0853	7	CLR:00	10.00		30	-1.1	28	-2.3	24	-4.4	79	5	050		29.16			30.16	FM-15	0.00	30.13
21	0953	7	CLR:00	10.00		34	1.1	30	-0.9	24	-4.4	67	7	090		29.16	0	-0.03	30.15	FM-15	0.00	30.13
21	1053	7	CLR:00	10.00		38	3.3	32	0.2	23	-5.0	55	9	090		29.15			30.14	FM-15	0.00	30.12
21	1153	7	CLR:00	10.00		41	5.0	34	1.0	22	-5.6	47	13	110		29.13			30.12	FM-15	0.00	30.10
21	1253	7	CLR:00	10.00		44	6.7	36	2.0	22	-5.6	41	13	110		29.08	8	+0.07	30.07	FM-15	0.00	30.05
21	1353	7	CLR:00	10.00		44	6.7	36	2.0	22	-5.6	41	7	110		29.06			30.05	FM-15	0.00	30.03
21	1453	7	CLR:00	10.00		46	7.8	37	2.6	22	-5.6	38	8	110		29.05			30.03	FM-15	0.00	30.02
21	1553	7	CLR:00	10.00		47	8.3	37	2.9	22	-5.6	37	6	110		29.04	6	+0.04	30.03	FM-15	0.00	30.01
21	1653	7	OVC:08 100	10.00		44	6.7	36	2.1	23	-5.0	43	7	100		29.03			30.03	FM-15	0.00	30.00
21	1753	7	SCT:04 100	10.00		41	5.0	34	1.2	23	-5.0	49	6	110		29.02			30.01	FM-15	0.00	29.99
21	1853	7	BKN:07 33 OVC:08 110	10.00		44	6.7	36	2.1	23	-5.0	43	8	110		29.03	5	+0.01	30.02	FM-15	0.00	30.00
21	1953	7	FEW:02 32 OVC:08 90	10.00		41	5.0	34	1.2	23	-5.0	49	7	100		29.02			30.01	FM-15	0.00	29.99
21	2053	7	CLR:00	10.00		42	5.6	34	1.2	21	-6.1	43	10	140		28.99			29.98	FM-15	0.00	29.96

21	2153	7	BKN:07 29	10.00		42	5.6	34	1.3	22	-5.6	45	7	130		28.98	8	+0.05	29.97	FM-15	0.00	29.95
21	2253	7	BKN:07 27	10.00		45	7.2	37	2.6	24	-4.4	44	5	160		28.97			29.96	FM-15	0.00	29.94
21	2353	7	SCT:04 20 OVC:08 27	10.00		47	8.3	39	3.7	27	-2.8	46	9	150		28.97			29.95	FM-15	0.00	29.94
22	0053	7	OVC:08 29	10.00		47	8.3	40	4.5	31	-0.6	54	6	170		28.96	8	+0.02	29.93	FM-15	0.00	29.93
22	0153	7	BKN:07 17 BKN:07 23 OVC:08 29	10.00		47	8.3	40	4.5	31	-0.6	54	3	190		28.96			29.93	FM-15	0.00	29.93
22	0215	7	SCT:04 19 OVC:08 35	10.00		47	8.3	40	4.5	31	-0.6	54	7	160		28.94				FM-16		29.91
22	0253	7	FEW:02 22 BKN:07 30 OVC:08 35	10.00		48	8.9	42	5.4	34	1.1	58	7	180		28.96			29.94	FM-15	0.00	29.93
22	0353	7	FEW:02 29 OVC:08 44	10.00		49	9.4	44	6.8	39	3.9	69	9	180		28.94	8	+0.01	29.91	FM-15	0.00	29.91
22	0422	7	BKN:07 25 BKN:07 29 OVC:08 44	10.00		49	9.4	46	7.6	42	5.6	77	8	180		28.94				FM-16		29.91
22	0453	7	BKN:07 23 OVC:08 28	10.00		49	9.4	46	7.8	43	6.1	80	7	180		28.93			29.91	FM-15	T	29.90
22	0535	7	SCT:04 21 BKN:07 36 OVC:08 47	10.00		50	10.0	48	8.6	45	7.2	83	7	200		28.94				FM-16	T	29.91
22	0553	7	SCT:04 23 BKN:07 30 OVC:08 45	10.00	-RA:02 |RA |	50	10.0	48	8.9	46	7.8	86	9	190		28.95			29.93	FM-15	T	29.92
22	0602	7	BKN:07 23 OVC:08 36	10.00	-RA:02 |RA |	50	10.0	48	9.2	47	8.3	89	7	200		28.95				FM-16	T	29.92
22	0651	7	SCT:04 9 BKN:07 13 OVC:08 19	4.00	-RA:02 BR:1 |RA |	52	11.0	51	10.5	50	10.0	94	8	230		28.97				FM-16	T	29.94
22	0652	7	SCT:04 9 BKN:07 13 OVC:08 19	3.00	-RA:02 BR:1 |RA |	51	10.6	50	10.3	50	10.0	96	8	230		28.97	3	-0.03	29.95	FM-15	0.01	29.94
22	0659	7	BKN:07 9 OVC:08 13	3.00	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	7	250		28.98				FM-16	0.01	29.95
22	0751	6	BKN:07 19 OVC:08 24	9.00		52	11.0	51	10.5	50	10.0	94	9	220		28.99				FM-16		29.96
22	0753	7	BKN:07 19 OVC:08 24	9.00		51	10.6	50	10.3	50	10.0	96	8	220		28.99			29.97	FM-15	T	29.96
22	0853	7	BKN:07 22 OVC:08 36	8.00		51	10.6	50	10.3	50	10.0	96	7	220		29.01			29.98	FM-15	0.00	29.98
22	0921	7	SCT:04 22 OVC:08 40	8.00		51	10.6	50	10.3	50	10.0	96	7	210		29.01				FM-16		29.98
22	0944	7	BKN:07 24 OVC:08 41	9.00		52	11.1	51	10.5	50	10.0	93	10	210		29.01				FM-16		29.98
22	0953	7	BKN:07 25 OVC:08 29	9.00		52	11.1	51	10.8	51	10.6	97	7	210		29.02	1	-0.04	29.99	FM-15	0.00	29.99
22	1029	7	SCT:04 8 BKN:07 16 OVC:08 20	4.00	BR:1 ||	51	10.6	51	10.6	51	10.6	100	6	200		29.02				FM-16		29.99
22	1030	7	BKN:07 8 BKN:07 16 OVC:08 20	4.00	BR:1 ||	51	10.6	51	10.6	51	10.6	100	6	200		29.02				FM-16		29.99
22	1053	7	OVC:08 8	3.00	BR:1 ||	51	10.6	51	10.6	51	10.6	100	7	190		29.03			30.01	FM-15	0.00	30.00
22	1058	7	OVC:08 8	1.75	BR:1 ||	51	10.6	51	10.6	51	10.6	100	7	200		29.03				FM-16		30.00
22	1112	7	OVC:08 8	2.50	BR:1 ||	51	10.6	51	10.6	51	10.6	100	6	190		29.03				FM-16		30.00
22	1129	7	OVC:08 4	1.25	BR:1 ||	51	10.6	51	10.6	51	10.6	100	6	190		29.02				FM-16		29.99
22	1153	7	OVC:08 3	1.75	BR:1 ||	51	10.6	51	10.6	51	10.6	100	7	180		29.01			29.98	FM-15	0.00	29.98
22	1201	7	OVC:08 3	2.00	BR:1 ||	51	10.6	51	10.6	51	10.6	100	8	180		29.01				FM-16		29.98
22	1251	6	OVC:08 4	1.75	BR:1 ||	52	11.0	52	11.1	52	11.0	100	9	190		28.98				FM-16		29.95
22	1253	7	OVC:08 4	1.75	BR:1 ||	52	11.1	52	11.1	52	11.1	100	8	190		28.98	8	+0.04	29.95	FM-15	0.00	29.95
22	1305	7	OVC:08 4	2.00	BR:1 ||	52	11.1	52	11.1	52	11.1	100	8	190		28.98				FM-16		29.95

22	1317	7	OVC:08 5	3.00	BR:1 ||	52	11.1	52	11.1	52	11.1	100	8	190		28.97				FM-16		29.94
22	1324	7	OVC:08 5	2.00	BR:1 ||	52	11.1	52	11.1	52	11.1	100	10	200		28.98				FM-16		29.95
22	1353	7	OVC:08 5	2.00	BR:1 ||	52	11.1	52	11.1	52	11.1	100	10	210		28.98			29.95	FM-15	0.00	29.95
22	1436	7	OVC:08 7	5.00	BR:1 ||	53	11.7	53	11.7	53	11.7	100	7	210		28.97				FM-16		29.94
22	1453	7	OVC:08 8	6.00	BR:1 ||	53	11.7	53	11.7	53	11.7	100	10	200		28.98			29.95	FM-15	0.00	29.95
22	1553	7	BKN:07 13 OVC:08 18	8.00		53	11.7	53	11.7	53	11.7	100	9	200		28.98	3	-0.01	29.96	FM-15	0.00	29.95
22	1632	7	BKN:07 9 OVC:08 21	9.00		54	12.2	53	11.9	53	11.7	97	10	210		28.99				FM-16		29.96
22	1651	6	BKN:07 10 BKN:07 28 OVC:08 45	10.00		54	12.0	54	12.2	54	12.0	100	8	200		28.99				FM-16		29.96
22	1653	7	BKN:07 10 BKN:07 28 OVC:08 45	10.00		53	11.7	53	11.7	53	11.7	100	8	200		28.99			29.96	FM-15	0.00	29.96
22	1740	7	OVC:08 9	10.00		53	11.7	53	11.7	53	11.7	100	9	210		28.99				FM-16		29.96
22	1753	7	OVC:08 9	10.00		53	11.7	53	11.7	53	11.7	100	7	210		28.99			29.97	FM-15	0.00	29.96
22	1853	7	OVC:08 8	10.00		53	11.7	53	11.7	53	11.7	100	9	200		29.00	1	-0.01	29.97	FM-15	0.00	29.97
22	1953	7	BKN:07 6 OVC:08 13	9.00		53	11.7	53	11.7	53	11.7	100	7	190		28.99			29.96	FM-15	0.00	29.96
22	2053	7	OVC:08 5	6.00	BR:1 ||	53	11.7	53	11.7	53	11.7	100	6	190		28.97			29.95	FM-15	0.00	29.94
22	2153	7	OVC:08 5	3.00	BR:1 ||	52	11.1	52	11.1	52	11.1	100	3	200		28.97	6	+0.03	29.94	FM-15	0.00	29.94
22	2157	7	OVC:08 5	2.50	BR:1 ||	52	11.1	52	11.1	52	11.1	100	5	190		28.97				FM-16		29.94
22	2253	7	OVC:08 5	3.00	BR:1 ||	52	11.1	52	11.1	52	11.1	100	5	200		28.97			29.94	FM-15	0.00	29.94
22	2301	7	OVC:08 4	3.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	6	180		28.96				FM-16	T	29.93
22	2310	7	OVC:08 4	2.50	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	6	190		28.96				FM-16	T	29.93
22	2325	7	OVC:08 3	3.00	BR:1 ||	52	11.1	52	11.1	52	11.1	100	6	190		28.96				FM-16	T	29.93
22	2353	7	OVC:08 3	2.50	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	3	200		28.95			29.93	FM-15	0.01	29.92
23	0023	7	OVC:08 3	1.75	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	5	220		28.95				FM-16	0.01	29.92
23	0043	7	OVC:08 3	3.00	RA:02 BR:1 |RA |	47	8.3	47	8.3	47	8.3	100	11	350		28.94				FM-16	0.04	29.91
23	0051	6	OVC:08 5	3.00	-RA:02 BR:1 |RA |	46	8.0	46	7.8	46	8.0	100	8	340		28.93				FM-16		29.90
23	0053	7	OVC:08 5	4.00	-RA:02 BR:1 |RA |	46	7.8	46	7.8	46	7.8	100	8	340		28.93	6	+0.03	29.91	FM-15	0.04	29.90
23	0128	7	BKN:07 3 OVC:08 7	4.00	-RA:02 BR:1 |RA |	45	7.2	45	7.2	45	7.2	100	7	330		28.92				FM-16	0.01	29.89
23	0153	7	BKN:07 3 OVC:08 9	6.00	-RA:02 BR:1 |RA |	43	6.1	43	6.1	43	6.1	100	7	350		28.92			29.90	FM-15	0.03	29.89
23	0222	7	BKN:07 5 OVC:08 11	4.00	-RA:02 BR:1 |RA |	42	5.6	42	5.6	42	5.6	100	7	350		28.92				FM-16	0.04	29.89
23	0251	6	BKN:07 4 OVC:08 11	4.00	RA:02 BR:1 |RA |	43	6.0	43	6.1	43	6.0	100	6	350		28.92				FM-16		29.89
23	0253	7	BKN:07 4 OVC:08 11	4.00	RA:02 BR:1 |RA |	42	5.6	42	5.6	42	5.6	100	6	360		28.91			29.89	FM-15	0.09	29.88
23	0334	7	BKN:07 5 OVC:08 11	6.00	-RA:02 BR:1 |RA |	41	5.0	41	5.0	41	5.0	100	10	350		28.90				FM-16	0.03	29.87
23	0353	7	BKN:07 5 OVC:08 12	6.00	-RA:02 BR:1 |RA |	41	5.0	41	5.0	41	5.0	100	10	010		28.90	8	+0.04	29.87	FM-15	0.04	29.86
23	0453	7	OVC:08 5	4.00	RA:02 BR:1 |RA |	40	4.4	40	4.4	40	4.4	100	9	360		28.89			29.85	FM-15	0.09	29.85
23	0553	7	BKN:07 6 OVC:08 17	6.00	RA:02 BR:1 |RA |	38	3.3	38	3.3	38	3.3	100	9	340		28.89			29.86	FM-15	0.08	29.85
23	0653	7	BKN:07 7 BKN:07 31 OVC:08 42	9.00	-RA:02 |RA |	36	2.2	36	2.2	36	2.2	100	16	340	22	28.87	8	+0.03	29.84	FM-15	0.08	29.83
23	0753	7	BKN:07 7 BKN:07 31 OVC:08 42	7.00	RA:02 |RA |	36	2.2	36	2.0	35	1.7	97	17	350	24	28.87			29.84	FM-15	0.05	29.83
23	0820	7	BKN:07 7 BKN:07 31 OVC:08 42	5.00	RA:02 BR:1 |RA |	35	1.7	35	1.7	35	1.7	100	17	350		28.86				FM-16	0.04	29.82
23	0853	7	OVC:08 7	10.00	UP:09 ||	35	1.7	35	1.7	35	1.7	100	13	350		28.86			29.83	FM-15	0.04	29.82
23	0858	7	OVC:08 7	10.00	-RA:02 |RA |	35	1.7	35	1.7	35	1.7	100	16	350	22	28.86				FM-16	T	29.82
23	0933	7	OVC:08 7	5.00	-RA:02 BR:1 |RA |	35	1.7	35	1.4	34	1.1	96	16	350	20	28.87				FM-16	0.01	29.83

23	0953	7	OVC:08 7	6.00	-RA:02 BR:1 |RA |	35	1.7	35	1.4	34	1.1	96	11	010		28.87	3	-0.01	29.85	FM-15	0.01	29.84
23	0956	7	OVC:08 7	6.00	-RA:02 BR:1 |RA |	35	1.7	35	1.4	34	1.1	96	14	360		28.87				FM-16	T	29.84
23	1053	7	OVC:08 8	5.00	-RA:02 BR:1 |RA |	35	1.7	35	1.4	34	1.1	96	13	350		28.90			29.87	FM-15	0.01	29.86
23	1139	7	OVC:08 9	2.50	-SN:03 BR:1 |SN |	34	1.1	34	0.9	33	0.6	97	11	350	24	28.92				FM-16	T	29.89
23	1151	7	BKN:07 9 OVC:08 14	1.25	-SN:03 BR:1 |SN |	34	1.0	34	1.1	34	1.0	100	14	340		28.92				FM-16	T	29.89
23	1153	7	BKN:07 8 OVC:08 14	1.00	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	18	340		28.92			29.90	FM-15	T	29.89
23	1154	7	BKN:07 8 OVC:08 14	1.00	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	16	340		28.92				FM-16	T	29.89
23	1158	7	BKN:07 8 OVC:08 14	1.25	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	16	340		28.92				FM-16	T	29.89
23	1251	6	BKN:07 7 OVC:08 13	0.75	-SN:03 BR:1 |SN |	34	1.0	33	0.7	32	0.0	93	15	350		28.90				FM-16		29.87
23	1253	7	BKN:07 7 OVC:08 13	0.75	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	14	340		28.91	0	-0.02	29.89	FM-15	0.01	29.88
23	1353	7	OVC:08 9	4.00	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	10	350		28.91			29.90	FM-15	T	29.88
23	1403	7	OVC:08 9	1.75	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	10	360		28.90				FM-16	T	29.87
23	1411	7	OVC:08 9	3.00	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	13	360		28.90				FM-16	T	29.87
23	1425	7	BKN:07 10	10.00		34	1.1	34	0.9	33	0.6	97	9	360		28.90				FM-16	T	29.87
23	1453	7	OVC:08 10	9.00		34	1.1	33	0.7	32	0.0	92	14	320	22	28.97			29.96	FM-15	T	29.94
23	1520	7	OVC:08 9	8.00		33	0.6	33	0.3	32	0.0	96	16	330	23	29.01				FM-16		29.98
23	1551	6	OVC:08 10	7.00		34	1.0	32	0.2	30	-1.0	87	13	330	22	29.04				FM-16		30.01
23	1553	7	OVC:08 10	7.00		33	0.6	32	0.1	31	-0.6	92	13	330		29.04	3	-0.13	30.03	FM-15	0.00	30.01
23	1653	7	OVC:08 14	9.00		33	0.6	32	-0.1	30	-1.1	89	9	330		29.08			30.07	FM-15	0.00	30.05
23	1753	7	OVC:08 14	10.00		33	0.6	31	-0.5	28	-2.2	82	10	310		29.13			30.12	FM-15	0.00	30.10
23	1851	6	OVC:08 22	10.00		34	1.0	32	-0.2	28	-2.0	81	6	320		29.16				FM-16		30.13
23	1853	7	OVC:08 22	10.00		33	0.6	31	-0.3	29	-1.7	85	7	330		29.15	1	-0.11	30.15	FM-15	0.00	30.12
23	1953	7	OVC:08 25	10.00		33	0.6	31	-0.3	29	-1.7	85	8	310		29.19			30.19	FM-15	0.00	30.16
23	2044	7	OVC:08 30	10.00		33	0.6	31	-0.7	27	-2.8	78	0	000		29.20				FM-16		30.17
23	2053	7	BKN:07 30	10.00		33	0.6	31	-0.5	28	-2.2	82	0	000		29.20			30.19	FM-15	0.00	30.17
23	2153	7	CLR:00	10.00		32	0.0	30	-0.8	28	-2.2	85	0	000		29.20	1	-0.04	30.19	FM-15	0.00	30.17
23	2253	7	CLR:00	8.00		30	-1.1	29	-1.5	28	-2.2	92	3	270		29.21			30.21	FM-15	0.00	30.18
23	2353	7	FEW:02 17	8.00		30	-1.1	29	-1.5	28	-2.2	92	5	280		29.21			30.20	FM-15	0.00	30.18
24	0051	6	BKN:07 13	9.00		30	-1.0	29	-1.5	28	-2.0	93	7	330		29.22				FM-16		30.19
24	0053	7	BKN:07 13	9.00		31	-0.6	30	-1.2	28	-2.2	89	7	330		29.22	3	-0.02	30.22	FM-15	0.00	30.19
24	0101	7	SCT:04 12	9.00		31	-0.6	30	-1.2	28	-2.2	89	8	350		29.22				FM-16		30.19
24	0153	7	CLR:00	10.00		30	-1.1	28	-2.1	25	-3.9	82	7	340		29.22			30.22	FM-15	0.00	30.19
24	0251	6	BKN:07 28	10.00		28	-2.0	27	-2.8	25	-4.0	86	5	340		29.23				FM-16		30.21
24	0253	7	BKN:07 28	10.00		29	-1.7	28	-2.5	25	-3.9	85	5	340		29.23			30.24	FM-15	0.00	30.21
24	0314	7	SCT:04 28	10.00		29	-1.7	28	-2.5	25	-3.9	85	7	350		29.23				FM-16		30.20
24	0353	7	CLR:00	10.00		29	-1.7	28	-2.5	25	-3.9	85	6	010		29.23	0	-0.01	30.23	FM-15	0.00	30.20
24	0453	7	CLR:00	10.00		29	-1.7	28	-2.5	25	-3.9	85	5	010		29.23			30.22	FM-15	0.00	30.20
24	0553	7	SCT:04 120	10.00		28	-2.2	27	-2.8	25	-3.9	88	5	050		29.22			30.21	FM-15	0.00	30.19
24	0653	7	FEW:02 120	10.00		28	-2.2	27	-2.6	26	-3.3	92	3	010		29.23	3	-0.01	30.23	FM-15	0.00	30.21
24	0753	7	OVC:08 100	9.00		29	-1.7	28	-2.3	26	-3.3	89	0	000		29.22			30.22	FM-15	0.00	30.19
24	0853	7	FEW:02 90 BKN:07 110	8.00		29	-1.7	28	-2.3	26	-3.3	89	5	070		29.18			30.17	FM-15	0.00	30.15
24	0953	7	OVC:08 120	8.00		30	-1.1	29	-1.7	27	-2.8	88	7	080		29.14	8	+0.10	30.13	FM-15	0.00	30.11
24	1053	7	OVC:08 110	9.00		31	-0.6	30	-1.2	28	-2.2	89	3	110		29.13			30.12	FM-15	0.00	30.10
24	1153	7	FEW:02 17 FEW:02 110	9.00		33	0.6	31	-0.3	29	-1.7	85	13	100		29.06			30.06	FM-15	0.00	30.03
24	1242	7	BKN:07 20	10.00		34	1.1	32	-0.2	28	-2.2	79	7	140		29.04				FM-16		30.01
24	1253	7	OVC:08 20	10.00		34	1.1	32	-0.2	28	-2.2	79	6	140		29.02	8	+0.11	30.01	FM-15	0.00	29.99
24	1353	7	OVC:08 20	10.00		34	1.1	32	-0.2	28	-2.2	79	3	240		28.99			29.99	FM-15	0.00	29.96
24	1453	7	OVC:08 23	10.00		34	1.1	32	-0.2	28	-2.2	79	7	160		28.95			29.94	FM-15	0.00	29.92
24	1553	7	OVC:08 20	10.00		34	1.1	32	-0.2	28	-2.2	79	7	190		28.92	7	+0.10	29.92	FM-15	0.00	29.89
24	1653	7	OVC:08 19	6.00	UP:09 BR:1 ||	33	0.6	31	-0.3	29	-1.7	85	5	250		28.91			29.91	FM-15	T	29.88

24	1735	7	BKN:07 14 OVC:08 21	4.00	-RA:02 BR:1 |RA |	32	0.0	31	-0.4	30	-1.1	92	6	350		28.90				FM-16	T	29.87
24	1743	7	BKN:07 14 OVC:08 21	3.00	-RA:02 BR:1 |RA |	31	-0.6	31	-0.6	31	-0.6	100	5	330		28.90				FM-16	T	29.87
24	1745	7	BKN:07 9 OVC:08 14	2.50	-SN:03 BR:1 |SN |	31	-0.6	31	-0.6	31	-0.6	100	3	350		28.90				FM-16	T	29.87
24	1753	7	BKN:07 9 OVC:08 14	2.00	-SN:03 BR:1 |SN |	31	-0.6	31	-0.8	30	-1.1	96	5	330		28.90			29.90	FM-15	T	29.87
24	1810	7	BKN:07 9 OVC:08 14	1.50	-SN:03 BR:1 |SN |	31	-0.6	31	-0.6	31	-0.6	100	3	010		28.90				FM-16	0.01	29.86
24	1851	6	SCT:04 5 OVC:08 18	1.25	-SN:03 BR:1 |SN |	30	-1.0	30	-1.1	30	-1.0	100	0	000		28.89				FM-16		29.85
24	1853	7	SCT:04 5 OVC:08 18	1.25	-SN:03 BR:1 |SN |	31	-0.6	31	-0.6	31	-0.6	100	0	000		28.89	8	+0.04	29.88	FM-15	0.02	29.85
24	1916	7	FEW:02 6 BKN:07 12 OVC:08 22	1.50	-SN:03 BR:1 |SN |	31	-0.6	31	-0.6	31	-0.6	100	0	000		28.89				FM-16	T	29.85
24	1951	6	BKN:07 7 OVC:08 11	1.50	-SN:03 BR:1 |SN |	30	-1.0	30	-1.1	30	-1.0	100	5	280		28.87				FM-16		29.84
24	1953	7	BKN:07 7 OVC:08 11	1.50	-SN:03 BR:1 |SN |	30	-1.1	30	-1.1	30	-1.1	100	5	280		28.87			29.87	FM-15	T	29.84
24	2053	7	OVC:08 5	1.50	-SN:03 BR:1 |SN |	30	-1.1	30	-1.1	30	-1.1	100	10	290		28.87			29.87	FM-15	T	29.84
24	2108	7	OVC:08 7	0.50	SN:03 FZ:8 FG:2 |FG SN |	29	-1.7	29	-1.7	29	-1.7	100	9	290		28.89				FM-16	0.01	29.85
24	2116	7	FEW:02 5 BKN:07 11 OVC:08 23	1.00	-SN:03 BR:1 |SN |	29	-1.7	29	-1.7	29	-1.7	100	8	280		28.89				FM-16	0.01	29.85
24	2141	7	FEW:02 6 BKN:07 18 OVC:08 24	1.25	-SN:03 BR:1 |SN |	29	-1.7	29	-1.7	29	-1.7	100	10	270		28.90				FM-16	0.01	29.87
24	2151	6	FEW:02 8 BKN:07 17 OVC:08 27	2.00	-SN:03 BR:1 |SN |	28	-2.0	28	-2.2	28	-2.0	100	13	270	23	28.90				FM-16		29.87
24	2153	7	FEW:02 6 BKN:07 17 OVC:08 29	3.00	-SN:03 BR:1 |SN |	29	-1.7	29	-1.9	28	-2.2	96	16	270	24	28.91	3	-0.02	29.91	FM-15	0.01	29.88
24	2230	7	SCT:04 17 BKN:07 39 OVC:08 45	8.00		28	-2.2	27	-3.0	24	-4.4	85	20	270	32	28.93				FM-16	T	29.90
24	2242	7	SCT:04 13 BKN:07 19 OVC:08 35	2.50	-SN:03 BR:1 |SN |	28	-2.2	27	-2.8	25	-3.9	88	26	260	37	28.94				FM-16	T	29.91
24	2250	7	SCT:04 15 BKN:07 21 OVC:08 41	1.25	-SN:03 BR:1 |SN |	25	-4.0	24	-4.6	21	-6.0	86	29	270	44	28.95				FM-16	T	29.92
24	2253	7	FEW:02 13 BKN:07 32 OVC:08 85	1.25	-SN:03 BR:1 |SN |	25	-3.9	24	-4.4	22	-5.6	88	24	270	44	28.96			29.96	FM-15	T	29.93
24	2304	7	BKN:07 15 BKN:07 22 OVC:08 32	2.50	-SN:03 BR:1 |SN |	25	-3.9	24	-4.3	23	-5.0	92	18	260	34	28.96				FM-16	T	29.93
24	2311	7	SCT:04 13 BKN:07 18 OVC:08 32	3.00	-SN:03 BR:1 |SN |	25	-3.9	24	-4.4	22	-5.6	88	17	260	36	28.97				FM-16	T	29.94
24	2324	7	SCT:04 13 BKN:07 21 OVC:08 25	2.00	-SN:03 BR:1 |SN |	24	-4.4	23	-5.2	20	-6.7	84	23	260	33	28.99				FM-16	T	29.96
24	2340	7	FEW:02 13 SCT:04 19 OVC:08 25	1.50	-SN:03 BR:1 |SN |	23	-5.0	22	-5.5	20	-6.7	88	22	260	34	28.99				FM-16	T	29.96
24	2353	7	BKN:07 15 BKN:07 21 OVC:08 27	1.75	-SN:03 BR:1 |SN |	22	-5.6	21	-6.1	19	-7.2	89	21	260	32	29.00			30.00	FM-15	T	29.97
25	0033	7	BKN:07 15 BKN:07 21 OVC:08 27	2.00	-SN:03 BR:1 |SN |	21	-6.1	20	-6.6	18	-7.8	88	22	260	32	29.02				FM-16	T	29.99

25	0051	6	FEW:02 15 SCT:04 24 OVC:08 28	3.00	-SN:03 BR:1 |SN |	19	-7.0	19	-7.4	18	-8.0	93	21	260	32	29.04				FM-16		30.01
25	0053	7	FEW:02 15 SCT:04 22 OVC:08 28	2.50	-SN:03 BR:1 |SN |	20	-6.7	19	-7.2	17	-8.3	89	22	260	33	29.04	3	-0.08	30.04	FM-15	T	30.01
25	0104	7	FEW:02 17 SCT:04 22 OVC:08 30	1.75	-SN:03 BR:1 |SN |	20	-6.7	19	-7.3	16	-8.9	85	22	260	38	29.04				FM-16	T	30.01
25	0111	7	FEW:02 17 FEW:02 22 OVC:08 34	2.50	-SN:03 BR:1 |SN |	20	-6.7	19	-7.3	16	-8.9	85	20	260	33	29.05				FM-16	T	30.02
25	0127	7	SCT:04 15 BKN:07 24 OVC:08 36	3.00	-SN:03 BR:1 |SN |	20	-6.7	19	-7.3	16	-8.9	85	20	250	29	29.06				FM-16	T	30.03
25	0151	6	BKN:07 20 OVC:08 25	2.50	-SN:03 BR:1 |SN |	19	-7.0	18	-7.7	16	-9.0	86	23	260	31	29.06				FM-16		30.03
25	0153	7	FEW:02 14 OVC:08 22	2.50	-SN:03 BR:1 |SN |	19	-7.2	18	-7.7	16	-8.9	88	17	260	31	29.07			30.07	FM-15	T	30.04
25	0203	7	BKN:07 22 OVC:08 29	3.00	-SN:03 BR:1 |SN |	19	-7.2	18	-7.7	16	-8.9	88	17	260	28	29.07				FM-16	T	30.04
25	0253	7	OVC:08 21	6.00	-SN:03 |SN |	20	-6.7	19	-7.5	15	-9.4	81	21	260	31	29.11			30.11	FM-15	T	30.08
25	0351	7	SCT:04 21 OVC:08 30	7.00	-SN:03 |SN |	19	-7.0	18	-8.0	14	-10.0	79	16	260	30	29.14				FM-16	T	30.11
25	0353	7	SCT:04 21 OVC:08 28	8.00	-SN:03 |SN |	19	-7.2	18	-8.0	14	-10.0	81	24	260	34	29.14	1	-0.08	30.15	FM-15	T	30.11
25	0413	7	FEW:02 21 BKN:07 39 OVC:08 60	9.00		19	-7.2	18	-8.0	14	-10.0	81	21	260	30	29.15				FM-16	T	30.12
25	0453	7	FEW:02 48 OVC:08 70	10.00		19	-7.2	17	-8.3	12	-11.1	74	20	270	28	29.17			30.17	FM-15	T	30.14
25	0553	7	BKN:07 39	10.00		20	-6.7	18	-7.9	12	-11.1	71	16	260	29	29.19			30.19	FM-15	0.00	30.16
25	0653	7	OVC:08 45	10.00		20	-6.7	18	-7.9	12	-11.1	71	22	260	30	29.23	3	-0.08	30.23	FM-15	T	30.20
25	0753	7	FEW:02 30 OVC:08 44	10.00		20	-6.7	18	-7.9	12	-11.1	71	13	260	28	29.23			30.24	FM-15	T	30.21
25	0853	7	BKN:07 38	10.00		20	-6.7	18	-8.0	11	-11.7	68	15	260	28	29.25			30.25	FM-15	0.00	30.22
25	0953	7	CLR:00	10.00		21	-6.1	18	-7.5	12	-11.1	68	17	250	28	29.25	3	-0.02	30.26	FM-15	T	30.22
25	1033	7	BKN:07 24	10.00		21	-6.1	19	-7.2	14	-10.0	74	16	260		29.26				FM-16		30.23
25	1053	7	BKN:07 24 BKN:07 30	10.00		21	-6.1	19	-7.4	13	-10.6	71	15	260		29.26			30.27	FM-15	0.00	30.23
25	1153	7	SCT:04 28	10.00		22	-5.6	19	-7.3	11	-11.7	63	18	260	30	29.23			30.25	FM-15	0.00	30.21
25	1155	7	SCT:04 28	10.00		22	-5.6	19	-7.3	11	-11.7	63	17	260	30	29.23				FM-16		30.21
25	1253	7	SCT:04 36	9.00		23	-5.0	20	-6.9	11	-11.7	60	20	240	26	29.22	8	+0.03	30.23	FM-15	T	30.19
25	1353	7	BKN:07 41 BKN:07 49	9.00	-SN:03 |SN |	24	-4.4	20	-6.5	11	-11.7	57	24	260	33	29.23			30.24	FM-15	T	30.21
25	1453	7	FEW:02 42	10.00		23	-5.0	19	-7.3	8	-13.3	53	21	260	31	29.26			30.27	FM-15	T	30.23
25	1553	7	CLR:00	10.00		22	-5.6	18	-7.6	8	-13.3	55	17	260	30	29.28	3	-0.06	30.29	FM-15	0.00	30.26
25	1653	7	CLR:00	10.00		21	-6.1	17	-8.3	6	-14.4	52	13	260		29.31			30.33	FM-15	0.00	30.29
25	1753	7	CLR:00	10.00		20	-6.7	16	-8.8	5	-15.0	52	15	260	21	29.34			30.36	FM-15	0.00	30.32
25	1853	7	CLR:00	10.00		20	-6.7	16	-8.6	6	-14.4	55	15	240		29.35	1	-0.07	30.37	FM-15	0.00	30.33
25	1953	7	CLR:00	10.00		19	-7.2	16	-9.0	6	-14.4	57	13	260		29.37			30.39	FM-15	0.00	30.35
25	2053	7	CLR:00	10.00		18	-7.8	15	-9.4	6	-14.4	59	9	250		29.37			30.39	FM-15	0.00	30.35
25	2153	7	CLR:00	10.00		18	-7.8	15	-9.5	5	-15.0	57	8	260		29.39	2	-0.04	30.41	FM-15	0.00	30.37
25	2253	7	CLR:00	10.00		17	-8.3	14	-9.9	5	-15.0	59	9	270		29.40			30.42	FM-15	0.00	30.38
25	2353	7	CLR:00	10.00		15	-9.4	13	-10.8	5	-15.0	64	7	300		29.42			30.44	FM-15	0.00	30.40
26	0053	7	CLR:00	10.00		15	-9.4	13	-10.6	6	-14.4	67	9	280		29.41	0	-0.03	30.44	FM-15	0.00	30.39
26	0153	7	CLR:00	10.00		15	-9.4	13	-10.6	6	-14.4	67	7	290		29.41			30.44	FM-15	0.00	30.39
26	0253	7	CLR:00	10.00		14	-10.0	12	-11.2	5	-15.0	67	13	290		29.44			30.46	FM-15	0.00	30.42
26	0353	7	BKN:07 110	10.00		13	-10.6	11	-11.7	4	-15.6	67	11	280		29.46	3	-0.04	30.48	FM-15	0.00	30.44
26	0453	7	OVC:08 90	10.00		13	-10.6	11	-11.7	4	-15.6	67	7	290		29.46			30.48	FM-15	0.00	30.44

26	0553	7	BKN:07 60 BKN:07 75	10.00		13	-10.6	11	-11.7	4	-15.6	67	8	250		29.46			30.49	FM-15	0.00	30.44
26	0653	7	SCT:04 70 BKN:07 85 BKN:07 110	10.00		13	-10.6	11	-11.6	5	-15.0	70	7	250		29.48	3	-0.03	30.51	FM-15	0.00	30.46
26	0753	7	FEW:02 55	10.00		12	-11.1	10	-12.0	5	-15.0	73	7	280		29.49			30.53	FM-15	0.00	30.47
26	0853	7	BKN:07 100	10.00		13	-10.6	11	-11.7	4	-15.6	67	8	260		29.51			30.54	FM-15	0.00	30.49
26	0953	7	SCT:04 100 BKN:07 120	10.00		13	-10.6	11	-11.9	2	-16.7	61	11	270		29.53	3	-0.04	30.56	FM-15	0.00	30.51
26	1053	7	BKN:07 60 BKN:07 75	10.00		15	-9.4	12	-11.0	3	-16.1	59	11	290		29.55			30.58	FM-15	0.00	30.53
26	1153	7	FEW:02 80 BKN:07 100	10.00		15	-9.4	12	-10.9	4	-15.6	61	10	270		29.53			30.56	FM-15	0.00	30.51
26	1253	7	OVC:08 95	10.00		16	-8.9	13	-10.6	2	-16.7	54	9	250		29.51	8	+0.01	30.54	FM-15	0.00	30.49
26	1353	7	BKN:07 60 OVC:08 90	10.00		17	-8.3	14	-10.0	4	-15.6	56	10	280		29.51			30.54	FM-15	0.00	30.49
26	1453	7	BKN:07 39 OVC:08 49	7.00	-SN:03 |SN |	16	-8.9	14	-10.1	7	-13.9	67	8	270		29.51			30.54	FM-15	T	30.49
26	1553	7	BKN:07 41 OVC:08 48	5.00	-SN:03 |SN |	15	-9.4	13	-10.5	7	-13.9	70	9	300		29.51	5	+0.00	30.54	FM-15	T	30.49
26	1653	7	OVC:08 41	3.00	-SN:03 |SN |	15	-9.4	13	-10.3	9	-12.8	77	8	260		29.51			30.54	FM-15	T	30.49
26	1753	7	BKN:07 49 OVC:08 80	9.00		14	-10.0	13	-10.7	9	-12.8	80	7	310		29.51			30.54	FM-15	T	30.49
26	1853	7	OVC:08 90	10.00		14	-10.0	13	-10.8	8	-13.3	77	10	290		29.51	5	+0.00	30.54	FM-15	0.00	30.49
26	1953	7	OVC:08 90	10.00		13	-10.6	11	-11.5	6	-14.4	74	10	300		29.52			30.55	FM-15	0.00	30.50
26	2053	7	OVC:08 90	10.00		13	-10.6	11	-11.5	6	-14.4	74	10	300		29.52			30.55	FM-15	0.00	30.50
26	2153	7	FEW:02 60 OVC:08 90	10.00		13	-10.6	10	-12.0	1	-17.2	59	9	310		29.52	0	-0.01	30.55	FM-15	0.00	30.50
26	2253	7	OVC:08 85	10.00		12	-11.1	10	-12.5	0	-17.8	58	8	320		29.54			30.57	FM-15	0.00	30.52
26	2353	7	OVC:08 85	10.00		11	-11.7	8	-13.1	-2	-18.9	55	10	330		29.55			30.58	FM-15	0.00	30.53
27	0053	7	OVC:08 85	10.00		8	-13.3	6	-14.5	-3	-19.4	60	13	330		29.56	1	-0.04	30.59	FM-15	0.00	30.54
27	0153	7	OVC:08 90	10.00		7	-13.9	5	-14.8	-2	-18.9	66	7	330		29.56			30.60	FM-15	0.00	30.54
27	0253	7	CLR:00	10.00		6	-14.4	5	-15.2	-2	-18.9	69	8	330		29.57			30.61	FM-15	0.00	30.55
27	0353	7	CLR:00	10.00		5	-15.0	4	-15.7	-2	-18.9	72	8	320		29.58	3	-0.02	30.62	FM-15	0.00	30.56
27	0453	7	CLR:00	10.00		4	-15.6	3	-16.2	-3	-19.4	73	8	330		29.59			30.63	FM-15	0.00	30.57
27	0553	7	CLR:00	10.00		2	-16.7	1	-17.2	-4	-20.0	76	6	330		29.59			30.64	FM-15	0.00	30.58
27	0653	7	CLR:00	10.00		2	-16.7	1	-17.3	-5	-20.6	72	6	330		29.59	1	-0.02	30.64	FM-15	0.00	30.58
27	0753	7	CLR:00	10.00		2	-16.7	1	-17.3	-5	-20.6	72	6	330		29.62			30.66	FM-15	0.00	30.60
27	0853	7	CLR:00	10.00		4	-15.6	3	-16.2	-3	-19.4	73	7	310		29.64			30.68	FM-15	0.00	30.62
27	0953	7	CLR:00	10.00		5	-15.0	4	-15.6	-1	-18.3	76	6	330		29.65	3	-0.06	30.70	FM-15	0.00	30.64
27	1053	7	CLR:00	10.00		8	-13.3	7	-14.0	2	-16.7	76	7	310		29.66			30.71	FM-15	0.00	30.65
27	1153	7	SCT:04 15	10.00		11	-11.7	9	-12.6	3	-16.1	70	7	300		29.65			30.69	FM-15	0.00	30.63
27	1238	7	BKN:07 21	10.00		13	-10.6	11	-11.7	4	-15.6	67	9	340		29.65				FM-16		30.63
27	1253	7	BKN:07 21	10.00		13	-10.6	11	-11.7	4	-15.6	67	10	320		29.65	8	+0.01	30.69	FM-15	0.00	30.63
27	1353	7	BKN:07 27	10.00		12	-11.1	10	-12.2	3	-16.1	67	11	320		29.62			30.67	FM-15	0.00	30.61
27	1451	6	BKN:07 32	10.00		12	-11.0	10	-12.4	1	-17.0	62	7	310		29.64				FM-16		30.62
27	1453	7	BKN:07 32	10.00		13	-10.6	11	-11.8	3	-16.1	64	9	310		29.64			30.68	FM-15	0.00	30.62
27	1553	7	SCT:04 32	10.00		11	-11.7	9	-12.7	2	-16.7	67	9	320		29.65	5	+0.00	30.69	FM-15	0.00	30.63
27	1653	7	FEW:02 26 SCT:04 32	10.00		10	-12.2	8	-13.2	1	-17.2	67	9	330		29.65			30.70	FM-15	0.00	30.64
27	1753	7	SCT:04 32	10.00		9	-12.8	7	-13.7	1	-17.2	70	7	320		29.66			30.71	FM-15	T	30.65
27	1853	7	CLR:00	10.00		8	-13.3	7	-14.0	2	-16.7	76	6	330		29.67	1	-0.03	30.73	FM-15	0.00	30.66
27	1953	7	CLR:00	10.00		9	-12.8	8	-13.6	2	-16.7	73	8	330		29.67			30.73	FM-15	0.00	30.66
27	2053	7	CLR:00	10.00		8	-13.3	7	-14.0	2	-16.7	76	3	300		29.67			30.73	FM-15	0.00	30.66
27	2153	7	CLR:00	10.00		6	-14.4	5	-15.0	1	-17.2	79	6	330		29.67	0	-0.00	30.72	FM-15	0.00	30.66
27	2253	7	CLR:00	10.00		6	-14.4	5	-15.0	1	-17.2	79	6	310		29.67			30.73	FM-15	0.00	30.66
27	2353	7	CLR:00	10.00		5	-15.0	4	-15.4	1	-17.2	83	6	330		29.67			30.72	FM-15	0.00	30.66
28	0053	7	CLR:00	10.00		4	-15.6	3	-16.0	0	-17.8	83	6	340		29.67	8	+0.01	30.72	FM-15	0.00	30.66
28	0153	7	CLR:00	10.00		5	-15.0	4	-15.5	0	-17.8	79	0	000		29.65			30.70	FM-15	0.00	30.64

28	0253	7	CLR:00	10.00		4	-15.6	3	-16.0	0	-17.8	83	3	030		29.65			30.71	FM-15	0.00	30.64
28	0353	7	CLR:00	10.00		4	-15.6	3	-16.0	0	-17.8	83	0	000		29.67	3	-0.00	30.72	FM-15	0.00	30.66
28	0453	7	CLR:00	10.00		4	-15.6	3	-16.0	0	-17.8	83	3	040		29.66			30.71	FM-15	0.00	30.65
28	0553	7	CLR:00	10.00		4	-15.6	3	-16.0	0	-17.8	83	5	360		29.65			30.71	FM-15	0.00	30.64
28	0653	7	FEW:02 110	9.00		4	-15.6	3	-16.0	0	-17.8	83	6	360		29.67	5	+0.00	30.72	FM-15	0.00	30.66
28	0753	7	CLR:00	8.00		4	-15.6	3	-16.0	0	-17.8	83	7	010		29.67			30.72	FM-15	0.00	30.66
28	0853	7	OVC:08 110	8.00		6	-14.4	5	-14.9	2	-16.7	83	3	010		29.68			30.73	FM-15	0.00	30.67
28	0953	7	FEW:02 100	8.00		7	-13.9	6	-14.3	3	-16.1	84	3	070		29.67	0	-0.00	30.72	FM-15	0.00	30.66
28	1053	7	OVC:08 90	10.00		10	-12.2	8	-13.1	2	-16.7	69	5	070		29.66			30.71	FM-15	0.00	30.65
28	1153	7	OVC:08 80	10.00		12	-11.1	10	-12.3	2	-16.7	64	3	100		29.65			30.69	FM-15	0.00	30.63
28	1253	7	BKN:07 75 OVC:08 100	10.00		13	-10.6	11	-11.9	2	-16.7	61	8	090		29.59	8	+0.07	30.64	FM-15	0.00	30.58
28	1353	7	OVC:08 90	10.00		14	-10.0	11	-11.5	2	-16.7	58	11	120		29.56			30.60	FM-15	0.00	30.54
28	1453	7	BKN:07 85	10.00		15	-9.4	12	-10.9	4	-15.6	61	9	130		29.54			30.58	FM-15	0.00	30.52
28	1553	7	SCT:04 80	10.00		16	-8.9	13	-10.5	3	-16.1	56	8	100		29.52	6	+0.08	30.56	FM-15	0.00	30.50
28	1653	7	FEW:02 80	10.00		15	-9.4	12	-11.1	2	-16.7	56	6	110		29.49			30.53	FM-15	0.00	30.47
28	1753	7	CLR:00	10.00		13	-10.6	11	-11.8	3	-16.1	64	7	110		29.46			30.50	FM-15	0.00	30.44
28	1853	7	SCT:04 70	10.00		14	-10.0	12	-11.3	4	-15.6	64	5	120		29.46	5	+0.06	30.50	FM-15	0.00	30.44
28	1953	7	OVC:08 75	10.00		15	-9.4	12	-10.9	4	-15.6	61	6	120		29.44			30.48	FM-15	0.00	30.42
28	2053	7	OVC:08 80	10.00		15	-9.4	13	-10.7	5	-15.0	64	3	030		29.46			30.49	FM-15	0.00	30.44
28	2153	7	OVC:08 70	10.00		15	-9.4	13	-10.8	5	-15.0	64	3	120		29.44	7	+0.02	30.47	FM-15	0.00	30.42
28	2253	7	FEW:02 55 FEW:02 70 OVC:08 110	10.00		15	-9.4	13	-10.8	5	-15.0	64	5	110		29.38			30.41	FM-15	0.00	30.36
28	2353	7	OVC:08 100	10.00		15	-9.4	13	-10.8	5	-15.0	64	5	150		29.37			30.40	FM-15	0.00	30.35
29	0053	7	OVC:08 110	10.00		15	-9.4	12	-10.9	4	-15.6	61	3	200		29.35	6	+0.09	30.38	FM-15	0.00	30.33
29	0153	7	BKN:07 47 OVC:08 55	10.00		15	-9.4	13	-10.8	5	-15.0	64	6	170		29.33			30.36	FM-15	0.00	30.31
29	0253	7	FEW:02 50	10.00		14	-10.0	12	-11.3	4	-15.6	64	3	220		29.34			30.37	FM-15	0.00	30.32
29	0353	7	OVC:08 50	10.00		15	-9.4	13	-10.6	6	-14.4	67	5	210		29.34	6	+0.01	30.37	FM-15	0.00	30.32
29	0453	7	OVC:08 48	10.00		15	-9.4	13	-10.8	5	-15.0	64	6	220		29.33			30.36	FM-15	0.00	30.31
29	0553	7	OVC:08 45	10.00		15	-9.4	13	-10.5	7	-13.9	70	8	220		29.33			30.36	FM-15	0.00	30.31
29	0653	7	OVC:08 45	10.00		16	-8.9	14	-10.0	8	-13.3	71	7	240		29.33	5	+0.01	30.36	FM-15	0.00	30.31
29	0753	7	OVC:08 46	10.00		16	-8.9	14	-9.9	9	-12.8	74	9	260		29.34			30.37	FM-15	0.00	30.32
29	0853	7	OVC:08 41	10.00		16	-8.9	14	-9.9	9	-12.8	74	7	260		29.33			30.36	FM-15	0.00	30.31
29	0953	7	SCT:04 29 BKN:07 38	7.00		17	-8.3	15	-9.2	11	-11.7	77	11	250		29.35	3	-0.02	30.38	FM-15	0.00	30.33
29	1004	7	SCT:04 29 BKN:07 38	7.00		17	-8.3	15	-9.2	11	-11.7	77	10	260		29.35				FM-16		30.33
29	1050	7	OVC:08 23	10.00		19	-7.0	17	-8.3	12	-11.0	73	13	270		29.36				FM-16		30.34
29	1053	7	OVC:08 25	10.00		19	-7.2	17	-8.4	11	-11.7	71	13	260		29.36			30.39	FM-15	0.00	30.34
29	1153	7	OVC:08 29	9.00		19	-7.2	17	-8.4	11	-11.7	71	10	270		29.35			30.37	FM-15	T	30.33
29	1253	7	OVC:08 29	9.00		19	-7.2	17	-8.4	11	-11.7	71	15	270		29.33	8	+0.03	30.36	FM-15	T	30.31
29	1353	7	OVC:08 26	10.00		20	-6.7	18	-8.0	11	-11.7	68	11	260		29.32			30.34	FM-15	0.00	30.30
29	1453	7	OVC:08 24	10.00		20	-6.7	18	-8.0	11	-11.7	68	11	270		29.29			30.32	FM-15	0.00	30.27
29	1553	7	SCT:04 23 BKN:07 70 BKN:07 85	10.00		20	-6.7	18	-7.8	13	-10.6	74	10	270		29.30	5	+0.03	30.32	FM-15	0.00	30.28
29	1653	7	SCT:04 23 BKN:07 70 BKN:07 90	10.00		20	-6.7	18	-7.9	12	-11.1	71	7	300		29.29			30.32	FM-15	0.00	30.27
29	1721	7	OVC:08 34	2.50	-SN:03 |SN |	19	-7.2	17	-8.2	13	-10.6	77	7	290		29.29				FM-16	T	30.27
29	1745	7	OVC:08 26	2.00	-SN:03 BR:1 |SN |	19	-7.2	18	-7.9	15	-9.4	84	5	270		29.28				FM-16	T	30.26
29	1751	6	OVC:08 24	1.50	-SN:03 BR:1 |SN |	18	-8.0	17	-8.1	16	-9.0	93	3	270		29.27				FM-16		30.25
29	1753	7	OVC:08 22	1.25	-SN:03 BR:1 |SN |	18	-7.8	17	-8.3	15	-9.4	88	3	280		29.27			30.30	FM-15	T	30.25
29	1853	7	OVC:08 24	1.75	-SN:03 BR:1 |SN |	18	-7.8	17	-8.1	16	-8.9	92	3	280		29.27	5	+0.02	30.30	FM-15	T	30.25
29	1922	7	OVC:08 15	1.00	-SN:03 BR:1 |SN |	19	-7.2	18	-7.6	17	-8.3	92	5	290		29.28				FM-16	T	30.26
29	1953	7	OVC:08 15	1.00	-SN:03 BR:1 |SN |	19	-7.2	18	-7.6	17	-8.3	92	0	000		29.27			30.29	FM-15	0.01	30.25

29	1956	7	BKN:07 9 OVC:08 15	1.25	-SN:03 BR:1 |SN |	18	-7.8	18	-7.9	17	-8.3	96	3	310		29.27				FM-16	T	30.25
29	2053	7	BKN:07 9 OVC:08 15	1.25	-SN:03 BR:1 |SN |	18	-7.8	17	-8.1	16	-8.9	92	5	300		29.26			30.28	FM-15	0.02	30.23
29	2153	7	BKN:07 9 OVC:08 15	1.25	-SN:03 BR:1 |SN |	18	-7.8	17	-8.1	16	-8.9	92	7	310		29.25	8	+0.04	30.26	FM-15	0.01	30.22
29	2200	7	OVC:08 10	1.00	-SN:03 BR:1 |SN |	17	-8.3	16	-8.6	15	-9.4	92	6	300		29.23				FM-16	T	30.21
29	2248	7	OVC:08 37	2.50	-SN:03 BR:1 |SN |	18	-8.0	17	-8.1	16	-9.0	93	0	000		29.21				FM-16	0.01	30.18
29	2249	7	OVC:08 37	2.50	-SN:03 BR:1 |SN |	17	-8.3	16	-8.6	15	-9.4	92	0	000		29.21			30.22	FM-15	0.01	30.18
29	2319	7	OVC:08 29	1.75	-SN:03 BR:1 |SN |	17	-8.3	17	-8.5	16	-8.9	95	0	000		29.19				FM-16	T	30.16
29	2353	7	OVC:08 25	1.75	-SN:03 BR:1 |SN |	17	-8.3	16	-8.8	14	-10.0	88	0	000		29.18			30.19	FM-15	T	30.15
30	0008	7	OVC:08 29	2.50	-SN:03 BR:1 |SN |	17	-8.3	16	-8.6	15	-9.4	92	0	000		29.17				FM-16	T	30.14
30	0019	7	OVC:08 31	2.50	-SN:03 BR:1 |SN |	17	-8.3	16	-8.6	15	-9.4	92	0	000		29.17				FM-16	T	30.14
30	0029	7	OVC:08 27	1.75	-SN:03 BR:1 |SN |	17	-8.3	16	-8.8	14	-10.0	88	3	280		29.16				FM-16	T	30.13
30	0053	7	OVC:08 27	1.75	-SN:03 BR:1 |SN |	17	-8.3	16	-8.6	15	-9.4	92	0	000		29.15	6	+0.10	30.16	FM-15	T	30.12
30	0101	7	OVC:08 31	2.00	-SN:03 BR:1 |SN |	17	-8.3	16	-8.6	15	-9.4	92	5	230		29.14				FM-16	T	30.11
30	0117	7	OVC:08 29	1.75	-SN:03 BR:1 |SN |	17	-8.3	16	-8.6	15	-9.4	92	5	230		29.13				FM-16	T	30.10
30	0133	7	OVC:08 27	2.00	-SN:03 BR:1 |SN |	17	-8.3	16	-8.6	15	-9.4	92	3	250		29.13				FM-16	T	30.10
30	0151	6	OVC:08 33	2.50	-SN:03 BR:1 |SN |	16	-9.0	15	-9.2	14	-10.0	93	6	260		29.14				FM-16		30.11
30	0153	7	OVC:08 33	2.50	-SN:03 BR:1 |SN |	17	-8.3	16	-8.8	14	-10.0	88	5	260		29.13			30.14	FM-15	T	30.10
30	0209	7	BKN:07 39 OVC:08 46	3.00	-SN:03 BR:1 |SN |	16	-8.9	15	-9.2	14	-10.0	92	6	280		29.14				FM-16	T	30.11
30	0225	7	OVC:08 41	2.50	-SN:03 BR:1 |SN |	16	-8.9	15	-9.2	14	-10.0	92	6	290		29.13				FM-16	T	30.10
30	0253	7	OVC:08 37	3.00	-SN:03 BR:1 |SN |	16	-8.9	15	-9.2	14	-10.0	92	5	280		29.13			30.15	FM-15	T	30.10
30	0338	7	BKN:07 23 OVC:08 33	4.00	-SN:03 BR:1 |SN |	16	-8.9	15	-9.2	14	-10.0	92	6	280		29.14				FM-16	T	30.11
30	0353	7	OVC:08 22	4.00	-SN:03 BR:1 |SN |	16	-8.9	15	-9.2	14	-10.0	92	7	270		29.14	5	+0.01	30.15	FM-15	T	30.11
30	0453	7	SCT:04 13 OVC:08 23	5.00	BR:1 ||	15	-9.4	14	-9.9	12	-11.1	88	9	280		29.15			30.16	FM-15	T	30.12
30	0553	7	OVC:08 26	6.00	BR:1 ||	15	-9.4	14	-10.0	11	-11.7	84	9	280		29.14			30.15	FM-15	T	30.11
30	0619	7	SCT:04 29 OVC:08 37	7.00		15	-9.4	14	-10.0	11	-11.7	84	8	270		29.13				FM-16		30.10
30	0653	7	FEW:02 40 BKN:07 48 OVC:08 60	7.00		14	-10.0	13	-10.4	11	-11.7	88	6	270		29.13	8	+0.01	30.15	FM-15	0.00	30.10
30	0753	7	BKN:07 45 OVC:08 55	4.00	-SN:03 BR:1 |SN |	15	-9.4	14	-10.0	11	-11.7	84	8	250		29.12			30.14	FM-15	T	30.09
30	0820	7	OVC:08 39	2.00	-SN:03 BR:1 |SN |	14	-10.0	13	-10.4	11	-11.7	88	7	260		29.12				FM-16	T	30.09
30	0853	7	FEW:02 15 BKN:07 40 OVC:08 50	1.75	-SN:03 BR:1 |SN |	15	-9.4	14	-10.0	11	-11.7	84	8	260		29.13			30.15	FM-15	T	30.10
30	0902	7	SCT:04 40 BKN:07 50 OVC:08 60	2.50	-SN:03 BR:1 |SN |	15	-9.4	14	-9.9	12	-11.1	88	7	250		29.13				FM-16	T	30.10
30	0921	7	BKN:07 29 BKN:07 39 OVC:08 60	1.25	-SN:03 BR:1 |SN |	15	-9.4	14	-10.0	11	-11.7	84	8	260		29.14				FM-16	T	30.11
30	0951	6	BKN:07 22 BKN:07 33 OVC:08 55	2.00	-SN:03 BR:1 |SN |	16	-9.0	15	-9.5	12	-11.0	86	9	260		29.14				FM-16		30.11
30	0953	7	BKN:07 23 BKN:07 33 OVC:08 55	2.00	-SN:03 BR:1 |SN |	15	-9.4	14	-9.9	12	-11.1	88	9	260		29.14	3	-0.01	30.15	FM-15	T	30.11
30	1000	7	SCT:04 23 OVC:08 55	3.00	-SN:03 BR:1 |SN |	15	-9.4	14	-10.0	11	-11.7	84	10	260		29.14				FM-16	T	30.11
30	1053	7	FEW:02 16 OVC:08 55	6.00	BR:1 ||	15	-9.4	14	-10.0	11	-11.7	84	11	270		29.15			30.17	FM-15	T	30.12
30	1139	7	FEW:02 16 BKN:07 23 OVC:08 60	5.00	-SN:03 |SN |	15	-9.4	14	-10.2	10	-12.2	80	15	280		29.14				FM-16	T	30.11
30	1153	7	BKN:07 19 BKN:07 36	8.00		15	-9.4	14	-10.2	10	-12.2	80	14	270		29.14			30.16	FM-15	T	30.11

30	1253	7	SCT:04 19 BKN:07 25 OVC:08 37	3.00	-SN:03 |SN |	16	-8.9	15	-9.6	11	-11.7	80	15	280		29.13	8	+0.01	30.15	FM-15	T	30.10
30	1310	7	FEW:02 19 SCT:04 25 OVC:08 39	4.00	-SN:03 |SN |	16	-8.9	15	-9.6	11	-11.7	80	18	280		29.13				FM-16	T	30.10
30	1334	7	FEW:02 18 BKN:07 24 OVC:08 40	3.00	-SN:03 |SN |	16	-8.9	15	-9.6	11	-11.7	80	17	280		29.13				FM-16	T	30.10
30	1341	7	BKN:07 20 BKN:07 25 OVC:08 40	2.00	-SN:03 |SN |	17	-8.3	15	-9.2	11	-11.7	77	17	280		29.13				FM-16	T	30.10
30	1353	7	SCT:04 20 BKN:07 25 OVC:08 31	3.00	-SN:03 |SN |	16	-8.9	14	-9.8	10	-12.2	77	17	290	26	29.14			30.15	FM-15	T	30.11
30	1453	7	BKN:07 22 OVC:08 28	3.00	-SN:03 |SN |	16	-8.9	14	-9.9	9	-12.8	74	17	280	25	29.15			30.16	FM-15	T	30.12
30	1533	7	BKN:07 32 OVC:08 40	7.00	-SN:03 |SN |	15	-9.4	13	-10.4	8	-13.3	74	17	280	28	29.17				FM-16	T	30.14
30	1553	7	FEW:02 13 FEW:02 23 BKN:07 38	7.00	-SN:03 |SN |	14	-10.0	12	-11.2	5	-15.0	67	17	290	24	29.18	3	-0.05	30.20	FM-15	T	30.15
30	1653	7	BKN:07 43	10.00		13	-10.6	11	-11.7	4	-15.6	67	14	290		29.22			30.24	FM-15	0.00	30.19
30	1706	7	SCT:04 20 OVC:08 41	1.75	-SN:03 |SN |	13	-10.6	11	-11.6	5	-15.0	70	17	310		29.23				FM-16	T	30.20
30	1714	7	BKN:07 18 OVC:08 41	1.00	-SN:03 |SN |	12	-11.1	11	-11.8	7	-13.9	80	17	320		29.23				FM-16	T	30.21
30	1727	7	BKN:07 18 OVC:08 35	7.00	-SN:03 |SN |	11	-11.7	10	-12.3	6	-14.4	81	15	310	25	29.25				FM-16	T	30.22
30	1753	7	BKN:07 18 BKN:07 35	7.00		10	-12.2	8	-13.3	1	-17.2	67	11	300		29.26			30.29	FM-15	T	30.23
30	1754	7	FEW:02 38	10.00		10	-12.2	8	-13.3	1	-17.2	67	15	300		29.26				FM-16		30.23
30	1811	7	FEW:02 38	10.00		9	-12.8	7	-13.8	0	-17.8	66	10	310		29.26				FM-16		30.24
30	1853	7	FEW:02 38	10.00		6	-14.4	5	-15.3	-2	-18.9	69	7	280		29.28	1	-0.11	30.32	FM-15	0.00	30.26
30	1854	7	CLR:00	10.00		6	-14.4	5	-15.3	-2	-18.9	69	7	280		29.28				FM-16		30.26
30	1953	7	CLR:00	10.00		4	-15.6	3	-16.2	-3	-19.4	73	8	280		29.31			30.35	FM-15	0.00	30.29
30	2053	7	CLR:00	10.00		2	-16.7	1	-17.1	-3	-19.4	80	8	280		29.33			30.37	FM-15	0.00	30.31
30	2153	7	CLR:00	10.00		2	-16.7	1	-17.1	-3	-19.4	80	9	280		29.35	1	-0.06	30.39	FM-15	0.00	30.33
30	2253	7	CLR:00	10.00		3	-16.1	2	-16.6	-2	-18.9	79	9	290		29.36			30.40	FM-15	0.00	30.34
30	2353	7	CLR:00	10.00		2	-16.7	1	-17.1	-3	-19.4	80	8	280		29.37			30.41	FM-15	0.00	30.35
31	0053	7	CLR:00	10.00		-1	-18.3	-1	-18.5	-3	-19.4	91	6	290		29.36	0	-0.01	30.40	FM-15	0.00	30.34
31	0153	7	CLR:00	10.00		-2	-18.9	-2	-19.0	-4	-20.0	91	6	280		29.38			30.42	FM-15	0.00	30.36
31	0253	7	CLR:00	10.00		2	-16.7	1	-17.0	-2	-18.9	83	7	310		29.40			30.43	FM-15	0.00	30.38
31	0353	7	CLR:00	10.00		4	-15.6	3	-16.0	0	-17.8	83	7	340		29.38	0	-0.01	30.42	FM-15	0.00	30.36
31	0453	7	OVC:08 110	10.00		4	-15.6	3	-16.0	0	-17.8	83	6	340		29.38			30.42	FM-15	0.00	30.36
31	0553	7	BKN:07 120	10.00		4	-15.6	3	-16.0	0	-17.8	83	5	340		29.40			30.44	FM-15	0.00	30.38
31	0653	7	OVC:08 100	10.00		4	-15.6	3	-16.0	0	-17.8	83	6	320		29.43	3	-0.05	30.47	FM-15	0.00	30.41
31	0753	7	OVC:08 70	10.00		4	-15.6	3	-15.9	1	-17.2	88	3	350		29.42			30.46	FM-15	0.00	30.40
31	0853	7	BKN:07 47 OVC:08 55	10.00		5	-15.0	4	-15.4	1	-17.2	83	7	310		29.43			30.47	FM-15	0.00	30.41
31	0953	7	OVC:08 31	3.00	-SN:03 BR:1 |SN |	6	-14.4	5	-14.9	2	-16.7	83	7	330		29.47	3	-0.04	30.51	FM-15	T	30.45
31	0955	7	OVC:08 30	2.50	-SN:03 BR:1 |SN |	6	-14.4	5	-14.9	2	-16.7	83	7	340		29.46				FM-16	T	30.44
31	1006	7	OVC:08 24	1.50	-SN:03 BR:1 |SN |	6	-14.4	5	-14.9	2	-16.7	83	6	350		29.46				FM-16	T	30.44
31	1033	7	VV:09 19	0.75	-SN:03 BR:1 |SN |	7	-13.9	6	-14.3	3	-16.1	84	7	360		29.46				FM-16	T	30.44
31	1053	7	BKN:07 21 OVC:08 29	1.25	-SN:03 BR:1 |SN |	8	-13.3	7	-13.8	4	-15.6	83	7	360		29.46			30.50	FM-15	T	30.44
31	1116	7	OVC:08 34	2.00	-SN:03 |SN |	9	-12.8	8	-13.4	4	-15.6	80	5	010		29.46				FM-16	T	30.44
31	1146	7	BKN:07 32 OVC:08 40	3.00	-SN:03 |SN |	11	-11.7	10	-12.3	6	-14.4	81	0	000		29.45				FM-16	T	30.43
31	1153	7	CLR:00	5.00	HZ:7 |SN |HZ	11	-11.7	10	-12.3	6	-14.4	81	0	000		29.45			30.49	FM-15	T	30.43
31	1253	7	CLR:00	10.00		14	-10.0	12	-10.9	7	-13.9	73	3	360		29.44	8	+0.03	30.47	FM-15	0.00	30.42

31	1353	7	SCT:04 90	10.00		15	-9.4	13	-10.6	6	-14.4	67	8	360		29.42			30.47	FM-15	0.00	30.40
31	1453	7	FEW:02 90	10.00		15	-9.4	13	-10.6	6	-14.4	67	5	360		29.42			30.46	FM-15	0.00	30.40
31	1553	7	SCT:04 90	10.00		14	-10.0	12	-11.2	5	-15.0	67	8	340		29.44	3	-0.00	30.48	FM-15	0.00	30.42
31	1653	7	CLR:00	10.00		12	-11.1	10	-12.1	4	-15.6	70	8	320		29.45			30.49	FM-15	0.00	30.43
31	1753	7	CLR:00	10.00		10	-12.2	9	-12.9	4	-15.6	76	9	340		29.46			30.50	FM-15	0.00	30.44
31	1853	7	CLR:00	10.00		8	-13.3	7	-13.9	3	-16.1	80	8	340		29.48	2	-0.04	30.52	FM-15	0.00	30.46
31	1953	7	CLR:00	10.00		7	-13.9	6	-14.3	3	-16.1	84	6	330		29.50			30.54	FM-15	0.00	30.48
31	2053	7	CLR:00	10.00		5	-15.0	5	-15.2	3	-16.1	91	6	310		29.50			30.54	FM-15	0.00	30.48
31	2153	7	CLR:00	7.00		3	-16.1	3	-16.2	2	-16.7	95	6	290		29.51	1	-0.03	30.55	FM-15	0.00	30.49
31	2253	7	CLR:00	6.00	BR:1 ||	3	-16.1	3	-16.3	1	-17.2	91	5	260		29.51			30.55	FM-15	0.00	30.49
31	2353	7	CLR:00	6.00	BR:1 ||	2	-16.7	2	-16.9	0	-17.8	91	3	260		29.52			30.56	FM-15	0.00	30.50

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
December 2017

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01																									01
02																									02
03																									03
04																								0.02	04
05	0.07			0.06s	0.16	0.06	0.05	T																	05
06													T												06
07													T		T	T	T								07
08																									08
09													T	T	T	T	T	T		T	T				09
10																									10
11																									11
12			T		T	T	T	T	T	T	T	T	T			T	T	T	T	T	T	T	T	T	12
13	T	T	T	T															T	T	T	T	T	0.01	13
14	T	T	T	T	T				T	T	T														14
15														T	T										15
16																									16
17													T	T	0.01	T	T								17
18																			T	0.01	T				18
19																									19
20																									20
21																									21
22					T	T	0.01	T																0.01	22
23	0.04	0.03	0.09	0.04	0.09	0.08	0.08	0.05	0.04	0.01	0.01	T	0.01	T	T										23
24																	T	T	0.02	T	T	0.01	T	T	24
25	T	T	T	T	T		T	T		T			T	T	T										25
26															T	T	T	T							26
27																		T							27
28																									28
29												T	T					T	T	0.01	0.02	0.01	0.01	T	29
30	T	T	T	T	T	T		T	T	T	T	T	T	T	T	T		T							30
31										T	T	T													31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.02	0.03	0.04	0.05	0.07	0.09	0.11s	0.13	0.16	0.19s	0.22	0.25s
Ending Date Time (yyyy-mm-dd hh:mi)	2017-12-23 05:05	2017-12-23 05:10	2017-12-23 05:10	2017-12-23 05:17	2017-12-23 05:17	2017-12-23 05:34	2017-12-23 05:44	2017-12-23 06:08	2017-12-23 06:34	2017-12-23 06:34	2017-12-23 06:48	2017-12-23 07:09

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
January 2018

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	8	-3	3	-25.7				62	0	0755	1718	BR	0.00			29.56		10.5	23	280	17	270
02	8	-8*	0	-28.6				65	0	0755	1718		0.00			29.57		7.8	17	220	15	230
03	20	1	11	-17.6				54	0	0755	1719	SN	T			29.17		9.2	20	250	15	280
04	15	9	12	-16.5				53	0	0755	1720	SN BR	T			29.09		12.8	29	300	23	320
05	11	1	6	-22.4				59	0	0755	1721	HZ	T			29.28		10.2	21	310	17	300
06	15	-5	5	-23.4				60	0	0755	1722		0.00			29.51		6.1	20	280	15	280
07	29	-1	14	-14.3				51	0	0755	1723		0.00			29.41		9.3	21	170	17	180
08	35	29	32	3.7				33	0	0755	1724	RA FZRA SN BR UP	0.06			29.08		12.2	28	220	23	210
09	37	28	33	4.8				32	0	0754	1725	BR	0.00			29.28		4.6	19	260	14	250
10	55	28	42	13.8				23	0	0754	1726	RA BR	T			29.17		7.8	17	170	13	170
11	58*	52	55	26.8				10	0	0754	1727	RA BR	0.21			29.02		10.7	24	170	18	170
12	57	18	38	9.8				27	0	0754	1728	RA SN FG FZFG BR	0.42			28.77		17.5	42	360	31	010
13	18	6	12	-16.2				53	0	0753	1729	SN FZFG BR HZ FG	T			29.34		13.0	40	330	29	350
14	17	1	9	-19.2				56	0	0753	1730	FZFG BR FG	0.00			29.61		3.7	14	110	10	120
15	27	11	19	-9.2				46	0	0753	1731	SN FZFG BR FG	0.05			29.34		7.9	22	150	16	170
16	25	4	15	-13.2				50	0	0752	1732	SN BR	0.01			29.43		10.5	27	290	24	280
17	15	6	11	-17.2				54	0	0752	1734	SN BR	T			29.50		7.1	15	220	13	210
18	26	10	18	-10.2				47	0	0751	1735		0.00			29.27		12.0	28	190	21	200
19	35	18	27	-1.2				38	0	0751	1736		0.00			29.11		11.7	29	220	22	200
20	43	29	36	7.7				29	0	0750	1737		0.00			29.05		9.9	27	230	22	230
21	50	38	44	15.7				21	0	0750	1738	RA BR	T			29.10		6.3	18	200	14	210
22	57	48	53	24.7				12	0	0749	1739	TS RA BR	0.16			28.90		11.2	39	200	28	210
23	51	32	42	13.6				23	0	0749	1740	RA BR	T			28.77		14.3	37s	280s	26	240
24	32	29	31	2.6				34	0	0748	1742	RA FZRA SN BR UP	0.01			29.20		8.4	24	300	18	300
25	38	28	33	4.5				32	0	0747	1743	SN BR	T			29.44		7.4	19	210	14	180
26	55	30	43	14.5				22	0	0746	1744		0.00			29.41		10.1	28	180	21	200
27	48	39	44	15.4				21	0	0746	1745	RA BR	0.28			29.26		9.4	27	210	20	200
28	50	29	40	11.3				25	0	0745	1746	FG FZFG BR	0.00			29.29		1.5	11	280	8	320
29	39	21	30	1.2				35	0	0744	1748	SN BR	T			29.21		8.7	32	330	24	320
30	26	15	21	-7.8				44	0	0743	1749	SN BR	T			29.39		8.7	26	330	20	320
31	47	23	35	6.1				30	0	0742	1750		T			29.05		12.5	37	210	28	210
	33.8	18.3	26.1									**Monthly Averages | Totals**	1.20s			29.24	30.25	9.4				
	-2.2	-2.5	-2.3									**Departure from Normal (1981-2010)**	-1.33s									

Degree Days

	Monthly Total	Monthly Departure	Season-to-date Total	Season-to-date Departure
Heating	1205	71	3342	
Cooling	0	0	0	

Number of days with...

Temperature Max >=90°	Temperature Max <=32°	Temperature Min <=32°	Temperature Min <=0°	Precipitation >=0.01"	Precipitation >=0.1"	Snow >=1"	Weather T-Storms	Weather Heavy Fog
0	15	27	4	8	4			

Date of 5-sec to 3-sec wind equipment change

N/A

Sea Level Pressure

		Date	Time
Maximum	30.75	14	1028
Minimum	29.56	22	2302

Greatest...

24-Hr... Precip	24-Hr... Snowfall	Snow Depth
0.52s		
Date		
11-12		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
January 2018

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	CLR:00	7.00		1	-17.2	1	-17.4	-1	-18.3	91	5	280		29.52	0	-0.01	30.55	FM-15	0.00	30.50
01	0153	7	CLR:00	9.00		-1	-18.3	-1	-18.6	-4	-20.0	87	9	280		29.52			30.56	FM-15	0.00	30.50
01	0253	7	CLR:00	10.00		0	-17.8	0	-18.0	-3	-19.4	87	10	280		29.53			30.57	FM-15	0.00	30.51
01	0353	7	CLR:00	10.00		-2	-18.9	-2	-19.0	-4	-20.0	91	6	270		29.53	1	-0.01	30.57	FM-15	0.00	30.51
01	0418	7	SCT:04 7	9.00		-3	-19.4	-3	-19.6	-5	-20.6	90	6	290		29.52				FM-16		30.50
01	0427	7	BKN:07 8	9.00		-2	-18.9	-2	-19.1	-5	-20.6	87	3	300		29.52				FM-16		30.50
01	0453	7	OVC:08 7	9.00		1	-17.2	1	-17.5	-2	-18.9	87	5	260		29.52			30.56	FM-15	0.00	30.50
01	0535	7	OVC:08 11	9.00		3	-16.1	2	-16.4	0	-17.8	87	7	280		29.53				FM-16		30.51
01	0553	7	OVC:08 11	9.00		4	-15.6	3	-15.9	1	-17.2	88	7	290		29.53			30.57	FM-15	0.00	30.51
01	0617	7	OVC:08 9	9.00		4	-15.6	4	-15.8	2	-16.7	91	7	270		29.54				FM-16		30.52
01	0653	7	OVC:08 7	6.00	BR:1 ||	5	-15.0	5	-15.2	3	-16.1	91	9	300		29.55	3	-0.01	30.59	FM-15	0.00	30.53
01	0753	7	OVC:08 8	7.00		5	-15.0	5	-15.2	3	-16.1	91	10	300		29.56			30.60	FM-15	0.00	30.54
01	0849	7	BKN:07 10	6.00	BR:1 ||	3	-16.0	3	-16.3	1	-17.0	92	7	270		29.56				FM-16		30.54
01	0853	7	BKN:07 10	7.00		4	-15.6	4	-15.8	2	-16.7	91	7	270		29.56			30.60	FM-15	0.00	30.54
01	0910	7	FEW:02 10	9.00		4	-15.6	3	-15.9	1	-17.2	88	9	250		29.57				FM-16		30.55
01	0953	7	SCT:04 28	10.00		3	-16.1	2	-16.5	-1	-18.3	83	11	270		29.59	3	-0.03	30.63	FM-15	0.00	30.57
01	1053	7	CLR:00	10.00		3	-16.1	2	-16.5	-1	-18.3	83	10	260		29.61			30.66	FM-15	0.00	30.59
01	1153	7	CLR:00	10.00		5	-15.0	4	-15.5	0	-17.8	79	13	280		29.59			30.64	FM-15	0.00	30.58
01	1253	7	CLR:00	10.00		6	-14.4	5	-15.1	0	-17.8	76	13	270		29.59	0	-0.00	30.63	FM-15	0.00	30.57
01	1353	7	CLR:00	10.00		7	-13.9	6	-14.6	0	-17.8	73	14	280		29.58			30.63	FM-15	0.00	30.56
01	1453	7	CLR:00	10.00		8	-13.3	6	-14.2	0	-17.8	69	15	280		29.58			30.62	FM-15	0.00	30.56
01	1553	7	FEW:02 34	10.00		7	-13.9	6	-14.7	-1	-18.3	70	14	260		29.59	5	+0.00	30.64	FM-15	0.00	30.57
01	1653	7	OVC:08 33	10.00		7	-13.9	6	-14.6	0	-17.8	73	11	270		29.61			30.65	FM-15	0.00	30.59
01	1753	7	OVC:08 35	10.00		6	-14.4	5	-15.2	-1	-18.3	73	14	260	20	29.62			30.66	FM-15	0.00	30.60
01	1853	7	OVC:08 33	10.00		5	-15.0	4	-15.7	-2	-18.9	72	14	270		29.62	1	-0.04	30.67	FM-15	0.00	30.60
01	1953	7	OVC:08 32	10.00		4	-15.6	3	-16.1	-2	-18.9	76	14	260		29.62			30.67	FM-15	0.00	30.61
01	2053	7	OVC:08 31	10.00		2	-16.7	1	-17.2	-4	-20.0	76	10	260		29.64			30.69	FM-15	0.00	30.62
01	2150	7	OVC:08 28	10.00		1	-17.0	0	-17.8	-6	-21.0	71	13	270		29.64				FM-16		30.62
01	2153	7	OVC:08 28	10.00		1	-17.2	0	-17.7	-5	-20.6	75	11	270		29.64	1	-0.01	30.69	FM-15	0.00	30.62
01	2253	7	OVC:08 28	10.00		1	-17.2	0	-17.7	-5	-20.6	75	10	270		29.65			30.70	FM-15	0.00	30.63
01	2353	7	OVC:08 27	10.00		1	-17.2	0	-17.7	-5	-20.6	75	9	280		29.65			30.71	FM-15	0.00	30.64
02	0053	7	OVC:08 24	10.00		1	-17.2	0	-17.7	-5	-20.6	75	8	250		29.65	0	-0.00	30.69	FM-15	0.00	30.63
02	0153	7	OVC:08 22	10.00		1	-17.2	0	-17.7	-5	-20.6	75	8	260		29.62			30.68	FM-15	0.00	30.61
02	0253	7	OVC:08 21	10.00		1	-17.2	0	-17.7	-5	-20.6	75	8	260		29.64			30.69	FM-15	0.00	30.62
02	0353	7	OVC:08 21	10.00		1	-17.2	0	-17.7	-4	-20.0	79	7	250		29.64	6	+0.01	30.68	FM-15	0.00	30.62
02	0453	7	OVC:08 20	10.00		1	-17.2	0	-17.7	-4	-20.0	79	7	260		29.64			30.68	FM-15	0.00	30.62
02	0553	7	OVC:08 17	10.00		-2	-18.9	-3	-19.2	-7	-21.7	79	6	260		29.62			30.68	FM-15	0.00	30.61
02	0635	7	SCT:04 16	10.00		-4	-20.0	-5	-20.3	-9	-22.8	79	7	260		29.62				FM-16		30.61
02	0653	7	CLR:00	10.00		-4	-20.0	-5	-20.3	-9	-22.8	79	6	240		29.62	8	+0.01	30.68	FM-15	0.00	30.60
02	0753	7	CLR:00	10.00		-6	-21.1	-6	-21.4	-11	-23.9	78	6	250		29.64			30.69	FM-15	0.00	30.62
02	0853	7	CLR:00	10.00		-6	-21.1	-7	-21.4	-12	-24.4	75	8	230		29.65			30.71	FM-15	0.00	30.63
02	0953	7	CLR:00	10.00		-3	-19.4	-4	-19.9	-11	-23.9	68	7	230		29.65	0	-0.02	30.71	FM-15	0.00	30.63
02	1053	7	CLR:00	10.00		1	-17.2	0	-17.9	-7	-21.7	68	9	220		29.64			30.69	FM-15	0.00	30.62
02	1153	7	CLR:00	10.00		3	-16.1	2	-16.9	-6	-21.1	66	10	210		29.61			30.66	FM-15	0.00	30.59
02	1253	7	CLR:00	10.00		5	-15.0	3	-15.8	-4	-20.0	66	9	220		29.57	8	+0.08	30.61	FM-15	0.00	30.55
02	1353	7	CLR:00	10.00		6	-14.4	4	-15.4	-4	-20.0	63	11	180		29.53			30.58	FM-15	0.00	30.51
02	1453	7	CLR:00	10.00		7	-13.9	5	-14.9	-3	-19.4	63	10	210		29.52			30.56	FM-15	0.00	30.50

02	1553	7	CLR:00	10.00		8	-13.3	6	-14.5	-3	-19.4	60	11	220		29.50	6	+0.07	30.54	FM-15	0.00	30.48
02	1653	7	CLR:00	10.00		8	-13.3	6	-14.4	-2	-18.9	63	10	200		29.48			30.52	FM-15	0.00	30.46
02	1753	7	CLR:00	10.00		6	-14.4	5	-15.2	-2	-18.9	69	6	210		29.46			30.51	FM-15	0.00	30.44
02	1853	7	CLR:00	10.00		5	-15.0	4	-15.7	-2	-18.9	72	7	200		29.44	6	+0.05	30.49	FM-15	0.00	30.42
02	1953	7	CLR:00	10.00		5	-15.0	4	-15.7	-2	-18.9	72	6	200		29.42			30.47	FM-15	0.00	30.40
02	2053	7	CLR:00	10.00		4	-15.6	3	-16.1	-2	-18.9	76	6	200		29.40			30.45	FM-15	0.00	30.38
02	2153	7	CLR:00	10.00		4	-15.6	3	-16.1	-2	-18.9	76	7	200		29.37	8	+0.07	30.42	FM-15	0.00	30.35
02	2253	7	CLR:00	10.00		4	-15.6	3	-16.1	-2	-18.9	76	6	200		29.36			30.40	FM-15	0.00	30.34
02	2353	7	CLR:00	10.00		5	-15.0	4	-15.7	-2	-18.9	72	7	170		29.33			30.37	FM-15	0.00	30.31
03	0053	7	CLR:00	10.00		4	-15.6	3	-16.1	-2	-18.9	76	7	180		29.30	8	+0.07	30.34	FM-15	0.00	30.28
03	0153	7	CLR:00	10.00		4	-15.6	3	-16.2	-3	-19.4	73	7	180		29.28			30.32	FM-15	0.00	30.26
03	0253	7	CLR:00	10.00		2	-16.7	1	-17.2	-4	-20.0	76	5	200		29.28			30.32	FM-15	0.00	30.26
03	0353	7	CLR:00	10.00		2	-16.7	1	-17.2	-4	-20.0	76	7	160		29.26	8	+0.04	30.30	FM-15	0.00	30.24
03	0453	7	CLR:00	10.00		2	-16.7	1	-17.2	-4	-20.0	76	6	190		29.23			30.28	FM-15	0.00	30.21
03	0553	7	CLR:00	10.00		2	-16.7	1	-17.2	-4	-20.0	76	6	190		29.23			30.26	FM-15	0.00	30.20
03	0653	7	CLR:00	10.00		3	-16.1	2	-16.7	-3	-19.4	76	6	190		29.22	6	+0.04	30.25	FM-15	0.00	30.19
03	0753	7	CLR:00	10.00		3	-16.1	2	-16.7	-3	-19.4	76	7	180		29.20			30.24	FM-15	0.00	30.17
03	0853	7	CLR:00	10.00		5	-15.0	4	-15.7	-2	-18.9	72	7	190		29.20			30.23	FM-15	0.00	30.17
03	0953	7	CLR:00	10.00		10	-12.2	8	-13.3	1	-17.2	67	9	180		29.18	8	+0.04	30.21	FM-15	0.00	30.15
03	1053	7	SCT:04 110	10.00		13	-10.6	11	-11.9	2	-16.7	61	11	180		29.16			30.18	FM-15	0.00	30.13
03	1153	7	FEW:02 110	10.00		15	-9.4	12	-11.1	2	-16.7	56	13	210		29.12			30.15	FM-15	0.00	30.09
03	1253	7	BKN:07 60 BKN:07 100	10.00		17	-8.3	14	-10.1	4	-15.6	56	13	180		29.07	8	+0.10	30.09	FM-15	0.00	30.04
03	1353	7	OVC:08 60	10.00		19	-7.2	16	-9.2	5	-15.0	54	10	220		29.05			30.07	FM-15	0.00	30.02
03	1453	7	OVC:08 55	10.00		19	-7.2	16	-9.2	5	-15.0	54	11	220		29.03			30.05	FM-15	0.00	30.00
03	1553	7	OVC:08 50	10.00		20	-6.7	16	-8.7	6	-14.4	55	10	210		29.05	5	+0.02	30.07	FM-15	0.00	30.02
03	1653	7	SCT:04 47 OVC:08 55	10.00		20	-6.7	17	-8.4	8	-13.3	60	10	250		29.07			30.09	FM-15	0.00	30.04
03	1753	7	OVC:08 60	10.00		20	-6.7	17	-8.3	9	-12.8	62	9	250		29.08			30.10	FM-15	0.00	30.05
03	1853	7	BKN:07 34 OVC:08 55	4.00	-SN:03 |SN |	18	-7.8	17	-8.5	13	-10.6	81	10	290		29.10	2	-0.04	30.12	FM-15	T	30.07
03	1953	7	OVC:08 50	10.00		17	-8.3	16	-9.1	12	-11.1	80	9	270		29.09			30.12	FM-15	T	30.06
03	2053	7	OVC:08 45	10.00		17	-8.3	16	-9.1	12	-11.1	80	9	260		29.08			30.10	FM-15	T	30.05
03	2153	7	OVC:08 55	10.00		16	-8.9	15	-9.6	11	-11.7	80	11	260		29.06	8	+0.04	30.08	FM-15	0.00	30.03
03	2253	7	OVC:08 50	10.00		16	-8.9	14	-9.8	10	-12.2	77	15	270		29.07			30.08	FM-15	0.00	30.04
03	2353	7	FEW:02 45 SCT:04 60	10.00		14	-10.0	13	-10.7	9	-12.8	80	10	280		29.07			30.09	FM-15	0.00	30.04
04	0053	7	BKN:07 19 BKN:07 60	8.00		12	-11.1	11	-11.6	8	-13.3	84	10	290		29.06	8	+0.00	30.08	FM-15	0.00	30.03
04	0139	7	FEW:02 18 SCT:04 24 OVC:08 65	6.00	BR:1 ||	11	-11.7	10	-12.1	8	-13.3	88	9	290		29.06				FM-16		30.03
04	0153	7	FEW:02 18 OVC:08 60	6.00	BR:1 ||	12	-11.1	11	-11.5	9	-12.8	87	9	280		29.06			30.07	FM-15	0.00	30.03
04	0216	7	BKN:07 16 OVC:08 60	4.00	BR:1 ||	13	-10.6	12	-11.1	9	-12.8	84	7	290		29.06				FM-16		30.03
04	0253	7	OVC:08 16	4.00	-SN:03 BR:1 |SN |	13	-10.6	12	-11.0	10	-12.2	88	6	280		29.08			30.09	FM-15	T	30.05
04	0343	7	OVC:08 14	8.00		15	-9.4	14	-10.0	11	-11.7	84	14	320		29.07				FM-16	T	30.04
04	0353	7	OVC:08 13	8.00		15	-9.4	14	-10.0	11	-11.7	84	14	320		29.07	0	-0.01	30.08	FM-15	T	30.04
04	0429	7	FEW:02 13 OVC:08 21	7.00		15	-9.4	14	-10.0	11	-11.7	84	11	310		29.07				FM-16		30.04
04	0453	7	FEW:02 16 BKN:07 21 OVC:08 26	6.00	BR:1 ||	15	-9.4	14	-10.0	11	-11.7	84	13	310		29.06			30.08	FM-15	0.00	30.03
04	0525	7	BKN:07 14 BKN:07 27 OVC:08 32	7.00	-SN:03 |SN |	15	-9.4	14	-10.0	11	-11.7	84	13	310		29.06				FM-16	T	30.03
04	0542	7	SCT:04 14 SCT:04 25 OVC:08 36	5.00	-SN:03 BR:1 |SN |	15	-9.4	14	-10.0	11	-11.7	84	11	310		29.07				FM-16	T	30.04

04	0553	7	FEW:02 14 FEW:02 25 OVC:08 36	7.00		14	-10.0	13	-10.4	11	-11.7	88	13	310		29.07			30.08	FM-15	T	30.04
04	0653	7	FEW:02 25 OVC:08 47	7.00		13	-10.6	12	-11.0	10	-12.2	88	10	320		29.07	5	+0.00	30.09	FM-15	T	30.04
04	0753	7	FEW:02 14 OVC:08 46	10.00		13	-10.6	12	-11.1	9	-12.8	84	14	300		29.09			30.10	FM-15	0.00	30.06
04	0853	7	FEW:02 16 SCT:04 20 BKN:07 44	9.00		12	-11.1	11	-11.8	7	-13.9	80	22	320	29	29.10			30.11	FM-15	T	30.07
04	0905	7	BKN:07 18 BKN:07 43	8.00	-SN:03 |SN |	12	-11.1	11	-11.9	6	-14.4	77	17	320	29	29.10				FM-16	T	30.07
04	0936	7	SCT:04 21 BKN:07 30 OVC:08 37	10.00		11	-11.7	10	-12.4	5	-15.0	77	14	310		29.11				FM-16	T	30.08
04	0953	7	OVC:08 30	10.00		11	-11.7	10	-12.4	5	-15.0	77	17	310		29.11	1	-0.04	30.13	FM-15	T	30.08
04	1053	7	BKN:07 40	10.00		12	-11.1	10	-12.1	4	-15.6	70	14	330		29.12			30.14	FM-15	0.00	30.09
04	1153	7	FEW:02 28 BKN:07 38	10.00		12	-11.1	10	-12.3	2	-16.7	64	16	340	24	29.12			30.14	FM-15	0.00	30.09
04	1253	7	FEW:02 29 FEW:02 41	10.00		11	-11.7	9	-12.8	1	-17.2	64	14	330	24	29.11	0	-0.00	30.14	FM-15	0.00	30.08
04	1353	7	OVC:08 32	10.00		13	-10.6	11	-11.8	3	-16.1	64	16	320		29.11			30.13	FM-15	0.00	30.08
04	1453	7	BKN:07 34	10.00		14	-10.0	12	-11.3	4	-15.6	64	11	330	20	29.12			30.14	FM-15	0.00	30.09
04	1553	7	SCT:04 38	10.00		13	-10.6	11	-11.9	2	-16.7	61	14	300		29.13	3	-0.01	30.15	FM-15	0.00	30.10
04	1653	7	SCT:04 35	10.00		13	-10.6	11	-11.8	3	-16.1	64	14	290		29.13			30.15	FM-15	0.00	30.10
04	1753	7	CLR:00	10.00		9	-12.8	8	-13.6	2	-16.7	73	9	280		29.13			30.16	FM-15	0.00	30.10
04	1836	7	BKN:07 24 BKN:07 50	6.00	-SN:03 BR:1 |SN |	10	-12.2	9	-12.7	6	-14.4	84	8	280		29.14				FM-16	T	30.11
04	1853	7	BKN:07 24	9.00		9	-12.8	8	-13.1	6	-14.4	88	9	270		29.14	3	-0.01	30.17	FM-15	T	30.11
04	1914	7	SCT:04 18	9.00		10	-12.2	9	-12.7	6	-14.4	84	9	280		29.15				FM-16	T	30.12
04	1953	7	FEW:02 22 OVC:08 46	5.00	-SN:03 BR:1 |SN |	11	-11.7	10	-12.1	8	-13.3	88	11	270		29.15			30.17	FM-15	T	30.12
04	2053	7	FEW:02 32 OVC:08 43	10.00		12	-11.1	11	-11.6	8	-13.3	84	14	270		29.16			30.18	FM-15	T	30.13
04	2143	7	BKN:07 20 OVC:08 37	2.50	-SN:03 BR:1 |SN |	12	-11.1	11	-11.6	8	-13.3	84	15	280	23	29.16				FM-16	T	30.13
04	2151	6	OVC:08 18	1.25	-SN:03 BR:1 |SN |	12	-11.0	11	-11.5	9	-13.0	85	13	300		29.17				FM-16		30.14
04	2153	7	VV:09 16	1.00	-SN:03 BR:1 |SN |	12	-11.1	11	-11.5	9	-12.8	87	14	310		29.17	1	-0.02	30.19	FM-15	T	30.14
04	2157	7	VV:09 14	1.00	-SN:03 BR:1 |SN |	11	-11.7	10	-12.1	8	-13.3	88	10	330		29.17				FM-16	T	30.14
04	2227	7	OVC:08 15	2.00	-SN:03 BR:1 |SN |	10	-12.2	9	-12.6	7	-13.9	87	9	300		29.18				FM-16	T	30.15
04	2250	7	SCT:04 21 OVC:08 27	9.00		10	-12.0	9	-13.1	3	-16.0	72	11	310	18	29.19				FM-16	T	30.16
04	2253	7	OVC:08 27	10.00		10	-12.2	8	-13.2	2	-16.7	69	11	310		29.19			30.21	FM-15	T	30.16
04	2353	7	OVC:08 28	10.00		10	-12.2	8	-13.4	-1	-18.3	61	13	310		29.19			30.21	FM-15	0.00	30.16
05	0053	7	BKN:07 26 OVC:08 31	10.00		9	-12.8	7	-13.8	0	-17.8	66	11	310		29.19	2	-0.00	30.22	FM-15	0.00	30.16
05	0118	7	BKN:07 30 OVC:08 50	10.00		9	-12.8	7	-13.9	-1	-18.3	64	13	310		29.19				FM-16		30.16
05	0153	7	SCT:04 30 OVC:08 50	10.00		8	-13.3	6	-14.4	-2	-18.9	63	16	310		29.19			30.22	FM-15	0.00	30.16
05	0253	7	BKN:07 50	10.00		6	-14.4	4	-15.3	-3	-19.4	66	10	300		29.21			30.24	FM-15	0.00	30.18
05	0353	7	CLR:00	10.00		4	-15.6	3	-16.4	-5	-20.6	66	13	310		29.23	3	-0.04	30.26	FM-15	0.00	30.20
05	0453	7	OVC:08 50	10.00		4	-15.6	2	-16.5	-6	-21.1	63	7	300		29.23			30.26	FM-15	0.00	30.21
05	0553	7	OVC:08 50	10.00		4	-15.6	3	-16.3	-4	-20.0	69	6	290		29.23			30.27	FM-15	0.00	30.21
05	0653	7	OVC:08 55	10.00		6	-14.4	4	-15.3	-3	-19.4	66	11	280		29.26	3	-0.03	30.29	FM-15	0.00	30.23
05	0753	7	OVC:08 55	10.00		6	-14.4	5	-15.0	1	-17.2	79	9	280		29.27			30.30	FM-15	0.00	30.25
05	0853	7	OVC:08 60	9.00		6	-14.4	5	-15.0	1	-17.2	79	8	270		29.28			30.32	FM-15	0.00	30.26
05	0953	7	OVC:08 60	5.00	HZ:7 |FU |HZ	7	-13.9	6	-14.4	2	-16.7	80	7	280		29.30	3	-0.05	30.34	FM-15	0.00	30.28
05	1053	7	OVC:08 60	6.00	HZ:7 |FU |HZ	7	-13.9	6	-14.4	2	-16.7	80	10	270		29.32			30.35	FM-15	0.00	30.30
05	1153	7	OVC:08 60	10.00		9	-12.8	8	-13.5	3	-16.1	77	8	280		29.30			30.34	FM-15	T	30.28

05	1253	7	FEW:02 17 OVC:08 60	10.00		10	-12.2	9	-13.1	3	-16.1	73	11	270		29.30	8	+0.01	30.33	FM-15	0.00	30.28
05	1353	7	FEW:02 18 OVC:08 60	10.00		10	-12.2	9	-13.1	3	-16.1	73	8	260		29.30			30.33	FM-15	0.00	30.28
05	1453	7	OVC:08 60	10.00		10	-12.2	9	-13.1	3	-16.1	73	13	270		29.30			30.34	FM-15	0.00	30.28
05	1553	7	OVC:08 60	10.00		10	-12.2	9	-13.1	3	-16.1	73	13	270		29.32	3	-0.02	30.36	FM-15	0.00	30.30
05	1653	7	OVC:08 60	9.00		9	-12.8	8	-13.5	3	-16.1	77	13	290		29.34			30.38	FM-15	0.00	30.32
05	1753	7	OVC:08 60	9.00		9	-12.8	8	-13.5	3	-16.1	77	10	290		29.36			30.40	FM-15	0.00	30.34
05	1853	7	OVC:08 60	10.00		7	-13.9	6	-14.3	3	-16.1	84	7	280		29.37	3	-0.05	30.42	FM-15	0.00	30.35
05	1953	7	CLR:00	10.00		6	-14.4	5	-14.9	2	-16.7	83	10	280		29.39			30.43	FM-15	0.00	30.37
05	2053	7	BKN:07 60	10.00		6	-14.4	5	-15.0	1	-17.2	79	11	280		29.40			30.44	FM-15	0.00	30.38
05	2153	7	CLR:00	10.00		4	-15.6	3	-16.1	-1	-18.3	80	9	290		29.41	1	-0.04	30.45	FM-15	0.00	30.39
05	2253	7	CLR:00	10.00		3	-16.1	2	-16.7	-3	-19.4	76	10	290		29.41			30.46	FM-15	0.00	30.39
05	2353	7	SCT:04 50	10.00		2	-16.7	1	-17.2	-4	-20.0	76	10	290		29.42			30.46	FM-15	0.00	30.40
06	0053	7	SCT:04 50	10.00		0	-17.8	-1	-18.2	-5	-20.6	79	7	280		29.42	1	-0.01	30.47	FM-15	0.00	30.40
06	0153	7	SCT:04 26 SCT:04 32	10.00		-1	-18.3	-2	-18.6	-5	-20.6	82	8	270		29.42			30.47	FM-15	0.00	30.40
06	0253	7	CLR:00	10.00		-1	-18.3	-2	-18.6	-5	-20.6	82	9	280		29.44			30.49	FM-15	0.00	30.42
06	0353	7	CLR:00	10.00		-2	-18.9	-2	-19.2	-6	-21.1	83	7	270		29.45	3	-0.03	30.50	FM-15	0.00	30.43
06	0453	7	OVC:08 55	10.00		-2	-18.9	-2	-19.2	-6	-21.1	83	7	270		29.46			30.50	FM-15	0.00	30.44
06	0553	7	OVC:08 55	10.00		0	-17.8	-1	-18.1	-4	-20.0	83	7	280		29.47			30.52	FM-15	0.00	30.45
06	0653	7	OVC:08 55	10.00		1	-17.2	0	-17.6	-3	-19.4	83	8	270		29.49	3	-0.04	30.53	FM-15	0.00	30.47
06	0753	7	OVC:08 50	10.00		2	-16.7	1	-17.0	-2	-18.9	83	3	260		29.51			30.55	FM-15	0.00	30.49
06	0853	7	OVC:08 55	10.00		3	-16.1	2	-16.6	-2	-18.9	79	6	250		29.52			30.57	FM-15	0.00	30.50
06	0953	7	OVC:08 55	9.00		5	-15.0	4	-15.5	0	-17.8	79	0	000		29.55	3	-0.06	30.59	FM-15	0.00	30.53
06	1053	7	BKN:07 55	10.00		9	-12.8	8	-13.6	2	-16.7	73	5	230		29.56			30.60	FM-15	0.00	30.54
06	1153	7	CLR:00	10.00		11	-11.7	9	-12.6	3	-16.1	70	10	280		29.56			30.60	FM-15	0.00	30.54
06	1253	7	FEW:02 50	10.00		12	-11.1	10	-12.2	3	-16.1	67	14	280		29.55	0	-0.01	30.59	FM-15	0.00	30.53
06	1353	7	FEW:02 38	10.00		13	-10.6	11	-11.8	3	-16.1	64	9	290		29.55			30.59	FM-15	0.00	30.53
06	1453	7	FEW:02 30 BKN:07 45	10.00		14	-10.0	12	-11.4	3	-16.1	61	6	270		29.55			30.60	FM-15	0.00	30.53
06	1553	7	SCT:04 43	10.00		14	-10.0	11	-11.5	2	-16.7	58	13	280		29.56	3	-0.01	30.61	FM-15	0.00	30.54
06	1653	7	SCT:04 49	10.00		12	-11.1	10	-12.5	0	-17.8	58	8	280		29.58			30.62	FM-15	0.00	30.56
06	1753	7	CLR:00	10.00		10	-12.2	8	-13.3	0	-17.8	63	6	250		29.58			30.63	FM-15	0.00	30.56
06	1853	7	CLR:00	10.00		9	-12.8	7	-13.7	1	-17.2	70	3	310		29.58	0	-0.01	30.62	FM-15	0.00	30.56
06	1953	7	CLR:00	10.00		8	-13.3	7	-14.1	1	-17.2	73	3	270		29.59			30.63	FM-15	0.00	30.57
06	2053	7	CLR:00	10.00		4	-15.6	3	-16.0	0	-17.8	83	0	000		29.59			30.64	FM-15	0.00	30.57
06	2153	7	CLR:00	9.00		3	-16.1	2	-16.5	-1	-18.3	83	3	100		29.57	8	+0.01	30.62	FM-15	0.00	30.55
06	2253	7	CLR:00	9.00		3	-16.1	2	-16.5	-1	-18.3	83	0	000		29.58			30.62	FM-15	0.00	30.56
06	2353	7	CLR:00	9.00		3	-16.1	2	-16.5	-1	-18.3	83	3	090		29.58			30.62	FM-15	0.00	30.56
07	0053	7	CLR:00	8.00		3	-16.1	2	-16.4	0	-17.8	87	3	160		29.55	8	+0.02	30.59	FM-15	0.00	30.53
07	0153	7	CLR:00	7.00		2	-16.7	1	-17.0	-1	-18.3	88	3	130		29.53			30.56	FM-15	0.00	30.51
07	0253	7	CLR:00	7.00		2	-16.7	1	-17.0	-1	-18.3	88	3	170		29.53			30.57	FM-15	0.00	30.51
07	0353	7	CLR:00	8.00		4	-15.6	4	-15.8	2	-16.7	91	7	160		29.53	6	+0.02	30.57	FM-15	0.00	30.51
07	0453	7	CLR:00	9.00		3	-16.1	2	-16.4	0	-17.8	87	5	140		29.53			30.57	FM-15	0.00	30.51
07	0553	7	CLR:00	10.00		4	-15.6	3	-15.9	1	-17.2	88	8	160		29.52			30.56	FM-15	0.00	30.50
07	0653	7	CLR:00	10.00		5	-15.0	4	-15.4	1	-17.2	83	8	150		29.51	8	+0.02	30.55	FM-15	0.00	30.49
07	0753	7	CLR:00	10.00		5	-15.0	4	-15.5	0	-17.8	79	8	150		29.48			30.52	FM-15	0.00	30.46
07	0853	7	CLR:00	10.00		7	-13.9	6	-14.5	1	-17.2	76	8	160		29.47			30.51	FM-15	0.00	30.45
07	0953	7	FEW:02 75 BKN:07 110	10.00		11	-11.7	9	-12.7	2	-16.7	67	11	160		29.45	6	+0.05	30.49	FM-15	0.00	30.43
07	1053	7	SCT:04 80 OVC:08 90	10.00		12	-11.1	10	-12.3	2	-16.7	64	14	170		29.44			30.48	FM-15	0.00	30.42
07	1153	7	OVC:08 60	10.00		16	-8.9	13	-10.5	4	-15.6	59	10	170	20	29.39			30.42	FM-15	0.00	30.37
07	1253	7	BKN:07 65 OVC:08 95	10.00		18	-7.8	15	-9.5	5	-15.0	57	11	150		29.34	8	+0.11	30.37	FM-15	0.00	30.32
07	1353	7	BKN:07 48 OVC:08 70	10.00		20	-6.7	16	-8.6	6	-14.4	55	14	170		29.30			30.34	FM-15	0.00	30.28

07	1453	7	BKN:07 60 OVC:08 80	10.00		22	-5.6	18	-8.0	5	-15.0	48	13	170		29.27			30.31	FM-15	0.00	30.25
07	1553	7	OVC:08 90	10.00		23	-5.0	19	-7.4	7	-13.9	50	13	170		29.26	6	+0.08	30.28	FM-15	0.00	30.23
07	1653	7	BKN:07 100 OVC:08 120	10.00		24	-4.4	20	-6.9	8	-13.3	50	11	170	21	29.26			30.28	FM-15	0.00	30.23
07	1753	7	BKN:07 120	10.00		25	-3.9	21	-6.4	9	-12.8	50	13	180		29.25			30.27	FM-15	0.00	30.22
07	1853	7	CLR:00	10.00		26	-3.3	21	-5.9	10	-12.2	51	14	180		29.25	6	+0.01	30.27	FM-15	0.00	30.22
07	1953	7	CLR:00	10.00		26	-3.3	21	-5.9	10	-12.2	51	10	170		29.23			30.25	FM-15	0.00	30.20
07	2053	7	SCT:04 100	10.00		26	-3.3	22	-5.8	11	-11.7	53	9	150		29.21			30.22	FM-15	0.00	30.18
07	2153	7	BKN:07 110	10.00		26	-3.3	22	-5.6	12	-11.1	55	9	160		29.18	8	+0.07	30.19	FM-15	0.00	30.15
07	2253	7	OVC:08 90	10.00		27	-2.8	23	-5.3	12	-11.1	53	8	170		29.15			30.16	FM-15	0.00	30.12
07	2353	7	OVC:08 55	10.00		29	-1.7	24	-4.4	13	-10.6	51	9	170		29.12			30.13	FM-15	0.00	30.09
08	0053	7	SCT:04 43 OVC:08 50	10.00	UP:09 ||	30	-1.1	26	-3.5	17	-8.3	58	10	170		29.10	8	+0.08	30.10	FM-15	T	30.07
08	0153	7	OVC:08 39	10.00	UP:09 ||	30	-1.1	27	-3.0	20	-6.7	66	10	180		29.08			30.08	FM-15	T	30.05
08	0221	7	BKN:07 27 OVC:08 41	8.00	-FZ:8 RA:02 |FZRA |	30	-1.1	27	-2.7	22	-5.6	72	9	160		29.07				FM-16	T	30.04
08	0245	7	SCT:04 25 OVC:08 55	9.00	UP:09 ||	30	-1.1	27	-2.7	22	-5.6	72	8	170		29.06				FM-16	T	30.03
08	0251	6	SCT:04 23 SCT:04 41 OVC:08 50	8.00	-FZ:8 RA:02 |FZRA |	30	-1.0	27	-2.8	21	-6.0	69	10	170		29.06				FM-16		30.03
08	0253	7	FEW:02 23 SCT:04 41 OVC:08 50	8.00	-FZ:8 RA:02 |FZRA |	30	-1.1	28	-2.5	23	-5.0	75	10	170		29.06			30.06	FM-15	T	30.03
08	0353	7	OVC:08 46	8.00	-FZ:8 RA:02 |FZRA |	31	-0.6	28	-2.0	24	-4.4	76	9	170		29.04	6	+0.05	30.05	FM-15	0.01	30.01
08	0422	7	BKN:07 23 OVC:08 44	9.00	UP:09 ||	30	-1.1	29	-1.9	26	-3.3	85	8	200		29.06				FM-16	T	30.03
08	0432	7	BKN:07 23 OVC:08 43	6.00	-FZ:8 RA:02 BR:1 |FZRA |	30	-1.1	29	-1.9	26	-3.3	85	7	190		29.06				FM-16	0.01	30.03
08	0453	7	BKN:07 25 OVC:08 30	5.00	-FZ:8 RA:02 BR:1 |FZRA |	31	-0.6	30	-1.2	28	-2.2	89	10	180		29.06			30.06	FM-15	0.02	30.03
08	0539	7	BKN:07 21 OVC:08 26	4.00	-SN:03 BR:1 |SN |	33	0.6	32	-0.1	30	-1.1	89	15	200	22	29.06				FM-16	0.01	30.03
08	0553	7	BKN:07 20 OVC:08 29	8.00	-SN:03 |SN |	33	0.6	32	0.1	31	-0.6	92	16	200		29.06			30.06	FM-15	0.01	30.03
08	0613	7	BKN:07 18 BKN:07 24 OVC:08 29	2.00	-SN:03 BR:1 |SN |	33	0.6	32	0.1	31	-0.6	92	17	220		29.06				FM-16	T	30.03
08	0622	7	SCT:04 16 BKN:07 21 OVC:08 28	6.00	-RA:02 BR:1 |RA |	33	0.6	32	0.1	31	-0.6	92	21	210	25	29.06				FM-16	T	30.03
08	0648	7	BKN:07 14 OVC:08 20	2.50	-SN:03 BR:1 |SN |	34	1.0	32	0.2	30	-1.0	87	15	210	28	29.06				FM-16	T	30.03
08	0653	7	BKN:07 14 OVC:08 20	2.50	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	17	210		29.06	1	-0.01	30.06	FM-15	T	30.03
08	0703	7	BKN:07 12 OVC:08 17	2.50	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	15	210	23	29.06				FM-16	T	30.03
08	0753	7	OVC:08 12	2.50	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	15	210		29.05			30.05	FM-15	T	30.02
08	0805	7	OVC:08 12	1.50	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	14	210		29.06				FM-16	0.01	30.03
08	0828	7	OVC:08 10	2.50	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	16	220		29.07				FM-16	0.01	30.04
08	0839	7	BKN:07 8 OVC:08 12	2.50	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	13	210		29.07				FM-16	0.01	30.04
08	0853	7	OVC:08 8	2.50	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	14	210		29.08			30.08	FM-15	0.01	30.05
08	0951	6	OVC:08 10	4.00	BR:1 ||	34	1.0	34	1.1	34	1.0	100	16	220	22	29.10				FM-16		30.07
08	0953	7	OVC:08 10	4.00	BR:1 ||	34	1.1	34	0.9	33	0.6	97	13	220		29.09	3	-0.03	30.09	FM-15	T	30.06
08	1032	7	OVC:08 8	6.00	BR:1 ||	34	1.1	34	0.9	33	0.6	97	14	220	23	29.09				FM-16		30.06
08	1053	7	OVC:08 8	7.00		34	1.1	34	0.9	33	0.6	97	15	220	23	29.08			30.08	FM-15	0.00	30.05
08	1153	7	OVC:08 8	7.00		34	1.1	34	0.9	33	0.6	97	15	230		29.07			30.07	FM-15	0.01	30.04
08	1253	7	OVC:08 6	5.00	BR:1 ||	35	1.7	35	1.4	34	1.1	96	15	230	25	29.06	8	+0.03	30.05	FM-15	0.00	30.03
08	1324	7	OVC:08 6	2.50	BR:1 ||	35	1.7	35	1.4	34	1.1	96	15	240		29.06				FM-16		30.03

08	1342	7	OVC:08 5	1.75	BR:1 ||	35	1.7	35	1.4	34	1.1	96	15	240		29.05				FM-16		30.02
08	1353	7	OVC:08 5	1.50	BR:1 ||	35	1.7	35	1.4	34	1.1	96	15	230	22	29.05			30.04	FM-15	0.00	30.02
08	1451	6	OVC:08 5	2.50	BR:1 ||	36	2.0	36	2.2	36	2.0	100	13	230		29.05				FM-16		30.02
08	1453	7	OVC:08 5	2.50	BR:1 ||	35	1.7	35	1.7	35	1.7	100	13	230		29.05			30.04	FM-15	0.00	30.02
08	1551	6	OVC:08 5	4.00	BR:1 ||	36	2.0	36	2.2	36	2.0	100	11	240		29.07				FM-16		30.04
08	1553	7	OVC:08 5	3.00	BR:1 ||	35	1.7	35	1.7	35	1.7	100	9	250		29.07	3	-0.01	30.07	FM-15	0.00	30.04
08	1651	6	OVC:08 5	2.00	BR:1 ||	36	2.0	36	2.2	36	2.0	100	9	230		29.09				FM-16		30.06
08	1653	7	OVC:08 5	2.00	BR:1 ||	35	1.7	35	1.7	35	1.7	100	9	230		29.09			30.09	FM-15	0.00	30.06
08	1753	7	OVC:08 5	2.00	BR:1 ||	35	1.7	35	1.7	35	1.7	100	10	220		29.10			30.09	FM-15	0.00	30.07
08	1800	7	BKN:07 5 OVC:08 13	5.00	BR:1 ||	35	1.7	35	1.7	35	1.7	100	9	230		29.10				FM-16		30.07
08	1851	6	OVC:08 13	6.00	BR:1 ||	36	2.0	36	2.2	36	2.0	100	9	240		29.13				FM-16		30.10
08	1853	7	OVC:08 13	6.00	BR:1 ||	35	1.7	35	1.7	35	1.7	100	10	230		29.13	0	-0.04	30.12	FM-15	0.00	30.10
08	1953	7	OVC:08 10	7.00		35	1.7	35	1.4	34	1.1	96	9	250		29.15			30.14	FM-15	0.00	30.12
08	2053	7	OVC:08 12	8.00		35	1.7	34	1.2	33	0.6	93	10	250		29.16			30.15	FM-15	0.00	30.13
08	2153	7	OVC:08 13	8.00		35	1.7	34	1.2	33	0.6	93	13	240		29.17	1	-0.04	30.16	FM-15	0.00	30.14
08	2253	7	OVC:08 11	8.00		34	1.1	33	0.7	32	0.0	92	11	250		29.17			30.16	FM-15	0.00	30.14
08	2353	7	OVC:08 10	8.00		34	1.1	33	0.7	32	0.0	92	13	240		29.19			30.18	FM-15	0.00	30.16
09	0053	7	OVC:08 10	7.00		33	0.6	33	0.3	32	0.0	96	9	240		29.20	3	-0.03	30.19	FM-15	0.00	30.17
09	0132	7	OVC:08 9	7.00		33	0.6	32	0.1	31	-0.6	92	11	240		29.19				FM-16		30.16
09	0153	7	BKN:07 9	7.00		32	0.0	32	-0.2	31	-0.6	96	10	230		29.19			30.19	FM-15	0.00	30.16
09	0253	7	OVC:08 8	7.00		33	0.6	32	0.1	31	-0.6	92	7	260		29.23			30.23	FM-15	0.00	30.20
09	0353	7	OVC:08 8	7.00		32	0.0	32	-0.2	31	-0.6	96	7	260		29.23	3	-0.05	30.24	FM-15	0.00	30.21
09	0453	7	OVC:08 9	7.00		32	0.0	31	-0.4	30	-1.1	92	7	270		29.25			30.24	FM-15	0.00	30.22
09	0553	7	OVC:08 9	7.00		32	0.0	31	-0.4	30	-1.1	92	6	250		29.26			30.26	FM-15	0.00	30.24
09	0618	7	OVC:08 10	7.00		32	0.0	31	-0.4	30	-1.1	92	6	270		29.27				FM-16		30.25
09	0653	7	OVC:08 10	7.00		32	0.0	31	-0.4	30	-1.1	92	5	250		29.28	3	-0.04	30.28	FM-15	0.00	30.26
09	0753	7	OVC:08 10	7.00		32	0.0	31	-0.4	30	-1.1	92	5	250		29.29			30.29	FM-15	0.00	30.27
09	0853	7	OVC:08 10	6.00	BR:1 ||	32	0.0	31	-0.4	30	-1.1	92	3	260		29.29			30.30	FM-15	0.00	30.27
09	0953	7	OVC:08 9	6.00	BR:1 ||	32	0.0	31	-0.4	30	-1.1	92	0	000		29.31	3	-0.04	30.32	FM-15	0.00	30.29
09	1051	7	OVC:08 10	6.00	BR:1 ||	32	0.0	31	-0.4	30	-1.0	93	5	250		29.34				FM-16		30.32
09	1053	7	OVC:08 10	6.00	BR:1 ||	33	0.6	32	-0.1	30	-1.1	89	7	230		29.34			30.35	FM-15	0.00	30.32
09	1153	7	OVC:08 10	6.00	BR:1 ||	33	0.6	32	-0.1	30	-1.1	89	6	200		29.34			30.35	FM-15	0.00	30.32
09	1253	7	OVC:08 10	5.00	BR:1 ||	33	0.6	32	-0.1	30	-1.1	89	0	000		29.32	8	+0.02	30.33	FM-15	0.00	30.30
09	1353	7	OVC:08 12	7.00		35	1.7	33	0.8	31	-0.6	85	0	000		29.30			30.30	FM-15	0.00	30.28
09	1451	6	SCT:04 13	7.00		36	2.0	34	0.9	30	-1.0	81	3	VRB		29.29				FM-16		30.27
09	1453	7	SCT:04 13	7.00		35	1.7	33	0.6	30	-1.1	82	0	000		29.29			30.29	FM-15	0.00	30.27
09	1553	7	CLR:00	7.00		37	2.8	35	1.4	31	-0.6	79	3	360		29.29	6	+0.03	30.29	FM-15	0.00	30.27
09	1653	7	CLR:00	6.00	BR:1 ||	35	1.7	33	0.8	31	-0.6	85	5	100		29.30			30.31	FM-15	0.00	30.28
09	1753	7	CLR:00	8.00		34	1.1	32	0.2	30	-1.1	85	5	140		29.31			30.32	FM-15	0.00	30.29
09	1853	7	CLR:00	7.00		33	0.6	32	-0.1	30	-1.1	89	3	160		29.31	1	-0.02	30.32	FM-15	0.00	30.29
09	1953	7	CLR:00	7.00		32	0.0	31	-0.4	30	-1.1	92	3	150		29.32			30.32	FM-15	0.00	30.30
09	2053	7	CLR:00	5.00	BR:1 ||	28	-2.2	28	-2.2	28	-2.2	100	5	080		29.31			30.32	FM-15	0.00	30.29
09	2153	7	CLR:00	6.00	BR:1 ||	31	-0.6	30	-1.0	29	-1.7	92	6	130		29.30	8	+0.01	30.31	FM-15	0.00	30.28
09	2253	7	CLR:00	6.00	BR:1 ||	30	-1.1	30	-1.3	29	-1.7	96	5	080		29.31			30.32	FM-15	0.00	30.29
09	2353	7	CLR:00	5.00	BR:1 ||	29	-1.7	29	-1.7	29	-1.7	100	3	120		29.31			30.31	FM-15	0.00	30.29
10	0053	7	CLR:00	5.00	BR:1 ||	29	-1.7	29	-1.9	28	-2.2	96	5	110		29.28	8	+0.02	30.29	FM-15	0.00	30.26
10	0153	7	CLR:00	6.00	BR:1 ||	30	-1.1	30	-1.3	29	-1.7	96	6	140		29.27			30.27	FM-15	0.00	30.25
10	0253	7	BKN:07 34	6.00	BR:1 ||	31	-0.6	31	-0.8	30	-1.1	96	6	120		29.26			30.26	FM-15	0.00	30.23
10	0341	7	BKN:07 17 BKN:07 24 BKN:07 31	6.00	BR:1 ||	32	0.0	31	-0.4	30	-1.1	92	7	120		29.23				FM-16		30.21
10	0353	7	BKN:07 17 OVC:08 27	6.00	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	5	110		29.23	8	+0.05	30.24	FM-15	0.00	30.21
10	0443	7	BKN:07 13 OVC:08 19	6.00	BR:1 ||	33	0.6	33	0.3	32	0.0	96	5	110		29.23				FM-16		30.20
10	0453	7	OVC:08 12	6.00	BR:1 ||	33	0.6	33	0.3	32	0.0	96	5	110		29.23			30.23	FM-15	0.00	30.20

10	0516	7	SCT:04 11 OVC:08 19	5.00	BR:1 ||	33	0.6	33	0.3	32	0.0	96	5	140		29.23				FM-16		30.20
10	0537	7	OVC:08 13	5.00	BR:1 ||	34	1.1	34	0.9	33	0.6	97	8	140		29.23				FM-16		30.20
10	0553	7	OVC:08 13	4.00	BR:1 ||	34	1.1	34	0.9	33	0.6	97	7	130		29.23			30.22	FM-15	0.00	30.20
10	0622	7	OVC:08 12	2.50	BR:1 ||	34	1.1	34	1.1	34	1.1	100	8	130		29.22				FM-16		30.19
10	0651	6	BKN:07 12 OVC:08 25	3.00	BR:1 ||	34	1.0	34	1.1	34	1.0	100	7	140		29.22				FM-16		30.19
10	0653	7	BKN:07 12 OVC:08 25	3.00	BR:1 ||	34	1.1	34	1.1	34	1.1	100	6	140		29.22	6	+0.01	30.21	FM-15	T	30.19
10	0717	7	SCT:04 16 OVC:08 23	3.00	BR:1 ||	34	1.1	34	1.1	34	1.1	100	8	140		29.22				FM-16		30.19
10	0751	6	SCT:04 15 BKN:07 30 OVC:08 43	5.00	BR:1 ||	36	2.0	35	1.8	34	1.0	93	7	140		29.21				FM-16		30.18
10	0753	7	SCT:04 15 BKN:07 33 OVC:08 43	5.00	BR:1 ||	35	1.7	35	1.4	34	1.1	96	7	140		29.21			30.20	FM-15	0.00	30.18
10	0851	6	OVC:08 29	6.00	-RA:02 BR:1 |RA |	36	2.0	36	2.2	36	2.0	100	5	160		29.21				FM-16		30.18
10	0853	7	OVC:08 31	6.00	-RA:02 BR:1 |RA |	36	2.2	36	2.0	35	1.7	97	6	160		29.21			30.21	FM-15	T	30.18
10	0953	7	FEW:02 27 BKN:07 39 OVC:08 55	6.00	BR:1 ||	38	3.3	37	2.9	36	2.2	93	7	140		29.20	8	+0.01	30.19	FM-15	T	30.17
10	1053	7	BKN:07 32 OVC:08 50	7.00		40	4.4	40	4.2	39	3.9	97	13	160		29.19			30.18	FM-15	0.00	30.16
10	1153	7	FEW:02 30 BKN:07 55 OVC:08 85	9.00		43	6.1	42	5.6	41	5.0	93	13	160		29.16			30.15	FM-15	0.00	30.13
10	1253	7	OVC:08 65	10.00		45	7.2	44	6.7	43	6.1	93	10	160		29.12	8	+0.07	30.11	FM-15	0.00	30.09
10	1353	7	BKN:07 70	10.00		49	9.4	47	8.3	45	7.2	86	8	160		29.08			30.06	FM-15	0.00	30.05
10	1453	7	FEW:02 70	10.00		53	11.7	50	10.0	47	8.3	80	7	160		29.07			30.05	FM-15	0.00	30.04
10	1553	7	OVC:08 32	10.00		55	12.8	52	11.0	49	9.4	80	9	170		29.07	5	+0.05	30.05	FM-15	0.00	30.04
10	1653	7	BKN:07 31 OVC:08 42	10.00		53	11.7	50	10.2	48	8.9	83	6	150		29.08			30.06	FM-15	0.00	30.05
10	1753	7	FEW:02 32 OVC:08 45	10.00		53	11.7	50	10.0	47	8.3	80	8	160		29.08			30.06	FM-15	0.00	30.05
10	1853	7	SCT:04 43	10.00		53	11.7	50	10.0	47	8.3	80	9	160		29.07	0	-0.00	30.06	FM-15	0.00	30.04
10	1953	7	BKN:07 46	10.00		52	11.1	49	9.7	47	8.3	83	6	160		29.08			30.06	FM-15	0.00	30.05
10	2053	7	OVC:08 42	10.00		53	11.7	50	10.0	47	8.3	80	8	160		29.08			30.06	FM-15	0.00	30.05
10	2153	7	OVC:08 42	10.00		54	12.2	51	10.5	48	8.9	80	10	160		29.07	8	+0.00	30.05	FM-15	0.00	30.04
10	2253	7	OVC:08 42	10.00		54	12.2	51	10.5	48	8.9	80	10	170		29.07			30.05	FM-15	0.00	30.04
10	2353	7	OVC:08 42	10.00		54	12.2	51	10.5	48	8.9	80	11	170		29.07			30.04	FM-15	0.00	30.04
11	0053	7	OVC:08 40	10.00		54	12.2	51	10.5	48	8.9	80	9	170		29.06	8	+0.01	30.04	FM-15	0.00	30.03
11	0153	7	OVC:08 43	10.00		53	11.7	50	10.2	48	8.9	83	10	160		29.06			30.03	FM-15	0.00	30.03
11	0253	7	OVC:08 42	10.00		54	12.2	50	10.2	47	8.3	77	10	160		29.07			30.04	FM-15	0.00	30.04
11	0353	7	BKN:07 41 OVC:08 50	10.00		54	12.2	50	10.2	47	8.3	77	11	160		29.08	3	-0.01	30.05	FM-15	0.00	30.05
11	0453	7	BKN:07 43 OVC:08 55	10.00		53	11.7	50	10.0	47	8.3	80	10	160		29.08			30.05	FM-15	0.00	30.05
11	0553	7	OVC:08 45	10.00		53	11.7	50	10.0	47	8.3	80	8	160		29.08			30.05	FM-15	0.00	30.05
11	0650	7	BKN:07 27 BKN:07 35 OVC:08 60	10.00		52	11.0	49	9.4	46	8.0	82	9	180		29.10				FM-16		30.07
11	0653	7	BKN:07 27 BKN:07 35 OVC:08 60	10.00		52	11.1	49	9.7	47	8.3	83	10	170		29.10	0	-0.02	30.07	FM-15	0.00	30.07
11	0753	7	SCT:04 27 OVC:08 37	10.00		52	11.1	50	10.0	48	8.9	86	13	170		29.10			30.07	FM-15	0.00	30.07
11	0853	7	FEW:02 37	10.00		52	11.1	50	10.0	48	8.9	86	13	160		29.09			30.06	FM-15	0.00	30.06
11	0953	7	BKN:07 60	10.00		53	11.7	50	10.2	48	8.9	83	17	160	24	29.08	8	+0.02	30.05	FM-15	T	30.05
11	1024	7	FEW:02 26 BKN:07 34 OVC:08 43	2.50	RA:02 BR:1 |RA |	52	11.1	51	10.8	51	10.6	97	14	160		29.09				FM-16	0.01	30.06

11	1041	7	FEW:02 24 BKN:07 34 OVC:08 43	7.00	-RA:02 |RA |	52	11.1	52	11.1	52	11.1	100	9	170		29.09				FM-16	0.02	30.06
11	1051	6	SCT:04 9 BKN:07 33 OVC:08 43	10.00		54	12.0	53	11.6	52	11.0	94	9	170		29.09				FM-16		30.06
11	1053	7	SCT:04 9 BKN:07 35 OVC:08 43	10.00	-RA:02 |RA |	53	11.7	53	11.7	53	11.7	100	10	170		29.09			30.06	FM-15	0.02	30.06
11	1153	7	OVC:08 46	10.00		55	12.8	54	12.2	53	11.7	93	7	VRB		29.04			30.01	FM-15	0.01	30.01
11	1251	6	BKN:07 42 OVC:08 50	2.50	+RA:02 BR:1 |RA |	55	13.0	53	11.9	52	11.0	88	10	170		29.00				FM-16		29.97
11	1253	7	BKN:07 42 OVC:08 55	2.50	+RA:02 BR:1 |RA |	56	13.3	54	12.1	52	11.1	87	11	180		29.00	8	+0.07	29.97	FM-15	0.05	29.97
11	1353	7	SCT:04 43 OVC:08 50	7.00	-RA:02 |RA |	54	12.2	54	12.2	54	12.2	100	10	150		28.97			29.94	FM-15	0.09	29.94
11	1425	7	BKN:07 36 OVC:08 48	3.00	-RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	11	160		28.96				FM-16	0.02	29.93
11	1432	7	BKN:07 36 OVC:08 42	2.50	-RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	10	160		28.95				FM-16	0.03	29.92
11	1453	7	FEW:02 25 BKN:07 34 OVC:08 43	2.50	-RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	13	150		28.95			29.92	FM-15	0.04	29.92
11	1517	7	FEW:02 5 SCT:04 30 OVC:08 40	10.00		54	12.2	54	12.2	54	12.2	100	11	140		28.94				FM-16	T	29.91
11	1553	7	OVC:08 40	8.00	-RA:02 |RA |	54	12.2	54	12.2	54	12.2	100	8	160		28.93	6	+0.07	29.90	FM-15	T	29.90
11	1606	7	OVC:08 42	7.00	-RA:02 |RA |	55	12.8	55	12.8	55	12.8	100	8	160		28.92				FM-16	T	29.89
11	1653	7	OVC:08 38	10.00		55	12.8	55	12.8	55	12.8	100	8	170		28.92			29.89	FM-15	T	29.89
11	1753	7	FEW:02 18 OVC:08 37	10.00		56	13.3	56	13.3	56	13.3	100	11	170		28.92			29.89	FM-15	0.00	29.89
11	1802	7	FEW:02 8 BKN:07 18 OVC:08 36	10.00		57	13.9	57	13.9	57	13.9	100	13	170		28.92				FM-16		29.89
11	1851	6	FEW:02 7 SCT:04 19 OVC:08 42	10.00		57	14.0	57	13.9	57	14.0	100	10	170		28.91				FM-16		29.88
11	1853	7	FEW:02 7 SCT:04 19 OVC:08 42	10.00		58	14.4	58	14.4	58	14.4	100	11	170		28.91	6	+0.02	29.88	FM-15	0.00	29.88
11	1933	7	BKN:07 6 BKN:07 34 OVC:08 46	10.00		58	14.4	58	14.4	58	14.4	100	10	160		28.91				FM-16		29.88
11	1953	7	OVC:08 5	8.00		58	14.4	58	14.4	58	14.4	100	10	170		28.90			29.87	FM-15	T	29.87
11	2053	7	OVC:08 5	9.00		58	14.4	58	14.4	58	14.4	100	10	170		28.89			29.84	FM-15	T	29.85
11	2151	6	OVC:08 4	9.00		57	14.0	57	13.9	57	14.0	100	10	170		28.87				FM-16		29.83
11	2153	7	OVC:08 4	8.00		58	14.4	58	14.4	58	14.4	100	13	170		28.87	8	+0.05	29.83	FM-15	0.00	29.83
11	2225	7	OVC:08 5	9.00		57	13.9	57	13.9	57	13.9	100	8	180		28.87				FM-16		29.83
11	2253	7	BKN:07 6 OVC:08 50	10.00		57	13.9	57	13.9	57	13.9	100	9	160		28.86			29.81	FM-15	0.00	29.82
11	2335	7	BKN:07 4 OVC:08 45	7.00		57	13.9	57	13.9	57	13.9	100	13	160		28.83				FM-16		29.79
11	2353	7	OVC:08 4	6.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	10	150		28.83			29.78	FM-15	0.00	29.79
12	0053	7	OVC:08 3	7.00		57	13.9	57	13.9	57	13.9	100	11	160		28.79	8	+0.08	29.74	FM-15	0.00	29.75
12	0116	7	OVC:08 3	1.75	BR:1 ||	57	13.9	57	13.9	57	13.9	100	15	170		28.78				FM-16		29.74
12	0137	7	OVC:08 2	3.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	13	180		28.77				FM-16		29.73
12	0153	7	OVC:08 2	5.00	BR:1 ||	57	13.9	57	13.9	57	13.9	100	11	170		28.76			29.72	FM-15	0.00	29.72
12	0230	7	OVC:08 3	1.75	BR:1 ||	57	13.9	57	13.9	57	13.9	100	10	180		28.75				FM-16		29.71
12	0251	7	VV:09 2	0.75	BR:1 ||	57	14.0	57	13.9	57	14.0	100	13	170		28.74				FM-16		29.70
12	0253	7	VV:09 2	0.75	BR:1 ||	57	13.9	57	13.9	57	13.9	100	11	160		28.73			29.69	FM-15	0.00	29.69
12	0305	7	OVC:08 2	1.50	BR:1 ||	57	13.9	57	13.9	57	13.9	100	9	170		28.73				FM-16		29.69
12	0315	7	OVC:08 2	2.50	BR:1 ||	57	13.9	57	13.9	57	13.9	100	10	170		28.73				FM-16		29.69

12	0331	7	OVC:08 2	1.25	BR:1 ||	57	13.9	57	13.9	57	13.9	100	7	180		28.73				FM-16		29.69
12	0353	7	VV:09 3	1.00	BR:1 ||	56	13.3	56	13.3	56	13.3	100	9	160		28.72	6	+0.05	29.67	FM-15	0.00	29.68
12	0401	7	VV:09 3	0.75	BR:1 ||	57	13.9	57	13.9	57	13.9	100	9	170		28.72				FM-16		29.68
12	0451	7	VV:09 3	1.00	BR:1 ||	55	13.0	55	12.8	55	13.0	100	8	170		28.70				FM-16		29.66
12	0453	7	VV:09 3	1.00	BR:1 ||	56	13.3	56	13.3	56	13.3	100	7	160		28.70			29.65	FM-15	T	29.66
12	0504	7	VV:09 3	0.75	BR:1 ||	56	13.3	56	13.3	56	13.3	100	8	160		28.69				FM-16	T	29.65
12	0553	7	VV:09 2	0.50	FG:2 |FG |	56	13.3	56	13.3	56	13.3	100	10	170		28.67			29.63	FM-15	T	29.63
12	0634	7	VV:09 2	1.00	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	9	170		28.68				FM-16	0.01	29.64
12	0653	7	OVC:08 2	2.00	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	9	170		28.68	5	+0.01	29.64	FM-15	0.02s	29.64
12	0753	7	BKN:07 3 OVC:08 12	2.00	+RA:02 BR:1 |RA |	51	10.6	51	10.6	51	10.6	100	18	330	28	28.69			29.65	FM-15	0.09	29.65
12	0801	7	SCT:04 3 BKN:07 16 OVC:08 25	3.00	RA:02 BR:1 |RA |	48	8.9	48	8.9	48	8.9	100	17	330		28.69				FM-16	0.02	29.65
12	0803	7	BKN:07 3 BKN:07 11 OVC:08 23	3.00	RA:02 BR:1 |RA |	48	8.9	48	8.9	48	8.9	100	17	330		28.69				FM-16	0.02	29.65
12	0851	6	BKN:07 9 OVC:08 13	2.50	RA:02 BR:1 |RA |	41	5.0	41	5.0	41	5.0	100	18	310		28.74				FM-16		29.70
12	0853	7	BKN:07 7 OVC:08 13	3.00	RA:02 BR:1 |RA |	41	5.0	41	5.0	41	5.0	100	16	330	25	28.75			29.71	FM-15	0.07	29.71
12	0919	7	BKN:07 7 OVC:08 13	2.50	RA:02 BR:1 |RA |	39	3.9	39	3.9	39	3.9	100	21	330	29	28.76				FM-16	0.04	29.72
12	0951	6	BKN:07 7 OVC:08 13	3.00	-RA:02 BR:1 |RA |	37	3.0	37	2.8	37	3.0	100	16	330	25	28.78				FM-16		29.74
12	0953	7	BKN:07 7 OVC:08 13	4.00	-RA:02 BR:1 |RA |	37	2.8	37	2.8	37	2.8	100	16	330	25	28.78	3	-0.10	29.75	FM-15	0.09	29.74
12	1040	7	BKN:07 8 BKN:07 19 OVC:08 26	2.50	RA:02 BR:1 |RA |	36	2.2	36	2.2	36	2.2	100	17	330	24	28.80				FM-16	0.04	29.76
12	1049	7	BKN:07 8 BKN:07 19 OVC:08 26	4.00	-RA:02 BR:1 |RA |	36	2.0	36	2.2	36	2.0	100	14	320	21	28.80				FM-16	0.04	29.76
12	1053	7	BKN:07 8 BKN:07 19 OVC:08 26	6.00	-RA:02 BR:1 |RA |	36	2.2	36	2.2	36	2.2	100	16	330	22	28.80			29.77	FM-15	0.04	29.76
12	1122	7	OVC:08 9	2.50	-SN:03 BR:1 |SN |	36	2.2	36	2.2	36	2.2	100	16	330	24	28.81				FM-16	0.01	29.77
12	1134	7	OVC:08 10	2.50	-SN:03 BR:1 |SN |	37	2.8	37	2.5	36	2.2	96	16	340	23	28.80				FM-16	0.02	29.76
12	1137	7	BKN:07 8 OVC:08 12	2.50	-SN:03 BR:1 |SN |	37	2.8	37	2.5	36	2.2	96	17	340	24	28.80				FM-16	0.02	29.76
12	1151	6	BKN:07 10 OVC:08 13	3.00	-SN:03 BR:1 |SN |	37	3.0	37	2.5	36	2.0	93	21	340		28.79				FM-16		29.75
12	1153	7	BKN:07 10 OVC:08 13	3.00	-SN:03 BR:1 |SN |	37	2.8	37	2.5	36	2.2	96	18	350		28.79			29.76	FM-15	0.03	29.75
12	1206	7	BKN:07 9 OVC:08 15	5.00	RA:02 BR:1 |RA |	37	2.8	37	2.5	36	2.2	96	15	340	25	28.79				FM-16	T	29.75
12	1233	7	OVC:08 10	8.00	-RA:02 |RA |	37	2.8	37	2.5	36	2.2	96	20	350	26	28.79				FM-16	T	29.75
12	1253	7	OVC:08 9	8.00	RA:02 |RA |	37	2.8	37	2.5	36	2.2	96	25	360	33	28.76	8	+0.04	29.73	FM-15	T	29.72
12	1308	7	OVC:08 9	2.50	-SN:03 BR:1 |SN |	36	2.2	35	1.8	34	1.1	93	23	010	34	28.78				FM-16	T	29.74
12	1310	7	OVC:08 11	3.00	-SN:03 BR:1 |SN |	36	2.2	35	1.8	34	1.1	93	22	010	34	28.78				FM-16	T	29.74
12	1341	7	BKN:07 12 BKN:07 27 OVC:08 41	1.75	RA:02 BR:1 |RA |	35	1.7	35	1.4	34	1.1	96	20	010	31	28.79				FM-16	0.01	29.75
12	1351	7	SCT:04 9 BKN:07 12 OVC:08 21	2.00	-SN:03 BR:1 |SN |	36	2.0	35	1.8	34	1.0	93	15	340	30	28.80				FM-16	0.02	29.76
12	1353	7	BKN:07 9 OVC:08 21	2.50	-SN:03 BR:1 |SN |	35	1.7	35	1.4	34	1.1	96	16	350	30	28.80			29.76	FM-15	0.02	29.76
12	1403	7	BKN:07 8 OVC:08 13	3.00	-SN:03 BR:1 |SN |	34	1.1	34	0.9	33	0.6	97	17	360		28.79				FM-16	T	29.75
12	1410	7	BKN:07 10 OVC:08 14	5.00	RA:02 BR:1 |RA |	33	0.6	33	0.6	33	0.6	100	18	360	26	28.80				FM-16	T	29.76

12	1435	7	OVC:08 10	1.50	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	20	010	24	28.80				FM-16	T	29.76
12	1451	6	OVC:08 10	2.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.0	93	24	010	34	28.79				FM-16		29.75
12	1453	7	BKN:07 10 OVC:08 14	2.50	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	23	020	34	28.80			29.77	FM-15	T	29.76
12	1553	7	BKN:07 10 OVC:08 14	2.50	-SN:03 BR:1 |SN |	30	-1.1	30	-1.3	29	-1.7	96	21	360	28	28.86	3	-0.09	29.83	FM-15	0.04	29.82
12	1557	7	BKN:07 10 OVC:08 15	2.00	-SN:03 BR:1 |SN |	30	-1.1	30	-1.3	29	-1.7	96	20	010		28.86				FM-16	T	29.82
12	1653	7	BKN:07 10 OVC:08 15	2.00	-SN:03 BR:1 |SN |	27	-2.8	26	-3.2	25	-3.9	92	23	010	37	28.84			29.81	FM-15	0.01	29.80
12	1655	7	BKN:07 10 OVC:08 25	2.00	-SN:03 BR:1 |SN |	27	-2.8	26	-3.2	25	-3.9	92	22	360	37	28.83				FM-16	T	29.79
12	1753	7	BKN:07 15 OVC:08 21	1.50	-SN:03 BR:1 |SN |	25	-3.9	24	-4.3	23	-5.0	92	21	010	40	28.86			29.83	FM-15	0.01	29.82
12	1821	7	BKN:07 15 OVC:08 21	2.00	-SN:03 BR:1 |SN |	24	-4.4	23	-5.0	21	-6.1	88	23	010	34	28.90				FM-16	T	29.86
12	1853	7	OVC:08 17	1.25	-SN:03 BR:1 |SN |	23	-5.0	22	-5.5	20	-6.7	88	24	010	39	28.89	3	-0.03	29.87	FM-15	T	29.85
12	1901	7	OVC:08 17	1.25	-SN:03 BR:1 |SN |	23	-5.0	22	-5.4	21	-6.1	92	20	360	32	28.87				FM-16	T	29.84
12	1951	6	VV:09 9	0.50	FZ:8 FG:2 |FG |	21	-6.0	20	-6.5	19	-7.0	93	25	350	34	28.92				FM-16		29.89
12	1953	7	VV:09 9	0.50	FZ:8 FG:2 |FG |	21	-6.1	20	-6.5	19	-7.2	92	24	360	34	28.93			29.91	FM-15	T	29.90
12	2034	7	VV:09 11	1.00	BR:1 ||	20	-6.7	19	-7.0	18	-7.8	92	24	350	33	28.94				FM-16		29.91
12	2053	7	VV:09 13	1.00	SN:03 BR:1 |SN |	20	-6.7	19	-7.0	18	-7.8	92	23	350	36	28.95			29.95	FM-15	T	29.92
12	2100	7	VV:09 13	0.75	SN:03 BR:1 |SN |	20	-6.7	19	-7.0	18	-7.8	92	23	340	32	28.95				FM-16	T	29.92
12	2153	7	VV:09 11	0.75	SN:03 BR:1 |SN |	20	-6.7	19	-7.2	17	-8.3	89	21	350	32	28.98	1	-0.09	29.98	FM-15	T	29.95
12	2253	7	VV:09 12	0.75	SN:03 BR:1 |SN |	19	-7.2	18	-7.6	17	-8.3	92	23	340	39	28.93			29.93	FM-15	T	29.90
12	2324	7	VV:09 15	1.00	-SN:03 BR:1 |SN |	19	-7.2	18	-7.7	16	-8.9	88	25	340	33	29.05				FM-16	T	30.02
12	2353	7	OVC:08 17	1.25	-SN:03 BR:1 |SN |	19	-7.2	18	-7.7	16	-8.9	88	21	340	29	29.05			30.05	FM-15	T	30.02
13	0007	7	VV:09 14	0.75	-SN:03 BR:1 |SN |	18	-7.8	17	-8.1	16	-8.9	92	21	340	29	29.06				FM-16	T	30.03
13	0051	6	VV:09 11	1.00	-SN:03 BR:1 |SN |	18	-8.0	17	-8.1	16	-9.0	93	20	340	32	29.07				FM-16		30.04
13	0053	7	VV:09 10	0.75	-SN:03 BR:1 |SN |	17	-8.3	16	-8.6	15	-9.4	92	17	340	31	29.07	3	-0.09	30.07	FM-15	T	30.04
13	0106	7	VV:09 9	0.50	FZ:8 FG:2 |FG |	17	-8.3	16	-8.6	15	-9.4	92	18	340	31	29.07				FM-16	T	30.04
13	0123	7	VV:09 10	0.75	BR:1 ||	17	-8.3	16	-8.8	14	-10.0	88	18	330	36	29.09				FM-16	T	30.06
13	0135	7	VV:09 12	1.00	BR:1 ||	17	-8.3	16	-8.8	14	-10.0	88	24	340	33	29.09				FM-16	T	30.06
13	0153	7	VV:09 13	1.00	BR:1 ||	17	-8.3	16	-8.9	13	-10.6	84	23	340	40	29.09			30.09	FM-15	T	30.06
13	0208	7	VV:09 16	1.00	BR:1 ||	16	-8.9	15	-9.3	13	-10.6	88	22	340	33	29.11				FM-16		30.08
13	0226	7	OVC:08 23	2.00	BR:1 ||	16	-8.9	15	-9.5	12	-11.1	84	23	340	33	29.13				FM-16		30.10
13	0243	7	FEW:02 21 BKN:07 28 OVC:08 95	3.00	HZ:7 |FU |HZ	16	-8.9	15	-9.6	11	-11.7	80	22	340	33	29.13				FM-16		30.10
13	0246	7	FEW:02 21 SCT:04 30 OVC:08 95	2.50V	HZ:7 |FU |HZ	16	-8.9	15	-9.6	11	-11.7	80	28	340	33	29.13				FM-16		30.10
13	0251	6	SCT:04 21 OVC:08 90	1.75V	HZ:7 ||HZ	16	-9.0	14	-9.8	10	-12.0	79	26	340	36	29.13				FM-16		30.10
13	0253	7	FEW:02 21 OVC:08 90	1.50	HZ:7 |FU |HZ	16	-8.9	15	-9.6	11	-11.7	80	28	340	39	29.14			30.14	FM-15	0.00	30.11
13	0304	7	FEW:02 19 BKN:07 80 OVC:08 100	2.50	HZ:7 |FU |HZ	16	-8.9	15	-9.6	11	-11.7	80	28	340	40	29.14				FM-16		30.11
13	0318	7	FEW:02 17 OVC:08 80	3.00	HZ:7 |FU |HZ	15	-9.4	14	-10.2	10	-12.2	80	22	340	31	29.14				FM-16		30.11
13	0324	7	FEW:02 7 OVC:08 80	2.00	HZ:7 |FU |HZ	15	-9.4	14	-10.2	10	-12.2	80	29	340	38	29.15				FM-16		30.12
13	0351	6	FEW:02 17 OVC:08 100	3.00	HZ:7 ||HZ	16	-9.0	14	-9.9	9	-13.0	73	18	340	29	29.15				FM-16		30.12
13	0353	7	FEW:02 20 OVC:08 100	4.00	HZ:7 |FU |HZ	15	-9.4	13	-10.3	9	-12.8	77	28	340	33	29.16	3	-0.08	30.16	FM-15	0.00	30.13
13	0441	7	FEW:02 21 BKN:07 27 OVC:08 120	6.00	HZ:7 |FU |HZ	14	-10.0	13	-10.8	8	-13.3	77	21	340	33	29.21				FM-16		30.18
13	0453	7	OVC:08 27	6.00	HZ:7 |FU |HZ	14	-10.0	13	-10.8	8	-13.3	77	18	350	29	29.21			30.22	FM-15	0.00	30.18

13	0553	7	OVC:08 27	10.00		13	-10.6	12	-11.3	7	-13.9	77	17	340	26	29.25			30.27	FM-15	0.00	30.22
13	0653	7	OVC:08 28	9.00	-SN:03 |SN |	13	-10.6	12	-11.3	7	-13.9	77	18	340		29.29	1	-0.14	30.32	FM-15	T	30.27
13	0751	6	OVC:08 30	10.00		12	-11.0	10	-12.0	5	-15.0	73	15	340		29.33				FM-16		30.31
13	0753	7	OVC:08 30	10.00		12	-11.1	10	-12.0	5	-15.0	73	14	340		29.33			30.35	FM-15	T	30.31
13	0853	7	OVC:08 31	10.00		12	-11.1	10	-12.0	5	-15.0	73	13	340		29.37			30.40	FM-15	0.00	30.35
13	0953	7	OVC:08 32	10.00		12	-11.1	10	-12.1	4	-15.6	70	14	340		29.40	3	-0.11	30.43	FM-15	0.00	30.38
13	1053	7	OVC:08 33	10.00		14	-10.0	12	-11.3	4	-15.6	64	17	350		29.44			30.46	FM-15	0.00	30.42
13	1153	7	OVC:08 33	10.00		14	-10.0	12	-11.2	5	-15.0	67	15	360		29.45			30.47	FM-15	0.00	30.43
13	1253	7	OVC:08 33	10.00		15	-9.4	13	-10.7	5	-15.0	64	10	340		29.46	1	-0.06	30.49	FM-15	0.00	30.44
13	1353	7	BKN:07 35	10.00		16	-8.9	13	-10.3	5	-15.0	62	11	350		29.46			30.49	FM-15	0.00	30.44
13	1453	7	BKN:07 33	10.00		16	-8.9	13	-10.4	4	-15.6	59	15	010		29.48			30.51	FM-15	0.00	30.46
13	1553	7	OVC:08 34	10.00		16	-8.9	13	-10.4	4	-15.6	59	14	350	22	29.49	3	-0.03	30.52	FM-15	0.00	30.47
13	1558	7	BKN:07 34	10.00		16	-8.9	13	-10.4	4	-15.6	59	13	350		29.49				FM-16		30.47
13	1653	7	BKN:07 34	10.00		14	-10.0	11	-11.5	2	-16.7	58	10	330		29.51			30.55	FM-15	0.00	30.49
13	1654	7	BKN:07 36	10.00		14	-10.0	11	-11.5	2	-16.7	58	11	330		29.51				FM-16		30.49
13	1753	7	OVC:08 36	10.00		15	-9.4	12	-11.0	3	-16.1	59	10	320		29.54			30.58	FM-15	0.00	30.52
13	1853	7	OVC:08 34	10.00		15	-9.4	12	-10.9	4	-15.6	61	7	310		29.57	1	-0.08	30.60	FM-15	0.00	30.55
13	1953	7	OVC:08 39	10.00		14	-10.0	11	-11.5	2	-16.7	58	5	320		29.58			30.62	FM-15	0.00	30.56
13	2053	7	OVC:08 39	10.00		14	-10.0	12	-11.3	4	-15.6	64	5	330		29.59			30.63	FM-15	0.00	30.57
13	2153	7	CLR:00	10.00		12	-11.1	10	-12.2	3	-16.1	67	0	000		29.59	1	-0.03	30.63	FM-15	0.00	30.58
13	2253	7	CLR:00	10.00		9	-12.8	8	-13.3	5	-15.0	84	0	000		29.61			30.65	FM-15	0.00	30.59
13	2353	7	BKN:07 43	8.00		9	-12.8	9	-13.0	7	-13.9	92	3	210		29.62			30.66	FM-15	0.00	30.60
14	0053	7	OVC:08 44	10.00		10	-12.2	9	-12.6	7	-13.9	87	0	000		29.61	0	-0.01	30.65	FM-15	0.00	30.59
14	0153	7	CLR:00	10.00		8	-13.3	8	-13.6	6	-14.4	92	0	000		29.62			30.66	FM-15	0.00	30.60
14	0253	7	CLR:00	9.00		6	-14.4	6	-14.6	5	-15.0	95	3	300		29.64			30.67	FM-15	0.00	30.62
14	0353	7	FEW:02 46	6.00	BR:1 ||	5	-15.0	5	-15.1	4	-15.6	95	0	000		29.64	1	-0.03	30.68	FM-15	0.00	30.62
14	0453	7	OVC:08 45	7.00		3	-16.1	3	-16.3	1	-17.2	91	3	250		29.65			30.68	FM-15	0.00	30.63
14	0553	7	OVC:08 45	8.00		6	-14.4	6	-14.7	4	-15.6	91	0	000		29.65			30.69	FM-15	0.00	30.63
14	0605	7	OVC:08 44	1.50	BR:1 ||	4	-15.6	4	-15.7	3	-16.1	96	3	090		29.65				FM-16		30.64
14	0613	7	OVC:08 44	0.50	FZ:8 FG:2 |FG |	4	-15.6	4	-15.7	3	-16.1	96	0	000		29.65				FM-16		30.64
14	0620	7	OVC:08 44	2.00	BR:1 ||	4	-15.6	4	-15.8	2	-16.7	91	0	000		29.65				FM-16		30.64
14	0627	7	OVC:08 44	8.00		4	-15.6	4	-15.8	2	-16.7	91	0	000		29.65				FM-16		30.64
14	0653	7	OVC:08 44	10.00		3	-16.1	3	-16.3	1	-17.2	91	0	000		29.66	3	-0.02	30.71	FM-15	0.00	30.65
14	0753	7	CLR:00	8.00		2	-16.7	2	-16.9	0	-17.8	91	0	000		29.66			30.71	FM-15	0.00	30.65
14	0853	7	CLR:00	8.00		5	-15.0	5	-15.2	3	-16.1	91	0	000		29.68			30.73	FM-15	0.00	30.67
14	0953	7	CLR:00	7.00		8	-13.3	8	-13.3	8	-13.3	100	0	000		29.70	3	-0.04	30.75	FM-15	0.00	30.69
14	1053	7	CLR:00	10.00		13	-10.6	12	-11.3	7	-13.9	77	6	200		29.69			30.74	FM-15	0.00	30.68
14	1153	7	CLR:00	10.00		16	-8.9	13	-10.3	5	-15.0	62	3	160		29.67			30.71	FM-15	0.00	30.66
14	1253	7	CLR:00	10.00		16	-8.9	13	-10.6	2	-16.7	54	7	120		29.62	8	+0.07	30.67	FM-15	0.00	30.61
14	1353	7	CLR:00	10.00		17	-8.3	14	-10.1	3	-16.1	54	3	VRB		29.61			30.64	FM-15	0.00	30.59
14	1453	7	CLR:00	10.00		17	-8.3	14	-10.0	4	-15.6	56	7	VRB		29.59			30.62	FM-15	0.00	30.57
14	1553	7	CLR:00	10.00		16	-8.9	13	-10.5	3	-16.1	56	8	100		29.56	6	+0.07	30.60	FM-15	0.00	30.54
14	1653	7	CLR:00	10.00		15	-9.4	12	-11.1	1	-17.2	53	8	120		29.57			30.61	FM-15	0.00	30.55
14	1753	7	CLR:00	10.00		13	-10.6	11	-11.9	2	-16.7	61	6	100		29.56			30.60	FM-15	0.00	30.54
14	1853	7	CLR:00	10.00		12	-11.1	10	-12.2	3	-16.1	67	5	100		29.56	8	+0.01	30.59	FM-15	0.00	30.54
14	1953	7	CLR:00	10.00		13	-10.6	11	-11.8	3	-16.1	64	3	110		29.54			30.58	FM-15	0.00	30.52
14	2053	7	CLR:00	10.00		13	-10.6	11	-11.8	3	-16.1	64	7	110		29.51			30.55	FM-15	0.00	30.49
14	2153	7	CLR:00	10.00		13	-10.6	11	-11.8	3	-16.1	64	6	120		29.50	6	+0.05	30.54	FM-15	0.00	30.48
14	2253	7	CLR:00	10.00		10	-12.2	9	-13.0	3	-16.1	73	7	100		29.48			30.52	FM-15	0.00	30.46
14	2353	7	CLR:00	10.00		11	-11.7	9	-12.5	4	-15.6	73	6	120		29.45			30.49	FM-15	0.00	30.43
15	0053	7	BKN:07 110	10.00		13	-10.6	11	-11.6	5	-15.0	70	5	120		29.45	6	+0.05	30.48	FM-15	0.00	30.43
15	0153	7	BKN:07 100 BKN:07 120	10.00		13	-10.6	11	-11.5	6	-14.4	74	3	090		29.44			30.47	FM-15	0.00	30.42
15	0253	7	BKN:07 70 OVC:08 80	10.00		14	-10.0	12	-11.2	5	-15.0	67	6	130		29.42			30.45	FM-15	0.00	30.40
15	0353	7	OVC:08 38	3.00	-SN:03 |SN |	14	-10.0	12	-11.1	6	-14.4	71	6	130		29.40	8	+0.05	30.43	FM-15	T	30.38
15	0416	7	OVC:08 35	2.50	-SN:03 |SN |	14	-10.0	13	-10.8	8	-13.3	77	6	120		29.40				FM-16	T	30.38

15	0425	7	OVC:08 33	3.00	-SN:03 |SN |	14	-10.0	13	-10.8	8	-13.3	77	6	140		29.40				FM-16	T	30.38
15	0431	7	OVC:08 29	2.00	-SN:03 |SN |	14	-10.0	13	-10.8	8	-13.3	77	6	130		29.40				FM-16	T	30.38
15	0445	7	OVC:08 25	1.50	-SN:03 |SN |	14	-10.0	13	-10.7	9	-12.8	80	7	140		29.39				FM-16	T	30.37
15	0451	6	OVC:08 25	2.00	-SN:03 BR:1 |SN |	14	-10.0	13	-10.6	10	-12.0	85	6	140		29.39				FM-16		30.37
15	0453	7	OVC:08 25	2.50	-SN:03 |SN |	14	-10.0	13	-10.7	9	-12.8	80	6	130		29.39			30.42	FM-15	T	30.37
15	0514	7	OVC:08 22	1.50	-SN:03 BR:1 |SN |	14	-10.0	13	-10.6	10	-12.2	84	8	130		29.38				FM-16	T	30.36
15	0553	7	OVC:08 18	1.25	-SN:03 BR:1 |SN |	14	-10.0	13	-10.4	11	-11.7	88	6	130		29.37			30.40	FM-15	T	30.35
15	0631	7	OVC:08 22	2.00	-SN:03 BR:1 |SN |	14	-10.0	13	-10.4	11	-11.7	88	8	130		29.36				FM-16	T	30.34
15	0641	7	OVC:08 24	1.50	-SN:03 BR:1 |SN |	14	-10.0	13	-10.4	11	-11.7	88	7	130		29.36				FM-16	T	30.34
15	0653	7	OVC:08 24	1.75	-SN:03 BR:1 |SN |	14	-10.0	13	-10.4	11	-11.7	88	8	130		29.36	7	+0.04	30.39	FM-15	T	30.34
15	0711	7	OVC:08 31	2.50	-SN:03 BR:1 |SN |	14	-10.0	13	-10.4	11	-11.7	88	8	140		29.36				FM-16	T	30.34
15	0718	7	OVC:08 31	1.75	-SN:03 BR:1 |SN |	14	-10.0	13	-10.3	12	-11.1	92	6	130		29.36				FM-16	T	30.34
15	0735	7	OVC:08 29	1.75	-SN:03 BR:1 |SN |	14	-10.0	13	-10.3	12	-11.1	92	6	140		29.36				FM-16	T	30.34
15	0751	6	OVC:08 27	2.00	-SN:03 BR:1 |SN |	16	-9.0	15	-9.5	12	-11.0	86	6	130		29.36				FM-16		30.34
15	0753	7	OVC:08 27	2.00	-SN:03 BR:1 |SN |	15	-9.4	14	-9.9	12	-11.1	88	7	140		29.36			30.40	FM-15	T	30.34
15	0853	7	BKN:07 24 OVC:08 95	2.00	-SN:03 BR:1 |SN |	15	-9.4	14	-9.7	13	-10.6	91	9	150		29.34			30.37	FM-15	T	30.32
15	0904	7	BKN:07 22 BKN:07 60 OVC:08 75	4.00	-SN:03 BR:1 |SN |	16	-8.9	15	-9.3	13	-10.6	88	9	150		29.34				FM-16	T	30.32
15	0953	7	BKN:07 22 BKN:07 60 OVC:08 75	3.00	-SN:03 BR:1 |SN |	18	-7.8	17	-8.3	15	-9.4	88	10	150		29.33	8	+0.03	30.36	FM-15	T	30.31
15	0959	7	FEW:02 12 BKN:07 31 OVC:08 49	3.00	-SN:03 BR:1 |SN |	18	-7.8	17	-8.3	15	-9.4	88	11	160		29.33				FM-16	T	30.31
15	1051	6	SCT:04 25 BKN:07 33 OVC:08 55	2.50	-SN:03 BR:1 |SN |	19	-7.0	18	-7.7	16	-9.0	86	10	160		29.34				FM-16		30.32
15	1053	7	BKN:07 25 BKN:07 33 OVC:08 41	2.00	-SN:03 BR:1 |SN |	19	-7.2	18	-7.7	16	-8.9	88	10	160		29.33			30.36	FM-15	T	30.31
15	1153	7	BKN:07 24 OVC:08 31	1.50	-SN:03 BR:1 |SN |	20	-6.7	19	-7.0	18	-7.8	92	10	180		29.32			30.35	FM-15	T	30.30
15	1251	6	OVC:08 14	1.50	-SN:03 BR:1 |SN |	21	-6.0	20	-6.5	19	-7.0	93	8	160		29.27				FM-16		30.25
15	1253	7	OVC:08 14	1.50	-SN:03 BR:1 |SN |	21	-6.1	20	-6.5	19	-7.2	92	9	160		29.28	8	+0.06	30.30	FM-15	0.01	30.26
15	1257	7	VV:09 15	0.50	SN:03 FZ:8 FG:2 |FG SN |	22	-5.6	21	-5.9	20	-6.7	92	9	160		29.27				FM-16	T	30.25
15	1327	7	FEW:02 12 BKN:07 19 OVC:08 33	1.25	-SN:03 BR:1 |SN |	22	-5.6	21	-5.9	20	-6.7	92	9	150		29.26				FM-16	T	30.24
15	1351	6	FEW:02 13 OVC:08 18	0.75	-SN:03 BR:1 |SN |	23	-5.0	22	-5.7	19	-7.0	86	10	150		29.23				FM-16		30.21
15	1353	7	VV:09 18	1.00	-SN:03 BR:1 |SN |	23	-5.0	22	-5.5	20	-6.7	88	10	160		29.23			30.26	FM-15	T	30.21
15	1451	6	SCT:04 10 OVC:08 17	0.75	-SN:03 BR:1 |SN |	25	-4.0	24	-4.6	21	-6.0	86	10	160		29.23				FM-16		30.21
15	1453	7	FEW:02 10 OVC:08 17	1.00	-SN:03 BR:1 |SN |	24	-4.4	23	-4.8	22	-5.6	91	11	160		29.23			30.25	FM-15	T	30.21
15	1553	7	FEW:02 11 OVC:08 19	1.00	-SN:03 BR:1 |SN |	25	-3.9	24	-4.3	23	-5.0	92	11	170		29.23	5	+0.04	30.26	FM-15	T	30.21
15	1603	7	VV:09 19	0.75	-SN:03 BR:1 |SN |	25	-3.9	24	-4.3	23	-5.0	92	9	160		29.23				FM-16	T	30.21
15	1626	7	FEW:02 9 BKN:07 25 OVC:08 33	0.75	-SN:03 BR:1 |SN |	25	-3.9	25	-4.1	24	-4.4	96	9	170		29.26				FM-16	T	30.23
15	1653	7	FEW:02 9 OVC:08 17	0.75	-SN:03 BR:1 |SN |	26	-3.3	25	-3.7	24	-4.4	92	9	180		29.27			30.29	FM-15	T	30.25
15	1711	7	VV:09 13	0.50	SN:03 FZ:8 FG:2 |FG SN |	26	-3.3	26	-3.5	25	-3.9	96	8	180		29.27				FM-16	0.01	30.25
15	1721	7	FEW:02 9 OVC:08 13	0.50	SN:03 FZ:8 FG:2 |FG SN |	26	-3.3	26	-3.5	25	-3.9	96	9	180		29.28				FM-16	0.01	30.26
15	1753	7	VV:09 11	0.75	-SN:03 BR:1 |SN |	26	-3.3	26	-3.5	25	-3.9	96	8	180		29.29			30.31	FM-15	0.03	30.27
15	1815	7	OVC:08 14	1.25	-SN:03 BR:1 |SN |	26	-3.3	26	-3.5	25	-3.9	96	8	180		29.29				FM-16	0.01	30.27

15	1828	7	SCT:04 13 BKN:07 19 OVC:08 47	3.00	-SN:03 BR:1 |SN |	26	-3.3	26	-3.5	25	-3.9	96	7	170		29.29				FM-16	0.01	30.27
15	1837	7	FEW:02 9 BKN:07 13 OVC:08 45	6.00	BR:1 ||	26	-3.3	26	-3.5	25	-3.9	96	8	200		29.29				FM-16	0.01	30.27
15	1851	6	SCT:04 13 OVC:08 45	10.00		27	-3.0	26	-3.2	25	-4.0	93	7	210		29.29				FM-16		30.27
15	1853	7	SCT:04 13 OVC:08 45	10.00		26	-3.3	25	-3.7	24	-4.4	92	9	210		29.29	1	-0.05	30.31	FM-15	T	30.27
15	1927	7	BKN:07 17 OVC:08 43	10.00		27	-2.8	26	-3.4	24	-4.4	89	6	230		29.30				FM-16		30.28
15	1953	7	OVC:08 15	10.00		27	-2.8	26	-3.4	24	-4.4	89	9	230		29.30			30.32	FM-15	0.00	30.28
15	2004	7	OVC:08 13	10.00		27	-2.8	26	-3.4	24	-4.4	89	9	250		29.30				FM-16		30.28
15	2051	7	OVC:08 15	10.00		27	-3.0	26	-3.5	23	-5.0	86	9	240		29.31				FM-16		30.29
15	2053	7	OVC:08 15	10.00		26	-3.3	25	-3.9	23	-5.0	88	9	250		29.31			30.33	FM-15	0.00	30.29
15	2151	6	OVC:08 24	2.00	-SN:03 BR:1 |SN |	27	-3.0	26	-3.5	23	-5.0	86	8	270		29.33				FM-16		30.31
15	2153	7	OVC:08 24	2.00	-SN:03 BR:1 |SN |	26	-3.3	25	-3.9	23	-5.0	88	7	270		29.32	3	-0.03	30.35	FM-15	T	30.30
15	2251	6	BKN:07 18 OVC:08 23	4.00	-SN:03 BR:1 |SN |	25	-4.0	25	-3.9	25	-4.0	100	5	260		29.33				FM-16		30.31
15	2253	7	BKN:07 18 OVC:08 23	4.00	-SN:03 BR:1 |SN |	25	-3.9	25	-4.1	24	-4.4	96	5	250		29.33			30.35	FM-15	0.01	30.31
15	2317	7	SCT:04 21 BKN:07 48 OVC:08 70	6.00	BR:1 ||	25	-3.9	25	-4.1	24	-4.4	96	3	200		29.33				FM-16	T	30.31
15	2351	6	OVC:08 35	2.50	-SN:03 BR:1 |SN |	25	-4.0	25	-3.9	25	-4.0	100	5	190		29.33				FM-16		30.31
15	2353	7	OVC:08 33	2.00	-SN:03 BR:1 |SN |	25	-3.9	25	-3.9	25	-3.9	100	5	190		29.33			30.35	FM-15	T	30.31
15	2357	7	OVC:08 29	1.75	-SN:03 BR:1 |SN |	25	-3.9	25	-3.9	25	-3.9	100	5	200		29.33				FM-16	T	30.31
16	0022	7	VV:09 14	0.75	-SN:03 BR:1 |SN |	25	-3.9	25	-3.9	25	-3.9	100	3	190		29.32				FM-16	T	30.30
16	0038	7	VV:09 14	1.00	-SN:03 BR:1 |SN |	25	-3.9	25	-3.9	25	-3.9	100	6	200		29.32				FM-16	0.01	30.30
16	0045	7	OVC:08 18	1.25	-SN:03 BR:1 |SN |	25	-3.9	25	-3.9	25	-3.9	100	5	190		29.32				FM-16	0.01	30.30
16	0053	7	OVC:08 22	1.75	-SN:03 BR:1 |SN |	25	-3.9	25	-3.9	25	-3.9	100	6	200		29.32	8	+0.00	30.34	FM-15	0.01	30.30
16	0101	7	FEW:02 13 FEW:02 21 OVC:08 26	2.00	-SN:03 BR:1 |SN |	25	-3.9	25	-3.9	25	-3.9	100	6	210		29.32				FM-16	T	30.30
16	0111	7	FEW:02 6 BKN:07 13 OVC:08 30	2.00	-SN:03 BR:1 |SN |	25	-3.9	25	-3.9	25	-3.9	100	17	270	24	29.33				FM-16	T	30.31
16	0130	7	FEW:02 7 OVC:08 13	1.75	-SN:03 BR:1 |SN |	18	-7.8	17	-8.3	15	-9.4	88	18	300		29.34				FM-16	T	30.32
16	0139	7	FEW:02 9 OVC:08 15	2.00	-SN:03 BR:1 |SN |	17	-8.3	16	-8.9	13	-10.6	84	20	280		29.35				FM-16	T	30.33
16	0153	7	OVC:08 13	1.75	-SN:03 BR:1 |SN |	15	-9.4	14	-10.0	11	-11.7	84	18	290	24	29.36			30.38	FM-15	T	30.34
16	0207	7	OVC:08 14	2.00	-SN:03 BR:1 |SN |	15	-9.4	14	-10.0	11	-11.7	84	20	280		29.37				FM-16	T	30.35
16	0209	7	OVC:08 16	1.75	-SN:03 BR:1 |SN |	15	-9.4	14	-10.0	11	-11.7	84	18	290		29.37				FM-16	T	30.35
16	0232	7	OVC:08 22	2.50	-SN:03 BR:1 |SN |	14	-10.0	13	-10.6	10	-12.2	84	17	270		29.38				FM-16	T	30.36
16	0239	7	OVC:08 29	5.00	-SN:03 BR:1 |SN |	14	-10.0	13	-10.6	10	-12.2	84	14	280		29.38				FM-16	T	30.36
16	0250	7	BKN:07 31 OVC:08 70	10.00		14	-10.0	13	-10.7	9	-13.0	79	17	290		29.39				FM-16	T	30.37
16	0253	7	SCT:04 33 BKN:07 70 OVC:08 85	10.00		14	-10.0	13	-10.7	9	-12.8	80	16	280		29.39			30.41	FM-15	T	30.37
16	0353	7	FEW:02 15 OVC:08 120	10.00		11	-11.7	10	-12.3	6	-14.4	81	16	280		29.42	3	-0.06	30.45	FM-15	0.00	30.40
16	0453	7	BKN:07 120	10.00		10	-12.2	9	-12.9	4	-15.6	76	10	310		29.42			30.45	FM-15	0.00	30.40
16	0551	6	BKN:07 19 BKN:07 120	10.00		9	-13.0	8	-13.5	3	-16.0	78	7	280		29.45				FM-16		30.43
16	0553	7	BKN:07 19 BKN:07 120	10.00		9	-12.8	8	-13.5	3	-16.1	77	5	290		29.45			30.47	FM-15	0.00	30.43
16	0653	7	OVC:08 18	10.00		9	-12.8	8	-13.5	3	-16.1	77	7	280		29.45	2	-0.02	30.47	FM-15	0.00	30.43
16	0753	7	OVC:08 17	10.00		8	-13.3	7	-13.9	3	-16.1	80	6	270		29.46			30.48	FM-15	0.00	30.44

16	0849	7	SCT:04 19 SCT:04 120	10.00		5	-15.0	4	-15.5	0	-18.0	78	16	270	24	29.48				FM-16		30.46
16	0853	7	FEW:02 19 SCT:04 120	10.00		5	-15.0	4	-15.5	0	-17.8	79	14	270	24	29.48			30.51	FM-15	0.00	30.46
16	0953	7	BKN:07 120	10.00		4	-15.6	3	-16.1	-1	-18.3	80	11	260		29.49	1	-0.03	30.52	FM-15	0.00	30.47
16	1053	7	FEW:02 14	10.00		4	-15.6	3	-16.1	-1	-18.3	80	14	280		29.50			30.53	FM-15	0.00	30.48
16	1153	7	CLR:00	10.00		6	-14.4	5	-15.2	-1	-18.3	73	11	250		29.49			30.52	FM-15	0.00	30.47
16	1253	7	CLR:00	10.00		7	-13.9	6	-14.6	0	-17.8	73	9	230		29.46	8	+0.02	30.49	FM-15	0.00	30.44
16	1353	7	CLR:00	10.00		8	-13.3	7	-14.1	1	-17.2	73	7	240		29.45			30.48	FM-15	0.00	30.43
16	1453	7	CLR:00	10.00		8	-13.3	6	-14.2	0	-17.8	69	7	250		29.45			30.49	FM-15	0.00	30.43
16	1551	6	BKN:07 26	10.00		9	-13.0	7	-13.8	0	-18.0	66	8	250		29.46				FM-16		30.44
16	1553	7	BKN:07 26	10.00		8	-13.3	7	-14.1	1	-17.2	73	9	250		29.46	5	+0.00	30.50	FM-15	0.00	30.44
16	1653	7	OVC:08 22	10.00		9	-12.8	8	-13.6	2	-16.7	73	8	250		29.48			30.51	FM-15	0.00	30.46
16	1753	7	OVC:08 19	10.00		8	-13.3	7	-14.0	2	-16.7	76	10	290		29.49			30.53	FM-15	0.00	30.47
16	1853	7	OVC:08 18	10.00		7	-13.9	6	-14.5	1	-17.2	76	9	280		29.51	3	-0.04	30.54	FM-15	0.00	30.49
16	1953	7	OVC:08 17	8.00		6	-14.4	5	-15.0	1	-17.2	79	8	270		29.52			30.56	FM-15	0.00	30.50
16	2029	7	OVC:08 14	9.00		6	-14.4	5	-14.9	2	-16.7	83	11	280		29.53				FM-16		30.51
16	2053	7	OVC:08 14	9.00		6	-14.4	5	-15.0	1	-17.2	79	13	290		29.53			30.58	FM-15	0.00	30.51
16	2153	7	OVC:08 14	10.00		6	-14.4	5	-15.0	1	-17.2	79	10	280		29.53	1	-0.03	30.58	FM-15	0.00	30.51
16	2253	7	OVC:08 14	8.00		6	-14.4	5	-15.0	1	-17.2	79	7	280		29.55			30.59	FM-15	0.00	30.53
16	2300	7	OVC:08 15	8.00		6	-14.4	5	-15.0	1	-17.2	79	9	280		29.55				FM-16		30.53
16	2341	7	OVC:08 13	10.00		6	-14.4	5	-14.9	2	-16.7	83	6	240		29.54				FM-16	T	30.52
16	2351	6	OVC:08 15	10.00		7	-14.0	6	-14.5	1	-17.0	78	7	260		29.54				FM-16		30.52
16	2353	7	OVC:08 15	9.00		6	-14.4	5	-15.0	1	-17.2	79	8	250		29.54			30.58	FM-15	T	30.52
17	0037	7	OVC:08 14	10.00		6	-14.4	5	-15.0	1	-17.2	79	8	240		29.53				FM-16		30.51
17	0053	7	OVC:08 13	10.00		6	-14.4	5	-15.0	1	-17.2	79	9	250		29.53	8	+0.01	30.57	FM-15	0.00	30.51
17	0153	7	OVC:08 11	9.00		7	-13.9	6	-14.3	3	-16.1	84	8	240		29.52			30.55	FM-15	0.00	30.50
17	0253	7	OVC:08 11	9.00		7	-13.9	6	-14.3	3	-16.1	84	7	240		29.52			30.56	FM-15	0.00	30.50
17	0353	7	OVC:08 12	9.00		7	-13.9	6	-14.2	4	-15.6	87	7	240		29.53	3	-0.00	30.57	FM-15	0.00	30.51
17	0439	7	OVC:08 9	7.00		8	-13.3	7	-13.7	5	-15.0	87	3	240		29.53				FM-16		30.51
17	0453	7	OVC:08 9	7.00		8	-13.3	7	-13.8	4	-15.6	83	5	220		29.53			30.57	FM-15	0.00	30.51
17	0525	7	OVC:08 10	7.00		8	-13.3	7	-13.7	5	-15.0	87	3	250		29.53				FM-16		30.51
17	0535	7	OVC:08 9	7.00		8	-13.3	7	-13.7	5	-15.0	87	3	240		29.53				FM-16		30.51
17	0553	7	OVC:08 9	6.00	BR:1 ||	8	-13.3	8	-13.6	6	-14.4	92	5	240		29.53			30.57	FM-15	T	30.51
17	0623	7	OVC:08 10	6.00	BR:1 ||	8	-13.3	8	-13.6	6	-14.4	92	0	000		29.53				FM-16	T	30.51
17	0653	7	OVC:08 12	6.00	BR:1 ||	9	-12.8	8	-13.1	6	-14.4	88	0	000		29.53	3	-0.00	30.57	FM-15	T	30.51
17	0753	7	OVC:08 11	6.00	-SN:03 BR:1 |SN |	9	-12.8	8	-13.1	6	-14.4	88	6	270		29.53			30.57	FM-15	T	30.51
17	0853	7	OVC:08 13	4.00	-SN:03 BR:1 |SN |	9	-12.8	8	-13.3	5	-15.0	84	5	270		29.54			30.58	FM-15	T	30.52
17	0953	7	OVC:08 13	3.00	-SN:03 |SN |	10	-12.2	9	-12.8	5	-15.0	80	5	260		29.55	3	-0.01	30.58	FM-15	T	30.53
17	1053	7	OVC:08 14	5.00	-SN:03 BR:1 |SN |	10	-12.2	9	-12.7	6	-14.4	84	5	240		29.55			30.58	FM-15	T	30.53
17	1153	7	OVC:08 14	8.00		11	-11.7	10	-12.3	6	-14.4	81	7	230		29.54			30.58	FM-15	T	30.52
17	1233	7	SCT:04 15	10.00		13	-10.6	12	-11.3	7	-13.9	77	8	220		29.52				FM-16		30.50
17	1253	7	SCT:04 15	10.00		13	-10.6	12	-11.3	7	-13.9	77	8	240		29.51	8	+0.03	30.55	FM-15	0.00	30.49
17	1353	7	FEW:02 16	9.00		13	-10.6	12	-11.2	8	-13.3	81	9	240		29.50			30.54	FM-15	0.00	30.48
17	1453	7	CLR:00	9.00		14	-10.0	13	-10.8	8	-13.3	77	10	210		29.49			30.52	FM-15	0.00	30.47
17	1553	7	CLR:00	9.00		14	-10.0	13	-10.8	8	-13.3	77	10	210		29.48	6	+0.03	30.52	FM-15	0.00	30.46
17	1653	7	CLR:00	9.00		14	-10.0	12	-10.9	7	-13.9	73	10	210		29.48			30.51	FM-15	0.00	30.46
17	1753	7	CLR:00	9.00		12	-11.1	11	-11.9	6	-14.4	77	7	200		29.47			30.50	FM-15	0.00	30.45
17	1853	7	CLR:00	9.00		11	-11.7	10	-12.3	6	-14.4	81	7	210		29.45	8	+0.03	30.49	FM-15	0.00	30.43
17	1953	7	CLR:00	9.00		10	-12.2	9	-12.7	6	-14.4	84	7	210		29.44			30.47	FM-15	0.00	30.42
17	2053	7	CLR:00	9.00		11	-11.7	10	-12.2	7	-13.9	84	7	220		29.42			30.46	FM-15	0.00	30.40
17	2153	7	CLR:00	10.00		11	-11.7	10	-12.2	7	-13.9	84	9	230		29.41	8	+0.04	30.44	FM-15	0.00	30.39
17	2253	7	CLR:00	10.00		11	-11.7	10	-12.2	7	-13.9	84	9	230		29.39			30.43	FM-15	0.00	30.37
17	2353	7	CLR:00	10.00		12	-11.1	11	-11.8	7	-13.9	80	10	230		29.38			30.41	FM-15	0.00	30.36
18	0053	7	CLR:00	10.00		13	-10.6	12	-11.2	8	-13.3	81	11	210		29.35	8	+0.05	30.39	FM-15	0.00	30.33
18	0153	7	CLR:00	10.00		12	-11.1	11	-11.6	8	-13.3	84	13	210		29.33			30.36	FM-15	0.00	30.31
18	0253	7	CLR:00	10.00		12	-11.1	11	-11.6	8	-13.3	84	11	210		29.33			30.36	FM-15	0.00	30.31

18	0353	7	CLR:00	10.00		12	-11.1	11	-11.8	7	-13.9	80	10	220		29.32	6	+0.03	30.35	FM-15	0.00	30.30
18	0453	7	CLR:00	10.00		11	-11.7	10	-12.3	6	-14.4	81	10	210		29.31			30.34	FM-15	0.00	30.29
18	0553	7	CLR:00	10.00		10	-12.2	9	-12.7	6	-14.4	84	10	210		29.30			30.34	FM-15	0.00	30.28
18	0653	7	CLR:00	10.00		11	-11.7	10	-12.3	6	-14.4	81	11	200		29.29	8	+0.03	30.32	FM-15	0.00	30.27
18	0753	7	CLR:00	10.00		10	-12.2	9	-12.7	6	-14.4	84	9	200		29.28			30.31	FM-15	0.00	30.26
18	0853	7	CLR:00	10.00		11	-11.7	10	-12.3	6	-14.4	81	9	200		29.28			30.31	FM-15	0.00	30.26
18	0953	7	CLR:00	10.00		15	-9.4	13	-10.4	8	-13.3	74	15	220	22	29.30	3	-0.01	30.33	FM-15	0.00	30.28
18	1053	7	CLR:00	10.00		18	-7.8	16	-9.1	9	-12.8	68	14	210		29.29			30.32	FM-15	0.00	30.27
18	1153	7	CLR:00	10.00		19	-7.2	17	-8.6	10	-12.2	68	14	200		29.28			30.30	FM-15	0.00	30.26
18	1253	7	CLR:00	10.00		20	-6.7	18	-8.0	11	-11.7	68	16	200		29.25	8	+0.06	30.27	FM-15	0.00	30.22
18	1353	7	CLR:00	10.00		22	-5.6	19	-7.1	12	-11.1	66	15	200		29.22			30.24	FM-15	0.00	30.19
18	1453	7	CLR:00	10.00		24	-4.4	21	-6.2	13	-10.6	62	16	200	20	29.21			30.22	FM-15	0.00	30.18
18	1553	7	CLR:00	10.00		25	-3.9	22	-5.7	14	-10.0	63	13	210		29.22	5	+0.03	30.23	FM-15	0.00	30.19
18	1653	7	CLR:00	10.00		26	-3.3	22	-5.4	14	-10.0	60	13	200		29.21			30.22	FM-15	0.00	30.18
18	1753	7	CLR:00	10.00		25	-3.9	22	-5.7	14	-10.0	63	9	200		29.21			30.22	FM-15	0.00	30.18
18	1853	7	CLR:00	10.00		25	-3.9	22	-5.7	14	-10.0	63	10	190		29.21	5	+0.01	30.23	FM-15	0.00	30.18
18	1953	7	CLR:00	10.00		23	-5.0	20	-6.5	14	-10.0	68	10	180		29.21			30.23	FM-15	0.00	30.18
18	2053	7	CLR:00	10.00		23	-5.0	20	-6.6	13	-10.6	65	10	180		29.20			30.22	FM-15	0.00	30.17
18	2153	7	CLR:00	10.00		22	-5.6	19	-7.0	13	-10.6	68	10	190		29.20	8	+0.01	30.21	FM-15	0.00	30.17
18	2253	7	CLR:00	10.00		21	-6.1	18	-7.5	12	-11.1	68	13	200		29.19			30.20	FM-15	0.00	30.16
18	2353	7	CLR:00	10.00		21	-6.1	18	-7.5	12	-11.1	68	14	200		29.17			30.18	FM-15	0.00	30.14
19	0053	7	CLR:00	10.00		20	-6.7	18	-7.9	12	-11.1	71	10	200		29.16	8	+0.04	30.17	FM-15	0.00	30.13
19	0153	7	CLR:00	10.00		20	-6.7	18	-7.9	12	-11.1	71	10	200		29.15			30.16	FM-15	0.00	30.12
19	0253	7	CLR:00	10.00		18	-7.8	16	-8.8	11	-11.7	74	8	200		29.17			30.17	FM-15	0.00	30.14
19	0353	7	CLR:00	10.00		19	-7.2	17	-8.4	11	-11.7	71	9	210		29.16	3	-0.00	30.17	FM-15	0.00	30.13
19	0453	7	CLR:00	10.00		19	-7.2	17	-8.3	12	-11.1	74	8	200		29.15			30.16	FM-15	0.00	30.12
19	0553	7	CLR:00	10.00		19	-7.2	17	-8.4	11	-11.7	71	7	210		29.16			30.17	FM-15	0.00	30.13
19	0653	7	CLR:00	10.00		18	-7.8	16	-8.8	11	-11.7	74	9	200		29.16	6	+0.00	30.16	FM-15	0.00	30.13
19	0753	7	CLR:00	10.00		19	-7.2	17	-8.4	11	-11.7	71	8	190		29.16			30.17	FM-15	0.00	30.13
19	0853	7	CLR:00	10.00		20	-6.7	18	-7.9	12	-11.1	71	11	200		29.15			30.16	FM-15	0.00	30.12
19	0953	7	CLR:00	10.00		23	-5.0	20	-6.5	14	-10.0	68	16	200		29.15	8	+0.00	30.16	FM-15	0.00	30.12
19	1053	7	CLR:00	10.00		26	-3.3	23	-5.2	15	-9.4	63	14	200		29.14			30.15	FM-15	0.00	30.11
19	1153	7	CLR:00	10.00		28	-2.2	24	-4.3	16	-8.9	60	14	200		29.13			30.14	FM-15	0.00	30.10
19	1253	7	CLR:00	10.00		30	-1.1	26	-3.3	18	-7.8	61	13	210		29.11	8	+0.04	30.11	FM-15	0.00	30.08
19	1353	7	CLR:00	10.00		32	0.0	28	-2.5	19	-7.2	59	17	200		29.07			30.07	FM-15	0.00	30.04
19	1453	7	CLR:00	10.00		33	0.6	28	-2.0	20	-6.7	58	14	210	29	29.06			30.06	FM-15	0.00	30.03
19	1553	7	CLR:00	10.00		35	1.7	30	-1.3	20	-6.7	54	15	190	24	29.05	6	+0.06	30.05	FM-15	0.00	30.02
19	1653	7	CLR:00	10.00		35	1.7	30	-1.3	20	-6.7	54	15	200		29.05			30.05	FM-15	0.00	30.02
19	1753	7	CLR:00	10.00		34	1.1	29	-1.6	20	-6.7	56	10	190		29.04			30.04	FM-15	0.00	30.01
19	1853	7	CLR:00	10.00		32	0.0	28	-2.3	20	-6.7	61	9	190		29.03	8	+0.01	30.04	FM-15	0.00	30.00
19	1953	7	CLR:00	10.00		33	0.6	28	-2.0	20	-6.7	58	16	190		29.02			30.02	FM-15	0.00	29.99
19	2053	7	CLR:00	10.00		32	0.0	28	-2.5	19	-7.2	59	10	190		29.02			30.03	FM-15	0.00	29.99
19	2153	7	CLR:00	10.00		32	0.0	28	-2.5	19	-7.2	59	14	200		29.01	6	+0.02	30.01	FM-15	0.00	29.98
19	2253	7	CLR:00	10.00		32	0.0	28	-2.1	21	-6.1	64	11	200		29.02			30.01	FM-15	0.00	29.99
19	2353	7	CLR:00	10.00		32	0.0	28	-2.1	21	-6.1	64	11	200		29.00			30.00	FM-15	0.00	29.97
20	0053	7	CLR:00	10.00		31	-0.6	28	-2.5	21	-6.1	67	10	200		28.99	8	+0.02	29.99	FM-15	0.00	29.96
20	0153	7	CLR:00	10.00		32	0.0	28	-2.1	21	-6.1	64	11	200		28.99			29.99	FM-15	0.00	29.96
20	0253	7	CLR:00	10.00		32	0.0	28	-2.0	22	-5.6	66	7	210		29.01			30.01	FM-15	0.00	29.98
20	0353	7	CLR:00	10.00		30	-1.1	27	-2.7	22	-5.6	72	8	200		29.03	3	-0.04	30.02	FM-15	0.00	30.00
20	0453	7	CLR:00	10.00		30	-1.1	28	-2.5	23	-5.0	75	8	190		29.03			30.02	FM-15	0.00	30.00
20	0553	7	CLR:00	10.00		29	-1.7	27	-2.8	23	-5.0	78	7	190		29.04			30.03	FM-15	0.00	30.01
20	0653	7	CLR:00	10.00		30	-1.1	28	-2.5	23	-5.0	75	7	200		29.05	3	-0.02	30.05	FM-15	0.00	30.02
20	0753	7	CLR:00	10.00		31	-0.6	28	-2.1	23	-5.0	72	10	210		29.05			30.05	FM-15	0.00	30.02
20	0853	7	CLR:00	10.00		34	1.1	30	-0.9	24	-4.4	67	14	220		29.07			30.06	FM-15	0.00	30.04
20	0953	7	CLR:00	10.00		37	2.8	32	0.3	25	-3.9	62	14	230		29.08	3	-0.03	30.08	FM-15	0.00	30.05
20	1053	7	CLR:00	10.00		39	3.9	34	0.9	25	-3.9	57	18	230	24	29.10			30.09	FM-15	0.00	30.07
20	1153	7	CLR:00	10.00		40	4.4	35	1.4	26	-3.3	58	15	230		29.09			30.08	FM-15	0.00	30.06

20	1253	7	CLR:00	10.00		41	5.0	35	1.9	27	-2.8	57	14	230		29.07	8	+0.01	30.06	FM-15	0.00	30.04
20	1353	7	CLR:00	10.00		42	5.6	36	2.4	28	-2.2	58	16	220		29.06			30.05	FM-15	0.00	30.03
20	1453	7	CLR:00	10.00		43	6.1	37	2.9	29	-1.7	58	11	210		29.07			30.06	FM-15	0.00	30.04
20	1553	7	CLR:00	10.00		43	6.1	37	2.9	29	-1.7	58	16	220		29.08	3	-0.01	30.07	FM-15	0.00	30.05
20	1653	7	CLR:00	10.00		42	5.6	37	2.8	30	-1.1	62	9	210		29.10			30.09	FM-15	0.00	30.07
20	1753	7	SCT:04 28	10.00		41	5.0	36	2.5	30	-1.1	65	5	200		29.10			30.09	FM-15	0.00	30.07
20	1804	7	BKN:07 28	10.00		41	5.0	37	2.7	31	-0.6	67	6	200		29.11				FM-16		30.08
20	1853	7	OVC:08 27	10.00		41	5.0	37	2.9	32	0.0	70	7	200		29.12	1	-0.04	30.11	FM-15	0.00	30.09
20	1953	7	OVC:08 25	10.00		41	5.0	38	3.1	33	0.6	73	6	200		29.12			30.11	FM-15	0.00	30.09
20	2053	7	OVC:08 27	10.00		41	5.0	38	3.1	33	0.6	73	8	200		29.12			30.11	FM-15	0.00	30.09
20	2153	7	OVC:08 24	10.00		41	5.0	37	2.9	32	0.0	70	7	200		29.13	3	-0.01	30.12	FM-15	0.00	30.10
20	2253	7	OVC:08 16	10.00		41	5.0	38	3.3	34	1.1	76	7	210		29.14			30.13	FM-15	0.00	30.11
20	2327	7	BKN:07 13 OVC:08 21	10.00		41	5.0	39	4.0	37	2.8	86	7	220		29.14				FM-16		30.11
20	2353	7	OVC:08 9	10.00		40	4.4	39	3.7	37	2.8	89	7	210		29.14			30.13	FM-15	0.00	30.11
21	0053	7	BKN:07 6 OVC:08 11	4.00	-RA:02 BR:1 |RA |	39	3.9	39	3.6	38	3.3	96	6	180		29.13	0	-0.00	30.12	FM-15	T	30.10
21	0127	7	FEW:02 6 OVC:08 16	4.00	BR:1 ||	38	3.3	38	3.3	38	3.3	100	5	190		29.13				FM-16	T	30.10
21	0153	7	OVC:08 17	4.00	-RA:02 BR:1 |RA |	38	3.3	38	3.3	38	3.3	100	6	180		29.13			30.12	FM-15	T	30.10
21	0207	7	OVC:08 16	2.00	-RA:02 BR:1 |RA |	38	3.3	38	3.3	38	3.3	100	5	190		29.14				FM-16	T	30.11
21	0253	7	OVC:08 24	2.50	BR:1 ||	38	3.3	38	3.3	38	3.3	100	6	180		29.13			30.12	FM-15	T	30.10
21	0331	7	OVC:08 20	3.00	BR:1 ||	39	3.9	39	3.9	39	3.9	100	6	180		29.13				FM-16		30.10
21	0353	7	OVC:08 17	3.00	BR:1 ||	39	3.9	39	3.9	39	3.9	100	8	180		29.12	8	+0.01	30.11	FM-15	0.00	30.09
21	0401	7	OVC:08 16	2.50	BR:1 ||	40	4.4	40	4.4	40	4.4	100	7	180		29.12				FM-16		30.09
21	0429	7	OVC:08 15	3.00	BR:1 ||	40	4.4	40	4.4	40	4.4	100	7	180		29.12				FM-16		30.09
21	0436	7	OVC:08 14	3.00	BR:1 ||	40	4.4	40	4.4	40	4.4	100	8	180		29.12				FM-16		30.09
21	0449	7	FEW:02 2 BKN:07 14 OVC:08 48	3.00	BR:1 ||	39	4.0	39	3.9	39	4.0	100	8	160		29.12				FM-16		30.09
21	0453	7	FEW:02 2 BKN:07 14 OVC:08 50	3.00	BR:1 ||	40	4.4	40	4.4	40	4.4	100	7	180		29.12			30.10	FM-15	0.00	30.09
21	0553	7	OVC:08 14	4.00	BR:1 ||	41	5.0	41	5.0	41	5.0	100	5	210		29.12			30.10	FM-15	T	30.09
21	0602	7	OVC:08 16	4.00	BR:1 ||	40	4.4	40	4.4	40	4.4	100	6	180		29.12				FM-16		30.09
21	0653	7	OVC:08 24	4.00	BR:1 ||	40	4.4	40	4.4	40	4.4	100	6	170		29.12	3	-0.01	30.11	FM-15	0.00	30.09
21	0753	7	OVC:08 26	9.00		41	5.0	41	5.0	41	5.0	100	6	170		29.13			30.11	FM-15	0.00	30.10
21	0853	7	OVC:08 26	9.00		42	5.6	42	5.3	41	5.0	96	0	000		29.13			30.11	FM-15	0.00	30.10
21	0953	7	OVC:08 22	10.00		42	5.6	41	5.0	40	4.4	92	5	170		29.13	3	-0.01	30.12	FM-15	0.00	30.10
21	1053	7	OVC:08 21	10.00		43	6.1	42	5.6	41	5.0	93	3	180		29.13			30.12	FM-15	0.00	30.10
21	1153	7	OVC:08 17	10.00		45	7.2	43	6.2	41	5.0	86	5	180		29.12			30.10	FM-15	0.00	30.09
21	1253	7	OVC:08 14	10.00		47	8.3	45	7.0	42	5.6	83	8	200		29.09	8	+0.05	30.07	FM-15	0.00	30.06
21	1353	7	OVC:08 14	10.00		49	9.4	46	7.8	43	6.1	80	9	190		29.06			30.04	FM-15	0.00	30.03
21	1400	7	OVC:08 17	10.00		49	9.4	46	7.8	43	6.1	80	10	200		29.06				FM-16		30.03
21	1453	7	OVC:08 17	10.00		49	9.4	46	7.8	43	6.1	80	11	200		29.06			30.04	FM-15	0.00	30.03
21	1553	7	OVC:08 18	7.00		49	9.4	48	8.6	46	7.8	90	9	200		29.07	5	+0.02	30.05	FM-15	0.00	30.04
21	1636	7	BKN:07 30 OVC:08 35	10.00		50	10.0	48	8.9	46	7.8	86	6	180		29.07				FM-16		30.04
21	1653	7	OVC:08 32	10.00		49	9.4	48	8.6	46	7.8	90	7	190		29.07			30.05	FM-15	0.00	30.04
21	1721	7	BKN:07 23 OVC:08 31	10.00		49	9.4	48	8.6	46	7.8	90	7	190		29.07				FM-16		30.04
21	1745	7	SCT:04 25 OVC:08 31	10.00		49	9.4	48	8.6	46	7.8	90	7	200		29.07				FM-16		30.04
21	1751	6	OVC:08 28	10.00		48	9.0	47	8.3	46	8.0	94	7	190		29.07				FM-16		30.04
21	1753	7	FEW:02 24 OVC:08 30	10.00		49	9.4	48	8.6	46	7.8	90	8	190		29.07			30.05	FM-15	0.00	30.04
21	1832	7	OVC:08 28	10.00		49	9.4	48	8.9	47	8.3	93	8	180		29.08				FM-16		30.05
21	1853	7	OVC:08 28	10.00		49	9.4	48	8.9	47	8.3	93	7	190		29.08	3	-0.01	30.06	FM-15	0.00	30.05
21	1953	7	OVC:08 20	10.00		49	9.4	48	9.2	48	8.9	97	7	190		29.08			30.06	FM-15	T	30.05

21	2053	7	SCT:04 17 OVC:08 23	8.00		49	9.4	49	9.4	49	9.4	100	7	190		29.08			30.06	FM-15	0.00	30.05
21	2120	7	BKN:07 14 OVC:08 22	6.00	BR:1 ||	49	9.4	49	9.4	49	9.4	100	7	190		29.08				FM-16		30.05
21	2153	7	FEW:02 14 BKN:07 24 OVC:08 30	6.00	BR:1 ||	49	9.4	49	9.4	49	9.4	100	6	190		29.07	8	+0.00	30.05	FM-15	0.00	30.04
21	2253	7	FEW:02 14 BKN:07 24 OVC:08 30	4.00	BR:1 ||	49	9.4	49	9.4	49	9.4	100	5	160		29.07			30.05	FM-15	0.00	30.04
21	2353	7	OVC:08 19	3.00	BR:1 ||	49	9.4	49	9.4	49	9.4	100	6	150		29.06			30.04	FM-15	0.00	30.03
22	0023	7	FEW:02 18 OVC:08 28	2.00	RA:02 BR:1 |RA |	49	9.4	49	9.4	49	9.4	100	6	150		29.05				FM-16	0.02	30.02
22	0035	7	FEW:02 18 SCT:04 26 OVC:08 31	3.00	-RA:02 BR:1 |RA |	49	9.4	49	9.4	49	9.4	100	6	140		29.04				FM-16	0.02	30.01
22	0051	6	OVC:08 32	2.50	-RA:02 BR:1 |RA |	48	9.0	48	8.9	48	9.0	100	6	130		29.04				FM-16		30.01
22	0053	7	OVC:08 32	2.50	BR:1 ||	49	9.4	49	9.4	49	9.4	100	6	130		29.04	8	+0.04	30.01	FM-15	0.02	30.01
22	0103	7	OVC:08 33	1.00	BR:1 ||	49	9.4	49	9.4	49	9.4	100	7	130		29.03				FM-16		30.00
22	0139	7	OVC:08 36	2.50	BR:1 ||	49	9.4	49	9.4	49	9.4	100	7	130		29.02				FM-16		29.99
22	0153	7	OVC:08 36	2.50	BR:1 ||	50	10.0	50	10.0	50	10.0	100	7	150		29.02			29.99	FM-15	0.00	29.99
22	0206	7	BKN:07 38 OVC:08 50	3.00	BR:1 ||	50	10.0	50	10.0	50	10.0	100	7	140		29.01				FM-16		29.98
22	0253	7	BKN:07 42 OVC:08 90	4.00	BR:1 ||	49	9.4	49	9.4	49	9.4	100	3	130		29.01			29.98	FM-15	0.00	29.98
22	0353	7	FEW:02 47 BKN:07 100	10.00		50	10.0	49	9.7	49	9.4	96	9	170		29.00	6	+0.04	29.97	FM-15	0.00	29.97
22	0453	7	SCT:04 60 OVC:08 110	10.00		49	9.4	48	9.2	48	8.9	97	8	150		28.98			29.96	FM-15	0.00	29.95
22	0553	7	OVC:08 120	10.00		49	9.4	48	9.2	48	8.9	97	9	150		28.96			29.94	FM-15	0.00	29.93
22	0653	7	CLR:00	10.00		49	9.4	47	8.6	46	7.8	90	10	150		28.95	8	+0.05	29.92	FM-15	0.00	29.92
22	0753	7	FEW:02 110	10.00		49	9.4	47	8.6	46	7.8	90	9	150		28.93			29.91	FM-15	0.00	29.90
22	0853	7	CLR:00	10.00		50	10.0	48	8.9	46	7.8	86	9	150		28.93			29.90	FM-15	0.00	29.90
22	0953	7	BKN:07 110	10.00		53	11.7	50	10.0	47	8.3	80	11	150	21	28.93	5	+0.01	29.90	FM-15	0.00	29.90
22	1053	7	CLR:00	10.00		55	12.8	51	10.5	47	8.3	74	11	160		28.92			29.89	FM-15	0.00	29.89
22	1153	7	BKN:07 110	10.00		57	13.9	52	11.0	47	8.3	69	11	190		28.90			29.87	FM-15	0.00	29.87
22	1253	7	BKN:07 100 BKN:07 120	10.00		57	13.9	52	11.2	48	8.9	72	11	190		28.89	8	+0.05	29.85	FM-15	0.00	29.85
22	1353	7	OVC:08 95	10.00		57	13.9	52	11.0	47	8.3	69	10	190		28.84			29.81	FM-15	0.00	29.81
22	1453	7	BKN:07 80 OVC:08 90	10.00	-RA:02 |RA |	56	13.3	52	11.0	48	8.9	75	14	180		28.80			29.76	FM-15	0.01	29.76
22	1553	7	BKN:07 80 OVC:08 90	10.00	-RA:02 |RA |	54	12.2	51	10.8	49	9.4	83	10	170		28.78	6	+0.11	29.74	FM-15	T	29.74
22	1653	7	BKN:07 49 OVC:08 60	10.00	-RA:02 |RA |	54	12.2	51	10.5	48	8.9	80	14	160		28.76			29.72	FM-15	T	29.72
22	1753	7	FEW:02 35 BKN:07 46 OVC:08 55	10.00		54	12.2	51	10.8	49	9.4	83	14	160	23	28.73			29.69	FM-15	T	29.69
22	1853	7	FEW:02 35 OVC:08 48	10.00		54	12.2	51	10.8	49	9.4	83	16	160	26	28.72	6	+0.06	29.68	FM-15	0.00	29.68
22	1953	7	OVC:08 40	10.00		55	12.8	52	11.0	49	9.4	80	16	160		28.69			29.65	FM-15	0.00	29.65
22	2053	7	OVC:08 38	10.00		55	12.8	52	11.0	49	9.4	80	13	160		28.66			29.62	FM-15	0.00	29.62
22	2153	7	FEW:02 36 FEW:02 50 BKN:07 80	10.00		54	12.2	51	10.8	49	9.4	83	15	160		28.62	8	+0.10	29.58	FM-15	T	29.58
22	2251	7	SCT:04 40 BKN:07 55 OVC:08 80	8.00	TS:7 -RA:02 |RA TS TS |	54	12.0	51	10.5	48	9.0	82	13	170		28.61				FM-16	0.01	29.57
22	2253	7	FEW:02 36 BKN:07 55 OVC:08 80	6.00	TS:7 RA:02 |RA TS TS |	54	12.2	51	10.8	49	9.4	83	15	170	24	28.61			29.57	FM-15	0.03	29.57

22	2300	7	FEW:02 36 OVC:08 50	5.00	RA:02 BR:1 |RA |	53	11.7	51	10.8	50	10.0	89	17	180	24	28.61				FM-16	0.02	29.57
22	2309	7	FEW:02 36 BKN:07 50 OVC:08 60	5.00	TS:7 RA:02 BR:1 |RA TS |	53	11.7	51	10.8	50	10.0	89	18	210	28	28.63				FM-16	0.03	29.59
22	2351	6	FEW:02 37 BKN:07 50 OVC:08 95	10.00	-RA:02 |RA |	50	10.0	48	8.9	46	8.0	88	13	240	20	28.64				FM-16		29.60
22	2353	7	FEW:02 37 BKN:07 55 OVC:08 95	10.00	-RA:02 |RA |	50	10.0	48	9.2	47	8.3	89	15	230	20	28.63			29.59	FM-15	0.10	29.59
23	0053	7	FEW:02 55 OVC:08 75	10.00		50	10.0	47	8.6	45	7.2	83	10	220		28.63	0	-0.01	29.59	FM-15	T	29.59
23	0153	7	FEW:02 70 BKN:07 85	10.00		47	8.3	45	7.0	42	5.6	83	10	210		28.64			29.59	FM-15	0.00	29.60
23	0253	7	BKN:07 85	10.00		46	7.8	42	5.7	38	3.3	73	11	260		28.65			29.61	FM-15	0.00	29.61
23	0353	7	FEW:02 70	10.00		42	5.6	40	4.3	37	2.8	82	5	240		28.65	0	-0.02	29.61	FM-15	0.00	29.61
23	0453	7	OVC:08 70	10.00		40	4.4	39	4.0	38	3.3	93	5	190		28.66			29.62	FM-15	0.00	29.62
23	0553	7	FEW:02 44 OVC:08 55	10.00		41	5.0	39	4.0	37	2.8	86	6	210		28.66			29.62	FM-15	0.00	29.62
23	0653	7	FEW:02 31 SCT:04 41 OVC:08 55	10.00		40	4.4	38	3.2	35	1.7	83	11	270	23	28.69	3	-0.05	29.66	FM-15	0.00	29.65
23	0753	7	BKN:07 38 OVC:08 47	10.00		39	3.9	37	2.9	35	1.7	86	15	240		28.71			29.68	FM-15	0.00	29.67
23	0853	7	SCT:04 60 BKN:07 75	10.00		38	3.3	36	2.2	33	0.6	83	13	230	22	28.73			29.70	FM-15	T	29.69
23	0953	7	FEW:02 21 BKN:07 48 OVC:08 60	10.00		38	3.3	36	2.2	33	0.6	83	18	230	30	28.76	3	-0.06	29.72	FM-15	T	29.72
23	1002	7	SCT:04 17 BKN:07 25 OVC:08 55	10.00	-RA:02 |RA |	38	3.3	36	2.4	34	1.1	86	20	240	30	28.76				FM-16	T	29.72
23	1053	7	FEW:02 16 OVC:08 21	10.00		38	3.3	36	2.4	34	1.1	86	18	240	28	28.79			29.75	FM-15	T	29.75
23	1139	7	BKN:07 25	10.00		39	3.9	36	2.3	32	0.0	76	18	240		28.80				FM-16	T	29.76
23	1153	7	BKN:07 25	10.00		40	4.4	37	2.6	32	0.0	73	21	240	36	28.80			29.77	FM-15	T	29.76
23	1253	7	OVC:08 33	10.00		39	3.9	36	2.1	31	-0.6	73	20	250	30	28.79	0	-0.04	29.76	FM-15	T	29.75
23	1304	7	OVC:08 33	10.00		39	3.9	36	2.1	31	-0.6	73	23	240	32	28.80				FM-16		29.76
23	1353	7	OVC:08 23	10.00		39	3.9	36	2.3	32	0.0	76	16	240	31	28.81			29.78	FM-15	T	29.77
23	1453	7	OVC:08 21	10.00		39	3.9	36	2.5	33	0.6	79	20	260	28	28.84			29.81	FM-15	0.00	29.80
23	1553	7	SCT:04 15 BKN:07 22 OVC:08 30	10.00		38	3.3	37	2.6	35	1.7	89	16	240	26	28.87	3	-0.08	29.85	FM-15	T	29.84
23	1653	7	BKN:07 16 BKN:07 23 OVC:08 30	10.00		38	3.3	37	2.6	35	1.7	89	18	260	25	28.90			29.89	FM-15	T	29.87
23	1711	7	BKN:07 14 OVC:08 20	4.00	-RA:02 BR:1 |RA |	36	2.2	35	1.8	34	1.1	93	23	270	38	28.92				FM-16	T	29.89
23	1746	7	FEW:02 19 OVC:08 27	10.00		36	2.2	36	2.0	35	1.7	97	20	270	26	28.93				FM-16	T	29.90
23	1753	7	FEW:02 19 OVC:08 27	10.00		36	2.2	35	1.5	33	0.6	89	20	270	31	28.94			29.92	FM-15	T	29.91
23	1806	7	SCT:04 28 BKN:07 35 OVC:08 70	10.00		36	2.2	35	1.5	33	0.6	89	16	270	25	28.95				FM-16		29.92
23	1853	7	SCT:04 22 OVC:08 70	10.00		36	2.2	35	1.5	33	0.6	89	16	270	24	28.98	3	-0.11	29.96	FM-15	0.00	29.95
23	1943	7	BKN:07 24 OVC:08 39	10.00		35	1.7	33	0.6	30	-1.1	82	17	270	26	29.00				FM-16		29.97
23	1953	7	BKN:07 22 OVC:08 41	10.00		35	1.7	33	0.8	31	-0.6	85	15	280		29.00			29.99	FM-15	0.00	29.97
23	2053	7	OVC:08 19	10.00		35	1.7	33	0.8	31	-0.6	85	13	280	21	29.02			30.01	FM-15	0.00	29.99

23	2143	7	OVC:08 14	10.00		34	1.1	33	0.5	31	-0.6	89	15	290	24	29.04				FM-16		30.01
23	2153	7	OVC:08 14	10.00		34	1.1	32	0.2	30	-1.1	85	20	290	26	29.04	3	-0.06	30.03	FM-15	0.00	30.01
23	2253	7	OVC:08 14	10.00		33	0.6	31	-0.3	29	-1.7	85	13	280		29.05			30.04	FM-15	0.00	30.02
23	2300	7	SCT:04 17 OVC:08 24	10.00		33	0.6	31	-0.3	29	-1.7	85	16	280		29.06				FM-16		30.03
23	2332	7	OVC:08 13	10.00		32	0.0	31	-0.6	29	-1.7	88	14	290		29.07				FM-16		30.04
23	2348	7	OVC:08 15	10.00		32	0.0	30	-0.8	28	-2.0	87	18	290		29.07				FM-16		30.04
23	2353	7	OVC:08 17	10.00		32	0.0	30	-0.8	28	-2.2	85	15	290		29.08			30.07	FM-15	0.00	30.05
24	0053	7	OVC:08 22	10.00		32	0.0	30	-1.0	27	-2.8	82	13	280		29.09	1	-0.04	30.08	FM-15	0.00	30.06
24	0153	7	OVC:08 19	10.00		31	-0.6	30	-1.4	27	-2.8	85	16	290		29.11			30.10	FM-15	0.00	30.08
24	0253	7	OVC:08 13	10.00		31	-0.6	30	-1.2	28	-2.2	89	13	290		29.13			30.12	FM-15	0.00	30.10
24	0333	7	OVC:08 17	10.00		31	-0.6	30	-1.4	27	-2.8	85	13	290		29.14				FM-16		30.11
24	0353	7	SCT:04 19 BKN:07 24 OVC:08 29	10.00		31	-0.6	29	-1.6	26	-3.3	82	10	310		29.15	3	-0.05	30.14	FM-15	0.00	30.12
24	0453	7	OVC:08 26	10.00		31	-0.6	28	-1.9	24	-4.4	76	9	310		29.17			30.16	FM-15	0.00	30.14
24	0553	7	OVC:08 20	10.00		31	-0.6	29	-1.8	25	-3.9	79	7	320		29.19			30.18	FM-15	0.00	30.16
24	0653	7	OVC:08 18	10.00		31	-0.6	29	-1.6	26	-3.3	82	9	280		29.20	1	-0.05	30.19	FM-15	0.00	30.17
24	0753	7	OVC:08 17	10.00		31	-0.6	30	-1.4	27	-2.8	85	9	300		29.21			30.20	FM-15	0.00	30.18
24	0853	7	OVC:08 19	8.00		30	-1.1	29	-1.7	27	-2.8	88	6	330		29.22			30.21	FM-15	0.00	30.19
24	0953	7	FEW:02 12 OVC:08 24	10.00		30	-1.1	29	-1.5	28	-2.2	92	5	310		29.23	3	-0.04	30.23	FM-15	0.00	30.21
24	1050	7	BKN:07 12 OVC:08 25	5.00	UP:09 BR:1 ||	30	-1.0	29	-1.5	28	-2.0	93	5	290		29.25				FM-16	T	30.22
24	1053	7	BKN:07 12 OVC:08 25	5.00	-RA:02 BR:1 |RA |	30	-1.1	29	-1.5	28	-2.2	92	5	280		29.25			30.24	FM-15	T	30.22
24	1119	7	BKN:07 11 BKN:07 17 OVC:08 22	6.00	-FZ:8 RA:02 BR:1 |FZRA |	30	-1.1	29	-1.5	28	-2.2	92	3	280		29.23				FM-16	T	30.21
24	1133	7	SCT:04 11 OVC:08 15	5.00	RA:02 BR:1 |RA |	30	-1.1	29	-1.5	28	-2.2	92	3	290		29.23				FM-16	T	30.21
24	1149	7	FEW:02 9 BKN:07 13 OVC:08 18	5.00	UP:09 BR:1 ||	30	-1.0	29	-1.5	28	-2.0	93	0	000		29.23				FM-16	T	30.20
24	1151	6	FEW:02 9 BKN:07 16 OVC:08 22	6.00	BR:1 ||	30	-1.0	29	-1.5	28	-2.0	93	0	000		29.23				FM-16		30.20
24	1153	7	FEW:02 9 BKN:07 16 OVC:08 22	6.00	BR:1 ||	30	-1.1	30	-1.3	29	-1.7	96	0	000		29.23			30.23	FM-15	T	30.20
24	1253	7	BKN:07 12 BKN:07 21 OVC:08 30	6.00	BR:1 ||	30	-1.1	30	-1.3	29	-1.7	96	5	260		29.21	8	+0.03	30.21	FM-15	T	30.18
24	1351	6	OVC:08 28	10.00		30	-1.0	29	-1.5	28	-2.0	93	7	270		29.20				FM-16		30.17
24	1353	7	OVC:08 28	10.00		31	-0.6	30	-1.2	28	-2.2	89	8	280		29.20			30.19	FM-15	0.01	30.17
24	1436	7	BKN:07 30 OVC:08 39	10.00		31	-0.6	30	-1.2	28	-2.2	89	9	270		29.19				FM-16		30.16
24	1453	7	FEW:02 17 SCT:04 34 OVC:08 46	10.00		32	0.0	30	-0.8	28	-2.2	85	10	290		29.20			30.20	FM-15	T	30.17
24	1553	7	FEW:02 18 BKN:07 39 OVC:08 49	3.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.6	29	-1.7	88	8	260		29.23	3	-0.01	30.23	FM-15	T	30.20
24	1653	7	BKN:07 45 OVC:08 50	8.00	-SN:03 |SN |	31	-0.6	30	-1.4	27	-2.8	85	8	280		29.23			30.24	FM-15	T	30.21
24	1753	7				30	-1.1	29	-1.7	27	-2.8	88				29.26			30.27	FM-15	T	30.24
24	1853	6														29.28	3	-0.06		FM-15		30.26
24	1944	7	BKN:07 21 BKN:07 27 OVC:08 35	10.00		30	-1.1	29	-1.9	26	-3.3	85	10	290		29.29				FM-16		30.27
24	1953	7	BKN:07 21 OVC:08 27	10.00		30	-1.1	29	-1.9	26	-3.3	85	9	290		29.30			30.30	FM-15	0.00	30.28

24	2053	7	BKN:07 18 OVC:08 55	10.00		30	-1.1	29	-1.9	26	-3.3	85	9	290		29.31			30.32	FM-15	T	30.29
24	2153	7	SCT:04 18 OVC:08 55	10.00		29	-1.7	28	-2.3	26	-3.3	89	10	280		29.32			30.34	FM-15	0.00	30.30
24	2216	7	FEW:02 15 SCT:04 28 OVC:08 48	10.00		29	-1.7	28	-2.3	26	-3.3	89	9	270		29.33				FM-16		30.31
24	2253	7	FEW:02 14 SCT:04 20 OVC:08 50	10.00		29	-1.7	28	-2.1	27	-2.8	92	9	280		29.34			30.35	FM-15	0.00	30.32
24	2310	7	BKN:07 22 OVC:08 50	10.00		29	-1.7	28	-2.3	26	-3.3	89	8	270		29.34				FM-16		30.32
24	2353	7	BKN:07 16 OVC:08 23	9.00		29	-1.7	28	-2.3	26	-3.3	89	7	300		29.36			30.37	FM-15	0.00	30.34
25	0009	7	BKN:07 14 OVC:08 21	6.00	-SN:03 BR:1 |SN |	29	-1.7	28	-2.3	26	-3.3	89	7	300		29.36				FM-16	T	30.34
25	0025	7	BKN:07 15 OVC:08 21	5.00	-SN:03 BR:1 |SN |	29	-1.7	28	-2.3	26	-3.3	89	8	300		29.36				FM-16	T	30.34
25	0053	7	FEW:02 14 OVC:08 26	7.00	-SN:03 |SN |	29	-1.7	28	-2.5	25	-3.9	85	7	290		29.37	1	-0.04	30.38	FM-15	T	30.35
25	0153	7	OVC:08 23	10.00		29	-1.7	27	-2.8	23	-5.0	78	8	270		29.38			30.40	FM-15	T	30.36
25	0253	7	OVC:08 19	10.00		28	-2.2	26	-3.2	23	-5.0	81	7	290		29.40			30.42	FM-15	0.00	30.38
25	0353	7	OVC:08 20	10.00		28	-2.2	27	-2.8	25	-3.9	88	3	270		29.41	1	-0.04	30.42	FM-15	0.00	30.39
25	0453	7	OVC:08 19	10.00		28	-2.2	27	-2.6	26	-3.3	92	3	250		29.43			30.44	FM-15	0.00	30.41
25	0553	7	OVC:08 16	8.00		29	-1.7	28	-2.3	26	-3.3	89	3	270		29.45			30.46	FM-15	0.00	30.43
25	0609	7	BKN:07 13 OVC:08 20	8.00		28	-2.2	27	-2.6	26	-3.3	92	5	250		29.45				FM-16		30.43
25	0651	6	SCT:04 13 OVC:08 23	8.00		28	-2.0	28	-2.4	27	-3.0	93	6	240		29.46				FM-16		30.44
25	0653	7	SCT:04 13 OVC:08 23	8.00		28	-2.2	27	-2.6	26	-3.3	92	6	240		29.46	3	-0.05		FM-15	0.00	30.44
25	0753	7	OVC:08 29	7.00		28	-2.2	27	-2.8	25	-3.9	88	7	230		29.48			30.49	FM-15	0.00	30.46
25	0810	7	OVC:08 31	6.00	BR:1 ||	28	-2.2	27	-2.8	25	-3.9	88	6	240		29.48				FM-16		30.46
25	0853	7	OVC:08 32	6.00	BR:1 ||	28	-2.2	27	-2.8	25	-3.9	88	7	230		29.49			30.50	FM-15	0.00	30.47
25	0953	7	SCT:04 32	8.00		30	-1.1	28	-2.1	25	-3.9	82	5	230		29.51	3	-0.05	30.53	FM-15	0.00	30.49
25	1053	7	SCT:04 24	10.00		32	0.0	29	-1.4	25	-3.9	75	7	220		29.52			30.53	FM-15	0.00	30.50
25	1153	7	FEW:02 28	10.00		33	0.6	29	-1.4	23	-5.0	66	10	190		29.52			30.53	FM-15	0.00	30.50
25	1253	7	FEW:02 23	10.00		35	1.7	31	-0.4	25	-3.9	67	10	200		29.49	8	+0.02	30.50	FM-15	0.00	30.47
25	1353	7	CLR:00	10.00		36	2.2	32	-0.1	25	-3.9	64	9	190		29.47			30.47	FM-15	0.00	30.45
25	1453	7	SCT:04 90	10.00		36	2.2	32	-0.1	25	-3.9	64	9	170		29.45			30.46	FM-15	0.00	30.43
25	1553	7	CLR:00	10.00		37	2.8	33	0.5	26	-3.3	65	8	160		29.45	6	+0.04	30.45	FM-15	0.00	30.43
25	1653	7	CLR:00	10.00		36	2.2	32	-0.1	25	-3.9	64	13	200		29.45			30.46	FM-15	0.00	30.43
25	1753	7	FEW:02 110	10.00		35	1.7	31	-0.4	25	-3.9	67	9	160		29.44			30.45	FM-15	0.00	30.42
25	1853	7	CLR:00	10.00		35	1.7	31	-0.4	25	-3.9	67	10	150		29.44	8	+0.01	30.45	FM-15	0.00	30.42
25	1953	7	CLR:00	10.00		35	1.7	31	-0.4	25	-3.9	67	9	160		29.43			30.44	FM-15	0.00	30.41
25	2053	7	CLR:00	10.00		34	1.1	30	-0.9	24	-4.4	67	8	140		29.44			30.44	FM-15	0.00	30.42
25	2153	7	CLR:00	10.00		33	0.6	30	-1.3	24	-4.4	70	6	140		29.45	3	-0.01	30.45	FM-15	0.00	30.43
25	2253	7	CLR:00	10.00		31	-0.6	29	-1.9	24	-4.4	76	6	130		29.44			30.45	FM-15	0.00	30.42
25	2353	7	CLR:00	10.00		31	-0.6	29	-1.9	24	-4.4	76	6	130		29.44			30.45	FM-15	0.00	30.42
26	0053	7	CLR:00	10.00		31	-0.6	29	-1.9	24	-4.4	76	6	130		29.43	8	+0.01	30.44	FM-15	0.00	30.41
26	0153	7	CLR:00	10.00		32	0.0	29	-1.6	24	-4.4	73	6	150		29.43			30.43	FM-15	0.00	30.41
26	0253	7	CLR:00	10.00		33	0.6	30	-1.3	24	-4.4	70	7	160		29.43			30.44	FM-15	0.00	30.41
26	0353	7	CLR:00	10.00		33	0.6	30	-1.3	24	-4.4	70	9	160		29.43	6	+0.00	30.44	FM-15	0.00	30.41
26	0453	7	CLR:00	10.00		32	0.0	29	-1.8	23	-5.0	69	7	170		29.43			30.44	FM-15	0.00	30.41
26	0553	7	CLR:00	10.00		32	0.0	29	-1.8	23	-5.0	69	7	170		29.44			30.45	FM-15	0.00	30.42
26	0653	7	CLR:00	10.00		32	0.0	29	-1.6	24	-4.4	73	8	160		29.46	3	-0.03	30.47	FM-15	0.00	30.44
26	0753	7	CLR:00	10.00		32	0.0	29	-1.6	24	-4.4	73	7	180		29.47			30.47	FM-15	0.00	30.45
26	0853	7	CLR:00	10.00		34	1.1	31	-0.7	25	-3.9	70	9	170		29.47			30.48	FM-15	0.00	30.45
26	0953	7	CLR:00	10.00		38	3.3	34	1.0	27	-2.8	65	8	180		29.47	1	-0.01	30.47	FM-15	0.00	30.45
26	1053	7	CLR:00	10.00		43	6.1	37	2.9	29	-1.7	58	11	190		29.48			30.48	FM-15	0.00	30.46

26	1153	7	CLR:00	10.00		48	8.9	41	4.8	31	-0.6	52	13	200		29.46			30.46	FM-15	0.00	30.44
26	1253	7	CLR:00	10.00		51	10.6	43	5.9	32	0.0	48	14	210		29.43	8	+0.04	30.43	FM-15	0.00	30.41
26	1353	7	CLR:00	10.00		53	11.7	43	6.1	30	-1.1	41	18	220	26	29.39			30.38	FM-15	0.00	30.37
26	1453	7	CLR:00	10.00		54	12.2	43	6.0	28	-2.2	37	17	200	28	29.37			30.37	FM-15	0.00	30.35
26	1553	7	CLR:00	10.00		54	12.2	43	6.0	28	-2.2	37	15	190	22	29.36	6	+0.07	30.35	FM-15	0.00	30.34
26	1653	7	CLR:00	10.00		52	11.1	41	5.2	27	-2.8	38	11	190		29.35			30.35	FM-15	0.00	30.33
26	1753	7	CLR:00	10.00		50	10.0	40	4.7	27	-2.8	41	10	180		29.34			30.34	FM-15	0.00	30.32
26	1853	7	CLR:00	10.00		48	8.9	39	4.1	27	-2.8	44	7	190		29.35	5	+0.00	30.35	FM-15	0.00	30.33
26	1953	7	CLR:00	10.00		47	8.3	39	4.0	28	-2.2	48	9	170		29.35			30.35	FM-15	0.00	30.33
26	2053	7	CLR:00	10.00		47	8.3	39	3.8	27	-2.8	46	11	170		29.33			30.32	FM-15	0.00	30.31
26	2153	7	CLR:00	10.00		47	8.3	38	3.6	26	-3.3	44	9	170		29.31	8	+0.04	30.30	FM-15	0.00	30.29
26	2253	7	CLR:00	10.00		46	7.8	38	3.3	26	-3.3	46	10	170		29.31			30.30	FM-15	0.00	30.29
26	2353	7	CLR:00	10.00		47	8.3	38	3.4	25	-3.9	42	11	180		29.30			30.29	FM-15	0.00	30.28
27	0053	7	CLR:00	10.00		48	8.9	38	3.5	24	-4.4	39	14	190		29.28	8	+0.03	30.27	FM-15	0.00	30.26
27	0153	7	CLR:00	10.00		47	8.3	38	3.2	24	-4.4	41	14	190		29.27			30.25	FM-15	0.00	30.25
27	0253	7	FEW:02 100	10.00		47	8.3	38	3.2	24	-4.4	41	13	190		29.28			30.26	FM-15	0.00	30.26
27	0353	7	SCT:04 110	10.00		47	8.3	38	3.4	25	-3.9	42	15	190	23	29.27	6	+0.01	30.25	FM-15	0.00	30.25
27	0453	7	FEW:02 110	10.00		46	7.8	38	3.1	25	-3.9	44	16	200	24	29.27			30.26	FM-15	0.00	30.25
27	0553	7	SCT:04 38 BKN:07 55 OVC:08 100	10.00		46	7.8	38	3.5	27	-2.8	47	14	200		29.28			30.27	FM-15	0.00	30.26
27	0653	7	FEW:02 43 OVC:08 60	10.00	-RA:02 |RA |	44	6.7	39	3.6	31	-0.6	60	15	190		29.28	1	-0.01	30.27	FM-15	T	30.26
27	0753	7	BKN:07 50 OVC:08 65	10.00	-RA:02 |RA |	43	6.1	39	4.0	34	1.1	71	10	180		29.27			30.26	FM-15	T	30.25
27	0853	7	OVC:08 42	10.00	-RA:02 |RA |	43	6.1	40	4.2	35	1.7	74	10	180		29.26			30.25	FM-15	T	30.24
27	0953	7	OVC:08 32	6.00	-RA:02 |RA |	44	6.7	41	5.2	38	3.3	79	10	200		29.26	6	+0.02	30.24	FM-15	T	30.23
27	1053	7	OVC:08 34	10.00	-RA:02 |RA |	45	7.2	42	5.7	39	3.9	80	5	210		29.26			30.24	FM-15	T	30.23
27	1153	7	OVC:08 31	5.00	-RA:02 BR:1 |RA |	44	6.7	43	6.1	42	5.6	93	6	180		29.25			30.23	FM-15	0.02	30.22
27	1253	7	SCT:04 28 BKN:07 35 OVC:08 60	4.00	-RA:02 BR:1 |RA |	45	7.2	45	7.0	44	6.7	97	10	220		29.22	8	+0.04	30.20	FM-15	0.06	30.19
27	1353	7	OVC:08 49	6.00	-RA:02 BR:1 |RA |	47	8.3	47	8.1	46	7.8	97	8	210		29.20			30.18	FM-15	0.03	30.17
27	1420	7	SCT:04 24 BKN:07 28 OVC:08 50	8.00	-RA:02 |RA |	47	8.3	47	8.1	46	7.8	97	7	230		29.20				FM-16	T	30.17
27	1453	7	OVC:08 23	6.00	-RA:02 BR:1 |RA |	47	8.3	47	8.1	46	7.8	97	8	230		29.19			30.17	FM-15	T	30.16
27	1551	6	FEW:02 11 SCT:04 27 OVC:08 49	5.00	-RA:02 BR:1 |RA |	48	9.0	47	8.3	46	8.0	94	13	240		29.20				FM-16		30.17
27	1553	7	FEW:02 11 SCT:04 27 OVC:08 49	5.00	-RA:02 BR:1 |RA |	48	8.9	47	8.6	47	8.3	96	13	240		29.20	5	+0.02	30.17	FM-15	0.05	30.17
27	1653	7	SCT:04 12 BKN:07 34 OVC:08 42	4.00	-RA:02 BR:1 |RA |	47	8.3	47	8.3	47	8.3	100	8	230		29.21			30.19	FM-15	0.08	30.18
27	1751	6	BKN:07 8 BKN:07 22 OVC:08 45	7.00	-RA:02 |RA |	46	8.0	46	7.8	46	8.0	100	8	240		29.22				FM-16		30.19
27	1753	7	BKN:07 8 BKN:07 22 OVC:08 47	7.00	-RA:02 |RA |	47	8.3	47	8.3	47	8.3	100	7	240		29.22			30.20	FM-15	0.03	30.19
27	1759	7	SCT:04 8 BKN:07 30 OVC:08 47	6.00	-RA:02 BR:1 |RA |	47	8.3	47	8.3	47	8.3	100	8	230		29.22				FM-16	T	30.19
27	1806	7	BKN:07 8 BKN:07 22 OVC:08 47	7.00	-RA:02 |RA |	47	8.3	47	8.3	47	8.3	100	8	230		29.22				FM-16	T	30.19
27	1853	7	BKN:07 8 BKN:07 22 OVC:08 47	7.00	-RA:02 |RA |	47	8.3	47	8.3	47	8.3	100	7	230		29.25	3	-0.05	30.23	FM-15	0.01	30.22

27	1951	6	BKN:07 24 OVC:08 39	6.00	BR:1 ||	46	8.0	46	7.8	46	8.0	100	3	260		29.26				FM-16		30.23
27	1953	7	FEW:02 18 BKN:07 24 OVC:08 39	6.00	BR:1 ||	46	7.8	46	7.8	46	7.8	100	3	250		29.26			30.24	FM-15	0.00	30.23
27	1954	7	BKN:07 22 OVC:08 39	6.00	BR:1 ||	46	7.8	46	7.8	46	7.8	100	3	250		29.26				FM-16		30.23
27	2053	7	OVC:08 25	9.00		46	7.8	46	7.8	46	7.8	100	5	260		29.26			30.25	FM-15	0.00	30.24
27	2153	7	CLR:00	7.00		42	5.6	42	5.6	42	5.6	100	7	300		29.26	0	-0.01	30.24	FM-15	0.00	30.23
27	2253	7	CLR:00	5.00	BR:1 ||	41	5.0	41	5.0	41	5.0	100	5	300		29.26			30.25	FM-15	0.00	30.24
27	2311	7	FEW:02 5	5.00	BR:1 ||	40	4.4	40	4.4	40	4.4	100	8	290		29.26				FM-16		30.24
27	2342	7	FEW:02 3	2.50	BR:1 ||	40	4.4	40	4.4	40	4.4	100	6	290		29.26				FM-16		30.24
27	2353	7	CLR:00	1.75	BR:1 ||	40	4.4	40	4.4	40	4.4	100	5	270		29.26			30.26	FM-15	0.00	30.24
28	0010	7	CLR:00	0.50	FG:2 |FG |	40	4.4	40	4.4	40	4.4	100	0	000		29.27				FM-16		30.25
28	0015	7	VV:09 4	0.25	FG:2 |FG |	39	3.9	39	3.9	39	3.9	100	0	000		29.27				FM-16		30.25
28	0053	7	VV:09 2	0.00	FG:2 |FG |	37	2.8	37	2.8	37	2.8	100	0	000		29.27	2	-0.02	30.27	FM-15	0.00	30.25
28	0108	7	VV:09 1	0.00	FG:2 |FG |	37	2.8	37	2.8	37	2.8	100	0	000		29.27				FM-16		30.25
28	0145	7	VV:09 2	0.25	FG:2 |FG |	35	1.7	35	1.7	35	1.7	100	0	000		29.27				FM-16		30.25
28	0153	7	VV:09 2	0.00	FG:2 |FG |	36	2.2	36	2.2	36	2.2	100	0	000		29.28			30.27	FM-15	0.00	30.26
28	0253	7	VV:09 2	0.25	FG:2 |FG |	38	3.3	38	3.3	38	3.3	100	3	360		29.28			30.27	FM-15	0.00	30.26
28	0319	7	VV:09 2	0.50	FG:2 |FG |	37	2.8	37	2.8	37	2.8	100	6	360		29.28				FM-16		30.26
28	0333	7	VV:09 2	0.25	FG:2 |FG |	37	2.8	37	2.8	37	2.8	100	3	040		29.29				FM-16		30.27
28	0353	7	VV:09 2	0.25	FG:2 |FG |	36	2.2	36	2.2	36	2.2	100	6	340		29.29	1	-0.01	30.28	FM-15	0.00	30.27
28	0453	7	VV:09 2	0.25	FG:2 |FG |	34	1.1	34	1.1	34	1.1	100	3	340		29.29			30.28	FM-15	0.00	30.27
28	0553	7	VV:09 2	0.25	FG:2 |FG |	32	0.0	32	0.0	32	0.0	100	0	000		29.30			30.30	FM-15	0.00	30.28
28	0644	7	VV:09 1	0.25	FZ:8 FG:2 |FG |	30	-1.1	30	-1.1	30	-1.1	100	0	000		29.31				FM-16		30.29
28	0653	7	VV:09 1	0.25	FG:2 |FG |	32	0.0	32	-0.2	31	-0.6	96	0	000		29.31	3	-0.03	30.31	FM-15	0.00	30.29
28	0707	7	VV:09 2	0.25	FZ:8 FG:2 |FG |	31	-0.6	31	-0.6	31	-0.6	100	0	000		29.32				FM-16		30.30
28	0753	7	VV:09 2	0.25	FZ:8 FG:2 |FG |	30	-1.1	30	-1.1	30	-1.1	100	0	000		29.33			30.33	FM-15	0.00	30.31
28	0853	7	VV:09 2	0.00	FZ:8 FG:2 |FG |	29	-1.7	29	-1.7	29	-1.7	100	0	000		29.34			30.34	FM-15	0.00	30.32
28	0953	7	VV:09 2	0.00	FZ:8 FG:2 |FG |	31	-0.6	31	-0.6	31	-0.6	100	0	000		29.35	1	-0.04	30.35	FM-15	0.00	30.33
28	1051	6	OVC:08 2	0.50	FG:2 |FG |	32	0.0	32	0.0	32	0.0	100	0	000		29.36				FM-16		30.34
28	1053	7	OVC:08 2	0.50	FG:2 |FG |	32	0.0						0	000		29.36			30.36	FM-15	0.00	30.34
28	1102	7	OVC:08 2	0.75	BR:1 ||	33	0.6	32	-0.1	30	-1.0	89	0	000		29.36				FM-16		30.34
28	1113	7	SCT:04 2	2.00	BR:1 ||	35	1.7	35	1.7	35	1.7	100	0	000		29.35				FM-16		30.33
28	1142	7	CLR:00	8.00		38	3.3	38	3.1	37	2.8	97	0	000		29.34				FM-16		30.32
28	1153	7	CLR:00	10.00		38	3.3	38	3.1	37	2.8	97	0	000		29.34			30.34	FM-15	0.00	30.32
28	1253	7	CLR:00	10.00		46	7.8	40	4.6	33	0.6	61	3	090		29.31	8	+0.04	30.31	FM-15	0.00	30.29
28	1353	7	CLR:00	10.00		47	8.3	39	3.8	27	-2.8	46	0	000		29.29			30.29	FM-15	0.00	30.27
28	1453	7	CLR:00	10.00		49	9.4	40	4.2	26	-3.3	41	3	VRB		29.27			30.27	FM-15	0.00	30.25
28	1553	7	CLR:00	10.00		49	9.4	39	4.0	25	-3.9	39	5	280		29.27	6	+0.04	30.26	FM-15	0.00	30.25
28	1653	7	CLR:00	10.00		47	8.3	38	3.6	26	-3.3	44	0	000		29.27			30.27	FM-15	0.00	30.25
28	1753	7	CLR:00	10.00		45	7.2	37	3.0	26	-3.3	48	5	330		29.28			30.28	FM-15	0.00	30.26
28	1853	7	CLR:00	10.00		40	4.4	35	1.6	27	-2.8	60	3	360		29.29	3	-0.02	30.29	FM-15	0.00	30.27
28	1953	7	CLR:00	10.00		40	4.4	35	1.6	27	-2.8	60	0	000		29.29			30.29	FM-15	0.00	30.27
28	2053	7	CLR:00	10.00		36	2.2	33	0.5	28	-2.2	73	0	000		29.28			30.29	FM-15	0.00	30.26
28	2153	7	CLR:00	10.00		34	1.1	31	-0.4	27	-2.8	75	0	000		29.27	8	+0.01	30.28	FM-15	0.00	30.25
28	2253	7	CLR:00	10.00		33	0.6	31	-0.3	29	-1.7	85	3	290		29.27			30.27	FM-15	0.00	30.25
28	2353	7	CLR:00	10.00		32	0.0	31	-0.6	29	-1.7	88	5	310		29.26			30.26	FM-15	0.00	30.23
29	0053	7	CLR:00	10.00		28	-2.2	28	-2.4	27	-2.8	96	0	000		29.26	7	+0.03	30.25	FM-15	0.00	30.23
29	0153	7	CLR:00	10.00		30	-1.1	29	-1.7	27	-2.8	88	0	000		29.25			30.24	FM-15	0.00	30.22
29	0253	7	FEW:02 85	10.00		29	-1.7	28	-2.1	27	-2.8	92	3	080		29.23			30.23	FM-15	0.00	30.21
29	0353	7	CLR:00	10.00		30	-1.1	29	-1.7	27	-2.8	88	3	090		29.22	8	+0.03	30.21	FM-15	0.00	30.19
29	0453	7	SCT:04 50 OVC:08 90	10.00		29	-1.7	28	-2.1	27	-2.8	92	3	290		29.22			30.21	FM-15	0.00	30.19
29	0553	7	OVC:08 100	10.00		31	-0.6	30	-1.2	28	-2.2	89	0	000		29.22			30.21	FM-15	0.00	30.19
29	0653	7	OVC:08 100	10.00		31	-0.6	30	-1.2	28	-2.2	89	0	000		29.21	8	+0.01	30.20	FM-15	0.00	30.18
29	0753	7	OVC:08 100	10.00		30	-1.1	29	-1.5	28	-2.2	92	3	130		29.21			30.20	FM-15	0.00	30.18

29	0853	7	FEW:02 60 OVC:08 100	10.00		34	1.1	32	0.2	30	-1.1	85	0	000		29.19			30.19	FM-15	0.00	30.16
29	0953	7	FEW:02 100	10.00		38	3.3	36	2.0	32	0.0	79	7	270		29.19	8	+0.02	30.18	FM-15	0.00	30.16
29	1053	7	OVC:08 60	10.00		37	2.8	35	1.6	32	0.0	82	14	270		29.20			30.19	FM-15	0.00	30.17
29	1138	7	SCT:04 11 BKN:07 37 OVC:08 45	4.00	BR:1 ||	35	1.7	34	1.0	32	0.0	89	13	290		29.20				FM-16		30.17
29	1144	7	BKN:07 11 BKN:07 18 OVC:08 42	4.00	BR:1 ||	35	1.7	34	1.0	32	0.0	89	13	290		29.20				FM-16		30.17
29	1153	7	BKN:07 10 BKN:07 37 OVC:08 45	3.00	-SN:03 BR:1 |SN |	35	1.7	34	1.0	32	0.0	89	14	290		29.20			30.19	FM-15	T	30.17
29	1201	7	BKN:07 10 OVC:08 41	1.75	-SN:03 BR:1 |SN |	35	1.7	34	1.0	32	0.0	89	14	290		29.20				FM-16	T	30.17
29	1253	7	OVC:08 8	1.50	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	15	320		29.18	8	+0.01	30.17	FM-15	T	30.15
29	1255	7	OVC:08 7	1.75	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	13	310		29.18				FM-16	T	30.15
29	1351	6	FEW:02 12 OVC:08 28	1.75	-SN:03 BR:1 |SN |	34	1.0	32	0.2	30	-1.0	87	11	300		29.16				FM-16		30.13
29	1353	7	FEW:02 12 OVC:08 28	1.75	-SN:03 BR:1 |SN |	33	0.6	32	0.1	31	-0.6	92	11	310		29.16			30.16	FM-15	T	30.13
29	1412	7	BKN:07 12 OVC:08 20	2.00	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	9	310		29.16				FM-16	T	30.13
29	1451	6	BKN:07 12 OVC:08 22	4.00	-SN:03 BR:1 |SN |	34	1.0	32	0.2	30	-1.0	87	15	310		29.15				FM-16		30.12
29	1453	7	BKN:07 14 OVC:08 22	4.00	-SN:03 BR:1 |SN |	33	0.6	32	-0.1	30	-1.1	89	11	310		29.15			30.15	FM-15	T	30.12
29	1541	7	BKN:07 14 OVC:08 33	1.50	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	14	320	20	29.16				FM-16	T	30.13
29	1551	6	BKN:07 14 OVC:08 33	2.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.0	93	9	330		29.16				FM-16		30.13
29	1553	7	BKN:07 14 OVC:08 33	2.50	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	9	330		29.16	5	+0.01	30.16	FM-15	T	30.13
29	1620	7	BKN:07 12 OVC:08 19	4.00	-SN:03 BR:1 |SN |	31	-0.6	30	-1.2	28	-2.2	89	11	330	23	29.17				FM-16	T	30.14
29	1653	7	BKN:07 14 OVC:08 21	3.00	-SN:03 BR:1 |SN |	30	-1.1	29	-1.7	27	-2.8	88	16	340	24	29.18			30.18	FM-15	T	30.15
29	1657	7	SCT:04 14 BKN:07 21 OVC:08 55	2.50	-SN:03 BR:1 |SN |	30	-1.1	29	-1.7	27	-2.8	88	17	330	24	29.18				FM-16	T	30.15
29	1753	7	SCT:04 14 BKN:07 21 OVC:08 55	2.50	BR:1 ||	29	-1.7	28	-2.3	26	-3.3	89	13	330		29.19			30.19	FM-15	T	30.16
29	1800	7	BKN:07 19 BKN:07 26 OVC:08 34	9.00		29	-1.7	28	-2.3	26	-3.3	89	13	340		29.20				FM-16		30.17
29	1853	7	BKN:07 13 BKN:07 18 OVC:08 30	5.00	-SN:03 BR:1 |SN |	29	-1.7	28	-2.3	26	-3.3	89	13	330	21	29.22	3	-0.06	30.22	FM-15	T	30.19
29	1953	7	BKN:07 16 OVC:08 22	10.00		27	-2.8	26	-3.5	23	-5.0	85	16	360	24	29.23			30.24	FM-15	T	30.21
29	2053	7	OVC:08 20	9.00		26	-3.3	25	-4.1	22	-5.6	84	13	340		29.26			30.27	FM-15	T	30.24
29	2151	6	FEW:02 25 BKN:07 36 OVC:08 95	6.00	-SN:03 BR:1 |SN |	25	-4.0	23	-5.0	19	-7.0	80	15	350		29.27				FM-16		30.25
29	2153	7	FEW:02 25 BKN:07 36 OVC:08 95	6.00	-SN:03 BR:1 |SN |	24	-4.4	23	-5.2	20	-6.7	84	16	340		29.27	1	-0.06	30.28	FM-15	T	30.25
29	2253	7	FEW:02 25 BKN:07 36 OVC:08 95	4.00	-SN:03 BR:1 |SN |	24	-4.4	23	-5.0	21	-6.1	88	14	340		29.29			30.30	FM-15	T	30.27
29	2257	7	BKN:07 15 OVC:08 25	4.00	-SN:03 BR:1 |SN |	24	-4.4	23	-5.0	21	-6.1	88	20	320	31	29.29				FM-16	T	30.27

29	2339	7	FEW:02 19 SCT:04 26 BKN:07 33	10.00		21	-6.1	20	-6.9	16	-8.9	81	16	330	24	29.31				FM-16	T	30.29
29	2353	7	FEW:02 32	10.00		21	-6.1	19	-7.2	14	-10.0	74	14	330	23	29.31			30.32	FM-15	T	30.29
30	0053	7	OVC:08 36	10.00		21	-6.1	19	-7.2	14	-10.0	74	13	330	21	29.32	1	-0.05	30.34	FM-15	0.00	30.30
30	0153	7	OVC:08 37	10.00		21	-6.1	19	-7.2	14	-10.0	74	10	330		29.33			30.34	FM-15	0.00	30.31
30	0246	7	BKN:07 21 BKN:07 27 OVC:08 40	10.00		21	-6.1	19	-7.1	15	-9.4	78	7	320		29.34				FM-16		30.32
30	0253	7	BKN:07 21 BKN:07 26 OVC:08 40	10.00		21	-6.1	19	-7.1	15	-9.4	78	7	330		29.34			30.36	FM-15	0.00	30.32
30	0327	7	SCT:04 19 OVC:08 36	6.00	-SN:03 |SN |	20	-6.7	19	-7.5	15	-9.4	81	9	320		29.35				FM-16	T	30.33
30	0353	7	FEW:02 27 OVC:08 34	5.00	-SN:03 |SN |	20	-6.7	19	-7.5	15	-9.4	81	10	320		29.35	3	-0.03	30.37	FM-15	T	30.33
30	0410	7	BKN:07 20 BKN:07 27 OVC:08 34	2.50V	-SN:03 BR:1 |SN |	20	-6.7	19	-7.3	16	-8.9	85	11	320		29.36				FM-16	T	30.34
30	0429	7	BKN:07 20 OVC:08 25	3.00	-SN:03 BR:1 |SN |	20	-6.7	19	-7.2	17	-8.3	89	8	330		29.36				FM-16	T	30.34
30	0453	7	BKN:07 17 OVC:08 29	3.00	-SN:03 BR:1 |SN |	20	-6.7	19	-7.3	16	-8.9	85	15	320	22	29.36			30.38	FM-15	T	30.34
30	0522	7	FEW:02 17 SCT:04 27 OVC:08 36	10.00		19	-7.2	17	-8.3	12	-11.1	74	17	340	23	29.37				FM-16	T	30.35
30	0553	7	SCT:04 30 OVC:08 36	10.00		19	-7.2	17	-8.4	11	-11.7	71	11	320	21	29.38			30.40	FM-15	T	30.36
30	0608	7	BKN:07 29 OVC:08 34	10.00		18	-7.8	16	-8.9	10	-12.2	71	17	320	25	29.39				FM-16		30.37
30	0615	7	BKN:07 31	10.00		17	-8.3	15	-9.6	8	-13.3	68	16	330	25	29.39				FM-16		30.37
30	0653	7	CLR:00	10.00		16	-8.9	14	-10.1	7	-13.9	67	10	320		29.41	3	-0.06	30.43	FM-15	0.00	30.39
30	0753	7	BKN:07 37	10.00		15	-9.4	13	-10.5	7	-13.9	70	8	330		29.44			30.46	FM-15	0.00	30.42
30	0853	7	OVC:08 34	10.00		17	-8.3	15	-9.6	8	-13.3	68	8	320		29.45			30.47	FM-15	0.00	30.43
30	0953	7	OVC:08 34	10.00		19	-7.2	16	-8.7	9	-12.8	65	9	330		29.48	2	-0.07	30.50	FM-15	0.00	30.46
30	1053	7	SCT:04 32	10.00		21	-6.1	18	-7.6	11	-11.7	65	10	360		29.47			30.49	FM-15	0.00	30.45
30	1153	7	BKN:07 34	10.00		22	-5.6	19	-7.3	11	-11.7	63	5	310		29.46			30.48	FM-15	0.00	30.44
30	1253	7	FEW:02 34	10.00		24	-4.4	21	-6.2	13	-10.6	62	9	310		29.44	8	+0.04	30.46	FM-15	0.00	30.42
30	1353	7	FEW:02 40 BKN:07 50	10.00		24	-4.4	20	-6.5	11	-11.7	57	9	320		29.41			30.43	FM-15	0.00	30.39
30	1453	7	BKN:07 40	10.00		25	-3.9	21	-6.1	11	-11.7	55	11	300		29.39			30.41	FM-15	0.00	30.37
30	1553	7	BKN:07 40	10.00		25	-3.9	21	-6.0	12	-11.1	58	8	280		29.40	5	+0.04	30.42	FM-15	0.00	30.38
30	1653	7	OVC:08 42	10.00		25	-3.9	21	-5.9	13	-10.6	60	6	330		29.39			30.41	FM-15	0.00	30.37
30	1753	7	OVC:08 42	10.00		24	-4.4	21	-6.2	13	-10.6	62	5	030		29.38			30.40	FM-15	0.00	30.36
30	1853	7	OVC:08 39	10.00		24	-4.4	21	-5.9	15	-9.4	68	3	080		29.39	5	+0.01	30.41	FM-15	0.00	30.37
30	1953	7	OVC:08 37	10.00		23	-5.0	20	-6.6	13	-10.6	65	6	110		29.36			30.38	FM-15	0.00	30.34
30	2053	7	BKN:07 37	10.00		23	-5.0	20	-6.6	13	-10.6	65	6	130		29.36			30.38	FM-15	0.00	30.34
30	2153	7	CLR:00	10.00		22	-5.6	19	-7.0	13	-10.6	68	9	130		29.35	6	+0.04	30.37	FM-15	0.00	30.33
30	2253	7	CLR:00	10.00		22	-5.6	19	-7.0	13	-10.6	68	8	140		29.33			30.35	FM-15	0.00	30.31
30	2353	7	CLR:00	10.00		23	-5.0	20	-6.5	14	-10.0	68	10	160		29.29			30.31	FM-15	0.00	30.27
31	0053	7	CLR:00	10.00		23	-5.0	20	-6.5	14	-10.0	68	10	160		29.27	6	+0.08	30.29	FM-15	0.00	30.25
31	0153	7	CLR:00	10.00		23	-5.0	20	-6.5	14	-10.0	68	10	170		29.26			30.27	FM-15	0.00	30.24
31	0253	6	FEW:02 110	10.00		23	-5.0	20	-6.5	14	-10.0	68	11	180		29.26			30.27	FM-15	0.00	30.24
31	0353	7	BKN:07 110	10.00		23	-5.0	20	-6.6	13	-10.6	65	15	170		29.26	6	+0.02	30.26	FM-15	0.00	30.23
31	0453	7	OVC:08 90	10.00		23	-5.0	20	-6.6	13	-10.6	65	13	170	22	29.23			30.24	FM-15	0.00	30.20
31	0553	7	OVC:08 70	10.00		24	-4.4	21	-6.2	13	-10.6	62	16	150		29.20			30.20	FM-15	0.00	30.17
31	0653	7	OVC:08 100	10.00		24	-4.4	21	-6.1	14	-10.0	65	15	170		29.18	6	+0.08	30.18	FM-15	0.00	30.15
31	0753	7	BKN:07 120	10.00		25	-3.9	22	-5.7	14	-10.0	63	15	160	28	29.13			30.13	FM-15	0.00	30.10
31	0853	7	CLR:00	10.00		26	-3.3	23	-5.2	15	-9.4	63	20	170	25	29.10			30.10	FM-15	0.00	30.07
31	0953	7	CLR:00	10.00		29	-1.7	25	-4.0	16	-8.9	58	18	170	28	29.05	8	+0.12	30.05	FM-15	0.00	30.02

31	1053	7	FEW:02 90	10.00		30	-1.1	26	-3.5	17	-8.3	58	16	170	25	28.99			29.99	FM-15	0.00	29.96
31	1153	7	CLR:00	10.00		35	1.7	29	-1.4	19	-7.2	52	16	190	29	28.95			29.94	FM-15	0.00	29.92
31	1253	7	CLR:00	10.00		42	5.6	34	1.2	21	-6.1	43	22	200	29	28.90	6	+0.15	29.89	FM-15	0.00	29.86
31	1353	7	CLR:00	10.00		44	6.7	36	2.1	23	-5.0	43	20	210	30	28.86			29.84	FM-15	T	29.82
31	1453	7	CLR:00	10.00		46	7.8	37	2.9	24	-4.4	42	18	220	29	28.84			29.83	FM-15	T	29.80
31	1553	7	CLR:00	10.00		46	7.8	38	3.1	25	-3.9	44	11	220	24	28.84	6	+0.06	29.83	FM-15	0.00	29.80
31	1653	7	CLR:00	10.00		46	7.8	38	3.3	26	-3.3	46	14	210		28.84			29.82	FM-15	0.00	29.80
31	1753	7	CLR:00	10.00		44	6.7	37	2.6	26	-3.3	49	8	210		28.84			29.83	FM-15	0.00	29.81
31	1853	7	CLR:00	10.00		42	5.6	36	2.2	27	-2.8	55	7	210		28.84	3	-0.01	29.83	FM-15	0.00	29.81
31	1953	7	CLR:00	10.00		38	3.3	34	0.9	27	-2.8	65	5	240		28.87			29.85	FM-15	0.00	29.83
31	2053	7	CLR:00	10.00		40	4.4	35	1.6	27	-2.8	60	3	200		28.87			29.85	FM-15	0.00	29.83
31	2153	7	CLR:00	10.00		35	1.7	32	0.0	27	-2.8	72	3	240		28.89	3	-0.04	29.88	FM-15	0.00	29.85
31	2253	7	CLR:00	10.00		37	2.8	33	0.8	28	-2.2	70	6	180		28.89			29.87	FM-15	0.00	29.85
31	2353	7	CLR:00	10.00		39	3.9	35	1.7	29	-1.7	67	7	200		28.87			29.86	FM-15	0.00	29.84

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
January 2018

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01																									01
02																									02
03																			T	T	T				03
04			T	T		T	T		T	T									T	T	T	T	T		04
05												T													05
06																									06
07																									07
08	T	T	T	0.01	0.02	0.01	T	T	0.01	T		0.01													08
09																									09
10							T		T	T															10
11										T	0.02	0.01	0.05	0.09	0.04	T	T			T	T				11
12					T	T	0.02s	0.09	0.07	0.09	0.04	0.03	T	0.02	T	0.04	0.01	0.01	T	T	T	T	T	T	12
13	T	T					T	T																	13
14																									14
15				T	T	T	T	T	T	T	T	T	0.01	T	T	T	T	0.03	T			T	0.01	T	15
16	0.01	T	T																					T	16
17						T	T	T	T	T	T	T													17
18																									18
19																									19
20																									20
21	T	T	T			T														T					21
22	0.02														0.01	T	T	T				T	0.03	0.10	22
23	T								T	T	T	T	T	T		T	T	T							23
24											T	T	T	0.01	T	T	T	T			T				24
25	T	T																							25
26																									26
27							T	T	T	T	T	0.02	0.06	0.03	T	0.05	0.08	0.03	0.01						27
28																									28
29												T	T	T	T	T	T	T	T	T	T	T	T	T	29
30				T	T	T																			30
31														T	T										31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.04	0.06	0.08	0.09	0.11	0.13	0.14	0.14	0.18	0.22	0.24	0.27
Ending Date Time (yyyy-mm-dd hh:mi)	2018-01-22 23:20	2018-01-22 23:22	2018-01-22 23:26	2018-01-11 13:06	2018-01-11 13:12	2018-01-22 23:26	2018-01-11 13:37	2018-01-12 09:41	2018-01-12 09:23	2018-01-12 09:41	2018-01-12 09:49	2018-01-12 10:38

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
February 2018

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	44	15	30	1.0				35	0	0741	1751		T			28.94		12.8	32	320	24	320
02	20	10	15	-14.1				50	0	0740	1752	SN HZ	T			29.40		10.5	29s	310s	22	320
03	35	13	24	-5.2				41	0	0739	1754		0.00			29.27		10.8	25	180	18	170
04	40	18	29	-0.3				36	0	0738	1755	RA SN FG BR UP	0.05			28.89		12.0	32	300	25	310
05	22	7*	15	-14.5				50	0	0737	1756	SN	T			29.23		6.9	26	310	21	330
06	27	21	24	-5.6				41	0	0736	1757	SN BR	T			29.32		4.5	14	320	12	340
07	26	12	19	-10.7				46	0	0735	1758	SN FZFG BR HZ FG	0.22			29.21		8.8	23	320	18	310
08	25	11	18	-11.9				47	0	0734	1800	SN BR	T			29.44		7.8	23	240	17	230
09	42	23	33	3.0				32	0	0733	1801	BR	0.00			29.26		7.2	21	190	16	170
10	38	28	33	2.8				32	0	0732	1802	RA BR	0.01			29.08		6.0	20	360	16	010
11	38	28	33	2.7				32	0	0731	1803	RA FZRA FG FZFG BR UP	0.15			28.94		9.0	24	290	20	290
12	34	20	27	-3.5				38	0	0729	1804		0.00			29.52		7.3	20	330	15	330
13	40	18	29	-1.7				36	0	0728	1806		T			29.59		7.5	16	190	13	200
14	56	33	45	14.1				20	0	0727	1807	RA FG BR	0.16			29.23		6.0	15	200	13	170
15	65	54	59	27.9				6	0	0726	1808	RA BR	0.54			28.87		9.9	35	310	23	320
16	55	31	43	11.7				22	0	0724	1809	RA BR	0.57			28.98		10.7	30	320	22	330
17	35	27	31	-0.5				34	0	0723	1810	RA SN FG BR	0.04			29.17		5.6	17	240	14	250
18	44	29	37	5.3				28	0	0722	1811		T			29.27		9.0	27	280	21	280
19	69	35	52	20.0				13	0	0720	1813	TS RA BR	0.17			29.10		10.0	24	200	18	190
20	76*	61	68	35.8				0	3	0719	1814		T			29.14		16.7	43	210	32	210
21	69	37	53	20.5				12	0	0718	1815	RA BR	0.25			29.33		12.0	43	320	32	320
22	48	36	42	9.3				23	0	0716	1816	RA BR	0.34			29.47		11.5	33	090	26	090
23	61	42	52	19.0				13	0	0715	1817	RA BR	0.19			29.24		9.2	29	220	21	230
24	51	45	48	14.7				17	0	0714	1818	RA BR	1.70			29.06		8.3	21	100	16	090
25	59	39	49	15.4				16	0	0712	1819	RA BR	0.15			28.89		12.2	44	280	31	270
26	52	31	42	8.1				23	0	0711	1821		0.00			29.27		5.2	17	290	14	290
27	59	31	45	10.8				20	0	0709	1822		0.00			29.31		7.1	27	200	20	210
28	62	47	55	20.5				10	0	0708	1823		0.00			28.98		10.2	26	210	21	200
	46.1	28.6	37.4							Monthly Averages | Totals			4.54s			29.20	30.19	9.2				
	6.5	5.7	6.1	Departure from Normal (1981-2010)									2.57s									

Degree Days	Monthly Total	Monthly Departure	Season-to-date Total	Season-to-date Departure
Heating	774	-171	4116	
Cooling	3	3	3	

Number of days with...	Temperature Max >=90°	Temperature Max <=32°	Temperature Min <=32°	Temperature Min <=0°	Precipitation >=0.01"	Precipitation >=0.1"	Snow >=1"	Weather T-Storms	Weather Heavy Fog
Heating									
Cooling	0	5	18	0	14	11			

Date of 5-sec to 3-sec wind equipment change	Sea Level Pressure		Date	Time
N/A	Maximum	30.77	12	2232
	Minimum	29.60	25	0255

Greatest... 24-Hr... Precip	Snowfall	Snow Depth
1.85s		
Date		
24-25		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
February 2018

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	CLR:00	10.00		41	5.0	36	2.3	29	-1.7	62	9	220		28.87	5	+0.01	29.86	FM-15	0.00	29.84
01	0153	7	CLR:00	10.00		38	3.3	34	1.3	29	-1.7	70	7	190		28.89			29.87	FM-15	0.00	29.85
01	0253	7	CLR:00	10.00		38	3.3	34	1.1	28	-2.2	68	7	200		28.90			29.87	FM-15	0.00	29.86
01	0353	7	OVC:08 80	10.00		37	2.8	34	1.0	29	-1.7	73	8	190		28.89	0	-0.01	29.86	FM-15	0.00	29.85
01	0453	7	OVC:08 60	10.00		40	4.4	36	2.2	30	-1.1	68	9	210		28.87			29.85	FM-15	0.00	29.84
01	0553	7	OVC:08 60	10.00		41	5.0	36	2.5	30	-1.1	65	13	210		28.89			29.86	FM-15	0.00	29.85
01	0653	7	OVC:08 65	10.00		41	5.0	36	2.5	30	-1.1	65	11	200		28.87	7	+0.01	29.86	FM-15	0.00	29.84
01	0753	7	OVC:08 85	10.00		41	5.0	36	2.5	30	-1.1	65	8	220		28.90			29.88	FM-15	0.00	29.86
01	0853	7	FEW:02 39 BKN:07 95	10.00		41	5.0	36	2.5	30	-1.1	65	7	230		28.90			29.88	FM-15	0.00	29.87
01	0953	7	BKN:07 100	10.00		42	5.6	37	3.0	31	-0.6	65	10	250		28.91	1	-0.04	29.90	FM-15	0.00	29.88
01	1053	7	FEW:02 100	10.00		43	6.1	39	3.7	33	0.6	68	9	230		28.93			29.92	FM-15	0.00	29.90
01	1153	7	SCT:04 95	10.00		44	6.7	39	3.8	32	0.0	63	14	240		28.94			29.92	FM-15	0.00	29.91
01	1253	7	BKN:07 75	10.00		43	6.1	37	2.9	29	-1.7	58	13	260	26	28.94	1	-0.02	29.92	FM-15	0.00	29.91
01	1353	7	FEW:02 75	10.00		43	6.1	37	2.7	28	-2.2	56	16	270	24	28.93			29.91	FM-15	0.00	29.90
01	1453	7	FEW:02 38 BKN:07 60	10.00		41	5.0	36	2.1	28	-2.2	60	17	290		28.93			29.91	FM-15	0.00	29.90
01	1553	7	FEW:02 31 SCT:04 37 OVC:08 46	10.00		38	3.3	34	1.1	28	-2.2	68	14	280		28.96	3	-0.03	29.95	FM-15	0.00	29.93
01	1634	7	OVC:08 29	10.00		36	2.2	33	0.3	27	-2.8	70	16	280	26	28.99				FM-16		29.96
01	1653	7	BKN:07 29 BKN:07 34 OVC:08 75	10.00		36	2.2	33	0.3	27	-2.8	70	15	280	26	28.99			29.98	FM-15	0.00	29.96
01	1753	7	OVC:08 29	10.00		34	1.1	31	-0.6	26	-3.3	73	15	320		29.02			30.01	FM-15	0.00	29.99
01	1853	7	BKN:07 23 BKN:07 35 OVC:08 100	10.00		30	-1.1	27	-2.7	22	-5.6	72	16	310	24	29.08	3	-0.11	30.07	FM-15	0.00	30.05
01	1951	6	BKN:07 34	10.00		27	-3.0	24	-4.7	16	-9.0	64	22	320	29	29.11				FM-16		30.08
01	1953	7	BKN:07 34	10.00		27	-2.8	23	-5.0	14	-10.0	58	18	320	29	29.11			30.10	FM-15	0.00	30.08
01	2053	7	CLR:00	9.00		23	-5.0	20	-6.9	11	-11.7	60	17	320	26	29.15			30.15	FM-15	T	30.12
01	2153	7	CLR:00	10.00		19	-7.2	16	-8.8	8	-13.3	62	21	310	29	29.20	3	-0.12	30.19	FM-15	T	30.17
01	2253	7	CLR:00	10.00		17	-8.3	15	-9.6	8	-13.3	68	16	320		29.22			30.22	FM-15	T	30.19
01	2353	7	FEW:02 28	10.00		15	-9.4	13	-10.6	6	-14.4	67	16	320	23	29.25			30.26	FM-15	0.00	30.22
02	0033	7	BKN:07 27	9.00	-SN:03 |SN |	15	-9.4	13	-10.4	8	-13.3	74	18	300	23	29.26				FM-16	T	30.24
02	0053	7	BKN:07 23 OVC:08 28	8.00	-SN:03 |SN |	15	-9.4	13	-10.4	8	-13.3	74	17	310		29.27	1	-0.08	30.28	FM-15	T	30.25
02	0137	7	OVC:08 30	10.00		14	-10.0	12	-11.4	3	-16.1	61	17	330	26	29.28				FM-16	T	30.26
02	0153	7	SCT:04 31	10.00		13	-10.6	10	-12.0	1	-17.2	59	20	320	30	29.29			30.30	FM-15	0.00	30.27
02	0253	7	BKN:07 35	10.00		13	-10.6	10	-12.0	1	-17.2	59	17	320	24	29.31			30.33	FM-15	0.00	30.29
02	0353	7	FEW:02 34	10.00		12	-11.1	10	-12.3	2	-16.7	64	11	320		29.33	3	-0.06	30.35	FM-15	T	30.31
02	0453	7	CLR:00	10.00		11	-11.7	9	-12.6	3	-16.1	70	11	310		29.35			30.37	FM-15	0.00	30.33
02	0553	7	CLR:00	10.00		11	-11.7	9	-12.9	0	-17.8	61	11	320		29.38			30.40	FM-15	0.00	30.36
02	0653	7	CLR:00	10.00		10	-12.2	8	-13.2	2	-16.7	69	11	300		29.40	3	-0.07	30.43	FM-15	0.00	30.38
02	0753	7	CLR:00	10.00		11	-11.7	9	-12.5	4	-15.6	73	10	290		29.42			30.44	FM-15	0.00	30.40
02	0853	7	CLR:00	10.00		13	-10.6	11	-11.5	6	-14.4	74	13	280		29.44			30.47	FM-15	0.00	30.42
02	0949	7	BKN:07 26 BKN:07 30	10.00		14	-10.0	12	-11.2	5	-15.0	67	15	290		29.46				FM-16		30.44

02	0953	7	BKN:07 26 BKN:07 35	10.00		14	-10.0	12	-11.2	5	-15.0	67	14	300		29.46	1	-0.04	30.49	FM-15	0.00	30.44
02	1023	7	BKN:07 26 BKN:07 35	10.00		16	-8.9	13	-10.6	3	-16.1	56	15	300		29.46				FM-16		30.44
02	1053	7	BKN:07 26 BKN:07 35	10.00		16	-8.9	13	-10.5	3	-16.1	56	13	320		29.48			30.50	FM-15	T	30.46
02	1100	7	FEW:02 19 OVC:08 35	2.50	-SN:03 |SN |	15	-9.4	13	-10.6	6	-14.4	67	16	290	21	29.48				FM-16	T	30.46
02	1101	7	BKN:07 17 OVC:08 20	2.00	-SN:03 |SN |	15	-9.4	13	-10.5	7	-13.9	70	14	280	21	29.48				FM-16	T	30.46
02	1124	7	BKN:07 17 OVC:08 20	4.00	HZ:7 |FU |HZ	16	-8.9	14	-10.0	8	-13.3	71	9	310		29.48				FM-16	T	30.46
02	1153	7	FEW:02 23 BKN:07 33 BKN:07 44	9.00		17	-8.3	14	-9.8	6	-14.4	62	14	270	21	29.48			30.51	FM-15	T	30.46
02	1157	7	BKN:07 20 OVC:08 30	3.00	-SN:03 |SN |	16	-8.9	14	-10.2	6	-14.4	65	15	270		29.48				FM-16	T	30.46
02	1253	7	SCT:04 20 BKN:07 26 OVC:08 37	2.00	-SN:03 |SN |	17	-8.3	15	-9.3	10	-12.2	74	10	310		29.49	1	-0.02	30.52	FM-15	T	30.47
02	1308	7	SCT:04 20 BKN:07 26 OVC:08 37	5.00	-SN:03 |SN |	16	-8.9	14	-10.0	8	-13.3	71	11	270		29.48				FM-16	T	30.46
02	1353	7	OVC:08 39	10.00		18	-7.8	15	-9.5	5	-15.0	57	10	280		29.46			30.49	FM-15	T	30.44
02	1453	7	OVC:08 37	10.00		19	-7.2	16	-9.1	5	-15.0	54	7	290		29.46			30.49	FM-15	0.00	30.44
02	1553	7	SCT:04 38	10.00		18	-7.8	15	-9.5	5	-15.0	57	9	300		29.44	8	+0.05	30.47	FM-15	0.00	30.42
02	1653	7	SCT:04 38	10.00		20	-6.7	16	-8.7	5	-15.0	52	9	260		29.44			30.47	FM-15	0.00	30.42
02	1753	7	CLR:00	10.00		17	-8.3	14	-9.9	5	-15.0	59	9	260		29.45			30.48	FM-15	0.00	30.43
02	1853	7	CLR:00	10.00		17	-8.3	14	-9.9	5	-15.0	59	6	230		29.45	3	-0.01	30.48	FM-15	0.00	30.43
02	1953	7	CLR:00	10.00		16	-8.9	13	-10.3	5	-15.0	62	5	180		29.44			30.47	FM-15	0.00	30.42
02	2053	7	CLR:00	10.00		16	-8.9	14	-10.2	6	-14.4	65	5	200		29.43			30.46	FM-15	0.00	30.41
02	2153	7	CLR:00	10.00		15	-9.4	13	-10.6	6	-14.4	67	6	220		29.43	5	+0.02	30.46	FM-15	0.00	30.41
02	2253	7	CLR:00	10.00		14	-10.0	12	-11.0	6	-14.4	71	7	220		29.43			30.46	FM-15	0.00	30.41
02	2353	7	CLR:00	10.00		14	-10.0	12	-11.0	6	-14.4	71	7	220		29.43			30.46	FM-15	0.00	30.41
03	0053	7	CLR:00	10.00		13	-10.6	11	-11.5	6	-14.4	74	6	190		29.41	8	+0.02	30.43	FM-15	0.00	30.39
03	0153	7	BKN:07 120	10.00		14	-10.0	12	-10.9	7	-13.9	73	6	210		29.39			30.42	FM-15	0.00	30.37
03	0253	7	OVC:08 120	10.00		15	-9.4	13	-10.4	8	-13.3	74	7	190		29.40			30.42	FM-15	0.00	30.38
03	0353	7	OVC:08 100	10.00		17	-8.3	15	-9.5	9	-12.8	70	7	200		29.40	6	+0.01	30.42	FM-15	0.00	30.38
03	0453	7	OVC:08 85	10.00		17	-8.3	15	-9.3	10	-12.2	74	7	200		29.37			30.40	FM-15	0.00	30.35
03	0553	7	SCT:04 60 OVC:08 85	10.00		18	-7.8	16	-9.0	10	-12.2	71	7	200		29.37			30.40	FM-15	0.00	30.35
03	0653	7	OVC:08 50	10.00		18	-7.8	16	-8.8	11	-11.7	74	7	170		29.37	6	+0.03	30.39	FM-15	0.00	30.35
03	0753	7	OVC:08 60	10.00		19	-7.2	17	-8.3	12	-11.1	74	9	190		29.36			30.39	FM-15	0.00	30.34
03	0853	7	BKN:07 60 OVC:08 75	10.00		20	-6.7	18	-7.9	12	-11.1	71	9	190		29.35			30.37	FM-15	0.00	30.33
03	0953	7	BKN:07 75 BKN:07 110	10.00		21	-6.1	19	-7.4	13	-10.6	71	10	180		29.34	8	+0.03	30.37	FM-15	0.00	30.32
03	1053	7	BKN:07 70 BKN:07 85	10.00		24	-4.4	21	-6.2	13	-10.6	62	10	190		29.33			30.36	FM-15	0.00	30.31
03	1153	7	BKN:07 75	10.00		25	-3.9	21	-6.0	12	-11.1	58	10	190		29.31			30.33	FM-15	0.00	30.29
03	1253	7	SCT:04 75 SCT:04 90	10.00		27	-2.8	22	-5.4	11	-11.7	51	15	190	22	29.25	8	+0.10	30.27	FM-15	0.00	30.22
03	1353	7	OVC:08 90	10.00		30	-1.1	24	-4.2	12	-11.1	47	11	180		29.22			30.22	FM-15	0.00	30.19
03	1453	7	OVC:08 90	10.00		31	-0.6	25	-3.8	12	-11.1	45	14	170	22	29.18			30.19	FM-15	0.00	30.15
03	1553	7	OVC:08 80	10.00		32	0.0	26	-3.5	12	-11.1	43	14	170		29.16	6	+0.09	30.17	FM-15	0.00	30.13
03	1653	7	SCT:04 85	10.00		32	0.0	26	-3.2	14	-10.0	47	15	160	20	29.13			30.14	FM-15	0.00	30.10
03	1753	7	BKN:07 100	10.00		32	0.0	26	-3.2	14	-10.0	47	13	170		29.11			30.11	FM-15	0.00	30.08
03	1853	7	FEW:02 80 OVC:08 100	10.00		32	0.0	26	-3.2	14	-10.0	47	16	170		29.08	6	+0.08	30.09	FM-15	0.00	30.05
03	1953	7	OVC:08 100	10.00		32	0.0	26	-3.2	14	-10.0	47	15	170		29.07			30.07	FM-15	0.00	30.04
03	2053	7	OVC:08 100	10.00		33	0.6	27	-2.7	15	-9.4	47	14	170		29.04			30.04	FM-15	0.00	30.01

03	2153	7	OVC:08 95	10.00		34	1.1	28	-2.4	15	-9.4	46	15	170		29.01	8	+0.06	30.01	FM-15	0.00	29.98
03	2253	7	FEW:02 80 OVC:08 95	10.00		34	1.1	28	-2.1	17	-8.3	50	10	180		29.01			30.01	FM-15	0.00	29.98
03	2353	7	BKN:07 70 OVC:08 85	10.00		35	1.7	29	-1.7	17	-8.3	48	11	180		28.98			29.98	FM-15	0.00	29.95
04	0053	7	BKN:07 80 OVC:08 95	10.00		36	2.2	29	-1.4	17	-8.3	46	14	180		28.97	8	+0.05	29.96	FM-15	0.00	29.94
04	0153	7	FEW:02 60 OVC:08 80	10.00		37	2.8	31	-0.8	19	-7.2	48	11	160		28.94			29.93	FM-15	0.00	29.91
04	0253	7	FEW:02 80 SCT:04 100 OVC:08 110	10.00		37	2.8	31	-0.4	21	-6.1	52	7	180		28.93			29.92	FM-15	0.00	29.90
04	0353	7	SCT:04 50 OVC:08 70	10.00		40	4.4	35	1.8	28	-2.2	63	14	200	25	28.92	6	+0.05	29.91	FM-15	0.00	29.89
04	0445	7	SCT:04 20 BKN:07 27 OVC:08 40	10.00	-RA:02 |RA |	36	2.2	35	1.5	33	0.6	89	14	200		28.93				FM-16	T	29.90
04	0453	7	BKN:07 18 BKN:07 22 OVC:08 33	10.00	-RA:02 |RA |	36	2.2	35	1.5	33	0.6	89	15	200		28.93			29.92	FM-15	T	29.90
04	0503	7	BKN:07 14 BKN:07 19 OVC:08 26	10.00	-RA:02 |RA |	35	1.7	35	1.4	34	1.1	96	9	180		28.92				FM-16	T	29.89
04	0540	7	BKN:07 8 OVC:08 14	5.00	-SN:03 BR:1 |SN |	34	1.1	34	1.1	34	1.1	100	10	180		28.92				FM-16	T	29.89
04	0553	7	BKN:07 8 OVC:08 13	4.00	-SN:03 BR:1 |SN |	34	1.1	34	0.9	33	0.6	97	8	180		28.91			29.91	FM-15	T	29.88
04	0653	7	OVC:08 6	6.00	-SN:03 BR:1 |SN |	33	0.6	33	0.6	33	0.6	100	9	170		28.90	8	+0.02	29.89	FM-15	0.01	29.87
04	0729	7	OVC:08 6	2.00	-SN:03 BR:1 |SN |	33	0.6	33	0.6	33	0.6	100	11	170		28.90				FM-16	T	29.86
04	0736	7	OVC:08 6	1.00	-SN:03 BR:1 |SN |	33	0.6	33	0.6	33	0.6	100	13	170		28.90				FM-16	T	29.86
04	0753	7	OVC:08 7	1.00	-SN:03 BR:1 |SN |	33	0.6	33	0.6	33	0.6	100	11	180		28.90			29.88	FM-15	T	29.86
04	0807	7	OVC:08 5	0.75	-SN:03 BR:1 |SN |	33	0.6	33	0.6	33	0.6	100	10	180		28.90				FM-16	T	29.86
04	0851	6	OVC:08 4	0.50	SN:03 FG:2 |FG SN |	34	1.0	34	1.1	34	1.0	100	11	170		28.89				FM-16		29.85
04	0853	7	OVC:08 4	0.50	SN:03 FG:2 |FG SN |	33	0.6	33	0.6	33	0.6	100	15	170	21	28.89			29.88	FM-15	0.02	29.85
04	0951	6	OVC:08 4	1.50	-SN:03 BR:1 |SN |	34	1.0	34	1.1	34	1.0	100	13	170		28.87				FM-16		29.83
04	0953	7	OVC:08 5	1.50	-SN:03 BR:1 |SN |	33	0.6	33	0.6	33	0.6	100	15	170		28.87	8	+0.04	29.85	FM-15	T	29.83
04	1034	7	OVC:08 6	2.00	-SN:03 BR:1 |SN |	33	0.6	33	0.6	33	0.6	100	13	190		28.87				FM-16	T	29.83
04	1053	7	OVC:08 6	2.50	-SN:03 BR:1 |SN |	33	0.6	33	0.6	33	0.6	100	10	180		28.86			29.84	FM-15	T	29.82
04	1121	7	OVC:08 5	3.00	-SN:03 BR:1 |SN |	34	1.1	34	1.1	34	1.1	100	11	190		28.86				FM-16	T	29.82
04	1153	7	OVC:08 6	7.00		34	1.1	34	1.1	34	1.1	100	11	190		28.84			29.82	FM-15	T	29.80
04	1253	7	OVC:08 7	10.00		35	1.7	35	1.7	35	1.7	100	8	210		28.81	8	+0.06	29.79	FM-15	0.00	29.77
04	1353	7	OVC:08 9	10.00		36	2.2	36	2.0	35	1.7	97	8	230		28.79			29.77	FM-15	0.00	29.75
04	1412	7	OVC:08 11	10.00		36	2.2	36	2.0	35	1.7	97	8	240		28.79				FM-16		29.75
04	1453	7	OVC:08 13	10.00		36	2.2	35	1.8	34	1.1	93	10	260		28.81			29.79	FM-15	0.00	29.77
04	1513	7	BKN:07 9 OVC:08 16	4.00	BR:1 ||	35	1.7	35	1.4	34	1.1	96	11	270		28.81				FM-16		29.77
04	1539	7	SCT:04 7 BKN:07 14 OVC:08 19	9.00		35	1.7	35	1.7	35	1.7	100	8	270		28.81				FM-16	T	29.77
04	1553	7	FEW:02 8 BKN:07 16 OVC:08 25	10.00		35	1.7	35	1.7	35	1.7	100	8	260		28.81	6	+0.00	29.78	FM-15	T	29.77
04	1649	7	SCT:04 10 OVC:08 14	9.00		36	2.0	35	1.8	34	1.0	93	7	240		28.82				FM-16		29.78
04	1653	7	BKN:07 10 OVC:08 14	9.00		35	1.7	35	1.4	34	1.1	96	7	250		28.83			29.80	FM-15	0.00	29.79
04	1753	7	BKN:07 14 BKN:07 19 OVC:08 24	9.00		35	1.7	35	1.4	34	1.1	96	8	240		28.84			29.83	FM-15	T	29.81
04	1819	7	BKN:07 9 OVC:08 12	2.50	UP:09 BR:1 ||	34	1.1	34	1.1	34	1.1	100	8	270		28.84				FM-16	T	29.81

04	1848	7	BKN:07 7 OVC:08 12	3.00	-RA:02 BR:1 |RA |	34	1.0	34	1.1	34	1.0	100	8	280		28.87				FM-16	0.01	29.83
04	1851	6	BKN:07 7 OVC:08 12	2.50	-RA:02 BR:1 |RA |	34	1.0	34	1.1	34	1.0	100	8	280		28.87				FM-16		29.83
04	1853	7	BKN:07 7 OVC:08 12	2.50	-RA:02 BR:1 |RA |	34	1.1	34	1.1	34	1.1	100	8	280		28.87	1	-0.04	29.85	FM-15	0.01	29.83
04	1929	7	BKN:07 7 OVC:08 11	3.00	-RA:02 BR:1 |RA |	34	1.1	34	1.1	34	1.1	100	14	290		28.89				FM-16	T	29.85
04	1953	7	BKN:07 7 OVC:08 13	7.00		30	-1.1	29	-1.5	28	-2.2	92	21	320	28	28.90			29.90	FM-15	0.01	29.87
04	2020	7	BKN:07 9 OVC:08 13	1.75	-SN:03 BR:1 |SN |	28	-2.2	27	-2.6	26	-3.3	92	22	320	31	28.94				FM-16	T	29.91
04	2035	7	OVC:08 9	0.75	-SN:03 BR:1 |SN |	26	-3.3	25	-3.7	24	-4.4	92	18	330	28	28.95				FM-16	T	29.92
04	2044	7	VV:09 11	0.75	-SN:03 BR:1 |SN |	26	-3.3	25	-3.7	24	-4.4	92	20	310	26	28.96				FM-16	T	29.93
04	2051	6	VV:09 11	1.00	-SN:03 BR:1 |SN |	25	-4.0	24	-4.3	23	-5.0	93	18	310		28.97				FM-16		29.94
04	2053	7	VV:09 10	1.00	-SN:03 BR:1 |SN |	25	-3.9	24	-4.3	23	-5.0	92	20	320		28.97			29.96	FM-15	T	29.94
04	2153	7	BKN:07 11 OVC:08 17	1.75	-SN:03 BR:1 |SN |	22	-5.6	21	-6.1	19	-7.2	89	20	330	26	29.01	1	-0.10	30.01	FM-15	T	29.98
04	2156	7	SCT:04 11 BKN:07 17 OVC:08 34	2.00	-SN:03 BR:1 |SN |	21	-6.1	20	-6.6	18	-7.8	88	20	320	28	29.01				FM-16	T	29.98
04	2203	7	SCT:04 13 BKN:07 18 OVC:08 40	4.00	-SN:03 BR:1 |SN |	21	-6.1	20	-6.6	18	-7.8	88	18	320	28	29.03				FM-16	T	30.00
04	2253	7	SCT:04 13 BKN:07 18 OVC:08 40	6.00	-SN:03 BR:1 |SN |	20	-6.7	19	-7.3	16	-8.9	85	21	320	31	29.07			30.07	FM-15	T	30.04
04	2344	7	SCT:04 18 OVC:08 100	10.00		19	-7.2	18	-8.0	14	-10.0	81	16	320	25	29.10				FM-16	T	30.07
04	2353	7	FEW:02 18 OVC:08 100	10.00		19	-7.2	18	-8.0	14	-10.0	81	15	320	28	29.11			30.11	FM-15	T	30.08
05	0011	7	BKN:07 18 OVC:08 100	10.00		18	-7.8	17	-8.4	14	-10.0	84	10	330		29.12				FM-16		30.09
05	0053	7	OVC:08 17	9.00		17	-8.3	16	-9.1	12	-11.1	80	18	320		29.14	1	-0.13	30.14	FM-15	T	30.11
05	0153	7	BKN:07 16	10.00		15	-9.4	14	-10.0	11	-11.7	84	11	330		29.17			30.17	FM-15	T	30.14
05	0204	7	SCT:04 16	10.00		15	-9.4	14	-10.0	11	-11.7	84	9	320		29.17				FM-16		30.14
05	0230	7	BKN:07 14	10.00		15	-9.4	14	-10.2	10	-12.2	80	11	320		29.18				FM-16		30.15
05	0242	7	SCT:04 14	10.00		14	-10.0	13	-10.7	9	-12.8	80	16	320	24	29.19				FM-16		30.16
05	0253	7	FEW:02 14	10.00		14	-10.0	13	-10.8	8	-13.3	77	14	330		29.19			30.20	FM-15	0.00	30.16
05	0353	7	CLR:00	10.00		12	-11.1	11	-11.8	7	-13.9	80	8	320		29.21	1	-0.07	30.22	FM-15	0.00	30.18
05	0453	7	CLR:00	10.00		9	-12.8	8	-13.3	5	-15.0	84	5	320		29.23			30.25	FM-15	0.00	30.21
05	0553	7	SCT:04 34	10.00		8	-13.3	8	-13.6	6	-14.4	92	5	290		29.27			30.29	FM-15	0.00	30.25
05	0653	7	BKN:07 32	10.00		10	-12.2	9	-12.7	6	-14.4	84	0	000		29.27	0	-0.06	30.29	FM-15	0.00	30.25
05	0753	7	OVC:08 32	10.00		11	-11.7	10	-12.1	8	-13.3	88	3	120		29.28			30.29	FM-15	0.00	30.26
05	0853	7	OVC:08 30	10.00		13	-10.6	12	-11.1	9	-12.8	84	6	210		29.33			30.35	FM-15	0.00	30.31
05	0921	7	OVC:08 28	10.00		14	-10.0	13	-10.7	9	-12.8	80	0	000		29.35				FM-16		30.33
05	0953	7	OVC:08 26	10.00		15	-9.4	13	-10.3	9	-12.8	77	3	160		29.33	2	-0.06	30.36	FM-15	0.00	30.31
05	1053	7	OVC:08 25	10.00		16	-8.9	15	-9.6	11	-11.7	80	5	210		29.34			30.37	FM-15	0.00	30.32
05	1153	7	OVC:08 22	8.00	-SN:03 |SN |	18	-7.8	16	-8.7	12	-11.1	77	7	200		29.32			30.34	FM-15	T	30.30
05	1253	7	OVC:08 24	10.00		19	-7.2	17	-8.3	12	-11.1	74	9	230		29.29	8	+0.04	30.32	FM-15	T	30.27
05	1353	7	OVC:08 26	10.00		21	-6.1	19	-7.4	13	-10.6	71	10	210		29.26			30.28	FM-15	0.00	30.24
05	1453	7	OVC:08 27	10.00		21	-6.1	19	-7.4	13	-10.6	71	14	210		29.27			30.29	FM-15	0.00	30.25
05	1553	7	OVC:08 26	10.00		21	-6.1	19	-7.4	13	-10.6	71	7	200		29.26	6	+0.04	30.28	FM-15	0.00	30.24
05	1653	7	OVC:08 25	10.00		21	-6.1	19	-7.2	14	-10.0	74	7	200		29.23			30.26	FM-15	0.00	30.21
05	1753	7	BKN:07 26 BKN:07 120	10.00		21	-6.1	19	-7.2	14	-10.0	74	8	170		29.23			30.25	FM-15	0.00	30.20
05	1853	7	BKN:07 26 BKN:07 120	10.00		21	-6.1	19	-7.2	14	-10.0	74	8	170		29.23	5	+0.03	30.25	FM-15	0.00	30.20
05	1900	7	BKN:07 110	10.00		21	-6.1	19	-7.2	14	-10.0	74	7	170		29.23				FM-16		30.20
05	1953	7	SCT:04 100	10.00		21	-6.1	19	-7.2	14	-10.0	74	6	190		29.23			30.26	FM-15	0.00	30.21
05	2053	7	BKN:07 100	10.00		21	-6.1	19	-7.1	15	-9.4	78	5	170		29.21			30.22	FM-15	0.00	30.18

05	2153	7	BKN:07 110	10.00		22	-5.6	20	-6.7	15	-9.4	75	0	000		29.23	5	+0.01	30.24	FM-15	0.00	30.20
05	2253	7	SCT:04 80 OVC:08 100	10.00		22	-5.6	20	-6.6	16	-8.9	78	6	110		29.18			30.19	FM-15	0.00	30.15
05	2353	7	OVC:08 75	10.00		22	-5.6	20	-6.6	16	-8.9	78	0	000		29.19			30.20	FM-15	0.00	30.16
06	0053	7	OVC:08 75	10.00		22	-5.6	20	-6.6	16	-8.9	78	5	020		29.20	5	+0.03	30.20	FM-15	0.00	30.17
06	0153	7	OVC:08 75	10.00		22	-5.6	20	-6.4	17	-8.3	82	3	070		29.20			30.21	FM-15	0.00	30.17
06	0253	7	FEW:02 60 OVC:08 75	8.00	-SN:03 |SN |	22	-5.6	21	-6.2	18	-7.8	85	3	080		29.21			30.22	FM-15	T	30.18
06	0312	7	BKN:07 28 OVC:08 75	2.00	-SN:03 BR:1 |SN |	22	-5.6	21	-6.2	18	-7.8	85	0	000		29.22				FM-16	T	30.19
06	0319	7	OVC:08 26	1.25	-SN:03 BR:1 |SN |	22	-5.6	21	-6.2	18	-7.8	85	5	100		29.22				FM-16	T	30.19
06	0338	7	BKN:07 20 OVC:08 65	3.00	-SN:03 BR:1 |SN |	21	-6.1	20	-6.5	19	-7.2	92	0	000		29.22				FM-16	T	30.19
06	0346	7	SCT:04 20 SCT:04 37 OVC:08 65	6.00	BR:1 ||	21	-6.1	20	-6.5	19	-7.2	92	0	000		29.23				FM-16	T	30.20
06	0353	7	SCT:04 33 OVC:08 65	8.00		21	-6.1	20	-6.5	19	-7.2	92	0	000		29.23	3	-0.03	30.24	FM-15	T	30.20
06	0453	7	OVC:08 34	7.00		22	-5.6	21	-6.1	19	-7.2	89	5	150		29.23			30.25	FM-15	0.00	30.21
06	0553	7	OVC:08 55	8.00		22	-5.6	21	-5.9	20	-6.7	92	5	170		29.26			30.27	FM-15	0.00	30.23
06	0631	7	BKN:07 29 OVC:08 50	8.00		23	-5.0	22	-5.5	20	-6.7	88	5	200		29.27				FM-16		30.25
06	0653	7	BKN:07 28 OVC:08 50	9.00		23	-5.0	22	-5.5	20	-6.7	88	5	210		29.28	3	-0.06	30.30	FM-15	0.00	30.26
06	0753	7	OVC:08 27	7.00		23	-5.0	22	-5.4	21	-6.1	92	3	190		29.31			30.33	FM-15	0.00	30.29
06	0833	7	BKN:07 17 OVC:08 25	6.00	BR:1 ||	24	-4.4	23	-5.2	20	-6.7	84	0	000		29.33				FM-16		30.31
06	0853	7	SCT:04 15 OVC:08 27	7.00		24	-4.4	23	-5.2	20	-6.7	84	5	260		29.35			30.37	FM-15	0.00	30.33
06	0940	7	BKN:07 11 OVC:08 17	5.00	-SN:03 BR:1 |SN |	23	-5.0	22	-5.4	21	-6.1	92	7	330		29.37				FM-16	T	30.35
06	0953	7	SCT:04 11 BKN:07 19 OVC:08 29	4.00	BR:1 ||	23	-5.0	22	-5.4	21	-6.1	92	10	340		29.38	1	-0.10	30.40	FM-15	T	30.36
06	0955	7	BKN:07 11 OVC:08 27	4.00	BR:1 ||	23	-5.0	22	-5.4	21	-6.1	92	10	330		29.38				FM-16		30.36
06	1051	6	OVC:08 27	8.00		23	-5.0	22	-5.7	19	-7.0	86	8	360		29.40				FM-16		30.38
06	1053	7	OVC:08 27	8.00		23	-5.0	22	-5.7	19	-7.2	85	7	360		29.40			30.42	FM-15	0.00	30.38
06	1100	7	OVC:08 32	9.00		23	-5.0	21	-5.9	18	-7.8	81	7	360		29.41				FM-16		30.39
06	1153	7	OVC:08 32	10.00		24	-4.4	22	-5.3	19	-7.2	81	5	340		29.42			30.44	FM-15	0.00	30.40
06	1253	7	OVC:08 30	10.00		25	-3.9	23	-5.0	19	-7.2	78	3	020		29.40	0	-0.02	30.42	FM-15	0.00	30.38
06	1353	7	OVC:08 27	10.00		26	-3.3	24	-4.6	19	-7.2	75	0	000		29.37			30.39	FM-15	0.00	30.35
06	1453	7	OVC:08 26	10.00		26	-3.3	23	-4.7	18	-7.8	71	6	300		29.38			30.40	FM-15	0.00	30.36
06	1553	7	OVC:08 25	10.00		27	-2.8	24	-4.2	19	-7.2	72	3	360		29.40	5	+0.00	30.42	FM-15	0.00	30.38
06	1653	7	OVC:08 26	10.00		27	-2.8	24	-4.2	19	-7.2	72	3	020		29.40			30.42	FM-15	0.00	30.38
06	1753	7	OVC:08 25	10.00		26	-3.3	24	-4.6	19	-7.2	75	3	360		29.41			30.43	FM-15	0.00	30.39
06	1853	7	OVC:08 27	10.00		26	-3.3	24	-4.6	19	-7.2	75	6	050		29.41	1	-0.01	30.43	FM-15	0.00	30.39
06	1953	7	BKN:07 26 BKN:07 110	10.00		25	-3.9	23	-4.8	20	-6.7	81	5	010		29.40			30.42	FM-15	0.00	30.38
06	2000	7	FEW:02 110	10.00		25	-3.9	23	-4.8	20	-6.7	81	6	020		29.39				FM-16		30.37
06	2053	7	CLR:00	10.00		25	-3.9	23	-5.0	19	-7.2	78	6	050		29.37			30.39	FM-15	0.00	30.35
06	2153	7	CLR:00	10.00		26	-3.3	24	-4.4	20	-6.7	78	6	060		29.35	8	+0.06	30.36	FM-15	0.00	30.33
06	2253	7	CLR:00	9.00		24	-4.4	22	-5.3	19	-7.2	81	6	070		29.30			30.32	FM-15	0.00	30.28
06	2353	7	CLR:00	9.00		25	-3.9	23	-4.8	20	-6.7	81	6	080		29.28			30.30	FM-15	0.00	30.26
07	0053	7	BKN:07 80	9.00		26	-3.3	24	-4.4	20	-6.7	78	5	050		29.25	6	+0.10	30.26	FM-15	0.00	30.22
07	0153	7	SCT:04 24 OVC:08 60	9.00		26	-3.3	24	-4.4	20	-6.7	78	6	050		29.22			30.23	FM-15	0.00	30.19
07	0206	7	BKN:07 24 BKN:07 32 OVC:08 60	9.00		26	-3.3	24	-4.4	20	-6.7	78	7	030		29.23				FM-16		30.20

07	0223	7	SCT:04 17 BKN:07 24 OVC:08 31	1.75	-SN:03 |SN |	26	-3.3	24	-4.3	21	-6.1	81	7	020		29.22				FM-16	T	30.19
07	0231	7	BKN:07 11 OVC:08 24	0.75	-SN:03 BR:1 |SN |	25	-3.9	24	-4.6	21	-6.1	85	7	020		29.21				FM-16	0.01	30.18
07	0251	7	VV:09 8	0.50	SN:03 FZ:8 FG:2 |FG SN |	25	-4.0	24	-4.3	23	-5.0	93	8	020		29.19				FM-16	0.02	30.16
07	0253	7	VV:09 8	0.50	SN:03 FZ:8 FG:2 |FG SN |	24	-4.4	24	-4.6	23	-5.0	96	9	030		29.18			30.19	FM-15	0.03	30.15
07	0314	7	VV:09 10	0.75	-SN:03 BR:1 |SN |	24	-4.4	24	-4.6	23	-5.0	96	9	030		29.17				FM-16	0.01	30.14
07	0344	7	VV:09 8	0.50	SN:03 FZ:8 FG:2 |FG SN |	24	-4.4	24	-4.6	23	-5.0	96	6	030		29.15				FM-16	0.05	30.12
07	0353	7	VV:09 7	0.50	SN:03 FZ:8 FG:2 |FG SN |	24	-4.4	24	-4.6	23	-5.0	96	8	040		29.14	8	+0.08	30.14	FM-15	0.07	30.11
07	0450	7	VV:09 10	0.75	-SN:03 BR:1 |SN |	25	-4.0	24	-4.3	23	-5.0	93	9	020		29.10				FM-16	0.07	30.07
07	0453	7	VV:09 10	0.75	-SN:03 BR:1 |SN |	24	-4.4	24	-4.6	23	-5.0	96	8	020		29.11			30.11	FM-15	0.07	30.08
07	0524	7	SCT:04 10 OVC:08 25	1.00	-SN:03 BR:1 |SN |	24	-4.4	24	-4.6	23	-5.0	96	7	360		29.12				FM-16	0.03	30.09
07	0553	7	BKN:07 14 OVC:08 27	0.75	-SN:03 BR:1 |SN |	24	-4.4	24	-4.6	23	-5.0	96	10	360		29.10			30.11	FM-15	0.04	30.07
07	0620	7	VV:09 8	0.50	SN:03 FZ:8 FG:2 |FG SN |	23	-5.0	23	-5.2	22	-5.6	96	13	360		29.10				FM-16	0.01	30.07
07	0634	7	BKN:07 10 OVC:08 39	1.00	-SN:03 BR:1 |SN |	23	-5.0	23	-5.2	22	-5.6	96	13	350		29.10				FM-16	0.01	30.07
07	0647	7	BKN:07 18 OVC:08 39	2.00	-SN:03 BR:1 |SN |	23	-5.0	22	-5.4	21	-6.0	93	11	360		29.10				FM-16	0.02	30.07
07	0648	7	BKN:07 20 OVC:08 39	2.00	-SN:03 BR:1 |SN |	23	-5.0	23	-5.2	22	-5.6	96	11	360		29.10	8	+0.00	30.11	FM-15	0.01	30.07
07	0701	7	BKN:07 22 OVC:08 39	1.50	-SN:03 BR:1 |SN |	23	-5.0	23	-5.2	22	-5.6	96	10	350		29.10				FM-16	T	30.07
07	0753	7	BKN:07 22 OVC:08 39	1.50	-SN:03 BR:1 |SN |	22	-5.6	22	-5.7	21	-6.1	96	11	340		29.11			30.12	FM-15	T	30.08
07	0800	7	VV:09 19	0.75	-SN:03 BR:1 |SN |	22	-5.6	21	-5.9	20	-6.7	92	10	350		29.11				FM-16	T	30.08
07	0809	7	VV:09 20	0.75	-SN:03 BR:1 |SN |	22	-5.6	21	-5.9	20	-6.7	92	14	340		29.11				FM-16	T	30.08
07	0810	7	OVC:08 15	0.75	-SN:03 BR:1 |SN |	22	-5.6	21	-5.9	20	-6.7	92	13	340		29.11				FM-16	T	30.08
07	0853	7	OVC:08 30	1.75	-SN:03 BR:1 |SN |	21	-6.1	20	-6.5	19	-7.2	92	13	340		29.12			30.13	FM-15	T	30.09
07	0951	6	OVC:08 90	9.00		21	-6.0	20	-6.5	19	-7.0	93	11	340		29.11				FM-16		30.08
07	0953	7	OVC:08 90	9.00		22	-5.6	21	-6.1	19	-7.2	89	11	340		29.11	0	-0.01	30.11	FM-15	T	30.08
07	1053	7	OVC:08 90	9.00		23	-5.0	22	-5.7	19	-7.2	85	7	340		29.13			30.13	FM-15	0.00	30.10
07	1153	7	OVC:08 42	10.00		25	-3.9	23	-4.8	20	-6.7	81	13	330		29.15			30.16	FM-15	0.00	30.12
07	1207	7	SCT:04 42	10.00		25	-3.9	23	-4.8	20	-6.7	81	13	340		29.15				FM-16		30.12
07	1253	7	OVC:08 13	9.00		24	-4.4	23	-5.2	20	-6.7	84	17	310		29.17	3	-0.06	30.18	FM-15	0.00	30.14
07	1353	7	OVC:08 14	8.00		24	-4.4	22	-5.3	19	-7.2	81	16	310		29.19			30.19	FM-15	0.00	30.16
07	1453	7	OVC:08 14	10.00		25	-3.9	23	-5.0	19	-7.2	78	10	330		29.21			30.21	FM-15	0.00	30.18
07	1502	7	OVC:08 15	10.00		24	-4.4	22	-5.3	19	-7.2	81	10	330		29.21				FM-16		30.18
07	1553	7	OVC:08 17	10.00		24	-4.4	22	-5.5	18	-7.8	77	10	330	21	29.23	3	-0.07	30.25	FM-15	0.00	30.21
07	1653	7	OVC:08 19	9.00		23	-5.0	21	-6.0	17	-8.3	78	11	330		29.27			30.29	FM-15	0.00	30.25
07	1753	7	OVC:08 25	5.00	HZ:7 |FU |HZ	22	-5.6	20	-6.4	17	-8.3	82	9	330		29.30			30.32	FM-15	0.00	30.28
07	1840	7	SCT:04 18	10.00		19	-7.2	18	-7.9	15	-9.4	84	6	300		29.32				FM-16		30.30
07	1853	7	SCT:04 21	10.00		18	-7.8	17	-8.4	14	-10.0	84	8	300		29.33	1	-0.09	30.35	FM-15	0.00	30.31
07	1902	7	BKN:07 20	10.00		20	-6.7	19	-7.5	15	-9.4	81	7	300		29.34				FM-16		30.32
07	1951	6	SCT:04 20	9.00		19	-7.0	18	-7.7	16	-9.0	86	3	280		29.37				FM-16		30.35
07	1953	7	SCT:04 20	9.00		19	-7.2	18	-7.9	15	-9.4	84	3	280		29.37			30.39	FM-15	0.00	30.35
07	2053	7	CLR:00	9.00		17	-8.3	16	-8.8	14	-10.0	88	3	280		29.39			30.41	FM-15	0.00	30.37
07	2153	7	CLR:00	7.00		15	-9.4	14	-9.9	12	-11.1	88	5	230		29.40	1	-0.07	30.42	FM-15	0.00	30.38
07	2253	7	OVC:08 32	6.00	BR:1 ||	12	-11.1	12	-11.3	11	-11.7	95	5	270		29.40			30.43	FM-15	0.00	30.38
07	2335	7	OVC:08 29	7.00		17	-8.3	16	-8.8	14	-10.0	88	3	250		29.41				FM-16		30.39
07	2353	7	OVC:08 29	7.00		18	-7.8	17	-8.3	15	-9.4	88	0	000		29.42			30.44	FM-15	0.00	30.40
08	0022	7	OVC:08 31	7.00		18	-7.8	17	-8.3	15	-9.4	88	3	260		29.42				FM-16		30.40
08	0053	7	OVC:08 29	7.00		18	-7.8	17	-8.3	15	-9.4	88	5	300		29.41	0	-0.01	30.43	FM-15	0.00	30.39
08	0153	7	SCT:04 21 OVC:08 28	5.00	-SN:03 BR:1 |SN |	19	-7.2	18	-7.9	15	-9.4	84	3	250		29.40			30.42	FM-15	T	30.38
08	0253	7	OVC:08 29	7.00		19	-7.2	18	-7.9	15	-9.4	84	8	290		29.41			30.43	FM-15	T	30.39
08	0317	7	OVC:08 30	9.00		18	-7.8	17	-8.4	14	-10.0	84	7	280		29.40				FM-16		30.38

08	0344	7	OVC:08 27	10.00		18	-7.8	17	-8.4	14	-10.0	84	3	260		29.40				FM-16		30.38
08	0353	7	OVC:08 27	9.00		18	-7.8	17	-8.4	14	-10.0	84	5	260		29.40	8	+0.01	30.42	FM-15	0.00	30.38
08	0453	7	OVC:08 21	10.00		17	-8.3	16	-8.8	14	-10.0	88	7	250		29.41			30.43	FM-15	0.00	30.39
08	0553	7	OVC:08 20	9.00		17	-8.3	16	-8.9	13	-10.6	84	10	270		29.43			30.45	FM-15	0.00	30.41
08	0653	7	OVC:08 20	9.00		14	-10.0	13	-10.6	10	-12.2	84	11	270		29.45	3	-0.05	30.48	FM-15	0.00	30.43
08	0735	7	BKN:07 14 BKN:07 18	7.00		13	-10.6	12	-11.0	10	-12.2	88	11	270		29.46				FM-16		30.44
08	0736	7	BKN:07 14 OVC:08 20	6.00	BR:1 ||	13	-10.6	12	-11.0	10	-12.2	88	11	270		29.46				FM-16		30.44
08	0753	7	BKN:07 14 OVC:08 20	7.00		13	-10.6	12	-11.0	10	-12.2	88	7	260		29.47			30.50	FM-15	0.00	30.45
08	0800	7	FEW:02 14 SCT:04 110	7.00		13	-10.6	12	-11.0	10	-12.2	88	6	260		29.46				FM-16		30.44
08	0823	7	CLR:00	7.00		13	-10.6	12	-11.0	10	-12.2	88	6	290		29.47				FM-16		30.45
08	0853	7	FEW:02 120	7.00		12	-11.1	11	-11.5	9	-12.8	87	8	260		29.48			30.51	FM-15	0.00	30.46
08	0953	7	FEW:02 120	8.00		15	-9.4	14	-10.2	10	-12.2	80	14	250		29.49	1	-0.04	30.52	FM-15	0.00	30.47
08	1024	7	BKN:07 14 BKN:07 110	8.00		15	-9.4	14	-10.2	10	-12.2	80	13	250		29.49				FM-16		30.47
08	1053	7	FEW:02 14 OVC:08 70	8.00		15	-9.4	14	-10.2	10	-12.2	80	10	260		29.48			30.52	FM-15	0.00	30.46
08	1059	7	OVC:08 70	8.00		15	-9.4	14	-10.2	10	-12.2	80	8	260		29.48				FM-16		30.46
08	1153	7	OVC:08 55	9.00		18	-7.8	16	-8.8	11	-11.7	74	11	230		29.48			30.50	FM-15	0.00	30.46
08	1253	7	OVC:08 55	10.00		19	-7.2	17	-8.4	11	-11.7	71	16	240	23	29.47	6	+0.02	30.49	FM-15	0.00	30.45
08	1353	7	OVC:08 80	10.00		22	-5.6	19	-7.0	13	-10.6	68	14	220		29.44			30.46	FM-15	0.00	30.42
08	1453	7	OVC:08 70	10.00		23	-5.0	20	-6.7	12	-11.1	63	11	230		29.44			30.46	FM-15	0.00	30.42
08	1553	7	SCT:04 70	10.00		23	-5.0	20	-6.7	12	-11.1	63	11	230		29.44	5	+0.02	30.47	FM-15	0.00	30.42
08	1653	7	FEW:02 70	10.00		23	-5.0	19	-7.0	10	-12.2	57	13	230		29.44			30.46	FM-15	0.00	30.42
08	1753	7	CLR:00	10.00		23	-5.0	19	-7.0	10	-12.2	57	8	240		29.45			30.47	FM-15	0.00	30.43
08	1853	7	CLR:00	10.00		21	-6.1	18	-7.6	11	-11.7	65	3	240		29.47	3	-0.02	30.50	FM-15	0.00	30.45
08	1953	7	OVC:08 48	10.00		20	-6.7	18	-8.0	11	-11.7	68	0	000		29.45			30.48	FM-15	0.00	30.43
08	2053	7	OVC:08 44	10.00		22	-5.6	19	-7.0	13	-10.6	68	0	000		29.46			30.48	FM-15	0.00	30.44
08	2153	7	OVC:08 42	10.00		22	-5.6	20	-6.7	15	-9.4	75	3	080		29.44	8	+0.03	30.46	FM-15	0.00	30.42
08	2253	7	OVC:08 90	10.00		22	-5.6	20	-6.6	16	-8.9	78	3	100		29.41			30.44	FM-15	0.00	30.39
08	2353	7	OVC:08 90	10.00		25	-3.9	22	-5.4	16	-8.9	69	3	170		29.42			30.44	FM-15	0.00	30.40
09	0053	7	OVC:08 95	10.00		25	-3.9	23	-5.3	17	-8.3	72	3	140		29.41	6	+0.03	30.43	FM-15	0.00	30.39
09	0153	7	OVC:08 100	10.00		24	-4.4	22	-5.5	18	-7.8	77	5	120		29.40			30.42	FM-15	0.00	30.38
09	0253	7	BKN:07 90	9.00		24	-4.4	22	-5.3	19	-7.2	81	5	060		29.37			30.39	FM-15	0.00	30.35
09	0353	7	BKN:07 80	9.00		24	-4.4	23	-5.2	20	-6.7	84	8	130		29.35	8	+0.06	30.36	FM-15	0.00	30.33
09	0453	7	OVC:08 80	8.00		24	-4.4	23	-5.0	21	-6.1	88	5	070		29.34			30.36	FM-15	0.00	30.32
09	0553	7	OVC:08 85	8.00		25	-3.9	24	-4.4	22	-5.6	88	6	110		29.34			30.36	FM-15	0.00	30.32
09	0653	7	OVC:08 90	9.00		26	-3.3	25	-4.1	22	-5.6	84	7	120		29.33	8	+0.01	30.35	FM-15	0.00	30.31
09	0714	7	SCT:04 100	8.00		26	-3.3	25	-4.1	22	-5.6	84	7	110		29.32				FM-16		30.30
09	0753	7	CLR:00	6.00	BR:1 ||	26	-3.3	25	-4.1	22	-5.6	84	10	140		29.32			30.34	FM-15	0.00	30.30
09	0817	7	CLR:00	7.00		26	-3.3	25	-4.1	22	-5.6	84	9	140		29.32				FM-16		30.30
09	0853	7	CLR:00	8.00		27	-2.8	26	-3.5	23	-5.0	85	9	140		29.31			30.32	FM-15	0.00	30.29
09	0953	7	BKN:07 110	10.00		29	-1.7	27	-2.8	23	-5.0	78	14	160	18	29.28	8	+0.05	30.29	FM-15	0.00	30.26
09	1053	7	CLR:00	10.00		31	-0.6	28	-1.9	24	-4.4	76	14	160		29.26			30.27	FM-15	0.00	30.23
09	1114	7	CLR:00	10.00		33	0.6	30	-1.1	25	-3.9	72	11	160		29.26				FM-16		30.23
09	1153	7	FEW:02 90	10.00		34	1.1	31	-0.6	26	-3.3	73	11	160		29.23			30.24	FM-15	0.00	30.21
09	1253	7	CLR:00	10.00		37	2.8	33	0.8	28	-2.2	70	9	180	20	29.20	8	+0.09	30.20	FM-15	0.00	30.17
09	1353	7	CLR:00	10.00		39	3.9	35	1.7	29	-1.7	67	10	190		29.17			30.16	FM-15	0.00	30.14
09	1453	7	CLR:00	10.00		41	5.0	37	2.7	31	-0.6	67	11	200		29.14			30.14	FM-15	0.00	30.11
09	1553	7	CLR:00	10.00		42	5.6	38	3.2	32	0.0	68	9	190		29.14	6	+0.06	30.13	FM-15	0.00	30.11
09	1653	7	CLR:00	10.00		41	5.0	38	3.1	33	0.6	73	7	160		29.14			30.14	FM-15	0.00	30.11
09	1753	7	CLR:00	10.00		38	3.3	36	2.4	34	1.1	86	6	160		29.14			30.14	FM-15	0.00	30.11
09	1853	7	CLR:00	10.00		38	3.3	36	2.4	34	1.1	86	6	160		29.14	1	-0.00	30.14	FM-15	0.00	30.11
09	1953	7	CLR:00	10.00		38	3.3	36	2.4	34	1.1	86	5	160		29.14			30.14	FM-15	0.00	30.11
09	2053	7	SCT:04 120	10.00		38	3.3	36	2.4	34	1.1	86	5	170		29.14			30.14	FM-15	0.00	30.11

09	2153	7	OVC:08 120	10.00		39	3.9	37	2.7	34	1.1	82	0	000		29.14	0	-0.00	30.13	FM-15	0.00	30.11
09	2253	7	OVC:08 110	10.00		37	2.8	36	2.1	34	1.1	89	3	170		29.13			30.13	FM-15	0.00	30.10
09	2353	7	SCT:04 70 OVC:08 85	10.00		37	2.8	36	2.1	34	1.1	89	5	010		29.13			30.11	FM-15	0.00	30.10
10	0053	7	BKN:07 65 OVC:08 110	10.00		37	2.8	36	2.1	34	1.1	89	3	030		29.13	5	+0.01	30.12	FM-15	0.00	30.10
10	0153	7	BKN:07 65 OVC:08 80	10.00		35	1.7	35	1.4	34	1.1	96	0	000		29.13			30.12	FM-15	0.00	30.10
10	0253	7	OVC:08 70	10.00		36	2.2	35	1.8	34	1.1	93	0	000		29.12			30.11	FM-15	0.00	30.09
10	0353	7	OVC:08 60	10.00		36	2.2	35	1.8	34	1.1	93	0	000		29.10	8	+0.03	30.09	FM-15	0.00	30.07
10	0453	7	OVC:08 60	10.00		35	1.7	35	1.4	34	1.1	96	3	060		29.09			30.08	FM-15	0.00	30.06
10	0553	7	OVC:08 65	10.00		36	2.2	35	1.5	33	0.6	89	5	020		29.10			30.09	FM-15	0.00	30.07
10	0653	7		10.00		36	2.2	35	1.5	33	0.6	89				29.09	6	+0.01	30.08	FM-15	0.00	30.06
10	0753	7		10.00		37	2.8	35	1.9	33	0.6	86	3	080		29.09			30.08	FM-15	0.00	30.06
10	0853	7	SCT:04 110	10.00		37	2.8	35	1.9	33	0.6	86	0	000		29.07			30.05	FM-15	0.00	30.04
10	0953	7	OVC:08 60	8.00	-RA:02 |RA |	38	3.3	36	2.4	34	1.1	86	5	330		29.07	5	+0.02	30.06	FM-15	T	30.04
10	1053	7	OVC:08 50	7.00		37	2.8	36	2.1	34	1.1	89	6	330		29.07			30.06	FM-15	T	30.04
10	1153	7	OVC:08 36	3.00	BR:1 ||	36	2.2	36	2.2	36	2.2	100	3	010		29.05			30.04	FM-15	T	30.02
10	1212	7	BKN:07 29 OVC:08 35	3.00	-RA:02 BR:1 |RA |	36	2.2	36	2.2	36	2.2	100	3	340		29.04				FM-16	T	30.01
10	1227	7	OVC:08 27	2.00	-RA:02 BR:1 |RA |	37	2.8	37	2.5	36	2.2	96	5	360		29.04				FM-16	T	30.01
10	1234	7	OVC:08 27	1.50	-RA:02 BR:1 |RA |	36	2.2	36	2.0	35	1.7	97	6	350		29.04				FM-16	T	30.01
10	1251	6	FEW:02 5 BKN:07 12 OVC:08 26	1.25	-RA:02 BR:1 |RA |	36	2.0	36	2.2	36	2.0	100	7	330		29.03				FM-16		30.00
10	1253	7	FEW:02 5 BKN:07 12 OVC:08 26	1.25	BR:1 ||	36	2.2	36	2.0	35	1.7	97	7	340		29.03	8	+0.04	30.02	FM-15	T	30.00
10	1328	7	BKN:07 4 OVC:08 15	1.75	BR:1 ||	35	1.7	35	1.7	35	1.7	100	6	360		29.01				FM-16	T	29.98
10	1351	6	SCT:04 4 OVC:08 15	1.50	BR:1 ||	36	2.0	36	2.2	36	2.0	100	7	350		29.01				FM-16		29.98
10	1353	7	BKN:07 4 OVC:08 15	1.50	BR:1 ||	35	1.7	35	1.7	35	1.7	100	7	350		29.01			30.01	FM-15	0.01	29.98
10	1400	7	BKN:07 5 OVC:08 15	1.25	BR:1 ||	35	1.7	35	1.7	35	1.7	100	7	360		29.01				FM-16		29.98
10	1415	7	BKN:07 5 OVC:08 15	0.75	BR:1 ||	35	1.7	35	1.7	35	1.7	100	7	360		29.01				FM-16		29.98
10	1431	7	OVC:08 4	1.00	BR:1 ||	34	1.1	34	1.1	34	1.1	100	9	350		29.01				FM-16		29.98
10	1453	7	OVC:08 4	1.00	BR:1 ||	33	0.6	33	0.6	33	0.6	100	10	340		29.01			30.01	FM-15	0.00	29.98
10	1536	7	OVC:08 4	2.50	BR:1 ||	32	0.0	32	0.0	32	0.0	100	8	350		29.01				FM-16		29.98
10	1553	7	OVC:08 5	2.50	BR:1 ||	32	0.0	32	0.0	32	0.0	100	7	360		29.01	6	+0.01	30.01	FM-15	0.00	29.98
10	1648	7	OVC:08 5	1.25	BR:1 ||	32	0.0	32	0.0	32	0.0	100	8	350		29.02				FM-16		29.99
10	1653	7	OVC:08 5	1.25	BR:1 ||	32	0.0	32	-0.2	31	-0.6	96	10	340		29.03			30.02	FM-15	0.00	30.00
10	1753	7	OVC:08 6	1.50	BR:1 ||	30	-1.1	30	-1.1	30	-1.1	100	10	350		29.04			30.03	FM-15	0.00	30.01
10	1851	6	OVC:08 7	3.00	BR:1 ||	30	-1.0	29	-1.5	28	-2.0	93	9	350		29.06				FM-16		30.03
10	1853	7	OVC:08 7	3.00	BR:1 ||	30	-1.1	30	-1.3	29	-1.7	96	10	350		29.06	3	-0.04	30.05	FM-15	0.00	30.03
10	1953	7	OVC:08 7	4.00	BR:1 ||	29	-1.7	29	-1.9	28	-2.2	96	10	360		29.08			30.07	FM-15	0.00	30.05
10	2053	7	OVC:08 7	3.00	BR:1 ||	28	-2.2	28	-2.4	27	-2.8	96	10	360		29.08			30.07	FM-15	0.00	30.05
10	2153	7	OVC:08 7	3.00	BR:1 ||	28	-2.2	28	-2.4	27	-2.8	96	7	020		29.06	0	-0.00	30.05	FM-15	0.00	30.03
10	2231	7	SCT:04 9 OVC:08 32	3.00	BR:1 ||	29	-1.7	29	-1.9	28	-2.2	96	8	020		29.05				FM-16		30.02
10	2253	7	OVC:08 33	3.00	BR:1 ||	29	-1.7	29	-1.9	28	-2.2	96	7	020		29.05			30.04	FM-15	0.00	30.02
10	2320	7	BKN:07 16 OVC:08 33	4.00	BR:1 ||	30	-1.1	29	-1.5	28	-2.2	92	8	030		29.04				FM-16		30.01
10	2350	7	OVC:08 14	4.00	BR:1 ||	30	-1.0	29	-1.5	28	-2.0	93	8	040		29.02				FM-16		29.99
10	2353	7	OVC:08 14	4.00	BR:1 ||	30	-1.1	29	-1.5	28	-2.2	92	7	040		29.02			30.01	FM-15	0.00	29.99
11	0053	7	OVC:08 12	4.00	BR:1 ||	30	-1.1	30	-1.3	29	-1.7	96	5	010		29.01	6	+0.04	30.00	FM-15	0.00	29.98
11	0136	7	OVC:08 9	4.00	BR:1 ||	30	-1.1	29	-1.5	28	-2.2	92	7	030		28.99				FM-16		29.96
11	0153	7	OVC:08 9	4.00	BR:1 ||	30	-1.1	30	-1.3	29	-1.7	96	7	050		28.98			29.97	FM-15	0.00	29.95

11	0253	7	OVC:08 9	3.00	BR:1 ||	30	-1.1	30	-1.3	29	-1.7	96	8	050		28.95			29.95	FM-15	0.00	29.92
11	0353	7	OVC:08 8	3.00	BR:1 ||	30	-1.1	30	-1.3	29	-1.7	96	8	040		28.93	6	+0.08	29.92	FM-15	0.00	29.90
11	0453	7	OVC:08 8	3.00	BR:1 ||	30	-1.1	30	-1.3	29	-1.7	96	6	040		28.90			29.89	FM-15	0.00	29.87
11	0522	7	OVC:08 8	2.50	BR:1 ||	30	-1.1	30	-1.3	29	-1.7	96	6	040		28.90				FM-16		29.86
11	0553	7	OVC:08 7	2.50	BR:1 ||	31	-0.6	31	-0.8	30	-1.1	96	3	030		28.89			29.87	FM-15	0.00	29.85
11	0644	7	OVC:08 6	1.50	BR:1 ||	31	-0.6	31	-0.8	30	-1.1	96	6	100		28.86				FM-16		29.82
11	0653	7	OVC:08 6	1.50	BR:1 ||	31	-0.6	31	-0.6	31	-0.6	100	3	120		28.86	6	+0.08	29.84	FM-15	0.00	29.82
11	0715	7	OVC:08 3	0.75	UP:09 BR:1 ||	31	-0.6	31	-0.6	31	-0.6	100	5	100		28.84				FM-16	T	29.81
11	0749	7	OVC:08 3	0.25	-FZ:8 RA:02 FZ:8 FG:2 |FG FZRA |	30	-1.0	30	-1.1	30	-1.0	100	0	000		28.83				FM-16	T	29.79
11	0753	7	OVC:08 3	0.25	-FZ:8 RA:02 FZ:8 FG:2 |FG FZRA |	31	-0.6	31	-0.6	31	-0.6	100	0	000		28.84			29.83	FM-15	T	29.80
11	0853	7	VV:09 2	0.25	-FZ:8 RA:02 FZ:8 FG:2 |FG FZRA |	33	0.6	33	0.6	33	0.6	100	8	140		28.83			29.81	FM-15	T	29.79
11	0900	7	VV:09 2	0.25	FG:2 |FG |	34	1.1	34	1.1	34	1.1	100	7	140		28.82				FM-16	T	29.78
11	0953	7	VV:09 2	0.25	FG:2 |FG |	35	1.7	35	1.7	35	1.7	100	8	150		28.81	6	+0.04	29.80	FM-15	0.00	29.77
11	1021	7	VV:09 3	0.50	-RA:02 FG:2 |FG RA |	36	2.2	36	2.2	36	2.2	100	8	180		28.81				FM-16	T	29.77
11	1053	7	OVC:08 3	0.75	-RA:02 BR:1 |RA |	36	2.2	36	2.2	36	2.2	100	9	180		28.82			29.80	FM-15	0.02	29.78
11	1106	7	OVC:08 3	1.00	-RA:02 BR:1 |RA |	36	2.2	36	2.2	36	2.2	100	7	170		28.82				FM-16	0.05	29.78
11	1131	7	OVC:08 3	2.00	-RA:02 BR:1 |RA |	37	2.8	37	2.8	37	2.8	100	6	200		28.81				FM-16	0.08	29.77
11	1153	7	OVC:08 3	2.00	BR:1 ||	37	2.8	37	2.8	37	2.8	100	6	280		28.83			29.81	FM-15	0.06	29.79
11	1200	7	OVC:08 2	0.75	-RA:02 BR:1 |RA |	37	2.8	37	2.8	37	2.8	100	7	270		28.83				FM-16	T	29.79
11	1251	6	OVC:08 3	1.50	RA:02 BR:1 |RA |	37	3.0	37	2.8	37	3.0	100	8	280		28.82				FM-16		29.78
11	1253	7	OVC:08 3	1.50	RA:02 BR:1 |RA |	37	2.8	37	2.8	37	2.8	100	9	280		28.83	1	-0.01	29.81	FM-15	0.06	29.79
11	1336	7	BKN:07 4 BKN:07 9 OVC:08 22	3.00	-RA:02 BR:1 |RA |	37	2.8	37	2.8	37	2.8	100	7	280		28.83				FM-16	T	29.79
11	1353	7	BKN:07 4 OVC:08 22	5.00	BR:1 ||	37	2.8	37	2.8	37	2.8	100	8	280		28.83			29.81	FM-15	T	29.79
11	1450	7	BKN:07 9 BKN:07 13 OVC:08 22	2.50	-RA:02 BR:1 |RA |	36	2.0	36	2.2	36	2.0	100	13	290		28.84				FM-16	0.01	29.81
11	1453	7	BKN:07 9 OVC:08 22	2.50	BR:1 ||	36	2.2	36	2.0	35	1.7	97	15	300		28.84			29.82	FM-15	0.01	29.80
11	1525	7	OVC:08 10	7.00		34	1.1	34	0.9	33	0.6	97	14	280		28.89				FM-16		29.85
11	1553	7	BKN:07 10 OVC:08 16	9.00		33	0.6	33	0.3	32	0.0	96	15	280		28.92	3	-0.09	29.91	FM-15	0.00	29.89
11	1653	7	OVC:08 11	7.00		32	0.0	31	-0.4	30	-1.1	92	15	290		28.97			29.97	FM-15	0.00	29.94
11	1712	7	OVC:08 11	2.50	RA:02 BR:1 |RA |	31	-0.6	31	-0.8	30	-1.1	96	14	290		28.99				FM-16	T	29.96
11	1721	7	OVC:08 9	5.00	RA:02 BR:1 |RA |	32	0.0	31	-0.4	30	-1.1	92	10	280		29.00				FM-16	T	29.97
11	1753	7	OVC:08 9	5.00	BR:1 ||	31	-0.6	31	-0.8	30	-1.1	96	16	300	23	29.01			30.01	FM-15	T	29.98
11	1851	6	OVC:08 13	8.00		30	-1.0	29	-1.7	27	-3.0	86	15	290		29.08				FM-16		30.05
11	1853	7	OVC:08 15	8.00		30	-1.1	29	-1.7	27	-2.8	88	16	290		29.08	3	-0.16	30.08	FM-15	0.00	30.05
11	1916	7	SCT:04 15 OVC:08 44	8.00		30	-1.1	29	-1.7	27	-2.8	88	10	290		29.09				FM-16		30.06
11	1951	6	BKN:07 17 OVC:08 50	7.00		30	-1.0	29	-1.5	28	-2.0	93	9	290		29.12				FM-16		30.09
11	1953	7	BKN:07 17 BKN:07 21 OVC:08 50	7.00		30	-1.1	29	-1.5	28	-2.2	92	10	290		29.11			30.11	FM-15	0.00	30.08
11	2053	7	BKN:07 15 OVC:08 21	9.00		30	-1.1	29	-1.9	26	-3.3	85	10	320		29.15			30.15	FM-15	0.00	30.12
11	2153	7	OVC:08 17	10.00		29	-1.7	28	-2.5	25	-3.9	85	11	310		29.22	3	-0.14	30.22	FM-15	0.00	30.19
11	2253	7	OVC:08 19	10.00		28	-2.2	26	-3.2	23	-5.0	81	8	320		29.23			30.24	FM-15	0.00	30.21
11	2353	7	OVC:08 20	10.00		28	-2.2	26	-3.2	23	-5.0	81	9	330		29.26			30.27	FM-15	0.00	30.24
12	0053	7	OVC:08 18	10.00		28	-2.2	26	-3.4	22	-5.6	78	7	340		29.31	3	-0.10	30.31	FM-15	0.00	30.29
12	0153	7	OVC:08 19	10.00		28	-2.2	26	-3.2	23	-5.0	81	6	340		29.34			30.35	FM-15	0.00	30.32
12	0253	7	OVC:08 20	10.00		27	-2.8	25	-3.7	22	-5.6	81	7	340		29.37			30.38	FM-15	0.00	30.35
12	0349	7	FEW:02 20	10.00		27	-3.0	25	-3.9	21	-6.0	80	11	330		29.39				FM-16		30.37
12	0353	7	FEW:02 20	10.00		26	-3.3	24	-4.3	21	-6.1	81	10	330		29.39	1	-0.05	30.40	FM-15	0.00	30.37
12	0453	7	SCT:04 16	10.00		25	-3.9	24	-4.6	21	-6.1	85	9	330		29.42			30.43	FM-15	0.00	30.40
12	0500	7	BKN:07 16	10.00		25	-3.9	24	-4.6	21	-6.1	85	13	330		29.42				FM-16		30.40

12	0553	7	BKN:07 19	10.00		24	-4.4	23	-5.2	20	-6.7	84	11	350		29.45			30.47	FM-15	0.00	30.43
12	0600	7	SCT:04 19	10.00		24	-4.4	23	-5.2	20	-6.7	84	9	340		29.46				FM-16		30.44
12	0653	7	CLR:00	10.00		22	-5.6	21	-6.1	19	-7.2	89	7	340		29.50	3	-0.11	30.51	FM-15	0.00	30.48
12	0753	7	CLR:00	9.00		21	-6.1	20	-6.6	18	-7.8	88	8	330		29.54			30.55	FM-15	0.00	30.52
12	0853	7	CLR:00	9.00		24	-4.4	22	-5.3	19	-7.2	81	6	340		29.57			30.59	FM-15	0.00	30.55
12	0929	7	CLR:00	10.00		25	-3.9	23	-4.9	19	-7.2	78	5	020		29.58				FM-16		30.56
12	0953	7	CLR:00	10.00		26	-3.3	24	-4.6	19	-7.2	75	6	360		29.59	1	-0.09	30.60	FM-15	0.00	30.57
12	1053	7	CLR:00	10.00		28	-2.2	25	-3.7	20	-6.7	72	9	350		29.62			30.63	FM-15	0.00	30.60
12	1153	7	CLR:00	10.00		30	-1.1	27	-3.0	20	-6.7	66	8	030		29.62			30.64	FM-15	0.00	30.61
12	1206	7	CLR:00	10.00		30	-1.1	27	-3.0	20	-6.7	66	7	340		29.62				FM-16		30.61
12	1253	7	CLR:00	10.00		31	-0.6	28	-2.5	21	-6.1	67	3	VRB		29.62	0	-0.02	30.63	FM-15	0.00	30.60
12	1353	7	CLR:00	10.00		33	0.6	29	-1.6	22	-5.6	64	10	340		29.62			30.63	FM-15	0.00	30.60
12	1453	7	CLR:00	10.00		33	0.6	29	-1.6	22	-5.6	64	8	020		29.62			30.64	FM-15	0.00	30.61
12	1553	7	CLR:00	10.00		33	0.6	29	-1.6	22	-5.6	64	7	340		29.65	3	-0.03	30.66	FM-15	0.00	30.63
12	1653	7	CLR:00	10.00		32	0.0	28	-2.1	21	-6.1	64	7	360		29.65			30.67	FM-15	0.00	30.64
12	1753	7	CLR:00	10.00		30	-1.1	26	-3.1	19	-7.2	64	10	350		29.67			30.69	FM-15	0.00	30.66
12	1853	7	CLR:00	10.00		27	-2.8	24	-4.2	19	-7.2	72	6	360		29.68	3	-0.04	30.71	FM-15	0.00	30.67
12	1953	7	CLR:00	10.00		25	-3.9	23	-5.1	18	-7.8	75	3	010		29.70			30.73	FM-15	0.00	30.69
12	2053	7	CLR:00	10.00		24	-4.4	22	-5.6	17	-8.3	75	7	020		29.71			30.74	FM-15	0.00	30.70
12	2153	7	CLR:00	10.00		22	-5.6	20	-6.5	16	-8.9	78	5	010		29.74	3	-0.05	30.76	FM-15	0.00	30.73
12	2253	7	CLR:00	10.00		21	-6.1	20	-6.9	16	-8.9	81	7	020		29.73			30.76	FM-15	0.00	30.72
12	2353	7	CLR:00	10.00		21	-6.1	20	-6.9	16	-8.9	81	8	010		29.72			30.74	FM-15	0.00	30.71
13	0053	7	CLR:00	10.00		21	-6.1	20	-6.9	16	-8.9	81	9	020		29.71	8	+0.03	30.73	FM-15	0.00	30.70
13	0153	7	CLR:00	10.00		20	-6.7	19	-7.3	16	-8.9	85	8	050		29.70			30.73	FM-15	0.00	30.69
13	0253	7	CLR:00	10.00		20	-6.7	19	-7.5	15	-9.4	81	7	070		29.69			30.71	FM-15	0.00	30.68
13	0353	7	CLR:00	10.00		18	-7.8	17	-8.5	13	-10.6	81	5	080		29.68	8	+0.02	30.71	FM-15	0.00	30.67
13	0453	7	CLR:00	10.00		18	-7.8	17	-8.5	13	-10.6	81	5	030		29.70			30.73	FM-15	0.00	30.69
13	0553	7	CLR:00	10.00		19	-7.2	18	-8.0	14	-10.0	81	5	070		29.68			30.71	FM-15	0.00	30.67
13	0653	7	CLR:00	10.00		18	-7.8	17	-8.4	14	-10.0	84	6	070		29.68	8	+0.01	30.71	FM-15	0.00	30.67
13	0753	7	CLR:00	10.00		20	-6.7	19	-7.5	15	-9.4	81	9	050		29.66			30.69	FM-15	0.00	30.65
13	0853	7	CLR:00	10.00		23	-5.0	21	-6.2	16	-8.9	74	9	050		29.66			30.68	FM-15	0.00	30.65
13	0953	7	CLR:00	10.00		26	-3.3	23	-4.9	17	-8.3	69	8	090		29.65	8	+0.04	30.66	FM-15	0.00	30.63
13	1053	7	CLR:00	10.00		31	-0.6	27	-2.9	18	-7.8	59	6	090		29.62			30.63	FM-15	0.00	30.60
13	1153	7	CLR:00	10.00		36	2.2	30	-1.2	18	-7.8	48	5	070		29.59			30.61	FM-15	0.00	30.58
13	1253	7	SCT:04 28	10.00		39	3.9	31	-0.4	17	-8.3	41	8	080		29.55	8	+0.10	30.56	FM-15	0.00	30.53
13	1353	7	SCT:04 28	10.00		39	3.9	32	-0.2	18	-7.8	43	8	120		29.51			30.52	FM-15	0.00	30.49
13	1355	7	OVC:08 22	10.00		39	3.9	32	-0.2	18	-7.8	43	6	130		29.51				FM-16		30.49
13	1453	7	OVC:08 18	10.00		39	3.9	33	0.4	22	-5.6	50	9	140		29.47			30.49	FM-15	0.00	30.45
13	1553	7	OVC:08 17	10.00		39	3.9	34	1.1	26	-3.3	60	11	170		29.46	6	+0.09	30.47	FM-15	0.00	30.44
13	1653	7	OVC:08 20	10.00		38	3.3	34	1.0	27	-2.8	65	7	170		29.45			30.46	FM-15	0.00	30.43
13	1753	7	OVC:08 19	10.00		37	2.8	33	0.8	28	-2.2	70	8	150		29.43			30.44	FM-15	0.00	30.41
13	1853	7	OVC:08 19	10.00		36	2.2	34	0.9	30	-1.1	79	10	190		29.45	5	+0.01	30.46	FM-15	0.00	30.43
13	1940	7	SCT:04 17 BKN:07 120	10.00		35	1.7	33	0.6	30	-1.1	82	6	190		29.44				FM-16		30.42
13	1953	7	FEW:02 35 FEW:02 120	10.00		35	1.7	33	0.6	30	-1.1	82	5	170		29.43			30.44	FM-15	0.00	30.41
13	2053	7	BKN:07 120	10.00		35	1.7	33	0.6	30	-1.1	82	9	160		29.39			30.40	FM-15	T	30.37
13	2153	7	BKN:07 110	10.00		36	2.2	34	0.9	30	-1.1	79	9	160		29.37	8	+0.08	30.37	FM-15	T	30.35
13	2220	7	BKN:07 17 OVC:08 100	10.00		36	2.2	34	0.9	30	-1.1	79	8	170		29.37				FM-16		30.35
13	2251	6	SCT:04 16 OVC:08 85	10.00		36	2.0	34	0.9	30	-1.0	81	10	170		29.37				FM-16		30.35
13	2253	7	FEW:02 16 OVC:08 85	10.00		36	2.2	34	0.9	30	-1.1	79	8	170		29.37			30.38	FM-15	0.00	30.35
13	2353	7	OVC:08 70	10.00		37	2.8	35	1.6	32	0.0	82	7	190		29.36			30.36	FM-15	0.00	30.34
14	0053	7	BKN:07 70	10.00		36	2.2	34	1.3	32	0.0	86	3	160		29.35	8	+0.02	30.35	FM-15	0.00	30.33
14	0153	7	BKN:07 60	10.00		34	1.1	33	0.5	31	-0.6	89	3	140		29.33			30.33	FM-15	0.00	30.31
14	0253	7	SCT:04 50	10.00		34	1.1	33	0.5	31	-0.6	89	3	180		29.31			30.32	FM-15	0.00	30.29

14	0353	7	OVC:08 46	10.00		36	2.2	35	1.5	33	0.6	89	6	190		29.31	6	+0.04	30.31	FM-15	0.00	30.29
14	0453	7	FEW:02 34 OVC:08 42	9.00		36	2.2	35	1.8	34	1.1	93	11	180		29.29			30.29	FM-15	0.00	30.27
14	0535	7	OVC:08 29	9.00		37	2.8	36	2.3	35	1.7	93	6	170		29.30				FM-16		30.28
14	0553	7	OVC:08 29	9.00		37	2.8	36	2.3	35	1.7	93	8	180		29.30			30.30	FM-15	0.00	30.28
14	0606	7	OVC:08 30	9.00		37	2.8	36	2.3	35	1.7	93	6	170		29.29				FM-16		30.27
14	0653	7	OVC:08 30	8.00		38	3.3	37	2.9	36	2.2	93	5	180		29.30	6	+0.01	30.30	FM-15	0.00	30.28
14	0712	7	OVC:08 28	8.00		38	3.3	38	3.1	37	2.8	97	5	190		29.30				FM-16		30.28
14	0732	7	OVC:08 26	8.00		39	3.9	38	3.4	37	2.8	93	6	180		29.29				FM-16		30.27
14	0753	7	OVC:08 25	6.00	BR:1 ||	39	3.9	38	3.4	37	2.8	93	7	190		29.30			30.30	FM-15	0.00	30.28
14	0829	7	SCT:04 24 BKN:07 39	6.00	BR:1 ||	39	3.9	39	3.6	38	3.3	96	6	170		29.30				FM-16		30.28
14	0853	7	OVC:08 38	7.00		41	5.0	40	4.3	38	3.3	89	7	190		29.30			30.29	FM-15	0.00	30.28
14	0953	7	OVC:08 30	7.00		42	5.6	41	4.8	39	3.9	89	8	190		29.30	5	+0.00	30.30	FM-15	0.00	30.28
14	1053	7	OVC:08 30	7.00		43	6.1	42	5.6	41	5.0	93	8	200		29.28			30.27	FM-15	T	30.26
14	1100	7	OVC:08 26	7.00		44	6.7	43	5.9	41	5.0	89	9	200		29.28				FM-16		30.26
14	1113	7	BKN:07 20 OVC:08 29	2.00	-RA:02 BR:1 |RA |	43	6.1	43	5.9	42	5.6	97	9	210		29.29				FM-16	T	30.27
14	1153	7	BKN:07 20 OVC:08 29	2.00	BR:1 ||	44	6.7	44	6.4	43	6.1	96	7	200		29.26			30.25	FM-15	T	30.24
14	1154	7	BKN:07 20 OVC:08 29	2.50	BR:1 ||	44	6.7	44	6.4	43	6.1	96	6	200		29.26				FM-16		30.23
14	1253	7	BKN:07 10 OVC:08 20	2.50	BR:1 ||	45	7.2	45	7.0	44	6.7	97	6	190		29.22	8	+0.08	30.21	FM-15	T	30.19
14	1353	7	OVC:08 5	1.75	BR:1 ||	45	7.2	45	7.2	45	7.2	100	6	190		29.18			30.16	FM-15	T	30.15
14	1451	6	OVC:08 3	1.00	BR:1 ||	46	8.0	46	7.8	46	8.0	100	6	170		29.14				FM-16		30.11
14	1453	7	OVC:08 3	1.00	BR:1 ||	46	7.8	46	7.8	46	7.8	100	7	170		29.13			30.12	FM-15	T	30.10
14	1553	7	OVC:08 3	1.00	BR:1 ||	46	7.8	46	7.8	46	7.8	100	8	150		29.10	6	+0.12	30.08	FM-15	0.03s	30.07
14	1653	7	BKN:07 3 OVC:08 7	1.25	BR:1 ||	47	8.3	47	8.3	47	8.3	100	7	150		29.06			30.05	FM-15	0.06	30.03
14	1713	7	OVC:08 3	2.00	-RA:02 BR:1 |RA |	48	8.9	48	8.9	48	8.9	100	6	160		29.05				FM-16	0.01	30.02
14	1753	7	OVC:08 3	2.00	-RA:02 BR:1 |RA |	49	9.4	49	9.4	49	9.4	100	6	200		29.05			30.03	FM-15	0.02	30.02
14	1828	7	OVC:08 2	1.50	BR:1 ||	48	8.9	48	8.9	48	8.9	100	3	180		29.04				FM-16	0.01	30.01
14	1842	7	VV:09 3	0.75	-RA:02 BR:1 |RA |	48	8.9	48	8.9	48	8.9	100	0	000		29.04				FM-16	0.01	30.01
14	1853	7	VV:09 3	0.50	FG:2 |FG |	49	9.4	49	9.4	49	9.4	100	0	000		29.04	6	+0.05	30.02	FM-15	T	30.01
14	1953	7	VV:09 4	0.50	-RA:02 FG:2 |FG RA |	47	8.3	47	8.3	47	8.3	100	5	110		29.03			30.01	FM-15	0.01	30.00
14	2002	7	VV:09 5	0.50	FG:2 |FG |	47	8.3	47	8.3	47	8.3	100	5	130		29.02				FM-16	T	29.99
14	2043	7	VV:09 4	0.50	FG:2 |FG |	49	9.4	49	9.4	49	9.4	100	0	000		29.01				FM-16	0.01	29.98
14	2053	7	VV:09 4	0.50	FG:2 |FG |	48	8.9	48	8.9	48	8.9	100	0	000		29.01			29.99	FM-15	0.01	29.98
14	2151	6	VV:09 3	0.25	-RA:02 FG:2 |FG RA |	48	9.0	48	8.9	48	9.0	100	0	000		29.00				FM-16		29.97
14	2153	7	VV:09 3	0.25	-RA:02 FG:2 |FG RA |	48	8.9	48	8.9	48	8.9	100	0	000		29.00	6	+0.03	29.98	FM-15	T	29.97
14	2227	7	OVC:08 3	2.00	-RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	8	200		28.99				FM-16	0.01	29.96
14	2237	7	OVC:08 3	3.00	-RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	9	190		28.99				FM-16	0.01	29.96
14	2253	7	OVC:08 3	3.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	10	190		28.98			29.95	FM-15	0.01	29.95
14	2353	7	OVC:08 4	4.00	-RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	10	200		28.96			29.94	FM-15	0.02	29.93
15	0020	7	OVC:08 5	10.00		56	13.3	56	13.3	56	13.3	100	13	210		28.96				FM-16	T	29.93
15	0053	7	OVC:08 8	10.00		56	13.3	56	13.3	56	13.3	100	11	200		28.94	7	+0.05	29.92	FM-15	T	29.91
15	0106	7	BKN:07 10 OVC:08 17	10.00		56	13.3	56	13.3	56	13.3	100	9	200		28.94				FM-16		29.91
15	0123	7	BKN:07 8 OVC:08 16	10.00		56	13.3	56	13.3	56	13.3	100	9	210		28.95				FM-16		29.92
15	0136	7	FEW:02 8 BKN:07 12 OVC:08 35	10.00		56	13.3	56	13.3	56	13.3	100	11	200		28.94				FM-16		29.91
15	0144	7	FEW:02 8 SCT:04 14 OVC:08 35	10.00		56	13.3	56	13.3	56	13.3	100	9	200		28.94				FM-16		29.91
15	0153	7	FEW:02 11 FEW:02 18 OVC:08 35	10.00		56	13.3	56	13.3	56	13.3	100	9	200		28.94			29.91	FM-15	0.00	29.91

15	0231	7	FEW:02 14 BKN:07 25 OVC:08 34	10.00		56	13.3	56	13.3	56	13.3	100	10	220		28.95				FM-16		29.92
15	0253	7	FEW:02 16 BKN:07 26 OVC:08 38	10.00		56	13.3	56	13.3	56	13.3	100	9	220		28.95			29.93	FM-15	0.00	29.92
15	0310	7	FEW:02 24 FEW:02 29 OVC:08 36	10.00		56	13.3	56	13.3	56	13.3	100	13	230		28.96				FM-16		29.93
15	0353	7	OVC:08 36	10.00		56	13.3	55	13.0	55	12.8	97	8	230		28.95	0	-0.00	29.92	FM-15	0.00	29.92
15	0453	7	OVC:08 38	10.00		56	13.3	55	13.0	55	12.8	97	10	230		28.94			29.91	FM-15	0.00	29.91
15	0553	7	OVC:08 38	10.00		56	13.3	55	13.0	55	12.8	97	11	220		28.94			29.91	FM-15	0.00	29.91
15	0653	7	FEW:02 22 OVC:08 43	10.00		55	12.8	54	12.5	54	12.2	96	8	210		28.94	7	+0.01	29.91	FM-15	0.00	29.91
15	0753	7	OVC:08 40	10.00		55	12.8	54	12.5	54	12.2	96	9	210		28.93			29.90	FM-15	0.00	29.90
15	0853	7	SCT:04 18 BKN:07 42	10.00		55	12.8	54	12.5	54	12.2	96	7	210		28.94			29.91	FM-15	0.00	29.91
15	0951	6	OVC:08 16	10.00		57	14.0	56	13.3	55	13.0	94	9	200		28.91				FM-16		29.88
15	0953	7	OVC:08 16	10.00		57	13.9	56	13.3	55	12.8	93	9	200		28.91	8	+0.02	29.88	FM-15	0.00	29.88
15	1032	7	OVC:08 13	10.00		58	14.4	56	13.5	55	12.8	90	10	200		28.92				FM-16		29.89
15	1051	6	OVC:08 15	10.00		57	14.0	56	13.3	55	13.0	94	14	220		28.91				FM-16		29.88
15	1053	7	OVC:08 15	10.00		58	14.4	57	13.8	56	13.3	93	11	210		28.91			29.88	FM-15	0.00	29.88
15	1100	7	OVC:08 13	10.00		58	14.4	57	13.8	56	13.3	93	8	210		28.91				FM-16		29.88
15	1153	7	OVC:08 13	10.00		61	16.1	59	15.1	58	14.4	90	14	200		28.89			29.84	FM-15	0.00	29.85
15	1154	7	OVC:08 13	10.00		61	16.1	59	15.1	58	14.4	90	16	210	22	28.89				FM-16		29.85
15	1253	7	OVC:08 15	9.00	-RA:02 |RA |	60	15.6	59	14.9	58	14.4	93	6	220		28.86	8	+0.06	29.81	FM-15	T	29.82
15	1353	7	OVC:08 15	10.00	-RA:02 |RA |	60	15.6	60	15.6	60	15.6	100	7	240		28.83			29.78	FM-15	0.01	29.79
15	1453	7	BKN:07 15 BKN:07 24 OVC:08 30	9.00	-RA:02 |RA |	61	16.1	61	16.1	61	16.1	100	5	240		28.78			29.73	FM-15	T	29.74
15	1553	7	BKN:07 21 OVC:08 28	4.00	-RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	3	310		28.75	6	+0.10	29.71	FM-15	0.03	29.71
15	1610	7	BKN:07 21 OVC:08 28	1.50	-RA:02 BR:1 |RA |	59	15.0	59	15.0	59	15.0	100	5	240		28.77				FM-16	0.03	29.73
15	1631	7	BKN:07 21 OVC:08 28	3.00	-RA:02 BR:1 |RA |	62	16.7	62	16.7	62	16.7	100	9	210		28.74				FM-16	0.12	29.70
15	1653	7	BKN:07 18 BKN:07 24 OVC:08 39	10.00		63	17.2	62	16.9	62	16.7	97	13	220		28.74			29.70	FM-15	0.12	29.70
15	1753	7	SCT:04 15 BKN:07 43 OVC:08 120	10.00		63	17.2	62	16.9	62	16.7	97	16	230		28.75			29.70	FM-15	0.01	29.71
15	1853	7	FEW:02 75	10.00		63	17.2	62	16.6	61	16.1	93	13	220		28.75	3	-0.00	29.70	FM-15	0.00	29.71
15	1953	7	FEW:02 43 FEW:02 50 SCT:04 110	10.00		63	17.2	62	16.6	61	16.1	93	15	220		28.76			29.71	FM-15	0.00	29.72
15	2053	7	FEW:02 55 BKN:07 70 OVC:08 95	8.00	RA:02 |RA |	63	17.2	61	16.2	60	15.6	90	18	230	28	28.74			29.70	FM-15	0.02	29.70
15	2153	7	FEW:02 60 OVC:08 80	7.00	-RA:02 |RA |	61	16.1	61	16.1	61	16.1	100	9	240		28.74	8	+0.01	29.69	FM-15	0.04	29.70
15	2253	7	FEW:02 13 BKN:07 65 OVC:08 80	4.00	RA:02 BR:1 |RA |	58	14.4	58	14.4	58	14.4	100	9	230		28.75			29.71	FM-15	0.13	29.71
15	2338	7	FEW:02 9 SCT:04 65 OVC:08 80	7.00	RA:02 |RA |	56	13.3	56	13.3	56	13.3	100	9	330		28.77				FM-16	0.16	29.73
15	2353	7	FEW:02 9 BKN:07 70 OVC:08 80	5.00	RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	6	320		28.77			29.72	FM-15	0.18	29.73
16	0053	7	BKN:07 70 OVC:08 80	4.00	RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	0	000		28.76	0	-0.02	29.71	FM-15	0.15	29.72

16	0132	7	FEW:02 9 FEW:02 60 OVC:08 75	3.00	RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	3	180		28.75				FM-16	0.06	29.71
16	0153	7	OVC:08 85	5.00	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	5	170		28.74			29.69	FM-15	0.08	29.70
16	0217	7	BKN:07 12 OVC:08 85	4.00	RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	0	000		28.74				FM-16	0.04	29.70
16	0225	7	SCT:04 7 BKN:07 10 OVC:08 85	2.50	RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	0	000		28.74				FM-16	0.06	29.70
16	0231	7	BKN:07 5 OVC:08 12	1.75	+RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	0	000		28.74				FM-16	0.09	29.70
16	0244	7	OVC:08 6	3.00	RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	5	230		28.74				FM-16	0.12	29.70
16	0253	7	OVC:08 6	3.00	RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	7	300		28.74			29.70	FM-15	0.18	29.70
16	0301	7	BKN:07 6 OVC:08 10	2.50	RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	5	320	21	28.75				FM-16	0.04	29.71
16	0307	7	OVC:08 10	5.00	RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	9	310		28.76				FM-16	0.06	29.72
16	0314	7	OVC:08 7	4.00	RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	11	330		28.76				FM-16	0.08	29.72
16	0321	7	FEW:02 5 OVC:08 10	5.00	RA:02 BR:1 |RA |	51	10.6	51	10.6	51	10.6	100	11	330		28.77				FM-16	0.09	29.73
16	0338	7	SCT:04 10 OVC:08 70	8.00	-RA:02 |RA |	50	10.0	50	10.0	50	10.0	100	5	340		28.77				FM-16	0.11	29.73
16	0353	7	SCT:04 16 SCT:04 32 OVC:08 70	8.00	-RA:02 |RA |	50	10.0	50	10.0	50	10.0	100	11	340		28.78	3	-0.02	29.73	FM-15	0.09	29.74
16	0405	7	BKN:07 18 BKN:07 32 OVC:08 75	6.00	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	10	330		28.78				FM-16	0.02	29.74
16	0411	7	FEW:02 6 BKN:07 32 OVC:08 70	6.00	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	9	340		28.78				FM-16	0.02	29.74
16	0418	7	SCT:04 6 BKN:07 18 OVC:08 70	6.00	RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	9	330		28.79				FM-16	0.03	29.75
16	0430	7	BKN:07 5 BKN:07 20 OVC:08 70	6.00	-RA:02 BR:1 |RA |	49	9.4	49	9.4	49	9.4	100	9	330		28.80				FM-16	0.04	29.76
16	0451	6	SCT:04 5 OVC:08 22	8.00	-RA:02 |RA |	48	9.0	48	8.9	48	9.0	100	6	360		28.79				FM-16		29.75
16	0453	7	SCT:04 5 OVC:08 22	8.00	-RA:02 |RA |	49	9.4	49	9.4	49	9.4	100	6	360		28.78			29.74	FM-15	0.04	29.74
16	0526	7	BKN:07 7 OVC:08 23	8.00	-RA:02 |RA |	48	8.9	48	8.9	48	8.9	100	6	340		28.79				FM-16	T	29.75
16	0553	7	BKN:07 6 OVC:08 36	7.00	-RA:02 |RA |	48	8.9	48	8.9	48	8.9	100	6	330		28.80			29.76	FM-15	0.01	29.76
16	0604	7	SCT:04 6 BKN:07 42 OVC:08 55	5.00	-RA:02 BR:1 |RA |	48	8.9	48	8.9	48	8.9	100	6	320		28.81				FM-16	0.01	29.77
16	0636	7	SCT:04 4 BKN:07 19 OVC:08 50	5.00	-RA:02 BR:1 |RA |	47	8.3	47	8.3	47	8.3	100				28.81				FM-16	0.03	29.77
16	0653	7	BKN:07 4 OVC:08 20	6.00	-RA:02 BR:1 |RA |	47	8.3	47	8.3	47	8.3	100	20	320	28	28.84	3	-0.07	29.81	FM-15	0.02	29.81
16	0753	7	BKN:07 4 OVC:08 20	4.00	BR:1 ||	43	6.1	43	6.1	43	6.1	100	13	330		28.90			29.85	FM-15	T	29.86
16	0758	7	BKN:07 4 OVC:08 10	3.00	BR:1 ||	43	6.1	43	6.1	43	6.1	100	11	330		28.90				FM-16		29.86
16	0812	7	BKN:07 4 OVC:08 10	2.00	BR:1 ||	43	6.1	43	6.1	43	6.1	100	11	330		28.90				FM-16		29.87
16	0853	7	BKN:07 4 OVC:08 10	2.00	BR:1 ||	41	5.0	41	5.0	41	5.0	100	15	330		28.93			29.91	FM-15	0.00	29.90
16	0854	7	OVC:08 4	2.00	BR:1 ||	41	5.0	41	5.0	41	5.0	100	14	330		28.94				FM-16		29.91
16	0953	7	OVC:08 5	2.00	BR:1 ||	40	4.4	40	4.2	39	3.9	97	10	310		28.99	3	-0.14	29.96	FM-15	0.00	29.96
16	0955	7	OVC:08 5	2.00	BR:1 ||	40	4.4	40	4.2	39	3.9	97	10	320		28.99				FM-16		29.96
16	1053	7	OVC:08 5	2.00	BR:1 ||	40	4.4	39	3.7	37	2.8	89	10	340		29.01			29.98	FM-15	0.00	29.98

16	1055	7	BKN:07 15 OVC:08 21	3.00	BR:1 ||	40	4.4	39	3.7	37	2.8	89	10	340		29.01				FM-16		29.98
16	1153	7	BKN:07 21 BKN:07 70	9.00		39	3.9	37	2.7	34	1.1	82	15	330		29.06			30.04	FM-15	0.00	30.03
16	1205	7	BKN:07 20 OVC:08 70	8.00		39	3.9	37	2.7	34	1.1	82	16	330		29.07				FM-16		30.04
16	1253	7	BKN:07 20 OVC:08 70	8.00		38	3.3	36	2.2	33	0.6	83	15	330		29.09	3	-0.09	30.06	FM-15	0.00	30.06
16	1257	7	OVC:08 17	8.00		38	3.3	36	2.2	33	0.6	83	14	330	22	29.09				FM-16		30.06
16	1353	7	OVC:08 19	9.00		37	2.8	35	1.4	31	-0.6	79	15	340		29.10			30.09	FM-15	0.00	30.07
16	1453	7	BKN:07 19 OVC:08 25	10.00		37	2.8	35	1.6	32	0.0	82	11	330		29.14			30.12	FM-15	0.00	30.11
16	1553	7	OVC:08 26	10.00		36	2.2	34	0.9	30	-1.1	79	14	330	23	29.18	3	-0.10	30.17	FM-15	0.00	30.15
16	1619	7	BKN:07 30	10.00		36	2.2	33	0.7	29	-1.7	76	14	340		29.20				FM-16		30.17
16	1653	7	BKN:07 32	10.00		36	2.2	32	0.1	26	-3.3	67	13	320		29.22			30.21	FM-15	0.00	30.19
16	1753	7	OVC:08 34	10.00		35	1.7	32	0.0	27	-2.8	72	10	340		29.25			30.24	FM-15	0.00	30.22
16	1853	7	OVC:08 35	10.00		35	1.7	32	0.0	27	-2.8	72	8	350		29.27	1	-0.09	30.26	FM-15	0.00	30.25
16	1953	7	OVC:08 30	10.00		34	1.1	31	-0.5	26	-3.3	73	8	340		29.28			30.27	FM-15	0.00	30.26
16	2053	7	OVC:08 35	10.00		34	1.1	31	-0.7	25	-3.9	70	7	330		29.28			30.28	FM-15	0.00	30.26
16	2153	7	OVC:08 35	10.00		33	0.6	30	-0.9	26	-3.3	75	9	320		29.29	3	-0.03	30.29	FM-15	0.00	30.27
16	2253	7	OVC:08 35	10.00		32	0.0	30	-1.2	26	-3.3	79	6	330		29.30			30.30	FM-15	0.00	30.28
16	2353	7	OVC:08 34	10.00		31	-0.6	30	-1.4	27	-2.8	85	8	360		29.31			30.31	FM-15	0.00	30.29
17	0053	7	OVC:08 33	10.00		31	-0.6	30	-1.4	27	-2.8	85	7	010		29.29	8	+0.00	30.29	FM-15	0.00	30.27
17	0153	7	OVC:08 32	10.00		29	-1.7	27	-2.6	24	-4.4	82	3	010		29.28			30.28	FM-15	0.00	30.26
17	0253	7	BKN:07 32	10.00		29	-1.7	28	-2.5	25	-3.9	85	0	000		29.29			30.29	FM-15	0.00	30.27
17	0353	7	OVC:08 32	10.00		29	-1.7	28	-2.5	25	-3.9	85	0	000		29.28	6	+0.01	30.29	FM-15	0.00	30.26
17	0453	7	OVC:08 31	10.00		29	-1.7	28	-2.3	26	-3.3	89	3	050		29.26			30.27	FM-15	0.00	30.24
17	0553	7	OVC:08 32	10.00		29	-1.7	28	-2.1	27	-2.8	92	5	080		29.26			30.26	FM-15	0.00	30.23
17	0653	7	OVC:08 31	10.00		30	-1.1	29	-1.9	26	-3.3	85	6	130		29.23	6	+0.04	30.24	FM-15	0.00	30.21
17	0753	7	FEW:02 32	10.00		30	-1.1	28	-2.1	25	-3.9	82	8	120		29.22			30.22	FM-15	0.00	30.19
17	0853	7	CLR:00	10.00		31	-0.6	29	-1.6	26	-3.3	82	0	000		29.23			30.22	FM-15	0.00	30.20
17	0953	7	SCT:04 29	10.00		31	-0.6	29	-1.6	26	-3.3	82	8	120		29.18	8	+0.04	30.18	FM-15	0.00	30.15
17	1053	7	BKN:07 110	10.00		32	0.0	30	-1.2	26	-3.3	79	7	130		29.16			30.16	FM-15	0.00	30.13
17	1153	7	OVC:08 95	10.00		32	0.0	30	-1.2	26	-3.3	79	9	140		29.14			30.13	FM-15	0.00	30.11
17	1253	7	OVC:08 90	10.00		33	0.6	30	-0.9	26	-3.3	75	8	140		29.10	8	+0.08	30.09	FM-15	0.00	30.07
17	1353	7	FEW:02 31 BKN:07 42 OVC:08 60	4.00	-SN:03 BR:1 |SN |	34	1.1	32	-0.2	28	-2.2	79	6	190		29.07			30.07	FM-15	T	30.04
17	1401	7	FEW:02 23 BKN:07 32 OVC:08 44	1.50	-SN:03 BR:1 |SN |	33	0.6	31	-0.5	28	-2.2	82	9	190		29.07				FM-16	T	30.04
17	1408	7	FEW:02 23 OVC:08 28	0.75	-SN:03 BR:1 |SN |	33	0.6	31	-0.3	29	-1.7	85	7	190		29.06				FM-16	T	30.03
17	1438	7	FEW:02 6 OVC:08 19	0.50s	-SN:03 s BR:1 s |s SN s |	32	0.0	31	-0.4	30	-1.1	92	6	160		29.03				FM-16	T	30.00
17	1453	7	BKN:07 6 OVC:08 19	0.50s	-SN:03 s BR:1 s |s SN s |	32	0.0	32	0.0	32	0.0	100	5	170		29.04			30.03	FM-15	T	30.01
17	1500	7	BKN:07 6 BKN:07 18 OVC:08 23	1.75	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	3	200		29.04				FM-16	T	30.01
17	1553	7	BKN:07 6 OVC:08 22	1.25	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	5	130		29.02	6	+0.08	30.01	FM-15	0.01	29.99
17	1640	7	BKN:07 6 OVC:08 22	2.50	BR:1 ||	33	0.6	33	0.6	33	0.6	100	6	170		29.02				FM-16	T	29.99
17	1653	7	BKN:07 5 OVC:08 36	2.50	BR:1 ||	33	0.6	33	0.6	33	0.6	100	6	190		29.03			30.03	FM-15	T	30.00
17	1717	7	BKN:07 6 BKN:07 14 OVC:08 36	1.25	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	5	190		29.03				FM-16	T	30.00
17	1737	7	BKN:07 6 OVC:08 9	0.75	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	5	190		29.04				FM-16	0.01	30.01

17	1751	6	SCT:04 6 OVC:08 17	0.50	-SN:03 FG:2 |FG SN |	32	0.0	32	0.0	32	0.0	100	6	180		29.04				FM-16		30.01
17	1753	7	SCT:04 6 OVC:08 19	0.75	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	6	180		29.04			30.03	FM-15	0.02	30.01
17	1803	7	BKN:07 5 OVC:08 21	1.00	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	6	180		29.03				FM-16	T	30.00
17	1818	7	BKN:07 4 BKN:07 15 OVC:08 32	2.00	BR:1 ||	32	0.0	32	0.0	32	0.0	100	3	210		29.04				FM-16	T	30.01
17	1843	7	OVC:08 4	1.75	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	3	210		29.05				FM-16	T	30.02
17	1853	7	OVC:08 4	1.50	-SN:03 BR:1 |SN |	33	0.6	33	0.6	33	0.6	100	3	230		29.05	3	-0.04	30.05	FM-15	T	30.02
17	1953	7	BKN:07 4 OVC:08 32	1.50	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	5	200		29.06			30.05	FM-15	0.01	30.03
17	2044	7	BKN:07 4 OVC:08 30	2.00	-SN:03 BR:1 |SN |	33	0.6	33	0.6	33	0.6	100	7	190		29.05				FM-16	T	30.02
17	2053	7	BKN:07 4 OVC:08 36	2.50	BR:1 ||	33	0.6	33	0.6	33	0.6	100	6	200		29.05			30.05	FM-15	T	30.02
17	2105	7	OVC:08 4	3.00	BR:1 ||	33	0.6	33	0.6	33	0.6	100	5	200		29.05				FM-16		30.02
17	2153	7	OVC:08 4	4.00	-SN:03 BR:1 |SN |	33	0.6	33	0.6	33	0.6	100	7	210		29.05	1	-0.00	30.05	FM-15	T	30.02
17	2200	7	OVC:08 5	4.00	-SN:03 BR:1 |SN |	33	0.6	33	0.6	33	0.6	100	7	220		29.06				FM-16	T	30.03
17	2253	7	OVC:08 6	4.00	-SN:03 BR:1 |SN |	34	1.1	34	1.1	34	1.1	100	10	230		29.08			30.07	FM-15	T	30.05
17	2332	7	FEW:02 8 BKN:07 12 OVC:08 22	9.00		34	1.1	34	1.1	34	1.1	100	11	240		29.09				FM-16	T	30.06
17	2339	7	FEW:02 8 BKN:07 15 OVC:08 20	9.00	-RA:02 |RA |	34	1.1	34	1.1	34	1.1	100	13	240		29.09				FM-16	T	30.06
17	2351	6	BKN:07 14 OVC:08 22	10.00		34	1.0	34	1.1	34	1.0	100	10	250		29.09				FM-16		30.06
17	2353	7	BKN:07 14 OVC:08 22	10.00		34	1.1	34	0.9	33	0.6	97	11	250		29.09			30.09	FM-15	T	30.06
18	0000	7	OVC:08 16	10.00		35	1.7	34	1.2	33	0.6	93	13	250		29.10				FM-16		30.07
18	0046	7	FEW:02 20 BKN:07 30 OVC:08 36	10.00		35	1.7	34	1.2	33	0.6	93	14	270		29.13				FM-16	T	30.10
18	0053	7	FEW:02 19 OVC:08 30	10.00		35	1.7	34	1.2	33	0.6	93	14	280	22	29.13	3	-0.08	30.13	FM-15	T	30.10
18	0111	7	BKN:07 24 OVC:08 30	10.00		35	1.7	34	1.0	32	0.0	89	15	280		29.15				FM-16		30.12
18	0153	7	OVC:08 21	10.00		34	1.1	33	0.5	31	-0.6	89	17	270		29.19			30.18	FM-15	0.00	30.16
18	0219	7	FEW:02 20 SCT:04 24 OVC:08 31	10.00		34	1.1	32	0.2	30	-1.1	85	14	290		29.21				FM-16		30.18
18	0229	7	OVC:08 29	10.00		34	1.1	32	0.0	29	-1.7	82	15	300		29.21				FM-16		30.18
18	0253	7	OVC:08 23	10.00		34	1.1	32	0.0	29	-1.7	82	9	290		29.22			30.21	FM-15	0.00	30.19
18	0353	7	OVC:08 24	10.00		34	1.1	32	-0.2	28	-2.2	79	13	300		29.25	1	-0.11	30.24	FM-15	0.00	30.22
18	0453	7	OVC:08 25	10.00		33	0.6	31	-0.5	28	-2.2	82	9	290		29.29			30.29	FM-15	0.00	30.27
18	0553	7	OVC:08 26	10.00		33	0.6	31	-0.7	27	-2.8	78	9	320		29.31			30.32	FM-15	0.00	30.29
18	0653	7	BKN:07 29	10.00		31	-0.6	29	-1.6	26	-3.3	82	3	260		29.34	1	-0.10	30.35	FM-15	0.00	30.32
18	0753	7	BKN:07 29	8.00		31	-0.6	30	-1.4	27	-2.8	85	3	230		29.36			30.37	FM-15	0.00	30.34
18	0853	7	OVC:08 28	7.00		32	0.0	31	-0.6	29	-1.7	88	3	240		29.38			30.39	FM-15	0.00	30.36
18	0945	7	SCT:04 26	9.00		34	1.1	32	0.0	29	-1.7	82	3	VRB		29.37				FM-16		30.35
18	0953	7	FEW:02 26	9.00		34	1.1	32	-0.2	28	-2.2	79	0	000		29.38	1	-0.04	30.39	FM-15	0.00	30.36
18	1053	7	SCT:04 22	10.00		37	2.8	34	1.0	29	-1.7	73	8	160		29.38			30.39	FM-15	0.00	30.36
18	1153	7	SCT:04 26	10.00		38	3.3	34	1.4	29	-1.7	70	10	190		29.38			30.38	FM-15	0.00	30.36
18	1253	7	SCT:04 28	10.00		39	3.9	35	1.7	29	-1.7	67	9	200	17	29.37	8	+0.01	30.37	FM-15	0.00	30.35
18	1353	7	CLR:00	10.00		40	4.4	36	2.0	29	-1.7	65	10	180		29.36			30.36	FM-15	0.00	30.34
18	1453	7	CLR:00	10.00		41	5.0	37	2.5	30	-1.1	65	9	140		29.31			30.31	FM-15	0.00	30.29
18	1553	7	CLR:00	10.00		43	6.1	38	3.1	30	-1.1	60	9	130		29.29	8	+0.07	30.29	FM-15	0.00	30.27
18	1653	7	CLR:00	10.00		42	5.6	37	2.8	30	-1.1	62	11	120		29.28			30.28	FM-15	0.00	30.26
18	1753	7	CLR:00	10.00		40	4.4	36	2.4	31	-0.6	70	9	120		29.27			30.27	FM-15	0.00	30.25

18	1853	7	CLR:00	10.00		39	3.9	36	2.1	31	-0.6	73	7	110		29.26	8	+0.04	30.26	FM-15	0.00	30.23
18	1953	7	CLR:00	10.00		38	3.3	35	1.6	30	-1.1	73	9	130		29.26			30.25	FM-15	0.00	30.23
18	2053	7	CLR:00	10.00		38	3.3	35	1.6	30	-1.1	73	9	130		29.25			30.24	FM-15	0.00	30.22
18	2153	7	CLR:00	10.00		37	2.8	34	1.2	30	-1.1	76	13	130		29.21	8	+0.06	30.20	FM-15	0.00	30.18
18	2253	7	CLR:00	10.00		37	2.8	34	1.2	30	-1.1	76	10	140		29.18			30.17	FM-15	0.00	30.15
18	2353	7	CLR:00	10.00		37	2.8	34	1.2	30	-1.1	76	9	150		29.15			30.14	FM-15	0.00	30.12
19	0053	7	CLR:00	10.00		36	2.2	34	0.9	30	-1.1	79	8	130		29.15	6	+0.06	30.14	FM-15	0.00	30.12
19	0153	7	FEW:02 75	10.00		35	1.7	33	0.6	30	-1.1	82	7	130		29.12			30.11	FM-15	0.00	30.09
19	0253	7	CLR:00	10.00		36	2.2	34	0.9	30	-1.1	79	8	150		29.10			30.09	FM-15	0.00	30.07
19	0353	7	CLR:00	10.00		38	3.3	35	1.8	31	-0.6	76	11	160		29.10	6	+0.05	30.08	FM-15	0.00	30.07
19	0443	7	BKN:07 19 BKN:07 110	10.00		39	3.9	36	2.3	32	0.0	76	8	190		29.12				FM-16		30.09
19	0453	7	OVC:08 17	10.00		40	4.4	37	2.8	33	0.6	77	9	180		29.12			30.10	FM-15	0.00	30.09
19	0553	7	OVC:08 15	10.00		41	5.0	38	3.6	35	1.7	79	7	150		29.10			30.09	FM-15	0.00	30.07
19	0642	7	SCT:04 16 BKN:07 34 OVC:08 110	10.00		42	5.6	42	5.3	41	5.0	96	10	160		29.08				FM-16	0.04	30.05
19	0651	7	SCT:04 16 BKN:07 25 OVC:08 110	10.00		43	6.0	43	6.1	43	6.0	100	10	170		29.09				FM-16	0.04	30.06
19	0653	7	SCT:04 16 BKN:07 25 OVC:08 110	10.00		43	6.1	43	5.9	42	5.6	97	9	170		29.09	6	+0.03	30.07	FM-15	0.04	30.06
19	0730	7	OVC:08 12	10.00	-RA:02 |RA |	45	7.2	45	7.0	44	6.7	97	11	160		29.09				FM-16	T	30.06
19	0753	7	OVC:08 13	9.00		45	7.2	45	7.0	44	6.7	97	9	160		29.09			30.08	FM-15	0.01	30.06
19	0757	7	OVC:08 10	9.00	-RA:02 |RA |	45	7.2	45	7.0	44	6.7	97	9	160		29.10				FM-16	T	30.07
19	0810	7	OVC:08 10	5.00	-RA:02 BR:1 |RA |	45	7.2	45	7.2	45	7.2	100	9	160		29.10				FM-16	0.01	30.07
19	0849	7	OVC:08 10	5.00	VCTS:7 BR:1 ||	46	8.0	46	7.8	46	8.0	100	9	170		29.09				FM-16	0.01	30.06
19	0853	7	OVC:08 10	5.00	VCTS:7 BR:1 ||	47	8.3	47	8.3	47	8.3	100	9	180		29.10			30.08	FM-15	T	30.07
19	0902	7	OVC:08 8	5.00	BR:1 ||	47	8.3	47	8.3	47	8.3	100	9	180		29.10				FM-16		30.07
19	0918	7	OVC:08 5	2.50	BR:1 ||	48	8.9	48	8.9	48	8.9	100	0	000		29.11				FM-16		30.08
19	0951	6	OVC:08 5	3.00	-RA:02 BR:1 |RA |	48	9.0	48	8.9	48	9.0	100	3	VRB		29.11				FM-16		30.08
19	0953	7	OVC:08 5	3.00	-RA:02 BR:1 |RA |	48	8.9	48	8.9	48	8.9	100	5	150		29.11	3	-0.01	30.09	FM-15	0.06s	30.08
19	1053	7	OVC:08 13	6.00	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	9	170		29.10			30.08	FM-15	0.06	30.07
19	1153	7	OVC:08 14	10.00		53	11.7	53	11.7	53	11.7	100	8	160		29.11			30.09	FM-15	0.00	30.08
19	1203	7	BKN:07 17 OVC:08 22	10.00		54	12.2	54	12.2	54	12.2	100	7	150		29.11				FM-16		30.08
19	1253	7	FEW:02 17	10.00		59	15.0	58	14.7	58	14.4	96	10	180		29.08	8	+0.02	30.06	FM-15	0.00	30.05
19	1344	7	BKN:07 27 OVC:08 33	10.00		63	17.2	61	15.9	59	15.0	87	11	200		29.09				FM-16		30.06
19	1353	7	BKN:07 29 BKN:07 34 OVC:08 46	10.00		63	17.2	61	15.9	59	15.0	87	11	200		29.08			30.06	FM-15	T	30.05
19	1453	7	SCT:04 110	10.00		63	17.2	61	16.2	60	15.6	90	8	180		29.07			30.04	FM-15	T	30.04
19	1553	7	FEW:02 46	10.00		67	19.4	63	17.4	61	16.1	81	9	170		29.06	8	+0.02	30.03	FM-15	0.00	30.03
19	1653	7	FEW:02 55	10.00		67	19.4	63	17.4	61	16.1	81	9	160		29.06			30.03	FM-15	0.00	30.03
19	1753	7	FEW:02 90	10.00		68	20.0	63	17.3	60	15.6	76	13	190		29.07			30.04	FM-15	0.00	30.04
19	1853	7	CLR:00	10.00		66	18.9	62	16.6	59	15.0	78	13	190		29.09	3	-0.03	30.06	FM-15	0.00	30.06
19	1953	7	CLR:00	10.00		66	18.9	61	16.3	58	14.4	75	14	180		29.10			30.06	FM-15	0.00	30.07
19	2053	7	CLR:00	10.00		65	18.3	60	15.7	57	13.9	76	14	190		29.11			30.07	FM-15	0.00	30.08
19	2153	7	CLR:00	10.00		64	17.8	60	15.5	57	13.9	78	11	190		29.11	1	-0.02	30.08	FM-15	0.00	30.08
19	2253	7	CLR:00	10.00		63	17.2	59	15.0	56	13.3	78	13	190	24	29.11			30.07	FM-15	0.00	30.08
19	2353	7	CLR:00	10.00		63	17.2	58	14.7	55	12.8	75	14	180		29.12			30.08	FM-15	0.00	30.09
20	0053	7	CLR:00	10.00		62	16.7	58	14.4	55	12.8	78	14	190		29.12	3	-0.01	30.08	FM-15	0.00	30.09
20	0153	7	CLR:00	10.00		62	16.7	58	14.4	55	12.8	78	13	190		29.12			30.08	FM-15	0.00	30.09
20	0253	7	OVC:08 90	10.00		62	16.7	59	14.7	56	13.3	80	14	190		29.13			30.09	FM-15	0.00	30.10
20	0353	7	OVC:08 95	10.00		62	16.7	59	14.7	56	13.3	80	15	190		29.13	3	-0.01	30.09	FM-15	0.00	30.10
20	0453	7	OVC:08 95	10.00		63	17.2	60	15.3	57	13.9	81	14	190	26	29.13			30.09	FM-15	0.00	30.10
20	0553	7	OVC:08 100	10.00		63	17.2	60	15.3	57	13.9	81	14	200		29.14			30.10	FM-15	0.00	30.11

20	0653	7	CLR:00	10.00		62	16.7	59	14.7	56	13.3	80	15	190		29.15	3	-0.02	30.11	FM-15	0.00	30.12
20	0753	7	CLR:00	10.00		62	16.7	59	15.1	57	13.9	84	14	190	23	29.16			30.12	FM-15	0.00	30.13
20	0853	7	FEW:02 110	10.00		64	17.8	60	15.8	58	14.4	81	16	190	25	29.17			30.13	FM-15	0.00	30.14
20	0856	7	FEW:02 120	10.00		64	17.8	60	15.8	58	14.4	81	18	200	26	29.17				FM-16		30.14
20	0917	7	CLR:00	10.00		64	17.8	60	15.8	58	14.4	81	20	200	31	29.18				FM-16		30.15
20	0953	7	FEW:02 120	10.00		65	18.3	61	16.0	58	14.4	78	21	200	31	29.17	0	-0.01	30.13	FM-15	0.00	30.14
20	1053	6	BKN:07 100	10.00		68	20.0	63	17.0	59	15.0	73	24	210	30	29.16			30.12	FM-15	T	30.13
20	1153	7	BKN:07 100	10.00		70	21.1	63	17.4	59	15.0	68	21	210	32	29.16			30.11	FM-15	T	30.13
20	1245	7	FEW:02 90	10.00		72	22.2	64	17.5	58	14.4	61	23	220	34	29.15				FM-16	T	30.12
20	1253	7	FEW:02 90	10.00		72	22.2	64	17.5	58	14.4	61	31	220	39	29.15	6	+0.01	30.11	FM-15	T	30.12
20	1353	7	FEW:02 110	10.00		74	23.3	64	17.9	58	14.4	57	26	200	38	29.14			30.10	FM-15	0.00	30.11
20	1453	7	FEW:02 90	10.00		75	23.9	65	18.1	58	14.4	55	20	210	31	29.12			30.08	FM-15	0.00	30.09
20	1553	7	BKN:07 55	10.00		75	23.9	64	17.8	57	13.9	54	20	190	29	29.13	5	+0.02	30.09	FM-15	0.00	30.10
20	1653	7	FEW:02 65	10.00		74	23.3	63	17.3	56	13.3	54	16	190	28	29.13			30.09	FM-15	0.00	30.10
20	1753	7	CLR:00	10.00		73	22.8	63	17.4	57	13.9	57	15	190		29.14			30.09	FM-15	0.00	30.11
20	1853	7	CLR:00	10.00		71	21.7	63	17.0	57	13.9	61	14	190		29.15	3	-0.01	30.10	FM-15	0.00	30.12
20	1953	7	CLR:00	10.00		70	21.1	62	16.5	56	13.3	61	10	180		29.15			30.11	FM-15	0.00	30.12
20	2053	7	CLR:00	10.00		68	20.0	60	15.8	55	12.8	63	11	190		29.15			30.11	FM-15	0.00	30.12
20	2153	7	CLR:00	10.00		69	20.6	61	16.3	56	13.3	63	15	190		29.16	3	-0.01	30.11	FM-15	0.00	30.13
20	2253	7	CLR:00	10.00		68	20.0	61	16.1	56	13.3	65	14	190	23	29.16			30.12	FM-15	0.00	30.13
20	2353	7	CLR:00	10.00		68	20.0	61	16.1	56	13.3	65	16	180	24	29.15			30.10	FM-15	0.00	30.12
21	0053	7	OVC:08 80	10.00		69	20.6	61	16.3	56	13.3	63	17	190	30	29.15	5	+0.01	30.11	FM-15	0.00	30.12
21	0153	7	BKN:07 85	10.00		67	19.4	61	15.9	56	13.3	68	10	180		29.15			30.10	FM-15	0.00	30.12
21	0253	7	FEW:02 85	10.00		65	18.3	59	15.1	55	12.8	70	11	180		29.14			30.09	FM-15	0.00	30.11
21	0353	7	CLR:00	10.00		66	18.9	61	15.9	57	13.9	73	15	180		29.13	8	+0.02	30.08	FM-15	0.00	30.10
21	0453	7	BKN:07 85	10.00		65	18.3	60	15.7	57	13.9	76	15	180		29.11			30.07	FM-15	0.00	30.08
21	0553	7	FEW:02 70 BKN:07 90 BKN:07 110	10.00		67	19.4	62	16.5	58	14.4	73	17	200	25	29.13			30.08	FM-15	0.00	30.10
21	0627	7	SCT:04 27 OVC:08 36	7.00	-RA:02 |RA |	59	15.0	57	14.1	56	13.3	90	30	330	43	29.19				FM-16	0.01	30.16
21	0634	7	BKN:07 27 OVC:08 36	6.00	RA:02 BR:1 |RA |	56	13.3	55	13.0	55	12.8	97	20	330	43	29.20				FM-16	0.03	30.17
21	0644	7	SCT:04 26 OVC:08 34	4.00	-RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	15	320	28	29.22				FM-16	0.06	30.19
21	0653	7	FEW:02 26 OVC:08 36	7.00	-RA:02 |RA |	56	13.3	55	13.0	55	12.8	97	11	320		29.22	3	-0.09	30.18	FM-15	0.07	30.19
21	0721	7	SCT:04 26 OVC:08 40	6.00	-RA:02 BR:1 |RA |	57	13.9	56	13.3	55	12.8	93	11	330		29.23				FM-16	T	30.20
21	0733	7	OVC:08 30	3.00	RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	7	310		29.25				FM-16	0.01	30.22
21	0753	7	BKN:07 44 OVC:08 50	10.00	-RA:02 |RA |	56	13.3	55	13.0	55	12.8	97	5	340		29.26			30.22	FM-15	0.02	30.23
21	0818	7	BKN:07 45 OVC:08 50	9.00	-RA:02 |RA |	56	13.3	56	13.3	56	13.3	100	0	000		29.26				FM-16	T	30.24
21	0853	7	OVC:08 45	6.00	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	7	310		29.28			30.25	FM-15	0.02	30.26
21	0855	7	OVC:08 40	5.00	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	7	320		29.28				FM-16	T	30.26
21	0953	7	BKN:07 65 OVC:08 80	5.00	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	6	340		29.31	1	-0.10	30.28	FM-15	0.04	30.29
21	1012	7	BKN:07 10 BKN:07 20 OVC:08 60	5.00	-RA:02 BR:1 |RA |	57	13.9	57	13.9	57	13.9	100	7	310		29.33				FM-16	0.01	30.31
21	1053	7	OVC:08 7	10.00	-RA:02 |RA |	51	10.6	50	10.3	50	10.0	96	13	330		29.37			30.34	FM-15	T	30.35
21	1153	7	OVC:08 7	5.00	-RA:02 BR:1 |RA |	48	8.9	48	8.6	47	8.3	96	13	330		29.40			30.38	FM-15	T	30.38
21	1155	7	OVC:08 7	5.00	-RA:02 BR:1 |RA |	48	8.9	48	8.6	47	8.3	96	13	340		29.40				FM-16	T	30.38
21	1253	7	OVC:08 7	10.00	-RA:02 |RA |	46	7.8	46	7.8	46	7.8	100	10	320		29.42	1	-0.11	30.40	FM-15	0.01	30.40
21	1353	7	BKN:07 8 OVC:08 21	10.00	-RA:02 |RA |	46	7.8	45	7.2	44	6.7	93	14	360		29.43			30.40	FM-15	T	30.41
21	1453	7	BKN:07 12 OVC:08 23	10.00		46	7.8	45	7.2	44	6.7	93	14	010		29.42			30.40	FM-15	T	30.40

21	1502	7	SCT:04 12 OVC:08 23	10.00		46	7.8	45	7.0	43	6.1	89	10	020		29.42				FM-16		30.40
21	1516	7	BKN:07 12 OVC:08 23	10.00		46	7.8	45	7.0	43	6.1	89	10	360		29.43				FM-16		30.41
21	1553	7	BKN:07 12 OVC:08 23	10.00		46	7.8	45	7.0	43	6.1	89	13	360		29.44	3	-0.02	30.42	FM-15	T	30.42
21	1653	7	BKN:07 12 OVC:08 25	10.00		44	6.7	43	6.1	42	5.6	93	18	020		29.45			30.43	FM-15	T	30.43
21	1753	7	OVC:08 10	10.00	-RA:02 |RA |	42	5.6	42	5.3	41	5.0	96	15	010		29.47			30.46	FM-15	T	30.45
21	1853	7	OVC:08 11	10.00	-RA:02 |RA |	41	5.0	41	5.0	41	5.0	100	10	350		29.52	3	-0.08	30.50	FM-15	0.01	30.50
21	1953	7	OVC:08 13	9.00	-RA:02 |RA |	41	5.0	41	4.7	40	4.4	96	7	010		29.55			30.54	FM-15	0.02	30.53
21	2053	7	OVC:08 13	9.00	-RA:02 |RA |	39	3.9	39	3.6	38	3.3	96	15	030		29.54			30.53	FM-15	0.01	30.52
21	2153	7	BKN:07 13 OVC:08 33	10.00		39	3.9	38	3.4	37	2.8	93	9	040		29.54	0	-0.02	30.53	FM-15	0.01	30.52
21	2155	7	BKN:07 33 OVC:08 90	10.00		39	3.9	38	3.4	37	2.8	93	10	040		29.54				FM-16		30.52
21	2253	7	OVC:08 80	8.00	-RA:02 |RA |	38	3.3	37	2.9	36	2.2	93	10	060		29.53			30.52	FM-15	0.01	30.51
21	2353	7	OVC:08 75	9.00	-RA:02 |RA |	37	2.8	36	2.3	35	1.7	93	11	020		29.53			30.52	FM-15	0.03	30.51
22	0040	7	BKN:07 29 OVC:08 34	9.00	-RA:02 |RA |	36	2.2	36	2.0	35	1.7	97	11	010		29.54				FM-16	0.02	30.52
22	0053	7	OVC:08 30	10.00	-RA:02 |RA |	36	2.2	36	2.0	35	1.7	97	13	010		29.54	5	+0.01	30.53	FM-15	0.02	30.52
22	0153	7	OVC:08 31	10.00	-RA:02 |RA |	36	2.2	35	1.8	34	1.1	93	13	030		29.50			30.50	FM-15	T	30.48
22	0253	7	BKN:07 31 OVC:08 46	7.00	-RA:02 |RA |	36	2.2	36	2.0	35	1.7	97	10	010		29.50			30.50	FM-15	0.02	30.48
22	0353	7	OVC:08 32	7.00	-RA:02 |RA |	36	2.2	35	1.8	34	1.1	93	10	020		29.48	6	+0.05	30.48	FM-15	0.05	30.46
22	0453	7	SCT:04 55 BKN:07 75 OVC:08 90	8.00	-RA:02 |RA |	36	2.2	36	2.0	35	1.7	97	10	020		29.46			30.45	FM-15	0.04	30.44
22	0553	7	OVC:08 45	7.00	RA:02 |RA |	36	2.2	35	1.8	34	1.1	93	11	040		29.46			30.46	FM-15	0.07	30.44
22	0653	7	FEW:02 33 BKN:07 46 OVC:08 60	9.00	-RA:02 |RA |	37	2.8	36	2.1	34	1.1	89	14	050		29.45	6	+0.03	30.45	FM-15	0.07	30.43
22	0753	7	OVC:08 36	6.00	-RA:02 BR:1 |RA |	37	2.8	36	2.3	35	1.7	93	8	040		29.48			30.47	FM-15	0.04	30.46
22	0853	7	FEW:02 11 FEW:02 18 OVC:08 38	7.00	-RA:02 |RA |	37	2.8	37	2.5	36	2.2	96	11	060		29.46			30.46	FM-15	0.03	30.44
22	0953	7	FEW:02 11 SCT:04 36 SCT:04 70	10.00	-RA:02 |RA |	39	3.9	38	3.4	37	2.8	93	24	080	33	29.36	8	+0.09	30.36	FM-15	T	30.34
22	1021	7	BKN:07 16 BKN:07 39	10.00		40	4.4	39	3.7	37	2.8	89	11	350		29.52				FM-16	T	30.50
22	1053	7	BKN:07 16 BKN:07 39	10.00	-RA:02 |RA |	41	5.0	40	4.3	38	3.3	89	11	360		29.53s			30.53s	FM-15	T	30.51s
22	1103	7	BKN:07 22 OVC:08 37	7.00		41	5.0	40	4.3	38	3.3	89	13	360		29.53				FM-16	T	30.51
22	1122	7	SCT:04 22 OVC:08 37	10.00		42	5.6	41	4.8	39	3.9	89	13	360		29.52				FM-16	T	30.50
22	1133	7	SCT:04 20 OVC:08 37	10.00		42	5.6	41	4.8	39	3.9	89	13	020		29.52				FM-16	T	30.50
22	1153	7	SCT:04 20 OVC:08 37	10.00		43	6.1	41	5.1	39	3.9	86	17	030	23	29.51			30.51	FM-15	0.00	30.49
22	1253	7	SCT:04 20 OVC:08 37	10.00		46	7.8	43	6.2	40	4.4	79	16	040	25	29.48	0	-0.12	30.47	FM-15	0.00	30.46
22	1303	7	SCT:04 20 BKN:07 37	10.00		46	7.8	43	6.2	40	4.4	79	18	050		29.48				FM-16		30.46
22	1353	7	SCT:04 20 BKN:07 37	10.00		48	8.9	45	7.1	41	5.0	77	20	040	23	29.44			30.44	FM-15	T	30.42
22	1356	7	SCT:04 20 OVC:08 34	10.00		48	8.9	45	7.1	41	5.0	77	17	040	23	29.44				FM-16		30.42
22	1357	7	SCT:04 20 BKN:07 34	10.00		48	8.9	45	7.1	41	5.0	77	16	050	23	29.43				FM-16		30.41
22	1453	7	OVC:08 20	10.00		47	8.3	44	6.8	41	5.0	80	10	070		29.45			30.45	FM-15	0.00	30.43

22	1553	7	OVC:08 21	10.00		47	8.3	44	6.8	41	5.0	80	11	080		29.44	6	+0.04	30.44	FM-15	0.00	30.42
22	1653	7	OVC:08 21	10.00		47	8.3	44	6.8	41	5.0	80	9	070		29.44			30.44	FM-15	0.00	30.42
22	1753	7	OVC:08 18	10.00		45	7.2	43	5.9	40	4.4	83	10	110		29.44			30.43	FM-15	0.00	30.42
22	1851	6	OVC:08 14	10.00		45	7.0	43	6.2	41	5.0	87	8	100		29.43				FM-16		30.41
22	1853	7	OVC:08 14	10.00		44	6.7	43	5.9	41	5.0	89	10	090		29.43	8	+0.01	30.43	FM-15	0.00	30.41
22	1953	7	OVC:08 13	10.00		44	6.7	43	5.9	41	5.0	89	9	090		29.45			30.45	FM-15	0.00	30.43
22	2053	7	OVC:08 12	10.00		43	6.1	42	5.6	41	5.0	93	8	090		29.44			30.44	FM-15	0.00	30.42
22	2153	7	OVC:08 11	10.00		43	6.1	42	5.6	41	5.0	93	8	100		29.42	8	+0.01	30.42	FM-15	0.00	30.40
22	2253	7	OVC:08 10	10.00		43	6.1	43	5.9	42	5.6	97	8	120		29.42			30.42	FM-15	0.00	30.40
22	2303	7	OVC:08 8	8.00		43	6.1	43	5.9	42	5.6	97	7	090		29.42				FM-16		30.40
22	2353	7	OVC:08 7	2.00	BR:1 ||	42	5.6	42	5.6	42	5.6	100	7	090		29.41			30.40	FM-15	0.00	30.39
23	0031	7	OVC:08 5	1.50	BR:1 ||	42	5.6	42	5.6	42	5.6	100	6	110		29.40				FM-16		30.38
23	0043	7	OVC:08 4	1.50	BR:1 ||	42	5.6	42	5.6	42	5.6	100	7	120		29.39				FM-16		30.37
23	0053	7	OVC:08 4	1.75	BR:1 ||	42	5.6	42	5.6	42	5.6	100	6	110		29.39	8	+0.03	30.38	FM-15	0.00	30.37
23	0108	7	OVC:08 4	2.00	BR:1 ||	42	5.6	42	5.6	42	5.6	100	6	110		29.38				FM-16		30.36
23	0137	7	OVC:08 4	1.50	BR:1 ||	42	5.6	42	5.6	42	5.6	100	8	130		29.37				FM-16		30.35
23	0153	7	OVC:08 4	1.50	BR:1 ||	42	5.6	42	5.6	42	5.6	100	7	120		29.37			30.37	FM-15	0.00	30.35
23	0253	7	OVC:08 3	1.25	BR:1 ||	42	5.6	42	5.6	42	5.6	100	8	130		29.34			30.34	FM-15	0.00	30.32
23	0353	7	OVC:08 3	1.25	BR:1 ||	42	5.6	42	5.6	42	5.6	100	6	140		29.32	8	+0.06	30.32	FM-15	0.00	30.30
23	0453	7	OVC:08 2	1.00	-RA:02 BR:1 |RA |	43	6.1	43	6.1	43	6.1	100	7	120		29.31			30.30	FM-15	T	30.29
23	0536	7	OVC:08 2	2.00	-RA:02 BR:1 |RA |	43	6.1	43	6.1	43	6.1	100	8	160		29.30				FM-16	0.01	30.28
23	0553	7	OVC:08 2	2.50	-RA:02 BR:1 |RA |	44	6.7	44	6.7	44	6.7	100	11	140		29.28			30.27	FM-15	0.02	30.26
23	0626	7	OVC:08 2	3.00	-RA:02 BR:1 |RA |	44	6.7	44	6.7	44	6.7	100	7	150		29.28				FM-16	0.01	30.26
23	0653	7	OVC:08 3	3.00	-RA:02 BR:1 |RA |	45	7.2	45	7.2	45	7.2	100	10	150		29.27	6	+0.05	30.27	FM-15	0.03	30.25
23	0753	7	OVC:08 4	3.00	-RA:02 BR:1 |RA |	46	7.8	46	7.8	46	7.8	100	11	140		29.25			30.24	FM-15	0.06	30.22
23	0837	7	OVC:08 3	2.50	-RA:02 BR:1 |RA |	47	8.3	47	8.3	47	8.3	100	9	150		29.21				FM-16	0.02	30.18
23	0853	7	OVC:08 3	2.50	BR:1 ||	48	8.9	48	8.9	48	8.9	100	10	160		29.22			30.20	FM-15	0.02	30.19
23	0854	7	OVC:08 3	2.50	BR:1 ||	48	8.9	48	8.9	48	8.9	100	10	160		29.22				FM-16		30.19
23	0953	7	OVC:08 3	2.00	BR:1 ||	49	9.4	49	9.4	49	9.4	100	11	180		29.23	5	+0.06	30.21	FM-15	0.01	30.20
23	1000	7	OVC:08 3	2.50	BR:1 ||	50	10.0	50	10.0	50	10.0	100	11	180		29.22				FM-16		30.19
23	1051	6	OVC:08 5	2.50	BR:1 ||	54	12.0	54	12.2	54	12.0	100	11	200		29.21				FM-16		30.18
23	1053	7	OVC:08 5	2.50	BR:1 ||	54	12.2	54	12.2	54	12.2	100	11	190		29.21			30.19	FM-15	0.00	30.18
23	1100	7	OVC:08 5	6.00	BR:1 ||	54	12.2	54	12.2	54	12.2	100	10	190		29.21				FM-16		30.18
23	1148	7	OVC:08 10	6.00	BR:1 ||	61	16.0	60	15.5	59	15.0	94	14	210		29.22				FM-16		30.19
23	1153	7	OVC:08 10	6.00	BR:1 ||	60	15.6	59	15.2	59	15.0	96	15	220		29.22			30.19	FM-15	0.00	30.19
23	1207	7	OVC:08 11	10.00		61	16.1	60	15.5	59	15.0	93	17	220	28	29.22				FM-16		30.19
23	1223	7	OVC:08 13	1.75	-RA:02 BR:1 |RA |	61	16.1	60	15.8	60	15.6	97	20	220	28	29.22				FM-16	0.01	30.19
23	1232	7	OVC:08 13	3.00	-RA:02 BR:1 |RA |	61	16.1	60	15.8	60	15.6	97	15	220	26	29.22				FM-16	0.01	30.19
23	1234	7	OVC:08 10	2.00	-RA:02 BR:1 |RA |	61	16.1	61	16.1	61	16.1	100	17	220	24	29.22				FM-16	0.01	30.19
23	1253	7	OVC:08 10	5.00	BR:1 ||	61	16.1	61	16.1	61	16.1	100	16	230	25	29.22	1	-0.01	30.19	FM-15	0.01	30.19
23	1256	7	OVC:08 9	5.00	BR:1 ||	61	16.1	61	16.1	61	16.1	100	20	220	26	29.22				FM-16		30.19
23	1351	6	BKN:07 9 OVC:08 12	1.75	-RA:02 BR:1 |RA |	61	16.0	61	16.1	61	16.0	100	13	230		29.21				FM-16		30.18
23	1353	7	BKN:07 9 OVC:08 12	2.00	-RA:02 BR:1 |RA |	61	16.1	61	16.1	61	16.1	100	11	240		29.21			30.18	FM-15	0.01	30.18
23	1358	7	OVC:08 9	2.50	-RA:02 BR:1 |RA |	60	15.6	60	15.6	60	15.6	100	14	240		29.21				FM-16	T	30.18
23	1453	7	OVC:08 6	2.50	BR:1 ||	60	15.6	60	15.6	60	15.6	100	8	260		29.20			30.18	FM-15	T	30.17
23	1527	7	SCT:04 6 BKN:07 31 OVC:08 60	2.50	-RA:02 BR:1 |RA |	61	16.1	61	16.1	61	16.1	100	13	240		29.20				FM-16	0.02	30.17
23	1534	7	BKN:07 6 BKN:07 31 OVC:08 60	2.50	-RA:02 BR:1 |RA |	61	16.1	61	16.1	61	16.1	100	10	250		29.20				FM-16	0.03	30.17
23	1551	6	SCT:04 11 SCT:04 29 BKN:07 70	10.00		61	16.0	61	16.1	61	16.0	100	8	250		29.21				FM-16		30.18
23	1553	7	SCT:04 9 BKN:07 18 BKN:07 70	10.00		61	16.1	61	16.1	61	16.1	100	9	260		29.21	5	+0.01	30.18	FM-15	0.03	30.18

23	1603	7	FEW:02 7 BKN:07 11 BKN:07 18	10.00		61	16.1	60	15.8	60	15.6	97	8	260		29.20				FM-16		30.17
23	1651	6	SCT:04 21 SCT:04 29	10.00		61	16.0	59	14.8	57	14.0	88	8	250		29.20				FM-16		30.17
23	1653	7	FEW:02 18 FEW:02 24 SCT:04 44	10.00		60	15.6	59	14.9	58	14.4	93	8	260		29.21			30.18	FM-15	0.00	30.18
23	1751	6	SCT:04 19 BKN:07 25	10.00		59	15.0	59	15.0	59	15.0	100	7	190		29.20				FM-16		30.17
23	1753	7	SCT:04 19 BKN:07 25	10.00		59	15.0	59	15.0	59	15.0	100	8	220		29.21			30.19	FM-15	0.00	30.18
23	1853	7	SCT:04 18 BKN:07 25	10.00		58	14.4	57	13.8	56	13.3	93	8	260		29.23	3	-0.03	30.21	FM-15	0.00	30.20
23	1951	6	FEW:02 20	10.00		55	13.0	55	12.8	55	13.0	100	7	250		29.23				FM-16		30.20
23	1953	7	FEW:02 19	10.00		57	13.9	56	13.3	55	12.8	93	6	260		29.23			30.20	FM-15	0.00	30.20
23	2026	7	BKN:07 21	10.00		57	13.9	55	13.0	54	12.2	90	8	260		29.23				FM-16		30.21
23	2051	6	SCT:04 21	10.00		55	13.0	54	12.5	54	12.0	94	8	270		29.22				FM-16		30.19
23	2053	7	BKN:07 23	10.00		55	12.8	54	12.2	53	11.7	93	8	270		29.23			30.20	FM-15	0.00	30.20
23	2131	7	SCT:04 23	10.00		54	12.2	53	11.9	53	11.7	97	7	270		29.23				FM-16		30.20
23	2139	7	BKN:07 23	10.00		55	12.8	54	12.2	53	11.7	93	6	300		29.22				FM-16		30.19
23	2153	7	OVC:08 24	10.00		55	12.8	54	12.2	53	11.7	93	7	300		29.23	7	+0.01	30.20	FM-15	0.00	30.20
23	2253	7	OVC:08 21	10.00		52	11.1	51	10.5	50	10.0	93	10	330		29.22			30.19	FM-15	0.00	30.19
23	2351	6	BKN:07 10 OVC:08 21	10.00		52	11.0	50	10.0	48	9.0	88	6	350		29.23				FM-16		30.20
23	2353	7	BKN:07 10 OVC:08 21	10.00		51	10.6	50	10.0	49	9.4	92	7	330		29.23			30.19	FM-15	0.00	30.20
24	0053	7	BKN:07 11 OVC:08 19	10.00		49	9.4	48	9.2	48	8.9	97	6	330		29.22	8	+0.01	30.19	FM-15	0.00	30.19
24	0153	7	BKN:07 10 OVC:08 15	10.00		49	9.4	48	9.2	48	8.9	97	7	360		29.21			30.18	FM-15	0.00	30.18
24	0253	7	OVC:08 9	9.00	-RA:02 |RA |	48	8.9	47	8.6	47	8.3	96	10	360		29.20			30.17	FM-15	T	30.17
24	0313	7	BKN:07 10 OVC:08 90	10.00		47	8.3	46	7.8	45	7.2	93	14	360		29.19				FM-16	T	30.16
24	0353	7	OVC:08 10	10.00	-RA:02 |RA |	47	8.3	47	8.1	46	7.8	97	8	020		29.18	8	+0.04	30.15	FM-15	T	30.15
24	0410	7	OVC:08 9	10.00	-RA:02 |RA |	47	8.3	47	8.1	46	7.8	97	5	020		29.21				FM-16	T	30.18
24	0453	7	OVC:08 7	8.00	-RA:02 |RA |	46	7.8	46	7.8	46	7.8	100	7	020		29.20			30.17	FM-15	T	30.17
24	0520	7	OVC:08 10	8.00	-RA:02 |RA |	46	7.8	46	7.5	45	7.2	96	9	010		29.19				FM-16	T	30.16
24	0553	7	OVC:08 13	7.00	-RA:02 |RA |	46	7.8	46	7.5	45	7.2	96	3	330		29.20			30.17	FM-15	T	30.17
24	0653	7	OVC:08 14	6.00	BR:1 ||	45	7.2	45	7.2	45	7.2	100	7	350		29.20	0	-0.02	30.17	FM-15	0.01	30.17
24	0728	7	BKN:07 15 OVC:08 60	5.00	-RA:02 BR:1 |RA |	45	7.2	45	7.2	45	7.2	100	6	020		29.20				FM-16	T	30.17
24	0751	6	BKN:07 15 OVC:08 60	2.50	-RA:02 BR:1 |RA |	45	7.0	45	7.2	45	7.0	100	5	060		29.19				FM-16		30.16
24	0753	7	BKN:07 15 OVC:08 60	2.50	-RA:02 BR:1 |RA |	45	7.2	45	7.2	45	7.2	100	6	050		29.19			30.16	FM-15	0.05	30.16
24	0820	7	BKN:07 15 OVC:08 80	3.00	-RA:02 BR:1 |RA |	45	7.2	45	7.2	45	7.2	100	9	050		29.16				FM-16	0.03	30.13
24	0851	6	OVC:08 60	2.00	RA:02 BR:1 |RA |	45	7.0	45	7.2	45	7.0	100	7	060		29.17				FM-16		30.14
24	0853	7	OVC:08 60	2.00	RA:02 BR:1 |RA |	46	7.8	46	7.8	46	7.8	100	9	070		29.16			30.14	FM-15	0.07	30.13
24	0922	7	FEW:02 6 OVC:08 65	2.50	RA:02 BR:1 |RA |	46	7.8	46	7.8	46	7.8	100	8	070		29.17				FM-16	0.06	30.14
24	0953	7	SCT:04 7 BKN:07 50 OVC:08 70	2.00	RA:02 BR:1 |RA |	46	7.8	46	7.8	46	7.8	100	8	050		29.16	6	+0.04	30.14	FM-15	0.14	30.13
24	1051	6	SCT:04 6 SCT:04 50 OVC:08 70	5.00	-RA:02 BR:1 |RA |	46	8.0	46	7.8	46	8.0	100	8	020		29.16				FM-16		30.13
24	1053	7	SCT:04 8 BKN:07 70 OVC:08 80	5.00	-RA:02 BR:1 |RA |	47	8.3	47	8.1	46	7.8	97	9	010		29.16			30.14	FM-15	0.04	30.13

24	1153	7	FEW:02 8 BKN:07 60 OVC:08 90	6.00	-RA:02 BR:1 |RA |	47	8.3	47	8.1	46	7.8	97	8	050		29.16			30.14	FM-15	0.06	30.13
24	1251	6	BKN:07 7 OVC:08 12	10.00		48	9.0	47	8.3	46	8.0	94	8	070		29.12				FM-16		30.09
24	1253	7	BKN:07 7 OVC:08 12	10.00		48	8.9	47	8.6	47	8.3	96	9	070		29.11	8	+0.05	30.09	FM-15	0.04	30.08
24	1353	7	OVC:08 9	10.00		49	9.4	48	9.2	48	8.9	97	10	080		29.06			30.03	FM-15	0.00	30.03
24	1451	6	OVC:08 13	10.00		50	10.0	49	9.4	48	9.0	94	13	100		29.01				FM-16		29.98
24	1453	7	OVC:08 13	10.00		50	10.0	49	9.4	48	8.9	93	15	100	21	29.02			29.99	FM-15	T	29.99
24	1553	7	OVC:08 13	10.00		51	10.6	49	9.7	48	8.9	89	8	080		29.03	5	+0.08	30.01	FM-15	0.00	30.00
24	1645	7	OVC:08 15	10.00		50	10.0	48	9.2	47	8.3	89	9	090		29.03				FM-16		30.00
24	1653	7	OVC:08 15	10.00		50	10.0	49	9.4	48	8.9	93	9	090		29.03			30.01	FM-15	T	30.00
24	1726	7	OVC:08 14	10.00		50	10.0	49	9.4	48	8.9	93	8	100		29.02				FM-16	T	29.99
24	1753	7	OVC:08 14	8.00	-RA:02 |RA |	50	10.0	49	9.4	48	8.9	93	8	120		29.03			30.00	FM-15	0.01	30.00
24	1844	7	SCT:04 13 BKN:07 35 OVC:08 80	7.00	-RA:02 |RA |	49	9.4	49	9.4	49	9.4	100	8	100		28.98				FM-16	0.06	29.95
24	1853	7	FEW:02 12 SCT:04 35 OVC:08 75	4.00	RA:02 BR:1 |RA |	49	9.4	49	9.4	49	9.4	100	13	110		28.96	8	+0.07	29.94	FM-15	0.09	29.93
24	1913	7	SCT:04 8 BKN:07 49 OVC:08 70	5.00	-RA:02 BR:1 |RA |	49	9.4	49	9.4	49	9.4	100	11	110		28.95				FM-16	0.04	29.92
24	1953	7	SCT:04 8 BKN:07 49 OVC:08 70	4.00	RA:02 BR:1 |RA |	49	9.4	49	9.4	49	9.4	100	13	120		28.96			29.94	FM-15	0.16	29.93
24	2000	7	OVC:08 8	4.00	RA:02 BR:1 |RA |	49	9.4	49	9.4	49	9.4	100	13	110		28.94				FM-16	0.03	29.91
24	2053	7	OVC:08 7	2.50	+RA:02 BR:1 |RA |	49	9.4	49	9.4	49	9.4	100	8	100		28.91			29.88	FM-15	0.18	29.88
24	2126	7	OVC:08 6	4.00	RA:02 BR:1 |RA |	49	9.4	49	9.4	49	9.4	100	9	120		28.90				FM-16	0.09	29.86
24	2153	7	BKN:07 5 BKN:07 17 OVC:08 24	3.00	RA:02 BR:1 |RA |	49	9.4	49	9.4	49	9.4	100	6	130		28.90	8	+0.06	29.86	FM-15	0.24	29.86
24	2201	7	BKN:07 5 BKN:07 16 OVC:08 35	2.00	+RA:02 BR:1 |RA |	49	9.4	49	9.4	49	9.4	100	10	130		28.90				FM-16	0.08	29.86
24	2251	6	BKN:07 7 BKN:07 15 OVC:08 27	4.00	RA:02 BR:1 |RA |	48	9.0	48	8.9	48	9.0	100	8	080		28.84				FM-16		29.80
24	2253	7	BKN:07 7 BKN:07 18 OVC:08 27	3.00	+RA:02 BR:1 |RA |	49	9.4	49	9.4	49	9.4	100	8	080		28.84			29.80	FM-15	0.40	29.80
24	2303	7	SCT:04 5 BKN:07 10 OVC:08 23	2.00	+RA:02 BR:1 |RA |	49	9.4	49	9.4	49	9.4	100	10	080		28.83				FM-16	0.08	29.79
24	2310	7	BKN:07 5 BKN:07 22 OVC:08 50	2.50	RA:02 BR:1 |RA |	49	9.4	49	9.4	49	9.4	100	11	090		28.81				FM-16	0.10	29.77
24	2316	7	BKN:07 3 BKN:07 10 OVC:08 24	3.00	RA:02 BR:1 |RA |	49	9.4	49	9.4	49	9.4	100	13	100		28.81				FM-16	0.12	29.77
24	2353	7	OVC:08 4	2.50	RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	5	130		28.81			29.77	FM-15	0.21	29.77
25	0009	7	BKN:07 4 OVC:08 8	4.00	RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	10	130		28.77				FM-16	0.05	29.73
25	0027	7	BKN:07 5 OVC:08 75	5.00	-RA:02 BR:1 |RA |	51	10.6	51	10.6	51	10.6	100	13	120		28.75				FM-16	0.06	29.71
25	0049	7	OVC:08 4	6.00	-RA:02 BR:1 |RA |	52	11.0	52	11.1	52	11.0	100	10	200		28.75				FM-16	0.07	29.71
25	0053	7	OVC:08 4	5.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	7	170		28.74	6	+0.09	29.71	FM-15	0.08	29.70
25	0120	7	BKN:07 5 BKN:07 12 OVC:08 17	7.00	-RA:02 |RA |	54	12.2	54	12.2	54	12.2	100	11	200		28.75				FM-16	0.05	29.71
25	0132	7	FEW:02 5 OVC:08 10	8.00	-RA:02 |RA |	54	12.2	54	12.2	54	12.2	100	8	240		28.76				FM-16	0.06	29.72

25	0145	7	BKN:07 6 OVC:08 11	4.00	RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	5	130		28.71				FM-16	0.08	29.67
25	0153	7	OVC:08 6	6.00	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	10	130		28.69			29.65	FM-15	0.07	29.65
25	0224	7	SCT:04 8 BKN:07 60 OVC:08 90	7.00	-RA:02 |RA |	55	12.8	55	12.8	55	12.8	100	15	200	24	28.70				FM-16	T	29.66
25	0253	7	FEW:02 95 OVC:08 110	10.00		57	13.9	56	13.6	56	13.3	96	22	180	29	28.65			29.61	FM-15	T	29.61
25	0306	7	SCT:04 18 OVC:08 110	10.00		56	13.3	56	13.3	56	13.3	100	13	280		28.69				FM-16		29.65
25	0353	7	FEW:02 20 SCT:04 33 SCT:04 120	10.00		58	14.4	57	13.8	56	13.3	93	16	200		28.69	5	+0.05	29.65	FM-15	0.00	29.65
25	0444	7	BKN:07 27 OVC:08 47	10.00		59	15.0	57	13.7	55	12.8	87	22	210	29	28.72				FM-16		29.68
25	0453	7	BKN:07 27 OVC:08 46	10.00		59	15.0	57	13.7	55	12.8	87	17	210	30	28.72			29.67	FM-15	0.00	29.68
25	0527	7	FEW:02 22 SCT:04 27	10.00		59	15.0	57	13.7	55	12.8	87	21	220	29	28.73				FM-16		29.69
25	0553	7	SCT:04 26 BKN:07 60	10.00		59	15.0	57	13.7	55	12.8	87	15	230	24	28.75			29.70	FM-15	0.00	29.71
25	0622	7	SCT:04 20 BKN:07 29 BKN:07 45	10.00	-RA:02 |RA |	53	11.7	51	10.5	49	9.4	86	25	270	44	28.79				FM-16	T	29.75
25	0629	7	FEW:02 22 SCT:04 30 BKN:07 70	10.00	-RA:02 |RA |	52	11.1	50	10.2	49	9.4	89	22	270	36	28.80				FM-16	T	29.76
25	0653	7	SCT:04 65	10.00	-RA:02 |RA |	52	11.1	49	9.7	47	8.3	83	23	270	32	28.82	3	-0.12	29.78	FM-15	T	29.78
25	0753	7	FEW:02 20	10.00		48	8.9	46	7.5	43	6.1	83	23	270	30	28.89			29.86	FM-15	T	29.85
25	0853	7	CLR:00	10.00		46	7.8	44	6.7	42	5.6	86	13	270		28.93			29.91	FM-15	0.00	29.90
25	0953	7	FEW:02 20	10.00		47	8.3	44	6.8	41	5.0	80	8	250		28.96	1	-0.14	29.93	FM-15	0.00	29.93
25	1053	7	CLR:00	10.00		46	7.8	43	6.2	40	4.4	79	14	240		28.99			29.97	FM-15	0.00	29.96
25	1153	7	CLR:00	10.00		47	8.3	43	6.0	38	3.3	71	17	240		29.01			29.98	FM-15	0.00	29.98
25	1253	7	CLR:00	10.00		47	8.3	42	5.8	37	2.8	69	18	250	23	29.02	1	-0.06	30.00	FM-15	0.00	29.99
25	1353	7	CLR:00	10.00		48	8.9	42	5.6	35	1.7	61	14	240	24	29.02			29.99	FM-15	0.00	29.99
25	1453	7	CLR:00	10.00		49	9.4	42	5.7	34	1.1	56	13	250		29.02			29.99	FM-15	0.00	29.99
25	1553	7	CLR:00	10.00		49	9.4	43	6.4	37	2.8	64	13	230		29.03	3	-0.00	29.99	FM-15	0.00	30.00
25	1559	7	FEW:02 33	10.00		49	9.4	44	6.6	38	3.3	66	11	230		29.03				FM-16		30.00
25	1653	7	CLR:00	10.00		47	8.3	41	4.9	33	0.6	59	10	260		29.05			30.02	FM-15	0.00	30.02
25	1753	7	CLR:00	10.00		46	7.8	41	4.8	34	1.1	63	10	260		29.06			30.03	FM-15	0.00	30.03
25	1853	7	CLR:00	10.00		44	6.7	40	4.3	34	1.1	68	5	260		29.09	3	-0.06	30.06	FM-15	0.00	30.06
25	1953	7	CLR:00	10.00		43	6.1	39	4.0	34	1.1	71	5	250		29.11			30.09	FM-15	0.00	30.08
25	2053	7	CLR:00	10.00		42	5.6	39	3.9	35	1.7	76	5	260		29.12			30.10	FM-15	0.00	30.09
25	2153	7	CLR:00	10.00		41	5.0	38	3.6	35	1.7	79	6	280		29.14	3	-0.05	30.12	FM-15	0.00	30.11
25	2253	7	CLR:00	10.00		41	5.0	38	3.3	34	1.1	76	7	300		29.17			30.15	FM-15	0.00	30.14
25	2353	7	CLR:00	10.00		40	4.4	37	2.6	32	0.0	73	3	260		29.18			30.16	FM-15	0.00	30.15
26	0053	7	CLR:00	10.00		39	3.9	36	2.5	33	0.6	79	5	240		29.21	3	-0.06	30.19	FM-15	0.00	30.18
26	0153	7	CLR:00	10.00		38	3.3	36	2.2	33	0.6	83	5	230		29.22			30.20	FM-15	0.00	30.19
26	0253	7	CLR:00	10.00		35	1.7	34	1.0	32	0.0	89	3	220		29.22			30.21	FM-15	0.00	30.19
26	0353	7	CLR:00	10.00		34	1.1	33	0.5	31	-0.6	89	3	270		29.22	1	-0.01	30.21	FM-15	0.00	30.19
26	0453	7	CLR:00	10.00		34	1.1	33	0.7	32	0.0	92	3	260		29.23			30.21	FM-15	0.00	30.20
26	0553	7	CLR:00	10.00		33	0.6	32	0.1	31	-0.6	92	5	280		29.23			30.22	FM-15	0.00	30.21
26	0653	7	CLR:00	10.00		33	0.6	32	0.1	31	-0.6	92	3	270		29.25	3	-0.02	30.24	FM-15	0.00	30.22
26	0753	7	CLR:00	10.00		33	0.6	32	0.1	31	-0.6	92	7	290		29.26			30.26	FM-15	0.00	30.24
26	0853	7	CLR:00	10.00		40	4.4	36	2.4	31	-0.6	70	3	280		29.28			30.28	FM-15	0.00	30.26
26	0953	7	CLR:00	10.00		44	6.7	37	3.0	28	-2.2	53	8	290		29.29	1	-0.05	30.29	FM-15	0.00	30.27
26	1053	7	CLR:00	10.00		47	8.3	38	3.6	26	-3.3	44	8	300		29.31			30.30	FM-15	0.00	30.29
26	1153	7	CLR:00	10.00		49	9.4	39	4.0	25	-3.9	39	0	000		29.32			30.32	FM-15	0.00	30.30
26	1253	7	CLR:00	10.00		50	10.0	39	3.8	22	-5.6	33	8	290		29.32	0	-0.02	30.31	FM-15	0.00	30.30
26	1353	7	CLR:00	10.00		51	10.6	40	4.4	24	-4.4	35	6	360		29.30			30.30	FM-15	0.00	30.28

26	1453	7	CLR:00	10.00		52	11.1	41	4.9	25	-3.9	35	10	310	16	29.30			30.29	FM-15	0.00	30.28
26	1553	7	CLR:00	10.00		52	11.1	41	4.7	24	-4.4	34	10	270		29.30	5	+0.01	30.29	FM-15	0.00	30.28
26	1653	7	CLR:00	10.00		51	10.6	39	4.1	22	-5.6	32	9	290		29.30			30.29	FM-15	0.00	30.28
26	1753	7	CLR:00	10.00		49	9.4	39	3.7	23	-5.0	36	8	250		29.31			30.30	FM-15	0.00	30.29
26	1853	7	CLR:00	10.00		47	8.3	38	3.2	24	-4.4	41	3	260		29.33	3	-0.03	30.33	FM-15	0.00	30.31
26	1953	7	CLR:00	10.00		45	7.2	37	2.6	24	-4.4	44	3	240		29.34			30.34	FM-15	0.00	30.32
26	2053	7	CLR:00	10.00		42	5.6	36	2.1	26	-3.3	53	0	000		29.35			30.35	FM-15	0.00	30.33
26	2153	7	CLR:00	10.00		39	3.9	34	1.1	26	-3.3	60	3	200		29.36	1	-0.03	30.36	FM-15	0.00	30.34
26	2253	7	CLR:00	10.00		38	3.3	33	0.8	26	-3.3	62	5	200		29.36			30.36	FM-15	0.00	30.34
26	2353	7	CLR:00	10.00		37	2.8	33	0.5	26	-3.3	65	3	180		29.37			30.37	FM-15	0.00	30.35
27	0053	7	CLR:00	10.00		35	1.7	32	-0.2	26	-3.3	70	0	000		29.38	1	-0.01	30.37	FM-15	0.00	30.36
27	0153	7	CLR:00	10.00		34	1.1	31	-0.4	27	-2.8	75	0	000		29.39			30.38	FM-15	0.00	30.37
27	0253	7	CLR:00	10.00		33	0.6	31	-0.5	28	-2.2	82	0	000		29.38			30.38	FM-15	0.00	30.36
27	0353	7	CLR:00	10.00		34	1.1	32	-0.2	28	-2.2	79	0	000		29.37	8	+0.00	30.37	FM-15	0.00	30.35
27	0453	7	CLR:00	10.00		31	-0.6	30	-1.0	29	-1.7	92	0	000		29.37			30.37	FM-15	0.00	30.35
27	0553	7	CLR:00	10.00		32	0.0	30	-0.8	28	-2.2	85	0	000		29.38			30.37	FM-15	0.00	30.36
27	0653	7	CLR:00	10.00		32	0.0	31	-0.6	29	-1.7	88	3	150		29.39	3	-0.02	30.39	FM-15	0.00	30.37
27	0753	7	CLR:00	10.00		31	-0.6	30	-1.2	28	-2.2	89	3	150		29.41			30.41	FM-15	0.00	30.39
27	0853	7	CLR:00	10.00		40	4.4	36	2.2	30	-1.1	68	7	170		29.41			30.41	FM-15	0.00	30.39
27	0953	7	CLR:00	10.00		46	7.8	39	3.8	29	-1.7	51	10	180		29.40	0	-0.01	30.40	FM-15	0.00	30.38
27	1053	7	CLR:00	10.00		51	10.6	41	5.0	27	-2.8	39	15	180		29.40			30.39	FM-15	0.00	30.38
27	1153	7	CLR:00	10.00		54	12.2	43	6.4	30	-1.1	40	10	180		29.36			30.35	FM-15	0.00	30.34
27	1253	7	CLR:00	10.00		55	12.8	44	6.8	31	-0.6	40	11	200		29.33	8	+0.07	30.32	FM-15	0.00	30.31
27	1353	7	CLR:00	10.00		58	14.4	45	7.1	28	-2.2	32	14	200		29.28			30.27	FM-15	0.00	30.26
27	1453	7	CLR:00	10.00		58	14.4	44	6.9	27	-2.8	31	16	190	23	29.26			30.24	FM-15	0.00	30.23
27	1553	7	CLR:00	10.00		58	14.4	44	6.9	27	-2.8	31	18	210		29.23	6	+0.11	30.21	FM-15	0.00	30.20
27	1653	7	CLR:00	10.00		58	14.4	45	7.1	28	-2.2	32	15	210	24	29.20			30.19	FM-15	0.00	30.17
27	1753	7	CLR:00	10.00		56	13.3	44	6.9	30	-1.1	37	11	200		29.19			30.17	FM-15	0.00	30.16
27	1853	7	CLR:00	10.00		54	12.2	43	6.3	30	-1.1	40	3	180		29.17	6	+0.06	30.16	FM-15	0.00	30.14
27	1953	7	CLR:00	10.00		52	11.1	42	5.8	30	-1.1	43	6	180		29.16			30.14	FM-15	0.00	30.13
27	2053	7	CLR:00	10.00		51	10.6	42	5.7	31	-0.6	46	9	170		29.12			30.10	FM-15	0.00	30.09
27	2153	7	CLR:00	10.00		51	10.6	42	5.7	31	-0.6	46	7	170		29.11	6	+0.06	30.08	FM-15	0.00	30.08
27	2253	7	CLR:00	10.00		50	10.0	41	5.2	30	-1.1	46	6	160		29.09			30.06	FM-15	0.00	30.06
27	2353	7	FEW:02 110	10.00		49	9.4	41	4.9	30	-1.1	48	5	150		29.09			30.06	FM-15	0.00	30.06
28	0053	7	CLR:00	10.00		48	8.9	40	4.4	29	-1.7	48	3	150		29.08	6	+0.03	30.05	FM-15	0.00	30.05
28	0153	7	CLR:00	10.00		48	8.9	40	4.6	30	-1.1	50	5	150		29.06			30.03	FM-15	0.00	30.03
28	0253	7	CLR:00	10.00		48	8.9	41	4.8	31	-0.6	52	6	160		29.05			30.02	FM-15	0.00	30.02
28	0353	7	CLR:00	10.00		48	8.9	41	4.8	31	-0.6	52	7	160		29.03	8	+0.05	30.00	FM-15	0.00	30.00
28	0453	7	CLR:00	10.00		49	9.4	42	5.3	32	0.0	52	11	170		29.02			29.98	FM-15	0.00	29.99
28	0553	7	CLR:00	10.00		49	9.4	42	5.7	34	1.1	56	9	180		29.02			29.98	FM-15	0.00	29.99
28	0653	7	CLR:00	10.00		50	10.0	44	6.7	37	2.8	61	11	200		29.01	6	+0.01	29.98	FM-15	0.00	29.98
28	0753	7	CLR:00	10.00		51	10.6	45	7.4	39	3.9	64	10	200		29.01			29.98	FM-15	0.00	29.98
28	0853	7	FEW:02 70	10.00		54	12.2	48	8.7	41	5.0	62	10	200	23	29.00			29.97	FM-15	0.00	29.97
28	0953	7	FEW:02 70 FEW:02 90 BKN:07 120	10.00		56	13.3	49	9.7	43	6.1	62	11	210		28.99	8	+0.02	29.96	FM-15	0.00	29.96
28	1053	7	OVC:08 70	10.00		58	14.4	51	10.5	44	6.7	60	14	210		28.98			29.95	FM-15	0.00	29.95
28	1153	7	FEW:02 70 SCT:04 85	10.00		60	15.6	53	11.7	47	8.3	62	20	210	25	28.96			29.93	FM-15	0.00	29.93
28	1253	7	BKN:07 34	10.00		61	16.1	54	12.0	47	8.3	60	18	230	24	28.93	8	+0.06	29.90	FM-15	0.00	29.90
28	1353	7	FEW:02 29 OVC:08 37	10.00		59	15.0	54	12.0	49	9.4	69	17	220	23	28.93			29.90	FM-15	0.00	29.90
28	1449	7	BKN:07 24 OVC:08 36	10.00		57	14.0	52	11.2	48	9.0	72	15	200	23	28.91				FM-16		29.88
28	1453	7	BKN:07 24 OVC:08 34	10.00		57	13.9	53	11.5	49	9.4	74	15	210	23	28.91			29.88	FM-15	0.00	29.88
28	1553	7	OVC:08 20	10.00		55	12.8	52	11.0	49	9.4	80	15	200		28.91	6	+0.02	29.88	FM-15	0.00	29.88

28	1653	7	BKN:07 18 OVC:08 25	10.00		54	12.2	51	10.8	49	9.4	83	10	200		28.91			29.88	FM-15	0.00	29.88
28	1753	7	OVC:08 16	10.00		54	12.2	51	10.8	49	9.4	83	11	200		28.91			29.88	FM-15	0.00	29.88
28	1853	7	OVC:08 16	10.00		53	11.7	51	10.5	49	9.4	86	9	210		28.91	3	-0.00	29.88	FM-15	0.00	29.88
28	1953	7	OVC:08 15	10.00		53	11.7	51	10.5	49	9.4	86	5	220		28.91			29.88	FM-15	0.00	29.88
28	2053	7	OVC:08 15	10.00		53	11.7	51	10.5	49	9.4	86	5	170		28.91			29.88	FM-15	0.00	29.88
28	2153	7	OVC:08 18	10.00		52	11.1	50	10.2	49	9.4	89	6	180		28.90	8	+0.01	29.87	FM-15	0.00	29.87
28	2253	7	OVC:08 16	10.00		52	11.1	50	10.2	49	9.4	89	5	130		28.90			29.86	FM-15	0.00	29.86
28	2353	7	OVC:08 16	10.00		52	11.1	50	10.0	48	8.9	86	9	150		28.87			29.84	FM-15	0.00	29.84

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
February 2018

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01																					T	T	T		01
02	T			T							T	T	T	T											02
03																									03
04					T	T	0.01	T	0.02	T	T	T				T		T	0.01	0.01	T	T	T	T	04
05	T	T										T	T												05
06			T	T						T															06
07			0.03	0.07	0.07	0.04	0.01	T	T	T															07
08		T	T																						08
09																									09
10										T	T	T	T	0.01											10
11								T	T		0.02	0.06	0.06	T	0.01			T							11
12																									12
13																					T	T			13
14											T	T	T	T	T	0.03s	0.06	0.02	T	0.01	0.01	T	0.01	0.02	14
15	T												T	0.01	T	0.03	0.12	0.01			0.02	0.04	0.13	0.18	15
16	0.15	0.08	0.18	0.09	0.04	0.01	0.02	T																	16
17														T	T	0.01	T	0.02	T	0.01	T	T	T	T	17
18	T																								18
19							0.04	0.01	T	0.06s	0.06			T	T										19
20											T	T	T												20
21							0.07	0.02	0.02	0.04	T	T	0.01	T	T	T	T	T	0.01	0.02	0.01	0.01	0.01	0.03	21
22	0.02	T	0.02	0.05	0.04	0.07	0.07	0.04	0.03	T	T			T											22
23					T	0.02	0.03	0.06	0.02	0.01			0.01	0.01	T	0.03									23
24			T	T	T	T	0.01	0.05	0.07	0.14	0.04	0.06	0.04		T		T	0.01	0.09	0.16	0.18	0.24	0.40	0.21	24
25	0.08	0.07	T				T	T																	25
26																									26
27																									27
28																									28

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.14	0.18	0.21	0.25	0.32	0.41	0.46	0.56	0.63	0.67	0.78	0.86
Ending Date Time (yyyy-mm-dd hh:mi)	2018-02-24 22:25	2018-02-24 22:25	2018-02-24 22:26	2018-02-24 22:26	2018-02-24 22:26	2018-02-24 22:26	2018-02-24 22:29	2018-02-24 23:02	2018-02-24 23:15	2018-02-24 23:19	2018-02-25 00:06	2018-02-24 23:56

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
March 2018

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	57	34	46	11.2				19	0	0706	1824	RA SN BR	0.58			28.74		14.7	48	290	35	300
02	41	27	34	-1.1				31	0	0705	1825	SN	T			29.26		12.3	31	310	24	320
03	43	26	35	-0.5				30	0	0703	1826		0.00			29.45		9.6	22	010	17	010
04	47	23	35	-0.8				30	0	0702	1827		0.00			29.43		7.8	20	010	16	010
05	44	24	34	-2.2				31	0	0700	1828		T			29.22		9.0	22	100	18	090
06	55	35	45	8.5				20	0	0659	1829	RA	T			28.80		9.2	34	300	24	310
07	39	28	34	-2.9				31	0	0657	1831	SN BR	T			28.84		12.8	39	260	32	280
08	30	23	27	-10.2				38	0	0655	1832	SN FZFG BR FG	T			28.95		12.2	32	280	24	280
09	36	24	30	-7.6				35	0	0654	1833	SN BR	T			29.01		9.7	26	280	21	280
10	43	19	31	-7.0				34	0	0652	1834		0.00			29.06		4.6	16	010	13	340
11	43	21	32	-6.4				33	0	0651	1835		0.00			29.13		8.9	22	050	17	030
12	41	23	32	-6.8				33	0	0649	1836	SN BR	T			29.02		10.1	24	310	20	300
13	37	21	29	-10.2				36	0	0648	1837	SN BR	T			29.03		9.6	27	340	21	290
14	37	25	31	-8.6				34	0	0646	1838	SN BR	T			29.01		12.2	30	270	23	280
15	48	29	39	-1.0				26	0	0644	1839		T			28.81		13.6	32	270	24	320
16	41	19*	30	-10.4				35	0	0643	1840		0.00			29.09		6.5	31	300	23	330
17	45	25	35	-5.8				30	0	0641	1841	RA PL BR	0.05			28.97		7.0	17	050	14	020
18	55	23	39	-2.2				26	0	0639	1842		0.00			29.03		1.5	12	230	8	240
19	58	29	44	2.4				21	0	0638	1843		0.00			28.87		9.6	26	040	21	030
20	42	32	37	-5.0				28	0	0636	1844	RA SN BR UP	0.03			28.69		14.9	28	040	22	040
21	35	30	33	-9.4				32	0	0635	1845	SN BR	0.01			28.82		12.7	30	010	23	010
22	43	26	35	-7.8				30	0	0633	1846		0.00			29.22		8.5	23	280	18	290
23	44	23	34	-9.2				31	0	0631	1847		0.00			29.26		9.2	26	320	16	330
24	42	23	33	-10.6				32	0	0630	1848		0.00			29.23		9.6	27	030	22	040
25	45	24	35	-9.0				30	0	0628	1849		0.00			29.30		14.0	28	050	21	070
26	56	33	45	0.6				20	0	0626	1850		0.00			29.35		13.0	28	130	21	130
27	54	42	48	3.2				17	0	0625	1851	RA BR	0.31			29.14		11.5	28	160	22	160
28	53	48	51	5.7				14	0	0623	1852	RA FG BR	0.24			29.00		3.9	14	350	13	350
29	60*	41	51	5.3				14	0	0622	1853	RA FG BR	0.54			28.84		9.4	28	330	21	350
30	48	33	41	-5.1				24	0	0620	1854	RA BR	0.17			29.08		8.7	26	010	21	360
31	57	28	43	-3.4				22	0	0618	1855	RA FG BR	T			29.16		11.3	35	210	28	230
	45.8	27.8	36.8							Monthly Averages | Totals			1.93s			29.06	30.05	9.8				
	-4.2	-3.1	-3.6	Departure from Normal (1981-2010)									-1.06s									

Degree Days	Monthly		Season-to-date		Number of days with...								
					Temperature				Precipitation		Snow	Weather	
	Total	Departure	Total	Departure	Max		Min						
Heating	872	110	4989		>=90°	<=32°	<=32°	<=0°	>=0.01"	>=0.1"	>=1"	T-Storms	Heavy Fog
Cooling	0	-1	3		0	1	24	0	8	5			

Date of 5-sec to 3-sec wind equipment change	Sea Level Pressure				Greatest...		
			Date	Time	24-Hr...		Snow Depth
N/A	Maximum	30.52	03	1055	Precip	Snowfall	
	Minimum	29.42	01	1510	0.70s		
					Date		
					29-30		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
March 2018

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0032	7	BKN:07 14 OVC:08 65	10.00	-RA:02 |RA |	51	10.6	50	10.0	49	9.4	92	7	160		28.87				FM-16	T	29.83
01	0049	7	SCT:04 14 BKN:07 55 OVC:08 70	10.00	-RA:02 |RA |	52	11.0	51	10.5	50	10.0	94	7	150		28.86				FM-16	T	29.82
01	0053	7	SCT:04 14 SCT:04 46 OVC:08 60	10.00		51	10.6	50	10.3	50	10.0	96	5	170		28.87	5	+0.03	29.83	FM-15	T	29.83
01	0129	7	FEW:02 9 SCT:04 13 OVC:08 47	8.00	-RA:02 |RA |	50	10.0	50	10.0	50	10.0	100	5	120		28.86				FM-16	T	29.82
01	0153	7	OVC:08 45	7.00	-RA:02 |RA |	50	10.0	50	10.0	50	10.0	100	6	110		28.84			29.80	FM-15	0.01	29.81
01	0210	7	SCT:04 7 OVC:08 42	8.00	-RA:02 |RA |	50	10.0	50	10.0	50	10.0	100	7	110		28.84				FM-16	T	29.80
01	0219	7	BKN:07 5 OVC:08 42	9.00	-RA:02 |RA |	50	10.0	50	10.0	50	10.0	100	6	110		28.83				FM-16	T	29.79
01	0253	7	OVC:08 5	8.00		50	10.0	50	10.0	50	10.0	100	6	100		28.83			29.79	FM-15	T	29.79
01	0353	7	OVC:08 5	4.00	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	5	060		28.81	6	+0.06	29.77	FM-15	0.01	29.77
01	0407	7	OVC:08 4	5.00	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	8	080		28.79				FM-16	0.01	29.75
01	0453	7	OVC:08 4	4.00	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	6	100		28.80			29.76	FM-15	0.02	29.76
01	0522	7	OVC:08 3	2.00	BR:1 ||	50	10.0	50	10.0	50	10.0	100	6	110		28.80				FM-16	0.01	29.76
01	0548	7	OVC:08 3	1.75	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	7	100		28.77				FM-16	0.01	29.73
01	0553	7	OVC:08 3	2.00	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	8	100		28.75			29.71	FM-15	T	29.71
01	0619	7	OVC:08 3	1.75	BR:1 ||	50	10.0	50	10.0	50	10.0	100	8	130		28.76				FM-16	T	29.72
01	0636	7	OVC:08 3	2.00	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	8	120		28.75				FM-16	0.01	29.71
01	0653	7	OVC:08 4	2.50	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	7	110		28.76	5	+0.04	29.72	FM-15	0.01	29.72
01	0749	7	OVC:08 5	2.00	RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	9	130		28.76				FM-16	0.12	29.72
01	0753	7	BKN:07 5 OVC:08 23	2.00	RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	9	130		28.75			29.71	FM-15	0.14	29.71
01	0826	7	OVC:08 5	4.00	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	8	120		28.74				FM-16	0.07	29.70
01	0851	6	OVC:08 4	5.00	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	8	120		28.73				FM-16		29.69
01	0853	7	OVC:08 4	5.00	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	9	130		28.72			29.68	FM-15	0.08	29.68
01	0953	7	OVC:08 4	8.00	-RA:02 |RA |	51	10.6	51	10.6	51	10.6	100	13	130		28.67	8	+0.08	29.63	FM-15	0.02	29.63
01	1051	6	OVC:08 4	2.50	-RA:02 BR:1 |RA |	52	11.0	52	11.1	52	11.0	100	9	140		28.64				FM-16		29.60
01	1053	7	OVC:08 4	3.00	-RA:02 BR:1 |RA |	51	10.6	51	10.6	51	10.6	100	9	130		28.64			29.60	FM-15	0.02	29.60
01	1118	7	OVC:08 4	2.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	8	160		28.64				FM-16	0.01	29.60
01	1151	6	OVC:08 4	3.00	-RA:02 BR:1 |RA |	52	11.0	52	11.1	52	11.0	100	9	180		28.62				FM-16		29.58
01	1153	7	OVC:08 4	3.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	10	180		28.62			29.58	FM-15	0.06	29.58
01	1200	7	OVC:08 4	2.00	RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	10	160		28.62				FM-16	0.01	29.58
01	1232	7	OVC:08 7	5.00	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	9	170		28.58				FM-16	0.08	29.54
01	1253	7	OVC:08 6	9.00	-RA:02 |RA |	54	12.2	54	12.2	54	12.2	100	10	180		28.56	8	+0.11	29.52	FM-15	0.08	29.52
01	1305	7	OVC:08 5	1.75	RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	9	190		28.55				FM-16	0.03	29.51
01	1353	7	OVC:08 7	1.75	-RA:02 BR:1 |RA |	57	13.9	57	13.9	57	13.9	100	14	210	24	28.51			29.47	FM-15	0.06	29.47
01	1355	7	BKN:07 7 BKN:07 12 OVC:08 75	9.00	-RA:02 |RA |	57	13.9	57	13.9	57	13.9	100	13	210	24	28.51				FM-16	T	29.47
01	1453	7	BKN:07 7 BKN:07 12 OVC:08 75	7.00	-RA:02 |RA |	57	13.9	56	13.6	56	13.3	96	22	230	29	28.48			29.43	FM-15	0.05	29.43

01	1553	7	BKN:07 7 OVC:08 13	10.00	-RA:02 |RA |	44	6.7	43	6.1	42	5.6	93	21	300	31	28.53	5	+0.03	29.49	FM-15	0.01	29.49
01	1638	7	OVC:08 10	10.00	-RA:02 |RA |	39	3.9	38	3.4	37	2.8	93	23	310	36	28.60				FM-16	T	29.56
01	1653	7	OVC:08 11	10.00	-SN:03 |SN |	38	3.3	38	3.1	37	2.8	97	23	310	33	28.62			29.59	FM-15	T	29.58
01	1753	7	OVC:08 14	5.00	-SN:03 BR:1 |SN |	36	2.2	36	2.0	35	1.7	97	22	320	39	28.68			29.65	FM-15	T	29.64
01	1853	7	OVC:08 14	9.00	-SN:03 |SN |	36	2.2	35	1.5	33	0.6	89	25	320	33	28.77	3	-0.24	29.74	FM-15	T	29.73
01	1900	7	BKN:07 17 BKN:07 75	9.00	-SN:03 |SN |	37	2.8	35	1.9	33	0.6	86	23	320	33	28.79				FM-16	T	29.75
01	1926	7	BKN:07 12 OVC:08 17	9.00	-SN:03 |SN |	37	2.8	36	2.3	35	1.7	93	25	310	32	28.82				FM-16	0.01	29.78
01	1953	7	OVC:08 13	9.00	-SN:03 |SN |	36	2.2	35	1.8	34	1.1	93	34	310	48	28.84			29.82	FM-15	0.01	29.81
01	2026	7	OVC:08 16	8.00	-SN:03 |SN |	36	2.2	35	1.8	34	1.1	93	23	310	37	28.89				FM-16	T	29.85
01	2053	7	OVC:08 16	4.00	-SN:03 BR:1 |SN |	35	1.7	34	1.2	33	0.6	93	28	310	37	28.91			29.89	FM-15	T	29.88
01	2057	7	OVC:08 12	2.50	-SN:03 BR:1 |SN |	34	1.1	34	0.9	33	0.6	97	22	310	37	28.92				FM-16	T	29.89
01	2153	7	OVC:08 12	2.50	-SN:03 BR:1 |SN |	34	1.1	34	0.9	33	0.6	97	24	320	39	28.96	1	-0.19	29.94	FM-15	T	29.93
01	2251	6	OVC:08 12	4.00	-SN:03 BR:1 |SN |	34	1.0	34	1.1	34	1.0	100	20	320	30	29.00				FM-16		29.97
01	2253	7	OVC:08 12	4.00	-SN:03 BR:1 |SN |	34	1.1	34	0.9	33	0.6	97	21	310	30	29.01			29.99	FM-15	T	29.98
01	2353	7	OVC:08 13	9.00	-SN:03 |SN |	34	1.1	33	0.7	32	0.0	92	16	330	32	29.05			30.03	FM-15	T	30.02
02	0010	7	OVC:08 16	9.00	-SN:03 |SN |	34	1.1	33	0.7	32	0.0	92	20	320	31	29.06				FM-16	T	30.03
02	0053	7	BKN:07 15 OVC:08 40	7.00	-SN:03 |SN |	33	0.6	32	0.1	31	-0.6	92	16	320	29	29.09	1	-0.12	30.07	FM-15	T	30.06
02	0111	7	SCT:04 15 OVC:08 50	10.00		33	0.6	32	0.1	31	-0.6	92	18	320	30	29.09				FM-16	T	30.06
02	0122	7	BKN:07 15 OVC:08 55	10.00		33	0.6	32	0.1	31	-0.6	92	18	310	31	29.10				FM-16	T	30.07
02	0153	7	BKN:07 17	10.00		33	0.6	32	0.1	31	-0.6	92	17	320		29.12			30.10	FM-15	0.00	30.09
02	0213	7	SCT:04 17	10.00		33	0.6	32	-0.1	30	-1.1	89	13	330	21	29.12				FM-16		30.09
02	0239	7	BKN:07 19	10.00		33	0.6	32	-0.1	30	-1.1	89	14	320	22	29.11				FM-16		30.08
02	0250	7	SCT:04 19	10.00		34	1.0	32	0.2	30	-1.0	87	13	310		29.12				FM-16		30.09
02	0253	7	SCT:04 19	10.00		33	0.6	32	-0.1	30	-1.1	89	11	310		29.12			30.10	FM-15	0.00	30.09
02	0312	7	BKN:07 17	10.00		33	0.6	32	-0.1	30	-1.1	89	15	310	22	29.12				FM-16		30.09
02	0351	6	SCT:04 17	10.00		34	1.0	32	0.2	30	-1.0	87	14	310	22	29.13				FM-16		30.10
02	0353	7	SCT:04 17	10.00		33	0.6	32	-0.1	30	-1.1	89	13	300	22	29.13	3	-0.02	30.12	FM-15	0.00	30.10
02	0430	7	BKN:07 18	10.00		33	0.6	32	0.1	31	-0.6	92	15	310		29.15				FM-16		30.12
02	0453	7	OVC:08 16	10.00		34	1.1	32	0.2	30	-1.1	85	18	320	25	29.17			30.16	FM-15	0.00	30.14
02	0553	7	OVC:08 20	10.00		34	1.1	32	0.2	30	-1.1	85	11	330		29.20			30.19	FM-15	0.00	30.17
02	0653	7	FEW:02 20 OVC:08 27	10.00		33	0.6	31	-0.5	28	-2.2	82	15	320	26	29.23	1	-0.09	30.22	FM-15	0.00	30.20
02	0753	7	OVC:08 20	10.00		33	0.6	31	-0.5	28	-2.2	82	11	320		29.26			30.25	FM-15	0.00	30.23
02	0853	7	OVC:08 23	10.00		32	0.0	30	-1.2	26	-3.3	79	13	330		29.27			30.27	FM-15	0.00	30.25
02	0953	7	OVC:08 19	10.00		32	0.0	30	-1.2	26	-3.3	79	15	340		29.30	3	-0.08	30.31	FM-15	0.00	30.28
02	1053	7	BKN:07 22	10.00		33	0.6	31	-0.7	27	-2.8	78	15	330	21	29.32			30.33	FM-15	0.00	30.30
02	1153	7	OVC:08 23	10.00		35	1.7	32	0.2	28	-2.2	76	10	320	21	29.34			30.35	FM-15	0.00	30.32
02	1253	7	SCT:04 25 OVC:08 31	10.00		37	2.8	34	1.0	29	-1.7	73	14	340	22	29.34	0	-0.04	30.35	FM-15	0.00	30.32
02	1353	7	SCT:04 27 OVC:08 34	10.00		37	2.8	34	1.0	29	-1.7	73	14	320		29.34			30.35	FM-15	0.00	30.32
02	1453	7	SCT:04 31	10.00		39	3.9	34	1.3	27	-2.8	62	18	310	26	29.35			30.35	FM-15	0.00	30.33
02	1553	7	FEW:02 34	10.00		39	3.9	34	1.1	26	-3.3	60	15	350		29.36	3	-0.01	30.36	FM-15	0.00	30.34
02	1653	7	CLR:00	10.00		40	4.4	35	1.4	26	-3.3	58	14	340		29.36			30.37	FM-15	0.00	30.34
02	1753	7	BKN:07 37 BKN:07 46	10.00		39	3.9	34	1.1	26	-3.3	60	15	320		29.38			30.38	FM-15	0.00	30.36
02	1853	7	CLR:00	10.00		36	2.2	32	0.1	26	-3.3	67	8	360		29.38	1	-0.03	30.39	FM-15	0.00	30.36
02	1953	7	SCT:04 38	10.00		34	1.1	31	-0.4	27	-2.8	75	8	360		29.41			30.41	FM-15	0.00	30.39
02	2053	7	CLR:00	10.00		32	0.0	30	-1.2	26	-3.3	79	7	360		29.41			30.42	FM-15	0.00	30.39
02	2153	7	CLR:00	10.00		32	0.0	29	-1.4	25	-3.9	75	3	320		29.40	0	-0.01	30.41	FM-15	0.00	30.38
02	2253	7	CLR:00	10.00		28	-2.2	27	-2.8	25	-3.9	88	6	280		29.41			30.42	FM-15	0.00	30.39
02	2353	7	CLR:00	10.00		29	-1.7	28	-2.3	26	-3.3	89	6	280		29.41			30.42	FM-15	0.00	30.39
03	0053	7	CLR:00	10.00		28	-2.2	27	-2.6	26	-3.3	92	7	290		29.41	0	-0.01	30.41	FM-15	0.00	30.39

03	0153	7	CLR:00	10.00		27	-2.8	26	-3.2	25	-3.9	92	7	290		29.42			30.42	FM-15	0.00	30.40
03	0253	7	CLR:00	10.00		28	-2.2	27	-2.8	25	-3.9	88	8	310		29.42			30.43	FM-15	0.00	30.40
03	0353	7	CLR:00	10.00		30	-1.1	28	-2.3	24	-4.4	79	7	330		29.42	0	-0.01	30.42	FM-15	0.00	30.40
03	0453	7	CLR:00	10.00		29	-1.7	27	-2.6	24	-4.4	82	7	340		29.44			30.44	FM-15	0.00	30.42
03	0553	7	CLR:00	10.00		26	-3.3	25	-3.9	23	-5.0	88	7	010		29.45			30.46	FM-15	0.00	30.43
03	0653	7	CLR:00	10.00		26	-3.3	25	-3.7	24	-4.4	92	5	340		29.47	3	-0.05	30.48	FM-15	0.00	30.45
03	0753	7	CLR:00	10.00		29	-1.7	28	-2.3	26	-3.3	89	6	350		29.49			30.50	FM-15	0.00	30.47
03	0853	7	CLR:00	10.00		32	0.0	29	-1.4	25	-3.9	75	11	010		29.50			30.51	FM-15	0.00	30.48
03	0953	7	FEW:02 25	10.00		35	1.7	31	-0.6	24	-4.4	64	15	360		29.52	3	-0.04	30.53	FM-15	0.00	30.50
03	1053	7	CLR:00	10.00		37	2.8	32	-0.1	23	-5.0	57	11	010	20	29.51			30.52	FM-15	0.00	30.49
03	1153	7	CLR:00	10.00		38	3.3	33	0.4	24	-4.4	57	11	350		29.50			30.51	FM-15	0.00	30.48
03	1253	7	CLR:00	10.00		40	4.4	34	0.9	23	-5.0	51	14	020		29.48	8	+0.04	30.49	FM-15	0.00	30.46
03	1353	7	CLR:00	10.00		41	5.0	33	0.7	20	-6.7	43	9	VRB		29.46			30.47	FM-15	0.00	30.44
03	1453	7	CLR:00	10.00		43	6.1	35	1.5	21	-6.1	42	13	340		29.45			30.45	FM-15	0.00	30.43
03	1548	7	CLR:00	10.00		43	6.0	34	1.2	19	-7.0	39	11	350	21	29.44				FM-16		30.42
03	1553	7	CLR:00	10.00		42	5.6	34	1.2	21	-6.1	43	15	360		29.44	5	+0.01	30.45	FM-15	0.00	30.42
03	1653	7	CLR:00	10.00		42	5.6	34	1.4	22	-5.6	45	13	020	21	29.44			30.45	FM-15	0.00	30.42
03	1753	7	CLR:00	10.00		38	3.3	32	-0.2	20	-6.7	48	14	010		29.45			30.46	FM-15	0.00	30.43
03	1853	7	CLR:00	10.00		35	1.7	30	-0.9	22	-5.6	59	11	360		29.46	3	-0.01	30.47	FM-15	0.00	30.44
03	1953	7	CLR:00	10.00		34	1.1	30	-1.1	23	-5.0	64	14	010		29.47			30.48	FM-15	0.00	30.45
03	2053	7	CLR:00	10.00		32	0.0	29	-1.8	23	-5.0	69	10	020		29.46			30.47	FM-15	0.00	30.44
03	2153	7	CLR:00	10.00		29	-1.7	27	-3.0	22	-5.6	75	8	010		29.46	0	-0.00	30.47	FM-15	0.00	30.44
03	2253	7	CLR:00	10.00		28	-2.2	26	-3.4	22	-5.6	78	5	360		29.46			30.47	FM-15	0.00	30.44
03	2353	7	CLR:00	10.00		28	-2.2	26	-3.4	22	-5.6	78	3	360		29.46			30.46	FM-15	0.00	30.44
04	0053	7	CLR:00	10.00		28	-2.2	26	-3.5	21	-6.1	75	5	350		29.46	5	+0.00	30.47	FM-15	0.00	30.44
04	0153	7	CLR:00	10.00		25	-3.9	23	-4.8	20	-6.7	81	7	020		29.45			30.45	FM-15	0.00	30.43
04	0253	7	CLR:00	10.00		25	-3.9	23	-4.8	20	-6.7	81	5	010		29.44			30.45	FM-15	0.00	30.42
04	0353	7	CLR:00	10.00		23	-5.0	21	-5.9	18	-7.8	81	6	010		29.46	5	+0.01	30.46	FM-15	0.00	30.44
04	0453	7	CLR:00	10.00		23	-5.0	21	-6.0	17	-8.3	78	7	350		29.45			30.46	FM-15	0.00	30.43
04	0553	7	CLR:00	10.00		24	-4.4	22	-5.3	19	-7.2	81	9	010		29.47			30.48	FM-15	0.00	30.45
04	0653	7	CLR:00	10.00		23	-5.0	22	-5.5	20	-6.7	88	6	360		29.49	3	-0.03	30.50	FM-15	0.00	30.47
04	0753	7	CLR:00	10.00		27	-2.8	26	-3.4	24	-4.4	89	8	020		29.49			30.50	FM-15	0.00	30.47
04	0853	7	CLR:00	10.00		30	-1.1	28	-2.1	25	-3.9	82	5	040		29.49			30.50	FM-15	0.00	30.47
04	0953	7	CLR:00	10.00		33	0.6	29	-1.4	23	-5.0	66	6	060		29.49	0	-0.01	30.50	FM-15	0.00	30.47
04	1053	7	CLR:00	10.00		36	2.2	31	-0.6	22	-5.6	57	8	080		29.47			30.48	FM-15	0.00	30.45
04	1153	7	CLR:00	10.00		39	3.9	32	0.2	21	-6.1	48	9	080		29.46			30.47	FM-15	0.00	30.44
04	1253	7	CLR:00	10.00		41	5.0	34	0.9	21	-6.1	45	6	360		29.43	8	+0.06	30.44	FM-15	0.00	30.41
04	1353	7	CLR:00	10.00		44	6.7	35	1.5	19	-7.2	37	8	020		29.42			30.42	FM-15	0.00	30.40
04	1453	7	CLR:00	10.00		45	7.2	35	1.6	17	-8.3	33	5	030		29.39			30.39	FM-15	0.00	30.37
04	1553	7	CLR:00	10.00		46	7.8	35	1.7	16	-8.9	30	14	040		29.37	6	+0.06	30.37	FM-15	0.00	30.35
04	1653	7	CLR:00	10.00		45	7.2	35	1.4	16	-8.9	31	9	030		29.36			30.37	FM-15	0.00	30.34
04	1753	7	CLR:00	10.00		42	5.6	34	1.0	20	-6.7	41	10	010		29.36			30.36	FM-15	0.00	30.34
04	1853	7	CLR:00	10.00		39	3.9	32	-0.1	19	-7.2	45	10	020		29.36	6	+0.01	30.37	FM-15	0.00	30.34
04	1953	7	CLR:00	10.00		37	2.8	30	-1.0	17	-8.3	44	13	040		29.36			30.37	FM-15	0.00	30.34
04	2053	7	CLR:00	10.00		34	1.1	28	-2.2	16	-8.9	48	8	030		29.36			30.37	FM-15	0.00	30.34
04	2153	7	CLR:00	10.00		31	-0.6	26	-3.3	16	-8.9	54	6	010		29.37	3	-0.01	30.38	FM-15	0.00	30.35
04	2253	7	CLR:00	10.00		31	-0.6	27	-3.0	18	-7.8	59	9	030		29.37			30.37	FM-15	0.00	30.35
04	2353	7	CLR:00	10.00		29	-1.7	26	-3.5	19	-7.2	66	9	030		29.34			30.35	FM-15	0.00	30.32
05	0053	7	CLR:00	10.00		28	-2.2	25	-3.7	20	-6.7	72	8	030		29.34	6	+0.03	30.35	FM-15	0.00	30.32
05	0153	7	CLR:00	10.00		28	-2.2	25	-3.7	20	-6.7	72	6	030		29.34			30.34	FM-15	0.00	30.32
05	0253	7	CLR:00	10.00		26	-3.3	24	-4.4	20	-6.7	78	6	040		29.31			30.31	FM-15	0.00	30.29
05	0353	7	CLR:00	10.00		26	-3.3	24	-4.3	21	-6.1	81	7	040		29.29	8	+0.05	30.29	FM-15	0.00	30.27
05	0453	7	CLR:00	10.00		25	-3.9	24	-4.6	21	-6.1	85	7	050		29.26			30.25	FM-15	0.00	30.23
05	0553	7	CLR:00	10.00		26	-3.3	24	-4.3	21	-6.1	81	7	070		29.26			30.27	FM-15	0.00	30.24
05	0653	7	CLR:00	10.00		25	-3.9	23	-4.8	20	-6.7	81	5	090		29.29	3	-0.01	30.30	FM-15	0.00	30.27
05	0753	7	CLR:00	10.00		28	-2.2	26	-3.4	22	-5.6	78	8	080		29.29			30.30	FM-15	0.00	30.27
05	0853	7	CLR:00	10.00		30	-1.1	27	-3.0	20	-6.7	66	10	090		29.28			30.29	FM-15	0.00	30.26

05	0953	7	CLR:00	10.00		33	0.6	28	-2.3	18	-7.8	54	9	090		29.27	8	+0.02	30.28	FM-15	0.00	30.25
05	1053	7	CLR:00	10.00		35	1.7	29	-1.7	17	-8.3	48	9	080		29.26			30.26	FM-15	0.00	30.23
05	1153	7	CLR:00	10.00		38	3.3	31	-0.6	18	-7.8	44	7	070		29.25			30.24	FM-15	0.00	30.22
05	1253	7	CLR:00	10.00		40	4.4	32	-0.1	17	-8.3	40	9	080		29.21	8	+0.08	30.20	FM-15	0.00	30.18
05	1353	7	CLR:00	10.00		41	5.0	33	0.4	18	-7.8	39	7	070		29.16			30.15	FM-15	0.00	30.13
05	1453	7	CLR:00	10.00		42	5.6	33	0.6	17	-8.3	36	10	070		29.13			30.13	FM-15	0.00	30.10
05	1553	7	CLR:00	10.00		43	6.1	33	0.5	14	-10.0	31	9	110		29.10	6	+0.10	30.10	FM-15	0.00	30.07
05	1653	7	CLR:00	10.00		42	5.6	32	0.0	13	-10.6	30	10	080		29.08			30.07	FM-15	0.00	30.05
05	1753	7	CLR:00	10.00		41	5.0	31	-0.3	13	-10.6	32	9	110		29.07			30.06	FM-15	0.00	30.04
05	1853	7	CLR:00	10.00		39	3.9	31	-0.7	15	-9.4	38	10	090		29.05	6	+0.05	30.05	FM-15	0.00	30.02
05	1953	7	FEW:02 120	10.00		38	3.3	30	-1.0	15	-9.4	39	9	090		29.05			30.04	FM-15	0.00	30.02
05	2053	7	BKN:07 110	10.00		39	3.9	31	-0.5	16	-8.9	39	10	100		29.04			30.03	FM-15	0.00	30.01
05	2153	7	OVC:08 100	10.00		39	3.9	31	-0.5	16	-8.9	39	10	090		29.01	8	+0.04	30.00	FM-15	0.00	29.98
05	2253	7	BKN:07 80 OVC:08 100	10.00		39	3.9	31	-0.5	16	-8.9	39	18	090		28.97			29.96	FM-15	0.00	29.94
05	2353	7	OVC:08 80	10.00		39	3.9	31	-0.6	16	-8.9	39	14	090		28.95			29.94	FM-15	T	29.92
06	0053	7	FEW:02 50 BKN:07 65 OVC:08 85	10.00		39	3.9	31	-0.6	16	-8.9	39	10	100		28.96	5	+0.05	29.94	FM-15	0.00	29.93
06	0153	7	BKN:07 45 OVC:08 50	10.00		39	3.9	31	-0.4	17	-8.3	41	8	110		28.94			29.93	FM-15	0.00	29.91
06	0253	7	BKN:07 41 OVC:08 50	10.00	-RA:02 |RA |	36	2.2	31	-0.6	22	-5.6	57	9	110		28.90			29.88	FM-15	T	29.87
06	0353	7	OVC:08 44	10.00		36	2.2	32	-0.3	24	-4.4	62	11	100		28.86	8	+0.11	29.83	FM-15	T	29.82
06	0453	7	OVC:08 47	10.00		37	2.8	31	-0.5	21	-6.1	52	5	120		28.84			29.82	FM-15	0.00	29.80
06	0553	7	OVC:08 40	10.00		37	2.8	31	-0.5	21	-6.1	52	7	160		28.84			29.83	FM-15	0.00	29.81
06	0653	7	OVC:08 31	10.00		37	2.8	31	-0.3	22	-5.6	54	6	160		28.84	6	+0.02	29.82	FM-15	0.00	29.80
06	0753	7	BKN:07 26 OVC:08 36	10.00		38	3.3	32	0.2	23	-5.0	55	5	170		28.83			29.80	FM-15	0.00	29.79
06	0801	7	BKN:07 26 OVC:08 36	10.00		38	3.3	33	0.4	24	-4.4	57	6	160		28.82				FM-16		29.78
06	0826	7	OVC:08 33	10.00		39	3.9	34	1.1	26	-3.3	60	7	190		28.83				FM-16		29.79
06	0853	7	SCT:04 38	10.00		40	4.4	35	1.4	26	-3.3	58	7	200		28.81			29.79	FM-15	0.00	29.77
06	0953	7	CLR:00	10.00		45	7.2	38	3.3	28	-2.2	52	11	210		28.79	8	+0.05	29.76	FM-15	0.00	29.75
06	1053	7	CLR:00	10.00		49	9.4	40	4.3	27	-2.8	43	10	240		28.78			29.75	FM-15	0.00	29.74
06	1153	7	CLR:00	10.00		51	10.6	40	4.6	25	-3.9	36	14	260	21	28.77			29.74	FM-15	0.00	29.73
06	1253	7	CLR:00	10.00		52	11.1	40	4.7	24	-4.4	34	11	270	22	28.74	8	+0.05	29.71	FM-15	0.00	29.70
06	1353	7	CLR:00	10.00		53	11.7	41	5.0	24	-4.4	32	11	230	23	28.71			29.68	FM-15	0.00	29.67
06	1453	7	CLR:00	10.00		54	12.2	41	5.1	23	-5.0	30	17	260	24	28.70			29.67	FM-15	0.00	29.66
06	1553	7	SCT:04 80	10.00		54	12.2	41	5.1	23	-5.0	30	11	250		28.68	6	+0.06	29.65	FM-15	0.00	29.64
06	1653	7	BKN:07 95	10.00		53	11.7	41	5.1	25	-3.9	34	6	220		28.68			29.65	FM-15	0.00	29.64
06	1656	7	BKN:07 90	10.00		52	11.1	41	4.8	25	-3.9	35	6	210		28.68				FM-16		29.64
06	1753	7	BKN:07 85 OVC:08 110	10.00		50	10.0	41	4.8	28	-2.2	43	6	270		28.68			29.65	FM-15	0.00	29.64
06	1755	7	BKN:07 80	10.00		50	10.0	41	4.8	28	-2.2	43	6	250		28.69				FM-16		29.65
06	1853	7	BKN:07 80	10.00		47	8.3	37	3.0	23	-5.0	39	6	260		28.68	6	+0.00	29.65	FM-15	0.00	29.64
06	1855	7	BKN:07 90	10.00		46	7.8	37	2.7	23	-5.0	40	6	260		28.68				FM-16		29.64
06	1953	7	BKN:07 90	10.00		45	7.2	40	4.3	33	0.6	63	13	300		28.73			29.70	FM-15	0.00	29.69
06	2006	7	BKN:07 55 BKN:07 70 OVC:08 90	10.00		45	7.2	40	4.3	33	0.6	63	17	310		28.73				FM-16		29.69
06	2053	7	SCT:04 30 OVC:08 85	10.00		41	5.0	38	3.1	33	0.6	73	16	310		28.76			29.73	FM-15	T	29.72
06	2153	7	SCT:04 30 OVC:08 85	10.00		39	3.9	36	2.5	33	0.6	79	13	310		28.77	1	-0.08	29.74	FM-15	0.00	29.73
06	2154	7	BKN:07 70 OVC:08 90	10.00		39	3.9	36	2.5	33	0.6	79	13	320		28.77				FM-16		29.73
06	2221	7	OVC:08 60	10.00	-RA:02 |RA |	38	3.3	36	2.0	32	0.0	79	7	320		28.76				FM-16	T	29.72
06	2238	7	OVC:08 48	10.00		38	3.3	36	2.0	32	0.0	79	6	330		28.75				FM-16	T	29.71
06	2253	7	OVC:08 42	10.00		38	3.3	36	2.2	33	0.6	83	7	310		28.75			29.72	FM-15	T	29.71

06	2353	7	OVC:08 55	10.00		37	2.8	35	1.9	33	0.6	86	0	000		28.74			29.71	FM-15	T	29.70
07	0053	7	OVC:08 75	10.00		38	3.3	36	2.2	33	0.6	83	0	000		28.73	6	+0.03	29.70	FM-15	0.00	29.69
07	0140	7	BKN:07 21 BKN:07 80 BKN:07 100	10.00		36	2.2	35	1.5	33	0.6	89	7	250		28.73				FM-16		29.69
07	0153	7	BKN:07 21 BKN:07 110	10.00		36	2.2	35	1.5	33	0.6	89	6	250		28.74			29.71	FM-15	0.00	29.70
07	0204	7	SCT:04 21	10.00		36	2.2	35	1.5	33	0.6	89	8	250		28.74				FM-16		29.70
07	0253	7	BKN:07 37 BKN:07 100	10.00		36	2.2	35	1.5	33	0.6	89	3	250		28.72			29.69	FM-15	0.00	29.68
07	0353	7	CLR:00	10.00		34	1.1	33	0.7	32	0.0	92	7	280		28.72	8	+0.01	29.69	FM-15	0.00	29.68
07	0422	7	BKN:07 13	10.00		34	1.1	33	0.7	32	0.0	92	6	240		28.74				FM-16		29.70
07	0448	7	SCT:04 12 BKN:07 18	10.00		34	1.0	33	0.7	32	0.0	93	9	280		28.75				FM-16		29.71
07	0453	7	FEW:02 12 OVC:08 22	10.00		34	1.1	33	0.7	32	0.0	92	9	280		28.75			29.72	FM-15	0.00	29.71
07	0539	7	FEW:02 19 SCT:04 26 BKN:07 100	10.00		32	0.0	31	-0.4	30	-1.1	92	8	280		28.76				FM-16		29.72
07	0553	7	FEW:02 19 SCT:04 25 BKN:07 95	10.00		32	0.0	31	-0.6	29	-1.7	88	8	270		28.77			29.74	FM-15	0.00	29.73
07	0604	7	SCT:04 19 BKN:07 25 BKN:07 90	10.00		33	0.6	32	-0.1	30	-1.1	89	7	240		28.77				FM-16		29.73
07	0653	7	BKN:07 19 BKN:07 27 OVC:08 70	10.00		33	0.6	31	-0.3	29	-1.7	85	13	280		28.78	3	-0.04	29.76	FM-15	0.00	29.74
07	0740	7	FEW:02 24 OVC:08 100	10.00		33	0.6	31	-0.5	28	-2.2	82	11	250		28.79				FM-16		29.75
07	0753	7	FEW:02 24 BKN:07 100	10.00		33	0.6	31	-0.5	28	-2.2	82	10	250		28.80			29.77	FM-15	0.00	29.76
07	0822	7	BKN:07 24 OVC:08 34	10.00		33	0.6	31	-0.7	27	-2.8	78	16	250	21	28.81				FM-16		29.77
07	0853	7	BKN:07 22 OVC:08 28	10.00		33	0.6	31	-0.7	27	-2.8	78	14	250		28.81			29.79	FM-15	0.00	29.77
07	0953	7	BKN:07 17 OVC:08 24	10.00		34	1.1	32	-0.2	28	-2.2	79	13	250	28	28.82	2	-0.04	29.80	FM-15	0.00	29.78
07	1016	7	BKN:07 17 OVC:08 23	2.00	-SN:03 BR:1 |SN |	34	1.1	32	0.2	30	-1.1	85	16	240	23	28.83				FM-16	T	29.79
07	1024	7	OVC:08 14	2.00	-SN:03 BR:1 |SN |	33	0.6	32	0.1	31	-0.6	92	17	240	23	28.83				FM-16	T	29.79
07	1038	7	FEW:02 9 BKN:07 14 OVC:08 25	3.00	-SN:03 BR:1 |SN |	34	1.1	33	0.7	32	0.0	92	15	240		28.83				FM-16	T	29.79
07	1053	7	BKN:07 12 BKN:07 19 OVC:08 25	4.00	-SN:03 BR:1 |SN |	34	1.1	33	0.4	31	-0.6	89	21	270	30	28.84			29.81	FM-15	T	29.80
07	1108	7	FEW:02 12 BKN:07 17 OVC:08 47	9.00		36	2.2	34	1.1	31	-0.6	82	17	280	26	28.84				FM-16	T	29.80
07	1137	7	FEW:02 17 BKN:07 31 OVC:08 40	10.00		36	2.2	33	0.3	27	-2.8	70	20	290	28	28.84				FM-16	T	29.81
07	1153	7	FEW:02 25 OVC:08 36	10.00		37	2.8	33	0.6	27	-2.8	67	17	270	28	28.84			29.83	FM-15	T	29.81
07	1253	7	FEW:02 26 FEW:02 41 BKN:07 50	10.00		37	2.8	33	0.4	26	-3.3	65	20	280	32	28.87	1	-0.04	29.84	FM-15	0.00	29.83
07	1353	7	FEW:02 30 SCT:04 38	10.00		39	3.9	34	1.1	26	-3.3	60	22	260	36	28.87			29.84	FM-15	0.00	29.83
07	1453	7	FEW:02 26 SCT:04 45 SCT:04 55	10.00		36	2.2	32	0.1	26	-3.3	67	18	260	32	28.90			29.88	FM-15	0.00	29.86

07	1553	7	SCT:04 38 BKN:07 48	10.00		37	2.8	31	-0.6	20	-6.7	50	24	270	36	28.90	3	-0.04	29.89	FM-15	0.00	29.87
07	1653	7	FEW:02 40	10.00		34	1.1	29	-1.8	19	-7.2	54	23	280	32	28.92			29.91	FM-15	0.00	29.89
07	1655	7	SCT:04 40	10.00		34	1.1	29	-1.8	19	-7.2	54	23	280	32	28.92				FM-16		29.89
07	1753	7	SCT:04 40	10.00		32	0.0	28	-2.0	22	-5.6	66	17	270	25	28.95			29.95	FM-15	0.00	29.92
07	1754	7	BKN:07 40	10.00		32	0.0	28	-2.0	22	-5.6	66	18	270	25	28.95				FM-16		29.92
07	1853	7	BKN:07 40	10.00		31	-0.6	27	-2.7	20	-6.7	64	14	280		28.97	2	-0.07	29.96	FM-15	0.00	29.94
07	1855	7	BKN:07 50	10.00		31	-0.6	27	-2.7	20	-6.7	64	13	280		28.97				FM-16		29.94
07	1920	7	FEW:02 46	10.00		30	-1.1	27	-3.0	20	-6.7	66	11	280		28.98				FM-16		29.95
07	1953	7	FEW:02 46	10.00		30	-1.1	26	-3.2	19	-7.2	64	13	290		28.98			29.98	FM-15	0.00	29.95
07	2053	7	BKN:07 60	10.00		29	-1.7	26	-3.4	20	-6.7	69	8	280		28.99			29.98	FM-15	0.00	29.96
07	2136	7	SCT:04 35 BKN:07 60	10.00		30	-1.1	27	-2.8	21	-6.1	69	8	290		28.99				FM-16		29.96
07	2153	7	SCT:04 35 BKN:07 60	10.00		30	-1.1	27	-2.7	22	-5.6	72	10	290		28.99	1	-0.02	29.99	FM-15	0.00	29.96
07	2155	7	SCT:04 35 BKN:07 60	10.00		30	-1.1	27	-2.7	22	-5.6	72	10	280		28.99				FM-16		29.96
07	2253	7	SCT:04 35 BKN:07 60	10.00		30	-1.1	28	-2.5	23	-5.0	75	9	270		28.98			29.98	FM-15	0.00	29.95
07	2353	7	OVC:08 60	10.00		30	-1.1	28	-2.5	23	-5.0	75	8	260		28.97			29.97	FM-15	0.00	29.94
08	0053	7	FEW:02 37 BKN:07 48 OVC:08 60	10.00		29	-1.7	26	-3.2	21	-6.1	72	9	270		28.96	8	+0.03	29.96	FM-15	0.00	29.93
08	0133	7	FEW:02 8 BKN:07 14 OVC:08 30	1.75V	-SN:03 BR:1 |SN |	27	-2.8	26	-3.4	24	-4.4	89	14	290		28.96				FM-16	T	29.93
08	0145	7	SCT:04 12 BKN:07 24 OVC:08 36	3.00	-SN:03 BR:1 |SN |	27	-2.8	26	-3.4	24	-4.4	89	8	280		28.96				FM-16	T	29.93
08	0153	7	FEW:02 10 BKN:07 22 OVC:08 60	9.00		26	-3.3	25	-3.7	24	-4.4	92	8	280		28.96			29.95	FM-15	T	29.93
08	0200	7	FEW:02 10 SCT:04 22 BKN:07 65	10.00		26	-3.3	25	-3.7	24	-4.4	92	8	280		28.95				FM-16		29.92
08	0253	7	BKN:07 70	10.00		25	-3.9	24	-4.3	23	-5.0	92	7	270		28.93			29.93	FM-15	0.00	29.90
08	0353	7	OVC:08 70	10.00		26	-3.3	25	-3.7	24	-4.4	92	5	280		28.92	8	+0.04	29.92	FM-15	0.00	29.89
08	0449	7	BKN:07 22 OVC:08 65	7.00	-SN:03 |SN |	27	-3.0	26	-3.5	23	-5.0	86	6	330		28.92				FM-16	T	29.89
08	0453	7	BKN:07 22 OVC:08 65	5.00	-SN:03 BR:1 |SN |	27	-2.8	26	-3.5	23	-5.0	85	7	330		28.92			29.92	FM-15	T	29.89
08	0509	7	FEW:02 13 BKN:07 21 OVC:08 26	1.75	-SN:03 BR:1 |SN |	26	-3.3	25	-3.7	24	-4.4	92	6	350		28.93				FM-16	T	29.90
08	0551	7	OVC:08 22	2.50	-SN:03 BR:1 |SN |	25	-4.0	25	-3.9	25	-4.0	100	6	300		28.93				FM-16	T	29.90
08	0553	7	OVC:08 22	2.50	-SN:03 BR:1 |SN |	25	-3.9	25	-4.1	24	-4.4	96	6	300		28.93			29.93	FM-15	T	29.90
08	0605	7	FEW:02 10 OVC:08 20	1.50	-SN:03 BR:1 |SN |	25	-3.9	24	-4.3	23	-5.0	92	5	300		28.93				FM-16	T	29.90
08	0622	7	BKN:07 28 OVC:08 65	3.00	-SN:03 BR:1 |SN |	25	-3.9	24	-4.3	23	-5.0	92	3	310		28.93				FM-16	T	29.90
08	0635	7	SCT:04 33 OVC:08 60	9.00		25	-3.9	24	-4.3	23	-5.0	92	0	000		28.93				FM-16	T	29.90
08	0653	7	OVC:08 60	10.00		24	-4.4	24	-4.6	23	-5.0	96	3	290		28.93	0	-0.01	29.93	FM-15	T	29.90
08	0753	7	OVC:08 65	10.00		25	-3.9	24	-4.3	23	-5.0	92	7	280		28.94			29.94	FM-15	0.00	29.91
08	0853	7	FEW:02 39 BKN:07 50 OVC:08 70	10.00		26	-3.3	25	-4.1	22	-5.6	84	8	270		28.94			29.94	FM-15	0.00	29.91
08	0953	7	FEW:02 23 SCT:04 36 OVC:08 45	10.00		27	-2.8	25	-3.9	21	-6.1	78	14	290		28.94	0	-0.01	29.94	FM-15	0.00	29.91
08	1004	7	SCT:04 19 BKN:07 28 OVC:08 42	1.50	-SN:03 BR:1 |SN |	27	-2.8	25	-3.7	22	-5.6	81	15	270	18	28.94				FM-16	T	29.91

08	1033	7	SCT:04 9 BKN:07 16 OVC:08 31	0.75	-SN:03 BR:1 |SN |	26	-3.3	25	-3.7	24	-4.4	92	11	310		28.95				FM-16	T	29.92
08	1053	7	FEW:02 9 BKN:07 18 OVC:08 30	0.50	SN:03 FZ:8 FG:2 |FG SN |	26	-3.3	25	-4.1	22	-5.6	84	14	290	26	28.95			29.95	FM-15	T	29.92
08	1059	7	FEW:02 14 BKN:07 24 OVC:08 50	6.00	BR:1 ||	25	-3.9	24	-4.4	22	-5.6	88	10	270		28.95				FM-16	T	29.92
08	1109	7	FEW:02 18 BKN:07 32 BKN:07 49	10.00		27	-2.8	25	-3.9	21	-6.1	78	13	280		28.95				FM-16	T	29.92
08	1149	7	FEW:02 20 BKN:07 28 OVC:08 38	2.00	-SN:03 BR:1 |SN |	27	-3.0	26	-3.5	23	-5.0	86	16	280	23	28.95				FM-16	T	29.92
08	1151	6	FEW:02 20 BKN:07 32 OVC:08 38	2.00	-SN:03 |SN |	27	-3.0	25	-3.9	21	-6.0	80	14	280	23	28.94				FM-16		29.91
08	1153	7	FEW:02 20 BKN:07 35 OVC:08 47	6.00	-SN:03 |SN |	27	-2.8	25	-3.7	22	-5.6	81	14	280	23	28.95			29.94	FM-15	T	29.92
08	1253	7	SCT:04 34 BKN:07 48 OVC:08 65	8.00	-SN:03 |SN |	29	-1.7	27	-3.0	22	-5.6	75	14	290	23	28.94	8	+0.00	29.94	FM-15	T	29.91
08	1353	7	SCT:04 35 OVC:08 47	10.00		30	-1.1	27	-3.0	20	-6.7	66	17	280	25	28.93			29.93	FM-15	T	29.90
08	1453	7	FEW:02 32 OVC:08 49	10.00		30	-1.1	27	-3.0	20	-6.7	66	22	280	30	28.93			29.93	FM-15	T	29.90
08	1553	7	FEW:02 36 OVC:08 48	10.00		30	-1.1	26	-3.2	19	-7.2	64	21	290	31	28.94	3	-0.00	29.94	FM-15	0.00	29.91
08	1653	7	OVC:08 43	9.00	-SN:03 |SN |	30	-1.1	26	-3.2	19	-7.2	64	15	270	31	28.95			29.95	FM-15	T	29.92
08	1753	7	BKN:07 31 OVC:08 43	10.00		29	-1.7	26	-3.4	20	-6.7	69	16	270		28.98			29.98	FM-15	0.00	29.95
08	1853	7	OVC:08 43	10.00		28	-2.2	26	-3.5	21	-6.1	75	15	270		28.99	3	-0.05	29.99	FM-15	T	29.96
08	1951	6	BKN:07 24 OVC:08 34	8.00	-SN:03 |SN |	28	-2.0	26	-3.5	21	-6.0	74	17	270	23	29.00				FM-16		29.97
08	1953	7	BKN:07 24 OVC:08 34	9.00	-SN:03 |SN |	28	-2.2	26	-3.4	22	-5.6	78	16	270	23	29.00			30.01	FM-15	T	29.97
08	2053	7	SCT:04 28 BKN:07 34 OVC:08 43	10.00		28	-2.2	26	-3.2	23	-5.0	81	11	280		29.01			30.01	FM-15	T	29.98
08	2153	7	BKN:07 36 OVC:08 46	10.00		28	-2.2	25	-3.9	19	-7.2	69	11	300		29.01	3	-0.01	30.01	FM-15	0.00	29.98
08	2253	7	BKN:07 28 OVC:08 49	10.00		28	-2.2	25	-3.7	20	-6.7	72	11	280		29.01			30.01	FM-15	0.00	29.98
08	2353	7	BKN:07 27 BKN:07 32 OVC:08 42	10.00		28	-2.2	26	-3.5	21	-6.1	75	9	280		29.00			30.00	FM-15	T	29.97
09	0000	7	SCT:04 27 BKN:07 34 OVC:08 47	9.00	-SN:03 |SN |	28	-2.2	26	-3.4	22	-5.6	78	11	280		29.01				FM-16	T	29.98
09	0020	7	FEW:02 18 BKN:07 24 OVC:08 47	10.00		28	-2.2	26	-3.4	22	-5.6	78	11	280		29.00				FM-16	T	29.97
09	0053	7	BKN:07 18 OVC:08 23	6.00	-SN:03 |SN |	28	-2.2	26	-3.2	23	-5.0	81	11	280		29.00	8	+0.01	30.00	FM-15	T	29.97
09	0151	6	FEW:02 17 BKN:07 30 OVC:08 48	4.00	-SN:03 BR:1 |SN |	27	-3.0	26	-3.5	23	-5.0	86	11	270		29.00				FM-16		29.97
09	0153	7	FEW:02 19 BKN:07 30 OVC:08 48	4.00	-SN:03 BR:1 |SN |	27	-2.8	26	-3.5	23	-5.0	85	11	260		29.00			30.00	FM-15	T	29.97
09	0253	7	OVC:08 50	10.00		26	-3.3	25	-4.1	22	-5.6	84	13	260		29.00			29.99	FM-15	T	29.97
09	0353	7	OVC:08 50	10.00		26	-3.3	24	-4.3	21	-6.1	81	14	270		29.00	5	+0.00	30.00	FM-15	0.00	29.97
09	0453	7	OVC:08 49	10.00		27	-2.8	25	-4.1	20	-6.7	75	10	260		29.01			30.01	FM-15	0.00	29.98

09	0553	7	OVC:08 49	10.00		27	-2.8	25	-4.1	20	-6.7	75	9	260		29.02			30.02	FM-15	0.00	29.99
09	0653	7	OVC:08 49	10.00		27	-2.8	25	-4.1	20	-6.7	75	9	260		29.02	1	-0.02	30.02	FM-15	0.00	29.99
09	0753	7	OVC:08 48	10.00		27	-2.8	25	-4.1	20	-6.7	75	8	250		29.02			30.02	FM-15	0.00	29.99
09	0853	7	SCT:04 33 OVC:08 48	10.00		29	-1.7	26	-3.2	21	-6.1	72	11	260		29.03			30.03	FM-15	0.00	30.00
09	0953	7	BKN:07 31 OVC:08 50	10.00		29	-1.7	26	-3.4	20	-6.7	69	14	260		29.04	3	-0.02	30.04	FM-15	0.00	30.01
09	1053	7	SCT:04 30 BKN:07 36 OVC:08 46	10.00		30	-1.1	26	-3.2	19	-7.2	64	10	250		29.03			30.03	FM-15	0.00	30.00
09	1153	7	BKN:07 43 OVC:08 50	10.00		32	0.0	27	-2.6	18	-7.8	56	11	270		29.02			30.02	FM-15	0.00	29.99
09	1253	7	OVC:08 43	10.00		33	0.6	28	-2.3	18	-7.8	54	13	260		29.01	8	+0.03	30.01	FM-15	0.00	29.98
09	1353	7	OVC:08 47	10.00		34	1.1	29	-1.8	19	-7.2	54	13	260	22	29.00			29.99	FM-15	0.00	29.97
09	1453	7	OVC:08 50	10.00		35	1.7	29	-1.4	19	-7.2	52	15	280	22	28.98			29.98	FM-15	0.00	29.95
09	1553	7	OVC:08 49	10.00		36	2.2	30	-1.1	19	-7.2	50	17	280	23	28.98	5	+0.03	29.98	FM-15	0.00	29.95
09	1653	7	OVC:08 55	10.00		36	2.2	30	-1.3	18	-7.8	48	15	290		28.99			29.99	FM-15	0.00	29.96
09	1753	7	FEW:02 50	10.00		33	0.6	28	-2.1	19	-7.2	56	13	350		29.01			30.01	FM-15	0.00	29.98
09	1853	7	CLR:00	10.00		29	-1.7	26	-3.5	19	-7.2	66	8	360		29.02	3	-0.04	30.02	FM-15	0.00	29.99
09	1953	7	CLR:00	10.00		28	-2.2	25	-4.0	18	-7.8	66	6	350		29.03			30.03	FM-15	0.00	30.00
09	2053	7	CLR:00	10.00		28	-2.2	24	-4.2	17	-8.3	63	0	000		29.04			30.03	FM-15	0.00	30.01
09	2153	7	CLR:00	10.00		28	-2.2	24	-4.2	17	-8.3	63	0	000		29.04	1	-0.02	30.04	FM-15	0.00	30.01
09	2253	7	CLR:00	10.00		27	-2.8	24	-4.6	17	-8.3	66	0	000		29.05			30.04	FM-15	0.00	30.02
09	2353	7	CLR:00	10.00		25	-3.9	23	-5.1	18	-7.8	75	0	000		29.05			30.05	FM-15	0.00	30.02
10	0053	7	CLR:00	10.00		24	-4.4	22	-5.7	17	-8.3	75	0	000		29.04	0	-0.00	30.04	FM-15	0.00	30.01
10	0153	7	CLR:00	10.00		23	-5.0	21	-6.0	17	-8.3	78	0	000		29.03			30.03	FM-15	0.00	30.00
10	0253	7	CLR:00	10.00		24	-4.4	22	-5.5	18	-7.8	77	0	000		29.03			30.03	FM-15	0.00	30.00
10	0353	7	CLR:00	10.00		23	-5.0	22	-5.7	19	-7.2	85	3	190		29.04	5	+0.01	30.03	FM-15	0.00	30.01
10	0453	7	CLR:00	10.00		22	-5.6	21	-6.1	19	-7.2	89	0	000		29.04			30.04	FM-15	0.00	30.01
10	0553	7	CLR:00	9.00		20	-6.7	19	-7.2	17	-8.3	89	0	000		29.06			30.06	FM-15	0.00	30.03
10	0653	7	CLR:00	8.00		20	-6.7	19	-7.2	17	-8.3	89	0	000		29.07	3	-0.03	30.07	FM-15	0.00	30.04
10	0753	7	CLR:00	7.00		23	-5.0	22	-5.4	21	-6.1	92	0	000		29.08			30.08	FM-15	0.00	30.05
10	0853	7	CLR:00	10.00		30	-1.1	27	-2.7	22	-5.6	72	5	010		29.08			30.08	FM-15	0.00	30.05
10	0953	7	CLR:00	10.00		33	0.6	28	-2.0	20	-6.7	58	0	000		29.09	1	-0.02	30.08	FM-15	0.00	30.06
10	1053	7	CLR:00	10.00		37	2.8	31	-0.6	20	-6.7	50	6	VRB		29.08			30.08	FM-15	0.00	30.05
10	1153	7	CLR:00	10.00		38	3.3	31	-0.4	19	-7.2	46	5	VRB		29.08			30.07	FM-15	0.00	30.05
10	1253	7	CLR:00	10.00		39	3.9	32	-0.1	19	-7.2	45	5	VRB		29.06	8	+0.02	30.06	FM-15	0.00	30.03
10	1353	7	CLR:00	10.00		41	5.0	33	0.7	20	-6.7	43	6	VRB		29.04			30.03	FM-15	0.00	30.01
10	1453	7	CLR:00	10.00		42	5.6	34	1.0	20	-6.7	41	10	360	16	29.04			30.03	FM-15	0.00	30.01
10	1553	7	CLR:00	10.00		42	5.6	34	1.0	20	-6.7	41	7	360		29.04	5	+0.02	30.03	FM-15	0.00	30.01
10	1653	7	CLR:00	10.00		41	5.0	33	0.7	20	-6.7	43	8	320		29.06			30.06	FM-15	0.00	30.03
10	1753	7	CLR:00	10.00		37	2.8	30	-0.9	18	-7.8	46	8	320		29.08			30.08	FM-15	0.00	30.05
10	1853	7	CLR:00	10.00		34	1.1	29	-1.6	20	-6.7	56	8	020		29.08	1	-0.04	30.09	FM-15	0.00	30.05
10	1953	7	CLR:00	10.00		32	0.0	28	-2.1	21	-6.1	64	8	020		29.10			30.10	FM-15	0.00	30.07
10	2053	7	CLR:00	10.00		30	-1.1	27	-2.8	21	-6.1	69	9	030		29.12			30.12	FM-15	0.00	30.09
10	2153	7	CLR:00	10.00		30	-1.1	27	-2.8	21	-6.1	69	8	040		29.13	1	-0.04	30.12	FM-15	0.00	30.10
10	2253	7	CLR:00	10.00		27	-2.8	25	-4.1	20	-6.7	75	7	040		29.14			30.14	FM-15	0.00	30.11
10	2353	7	CLR:00	10.00		26	-3.3	24	-4.6	19	-7.2	75	7	030		29.15			30.14	FM-15	0.00	30.12
11	0053	7	CLR:00	10.00		27	-2.8	24	-4.4	18	-7.8	69	3	050		29.15	0	-0.02	30.14	FM-15	0.00	30.12
11	0153	7	CLR:00	10.00		25	-3.9	23	-5.1	18	-7.8	75	6	030		29.16			30.16	FM-15	0.00	30.13
11	0253	7	CLR:00	10.00		24	-4.4	22	-5.7	17	-8.3	75	6	070		29.14			30.14	FM-15	0.00	30.11
11	0353	7	CLR:00	10.00		25	-3.9	22	-5.3	17	-8.3	72	6	050		29.15	1	-0.00	30.14	FM-15	0.00	30.12
11	0453	7	CLR:00	10.00		23	-5.0	21	-6.0	17	-8.3	78	7	040		29.15			30.14	FM-15	0.00	30.12
11	0553	7	CLR:00	10.00		22	-5.6	20	-6.4	17	-8.3	82	5	040		29.16			30.16	FM-15	0.00	30.13
11	0653	7	CLR:00	10.00		21	-6.1	20	-6.8	17	-8.3	85	6	030		29.17	3	-0.02	30.17	FM-15	0.00	30.14
11	0753	7	CLR:00	10.00		26	-3.3	24	-4.3	21	-6.1	81	6	050		29.18			30.18	FM-15	0.00	30.15
11	0853	7	CLR:00	10.00		30	-1.1	27	-3.0	20	-6.7	66	9	060		29.18			30.18	FM-15	0.00	30.15
11	0953	7	CLR:00	10.00		33	0.6	28	-2.1	19	-7.2	56	14	070		29.18	1	-0.01	30.18	FM-15	0.00	30.15

11	1053	7	CLR:00	10.00		35	1.7	29	-1.4	19	-7.2	52	10	070		29.16			30.16	FM-15	0.00	30.13
11	1153	7	CLR:00	10.00		37	2.8	31	-0.4	21	-6.1	52	11	030	22	29.15			30.15	FM-15	0.00	30.12
11	1253	7	CLR:00	10.00		39	3.9	32	0.2	21	-6.1	48	11	030		29.13	7	+0.05	30.13	FM-15	0.00	30.10
11	1353	7	CLR:00	10.00		41	5.0	34	1.2	23	-5.0	49	8	050	18	29.11			30.10	FM-15	0.00	30.08
11	1453	7	CLR:00	10.00		42	5.6	34	1.3	22	-5.6	45	11	040		29.10			30.09	FM-15	0.00	30.07
11	1553	7	CLR:00	10.00		42	5.6	34	1.3	22	-5.6	45	6	030		29.09	6	+0.04	30.08	FM-15	0.00	30.06
11	1653	7	CLR:00	10.00		42	5.6	35	1.5	23	-5.0	47	11	030		29.06			30.06	FM-15	0.00	30.03
11	1753	7	CLR:00	10.00		39	3.9	33	0.4	22	-5.6	50	13	040		29.06			30.06	FM-15	0.00	30.03
11	1853	7	CLR:00	10.00		35	1.7	30	-0.9	22	-5.6	59	8	010		29.09	5	+0.00	30.09	FM-15	0.00	30.06
11	1953	7	CLR:00	10.00		34	1.1	30	-0.9	24	-4.4	67	14	010		29.08			30.08	FM-15	0.00	30.05
11	2053	7	CLR:00	10.00		32	0.0	29	-1.6	24	-4.4	73	15	010		29.08			30.08	FM-15	0.00	30.05
11	2153	7	CLR:00	10.00		32	0.0	29	-1.8	23	-5.0	69	10	020		29.08	7	+0.00	30.08	FM-15	0.00	30.05
11	2253	7	CLR:00	10.00		31	-0.6	28	-2.3	22	-5.6	69	8	030		29.08			30.07	FM-15	0.00	30.05
11	2353	7	CLR:00	10.00		30	-1.1	27	-2.7	22	-5.6	72	8	010		29.07			30.07	FM-15	0.00	30.04
12	0053	7	CLR:00	10.00		30	-1.1	27	-2.7	22	-5.6	72	8	020		29.06	8	+0.02	30.05	FM-15	0.00	30.03
12	0153	7	CLR:00	10.00		29	-1.7	27	-3.0	22	-5.6	75	10	010		29.05			30.05	FM-15	0.00	30.02
12	0253	7	CLR:00	10.00		28	-2.2	26	-3.5	21	-6.1	75	11	020		29.03			30.03	FM-15	0.00	30.00
12	0353	7	CLR:00	10.00		26	-3.3	24	-4.3	21	-6.1	81	11	360		29.01	8	+0.05	30.01	FM-15	0.00	29.98
12	0453	7	CLR:00	10.00		25	-3.9	23	-4.8	20	-6.7	81	9	010		29.01			30.01	FM-15	0.00	29.98
12	0553	7	CLR:00	10.00		24	-4.4	22	-5.3	19	-7.2	81	8	360		29.03			30.02	FM-15	0.00	30.00
12	0653	7	CLR:00	10.00		23	-5.0	22	-5.7	19	-7.2	85	7	350		29.03	3	-0.02	30.03	FM-15	0.00	30.00
12	0753	7	CLR:00	10.00		27	-2.8	25	-3.9	21	-6.1	78	8	350		29.02			30.02	FM-15	0.00	29.99
12	0853	7	CLR:00	10.00		30	-1.1	27	-2.7	22	-5.6	72	9	350		29.02			30.01	FM-15	0.00	29.99
12	0953	7	CLR:00	10.00		33	0.6	29	-1.6	22	-5.6	64	9	360		29.02	5	+0.01	30.01	FM-15	0.00	29.99
12	1053	7	CLR:00	10.00		36	2.2	31	-0.6	22	-5.6	57	10	360		29.01			30.01	FM-15	0.00	29.98
12	1153	7	BKN:07 60	10.00		36	2.2	31	-0.8	21	-6.1	55	13	340		29.01			30.00	FM-15	0.00	29.98
12	1253	7	FEW:02 38	10.00		39	3.9	33	0.5	23	-5.0	53	11	VRB	22	28.99	8	+0.03	29.98	FM-15	0.00	29.96
12	1353	7	FEW:02 36 OVC:08 48	10.00		40	4.4	34	1.2	25	-3.9	55	14	330		28.97			29.96	FM-15	0.00	29.94
12	1453	7	OVC:08 30	10.00		37	2.8	33	0.4	26	-3.3	65	15	310	22	28.97			29.96	FM-15	0.00	29.94
12	1525	7	OVC:08 28	10.00		37	2.8	33	0.6	27	-2.8	67	16	310		28.98				FM-16		29.95
12	1553	7	OVC:08 28	10.00		36	2.2	33	0.5	28	-2.2	73	15	310		28.99	5	+0.00	29.98	FM-15	0.00	29.96
12	1559	7	BKN:07 26 BKN:07 34 OVC:08 43	10.00		37	2.8	33	0.6	27	-2.8	67	13	310		28.98				FM-16		29.95
12	1653	7	BKN:07 26 BKN:07 34 OVC:08 43	10.00		37	2.8	33	0.6	27	-2.8	67	13	320		28.98			29.98	FM-15	0.00	29.95
12	1700	7	SCT:04 26 BKN:07 40	10.00		37	2.8	33	0.6	27	-2.8	67	14	320	21	28.99				FM-16		29.96
12	1753	7	SCT:04 23 BKN:07 31 OVC:08 50	7.00		36	2.2	33	0.7	29	-1.7	76	11	320		29.00			30.00	FM-15	T	29.97
12	1755	7	SCT:04 23 BKN:07 31	7.00		36	2.2	33	0.7	29	-1.7	76	14	320		29.00				FM-16		29.97
12	1816	7	SCT:04 23 BKN:07 48 OVC:08 75	3.00	-SN:03 |SN |	36	2.2	33	0.5	28	-2.2	73	16	320	22	29.00				FM-16	T	29.97
12	1853	7	FEW:02 19 BKN:07 38 OVC:08 80	9.00		33	0.6	32	-0.1	30	-1.1	89	9	300		29.02	3	-0.03	30.01	FM-15	T	29.99
12	1917	7	FEW:02 50 BKN:07 80	10.00		32	0.0	31	-0.4	30	-1.1	92	10	300		29.02				FM-16		29.99
12	1953	7	FEW:02 85	10.00		32	0.0	30	-0.8	28	-2.2	85	9	320		29.03			30.03	FM-15	0.00	30.00
12	2012	7	BKN:07 24	10.00		33	0.6	31	-0.3	29	-1.7	85	10	330		29.04				FM-16		30.01
12	2021	7	SCT:04 14 BKN:07 24 OVC:08 29	1.75	-SN:03 BR:1 |SN |	33	0.6	32	-0.1	30	-1.1	89	11	330		29.04				FM-16	T	30.01
12	2022	7	SCT:04 12 BKN:07 24 BKN:07 29	2.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	11	330		29.04				FM-16	T	30.01

12	2039	7	FEW:02 12 SCT:04 24 BKN:07 70	9.00		31	-0.6	30	-1.0	29	-1.7	92	9	320		29.04				FM-16	T	30.01
12	2053	7	FEW:02 50 FEW:02 70	10.00		29	-1.7	29	-1.9	28	-2.2	96	8	300		29.05			30.04	FM-15	T	30.02
12	2153	7	FEW:02 70	10.00		28	-2.2	28	-2.4	27	-2.8	96	8	300		29.05	1	-0.03	30.04	FM-15	0.00	30.02
12	2253	7	FEW:02 25 BKN:07 43 OVC:08 50	7.00	-SN:03 |SN |	30	-1.1	29	-1.5	28	-2.2	92	7	300		29.06			30.05	FM-15	T	30.03
12	2353	7	CLR:00	10.00		27	-2.8	27	-3.0	26	-3.3	96	7	290		29.05			30.04	FM-15	T	30.02
13	0053	7	CLR:00	10.00		28	-2.2	27	-2.6	26	-3.3	92	8	300		29.05	8	+0.00	30.04	FM-15	0.00	30.02
13	0153	7	CLR:00	10.00		27	-2.8	26	-3.2	25	-3.9	92	8	300		29.05			30.04	FM-15	0.00	30.02
13	0253	7	CLR:00	10.00		24	-4.4	24	-4.6	23	-5.0	96	6	290		29.05			30.04	FM-15	0.00	30.02
13	0353	7	CLR:00	10.00		24	-4.4	24	-4.6	23	-5.0	96	7	300		29.04	8	+0.01	30.04	FM-15	0.00	30.01
13	0453	7	CLR:00	10.00		25	-3.9	24	-4.3	23	-5.0	92	6	280		29.04			30.03	FM-15	0.00	30.01
13	0553	7	CLR:00	9.00		22	-5.6	22	-5.7	21	-6.1	96	6	290		29.04			30.04	FM-15	0.00	30.01
13	0653	7	SCT:04 47 BKN:07 60	7.00		21	-6.1	21	-6.3	20	-6.7	96	8	270		29.05	3	-0.01	30.05	FM-15	0.00	30.02
13	0753	7	FEW:02 47 BKN:07 65	7.00		26	-3.3	25	-3.7	24	-4.4	92	8	270		29.06			30.06	FM-15	T	30.03
13	0853	7	SCT:04 33	9.00		30	-1.1	29	-1.7	27	-2.8	88	13	290		29.06			30.06	FM-15	0.00	30.03
13	0953	7	OVC:08 65	9.00		32	0.0	30	-0.8	28	-2.2	85	7	260		29.05	8	+0.00	30.05	FM-15	0.00	30.02
13	1028	7	BKN:07 14 BKN:07 22 OVC:08 65	9.00		32	0.0	30	-0.8	28	-2.2	85	14	280		29.05				FM-16		30.02
13	1051	6	BKN:07 16 BKN:07 25 BKN:07 40	8.00		34	1.0	31	-0.4	27	-3.0	75	17	290	22	29.05				FM-16		30.02
13	1053	7	BKN:07 16 BKN:07 25 BKN:07 40	8.00		33	0.6	31	-0.7	27	-2.8	78	15	300	22	29.05			30.04	FM-15	0.00	30.02
13	1151	6	BKN:07 36 OVC:08 46	10.00		34	1.0	30	-1.1	23	-5.0	65	13	290		29.03				FM-16		30.00
13	1153	7	BKN:07 36 OVC:08 46	10.00		34	1.1	30	-1.1	23	-5.0	64	13	280		29.03			30.03	FM-15	0.00	30.00
13	1253	7	BKN:07 46 OVC:08 60	10.00		35	1.7	30	-1.3	20	-6.7	54	13	320	25	29.02	8	+0.03	30.02	FM-15	0.00	29.99
13	1353	7	SCT:04 41 OVC:08 50	10.00		35	1.7	30	-1.1	21	-6.1	57	14	330	23	29.00			29.99	FM-15	0.00	29.97
13	1429	7	SCT:04 34 BKN:07 41 OVC:08 50	6.00	-SN:03 |SN |	34	1.1	30	-1.1	23	-5.0	64	11	330		29.00				FM-16	T	29.97
13	1453	7	SCT:04 34 BKN:07 41 OVC:08 50	6.00	-SN:03 |SN |	33	0.6	30	-1.3	24	-4.4	70	17	340	25	29.00			29.99	FM-15	T	29.97
13	1507	7	SCT:04 30 BKN:07 47	7.00		32	0.0	29	-1.8	23	-5.0	69	10	310		29.00				FM-16	T	29.97
13	1553	7	FEW:02 33 FEW:02 44 BKN:07 95	10.00		35	1.7	30	-1.1	21	-6.1	57	15	290		28.99	6	+0.03	29.99	FM-15	T	29.96
13	1653	7	OVC:08 85	10.00		35	1.7	29	-1.4	19	-7.2	52	13	300		28.99			29.99	FM-15	0.00	29.96
13	1657	7	BKN:07 40 OVC:08 95	7.00		34	1.1	29	-1.6	20	-6.7	56	11	300		28.99				FM-16		29.96
13	1720	7	SCT:04 30 BKN:07 55 OVC:08 90	2.00	-SN:03 |SN |	31	-0.6	28	-2.0	24	-4.4	76	21	290	26	29.00				FM-16	T	29.97
13	1733	7	SCT:04 30 BKN:07 55 OVC:08 90	5.00	-SN:03 BR:1 |SN |	30	-1.1	29	-1.7	27	-2.8	88	15	290	25	29.00				FM-16	T	29.97
13	1753	7	FEW:02 30 BKN:07 60 OVC:08 70	10.00		30	-1.1	29	-1.7	27	-2.8	88	9	290		29.01			30.01	FM-15	T	29.98

13	1853	7	SCT:04 36 BKN:07 50 BKN:07 60	10.00		29	-1.7	28	-2.3	26	-3.3	89	8	290		29.02	3	-0.02	30.02	FM-15	0.00	29.99
13	1917	7	SCT:04 27 BKN:07 32 BKN:07 48	1.75	-SN:03 BR:1 |SN |	29	-1.7	28	-2.3	26	-3.3	89	15	340	24	29.03				FM-16	T	30.00
13	1918	7	SCT:04 25 BKN:07 32 BKN:07 48	2.00	-SN:03 BR:1 |SN |	28	-2.2	27	-2.6	26	-3.3	92	16	330	24	29.03				FM-16	T	30.00
13	1932	7	SCT:04 25 BKN:07 32 BKN:07 48	2.00	-SN:03 BR:1 |SN |	28	-2.2	27	-2.6	26	-3.3	92	13	340		29.04				FM-16	T	30.01
13	1953	7	BKN:07 41 BKN:07 48 OVC:08 110	7.00	-SN:03 |SN |	28	-2.2	27	-2.6	26	-3.3	92	9	320		29.04			30.04	FM-15	T	30.01
13	2002	7	FEW:02 15 BKN:07 47 OVC:08 95	9.00		27	-2.8	26	-3.2	25	-3.9	92	8	330		29.04				FM-16	T	30.01
13	2053	7	FEW:02 50 SCT:04 70	10.00		27	-2.8	26	-3.5	23	-5.0	85	9	300		29.04			30.04	FM-15	0.00	30.01
13	2108	7	FEW:02 95	10.00		27	-2.8	25	-3.7	22	-5.6	81	8	310		29.04				FM-16		30.01
13	2153	7	CLR:00	10.00		24	-4.4	23	-5.2	20	-6.7	84	6	300		29.04	0	-0.02	30.03	FM-15	0.00	30.01
13	2253	7	SCT:04 47	10.00		23	-5.0	22	-5.5	20	-6.7	88	7	280		29.04			30.03	FM-15	0.00	30.01
13	2353	7	FEW:02 41 BKN:07 75	10.00		25	-3.9	24	-4.6	21	-6.1	85	7	300		29.03			30.03	FM-15	0.00	30.00
14	0041	7	BKN:07 20 OVC:08 47	7.00	-SN:03 |SN |	26	-3.3	25	-4.1	22	-5.6	84	7	290		29.03				FM-16	T	30.00
14	0053	7	BKN:07 20 OVC:08 43	6.00	-SN:03 BR:1 |SN |	26	-3.3	25	-4.1	22	-5.6	84	8	290		29.03	8	+0.01	30.03	FM-15	T	30.00
14	0153	7	FEW:02 14 SCT:04 24 OVC:08 30	10.00		26	-3.3	25	-3.7	24	-4.4	92	9	300		29.03			30.03	FM-15	T	30.00
14	0201	7	FEW:02 14 BKN:07 29 OVC:08 34	10.00		26	-3.3	25	-3.9	23	-5.0	88	13	310		29.03				FM-16		30.00
14	0225	7	SCT:04 16 BKN:07 36 OVC:08 49	10.00		26	-3.3	25	-3.9	23	-5.0	88	11	310		29.03				FM-16		30.00
14	0240	7	SCT:04 16 BKN:07 21 OVC:08 38	10.00		26	-3.3	25	-3.9	23	-5.0	88	10	320		29.03				FM-16		30.00
14	0253	7	BKN:07 16 BKN:07 36 OVC:08 60	10.00		26	-3.3	25	-4.1	22	-5.6	84	11	320		29.03			30.02	FM-15	0.00	30.00
14	0300	7	SCT:04 17 BKN:07 34 OVC:08 60	10.00		26	-3.3	25	-4.1	22	-5.6	84	15	310		29.03				FM-16		30.00
14	0323	7	SCT:04 21 BKN:07 29 OVC:08 35	10.00		26	-3.3	25	-4.1	22	-5.6	84	9	310		29.03				FM-16		30.00
14	0353	7	BKN:07 18 BKN:07 23 OVC:08 31	10.00		26	-3.3	25	-4.1	22	-5.6	84	9	320		29.02	8	+0.01	30.01	FM-15	0.00	29.99
14	0416	7	FEW:02 18 SCT:04 26 OVC:08 55	10.00		26	-3.3	25	-4.1	22	-5.6	84	14	310		29.02				FM-16		29.99
14	0453	7	OVC:08 50	10.00		25	-3.9	23	-5.0	19	-7.2	78	10	320		29.03			30.03	FM-15	T	30.00
14	0553	7	SCT:04 21 OVC:08 44	10.00		26	-3.3	24	-4.6	19	-7.2	75	9	320		29.03			30.03	FM-15	0.00	30.00
14	0612	7	BKN:07 19 BKN:07 23 OVC:08 44	10.00		25	-3.9	23	-4.8	20	-6.7	81	8	310		29.04				FM-16		30.01
14	0651	6	FEW:02 20 BKN:07 32 OVC:08 49	10.00		25	-4.0	23	-5.0	19	-7.0	80	11	300		29.04				FM-16		30.01

14	0653	7	FEW:02 20 BKN:07 32 OVC:08 49	10.00		25	-3.9	23	-4.8	20	-6.7	81	10	310		29.04	2	-0.02	30.04	FM-15	T	30.01
14	0709	7	BKN:07 22 BKN:07 29 OVC:08 50	8.00	-SN:03 |SN |	25	-3.9	23	-5.0	19	-7.2	78	13	320	23	29.04				FM-16	T	30.01
14	0720	7	SCT:04 23 BKN:07 31 OVC:08 42	9.00		25	-3.9	23	-5.1	18	-7.8	75	13	310	23	29.05				FM-16	T	30.02
14	0753	7	OVC:08 46	10.00		25	-3.9	23	-5.1	18	-7.8	75	11	320		29.05			30.05	FM-15	T	30.02
14	0853	7	FEW:02 24 OVC:08 44	10.00		26	-3.3	24	-4.6	19	-7.2	75	14	320		29.06			30.06	FM-15	0.00	30.03
14	0953	7	FEW:02 31 OVC:08 38	10.00		28	-2.2	25	-4.0	18	-7.8	66	21	300	25	29.06	0	-0.02	30.06	FM-15	0.00	30.03
14	1053	7	OVC:08 34	10.00		28	-2.2	24	-4.5	15	-9.4	58	11	290		29.06			30.06	FM-15	0.00	30.03
14	1153	7	BKN:07 34	10.00		29	-1.7	25	-4.0	16	-8.9	58	15	300		29.06			30.06	FM-15	0.00	30.03
14	1253	7	OVC:08 34	10.00		32	0.0	28	-2.5	19	-7.2	59	20	290	25	29.04	8	+0.01	30.04	FM-15	0.00	30.01
14	1353	7	OVC:08 32	10.00		32	0.0	28	-2.3	20	-6.7	61	20	280	26	29.01			30.01	FM-15	0.00	29.98
14	1453	7	OVC:08 34	10.00		32	0.0	28	-2.5	19	-7.2	59	20	280		28.99			29.99	FM-15	0.00	29.96
14	1553	7	BKN:07 38	10.00		36	2.2	30	-0.9	20	-6.7	52	17	250	24	28.97	6	+0.07	29.97	FM-15	0.00	29.94
14	1653	7	FEW:02 47 SCT:04 110	10.00		37	2.8	31	-0.8	19	-7.2	48	15	270	25	28.95			29.94	FM-15	0.00	29.92
14	1753	7	FEW:02 120	10.00		35	1.7	29	-1.7	17	-8.3	48	13	270		28.95			29.94	FM-15	0.00	29.92
14	1853	7	BKN:07 110	10.00		33	0.6	28	-2.3	18	-7.8	54	8	250		28.94	6	+0.03	29.94	FM-15	0.00	29.91
14	1953	7	BKN:07 110	10.00		32	0.0	27	-2.6	18	-7.8	56	7	230		28.94			29.94	FM-15	0.00	29.91
14	2053	7	BKN:07 110	10.00		32	0.0	27	-2.6	18	-7.8	56	8	230		28.94			29.94	FM-15	0.00	29.91
14	2153	7	BKN:07 90 OVC:08 110	10.00		32	0.0	28	-2.5	19	-7.2	59	8	230		28.94	6	+0.01	29.93	FM-15	0.00	29.91
14	2253	7	OVC:08 100	10.00		32	0.0	27	-2.6	18	-7.8	56	9	220		28.91			29.91	FM-15	0.00	29.88
14	2353	7	FEW:02 90	10.00		30	-1.1	26	-3.3	18	-7.8	61	8	210		28.90			29.88	FM-15	0.00	29.86
15	0053	7	CLR:00	10.00		29	-1.7	25	-3.7	18	-7.8	63	8	200		28.86	8	+0.09	29.84	FM-15	0.00	29.82
15	0153	7	OVC:08 70	10.00		30	-1.1	27	-3.0	20	-6.7	66	10	200		28.82			29.80	FM-15	0.00	29.78
15	0253	7	FEW:02 70 OVC:08 80	10.00		31	-0.6	28	-2.5	21	-6.1	67	8	210		28.77			29.75	FM-15	0.00	29.73
15	0353	7	BKN:07 70	10.00		32	0.0	28	-2.0	22	-5.6	66	10	220		28.75	6	+0.10	29.73	FM-15	0.00	29.71
15	0453	7	CLR:00	10.00		31	-0.6	28	-2.3	22	-5.6	69	11	230		28.73			29.72	FM-15	0.00	29.69
15	0553	7	CLR:00	10.00		30	-1.1	27	-2.7	22	-5.6	72	9	250		28.74			29.72	FM-15	0.00	29.70
15	0653	7	CLR:00	10.00		31	-0.6	28	-2.0	24	-4.4	76	14	270		28.75	5	+0.00	29.73	FM-15	0.00	29.71
15	0753	7	CLR:00	10.00		34	1.1	31	-0.8	25	-3.9	70	14	270		28.78			29.75	FM-15	0.00	29.74
15	0853	7	CLR:00	10.00		37	2.8	33	0.4	26	-3.3	65	16	310	22	28.80			29.78	FM-15	0.00	29.76
15	0953	7	CLR:00	10.00		40	4.4	34	1.0	24	-4.4	53	16	310		28.81	1	-0.06	29.79	FM-15	0.00	29.77
15	1053	7	CLR:00	10.00		43	6.1	35	1.6	22	-5.6	43	16	320	23	28.82			29.79	FM-15	0.00	29.78
15	1153	7	CLR:00	10.00		45	7.2	36	2.3	22	-5.6	40	14	280		28.82			29.80	FM-15	0.00	29.78
15	1253	7	CLR:00	10.00		45	7.2	36	2.1	21	-6.1	39	18	300		28.82	0	-0.01	29.80	FM-15	T	29.78
15	1353	7	CLR:00	10.00		46	7.8	37	2.7	23	-5.0	40	17	290	26	28.81			29.78	FM-15	0.00	29.77
15	1453	7	FEW:02 55	10.00		47	8.3	37	3.0	23	-5.0	39	20	290	30	28.81			29.78	FM-15	0.00	29.77
15	1553	7	FEW:02 55	10.00		47	8.3	37	2.9	22	-5.6	37	20	300	32	28.80	6	+0.02	29.78	FM-15	0.00	29.76
15	1653	7	SCT:04 55	10.00		47	8.3	37	3.0	23	-5.0	39	20	290		28.81			29.79	FM-15	0.00	29.77
15	1753	7	BKN:07 55	10.00		44	6.7	36	2.1	23	-5.0	43	14	310		28.82			29.80	FM-15	0.00	29.78
15	1853	7	CLR:00	10.00		40	4.4	34	0.9	23	-5.0	51	14	300		28.83	2	-0.04	29.81	FM-15	0.00	29.79
15	1953	7	CLR:00	10.00		37	2.8	32	-0.1	23	-5.0	57	8	300		28.84			29.83	FM-15	0.00	29.81
15	2053	7	FEW:02 55	10.00		39	3.9	33	0.7	24	-4.4	55	14	320	25	28.87			29.85	FM-15	0.00	29.83
15	2153	7	CLR:00	10.00		36	2.2	32	-0.3	24	-4.4	62	8	330		28.89	1	-0.05	29.87	FM-15	0.00	29.85
15	2253	7	CLR:00	10.00		33	0.6	30	-1.3	24	-4.4	70	10	330		28.90			29.88	FM-15	0.00	29.87
15	2353	7	CLR:00	10.00		32	0.0	28	-2.3	20	-6.7	61	17	320	31	28.92			29.90	FM-15	0.00	29.89
16	0053	7	CLR:00	10.00		29	-1.7	24	-4.7	11	-11.7	47	16	320	28	28.94	3	-0.06	29.93	FM-15	0.00	29.91
16	0153	7	CLR:00	10.00		27	-2.8	22	-5.5	10	-12.2	49	18	320	25	28.97			29.96	FM-15	0.00	29.94
16	0253	7	CLR:00	10.00		24	-4.4	20	-6.5	11	-11.7	57	15	330	24	28.99			29.98	FM-15	0.00	29.96
16	0353	7	CLR:00	10.00		23	-5.0	20	-6.8	12	-11.1	63	13	330		29.03	3	-0.09	30.02	FM-15	0.00	30.00

16	0453	7	CLR:00	10.00		22	-5.6	19	-7.1	12	-11.1	66	9	350		29.07			30.06	FM-15	0.00	30.04
16	0553	7	CLR:00	10.00		21	-6.1	18	-7.8	10	-12.2	62	10	350		29.09			30.08	FM-15	0.00	30.06
16	0653	7	CLR:00	10.00		20	-6.7	17	-8.2	10	-12.2	65	7	350		29.12	1	-0.09	30.12	FM-15	0.00	30.09
16	0753	7	CLR:00	10.00		23	-5.0	20	-6.9	11	-11.7	60	13	340		29.15			30.15	FM-15	0.00	30.12
16	0853	7	CLR:00	10.00		25	-3.9	21	-5.9	13	-10.6	60	7	350		29.18			30.18	FM-15	0.00	30.15
16	0953	7	CLR:00	10.00		27	-2.8	23	-5.1	13	-10.6	55	7	360		29.20	1	-0.08	30.20	FM-15	0.00	30.17
16	1053	7	CLR:00	10.00		30	-1.1	25	-3.8	15	-9.4	54	6	290		29.21			30.21	FM-15	0.00	30.18
16	1153	7	CLR:00	10.00		31	-0.6	26	-3.5	14	-10.0	49	0	000		29.21			30.21	FM-15	0.00	30.18
16	1253	7	CLR:00	10.00		35	1.7	28	-2.0	15	-9.4	44	3	210		29.20	8	+0.00	30.20	FM-15	0.00	30.17
16	1353	7	CLR:00	10.00		37	2.8	30	-1.3	15	-9.4	41	6	340		29.18			30.18	FM-15	0.00	30.15
16	1453	7	CLR:00	10.00		40	4.4	31	-0.3	15	-9.4	36	10	350		29.15			30.15	FM-15	0.00	30.12
16	1553	7	CLR:00	10.00		39	3.9	31	-0.8	14	-10.0	36	0	000		29.14	6	+0.06	30.14	FM-15	0.00	30.11
16	1653	7	CLR:00	10.00		38	3.3	30	-1.1	14	-10.0	37	3	230		29.12			30.12	FM-15	0.00	30.09
16	1753	7	CLR:00	10.00		38	3.3	30	-1.0	15	-9.4	39	0	000		29.13			30.13	FM-15	0.00	30.10
16	1853	7	CLR:00	10.00		37	2.8	29	-1.5	14	-10.0	39	0	000		29.12	6	+0.02	30.12	FM-15	0.00	30.09
16	1953	7	CLR:00	10.00		32	0.0	27	-2.9	16	-8.9	52	0	000		29.12			30.11	FM-15	0.00	30.09
16	2053	7	CLR:00	10.00		34	1.1	28	-2.2	16	-8.9	48	3	240		29.13			30.12	FM-15	0.00	30.10
16	2153	7	CLR:00	10.00		31	-0.6	26	-3.1	17	-8.3	56	0	000		29.12	7	+0.00	30.12	FM-15	0.00	30.09
16	2253	7	CLR:00	10.00		30	-1.1	26	-3.5	17	-8.3	58	5	350		29.11			30.11	FM-15	0.00	30.08
16	2353	7	CLR:00	10.00		29	-1.7	25	-3.8	17	-8.3	61	3	010		29.09			30.09	FM-15	0.00	30.06
17	0053	7	CLR:00	10.00		26	-3.3	23	-4.8	18	-7.8	71	6	040		29.06	8	+0.05	30.06	FM-15	0.00	30.03
17	0153	7	CLR:00	10.00		26	-3.3	23	-4.8	18	-7.8	71	5	060		29.04			30.04	FM-15	0.00	30.01
17	0253	7	OVC:08 110	10.00		29	-1.7	26	-3.2	21	-6.1	72	6	080		29.01			30.01	FM-15	0.00	29.98
17	0353	7	SCT:04 80 OVC:08 100	10.00		31	-0.6	27	-2.6	20	-6.7	64	3	120		29.00	6	+0.06	30.00	FM-15	0.00	29.97
17	0453	7	SCT:04 65 OVC:08 85	10.00		31	-0.6	27	-2.7	20	-6.7	64	8	120		28.97			29.96	FM-15	0.00	29.94
17	0553	7	OVC:08 70	10.00		32	0.0	28	-2.3	20	-6.7	61	0	000		28.98			29.97	FM-15	T	29.95
17	0632	7	OVC:08 60	7.00	PL:06 |PL |	31	-0.6	28	-2.0	24	-4.4	76	6	070		28.96				FM-16	0.02	29.93
17	0653	7	OVC:08 50	10.00		31	-0.6	28	-2.0	24	-4.4	76	6	100		28.96	6	+0.04	29.95	FM-15	0.02	29.93
17	0753	7	OVC:08 48	10.00		31	-0.6	29	-1.8	25	-3.9	79	5	070		28.96			29.96	FM-15	0.00	29.93
17	0853	7	OVC:08 46	10.00		32	0.0	29	-1.6	24	-4.4	73	6	060		28.97			29.96	FM-15	0.00	29.94
17	0953	7	OVC:08 43	10.00		33	0.6	30	-1.1	25	-3.9	72	8	060		28.96	0	-0.00	29.96	FM-15	0.00	29.93
17	1053	7	OVC:08 35	10.00		35	1.7	32	-0.2	26	-3.3	70	9	060		28.97			29.96	FM-15	0.00	29.94
17	1153	7	OVC:08 35	10.00		38	3.3	34	0.9	27	-2.8	65	8	040		28.95			29.95	FM-15	0.00	29.92
17	1253	7	OVC:08 36	10.00		39	3.9	34	1.3	27	-2.8	62	10	060		28.93	8	+0.03	29.92	FM-15	0.00	29.90
17	1353	7	SCT:04 35 OVC:08 60	10.00		41	5.0	35	1.9	27	-2.8	57	5	090		28.90			29.88	FM-15	0.00	29.86
17	1453	7	SCT:04 55 BKN:07 70 BKN:07 85	10.00		43	6.1	37	2.7	28	-2.2	56	9	080		28.87			29.86	FM-15	0.00	29.84
17	1553	7	FEW:02 38 OVC:08 50	10.00		44	6.7	39	3.6	31	-0.6	60	11	050		28.89	5	+0.05	29.86	FM-15	0.00	29.85
17	1653	7	OVC:08 45	10.00		41	5.0	37	2.9	32	0.0	70	13	050		28.90			29.88	FM-15	0.00	29.86
17	1753	7	OVC:08 45	6.00	-RA:02 |RA |	38	3.3	36	2.2	33	0.6	83	10	030		28.91			29.90	FM-15	T	29.88
17	1853	7	FEW:02 42 OVC:08 50	4.00	-RA:02 BR:1 |RA |	34	1.1	34	0.9	33	0.6	97	7	020		28.91	1	-0.04	29.91	FM-15	0.03	29.88
17	1953	7	OVC:08 50	10.00		36	2.2	33	0.7	29	-1.7	76	7	020		28.93			29.93	FM-15	T	29.90
17	2053	7	OVC:08 50	10.00		36	2.2	33	0.3	27	-2.8	70	11	030		28.94			29.93	FM-15	0.00	29.91
17	2153	7	OVC:08 60	10.00		36	2.2	33	0.5	28	-2.2	73	6	010		28.96	3	-0.05	29.96	FM-15	0.00	29.93
17	2253	7	CLR:00	10.00		32	0.0	30	-1.2	26	-3.3	79	6	360		28.99			29.98	FM-15	0.00	29.96
17	2353	7	CLR:00	10.00		31	-0.6	28	-2.0	24	-4.4	76	5	360		29.02			30.01	FM-15	0.00	29.99
18	0053	7	CLR:00	10.00		30	-1.1	28	-2.3	24	-4.4	79	0	000		29.03	1	-0.06	30.02	FM-15	0.00	30.00
18	0153	7	CLR:00	10.00		26	-3.3	25	-3.9	23	-5.0	88	0	000		29.04			30.03	FM-15	0.00	30.01
18	0253	7	CLR:00	10.00		24	-4.4	23	-5.0	21	-6.1	88	0	000		29.05			30.04	FM-15	0.00	30.02
18	0353	7	CLR:00	10.00		25	-3.9	24	-4.4	22	-5.6	88	0	000		29.05	1	-0.01	30.04	FM-15	0.00	30.02
18	0453	7	CLR:00	10.00		23	-5.0	22	-5.4	21	-6.1	92	0	000		29.06			30.05	FM-15	0.00	30.03
18	0553	7	CLR:00	10.00		24	-4.4	23	-4.8	22	-5.6	91	0	000		29.08			30.08	FM-15	0.00	30.05

18	0653	7	CLR:00	9.00		24	-4.4	24	-4.6	23	-5.0	96	0	000		29.10	3	-0.05	30.10	FM-15	0.00	30.07
18	0753	7	CLR:00	10.00		29	-1.7	28	-2.5	25	-3.9	85	5	VRB		29.11			30.10	FM-15	0.00	30.08
18	0853	7	CLR:00	10.00		35	1.7	31	-0.4	25	-3.9	67	0	000		29.11			30.10	FM-15	0.00	30.08
18	0953	7	CLR:00	10.00		39	3.9	32	0.1	20	-6.7	46	3	080		29.12	3	-0.02	30.11	FM-15	0.00	30.09
18	1053	7	CLR:00	10.00		43	6.1	34	1.2	19	-7.2	38	0	000		29.11			30.09	FM-15	0.00	30.08
18	1153	7	CLR:00	10.00		46	7.8	36	2.1	19	-7.2	34	3	VRB		29.09			30.08	FM-15	0.00	30.06
18	1253	7	CLR:00	10.00		49	9.4	37	2.6	16	-8.9	27	0	000		29.06	8	+0.06	30.05	FM-15	0.00	30.03
18	1353	7	CLR:00	10.00		51	10.6	38	3.5	18	-7.8	27	5	VRB		29.03			30.02	FM-15	0.00	30.00
18	1453	7	CLR:00	10.00		53	11.7	39	4.0	17	-8.3	24	0	000		29.01			30.00	FM-15	0.00	29.98
18	1553	7	CLR:00	10.00		54	12.2	40	4.2	17	-8.3	23	5	260		28.99	6	+0.07	29.98	FM-15	0.00	29.96
18	1653	7	CLR:00	10.00		54	12.2	40	4.7	20	-6.7	26	8	240		28.97			29.96	FM-15	0.00	29.94
18	1753	7	CLR:00	10.00		52	11.1	39	4.1	20	-6.7	28	5	220		28.95			29.94	FM-15	0.00	29.92
18	1853	7	CLR:00	10.00		48	8.9	37	3.0	21	-6.1	34	0	000		28.95	5	+0.04	29.94	FM-15	0.00	29.92
18	1953	7	CLR:00	10.00		45	7.2	35	1.8	19	-7.2	35	0	000		28.95			29.94	FM-15	0.00	29.92
18	2053	7	CLR:00	10.00		43	6.1	34	1.3	20	-6.7	40	0	000		28.96			29.95	FM-15	0.00	29.93
18	2153	7	CLR:00	10.00		39	3.9	33	0.7	24	-4.4	55				28.95	8	+0.00	29.94	FM-15	0.00	29.92
18	2253	7	CLR:00	10.00		36	2.2	32	-0.3	24	-4.4	62	0	000		28.95			29.93	FM-15	0.00	29.92
18	2353	7	CLR:00	10.00		40	4.4	33	0.5	21	-6.1	47	0	000		28.93			29.91	FM-15	0.00	29.90
19	0053	7	CLR:00	10.00		40	4.4	33	0.7	22	-5.6	49	0	000		28.92	8	+0.03	29.90	FM-15	0.00	29.89
19	0153	7	CLR:00	10.00		34	1.1	30	-0.9	24	-4.4	67	0	000		28.92			29.90	FM-15	0.00	29.89
19	0253	7	CLR:00	10.00		34	1.1	31	-0.7	25	-3.9	70	5	350		28.90			29.88	FM-15	0.00	29.87
19	0353	7	CLR:00	10.00		32	0.0	29	-1.4	25	-3.9	75	5	010		28.89	8	+0.04	29.86	FM-15	0.00	29.85
19	0453	7	CLR:00	10.00		31	-0.6	29	-1.6	26	-3.3	82	0	000		28.90			29.88	FM-15	0.00	29.87
19	0553	7	CLR:00	10.00		30	-1.1	28	-2.1	25	-3.9	82	3	350		28.90			29.88	FM-15	0.00	29.87
19	0653	7	CLR:00	10.00		31	-0.6	29	-1.8	25	-3.9	79	9	360		28.90	1	-0.02	29.89	FM-15	0.00	29.87
19	0753	7	CLR:00	10.00		35	1.7	32	0.2	28	-2.2	76	5	360		28.92			29.91	FM-15	0.00	29.89
19	0853	7	CLR:00	10.00		40	4.4	35	1.8	28	-2.2	63	9	060		28.92			29.90	FM-15	0.00	29.89
19	0953	7	CLR:00	10.00		45	7.2	37	3.0	26	-3.3	48	10	070		28.91	0	-0.01	29.89	FM-15	0.00	29.88
19	1053	7	CLR:00	10.00		49	9.4	39	4.2	26	-3.3	41	13	080		28.90			29.88	FM-15	0.00	29.87
19	1153	7	CLR:00	10.00		53	11.7	42	5.5	27	-2.8	37	11	030		28.90			29.87	FM-15	0.00	29.86
19	1253	7	CLR:00	10.00		55	12.8	43	6.1	27	-2.8	34	9	090		28.89	8	+0.03	29.85	FM-15	0.00	29.85
19	1353	7	CLR:00	10.00		57	13.9	44	6.4	26	-3.3	30	9	080		28.84			29.81	FM-15	0.00	29.80
19	1453	7	CLR:00	10.00		57	13.9	43	6.3	25	-3.9	29	8	060	17	28.82			29.79	FM-15	0.00	29.78
19	1553	7	CLR:00	10.00		57	13.9	43	6.3	25	-3.9	29	15	020	22	28.80	6	+0.08	29.77	FM-15	0.00	29.76
19	1653	7	CLR:00	10.00		54	12.2	42	5.6	26	-3.3	34	14	070		28.80			29.77	FM-15	0.00	29.76
19	1753	7	CLR:00	10.00		50	10.0	41	4.8	28	-2.2	43	15	040		28.80			29.78	FM-15	0.00	29.76
19	1853	7	CLR:00	10.00		47	8.3	38	3.4	25	-3.9	42	17	030		28.79	8	+0.01	29.77	FM-15	0.00	29.75
19	1953	7	CLR:00	10.00		43	6.1	36	2.3	26	-3.3	51	17	040	26	28.78			29.75	FM-15	0.00	29.74
19	2053	7	CLR:00	10.00		39	3.9	33	0.7	24	-4.4	55	16	020		28.78			29.76	FM-15	0.00	29.74
19	2153	7	CLR:00	10.00		36	2.2	31	-0.6	22	-5.6	57	15	030		28.80	3	-0.01	29.77	FM-15	0.00	29.76
19	2253	7	CLR:00	10.00		34	1.1	29	-1.9	18	-7.8	52	13	020		28.80			29.77	FM-15	0.00	29.76
19	2353	7	CLR:00	10.00		34	1.1	29	-1.8	19	-7.2	54	11	040		28.78			29.75	FM-15	0.00	29.74
20	0053	7	FEW:02 120	10.00		34	1.1	29	-1.8	19	-7.2	54	16	030		28.74	8	+0.06	29.70	FM-15	0.00	29.70
20	0153	7	CLR:00	10.00		33	0.6	28	-2.1	19	-7.2	56	10	020		28.71			29.68	FM-15	0.00	29.67
20	0253	7	BKN:07 75	10.00		33	0.6	28	-2.1	19	-7.2	56	14	010		28.70			29.66	FM-15	0.00	29.66
20	0353	7	OVC:08 75	10.00		34	1.1	29	-1.6	20	-6.7	56	14	020		28.68	6	+0.05	29.65	FM-15	0.00	29.64
20	0453	7	OVC:08 60	10.00	UP:09 ||	32	0.0	28	-2.0	22	-5.6	66	15	010		28.67			29.64	FM-15	T	29.63
20	0526	7	BKN:07 24 BKN:07 50 OVC:08 60	10.00	UP:09 ||	32	0.0	28	-2.1	21	-6.1	64	14	010		28.68				FM-16	T	29.64
20	0553	7	OVC:08 25	10.00	-RA:02 |RA |	32	0.0	28	-2.0	22	-5.6	66	14	020	22	28.68			29.65	FM-15	T	29.64
20	0653	7	OVC:08 24	10.00	-RA:02 |RA |	33	0.6	29	-1.6	22	-5.6	64	15	020	22	28.68	6	+0.00	29.65	FM-15	T	29.64
20	0753	7	OVC:08 27	10.00	-RA:02 |RA |	33	0.6	29	-1.6	22	-5.6	64	15	030		28.68			29.66	FM-15	0.01	29.64
20	0853	7	OVC:08 25	10.00	-RA:02 |RA |	34	1.1	30	-1.3	22	-5.6	61	15	040	24	28.69			29.67	FM-15	T	29.65
20	0944	7	SCT:04 26 BKN:07 36 OVC:08 45	10.00	-RA:02 |RA |	34	1.1	30	-0.9	24	-4.4	67	14	020		28.69				FM-16	T	29.65

20	0953	7	SCT:04 28 BKN:07 35 OVC:08 47	10.00	-RA:02 |RA |	34	1.1	30	-0.9	24	-4.4	67	17	030		28.69	0	-0.01	29.67	FM-15	T	29.65
20	1021	7	BKN:07 28 OVC:08 35	10.00		35	1.7	31	-0.6	24	-4.4	64	15	020		28.69				FM-16	T	29.65
20	1053	7	OVC:08 31	10.00		36	2.2	32	-0.1	25	-3.9	64	14	020		28.68			29.66	FM-15	T	29.64
20	1153	7	SCT:04 55 OVC:08 70	10.00		40	4.4	34	1.2	25	-3.9	55	14	030		28.68			29.66	FM-15	0.00	29.64
20	1251	6	BKN:07 27 OVC:08 32	10.00		39	4.0	33	0.5	23	-5.0	52	15	040		28.68				FM-16		29.64
20	1253	7	BKN:07 27 OVC:08 36	10.00		40	4.4	34	0.8	23	-5.0	51	14	040		28.68	5	+0.01	29.66	FM-15	0.00	29.64
20	1353	7	OVC:08 27	10.00		40	4.4	34	0.8	23	-5.0	51	21	040		28.67			29.65	FM-15	0.00	29.63
20	1432	7	SCT:04 29 OVC:08 36	10.00		40	4.4	33	0.7	22	-5.6	49	17	050	23	28.66				FM-16		29.62
20	1453	7	OVC:08 35	10.00		40	4.4	33	0.7	22	-5.6	49	13	040	23	28.65			29.63	FM-15	0.00	29.61
20	1553	7	OVC:08 32	10.00		41	5.0	34	1.0	22	-5.6	47	15	040		28.65	5	+0.03	29.62	FM-15	0.00	29.61
20	1653	7	OVC:08 38	10.00		41	5.0	34	1.2	23	-5.0	49	17	060		28.65			29.62	FM-15	0.00	29.61
20	1753	7	OVC:08 40	10.00		40	4.4	34	1.0	24	-4.4	53	15	040		28.66			29.63	FM-15	0.00	29.62
20	1831	7	OVC:08 35	4.00	-SN:03 BR:1 |SN |	36	2.2	34	0.9	30	-1.1	79	10	040		28.67				FM-16	T	29.63
20	1853	7	FEW:02 23 OVC:08 31	6.00	UP:09 BR:1 ||	35	1.7	33	0.8	31	-0.6	85	17	040		28.66	3	-0.01	29.64	FM-15	T	29.62
20	1855	7	FEW:02 23 OVC:08 30	5.00	-RA:02 BR:1 |RA |	35	1.7	33	0.8	31	-0.6	85	14	040		28.66				FM-16	T	29.62
20	1953	7	FEW:02 23 OVC:08 30	5.00	-RA:02 BR:1 |RA |	34	1.1	33	0.4	31	-0.6	89	16	030	25	28.67			29.65	FM-15	T	29.63
20	2000	7	OVC:08 15	5.00	-RA:02 BR:1 |RA |	34	1.1	33	0.4	31	-0.6	89	15	020		28.67				FM-16	T	29.63
20	2053	7	BKN:07 13 OVC:08 19	2.00	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	17	040	23	28.67			29.65	FM-15	T	29.63
20	2054	7	BKN:07 13 OVC:08 20	3.00	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	16	040		28.67				FM-16	T	29.63
20	2153	7	SCT:04 10 BKN:07 13 OVC:08 20	1.50	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	11	030		28.68	3	-0.03	29.67	FM-15	0.01	29.64
20	2206	7	BKN:07 8 BKN:07 16 OVC:08 22	1.50	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	11	020		28.68				FM-16	T	29.64
20	2217	7	BKN:07 10 OVC:08 17	1.75	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	9	020		28.68				FM-16	T	29.64
20	2231	7	SCT:04 9 OVC:08 14	1.50	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	13	020	20	28.67				FM-16	0.01	29.63
20	2238	7	BKN:07 9 OVC:08 14	1.25	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	11	020		28.67				FM-16	0.01	29.63
20	2253	7	BKN:07 7 OVC:08 12	1.00	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	11	020		28.67			29.65	FM-15	0.01	29.63
20	2326	7	SCT:04 6 BKN:07 11 OVC:08 17	2.00	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	13	020		28.69				FM-16	T	29.65
20	2337	7	BKN:07 10 OVC:08 17	1.75	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	11	020		28.68				FM-16	T	29.64
20	2353	7	FEW:02 8 OVC:08 15	1.25	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	15	030		28.68			29.66	FM-15	T	29.64
21	0002	7	SCT:04 8 OVC:08 13	1.25	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	13	030		28.68				FM-16	T	29.64
21	0011	7	OVC:08 9	0.75	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	9	030		28.68				FM-16	0.01	29.64
21	0020	7	BKN:07 7 OVC:08 11	1.25	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	11	020		28.69				FM-16	0.01	29.65
21	0053	7	BKN:07 6 OVC:08 13	1.25	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	9	030		28.69	5	+0.00	29.66	FM-15	0.01	29.65
21	0153	7	BKN:07 6 OVC:08 13	2.00	-SN:03 BR:1 |SN |	31	-0.6	31	-0.6	31	-0.6	100	10	010		28.68			29.65	FM-15	T	29.64
21	0220	7	SCT:04 8 OVC:08 13	3.00	BR:1 ||	30	-1.1	30	-1.1	30	-1.1	100	10	360		28.67				FM-16	T	29.63

21	0232	7	BKN:07 8 BKN:07 13 OVC:08 17	2.50	-SN:03 BR:1 |SN |	30	-1.1	30	-1.1	30	-1.1	100	13	010		28.67				FM-16	T	29.63
21	0238	7	SCT:04 8 OVC:08 15	2.00	-SN:03 BR:1 |SN |	30	-1.1	30	-1.3	29	-1.7	96	10	360		28.67				FM-16	T	29.63
21	0244	7	SCT:04 8 BKN:07 15 OVC:08 21	1.75	-SN:03 BR:1 |SN |	30	-1.1	30	-1.1	30	-1.1	100	11	360		28.67				FM-16	T	29.63
21	0251	6	SCT:04 8 BKN:07 14 OVC:08 18	1.75	-SN:03 BR:1 |SN |	30	-1.0	29	-1.5	28	-2.0	93	14	010		28.67				FM-16		29.63
21	0253	7	SCT:04 8 OVC:08 14	1.75	-SN:03 BR:1 |SN |	30	-1.1	30	-1.3	29	-1.7	96	11	010		28.66			29.65	FM-15	T	29.62
21	0353	7	SCT:04 8 BKN:07 12 OVC:08 19	1.25	-SN:03 BR:1 |SN |	30	-1.1	30	-1.3	29	-1.7	96	14	010		28.66	6	+0.01	29.64	FM-15	T	29.62
21	0453	7	FEW:02 7 BKN:07 12 OVC:08 22	1.50	-SN:03 BR:1 |SN |	30	-1.1	30	-1.3	29	-1.7	96	11	010		28.67			29.65	FM-15	T	29.63
21	0540	7	SCT:04 8 BKN:07 14 OVC:08 21	2.00	-SN:03 BR:1 |SN |	30	-1.1	30	-1.3	29	-1.7	96	10	010		28.69				FM-16	T	29.65
21	0553	7	SCT:04 9 BKN:07 14 OVC:08 30	2.50	-SN:03 BR:1 |SN |	30	-1.1	30	-1.3	29	-1.7	96	10	010		28.69			29.67	FM-15	T	29.65
21	0639	7	FEW:02 12 BKN:07 18 OVC:08 27	3.00	-SN:03 BR:1 |SN |	30	-1.1	30	-1.3	29	-1.7	96	11	010		28.71				FM-16	T	29.67
21	0649	7	FEW:02 9 BKN:07 15 OVC:08 22	3.00	-SN:03 BR:1 |SN |	30	-1.0	29	-1.5	28	-2.0	93	10	010		28.71				FM-16	T	29.67
21	0653	7	FEW:02 9 BKN:07 15 OVC:08 20	3.00	-SN:03 BR:1 |SN |	30	-1.1	30	-1.3	29	-1.7	96	10	010		28.72	3	-0.05	29.70	FM-15	T	29.68
21	0748	7	BKN:07 13 BKN:07 22 OVC:08 39	4.00	BR:1 ||	30	-1.0	29	-1.5	28	-2.0	93	15	010		28.74				FM-16	T	29.70
21	0753	7	BKN:07 13 OVC:08 39	4.00	-SN:03 BR:1 |SN |	30	-1.1	30	-1.3	29	-1.7	96	14	010		28.74			29.72	FM-15	T	29.70
21	0824	7	SCT:04 11 SCT:04 24 OVC:08 39	7.00		30	-1.1	30	-1.3	29	-1.7	96	14	360		28.75				FM-16	T	29.71
21	0827	7	FEW:02 9 BKN:07 24 OVC:08 39	7.00		30	-1.1	30	-1.3	29	-1.7	96	13	360		28.75				FM-16	T	29.71
21	0853	7	BKN:07 23 OVC:08 28	10.00		31	-0.6	30	-1.2	28	-2.2	89	14	360		28.76			29.75	FM-15	T	29.72
21	0919	7	BKN:07 19 OVC:08 24	2.50	-SN:03 BR:1 |SN |	31	-0.6	30	-1.2	28	-2.2	89	13	010		28.78				FM-16	T	29.74
21	0926	7	BKN:07 17 OVC:08 24	7.00	-SN:03 |SN |	31	-0.6	30	-1.2	28	-2.2	89	15	360		28.78				FM-16	T	29.74
21	0953	7	OVC:08 20	10.00		31	-0.6	30	-1.4	27	-2.8	85	15	360		28.79	3	-0.06	29.78	FM-15	T	29.75
21	1053	7	OVC:08 23	10.00		31	-0.6	30	-1.4	27	-2.8	85	17	360		28.82			29.80	FM-15	0.00	29.78
21	1153	7	BKN:07 20 OVC:08 28	6.00	-SN:03 |SN |	32	0.0	30	-1.0	27	-2.8	82	17	350		28.84			29.83	FM-15	T	29.80
21	1244	7	OVC:08 20	1.75	-SN:03 BR:1 |SN |	32	0.0	30	-0.8	28	-2.2	85	17	010	28	28.87				FM-16	T	29.83
21	1253	7	BKN:07 18 BKN:07 23 OVC:08 28	1.25	-SN:03 BR:1 |SN |	32	0.0	30	-0.8	28	-2.2	85	14	360		28.87	3	-0.08	29.86	FM-15	T	29.83
21	1328	7	FEW:02 15 BKN:07 21 OVC:08 26	3.00	-SN:03 BR:1 |SN |	32	0.0	30	-0.8	28	-2.2	85	20	010		28.89				FM-16	T	29.85
21	1351	6	SCT:04 17 BKN:07 21 OVC:08 34	2.00	-SN:03 BR:1 |SN |	32	0.0	30	-0.8	28	-2.0	87	17	010		28.89				FM-16		29.85

21	1353	7	SCT:04 15 BKN:07 21 OVC:08 34	2.00	-SN:03 BR:1 |SN |	32	0.0	30	-0.8	28	-2.2	85	17	360		28.89			29.88	FM-15	T	29.85
21	1437	7	SCT:04 18 BKN:07 25 OVC:08 37	9.00		34	1.1	31	-0.4	27	-2.8	75	16	350	26	28.90				FM-16	T	29.86
21	1451	6	FEW:02 23 SCT:04 37 BKN:07 65	10.00		34	1.0	31	-0.4	27	-3.0	75	18	340	28	28.90				FM-16		29.87
21	1453	7	FEW:02 23 SCT:04 39 OVC:08 65	10.00		34	1.1	31	-0.4	27	-2.8	75	20	340	26	28.91			29.90	FM-15	T	29.88
21	1553	7	FEW:02 55 SCT:04 75	10.00		34	1.1	30	-1.1	23	-5.0	64	21	360	30	28.94	3	-0.06	29.94	FM-15	0.00	29.91
21	1653	7	OVC:08 75	10.00		35	1.7	31	-0.6	24	-4.4	64	18	360		28.97			29.97	FM-15	0.00	29.94
21	1753	7	BKN:07 80 OVC:08 95	10.00		35	1.7	31	-0.8	23	-5.0	61	14	350		29.01			30.01	FM-15	0.00	29.98
21	1853	7	BKN:07 100 OVC:08 120	10.00		34	1.1	30	-1.3	22	-5.6	61	13	360		29.05	3	-0.10	30.05	FM-15	0.00	30.02
21	1953	7	OVC:08 100	10.00		34	1.1	30	-1.3	22	-5.6	61	10	350		29.08			30.08	FM-15	0.00	30.05
21	2053	7	OVC:08 100	10.00		33	0.6	29	-1.4	23	-5.0	66	6	350		29.10			30.10	FM-15	0.00	30.07
21	2153	7	OVC:08 110	10.00		32	0.0	29	-1.6	24	-4.4	73	7	290		29.12	1	-0.07	30.11	FM-15	0.00	30.09
21	2253	7	CLR:00	10.00		31	-0.6	28	-2.3	22	-5.6	69	7	290		29.13			30.13	FM-15	0.00	30.10
21	2353	7	BKN:07 120	10.00		32	0.0	28	-2.3	20	-6.7	61	6	320		29.14			30.14	FM-15	0.00	30.11
22	0053	7	BKN:07 110	10.00		31	-0.6	28	-2.5	21	-6.1	67	6	330		29.15	1	-0.03	30.15	FM-15	0.00	30.12
22	0153	7	OVC:08 120	10.00		31	-0.6	28	-2.5	21	-6.1	67	5	350		29.16			30.16	FM-15	0.00	30.13
22	0253	7	BKN:07 110	10.00		30	-1.1	27	-2.8	21	-6.1	69	5	310		29.17			30.16	FM-15	0.00	30.14
22	0353	7	SCT:04 110	10.00		30	-1.1	27	-2.7	22	-5.6	72	6	340		29.18	2	-0.02	30.17	FM-15	0.00	30.15
22	0453	7	OVC:08 120	10.00		29	-1.7	27	-2.8	23	-5.0	78	6	340		29.18			30.18	FM-15	0.00	30.15
22	0553	7	SCT:04 100	10.00		29	-1.7	27	-2.8	23	-5.0	78	5	320		29.20			30.20	FM-15	0.00	30.17
22	0653	7	BKN:07 100	10.00		27	-2.8	25	-3.7	22	-5.6	81	6	330		29.22	3	-0.04	30.22	FM-15	0.00	30.19
22	0753	7	BKN:07 100	10.00		29	-1.7	27	-2.8	23	-5.0	78	7	320		29.23			30.24	FM-15	0.00	30.21
22	0853	7	CLR:00	10.00		31	-0.6	28	-2.1	23	-5.0	72	9	330		29.26			30.25	FM-15	0.00	30.23
22	0953	7	CLR:00	10.00		34	1.1	30	-1.3	22	-5.6	61	10	360		29.26	1	-0.05	30.26	FM-15	0.00	30.24
22	1053	7	CLR:00	10.00		36	2.2	31	-0.6	22	-5.6	57	14	300		29.27			30.27	FM-15	0.00	30.25
22	1153	7	CLR:00	10.00		38	3.3	32	0.1	22	-5.6	52	10	VRB	18	29.27			30.27	FM-15	0.00	30.25
22	1253	7	CLR:00	10.00		40	4.4	33	0.6	21	-6.1	47	14	330		29.27	0	-0.01	30.27	FM-15	0.00	30.25
22	1353	7	CLR:00	10.00		42	5.6	34	1.2	21	-6.1	43	11	340		29.26			30.26	FM-15	0.00	30.24
22	1453	7	CLR:00	10.00		41	5.0	34	0.9	21	-6.1	45	11	310		29.26			30.25	FM-15	0.00	30.23
22	1553	7	CLR:00	10.00		42	5.6	34	1.0	20	-6.7	41	14	310	18	29.26	7	+0.02	30.25	FM-15	0.00	30.23
22	1653	7	CLR:00	10.00		41	5.0	33	0.7	20	-6.7	43	9	330	21	29.26			30.25	FM-15	0.00	30.23
22	1753	7	CLR:00	10.00		39	3.9	32	0.2	21	-6.1	48	13	270		29.26			30.26	FM-15	0.00	30.24
22	1853	7	CLR:00	10.00		35	1.7	30	-0.9	22	-5.6	59	10	280		29.26	2	-0.01	30.27	FM-15	0.00	30.24
22	1953	7	CLR:00	10.00		33	0.6	29	-1.6	22	-5.6	64	8	270		29.26			30.27	FM-15	0.00	30.24
22	2053	7	CLR:00	10.00		31	-0.6	28	-2.3	22	-5.6	69	7	260		29.27			30.27	FM-15	0.00	30.25
22	2153	7	CLR:00	10.00		30	-1.1	27	-2.7	22	-5.6	72	7	260		29.27	3	-0.01	30.28	FM-15	0.00	30.25
22	2253	7	CLR:00	10.00		29	-1.7	27	-3.0	22	-5.6	75	6	260		29.27			30.27	FM-15	0.00	30.25
22	2353	7	CLR:00	10.00		28	-2.2	26	-3.5	21	-6.1	75	6	280		29.26			30.27	FM-15	0.00	30.24
23	0053	7	CLR:00	10.00		29	-1.7	27	-3.0	22	-5.6	75	9	270		29.27	5	+0.01	30.27	FM-15	0.00	30.25
23	0153	7	CLR:00	10.00		27	-2.8	25	-3.9	21	-6.1	78	8	280		29.26			30.27	FM-15	0.00	30.24
23	0253	7	CLR:00	10.00		28	-2.2	26	-3.4	22	-5.6	78	6	280		29.26			30.26	FM-15	0.00	30.23
23	0353	7	CLR:00	10.00		25	-3.9	23	-4.8	20	-6.7	81	7	270		29.26	5	+0.01	30.26	FM-15	0.00	30.23
23	0453	7	CLR:00	10.00		23	-5.0	22	-5.7	19	-7.2	85	8	280		29.26			30.27	FM-15	0.00	30.24
23	0553	7	CLR:00	10.00		25	-3.9	23	-5.1	18	-7.8	75	7	310		29.27			30.28	FM-15	0.00	30.25
23	0653	7	CLR:00	10.00		27	-2.8	24	-4.2	19	-7.2	72	8	310		29.27	1	-0.02	30.28	FM-15	0.00	30.25
23	0753	7	CLR:00	10.00		30	-1.1	27	-2.7	22	-5.6	72	10	310		29.28			30.29	FM-15	0.00	30.26
23	0853	7	CLR:00	10.00		33	0.6	30	-1.1	25	-3.9	72	11	320		29.29			30.29	FM-15	0.00	30.27
23	0953	7	CLR:00	10.00		36	2.2	33	0.3	27	-2.8	70	9	330		29.29	1	-0.01	30.29	FM-15	0.00	30.27
23	1053	7	CLR:00	10.00		38	3.3	32	0.1	22	-5.6	52	11	320		29.29			30.29	FM-15	0.00	30.27

23	1153	7	CLR:00	10.00		41	5.0	34	1.4	24	-4.4	51	14	310		29.28			30.29	FM-15	0.00	30.26
23	1253	7	CLR:00	10.00		43	6.1	35	1.8	23	-5.0	45	16	350	20	29.28	8	+0.01	30.28	FM-15	0.00	30.26
23	1353	7	CLR:00	10.00		42	5.6	35	1.5	23	-5.0	47	10	340	18	29.27			30.27	FM-15	0.00	30.25
23	1453	7	CLR:00	10.00		44	6.7	36	2.3	24	-4.4	45	9	VRB	18	29.26			30.26	FM-15	0.00	30.24
23	1553	7	CLR:00	10.00		44	6.7	36	2.0	22	-5.6	41	9	340		29.26	5	+0.01	30.27	FM-15	0.00	30.24
23	1653	7	SCT:04 50	10.00		43	6.1	35	1.5	21	-6.1	42	13	320	18	29.26			30.26	FM-15	0.00	30.24
23	1753	7	FEW:02 50	10.00		42	5.6	34	1.2	21	-6.1	43	13	340		29.26			30.26	FM-15	0.00	30.24
23	1853	7	CLR:00	10.00		38	3.3	32	-0.3	20	-6.7	48	8	320		29.26	8	+0.01	30.25	FM-15	0.00	30.23
23	1953	7	CLR:00	10.00		34	1.1	29	-1.4	21	-6.1	59	8	030		29.26			30.27	FM-15	0.00	30.24
23	2053	7	CLR:00	10.00		33	0.6	29	-1.6	22	-5.6	64	7	030		29.28			30.28	FM-15	0.00	30.26
23	2153	7	CLR:00	10.00		31	-0.6	28	-2.5	21	-6.1	67	6	060		29.30	3	-0.05	30.30	FM-15	0.00	30.28
23	2253	7	CLR:00	10.00		30	-1.1	27	-3.0	20	-6.7	66	6	050		29.29			30.30	FM-15	0.00	30.27
23	2353	7	CLR:00	10.00		28	-2.2	25	-3.7	20	-6.7	72	6	060		29.29			30.29	FM-15	0.00	30.27
24	0053	7	CLR:00	10.00		27	-2.8	25	-4.1	20	-6.7	75	6	030		29.30	3	-0.00	30.30	FM-15	0.00	30.28
24	0153	7	CLR:00	10.00		27	-2.8	25	-4.1	20	-6.7	75	0	000		29.29			30.29	FM-15	0.00	30.27
24	0253	7	CLR:00	10.00		27	-2.8	25	-4.1	20	-6.7	75	3	050		29.29			30.29	FM-15	0.00	30.27
24	0353	7	CLR:00	10.00		26	-3.3	24	-4.4	20	-6.7	78	3	030		29.29	5	+0.01	30.29	FM-15	0.00	30.27
24	0453	7	CLR:00	10.00		24	-4.4	23	-5.2	20	-6.7	84	7	050		29.27			30.28	FM-15	0.00	30.25
24	0553	7	CLR:00	10.00		24	-4.4	23	-5.2	20	-6.7	84	5	020		29.29			30.29	FM-15	0.00	30.27
24	0653	7	CLR:00	10.00		24	-4.4	23	-5.2	20	-6.7	84	7	050		29.28	6	+0.01	30.29	FM-15	0.00	30.26
24	0753	7	CLR:00	10.00		27	-2.8	25	-3.7	22	-5.6	81	9	070		29.26			30.27	FM-15	0.00	30.24
24	0853	7	CLR:00	10.00		30	-1.1	27	-2.7	22	-5.6	72	9	080		29.26			30.27	FM-15	0.00	30.24
24	0953	7	CLR:00	10.00		32	0.0	28	-2.0	22	-5.6	66	11	070		29.25	8	+0.04	30.25	FM-15	0.00	30.22
24	1053	7	CLR:00	10.00		35	1.7	30	-1.1	21	-6.1	57	10	060		29.23			30.24	FM-15	0.00	30.21
24	1153	7	CLR:00	10.00		36	2.2	31	-0.8	21	-6.1	55	9	050		29.23			30.24	FM-15	0.00	30.21
24	1253	7	CLR:00	10.00		38	3.3	32	-0.1	21	-6.1	51	10	080		29.21	8	+0.05	30.20	FM-15	0.00	30.18
24	1353	7	CLR:00	10.00		39	3.9	32	0.2	21	-6.1	48	8	090		29.17			30.16	FM-15	0.00	30.14
24	1453	7	CLR:00	10.00		41	5.0	34	0.9	21	-6.1	45	8	080		29.13			30.12	FM-15	0.00	30.10
24	1553	7	CLR:00	10.00		41	5.0	33	0.7	20	-6.7	43	14	070	25	29.12	6	+0.08	30.11	FM-15	0.00	30.09
24	1653	7	CLR:00	10.00		41	5.0	34	1.0	22	-5.6	47	13	090		29.12			30.11	FM-15	0.00	30.09
24	1753	7	CLR:00	10.00		40	4.4	33	0.7	22	-5.6	49	13	050		29.14			30.14	FM-15	0.00	30.11
24	1853	7	CLR:00	10.00		39	3.9	33	0.4	22	-5.6	50	8	030		29.14	3	-0.02	30.14	FM-15	0.00	30.11
24	1953	7	CLR:00	10.00		37	2.8	32	0.3	25	-3.9	62	11	020		29.16			30.16	FM-15	0.00	30.13
24	2053	7	CLR:00	10.00		35	1.7	30	-1.3	20	-6.7	54	16	030		29.18			30.18	FM-15	0.00	30.15
24	2153	7	CLR:00	10.00		33	0.6	27	-3.0	13	-10.6	43	15	030		29.20	1	-0.05	30.19	FM-15	0.00	30.17
24	2253	7	CLR:00	10.00		33	0.6	26	-3.1	12	-11.1	42	18	050		29.21			30.20	FM-15	0.00	30.18
24	2353	7	CLR:00	10.00		32	0.0	26	-3.2	14	-10.0	47	16	040	24	29.22			30.21	FM-15	0.00	30.19
25	0053	7	CLR:00	10.00		31	-0.6	26	-3.3	16	-8.9	54	15	040		29.23	3	-0.04	30.23	FM-15	0.00	30.21
25	0153	7	CLR:00	10.00		29	-1.7	25	-3.7	18	-7.8	63	14	040		29.23			30.24	FM-15	0.00	30.21
25	0253	7	CLR:00	10.00		28	-2.2	24	-4.2	17	-8.3	63	13	050		29.26			30.25	FM-15	0.00	30.23
25	0353	7	CLR:00	10.00		27	-2.8	23	-4.8	15	-9.4	61	14	050		29.25	0	-0.01	30.24	FM-15	0.00	30.22
25	0453	7	CLR:00	10.00		26	-3.3	22	-5.6	12	-11.1	55	17	040		29.26			30.26	FM-15	0.00	30.24
25	0553	7	CLR:00	10.00		25	-3.9	21	-6.4	9	-12.8	50	14	050		29.28			30.29	FM-15	0.00	30.26
25	0653	7	CLR:00	10.00		25	-3.9	21	-6.3	10	-12.2	53	13	040		29.31	3	-0.07	30.32	FM-15	0.00	30.29
25	0753	7	CLR:00	10.00		27	-2.8	23	-5.3	12	-11.1	53	16	050	28	29.33			30.34	FM-15	0.00	30.31
25	0853	7	CLR:00	10.00		31	-0.6	25	-3.8	12	-11.1	45	17	060		29.34			30.35	FM-15	0.00	30.32
25	0953	7	CLR:00	10.00		33	0.6	26	-3.2	11	-11.7	40	18	070	26	29.34	0	-0.03	30.35	FM-15	0.00	30.32
25	1053	7	CLR:00	10.00		36	2.2	28	-2.2	11	-11.7	35	16	050		29.35			30.35	FM-15	0.00	30.33
25	1153	7	CLR:00	10.00		38	3.3	30	-1.4	12	-11.1	34	16	060	23	29.33			30.34	FM-15	0.00	30.31
25	1253	7	CLR:00	10.00		41	5.0	31	-0.4	12	-11.1	30	14	080		29.33	8	+0.01	30.33	FM-15	0.00	30.31
25	1353	7	CLR:00	10.00		43	6.1	32	0.3	12	-11.1	28	13	VRB	20	29.31			30.32	FM-15	0.00	30.29
25	1453	7	CLR:00	10.00		44	6.7	32	0.3	9	-12.8	24	11	100		29.30			30.31	FM-15	0.00	30.28
25	1553	7	CLR:00	10.00		44	6.7	33	0.4	10	-12.2	25	16	080	24	29.30	6	+0.02	30.31	FM-15	0.00	30.28
25	1653	7	CLR:00	10.00		44	6.7	32	0.3	9	-12.8	24	16	100		29.30			30.31	FM-15	0.00	30.28
25	1753	7	CLR:00	10.00		43	6.1	32	-0.1	9	-12.8	25	14	050		29.31			30.31	FM-15	0.00	30.29
25	1853	7	CLR:00	10.00		39	3.9	29	-1.4	9	-12.8	29	14	090		29.33	3	-0.02	30.34	FM-15	0.00	30.31
25	1953	7	CLR:00	10.00		38	3.3	29	-1.8	8	-13.3	29	11	090		29.35			30.35	FM-15	0.00	30.33

25	2053	7	CLR:00	10.00		37	2.8	28	-2.1	9	-12.8	31	11	080		29.36			30.37	FM-15	0.00	30.34
25	2153	7	CLR:00	10.00		34	1.1	27	-3.0	10	-12.2	37	11	070		29.35	0	-0.02	30.35	FM-15	0.00	30.33
25	2253	7	CLR:00	10.00		35	1.7	27	-2.9	8	-13.3	32	10	080		29.35			30.35	FM-15	0.00	30.33
25	2353	7	CLR:00	10.00		35	1.7	27	-2.5	11	-11.7	37	11	090		29.34			30.34	FM-15	0.00	30.32
26	0053	7	CLR:00	10.00		35	1.7	28	-2.3	13	-10.6	40	11	100		29.34	5	+0.01	30.34	FM-15	0.00	30.32
26	0153	7	CLR:00	10.00		35	1.7	28	-2.0	15	-9.4	44	13	110		29.35			30.35	FM-15	0.00	30.33
26	0253	6	CLR:00	10.00		35	1.7	29	-1.9	16	-8.9	46	13	110		29.35			30.35	FM-15	0.00	30.33
26	0353	7	CLR:00	10.00		35	1.7	29	-1.7	17	-8.3	48	17	110		29.35	0	-0.00	30.35	FM-15	0.00	30.33
26	0453	7	CLR:00	10.00		34	1.1	29	-1.8	19	-7.2	54	13	110		29.35			30.35	FM-15	0.00	30.33
26	0553	7	CLR:00	10.00		33	0.6	29	-1.9	20	-6.7	58	9	110		29.38			30.38	FM-15	0.00	30.36
26	0653	7	CLR:00	10.00		34	1.1	29	-1.4	21	-6.1	59	11	110		29.40	3	-0.05	30.40	FM-15	0.00	30.38
26	0753	7	CLR:00	10.00		37	2.8	32	-0.3	22	-5.6	54	15	120	22	29.42			30.42	FM-15	0.00	30.40
26	0853	7	CLR:00	10.00		41	5.0	34	1.4	24	-4.4	51	15	130	26	29.41			30.41	FM-15	0.00	30.39
26	0953	7	CLR:00	10.00		44	6.7	37	2.5	25	-3.9	47	18	140		29.41	0	-0.01	30.41	FM-15	0.00	30.39
26	1053	7	CLR:00	10.00		48	8.9	39	4.1	27	-2.8	44	20	130		29.41			30.40	FM-15	0.00	30.39
26	1153	7	CLR:00	10.00		50	10.0	41	4.8	28	-2.2	43	11	130	22	29.40			30.39	FM-15	0.00	30.38
26	1253	7	FEW:02 37	10.00		53	11.7	43	6.1	30	-1.1	41	16	110		29.37	8	+0.04	30.37	FM-15	0.00	30.35
26	1353	7	OVC:08 42	10.00		54	12.2	44	6.5	31	-0.6	42	15	140	22	29.35			30.35	FM-15	0.00	30.33
26	1453	7	OVC:08 42	10.00		54	12.2	44	6.5	31	-0.6	42	14	150		29.33			30.32	FM-15	0.00	30.31
26	1553	7	OVC:08 40	10.00		54	12.2	44	6.5	31	-0.6	42	14	170		29.32	6	+0.05	30.32	FM-15	0.00	30.30
26	1653	7	OVC:08 36	10.00		53	11.7	43	6.3	31	-0.6	43	9	170		29.32			30.32	FM-15	0.00	30.30
26	1753	7	OVC:08 40	10.00		53	11.7	43	6.3	31	-0.6	43	9	170		29.31			30.31	FM-15	0.00	30.29
26	1853	7	OVC:08 50	10.00		52	11.1	42	5.8	30	-1.1	43	8	160		29.30	8	+0.02	30.29	FM-15	0.00	30.28
26	1953	7	SCT:04 48 OVC:08 55	10.00		52	11.1	42	5.8	30	-1.1	43	8	160		29.30			30.29	FM-15	0.00	30.28
26	2053	7	OVC:08 50	10.00		52	11.1	42	5.6	29	-1.7	41	9	160		29.31			30.30	FM-15	0.00	30.29
26	2153	7	OVC:08 50	10.00		52	11.1	41	5.2	27	-2.8	38	13	150	21	29.28	8	+0.02	30.27	FM-15	0.00	30.26
26	2253	7	CLR:00	10.00		52	11.1	41	4.9	25	-3.9	35	14	140	23	29.26			30.25	FM-15	0.00	30.24
26	2353	7	BKN:07 46 OVC:08 55	10.00		51	10.6	40	4.4	24	-4.4	35	16	150	25	29.25			30.22	FM-15	0.00	30.22
27	0053	7	BKN:07 39 OVC:08 49	10.00		50	10.0	40	4.3	25	-3.9	38	16	150	23	29.23	6	+0.05	30.21	FM-15	0.00	30.21
27	0153	7	OVC:08 34	10.00		49	9.4	40	4.2	26	-3.3	41	17	150		29.22			30.19	FM-15	T	30.19
27	0253	7	OVC:08 29	10.00		48	8.9	40	4.2	28	-2.2	46	13	150	25	29.20			30.17	FM-15	0.00	30.17
27	0353	7	OVC:08 25	6.00	-RA:02 |RA |	44	6.7	40	4.7	36	2.2	73	15	170		29.20	6	+0.04	30.18	FM-15	0.01	30.17
27	0453	7	OVC:08 26	10.00	-RA:02 |RA |	42	5.6	41	5.0	40	4.4	92	14	160		29.18			30.16	FM-15	0.01	30.15
27	0553	7	OVC:08 22	10.00		43	6.1	42	5.3	40	4.4	89	17	150	23	29.17			30.14	FM-15	0.00	30.14
27	0653	7	OVC:08 19	10.00		43	6.1	42	5.3	40	4.4	89	15	140		29.17	5	+0.03	30.14	FM-15	0.00	30.14
27	0753	7	OVC:08 18	10.00	-RA:02 |RA |	43	6.1	42	5.6	41	5.0	93	15	140		29.17			30.15	FM-15	T	30.14
27	0853	7	OVC:08 18	2.50	-RA:02 BR:1 |RA |	44	6.7	43	6.1	42	5.6	93	10	180	21	29.18			30.16	FM-15	0.03	30.15
27	0903	7	OVC:08 18	2.50	RA:02 BR:1 |RA |	44	6.7	44	6.4	43	6.1	96	9	160		29.18				FM-16	0.03	30.15
27	0951	6	BKN:07 18 OVC:08 28	9.00	-RA:02 |RA |	45	7.0	45	7.2	45	7.0	100	14	160		29.16				FM-16		30.13
27	0953	7	BKN:07 18 OVC:08 26	10.00	-RA:02 |RA |	45	7.2	45	7.0	44	6.7	97	11	170		29.16	8	+0.01	30.14	FM-15	0.08	30.13
27	1011	7	BKN:07 11 OVC:08 18	7.00		45	7.2	45	7.0	44	6.7	97	16	170		29.16				FM-16	T	30.13
27	1039	7	BKN:07 11 OVC:08 18	2.50	BR:1 ||	46	7.8	46	7.8	46	7.8	100	13	170		29.15				FM-16	T	30.12
27	1053	7	BKN:07 11 OVC:08 18	2.50	BR:1 ||	46	7.8	46	7.8	46	7.8	100	14	180		29.14			30.12	FM-15	T	30.11
27	1100	7	BKN:07 5 OVC:08 10	2.50	BR:1 ||	46	7.8	46	7.8	46	7.8	100	11	170		29.14				FM-16		30.11
27	1153	7	OVC:08 7	2.50	BR:1 ||	47	8.3	47	8.3	47	8.3	100	13	180		29.13			30.10	FM-15	0.00	30.10
27	1253	7	OVC:08 5	2.50	BR:1 ||	49	9.4	49	9.4	49	9.4	100	11	190		29.12	6	+0.04	30.10	FM-15	0.00	30.09
27	1255	7	OVC:08 6	2.00	BR:1 ||	49	9.4	49	9.4	49	9.4	100	9	180		29.12				FM-16		30.09
27	1353	7	OVC:08 6	2.00	BR:1 ||	51	10.6	51	10.6	51	10.6	100	11	200		29.09			30.07	FM-15	0.00	30.06
27	1453	7	OVC:08 6	3.00	BR:1 ||	52	11.1	52	11.1	52	11.1	100	11	210		29.07			30.04	FM-15	T	30.04
27	1553	7	OVC:08 6	3.00	BR:1 ||	53	11.7	53	11.7	53	11.7	100	9	210		29.06	6	+0.06	30.04	FM-15	0.01	30.03

27	1600	7	OVC:08 6	2.00	BR:1 ||	53	11.7	53	11.7	53	11.7	100	13	210		29.07				FM-16		30.04
27	1638	7	OVC:08 7	3.00	BR:1 ||	53	11.7	53	11.7	53	11.7	100	11	210		29.06				FM-16		30.03
27	1651	6	OVC:08 5	2.00	BR:1 ||	54	12.0	54	12.2	54	12.0	100	10	210		29.06				FM-16		30.03
27	1653	7	OVC:08 5	2.00	BR:1 ||	53	11.7	53	11.7	53	11.7	100	11	210		29.05			30.03	FM-15	0.00	30.02
27	1751	6	OVC:08 7	3.00	-RA:02 BR:1 |RA |	54	12.0	54	12.2	54	12.0	100	9	210		29.06				FM-16		30.03
27	1753	7	OVC:08 9	3.00	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	8	220		29.06			30.03	FM-15	T	30.03
27	1819	7	OVC:08 11	7.00	-RA:02 |RA |	54	12.2	54	12.2	54	12.2	100	8	210		29.06				FM-16	T	30.03
27	1853	7	OVC:08 12	8.00		53	11.7	53	11.7	53	11.7	100	8	200		29.06	6	+0.01	30.03	FM-15	T	30.03
27	1953	7	BKN:07 11 BKN:07 45 OVC:08 85	6.00	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	8	200		29.05			30.02	FM-15	0.02	30.02
27	2026	7	SCT:04 9 BKN:07 20 OVC:08 80	5.00	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	8	220		29.06				FM-16	0.03	30.03
27	2053	7	SCT:04 8 BKN:07 22 OVC:08 30	3.00	RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	9	220		29.06			30.04	FM-15	0.08	30.03
27	2108	7	BKN:07 6 OVC:08 32	7.00	-RA:02 |RA |	53	11.7	53	11.7	53	11.7	100	7	230		29.06				FM-16	0.01	30.03
27	2153	7	OVC:08 6	2.50	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	6	210		29.05	8	+0.00	30.03	FM-15	0.03	30.02
27	2217	7	SCT:04 4 BKN:07 11 OVC:08 42	4.00	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	7	240		29.05				FM-16	0.01	30.02
27	2251	6	BKN:07 5 BKN:07 16 OVC:08 38	3.00	-RA:02 BR:1 |RA |	54	12.0	54	12.2	54	12.0	100	6	230		29.05				FM-16		30.02
27	2253	7	BKN:07 5 BKN:07 16 OVC:08 38	3.00	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	6	240		29.05			30.03	FM-15	0.02	30.02
27	2300	7	BKN:07 4 BKN:07 26 OVC:08 36	2.50	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	6	230		29.05				FM-16	T	30.02
27	2349	7	BKN:07 5	2.50	-RA:02 BR:1 |RA |	54	12.0	54	12.2	54	12.0	100	5	230		29.05				FM-16	0.02	30.02
27	2353	7	BKN:07 5 OVC:08 34	2.00	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	5	230		29.05			30.02	FM-15	0.02	30.02
28	0014	7	BKN:07 4 OVC:08 26	2.00	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	3	210		29.04				FM-16	0.01	30.01
28	0053	7	OVC:08 4	1.75	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	3	220		29.04	8	+0.01	30.01	FM-15	0.02	30.01
28	0153	7	BKN:07 4 OVC:08 29	1.00	BR:1 ||	52	11.1	52	11.1	52	11.1	100	0	000		29.02			29.99	FM-15	0.01	29.99
28	0229	7	OVC:08 4	2.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	3	180		29.01				FM-16	0.01	29.98
28	0243	7	OVC:08 4	1.50	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	3	200		29.02				FM-16	0.01	29.99
28	0253	7	OVC:08 4	1.25	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	3	180		29.01			29.98	FM-15	0.03	29.98
28	0319	7	OVC:08 5	0.75	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	0	000		29.00				FM-16	0.02	29.97
28	0332	7	OVC:08 5	1.75	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	0	000		29.00				FM-16	0.03	29.97
28	0340	7	OVC:08 6	2.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	0	000		29.00				FM-16	0.04	29.97
28	0348	7	OVC:08 6	1.00	-RA:02 BR:1 |RA |	52	11.0	52	11.1	52	11.0	100	0	000		29.00				FM-16	0.04	29.97
28	0353	7	OVC:08 6	1.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	0	000		29.01	5	+0.01	29.98	FM-15	0.03	29.98
28	0408	7	VV:09 7	0.75	-RA:02 BR:1 |RA |	51	10.6	51	10.6	51	10.6	100	0	000		29.00				FM-16	0.01	29.97
28	0453	7	OVC:08 5	0.75	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	0	000		29.00			29.97	FM-15	0.02	29.97
28	0524	7	BKN:07 4 BKN:07 23 OVC:08 39	0.75	-RA:02 BR:1 |RA |	51	10.6	51	10.6	51	10.6	100	0	000		28.99				FM-16	0.01	29.96
28	0531	7	BKN:07 5 OVC:08 22	0.75	-RA:02 |RA |	52	11.1						0	000		28.99				FM-16	0.01	29.96
28	0542	7	BKN:07 4 OVC:08 11	1.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	0	000		28.99				FM-16	0.02	29.96
28	0553	7	OVC:08 4	1.50V	-RA:02 BR:1 |RA |	51	10.6	51	10.6	51	10.6	100	5	330		28.99			29.96	FM-15	0.02	29.96
28	0559	7	OVC:08 4	3.00	-RA:02 BR:1 |RA |	51	10.6	51	10.6	51	10.6	100	5	330		28.99				FM-16	T	29.96
28	0632	7	OVC:08 5	5.00	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	5	320		29.01				FM-16	0.01	29.98
28	0651	6	OVC:08 3	3.00	-RA:02 BR:1 |RA |	50	10.0	50	10.0	50	10.0	100	9	320		29.02				FM-16		29.99

28	0653	7	OVC:08 3	3.00	-RA:02 BR:1 |RA |	49	9.4	49	9.4	49	9.4	100	9	320		29.02	3	-0.01	29.99	FM-15	0.03	29.99
28	0753	7	BKN:07 4 OVC:08 75	5.00	-RA:02 BR:1 |RA |	48	8.9	48	8.9	48	8.9	100	5	020		29.01			29.98	FM-15	0.03	29.98
28	0853	7	OVC:08 3	5.00	BR:1 ||	49	9.4	49	9.4	49	9.4	100	3	050		28.99			29.96	FM-15	T	29.96
28	0953	7	OVC:08 3	4.00	-RA:02 BR:1 |RA |	51	10.6	50	10.3	50	10.0	96	0	000		29.00	5	+0.02	29.97	FM-15	T	29.97
28	1053	7	OVC:08 3	3.00	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	0	000		29.00			29.97	FM-15	0.02	29.97
28	1153	7	OVC:08 4	7.00		53	11.7	53	11.7	53	11.7	100	3	300		28.99			29.96	FM-15	T	29.96
28	1253	7	OVC:08 3	2.50	BR:1 ||	50	10.0	50	10.0	50	10.0	100	10	350		28.98	8	+0.01	29.96	FM-15	0.01	29.95
28	1257	7	OVC:08 3	1.50	BR:1 ||	50	10.0	49	9.7	49	9.4	96	11	360		28.98				FM-16		29.95
28	1303	7	OVC:08 3	0.50	FG:2 |FG |	50	10.0	49	9.7	49	9.4	96	8	350		28.98				FM-16		29.95
28	1353	7	OVC:08 2	0.50	FG:2 |FG |	50	10.0	50	10.0	50	10.0	100	5	020		28.96			29.93	FM-15	0.00	29.93
28	1357	7	OVC:08 2	1.00	BR:1 ||	50	10.0	50	10.0	50	10.0	100	6	020		28.96				FM-16		29.93
28	1453	7	OVC:08 2	1.00	BR:1 ||	51	10.6	50	10.3	50	10.0	96	6	020		28.94			29.91	FM-15	0.00	29.91
28	1454	7	OVC:08 2	1.50	BR:1 ||	51	10.6	50	10.3	50	10.0	96	6	020		28.94				FM-16		29.91
28	1553	7	OVC:08 3	1.50	-RA:02 BR:1 |RA |	52	11.1	51	10.8	51	10.6	97	3	020		28.95	5	+0.04	29.92	FM-15	0.02s	29.92
28	1602	7	OVC:08 2	1.50	-RA:02 BR:1 |RA |	52	11.1	52	11.1	52	11.1	100	5	360		28.95				FM-16	0.01	29.92
28	1653	7	OVC:08 2	1.50	BR:1 ||	52	11.1	52	11.1	52	11.1	100	5	030		28.95			29.92	FM-15	T	29.92
28	1753	7	OVC:08 2	1.25	BR:1 ||	52	11.1	52	11.1	52	11.1	100	6	010		28.96			29.93	FM-15	0.00	29.93
28	1831	7	OVC:08 2	0.50	FG:2 |FG |	52	11.1	52	11.1	52	11.1	100	6	030		28.96				FM-16		29.93
28	1853	7	VV:09 2	0.50	FG:2 |FG |	52	11.1	52	11.1	52	11.1	100	5	030		28.95	0	-0.01	29.93	FM-15	0.00	29.92
28	1953	7	VV:09 2	1.00	BR:1 ||	51	10.6	51	10.6	51	10.6	100	5	050		28.96			29.93	FM-15	0.00	29.93
28	2002	7	OVC:08 2	1.00	BR:1 ||	51	10.6	51	10.6	51	10.6	100	6	050		28.96				FM-16		29.93
28	2053	7	OVC:08 2	2.00	BR:1 ||	51	10.6	51	10.6	51	10.6	100	5	020		28.97			29.94	FM-15	T	29.94
28	2151	6	OVC:08 2	1.50	BR:1 ||	52	11.0	52	11.1	52	11.0	100	3	090		28.96				FM-16		29.93
28	2153	7	OVC:08 3	1.50	BR:1 ||	51	10.6	51	10.6	51	10.6	100	3	080		28.96	0	-0.00	29.93	FM-15	T	29.93
28	2241	7	BKN:07 3 OVC:08 14	2.50	BR:1 ||	51	10.6	51	10.6	51	10.6	100	5	130		28.95				FM-16	T	29.92
28	2251	7	SCT:04 3 OVC:08 13	3.00	BR:1 ||	52	11.0	52	11.1	52	11.0	100	6	120		28.94				FM-16	T	29.91
28	2253	7	SCT:04 3 OVC:08 13	3.00	BR:1 ||	51	10.6	51	10.6	51	10.6	100	5	130		28.94			29.91	FM-15	T	29.91
28	2305	7	BKN:07 3 OVC:08 14	3.00	BR:1 ||	51	10.6	51	10.6	51	10.6	100	3	100		28.94				FM-16		29.91
28	2314	7	BKN:07 3 OVC:08 14	2.50	BR:1 ||	51	10.6	51	10.6	51	10.6	100	0	000		28.95				FM-16		29.92
28	2351	6	OVC:08 3	3.00	BR:1 ||	52	11.0	52	11.1	52	11.0	100	6	160		28.94				FM-16		29.91
28	2353	7	OVC:08 3	3.00	BR:1 ||	52	11.1	52	11.1	52	11.1	100	5	160		28.94			29.91	FM-15	0.00	29.91
29	0030	7	OVC:08 3	2.00	BR:1 ||	52	11.1	52	11.1	52	11.1	100	0	000		28.94				FM-16		29.91
29	0041	7	OVC:08 2	1.25	BR:1 ||	52	11.1	52	11.1	52	11.1	100	3	180		28.94				FM-16		29.91
29	0053	7	OVC:08 2	0.75	BR:1 ||	52	11.1	52	11.1	52	11.1	100	0	000		28.93	6	+0.03	29.90	FM-15	0.00	29.90
29	0120	7	VV:09 2	0.25	FG:2 |FG |	52	11.1	52	11.1	52	11.1	100	0	000		28.93				FM-16		29.90
29	0153	7	VV:09 2	0.25	FG:2 |FG |	52	11.1	52	11.1	52	11.1	100	0	000		28.92			29.89	FM-15	0.00	29.89
29	0253	7	VV:09 2	0.25	FG:2 |FG |	52	11.1	52	11.1	52	11.1	100	3	140		28.90			29.86	FM-15	0.00	29.86
29	0344	7	VV:09 2	0.50	FG:2 |FG |	53	11.7	53	11.7	53	11.7	100	6	170		28.89				FM-16		29.85
29	0353	7	VV:09 2	0.50	-RA:02 FG:2 |FG RA |	53	11.7	53	11.7	53	11.7	100	5	160		28.89	8	+0.05	29.84	FM-15	T	29.85
29	0453	7	VV:09 3	0.75	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	0	000		28.87			29.84	FM-15	0.03	29.84
29	0508	7	OVC:08 4	1.25	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	3	150		28.87				FM-16	0.02	29.84
29	0522	7	OVC:08 4	2.50	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	5	140		28.87				FM-16	0.02	29.84
29	0540	7	BKN:07 3 OVC:08 12	1.50	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	5	130		28.87				FM-16	0.03	29.83
29	0551	6	BKN:07 4 OVC:08 12	2.00	-RA:02 BR:1 |RA |	54	12.0	54	12.2	54	12.0	100	5	170		28.87				FM-16		29.84
29	0553	7	BKN:07 4 OVC:08 12	2.00	-RA:02 BR:1 |RA |	53	11.7	53	11.7	53	11.7	100	5	170		28.87			29.83	FM-15	0.03	29.83
29	0653	7	BKN:07 3 OVC:08 35	2.00	RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	6	170		28.86	8	+0.02	29.82	FM-15	0.11	29.82
29	0700	7	BKN:07 3 OVC:08 38	4.00	-RA:02 BR:1 |RA |	54	12.2	54	12.2	54	12.2	100	6	180		28.87				FM-16	T	29.83
29	0753	7	OVC:08 2	4.00	-RA:02 BR:1 |RA |	55	12.8	55	12.8	55	12.8	100	5	170		28.86			29.82	FM-15	0.02	29.82

29	0846	7	OVC:08 2	2.00	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	6	170		28.87				FM-16	0.01	29.83
29	0853	7	OVC:08 2	2.00	-RA:02 BR:1 |RA |	56	13.3	56	13.3	56	13.3	100	7	180		28.87			29.83	FM-15	0.01	29.83
29	0921	7	OVC:08 2	1.50	-RA:02 BR:1 |RA |	57	13.9	57	13.9	57	13.9	100	10	190		28.87				FM-16	0.01	29.83
29	0950	7	OVC:08 5	5.00	-RA:02 BR:1 |RA |	57	14.0	57	13.9	57	14.0	100	11	190		28.86				FM-16	0.01	29.82
29	0953	7	OVC:08 5	5.00	-RA:02 BR:1 |RA |	58	14.4	57	14.1	57	13.9	97	13	190		28.86	0	-0.00	29.82	FM-15	0.02	29.82
29	1036	7	OVC:08 6	2.00	-RA:02 BR:1 |RA |	58	14.4	58	14.4	58	14.4	100	9	190		28.86				FM-16	T	29.82
29	1053	7	OVC:08 6	4.00	BR:1 ||	58	14.4	58	14.4	58	14.4	100	10	190		28.84			29.81	FM-15	T	29.81
29	1151	6	BKN:07 11 OVC:08 41	10.00		61	16.0	59	14.8	57	14.0	88	9	190		28.81				FM-16		29.77
29	1153	7	BKN:07 11 OVC:08 39	9.00		60	15.6	59	14.9	58	14.4	93	7	200		28.81			29.76	FM-15	T	29.77
29	1253	7	BKN:07 11 BKN:07 16 OVC:08 25	4.00	-RA:02 BR:1 |RA |	59	15.0	58	14.7	58	14.4	96	9	180		28.80	6	+0.06	29.75	FM-15	0.04	29.76
29	1351	6	FEW:02 6 OVC:08 13	7.00	-RA:02 |RA |	61	16.0	60	15.5	59	15.0	94	9	190		28.78				FM-16		29.74
29	1353	7	FEW:02 6 OVC:08 13	7.00	-RA:02 |RA |	60	15.6	59	15.2	59	15.0	96	11	200		28.78			29.73	FM-15	0.08	29.74
29	1451	6	BKN:07 9 OVC:08 15	5.00	-RA:02 BR:1 |RA |	61	16.0	60	15.5	59	15.0	94	13	190		28.75				FM-16		29.71
29	1453	7	OVC:08 13	6.00	-RA:02 BR:1 |RA |	60	15.6	59	15.2	59	15.0	96	11	190		28.75			29.70	FM-15	0.04	29.71
29	1553	7	OVC:08 13	7.00	-RA:02 |RA |	60	15.6	59	15.2	59	15.0	96	13	210		28.74	6	+0.06	29.69	FM-15	0.03	29.70
29	1559	7	OVC:08 13	6.00	-RA:02 BR:1 |RA |	60	15.6	59	15.2	59	15.0	96	13	210		28.74				FM-16	T	29.70
29	1651	6	BKN:07 6 OVC:08 16	5.00	-RA:02 BR:1 |RA |	48	9.0	48	8.9	48	9.0	100	8	VRB	23	28.76				FM-16		29.72
29	1653	7	OVC:08 8	5.00	RA:02 BR:1 |RA |	48	8.9	47	8.6	47	8.3	96	8	VRB	23	28.75			29.71	FM-15	0.05	29.71
29	1655	7	BKN:07 7 OVC:08 11	5.00	RA:02 BR:1 |RA |	48	8.9	47	8.6	47	8.3	96	13	350	23	28.75				FM-16	0.01	29.71
29	1753	7	BKN:07 7 OVC:08 11	5.00	-RA:02 BR:1 |RA |	44	6.7	44	6.4	43	6.1	96	20	350		28.79			29.75	FM-15	0.04	29.75
29	1756	7	BKN:07 7 OVC:08 17	6.00	-RA:02 BR:1 |RA |	44	6.7	44	6.4	43	6.1	96	17	350		28.79				FM-16	T	29.75
29	1853	7	BKN:07 7 OVC:08 17	6.00	-RA:02 BR:1 |RA |	43	6.1	43	5.9	42	5.6	97	16	360	26	28.81	3	-0.07	29.77	FM-15	0.02	29.77
29	1953	7	OVC:08 9	10.00	-RA:02 |RA |	43	6.1	42	5.6	41	5.0	93	16	010		28.81			29.78	FM-15	T	29.77
29	2053	7	OVC:08 9	10.00		43	6.1	42	5.6	41	5.0	93	10	360	20	28.84			29.81	FM-15	T	29.81
29	2153	7	OVC:08 9	10.00		42	5.6	41	5.0	40	4.4	92	14	010		28.84	3	-0.04	29.82	FM-15	T	29.81
29	2204	7	OVC:08 10	10.00	-RA:02 |RA |	42	5.6	41	5.0	40	4.4	92	13	350		28.86				FM-16	T	29.82
29	2223	7	OVC:08 9	10.00		42	5.6	41	5.0	40	4.4	92	15	010		28.86				FM-16	T	29.82
29	2253	7	OVC:08 8	10.00		42	5.6	41	5.0	40	4.4	92	15	350		28.87			29.84	FM-15	T	29.84
29	2353	7	OVC:08 9	7.00	-RA:02 |RA |	41	5.0	40	4.5	39	3.9	93	14	360	22	28.89			29.85	FM-15	0.02	29.85
30	0013	7	SCT:04 9 BKN:07 15 OVC:08 49	7.00	-RA:02 |RA |	41	5.0	40	4.5	39	3.9	93	15	010		28.89				FM-16	0.03	29.85
30	0020	7	FEW:02 9 BKN:07 12 OVC:08 49	7.00	-RA:02 |RA |	41	5.0	40	4.5	39	3.9	93	14	010	23	28.89				FM-16	0.04	29.85
30	0053	7	OVC:08 12	10.00	-RA:02 |RA |	40	4.4	40	4.2	39	3.9	97	15	010	22	28.89	0	-0.04	29.85	FM-15	0.02	29.85
30	0153	7	OVC:08 12	6.00	RA:02 BR:1 |RA |	40	4.4	39	4.0	38	3.3	93	16	360		28.90			29.88	FM-15	0.10	29.87
30	0253	7	BKN:07 12 OVC:08 34	9.00	-RA:02 |RA |	39	3.9	39	3.6	38	3.3	96	17	360		28.93			29.90	FM-15	0.04	29.90
30	0330	7	SCT:04 12 OVC:08 46	10.00	-RA:02 |RA |	39	3.9	38	3.4	37	2.8	93	13	010		28.91				FM-16	T	29.88
30	0353	7	FEW:02 11 BKN:07 48 OVC:08 75	10.00	-RA:02 |RA |	39	3.9	38	3.4	37	2.8	93	16	360		28.92	0	-0.04	29.89	FM-15	T	29.89
30	0409	7	BKN:07 11 OVC:08 75	10.00		39	3.9	38	3.4	37	2.8	93	14	360		28.93				FM-16	T	29.90
30	0453	7	OVC:08 11	10.00		40	4.4	39	4.0	38	3.3	93	11	350		28.96			29.94	FM-15	0.00	29.93
30	0553	7	OVC:08 12	10.00		40	4.4	39	3.7	37	2.8	89	10	350		28.98			29.96	FM-15	0.00	29.95

30	0651	6	SCT:04 12 BKN:07 20 OVC:08 29	9.00	-RA:02 |RA |	37	3.0	37	2.5	36	2.0	93	10	350		29.03				FM-16		30.00
30	0653	7	SCT:04 12 BKN:07 20 OVC:08 29	9.00	-RA:02 |RA |	38	3.3	37	2.9	36	2.2	93	11	340		29.03	3	-0.11	30.02	FM-15	T	30.00
30	0723	7	FEW:02 16 BKN:07 30 OVC:08 50	9.00	-RA:02 |RA |	38	3.3	37	2.6	35	1.7	89	13	360	24	29.05				FM-16	0.01	30.02
30	0732	7	SCT:04 16 BKN:07 29 OVC:08 37	8.00	-RA:02 |RA |	38	3.3	37	2.6	35	1.7	89	16	360	24	29.06				FM-16	0.01	30.03
30	0753	7	BKN:07 16 OVC:08 27	10.00		38	3.3	37	2.9	36	2.2	93	10	360		29.07			30.05	FM-15	0.01	30.04
30	0850	7	SCT:04 15 BKN:07 65 OVC:08 75	10.00		39	4.0	38	3.2	36	2.0	87	10	360		29.11				FM-16		30.08
30	0853	7	SCT:04 17 BKN:07 65 OVC:08 80	10.00		39	3.9	37	2.9	35	1.7	86	10	350		29.11			30.09	FM-15	0.00	30.08
30	0953	7	SCT:04 20 OVC:08 70	10.00		41	5.0	39	3.8	36	2.2	82	10	350		29.13	1	-0.06	30.11	FM-15	0.00	30.10
30	1038	7	BKN:07 20 OVC:08 70	10.00		42	5.6	39	3.9	35	1.7	76	7	350		29.15				FM-16		30.12
30	1053	7	SCT:04 20 BKN:07 25 OVC:08 75	10.00		41	5.0	38	3.6	35	1.7	79	9	340		29.16			30.14	FM-15	0.00	30.13
30	1153	7	BKN:07 24 BKN:07 30 BKN:07 90	10.00		42	5.6	39	3.6	34	1.1	73	8	330		29.17			30.15	FM-15	0.00	30.14
30	1209	7	SCT:04 25 BKN:07 85	10.00		42	5.6	39	3.6	34	1.1	73	8	320		29.17				FM-16		30.14
30	1253	7	SCT:04 26	10.00		43	6.1	39	3.7	33	0.6	68	8	340		29.17	1	-0.04	30.16	FM-15	0.00	30.14
30	1353	7	CLR:00	10.00		46	7.8	39	4.0	30	-1.1	54	13	340		29.18			30.16	FM-15	0.00	30.15
30	1453	7	CLR:00	10.00		46	7.8	37	2.9	24	-4.4	42	10	320		29.18			30.16	FM-15	0.00	30.15
30	1553	7	CLR:00	10.00		47	8.3	39	4.1	29	-1.7	50	11	310	16	29.19	3	-0.01	30.17	FM-15	0.00	30.16
30	1653	7	CLR:00	10.00		47	8.3	39	3.9	28	-2.2	48	7	330		29.19			30.18	FM-15	0.00	30.16
30	1753	7	CLR:00	10.00		46	7.8	38	3.3	26	-3.3	46	8	320		29.21			30.19	FM-15	0.00	30.18
30	1853	7	CLR:00	10.00		42	5.6	36	2.4	28	-2.2	58	5	360		29.23	3	-0.04	30.21	FM-15	0.00	30.20
30	1953	7	FEW:02 120	10.00		43	6.1	37	2.7	28	-2.2	56	0	000		29.23			30.22	FM-15	0.00	30.21
30	2053	7	CLR:00	10.00		40	4.4	36	2.0	29	-1.7	65	0	000		29.26			30.25	FM-15	0.00	30.23
30	2153	7	SCT:04 110	10.00		37	2.8	35	1.4	31	-0.6	79	0	000		29.26	1	-0.04	30.26	FM-15	0.00	30.24
30	2253	7	CLR:00	10.00		36	2.2	34	1.1	31	-0.6	82	0	000		29.26			30.26	FM-15	0.00	30.24
30	2353	7	CLR:00	10.00		35	1.7	33	0.6	30	-1.1	82	0	000		29.27			30.27	FM-15	0.00	30.25
31	0053	7	CLR:00	10.00		34	1.1	32	0.2	30	-1.1	85	0	000		29.27	1	-0.01	30.27	FM-15	0.00	30.25
31	0153	7	CLR:00	10.00		32	0.0	31	-0.4	30	-1.1	92	0	000		29.27			30.27	FM-15	0.00	30.25
31	0253	7	CLR:00	10.00		31	-0.6	30	-1.0	29	-1.7	92	0	000		29.26			30.26	FM-15	0.00	30.24
31	0353	7	CLR:00	10.00		30	-1.1	30	-1.3	29	-1.7	96	3	140		29.26	8	+0.01	30.26	FM-15	0.00	30.24
31	0453	7	CLR:00	10.00		32	0.0	31	-0.4	30	-1.1	92	3	150		29.26			30.26	FM-15	0.00	30.24
31	0553	7	CLR:00	10.00		29	-1.7	29	-1.9	28	-2.2	96	0	000		29.26			30.25	FM-15	0.00	30.23
31	0653	7	CLR:00	5.00	BR:1 ||	33	0.6	33	0.6	33	0.6	100	6	170		29.25	8	+0.01	30.24	FM-15	0.00	30.22
31	0655	7	FEW:02 2	2.50	BR:1 ||	33	0.6	33	0.6	33	0.6	100	6	160		29.25				FM-16		30.22
31	0705	7	BKN:07 2	0.50	FG:2 |FG |	33	0.6	33	0.6	33	0.6	100	5	170		29.26				FM-16		30.23
31	0731	7	VV:09 2	0.25	FG:2 |FG |	34	1.1	34	1.1	34	1.1	100	7	180		29.26				FM-16		30.23
31	0751	6	VV:09 2	0.50	FG:2 |FG |	36	2.0	36	2.2	36	2.0	100	7	180		29.26				FM-16		30.23
31	0753	7	VV:09 2	0.50	FG:2 |FG |	35	1.7	35	1.7	35	1.7	100	5	170		29.26			30.25	FM-15	0.00	30.23
31	0812	7	OVC:08 2	1.50	BR:1 ||	36	2.2	36	2.2	36	2.2	100	8	150		29.23				FM-16		30.21
31	0822	7	SCT:04 2	3.00	BR:1 ||	37	2.8	37	2.8	37	2.8	100	7	160		29.23				FM-16		30.21
31	0853	7	CLR:00	7.00		39	3.9	39	3.6	38	3.3	96	11	180		29.23			30.22	FM-15	0.00	30.20
31	0953	7	CLR:00	10.00		46	7.8	42	5.5	37	2.8	71	11	180		29.23	8	+0.02	30.21	FM-15	0.00	30.20
31	1053	7	CLR:00	10.00		49	9.4	44	6.8	39	3.9	69	15	190		29.22			30.20	FM-15	0.00	30.19

31	1153	7	CLR:00	10.00		53	11.7	45	7.5	37	2.8	55	17	210	23	29.17			30.15	FM-15	0.00	30.14
31	1253	7	FEW:02 45	10.00		55	12.8	46	8.0	37	2.8	51	16	220	30	29.13	8	+0.09	30.11	FM-15	0.00	30.10
31	1353	7	FEW:02 100	10.00		56	13.3	47	8.5	38	3.3	51	18	210	34	29.10			30.08	FM-15	T	30.07
31	1453	7	OVC:08 100	10.00		55	12.8	47	8.3	38	3.3	53	16	200	23	29.05			30.03	FM-15	0.00	30.02
31	1553	7	OVC:08 85	10.00		55	12.8	46	8.0	37	2.8	51	21	210	28	29.02	8	+0.11	30.00	FM-15	0.00	29.99
31	1653	7	OVC:08 70	10.00		55	12.8	46	7.8	36	2.2	49	16	210	26	29.00			29.98	FM-15	0.00	29.97
31	1753	7	OVC:08 60	10.00		55	12.8	47	8.3	38	3.3	53	17	210	25	29.00			29.98	FM-15	T	29.97
31	1853	7	OVC:08 46	10.00	-RA:02 |RA |	53	11.7	47	8.2	40	4.4	61	22	230	31	29.03	3	-0.01	30.01	FM-15	T	30.00
31	1953	7	OVC:08 38	10.00		51	10.6	47	8.4	43	6.1	74	15	240	25	29.04			30.02	FM-15	T	30.01
31	2053	7	OVC:08 35	10.00		50	10.0	47	8.1	43	6.1	77	13	230		29.05			30.03	FM-15	0.00	30.02
31	2153	7	FEW:02 21 SCT:04 29 OVC:08 37	10.00		50	10.0	47	8.4	44	6.7	80	15	230	28	29.05	1	-0.02	30.03	FM-15	0.00	30.02
31	2253	7	OVC:08 33	10.00		49	9.4	47	8.1	44	6.7	83	15	240	23	29.05			30.02	FM-15	0.00	30.02
31	2353	7	OVC:08 31	10.00		49	9.4	47	8.1	44	6.7	83	15	240	23	29.05			30.03	FM-15	T	30.02

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
March 2018

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01	T	0.01	T	0.01	0.02	T	0.01	0.14	0.08	0.02	0.02	0.06	0.08	0.06	0.05	0.01	T	T	T	0.01	T	T	T	T	01
02	T																								02
03																									03
04																									04
05																								T	05
06			T	T																	T		T	T	06
07											T	T													07
08		T			T	T	T				T	T	T	T	T		T		T	T	T			T	08
09	T	T	T																						09
10																									10
11																									11
12																		T	T		T		T	T	12
13								T							T	T		T		T					13
14	T	T			T		T	T																	14
15													T												15
16																									16
17						T	0.02											T	0.03	T					17
18																									18
19																									19
20					T	T	T	0.01	T	T	T								T	T	T	0.01	0.01	T	20
21	0.01	T	T	T	T	T	T	T	T	T		T	T	T	T										21
22																									22
23																									23
24																									24
25																									25
26																									26
27		T		0.01	0.01			T	0.03	0.08	T				T	0.01		T	T	0.02	0.08	0.03	0.02	0.02	27
28	0.02	0.01	0.03	0.03	0.02	0.02	0.03	0.03	T	T	0.02	T	0.01			0.02s	T				T	T	T		28
29				T	0.03	0.03	0.11	0.02	0.01	0.02	T	T	0.04	0.08	0.04	0.03	0.05	0.04	0.02	T	T	T	T	0.02	29
30	0.02	0.10	0.04	T			T	0.01																	30
31														T				T	T	T				T	31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.04	0.06	0.09	0.10	0.13	0.17	0.19	0.21	0.22	0.23	0.24	0.24
Ending Date Time (yyyy-mm-dd hh:mi)	2018-03-01 07:43	2018-03-01 07:48	2018-03-01 07:45	2018-03-01 07:48	2018-03-01 08:00	2018-03-01 08:14	2018-03-01 08:30	2018-03-01 08:46	2018-03-01 09:06	2018-03-01 09:06	2018-03-01 09:34	2018-03-01 09:34

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
April 2018

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	49	32	40	-6.8				25	0	0617	1856	RA SN BR	0.06			29.13		9.7	28	330	22	340
02	46	28	37	-10.2				28	0	0615	1857	SN BR	0.01			29.10		7.7	18	140	14	130
03	61	41	51	3.4				14	0	0613	1859	TS RA BR	2.26			28.79		10.2	32	200	25	200
04	61s	31	46s	-2.0s				19s	0s	0612	1900	RA SN BR	0.01			28.91		21.5	47	270	35	270
05	47	28	38	-10.4				27	0	0610	1901		0.00			29.21		8.6	23	270	18	230
06	56	28	42	-6.8				23	0	0609	1902	RA SN BR	0.03			28.92		13.0	36	310	28	320
07	41	27	34	-15.1				31	0	0607	1903	SN BR	T			29.05		8.3	23	340	20	340
08	41	22*	32	-17.5				33	0	0606	1904		0.00			29.08		7.7	20	340	15	060
09	37	30	34	-15.9				31	0	0604	1905	SN BR HZ	T			29.12		5.1	17	110	12	080
10	44	23	34	-16.2				31	0	0602	1906	BR	0.00			29.24		3.9	16	320	12	310
11	61	30	46	-4.6				19	0	0601	1907		T			29.13		11.0	31	220	24	230
12	77	53	65	14.1				0	0	0559	1908		T			28.88		16.7	44	210	35	210
13	79*	60	70	18.7				0	5	0558	1909		T			28.87		14.0	40	240	29	220
14	72	43	57	5.4				8	0	0556	1910	RA BR	0.12			28.86		10.2	32	340	24	330
15	60	44	52	0.1				13	0	0555	1911	RA BR	1.33			28.76		9.2	36	240	25	280
16	45	32	38	-14.3				27	0	0553	1912	SN BR UP	T			28.79		16.4	36s	280s	26	270
17	37	29	33	-19.6				32	0	0552	1913	SN BR	T			28.90		13.3	34s	270s	26	270
18	58	25	42	-10.9				23	0	0550	1914	RA BR	0.15			28.85		4.8	16	150	13	330
19	52	34	43	-10.2				22	0	0549	1915	RA SN BR UP	0.01			29.07		12.4	27	310	21	320
20	57	29	43	-10.6				22	0	0547	1916		0.00			29.42		6.4	20	020	14	360
21	58	32	45	-8.9				20	0	0546	1917		0.00			29.43		6.0	16	010	13	010
22	67	41	54	-0.2				11	0	0545	1918		0.00			29.31		7.3	18	050	14	040
23	68	44	56	1.5				9	0	0543	1919	RA	0.11			29.20		11.6	33	130	24	130
24	55	52	54	-0.8				11	0	0542	1920	RA BR	0.13			29.03		10.2	24	090	18	090
25	60	44	52	-3.1				13	0	0540	1921	BR	0.00			28.92		7.6	22	360	17	350
26	65	39	52	-3.4				13	0	0539	1922	BR	0.00			28.92		4.6	13	100	10	130
27	71	43	57	1.3				8	0	0538	1923	RA	0.02			28.79		8.8	36	270	28	230
28	50	37	44	-12.0				21	0	0536	1924	RA	T			28.93		8.3	26	340	20	350
29	56	31	44	-12.2				21	0	0535	1925		0.00			29.26		6.3	21	330	16	350
30	70	33	52	-4.5				13	0	0534	1926		0.00			29.27		5.2	20	230	15	230
	56.7	35.5	46.1							Monthly Averages | Totals			4.24s			29.03	30.01	9.6				
	-6.5	-5.2	-5.8	Departure from Normal (1981-2010)									0.82s									

Degree Days	Monthly		Season-to-date		Number of days with... Temperature				Precipitation		Snow	Weather	
	Total	Departure	Total	Departure	Max		Min						
Heating	570	168	5559		>=90°	<=32°	<=32°	<=0°	>=0.01"	>=0.1"	>=1"	T-Storms	Heavy Fog
Cooling	4	-6	8		0	0	16	0	12	6			

Date of 5-sec to 3-sec wind equipment change	Sea Level Pressure				Greatest...		
			Date	Time	24-Hr...		Snow Depth
N/A	Maximum	30.49	21	0759	Precip	Snowfall	
	Minimum	29.46	03	2346	2.27		
					Date		
					03-04		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
April 2018

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0013	7	OVC:08 28	10.00	-RA:02 |RA |RA	49	9.4	47	8.3	45	7.2	86	11	230		29.05				FM-16	T	30.02
01	0053	7	BKN:07 24 OVC:08 33	10.00	-RA:02 |RA |RA	49	9.4	47	8.3	45	7.2	86	11	230		29.06	3	-0.01	30.03	FM-15	T	30.03
01	0151	6	BKN:07 14 OVC:08 23	10.00	-RA:02 |RA |RA	45	7.0	42	5.7	39	4.0	81	20	340	26	29.08				FM-16		30.05
01	0153	7	BKN:07 14 OVC:08 23	10.00	-RA:02 |RA |RA	43	6.1	41	5.1	39	3.9	86	17	340	26	29.08			30.05	FM-15	T	30.05
01	0200	7	OVC:08 14	10.00		43	6.1	41	4.9	38	3.3	82	15	330		29.08				FM-16	T	30.05
01	0212	7	OVC:08 16	10.00		43	6.1	40	4.6	37	2.8	80	16	330	28	29.09				FM-16	T	30.06
01	0253	7	OVC:08 25	10.00		40	4.4	37	3.0	34	1.1	79	11	320		29.10			30.08	FM-15	0.00	30.07
01	0353	7	SCT:04 16 SCT:04 22 OVC:08 29	10.00		37	2.8	35	1.6	32	0.0	82	14	340	23	29.12	3	-0.04	30.09	FM-15	0.00	30.09
01	0428	7	SCT:04 18 OVC:08 30	10.00		37	2.8	35	1.4	31	-0.6	79	10	350		29.12				FM-16		30.09
01	0453	7	FEW:02 17 OVC:08 32	10.00		36	2.2	34	0.9	30	-1.1	79	11	340		29.14			30.12	FM-15	0.00	30.11
01	0553	7	CLR:00	10.00		33	0.6	30	-1.3	24	-4.4	70	11	340		29.16			30.14	FM-15	0.00	30.13
01	0653	7	FEW:02 120	10.00		32	0.0	29	-1.4	25	-3.9	75	6	340		29.19	3	-0.08	30.18	FM-15	0.00	30.16
01	0753	7	CLR:00	10.00		35	1.7	31	-0.4	25	-3.9	67	10	360		29.21			30.19	FM-15	0.00	30.18
01	0853	7	CLR:00	10.00		37	2.8	32	0.3	25	-3.9	62	9	350		29.21			30.20	FM-15	0.00	30.18
01	0953	7	CLR:00	10.00		39	3.9	34	0.9	25	-3.9	57	8	330		29.23	1	-0.03	30.21	FM-15	0.00	30.20
01	1053	7	CLR:00	10.00		42	5.6	36	2.0	26	-3.3	53	9	330		29.22			30.20	FM-15	0.00	30.19
01	1153	7	CLR:00	10.00		43	6.1	36	2.4	26	-3.3	51	7	330		29.20			30.18	FM-15	0.00	30.17
01	1253	7	CLR:00	10.00		44	6.7	37	2.7	26	-3.3	49	7	300		29.19	7	+0.03	30.17	FM-15	0.00	30.16
01	1353	7	CLR:00	10.00		45	7.2	37	2.8	25	-3.9	46	7	330		29.17			30.16	FM-15	0.00	30.14
01	1453	7	CLR:00	10.00		47	8.3	38	3.6	26	-3.3	44	0	000		29.16			30.14	FM-15	0.00	30.13
01	1553	7	BKN:07 90	10.00		47	8.3	38	3.6	26	-3.3	44	8	010		29.15	6	+0.04	30.13	FM-15	0.00	30.12
01	1653	7	BKN:07 90 OVC:08 100	10.00		46	7.8	37	2.8	23	-5.0	40	8	320		29.13			30.12	FM-15	0.00	30.10
01	1753	7	OVC:08 85	10.00		43	6.1	35	1.8	23	-5.0	45	11	340		29.13			30.11	FM-15	0.00	30.10
01	1853	7	OVC:08 80	10.00		40	4.4	33	0.7	22	-5.6	49	13	340		29.10	8	+0.04	30.09	FM-15	0.00	30.07
01	1953	7	FEW:02 11 BKN:07 80 OVC:08 90	10.00		34	1.1	33	0.5	31	-0.6	89	15	010		29.11			30.11	FM-15	0.00	30.08
01	2038	7	BKN:07 10 OVC:08 70	10.00		34	1.1	33	0.5	31	-0.6	89	13	350		29.13				FM-16		30.10
01	2051	6	BKN:07 7 OVC:08 10	10.00		34	1.0	33	0.7	32	0.0	93	11	350		29.13				FM-16		30.10
01	2053	7	BKN:07 7 OVC:08 11	10.00		34	1.1	33	0.7	32	0.0	92	10	360		29.12			30.11	FM-15	0.00	30.09
01	2145	7	BKN:07 8 OVC:08 31	2.50	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	13	350		29.13				FM-16	T	30.10
01	2151	6	BKN:07 8 OVC:08 22	1.50	-SN:03 BR:1 |SN |	34	1.0	33	0.7	32	0.0	93	14	360		29.12				FM-16		30.09
01	2153	7	BKN:07 8 BKN:07 12 OVC:08 19	1.25	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	13	360		29.11	0	-0.01	30.10	FM-15	T	30.08
01	2228	7	SCT:04 5 OVC:08 12	1.00	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	10	360		29.12				FM-16	T	30.09

01	2242	7	FEW:02 6 OVC:08 10	0.75	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	9	010		29.11				FM-16	0.01	30.08
01	2251	6	VV:09 9	0.75	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	11	360		29.11				FM-16		30.08
01	2253	7	VV:09 9	0.75	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	9	350		29.11			30.11	FM-15	0.02	30.08
01	2345	7	OVC:08 6	1.50	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	3	360		29.11				FM-16	0.03	30.08
01	2353	7	BKN:07 6 OVC:08 11	1.25	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	5	010		29.10			30.09	FM-15	0.04	30.07
02	0007	7	SCT:04 5 OVC:08 13	1.00	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	3	340		29.11				FM-16	T	30.08
02	0017	7	BKN:07 5 OVC:08 14	1.25	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	6	330		29.11				FM-16	0.01	30.08
02	0029	7	SCT:04 5 OVC:08 26	2.50	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	6	340		29.11				FM-16	0.01	30.08
02	0033	7	SCT:04 5 BKN:07 9 OVC:08 28	3.00	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	6	350		29.10				FM-16	0.01	30.07
02	0040	7	SCT:04 5 BKN:07 9 OVC:08 28	2.50	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	5	360		29.10				FM-16	0.01	30.07
02	0043	7	SCT:04 5 BKN:07 33 OVC:08 70	2.50	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	6	340		29.11				FM-16	0.01	30.08
02	0050	7	FEW:02 5 BKN:07 37 OVC:08 70	3.00	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	7	340		29.11				FM-16	0.01	30.08
02	0053	7	SCT:04 7 BKN:07 37 OVC:08 70	3.00	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	7	340		29.11	6	+0.01	30.09	FM-15	0.01	30.08
02	0107	7	SCT:04 5 BKN:07 9 OVC:08 35	2.50	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	7	330		29.11				FM-16	T	30.08
02	0128	7	SCT:04 5 OVC:08 29	3.00	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	7	340		29.10				FM-16	T	30.07
02	0151	6	SCT:04 6 BKN:07 33 OVC:08 75	6.00	-SN:03 BR:1 |SN |	32	0.0	32	0.0	32	0.0	100	6	340		29.10				FM-16		30.07
02	0153	7	BKN:07 6 BKN:07 36 OVC:08 75	6.00	-SN:03 BR:1 |SN |	32	0.0	32	-0.2	31	-0.6	96	6	350		29.10			30.08	FM-15	T	30.07
02	0253	7	BKN:07 7 OVC:08 100	10.00		31	-0.6	31	-0.6	31	-0.6	100	10	350		29.10			30.09	FM-15	T	30.07
02	0324	7	SCT:04 7 OVC:08 13	10.00		31	-0.6	31	-0.8	30	-1.1	96	10	360		29.10				FM-16		30.07
02	0353	7	OVC:08 11	10.00		31	-0.6	31	-0.8	30	-1.1	96	8	010		29.10	6	+0.00	30.09	FM-15	0.00	30.07
02	0418	7	SCT:04 11	10.00		28	-2.2	28	-2.2	28	-2.2	100	7	360		29.11				FM-16		30.08
02	0453	7	FEW:02 46	10.00		29	-1.7	29	-1.9	28	-2.2	96	7	350		29.12			30.11	FM-15	0.00	30.09
02	0509	7	BKN:07 26	10.00		29	-1.7	29	-1.9	28	-2.2	96	7	360		29.13				FM-16		30.10
02	0553	7	SCT:04 26 BKN:07 32 OVC:08 50	10.00		29	-1.7	29	-1.7	29	-1.7	100	7	350		29.14			30.13	FM-15	0.00	30.11
02	0653	7	BKN:07 48	10.00		29	-1.7	28	-2.1	27	-2.8	92	9	010		29.14	0	-0.04	30.13	FM-15	0.00	30.11
02	0753	7	OVC:08 42	10.00		29	-1.7	27	-2.6	24	-4.4	82	8	010		29.17			30.16	FM-15	0.00	30.14
02	0853	7	OVC:08 43	10.00		30	-1.1	28	-2.3	24	-4.4	79	8	020		29.17			30.17	FM-15	0.00	30.14
02	0953	7	CLR:00	10.00		32	0.0	29	-1.4	25	-3.9	75	7	050		29.17	0	-0.03	30.16	FM-15	0.00	30.14
02	1053	7	CLR:00	10.00		36	2.2	33	0.3	27	-2.8	70	7	VRB		29.17			30.16	FM-15	0.00	30.14
02	1153	7	FEW:02 45	10.00		39	3.9	35	1.5	28	-2.2	65	0	000		29.15			30.14	FM-15	0.00	30.12
02	1241	7	SCT:04 29	10.00		41	5.0	36	2.5	30	-1.1	65	0	000		29.13				FM-16		30.10
02	1253	7	SCT:04 30	10.00		43	6.1	38	3.1	30	-1.1	60	5	VRB		29.12	8	+0.04	30.11	FM-15	0.00	30.09
02	1353	7	BKN:07 34	10.00		45	7.2	39	4.1	32	0.0	61	6	VRB		29.11			30.10	FM-15	0.00	30.08
02	1453	7	OVC:08 35	10.00		45	7.2	39	3.9	31	-0.6	58	7	VRB		29.08			30.07	FM-15	0.00	30.05
02	1553	7	BKN:07 32	10.00		45	7.2	40	4.3	33	0.6	63	9	110		29.07	8	+0.05	30.06	FM-15	0.00	30.04
02	1653	7	OVC:08 30	10.00		44	6.7	39	4.0	33	0.6	65	10	140		29.07			30.06	FM-15	0.00	30.04

02	1714	7	OVC:08 28	10.00		43	6.1	39	3.7	33	0.6	68	11	110		29.06				FM-16		30.03
02	1724	7	BKN:07 28	10.00		43	6.1	39	3.7	33	0.6	68	11	120		29.06				FM-16		30.03
02	1753	7	BKN:07 28	10.00		43	6.1	39	3.7	33	0.6	68	8	140		29.07			30.06	FM-15	0.00	30.04
02	1757	7	BKN:07 28	10.00		43	6.1	39	3.7	33	0.6	68	10	150		29.07				FM-16		30.04
02	1853	7	BKN:07 28	10.00		42	5.6	39	3.6	34	1.1	73	10	110		29.05	8	+0.02	30.04	FM-15	0.00	30.02
02	1854	7	OVC:08 24	10.00		41	5.0	38	3.3	34	1.1	76	11	120		29.05				FM-16		30.02
02	1953	7	OVC:08 21	10.00		41	5.0	38	3.3	34	1.1	76	8	150		29.03			30.03	FM-15	0.00	30.00
02	2053	7	OVC:08 19	10.00		41	5.0	38	3.6	35	1.7	79	8	150		29.02			30.01	FM-15	0.00	29.99
02	2153	7	OVC:08 19	10.00		42	5.6	39	3.9	35	1.7	76	9	110		28.99	8	+0.06	29.98	FM-15	0.00	29.96
02	2253	7	OVC:08 23	10.00		42	5.6	39	4.1	36	2.2	79	11	110		28.98			29.97	FM-15	0.00	29.95
02	2353	7	OVC:08 23	10.00		42	5.6	39	4.1	36	2.2	79	8	130		28.98			29.96	FM-15	0.00	29.95
03	0053	7	OVC:08 17	10.00		42	5.6	40	4.3	37	2.8	82	7	120		28.94	8	+0.05	29.92	FM-15	0.00	29.91
03	0153	7	OVC:08 15	10.00		41	5.0	40	4.3	38	3.3	89	8	100		28.91			29.89	FM-15	0.01	29.88
03	0253	7	OVC:08 15	10.00	-RA:02 |RA |RA	42	5.6	41	4.8	39	3.9	89	9	120		28.89			29.86	FM-15	T	29.85
03	0303	7	OVC:08 13	10.00	-RA:02 |RA |RA	42	5.6	41	4.8	39	3.9	89	6	110		28.87				FM-16	T	29.84
03	0353	7	OVC:08 11	5.00	RA:02 BR:1 |RA |RA	42	5.6	41	5.0	40	4.4	92	7	130		28.87	6	+0.08	29.84	FM-15	0.08	29.83
03	0445	7	SCT:04 11 BKN:07 55 OVC:08 70	3.00	+RA:02 BR:1 |RA |RA	42	5.6	42	5.6	42	5.6	100	8	140		28.84				FM-16	0.14	29.81
03	0453	7	SCT:04 9 SCT:04 14 OVC:08 44	4.00	RA:02 BR:1 |RA |RA	42	5.6	42	5.6	42	5.6	100	7	130		28.84			29.82	FM-15	0.18	29.81
03	0507	7	BKN:07 7 BKN:07 11 OVC:08 41	2.50	RA:02 BR:1 |RA |RA	42	5.6	42	5.6	42	5.6	100	7	VRB		28.84				FM-16	0.04	29.81
03	0515	7	BKN:07 7 OVC:08 11	3.00	RA:02 BR:1 |RA |RA	42	5.6	42	5.6	42	5.6	100	5	VRB		28.86				FM-16	0.06	29.82
03	0524	7	SCT:04 6 BKN:07 10 OVC:08 49	3.00	TS:7 RA:02 BR:1 |RA TS |RA	42	5.6	42	5.6	42	5.6	100	5	VRB		28.84				FM-16	0.08	29.80
03	0538	7	SCT:04 8 SCT:04 55 OVC:08 75	3.00	TS:7 -RA:02 BR:1 |RA TS |RA	43	6.1	43	6.1	43	6.1	100	7	130		28.84				FM-16	0.10	29.80
03	0542	7	FEW:02 5 BKN:07 60 OVC:08 80	4.00	-RA:02 BR:1 |RA |RA	43	6.1	43	6.1	43	6.1	100	5	160		28.84				FM-16	0.10	29.81
03	0553	7	FEW:02 7 BKN:07 60 OVC:08 75	3.00	RA:02 BR:1 |RA |RA	44	6.7	44	6.7	44	6.7	100	6	160		28.84			29.83	FM-15	0.12	29.81
03	0602	7	BKN:07 5 BKN:07 55 OVC:08 80	3.00	VCTS:7 RA:02 BR:1 |RA |RA	44	6.7	44	6.7	44	6.7	100	7	150		28.84				FM-16	0.03	29.81
03	0619	7	SCT:04 5 BKN:07 55 OVC:08 75	3.00	RA:02 BR:1 |RA |RA	44	6.7	44	6.7	44	6.7	100	7	140		28.84				FM-16	0.08	29.81
03	0631	7	FEW:02 5 BKN:07 50 OVC:08 70	1.50	RA:02 BR:1 |RA |RA	44	6.7	44	6.7	44	6.7	100	5	120		28.84				FM-16	0.13	29.81
03	0651	6	FEW:02 5 BKN:07 50 OVC:08 70	1.00	VCTS:7 -RA:02 BR:1 |RA |RA	45	7.0	45	7.2	45	7.0	100	5	160		28.86				FM-16		29.82
03	0653	7	BKN:07 5 BKN:07 11 OVC:08 50	1.00	VCTS:7 -RA:02 BR:1 |RA |RA	44	6.7	44	6.7	44	6.7	100	5	150		28.86	5	+0.01	29.83	FM-15	0.18	29.82
03	0703	7	BKN:07 3 OVC:08 9	0.75	VCTS:7 RA:02 BR:1 |RA |RA	44	6.7	44	6.7	44	6.7	100	7	130		28.83				FM-16	0.02	29.79
03	0715	7	OVC:08 3	0.75	RA:02 BR:1 |RA |RA	45	7.2	45	7.2	45	7.2	100	7	130		28.83				FM-16	0.06	29.79
03	0751	6	OVC:08 3	1.50	RA:02 BR:1 |RA |RA	46	8.0	46	7.8	46	8.0	100	6	170		28.84				FM-16		29.80
03	0753	7	OVC:08 3	1.50	RA:02 BR:1 |RA |RA	46	7.8	46	7.8	46	7.8	100	6	160		28.84			29.81	FM-15	0.15	29.80
03	0803	7	OVC:08 3	1.50	TS:7 RA:02 BR:1 |RA TS |RA	46	7.8	46	7.8	46	7.8	100	6	160		28.84				FM-16	0.03	29.81
03	0853	6	BKN:07 3 BKN:07 46 OVC:08 75	2.00	TS:7 RA:02 BR:1 |RA TS |RA	48	8.9	48	8.9	48	8.9	100	7	120		28.80			29.78	FM-15	0.28	29.76

03	0900	6	SCT:04 3 BKN:07 44 OVC:08 80	2.50	TS:7 RA:02 BR:1 |RA TS |RA	48	8.9	48	8.9	48	8.9	100	9	150		28.80				FM-16		29.76
03	0912	6	BKN:07 3 BKN:07 49 OVC:08 80	2.50	TS:7 RA:02 BR:1 |RA TS |RA	48	8.9	48	8.9	48	8.9	100	11	170		28.81				FM-16		29.77
03	0953	6	OVC:08 2	2.50	TS:7 -RA:02 BR:1 |RA TS |RA	50	10.0	50	10.0	50	10.0	100	13	170		28.80	6	+0.06	29.77	FM-15	0.08	29.76
03	1053	7	FEW:02 4 BKN:07 75 OVC:08 90	6.00	-RA:02 BR:1 |RA |RA	51	10.6	51	10.6	51	10.6	100	10	180	21	28.81			29.77	FM-15	0.05	29.77
03	1140	7	BKN:07 5 OVC:08 75	5.00	TS:7 -RA:02 BR:1 |RA TS |RA TS	52	11.1	52	11.1	52	11.1	100	7	170		28.81				FM-16		29.77
03	1153	7	BKN:07 4 OVC:08 70	4.00	TS:7 RA:02 BR:1 |RA TS |RA TS	52	11.1	52	11.1	52	11.1	100	10	180		28.82			29.78	FM-15	0.06	29.78
03	1251	6	BKN:07 4 OVC:08 60	2.50	TS:7 -RA:02 BR:1 |RA TS |RA	54	12.0	54	12.2	54	12.0	100	10	170		28.79				FM-16		29.75
03	1253	7	BKN:07 4 OVC:08 60	2.50	TS:7 -RA:02 BR:1 |RA TS |RA TS	53	11.7	53	11.7	53	11.7	100	11	160		28.78	8	+0.02	29.75	FM-15	0.04	29.74
03	1307	7	BKN:07 4 OVC:08 50	4.00	TS:7 -RA:02 BR:1 |RA TS |RA	54	12.2	54	12.2	54	12.2	100	11	150		28.78				FM-16	0.01	29.74
03	1335	7	BKN:07 38 OVC:08 48	7.00	-RA:02 |RA |RA	54	12.2	54	12.2	54	12.2	100	13	140		28.75				FM-16		29.71
03	1353	7	OVC:08 34	7.00		54	12.2	54	12.2	54	12.2	100	9	150		28.76			29.72	FM-15	T	29.72
03	1453	7	BKN:07 70 BKN:07 80	10.00		59	15.0	58	14.4	57	13.9	93	11	130		28.68			29.64	FM-15	0.01	29.64
03	1553	6	FEW:02 44 SCT:04 85 BKN:07 110	10.00		58	14.4	56	13.5	55	12.8	90	14	130		28.65	8	+0.12	29.62	FM-15	0.00	29.61
03	1558	7	FEW:02 42 SCT:04 85 BKN:07 110	10.00		58	14.4	56	13.5	55	12.8	90	11	120		28.64				FM-16		29.60
03	1613	7	FEW:02 42 SCT:04 85 BKN:07 110	10.00	VCTS:7 ||	58	14.4	56	13.5	55	12.8	90	14	120		28.63				FM-16	T	29.59
03	1633	7	SCT:04 40 BKN:07 55 OVC:08 95	3.00	TS:7 RA:02 BR:1 |RA TS |RA	58	14.4	56	13.5	55	12.8	90	9	VRB		28.68				FM-16	0.04	29.64
03	1653	7	FEW:02 15 BKN:07 49 OVC:08 75	4.00	TS:7 RA:02 BR:1 |RA TS |RA	58	14.4	57	14.1	57	13.9	97	17	210	24	28.72			29.68	FM-15	0.41	29.68
03	1658	7	FEW:02 15 BKN:07 49 OVC:08 80	4.00	VCTS:7 BR:1 ||	58	14.4	57	14.1	57	13.9	97	14	190	24	28.70				FM-16	0.02	29.66
03	1705	7	FEW:02 14 SCT:04 49 OVC:08 80	6.00	-RA:02 BR:1 |RA |RA	58	14.4	57	13.8	56	13.3	93	11	130		28.63				FM-16	0.03	29.59
03	1728	7	FEW:02 70 OVC:08 100	10.00		59	15.0	57	14.0	56	13.3	90	8	140		28.61				FM-16	0.03	29.57
03	1753	7	FEW:02 100	10.00		60	15.6	57	14.0	55	12.8	84	7	200		28.62			29.58	FM-15	0.01	29.58
03	1838	7	BKN:07 95 BKN:07 120	10.00	VCTS:7 ||	59	15.0	57	13.7	55	12.8	87	9	160		28.60				FM-16		29.56
03	1853	7	SCT:04 70 BKN:07 90 OVC:08 120	10.00	VCTS:7 -RA:02 |RA |RA	60	15.6	57	13.7	54	12.2	80	6	200		28.59	8	+0.06	29.55	FM-15	0.01	29.55
03	1920	7	BKN:07 60 BKN:07 75 OVC:08 90	10.00	VCTS:7 -RA:02 |RA |RA	60	15.6	57	14.0	55	12.8	84	8	200		28.58				FM-16	0.02	29.54
03	1934	7	BKN:07 55 BKN:07 75 OVC:08 90	7.00	VCTS:7 -RA:02 |RA |RA	60	15.6	57	14.0	55	12.8	84	11	190		28.58				FM-16	0.04	29.54
03	1945	7	BKN:07 50 BKN:07 60 OVC:08 90	5.00	TS:7 -RA:02 BR:1 |RA TS |RA	60	15.6	58	14.6	57	13.9	90	13	210		28.60				FM-16	0.05	29.56

03	1953	7	BKN:07 50 BKN:07 60 OVC:08 90	5.00	TS:7 RA:02 BR:1 |RA TS |RA	60	15.6	59	14.9	58	14.4	93	14	190		28.58			29.54	FM-15	0.09	29.54
03	1957	7	BKN:07 45 BKN:07 65 OVC:08 80	5.00	TS:7 -RA:02 BR:1 |RA TS |RA	60	15.6	59	14.9	58	14.4	93	15	190	22	28.58				FM-16	0.01	29.54
03	2026	7	OVC:08 41	10.00	VCTS:7 -RA:02 |RA |RA	60	15.6	59	15.2	59	15.0	96	5	200		28.58				FM-16	0.02	29.54
03	2053	7	OVC:08 47	10.00	VCTS:7 ||	60	15.6	59	15.2	59	15.0	96	7	170		28.57			29.52	FM-15	0.01	29.53
03	2055	7	OVC:08 47	10.00		60	15.6	59	15.2	59	15.0	96	8	170		28.57				FM-16		29.53
03	2119	7	SCT:04 40 BKN:07 55 OVC:08 90	7.00	VCTS:7 ||	60	15.6	59	15.2	59	15.0	96	13	160		28.55				FM-16		29.51
03	2153	7	FEW:02 19 BKN:07 34 OVC:08 42	7.00	TS:7 -RA:02 |RA TS TS |RA	60	15.6	60	15.6	60	15.6	100	11	200		28.56	6	+0.03	29.52	FM-15	0.13	29.52
03	2211	7	FEW:02 16 BKN:07 40 OVC:08 55	10.00		61	16.1	60	15.8	60	15.6	97	21	200	31	28.55				FM-16	0.01	29.51
03	2253	7	FEW:02 26 BKN:07 38 OVC:08 60	4.00	RA:02 BR:1 |RA |RA	61	16.1	60	15.8	60	15.6	97	21	200	31	28.53			29.48	FM-15	0.04	29.49
03	2312	7	FEW:02 18 BKN:07 29 OVC:08 70	10.00	-RA:02 |RA |RA	60	15.6	60	15.6	60	15.6	100	20	200	26	28.53				FM-16	0.01	29.48
03	2345	7	BKN:07 14 BKN:07 20 OVC:08 25	2.50	+RA:02 BR:1 |RA |RA	60	15.6	60	15.6	60	15.6	100	13	200	21	28.51				FM-16	0.16	29.47
03	2351	6	SCT:04 14 OVC:08 20	2.00	+RA:02 BR:1 |RA |RA	61	16.0	61	16.1	61	16.0	100	15	230	23	28.53				FM-16		29.48
03	2353	7	BKN:07 14 OVC:08 20	2.00	+RA:02 BR:1 |RA |RA	60	15.6	59	15.2	59	15.0	96	14	240	23	28.53			29.47	FM-15	0.32	29.48
03	2357	7	SCT:04 11 OVC:08 18	1.75	+RA:02 BR:1 |RA |RA	60	15.6	59	15.2	59	15.0	96	14	250	23	28.53				FM-16	0.07	29.49
04	0006	7	BKN:07 13 BKN:07 21 OVC:08 36	3.00	-RA:02 BR:1 |RA |RA	60	15.6	60	15.6	60	15.6	100	22	230	31	28.51				FM-16	0.09	29.47
04	0019	7	SCT:04 13 BKN:07 17 OVC:08 36	10.00	-RA:02 |RA |RA	56	13.3	55	12.7	54	12.2	93	29	290	40	28.54				FM-16	0.09	29.50
04	0026	7	BKN:07 11 BKN:07 17 OVC:08 36	10.00	-RA:02 |RA |RA	54	12.2	53	11.9	53	11.7	97	28	290	40	28.56				FM-16	0.09	29.52
04	0051	6	BKN:07 9 OVC:08 13	4.00	-RA:02 BR:1 |RA |RA	50	10.0	49	9.4	48	9.0	94	22	280	32	28.58				FM-16		29.54
04	0053	7	OVC:08 9	4.00	-RA:02 BR:1 |RA |RA	50	10.0	49	9.7	49	9.4	96	18	290	32	28.58	3	-0.02	29.54	FM-15	0.01	29.54
04	0110	7	FEW:02 8 BKN:07 12 OVC:08 18	10.00	-RA:02 |RA |RA	49	9.4	47	8.6	46	7.8	90	28	280	37	28.60				FM-16	T	29.56
04	0118	7	FEW:02 10 OVC:08 16	10.00	-RA:02 |RA |RA	48	8.9	47	8.1	45	7.2	89	26	280	39	28.60				FM-16	T	29.56
04	0138	7	BKN:07 14 OVC:08 19	10.00	-RA:02 |RA |RA	47	8.3	46	7.8	45	7.2	93	20	280	32	28.62				FM-16	T	29.58
04	0153	7	BKN:07 13 OVC:08 20	10.00	-RA:02 |RA |RA	46	7.8	45	7.2	44	6.7	93	16	270	28	28.63			29.59	FM-15	T	29.59
04	0212	7	FEW:02 13 BKN:07 19 BKN:07 29	10.00		46	7.8	45	7.2	44	6.7	93	20	260	28	28.64				FM-16	T	29.60
04	0253	7	BKN:07 18 OVC:08 25	10.00	-RA:02 |RA |RA	44	6.7	42	5.6	40	4.4	85	28	250	38	28.67			29.63	FM-15	T	29.63
04	0325	7	SCT:04 23 OVC:08 43	10.00	-RA:02 |RA |RA	41	5.0	38	3.6	35	1.7	79	26	280	41	28.69				FM-16	T	29.65
04	0353	7	FEW:02 43	10.00	-RA:02 |RA |RA	41	5.0	38	3.3	34	1.1	76	30	280	40	28.70	1	-0.12	29.66	FM-15	T	29.66
04	0453	7	FEW:02 28 SCT:04 34 OVC:08 45	10.00	-RA:02 |RA |RA	39	3.9	36	2.5	33	0.6	79	25	270	40	28.75			29.71	FM-15	T	29.71

04	0553	7	OVC:08 41	10.00		38	3.3	35	1.7	31	-0.6	76	24	260	44	28.79			29.76	FM-15	T	29.75
04	0653	7	BKN:07 31 OVC:08 40	10.00		36	2.2	33	0.5	28	-2.2	73	22	260	40	28.84	1	-0.14	29.80	FM-15	0.00	29.80
04	0753	7	FEW:02 29 SCT:04 38 OVC:08 49	10.00		35	1.7	32	0.2	28	-2.2	76	18	260	34	28.87			29.83	FM-15	0.00	29.83
04	0853	7	FEW:02 29 OVC:08 48	9.00		35	1.7	32	0.2	28	-2.2	76	28	260	38	28.90			29.86	FM-15	T	29.86
04	0953	7	BKN:07 34 OVC:08 49	10.00		35	1.7	32	-0.2	26	-3.3	70	31	260	41	28.93	3	-0.10	29.91	FM-15	0.00	29.90
04	1009	7	FEW:02 24 BKN:07 29 OVC:08 49	2.50	-SN:03 |SN |	34	1.1	31	-0.4	27	-2.8	75	28	270	39	28.95				FM-16	T	29.92
04	1013	7	FEW:02 24 BKN:07 38 OVC:08 46	5.00	-SN:03 |SN |	34	1.1	31	-0.4	27	-2.8	75	22	270	39	28.95				FM-16	T	29.92
04	1053	7	OVC:08 45	9.00		35	1.7	31	-0.4	25	-3.9	67	23	270	41	28.98			29.95	FM-15	T	29.95
04	1153	7	BKN:07 39 OVC:08 47	10.00		36	2.2	32	-0.1	25	-3.9	64	22	270	38	29.01			29.99	FM-15	0.00	29.98
04	1253	7	BKN:07 36 OVC:08 44	10.00		35	1.7	31	-0.6	24	-4.4	64	25	270	36	29.05	1	-0.11	30.03	FM-15	0.00	30.02
04	1353	7	BKN:07 36 OVC:08 44	10.00		35	1.7	31	-0.6	24	-4.4	64	20	270	26	29.08			30.06	FM-15	0.00	30.05
04	1453	7	SCT:04 30 SCT:04 35 OVC:08 55	10.00		35	1.7	31	-0.4	25	-3.9	67	22	290	33	29.09			30.08	FM-15	0.00	30.06
04	1553	7	SCT:04 38 BKN:07 50 OVC:08 60	10.00		35	1.7	31	-0.6	24	-4.4	64	29	280	37	29.12	1	-0.06	30.10	FM-15	0.00	30.09
04	1653	7	SCT:04 34 OVC:08 50	9.00		34	1.1	30	-0.9	24	-4.4	67	20	290	28	29.14			30.13	FM-15	0.00	30.11
04	1753	7	SCT:04 38 OVC:08 49	10.00		34	1.1	30	-1.1	23	-5.0	64	23	290	28	29.17			30.16	FM-15	0.00	30.14
04	1853	7	SCT:04 47 OVC:08 55	10.00		33	0.6	29	-1.8	21	-6.1	61	15	290	26	29.19	3	-0.07	30.19	FM-15	0.00	30.16
04	1953	7	FEW:02 39 SCT:04 47 OVC:08 55	10.00		33	0.6	29	-1.4	23	-5.0	66	16	280	26	29.22			30.21	FM-15	0.00	30.19
04	2053	7	OVC:08 55	10.00		33	0.6	30	-1.3	24	-4.4	70	16	270		29.23			30.22	FM-15	0.00	30.20
04	2153	7	FEW:02 32 OVC:08 55	10.00		32	0.0	29	-1.6	24	-4.4	73	15	280	23	29.23	1	-0.05	30.24	FM-15	0.00	30.21
04	2253	7	BKN:07 50	10.00		32	0.0	29	-1.6	24	-4.4	73	13	270		29.25			30.24	FM-15	0.00	30.22
04	2353	7	FEW:02 24 OVC:08 42	10.00		32	0.0	29	-1.6	24	-4.4	73	17	290	26	29.23			30.23	FM-15	0.00	30.21
05	0053	7	CLR:00	10.00		29	-1.7	26	-3.2	21	-6.1	72	8	270		29.23	1	-0.00	30.24	FM-15	0.00	30.21
05	0153	7	OVC:08 41	10.00		31	-0.6	27	-2.6	20	-6.7	64	9	290		29.23			30.23	FM-15	0.00	30.21
05	0253	7	OVC:08 41	10.00		31	-0.6	27	-2.6	20	-6.7	64	9	270		29.25			30.24	FM-15	0.00	30.22
05	0353	7	OVC:08 42	10.00		31	-0.6	27	-2.8	19	-7.2	61	10	300		29.25	3	-0.01	30.24	FM-15	0.00	30.22
05	0453	7	OVC:08 45	10.00		30	-1.1	27	-2.7	22	-5.6	72	9	250		29.25			30.25	FM-15	0.00	30.22
05	0553	7	FEW:02 41	10.00		28	-2.2	26	-3.5	21	-6.1	75	7	240		29.25			30.24	FM-15	0.00	30.22
05	0653	7	CLR:00	10.00		29	-1.7	27	-3.0	22	-5.6	75	7	250		29.26	3	-0.01	30.26	FM-15	0.00	30.23
05	0753	7	CLR:00	10.00		31	-0.6	28	-2.1	23	-5.0	72	13	260		29.26			30.27	FM-15	0.00	30.24
05	0853	7	CLR:00	10.00		34	1.1	30	-1.1	23	-5.0	64	11	280		29.26			30.27	FM-15	0.00	30.24
05	0953	7	FEW:02 30	10.00		36	2.2	31	-0.4	23	-5.0	59	11	280		29.27	1	-0.02	30.27	FM-15	0.00	30.25
05	1053	7	CLR:00	10.00		38	3.3	33	0.4	24	-4.4	57	14	230	21	29.26			30.27	FM-15	0.00	30.24
05	1153	7	CLR:00	10.00		40	4.4	33	0.7	22	-5.6	49	9	250	22	29.26			30.25	FM-15	0.00	30.23
05	1253	7	CLR:00	10.00		42	5.6	34	1.2	21	-6.1	43	16	270	23	29.23	8	+0.04	30.23	FM-15	0.00	30.21
05	1353	7	SCT:04 55	10.00		45	7.2	37	2.6	24	-4.4	44	14	290	18	29.22			30.21	FM-15	0.00	30.19
05	1453	7	SCT:04 55	10.00		45	7.2	37	2.8	25	-3.9	46	10	250	20	29.19			30.17	FM-15	0.00	30.16
05	1553	7	SCT:04 50 SCT:04 120	10.00		45	7.2	37	3.0	26	-3.3	48	11	210		29.16	8	+0.08	30.14	FM-15	0.00	30.13

05	1653	7	SCT:04 50 BKN:07 100	10.00		45	7.2	37	3.0	26	-3.3	48	9	260		29.13			30.12	FM-15	0.00	30.10
05	1753	7	OVC:08 100	10.00		45	7.2	37	3.0	26	-3.3	48	8	260		29.11			30.10	FM-15	0.00	30.08
05	1853	7	OVC:08 100	10.00		44	6.7	36	2.1	23	-5.0	43	6	210		29.11	6	+0.05	30.10	FM-15	0.00	30.08
05	1953	7	OVC:08 70	10.00		43	6.1	36	2.0	24	-4.4	47	5	210		29.10			30.09	FM-15	0.00	30.07
05	2053	7	BKN:07 60 OVC:08 110	10.00		43	6.1	36	2.0	24	-4.4	47	0	000		29.08			30.07	FM-15	0.00	30.05
05	2153	7	OVC:08 100	10.00		41	5.0	35	1.9	27	-2.8	57	0	000		29.07	6	+0.03	30.06	FM-15	0.00	30.04
05	2253	7	SCT:04 100	10.00		40	4.4	35	1.8	28	-2.2	63	3	030		29.06			30.04	FM-15	0.00	30.03
05	2353	7	BKN:07 110	10.00		39	3.9	35	1.9	30	-1.1	70	6	040		29.05			30.03	FM-15	0.00	30.02
06	0053	7	OVC:08 90	10.00		38	3.3	36	2.0	32	0.0	79	5	090		29.02	8	+0.05	30.01	FM-15	0.00	29.99
06	0153	7	OVC:08 80	10.00		38	3.3	35	1.7	31	-0.6	76	5	080		28.98			29.96	FM-15	0.00	29.95
06	0253	7	OVC:08 85	10.00		40	4.4	36	2.0	29	-1.7	65	6	150		28.94			29.92	FM-15	0.00	29.91
06	0353	7	OVC:08 60	10.00		41	5.0	36	2.5	30	-1.1	65	6	160		28.91	6	+0.11	29.89	FM-15	0.00	29.88
06	0453	7	OVC:08 80	10.00		41	5.0	36	2.3	29	-1.7	62	9	190		28.90			29.87	FM-15	0.00	29.86
06	0553	7	BKN:07 75 OVC:08 95	10.00		42	5.6	37	2.8	30	-1.1	62	9	200		28.89			29.86	FM-15	0.00	29.85
06	0653	7	FEW:02 100	10.00		43	6.1	38	3.3	31	-0.6	63	10	220		28.89	6	+0.03	29.86	FM-15	0.00	29.85
06	0753	7	CLR:00	10.00		44	6.7	39	3.8	32	0.0	63	13	220		28.90			29.87	FM-15	0.00	29.86
06	0853	7	CLR:00	10.00		47	8.3	41	4.9	33	0.6	59	14	230	18	28.90			29.87	FM-15	0.00	29.86
06	0953	7	CLR:00	10.00		49	9.4	43	5.9	35	1.7	59	13	260	26	28.90	1	-0.01	29.87	FM-15	0.00	29.86
06	1053	7	CLR:00	10.00		53	11.7	45	7.0	35	1.7	51	13	260		28.90			29.86	FM-15	0.00	29.86
06	1153	7	CLR:00	10.00		54	12.2	44	6.9	33	0.6	45	20	260	29	28.89			29.85	FM-15	T	29.85
06	1253	7	FEW:02 85	10.00		56	13.3	45	7.2	32	0.0	40	20	260	28	28.84	8	+0.05	29.82	FM-15	T	29.81
06	1353	7	CLR:00	10.00		56	13.3	45	7.2	32	0.0	40	17	250	24	28.84			29.81	FM-15	0.00	29.80
06	1453	7	OVC:08 80	10.00	-RA:02 |RA |RA	54	12.2	43	6.1	29	-1.7	38	22	290	31	28.84			29.82	FM-15	T	29.81
06	1553	7	OVC:08 80	10.00	-RA:02 |RA |RA	52	11.1	42	5.8	30	-1.1	43	18	280	31	28.86	3	-0.00	29.83	FM-15	T	29.82
06	1653	7	SCT:04 55 OVC:08 75	10.00		44	6.7	38	3.6	31	-0.6	60	20	310	29	28.87			29.85	FM-15	T	29.84
06	1753	7	SCT:04 17 BKN:07 32 OVC:08 55	5.00	-RA:02 BR:1 |RA |RA	38	3.3	37	2.9	36	2.2	93	18	300	26	28.90			29.88	FM-15	T	29.87
06	1800	7	BKN:07 17 OVC:08 27	5.00	-RA:02 BR:1 |RA |RA	38	3.3	37	2.6	35	1.7	89	20	300	26	28.90				FM-16	T	29.87
06	1825	7	BKN:07 13 OVC:08 21	5.00	-RA:02 BR:1 |RA |RA	37	2.8	36	2.3	35	1.7	93	17	300	24	28.90				FM-16	0.01	29.87
06	1853	7	BKN:07 10 OVC:08 16	5.00	-RA:02 BR:1 |RA |RA	36	2.2	36	2.0	35	1.7	97	11	310		28.91	1	-0.06	29.90	FM-15	0.02	29.88
06	1909	7	BKN:07 10 BKN:07 16 OVC:08 27	2.50V	-SN:03 BR:1 |SN |	34	1.1	33	0.7	32	0.0	92	15	300	28	28.92				FM-16	T	29.89
06	1953	7	BKN:07 10 BKN:07 13 OVC:08 22	2.00	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	10	300		28.93			29.92	FM-15	0.01	29.90
06	1955	7	OVC:08 16	1.50	-SN:03 BR:1 |SN |	33	0.6	33	0.3	32	0.0	96	13	300		28.94				FM-16	T	29.91
06	2051	6	BKN:07 10 OVC:08 16	1.50	-SN:03 BR:1 |SN |	34	1.0	32	0.2	30	-1.0	87	15	320	24	28.96				FM-16		29.93
06	2053	7	BKN:07 10 OVC:08 16	1.50	-SN:03 BR:1 |SN |	33	0.6	32	0.1	31	-0.6	92	18	320	28	28.96			29.95	FM-15	T	29.93
06	2153	7	BKN:07 10 OVC:08 18	1.00	-SN:03 BR:1 |SN |	30	-1.1	30	-1.3	29	-1.7	96	13	320		29.00	3	-0.08	29.99	FM-15	T	29.97
06	2155	7	FEW:02 8 OVC:08 14	1.00	-SN:03 BR:1 |SN |	30	-1.1	30	-1.3	29	-1.7	96	16	340	26	29.00				FM-16	T	29.97
06	2209	7	SCT:04 10 BKN:07 16 OVC:08 22	2.00	-SN:03 BR:1 |SN |	30	-1.1	29	-1.5	28	-2.2	92	13	340		29.01				FM-16	T	29.98
06	2219	7	SCT:04 10 OVC:08 16	1.25	-SN:03 BR:1 |SN |	29	-1.7	29	-1.9	28	-2.2	96	14	350		29.01				FM-16	T	29.98
06	2228	7	SCT:04 9 OVC:08 14	1.00	-SN:03 BR:1 |SN |	29	-1.7	28	-2.1	27	-2.8	92	11	340		29.02				FM-16	T	29.99

06	2251	7	SCT:04 13 OVC:08 19	2.00	-SN:03 BR:1 |SN |	28	-2.0	28	-2.4	27	-3.0	93	13	330		29.02				FM-16	T	29.99
06	2253	7	SCT:04 13 OVC:08 19	2.00	-SN:03 BR:1 |SN |	29	-1.7	28	-2.3	26	-3.3	89	14	320	20	29.02			30.00	FM-15	T	29.99
06	2326	7	FEW:02 16 OVC:08 21	1.50	-SN:03 BR:1 |SN |	28	-2.2	27	-2.6	26	-3.3	92	10	330		29.03				FM-16	T	30.00
06	2345	7	FEW:02 13 OVC:08 22	3.00	-SN:03 BR:1 |SN |	28	-2.2	27	-2.6	26	-3.3	92	11	340		29.03				FM-16	T	30.00
06	2353	7	FEW:02 13 OVC:08 29	4.00	-SN:03 BR:1 |SN |	28	-2.2	27	-2.6	26	-3.3	92	10	340		29.03			30.02	FM-15	T	30.00
07	0001	7	FEW:02 12 OVC:08 31	2.50V	-SN:03 BR:1 |SN |	28	-2.2	27	-2.6	26	-3.3	92	9	340		29.03				FM-16	T	30.00
07	0016	7	FEW:02 12 OVC:08 35	6.00	-SN:03 BR:1 |SN |	27	-2.8	27	-3.0	26	-3.3	96	6	350		29.04				FM-16	T	30.01
07	0053	7	OVC:08 49	10.00		28	-2.2	26	-3.2	23	-5.0	81	7	330		29.04	1	-0.04	30.02	FM-15	T	30.01
07	0153	7	SCT:04 43 OVC:08 70	10.00		29	-1.7	26	-3.5	19	-7.2	66	15	350		29.03			30.01	FM-15	T	30.00
07	0253	7	OVC:08 90	10.00		29	-1.7	26	-3.2	21	-6.1	72	8	350		29.04			30.03	FM-15	0.00	30.01
07	0353	7	OVC:08 100	10.00		29	-1.7	26	-3.4	20	-6.7	69	9	360		29.05	3	-0.01	30.03	FM-15	0.00	30.02
07	0453	7	FEW:02 32 OVC:08 100	10.00		28	-2.2	25	-3.7	20	-6.7	72	11	340		29.07			30.06	FM-15	0.00	30.04
07	0553	7	BKN:07 120	10.00		27	-2.8	25	-4.1	20	-6.7	75	11	350		29.08			30.07	FM-15	0.00	30.05
07	0653	7	BKN:07 110	10.00		27	-2.8	25	-4.1	20	-6.7	75	8	350		29.09	1	-0.04	30.09	FM-15	0.00	30.06
07	0753	7	CLR:00	10.00		27	-2.8	24	-4.2	19	-7.2	72	9	350		29.10			30.10	FM-15	0.00	30.07
07	0853	7	CLR:00	10.00		29	-1.7	26	-3.5	19	-7.2	66	9	330		29.11			30.11	FM-15	0.00	30.08
07	0953	7	CLR:00	10.00		30	-1.1	26	-3.3	18	-7.8	61	9	340		29.11	0	-0.01	30.11	FM-15	0.00	30.08
07	1053	7	CLR:00	10.00		32	0.0	27	-2.9	16	-8.9	52	8	330		29.10			30.10	FM-15	0.00	30.07
07	1153	7	CLR:00	10.00		33	0.6	27	-2.6	16	-8.9	49	3	040		29.08			30.07	FM-15	0.00	30.05
07	1253	7	SCT:04 46	10.00		35	1.7	29	-1.6	18	-7.8	50	3	VRB		29.07	8	+0.04	30.06	FM-15	0.00	30.04
07	1353	7	FEW:02 47	10.00		37	2.8	31	-0.8	19	-7.2	48	8	010		29.06			30.05	FM-15	0.00	30.03
07	1453	7	BKN:07 50	10.00		39	3.9	32	-0.1	19	-7.2	45	9	290		29.04			30.03	FM-15	0.00	30.01
07	1553	7	BKN:07 55	10.00		39	3.9	32	-0.1	19	-7.2	45	6	280		29.03	7	+0.03	30.03	FM-15	0.00	30.00
07	1653	7	BKN:07 55	10.00		38	3.3	32	-0.3	20	-6.7	48	11	290		29.03			30.02	FM-15	0.00	30.00
07	1753	7	BKN:07 55	10.00		37	2.8	31	-0.8	19	-7.2	48	6	280		29.02			30.02	FM-15	0.00	29.99
07	1853	7	BKN:07 55	10.00		36	2.2	30	-1.1	19	-7.2	50	7	300		29.02	6	+0.01	30.01	FM-15	0.00	29.99
07	1953	7	OVC:08 50	10.00		36	2.2	30	-0.9	20	-6.7	52	9	310		29.02			30.02	FM-15	0.00	29.99
07	2053	7	OVC:08 50	10.00		35	1.7	30	-0.9	22	-5.6	59	5	310		29.04			30.04	FM-15	0.00	30.01
07	2153	7	OVC:08 50	10.00		34	1.1	29	-1.4	21	-6.1	59	5	290		29.04	0	-0.02	30.04	FM-15	0.00	30.01
07	2253	7	OVC:08 50	10.00		35	1.7	29	-1.4	19	-7.2	52	9	300		29.04			30.03	FM-15	0.00	30.01
07	2353	7	BKN:07 50	10.00		32	0.0	27	-2.6	18	-7.8	56	13	340		29.04			30.03	FM-15	0.00	30.01
08	0053	7	FEW:02 50	10.00		29	-1.7	26	-3.5	19	-7.2	66	9	340		29.04	3	-0.00	30.04	FM-15	0.00	30.01
08	0153	7	CLR:00	10.00		28	-2.2	25	-4.0	18	-7.8	66	9	330		29.04			30.03	FM-15	0.00	30.01
08	0253	7	CLR:00	10.00		26	-3.3	23	-4.9	17	-8.3	69	8	320		29.05			30.04	FM-15	0.00	30.02
08	0353	7	CLR:00	10.00		24	-4.4	22	-5.8	16	-8.9	71	7	310		29.05	3	-0.01	30.05	FM-15	0.00	30.02
08	0453	7	CLR:00	10.00		23	-5.0	21	-6.0	17	-8.3	78	7	330		29.06			30.06	FM-15	0.00	30.03
08	0553	7	CLR:00	10.00		22	-5.6	20	-6.6	16	-8.9	78	7	320		29.07			30.07	FM-15	0.00	30.04
08	0653	7	CLR:00	10.00		24	-4.4	22	-5.8	16	-8.9	71	7	330		29.10	3	-0.04	30.09	FM-15	0.00	30.07
08	0753	7	CLR:00	10.00		26	-3.3	23	-5.1	16	-8.9	66	10	340		29.10			30.10	FM-15	0.00	30.07
08	0853	7	CLR:00	10.00		28	-2.2	24	-4.3	16	-8.9	60	11	360		29.12			30.11	FM-15	0.00	30.09
08	0953	7	CLR:00	10.00		30	-1.1	25	-3.6	16	-8.9	56				29.12	1	-0.02	30.11	FM-15	0.00	30.09
08	0958	7	CLR:00	10.00		31	-0.6	26	-3.1	17	-8.3	56	9	330		29.12				FM-16		30.09
08	1053	7	CLR:00	10.00		33	0.6	28	-2.4	17	-8.3	52	8	350		29.12			30.11	FM-15	0.00	30.09
08	1153	7	CLR:00	10.00		35	1.7	29	-1.7	17	-8.3	48	7	350		29.11			30.10	FM-15	0.00	30.08
08	1253	7	CLR:00	10.00		38	3.3	31	-0.4	19	-7.2	46	10	350		29.10	8	+0.02	30.09	FM-15	0.00	30.07
08	1353	7	CLR:00	10.00		38	3.3	31	-0.6	18	-7.8	44	3	VRB		29.08			30.07	FM-15	0.00	30.05
08	1453	7	CLR:00	10.00		39	3.9	31	-0.5	16	-8.9	39	6	VRB		29.07			30.06	FM-15	0.00	30.04
08	1553	7	CLR:00	10.00		40	4.4	32	-0.2	16	-8.9	38	7	350		29.07	6	+0.03	30.06	FM-15	0.00	30.04
08	1653	7	CLR:00	10.00		39	3.9	31	-0.5	16	-8.9	39	6	340		29.08			30.07	FM-15	0.00	30.05
08	1753	7	CLR:00	10.00		38	3.3	31	-0.6	18	-7.8	44	6	360		29.08			30.08	FM-15	0.00	30.05

08	1853	7	CLR:00	10.00		37	2.8	30	-0.9	18	-7.8	46	5	010		29.08	1	-0.01	30.08	FM-15	0.00	30.05
08	1953	7	CLR:00	10.00		37	2.8	30	-0.9	18	-7.8	46	7	020		29.07			30.07	FM-15	0.00	30.04
08	2053	7	OVC:08 110	10.00		36	2.2	30	-1.1	19	-7.2	50	6	020		29.09			30.09	FM-15	0.00	30.06
08	2153	7	OVC:08 100	10.00		36	2.2	30	-1.1	19	-7.2	50	7	020		29.09	0	-0.00	30.08	FM-15	0.00	30.06
08	2253	7	OVC:08 110	10.00		34	1.1	28	-2.2	16	-8.9	48	13	060		29.09			30.08	FM-15	0.00	30.06
08	2353	7	OVC:08 100	10.00		34	1.1	27	-2.5	14	-10.0	44	11	070		29.08			30.08	FM-15	0.00	30.05
09	0053	7	OVC:08 100	10.00		34	1.1	27	-2.5	14	-10.0	44	9	080		29.09	3	-0.01	30.08	FM-15	0.00	30.06
09	0153	7	OVC:08 90	10.00		33	0.6	27	-2.7	15	-9.4	47	3	130		29.12			30.11	FM-15	0.00	30.09
09	0253	7	OVC:08 55	10.00		33	0.6	27	-2.6	16	-8.9	49	3	080		29.13			30.13	FM-15	0.00	30.10
09	0353	7	OVC:08 55	10.00		33	0.6	27	-2.9	14	-10.0	45	7	110		29.12	0	-0.03	30.11	FM-15	0.00	30.09
09	0453	7	OVC:08 40	10.00		31	-0.6	27	-2.8	19	-7.2	61	9	110		29.10			30.10	FM-15	0.00	30.07
09	0553	7	OVC:08 50	10.00		30	-1.1	27	-2.7	22	-5.6	72	8	120		29.10			30.09	FM-15	0.00	30.07
09	0653	7	BKN:07 46 OVC:08 55	10.00		31	-0.6	28	-2.3	22	-5.6	69	10	080		29.11	5	+0.02	30.10	FM-15	0.00	30.08
09	0753	7	BKN:07 45 OVC:08 55	4.00	-SN:03 |SN |	32	0.0	29	-1.6	24	-4.4	73	10	070		29.11			30.11	FM-15	T	30.08
09	0853	7	FEW:02 16 BKN:07 36 OVC:08 47	4.00	-SN:03 |SN |	32	0.0	30	-1.0	27	-2.8	82	7	080		29.13			30.12	FM-15	T	30.10
09	0930	7	BKN:07 17 BKN:07 37 OVC:08 47	6.00	-SN:03 |SN |	32	0.0	30	-1.0	27	-2.8	82	6	060		29.13				FM-16	T	30.10
09	0953	7	BKN:07 15 OVC:08 19	3.00	-SN:03 BR:1 |SN |	32	0.0	30	-0.8	28	-2.2	85	5	020		29.15	3	-0.04	30.14	FM-15	T	30.12
09	1050	7	BKN:07 14 OVC:08 38	2.50	-SN:03 BR:1 |SN |	34	1.0	32	0.2	30	-1.0	87	5	070		29.15				FM-16	T	30.12
09	1053	7	BKN:07 14 OVC:08 36	2.50	-SN:03 BR:1 |SN |	34	1.1	32	0.2	30	-1.1	85	3	070		29.14			30.14	FM-15	T	30.11
09	1134	7	OVC:08 15	2.50	-SN:03 |SN |	35	1.7	33	0.6	30	-1.1	82	0	000		29.14				FM-16	T	30.11
09	1142	7	OVC:08 15	6.00	-SN:03 |SN |	35	1.7	33	0.6	30	-1.1	82	0	000		29.14				FM-16	T	30.11
09	1153	7	OVC:08 15	6.00	HZ:7 |FU |HZ	35	1.7	33	0.6	30	-1.1	82	3	040		29.14			30.13	FM-15	T	30.11
09	1253	7	OVC:08 20	10.00		36	2.2	34	0.9	30	-1.1	79	3	360		29.13	8	+0.01	30.12	FM-15	0.00	30.10
09	1353	7	OVC:08 18	10.00		36	2.2	34	0.9	30	-1.1	79	3	300		29.14			30.13	FM-15	0.00	30.11
09	1453	7	OVC:08 19	10.00		36	2.2	34	0.9	30	-1.1	79	3	350		29.14			30.13	FM-15	0.00	30.11
09	1553	7	SCT:04 20 OVC:08 27	10.00		37	2.8	34	1.2	30	-1.1	76	6	330		29.15	3	-0.02	30.14	FM-15	0.00	30.12
09	1653	7	SCT:04 20 OVC:08 27	10.00		37	2.8	34	1.0	29	-1.7	73	3	310		29.17			30.16	FM-15	0.00	30.14
09	1700	7	SCT:04 30 OVC:08 37	10.00		37	2.8	34	1.0	29	-1.7	73	5	290		29.17				FM-16		30.14
09	1753	7	FEW:02 25 OVC:08 40	10.00		37	2.8	34	1.0	29	-1.7	73	6	280		29.18			30.17	FM-15	0.00	30.15
09	1853	7	OVC:08 49	10.00		36	2.2	34	0.9	30	-1.1	79	5	290		29.18	1	-0.03	30.18	FM-15	0.00	30.15
09	1953	7	OVC:08 48	10.00		36	2.2	34	0.9	30	-1.1	79	5	330		29.20			30.19	FM-15	0.00	30.17
09	2053	7	OVC:08 60	10.00		35	1.7	33	0.4	29	-1.7	78	3	350		29.22			30.22	FM-15	0.00	30.19
09	2153	7	OVC:08 65	10.00		33	0.6	32	-0.1	30	-1.1	89	5	360		29.23	3	-0.05	30.23	FM-15	0.00	30.21
09	2253	7	OVC:08 65	10.00		33	0.6	32	-0.1	30	-1.1	89	0	000		29.25			30.24	FM-15	0.00	30.22
09	2353	7	OVC:08 70	10.00		31	-0.6	30	-1.0	29	-1.7	92	0	000		29.25			30.24	FM-15	0.00	30.22
10	0053	7	CLR:00	7.00		30	-1.1	30	-1.3	29	-1.7	96	0	000		29.23	0	-0.01	30.24	FM-15	0.00	30.21
10	0153	7	CLR:00	6.00	BR:1 ||	28	-2.2	28	-2.4	27	-2.8	96	3	330		29.23			30.24	FM-15	0.00	30.21
10	0253	7	CLR:00	3.00	BR:1 ||	28	-2.2	28	-2.4	27	-2.8	96	0	000		29.23			30.24	FM-15	0.00	30.21
10	0353	7	CLR:00	6.00	BR:1 ||	27	-2.8	27	-3.0	26	-3.3	96	0	000		29.23	3	-0.00	30.24	FM-15	0.00	30.21
10	0453	7	CLR:00	4.00	BR:1 ||	26	-3.3	26	-3.3	26	-3.3	100	3	220		29.26			30.26	FM-15	0.00	30.23
10	0516	7	CLR:00	1.75	BR:1 ||	26	-3.3	26	-3.5	25	-3.9	96	0	000		29.26				FM-16		30.23
10	0523	7	CLR:00	3.00	BR:1 ||	27	-2.8	27	-3.0	26	-3.3	96	0	000		29.26				FM-16		30.23
10	0553	7	CLR:00	4.00	BR:1 ||	25	-3.9	25	-3.9	25	-3.9	100	3	260		29.26			30.27	FM-15	0.00	30.24
10	0653	7	CLR:00	4.00	BR:1 ||	28	-2.2	28	-2.2	28	-2.2	100	3	260		29.27	1	-0.04	30.28	FM-15	0.00	30.25
10	0753	7	CLR:00	6.00	BR:1 ||	34	1.1	33	0.5	31	-0.6	89	5	290		29.29			30.29	FM-15	0.00	30.27
10	0853	7	CLR:00	8.00		37	2.8	35	1.4	31	-0.6	79	7	300		29.29			30.30	FM-15	0.00	30.27
10	0918	7	BKN:07 18	9.00		38	3.3	35	1.8	31	-0.6	76	7	270		29.30				FM-16		30.28

10	0951	6	SCT:04 25 BKN:07 35 BKN:07 47	10.00		37	3.0	33	0.8	28	-2.0	70	7	310		29.30				FM-16		30.28
10	0953	7	FEW:02 21 SCT:04 25 BKN:07 35	10.00		38	3.3	34	1.4	29	-1.7	70	7	320		29.30	1	-0.03	30.30	FM-15	0.00	30.28
10	1053	7	BKN:07 26 BKN:07 35 OVC:08 60	10.00		38	3.3	34	1.4	29	-1.7	70	8	330		29.30			30.30	FM-15	0.00	30.28
10	1101	7	SCT:04 28 BKN:07 34 OVC:08 60	10.00		38	3.3	35	1.6	30	-1.1	73	7	350		29.30				FM-16		30.28
10	1153	7	FEW:02 43 OVC:08 55	10.00		40	4.4	36	2.2	30	-1.1	68	5	VRB		29.28			30.28	FM-15	0.00	30.26
10	1253	7	FEW:02 30 OVC:08 55	10.00		41	5.0	36	2.1	28	-2.2	60	0	000		29.26	8	+0.04	30.26	FM-15	0.00	30.24
10	1353	7	OVC:08 50	10.00		42	5.6	36	2.0	26	-3.3	53	7	290		29.25			30.25	FM-15	0.00	30.22
10	1453	7	OVC:08 60	10.00		43	6.1	36	2.0	24	-4.4	47	9	250		29.23			30.23	FM-15	0.00	30.21
10	1553	7	OVC:08 60	10.00		43	6.1	35	1.8	23	-5.0	45	6	260		29.23	6	+0.04	30.22	FM-15	0.00	30.20
10	1653	7	OVC:08 60	10.00		43	6.1	35	1.8	23	-5.0	45	7	300		29.22			30.22	FM-15	0.00	30.19
10	1753	7	OVC:08 55	10.00		42	5.6	35	1.5	23	-5.0	47	7	310		29.22			30.21	FM-15	0.00	30.19
10	1853	7	OVC:08 60	10.00		41	5.0	34	1.2	23	-5.0	49	6	300		29.22	5	+0.01	30.21	FM-15	0.00	30.19
10	1953	7	OVC:08 60	10.00		39	3.9	33	0.7	24	-4.4	55	5	290		29.22			30.21	FM-15	0.00	30.19
10	2053	7	OVC:08 60	10.00		40	4.4	34	0.9	23	-5.0	51	0	000		29.22			30.21	FM-15	0.00	30.19
10	2153	7	OVC:08 60	10.00		37	2.8	32	0.3	25	-3.9	62	3	100		29.21	8	+0.01	30.20	FM-15	0.00	30.18
10	2253	6	BKN:07 55	10.00		37	2.8	32	-0.1	23	-5.0	57	0	000		29.20			30.19	FM-15	0.00	30.17
10	2353	6	CLR:00	10.00		35	1.7	31	-0.6	24	-4.4	64	0	000		29.20			30.19	FM-15	0.00	30.17
11	0053	7	OVC:08 50	10.00		33	0.6	30	-0.9	26	-3.3	75	5	280		29.21	3	-0.00	30.20	FM-15	0.00	30.18
11	0153	7	OVC:08 50	10.00		35	1.7	32	-0.2	26	-3.3	70	5	270		29.21			30.20	FM-15	0.00	30.18
11	0253	7	OVC:08 48	10.00		35	1.7	32	0.0	27	-2.8	72	0	000		29.20			30.19	FM-15	0.00	30.17
11	0353	7	OVC:08 47	10.00		34	1.1	32	-0.2	28	-2.2	79	5	210		29.19	8	+0.02	30.18	FM-15	0.00	30.16
11	0453	7	CLR:00	10.00		34	1.1	31	-0.6	26	-3.3	73	3	210		29.18			30.16	FM-15	0.00	30.15
11	0553	6	CLR:00	10.00		31	-0.6	29	-1.8	25	-3.9	79	6	200		29.17			30.16	FM-15	0.00	30.14
11	0653	6	BKN:07 90	10.00		33	0.6	31	-0.7	27	-2.8	78	7	200		29.19	5	+0.01	30.18	FM-15	0.00	30.16
11	0753	6	OVC:08 85	10.00		37	2.8	33	0.6	27	-2.8	67	8	220		29.19			30.18	FM-15	0.00	30.16
11	0853	6	CLR:00	10.00		42	5.6	36	2.2	27	-2.8	55	11	220		29.18			30.17	FM-15	0.00	30.15
11	0953	6	SCT:04 80 BKN:07 100	10.00		45	7.2	38	3.5	29	-1.7	54	13	220		29.19	2	-0.00	30.17	FM-15	0.00	30.16
11	1053	6	SCT:04 65	10.00		47	8.3	40	4.3	30	-1.1	52	15	180		29.18			30.16	FM-15	0.00	30.15
11	1153	6	FEW:02 50	10.00		51	10.6	43	5.9	32	0.0	48	16	190		29.15			30.13	FM-15	0.00	30.12
11	1253	6	CLR:00	10.00		55	12.8	46	7.8	36	2.2	49	18	220	23	29.11	8	+0.08	30.09	FM-15	0.00	30.08
11	1353	6	CLR:00	10.00		57	13.9	47	8.6	37	2.8	47	17	200	26	29.08			30.06	FM-15	0.00	30.05
11	1453	6	CLR:00	10.00		59	15.0	49	9.3	38	3.3	46	20	220	29	29.06			30.04	FM-15	T	30.03
11	1553	7	CLR:00	10.00		60	15.6	49	9.3	37	2.8	42	21	230	29	29.04	6	+0.06	30.02	FM-15	0.00	30.01
11	1653	7	CLR:00	10.00		60	15.6	49	9.3	37	2.8	42	16	240		29.04			30.01	FM-15	0.00	30.01
11	1753	7	CLR:00	10.00		60	15.6	49	9.3	37	2.8	42	15	220	24	29.04			30.01	FM-15	0.00	30.01
11	1853	7	CLR:00	10.00		58	14.4	48	8.8	37	2.8	46	10	220		29.04	5	+0.00	30.01	FM-15	0.00	30.01
11	1953	7	CLR:00	10.00		56	13.3	47	8.5	38	3.3	51	9	220		29.04			30.02	FM-15	0.00	30.01
11	2053	7	CLR:00	10.00		55	12.8	47	8.5	39	3.9	55	9	210		29.06			30.03	FM-15	0.00	30.03
11	2153	7	FEW:02 120	10.00		54	12.2	47	8.2	39	3.9	57	10	200		29.04	0	-0.01	30.02	FM-15	0.00	30.01
11	2253	7	OVC:08 110	10.00		55	12.8	47	8.5	39	3.9	55	13	190		29.02			29.99	FM-15	0.00	29.99
11	2353	7	BKN:07 120	10.00		54	12.2	47	8.2	39	3.9	57	11	210		29.03			30.00	FM-15	0.00	30.00
12	0053	7	OVC:08 95	10.00		55	12.8	47	8.5	39	3.9	55	9	210		29.01	6	+0.03	29.98	FM-15	0.00	29.98
12	0153	7	OVC:08 100	10.00		55	12.8	47	8.5	39	3.9	55	9	190		28.97			29.94	FM-15	0.00	29.94
12	0253	7	SCT:04 60 BKN:07 75 OVC:08 85	10.00		54	12.2	47	8.2	39	3.9	57	8	190		28.98			29.95	FM-15	0.00	29.95
12	0353	7	OVC:08 90	10.00		53	11.7	46	7.9	39	3.9	59	8	170		28.96	6	+0.05	29.92	FM-15	0.00	29.93
12	0453	7	OVC:08 100	10.00		53	11.7	46	7.9	39	3.9	59	8	180		28.96			29.93	FM-15	0.00	29.93
12	0553	7	BKN:07 100	10.00		54	12.2	47	8.2	39	3.9	57	10	190		28.94			29.91	FM-15	0.00	29.91

12	0653	7	BKN:07 100	10.00		54	12.2	47	8.2	39	3.9	57	16	190	26	28.93	8	+0.03	29.89	FM-15	0.00	29.90
12	0753	7	CLR:00	10.00		56	13.3	48	8.7	39	3.9	53	14	190	28	28.92			29.89	FM-15	0.00	29.89
12	0853	7	CLR:00	10.00		60	15.6	50	10.0	40	4.4	47	16	200	25	28.90			29.86	FM-15	0.00	29.87
12	0953	7	CLR:00	10.00		65	18.3	53	11.5	41	5.0	42	25	220	33	28.87	8	+0.06	29.83	FM-15	T	29.84
12	1053	7	CLR:00	10.00		69	20.6	55	12.9	43	6.1	39	26	210	38	28.86			29.80	FM-15	0.00	29.82
12	1153	7	CLR:00	10.00		72	22.2	57	14.0	45	7.2	38	21	220	34	28.83			29.78	FM-15	0.00	29.79
12	1253	7	CLR:00	10.00		73	22.8	58	14.2	45	7.2	37	30	230	39	28.80	8	+0.08	29.75	FM-15	0.00	29.76
12	1353	7	CLR:00	10.00		75	23.9	59	14.9	46	7.8	36	24	230	44	28.79			29.74	FM-15	0.00	29.75
12	1453	7	CLR:00	10.00		76	24.4	59	15.1	46	7.8	35	26	210	39	28.78			29.73	FM-15	0.00	29.74
12	1553	7	CLR:00	10.00		77	25.0	60	15.3	46	7.8	33	30	230	43	28.78	8	+0.02	29.72	FM-15	0.00	29.74
12	1653	7	CLR:00	10.00		76	24.4	59	15.1	46	7.8	35	21	220	32	28.79			29.74	FM-15	0.00	29.75
12	1753	7	CLR:00	10.00		76	24.4	59	14.9	45	7.2	33	18	240	31	28.80			29.75	FM-15	0.00	29.76
12	1853	7	CLR:00	10.00		73	22.8	58	14.2	45	7.2	37	16	220		28.80	1	-0.02	29.75	FM-15	0.00	29.76
12	1953	7	CLR:00	10.00		70	21.1	56	13.3	44	6.7	39	15	210		28.82			29.77	FM-15	0.00	29.78
12	2053	7	CLR:00	10.00		68	20.0	55	12.9	44	6.7	42	11	190		28.83			29.77	FM-15	0.00	29.79
12	2153	7	CLR:00	10.00		67	19.4	54	12.4	43	6.1	42	11	200		28.84	1	-0.04	29.79	FM-15	0.00	29.80
12	2253	7	BKN:07 120	10.00		67	19.4	54	12.2	42	5.6	41	13	190		28.84			29.79	FM-15	0.00	29.81
12	2353	7	CLR:00	10.00		67	19.4	54	12.4	43	6.1	42	13	200		28.86			29.80	FM-15	T	29.82
13	0053	7	CLR:00	10.00		66	18.9	53	11.9	42	5.6	42	9	190		28.86	1	-0.02	29.80	FM-15	0.00	29.82
13	0153	7	CLR:00	10.00		65	18.3	53	11.7	42	5.6	43	9	190		28.86			29.80	FM-15	0.00	29.82
13	0253	7	CLR:00	10.00		64	17.8	53	11.4	42	5.6	45	10	190		28.86			29.80	FM-15	0.00	29.82
13	0353	7	CLR:00	10.00		62	16.7	52	11.0	42	5.6	48	7	180		28.87	3	-0.01	29.82	FM-15	0.00	29.84
13	0453	7	CLR:00	10.00		60	15.6	51	10.5	42	5.6	52	7	180		28.90			29.84	FM-15	0.00	29.86
13	0553	7	CLR:00	10.00		61	16.1	51	10.7	42	5.6	50	10	170		28.90			29.85	FM-15	0.00	29.86
13	0653	7	CLR:00	10.00		61	16.1	52	11.2	44	6.7	54	10	180		28.90	1	-0.04	29.85	FM-15	0.00	29.87
13	0753	7	CLR:00	10.00		63	17.2	53	11.9	45	7.2	52	14	190	22	28.90			29.86	FM-15	0.00	29.87
13	0853	7	CLR:00	10.00		67	19.4	56	13.1	46	7.8	47	20	200	29	28.90			29.86	FM-15	0.00	29.87
13	0953	7	CLR:00	10.00		70	21.1	58	14.3	48	8.9	46	28	210	33	28.90	8	+0.00	29.85	FM-15	T	29.87
13	1053	7	CLR:00	10.00		71	21.7	58	14.3	47	8.3	42	18	200	37	28.89			29.83	FM-15	T	29.85
13	1153	7	CLR:00	10.00		74	23.3	59	14.9	47	8.3	38	24	210	34	28.87			29.81	FM-15	0.00	29.83
13	1253	7	CLR:00	10.00		77	25.0	60	15.8	48	8.9	36	23	210	39	28.84	7	+0.06	29.79	FM-15	0.00	29.81
13	1353	7	CLR:00	10.00		77	25.0	60	15.5	47	8.3	35	22	220	34	28.84			29.78	FM-15	0.00	29.80
13	1453	7	CLR:00	10.00		78	25.6	61	16.2	49	9.4	36	23	210	31	28.83			29.77	FM-15	0.00	29.79
13	1553	7	CLR:00	10.00		78	25.6	61	16.0	48	8.9	35	22	210	30	28.84	5	+0.01	29.79	FM-15	0.00	29.80
13	1653	7	CLR:00	10.00		78	25.6	60	15.7	47	8.3	33	23	220	30	28.84			29.80	FM-15	0.00	29.81
13	1753	7	CLR:00	10.00		77	25.0	60	15.8	48	8.9	36	15	210	24	28.86			29.80	FM-15	0.00	29.82
13	1853	7	CLR:00	10.00		75	23.9	59	15.1	47	8.3	37	13	220		28.87	3	-0.03	29.82	FM-15	0.00	29.84
13	1953	7	CLR:00	10.00		70	21.1	58	14.3	48	8.9	46	7	180		28.89			29.83	FM-15	0.00	29.85
13	2053	7	CLR:00	10.00		69	20.6	57	14.1	48	8.9	47	6	210		28.90			29.85	FM-15	0.00	29.87
13	2153	7	CLR:00	10.00		69	20.6	57	13.8	47	8.3	45	6	210		28.90	0	-0.03	29.85	FM-15	0.00	29.87
13	2253	7	FEW:02 70	10.00		67	19.4	56	13.4	47	8.3	49	5	190		28.90			29.85	FM-15	0.00	29.87
13	2353	7	OVC:08 70	10.00		67	19.4	56	13.4	47	8.3	49	7	180		28.87			29.82	FM-15	0.00	29.84
14	0053	7	CLR:00	10.00		64	17.8	54	12.4	46	7.8	52	6	180		28.87	6	+0.03	29.82	FM-15	0.00	29.84
14	0153	7	BKN:07 65	10.00		65	18.3	54	12.4	45	7.2	49	7	190		28.87			29.81	FM-15	0.00	29.83
14	0253	7	CLR:00	10.00		64	17.8	54	12.4	46	7.8	52	10	200		28.84			29.79	FM-15	0.00	29.81
14	0353	7	CLR:00	10.00		62	16.7	53	11.9	46	7.8	56	7	160		28.84	6	+0.03	29.79	FM-15	0.00	29.81
14	0453	7	CLR:00	10.00		65	18.3	56	13.2	48	8.9	54	11	170		28.84			29.79	FM-15	0.00	29.80
14	0553	7	CLR:00	10.00		66	18.9	57	13.7	49	9.4	54	9	180		28.84			29.78	FM-15	0.00	29.80
14	0653	7	CLR:00	10.00		66	18.9	57	13.7	49	9.4	54	9	160		28.84	3	-0.00	29.79	FM-15	0.00	29.81
14	0753	7	FEW:02 80 BKN:07 110	10.00		68	20.0	58	14.6	51	10.6	55	8	190		28.87			29.81	FM-15	0.00	29.83
14	0853	7	BKN:07 55	10.00		70	21.1	60	15.6	53	11.7	55	15	210	26	28.86			29.80	FM-15	0.00	29.82
14	0953	7	OVC:08 46	10.00		71	21.7	61	16.1	54	12.2	55	17	210	24	28.86	0	-0.01	29.80	FM-15	0.00	29.82
14	1053	7	OVC:08 47	10.00		71	21.7	61	16.1	54	12.2	55	17	210	29	28.87			29.81	FM-15	0.00	29.83
14	1153	7	OVC:08 49	10.00		70	21.1	61	16.2	55	12.8	59	9	200		28.86			29.80	FM-15	0.00	29.82
14	1241	7	OVC:08 45	2.00	RA:02 |RA |RA	68	20.0	63	17.0	59	15.0	73	11	240		28.86				FM-16	0.04	29.82
14	1242	7	OVC:08 45	3.00	RA:02 |RA |RA	67	19.4	62	16.8	59	15.0	76	13	230		28.86				FM-16	0.04	29.82

14	1253	7	OVC:08 45	3.00	-RA:02 |RA |RA	65	18.3	62	16.7	60	15.6	84	14	220		28.87	3	-0.01	29.82	FM-15	0.04	29.83
14	1255	7	BKN:07 40 OVC:08 50	7.00	-RA:02 |RA |RA	65	18.3	62	16.7	60	15.6	84	16	220	22	28.87				FM-16	T	29.83
14	1353	7	BKN:07 40 BKN:07 49 OVC:08 95	7.00	-RA:02 |RA |RA	65	18.3	64	17.6	63	17.2	93	5	200		28.84			29.80	FM-15	0.03	29.81
14	1453	7	FEW:02 36 OVC:08 100	10.00		66	18.9	64	17.9	63	17.2	90	9	190		28.84			29.78	FM-15	0.01	29.80
14	1553	7	BKN:07 120	10.00		66	18.9	64	17.9	63	17.2	90	14	190	26	28.82	6	+0.05	29.76	FM-15	0.00	29.78
14	1653	7	FEW:02 22 SCT:04 120	10.00		68	20.0	64	17.9	62	16.7	81	18	200	25	28.84			29.80	FM-15	0.00	29.81
14	1753	7	BKN:07 120	10.00		67	19.4	64	17.7	62	16.7	84	7	170		28.83			29.78	FM-15	T	29.79
14	1853	7	CLR:00	10.00		65	18.3	63	17.3	62	16.7	90	6	260		28.86	1	-0.04	29.80	FM-15	0.00	29.82
14	1915	7	BKN:07 14	10.00		50	10.0	49	9.4	48	8.9	93	24	330	32	28.89				FM-16		29.85
14	1951	6	BKN:07 6 OVC:08 24	9.00		45	7.0	45	7.2	45	7.0	100	10	360	22	28.92				FM-16		29.89
14	1953	7	BKN:07 6 OVC:08 24	9.00		45	7.2	45	7.0	44	6.7	97	13	010	22	28.92			29.88	FM-15	0.00	29.89
14	2053	7	OVC:08 6	9.00		43s	6.1s	43	5.9	42s	5.6s	97	11	010		28.93			29.89	FM-15	0.00	29.90
14	2153	7	OVC:08 6	10.00		43s	6.1s	43	5.9	42s	5.6s	97	7	360		28.93	1	-0.08	29.90	FM-15	0.00	29.90
14	2231	7	FEW:02 6 OVC:08 90	10.00		44	6.7	44	6.4	43	6.1	96	6	350		28.93				FM-16		29.90
14	2253	7	FEW:02 10 SCT:04 65 OVC:08 85	10.00	-RA:02 |RA |RA	44	6.7	44	6.4	43	6.1	96	7	010		28.93			29.89	FM-15	T	29.90
14	2353	7	OVC:08 90	4.00	-RA:02 BR:1 |RA |RA	44	6.7	44	6.7	44	6.7	100	8	020		28.92			29.88	FM-15	0.04	29.89
15	0008	7	FEW:02 6 BKN:07 37 OVC:08 90	5.00	-RA:02 BR:1 |RA |RA	44	6.7	44	6.7	44	6.7	100	7	350		28.92				FM-16	0.01	29.89
15	0048	7	BKN:07 6 OVC:08 90	4.00	-RA:02 BR:1 |RA |RA	45	7.0	45	7.2	45	7.0	100	7	340		28.90				FM-16	0.04	29.87
15	0051	6	BKN:07 4 BKN:07 80 OVC:08 90	4.00	-RA:02 BR:1 |RA |RA	45	7.0	45	7.2	45	7.0	100	6	340		28.90				FM-16		29.87
15	0053	7	BKN:07 6 OVC:08 90	4.00	RA:02 BR:1 |RA |RA	44	6.7	44	6.7	44	6.7	100	6	340		28.90	5	+0.03	29.87	FM-15	0.04	29.87
15	0127	7	BKN:07 4 BKN:07 27 OVC:08 37	3.00	RA:02 BR:1 |RA |RA	45	7.2	45	7.2	45	7.2	100	6	020		28.89				FM-16	0.08	29.85
15	0153	7	OVC:08 4	3.00	RA:02 BR:1 |RA |RA	45	7.2	45	7.2	45	7.2	100	0	000		28.90			29.86	FM-15	0.12	29.86
15	0208	7	BKN:07 4 OVC:08 8	2.50	RA:02 BR:1 |RA |RA	45	7.2	45	7.2	45	7.2	100	6	090		28.90				FM-16	0.06	29.86
15	0222	7	SCT:04 4 BKN:07 14 OVC:08 41	2.50	RA:02 BR:1 |RA |RA	46	7.8	46	7.8	46	7.8	100	8	080		28.87				FM-16	0.10	29.84
15	0236	7	SCT:04 6 BKN:07 16 OVC:08 33	3.00	RA:02 BR:1 |RA |RA	47	8.3	47	8.3	47	8.3	100	7	070		28.87				FM-16	0.12	29.84
15	0249	7	BKN:07 5 BKN:07 16 OVC:08 34	2.00	+RA:02 BR:1 |RA |RA	46	8.0	46	7.8	46	8.0	100	8	080		28.87				FM-16	0.16	29.83
15	0251	6	SCT:04 5 BKN:07 16 OVC:08 38	2.00	RA:02 BR:1 |RA |RA	46	8.0	46	7.8	46	8.0	100	8	080		28.87				FM-16		29.83
15	0253	7	SCT:04 5 BKN:07 16 OVC:08 38	2.00	RA:02 BR:1 |RA |RA	47	8.3	47	8.3	47	8.3	100	9	080		28.87			29.82	FM-15	0.16	29.83
15	0304	7	FEW:02 4 BKN:07 49 OVC:08 70	2.50	RA:02 BR:1 |RA |RA	48	8.9	48	8.9	48	8.9	100	9	080		28.87				FM-16	0.02	29.83
15	0329	7	SCT:04 4 SCT:04 33 OVC:08 50	3.00	RA:02 BR:1 |RA |RA	48	8.9	48	8.9	48	8.9	100	10	090		28.86				FM-16	0.06	29.82

15	0344	7	BKN:07 4 OVC:08 50	3.00	-RA:02 BR:1 |RA |RA	49	9.4	49	9.4	49	9.4	100	9	080		28.84				FM-16	0.08	29.81
15	0353	7	OVC:08 3	4.00	-RA:02 BR:1 |RA |RA	49	9.4	49	9.4	49	9.4	100	8	080		28.84	6	+0.05	29.80	FM-15	0.09	29.80
15	0453	7	OVC:08 3	3.00	RA:02 BR:1 |RA |RA	50	10.0	50	10.0	50	10.0	100	9	080		28.82			29.77	FM-15	0.10	29.78
15	0553	7	OVC:08 3	6.00	-RA:02 BR:1 |RA |RA	52	11.1	52	11.1	52	11.1	100	9	090		28.78			29.73	FM-15	0.10	29.74
15	0650	7	BKN:07 4 OVC:08 26	1.75	+RA:02 BR:1 |RA |RA	54	12.0	54	12.2	54	12.0	100	7	110		28.78				FM-16	0.09	29.74
15	0653	7	BKN:07 4 OVC:08 26	1.50	+RA:02 BR:1 |RA |RA	54	12.2	54	12.2	54	12.2	100	8	110		28.78	5	+0.06	29.73	FM-15	0.11	29.74
15	0701	7	BKN:07 4 OVC:08 27	3.00	-RA:02 BR:1 |RA |RA	54	12.2	54	12.2	54	12.2	100	9	100		28.77				FM-16	0.01	29.73
15	0751	6	SCT:04 4 BKN:07 65 OVC:08 80	8.00	-RA:02 |RA |RA	55	13.0	55	12.8	55	13.0	100	13	100		28.74				FM-16		29.70
15	0753	7	SCT:04 4 BKN:07 65 OVC:08 80	8.00	-RA:02 |RA |RA	55	12.8	55	12.8	55	12.8	100	13	100		28.74			29.71	FM-15	0.07	29.70
15	0800	7	BKN:07 4 BKN:07 60 OVC:08 80	7.00	-RA:02 |RA |RA	55	12.8	55	12.8	55	12.8	100	11	100		28.74				FM-16	0.01	29.70
15	0853	7	OVC:08 4	10.00	-RA:02 |RA |RA	57	13.9	57	13.9	57	13.9	100	10	090		28.71			29.67	FM-15	0.03	29.67
15	0953	7	OVC:08 4	10.00		58	14.4	58	14.4	58	14.4	100	14	110	20	28.69	6	+0.09	29.65	FM-15	T	29.65
15	0954	7	BKN:07 7 OVC:08 46	10.00		58	14.4	58	14.4	58	14.4	100	13	110		28.69				FM-16		29.65
15	1053	7	FEW:02 46 BKN:07 65 OVC:08 90	6.00	-RA:02 BR:1 |RA |RA	58	14.4	57	14.1	57	13.9	97	14	120		28.68			29.64	FM-15	0.01	29.64
15	1125	7	FEW:02 40 BKN:07 80 OVC:08 95	7.00	-RA:02 |RA |RA	58	14.4	57	14.1	57	13.9	97	11	130		28.66				FM-16	T	29.62
15	1153	7	FEW:02 40 BKN:07 80 OVC:08 95	7.00		58	14.4	57	14.1	57	13.9	97	15	120		28.65			29.61	FM-15	T	29.61
15	1155	7	FEW:02 45 BKN:07 65 OVC:08 85	7.00		58	14.4	57	14.1	57	13.9	97	15	130		28.65				FM-16		29.61
15	1237	7	BKN:07 11 OVC:08 40	3.00	RA:02 BR:1 |RA |RA	55	12.8	54	12.5	54	12.2	96	25	280	36	28.66				FM-16	0.02	29.62
15	1250	7	FEW:02 14 SCT:04 27 OVC:08 40	4.00	-RA:02 BR:1 |RA |RA	54	12.0	53	11.6	52	11.0	94	17	290		28.66				FM-16	0.04	29.62
15	1251	6	FEW:02 14 BKN:07 27 OVC:08 40	4.00	-RA:02 BR:1 |RA |RA	54	12.0	53	11.6	52	11.0	94	16	290		28.67				FM-16		29.63
15	1253	7	SCT:04 12 BKN:07 27 OVC:08 40	3.00	RA:02 BR:1 |RA |RA	53	11.7	52	11.4	52	11.1	96	15	290	25	28.67	5	+0.01	29.63	FM-15	0.06	29.63
15	1255	7	SCT:04 12 BKN:07 27 OVC:08 40	3.00	RA:02 BR:1 |RA |RA	53	11.7	52	11.4	52	11.1	96	14	290	25	28.66				FM-16	T	29.62
15	1353	7	SCT:04 22 OVC:08 33	3.00	+RA:02 BR:1 |RA |RA	52	11.1	52	11.1	52	11.1	100	8	300		28.66			29.62	FM-15	0.15	29.62
15	1355	7	SCT:04 20 OVC:08 30	3.00	RA:02 BR:1 |RA |RA	52	11.1	52	11.1	52	11.1	100	8	300		28.66				FM-16	0.01	29.62
15	1451	7	BKN:07 7 BKN:07 11 OVC:08 45	3.00	RA:02 BR:1 |RA |RA	52	11.0	52	11.1	52	11.0	100	7	360		28.64				FM-16	0.16	29.60
15	1453	7	BKN:07 7 BKN:07 11 OVC:08 45	3.00	RA:02 BR:1 |RA |RA	52	11.1	52	11.1	52	11.1	100	8	340		28.64			29.60	FM-15	0.15	29.60
15	1544	7	BKN:07 7 BKN:07 11 OVC:08 55	2.50	RA:02 BR:1 |RA |RA	52	11.1	52	11.1	52	11.1	100	5	280		28.66				FM-16	0.09	29.62

15	1551	7	BKN:07 7 BKN:07 11 OVC:08 55	3.00	RA:02 BR:1 |RA |RA	52	11.0	52	11.1	52	11.0	100	3	300		28.66				FM-16	0.11	29.62
15	1553	7	BKN:07 7 BKN:07 11 OVC:08 55	3.00	RA:02 BR:1 |RA |RA	52	11.1	52	11.1	52	11.1	100	3	280		28.66	3	-0.00	29.62	FM-15	0.11	29.62
15	1559	7	BKN:07 16 BKN:07 70 OVC:08 85	4.00	RA:02 BR:1 |RA |RA	52	11.1	52	11.1	52	11.1	100	7	280		28.66				FM-16	0.01	29.62
15	1653	7	OVC:08 16	10.00		52	11.1	52	11.1	52	11.1	100	5	290		28.64			29.59	FM-15	0.01	29.60
15	1655	7	BKN:07 13 OVC:08 80	10.00	-RA:02 |RA |RA	52	11.1	52	11.1	52	11.1	100	5	280		28.64				FM-16	T	29.60
15	1753	7	OVC:08 13	10.00		52	11.1	52	11.1	52	11.1	100	8	240		28.66			29.62	FM-15	0.02	29.62
15	1851	6	BKN:07 8 OVC:08 16	6.00	BR:1 ||	48	9.0	48	8.9	48	9.0	100	14	280		28.70				FM-16		29.66
15	1853	7	BKN:07 8 OVC:08 16	7.00		48	8.9	48	8.9	48	8.9	100	11	290		28.69	3	-0.03	29.65	FM-15	T	29.65
15	1951	6	FEW:02 9 SCT:04 12 OVC:08 30	10.00		46	8.0	46	7.8	46	8.0	100	6	300		28.71				FM-16		29.67
15	1953	7	FEW:02 9 SCT:04 20 OVC:08 30	10.00		47	8.3	47	8.3	47	8.3	100	6	320		28.70			29.66	FM-15	0.00	29.66
15	2053	7	FEW:02 15 OVC:08 40	10.00		47	8.3	47	8.1	46	7.8	97	7	320		28.71			29.67	FM-15	0.00	29.67
15	2153	7	BKN:07 32 OVC:08 49	10.00		47	8.3	46	7.8	45	7.2	93	8	330		28.70	0	-0.00	29.65	FM-15	0.00	29.66
15	2235	7	SCT:04 19 BKN:07 26 OVC:08 41	10.00		47	8.3	46	7.8	45	7.2	93	5	300		28.71				FM-16		29.67
15	2251	6	FEW:02 16 BKN:07 30 OVC:08 41	10.00		46	8.0	46	7.5	45	7.0	93	9	290		28.71				FM-16		29.67
15	2253	7	FEW:02 16 BKN:07 26 OVC:08 41	10.00		47	8.3	45	7.3	43	6.1	86	10	290		28.71			29.67	FM-15	0.00	29.67
15	2300	7	FEW:02 17 BKN:07 32 OVC:08 41	10.00		47	8.3	45	7.3	43	6.1	86	8	290		28.70				FM-16		29.66
15	2353	7	BKN:07 35 OVC:08 44	10.00		45	7.2	43	5.9	40	4.4	83	15	290		28.71			29.67	FM-15	0.00	29.67
16	0053	7	OVC:08 42	10.00		44	6.7	42	5.4	39	3.9	83	11	280		28.72	1	-0.02	29.68	FM-15	0.00	29.68
16	0116	7	BKN:07 17 BKN:07 26 OVC:08 43	10.00		44	6.7	42	5.6	40	4.4	85	15	270	21	28.72				FM-16		29.68
16	0153	7	SCT:04 19 SCT:04 26 OVC:08 32	10.00		42	5.6	40	4.6	38	3.3	85	9	280		28.72			29.68	FM-15	0.00	29.68
16	0242	7	BKN:07 18 BKN:07 26 OVC:08 50	10.00		42	5.6	40	4.3	37	2.8	82	14	290		28.72				FM-16		29.68
16	0253	7	BKN:07 20 BKN:07 28 OVC:08 60	10.00		41	5.0	39	4.0	37	2.8	86	17	270	24	28.71			29.68	FM-15	0.00	29.67
16	0345	7	FEW:02 19 SCT:04 26 OVC:08 55	10.00		40	4.4	38	3.2	35	1.7	83	17	270	25	28.71				FM-16		29.67
16	0353	7	FEW:02 17 OVC:08 55	10.00		39	3.9	37	2.9	35	1.7	86	16	280	26	28.72	3	-0.00	29.68	FM-15	0.00	29.68
16	0411	7	BKN:07 17 OVC:08 55	10.00		39	3.9	37	2.9	35	1.7	86	13	270		28.72				FM-16		29.68
16	0439	7	FEW:02 17 BKN:07 47 OVC:08 55	10.00		39	3.9	37	2.7	34	1.1	82	15	270	23	28.72				FM-16		29.68
16	0453	7	OVC:08 47	10.00		39	3.9	37	2.9	35	1.7	86	14	270		28.72			29.69	FM-15	0.00	29.68

16	0553	7	FEW:02 19 BKN:07 25 OVC:08 47	10.00		38	3.3	36	2.2	33	0.6	83	18	270	24	28.74			29.71	FM-15	0.00	29.70
16	0653	7	OVC:08 25	10.00		37	2.8	35	1.4	31	-0.6	79	16	280	30	28.75	3	-0.04	29.72	FM-15	0.00	29.71
16	0753	7	FEW:02 19 OVC:08 27	10.00		35	1.7	33	0.4	29	-1.7	78	22	280	31	28.78			29.75	FM-15	0.00	29.74
16	0853	7	FEW:02 19 OVC:08 27	10.00		35	1.7	33	0.4	29	-1.7	78	20	270	25	28.79			29.76	FM-15	T	29.75
16	0909	7	SCT:04 26 BKN:07 31 OVC:08 55	10.00		35	1.7	32	0.2	28	-2.2	76	24	260	30	28.79				FM-16		29.75
16	0946	7	BKN:07 26 OVC:08 31	10.00		35	1.7	32	0.2	28	-2.2	76	20	280	28	28.80				FM-16		29.76
16	0953	7	BKN:07 26 OVC:08 32	10.00		35	1.7	32	0.2	28	-2.2	76	17	270		28.80	1	-0.04	29.78	FM-15	0.00	29.76
16	1053	7	OVC:08 18	10.00		34	1.1	32	0.0	29	-1.7	82	18	270		28.81			29.78	FM-15	0.00	29.77
16	1153	7	SCT:04 21 SCT:04 26 OVC:08 55	10.00		36	2.2	33	0.7	29	-1.7	76	20	270		28.80			29.77	FM-15	0.00	29.76
16	1253	7	SCT:04 25 BKN:07 34 OVC:08 40	10.00	-SN:03 |SN |	36	2.2	33	0.5	28	-2.2	73	17	280	28	28.80	2	-0.00	29.78	FM-15	T	29.76
16	1301	7	BKN:07 24 OVC:08 34	9.00		36	2.2	33	0.5	28	-2.2	73	18	260	29	28.80				FM-16	T	29.76
16	1353	7	BKN:07 34 OVC:08 48	10.00		37	2.8	33	0.8	28	-2.2	70	17	260	29	28.80			29.78	FM-15	0.00	29.76
16	1408	7	BKN:07 28 BKN:07 38 OVC:08 48	10.00		35	1.7	32	0.0	27	-2.8	72	20	260	25	28.81				FM-16		29.77
16	1426	7	FEW:02 20 BKN:07 28 OVC:08 47	2.50	-SN:03 |SN |	35	1.7	32	0.2	28	-2.2	76	25	270	34	28.81				FM-16	T	29.77
16	1437	7	FEW:02 17 BKN:07 38 OVC:08 45	3.00	-SN:03 BR:1 |SN |	34	1.1	32	0.2	30	-1.1	85	16	260	28	28.82				FM-16	T	29.78
16	1450	7	SCT:04 15 BKN:07 28 OVC:08 47	2.50	-SN:03 |SN |	36	2.0	34	0.9	30	-1.0	81	15	270	23	28.82				FM-16	T	29.78
16	1453	7	SCT:04 15 BKN:07 28 OVC:08 45	3.00	-SN:03 BR:1 |SN |	35	1.7	33	0.8	31	-0.6	85	16	280	23	28.82			29.79	FM-15	T	29.78
16	1522	7	FEW:02 17 BKN:07 40 OVC:08 47	8.00	-SN:03 |SN |	35	1.7	33	0.4	29	-1.7	78	15	270	30	28.82				FM-16	T	29.78
16	1542	7	FEW:02 20 BKN:07 35 OVC:08 47	2.00	-SN:03 |SN |	34	1.1	32	0.0	29	-1.7	82	16	280	32	28.83				FM-16	T	29.79
16	1553	7	FEW:02 20 BKN:07 35 OVC:08 47	2.00	-SN:03 |SN |	35	1.7	32	0.2	28	-2.2	76	15	270	37	28.83	3	-0.03	29.81	FM-15	T	29.79
16	1554	7	FEW:02 18 BKN:07 35 OVC:08 47	5.00	-SN:03 |SN |	35	1.7	33	0.4	29	-1.7	78	16	270	37	28.83				FM-16	T	29.79
16	1621	7	FEW:02 18 BKN:07 35 OVC:08 47	7.00		35	1.7	32	0.2	28	-2.2	76	22	260	29	28.84				FM-16	T	29.80
16	1653	7	FEW:02 24 BKN:07 43 OVC:08 55	10.00		35	1.7	32	0.2	28	-2.2	76	21	270	28	28.84			29.83	FM-15	T	29.81
16	1720	7	SCT:04 25 BKN:07 34 OVC:08 50	7.00	-SN:03 |SN |	34	1.1	32	-0.2	28	-2.2	79	21	270	28	28.86				FM-16	T	29.82
16	1753	7	SCT:04 29 OVC:08 50	9.00	-SN:03 |SN |	35	1.7	32	-0.2	26	-3.3	70	23	280	33	28.87			29.85	FM-15	T	29.83

16	1819	7	SCT:04 29 BKN:07 38 OVC:08 48	9.00		35	1.7	32	0.0	27	-2.8	72	20	270		28.87				FM-16	T	29.84
16	1853	7	SCT:04 29 BKN:07 38 OVC:08 48	9.00	-SN:03 |SN |	34	1.1	32	-0.2	28	-2.2	79	14	260	23	28.89	2	-0.06	29.87	FM-15	T	29.85
16	1855	7	FEW:02 25 BKN:07 40 OVC:08 48	5.00	-SN:03 |SN |	34	1.1	32	-0.2	28	-2.2	79	21	270	26	28.89				FM-16	T	29.85
16	1915	7	BKN:07 24 OVC:08 45	7.00	-SN:03 |SN |	34	1.1	31	-0.4	27	-2.8	75	20	260	29	28.90				FM-16	T	29.86
16	1953	7	FEW:02 18 BKN:07 30 OVC:08 36	10.00		33	0.6	31	-0.5	28	-2.2	82	15	250	24	28.90			29.89	FM-15	T	29.87
16	2053	7	OVC:08 23	6.00	-SN:03 |SN |	33	0.6	31	-0.7	27	-2.8	78	16	250	26	28.91			29.90	FM-15	T	29.88
16	2056	7	BKN:07 23 OVC:08 30	7.00	-SN:03 |SN |	33	0.6	31	-0.7	27	-2.8	78	14	260	26	28.91				FM-16	T	29.88
16	2153	7	FEW:02 18 BKN:07 24 OVC:08 46	5.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.6	29	-1.7	88	11	250		28.92	1	-0.03	29.91	FM-15	T	29.89
16	2253	7	BKN:07 20 OVC:08 27	9.00	UP:09 ||	32	0.0	31	-0.6	29	-1.7	88	11	260	23	28.92			29.91	FM-15	T	29.89
16	2334	7	FEW:02 17 SCT:04 25 OVC:08 34	10.00		32	0.0	31	-0.6	29	-1.7	88	11	260	22	28.92				FM-16	T	29.89
16	2353	7	SCT:04 17 SCT:04 24 OVC:08 34	9.00	-SN:03 |SN |	32	0.0	31	-0.6	29	-1.7	88	15	250		28.92			29.91	FM-15	T	29.89
17	0001	7	SCT:04 15 BKN:07 20 OVC:08 36	7.00	-SN:03 |SN |	32	0.0	31	-0.6	29	-1.7	88	15	260	22	28.92				FM-16	T	29.89
17	0015	7	BKN:07 13 BKN:07 20 OVC:08 26	6.00	-SN:03 BR:1 |SN |	32	0.0	31	-0.4	30	-1.1	92	15	260	23	28.92				FM-16	T	29.89
17	0025	7	SCT:04 13 SCT:04 28 OVC:08 34	9.00		32	0.0	31	-0.6	29	-1.7	88	13	260	24	28.92				FM-16	T	29.89
17	0045	7	BKN:07 17 BKN:07 25 OVC:08 33	10.00		32	0.0	31	-0.6	29	-1.7	88	11	260	20	28.92				FM-16	T	29.89
17	0053	7	BKN:07 17 BKN:07 26 OVC:08 33	10.00		32	0.0	31	-0.6	29	-1.7	88	14	240	21	28.92	0	-0.00	29.91	FM-15	T	29.89
17	0124	7	OVC:08 31	10.00		32	0.0	30	-0.8	28	-2.2	85	15	260	21	28.91				FM-16		29.88
17	0146	7	SCT:04 20 BKN:07 26 OVC:08 42	10.00		32	0.0	30	-0.8	28	-2.2	85	13	250	21	28.90				FM-16		29.87
17	0151	6	SCT:04 20 SCT:04 26 OVC:08 37	10.00		32	0.0	30	-0.8	28	-2.0	87	11	250		28.90				FM-16		29.87
17	0153	7	FEW:02 20 SCT:04 26 OVC:08 37	10.00		32	0.0	30	-0.8	28	-2.2	85	13	260		28.90			29.89	FM-15	0.00	29.87
17	0226	7	SCT:04 22 OVC:08 29	10.00		32	0.0	30	-1.0	27	-2.8	82	16	250	23	28.90				FM-16		29.86
17	0236	7	SCT:04 22 OVC:08 34	10.00		32	0.0	30	-1.2	26	-3.3	79	15	260	23	28.90				FM-16		29.86
17	0253	7	FEW:02 24 OVC:08 36	10.00		32	0.0	30	-1.2	26	-3.3	79	14	250	22	28.90			29.88	FM-15	0.00	29.86
17	0330	7	BKN:07 25 OVC:08 32	10.00		32	0.0	29	-1.4	25	-3.9	75	10	250		28.90				FM-16		29.86
17	0348	7	SCT:04 25 OVC:08 30	10.00		32	0.0	29	-1.4	25	-4.0	75	14	250		28.89				FM-16	T	29.85
17	0353	7	BKN:07 29 OVC:08 34	10.00		32	0.0	29	-1.4	25	-3.9	75	11	250	21	28.90	5	+0.01	29.88	FM-15	T	29.86

17	0401	7	OVC:08 31	10.00		32	0.0	29	-1.4	25	-3.9	75	16	250		28.90				FM-16		29.86
17	0453	7	OVC:08 35	10.00		32	0.0	29	-1.4	25	-3.9	75	16	250		28.89			29.88	FM-15	0.00	29.85
17	0553	7	BKN:07 31 OVC:08 42	10.00		32	0.0	29	-1.6	24	-4.4	73	14	270	23	28.89			29.87	FM-15	0.00	29.85
17	0623	7	BKN:07 27 OVC:08 32	10.00		32	0.0	29	-1.4	25	-3.9	75	17	260	23	28.89				FM-16		29.85
17	0653	7	OVC:08 25	4.00	-SN:03 |SN |	31	-0.6	29	-1.6	26	-3.3	82	13	250		28.89	5	+0.00	29.88	FM-15	T	29.85
17	0751	6	BKN:07 14 BKN:07 19 OVC:08 25	7.00	-SN:03 |SN |	30	-1.0	29	-1.5	28	-2.0	93	10	250		28.90				FM-16		29.86
17	0753	7	BKN:07 14 OVC:08 25	6.00	-SN:03 BR:1 |SN |	31	-0.6	30	-1.2	28	-2.2	89	10	260		28.90			29.88	FM-15	T	29.86
17	0851	6	OVC:08 23	9.00		32	0.0	30	-1.0	27	-3.0	80	16	270		28.87				FM-16		29.84
17	0853	7	OVC:08 23	10.00		32	0.0	30	-1.2	26	-3.3	79	16	270		28.87			29.87	FM-15	T	29.84
17	0953	7	OVC:08 26	10.00		32	0.0	29	-1.6	24	-4.4	73	17	280		28.87	6	+0.01	29.86	FM-15	0.00	29.84
17	1053	7	OVC:08 30	10.00		32	0.0	29	-1.6	24	-4.4	73	18	270	30	28.87			29.86	FM-15	0.00	29.84
17	1153	7	OVC:08 30	9.00		33	0.6	30	-1.1	25	-3.9	72	18	270	24	28.87			29.86	FM-15	T	29.84
17	1253	7	BKN:07 30 OVC:08 34	10.00	-SN:03 |SN |	35	1.7	31	-0.8	23	-5.0	61	23	260	34	28.87	5	+0.00	29.86	FM-15	T	29.84
17	1353	7	BKN:07 35 OVC:08 44	10.00		34	1.1	30	-0.9	24	-4.4	67	22	270	31	28.89			29.87	FM-15	T	29.85
17	1453	7	OVC:08 37	10.00		35	1.7	31	-0.6	24	-4.4	64	20	280	26	28.90			29.88	FM-15	0.00	29.86
17	1553	7	OVC:08 34	10.00		35	1.7	31	-0.4	25	-3.9	67	15	270		28.90	3	-0.03	29.89	FM-15	0.00	29.87
17	1653	7	OVC:08 34	10.00		36	2.2	32	0.1	26	-3.3	67	16	270		28.91			29.90	FM-15	0.00	29.88
17	1700	7	OVC:08 32	10.00		36	2.2	32	-0.1	25	-3.9	64	13	280		28.91				FM-16		29.88
17	1753	7	BKN:07 38 OVC:08 45	10.00		36	2.2	32	0.1	26	-3.3	67	15	280		28.92			29.91	FM-15	0.00	29.89
17	1853	7	OVC:08 43	10.00		36	2.2	32	0.1	26	-3.3	67	9	270		28.92	1	-0.02	29.91	FM-15	0.00	29.89
17	1953	7	OVC:08 43	10.00		34	1.1	31	-0.6	26	-3.3	73	6	260		28.93			29.92	FM-15	0.00	29.90
17	2053	7	CLR:00	10.00		33	0.6	30	-0.9	26	-3.3	75	3	250		28.94			29.93	FM-15	0.00	29.91
17	2153	7	CLR:00	10.00		31	-0.6	29	-1.6	26	-3.3	82	0	000		28.94	1	-0.02	29.94	FM-15	0.00	29.91
17	2253	7	CLR:00	10.00		30	-1.1	28	-2.1	25	-3.9	82	6	340		28.94			29.93	FM-15	0.00	29.91
17	2353	7	CLR:00	10.00		31	-0.6	29	-1.8	25	-3.9	79	3	010		28.95			29.94	FM-15	0.00	29.92
18	0053	7	CLR:00	10.00		30	-1.1	29	-1.9	26	-3.3	85	0	000		28.95	3	-0.01	29.94	FM-15	0.00	29.92
18	0153	7	CLR:00	10.00		29	-1.7	28	-2.5	25	-3.9	85	0	000		28.93			29.93	FM-15	0.00	29.90
18	0253	7	CLR:00	10.00		27	-2.8	26	-3.4	24	-4.4	89	0	000		28.94			29.93	FM-15	0.00	29.91
18	0353	7	CLR:00	10.00		27	-2.8	26	-3.2	25	-3.9	92	0	000		28.94	6	+0.01	29.93	FM-15	0.00	29.91
18	0453	7	CLR:00	8.00		25	-3.9	25	-3.9	25	-3.9	100	0	000		28.95			29.94	FM-15	0.00	29.92
18	0523	7	CLR:00	1.75V	BR:1 ||	25	-3.9	25	-3.9	25	-3.9	100	0	000		28.94				FM-16		29.91
18	0536	7	CLR:00	3.00	BR:1 ||	26	-3.3	26	-3.5	25	-3.9	96	0	000		28.94				FM-16		29.91
18	0547	7	CLR:00	1.25	BR:1 ||	25	-4.0	25	-3.9	25	-4.0	100	0	000		28.94				FM-16		29.91
18	0551	6	CLR:00	9.00		27	-3.0	26	-3.2	25	-4.0	93	0	000		28.94				FM-16		29.91
18	0553	7	CLR:00	9.00		26	-3.3	26	-3.5	25	-3.9	96	0	000		28.94			29.94	FM-15	0.00	29.91
18	0653	7	CLR:00	9.00		29	-1.7	29	-1.9	28	-2.2	96	0	000		28.94	8	+0.00	29.93	FM-15	0.00	29.91
18	0753	7	CLR:00	10.00		33	0.6	31	-0.7	27	-2.8	78	0	000		28.94			29.93	FM-15	0.00	29.91
18	0853	7	BKN:07 70	10.00		37	2.8	32	0.2	25	-3.9	62	6	150		28.92			29.91	FM-15	0.00	29.89
18	0953	7	FEW:02 70	10.00		40	4.4	35	1.8	28	-2.2	63	8	150		28.90	8	+0.04	29.88	FM-15	0.00	29.86
18	1053	7	OVC:08 48	10.00		42	5.6	36	2.4	28	-2.2	58	10	160		28.87			29.85	FM-15	0.00	29.83
18	1153	7	BKN:07 47	10.00		45	7.2	39	3.7	30	-1.1	56	8	090		28.84			29.82	FM-15	0.00	29.81
18	1253	7	FEW:02 48	10.00		49	9.4	42	5.3	32	0.0	52	8	120		28.83	6	+0.08	29.80	FM-15	0.00	29.79
18	1353	7	CLR:00	10.00		52	11.1	44	6.6	34	1.1	50	6	060		28.79			29.77	FM-15	0.00	29.75
18	1453	7	BKN:07 65	10.00		56	13.3	46	7.9	35	1.7	46	6	160		28.76			29.73	FM-15	0.00	29.72
18	1553	7	OVC:08 60	10.00		55	12.8	46	7.6	35	1.7	47	6	160		28.75	6	+0.07	29.72	FM-15	0.00	29.71
18	1653	7	OVC:08 48	10.00		55	12.8	46	8.0	37	2.8	51	3	020		28.75			29.73	FM-15	0.00	29.71
18	1753	7	BKN:07 48 BKN:07 60 OVC:08 95	10.00		54	12.2	46	8.0	38	3.3	55	7	010		28.74			29.72	FM-15	0.00	29.70
18	1853	7	OVC:08 48	10.00	-RA:02 |RA |RA	53	11.7	46	7.7	38	3.3	57	7	040		28.70	8	+0.05	29.67	FM-15	T	29.66

18	1953	7	BKN:07 44 BKN:07 55 OVC:08 90	4.00	+RA:02 |RA |RA	49	9.4	46	7.8	43	6.1	80	8	330		28.72			29.69	FM-15	0.09	29.68
18	1955	7	BKN:07 43 BKN:07 55 OVC:08 90	5.00	RA:02 |RA |RA	48s	8.9s	46	7.5	43	6.1	83	10	330		28.72				FM-16	0.02	29.68
18	2053	7	BKN:07 31 BKN:07 41 OVC:08 65	5.00	-RA:02 BR:1 |RA |RA	47	8.3	46	7.5	44	6.7	90	5	050		28.76			29.73	FM-15	0.05	29.72
18	2109	7	BKN:07 30 BKN:07 41 OVC:08 70	7.00		47	8.3	46	7.5	44	6.7	90	5	090		28.76				FM-16	T	29.72
18	2153	7	BKN:07 30 BKN:07 41 OVC:08 70	7.00		46	7.8	45	7.0	43	6.1	89	10	350		28.78	3	-0.08	29.75	FM-15	0.01	29.74
18	2215	7	SCT:04 7 BKN:07 47 OVC:08 90	8.00		44	6.7	43	6.1	42	5.6	93	13	330		28.79				FM-16	T	29.75
18	2225	7	BKN:07 5 BKN:07 47 OVC:08 95	6.00	BR:1 ||	42	5.6	41	5.0	40	4.4	92	9	340		28.78				FM-16	T	29.74
18	2244	7	SCT:04 5 OVC:08 100	7.00		41	5.0	40	4.3	38	3.3	89	8	350		28.80				FM-16	T	29.76
18	2253	7	FEW:02 5 OVC:08 100	7.00		41	5.0	40	4.3	38	3.3	89	8	350		28.79			29.76	FM-15	T	29.75
18	2318	7	BKN:07 9 OVC:08 100	7.00		40	4.4	39	3.7	37	2.8	89	9	330		28.80				FM-16		29.76
18	2326	7	SCT:04 9 BKN:07 100	7.00		39	3.9	38	3.2	36	2.2	89	7	330		28.81				FM-16		29.77
18	2353	7	FEW:02 7 FEW:02 36 BKN:07 110	6.00	BR:1 ||	38	3.3	37	2.6	35	1.7	89	9	300		28.82			29.79	FM-15	0.00	29.78
19	0053	7	SCT:04 60	6.00	BR:1 ||	35	1.7	34	1.0	32	0.0	89	6	310		28.83	1	-0.05	29.80	FM-15	0.00	29.79
19	0153	7	FEW:02 20 SCT:04 31 BKN:07 43	6.00	BR:1 ||	35	1.7	34	1.2	33	0.6	93	6	260		28.84			29.81	FM-15	0.00	29.80
19	0237	7	SCT:04 15 BKN:07 22 BKN:07 46	6.00	BR:1 ||	36	2.2	35	1.8	34	1.1	93	8	280		28.84				FM-16		29.80
19	0253	7	BKN:07 17 OVC:08 24	6.00	BR:1 ||	37	2.8	36	2.1	34	1.1	89	8	280		28.84			29.81	FM-15	0.00	29.80
19	0326	7	OVC:08 14	4.00	BR:1 ||	37	2.8	36	2.1	34	1.1	89	13	290		28.86				FM-16		29.82
19	0340	7	BKN:07 8 OVC:08 14	2.50	-RA:02 BR:1 |RA |RA	37	2.8	36	2.3	35	1.7	93	11	300		28.87				FM-16	T	29.83
19	0350	7	BKN:07 8 OVC:08 13	3.00	-RA:02 BR:1 |RA |RA	37	3.0	37	2.5	36	2.0	93	13	300		28.87				FM-16	T	29.83
19	0353	7	BKN:07 8 OVC:08 13	3.00	-RA:02 BR:1 |RA |RA	37	2.8	36	2.3	35	1.7	93	14	300		28.87	1	-0.04	29.84	FM-15	T	29.83
19	0402	7	OVC:08 8	2.50	-RA:02 BR:1 |RA |RA	36	2.2	35	1.8	34	1.1	93	11	320		28.87				FM-16	T	29.84
19	0421	7	BKN:07 7 OVC:08 16	3.00	UP:09 BR:1 ||	35	1.7	34	1.2	33	0.6	93	17	320		28.90				FM-16	0.01	29.86
19	0434	7	SCT:04 7 OVC:08 15	3.00	UP:09 BR:1 ||	35	1.7	34	1.2	33	0.6	93	14	310		28.90				FM-16	0.01	29.87
19	0436	7	BKN:07 7 OVC:08 16	4.00	UP:09 BR:1 ||	35	1.7	34	1.2	33	0.6	93	14	310		28.90				FM-16	0.01	29.87
19	0453	7	BKN:07 9 OVC:08 15	5.00	UP:09 BR:1 ||	35	1.7	34	1.2	33	0.6	93	13	310	23	28.92			29.90	FM-15	0.01	29.89
19	0501	7	BKN:07 10 OVC:08 14	6.00	BR:1 ||	35	1.7	34	1.2	33	0.6	93	11	310		28.92				FM-16	T	29.89
19	0553	7	BKN:07 10 OVC:08 31	5.00	-SN:03 BR:1 |SN |	34	1.1	33	0.7	32	0.0	92	11	330		28.96			29.94	FM-15	T	29.93
19	0644	7	BKN:07 10 OVC:08 33	2.50	-SN:03 BR:1 |SN |	34	1.1	33	0.7	32	0.0	92	9	330		29.01				FM-16	T	29.98

19	0651	6	BKN:07 10 OVC:08 36	3.00	-SN:03 BR:1 |SN |	34	1.0	32	0.2	30	-1.0	87	11	330		29.01				FM-16		29.98
19	0653	7	BKN:07 10 OVC:08 36	3.00	-SN:03 BR:1 |SN |	34	1.1	33	0.4	31	-0.6	89	9	330		29.01	1	-0.14	29.99	FM-15	T	29.98
19	0710	7	BKN:07 8 OVC:08 13	1.50	-SN:03 BR:1 |SN |	34	1.1	33	0.7	32	0.0	92	9	320		29.02				FM-16	T	29.99
19	0739	7	BKN:07 11 OVC:08 15	4.00	-SN:03 BR:1 |SN |	34	1.1	33	0.5	31	-0.6	89	13	340		29.04				FM-16	T	30.01
19	0753	7	FEW:02 8 OVC:08 15	8.00		34	1.1	33	0.5	31	-0.6	89	14	330	20	29.05			30.04	FM-15	T	30.02
19	0801	7	OVC:08 13	8.00		35	1.7	34	1.0	32	0.0	89	10	340		29.06				FM-16		30.03
19	0836	7	OVC:08 16	10.00		36	2.2	34	1.1	31	-0.6	82	9	340		29.08				FM-16		30.05
19	0853	7	BKN:07 17	10.00		36	2.2	34	0.9	30	-1.1	79	15	340		29.10			30.08	FM-15	0.00	30.07
19	0953	7	SCT:04 21 BKN:07 28 BKN:07 40	10.00		38	3.3	35	1.5	30	-1.1	73	14	330	24	29.13	1	-0.12	30.12	FM-15	0.00	30.10
19	1012	7	FEW:02 22 SCT:04 28 OVC:08 36	10.00		38	3.3	35	1.5	30	-1.1	73	14	330	20	29.14				FM-16		30.11
19	1040	7	BKN:07 26 OVC:08 37	10.00		40	4.4	36	2.0	29	-1.7	65	16	330	24	29.16				FM-16		30.13
19	1053	7	BKN:07 28 OVC:08 34	10.00		40	4.4	36	2.0	29	-1.7	65	15	330	21	29.17			30.15	FM-15	0.00	30.14
19	1107	7	OVC:08 34	10.00		42	5.6	37	2.8	30	-1.1	62	17	350	23	29.17				FM-16		30.14
19	1153	7	OVC:08 37	10.00		42	5.6	37	2.8	30	-1.1	62	15	330	25	29.19			30.18	FM-15	0.00	30.16
19	1253	7	BKN:07 35 BKN:07 44	10.00		45	7.2	39	3.9	31	-0.6	58	16	330	24	29.21	3	-0.05	30.20	FM-15	0.00	30.18
19	1353	7	BKN:07 43	10.00		46	7.8	39	4.0	30	-1.1	54	14	320		29.23			30.22	FM-15	0.00	30.20
19	1453	7	BKN:07 47	10.00		50	10.0	41	5.2	30	-1.1	46	16	310	24	29.23			30.21	FM-15	0.00	30.20
19	1553	7	FEW:02 50	10.00		51	10.6	42	5.7	31	-0.6	46	16	310	24	29.23	0	-0.01	30.21	FM-15	0.00	30.20
19	1653	7	FEW:02 55	10.00		52	11.1	42	5.6	29	-1.7	41	16	300		29.23			30.21	FM-15	0.00	30.20
19	1753	7	CLR:00	10.00		51	10.6	41	4.9	27	-2.8	39	16	320	23	29.23			30.22	FM-15	0.00	30.21
19	1853	7	CLR:00	10.00		50	10.0	40	4.5	26	-3.3	39	13	320		29.25	3	-0.02	30.24	FM-15	0.00	30.22
19	1953	7	CLR:00	10.00		45	7.2	38	3.2	27	-2.8	49	8	310		29.26			30.26	FM-15	0.00	30.24
19	2053	7	CLR:00	10.00		43	6.1	37	2.5	27	-2.8	53	7	290		29.28			30.27	FM-15	0.00	30.26
19	2153	7	CLR:00	10.00		45	7.2	38	3.3	28	-2.2	52	14	320		29.28	1	-0.04	30.28	FM-15	0.00	30.26
19	2253	7	CLR:00	10.00		44	6.7	39	3.8	32	0.0	63	14	330	21	29.30			30.29	FM-15	0.00	30.28
19	2353	7	CLR:00	10.00		41	5.0	37	2.9	32	0.0	70	9	340		29.33			30.33	FM-15	0.00	30.31
20	0053	7	CLR:00	10.00		36	2.2	33	0.7	29	-1.7	76	7	010		29.35	3	-0.07	30.35	FM-15	0.00	30.33
20	0153	7	CLR:00	10.00		37	2.8	33	0.5	26	-3.3	65	3	010		29.37			30.37	FM-15	0.00	30.35
20	0253	7	CLR:00	10.00		34	1.1	31	-0.5	26	-3.3	73	0	000		29.38			30.38	FM-15	0.00	30.36
20	0353	7	CLR:00	10.00		30	-1.1	29	-1.9	26	-3.3	85	5	270		29.39	1	-0.04	30.39	FM-15	0.00	30.37
20	0453	7	CLR:00	10.00		31	-0.6	30	-1.4	27	-2.8	85	5	300		29.40			30.40	FM-15	0.00	30.38
20	0553	7	CLR:00	10.00		30	-1.1	29	-1.9	26	-3.3	85	5	290		29.43			30.43	FM-15	0.00	30.41
20	0653	7	CLR:00	10.00		33	0.6	31	-0.5	28	-2.2	82	3	300		29.45	3	-0.06	30.45	FM-15	0.00	30.43
20	0753	7	CLR:00	10.00		40	4.4	35	1.8	28	-2.2	63	6	300		29.47			30.47	FM-15	0.00	30.45
20	0853	7	CLR:00	10.00		43	6.1	37	2.6	27	-2.8	53	8	330		29.49			30.48	FM-15	0.00	30.47
20	0953	7	CLR:00	10.00		46	7.8	38	3.1	25	-3.9	44	8	310		29.49	1	-0.04	30.48	FM-15	0.00	30.47
20	1053	7	CLR:00	10.00		48	8.9	38	3.6	24	-4.4	39	10	300		29.49			30.48	FM-15	0.00	30.47
20	1153	7	CLR:00	10.00		51	10.6	40	4.5	24	-4.4	35	8	VRB		29.48			30.47	FM-15	0.00	30.46
20	1253	7	CLR:00	10.00		53	11.7	41	5.0	24	-4.4	32	6	030		29.47	8	+0.02	30.46	FM-15	0.00	30.45
20	1353	7	CLR:00	10.00		53	11.7	41	4.9	23	-5.0	31	8	280		29.47			30.46	FM-15	0.00	30.45
20	1453	7	CLR:00	10.00		54	12.2	42	5.3	24	-4.4	31	9	310		29.44			30.44	FM-15	0.00	30.42
20	1553	7	CLR:00	10.00		56	13.3	43	6.2	26	-3.3	32	10	330		29.44	8	+0.03	30.43	FM-15	0.00	30.42
20	1653	7	CLR:00	10.00		56	13.3	43	6.1	25	-3.9	30	6	020		29.43			30.43	FM-15	0.00	30.41
20	1753	7	CLR:00	10.00		55	12.8	42	5.8	25	-3.9	31	9	340		29.43			30.43	FM-15	0.00	30.41
20	1853	7	CLR:00	10.00		51	10.6	41	4.8	26	-3.3	38	10	030		29.43	8	+0.01	30.42	FM-15	0.00	30.41
20	1953	7	CLR:00	10.00		46	7.8	38	3.3	26	-3.3	46	7	010		29.44			30.44	FM-15	0.00	30.42
20	2053	7	CLR:00	10.00		45	7.2	37	3.0	26	-3.3	48	9	030		29.44			30.44	FM-15	0.00	30.42

20	2153	7	CLR:00	10.00		45	7.2	36	2.2	21	-6.1	39	5	060		29.46	1	-0.03	30.45	FM-15	0.00	30.44
20	2253	7	CLR:00	10.00		42	5.6	34	1.1	20	-6.7	41	3	060		29.46			30.45	FM-15	0.00	30.44
20	2353	7	CLR:00	10.00		41	5.0	33	0.7	20	-6.7	43	5	060		29.46			30.45	FM-15	0.00	30.44
21	0053	7	CLR:00	10.00		39	3.9	33	0.4	22	-5.6	50	3	050		29.46	3	-0.00	30.45	FM-15	0.00	30.44
21	0153	7	CLR:00	10.00		37	2.8	32	-0.3	22	-5.6	54	3	050		29.45			30.45	FM-15	0.00	30.43
21	0253	7	CLR:00	10.00		36	2.2	31	-0.8	21	-6.1	55	3	020		29.46			30.46	FM-15	0.00	30.44
21	0353	7	CLR:00	10.00		37	2.8	31	-0.4	21	-6.1	52	3	010		29.47	3	-0.01	30.46	FM-15	0.00	30.45
21	0453	7	CLR:00	10.00		32	0.0	28	-1.9	22	-5.6	66	3	040		29.47			30.46	FM-15	0.00	30.45
21	0553	7	CLR:00	10.00		32	0.0	28	-2.1	21	-6.1	64	3	010		29.48			30.47	FM-15	0.00	30.46
21	0653	7	CLR:00	10.00		35	1.7	31	-0.6	24	-4.4	64	5	070		29.49	3	-0.01	30.48	FM-15	0.00	30.47
21	0753	7	CLR:00	10.00		42	5.6	35	1.9	25	-3.9	51	6	100		29.49			30.49	FM-15	0.00	30.47
21	0853	7	CLR:00	10.00		45	7.2	36	2.2	21	-6.1	39	5	100		29.48			30.47	FM-15	0.00	30.46
21	0953	7	CLR:00	10.00		50	10.0	39	3.8	22	-5.6	33	7	070		29.47	8	+0.02	30.46	FM-15	0.00	30.45
21	1053	7	CLR:00	10.00		51	10.6	39	3.8	20	-6.7	29	3	130		29.46			30.45	FM-15	0.00	30.44
21	1153	7	CLR:00	10.00		53	11.7	40	4.7	22	-5.6	30	7	VRB		29.43			30.42	FM-15	0.00	30.41
21	1253	7	CLR:00	10.00		55	12.8	42	5.3	22	-5.6	28	6	VRB		29.42	7	+0.05	30.41	FM-15	0.00	30.40
21	1353	7	CLR:00	10.00		57	13.9	43	5.9	22	-5.6	26	7	040		29.41			30.40	FM-15	0.00	30.39
21	1453	7	CLR:00	10.00		56	13.3	41	4.9	17	-8.3	22	5	VRB		29.39			30.38	FM-15	0.00	30.37
21	1553	7	CLR:00	10.00		57	13.9	42	5.7	21	-6.1	25	6	050		29.37	8	+0.05	30.36	FM-15	0.00	30.35
21	1653	7	CLR:00	10.00		57	13.9	42	5.7	21	-6.1	25	7	050		29.37			30.37	FM-15	0.00	30.35
21	1753	7	BKN:07 100	10.00		55	12.8	42	5.4	23	-5.0	29	11	010		29.37			30.36	FM-15	0.00	30.35
21	1853	7	OVC:08 100	10.00		53	11.7	41	4.9	23	-5.0	31	9	010		29.36	8	+0.00	30.36	FM-15	0.00	30.34
21	1953	7	SCT:04 95	10.00		50	10.0	39	4.2	24	-4.4	36	9	010		29.37			30.36	FM-15	0.00	30.35
21	2053	7	FEW:02 100	10.00		50	10.0	39	4.2	24	-4.4	36	8	030		29.37			30.36	FM-15	0.00	30.35
21	2153	7	CLR:00	10.00		48	8.9	39	3.7	25	-3.9	41	9	010		29.39	3	-0.02	30.37	FM-15	0.00	30.37
21	2253	7	CLR:00	10.00		47	8.3	38	3.6	26	-3.3	44	7	020		29.37			30.36	FM-15	0.00	30.35
21	2353	7	CLR:00	10.00		46	7.8	38	3.5	27	-2.8	47	7	040		29.36			30.35	FM-15	0.00	30.34
22	0053	7	FEW:02 110	10.00		44	6.7	37	2.9	27	-2.8	51	7	010		29.35	6	+0.03	30.34	FM-15	0.00	30.33
22	0153	7	BKN:07 100	10.00		44	6.7	38	3.2	29	-1.7	55	6	030		29.34			30.32	FM-15	0.00	30.32
22	0253	7	CLR:00	10.00		42	5.6	37	2.6	29	-1.7	60	6	030		29.34			30.33	FM-15	0.00	30.32
22	0353	7	CLR:00	10.00		42	5.6	36	2.4	28	-2.2	58	6	050		29.33	8	+0.03	30.31	FM-15	0.00	30.31
22	0453	7	CLR:00	10.00		41	5.0	37	2.5	30	-1.1	65	6	030		29.33			30.32	FM-15	0.00	30.31
22	0553	7	CLR:00	10.00		41	5.0	37	2.5	30	-1.1	65	6	020		29.33			30.32	FM-15	0.00	30.31
22	0653	7	CLR:00	10.00		45	7.2	39	3.9	31	-0.6	58	6	030		29.35	3	-0.02	30.33	FM-15	0.00	30.33
22	0753	7	CLR:00	10.00		47	8.3	41	4.7	32	0.0	56	3	060		29.36			30.35	FM-15	0.00	30.34
22	0853	7	CLR:00	10.00		50	10.0	42	5.4	31	-0.6	48	6	070		29.35			30.34	FM-15	0.00	30.33
22	0953	7	CLR:00	10.00		55	12.8	44	6.8	31	-0.6	40	9	040		29.35	0	-0.00	30.33	FM-15	0.00	30.33
22	1053	7	CLR:00	10.00		59	15.0	46	7.7	30	-1.1	33	9	040	18	29.34			30.32	FM-15	0.00	30.32
22	1153	7	CLR:00	10.00		61	16.1	47	8.1	29	-1.7	30	8	040		29.31			30.29	FM-15	0.00	30.29
22	1253	7	CLR:00	10.00		63	17.2	47	8.1	26	-3.3	25	5	VRB		29.31	6	+0.04	30.29	FM-15	0.00	30.29
22	1353	7	CLR:00	10.00		64	17.8	47	8.5	27	-2.8	25	7	050		29.29			30.27	FM-15	0.00	30.27
22	1453	7	CLR:00	10.00		64	17.8	47	8.4	26	-3.3	24	11	050		29.26			30.24	FM-15	0.00	30.24
22	1553	7	CLR:00	10.00		66	18.9	48	8.9	26	-3.3	22	10	030		29.26	6	+0.06	30.23	FM-15	0.00	30.23
22	1653	7	CLR:00	10.00		65	18.3	48	9.1	29	-1.7	26	8	070		29.25			30.22	FM-15	0.00	30.22
22	1753	7	CLR:00	10.00		64	17.8	47	8.4	26	-3.3	24	10	040		29.23			30.21	FM-15	0.00	30.21
22	1853	7	CLR:00	10.00		60	15.6	45	7.5	27	-2.8	28	7	060		29.23	6	+0.02	30.21	FM-15	0.00	30.21
22	1953	7	CLR:00	10.00		59	15.0	44	6.9	25	-3.9	27	5	050		29.23			30.22	FM-15	0.00	30.21
22	2053	7	CLR:00	10.00		54	12.2	43	6.0	28	-2.2	37	8	040		29.23			30.21	FM-15	0.00	30.21
22	2153	7	CLR:00	10.00		54	12.2	43	6.2	29	-1.7	38	9	040		29.23	1	-0.00	30.21	FM-15	0.00	30.21
22	2253	7	CLR:00	10.00		50	10.0	42	5.6	32	0.0	50	9	050		29.23			30.20	FM-15	0.00	30.20
22	2353	7	CLR:00	10.00		49	9.4	41	5.1	31	-0.6	50	8	050		29.22			30.19	FM-15	0.00	30.19
23	0053	7	CLR:00	10.00		49	9.4	41	5.1	31	-0.6	50	8	060		29.21	8	+0.03	30.18	FM-15	0.00	30.18
23	0153	7	CLR:00	10.00		48	8.9	41	5.0	32	0.0	54	7	070		29.20			30.16	FM-15	0.00	30.17
23	0253	7	CLR:00	10.00		48	8.9	41	5.0	32	0.0	54	7	070		29.18			30.15	FM-15	0.00	30.15
23	0353	7	CLR:00	10.00		47	8.3	41	4.9	33	0.6	59	7	090		29.18	6	+0.02	30.15	FM-15	0.00	30.15
23	0453	7	CLR:00	10.00		48	8.9	41	5.2	33	0.6	56	7	070		29.18			30.15	FM-15	0.00	30.15
23	0553	7	CLR:00	10.00		45	7.2	41	4.8	35	1.7	68	8	070		29.20			30.17	FM-15	0.00	30.17

23	0653	7	CLR:00	10.00		52	11.1	46	7.7	39	3.9	61	9	090		29.22	3	-0.04	30.19	FM-15	0.00	30.19
23	0753	7	CLR:00	10.00		59	15.0	50	9.8	40	4.4	49	13	120		29.23			30.19	FM-15	0.00	30.20
23	0853	7	CLR:00	10.00		63	17.2	52	11.2	42	5.6	47	15	130	23	29.20			30.17	FM-15	0.00	30.17
23	0953	7	CLR:00	10.00		64	17.8	53	11.7	43	6.1	46	17	120		29.20	8	+0.02	30.16	FM-15	0.00	30.17
23	1053	7	CLR:00	10.00		65	18.3	54	12.4	45	7.2	49	10	150		29.20			30.16	FM-15	0.00	30.17
23	1153	7	BKN:07 60	10.00		67	19.4	56	13.1	46	7.8	47	13	130		29.19			30.16	FM-15	0.00	30.16
23	1253	7	OVC:08 60	10.00		66	18.9	55	12.7	45	7.2	47	14	140		29.19	8	+0.01	30.15	FM-15	0.00	30.16
23	1353	7	SCT:04 55 OVC:08 70	10.00	-RA:02 |RA |RA	62	16.7	54	12.5	48	8.9	60	15	170		29.20			30.17	FM-15	T	30.17
23	1453	7	BKN:07 55 OVC:08 70	10.00	-RA:02 |RA |RA	56	13.3	52	11.3	49	9.4	77	14	160	28	29.22			30.20	FM-15	0.03	30.19
23	1553	7	BKN:07 60 OVC:08 70	10.00		56	13.3	52	11.0	48	8.9	75	9	150	23	29.22	0	-0.03	30.19	FM-15	T	30.19
23	1653	7	SCT:04 50 OVC:08 80	10.00	-RA:02 |RA |RA	55	12.8	50	10.2	46	7.8	72	14	130	24	29.22			30.20	FM-15	T	30.19
23	1753	7	OVC:08 95	10.00	-RA:02 |RA |RA	54	12.2	50	10.2	47	8.3	77	10	110		29.20			30.18	FM-15	T	30.17
23	1853	7	BKN:07 80 OVC:08 95	10.00		55	12.8	50	10.0	45	7.2	69	10	110		29.19	8	+0.03	30.16	FM-15	T	30.16
23	1953	7	BKN:07 55 BKN:07 80 OVC:08 95	10.00	-RA:02 |RA |RA	55	12.8	50	10.0	45	7.2	69	24	130	32	29.20			30.16	FM-15	0.01	30.17
23	2053	7	BKN:07 70 OVC:08 85	10.00	-RA:02 |RA |RA	52	11.1	49	9.7	47	8.3	83	14	110		29.19			30.16	FM-15	0.01	30.16
23	2153	7	OVC:08 80	10.00	-RA:02 |RA |RA	53	11.7	50	10.0	47	8.3	80	11	110		29.17	8	+0.01	30.14	FM-15	0.01	30.14
23	2253	7	SCT:04 65 OVC:08 80	6.00	-RA:02 |RA |RA	52	11.1	49	9.7	47	8.3	83	9	110		29.16			30.13	FM-15	0.03	30.13
23	2353	7	OVC:08 75	9.00	-RA:02 |RA |RA	52	11.1	50	10.0	48	8.9	86	13	090		29.14			30.11	FM-15	0.02	30.11
24	0053	7	OVC:08 80	10.00		52	11.1	50	10.0	48	8.9	86	11	100		29.12	8	+0.05	30.09	FM-15	0.00	30.09
24	0153	7	OVC:08 75	10.00		53	11.7	50	10.2	48	8.9	83	11	100		29.10			30.06	FM-15	0.00	30.07
24	0253	7	SCT:04 80 OVC:08 95	10.00		53	11.7	50	10.2	48	8.9	83	10	100		29.09			30.06	FM-15	0.00	30.06
24	0353	7	BKN:07 75 OVC:08 95	10.00		54	12.2	51	10.5	48	8.9	80	14	100		29.08	6	+0.04	30.05	FM-15	0.00	30.05
24	0453	7	OVC:08 65	10.00	-RA:02 |RA |RA	53	11.7	51	10.5	49	9.4	86	10	100		29.07			30.04	FM-15	0.01	30.04
24	0553	7	OVC:08 60	10.00		53	11.7	51	10.5	49	9.4	86	13	100		29.07			30.04	FM-15	T	30.04
24	0641	7	OVC:08 16	6.00	-RA:02 BR:1 |RA |RA	53	11.7	51	10.5	49	9.4	86	14	100		29.08				FM-16	T	30.05
24	0653	7	OVC:08 16	10.00		53	11.7	51	10.5	49	9.4	86	17	100	23	29.08	5	+0.00	30.05	FM-15	0.01	30.05
24	0751	6	BKN:07 12 OVC:08 55	3.00	-RA:02 BR:1 |RA |RA	52	11.0	51	10.5	50	10.0	94	14	090		29.08				FM-16		30.05
24	0753	7	BKN:07 12 OVC:08 55	3.00	-RA:02 BR:1 |RA |RA	52	11.1	51	10.5	50	10.0	93	13	090		29.08			30.05	FM-15	T	30.05
24	0806	7	BKN:07 10 OVC:08 55	2.00	RA:02 BR:1 |RA |RA	52	11.1	51	10.5	50	10.0	93	11	090		29.08				FM-16	0.01	30.05
24	0841	7	BKN:07 10 OVC:08 41	5.00	-RA:02 BR:1 |RA |RA	52	11.1	51	10.5	50	10.0	93	13	080		29.07				FM-16	0.03	30.04
24	0853	7	BKN:07 10 OVC:08 41	10.00		52	11.1	51	10.5	50	10.0	93	13	080		29.07			30.04	FM-15	0.03	30.04
24	0953	7	BKN:07 10 OVC:08 36	8.00	-RA:02 |RA |RA	52	11.1	51	10.5	50	10.0	93	14	080		29.05	8	+0.03	30.02	FM-15	0.02	30.02
24	1000	7	SCT:04 10 BKN:07 36 OVC:08 43	7.00	-RA:02 |RA |RA	52	11.1	51	10.5	50	10.0	93	14	080		29.05				FM-16	0.01	30.02
24	1053	7	SCT:04 10 BKN:07 36 OVC:08 43	9.00	-RA:02 |RA |RA	52	11.1	50	10.2	49	9.4	89	15	090		29.04			30.01	FM-15	0.01	30.01
24	1100	7	BKN:07 12 OVC:08 32	9.00	-RA:02 |RA |RA	52	11.1	51	10.5	50	10.0	93	14	090		29.04				FM-16	T	30.01
24	1153	7	BKN:07 11 BKN:07 16 OVC:08 28	7.00	-RA:02 |RA |RA	52	11.1	51	10.5	50	10.0	93	16	100		29.02			29.99	FM-15	0.01	29.99

24	1253	7	FEW:02 6 BKN:07 10 OVC:08 14	3.00	-RA:02 BR:1 |RA |RA	52	11.1	51	10.8	51	10.6	97	11	080		29.00	8	+0.05	29.98	FM-15	0.01	29.97
24	1353	7	OVC:08 12	10.00	-RA:02 |RA |RA	53	11.7	52	11.1	51	10.6	93	11	090		28.98			29.95	FM-15	T	29.95
24	1453	7	OVC:08 12	10.00	-RA:02 |RA |RA	54	12.2	53	11.6	52	11.1	93	9	100		28.96			29.92	FM-15	0.01	29.93
24	1553	7	OVC:08 11	3.00	BR:1 ||	54	12.2	53	11.6	52	11.1	93	13	110		28.94	6	+0.06	29.91	FM-15	T	29.91
24	1653	7	OVC:08 11	3.00	BR:1 ||	55	12.8	54	12.2	53	11.7	93	10	100		28.95			29.91	FM-15	T	29.92
24	1657	7	OVC:08 10	4.00	BR:1 ||	54	12.2	53	11.6	52	11.1	93	13	100		28.94				FM-16		29.91
24	1753	7	OVC:08 10	4.00	BR:1 ||	55	12.8	53	11.9	52	11.1	90	9	100		28.94			29.91	FM-15	0.00	29.91
24	1757	7	BKN:07 10 OVC:08 14	10.00		55	12.8	53	11.9	52	11.1	90	9	110		28.94				FM-16		29.91
24	1853	7	OVC:08 10	3.00	BR:1 ||	54	12.2	53	11.6	52	11.1	93	3	080		28.93	8	+0.01	29.90	FM-15	0.00	29.90
24	1951	6	OVC:08 7	3.00	-RA:02 BR:1 |RA |RA	54	12.0	53	11.6	52	11.0	94	5	080		28.93				FM-16		29.90
24	1953	7	OVC:08 7	4.00	-RA:02 BR:1 |RA |RA	53	11.7	52	11.4	52	11.1	96	5	080		28.93			29.90	FM-15	T	29.90
24	2053	7	OVC:08 9	7.00	-RA:02 |RA |RA	53	11.7	52	11.4	52	11.1	96	5	050		28.94			29.91	FM-15	0.02	29.91
24	2151	6	OVC:08 10	9.00		54	12.0	53	11.6	52	11.0	94	3	070		28.94				FM-16		29.91
24	2153	6	OVC:08 10	9.00		53	11.7	52	11.4	52	11.1	96	3	070		28.94	0	-0.00	29.91	FM-15	T	29.91
24	2253	7	OVC:08 10	6.00	BR:1 ||	53	11.7	52	11.4	52	11.1	96	3	020		28.93			29.90	FM-15	0.00	29.90
24	2300	7	OVC:08 9	5.00	BR:1 ||	53	11.7	52	11.4	52	11.1	96	3	020		28.93				FM-16		29.90
24	2353	7	OVC:08 8	4.00	BR:1 ||	53	11.7	52	11.4	52	11.1	96	3	010		28.92			29.89	FM-15	0.00	29.89
25	0053	7	OVC:08 8	4.00	BR:1 ||	53	11.7	52	11.4	52	11.1	96	0	000		28.91	7	+0.02	29.88	FM-15	0.00	29.88
25	0153	7	OVC:08 7	5.00	BR:1 ||	53	11.7	52	11.4	52	11.1	96	3	360		28.90			29.87	FM-15	0.00	29.87
25	0253	7	OVC:08 5	4.00	BR:1 ||	52	11.1	51	10.8	51	10.6	97	6	330		28.90			29.86	FM-15	0.00	29.86
25	0300	7	OVC:08 4	3.00	BR:1 ||	52	11.1	51	10.8	51	10.6	97	6	330		28.90				FM-16		29.86
25	0321	7	OVC:08 3	2.00	BR:1 ||	52	11.1	51	10.8	51	10.6	97	7	340		28.90				FM-16		29.86
25	0334	7	OVC:08 3	1.50	BR:1 ||	52	11.1	52	11.1	52	11.1	100	5	350		28.89				FM-16		29.85
25	0353	7	OVC:08 2	1.00	BR:1 ||	52	11.1	52	11.1	52	11.1	100	3	360		28.89	7	+0.03	29.85	FM-15	0.00	29.85
25	0407	7	OVC:08 2	0.75	BR:1 ||	52	11.1	52	11.1	52	11.1	100	5	350		28.89				FM-16		29.85
25	0449	7	OVC:08 3	1.25	BR:1 ||	52	11.0	52	11.1	52	11.0	100	6	330		28.89				FM-16		29.85
25	0453	7	OVC:08 3	2.00	BR:1 ||	52	11.1	51	10.8	51	10.6	97	6	330		28.89			29.85	FM-15	0.00	29.85
25	0502	7	OVC:08 3	6.00	BR:1 ||	52	11.1	51	10.8	51	10.6	97	7	340		28.89				FM-16		29.85
25	0553	7	OVC:08 4	6.00	BR:1 ||	52	11.1	51	10.8	51	10.6	97	7	340		28.90			29.86	FM-15	0.00	29.86
25	0651	6	OVC:08 3	2.00	BR:1 ||	52	11.0	52	11.1	52	11.0	100	10	320		28.91				FM-16		29.88
25	0653	7	OVC:08 3	2.00	BR:1 ||	52	11.1	51	10.8	51	10.6	97	11	320		28.91	3	-0.03	29.88	FM-15	0.00	29.88
25	0753	7	OVC:08 3	2.00	BR:1 ||	52	11.1	51	10.8	51	10.6	97	10	330		28.92			29.89	FM-15	0.00	29.89
25	0853	7	OVC:08 4	3.00	BR:1 ||	53	11.7	52	11.1	51	10.6	93	9	330		28.92			29.89	FM-15	0.00	29.89
25	0900	7	OVC:08 6	5.00	BR:1 ||	53	11.7	52	11.1	51	10.6	93	11	340		28.92				FM-16		29.89
25	0937	7	OVC:08 9	2.50	BR:1 ||	53	11.7	52	11.1	51	10.6	93	14	340		28.94				FM-16		29.91
25	0953	7	OVC:08 9	2.50	BR:1 ||	53	11.7	52	11.1	51	10.6	93	10	340		28.94	3	-0.03	29.91	FM-15	0.00	29.91
25	1012	7	BKN:07 8 OVC:08 14	4.00	BR:1 ||	53	11.7	52	11.1	51	10.6	93	9	330		28.94				FM-16		29.91
25	1038	7	OVC:08 10	9.00		54	12.2	52	11.3	51	10.6	90	13	330		28.95				FM-16		29.92
25	1053	7	OVC:08 10	7.00		53	11.7	51	10.8	50	10.0	89	11	330		28.95			29.92	FM-15	0.00	29.92
25	1153	7	BKN:07 14 OVC:08 18	10.00		56	13.3	53	11.8	51	10.6	84	13	350	22	28.93			29.90	FM-15	0.00	29.90
25	1221	7	BKN:07 15 BKN:07 20 OVC:08 29	10.00		55	12.8	52	11.3	50	10.0	83	13	350		28.93				FM-16		29.90
25	1244	7	BKN:07 14 OVC:08 21	10.00		55	12.8	52	11.3	50	10.0	83	14	320		28.93				FM-16		29.90
25	1253	7	BKN:07 14 OVC:08 23	10.00		55	12.8	52	11.3	50	10.0	83	10	330		28.93	8	+0.01	29.90	FM-15	0.00	29.90
25	1302	7	BKN:07 16 BKN:07 25 OVC:08 33	10.00		56	13.3	53	11.5	50	10.0	81	10	340		28.93				FM-16		29.90
25	1353	7	BKN:07 17 OVC:08 37	10.00		57	13.9	53	11.5	49	9.4	74	11	350		28.93			29.90	FM-15	0.00	29.90
25	1453	7	BKN:07 17 OVC:08 32	10.00		59	15.0	54	12.0	49	9.4	69	14	340		28.93			29.89	FM-15	0.00	29.90

25	1459	7	BKN:07 23 OVC:08 46	10.00		58	14.4	53	11.8	49	9.4	72	15	340		28.93				FM-16		29.90
25	1553	7	BKN:07 23 OVC:08 46	10.00		58	14.4	53	11.5	48	8.9	70	14	340		28.93	5	+0.00	29.90	FM-15	0.00	29.90
25	1555	7	FEW:02 27 SCT:04 42 BKN:07 49	10.00		58	14.4	53	11.5	48	8.9	70	16	340		28.93				FM-16		29.90
25	1653	7	FEW:02 40 SCT:04 48 BKN:07 55	10.00		58	14.4	52	11.0	46	7.8	65	10	340		28.94			29.91	FM-15	0.00	29.91
25	1753	7	CLR:00	10.00		57	13.9	51	10.5	45	7.2	64	6	320		28.93			29.90	FM-15	0.00	29.90
25	1756	7	FEW:02 35	10.00		58	14.4	51	10.7	45	7.2	62	7	320		28.93				FM-16		29.90
25	1853	7	CLR:00	10.00		56	13.3	50	9.9	44	6.7	65	9	310		28.93	8	+0.00	29.90	FM-15	0.00	29.90
25	1855	7	CLR:00	10.00		56	13.3	49	9.7	43	6.1	62	8	310		28.93				FM-16		29.90
25	1953	7	CLR:00	10.00		54	12.2	48	8.9	42	5.6	64	0	000		28.93			29.90	FM-15	0.00	29.90
25	2053	7	BKN:07 65	10.00		52	11.1	47	8.4	42	5.6	69	3	240		28.94			29.91	FM-15	0.00	29.91
25	2153	7	BKN:07 65	10.00		49	9.4	46	7.8	43	6.1	80	3	240		28.94	0	-0.01	29.91	FM-15	0.00	29.91
25	2253	7	CLR:00	10.00		49	9.4	46	7.6	42	5.6	77	3	020		28.93			29.90	FM-15	0.00	29.90
25	2353	7	CLR:00	10.00		47	8.3	45	7.3	43	6.1	86	7	070		28.94			29.91	FM-15	0.00	29.91
26	0053	7	CLR:00	9.00		44	6.7	43	6.1	42	5.6	93	6	070		28.93	6	+0.00	29.91	FM-15	0.00	29.90
26	0153	7	CLR:00	10.00		43	6.1	42	5.3	40	4.4	89	8	080		28.92			29.90	FM-15	0.00	29.89
26	0253	7	CLR:00	9.00		42	5.6	41	4.8	39	3.9	89	5	060		28.93			29.91	FM-15	0.00	29.90
26	0353	7	CLR:00	7.00		41	5.0	40	4.3	38	3.3	89	8	040		28.94	3	-0.01	29.91	FM-15	0.00	29.91
26	0453	7	CLR:00	7.00		41	5.0	40	4.3	38	3.3	89	9	050		28.94			29.91	FM-15	0.00	29.91
26	0531	7	BKN:07 21	6.00	BR:1 ||	40	4.4	39	4.0	38	3.3	93	5	070		28.95				FM-16		29.92
26	0553	7	OVC:08 20	5.00	BR:1 ||	40	4.4	39	4.0	38	3.3	93	5	060		28.95			29.92	FM-15	0.00	29.92
26	0653	7	BKN:07 20	10.00		44	6.7	41	5.2	38	3.3	79	8	080		28.96	3	-0.01	29.93	FM-15	0.00	29.93
26	0714	7	FEW:02 20	10.00		45	7.2	42	5.5	38	3.3	77	6	070		28.95				FM-16		29.92
26	0753	7	SCT:04 20	10.00		46	7.8	42	5.7	38	3.3	73	9	080		28.96			29.94	FM-15	0.00	29.93
26	0853	7	FEW:02 22	10.00		49	9.4	44	6.8	39	3.9	69	7	060		28.97			29.94	FM-15	0.00	29.94
26	0953	7	FEW:02 24	10.00		52	11.1	46	7.9	40	4.4	64	6	100		28.98	3	-0.02	29.95	FM-15	0.00	29.95
26	1053	7	CLR:00	10.00		55	12.8	49	9.2	42	5.6	62	0	000		28.98			29.95	FM-15	0.00	29.95
26	1153	7	CLR:00	10.00		58	14.4	50	10.2	43	6.1	58	3	100		28.95			29.92	FM-15	0.00	29.92
26	1253	7	BKN:07 41	10.00		59	15.0	51	10.5	43	6.1	56	0	000		28.93	8	+0.04	29.91	FM-15	0.00	29.90
26	1353	7	SCT:04 49	10.00		61	16.1	51	10.7	42	5.6	50	3	VRB		28.91			29.88	FM-15	0.00	29.88
26	1453	7	BKN:07 50	10.00		62	16.7	51	10.7	41	5.0	46	3	080		28.89			29.85	FM-15	0.00	29.85
26	1553	7	CLR:00	10.00		65	18.3	53	11.7	42	5.6	43	0	000		28.87	6	+0.06	29.83	FM-15	0.00	29.84
26	1653	7	SCT:04 55	10.00		64	17.8	52	11.0	40	4.4	41	3	100		28.87			29.84	FM-15	0.00	29.84
26	1753	7	CLR:00	10.00		63	17.2	52	11.2	42	5.6	47	5	290		28.87			29.84	FM-15	0.00	29.84
26	1853	7	CLR:00	10.00		62	16.7	51	10.7	41	5.0	46	0	000		28.87	2	-0.00	29.84	FM-15	0.00	29.84
26	1953	7	CLR:00	10.00		56	13.3	49	9.4	42	5.6	60	7	030		28.87			29.84	FM-15	0.00	29.84
26	2053	7	FEW:02 60	10.00		57	13.9	49	9.5	41	5.0	55	5	030		28.89			29.84	FM-15	0.00	29.85
26	2153	7	CLR:00	10.00		55	12.8	49	9.2	42	5.6	62	3	050		28.87	0	-0.00	29.84	FM-15	0.00	29.84
26	2253	7	OVC:08 65	10.00		54	12.2	48	8.9	42	5.6	64	5	090		28.87			29.82	FM-15	0.00	29.83
26	2353	7	BKN:07 65	10.00		53	11.7	48	8.7	42	5.6	66	3	090		28.84			29.81	FM-15	0.00	29.81
27	0053	7	CLR:00	10.00		52	11.1	47	8.4	42	5.6	69	3	040		28.83	8	+0.04	29.79	FM-15	0.00	29.79
27	0153	7	CLR:00	10.00		47	8.3	44	6.8	41	5.0	80	3	360		28.82			29.78	FM-15	0.00	29.78
27	0253	7	CLR:00	10.00		47	8.3	44	6.5	40	4.4	77	6	020		28.81			29.77	FM-15	0.00	29.77
27	0353	7	CLR:00	10.00		45	7.2	43	5.9	40	4.4	83	5	360		28.81	6	+0.03	29.76	FM-15	0.00	29.77
27	0453	7	CLR:00	10.00		45	7.2	43	5.9	40	4.4	83	0	000		28.80			29.76	FM-15	0.00	29.76
27	0553	7	CLR:00	10.00		44	6.7	42	5.6	40	4.4	85	0	000		28.80			29.76	FM-15	0.00	29.76
27	0653	7	CLR:00	10.00		46	7.8	44	6.5	41	5.0	83	0	000		28.81	3	-0.01	29.77	FM-15	0.00	29.77
27	0753	7	CLR:00	10.00		50	10.0	47	8.3	44	6.7	80	0	000		28.81			29.77	FM-15	0.00	29.77
27	0853	7	CLR:00	10.00		56	13.3	50	10.2	45	7.2	67	6	250		28.81			29.76	FM-15	0.00	29.77
27	0953	7	CLR:00	10.00		61	16.1	53	11.4	45	7.2	56	8	280		28.80	8	+0.01	29.75	FM-15	0.00	29.76
27	1053	7	SCT:04 50	10.00		65	18.3	52	11.0	39	3.9	39	6	230		28.79			29.74	FM-15	0.00	29.75
27	1153	7	CLR:00	10.00		66	18.9	51	10.4	35	1.7	32	9	240	24	28.77			29.72	FM-15	0.00	29.73
27	1253	7	CLR:00	10.00		68	20.0	52	10.9	35	1.7	30	17	230		28.75	8	+0.04	29.70	FM-15	0.00	29.71

27	1353	7	FEW:02 85	10.00		68	20.0	52	11.1	36	2.2	31	10	VRB	17	28.73			29.69	FM-15	0.00	29.69
27	1453	7	FEW:02 49 OVC:08 90	10.00	-RA:02 |RA |RA	63	17.2	50	10.1	37	2.8	38	26	300	33	28.73			29.69	FM-15	T	29.69
27	1502	7	FEW:02 42 SCT:04 60 OVC:08 85	10.00	-RA:02 |RA |RA	62	16.7	51	10.7	41	5.0	46	18	310	33	28.73				FM-16	T	29.69
27	1523	7	SCT:04 50 BKN:07 70 OVC:08 90	10.00	-RA:02 |RA |RA	58	14.4	51	10.7	45	7.2	62	15	220		28.74				FM-16	0.02	29.70
27	1553	7	FEW:02 90 SCT:04 110	10.00		62	16.7	53	11.7	45	7.2	54	8	230		28.73	6	+0.03	29.68	FM-15	0.02	29.69
27	1653	7	FEW:02 70	10.00	-RA:02 |RA |RA	65	18.3	51	10.8	38	3.3	37	26	280	34	28.73			29.69	FM-15	T	29.69
27	1753	7	CLR:00	10.00		63	17.2	49	9.3	33	0.6	33	17	270	28	28.75			29.71	FM-15	T	29.71
27	1853	7	CLR:00	10.00		61	16.1	46	8.0	29	-1.7	30	15	290	25	28.76	3	-0.04	29.72	FM-15	0.00	29.72
27	1953	7	CLR:00	10.00		57	13.9	45	6.9	29	-1.7	34	11	290		28.79			29.75	FM-15	0.00	29.75
27	2053	7	CLR:00	10.00		52	11.1	43	5.9	31	-0.6	45	8	300		28.82			29.78	FM-15	0.00	29.78
27	2153	7	CLR:00	10.00		52	11.1	41	5.2	27	-2.8	38	8	320		28.83	1	-0.06	29.78	FM-15	0.00	29.79
27	2253	7	CLR:00	10.00		50	10.0	40	4.6	27	-2.8	41	8	220		28.83			29.78	FM-15	0.00	29.79
27	2353	7	OVC:08 100	10.00		48	8.9	41	4.8	31	-0.6	52	8	280		28.82			29.78	FM-15	0.00	29.78
28	0053	7	OVC:08 95	10.00		47	8.3	41	5.1	34	1.1	61	3	020		28.79	8	+0.04	29.74	FM-15	0.00	29.75
28	0153	7	BKN:07 85 OVC:08 110	10.00		47	8.3	42	5.3	35	1.7	63	6	350		28.78			29.74	FM-15	0.00	29.74
28	0253	7	BKN:07 85	10.00		47	8.3	40	4.5	31	-0.6	54	5	020		28.79			29.74	FM-15	0.00	29.75
28	0353	7	BKN:07 48 OVC:08 75	10.00	-RA:02 |RA |RA	46	7.8	41	5.3	36	2.2	68	0	000		28.76	8	+0.02	29.72	FM-15	T	29.72
28	0453	7	BKN:07 85 BKN:07 100	10.00		49	9.4	42	5.5	33	0.6	55	0	000		28.75			29.70	FM-15	T	29.71
28	0553	7	OVC:08 90	10.00		46	7.8	42	5.5	37	2.8	71	16	350	23	28.79			29.75	FM-15	0.00	29.75
28	0653	7	CLR:00	8.00		45	7.2	43	5.9	40	4.4	83	13	360	18	28.83	3	-0.07	29.79	FM-15	0.00	29.79
28	0735	7	BKN:07 12	8.00		46	7.8	44	6.5	41	5.0	83	16	350	23	28.84				FM-16		29.81
28	0753	7	BKN:07 12	10.00		46	7.8	44	6.5	41	5.0	83	11	340		28.87			29.83	FM-15	0.00	29.83
28	0818	7	OVC:08 16	10.00		47	8.3	44	6.5	40	4.4	77	14	330	20	28.87				FM-16		29.84
28	0853	7	OVC:08 19	10.00		46	7.8	43	6.0	39	3.9	77	16	310	21	28.89			29.86	FM-15	0.00	29.85
28	0930	7	OVC:08 13	8.00		45	7.2	42	5.7	39	3.9	80	13	350		28.91				FM-16		29.88
28	0953	7	OVC:08 13	7.00		44	6.7	42	5.4	39	3.9	83	14	350		28.93	3	-0.10	29.90	FM-15	0.00	29.90
28	1053	7	OVC:08 11	9.00		43	6.1	41	5.1	39	3.9	86	13	350		28.97			29.95	FM-15	0.00	29.94
28	1151	6	BKN:07 16 OVC:08 23	10.00		45	7.0	41	5.2	37	3.0	76	11	330	20	28.99				FM-16		29.96
28	1153	7	BKN:07 16 OVC:08 23	10.00		45	7.2	41	5.2	37	2.8	74	11	340	20	28.99			29.97	FM-15	0.00	29.96
28	1243	7	OVC:08 30	10.00		46	7.8	41	4.8	34	1.1	63	13	330	20	29.01				FM-16		29.98
28	1253	7	OVC:08 30	10.00		45	7.2	40	4.5	34	1.1	66	15	330		29.01	1	-0.05	29.99	FM-15	0.00	29.98
28	1353	7	OVC:08 30	10.00		46	7.8	40	4.6	33	0.6	61	10	310		29.04			30.01	FM-15	0.00	30.01
28	1453	7	OVC:08 30	10.00		48	8.9	41	5.0	32	0.0	54	13	310		29.05			30.02	FM-15	0.00	30.02
28	1553	7	BKN:07 45 OVC:08 50	10.00		47	8.3	40	4.7	32	0.0	56	14	340		29.06	1	-0.05	30.04	FM-15	0.00	30.03
28	1653	7	BKN:07 50	10.00		47	8.3	40	4.3	30	-1.1	52	15	330		29.08			30.06	FM-15	0.00	30.05
28	1753	7	OVC:08 55	10.00		46	7.8	39	4.0	30	-1.1	54	14	340		29.10			30.08	FM-15	0.00	30.07
28	1853	7	FEW:02 55	10.00		45	7.2	39	3.7	30	-1.1	56	10	010		29.11	1	-0.04	30.09	FM-15	0.00	30.08
28	1953	7	CLR:00	10.00		43	6.1	38	3.1	30	-1.1	60	0	000		29.13			30.11	FM-15	0.00	30.10
28	2053	7	CLR:00	10.00		42	5.6	37	2.8	30	-1.1	62	0	000		29.14			30.13	FM-15	0.00	30.11
28	2153	7	CLR:00	10.00		38	3.3	35	1.8	31	-0.6	76	0	000		29.15	1	-0.04	30.14	FM-15	0.00	30.12
28	2253	7	SCT:04 70	10.00		37	2.8	35	1.4	31	-0.6	79	0	000		29.16			30.14	FM-15	0.00	30.13
28	2353	7	BKN:07 80	10.00		38	3.3	36	2.0	32	0.0	79	0	000		29.17			30.16	FM-15	0.00	30.14
29	0053	7	BKN:07 80	10.00		39	3.9	36	2.3	32	0.0	76	0	000		29.18	3	-0.03	30.17	FM-15	0.00	30.15
29	0153	7	CLR:00	10.00		36	2.2	34	0.9	30	-1.1	79	6	320		29.18			30.17	FM-15	0.00	30.15
29	0253	7	CLR:00	10.00		35	1.7	33	0.4	29	-1.7	78	6	350		29.20			30.19	FM-15	0.00	30.17
29	0353	7	CLR:00	10.00		33	0.6	32	0.1	31	-0.6	92	6	030		29.22	3	-0.04	30.21	FM-15	0.00	30.19
29	0453	7	CLR:00	10.00		33	0.6	32	-0.1	30	-1.1	89	5	030		29.23			30.23	FM-15	0.00	30.21

29	0553	7	CLR:00	10.00		33	0.6	32	-0.1	30	-1.1	89	3	330		29.26			30.25	FM-15	0.00	30.23
29	0653	7	FEW:02 37	10.00		36	2.2	34	1.1	31	-0.6	82	5	350		29.28	3	-0.06	30.28	FM-15	0.00	30.26
29	0753	7	CLR:00	10.00		41	5.0	35	1.6	25	-3.9	53	8	020		29.31			30.30	FM-15	0.00	30.29
29	0853	7	CLR:00	10.00		45	7.2	37	3.0	26	-3.3	48	10	340		29.32			30.32	FM-15	0.00	30.30
29	0953	7	CLR:00	10.00		47	8.3	39	3.8	27	-2.8	46	11	350		29.33	1	-0.05	30.33	FM-15	0.00	30.31
29	1053	7	CLR:00	10.00		49	9.4	40	4.4	27	-2.8	43	15	310	21	29.34			30.33	FM-15	0.00	30.32
29	1153	7	CLR:00	10.00		50	10.0	41	4.8	28	-2.2	43	13	020		29.33			30.32	FM-15	0.00	30.31
29	1253	7	CLR:00	10.00		51	10.6	42	5.3	29	-1.7	43	9	300	20	29.32	8	+0.01	30.31	FM-15	0.00	30.30
29	1353	7	CLR:00	10.00		53	11.7	43	5.9	29	-1.7	40	8	310	16	29.31			30.30	FM-15	0.00	30.29
29	1453	7	CLR:00	10.00		54	12.2	43	6.2	29	-1.7	38	11	310	16	29.29			30.29	FM-15	0.00	30.27
29	1553	7	CLR:00	10.00		55	12.8	43	6.3	28	-2.2	35	5	010		29.28	8	+0.04	30.27	FM-15	0.00	30.26
29	1653	7	CLR:00	10.00		56	13.3	44	6.7	29	-1.7	36	8	310		29.27			30.26	FM-15	0.00	30.25
29	1753	7	CLR:00	10.00		55	12.8	43	5.9	26	-3.3	33	7	340		29.26			30.26	FM-15	0.00	30.24
29	1853	7	CLR:00	10.00		51	10.6	41	5.1	28	-2.2	41	5	310		29.27	5	+0.01	30.26	FM-15	0.00	30.25
29	1953	7	CLR:00	10.00		50	10.0	39	4.0	23	-5.0	35	5	340		29.27			30.26	FM-15	0.00	30.25
29	2053	7	CLR:00	10.00		46	7.8	37	2.9	24	-4.4	42	0	000		29.28			30.27	FM-15	0.00	30.26
29	2153	7	CLR:00	10.00		47	8.3	38	3.6	26	-3.3	44	0	000		29.29	1	-0.02	30.28	FM-15	0.00	30.27
29	2253	7	CLR:00	10.00		44	6.7	37	2.9	27	-2.8	51	3	270		29.29			30.28	FM-15	0.00	30.27
29	2353	7	CLR:00	10.00		38	3.3	35	1.6	30	-1.1	73	3	250		29.30			30.29	FM-15	0.00	30.28
30	0053	7	CLR:00	10.00		40	4.4	36	2.2	30	-1.1	68	3	250		29.29	0	-0.00	30.28	FM-15	0.00	30.27
30	0153	7	CLR:00	10.00		38	3.3	34	1.3	29	-1.7	70	3	260		29.28			30.27	FM-15	0.00	30.26
30	0253	7	CLR:00	10.00		37	2.8	35	1.4	31	-0.6	79	3	270		29.28			30.27	FM-15	0.00	30.26
30	0353	7	CLR:00	10.00		37	2.8	34	1.2	30	-1.1	76	3	270		29.28	5	+0.01	30.27	FM-15	0.00	30.26
30	0453	7	CLR:00	10.00		36	2.2	33	0.3	27	-2.8	70	0	000		29.29			30.28	FM-15	0.00	30.27
30	0553	7	CLR:00	10.00		34	1.1	32	-0.2	28	-2.2	79	0	000		29.31			30.30	FM-15	0.00	30.29
30	0653	7	CLR:00	10.00		39	3.9	37	2.5	33	0.6	79	0	000		29.33	3	-0.05	30.33	FM-15	0.00	30.31
30	0753	7	CLR:00	10.00		49	9.4	41	4.9	30	-1.1	48	5	220		29.34			30.33	FM-15	0.00	30.32
30	0853	7	CLR:00	10.00		56	13.3	44	6.7	29	-1.7	36	5	230		29.34			30.32	FM-15	0.00	30.32
30	0953	7	CLR:00	10.00		59	15.0	45	7.4	28	-2.2	31	6	260		29.34	0	-0.01	30.32	FM-15	0.00	30.32
30	1053	7	CLR:00	10.00		61	16.1	46	7.7	27	-2.8	27	8	250		29.33			30.31	FM-15	0.00	30.31
30	1153	7	CLR:00	10.00		63	17.2	47	8.4	28	-2.2	27	8	260		29.30			30.29	FM-15	0.00	30.28
30	1253	7	CLR:00	10.00		64	17.8	47	8.4	26	-3.3	24	7	200		29.28	8	+0.05	30.27	FM-15	0.00	30.26
30	1353	7	CLR:00	10.00		67	19.4	49	9.5	28	-2.2	23	8	210		29.26			30.24	FM-15	0.00	30.24
30	1453	7	CLR:00	10.00		68	20.0	49	9.4	26	-3.3	21	9	240		29.23			30.21	FM-15	0.00	30.21
30	1553	7	CLR:00	10.00		69	20.6	50	10.1	29	-1.7	22	8	260		29.21	8	+0.08	30.19	FM-15	0.00	30.18
30	1653	7	CLR:00	10.00		69	20.6	50	9.9	28	-2.2	22	11	220		29.21			30.18	FM-15	0.00	30.18
30	1753	7	CLR:00	10.00		69	20.6	49	9.6	26	-3.3	20	5	220		29.19			30.16	FM-15	0.00	30.16
30	1853	7	CLR:00	10.00		65	18.3	48	8.9	28	-2.2	25	5	230		29.18	8	+0.04	30.15	FM-15	0.00	30.15
30	1953	7	CLR:00	10.00		63	17.2	46	7.9	25	-3.9	24	5	200		29.17			30.14	FM-15	0.00	30.14
30	2053	7	CLR:00	10.00		60	15.6	46	7.8	29	-1.7	31	6	180		29.18			30.15	FM-15	0.00	30.15
30	2153	7	CLR:00	10.00		58	14.4	45	7.3	29	-1.7	33	6	200		29.18	6	+0.00	30.14	FM-15	0.00	30.15
30	2253	7	CLR:00	10.00		56	13.3	44	6.9	30	-1.1	37	5	190		29.16			30.13	FM-15	0.00	30.13
30	2353	7	CLR:00	10.00		55	12.8	44	6.6	30	-1.1	38	6	190		29.16			30.13	FM-15	0.00	30.13

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
April 2018

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01	T	T																				T	0.02	0.04	01
02	0.01	T	T																						02
03		0.01	T	0.08	0.18	0.12	0.18	0.15	0.28	0.08	0.05	0.06	0.04	T	0.01		0.41	0.01	0.01	0.09	0.01	0.13	0.04	0.32	03
04	0.01	T	T	T	T	T			T		T														04
05																									05
06												T	T		T	T	T	T	0.02	0.01	T	T	T	T	06
07	T	T																							07
08																									08
09								T	T	T	T	T													09
10																									10
11															T										11
12										T														T	12
13										T	T														13
14													0.04	0.03	0.01			T					T	0.04	14
15	0.04	0.12	0.16	0.09	0.10	0.10	0.11	0.07	0.03	T	0.01	T	0.06	0.15	0.15	0.11	0.01	0.02	T						15
16									T				T		T	T	T	T	T	T	T	T	T	T	16
17	T			T			T	T	T			T	T	T											17
18																			T	0.09	0.05	0.01	T		18
19				T	0.01	T	T	T																	19
20																									20
21																									21
22																									22
23														T	0.03	T	T	T	T	0.01	0.01	0.01	0.03	0.02	23
24					0.01	T	0.01	T	0.03	0.02	0.01	0.01	0.01	T	0.01	T	T			T	0.02	T			24
25																									25
26																									26
27															T	0.02	T	T							27
28				T	T																				28
29																									29
30																									30

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.29	0.33	0.35	0.37	0.40	0.41	0.42	0.42	0.42	0.44	0.52	0.61
Ending Date Time (yyyy-mm-dd hh:mi)	2018-04-03 16:38	2018-04-03 16:40	2018-04-03 16:45	2018-04-03 16:51	2018-04-03 16:56	2018-04-03 17:02	2018-04-03 17:02	2018-04-03 17:02	2018-04-03 17:02	2018-04-03 09:07	2018-04-03 08:55	2018-04-03 09:02

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
May 2018

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	80	44*	62	5.2				3	0	0533	1927		0.00			29.16		8.7	28	200	22	210
02	84	57	71	13.9				0	6	0531	1928		0.00			29.12		13.0	35	230	26	230
03	80	68	74	16.6				0	9	0530	1929	TS RA BR	0.16			29.07		12.8	46	270	36	270
04	81	54	67	9.3				0	2	0529	1930	HZ	0.04			28.97		12.7	49	300	35	240
05	68	49	58	0.0				7	0	0528	1931		0.00			29.10		3.3	13	130	10	130
06	78	53	66	7.8				0	1	0526	1932	TS RA	0.10			29.00		3.7	29	320	22	320
07	70	50	60	1.5				5	0	0525	1933	BR	0.00			29.13		9.9	23	330	17	010
08	77	45	61	2.2				4	0	0524	1934		0.00			29.17		2.8	14	330	10	330
09	82	53	68	8.9				0	3	0523	1935	TS RA	0.01			29.02		10.7	31	210	23	200
10	78	60	69	9.6				0	4	0522	1936	TS RA	0.04			28.90		12.7	33	280	23	300
11	77	55	66	6.3				0	1	0521	1937		0.00			29.05		7.9	19	100	16	090
12	84	56	70	10.0				0	5	0520	1938	TS	0.02			29.03		8.5	29	290	21	240
13	85	53	69	8.8				0	4	0519	1939	BR	0.00			29.03		6.9	24	240	18	280
14	84	59	72	11.5				0	7	0518	1940	TS RA BR HZ	0.10			28.98		6.9	59	340	41	340
15	84	63	73	12.2				0	8	0517	1941	TS RA BR	0.97			28.92		7.3	26	330	21	330
16	75	61	68	6.9				0	3	0516	1942	RA BR	T			28.99		4.9	14	010	10	010
17	81	60	71	9.6				0	6	0515	1943	RA	T			29.00		8.0	22	040	17	040
18	73	64	69	7.3				0	4	0514	1944	RA BR	0.23			29.03		12.2	26	080	21	090
19	79	65	72	10.0				0	7	0514	1944	TS RA BR	0.23			28.95		10.5	26	280	22	280
20	78	63	71	8.7				0	6	0513	1945	FG BR	0.00			29.10		5.9	15	350	13	350
21	82	59	71	8.4				0	6	0512	1946	TS RA BR	1.19			29.14		6.8	40	320	30	310
22	82	64	73	10.0				0	8	0511	1947	RA BR	0.09			29.04		8.7	25	290	20	290
23	77	60	69	5.7				0	4	0510	1948		0.00			29.15		7.7	21	020	17	030
24	82	54	68	4.4				0	3	0510	1949		0.00			29.21		3.6	18	070	15	110
25	87	56	72	8.1				0	7	0509	1950	BR	0.00			29.02		4.0	22	210	16	220
26	86	63	74	9.8				0	9	0508	1951	TS RA BR	0.53			28.87		5.5	38	300	30	300
27	90	65	77	12.5				0	12	0508	1951	BR	0.00			28.94		2.7	13	150	10	140
28	90*	66	78	13.2				0	13	0507	1952		0.00			29.00		3.9	17	170	13	170
29	88	68	78	12.8				0	13	0507	1953		0.00			28.97		7.8	26	110	20	130
30	85	70	77	11.5				0	12	0506	1954	RA BR	0.39			28.85		12.2	34s	180s	25	190
31	87	69	78	12.2				0	13	0506	1954		T			28.83		9.6	25	230	20	240
	81.1	58.9	70.0							Monthly Averages | Totals			4.10s			29.03	29.98	7.8				
	8.6	9.0	8.8	Departure from Normal (1981-2010)									-0.31s									

Degree Days	Monthly		Season-to-date		Number of days with... Temperature				Precipitation		Snow	Weather	
	Total	Departure	Total	Departure	Max		Min						
Heating	18	-151	5578		>=90°	<=32°	<=32°	<=0°	>=0.01"	>=0.1"	>=1"	T-Storms	Heavy Fog
Cooling	174	122	182		2	0	0	0	14	9			

Date of 5-sec to 3-sec wind equipment change	Sea Level Pressure				Greatest... 24-Hr...		Snow Depth
			Date	Time	Precip	Snowfall	
N/A	Maximum	30.23	24	0927	1.27s		
	Minimum	29.71	30	1733			
					Date		
					21-22		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
May 2018

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	CLR:00	10.00		54	12.2	44	6.5	31	-0.6	42	5	200		29.16	6	+0.02	30.12	FM-15	0.00	30.13
01	0153	7	CLR:00	10.00		52	11.1	43	6.0	31	-0.6	45	6	210		29.14			30.11	FM-15	0.00	30.11
01	0253	7	CLR:00	10.00		50	10.0	42	5.4	31	-0.6	48	0	000		29.15			30.12	FM-15	0.00	30.12
01	0353	7	CLR:00	10.00		47	8.3	41	4.9	33	0.6	59	0	000		29.16	5	+0.00	30.12	FM-15	0.00	30.13
01	0453	7	CLR:00	10.00		47	8.3	41	4.9	33	0.6	59	3	150		29.17			30.14	FM-15	0.00	30.14
01	0553	7	CLR:00	10.00		46	7.8	41	4.9	34	1.1	63	0	000		29.20			30.16	FM-15	0.00	30.17
01	0653	7	CLR:00	10.00		49	9.4	44	6.8	39	3.9	69	0	000		29.21	1	-0.06	30.18	FM-15	0.00	30.18
01	0753	7	CLR:00	10.00		58	14.4	48	9.1	38	3.3	48	6	210		29.22			30.18	FM-15	0.00	30.19
01	0853	7	CLR:00	10.00		66	18.9	52	11.3	39	3.9	37	9	210		29.21			30.17	FM-15	0.00	30.18
01	0953	7	CLR:00	10.00		71	21.7	55	12.9	41	5.0	34	13	210		29.20	8	+0.01	30.16	FM-15	0.00	30.17
01	1053	7	CLR:00	10.00		75	23.9	56	13.2	38	3.3	26	10	230		29.20			30.15	FM-15	0.00	30.17
01	1153	7	CLR:00	10.00		76	24.4	56	13.2	37	2.8	24	15	230		29.18			30.14	FM-15	0.00	30.15
01	1253	7	CLR:00	10.00		78	25.6	56	13.3	35	1.7	21	16	220	23	29.17	8	+0.04	30.13	FM-15	0.00	30.14
01	1353	7	CLR:00	10.00		78	25.6	56	13.3	35	1.7	21	20	220	25	29.15			30.11	FM-15	0.00	30.12
01	1453	7	CLR:00	10.00		80	26.7	57	13.9	36	2.2	20	15	220		29.13			30.09	FM-15	0.00	30.10
01	1553	7	CLR:00	10.00		79	26.1	56	13.5	35	1.7	20	14	220	25	29.12	6	+0.04	30.09	FM-15	0.00	30.09
01	1653	7	CLR:00	10.00		79	26.1	57	13.7	36	2.2	21	16	210	22	29.12			30.09	FM-15	0.00	30.09
01	1753	7	CLR:00	10.00		78	25.6	56	13.3	35	1.7	21	17	210		29.12			30.08	FM-15	0.00	30.09
01	1853	7	CLR:00	10.00		75	23.9	55	12.8	36	2.2	24	9	200		29.12	8	+0.01	30.08	FM-15	0.00	30.09
01	1953	7	CLR:00	10.00		71	21.7	53	11.9	36	2.2	28	6	190		29.12			30.08	FM-15	0.00	30.09
01	2053	7	CLR:00	10.00		68	20.0	54	12.4	42	5.6	39	8	200		29.12			30.08	FM-15	0.00	30.09
01	2153	7	CLR:00	10.00		67	19.4	54	12.2	42	5.6	41	7	190		29.12	0	-0.01	30.08	FM-15	0.00	30.09
01	2253	7	CLR:00	10.00		66	18.9	54	12.0	42	5.6	42	8	180		29.13			30.08	FM-15	0.00	30.10
01	2353	7	CLR:00	10.00		63	17.2	53	11.5	43	6.1	48	6	190		29.14			30.09	FM-15	0.00	30.11
02	0053	7	CLR:00	10.00		62	16.7	52	11.2	43	6.1	50	5	180		29.15	3	-0.03	30.10	FM-15	0.00	30.12
02	0153	7	CLR:00	10.00		60	15.6	52	11.0	44	6.7	56	6	180		29.13			30.09	FM-15	0.00	30.10
02	0253	7	CLR:00	10.00		60	15.6	52	11.0	44	6.7	56	6	190		29.13			30.09	FM-15	0.00	30.10
02	0353	7	CLR:00	10.00		61	16.1	52	11.2	44	6.7	54	9	190		29.13	6	+0.02	30.08	FM-15	0.00	30.10
02	0453	7	CLR:00	10.00		59	15.0	52	11.0	45	7.2	60	7	200		29.13			30.09	FM-15	0.00	30.10
02	0553	7	FEW:02 95	10.00		59	15.0	52	11.0	45	7.2	60	6	180		29.15			30.11	FM-15	0.00	30.12
02	0653	7	FEW:02 95	10.00		62	16.7	54	12.2	47	8.3	58	9	190		29.17	3	-0.04	30.13	FM-15	0.00	30.14
02	0753	7	FEW:02 95	10.00		66	18.9	57	13.9	50	10.0	56	9	200		29.17			30.13	FM-15	0.00	30.14
02	0853	7	BKN:07 95	10.00		72	22.2	61	16.4	54	12.2	53	13	230	26	29.17			30.12	FM-15	0.00	30.14
02	0953	7	CLR:00	10.00		75	23.9	63	17.2	55	12.8	50	13	210		29.16	8	+0.01	30.12	FM-15	0.00	30.13
02	1053	7	SCT:04 90	10.00		79	26.1	66	18.9	58	14.4	49	22	240	31	29.15			30.10	FM-15	0.00	30.12
02	1153	7	BKN:07 100	10.00		79	26.1	66	18.9	58	14.4	49	16	210	26	29.14			30.09	FM-15	0.00	30.11
02	1253	7	FEW:02 50 SCT:04 90	10.00		80	26.7	66	19.1	58	14.4	47	21	210	30	29.12	8	+0.04	30.07	FM-15	0.00	30.09
02	1353	7	FEW:02 55 BKN:07 95	10.00		83	28.3	67	19.3	57	13.9	41	18	240	29	29.10			30.06	FM-15	0.00	30.07
02	1453	7	FEW:02 60 BKN:07 100	10.00		83	28.3	67	19.6	58	14.4	43	22	220	32	29.09			30.04	FM-15	0.00	30.06
02	1553	7	SCT:04 60 BKN:07 70 BKN:07 100	10.00		81	27.2	67	19.2	58	14.4	45	16	220	31	29.08	6	+0.04	30.03	FM-15	0.00	30.05
02	1653	7	FEW:02 70 BKN:07 100	10.00		81	27.2	67	19.5	59	15.0	47	18	210	24	29.07			30.02	FM-15	0.00	30.04

02	1753	7	SCT:04 60 OVC:08 85	10.00		80	26.7	66	19.1	58	14.4	47	17	210		29.07			30.02	FM-15	0.00	30.04
02	1853	7	OVC:08 95	10.00		80	26.7	66	19.1	58	14.4	47	15	210		29.06	6	+0.01	30.01	FM-15	0.00	30.03
02	1953	7	BKN:07 90	10.00		77	25.0	66	18.8	59	15.0	54	11	190		29.05			30.01	FM-15	0.00	30.02
02	2053	7	CLR:00	10.00		76	24.4	65	18.3	58	14.4	54	15	200		29.05			30.00	FM-15	0.00	30.02
02	2153	7	CLR:00	10.00		74	23.3	64	17.9	58	14.4	57	14	200		29.07	3	-0.01	30.02	FM-15	0.00	30.04
02	2253	7	CLR:00	10.00		73	22.8	63	17.4	57	13.9	57	14	200		29.06			30.01	FM-15	0.00	30.03
02	2353	7	CLR:00	10.00		72	22.2	64	17.5	58	14.4	61	10	210		29.08			30.03	FM-15	0.00	30.05
03	0053	7	BKN:07 95	10.00		72	22.2	64	17.5	58	14.4	61	14	220		29.08	3	-0.01	30.03	FM-15	0.00	30.05
03	0153	7	OVC:08 100	10.00		72	22.2	64	17.5	58	14.4	61	13	220		29.07			30.01	FM-15	0.00	30.04
03	0253	7	SCT:04 70 OVC:08 95	10.00		71	21.7	63	17.3	58	14.4	63	11	210		29.08			30.02	FM-15	0.00	30.05
03	0353	7	OVC:08 100	10.00		69	20.6	62	16.9	58	14.4	68	7	210		29.07	6	+0.00	30.02	FM-15	0.00	30.04
03	0453	7	FEW:02 55 SCT:04 70 BKN:07 110	10.00		69	20.6	62	16.9	58	14.4	68	9	210		29.07			30.01	FM-15	0.00	30.04
03	0553	7	CLR:00	10.00		69	20.6	62	16.9	58	14.4	68	9	210		29.07			30.02	FM-15	0.00	30.04
03	0653	7	CLR:00	10.00		70	21.1	63	17.1	58	14.4	66	14	210		29.06	6	+0.01	30.01	FM-15	0.00	30.03
03	0753	7	FEW:02 65 BKN:07 90	10.00		72	22.2	64	17.5	58	14.4	61	20	230		29.06			30.01	FM-15	0.00	30.03
03	0853	7	CLR:00	10.00		76	24.4	65	18.6	59	15.0	56	16	230	23	29.06			30.01	FM-15	0.00	30.03
03	0953	7	SCT:04 75	10.00		78	25.6	67	19.3	60	15.6	54	18	230	26	29.06	7	+0.00	30.01	FM-15	0.00	30.03
03	1053	7	CLR:00	10.00		79	26.1	67	19.5	60	15.6	52	21	240	28	29.06			30.01	FM-15	0.00	30.03
03	1139	7	OVC:08 44	10.00	VCTS:7 ||	78	25.6	67	19.3	60	15.6	54	22	230	29	29.07				FM-16	T	30.04
03	1149	7	FEW:02 37 OVC:08 44	1.00	VCTS:7 +RA:02 |RA |RA	70	21.0	66	18.7	63	17.0	78	21	260	46	29.10				FM-16	0.06	30.07
03	1151	6	SCT:04 37 OVC:08 44	1.00	TS:7 +RA:02 |RA TS |RA	70	21.0	66	19.0	64	18.0	83	22	250	46	29.11				FM-16		30.08
03	1153	7	BKN:07 41 OVC:08 50	1.00	TS:7 +RA:02 BR:1 |RA TS |RA	68	20.0	65	18.6	64	17.8	87	23	250	46	29.10			30.06	FM-15	0.12	30.07
03	1200	7	BKN:07 43 BKN:07 55 OVC:08 95	5.00	TS:7 RA:02 BR:1 |RA TS |RA	68	20.0	66	18.9	65	18.3	90	16	250	31	29.09				FM-16	0.01	30.06
03	1214	7	SCT:04 37 SCT:04 55 OVC:08 100	8.00	VCTS:7 ||	70	21.1	67	19.3	65	18.3	84	13	230	23	29.08				FM-16	0.02	30.05
03	1242	7	CLR:00	10.00		73	22.8	68	20.3	66	18.9	79	13	230	20	29.07				FM-16	0.02	30.04
03	1253	7	SCT:04 27	10.00		74	23.3	68	20.1	65	18.3	74	14	230	24	29.07	0	-0.01	30.02	FM-15	0.01	30.04
03	1353	7	FEW:02 27	10.00		77	25.0	69	20.3	64	17.8	64	18	200	25	29.04			29.99	FM-15	0.00	30.01
03	1453	7	FEW:02 70 SCT:04 120	10.00		77	25.0	67	19.7	62	16.7	60	14	210	24	29.05			30.00	FM-15	0.00	30.02
03	1553	7	FEW:02 44 BKN:07 65 OVC:08 75	10.00	-RA:02 |RA |RA	72	22.2	66	18.7	62	16.7	71	17	250	24	29.06	5	+0.01	30.01	FM-15	0.03	30.03
03	1653	7	FEW:02 65 SCT:04 100	10.00		75	23.9	67	19.6	63	17.2	66	16	260	24	29.06			30.02	FM-15	T	30.03
03	1753	7	CLR:00	10.00		75	23.9	66	18.7	60	15.6	60	15	250	25	29.07			30.02	FM-15	0.00	30.04
03	1853	7	CLR:00	10.00		74	23.3	66	18.8	61	16.1	64	7	240		29.07	2	-0.00	30.02	FM-15	0.00	30.04
03	1953	7	FEW:02 50 FEW:02 65 BKN:07 120	10.00		73	22.8	66	18.6	61	16.1	66	7	220		29.07			30.02	FM-15	0.00	30.04
03	2053	7	SCT:04 40 OVC:08 100	10.00		72	22.2	66	18.7	62	16.7	71	6	230		29.08			30.03	FM-15	0.00	30.05
03	2153	7	OVC:08 110	10.00		71	21.7	65	18.6	62	16.7	73	10	210		29.06	8	+0.00	30.01	FM-15	0.00	30.03
03	2253	7	OVC:08 95	10.00		69	20.6	65	18.1	62	16.7	78	5	190		29.03			29.98	FM-15	0.00	30.00
03	2353	7	OVC:08 100	10.00		69	20.6	65	18.1	62	16.7	78	5	150		29.00			29.96	FM-15	0.00	29.97
04	0053	7	OVC:08 95	10.00		69	20.6	65	18.1	62	16.7	78	5	170		29.00	6	+0.06	29.95	FM-15	0.00	29.97
04	0153	7	OVC:08 100	10.00		68	20.0	64	17.9	62	16.7	81	6	190		29.00			29.95	FM-15	0.00	29.97
04	0253	7	BKN:07 85	10.00		68	20.0	64	17.6	61	16.1	78	7	170		28.98			29.93	FM-15	0.00	29.95
04	0353	7	BKN:07 90	10.00		68	20.0	63	17.3	60	15.6	76	9	170		28.96	8	+0.04	29.91	FM-15	0.00	29.93

04	0453	7	BKN:07 95 OVC:08 110	10.00		68	20.0	63	17.3	60	15.6	76	10	190		28.95			29.90	FM-15	0.00	29.92
04	0553	7	OVC:08 110	10.00		69	20.6	64	17.5	60	15.6	73	10	200		28.94			29.89	FM-15	0.00	29.91
04	0653	7	BKN:07 70 OVC:08 90	10.00		70	21.1	63	17.4	59	15.0	68	11	220	21	28.95	5	+0.01	29.91	FM-15	0.00	29.92
04	0753	7	FEW:02 47	10.00		72	22.2	65	18.1	60	15.6	66	15	220		28.95			29.90	FM-15	0.00	29.92
04	0853	7	BKN:07 30	10.00		74	23.3	65	18.5	60	15.6	62	24	230	33	28.95			29.90	FM-15	0.00	29.92
04	0953	7	CLR:00	10.00		75	23.9	66	18.7	60	15.6	60	26	230	34	28.92	8	+0.03	29.87	FM-15	T	29.89
04	1053	7	SCT:04 42	10.00		78	25.6	67	19.3	60	15.6	54	22	230	33	28.92			29.87	FM-15	T	29.89
04	1153	7	FEW:02 55	10.00		81	27.2	67	19.2	58	14.4	45	23	230	38	28.91			29.85	FM-15	T	29.88
04	1253	7	SCT:04 60 SCT:04 70	10.00		79	26.1	66	18.9	58	14.4	49	22	240	34	28.91	5	+0.01	29.86	FM-15	0.00	29.88
04	1353	7	SCT:04 55 BKN:07 90	10.00		80	26.7	66	19.0	58	14.4	47	23	240	36	28.91			29.85	FM-15	0.00	29.88
04	1453	7	FEW:02 60	10.00		79	26.1	66	18.9	58	14.4	49	18	230	32	28.91			29.85	FM-15	0.00	29.88
04	1519	7	FEW:02 48 BKN:07 60 BKN:07 75	5.00	HZ:7 |FU |HZ	65	18.3	61	16.0	58	14.4	78	21	290	41	28.95				FM-16		29.92
04	1553	7	FEW:02 42 SCT:04 65 OVC:08 90	5.00	HZ:7 |FU |HZ	66	18.9	63	17.2	61	16.1	84	9	240		28.96	3	-0.05	29.91	FM-15	0.04	29.93
04	1653	7	SCT:04 120	10.00		68	20.0	62	16.7	58	14.4	70	14	330	22	29.00			29.95	FM-15	0.00	29.97
04	1753	7	BKN:07 110	10.00		67	19.4	60	15.6	55	12.8	66	15	340	21	29.01			29.97	FM-15	0.00	29.98
04	1853	7	CLR:00	10.00		65	18.3	58	14.3	52	11.1	63	11	320		29.02	1	-0.06	29.98	FM-15	0.00	29.99
04	1953	7	CLR:00	10.00		63	17.2	56	13.5	51	10.6	65	7	330		29.06			30.01	FM-15	0.00	30.03
04	2053	7	CLR:00	10.00		61	16.1	55	12.8	50	10.0	67	5	330		29.09			30.04	FM-15	0.00	30.06
04	2153	7	CLR:00	10.00		60	15.6	54	12.3	49	9.4	67	3	320		29.11	1	-0.09	30.07	FM-15	0.00	30.08
04	2253	7	CLR:00	10.00		56	13.3	52	11.3	49	9.4	77	3	300		29.12			30.08	FM-15	0.00	30.09
04	2353	7	CLR:00	10.00		54	12.2	51	10.5	48	8.9	80	5	330		29.11			30.07	FM-15	0.00	30.08
05	0053	7	CLR:00	10.00		54	12.2	51	10.8	49	9.4	83	0	000		29.12	1	-0.00	30.07	FM-15	0.00	30.09
05	0153	7	CLR:00	10.00		51	10.6	50	10.0	49	9.4	92	0	000		29.11			30.07	FM-15	0.00	30.08
05	0253	7	CLR:00	10.00		52	11.1	50	10.2	49	9.4	89	0	000		29.10			30.06	FM-15	0.00	30.07
05	0353	7	CLR:00	10.00		51	10.6	50	10.0	49	9.4	92	0	000		29.11	5	+0.01	30.07	FM-15	0.00	30.08
05	0453	7	CLR:00	10.00		50	10.0	49	9.4	48	8.9	93	0	000		29.11			30.07	FM-15	0.00	30.08
05	0553	7	CLR:00	10.00		51	10.6	50	10.3	50	10.0	96	0	000		29.12			30.09	FM-15	0.00	30.09
05	0653	7	CLR:00	10.00		55	12.8	53	11.9	52	11.1	90	0	000		29.15	3	-0.04	30.11	FM-15	0.00	30.12
05	0753	7	CLR:00	10.00		58	14.4	54	12.3	51	10.6	78	6	100		29.14			30.10	FM-15	0.00	30.11
05	0853	7	CLR:00	10.00		61	16.1	56	13.1	51	10.6	70	7	100		29.13			30.09	FM-15	0.00	30.10
05	0953	7	CLR:00	10.00		64	17.8	57	14.0	52	11.1	65	6	VRB		29.12	6	+0.03	30.09	FM-15	0.00	30.09
05	1053	7	CLR:00	10.00		66	18.9	58	14.2	51	10.6	59	7	130		29.12			30.09	FM-15	0.00	30.09
05	1153	7	CLR:00	10.00		67	19.4	58	14.2	50	10.0	55	5	120		29.11			30.07	FM-15	0.00	30.08
05	1253	7	CLR:00	10.00		68	20.0	57	13.9	48	8.9	49	3	190		29.10	8	+0.02	30.06	FM-15	0.00	30.07
05	1353	7	CLR:00	10.00		68	20.0	58	14.4	50	10.0	53	5	180		29.08			30.05	FM-15	0.00	30.05
05	1453	7	FEW:02 120	10.00		68	20.0	58	14.7	51	10.6	55	7	150		29.07			30.04	FM-15	0.00	30.04
05	1553	7	CLR:00	10.00		67	19.4	57	14.2	50	10.0	55	5	070		29.06	6	+0.04	30.03	FM-15	0.00	30.03
05	1653	7	CLR:00	10.00		68	20.0	58	14.7	51	10.6	55	3	VRB		29.05			30.01	FM-15	0.00	30.02
05	1753	7	CLR:00	10.00		65	18.3	59	15.1	55	12.8	70	8	210		29.05			30.02	FM-15	0.00	30.02
05	1853	7	CLR:00	10.00		64	17.8	57	13.8	51	10.6	63	7	180		29.04	6	+0.02	30.01	FM-15	0.00	30.01
05	1953	7	CLR:00	10.00		63	17.2	57	13.8	52	11.1	68	3	160		29.04			30.01	FM-15	0.00	30.01
05	2053	7	CLR:00	10.00		61	16.1	57	13.9	54	12.2	78	3	170		29.04			30.01	FM-15	0.00	30.01
05	2153	7	CLR:00	10.00		60	15.6	58	14.3	56	13.3	86	3	190		29.04	5	+0.00	30.01	FM-15	0.00	30.01
05	2253	7	CLR:00	10.00		60	15.6	57	14.0	55	12.8	84	0	000		29.05			30.01	FM-15	0.00	30.02
05	2353	7	CLR:00	10.00		58	14.4	56	13.2	54	12.2	87	0	000		29.04			30.00	FM-15	0.00	30.01
06	0053	7	CLR:00	10.00		57	13.9	55	12.7	53	11.7	87	0	000		29.01	8	+0.03	29.97	FM-15	0.00	29.98
06	0153	7	CLR:00	10.00		56	13.3	54	12.4	53	11.7	90	3	030		29.00			29.96	FM-15	0.00	29.97
06	0253	7	CLR:00	10.00		56	13.3	54	12.4	53	11.7	90	6	100		28.99			29.95	FM-15	0.00	29.96
06	0353	7	CLR:00	10.00		56	13.3	54	12.1	52	11.1	87	0	000		29.00	5	+0.01	29.96	FM-15	0.00	29.97
06	0453	7	CLR:00	10.00		54	12.2	53	11.6	52	11.1	93	5	340		28.99			29.96	FM-15	0.00	29.96

06	0553	7	CLR:00	10.00		55	12.8	53	11.9	52	11.1	90	5	340		29.01			29.97	FM-15	0.00	29.98
06	0653	7	CLR:00	10.00		56	13.3	55	12.7	54	12.2	93	5	010		29.02	3	-0.02	29.98	FM-15	0.00	29.99
06	0753	7	CLR:00	10.00		59	15.0	57	13.7	55	12.8	87	5	020		29.00			29.97	FM-15	0.00	29.97
06	0853	7	CLR:00	10.00		61	16.1	58	14.2	55	12.8	81	5	020		28.99			29.96	FM-15	0.00	29.96
06	0953	7	CLR:00	10.00		64	17.8	58	14.6	54	12.2	70	0	000		29.00	5	+0.02	29.96	FM-15	0.00	29.97
06	1053	7	CLR:00	10.00		67	19.4	59	15.0	53	11.7	61	0	000		29.00			29.96	FM-15	0.00	29.97
06	1153	7	CLR:00	10.00		71	21.7	59	15.0	50	10.0	47	3	VRB		28.99			29.95	FM-15	0.00	29.96
06	1253	7	CLR:00	10.00		73	22.8	57	14.0	44	6.7	35	0	000		28.98	8	+0.02	29.93	FM-15	0.00	29.95
06	1353	7	CLR:00	10.00		75	23.9	59	15.1	47	8.3	37	0	000		28.96			29.92	FM-15	0.00	29.93
06	1453	7	CLR:00	10.00		75	23.9	59	15.1	47	8.3	37	5	200		28.94			29.89	FM-15	0.00	29.91
06	1553	7	CLR:00	10.00		76	24.4	60	15.6	48	8.9	37	0	000		28.92	8	+0.05	29.88	FM-15	0.00	29.89
06	1635	7	SCT:04 75 BKN:07 100	10.00	VCTS:7 ||	74	23.3	59	15.2	48	8.9	40	0	000		28.93				FM-16		29.90
06	1650	7	BKN:07 75 OVC:08 100	10.00		68	20.0	57	13.9	48	9.0	49	14	330		28.94				FM-16		29.91
06	1653	7	BKN:07 75 OVC:08 100	10.00		68	20.0	57	14.1	49	9.4	51	16	330		28.94			29.91	FM-15	T	29.91
06	1753	7	FEW:02 26 FEW:02 65 OVC:08 85	8.00	-RA:02 |RA |RA	63	17.2	58	14.4	54	12.2	73	11	300	16	28.98			29.94	FM-15	0.05	29.95
06	1853	7	OVC:08 90	10.00	-RA:02 |RA |RA	60	15.6	58	14.3	56	13.3	86	6	180		28.98	1	-0.04	29.95	FM-15	0.04	29.95
06	1953	7	FEW:02 70 BKN:07 100	10.00	-RA:02 |RA |RA	58	14.4	57	13.8	56	13.3	93	0	000		28.99			29.96	FM-15	T	29.96
06	2053	7	FEW:02 100	10.00		58	14.4	57	13.8	56	13.3	93	3	250		29.02			29.98	FM-15	0.01	29.99
06	2153	7	BKN:07 90	10.00		57	13.9	56	13.6	56	13.3	96	0	000		29.04	3	-0.06	30.00	FM-15	0.00	30.01
06	2253	7	CLR:00	10.00		56	13.3	55	13.0	55	12.8	97	5	360		29.04			30.00	FM-15	0.00	30.01
06	2353	7	CLR:00	10.00		57	13.9	55	12.7	53	11.7	87	8	330		29.05			30.01	FM-15	0.00	30.02
07	0053	7	CLR:00	9.00		56	13.3	55	12.7	54	12.2	93	9	360		29.05	0	-0.01	30.01	FM-15	0.00	30.02
07	0153	7	BKN:07 75 OVC:08 90	7.00		54	12.2	53	11.6	52	11.1	93	10	340		29.06			30.01	FM-15	0.00	30.03
07	0253	7	FEW:02 75 OVC:08 90	10.00		53	11.7	50	10.2	48	8.9	83	8	350		29.07			30.02	FM-15	0.00	30.04
07	0353	7	SCT:04 70 BKN:07 90	10.00		52	11.1	50	10.0	48	8.9	86	6	350		29.08	3	-0.02	30.03	FM-15	0.00	30.05
07	0453	7	CLR:00	9.00		51	10.6	49	9.7	48	8.9	89	8	340		29.09			30.05	FM-15	0.00	30.06
07	0553	7	SCT:04 65	7.00		51	10.6	49	9.7	48	8.9	89	11	350		29.11			30.08	FM-15	0.00	30.08
07	0634	7	BKN:07 9	8.00		51	10.6	49	9.4	47	8.3	86	14	010		29.14				FM-16		30.11
07	0653	7	BKN:07 9	6.00	BR:1 ||	51	10.6	49	9.7	48	8.9	89	11	010		29.14	3	-0.06	30.11	FM-15	0.00	30.11
07	0711	7	SCT:04 9	8.00		52	11.1	50	10.0	48	8.9	86	9	010		29.15				FM-16		30.12
07	0753	7	CLR:00	10.00		55	12.8	52	11.0	49	9.4	80	13	360		29.16			30.13	FM-15	0.00	30.13
07	0853	7	CLR:00	10.00		58	14.4	54	12.1	50	10.0	75	11	040		29.17			30.14	FM-15	0.00	30.14
07	0953	7	CLR:00	10.00		62	16.7	56	13.3	51	10.6	67	11	010		29.18	1	-0.04	30.14	FM-15	0.00	30.15
07	1053	7	CLR:00	10.00		65	18.3	57	14.0	51	10.6	61	11	010		29.18			30.14	FM-15	0.00	30.15
07	1153	7	CLR:00	10.00		67	19.4	57	13.9	49	9.4	53	9	050		29.17			30.13	FM-15	0.00	30.14
07	1253	7	FEW:02 46	10.00		68	20.0	57	14.1	49	9.4	51	9	350		29.16	8	+0.02	30.12	FM-15	0.00	30.13
07	1353	7	FEW:02 50	10.00		69	20.6	57	13.8	47	8.3	45	16	010		29.16			30.12	FM-15	0.00	30.13
07	1453	7	FEW:02 55	10.00		68	20.0	56	13.4	46	7.8	45	11	030	16	29.15			30.11	FM-15	0.00	30.12
07	1553	7	FEW:02 60	10.00		70	21.1	57	13.8	46	7.8	42	10	360		29.15	8	+0.01	30.11	FM-15	0.00	30.12
07	1644	7	FEW:02 65	10.00		68	20.0	55	12.9	44	6.7	42	10	350		29.15				FM-16		30.12
07	1653	7	FEW:02 65	10.00		69	20.6	56	13.4	45	7.2	42	11	350		29.15			30.11	FM-15	0.00	30.12
07	1753	7	SCT:04 60	10.00		67	19.4	55	12.9	45	7.2	45	11	350		29.15			30.12	FM-15	0.00	30.12
07	1853	7	CLR:00	10.00		65	18.3	54	11.9	43	6.1	45	10	360		29.16	1	-0.01	30.12	FM-15	0.00	30.13
07	1953	7	CLR:00	10.00		59	15.0	51	10.5	43	6.1	56	8	360		29.17			30.14	FM-15	0.00	30.14
07	2053	7	CLR:00	10.00		58	14.4	51	10.5	44	6.7	60	14	010		29.19			30.15	FM-15	0.00	30.16
07	2153	7	CLR:00	10.00		55	12.8	49	9.7	44	6.7	67	9	010		29.20	3	-0.05	30.17	FM-15	0.00	30.17
07	2253	7	CLR:00	10.00		52	11.1	48	8.6	43	6.1	72	6	040		29.20			30.16	FM-15	0.00	30.17
07	2353	7	CLR:00	10.00		50	10.0	47	8.1	43	6.1	77	6	330		29.20			30.17	FM-15	0.00	30.17
08	0053	7	CLR:00	10.00		50	10.0	47	8.1	43	6.1	77	5	350		29.20	8	+0.01	30.16	FM-15	0.00	30.17
08	0153	7	CLR:00	10.00		48	8.9	45	7.3	42	5.6	80	5	010		29.19			30.15	FM-15	0.00	30.16

08	0253	7	CLR:00	10.00		48	8.9	45	7.3	42	5.6	80	3	350		29.19			30.16	FM-15	0.00	30.16
08	0353	7	CLR:00	10.00		46	7.8	43	6.2	40	4.4	79	5	340		29.19	6	+0.01	30.16	FM-15	0.00	30.16
08	0453	7	CLR:00	10.00		46	7.8	44	6.5	41	5.0	83	3	360		29.19			30.16	FM-15	0.00	30.16
08	0553	7	CLR:00	10.00		47	8.3	45	7.3	43	6.1	86	0	000		29.19			30.16	FM-15	0.00	30.16
08	0653	7	CLR:00	10.00		52	11.1	49	9.4	46	7.8	80	0	000		29.22	3	-0.03	30.18	FM-15	0.00	30.19
08	0753	7	CLR:00	10.00		56	13.3	50	10.2	45	7.2	67	0	000		29.23			30.19	FM-15	0.00	30.20
08	0853	7	CLR:00	10.00		63	17.2	54	12.2	46	7.8	54	3	040		29.23			30.19	FM-15	0.00	30.20
08	0953	7	CLR:00	10.00		68	20.0	57	13.9	48	8.9	49	3	VRB		29.22	0	-0.00	30.18	FM-15	0.00	30.19
08	1053	7	CLR:00	10.00		70	21.1	57	14.1	47	8.3	44	5	100		29.22			30.18	FM-15	0.00	30.19
08	1153	7	CLR:00	10.00		72	22.2	59	14.8	48	8.9	43	0	000		29.20			30.16	FM-15	0.00	30.17
08	1253	7	CLR:00	10.00		75	23.9	60	15.7	49	9.4	40	6	VRB		29.18	8	+0.04	30.14	FM-15	0.00	30.15
08	1353	7	CLR:00	10.00		75	23.9	60	15.6	49	9.4	40	5	270		29.16			30.13	FM-15	0.00	30.13
08	1453	7	CLR:00	10.00		76	24.4	61	15.9	49	9.4	39	7	290		29.15			30.11	FM-15	0.00	30.12
08	1553	7	BKN:07 70	10.00		75	23.9	61	15.9	50	10.0	41	3	070		29.13	6	+0.05	30.10	FM-15	0.00	30.10
08	1653	7	BKN:07 70	10.00		76	24.4	61	15.9	49	9.4	39	5	VRB		29.13			30.09	FM-15	0.00	30.10
08	1753	7	FEW:02 70	10.00		76	24.4	60	15.6	48	8.9	37	5	210		29.12			30.08	FM-15	0.00	30.09
08	1853	7	CLR:00	10.00		74	23.3	59	15.2	48	8.9	40	5	220		29.11	8	+0.03	30.07	FM-15	0.00	30.08
08	1953	7	CLR:00	10.00		70	21.1	58	14.3	48	8.9	46	0	000		29.11			30.08	FM-15	0.00	30.08
08	2053	7	CLR:00	10.00		67	19.4	56	13.4	47	8.3	49	0	000		29.12			30.08	FM-15	0.00	30.09
08	2153	7	CLR:00	10.00		66	18.9	56	13.4	48	8.9	52	0	000		29.13	1	-0.02	30.08	FM-15	0.00	30.10
08	2253	7	CLR:00	10.00		61	16.1	55	12.8	50	10.0	67	0	000		29.12			30.08	FM-15	0.00	30.09
08	2353	6	CLR:00	10.00		60	15.6	54	12.3	49	9.4	67	0	000		29.11			30.07	FM-15	0.00	30.08
09	0053	6	CLR:00	10.00		59	15.0	54	12.3	50	10.0	72	0	000		29.10	7	+0.02	30.06	FM-15	0.00	30.07
09	0153	6	FEW:02 80	10.00		58	14.4	53	11.8	49	9.4	72	0	000		29.09			30.04	FM-15	0.00	30.06
09	0253	7	SCT:04 80	10.00		56	13.3	52	11.3	49	9.4	77	0	000		29.08			30.04	FM-15	0.00	30.05
09	0353	7	FEW:02 80	10.00		55	12.8	52	11.0	49	9.4	80	0	000		29.07	7	+0.04	30.03	FM-15	0.00	30.04
09	0453	7	CLR:00	10.00		55	12.8	52	11.0	49	9.4	80	3	100		29.07			30.02	FM-15	0.00	30.04
09	0553	7	CLR:00	9.00		53	11.7	51	10.5	49	9.4	86	3	120		29.08			30.03	FM-15	0.00	30.05
09	0653	7	CLR:00	10.00		60	15.6	56	13.1	52	11.1	75	5	140		29.08	3	-0.01	30.03	FM-15	0.00	30.05
09	0753	7	FEW:02 75	10.00		66	18.9	59	14.8	53	11.7	63	11	180		29.07			30.03	FM-15	0.00	30.04
09	0853	7	FEW:02 70	10.00		69	20.6	61	16.0	55	12.8	61	9	170		29.07			30.03	FM-15	0.00	30.04
09	0953	7	CLR:00	10.00		73	22.8	62	16.8	55	12.8	53	11	180		29.05	8	+0.02	30.01	FM-15	0.00	30.02
09	1053	7	CLR:00	10.00		78	25.6	65	18.1	56	13.3	47	10	210		29.05			30.00	FM-15	0.00	30.02
09	1153	7	CLR:00	10.00		80	26.7	63	17.4	52	11.1	38	17	190	23	29.02			29.98	FM-15	0.00	29.99
09	1253	7	FEW:02 70	10.00		80	26.7	63	17.2	51	10.6	37	17	210	25	29.00	8	+0.05	29.96	FM-15	0.00	29.97
09	1353	7	CLR:00	10.00		81	27.2	64	17.9	53	11.7	38	17	200	30	28.97			29.92	FM-15	0.00	29.94
09	1453	7	FEW:02 95	10.00		81	27.2	64	17.9	53	11.7	38	17	200	25	28.94			29.89	FM-15	0.00	29.91
09	1553	7	BKN:07 65	9.00		79	26.1	64	17.7	54	12.2	42	21	200	26	28.94	6	+0.06	29.89	FM-15	T	29.91
09	1600	7	BKN:07 60 BKN:07 90 OVC:08 110	7.00	-RA:02 |RA |RA	77	25.0	64	17.6	55	12.8	47	14	210	31	28.94				FM-16	T	29.91
09	1629	7	BKN:07 60 BKN:07 90 OVC:08 110	7.00	VCTS:7 ||	76	24.4	67	19.2	61	16.1	60	9	180		28.92				FM-16	0.01	29.89
09	1651	6	FEW:02 110	10.00		79	26.0	66	19.2	59	15.0	51	11	200	25	28.91				FM-16		29.88
09	1653	7	FEW:02 120	10.00		78	25.6	66	19.0	59	15.0	52	11	200		28.91			29.87	FM-15	0.01	29.88
09	1753	7	CLR:00	10.00		78	25.6	65	18.1	56	13.3	47	16	180	25	28.90			29.85	FM-15	0.00	29.86
09	1853	7	SCT:04 120	10.00		76	24.4	63	17.4	55	12.8	48	16	190	23	28.90	5	+0.04	29.85	FM-15	0.00	29.87
09	1953	7	OVC:08 110	10.00		75	23.9	64	17.5	56	13.3	52	10	170	21	28.87			29.82	FM-15	0.00	29.84
09	2053	7	OVC:08 120	10.00		75	23.9	64	17.8	57	13.9	54	14	190	22	28.89			29.83	FM-15	0.00	29.85
09	2153	7	BKN:07 110	10.00		74	23.3	64	17.6	57	13.9	56	16	190	24	28.87	6	+0.02	29.82	FM-15	0.00	29.84
09	2253	7	OVC:08 110	10.00		74	23.3	64	17.6	57	13.9	56	13	190	23	28.87			29.82	FM-15	0.00	29.84
09	2353	6	CLR:00	10.00		73	22.8	63	17.4	57	13.9	57	16	190		28.86			29.80	FM-15	0.00	29.82
10	0051	6	SCT:04 70 SCT:04 85	10.00	VCTS:7 ||	73	23.0	63	17.4	57	14.0	57	18	210	25	28.86				FM-16		29.82
10	0053	6	SCT:04 70 BKN:07 85	10.00	VCTS:7 ||	73	22.8	63	17.4	57	13.9	57	15	220	25	28.86	5	+0.02	29.80	FM-15	0.00	29.82

10	0128	7	SCT:04 70 SCT:04 95 BKN:07 110	10.00		71	21.7	63	17.3	58	14.4	63	8	200	21	28.84				FM-16	T	29.80
10	0153	7	SCT:04 75	10.00		71	21.7	63	17.3	58	14.4	63	10	210		28.84			29.77	FM-15	T	29.80
10	0219	7	FEW:02 39 BKN:07 60 OVC:08 90	10.00	VCTS:7 ||	71	21.7	63	17.3	58	14.4	63	15	260	26	28.87				FM-16		29.83
10	0253	7	SCT:04 70 OVC:08 80	10.00	VCTS:7 -RA:02 |RA |RA	65	18.3	60	15.4	56	13.3	73	13	230		28.87			29.82	FM-15	0.04	29.84
10	0301	7	BKN:07 80 OVC:08 95	10.00	-RA:02 |RA |RA	65	18.3	60	15.7	57	13.9	76	10	230		28.87				FM-16	T	29.84
10	0353	7	FEW:02 100	10.00		64	17.8	60	15.5	57	13.9	78	8	190		28.84	8	+0.01	29.79	FM-15	T	29.81
10	0453	7	FEW:02 43 SCT:04 110	10.00		63	17.2	60	15.6	58	14.4	84	8	200		28.87			29.81	FM-15	0.00	29.83
10	0553	7	BKN:07 48	10.00		64	17.8	60	15.8	58	14.4	81	10	210		28.87			29.81	FM-15	0.00	29.83
10	0653	7	BKN:07 55	10.00		66	18.9	62	16.9	60	15.6	81	11	240		28.87	1	-0.03	29.83	FM-15	0.00	29.84
10	0753	7	CLR:00	10.00		68	20.0	63	17.3	60	15.6	76	10	250	21	28.90			29.84	FM-15	0.00	29.86
10	0853	7	CLR:00	10.00		70	21.1	63	17.4	59	15.0	68	15	260	22	28.91			29.85	FM-15	0.00	29.88
10	0953	7	FEW:02 31	10.00		72	22.2	64	17.8	59	15.0	64	15	260	23	28.92	1	-0.04	29.86	FM-15	0.00	29.89
10	1053	7	FEW:02 39	10.00		74	23.3	64	17.6	57	13.9	56	20	270	26	28.94			29.89	FM-15	0.00	29.91
10	1153	7	FEW:02 47	10.00		75	23.9	63	17.2	55	12.8	50	20	300	29	28.94			29.89	FM-15	0.00	29.91
10	1253	7	SCT:04 75	10.00		76	24.4	62	16.6	52	11.1	43	21	280	29	28.94	1	-0.03	29.89	FM-15	T	29.91
10	1353	7	FEW:02 60	10.00		77	25.0	62	16.5	51	10.6	40	21	300	32	28.94			29.89	FM-15	T	29.91
10	1453	7	CLR:00	10.00		78	25.6	62	16.5	50	10.0	37	17	280	29	28.94			29.89	FM-15	T	29.91
10	1553	7	CLR:00	10.00		78	25.6	61	16.2	49	9.4	36	18	290	24	28.93	8	+0.02	29.88	FM-15	0.00	29.90
10	1653	7	CLR:00	10.00		77	25.0	61	16.0	49	9.4	37	15	280	23	28.92			29.87	FM-15	0.00	29.89
10	1753	7	CLR:00	10.00		76	24.4	61	15.8	49	9.4	39	14	310		28.93			29.88	FM-15	0.00	29.90
10	1853	7	CLR:00	10.00		73	22.8	59	15.2	49	9.4	43	10	300		28.95	3	-0.02	29.90	FM-15	0.00	29.92
10	1953	7	CLR:00	10.00		68	20.0	57	14.1	49	9.4	51	8	300		28.96			29.92	FM-15	0.00	29.93
10	2053	7	CLR:00	10.00		68	20.0	58	14.4	50	10.0	53	6	330		28.99			29.95	FM-15	0.00	29.96
10	2153	7	CLR:00	10.00		66	18.9	59	14.8	53	11.7	63	7	360		29.01	3	-0.06	29.97	FM-15	0.00	29.98
10	2253	7	CLR:00	10.00		62	16.7	57	13.9	53	11.7	73	6	010		29.02			29.98	FM-15	0.00	29.99
10	2353	7	BKN:07 80	10.00		61	16.1	57	13.9	54	12.2	78	6	020		29.03			29.99	FM-15	0.00	30.00
11	0053	7	CLR:00	10.00		60	15.6	56	13.4	53	11.7	78	3	040		29.03	0	-0.02	29.99	FM-15	0.00	30.00
11	0153	7	CLR:00	10.00		60	15.6	56	13.4	53	11.7	78	0	000		29.03			29.98	FM-15	0.00	30.00
11	0253	7	CLR:00	10.00		57	13.9	54	12.4	52	11.1	83	3	010		29.05			30.01	FM-15	0.00	30.02
11	0353	7	CLR:00	10.00		57	13.9	54	12.1	51	10.6	81	13	060		29.06	3	-0.02	30.01	FM-15	0.00	30.03
11	0453	7	BKN:07 85	10.00		57	13.9	54	12.1	51	10.6	81	8	050		29.07			30.03	FM-15	0.00	30.04
11	0553	7	SCT:04 75 OVC:08 100	10.00		56	13.3	53	11.6	50	10.0	81	8	060		29.10			30.06	FM-15	0.00	30.07
11	0653	7	SCT:04 70 BKN:07 85 BKN:07 110	10.00		56	13.3	53	11.6	50	10.0	81	8	060		29.10	1	-0.04	30.06	FM-15	0.00	30.07
11	0753	7	FEW:02 60 SCT:04 80	10.00		58	14.4	54	12.0	50	10.0	75	10	090		29.09			30.06	FM-15	0.00	30.06
11	0853	7	BKN:07 65	10.00		60	15.6	55	12.5	50	10.0	70	9	050		29.11			30.07	FM-15	0.00	30.08
11	0953	7	SCT:04 60	10.00		62	16.7	55	13.0	50	10.0	65	11	050		29.10	6	+0.00	30.06	FM-15	0.00	30.07
11	1053	7	CLR:00	10.00		65	18.3	57	14.0	51	10.6	61	9	060		29.09			30.05	FM-15	0.00	30.06
11	1153	7	CLR:00	10.00		69	20.6	60	15.4	53	11.7	57	9	100		29.08			30.04	FM-15	0.00	30.05
11	1253	7	SCT:04 55	10.00		72	22.2	62	16.6	55	12.8	55	3	VRB		29.07	8	+0.03	30.03	FM-15	0.00	30.04
11	1353	7	CLR:00	10.00		75	23.9	64	17.8	57	13.9	54	7	110		29.03			29.99	FM-15	0.00	30.00
11	1453	7	CLR:00	10.00		77	25.0	66	18.8	59	15.0	54	8	070		29.01			29.96	FM-15	0.00	29.98
11	1553	7	FEW:02 75	10.00		76	24.4	65	18.3	58	14.4	54	10	070		29.00	6	+0.07	29.95	FM-15	0.00	29.97
11	1653	7	CLR:00	10.00		75	23.9	64	17.8	57	13.9	54	11	070		28.98			29.94	FM-15	0.00	29.95
11	1753	7	CLR:00	10.00		73	22.8	63	17.1	56	13.3	55	13	080		28.96			29.92	FM-15	0.00	29.93
11	1853	7	CLR:00	10.00		69	20.6	60	15.4	53	11.7	57	7	070		28.98	5	+0.02	29.94	FM-15	0.00	29.95
11	1953	7	CLR:00	10.00		68	20.0	57	14.1	49	9.4	51	13	090		28.98			29.94	FM-15	0.00	29.95
11	2053	7	CLR:00	10.00		65	18.3	56	13.4	49	9.4	56	8	070		29.00			29.96	FM-15	0.00	29.97
11	2153	7	CLR:00	10.00		61	16.1	55	12.5	49	9.4	65	7	040		29.03	3	-0.05	29.99	FM-15	0.00	30.00

11	2253	7	CLR:00	10.00		60	15.6	54	12.0	48	8.9	65	6	060		29.03			29.99	FM-15	0.00	30.00
11	2353	7	CLR:00	10.00		57	13.9	53	11.5	49	9.4	74	3	070		29.02			29.98	FM-15	0.00	29.99
12	0053	7	CLR:00	10.00		59	15.0	53	11.7	48	8.9	67	0	000		29.01	8	+0.02	29.97	FM-15	0.00	29.98
12	0153	7	CLR:00	10.00		57	13.9	53	11.5	49	9.4	74	0	000		29.00			29.96	FM-15	0.00	29.97
12	0253	7	CLR:00	10.00		61	16.1	55	12.8	50	10.0	67	5	180		28.99			29.95	FM-15	0.00	29.96
12	0353	7	CLR:00	10.00		62	16.7	57	14.1	54	12.2	75	6	190		28.99	6	+0.02	29.94	FM-15	0.00	29.96
12	0453	7	CLR:00	10.00		62	16.7	59	14.7	56	13.3	80	6	200		29.00			29.96	FM-15	0.00	29.97
12	0553	7	CLR:00	10.00		65	18.3	61	16.0	58	14.4	78	6	200		29.02			29.97	FM-15	0.00	29.99
12	0653	7	CLR:00	10.00		70	21.1	64	17.7	60	15.6	71	9	220		29.03	1	-0.04	29.98	FM-15	0.00	30.00
12	0753	7	CLR:00	10.00		74	23.3	65	18.5	60	15.6	62	14	230		29.05			30.00	FM-15	0.00	30.02
12	0853	7	CLR:00	10.00		79	26.1	67	19.5	60	15.6	52	13	250	24	29.05			30.00	FM-15	0.00	30.02
12	0953	7	CLR:00	10.00		80	26.7	68	19.9	61	16.1	52	14	250	24	29.05	1	-0.02	30.00	FM-15	0.00	30.02
12	1053	7	CLR:00	10.00		82	27.8	69	20.6	62	16.7	51	11	270	23	29.05			30.00	FM-15	0.00	30.02
12	1153	7	SCT:04 55	10.00		83	28.3	69	20.8	62	16.7	49	10	250		29.03			29.98	FM-15	0.00	30.00
12	1253	7	SCT:04 60 BKN:07 75	10.00		82	27.8	69	20.3	61	16.1	49	14	270	20	29.02	8	+0.02	29.98	FM-15	0.00	29.99
12	1353	7	BKN:07 55 OVC:08 70	10.00		78	25.6	67	19.3	60	15.6	54	9	340		29.04			29.99	FM-15	0.00	30.01
12	1445	7	SCT:04 55 BKN:07 70	10.00	VCTS:7 ||	80	26.7	68	20.3	62	16.7	54	14	350		29.03				FM-16		30.00
12	1453	7	BKN:07 55	10.00	VCTS:7 ||	77	25.0	66	19.1	60	15.6	56	16	360	23	29.03			29.98	FM-15	0.00	30.00
12	1457	7	BKN:07 60 BKN:07 80	10.00		76	24.4	65	18.6	59	15.0	56	15	350		29.03				FM-16		30.00
12	1553	7	FEW:02 32 FEW:02 110	10.00		77	25.0	66	18.8	59	15.0	54	9	330		29.04	1	-0.01	29.99	FM-15	0.00	30.01
12	1653	7	OVC:08 110	10.00		74	23.3	65	18.2	59	15.0	60	10	360		29.05			30.01	FM-15	0.00	30.02
12	1753	7	OVC:08 120	10.00		71	21.7	62	16.7	56	13.3	59	8	360		29.06			30.02	FM-15	0.00	30.03
12	1853	7	SCT:04 110	10.00		65	18.3	59	14.8	54	12.2	68	10	030		29.06	0	-0.02	30.01	FM-15	0.00	30.03
12	1953	7	CLR:00	10.00		62	16.7	57	13.9	53	11.7	73	8	020		29.08			30.03	FM-15	0.00	30.05
12	2053	7	FEW:02 55 FEW:02 75	10.00		60	15.6	56	13.1	52	11.1	75	8	050		29.07			30.03	FM-15	0.00	30.04
12	2153	7	FEW:02 95	10.00		59	15.0	56	13.2	53	11.7	81	5	360		29.10	3	-0.04	30.05	FM-15	0.00	30.07
12	2253	7	FEW:02 55 BKN:07 90	10.00		59	15.0	56	13.2	53	11.7	81	6	010		29.10			30.06	FM-15	0.00	30.07
12	2353	7	FEW:02 50	9.00		56	13.3	55	12.7	54	12.2	93	8	010		29.11			30.06	FM-15	0.02	30.08
13	0053	7	OVC:08 100	8.00		57	13.9	55	13.0	54	12.2	90	3	050		29.09	8	+0.01	30.04	FM-15	0.00	30.06
13	0153	7	FEW:02 60 SCT:04 95	7.00		56	13.3	55	12.7	54	12.2	93	5	030		29.07			30.02	FM-15	0.00	30.04
13	0253	7	CLR:00	6.00	BR:1 ||	55	12.8	54	12.2	53	11.7	93	7	350		29.06			30.01	FM-15	0.00	30.03
13	0353	7	CLR:00	6.00	BR:1 ||	54	12.2	53	11.9	53	11.7	97	3	080		29.05	6	+0.04	30.01	FM-15	0.00	30.02
13	0453	7	CLR:00	6.00	BR:1 ||	55	12.8	54	12.2	53	11.7	93	0	000		29.04			30.00	FM-15	0.00	30.01
13	0553	7	CLR:00	5.00	BR:1 ||	57	13.9	56	13.3	55	12.8	93	0	000		29.05			30.01	FM-15	0.00	30.02
13	0653	7	CLR:00	6.00	BR:1 ||	60	15.6	59	14.9	58	14.4	93	5	360		29.07	3	-0.02	30.03	FM-15	0.00	30.04
13	0753	7	CLR:00	7.00		62	16.7	60	15.4	58	14.4	86	5	090		29.06			30.02	FM-15	0.00	30.03
13	0853	7	CLR:00	8.00		66	18.9	62	16.9	60	15.6	81	3	020		29.06			30.02	FM-15	0.00	30.03
13	0953	7	FEW:02 55	10.00		73	22.8	67	19.3	63	17.2	71	6	250		29.04	8	+0.04	29.99	FM-15	0.00	30.01
13	1053	7	FEW:02 50 OVC:08 90	10.00		76	24.4	68	19.8	63	17.2	64	6	280		29.03			29.98	FM-15	0.00	30.00
13	1153	7	BKN:07 43 BKN:07 60 BKN:07 70	10.00		80	26.7	70	21.2	65	18.3	60	13	250		29.01			29.96	FM-15	0.00	29.98
13	1253	7	BKN:07 45 OVC:08 55	10.00		81	27.2	70	21.4	65	18.3	58	9	290		28.99	8	+0.04	29.95	FM-15	0.00	29.96
13	1353	7	BKN:07 50 BKN:07 60 BKN:07 90	10.00		85	29.4	72	22.4	66	18.9	53	15	270		28.98			29.93	FM-15	0.00	29.95
13	1453	7	SCT:04 50 BKN:07 65 BKN:07 80	10.00		83	28.3	71	21.7	65	18.3	55	10	320		28.97			29.92	FM-15	0.00	29.94

13	1553	7	BKN:07 55 BKN:07 80	10.00		83	28.3	71	21.7	65	18.3	55	14	300		28.96	6	+0.03	29.92	FM-15	0.00	29.93
13	1653	7	FEW:02 60 SCT:04 85 BKN:07 110	10.00		83	28.3	71	21.4	64	17.8	53	14	310		28.97			29.93	FM-15	0.00	29.94
13	1753	7	FEW:02 95	10.00		80	26.7	70	20.9	64	17.8	58	14	010		28.97			29.93	FM-15	0.00	29.94
13	1853	7	FEW:02 80	10.00		74	23.3	67	19.5	63	17.2	69	6	360		28.99	3	-0.02	29.94	FM-15	0.00	29.96
13	1953	7	BKN:07 85 OVC:08 110	10.00		72	22.2	66	19.1	63	17.2	73	7	020		29.01			29.96	FM-15	0.00	29.98
13	2053	7	SCT:04 95 OVC:08 120	9.00		70	21.1	65	18.3	62	16.7	76	7	020		29.02			29.98	FM-15	0.00	29.99
13	2153	7	BKN:07 65 BKN:07 110	8.00		69	20.6	65	18.1	62	16.7	78	3	120		29.01	0	-0.02	29.96	FM-15	0.00	29.98
13	2253	7	CLR:00	9.00		70	21.1	65	18.3	62	16.7	76	6	140		28.97			29.92	FM-15	0.00	29.94
13	2353	7	FEW:02 70	7.00		66	18.9	64	17.5	62	16.7	87	5	020		29.01			29.96	FM-15	0.00	29.98
14	0053	7	CLR:00	7.00		66	18.9	63	17.2	61	16.1	84	0	000		29.00	6	+0.01	29.94	FM-15	0.00	29.97
14	0153	7	CLR:00	5.00	BR:1 ||	64	17.8	62	16.8	61	16.1	90	3	340		29.01			29.96	FM-15	0.00	29.98
14	0253	7	SCT:04 48	4.00	BR:1 ||	62	16.7	61	16.0	60	15.6	93	0	000		29.00			29.95	FM-15	0.00	29.97
14	0353	7	CLR:00	4.00	BR:1 ||	63	17.2	62	16.6	61	16.1	93	0	000		29.00	1	-0.01	29.95	FM-15	0.00	29.97
14	0453	7	CLR:00	3.00	BR:1 ||	60	15.6	59	15.2	59	15.0	96	0	000		29.00			29.95	FM-15	0.00	29.97
14	0516	7	CLR:00	1.75	BR:1 ||	60	15.6	59	15.2	59	15.0	96	0	000		28.99				FM-16		29.96
14	0535	7	CLR:00	2.50	BR:1 ||	61	16.1	60	15.5	59	15.0	93	0	000		29.00				FM-16		29.97
14	0548	7	CLR:00	7.00		61	16.0	61	16.1	61	16.0	100	0	000		29.00				FM-16		29.97
14	0553	7	CLR:00	3.00	BR:1 ||	61	16.1	60	15.8	60	15.6	97	0	000		29.00			29.95	FM-15	0.00	29.97
14	0653	7	CLR:00	3.00	HZ:7 |FU |HZ	68	20.0	65	18.3	63	17.2	84	0	000		29.02	3	-0.01	29.97	FM-15	0.00	29.99
14	0753	7	CLR:00	6.00	HZ:7 |FU |HZ	73	22.8	68	19.9	65	18.3	76	7	230		29.01			29.96	FM-15	0.00	29.98
14	0853	7	CLR:00	10.00		79	26.1	71	21.7	67	19.4	67	8	260		29.02			29.97	FM-15	0.00	29.99
14	0953	7	CLR:00	10.00		83	28.3	73	22.7	68	20.0	61	14	300		29.02	3	-0.00	29.96	FM-15	0.00	29.99
14	1053	7	FEW:02 60 FEW:02 95	9.00		78	25.6	70	21.2	66	18.9	67	13	010		29.05			29.99	FM-15	0.00	30.02
14	1153	7	FEW:02 31 BKN:07 40 OVC:08 55	7.00	TS:7 -RA:02 |RA TS TS |RA	68	20.0	64	17.9	62	16.7	81	24	340	48	29.12			30.07	FM-15	0.07	30.09
14	1213	7	SCT:04 38 BKN:07 50 BKN:07 65	10.00	TS:7 -RA:02 |RA TS TS |RA	66	18.9	64	17.9	63	17.2	90	17	020	26	29.06				FM-16	0.09	30.03
14	1221	7	FEW:02 38 SCT:04 55	10.00		67	19.4	65	18.1	63	17.2	87	15	040		29.04				FM-16	0.09	30.01
14	1253	7	CLR:00	10.00		70	21.1	66	19.0	64	17.8	82	9	030		29.04	0	-0.02	30.00	FM-15	0.03	30.01
14	1353	7	CLR:00	10.00		73	22.8	67	19.3	63	17.2	71	7	100		29.03			29.99	FM-15	0.00	30.00
14	1453	7	CLR:00	10.00		78	25.6	68	19.9	62	16.7	58	10	160		28.98			29.93	FM-15	0.00	29.95
14	1553	7	CLR:00	10.00		81	27.2	68	20.1	61	16.1	51	7	140		28.94	8	+0.09	29.90	FM-15	0.00	29.91
14	1653	7	CLR:00	10.00		82	27.8	69	20.6	62	16.7	51	11	190		28.92			29.87	FM-15	0.00	29.89
14	1753	7	CLR:00	10.00		82	27.8	69	20.6	62	16.7	51	10	190		28.91			29.86	FM-15	0.00	29.88
14	1853	7	CLR:00	10.00		80	26.7	68	20.2	62	16.7	54	8	180		28.90	6	+0.04	29.85	FM-15	0.00	29.87
14	1953	7	CLR:00	10.00		77	25.0	67	19.4	61	16.1	58	5	190		28.91			29.86	FM-15	0.00	29.88
14	2053	7	CLR:00	10.00		77	25.0	67	19.7	62	16.7	60	3	150		28.93			29.88	FM-15	0.00	29.90
14	2153	7	BKN:07 80	10.00		75	23.9	67	19.6	63	17.2	66	6	160		28.94	3	-0.04	29.88	FM-15	0.00	29.91
14	2253	7	CLR:00	10.00		75	23.9	68	20.0	64	17.8	69	10	160		28.91			29.86	FM-15	0.00	29.88
14	2353	7	BKN:07 70	10.00		73	22.8	67	19.6	64	17.8	74	8	170		28.90			29.85	FM-15	0.00	29.87
15	0053	7	CLR:00	10.00		71	21.7	67	19.2	64	17.8	79	7	190		28.90	6	+0.04	29.85	FM-15	0.00	29.86
15	0153	7	CLR:00	10.00		71	21.7	67	19.2	64	17.8	79	7	200		28.90			29.85	FM-15	0.00	29.87
15	0253	7	CLR:00	10.00		73	22.8	67	19.6	64	17.8	74	9	220		28.89			29.83	FM-15	0.00	29.85
15	0353	7	CLR:00	10.00		72	22.2	66	19.1	63	17.2	73	8	210		28.90	5	+0.00	29.84	FM-15	0.00	29.86
15	0453	7	CLR:00	9.00		70	21.1	66	18.7	63	17.2	79	7	220		28.90			29.84	FM-15	0.00	29.86
15	0553	7	CLR:00	9.00		71	21.7	66	18.9	63	17.2	76	7	210		28.90			29.85	FM-15	0.00	29.87
15	0653	7	CLR:00	10.00		74	23.3	68	19.8	64	17.8	71	10	240		28.91	1	-0.01	29.85	FM-15	0.00	29.88
15	0753	7	CLR:00	10.00		76	24.4	68	20.2	64	17.8	67	10	260	22	28.92			29.87	FM-15	0.00	29.89
15	0853	7	FEW:02 30	10.00		76	24.4	69	20.5	65	18.3	69	13	290		28.94			29.88	FM-15	0.00	29.91

15	0953	7	CLR:00	10.00		80	26.7	68	19.9	61	16.1	52	5	020		28.94	1	-0.03	29.88	FM-15	0.00	29.91
15	1053	7	CLR:00	10.00		81	27.2	68	19.8	60	15.6	49	9	VRB		28.96			29.91	FM-15	0.00	29.93
15	1153	7	FEW:02 60	10.00		83	28.3	68	20.2	60	15.6	46	0	000		28.96			29.91	FM-15	0.00	29.93
15	1253	7	BKN:07 65	10.00		82	27.8	68	20.0	60	15.6	47	5	090		28.95	0	-0.01	29.90	FM-15	T	29.92
15	1306	7	BKN:07 60 OVC:08 75	9.00	TS:7 -RA:02 |RA TS TS |RA	78	25.6	68	19.9	62	16.7	58	7	040		28.95				FM-16	0.01	29.92
15	1318	7	SCT:04 60 BKN:07 80	10.00	VCTS:7 ||	78	25.6	68	20.2	63	17.2	60	8	050		28.95				FM-16	0.01	29.92
15	1326	7	BKN:07 65	10.00		77	25.0	69	20.3	64	17.8	64	6	060		28.95				FM-16	0.01	29.92
15	1338	7	BKN:07 70 BKN:07 85	10.00	VCTS:7 ||	78	25.6	70	21.2	66	18.9	67	5	050		28.95				FM-16	0.01	29.92
15	1353	7	BKN:07 65 BKN:07 80 OVC:08 90	10.00	-RA:02 |RA |RA	78	25.6	69	20.5	64	17.8	62	11	360		28.94			29.88	FM-15	0.01	29.91
15	1409	7	FEW:02 65 BKN:07 80 BKN:07 90	10.00		75	23.9	69	20.3	65	18.3	71	10	010		28.93				FM-16	T	29.90
15	1412	7	FEW:02 65 BKN:07 80	10.00	VCTS:7 ||	75	23.9	69	20.6	66	18.9	74	11	020		28.93				FM-16	T	29.90
15	1415	7	BKN:07 70 BKN:07 90	10.00	VCTS:7 ||	75	23.9	69	20.6	66	18.9	74	9	010		28.94				FM-16	T	29.91
15	1419	7	BKN:07 70 BKN:07 90	10.00		75	23.9	69	20.6	66	18.9	74	9	010		28.94				FM-16	T	29.91
15	1431	7	BKN:07 75 OVC:08 90	6.00	VCTS:7 -RA:02 |RA |RA	73	22.8	69	20.6	67	19.4	81	10	020		28.92				FM-16	0.05	29.89
15	1444	7	SCT:04 60 BKN:07 75 OVC:08 90	4.00	TS:7 RA:02 |RA TS TS |RA	73	22.8	70	21.0	68	20.0	84	18	310	24	28.97				FM-16	0.11	29.94
15	1446	7	FEW:02 17 BKN:07 60 OVC:08 90	1.50	TS:7 +RA:02 |RA TS TS |RA	73	22.8	69	20.6	67	19.4	81	21	330		28.98				FM-16	0.20	29.95
15	1451	6	SCT:04 13 BKN:07 60 OVC:08 80	0.50s	TS:7 s +RA:02 s |RA s TS s |RA s	70	21.0	66	18.7	63	17.0	78	7	090	26	28.97				FM-16		29.94
15	1453	7	SCT:04 15 BKN:07 60 OVC:08 90	0.25s	TS:7 s +RA:02 s |RA s TS s TS |RA s	68	20.0	65	18.3	63	17.2	84	6	060	26	28.95			29.90	FM-15	0.76	29.92
15	1455	7	BKN:07 15 BKN:07 49 OVC:08 75	2.00	TS:7 +RA:02 BR:1 |RA TS |RA	68	20.0	66	18.9	65	18.3	90	7	060	26	28.94				FM-16	0.12	29.91
15	1502	7	SCT:04 18 BKN:07 49 OVC:08 95	5.00	-RA:02 BR:1 |RA |RA	69	20.6	66	19.1	65	18.3	87	3	050		28.93				FM-16	0.16	29.90
15	1511	7	SCT:04 20 BKN:07 35 OVC:08 100	5.00	-RA:02 |RA |RA	72	22.2	69	20.4	67	19.4	84	0	000		28.94				FM-16	0.17	29.91
15	1553	7	SCT:04 65 BKN:07 80	10.00		72	22.2	69	20.4	67	19.4	84	5	070		28.93	8	+0.01	29.88	FM-15	0.01	29.90
15	1607	7	BKN:07 65 OVC:08 80	10.00	VCTS:7 ||	72	22.2	70	21.1	69	20.6	91	0	000		28.94				FM-16		29.91
15	1620	7	FEW:02 44 OVC:08 60	2.50	TS:7 RA:02 BR:1 |RA TS |RA	71	21.7	70	20.9	69	20.6	94	7	310		28.95				FM-16	0.02	29.92
15	1640	7	FEW:02 27 BKN:07 42 OVC:08 100	5.00	TS:7 -RA:02 BR:1 |RA TS |RA	72	22.2	70	21.1	69	20.6	91	9	010		28.94				FM-16	0.06	29.91
15	1646	7	BKN:07 25 BKN:07 45 OVC:08 80	8.00	VCTS:7 -RA:02 |RA |RA	71	21.7	69	20.6	68	20.0	90	13	360		28.95				FM-16	0.06	29.92
15	1653	7	BKN:07 27 BKN:07 45 OVC:08 75	9.00	VCTS:7 -RA:02 |RA |RA	71	21.7	68	20.2	67	19.4	87	11	340		28.96			29.91	FM-15	0.10	29.93
15	1700	7	FEW:02 25 BKN:07 34 OVC:08 44	2.50	VCTS:7 +RA:02 BR:1 |RA |RA	70	21.1	68	20.0	67	19.4	90	13	350		28.96				FM-16	0.06	29.93

15	1708	7	SCT:04 27 BKN:07 38 OVC:08 95	1.50	VCTS:7 +RA:02 BR:1 |RA |RA	69	20.6	68	19.8	67	19.4	93	11	340		28.97				FM-16	0.11	29.94
15	1714	7	FEW:02 25 BKN:07 38 OVC:08 95	3.00	VCTS:7 -RA:02 BR:1 |RA |RA	70	21.1	68	20.0	67	19.4	90	9	320		28.97				FM-16	0.12	29.94
15	1741	7	SCT:04 44 BKN:07 85 OVC:08 110	6.00	-RA:02 BR:1 |RA |RA	69	20.6	68	19.8	67	19.4	93	9	020		28.96				FM-16	0.13	29.93
15	1753	7	FEW:02 41 SCT:04 95	7.00		69	20.6	68	19.8	67	19.4	93	7	030		28.96			29.91	FM-15	0.09	29.93
15	1853	7	CLR:00	8.00		70	21.1	68	20.0	67	19.4	90	3	060		28.94	0	-0.01	29.90	FM-15	0.00	29.91
15	1953	7	FEW:02 14	6.00	BR:1 ||	68	20.0	67	19.3	66	18.9	93	6	360		28.96			29.91	FM-15	0.00	29.93
15	2053	7	CLR:00	8.00		66	18.9	65	18.2	64	17.8	93	8	360		28.99			29.94	FM-15	0.00	29.96
15	2153	7	CLR:00	6.00	BR:1 ||	65	18.3	64	17.6	63	17.2	93	7	350		29.00	1	-0.05	29.95	FM-15	0.00	29.97
15	2253	7	CLR:00	7.00		64	17.8	63	17.1	62	16.7	93	7	360		29.01			29.96	FM-15	0.00	29.98
15	2353	7	CLR:00	8.00		63	17.2	62	16.9	62	16.7	97	6	360		29.01			29.96	FM-15	0.00	29.98
16	0042	7	BKN:07 24	9.00		63	17.2	62	16.6	61	16.1	93	5	030		29.01				FM-16		29.98
16	0053	7	OVC:08 24	10.00		63	17.2	62	16.6	61	16.1	93	5	010		29.01	0	-0.01	29.96	FM-15	0.00	29.98
16	0142	7	SCT:04 24 BKN:07 31	9.00		63	17.2	62	16.6	61	16.1	93	5	050		29.00				FM-16		29.97
16	0150	7	BKN:07 22 BKN:07 29	10.00		63	17.0	62	16.6	61	16.0	94	6	050		29.00				FM-16		29.97
16	0153	7	BKN:07 22 OVC:08 29	10.00		63	17.2	61	16.2	60	15.6	90	7	050		29.00			29.95	FM-15	0.00	29.97
16	0253	7	OVC:08 21	10.00		63	17.2	61	15.9	59	15.0	87	3	060		28.99			29.95	FM-15	0.00	29.96
16	0353	7	BKN:07 17	10.00		62	16.7	60	15.7	59	15.0	90	7	040		28.98	8	+0.01	29.94	FM-15	0.00	29.95
16	0405	7	SCT:04 17 BKN:07 110	10.00		62	16.7	60	15.7	59	15.0	90	6	050		28.98				FM-16		29.95
16	0453	7	BKN:07 120	10.00		61	16.1	60	15.5	59	15.0	93	6	040		28.98			29.94	FM-15	0.00	29.95
16	0553	7	OVC:08 110	10.00		62	16.7	60	15.4	58	14.4	86	5	060		28.99			29.95	FM-15	0.00	29.96
16	0653	7	OVC:08 100	10.00	-RA:02 |RA |RA	62	16.7	60	15.7	59	15.0	90	6	050		29.00	3	-0.02	29.96	FM-15	T	29.97
16	0753	7	OVC:08 100	8.00		63	17.2	61	15.9	59	15.0	87	3	090		29.02			29.98	FM-15	0.00	29.99
16	0853	7	OVC:08 100	10.00		63	17.2	61	16.2	60	15.6	90	0	000		29.02			29.98	FM-15	0.00	29.99
16	0939	7	SCT:04 9 OVC:08 100	7.00		64	17.8	62	16.8	61	16.1	90	5	110		29.02				FM-16		29.99
16	0953	7	BKN:07 8 OVC:08 100	7.00		64	17.8	63	17.1	62	16.7	93	3	060		29.02	0	-0.01	29.98	FM-15	0.00	29.99
16	1053	7	OVC:08 7	6.00	BR:1 ||	66	18.9	64	17.9	63	17.2	90	5	070		29.02			29.98	FM-15	0.00	29.99
16	1153	7	BKN:07 9 BKN:07 23 OVC:08 37	8.00		69	20.6	66	18.8	64	17.8	84	3	360		29.02			29.98	FM-15	0.00	29.99
16	1207	7	BKN:07 10 BKN:07 21 OVC:08 39	8.00		69	20.6	66	18.8	64	17.8	84	5	340		29.02				FM-16		29.99
16	1251	6	SCT:04 14	10.00		72	22.0	67	19.4	64	18.0	78	6	010		29.01				FM-16		29.98
16	1253	7	SCT:04 14	10.00		72	22.2	68	19.7	65	18.3	79	7	020		29.00	8	+0.01	29.96	FM-15	0.00	29.97
16	1312	7	BKN:07 16	10.00		73	22.8	67	19.6	64	17.8	74	5	VRB		29.00				FM-16		29.97
16	1353	7	BKN:07 21	10.00		73	22.8	68	19.9	65	18.3	76	3	VRB		28.99			29.94	FM-15	0.00	29.96
16	1405	7	SCT:04 21	10.00		74	23.3	68	19.8	64	17.8	71	5	060		28.98				FM-16		29.95
16	1416	7	BKN:07 23	10.00		74	23.3	68	19.8	64	17.8	71	7	040		28.98				FM-16		29.95
16	1453	7	BKN:07 23	10.00		74	23.3	68	19.8	64	17.8	71	3	VRB		28.98			29.93	FM-15	0.00	29.95
16	1553	7	BKN:07 27	10.00		74	23.3	68	19.8	64	17.8	71	6	030		28.96	6	+0.04	29.92	FM-15	0.00	29.93
16	1600	7	FEW:02 26	10.00		74	23.3	68	19.8	64	17.8	71	8	030		28.96				FM-16		29.93
16	1653	7	FEW:02 60	10.00		74	23.3	68	19.8	64	17.8	71	7	020		28.96			29.92	FM-15	0.00	29.93
16	1753	7	CLR:00	10.00		73	22.8	67	19.6	64	17.8	74	5	060		28.95			29.91	FM-15	0.00	29.92
16	1853	7	SCT:04 120	10.00		72	22.2	67	19.4	64	17.8	76	7	010		28.96	5	+0.00	29.91	FM-15	0.00	29.93
16	1953	7	FEW:02 31 BKN:07 110	10.00		69	20.6	65	18.5	63	17.2	81	6	010		28.97			29.93	FM-15	0.00	29.94
16	2053	7	SCT:04 80	10.00		69	20.6	65	18.5	63	17.2	81	6	010		28.99			29.94	FM-15	0.00	29.96

16	2126	7	BKN:07 24 OVC:08 80	10.00		69	20.6	65	18.5	63	17.2	81	6	040		28.99				FM-16		29.96
16	2151	6	SCT:04 25 BKN:07 32 OVC:08 85	10.00		70	21.0	66	18.7	63	17.0	78	5	050		29.00				FM-16		29.97
16	2153	7	SCT:04 25 BKN:07 32 OVC:08 90	10.00		69	20.6	65	18.5	63	17.2	81	5	060		29.00	1	-0.04	29.95	FM-15	0.00	29.97
16	2253	7	BKN:07 35 OVC:08 110	10.00		68	20.0	65	18.3	63	17.2	84	3	030		28.99			29.94	FM-15	0.00	29.96
16	2353	7	SCT:04 100 SCT:04 120	10.00		66	18.9	63	17.2	61	16.1	84	8	360		28.99			29.94	FM-15	0.00	29.96
17	0053	7	OVC:08 110	10.00		64	17.8	61	16.1	59	15.0	84	7	030		28.99	6	+0.01	29.94	FM-15	0.00	29.96
17	0153	7	OVC:08 120	10.00		64	17.8	60	15.8	58	14.4	81	5	050		28.97			29.93	FM-15	0.00	29.94
17	0253	7	OVC:08 120	10.00		62	16.7	59	15.1	57	13.9	84	3	340		28.97			29.93	FM-15	0.00	29.94
17	0353	7	OVC:08 120	10.00		62	16.7	59	15.1	57	13.9	84	5	340		28.97	5	+0.01	29.93	FM-15	0.00	29.94
17	0428	7	BKN:07 25 OVC:08 120	10.00		61	16.1	58	14.5	56	13.3	84	5	350		28.98				FM-16		29.95
17	0453	7	SCT:04 22 BKN:07 27 BKN:07 120	10.00		61	16.1	58	14.2	55	12.8	81	5	360		28.98			29.94	FM-15	0.00	29.95
17	0551	6	SCT:04 25 BKN:07 32	10.00		61	16.0	58	14.2	55	13.0	83	5	350		29.00				FM-16		29.97
17	0553	7	SCT:04 25	10.00		61	16.1	58	14.2	55	12.8	81	5	350		29.00			29.96	FM-15	0.00	29.97
17	0653	7	CLR:00	10.00		63	17.2	58	14.7	55	12.8	75	6	360		29.02	3	-0.03	29.97	FM-15	0.00	29.99
17	0753	7	BKN:07 32	10.00		66	18.9	61	16.2	58	14.4	75	6	010		29.02			29.98	FM-15	0.00	29.99
17	0853	7	CLR:00	10.00		71	21.7	65	18.6	62	16.7	73	7	070		29.03			29.98	FM-15	0.00	30.00
17	0953	7	SCT:04 27 BKN:07 39	10.00		75	23.9	68	20.0	64	17.8	69	10	070		29.03	1	-0.01	29.98	FM-15	0.00	30.00
17	1053	7	FEW:02 31	10.00		76	24.4	68	19.8	63	17.2	64	9	070		29.04			29.99	FM-15	0.00	30.01
17	1153	7	FEW:02 38 BKN:07 49 OVC:08 65	10.00		76	24.4	67	19.5	62	16.7	62	13	050		29.04			29.99	FM-15	0.00	30.01
17	1253	7	FEW:02 60 SCT:04 75	10.00		79	26.1	69	20.4	63	17.2	58	10	070	20	29.02	8	+0.01	29.98	FM-15	0.00	29.99
17	1353	7	SCT:04 46	10.00		79	26.1	68	20.1	62	16.7	56	11	030	21	29.00			29.96	FM-15	0.00	29.97
17	1453	7	SCT:04 49	10.00		80	26.7	68	20.2	62	16.7	54	13	030		28.99			29.94	FM-15	0.00	29.96
17	1553	7	SCT:04 49 BKN:07 60 OVC:08 90	10.00		78	25.6	67	19.3	60	15.6	54	11	070		28.98	6	+0.04	29.93	FM-15	T	29.95
17	1609	7	FEW:02 50 BKN:07 70 OVC:08 120	10.00		77	25.0	68	20.0	63	17.2	62	8	100		28.98				FM-16	T	29.95
17	1624	7	FEW:02 55 SCT:04 75 OVC:08 95	10.00		78	25.6	68	19.9	62	16.7	58	14	090	17	28.98				FM-16	T	29.95
17	1653	7	SCT:04 55 BKN:07 65 BKN:07 100	10.00		77	25.0	67	19.7	62	16.7	60	10	100		28.98			29.94	FM-15	T	29.95
17	1753	7	FEW:02 85	10.00		76	24.4	67	19.5	62	16.7	62	9	110		29.00			29.95	FM-15	0.00	29.97
17	1853	7	CLR:00	10.00		75	23.9	67	19.6	63	17.2	66	8	110		29.01	3	-0.03	29.96	FM-15	0.00	29.98
17	1953	7	CLR:00	10.00		73	22.8	68	19.9	65	18.3	76	5	080		29.02			29.97	FM-15	0.00	29.99
17	2053	7	BKN:07 36	10.00		73	22.8	68	19.9	65	18.3	76	3	350		29.04			29.99	FM-15	0.00	30.01
17	2153	7	FEW:02 40 FEW:02 75 BKN:07 120	10.00		72	22.2	61	16.3	54	12.2	53	13	040		29.07	3	-0.06	30.01	FM-15	0.00	30.04
17	2253	7	FEW:02 110	10.00	-RA:02 |RA |RA	70	21.1	60	15.6	53	11.7	55	10	040		29.07			30.01	FM-15	T	30.04
17	2353	7	BKN:07 120	10.00	-RA:02 |RA |RA	68	20.0	60	15.5	54	12.2	61	8	040		29.06			30.01	FM-15	T	30.03
18	0053	7	SCT:04 110	10.00		67	19.4	59	15.3	54	12.2	63	11	050		29.05	8	+0.01	30.00	FM-15	T	30.02
18	0153	7	CLR:00	10.00		67	19.4	59	15.0	53	11.7	61	8	060		29.03			29.98	FM-15	0.00	30.00
18	0253	7	CLR:00	10.00		65	18.3	59	14.8	54	12.2	68	7	060		29.02			29.97	FM-15	0.00	29.99
18	0353	7	CLR:00	10.00		65	18.3	59	15.1	55	12.8	70	9	060		29.02	5	+0.03	29.98	FM-15	0.00	29.99

18	0453	7	CLR:00	10.00		64	17.8	59	14.9	55	12.8	73	8	060		29.03			29.98	FM-15	0.00	30.00
18	0553	7	BKN:07 75 OVC:08 85	10.00		65	18.3	60	15.4	56	13.3	73	9	050		29.05			30.00	FM-15	0.00	30.02
18	0653	7	OVC:08 70	10.00		65	18.3	61	16.0	58	14.4	78	8	050		29.05	3	-0.03	30.01	FM-15	T	30.02
18	0753	7	OVC:08 65	10.00	-RA:02 |RA |RA	65	18.3	61	16.3	59	15.0	81	9	050		29.07			30.02	FM-15	0.01	30.04
18	0853	7	BKN:07 65 BKN:07 80 OVC:08 90	6.00	-RA:02 BR:1 |RA |RA	64	17.8	62	16.4	60	15.6	87	7	050		29.08			30.03	FM-15	0.05	30.05
18	0905	7	FEW:02 50 BKN:07 70 OVC:08 85	2.50	RA:02 BR:1 |RA |RA	64	17.8	62	16.8	61	16.1	90	6	070		29.08				FM-16	0.03	30.05
18	0953	7	FEW:02 55 BKN:07 70 OVC:08 85	2.50	RA:02 BR:1 |RA |RA	65	18.3	63	17.3	62	16.7	90	10	080		29.07	0	-0.02	30.03	FM-15	0.13	30.04
18	1000	7	FEW:02 55 BKN:07 70 OVC:08 85	4.00	-RA:02 BR:1 |RA |RA	65	18.3	63	17.3	62	16.7	90	10	080		29.07				FM-16	0.01	30.04
18	1053	7	FEW:02 60 OVC:08 80	7.00	-RA:02 |RA |RA	66	18.9	64	17.9	63	17.2	90	13	070		29.08			30.03	FM-15	0.03	30.05
18	1153	7	OVC:08 40	10.00		69	20.6	66	18.8	64	17.8	84	13	080		29.07			30.02	FM-15	T	30.04
18	1253	7	FEW:02 39 BKN:07 100	10.00		72	22.2	67	19.4	64	17.8	76	17	080	23	29.05	8	+0.03	30.00	FM-15	0.00	30.02
18	1353	7	BKN:07 43 OVC:08 50	10.00		73	22.8	67	19.3	63	17.2	71	17	090		29.03			29.98	FM-15	T	30.00
18	1453	7	SCT:04 41 OVC:08 55	10.00		72	22.2	66	19.1	63	17.2	73	18	100		29.02			29.98	FM-15	0.00	29.99
18	1553	7	BKN:07 40 OVC:08 60	10.00		72	22.2	67	19.4	64	17.8	76	11	080		29.00	8	+0.04	29.96	FM-15	0.00	29.97
18	1653	7	SCT:04 31 OVC:08 41	10.00		73	22.8	67	19.3	63	17.2	71	14	090		28.99			29.95	FM-15	0.00	29.96
18	1753	7	OVC:08 43	10.00		72	22.2	66	19.1	63	17.2	73	14	080		28.99			29.94	FM-15	0.00	29.96
18	1853	7	OVC:08 44	10.00		72	22.2	66	18.7	62	16.7	71	16	090		28.99	5	+0.01	29.94	FM-15	0.00	29.96
18	1953	7	BKN:07 110	10.00		70	21.1	65	18.3	62	16.7	76	14	090		28.99			29.94	FM-15	0.00	29.96
18	2053	7	FEW:02 75 BKN:07 100 OVC:08 120	10.00		70	21.1	65	18.3	62	16.7	76	15	100	23	28.99			29.94	FM-15	T	29.96
18	2153	7	FEW:02 36 SCT:04 90 BKN:07 120	10.00	-RA:02 |RA |RA	69	20.6	65	18.1	62	16.7	78	15	100		28.99	3	-0.01	29.95	FM-15	0.01	29.96
18	2253	7	BKN:07 46 BKN:07 75	10.00		69	20.6	64	17.8	61	16.1	76	14	110	22	28.99			29.94	FM-15	T	29.96
18	2353	7	BKN:07 41 BKN:07 55 OVC:08 70	10.00		69	20.6	64	17.5	60	15.6	73	14	110	21	28.97			29.93	FM-15	0.00	29.94
19	0053	7	OVC:08 39	10.00		69	20.6	64	17.5	60	15.6	73	14	120		28.96	8	+0.04	29.91	FM-15	0.00	29.93
19	0153	7	BKN:07 35	10.00		68	20.0	63	17.3	60	15.6	76	11	120		28.95			29.91	FM-15	0.00	29.92
19	0253	7	FEW:02 32	10.00		67	19.4	63	17.1	60	15.6	79	9	120		28.95			29.90	FM-15	0.00	29.92
19	0353	7	BKN:07 47	10.00		66	18.9	62	16.9	60	15.6	81	9	120		28.95	6	+0.01	29.91	FM-15	0.00	29.92
19	0453	7	FEW:02 39	10.00		66	18.9	62	16.9	60	15.6	81	9	130		28.96			29.91	FM-15	0.00	29.93
19	0553	7	FEW:02 37 OVC:08 110	10.00		66	18.9	63	17.2	61	16.1	84	9	130		28.97			29.92	FM-15	0.00	29.94
19	0653	7	FEW:02 27 FEW:02 120	10.00		67	19.4	63	17.4	61	16.1	81	8	130		28.98	1	-0.03	29.93	FM-15	0.00	29.95
19	0753	7	SCT:04 37	10.00		70	21.1	66	18.7	63	17.2	79	11	150		28.97			29.92	FM-15	0.00	29.94
19	0829	7	BKN:07 25 BKN:07 45	10.00		71	21.7	67	19.2	64	17.8	79	13	180		28.97				FM-16		29.94
19	0853	7	OVC:08 23	10.00		71	21.7	67	19.5	65	18.3	81	8	190		28.97			29.92	FM-15	0.00	29.94
19	0953	7	BKN:07 20 OVC:08 25	10.00		73	22.8	68	20.3	66	18.9	79	11	190		28.96	8	+0.02	29.91	FM-15	T	29.93
19	1009	7	SCT:04 21 BKN:07 26 OVC:08 49	10.00	VCTS:7 ||	73	22.8	68	20.3	66	18.9	79	13	190		28.96				FM-16	T	29.93

19	1023	7	BKN:07 20 BKN:07 31 OVC:08 80	4.00	VCTS:7 RA:02 |RA |RA	71	21.7	68	19.9	66	18.9	84	13	190		28.97				FM-16	0.01	29.94
19	1024	7	BKN:07 20 BKN:07 31 OVC:08 80	3.00	VCTS:7 RA:02 |RA |RA	71	21.7	68	19.9	66	18.9	84	13	190		28.97				FM-16	0.02	29.94
19	1042	7	FEW:02 20 BKN:07 60 OVC:08 110	6.00	VCTS:7 -RA:02 BR:1 |RA |RA	69	20.6	68	19.8	67	19.4	93	10	200		28.97				FM-16	0.08	29.94
19	1053	7	FEW:02 21 BKN:07 41 OVC:08 120	10.00	VCTS:7 -RA:02 |RA |RA	70	21.1	69	20.4	68	20.0	93	10	190		28.96			29.91	FM-15	0.09	29.93
19	1107	7	SCT:04 11 BKN:07 38 OVC:08 100	10.00		71	21.7	69	20.6	68	20.0	90	10	200		28.96				FM-16	T	29.93
19	1115	7	BKN:07 12 BKN:07 40 OVC:08 100	10.00		72	22.2	70	21.1	69	20.6	91	13	190		28.95				FM-16	T	29.92
19	1153	7	BKN:07 12 BKN:07 40 OVC:08 100	10.00		74	23.3	70	21.1	68	20.0	82	13	220	22	28.94			29.89	FM-15	0.00	29.91
19	1155	7	BKN:07 19 BKN:07 28 BKN:07 40	10.00		74	23.3	70	21.1	68	20.0	82	14	220	22	28.94				FM-16		29.91
19	1227	7	BKN:07 19 BKN:07 28 BKN:07 40	10.00		76	24.4	71	21.5	68	20.0	77	17	200		28.93				FM-16		29.90
19	1253	7	BKN:07 19 BKN:07 28 BKN:07 40	10.00		76	24.4	70	21.2	67	19.4	74	13	190	21	28.93	8	+0.03	29.88	FM-15	0.00	29.90
19	1300	7	FEW:02 28 SCT:04 33 BKN:07 44	10.00		75	23.9	70	21.0	67	19.4	76	14	200	21	28.93				FM-16		29.90
19	1309	7	SCT:04 27 BKN:07 33 BKN:07 60	10.00		76	24.4	70	21.2	67	19.4	74	17	190		28.93				FM-16		29.90
19	1353	7	SCT:04 29 SCT:04 38 BKN:07 65	10.00		78	25.6	70	20.8	65	18.3	64	17	210		28.92			29.87	FM-15	0.00	29.89
19	1453	7	SCT:04 33 SCT:04 42 BKN:07 70	10.00		78	25.6	70	20.8	65	18.3	64	16	240	24	28.91			29.86	FM-15	T	29.88
19	1553	7	SCT:04 29 BKN:07 50 OVC:08 110	10.00	-RA:02 |RA |RA	77	25.0	71	21.7	68	20.0	74	10	190	21	28.90	6	+0.03	29.85	FM-15	T	29.87
19	1653	7	CLR:00	10.00		75	23.9	69	20.3	65	18.3	71	17	200		28.91			29.87	FM-15	T	29.88
19	1733	7	CLR:00	10.00	VCTS:7 ||	74	23.3	68	20.1	65	18.3	74	7	220		28.92				FM-16		29.89
19	1751	7	FEW:02 23 SCT:04 29 BKN:07 39	2.50	-RA:02 |RA |RA	70	21.0	66	19.0	64	18.0	83	16	280	26	28.93				FM-16	0.06	29.90
19	1753	7	FEW:02 23 SCT:04 29 BKN:07 39	3.00	+RA:02 BR:1 |RA |RA	68	20.0	65	18.6	64	17.8	87	11	290	26	28.93			29.88	FM-15	0.13	29.90
19	1853	7	CLR:00	10.00		71	21.7	68	20.2	67	19.4	87	5	230		28.92	0	-0.02	29.88	FM-15	0.01	29.89
19	1953	7	BKN:07 65 BKN:07 110	10.00		71	21.7	68	20.2	67	19.4	87	7	230		28.95			29.91	FM-15	0.00	29.92
19	2053	7	BKN:07 80	10.00		69	20.6	68	19.8	67	19.4	93	6	190		28.98			29.93	FM-15	0.00	29.95
19	2153	7	FEW:02 65	10.00		69	20.6	67	19.5	66	18.9	90	7	230		28.99	1	-0.07	29.95	FM-15	0.00	29.96
19	2253	7	CLR:00	10.00		69	20.6	66	19.1	65	18.3	87	8	230		29.00			29.96	FM-15	0.00	29.97
19	2353	7	FEW:02 41 FEW:02 49 BKN:07 65	10.00		69	20.6	67	19.5	66	18.9	90	10	220		29.01			29.96	FM-15	0.00	29.98
20	0053	7	CLR:00	10.00		68	20.0	66	18.9	65	18.3	90	8	240		29.01	0	-0.01	29.96	FM-15	0.00	29.98
20	0153	7	FEW:02 19	8.00		67	19.4	66	18.7	65	18.3	93	5	260		29.01			29.96	FM-15	0.00	29.98
20	0213	7	BKN:07 19	7.00		67	19.4	66	18.7	65	18.3	93	0	000		29.01				FM-16		29.98

20	0253	7	OVC:08 18	7.00		67	19.4	66	18.7	65	18.3	93	6	250		29.02			29.97	FM-15	0.00	29.99
20	0342	7	SCT:04 19 BKN:07 40	6.00	BR:1 ||	66	18.9	65	18.5	65	18.3	96	3	270		29.04				FM-16		30.01
20	0353	7	FEW:02 17 FEW:02 40	5.00	BR:1 ||	66	18.9	65	18.5	65	18.3	96	3	240		29.03	3	-0.02	29.98	FM-15	0.00	30.00
20	0426	7	SCT:04 14	1.50	BR:1 ||	64	17.8	63	17.4	63	17.2	96	0	000		29.04				FM-16		30.01
20	0428	7	VV:09 14	0.75	BR:1 ||	64	17.8	63	17.4	63	17.2	96	0	000		29.04				FM-16		30.01
20	0432	7	BKN:07 13	0.25	FG:2 |FG |	64	17.8	64	17.8	64	17.8	100	0	000		29.04				FM-16		30.01
20	0443	7	SCT:04 8 BKN:07 13	0.50	FG:2 |FG |	64	17.8	63	17.4	63	17.2	96	6	310		29.06				FM-16		30.03
20	0451	7	SCT:04 8 OVC:08 14	2.00	BR:1 ||	66	19.0	65	18.2	64	18.0	94	6	310		29.06				FM-16		30.03
20	0453	7	FEW:02 8 OVC:08 14	4.00	BR:1 ||	66	18.9	65	18.5	65	18.3	96	7	320		29.06			30.01	FM-15	0.00	30.03
20	0551	6	SCT:04 12	8.00		63	17.0	62	16.6	61	16.0	94	7	330		29.08				FM-16		30.05
20	0553	7	SCT:04 12	8.00		63	17.2	61	16.2	60	15.6	90	8	330		29.08			30.03	FM-15	0.00	30.05
20	0653	7	CLR:00	10.00		64	17.8	61	16.1	59	15.0	84	7	320		29.10	1	-0.07	30.06	FM-15	0.00	30.07
20	0748	7	BKN:07 12	10.00		64	18.0	61	16.1	59	15.0	83	9	330		29.12				FM-16		30.09
20	0753	7	BKN:07 12	10.00		63	17.2	61	15.9	59	15.0	87	7	330		29.12			30.08	FM-15	0.00	30.09
20	0853	7	OVC:08 11	9.00		64	17.8	61	16.1	59	15.0	84	7	340		29.13			30.09	FM-15	0.00	30.10
20	0953	7	OVC:08 12	10.00		66	18.9	62	16.9	60	15.6	81	8	330		29.14	3	-0.02	30.09	FM-15	0.00	30.11
20	1053	7	OVC:08 14	10.00		66	18.9	62	16.9	60	15.6	81	8	350		29.15			30.11	FM-15	0.00	30.12
20	1153	7	BKN:07 14	10.00		70	21.1	64	18.0	61	16.1	73	3	040		29.16			30.12	FM-15	0.00	30.13
20	1200	7	FEW:02 18	10.00		70	21.1	64	18.0	61	16.1	73	5	300		29.17				FM-16		30.14
20	1253	7	CLR:00	10.00		72	22.2	65	18.4	61	16.1	68	3	030		29.16	0	-0.02	30.11	FM-15	0.00	30.13
20	1353	7	CLR:00	10.00		75	23.9	67	19.3	62	16.7	64	5	010		29.16			30.11	FM-15	0.00	30.13
20	1453	7	CLR:00	10.00		77	25.0	67	19.4	61	16.1	58	0	000		29.15			30.10	FM-15	0.00	30.12
20	1553	7	CLR:00	10.00		76	24.4	67	19.2	61	16.1	60	0	000		29.13	8	+0.02	30.09	FM-15	0.00	30.10
20	1653	7	CLR:00	10.00		77	25.0	67	19.7	62	16.7	60	6	010		29.12			30.07	FM-15	0.00	30.09
20	1753	7	CLR:00	10.00		74	23.3	66	19.1	62	16.7	67	10	010		29.13			30.09	FM-15	0.00	30.10
20	1853	7	FEW:02 110	10.00		72	22.2	65	18.4	61	16.1	68	8	020		29.14	3	-0.00	30.09	FM-15	0.00	30.11
20	1953	7	FEW:02 110	10.00		69	20.6	64	17.8	61	16.1	76	7	050		29.13			30.09	FM-15	0.00	30.10
20	2053	7	CLR:00	10.00		67	19.4	63	17.1	60	15.6	79	7	070		29.13			30.09	FM-15	0.00	30.10
20	2153	7	CLR:00	10.00		65	18.3	62	16.7	60	15.6	84	6	030		29.16	3	-0.02	30.12	FM-15	0.00	30.13
20	2253	7	CLR:00	10.00		65	18.3	61	16.3	59	15.0	81	8	030		29.17			30.13	FM-15	0.00	30.14
20	2353	7	CLR:00	10.00		63	17.2	60	15.6	58	14.4	84	6	030		29.17			30.13	FM-15	0.00	30.14
21	0053	7	SCT:04 36	10.00		61	16.1	59	15.1	58	14.4	90	5	010		29.18	1	-0.02	30.13	FM-15	0.00	30.15
21	0153	7	FEW:02 70	10.00		61	16.1	59	15.1	58	14.4	90	5	030		29.18			30.13	FM-15	0.00	30.15
21	0253	7	FEW:02 65 SCT:04 80	10.00		61	16.1	59	14.8	57	13.9	87	7	030		29.17			30.12	FM-15	0.00	30.14
21	0353	7	FEW:02 38 BKN:07 60 BKN:07 90	10.00	-RA:02 |RA |RA	60	15.6	58	14.6	57	13.9	90	0	000		29.18	3	-0.00	30.14	FM-15	T	30.15
21	0400	7	FEW:02 38 BKN:07 60 OVC:08 90	10.00	VCTS:7 -RA:02 |RA |RA	61	16.1	59	14.8	57	13.9	87	3	050		29.18				FM-16	T	30.15
21	0415	7	FEW:02 40 SCT:04 60 BKN:07 95	10.00	-RA:02 |RA |RA	60	15.6	58	14.6	57	13.9	90	7	040		29.17				FM-16	T	30.14
21	0453	7	SCT:04 41 BKN:07 55 OVC:08 85	10.00	-RA:02 |RA |RA	60	15.6	58	14.6	57	13.9	90	8	050		29.18			30.14	FM-15	0.04	30.15
21	0553	7	BKN:07 55 BKN:07 80	10.00		60	15.6	58	14.6	57	13.9	90	6	050		29.19			30.15	FM-15	0.00	30.16
21	0653	7	FEW:02 55	10.00		60	15.6	58	14.6	57	13.9	90	6	060		29.21	3	-0.03	30.17	FM-15	0.02	30.18
21	0753	7	CLR:00	10.00		63	17.2	60	15.6	58	14.4	84	7	080		29.22			30.18	FM-15	0.00	30.19
21	0853	7	BKN:07 50	10.00		65	18.3	61	16.0	58	14.4	78	5	060		29.22			30.18	FM-15	0.00	30.19
21	0953	7	CLR:00	10.00		70	21.1	64	18.0	61	16.1	73	9	100		29.20	8	+0.01	30.15	FM-15	0.00	30.17
21	1053	7	BKN:07 75	10.00		74	23.3	67	19.5	63	17.2	69	5	VRB		29.19			30.14	FM-15	0.00	30.16
21	1153	7	FEW:02 65	10.00		76	24.4	68	20.2	64	17.8	67	9	090		29.17			30.13	FM-15	0.00	30.14

21	1253	7	CLR:00	10.00		78	25.6	70	21.2	66	18.9	67	7	VRB		29.15	8	+0.04	30.11	FM-15	0.00	30.12
21	1353	7	CLR:00	10.00		79	26.1	70	21.0	65	18.3	62	11	140		29.12			30.07	FM-15	0.00	30.09
21	1453	7	CLR:00	10.00		81	27.2	71	21.7	66	18.9	61	9	160		29.09			30.05	FM-15	0.00	30.06
21	1553	7	CLR:00	10.00		81	27.2	71	21.7	66	18.9	61	5	250		29.07	6	+0.08	30.02	FM-15	0.00	30.04
21	1653	7	SCT:04 40	10.00		81	27.2	71	21.7	66	18.9	61	6	200		29.04			30.00	FM-15	0.00	30.01
21	1753	7	CLR:00	10.00		80	26.7	70	21.2	65	18.3	60	10	160		29.05			30.00	FM-15	0.00	30.02
21	1853	7	CLR:00	10.00		78	25.6	71	21.5	67	19.4	69	9	140		29.05	5	+0.02	30.01	FM-15	0.00	30.02
21	1933	7	CLR:00	10.00	TS:7 |TS TS |	77	25.0	70	21.3	67	19.4	71	13	120		29.04				FM-16		30.01
21	1953	7	FEW:02 49 SCT:04 110	10.00	TS:7 |TS TS |	77	25.0	70	21.3	67	19.4	71	10	110		29.05			30.00	FM-15	0.00	30.02
21	2018	7	BKN:07 32 BKN:07 90 OVC:08 110	10.00	VCTS:7 ||	71	21.7	65	18.6	62	16.7	73	7	050	18	29.07				FM-16		30.04
21	2027	7	OVC:08 29	4.00	TS:7 +RA:02 |RA TS TS |RA	68	20.0	65	18.3	63	17.2	84	14	350		29.09				FM-16	0.05	30.06
21	2042	7	FEW:02 16 OVC:08 29	6.00	TS:7 RA:02 BR:1 |RA TS |RA	67	19.4	65	18.1	63	17.2	87	30	310	40	29.11				FM-16	0.06	30.08
21	2053	7	FEW:02 14 BKN:07 36 OVC:08 55	4.00	TS:7 RA:02 BR:1 |RA TS |RA	64	17.8	63	17.1	62	16.7	93	14	290	32	29.12			30.08	FM-15	0.29	30.09
21	2057	7	FEW:02 14 BKN:07 28 OVC:08 55	1.75	TS:7 +RA:02 BR:1 |RA TS |RA	64	17.8	63	17.1	62	16.7	93	9	250	22	29.14				FM-16	0.12	30.11
21	2110	7	BKN:07 24 BKN:07 33 OVC:08 55	0.75	TS:7 +RA:02 BR:1 |RA TS |RA	64	17.8	63	17.4	63	17.2	96	5	150		29.14				FM-16	0.46	30.11
21	2114	7	BKN:07 30 OVC:08 55	1.00	TS:7 +RA:02 BR:1 |RA TS |RA	64	17.8	63	17.4	63	17.2	96	6	090		29.14				FM-16	0.51	30.11
21	2125	7	BKN:07 38 OVC:08 65	2.50	TS:7 RA:02 BR:1 |RA TS |RA	64	17.8	63	17.4	63	17.2	96	7	100		29.13				FM-16	0.58	30.10
21	2138	7	BKN:07 48 OVC:08 60	2.50	-RA:02 BR:1 |RA |RA	64	17.8	64	17.8	64	17.8	100	6	110		29.12				FM-16	0.61	30.09
21	2153	7	BKN:07 50 OVC:08 85	2.50	-RA:02 BR:1 |RA |RA	64	17.8	64	17.8	64	17.8	100	6	130		29.12	3	-0.07	30.08	FM-15	0.44	30.09
21	2200	7	BKN:07 55 BKN:07 75 OVC:08 85	10.00	-RA:02 |RA |RA	65	18.3	64	18.0	64	17.8	97	6	140		29.12				FM-16	T	30.09
21	2233	7	FEW:02 35 OVC:08 55	9.00	VCTS:7 -RA:02 |RA |RA	65	18.3	65	18.3	65	18.3	100	7	260		29.12				FM-16	T	30.09
21	2241	7	FEW:02 24 SCT:04 31 OVC:08 55	3.00	TS:7 +RA:02 BR:1 |RA TS |RA	65	18.3	64	18.0	64	17.8	97	8	270		29.14				FM-16	0.05	30.11
21	2248	7	FEW:02 22 BKN:07 31 OVC:08 55	2.00	TS:7 +RA:02 BR:1 |RA TS |RA	64	18.0	64	17.8	64	18.0	100	5	280		29.14				FM-16	0.09	30.11
21	2253	7	FEW:02 22 BKN:07 34 OVC:08 55	2.00	TS:7 +RA:02 BR:1 |RA TS |RA	65	18.3	65	18.3	65	18.3	100	0	000		29.13			30.09	FM-15	0.13	30.10
21	2300	7	FEW:02 22 BKN:07 34 OVC:08 60	2.50	RA:02 BR:1 |RA |RA	65	18.3	65	18.3	65	18.3	100	0	000		29.13				FM-16	0.03	30.10
21	2345	7	FEW:02 50 BKN:07 70 OVC:08 85	4.00	RA:02 BR:1 |RA |RA	66	18.9	65	18.5	65	18.3	96	8	130		29.10				FM-16	0.23	30.07
21	2353	7	FEW:02 50 BKN:07 75 OVC:08 90	4.00	RA:02 BR:1 |RA |RA	66	18.9	65	18.5	65	18.3	96	6	140		29.10			30.05	FM-15	0.27	30.07
22	0051	6	FEW:02 3 OVC:08 100	10.00	-RA:02 |RA |RA	66	19.0	65	18.2	64	18.0	94	8	130		29.07				FM-16		30.04
22	0053	7	FEW:02 3 OVC:08 110	9.00	-RA:02 |RA |RA	66	18.9	65	18.5	65	18.3	96	8	130		29.07	8	+0.06	30.02	FM-15	0.07	30.04
22	0141	7	BKN:07 4 BKN:07 90 OVC:08 110	6.00	-RA:02 BR:1 |RA |RA	66	18.9	65	18.5	65	18.3	96	6	150		29.06				FM-16	0.01	30.03

22	0153	7	BKN:07 4 OVC:08 120	6.00	BR:1 ||	66	18.9	65	18.5	65	18.3	96	7	130		29.05			30.00	FM-15	0.01	30.02
22	0253	7	BKN:07 4 BKN:07 65 OVC:08 80	9.00		66	18.9	65	18.5	65	18.3	96	8	170		29.05			30.00	FM-15	T	30.02
22	0306	7	BKN:07 5 OVC:08 65	10.00	-RA:02 |RA |RA	66	18.9	65	18.5	65	18.3	96	11	160		29.04				FM-16	T	30.01
22	0319	7	SCT:04 5 BKN:07 65 BKN:07 110	10.00		66	18.9	65	18.5	65	18.3	96	7	170		29.05				FM-16	T	30.02
22	0337	7	BKN:07 6 BKN:07 100 BKN:07 110	10.00		66	18.9	65	18.5	65	18.3	96	6	180		29.04				FM-16	T	30.01
22	0353	7	OVC:08 6	10.00		66	18.9	65	18.5	65	18.3	96	5	190		29.05	6	+0.03	29.99	FM-15	T	30.02
22	0453	7	OVC:08 7	10.00		66	18.9	65	18.5	65	18.3	96	7	190		29.05			30.00	FM-15	0.00	30.02
22	0548	7	SCT:04 9 BKN:07 29 OVC:08 95	10.00		66	19.0	65	18.2	64	18.0	94	5	200		29.06				FM-16		30.03
22	0551	6	BKN:07 9 BKN:07 29 OVC:08 95	8.00		66	19.0	65	18.2	64	18.0	94	6	200		29.06				FM-16		30.03
22	0553	7	BKN:07 9 BKN:07 29 OVC:08 95	8.00		67	19.4	66	18.7	65	18.3	93	6	200		29.06			30.01	FM-15	0.00	30.03
22	0653	7	BKN:07 5 BKN:07 26 OVC:08 65	8.00		67	19.4	66	19.1	66	18.9	97	8	200		29.07	3	-0.02	30.02	FM-15	0.00	30.04
22	0753	7	BKN:07 5 OVC:08 15	8.00		69	20.6	67	19.5	66	18.9	90	8	220		29.08			30.03	FM-15	0.00	30.05
22	0853	7	BKN:07 9 OVC:08 11	10.00		71	21.7	68	19.9	66	18.9	84	10	230		29.08			30.04	FM-15	0.00	30.05
22	0951	6	OVC:08 18	10.00		73	23.0	68	20.3	66	19.0	78	11	230		29.08				FM-16		30.05
22	0953	7	OVC:08 18	10.00		73	22.8	69	20.6	67	19.4	81	10	230		29.08	0	-0.01	30.03	FM-15	0.00	30.05
22	1053	7	FEW:02 16 OVC:08 25	10.00		74	23.3	69	20.8	67	19.4	79	7	210		29.08			30.03	FM-15	0.00	30.05
22	1153	7	BKN:07 19 BKN:07 26 BKN:07 49	9.00		75	23.9	70	21.3	68	20.0	79	9	260		29.07			30.02	FM-15	0.01	30.04
22	1253	7	BKN:07 26	10.00		78	25.6	72	22.2	69	20.6	74	9	250		29.04	8	+0.04	29.99	FM-15	0.00	30.01
22	1353	7	BKN:07 26 BKN:07 33	10.00		80	26.7	71	21.9	67	19.4	64	11	VRB		29.01			29.96	FM-15	0.00	29.98
22	1356	7	FEW:02 33	10.00		79	26.1	71	21.7	67	19.4	67	13	210		29.01				FM-16		29.98
22	1453	7	SCT:04 36 SCT:04 48 BKN:07 80	10.00		80	26.7	71	21.5	66	18.9	62	10	240		28.98			29.93	FM-15	0.00	29.95
22	1553	7	SCT:04 38 BKN:07 45 BKN:07 55	10.00		80	26.7	71	21.9	67	19.4	64	10	260		28.97	6	+0.06	29.92	FM-15	0.00	29.94
22	1653	7	BKN:07 42 BKN:07 55	10.00		80	26.7	71	21.5	66	18.9	62	10	280		28.96			29.91	FM-15	0.00	29.93
22	1753	7	CLR:00	10.00		80	26.7	70	20.9	64	17.8	58	18	280	25	28.97			29.91	FM-15	0.00	29.94
22	1817	7	SCT:04 46	10.00		75	23.9	69	20.3	65	18.3	71	10	330		28.98				FM-16		29.95
22	1853	7	SCT:04 37 SCT:04 46 BKN:07 55	10.00		74	23.3	69	20.4	66	18.9	76	8	340		28.98	3	-0.01	29.93	FM-15	0.00	29.95
22	1953	7	CLR:00	10.00		71	21.7	67	19.5	65	18.3	81	6	340		28.99			29.94	FM-15	0.00	29.96
22	2053	7	CLR:00	10.00		70	21.1	66	19.0	64	17.8	82	7	330		29.01			29.96	FM-15	0.00	29.98
22	2153	7	CLR:00	10.00		70	21.1	64	18.0	61	16.1	73	10	330		29.04	3	-0.06	29.99	FM-15	0.00	30.01
22	2253	7	CLR:00	10.00		67	19.4	63	17.1	60	15.6	79	8	330		29.05			30.00	FM-15	0.00	30.02
22	2353	7	CLR:00	10.00		64	17.8	62	16.4	60	15.6	87	6	350		29.06			30.01	FM-15	0.00	30.03
23	0053	7	CLR:00	10.00		64	17.8	62	16.8	61	16.1	90	8	030		29.07	2	-0.03	30.02	FM-15	0.00	30.04
23	0153	7	FEW:02 27	10.00		61	16.1	59	15.1	58	14.4	90	7	010		29.07			30.02	FM-15	0.00	30.04
23	0213	7	BKN:07 28	10.00		62	16.7	60	15.7	59	15.0	90	6	360		29.08				FM-16		30.05

23	0253	7	OVC:08 27	10.00		62	16.7	60	15.4	58	14.4	86	7	010		29.09			30.04	FM-15	0.00	30.06
23	0353	7	OVC:08 25	10.00		62	16.7	59	15.1	57	13.9	84	5	340		29.10	3	-0.03	30.06	FM-15	0.00	30.07
23	0453	7	OVC:08 21	10.00		62	16.7	59	15.1	57	13.9	84	8	350		29.12			30.07	FM-15	0.00	30.09
23	0553	7	OVC:08 19	10.00		61	16.1	59	14.8	57	13.9	87	7	340		29.14			30.09	FM-15	0.00	30.11
23	0653	7	BKN:07 18	10.00		62	16.7	59	14.7	56	13.3	80	8	360		29.15	1	-0.05	30.11	FM-15	0.00	30.12
23	0751	6	SCT:04 17	10.00		63	17.0	58	14.7	55	13.0	77	8	350		29.17				FM-16		30.14
23	0753	7	SCT:04 17	10.00		62	16.7	58	14.4	55	12.8	78	8	350		29.17			30.13	FM-15	0.00	30.14
23	0853	7	CLR:00	10.00		66	18.9	60	15.4	55	12.8	68	11	020		29.19			30.14	FM-15	0.00	30.16
23	0953	7	CLR:00	10.00		68	20.0	61	16.1	56	13.3	65	14	010	20	29.19	3	-0.02	30.15	FM-15	0.00	30.16
23	1053	7	FEW:02 40	10.00		69	20.6	61	16.3	56	13.3	63	13	020		29.21			30.16	FM-15	0.00	30.18
23	1153	7	CLR:00	10.00		72	22.2	63	17.2	57	13.9	59	11	030		29.21			30.16	FM-15	0.00	30.18
23	1253	7	CLR:00	10.00		73	22.8	63	17.4	57	13.9	57	6	060		29.20	0	-0.01	30.16	FM-15	0.00	30.17
23	1353	7	SCT:04 40	10.00		75	23.9	65	18.1	58	14.4	55	7	040		29.19			30.15	FM-15	0.00	30.16
23	1453	7	SCT:04 46	10.00		75	23.9	64	17.5	56	13.3	52	8	050		29.19			30.15	FM-15	0.00	30.16
23	1553	7	CLR:00	10.00		76	24.4	63	17.4	55	12.8	48	10	020		29.18	8	+0.02	30.14	FM-15	0.00	30.15
23	1653	7	FEW:02 50	10.00		76	24.4	63	17.2	54	12.2	47	11	030		29.18			30.14	FM-15	0.00	30.15
23	1753	7	CLR:00	10.00		75	23.9	63	17.0	54	12.2	48	7	040		29.17			30.13	FM-15	0.00	30.14
23	1853	7	CLR:00	10.00		73	22.8	61	16.3	53	11.7	50	8	040		29.17	7	+0.01	30.13	FM-15	0.00	30.14
23	1953	7	CLR:00	10.00		70	21.1	60	15.4	52	11.1	53	6	040		29.19			30.15	FM-15	0.00	30.16
23	2053	7	CLR:00	10.00		66	18.9	58	14.5	52	11.1	61	6	040		29.20			30.16	FM-15	0.00	30.17
23	2153	7	CLR:00	10.00		63	17.2	57	14.1	53	11.7	70	6	020		29.22	3	-0.04	30.18	FM-15	0.00	30.19
23	2253	7	CLR:00	10.00		61	16.1	57	13.6	53	11.7	75	3	010		29.23			30.19	FM-15	0.00	30.20
23	2353	7	CLR:00	10.00		62	16.7	57	13.9	53	11.7	73	0	000		29.23			30.19	FM-15	0.00	30.21
24	0053	7	CLR:00	10.00		60	15.6	56	13.1	52	11.1	75	3	360		29.23	0	-0.02	30.19	FM-15	0.00	30.21
24	0153	7	CLR:00	10.00		58	14.4	55	12.6	52	11.1	81	3	030		29.23			30.19	FM-15	0.00	30.20
24	0253	7	CLR:00	10.00		58	14.4	54	12.3	51	10.6	78	0	000		29.22			30.18	FM-15	0.00	30.19
24	0353	7	CLR:00	10.00		55	12.8	52	11.3	50	10.0	83	0	000		29.23	5	+0.01	30.19	FM-15	0.00	30.20
24	0453	7	CLR:00	10.00		55	12.8	52	11.3	50	10.0	83	3	040		29.23			30.19	FM-15	0.00	30.20
24	0553	7	CLR:00	10.00		56	13.3	53	11.6	50	10.0	81	0	000		29.23			30.20	FM-15	0.00	30.21
24	0653	7	CLR:00	10.00		62	16.7	57	13.9	53	11.7	73	0	000		29.26	3	-0.04	30.22	FM-15	0.00	30.23
24	0753	7	CLR:00	10.00		67	19.4	60	15.3	54	12.2	63	5	080		29.26			30.23	FM-15	0.00	30.24
24	0853	7	CLR:00	10.00		71	21.7	60	15.6	52	11.1	51	6	090		29.26			30.23	FM-15	0.00	30.24
24	0953	7	CLR:00	10.00		75	23.9	59	15.2	47	8.3	37	8	120		29.26	0	-0.01	30.22	FM-15	0.00	30.24
24	1053	7	CLR:00	10.00		76	24.4	60	15.6	48	8.9	37	3	100		29.26			30.22	FM-15	0.00	30.23
24	1153	7	CLR:00	10.00		78	25.6	61	16.0	48	8.9	35	8	VRB		29.25			30.20	FM-15	0.00	30.22
24	1159	7	CLR:00	10.00		78	25.6	60	15.8	47	8.3	33	7	VRB		29.23				FM-16		30.21
24	1253	7	CLR:00	10.00		79	26.1	61	16.2	48	8.9	34	8	050		29.22	8	+0.04	30.18	FM-15	0.00	30.19
24	1353	7	CLR:00	10.00		80	26.7	61	16.2	47	8.3	31	6	020		29.20			30.16	FM-15	0.00	30.17
24	1453	7	CLR:00	10.00		81	27.2	62	16.9	49	9.4	33	8	050		29.18			30.14	FM-15	0.00	30.15
24	1553	7	CLR:00	10.00		81	27.2	62	16.6	48	8.9	32	0	000		29.16	8	+0.06	30.11	FM-15	0.00	30.13
24	1653	7	CLR:00	10.00		81	27.2	63	17.4	51	10.6	35	6	080		29.15			30.10	FM-15	0.00	30.12
24	1753	7	CLR:00	10.00		79	26.1	62	16.7	50	10.0	36	6	100		29.13			30.09	FM-15	0.00	30.10
24	1853	7	CLR:00	10.00		77	25.0	63	17.1	53	11.7	43	5	080		29.13	6	+0.03	30.08	FM-15	0.00	30.10
24	1953	7	CLR:00	10.00		75	23.9	61	15.9	50	10.0	41	5	090		29.12			30.08	FM-15	0.00	30.09
24	2053	7	CLR:00	10.00		70	21.1	59	15.1	51	10.6	51	0	000		29.13			30.08	FM-15	0.00	30.10
24	2153	7	CLR:00	10.00		68	20.0	58	14.7	51	10.6	55	3	080		29.13	3	-0.00	30.08	FM-15	0.00	30.10
24	2253	7	CLR:00	10.00		66	18.9	58	14.2	51	10.6	59	0	000		29.12			30.07	FM-15	0.00	30.09
24	2353	7	CLR:00	10.00		61	16.1	57	13.6	53	11.7	75	0	000		29.12			30.07	FM-15	0.00	30.09
25	0053	7	CLR:00	10.00		61	16.1	57	13.6	53	11.7	75	0	000		29.11	8	+0.01	30.06	FM-15	0.00	30.08
25	0153	7	CLR:00	10.00		57	13.9	55	12.7	53	11.7	87	0	000		29.09			30.05	FM-15	0.00	30.06
25	0253	7	CLR:00	10.00		58	14.4	56	13.2	54	12.2	87	0	000		29.09			30.04	FM-15	0.00	30.06
25	0353	7	CLR:00	10.00		56	13.3	55	12.7	54	12.2	93	0	000		29.08	6	+0.03	30.04	FM-15	0.00	30.05
25	0453	7	CLR:00	6.00	BR:1 ||	58	14.4	56	13.5	55	12.8	90	0	000		29.08			30.03	FM-15	0.00	30.05
25	0553	7	CLR:00	9.00		58	14.4	56	13.5	55	12.8	90	0	000		29.08			30.03	FM-15	0.00	30.05
25	0653	7	CLR:00	9.00		64	17.8	60	15.8	58	14.4	81	0	000		29.07	6	+0.01	30.03	FM-15	0.00	30.04
25	0753	7	CLR:00	10.00		71	21.7	63	17.3	58	14.4	63	0	000		29.06			30.01	FM-15	0.00	30.03
25	0853	7	CLR:00	10.00		76	24.4	64	18.0	57	13.9	52	0	000		29.05			30.00	FM-15	0.00	30.02

25	0953	7	CLR:00	10.00		78	25.6	65	18.4	57	13.9	48	8	200		29.04	6	+0.03	29.99	FM-15	0.00	30.01
25	1053	7	CLR:00	10.00		81	27.2	65	18.1	54	12.2	39	8	200		29.03			29.98	FM-15	0.00	30.00
25	1153	7	CLR:00	10.00		81	27.2	66	18.7	56	13.3	42	8	280		29.02			29.97	FM-15	0.00	29.99
25	1253	6	CLR:00	10.00		83	28.3	67	19.3	57	13.9	41	6	250		29.00	8	+0.04	29.95	FM-15	0.00	29.97
25	1353	7	CLR:00	10.00		84	28.9	67	19.5	57	13.9	40	6	260		28.98			29.93	FM-15	0.00	29.95
25	1453	7	CLR:00	10.00		85	29.4	66	19.1	55	12.8	36	9	240		28.96			29.91	FM-15	0.00	29.93
25	1553	7	CLR:00	10.00		87	30.6	67	19.5	55	12.8	34	11	230		28.92	8	+0.08	29.87	FM-15	0.00	29.89
25	1653	7	CLR:00	10.00		85	29.4	66	18.9	54	12.2	35	6	250		28.91			29.86	FM-15	0.00	29.88
25	1753	7	CLR:00	10.00		85	29.4	65	18.3	52	11.1	32	6	210		28.90			29.84	FM-15	0.00	29.86
25	1853	7	CLR:00	10.00		83	28.3	63	17.5	50	10.0	32	8	220		28.90	6	+0.03	29.84	FM-15	0.00	29.86
25	1953	7	CLR:00	10.00		78	25.6	63	17.0	52	11.1	40	3	230		28.90			29.84	FM-15	0.00	29.86
25	2053	7	CLR:00	10.00		77	25.0	62	16.8	52	11.1	42	5	210		28.90			29.85	FM-15	0.00	29.87
25	2153	7	CLR:00	10.00		72	22.2	61	16.3	54	12.2	53	5	220		28.90	0	-0.01	29.85	FM-15	0.00	29.87
25	2253	7	CLR:00	10.00		71	21.7	61	16.1	54	12.2	55	6	200		28.90			29.85	FM-15	0.00	29.87
25	2353	7	CLR:00	10.00		70	21.1	61	16.2	55	12.8	59	5	220		28.90			29.84	FM-15	0.00	29.87
26	0053	7	CLR:00	10.00		67	19.4	61	15.9	56	13.3	68	0	000		28.90	8	+0.01	29.84	FM-15	0.00	29.86
26	0153	7	CLR:00	10.00		66	18.9	60	15.6	56	13.3	70	0	000		28.89			29.83	FM-15	0.00	29.85
26	0253	7	CLR:00	10.00		65	18.3	60	15.7	57	13.9	76	0	000		28.89			29.83	FM-15	0.00	29.85
26	0353	7	CLR:00	10.00		65	18.3	60	15.7	57	13.9	76	3	150		28.89	6	+0.01	29.83	FM-15	0.00	29.85
26	0453	7	CLR:00	10.00		64	17.8	60	15.8	58	14.4	81	0	000		28.89			29.83	FM-15	0.00	29.85
26	0553	7	CLR:00	10.00		64	17.8	61	16.1	59	15.0	84	0	000		28.90			29.84	FM-15	0.00	29.86
26	0653	7	SCT:04 50 OVC:08 70	10.00		69	20.6	64	17.8	61	16.1	76	5	170		28.90	3	-0.02	29.84	FM-15	0.00	29.87
26	0753	7	BKN:07 55 BKN:07 85	10.00		72	22.2	66	18.7	62	16.7	71	9	190		28.91			29.85	FM-15	0.00	29.88
26	0853	7	SCT:04 120	10.00		74	23.3	68	20.1	65	18.3	74	7	190		28.91			29.86	FM-15	0.00	29.88
26	0953	7	FEW:02 65 SCT:04 80	10.00		76	24.4	69	20.8	66	18.9	72	8	200		28.91	1	-0.01	29.86	FM-15	0.00	29.88
26	1053	7	CLR:00	10.00		78	25.6	70	21.2	66	18.9	67	10	210		28.91			29.85	FM-15	0.00	29.88
26	1153	7	CLR:00	10.00		84	28.9	73	22.5	67	19.4	57	10	200		28.90			29.83	FM-15	0.00	29.86
26	1253	7	FEW:02 120	10.00		83	28.3	72	22.0	66	18.9	57	9	190		28.87	8	+0.04	29.82	FM-15	0.00	29.84
26	1307	7	SCT:04 120	10.00		84	28.9	73	22.5	67	19.4	57	11	200		28.87				FM-16		29.84
26	1353	7	SCT:04 120	10.00		84	28.9	72	22.2	66	18.9	55	8	210	21	28.84			29.79	FM-15	0.00	29.81
26	1453	7	SCT:04 50	10.00		85	29.4	72	22.4	66	18.9	53	7	VRB		28.84			29.78	FM-15	0.00	29.80
26	1553	7	FEW:02 49 BKN:07 110	10.00		83	28.3	70	21.4	64	17.8	53	6	200		28.82	6	+0.06	29.76	FM-15	0.00	29.78
26	1639	7	SCT:04 48 BKN:07 70 OVC:08 110	9.00	VCTS:7 -RA:02 |RA |RA	77	25.0	69	20.7	65	18.3	66	15	240		28.84				FM-16	T	29.80
26	1643	7	FEW:02 37 BKN:07 46 OVC:08 110	2.00	TS:7 +RA:02 |RA TS TS |RA	75	23.9	69	20.6	66	18.9	74	28	270	37	28.84				FM-16	0.05	29.81
26	1653	7	FEW:02 23 BKN:07 48 OVC:08 70	2.00	TS:7 +RA:02 BR:1 |RA TS |RA	70	21.1	67	19.7	66	18.9	87	13	320	38	28.86			29.80	FM-15	0.30	29.82
26	1700	7	SCT:04 27 BKN:07 36 OVC:08 47	0.75	TS:7 +RA:02 BR:1 |RA TS |RA	70	21.1	68	20.0	67	19.4	90	13	300		28.87				FM-16	0.11	29.83
26	1703	7	BKN:07 29 BKN:07 36 OVC:08 47	1.00	VCTS:7 +RA:02 BR:1 |RA |RA	69	20.6	68	20.2	68	20.0	96	11	290		28.87				FM-16	0.14	29.83
26	1707	7	BKN:07 29 BKN:07 36 OVC:08 47	0.75	TS:7 +RA:02 BR:1 |RA TS |RA	70	21.1	69	20.4	68	20.0	93	8	310		28.87				FM-16	0.21	29.83
26	1717	7	BKN:07 30 BKN:07 43 OVC:08 110	1.50	TS:7 RA:02 BR:1 |RA TS |RA	69	20.6	68	20.2	68	20.0	96	7	340		28.86				FM-16	0.28	29.82
26	1725	7	SCT:04 32 BKN:07 46 OVC:08 120	3.00	TS:7 -RA:02 BR:1 |RA TS |RA	70	21.1	69	20.4	68	20.0	93	8	350		28.86				FM-16	0.29	29.82

26	1742	7	SCT:04 44 BKN:07 60 OVC:08 110	3.00	VCTS:7 -RA:02 BR:1 |RA |RA	70	21.1	69	20.4	68	20.0	93	0	000		28.87				FM-16	0.30	29.83
26	1749	7	SCT:04 44 BKN:07 75 OVC:08 110	6.00		70	21.0	69	20.4	68	20.0	94	6	100		28.86				FM-16	0.30	29.82
26	1753	7	SCT:04 42 BKN:07 75 OVC:08 110	6.00		70	21.1	69	20.4	68	20.0	93	7	100		28.86			29.80	FM-15	0.23	29.82
26	1853	7	CLR:00	10.00		70	21.1	69	20.4	68	20.0	93	3	150		28.84	8	+0.01	29.79	FM-15	0.00	29.81
26	1953	7	OVC:08 80	8.00		70	21.1	69	20.7	69	20.6	97	5	100		28.87			29.81	FM-15	0.00	29.83
26	2053	7	BKN:07 43 BKN:07 60 OVC:08 120	8.00		71	21.7	70	20.9	69	20.6	94	6	160		28.89			29.83	FM-15	0.00	29.85
26	2128	7	BKN:07 29 BKN:07 36	10.00		70	21.1	69	20.4	68	20.0	93	5	140		28.90				FM-16		29.86
26	2153	7	FEW:02 29 SCT:04 36	7.00		69	20.6	68	20.2	68	20.0	96	5	100		28.90	1	-0.06	29.85	FM-15	0.00	29.87
26	2253	7	SCT:04 80	7.00		70	21.1	69	20.4	68	20.0	93	3	120		28.90			29.85	FM-15	0.00	29.87
26	2309	7	CLR:00	2.50		68	20.0	68	20.0	68	20.0	100	3	060		28.90				FM-16		29.87
26	2320	7	CLR:00	3.00		69	20.6	68	20.2	68	20.0	96	0	000		28.90				FM-16		29.87
26	2353	7	SCT:04 120	6.00		70	21.1	69	20.4	68	20.0	93	3	150		28.90			29.85	FM-15	0.00	29.87
27	0053	7	FEW:02 23 SCT:04 30 SCT:04 38	10.00		69	20.6	68	20.2	68	20.0	96	6	180		28.90	8	+0.00	29.84	FM-15	0.00	29.87
27	0143	7	BKN:07 19	9.00		68	20.0	67	19.6	67	19.4	96	5	140		28.90				FM-16		29.87
27	0153	7	BKN:07 19 BKN:07 32 BKN:07 43	9.00		69	20.6	68	19.8	67	19.4	93	6	160		28.90			29.83	FM-15	0.00	29.86
27	0200	7	SCT:04 19 BKN:07 34 BKN:07 43	8.00		69	20.6	68	19.8	67	19.4	93	6	160		28.90				FM-16		29.86
27	0253	7	CLR:00	6.00		68	20.0	67	19.6	67	19.4	96	0	000		28.89			29.83	FM-15	0.00	29.85
27	0353	7	CLR:00	5.00		67	19.4	66	19.1	66	18.9	97	3	220		28.90	5	+0.00	29.84	FM-15	0.00	29.86
27	0453	7	CLR:00	4.00		67	19.4	66	19.1	66	18.9	97	5	220		28.90			29.86	FM-15	0.00	29.87
27	0553	7	CLR:00	3.00	BR:1 ||	66	18.9	65	18.5	65	18.3	96	0	000		28.93			29.88	FM-15	0.00	29.90
27	0653	7	CLR:00	7.00		70	21.1	68	20.0	67	19.4	90	0	000		28.95	3	-0.06	29.91	FM-15	0.00	29.92
27	0753	7	CLR:00	10.00		73	22.8	70	21.0	68	20.0	84	0	000		28.97			29.92	FM-15	0.00	29.94
27	0853	7	CLR:00	10.00		77	25.0	72	22.0	69	20.6	77	6	280		28.97			29.92	FM-15	0.00	29.94
27	0953	7	CLR:00	10.00		79	26.1	72	22.4	69	20.6	72	0	000		28.96	0	-0.01	29.91	FM-15	0.00	29.93
27	1053	7	CLR:00	10.00		82	27.8	73	22.5	68	20.0	63	0	000		28.96			29.91	FM-15	0.00	29.93
27	1153	7	CLR:00	10.00		83	28.3	72	22.4	67	19.4	59	3	280		28.96			29.90	FM-15	0.00	29.93
27	1253	7	FEW:02 47	10.00		86	30.0	73	22.8	67	19.4	53	0	000		28.95	8	+0.01	29.90	FM-15	0.00	29.92
27	1353	7	CLR:00	10.00		87	30.6	71	21.8	63	17.2	45	0	000		28.94			29.89	FM-15	0.00	29.91
27	1453	7	CLR:00	10.00		89	31.7	71	21.8	62	16.7	41	0	000		28.94			29.88	FM-15	0.00	29.91
27	1553	7	FEW:02 65	10.00		87	30.6	72	22.1	64	17.8	46	0	000		28.93	6	+0.03	29.87	FM-15	0.00	29.90
27	1653	7	FEW:02 60	10.00		89	31.7	72	22.4	64	17.8	43	0	000		28.93			29.88	FM-15	0.00	29.90
27	1753	7	CLR:00	10.00		87	30.6	72	22.4	65	18.3	48	0	000		28.94			29.88	FM-15	0.00	29.91
27	1853	7	CLR:00	10.00		83	28.3	72	22.4	67	19.4	59	7	100		28.95	3	-0.02	29.90	FM-15	0.00	29.92
27	1953	7	CLR:00	10.00		83	28.3	71	21.7	65	18.3	55	6	130		28.96			29.91	FM-15	0.00	29.93
27	2053	7	CLR:00	10.00		81	27.2	72	22.0	67	19.4	62	9	150		28.97			29.91	FM-15	0.00	29.94
27	2153	7	CLR:00	10.00		80	26.7	72	22.2	68	20.0	67	6	180		28.98	3	-0.03	29.92	FM-15	0.00	29.95
27	2253	7	CLR:00	10.00		77	25.0	70	21.3	67	19.4	71	6	180		28.99			29.93	FM-15	0.00	29.96
27	2353	7	CLR:00	10.00		75	23.9	70	21.0	67	19.4	76	3	200		29.00			29.94	FM-15	0.00	29.97
28	0053	7	CLR:00	10.00		73	22.8	69	20.6	67	19.4	81	0	000		29.00	1	-0.02	29.94	FM-15	0.00	29.97
28	0153	7	CLR:00	10.00		73	22.8	69	20.6	67	19.4	81	0	000		29.00			29.95	FM-15	0.00	29.97
28	0253	7	CLR:00	10.00		67	19.4	66	18.7	65	18.3	93	0	000		29.00			29.94	FM-15	0.00	29.97
28	0353	7	CLR:00	9.00		68	20.0	66	18.9	65	18.3	90	0	000		28.99	8	+0.01	29.93	FM-15	0.00	29.96
28	0453	7	CLR:00	10.00		67	19.4	66	18.7	65	18.3	93	0	000		28.99			29.93	FM-15	0.00	29.96
28	0553	7	CLR:00	7.00		68	20.0	67	19.3	66	18.9	93	0	000		29.00			29.95	FM-15	0.00	29.97

28	0653	7	CLR:00	7.00		72	22.2	69	20.8	68	20.0	87	0	000		29.02	3	-0.03	29.97	FM-15	0.00	29.99
28	0753	7	CLR:00	10.00		77	25.0	72	22.0	69	20.6	77	0	000		29.03			29.97	FM-15	0.00	30.00
28	0853	7	CLR:00	10.00		81	27.2	74	23.1	70	21.1	69	3	350		29.03			29.98	FM-15	0.00	30.00
28	0953	7	CLR:00	10.00		84	28.9	74	23.5	70	21.1	63	5	040		29.03	0	-0.01	29.97	FM-15	0.00	30.00
28	1053	7	CLR:00	10.00		85	29.4	73	22.7	67	19.4	55	3	030		29.03			29.97	FM-15	0.00	30.00
28	1153	7	CLR:00	10.00		87	30.6	74	23.3	68	20.0	53	6	120		29.03			29.97	FM-15	0.00	30.00
28	1253	7	CLR:00	10.00		89	31.7	73	22.7	65	18.3	45	0	000		29.02	8	+0.01	29.96	FM-15	0.00	29.99
28	1353	7	CLR:00	10.00		90	32.2	73	22.8	65	18.3	44	6	VRB		29.00			29.94	FM-15	0.00	29.97
28	1453	7	CLR:00	10.00		89	31.7	71	21.8	62	16.7	41	3	VRB		28.99			29.93	FM-15	0.00	29.96
28	1553	7	FEW:02 70	10.00		89	31.7	72	22.4	64	17.8	43	7	100		28.97	8	+0.05	29.91	FM-15	0.00	29.94
28	1653	6	CLR:00	10.00		87	30.6	72	22.4	65	18.3	48	11	110		28.96			29.91	FM-15	0.00	29.93
28	1753	6	CLR:00	10.00		86	30.0	73	22.5	66	18.9	51	10	130		28.96			29.91	FM-15	0.00	29.93
28	1853	6	CLR:00	10.00		83	28.3	72	22.4	67	19.4	59	7	110		28.97	5	+0.00	29.91	FM-15	0.00	29.94
28	1953	7	CLR:00	10.00		81	27.2	71	21.7	66	18.9	61	3	070		28.98			29.92	FM-15	0.00	29.95
28	2053	7	CLR:00	10.00		81	27.2	71	21.7	66	18.9	61	7	130		28.98			29.93	FM-15	0.00	29.95
28	2153	7	CLR:00	10.00		76	24.4	70	21.2	67	19.4	74	3	100		29.00	3	-0.03	29.94	FM-15	0.00	29.97
28	2253	7	CLR:00	10.00		77	25.0	70	21.3	67	19.4	71	5	200		29.00			29.94	FM-15	0.00	29.97
28	2353	7	CLR:00	10.00		76	24.4	70	21.2	67	19.4	74	5	170		29.01			29.95	FM-15	0.00	29.98
29	0053	7	CLR:00	10.00		74	23.3	69	20.8	67	19.4	79	5	170		29.00	0	-0.00	29.94	FM-15	0.00	29.97
29	0153	7	CLR:00	10.00		73	22.8	68	20.3	66	18.9	79	3	160		29.00			29.94	FM-15	0.00	29.97
29	0253	7	CLR:00	10.00		71	21.7	67	19.5	65	18.3	81	3	160		29.00			29.94	FM-15	0.00	29.97
29	0353	7	CLR:00	10.00		69	20.6	66	19.1	65	18.3	87	0	000		29.00	3	-0.00	29.94	FM-15	0.00	29.97
29	0453	7	CLR:00	10.00		69	20.6	66	19.1	65	18.3	87	0	000		29.00			29.94	FM-15	0.00	29.97
29	0553	7	CLR:00	10.00		69	20.6	68	19.8	67	19.4	93	3	100		29.00			29.95	FM-15	0.00	29.97
29	0653	7	CLR:00	10.00		73	22.8	69	20.6	67	19.4	81	6	130		29.02	3	-0.02	29.97	FM-15	0.00	29.99
29	0753	7	CLR:00	10.00		76	24.4	70	21.2	67	19.4	74	3	100		29.03			29.97	FM-15	0.00	30.00
29	0853	7	CLR:00	10.00		79	26.1	70	21.4	66	18.9	65	5	150		29.03			29.97	FM-15	0.00	30.00
29	0953	7	CLR:00	10.00		81	27.2	72	22.0	67	19.4	62	9	100		29.03	1	-0.01	29.97	FM-15	0.00	30.00
29	1053	7	CLR:00	10.00		83	28.3	72	22.4	67	19.4	59	8	100		29.01			29.96	FM-15	0.00	29.98
29	1153	7	CLR:00	10.00		85	29.4	73	23.0	68	20.0	57	11	080	20	29.00			29.94	FM-15	0.00	29.97
29	1253	6	CLR:00	10.00		86	30.0	74	23.2	68	20.0	55	8	VRB		28.98	8	+0.05	29.92	FM-15	0.00	29.95
29	1353	7	SCT:04 45	10.00		86	30.0	74	23.2	68	20.0	55	16	100	23	28.97			29.91	FM-15	0.00	29.94
29	1453	7	CLR:00	10.00		85	29.4	72	22.4	66	18.9	53	15	110	21	28.95			29.89	FM-15	0.00	29.92
29	1553	7	FEW:02 60	10.00		87	30.6	73	23.0	67	19.4	51	13	100	21	28.92	8	+0.05	29.87	FM-15	0.00	29.89
29	1653	7	FEW:02 60	10.00		86	30.0	72	22.2	65	18.3	49	13	110		28.91			29.86	FM-15	0.00	29.88
29	1753	7	CLR:00	10.00		86	30.0	72	22.2	65	18.3	49	13	130		28.91			29.85	FM-15	0.00	29.88
29	1853	7	CLR:00	10.00		84	28.9	71	21.9	65	18.3	53	10	120		28.91	5	+0.01	29.86	FM-15	0.00	29.88
29	1953	7	CLR:00	10.00		83	28.3	71	21.4	64	17.8	53	9	120		28.92			29.86	FM-15	0.00	29.89
29	2053	7	CLR:00	10.00		79	26.1	70	21.0	65	18.3	62	6	100		28.92			29.87	FM-15	0.00	29.89
29	2153	7	CLR:00	10.00		78	25.6	70	21.2	66	18.9	67	7	110		28.92	0	-0.01	29.87	FM-15	0.00	29.89
29	2253	7	CLR:00	10.00		80	26.7	71	21.9	67	19.4	64	9	130		28.91			29.85	FM-15	0.00	29.88
29	2353	7	CLR:00	10.00		79	26.1	72	22.0	68	20.0	69	8	140		28.91			29.85	FM-15	0.00	29.88
30	0053	7	CLR:00	10.00		78	25.6	71	21.5	67	19.4	69	8	120		28.91	6	+0.02	29.85	FM-15	0.00	29.88
30	0153	7	BKN:07 110	10.00		76	24.4	71	21.5	68	20.0	77	8	120		28.90			29.84	FM-15	0.00	29.87
30	0253	7	SCT:04 120	10.00		75	23.9	70	21.0	67	19.4	76	9	120		28.90			29.83	FM-15	0.00	29.86
30	0353	7	CLR:00	10.00		76	24.4	69	20.8	66	18.9	72	9	130		28.89	8	+0.02	29.82	FM-15	0.00	29.85
30	0453	7	CLR:00	10.00		75	23.9	69	20.6	66	18.9	74	13	130		28.89			29.82	FM-15	0.00	29.85
30	0553	7	CLR:00	10.00		75	23.9	69	20.6	66	18.9	74	9	130		28.90			29.83	FM-15	0.00	29.86
30	0653	7	FEW:02 110	10.00		76	24.4	70	21.2	67	19.4	74	10	130		28.90	3	-0.01	29.83	FM-15	0.00	29.86
30	0753	7	CLR:00	10.00		76	24.4	70	21.2	67	19.4	74	11	140		28.90			29.84	FM-15	0.00	29.87
30	0853	7	CLR:00	10.00		78	25.6	71	21.8	68	20.0	71	13	140		28.90			29.83	FM-15	0.00	29.86
30	0953	7	CLR:00	10.00		81	27.2	72	22.4	68	20.0	65	17	170		28.89	8	+0.01	29.83	FM-15	0.00	29.85
30	1053	7	SCT:04 55	10.00		83	28.3	73	23.0	69	20.6	63	16	150	22	28.87			29.81	FM-15	0.00	29.84
30	1153	7	BKN:07 41 BKN:07 60	10.00		83	28.3	73	22.7	68	20.0	61	15	160	24	28.86			29.80	FM-15	0.00	29.82

30	1253	7	SCT:04 42 BKN:07 49 BKN:07 80	10.00		83	28.3	73	22.7	68	20.0	61	18	160	28	28.84	8	+0.05	29.78	FM-15	0.00	29.81
30	1353	7	SCT:04 40	10.00		85	29.4	73	23.0	68	20.0	57	17	170	28	28.81			29.75	FM-15	0.00	29.77
30	1453	7	SCT:04 42 BKN:07 49 BKN:07 60	10.00		84	28.9	74	23.2	69	20.6	61	18	130	26	28.80			29.73	FM-15	0.00	29.76
30	1553	7	SCT:04 39 BKN:07 50 OVC:08 95	10.00		77	25.0	74	23.1	72	22.2	85	7	150		28.79	6	+0.05	29.73	FM-15	0.03	29.75
30	1615	7	SCT:04 36 BKN:07 50 OVC:08 70	1.75	+RA:02 BR:1 |RA |RA	76	24.4	74	23.3	73	22.8	91	10	220		28.80				FM-16	0.07	29.76
30	1626	7	SCT:04 31 BKN:07 40 OVC:08 70	3.00	-RA:02 BR:1 |RA |RA	75	23.9	74	23.1	73	22.8	94	6	210		28.79				FM-16	0.11	29.75
30	1639	7	SCT:04 35 BKN:07 47 OVC:08 90	1.75	RA:02 BR:1 |RA |RA	75	23.9	74	23.1	73	22.8	94	11	210		28.80				FM-16	0.18	29.76
30	1651	6	FEW:02 31 BKN:07 42 OVC:08 90	6.00	-RA:02 BR:1 |RA |RA	75	24.0	74	23.1	73	23.0	94	9	180		28.79				FM-16		29.75
30	1653	7	FEW:02 31 BKN:07 45 OVC:08 90	6.00	-RA:02 BR:1 |RA |RA	75	23.9	74	23.1	73	22.8	94	9	180		28.79			29.73	FM-15	0.24	29.75
30	1753	7	FEW:02 16 BKN:07 40 BKN:07 55	8.00		74	23.3	72	22.2	71	21.7	91	14	160	24	28.78			29.72	FM-15	T	29.74
30	1853	7	FEW:02 100	10.00		73	22.8	71	21.7	70	21.1	90	16	150	22	28.79	5	+0.00	29.73	FM-15	0.00	29.75
30	1953	7	FEW:02 14 OVC:08 95	10.00		74	23.3	72	22.2	71	21.7	91	15	160		28.79			29.72	FM-15	0.00	29.75
30	2053	7	SCT:04 11	10.00		73	22.8	71	21.7	70	21.1	90	10	170		28.80			29.74	FM-15	0.00	29.76
30	2103	7	BKN:07 12	10.00		73	22.8	71	21.7	70	21.1	90	16	160	25	28.81				FM-16		29.77
30	2140	7	SCT:04 11	10.00		73	22.8	71	21.7	70	21.1	90	13	160	20	28.82				FM-16		29.78
30	2153	7	SCT:04 11 SCT:04 42 BKN:07 95	10.00		73	22.8	71	21.7	70	21.1	90	15	170		28.82	3	-0.03	29.76	FM-15	0.00	29.78
30	2212	7	BKN:07 11 BKN:07 24 OVC:08 100	9.00		73	22.8	72	22.0	71	21.7	94	11	190		28.83				FM-16		29.79
30	2221	7	SCT:04 10 BKN:07 18 OVC:08 39	2.50V	BR:1 ||	73	22.8	72	22.0	71	21.7	94	25	190	34	28.84				FM-16	0.04	29.80
30	2226	7	SCT:04 10 SCT:04 18 OVC:08 36	1.50	BR:1 ||	71	21.7	70	20.9	69	20.6	94	14	200	34	28.84				FM-16	0.10	29.80
30	2232	7	SCT:04 13 BKN:07 38 OVC:08 110	3.00	BR:1 ||	71	21.7	69	20.6	68	20.0	90	10	190		28.83				FM-16	0.10	29.79
30	2253	7	FEW:02 48 SCT:04 75 BKN:07 110	6.00	BR:1 ||	71	21.7	70	20.9	69	20.6	94	7	190		28.83			29.77	FM-15	0.12	29.79
30	2353	7	FEW:02 42 BKN:07 50 BKN:07 70	10.00		72	22.2	71	21.9	71	21.7	97	7	180		28.82			29.76	FM-15	0.00	29.78
31	0012	7	FEW:02 7 SCT:04 23 BKN:07 41	10.00		72	22.2	71	21.9	71	21.7	97	7	190		28.82				FM-16		29.78
31	0053	7	SCT:04 37 BKN:07 60 BKN:07 90	10.00		72	22.2	71	21.9	71	21.7	97	6	200		28.82	8	+0.00	29.75	FM-15	0.00	29.78
31	0153	7	FEW:02 45 SCT:04 75 OVC:08 90	10.00		73	22.8	72	22.0	71	21.7	94	9	180		28.82			29.75	FM-15	0.00	29.78

31	0253	7	FEW:02 22 SCT:04 85	10.00		72	22.2	71	21.5	70	21.1	94	8	190		28.82			29.75	FM-15	0.00	29.78
31	0353	7	BKN:07 60	10.00		71	21.7	70	21.3	70	21.1	96	8	200		28.83	3	-0.01	29.76	FM-15	0.00	29.79
31	0453	7	SCT:04 11 BKN:07 60	10.00		71	21.7	70	21.3	70	21.1	96	6	200		28.84			29.78	FM-15	0.00	29.80
31	0502	7	BKN:07 11 OVC:08 60	10.00		71	21.7	70	21.3	70	21.1	96	6	190		28.84				FM-16		29.80
31	0527	7	OVC:08 9	9.00		72	22.2	71	21.5	70	21.1	94	7	190		28.84				FM-16		29.81
31	0553	7	BKN:07 9	9.00		72	22.2	71	21.5	70	21.1	94	7	200		28.86			29.80	FM-15	0.00	29.82
31	0622	7	BKN:07 10 OVC:08 55	8.00		72	22.2	71	21.5	70	21.1	94	6	200		28.86				FM-16		29.82
31	0653	7	OVC:08 10	7.00		72	22.2	71	21.5	70	21.1	94	7	200		28.87	1	-0.04	29.80	FM-15	0.00	29.83
31	0753	7	OVC:08 10	7.00		74	23.3	72	22.2	71	21.7	91	8	200		28.87			29.82	FM-15	0.00	29.84
31	0853	7	OVC:08 13	8.00		76	24.4	73	22.6	71	21.7	85	8	200		28.89			29.83	FM-15	0.00	29.85
31	0926	7	OVC:08 17	9.00		76	24.4	73	22.6	71	21.7	85	9	210		28.90				FM-16		29.86
31	0953	7	OVC:08 17	8.00		76	24.4	73	22.6	71	21.7	85	9	190		28.90	1	-0.03	29.83	FM-15	0.00	29.86
31	1053	7	BKN:07 16 BKN:07 23	8.00		79	26.1	74	23.4	72	22.2	79	7	170		28.89			29.83	FM-15	0.00	29.85
31	1153	7	SCT:04 22 BKN:07 29	10.00		81	27.2	74	23.4	71	21.7	72	10	190		28.87			29.81	FM-15	0.00	29.84
31	1156	7	BKN:07 22 BKN:07 30	10.00		81	27.2	74	23.4	71	21.7	72	11	190		28.87				FM-16		29.84
31	1251	6	FEW:02 27 SCT:04 32 BKN:07 95	10.00		82	28.0	76	24.3	73	23.0	74	9	170		28.86				FM-16		29.82
31	1253	7	FEW:02 23 SCT:04 30 BKN:07 95	10.00		83	28.3	76	24.4	73	22.8	72	9	160		28.86	8	+0.03	29.80	FM-15	0.00	29.82
31	1254	7	SCT:04 23 BKN:07 30 BKN:07 95	10.00		83	28.3	76	24.4	73	22.8	72	8	150		28.86				FM-16		29.82
31	1353	7	SCT:04 32 BKN:07 47 BKN:07 90	10.00		84	28.9	76	24.2	72	22.2	67	11	240		28.84			29.78	FM-15	T	29.81
31	1358	7	FEW:02 30 SCT:04 50 SCT:04 90	10.00		86	30.0	77	24.9	73	22.8	65	10	220		28.84				FM-16		29.81
31	1401	7	SCT:04 30 BKN:07 50 BKN:07 110	10.00		86	30.0	77	24.9	73	22.8	65	10	VRB		28.84				FM-16		29.81
31	1453	7	SCT:04 30	10.00		86	30.0	76	24.5	72	22.2	63	11	250		28.83			29.76	FM-15	0.00	29.79
31	1553	7	CLR:00	10.00		87	30.6	75	24.0	70	21.1	57	11	210		28.81	8	+0.05	29.74	FM-15	0.00	29.77
31	1653	7	FEW:02 48	10.00		86	30.0	74	23.2	68	20.0	55	16	240	24	28.82			29.75	FM-15	0.00	29.78
31	1753	7	CLR:00	10.00		84	28.9	73	22.5	67	19.4	57	10	240		28.81			29.74	FM-15	0.00	29.77
31	1853	7	CLR:00	10.00		81	27.2	73	22.7	69	20.6	67	10	250		28.80	8	+0.01	29.73	FM-15	0.00	29.76
31	1953	7	CLR:00	10.00		78	25.6	71	21.5	67	19.4	69	11	240		28.83			29.76	FM-15	0.00	29.79
31	2053	7	CLR:00	10.00		74	23.3	69	20.8	67	19.4	79	14	200		28.84			29.79	FM-15	0.00	29.81
31	2153	7	CLR:00	10.00		72	22.2	68	19.7	65	18.3	79	10	220		28.87	1	-0.07	29.81	FM-15	0.00	29.83
31	2253	7	SCT:04 55	10.00		71	21.7	67	19.2	64	17.8	79	11	210		28.87			29.82	FM-15	0.00	29.84
31	2353	7	SCT:04 90	10.00		70	21.1	66	19.0	64	17.8	82	9	220		28.87			29.81	FM-15	0.00	29.83

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
May 2018

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01																									01
02																									02
03												0.12	0.01			0.03	T								03
04										T	T	T				0.04									04
05																									05
06																	T	0.05	0.04	T	0.01				06
07																									07
08																									08
09																T	0.01								09
10		T	0.04	T									T	T	T										10
11																									11
12																								0.02	12
13																									13
14												0.07	0.03												14
15													T	0.01	0.76	0.01	0.10	0.09							15
16							T																		16
17																T	T						T	T	17
18	T						T	0.01	0.05	0.13	0.03	T		T							T	0.01	T		18
19										T	0.09				T	T	T	0.13	0.01						19
20																									20
21				T	0.04		0.02														0.29	0.44	0.13	0.27	21
22	0.07	0.01	T	T								0.01													22
23																									23
24																									24
25																									25
26																	0.30	0.23							26
27																									27
28																									28
29																									29
30																0.03	0.24	T					0.12		30
31														T											31

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)	0.33	0.57	0.68	0.71	0.72	0.77	0.77	0.77	0.77	0.80	0.89	1.01
Ending Date Time (yyyy-mm-dd hh:mi)	2018-05-15 14:50	2018-05-15 14:55	2018-05-15 14:57	2018-05-15 14:58	2018-05-15 15:05	2018-05-15 15:05	2018-05-15 15:05	2018-05-15 15:05	2018-05-15 15:05	2018-05-15 16:21	2018-05-15 17:11	2018-05-21 23:51

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
June 2018

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	81	68	74	7.9				0	9	0505	1955	TS RA FG BR	0.60			28.88		5.1	28	260	21	240
02	81	64	73	6.6				0	8	0505	1956	BR	0.00			28.92		5.9	15	360	12	030
03	82	63	73	6.2				0	8	0505	1957	RA BR	T			28.87		9.7	32	270	26	270
04	75	56	65	-2.1				0	0	0504	1957		0.00			28.94		10.0	28	290	22	310
05	66	54	60	-7.4				5	0	0504	1958	TS RA BR	0.57			28.89		6.8	22	290	15	290
06	68	48*	58	-9.7				7	0	0504	1958		0.00			28.98		5.7	22	010	15	010
07	82	51	67	-1.0				0	2	0503	1959		0.00			29.08		7.3	23	140	16	170
08	82	63	73	4.7				0	8	0503	2000	TS RA BR	0.17			29.16		4.0	21	170	16	170
09	86	64	75	6.4				0	10	0503	2000	TS RA BR	0.40			29.11		5.6	39	310	29	300
10	82	65	73	4.1				0	8	0503	2001	RA BR	T			28.95		6.1	23	230	18	240
11	74	65	69	-0.2				0	4	0503	2001	RA	0.01			28.95		6.8	19	070	16	090
12	81	64	73	3.5				0	8	0503	2002	RA BR	0.25			29.01		8.1	23	180	18	180
13	86	62	74	4.2				0	9	0503	2002	TS RA BR	0.53			28.95		8.6	22	240	17	340
14	82	57	70	-0.1				0	5	0503	2003		0.00			29.07		4.0	13	030	10	320
15	85	59	72	1.7				0	7	0503	2003		0.00			29.07		2.3	14	360	10	310
16	90	64	77	6.4				0	12	0503	2003	TS	0.00			29.07		6.5	21	240	15	240
17	93	70	82	11.2				0	17	0503	2004		0.00			29.10		5.9	20	320	14	310
18	93*	73	83	11.9				0	18	0503	2004	BR HZ	0.00			29.07		9.4	25	210	20	220
19	87	70	79	7.7				0	14	0503	2004	TS RA	0.10			28.99		5.3	18	270	14	320
20	86	68	77	5.4				0	12	0503	2005	TS RA BR	0.03			28.90		6.5	25	330	20	340
21	74	65	69	-2.8				0	4	0503	2005	RA BR	2.08			28.85		6.8	20	090	16	090
22	84	69	77	5.0				0	12	0504	2005	TS RA BR	0.28			28.76		7.9	24	220	17	140
23	79	67	73	0.8				0	8	0504	2005	RA	0.06			28.79		10.4	23	240	17	280
24	83	65	74	1.6				0	9	0504	2005		0.00			28.94		8.3	25	270	20	280
25	79	60	70	-2.6				0	5	0504	2005		0.00			29.13		6.7	17	080	13	080
26	83	60	72	-0.8				0	7	0505	2005	TS RA BR	0.24			29.08		6.6	36	270	28	270
27	82	67	74	1.1				0	9	0505	2006	TS RA BR	0.15			28.88		10.4	31	230	24	230
28	85	65	75	1.9				0	10	0505	2005		0.00			28.95		5.1	14	300	10	280
29	89	65	77	3.8				0	12	0506	2005	BR	0.00			29.08		4.7	16	220	12	170
30	92	68	80	6.6				0	15	0506	2005	BR HZ	0.00			29.09		4.8	15	190	12	180
	82.4	63.3	72.9							Monthly Averages | Totals			5.47s			28.98	29.93	6.7				
	1.7	3.6	2.7	Departure from Normal (1981-2010)									0.98s									

Degree Days

	Monthly Total	Monthly Departure	Season-to-date Total	Season-to-date Departure
Heating	12	-13	5590	
Cooling	247	66	429	

Number of days with...

	Temperature Max >=90°	Temperature Max <=32°	Temperature Min <=32°	Temperature Min <=0°	Precipitation >=0.01"	Precipitation >=0.1"	Snow >=1"	Weather T-Storms	Weather Heavy Fog
Heating									
Cooling	4	0	0	0	14	11			

Date of 5-sec to 3-sec wind equipment change

N/A

Sea Level Pressure

		Date	Time
Maximum	30.18	08	1619
Minimum	29.65	22	1701

Greatest...

24-Hr... Precip	24-Hr... Snowfall	Snow Depth
2.36s		
Date		
21-22		

Station Augmentation

Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
June 2018

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	CLR:00	10.00		69	20.6	66	18.8	64	17.8	84	6	220		28.87	8	+0.01	29.80	FM-15	0.00	29.83
01	0153	7	FEW:02 120	10.00		69	20.6	66	19.1	65	18.3	87	5	200		28.86			29.79	FM-15	0.00	29.82
01	0253	7	FEW:02 120	10.00		68	20.0	65	18.6	64	17.8	87	6	200		28.84			29.78	FM-15	0.00	29.81
01	0353	7	CLR:00	10.00		68	20.0	65	18.6	64	17.8	87	6	200		28.87	5	+0.00	29.80	FM-15	0.00	29.83
01	0453	7	CLR:00	10.00		68	20.0	66	18.9	65	18.3	90	6	220		28.89			29.82	FM-15	0.00	29.85
01	0553	7	SCT:04 120	9.00		68	20.0	66	18.9	65	18.3	90	6	190		28.90			29.83	FM-15	0.00	29.86
01	0653	7	OVC:08 80	10.00		69	20.6	67	19.5	66	18.9	90	5	250		28.90	1	-0.04	29.84	FM-15	0.00	29.86
01	0753	7	FEW:02 47 SCT:04 75 BKN:07 90	8.00		70	21.1	68	20.0	67	19.4	90	5	260		28.90			29.84	FM-15	T	29.86
01	0853	7	FEW:02 110	8.00		71	21.7	69	20.6	68	20.0	90	0	000		28.89			29.83	FM-15	0.00	29.85
01	0953	7	SCT:04 8 SCT:04 110	10.00		73	22.8	70	21.0	68	20.0	84	5	190		28.91	3	-0.01	29.86	FM-15	0.00	29.88
01	1053	7	FEW:02 16 SCT:04 47 BKN:07 100	10.00		74	23.3	70	21.1	68	20.0	82	3	220		28.92			29.86	FM-15	T	29.89
01	1153	7	SCT:04 16 SCT:04 25	10.00		76	24.4	71	21.8	69	20.6	79	6	210		28.90			29.85	FM-15	T	29.87
01	1253	7	SCT:04 24 SCT:04 30 BKN:07 100	10.00		78	25.6	71	21.8	68	20.0	71	6	250		28.90	8	+0.01	29.84	FM-15	0.00	29.86
01	1353	7	SCT:04 30 BKN:07 37 OVC:08 90	10.00		77	25.0	71	21.7	68	20.0	74	5	030		28.89			29.83	FM-15	0.00	29.85
01	1453	7	SCT:04 35 BKN:07 42	10.00		80	26.7	71	21.9	67	19.4	64	6	220		28.87			29.81	FM-15	0.00	29.83
01	1534	7	BKN:07 34 BKN:07 45 OVC:08 55	1.75	+RA:02 BR:1 |RA |RA	73	22.8	70	21.3	69	20.6	87	13	320		28.87				FM-16	0.10	29.84
01	1537	7	FEW:02 22 BKN:07 34 OVC:08 45	0.75	TS:7 +RA:02 BR:1 |RA TS |RA	73	22.8	70	21.3	69	20.6	87	17	280		28.87				FM-16	0.22	29.84
01	1542	7	SCT:04 15 OVC:08 34	0.25	TS:7 +RA:02 FG:2 |FG RA TS |RA	72	22.2	70	21.1	69	20.6	91	20	240	28	28.87				FM-16	0.53	29.84
01	1549	7	BKN:07 15 BKN:07 34 OVC:08 48	0.50	TS:7 +RA:02 FG:2 |FG RA TS |RA	70	21.0	70	21.1	70	21.0	100	10	220		28.89				FM-16	0.60	29.85
01	1550	7	BKN:07 15 BKN:07 34 OVC:08 48	0.50	TS:7 RA:02 FG:2 |FG RA TS |RA	70	21.1	69	20.7	69	20.6	97	10	230		28.89	5	+0.01	29.83	FM-15	0.60	29.85
01	1553	7	SCT:04 15 BKN:07 34 OVC:08 48	7.00	TS:7 -RA:02 |RA TS TS |RA	70	21.1	69	20.7	69	20.6	97	10	210		28.89				FM-16	T	29.85
01	1610	7	SCT:04 21 BKN:07 46 OVC:08 110	10.00	-RA:02 |RA |RA	70	21.1	69	20.4	68	20.0	93	6	180		28.89				FM-16	T	29.85
01	1653	7	FEW:02 120	10.00		73	22.8	70	21.3	69	20.6	87	6	290		28.87			29.81	FM-15	T	29.83
01	1753	7	CLR:00	10.00		76	24.4	72	22.2	70	21.1	82	5	280		28.87			29.81	FM-15	0.00	29.83
01	1853	7	CLR:00	10.00		75	23.9	72	22.4	71	21.7	88	3	220		28.87	5	+0.01	29.82	FM-15	0.00	29.84
01	1953	7	CLR:00	10.00		71	21.7	69	20.6	68	20.0	90	5	280		28.90			29.84	FM-15	0.00	29.86
01	2053	7	CLR:00	10.00		71	21.7	68	19.9	66	18.9	84	7	300		28.90			29.85	FM-15	0.00	29.87
01	2153	7	FEW:02 110	10.00		69	20.6	66	19.1	65	18.3	87	0	000		28.91	1	-0.04	29.85	FM-15	0.00	29.88

01	2253	7	CLR:00	10.00		70	21.1	67	19.7	66	18.9	87	8	320		28.90			29.85	FM-15	0.00	29.87
01	2353	7	CLR:00	10.00		69	20.6	67	19.5	66	18.9	90	6	320		28.90			29.85	FM-15	0.00	29.87
02	0053	7	CLR:00	10.00		69	20.6	67	19.5	66	18.9	90	5	340		28.90	8	+0.01	29.84	FM-15	0.00	29.86
02	0153	7	CLR:00	10.00		67	19.4	66	18.7	65	18.3	93	3	010		28.90			29.85	FM-15	0.00	29.87
02	0253	7	CLR:00	8.00		66	18.9	65	18.2	64	17.8	93	5	330		28.90			29.85	FM-15	0.00	29.87
02	0353	7	CLR:00	6.00	BR:1 ||	67	19.4	66	18.7	65	18.3	93	7	360		28.92	3	-0.03	29.87	FM-15	0.00	29.89
02	0453	7	BKN:07 85	10.00		65	18.3	63	17.3	62	16.7	90	8	360		28.94			29.89	FM-15	0.00	29.91
02	0551	6	FEW:02 9 SCT:04 60 BKN:07 75	10.00		64	18.0	63	17.4	63	17.0	94	9	010		28.95				FM-16		29.92
02	0553	7	SCT:04 9 SCT:04 60 BKN:07 75	10.00		64	17.8	63	17.1	62	16.7	93	9	010		28.95			29.90	FM-15	0.00	29.92
02	0618	7	BKN:07 8	9.00		64	17.8	63	17.1	62	16.7	93	11	010		28.95				FM-16		29.92
02	0653	7	BKN:07 8 BKN:07 75	9.00		65	18.3	63	17.3	62	16.7	90	9	010		28.95	0	-0.01	29.90	FM-15	0.00	29.92
02	0753	7	OVC:08 8	8.00		65	18.3	64	17.6	63	17.2	93	9	010		28.95			29.91	FM-15	0.00	29.92
02	0853	7	OVC:08 9	9.00		68	20.0	65	18.3	63	17.2	84	7	350		28.95			29.90	FM-15	0.00	29.92
02	0929	7	OVC:08 10	9.00		69	20.6	65	18.5	63	17.2	81	8	330		28.95				FM-16		29.92
02	0953	7	BKN:07 13	8.00		71	21.7	67	19.2	64	17.8	79	7	350		28.96	3	-0.01	29.91	FM-15	0.00	29.93
02	1036	7	CLR:00	8.00		73	22.8	68	19.9	65	18.3	76	7	350		28.96				FM-16		29.93
02	1053	7	CLR:00	7.00		74	23.3	68	20.1	65	18.3	74	6	350		28.96			29.91	FM-15	0.00	29.93
02	1153	7	FEW:02 23	8.00		77	25.0	70	21.0	66	18.9	69	6	300		28.97			29.92	FM-15	0.00	29.94
02	1253	7	FEW:02 29 BKN:07 47 OVC:08 75	10.00		78	25.6	70	21.2	66	18.9	67	9	330		28.97	0	-0.01	29.91	FM-15	0.00	29.94
02	1353	7	SCT:04 35 BKN:07 43 BKN:07 75	10.00		79	26.1	70	21.0	65	18.3	62	6	030		28.95			29.90	FM-15	0.00	29.92
02	1453	7	FEW:02 39 SCT:04 50	10.00		80	26.7	70	21.2	65	18.3	60	6	360		28.93			29.88	FM-15	0.00	29.90
02	1553	7	FEW:02 40 SCT:04 47 BKN:07 60	10.00		78	25.6	69	20.5	64	17.8	62	6	030		28.91	8	+0.06	29.85	FM-15	0.00	29.88
02	1653	7	BKN:07 55	10.00		80	26.7	70	21.2	65	18.3	60	7	030		28.90			29.84	FM-15	0.00	29.86
02	1753	7	FEW:02 50	10.00		79	26.1	70	21.0	65	18.3	62	5	010		28.89			29.83	FM-15	0.00	29.85
02	1853	7	CLR:00	10.00		77	25.0	69	20.3	64	17.8	64	6	050		28.87	6	+0.04	29.82	FM-15	0.00	29.84
02	1953	7	CLR:00	10.00		74	23.3	68	19.8	64	17.8	71	0	000		28.90			29.85	FM-15	0.00	29.87
02	2053	7	OVC:08 38	10.00		72	22.2	67	19.4	64	17.8	76	7	070		28.91			29.87	FM-15	0.00	29.88
02	2153	7	CLR:00	10.00		70	21.1	66	19.0	64	17.8	82	7	070		28.92	1	-0.05	29.88	FM-15	0.00	29.89
02	2253	7	BKN:07 46	10.00		68	20.0	65	18.3	63	17.2	84	3	020		28.93			29.88	FM-15	0.00	29.90
02	2353	7	CLR:00	10.00		66	18.9	64	17.9	63	17.2	90	0	000		28.92			29.88	FM-15	0.00	29.89
03	0053	7	SCT:04 36	10.00		67	19.4	65	18.1	63	17.2	87	3	060		28.91	8	+0.01	29.85	FM-15	0.00	29.88
03	0153	7	CLR:00	10.00		66	18.9	64	17.9	63	17.2	90	3	080		28.90			29.84	FM-15	0.00	29.86
03	0253	7	CLR:00	10.00		65	18.3	63	17.3	62	16.7	90	3	120		28.90			29.83	FM-15	0.00	29.86
03	0353	7	FEW:02 43	9.00		63	17.2	62	16.6	61	16.1	93	6	100		28.87	8	+0.04	29.81	FM-15	0.00	29.83
03	0453	7	FEW:02 36	10.00		65	18.3	63	17.3	62	16.7	90	5	150		28.87			29.81	FM-15	0.00	29.83
03	0553	7	CLR:00	8.00		65	18.3	64	17.6	63	17.2	93	3	130		28.87			29.81	FM-15	0.00	29.83
03	0653	7	CLR:00	8.00		68	20.0	65	18.6	64	17.8	87	5	140		28.87	8	+0.00	29.81	FM-15	0.00	29.83
03	0753	7	FEW:02 120	9.00		73	22.8	68	20.3	66	18.9	79	7	170		28.87			29.80	FM-15	0.00	29.83
03	0853	7	BKN:07 40 BKN:07 50 BKN:07 90	9.00		75	23.9	70	21.3	68	20.0	79	7	190		28.86			29.80	FM-15	0.00	29.82
03	0931	7	FEW:02 21 BKN:07 28 OVC:08 50	6.00	-RA:02 BR:1 |RA |RA	73	22.8	70	21.3	69	20.6	87	7	190		28.86				FM-16	T	29.82
03	0953	7	SCT:04 21 OVC:08 27	7.00		73	22.8	71	21.7	70	21.1	90	6	190		28.86	8	+0.01	29.80	FM-15	T	29.82
03	1053	7	BKN:07 19 BKN:07 24 OVC:08 31	9.00	-RA:02 |RA |RA	76	24.4	72	22.2	70	21.1	82	8	250		28.84			29.79	FM-15	T	29.81

03	1153	7	FEW:02 22 BKN:07 27 BKN:07 75	10.00		79	26.1	72	22.0	68	20.0	69	16	290	22	28.84			29.79	FM-15	T	29.81
03	1253	7	FEW:02 22 BKN:07 27 BKN:07 80	10.00		81	27.2	72	22.0	67	19.4	62	18	270	25	28.84	8	+0.01	29.78	FM-15	0.00	29.80
03	1300	7	FEW:02 36	10.00		81	27.2	70	21.4	65	18.3	58	16	290		28.84				FM-16		29.80
03	1353	7	BKN:07 43	10.00		80	26.7	70	21.2	65	18.3	60	15	290	24	28.82			29.76	FM-15	0.00	29.78
03	1453	7	SCT:04 43	10.00		81	27.2	68	19.8	60	15.6	49	20	280	30	28.83			29.76	FM-15	0.00	29.79
03	1553	7	CLR:00	10.00		80	26.7	63	17.4	52	11.1	38	17	280	29	28.84	5	+0.00	29.78	FM-15	T	29.80
03	1653	7	CLR:00	10.00		79	26.1	62	16.7	50	10.0	36	21	300	30	28.84			29.78	FM-15	T	29.80
03	1753	7	CLR:00	10.00		78	25.6	61	16.0	48	8.9	35	18	290	28	28.84			29.79	FM-15	0.00	29.81
03	1853	7	CLR:00	10.00		75	23.9	61	15.9	50	10.0	41	17	290		28.87	3	-0.04	29.82	FM-15	0.00	29.84
03	1953	7	CLR:00	10.00		70	21.1	59	14.8	50	10.0	49	6	290		28.89			29.83	FM-15	0.00	29.85
03	2053	7	CLR:00	10.00		70	21.1	58	14.6	49	9.4	47	5	200		28.89			29.83	FM-15	0.00	29.85
03	2153	7	BKN:07 90	10.00		66	18.9	58	14.2	51	10.6	59	7	200		28.89	1	-0.01	29.83	FM-15	0.00	29.85
03	2253	7	FEW:02 85	10.00		65	18.3	58	14.3	52	11.1	63	7	280		28.90			29.84	FM-15	0.00	29.86
03	2353	7	CLR:00	10.00		66	18.9	58	14.2	51	10.6	59	10	300		28.90			29.85	FM-15	0.00	29.87
04	0053	7	CLR:00	10.00		65	18.3	58	14.3	52	11.1	63	10	320		28.92	3	-0.03	29.86	FM-15	0.00	29.89
04	0153	7	CLR:00	10.00		63	17.2	57	13.8	52	11.1	68	8	310		28.92			29.88	FM-15	0.00	29.89
04	0253	7	CLR:00	10.00		58	14.4	55	12.6	52	11.1	81	7	300		28.93			29.88	FM-15	0.00	29.90
04	0353	7	CLR:00	10.00		57	13.9	54	12.4	52	11.1	83	6	270		28.95	3	-0.03	29.90	FM-15	0.00	29.92
04	0453	7	CLR:00	10.00		56	13.3	54	12.1	52	11.1	87	8	280		28.96			29.91	FM-15	0.00	29.93
04	0553	7	OVC:08 44	10.00		60	15.6	56	13.4	53	11.7	78	6	290		28.96			29.92	FM-15	0.00	29.93
04	0653	7	OVC:08 42	10.00		61	16.1	57	13.9	54	12.2	78	8	270		28.96	0	-0.01	29.91	FM-15	0.00	29.93
04	0753	7	CLR:00	10.00		64	17.8	58	14.6	54	12.2	70	13	290		28.96			29.92	FM-15	0.00	29.93
04	0853	7	BKN:07 37	10.00		65	18.3	58	14.3	52	11.1	63	11	320		28.98			29.93	FM-15	0.00	29.95
04	0953	7	BKN:07 37	10.00		67	19.4	59	15.0	53	11.7	61	14	290		28.99	3	-0.03	29.94	FM-15	0.00	29.96
04	1053	7	CLR:00	10.00		69	20.6	59	15.1	52	11.1	55	13	320		28.98			29.94	FM-15	0.00	29.95
04	1153	7	CLR:00	10.00		70	21.1	59	15.1	51	10.6	51	13	290		28.96			29.91	FM-15	0.00	29.93
04	1253	7	CLR:00	10.00		72	22.2	60	15.8	52	11.1	50	18	310	24	28.93	8	+0.05	29.89	FM-15	0.00	29.90
04	1353	7	CLR:00	10.00		73	22.8	61	16.0	52	11.1	48	11	280		28.93			29.89	FM-15	0.00	29.90
04	1453	7	CLR:00	10.00		74	23.3	60	15.4	49	9.4	41	15	VRB	22	28.94			29.89	FM-15	0.00	29.91
04	1553	7	CLR:00	10.00		74	23.3	59	14.9	47	8.3	38	15	310	24	28.93	8	+0.00	29.89	FM-15	0.00	29.90
04	1653	7	CLR:00	10.00		74	23.3	59	15.2	48	8.9	40	13	290		28.92			29.88	FM-15	0.00	29.89
04	1753	7	CLR:00	10.00		73	22.8	58	14.2	45	7.2	37	11	300		28.92			29.88	FM-15	0.00	29.89
04	1853	7	CLR:00	10.00		71	21.7	56	13.5	44	6.7	38	11	310		28.93	5	+0.00	29.88	FM-15	0.00	29.90
04	1953	7	CLR:00	10.00		67	19.4	55	12.6	44	6.7	44	9	310		28.93			29.89	FM-15	0.00	29.90
04	2053	7	CLR:00	10.00		63	17.2	53	11.7	44	6.7	50	7	300		28.95			29.91	FM-15	0.00	29.92
04	2153	7	CLR:00	10.00		64	17.8	53	11.7	43	6.1	46	5	300		28.95	1	-0.02	29.91	FM-15	0.00	29.92
04	2253	7	CLR:00	10.00		61	16.1	53	11.5	45	7.2	56	5	240		28.94			29.89	FM-15	0.00	29.91
04	2353	7	CLR:00	10.00		59	15.0	52	11.2	46	7.8	62	3	240		28.92			29.88	FM-15	0.00	29.89
05	0053	7	CLR:00	10.00		56	13.3	51	10.7	47	8.3	72	6	230		28.91	6	+0.04	29.87	FM-15	0.00	29.88
05	0153	7	CLR:00	10.00		55	12.8	50	10.2	46	7.8	72	6	240		28.91			29.87	FM-15	0.00	29.88
05	0253	7	OVC:08 100	10.00		59	15.0	52	11.2	46	7.8	62	6	220		28.90			29.85	FM-15	0.00	29.86
05	0353	7	OVC:08 80	10.00		61	16.1	53	11.7	46	7.8	58	7	250		28.90	5	+0.02	29.85	FM-15	0.00	29.86
05	0453	7	BKN:07 85 OVC:08 110	10.00		61	16.1	53	11.7	46	7.8	58	6	240		28.90			29.85	FM-15	0.00	29.86
05	0553	7	BKN:07 90 OVC:08 110	10.00		63	17.2	53	11.9	45	7.2	52	9	250		28.91			29.86	FM-15	0.00	29.88
05	0653	7	BKN:07 90 OVC:08 110	10.00		65	18.3	55	12.7	46	7.8	51	14	240		28.90	0	-0.01	29.85	FM-15	0.00	29.87
05	0753	7	FEW:02 70 SCT:04 85 BKN:07 110	10.00		66	18.9	57	13.9	50	10.0	56	9	280		28.92			29.88	FM-15	T	29.89
05	0806	7	FEW:02 80 BKN:07 100 OVC:08 120	10.00	-RA:02 |RA |RA	65	18.3	57	13.7	50	10.0	59	8	270		28.92				FM-16	T	29.89
05	0853	7	OVC:08 100	9.00	-RA:02 |RA |RA	62	16.7	57	14.1	54	12.2	75	14	280	22	28.92			29.88	FM-15	0.02	29.89

05	0921	7	OVC:08 90	7.00	-RA:02 |RA |RA	61	16.1	58	14.5	56	13.3	84	7	280		28.92				FM-16	0.01	29.89
05	0953	7	OVC:08 90	10.00	-RA:02 |RA |RA	61	16.1	58	14.5	56	13.3	84	5	310		28.91	0	-0.01	29.87	FM-15	0.05	29.88
05	0956	7	OVC:08 85	7.00	-RA:02 |RA |RA	61	16.1	59	14.8	57	13.9	87	6	320		28.92				FM-16	0.01	29.89
05	1053	7	OVC:08 100	9.00	-RA:02 |RA |RA	62	16.7	59	15.1	57	13.9	84	3	270		28.91			29.87	FM-15	0.03	29.88
05	1055	7	OVC:08 90	7.00	-RA:02 |RA |RA	62	16.7	59	15.1	57	13.9	84	3	270		28.91				FM-16	T	29.88
05	1153	7	OVC:08 90	7.00	-RA:02 |RA |RA	62	16.7	60	15.7	59	15.0	90	3	150		28.91			29.87	FM-15	0.04	29.88
05	1253	7	OVC:08 90	7.00	RA:02 |RA |RA	61	16.1	60	15.5	59	15.0	93	5	080		28.90	8	+0.01	29.86	FM-15	0.09	29.87
05	1256	7	BKN:07 70 OVC:08 90	4.00	RA:02 BR:1 |RA |RA	61	16.1	60	15.5	59	15.0	93	6	120		28.90				FM-16	0.01	29.86
05	1307	7	OVC:08 80	3.00	RA:02 BR:1 |RA |RA	61	16.1	60	15.5	59	15.0	93	8	170		28.89				FM-16	0.04	29.85
05	1319	7	BKN:07 70 OVC:08 90	2.00	RA:02 BR:1 |RA |RA	61	16.1	60	15.8	60	15.6	97	7	190		28.89				FM-16	0.07	29.85
05	1340	7	BKN:07 70 OVC:08 90	4.00	RA:02 BR:1 |RA |RA	61	16.1	60	15.5	59	15.0	93	6	170		28.87				FM-16	0.13	29.83
05	1353	7	SCT:04 80 OVC:08 100	6.00	-RA:02 BR:1 |RA |RA	61	16.1	60	15.5	59	15.0	93	6	180		28.86			29.82	FM-15	0.13	29.82
05	1417	7	SCT:04 60 BKN:07 75 OVC:08 90	4.00	TS:7 -RA:02 BR:1 |RA TS |RA	62	16.7	60	15.7	59	15.0	90	0	000		28.87				FM-16	0.01	29.84
05	1451	6	OVC:08 80	3.00	RA:02 BR:1 |RA |RA	61	16.0	60	15.5	59	15.0	94	8	330		28.87				FM-16		29.84
05	1453	7	OVC:08 80	4.00	-RA:02 BR:1 |RA |RA	61	16.1	60	15.5	59	15.0	93	7	330		28.87			29.83	FM-15	0.10	29.84
05	1539	7	OVC:08 65	10.00	VCTS:7 ||	62	16.7	60	15.7	59	15.0	90	5	210		28.87				FM-16	0.06	29.83
05	1551	6	FEW:02 40 OVC:08 60	2.00	VCTS:7 RA:02 BR:1 |RA |RA	61	16.0	60	15.5	59	15.0	94	7	200		28.87				FM-16		29.83
05	1553	7	FEW:02 40 OVC:08 60	10.00	VCTS:7 -RA:02 |RA |RA	61	16.1	60	15.5	59	15.0	93	6	200		28.86	6	+0.04	29.82	FM-15	0.09	29.82
05	1610	7	BKN:07 47 OVC:08 55	10.00		62	16.7	60	15.7	59	15.0	90	7	220		28.86				FM-16	T	29.82
05	1618	7	OVC:08 49	10.00	VCTS:7 ||	62	16.7	60	15.7	59	15.0	90	8	210		28.86				FM-16	T	29.82
05	1639	7	OVC:08 47	8.00	-RA:02 |RA |RA	62	16.7	60	15.7	59	15.0	90	10	230		28.86				FM-16	0.01	29.82
05	1648	7	OVC:08 47	10.00	VCTS:7 ||	63	17.0	61	15.9	59	15.0	88	8	220		28.86				FM-16	0.01	29.82
05	1653	7	OVC:08 47	8.00	VCTS:7 -RA:02 |RA |RA	62	16.7	60	15.7	59	15.0	90	7	220		28.86			29.81	FM-15	0.02	29.82
05	1709	7	OVC:08 47	5.00	-RA:02 BR:1 |RA |RA	62	16.7	60	15.7	59	15.0	90	6	210		28.84				FM-16	0.01	29.81
05	1753	7	OVC:08 60	10.00		63	17.2	61	16.2	60	15.6	90	7	230		28.84			29.80	FM-15	T	29.81
05	1853	7	FEW:02 60	10.00		64	17.8	62	16.4	60	15.6	87	8	240		28.84	8	+0.02	29.78	FM-15	0.00	29.80
05	1953	7	CLR:00	10.00		61	16.1	60	15.5	59	15.0	93	3	270		28.84			29.79	FM-15	0.00	29.81
05	2053	7	CLR:00	8.00		59	15.0	58	14.7	58	14.4	96	5	270		28.86			29.81	FM-15	0.00	29.82
05	2153	7	FEW:02 12 SCT:04 46 SCT:04 60	9.00		61	16.1	60	15.8	60	15.6	97	7	340		28.87	3	-0.04	29.83	FM-15	0.00	29.84
05	2253	7	CLR:00	10.00		59	15.0	56	13.4	54	12.2	83	13	040		28.90			29.85	FM-15	0.00	29.86
05	2353	7	CLR:00	10.00		55	12.8	53	11.9	52	11.1	90	3	060		28.90			29.86	FM-15	0.00	29.87
06	0053	7	CLR:00	10.00		53	11.7	51	10.8	50	10.0	89	5	030		28.90	1	-0.03	29.86	FM-15	0.00	29.87
06	0153	7	CLR:00	10.00		52	11.1	50	10.2	49	9.4	89	6	030		28.92			29.88	FM-15	0.00	29.89
06	0253	7	CLR:00	10.00		51	10.6	49	9.7	48	8.9	89	6	040		28.93			29.90	FM-15	0.00	29.90
06	0353	7	SCT:04 55	10.00		50	10.0	49	9.7	49	9.4	96	3	350		28.94	1	-0.04	29.91	FM-15	0.00	29.91
06	0453	7	CLR:00	10.00		49	9.4	48	8.9	47	8.3	93	5	350		28.96			29.92	FM-15	0.00	29.93
06	0553	7	CLR:00	9.00		50	10.0	49	9.4	48	8.9	93	6	010		28.97			29.94	FM-15	0.00	29.94
06	0653	7	CLR:00	10.00		54	12.2	51	10.8	49	9.4	83	7	010		29.00	3	-0.06	29.96	FM-15	0.00	29.97
06	0753	7	CLR:00	10.00		55	12.8	50	10.2	46	7.8	72	10	030		29.02			29.99	FM-15	0.00	29.99
06	0757	7	FEW:02 30	10.00		56	13.3	51	10.5	46	7.8	70	9	030		29.02				FM-16		29.99
06	0853	7	SCT:04 32	10.00		57	13.9	51	10.5	45	7.2	64	10	030		29.03			30.00	FM-15	0.00	30.00
06	0953	7	OVC:08 34	10.00		59	15.0	52	11.2	46	7.8	62	9	040		29.04	1	-0.04	30.00	FM-15	0.00	30.01
06	1053	7	BKN:07 33	10.00		59	15.0	52	11.2	46	7.8	62	7	080		29.03			29.99	FM-15	0.00	30.00
06	1153	7	OVC:08 34	10.00		61	16.1	54	12.0	47	8.3	60	8	350		29.06			30.02	FM-15	0.00	30.03
06	1253	7	BKN:07 35	10.00		63	17.2	55	12.7	48	8.9	58	6	350		29.04	0	-0.00	30.01	FM-15	0.00	30.01
06	1257	7	BKN:07 35	10.00		64	17.8	56	13.2	49	9.4	58	6	VRB		29.04				FM-16		30.01
06	1353	7	CLR:00	10.00		64	17.8	56	13.2	49	9.4	58	7	VRB		29.03			29.99	FM-15	0.00	30.00
06	1453	7	CLR:00	10.00		66	18.9	57	13.7	49	9.4	54	0	000		29.01			29.98	FM-15	0.00	29.98

06	1553	7	CLR:00	10.00		66	18.9	56	13.4	48	8.9	52	0	000		29.02	5	+0.02	29.99	FM-15	0.00	29.99
06	1653	7	CLR:00	10.00		67	19.4	57	13.6	48	8.9	51	5	VRB		29.02			29.98	FM-15	0.00	29.99
06	1753	7	CLR:00	10.00		67	19.4	57	13.9	49	9.4	53	5	080		29.00			29.96	FM-15	0.00	29.97
06	1853	7	CLR:00	10.00		65	18.3	57	13.7	50	10.0	59	0	000		28.99	8	+0.03	29.95	FM-15	0.00	29.96
06	1953	7	CLR:00	10.00		63	17.2	55	13.0	49	9.4	60	0	000		29.01			29.98	FM-15	0.00	29.98
06	2053	7	CLR:00	10.00		61	16.1	55	12.8	50	10.0	67	5	140		29.02			29.98	FM-15	0.00	29.99
06	2153	7	CLR:00	10.00		59	15.0	54	12.3	50	10.0	72	9	130		29.04	1	-0.05	30.00	FM-15	0.00	30.01
06	2253	7	CLR:00	10.00		58	14.4	53	11.8	49	9.4	72	9	140		29.04			30.00	FM-15	0.00	30.01
06	2353	7	CLR:00	10.00		57	13.9	53	11.5	49	9.4	74	5	140		29.05			30.01	FM-15	0.00	30.02
07	0053	7	CLR:00	10.00		54	12.2	51	10.8	49	9.4	83	5	120		29.06	3	-0.02	30.02	FM-15	0.00	30.03
07	0153	7	CLR:00	10.00		54	12.2	51	10.8	49	9.4	83	3	120		29.06			30.03	FM-15	0.00	30.03
07	0253	7	FEW:02 100	10.00		53	11.7	51	10.5	49	9.4	86	5	140		29.05			30.01	FM-15	0.00	30.02
07	0353	7	CLR:00	10.00		53	11.7	51	10.5	49	9.4	86	0	000		29.05	8	+0.00	30.02	FM-15	0.00	30.02
07	0453	7	CLR:00	10.00		53	11.7	51	10.5	49	9.4	86	5	160		29.06			30.03	FM-15	0.00	30.03
07	0553	7	FEW:02 65 BKN:07 100	10.00		54	12.2	52	11.0	50	10.0	87	5	170		29.09			30.05	FM-15	0.00	30.06
07	0653	7	SCT:04 60	10.00		57	13.9	53	11.8	50	10.0	78	6	180		29.10	3	-0.05	30.06	FM-15	0.00	30.07
07	0753	7	SCT:04 60	10.00		59	15.0	54	12.3	50	10.0	72	7	180		29.12			30.08	FM-15	0.00	30.09
07	0853	7	CLR:00	10.00		63	17.2	57	13.8	52	11.1	68	8	190		29.12			30.09	FM-15	0.00	30.09
07	0953	7	FEW:02 60	10.00		67	19.4	60	15.3	54	12.2	63	9	160		29.12	1	-0.02	30.08	FM-15	0.00	30.09
07	1053	7	FEW:02 60	10.00		71	21.7	62	16.7	56	13.3	59	8	170		29.13			30.09	FM-15	0.00	30.10
07	1153	7	BKN:07 75	10.00		72	22.2	62	16.9	56	13.3	57	10	180		29.11			30.07	FM-15	0.00	30.08
07	1253	7	CLR:00	10.00		75	23.9	64	17.8	57	13.9	54	13	160	17	29.10	8	+0.02	30.06	FM-15	0.00	30.07
07	1353	7	CLR:00	10.00		78	25.6	66	18.7	58	14.4	50	10	210		29.08			30.03	FM-15	0.00	30.05
07	1453	7	CLR:00	10.00		79	26.1	67	19.5	60	15.6	52	10	180		29.07			30.03	FM-15	0.00	30.04
07	1553	7	FEW:02 70	10.00		81	27.2	68	20.1	61	16.1	51	9	VRB		29.07	6	+0.03	30.02	FM-15	0.00	30.04
07	1653	7	FEW:02 70 SCT:04 80	10.00		82	27.8	69	20.3	61	16.1	49	8	200		29.07			30.02	FM-15	0.00	30.04
07	1753	7	BKN:07 65	10.00		81	27.2	69	20.4	62	16.7	53	9	180		29.07			30.02	FM-15	0.00	30.04
07	1853	7	BKN:07 60	10.00		79	26.1	68	20.1	62	16.7	56	10	170		29.07	3	-0.01	30.03	FM-15	0.00	30.04
07	1953	7	BKN:07 60 BKN:07 80	10.00		77	25.0	67	19.4	61	16.1	58	8	150		29.07			30.03	FM-15	0.00	30.04
07	2053	7	BKN:07 60	10.00		76	24.4	67	19.2	61	16.1	60	8	170		29.10			30.05	FM-15	0.00	30.07
07	2153	7	OVC:08 55	10.00		75	23.9	66	19.0	61	16.1	62	8	180		29.12	3	-0.04	30.07	FM-15	0.00	30.09
07	2253	7	SCT:04 50 BKN:07 65 BKN:07 90	10.00		73	22.8	66	18.9	62	16.7	69	7	200		29.12			30.08	FM-15	0.00	30.09
07	2353	7	CLR:00	10.00		72	22.2	66	19.1	63	17.2	73	3	250		29.13			30.08	FM-15	0.00	30.10
08	0053	7	CLR:00	10.00		70	21.1	66	18.7	63	17.2	79	3	110		29.12	8	+0.00	30.06	FM-15	0.00	30.09
08	0153	7	CLR:00	10.00		68	20.0	64	17.9	62	16.7	81	5	VRB		29.11			30.06	FM-15	0.00	30.08
08	0253	7	CLR:00	10.00		65	18.3	62	16.7	60	15.6	84	3	260		29.13			30.08	FM-15	0.00	30.10
08	0353	7	CLR:00	10.00		65	18.3	63	17.0	61	16.1	87	0	000		29.13	3	-0.01	30.08	FM-15	0.00	30.10
08	0453	7	CLR:00	10.00		63	17.2	61	16.2	60	15.6	90	0	000		29.14			30.09	FM-15	0.00	30.11
08	0553	7	CLR:00	10.00		64	17.8	62	16.8	61	16.1	90	0	000		29.16			30.11	FM-15	0.00	30.13
08	0653	7	CLR:00	10.00		69	20.6	66	18.8	64	17.8	84	0	000		29.17	3	-0.04	30.12	FM-15	0.00	30.14
08	0753	7	CLR:00	10.00		73	22.8	68	19.9	65	18.3	76	3	220		29.19			30.14	FM-15	0.00	30.16
08	0853	7	CLR:00	10.00		76	24.4	69	20.8	66	18.9	72	5	VRB		29.20			30.14	FM-15	0.00	30.17
08	0953	7	CLR:00	10.00		79	26.1	69	20.7	64	17.8	60	6	300		29.19	0	-0.02	30.14	FM-15	0.00	30.16
08	1029	7	CLR:00	10.00		80	26.7	69	20.6	63	17.2	56	3	280		29.19				FM-16		30.16
08	1053	7		10.00	* ||	81	27.2	70	21.1	64	17.8	57	0	000		29.19			30.14	FM-15	0.00	30.16
08	1058	7	CLR:00	10.00	VCTS:7 ||	81	27.2	69	20.8	63	17.2	54	3	280		29.19				FM-16		30.16
08	1138	7	SCT:04 42 BKN:07 85 BKN:07 100	10.00	TS:7 |TS TS |	77	25.0	69	20.3	64	17.8	64	14	260	21	29.20				FM-16		30.17
08	1153	7	SCT:04 44 BKN:07 80 OVC:08 110	10.00	TS:7 |TS TS |	73	22.8	67	19.3	63	17.2	71	9	210		29.20			30.14	FM-15	T	30.17
08	1201	7	FEW:02 43 OVC:08 110	10.00	VCTS:7 -RA:02 |RA |RA	72	22.2	68	19.7	65	18.3	79	8	200		29.19				FM-16	T	30.16

08	1203	7	FEW:02 43 OVC:08 110	10.00	VCTS:7 -RA:02 |RA |RA	72	22.2	68	19.7	65	18.3	79	8	200		29.19				FM-16	T	30.16
08	1226	7	SCT:04 110	10.00		74	23.3	68	20.1	65	18.3	74	3	220		29.19				FM-16	T	30.16
08	1253	7	FEW:02 38 BKN:07 100	10.00	VCTS:7 ||	76	24.4	69	20.5	65	18.3	69	0	000		29.18	8	+0.01	30.13	FM-15	T	30.15
08	1323	7	FEW:02 45 SCT:04 60 BKN:07 110	10.00	VCTS:7 ||	75	23.9	70	21.0	67	19.4	76	3	070		29.19				FM-16	T	30.16
08	1353	7	FEW:02 25 BKN:07 65	10.00	VCTS:7 ||	74	23.3	70	21.1	68	20.0	82	5	110		29.17			30.13	FM-15	0.02	30.14
08	1453	7	FEW:02 36 BKN:07 45 OVC:08 60	10.00	VCTS:7 ||	75	23.9	71	21.7	69	20.6	82	8	120		29.17			30.13	FM-15	0.00	30.14
08	1543	7	BKN:07 26 OVC:08 45	5.00	VCTS:7 ||	71	21.7	67	19.5	65	18.3	81	0	000		29.22				FM-16		30.19
08	1553	7	FEW:02 24 BKN:07 28 OVC:08 49	6.00	VCTS:7 ||	70	21.1	67	19.7	66	18.9	87	9	190		29.22	3	-0.04	30.18	FM-15	0.03	30.19
08	1605	7	SCT:04 28 SCT:04 46 OVC:08 60	5.00	VCTS:7 ||	68	20.0	66	19.0	65	18.3	90	6	160		29.21				FM-16	0.02	30.18
08	1631	7	FEW:02 24 BKN:07 75 OVC:08 100	5.00	-RA:02 BR:1 |RA |RA	67	19.4	66	18.7	65	18.3	93	8	180		29.19				FM-16	0.08	30.16
08	1651	6	FEW:02 55 OVC:08 100	5.00	VCTS:7 -RA:02 BR:1 |RA |RA	66	19.0	65	18.2	64	18.0	94	7	160		29.19				FM-16		30.16
08	1653	7	FEW:02 49 OVC:08 100	4.00	VCTS:7 -RA:02 BR:1 |RA |RA	67	19.4	66	18.7	65	18.3	93	7	150		29.18			30.14	FM-15	0.12	30.15
08	1732	7	FEW:02 110	10.00		67	19.4	66	18.7	65	18.3	93	5	180		29.18				FM-16	0.02	30.15
08	1753	7	FEW:02 49 SCT:04 70	10.00		68	20.0	66	18.9	65	18.3	90	5	210		29.19			30.15	FM-15	T	30.16
08	1853	7	CLR:00	9.00		67	19.4	66	18.7	65	18.3	93	8	050		29.21	5	+0.01	30.17	FM-15	0.00	30.18
08	1953	7	CLR:00	10.00		68	20.0	66	18.9	65	18.3	90	6	200		29.20			30.16	FM-15	0.00	30.17
08	2053	7	CLR:00	10.00		68	20.0	65	18.6	64	17.8	87	5	150		29.19			30.14	FM-15	0.00	30.16
08	2153	7	CLR:00	8.00		65	18.3	64	18.0	64	17.8	97	0	000		29.20	5	+0.01	30.15	FM-15	0.00	30.17
08	2253	7	CLR:00	5.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	6	080		29.17			30.12	FM-15	0.00	30.14
08	2353	7	CLR:00	3.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	3	090		29.15			30.11	FM-15	0.00	30.12
09	0015	7	CLR:00	2.50	BR:1 ||	64	17.8	64	17.8	64	17.8	100	3	060		29.14				FM-16		30.11
09	0053	7	CLR:00	2.00	BR:1 ||	64	17.8	64	17.8	64	17.8	100	3	040		29.14	6	+0.05	30.09	FM-15	0.00	30.11
09	0151	6	CLR:00	1.75	BR:1 ||	64	18.0	64	17.8	64	18.0	100	0	000		29.16				FM-16		30.13
09	0153	7	CLR:00	1.75	BR:1 ||	64	17.8	64	17.8	64	17.8	100	0	000		29.16			30.11	FM-15	0.00	30.13
09	0253	7	CLR:00	1.50	BR:1 ||	66	18.9	65	18.2	64	17.8	93	5	080		29.16			30.11	FM-15	0.00	30.13
09	0321	7	CLR:00	2.50	BR:1 ||	64	17.8	64	17.8	64	17.8	100	5	090		29.16				FM-16		30.13
09	0333	7	CLR:00	3.00	BR:1 ||	64	17.8	63	17.4	63	17.2	96	5	110		29.16				FM-16		30.13
09	0353	7	CLR:00	5.00	BR:1 ||	65	18.3	64	18.0	64	17.8	97	6	120		29.16	1	-0.02	30.11	FM-15	0.00	30.13
09	0453	7	CLR:00	4.00	BR:1 ||	64	17.8	63	17.4	63	17.2	96	6	140		29.16			30.12	FM-15	0.00	30.13
09	0553	7	BKN:07 80	5.00	BR:1 ||	65	18.3	64	18.0	64	17.8	97	0	000		29.17			30.12	FM-15	0.00	30.14
09	0615	7	FEW:02 5 BKN:07 60 OVC:08 80	4.00	BR:1 ||	65	18.3	65	18.3	65	18.3	100	9	350		29.18				FM-16		30.15
09	0653	7	OVC:08 50	4.00	BR:1 ||	66	18.9	65	18.5	65	18.3	96	5	020		29.18	3	-0.02	30.14	FM-15	0.00	30.15
09	0753	7	FEW:02 50	10.00		70	21.1	67	19.7	66	18.9	87	3	070		29.18			30.13	FM-15	0.00	30.15
09	0853	7	FEW:02 50	10.00		72	22.2	68	20.1	66	18.9	82	6	130		29.17			30.12	FM-15	0.00	30.14
09	0953	7	CLR:00	10.00		77	25.0	69	20.7	65	18.3	66	5	VRB		29.16	6	+0.03	30.11	FM-15	0.00	30.13
09	1053	7	CLR:00	10.00		79	26.1	69	20.4	63	17.2	58	0	000		29.15			30.11	FM-15	0.00	30.12
09	1153	7	BKN:07 46 OVC:08 90	10.00		82	27.8	71	21.6	65	18.3	56	8	050		29.13			30.09	FM-15	0.00	30.10
09	1253	7	CLR:00	10.00		83	28.3	71	21.7	65	18.3	55	7	080		29.10	8	+0.05	30.05	FM-15	0.00	30.07
09	1353	7	BKN:07 46	10.00		84	28.9	72	22.2	66	18.9	55	5	110		29.08			30.03	FM-15	0.00	30.05
09	1453	7	BKN:07 49	10.00		85	29.4	72	22.4	66	18.9	53	7	150		29.06			30.00	FM-15	0.00	30.03
09	1553	7	FEW:02 47	10.00		86	30.0	73	22.9	67	19.4	53	6	VRB	17	29.02	8	+0.08	29.97	FM-15	0.00	29.99

09	1653	7	SCT:04 60	10.00		83	28.3	72	22.0	66	18.9	57	8	140		29.01			29.96	FM-15	0.00	29.98
09	1738	7	SCT:04 36 BKN:07 49 OVC:08 100	10.00	VCTS:7 -RA:02 |RA |RA	73	22.8	67	19.6	64	17.8	74	23	280	39	29.04				FM-16	T	30.01
09	1748	7	FEW:02 37 OVC:08 47	10.00	VCTS:7 -RA:02 |RA |RA	70	21.0	66	19.0	64	18.0	83	26	300	39	29.04				FM-16	T	30.01
09	1753	7	FEW:02 35 OVC:08 47	8.00	VCTS:7 -RA:02 |RA |RA	69	20.6	67	19.5	66	18.9	90	18	290	39	29.05			30.00	FM-15	0.04	30.02
09	1801	7	FEW:02 37 BKN:07 47 OVC:08 70	1.75V	VCTS:7 RA:02 BR:1 |RA |RA	69	20.6	67	19.5	66	18.9	90	21	300	28	29.04				FM-16	0.08	30.01
09	1818	7	BKN:07 49 OVC:08 70	1.50	TS:7 +RA:02 BR:1 |RA TS |RA	68	20.0	66	18.9	65	18.3	90	13	270		29.05				FM-16	0.23	30.02
09	1833	7	BKN:07 60 BKN:07 75 OVC:08 100	5.00	VCTS:7 RA:02 BR:1 |RA |RA	68	20.0	66	18.9	65	18.3	90	9	270		29.05				FM-16	0.32	30.02
09	1853	7	SCT:04 60 BKN:07 80 OVC:08 100	5.00	VCTS:7 RA:02 BR:1 |RA |RA	68	20.0	67	19.3	66	18.9	93	8	130		29.06	1	-0.04	30.01	FM-15	0.35	30.03
09	1920	7	BKN:07 110	8.00	-RA:02 |RA |RA	68	20.0	67	19.3	66	18.9	93	6	120		29.05				FM-16	0.02	30.02
09	1953	7	CLR:00	9.00		68	20.0	67	19.6	67	19.4	96	5	090		29.02			29.97	FM-15	0.01	29.99
09	2053	7	FEW:02 65 BKN:07 100	8.00		68	20.0	67	19.6	67	19.4	96	6	130		29.03			29.98	FM-15	0.00	30.00
09	2153	7	FEW:02 60 SCT:04 70 BKN:07 90	10.00		68	20.0	67	19.3	66	18.9	93	7	140		29.02	6	+0.03	29.97	FM-15	0.00	29.99
09	2253	7	FEW:02 120	10.00		69	20.6	68	19.8	67	19.4	93	7	140		29.00			29.95	FM-15	0.00	29.97
09	2353	7	OVC:08 50	10.00		69	20.6	68	19.8	67	19.4	93	3	140		28.99			29.94	FM-15	0.00	29.96
10	0053	7	BKN:07 55 BKN:07 80	8.00		68	20.0	67	19.6	67	19.4	96	3	220		28.99	5	+0.03	29.94	FM-15	0.00	29.96
10	0153	7	SCT:04 50	4.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	5	070		28.98			29.93	FM-15	T	29.95
10	0202	7	FEW:02 4 SCT:04 49	4.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	3	040		28.98				FM-16		29.95
10	0247	7	CLR:00	1.50	BR:1 ||	66	19.0	66	18.9	66	19.0	100	5	090		28.97				FM-16		29.94
10	0253	7	CLR:00	1.00	BR:1 ||	66	18.9	65	18.5	65	18.3	96	5	100		28.97			29.92	FM-15	0.00	29.94
10	0305	7	CLR:00	2.50	BR:1 ||	66	18.9	65	18.5	65	18.3	96	3	090		28.97				FM-16		29.94
10	0350	7	FEW:02 3	3.00	BR:1 ||	66	19.0	65	18.2	64	18.0	94	5	120		28.96				FM-16		29.93
10	0353	7	SCT:04 3	3.00	BR:1 ||	66	18.9	65	18.5	65	18.3	96	5	120		28.96	6	+0.03	29.91	FM-15	0.00	29.93
10	0402	7	BKN:07 2	3.00	BR:1 ||	67	19.4	66	19.1	66	18.9	97	5	130		28.96				FM-16		29.93
10	0429	7	BKN:07 2	2.50	BR:1 ||	66	18.9	65	18.5	65	18.3	96	3	120		28.96				FM-16		29.93
10	0438	7	SCT:04 2	3.00	BR:1 ||	66	18.9	65	18.5	65	18.3	96	3	140		28.97				FM-16		29.94
10	0453	7	FEW:02 3	3.00	BR:1 ||	66	18.9	66	18.9	66	18.9	100	0	000		28.97			29.92	FM-15	0.00	29.94
10	0458	7	FEW:02 3	1.75	BR:1 ||	66	18.9	65	18.5	65	18.3	96	0	000		28.98				FM-16		29.95
10	0506	7	VV:09 3	0.75	BR:1 ||	66	18.9	65	18.5	65	18.3	96	3	190		28.98				FM-16		29.95
10	0516	7	FEW:02 2	1.25	BR:1 ||	66	18.9	65	18.5	65	18.3	96	3	160		28.98				FM-16		29.95
10	0526	7	FEW:02 2	2.50	BR:1 ||	66	18.9	65	18.5	65	18.3	96	5	170		28.98				FM-16		29.95
10	0553	7	CLR:00	2.50	BR:1 ||	67	19.4	66	18.7	65	18.3	93	5	170		28.97			29.93	FM-15	0.00	29.94
10	0648	7	SCT:04 12	6.00	BR:1 ||	68	20.0	67	19.3	66	19.0	94	7	200		28.98				FM-16		29.95
10	0653	7	BKN:07 12	6.00	BR:1 ||	68	20.0	67	19.3	66	18.9	93	6	180		28.98	3	-0.00	29.93	FM-15	0.00	29.95
10	0717	7	FEW:02 5 SCT:04 10	5.00	BR:1 ||	69	20.6	68	19.8	67	19.4	93	5	200		28.97				FM-16		29.94
10	0749	7	BKN:07 7	5.00	BR:1 ||	70	21.0	67	19.7	66	19.0	88	5	200		28.98				FM-16		29.95
10	0753	7	BKN:07 7	5.00	BR:1 ||	70	21.1	68	20.0	67	19.4	90	5	190		28.98			29.94	FM-15	0.00	29.95
10	0851	6	SCT:04 9	6.00	BR:1 ||	72	22.0	69	20.8	68	20.0	88	6	280		28.99				FM-16		29.96
10	0853	7	SCT:04 9 SCT:04 31	7.00		73	22.8	70	21.0	68	20.0	84	6	290		28.99			29.95	FM-15	0.00	29.96
10	0953	7	CLR:00	10.00		76	24.4	71	21.5	68	20.0	77	8	260		28.97	8	+0.01	29.93	FM-15	0.00	29.94
10	1053	7	CLR:00	10.00		77	25.0	70	21.3	67	19.4	71	5	240		28.95			29.90	FM-15	0.00	29.92
10	1153	7	CLR:00	10.00		79	26.1	70	21.4	66	18.9	65	7	210		28.94			29.89	FM-15	0.00	29.91

10	1253	7	FEW:02 37 SCT:04 47 BKN:07 75	10.00		81	27.2	72	22.0	67	19.4	62	10	260	20	28.93	6	+0.04	29.88	FM-15	0.00	29.90
10	1353	7	SCT:04 37 BKN:07 44	10.00		78	25.6	70	20.8	65	18.3	64	15	270		28.92			29.87	FM-15	0.00	29.89
10	1453	7	FEW:02 34 SCT:04 95 OVC:08 110	10.00	-RA:02 |RA |RA	78	25.6	70	21.2	66	18.9	67	8	230		28.89			29.83	FM-15	T	29.85
10	1553	7	FEW:02 27 SCT:04 37	10.00		78	25.6	70	21.2	66	18.9	67	11	270		28.87	6	+0.06	29.82	FM-15	T	29.84
10	1653	7	SCT:04 47	10.00		77	25.0	69	20.7	65	18.3	66	13	290		28.89			29.83	FM-15	0.00	29.85
10	1753	7	FEW:02 47	10.00		76	24.4	68	20.2	64	17.8	67	9	270		28.90			29.84	FM-15	0.00	29.86
10	1853	7	SCT:04 85	10.00		74	23.3	68	20.1	65	18.3	74	6	270		28.90	1	-0.02	29.85	FM-15	0.00	29.87
10	1953	7	SCT:04 34 BKN:07 60 BKN:07 75	10.00		73	22.8	68	20.3	66	18.9	79	5	360		28.90			29.85	FM-15	0.00	29.86
10	2053	7	SCT:04 50	10.00		71	21.7	68	19.9	66	18.9	84	6	040		28.89			29.83	FM-15	0.00	29.85
10	2153	7	CLR:00	10.00		71	21.7	68	19.9	66	18.9	84	3	040		28.90	5	+0.01	29.84	FM-15	0.00	29.86
10	2253	7	OVC:08 48	10.00		71	21.7	68	19.9	66	18.9	84	3	070		28.89			29.83	FM-15	0.00	29.85
10	2353	7	BKN:07 43 OVC:08 65	10.00		71	21.7	68	19.9	66	18.9	84	0	000		28.90			29.84	FM-15	0.00	29.86
11	0053	7	SCT:04 70	10.00		69	20.6	67	19.5	66	18.9	90	3	360		28.89	8	+0.00	29.83	FM-15	0.00	29.85
11	0153	7	SCT:04 37 BKN:07 44	10.00		67	19.4	66	18.7	65	18.3	93	0	000		28.89			29.83	FM-15	0.00	29.85
11	0253	7	BKN:07 30 BKN:07 37 OVC:08 60	10.00		69	20.6	67	19.5	66	18.9	90	3	080		28.89			29.83	FM-15	0.00	29.85
11	0353	7	FEW:02 29 SCT:04 40 SCT:04 80	9.00		68	20.0	67	19.3	66	18.9	93	3	360		28.89	5	+0.00	29.83	FM-15	0.00	29.85
11	0453	7	BKN:07 45 OVC:08 70	9.00		68	20.0	67	19.3	66	18.9	93	0	000		28.90			29.84	FM-15	0.00	29.86
11	0553	7	BKN:07 60 OVC:08 75	10.00		69	20.6	68	19.8	67	19.4	93	6	100		28.92			29.86	FM-15	0.00	29.89
11	0613	7	SCT:04 9 BKN:07 60 OVC:08 75	9.00		69	20.6	68	19.8	67	19.4	93	6	090		28.92				FM-16		29.89
11	0624	7	BKN:07 9 OVC:08 60	10.00		70	21.1	68	20.0	67	19.4	90	5	090		28.92				FM-16		29.89
11	0637	7	BKN:07 9 OVC:08 60	10.00		70	21.1	68	20.0	67	19.4	90	3	110		28.93				FM-16		29.90
11	0653	7	BKN:07 9 OVC:08 60	10.00		70	21.1	68	20.0	67	19.4	90	7	120		28.94	3	-0.05	29.89	FM-15	0.00	29.91
11	0700	7	BKN:07 9 OVC:08 60	10.00		70	21.1	68	20.0	67	19.4	90	6	100		28.94				FM-16		29.91
11	0753	7	BKN:07 9 OVC:08 60	10.00		71	21.7	68	20.2	67	19.4	87	5	090		28.96			29.91	FM-15	0.00	29.93
11	0758	7	BKN:07 9 OVC:08 18	10.00		71	21.7	68	20.2	67	19.4	87	5	090		28.97				FM-16		29.94
11	0851	6	OVC:08 11	10.00		70	21.0	67	19.7	66	19.0	88	9	080		28.98				FM-16		29.95
11	0853	7	OVC:08 11	10.00		70	21.1	67	19.7	66	18.9	87	8	080		28.98			29.93	FM-15	0.00	29.95
11	0953	7	OVC:08 11	10.00		70	21.1	67	19.7	66	18.9	87	10	100		28.99	1	-0.05	29.94	FM-15	0.00	29.96
11	1010	7	BKN:07 11 OVC:08 20	10.00		70	21.1	67	19.7	66	18.9	87	9	110		28.99				FM-16		29.96
11	1053	7	FEW:02 13 BKN:07 110	10.00		71	21.7	68	19.9	66	18.9	84	7	130		28.99			29.94	FM-15	0.00	29.96
11	1055	7	FEW:02 13 BKN:07 20 OVC:08 110	10.00		71	21.7	68	19.9	66	18.9	84	6	120		28.99				FM-16		29.96
11	1153	7	OVC:08 15	10.00		71	21.7	67	19.5	65	18.3	81	8	120		28.99			29.94	FM-15	0.00	29.96
11	1251	7	OVC:08 14	10.00	-RA:02 |RA |RA	70	21.0	67	19.7	66	19.0	88	8	120		28.99				FM-16	T	29.96
11	1253	7	OVC:08 14	10.00	-RA:02 |RA |RA	70	21.1	67	19.7	66	18.9	87	7	130		28.99	2	-0.00	29.94	FM-15	T	29.96

11	1353	7	BKN:07 16 OVC:08 60	10.00	-RA:02 |RA |RA	70	21.1	68	20.0	67	19.4	90	8	130		28.99			29.95	FM-15	0.01	29.96
11	1410	7	SCT:04 16 BKN:07 55 OVC:08 70	10.00		71	21.7	68	20.2	67	19.4	87	9	100		28.99				FM-16	T	29.96
11	1429	7	FEW:02 11 BKN:07 17 OVC:08 75	10.00		71	21.7	68	20.2	67	19.4	87	9	130		28.98				FM-16	T	29.95
11	1453	7	BKN:07 16 OVC:08 80	10.00	-RA:02 |RA |RA	71	21.7	68	20.2	67	19.4	87	11	090		28.98			29.93	FM-15	T	29.95
11	1553	7	SCT:04 16 BKN:07 22 OVC:08 90	10.00		71	21.7	67	19.5	65	18.3	81	9	120		28.98	8	+0.01	29.93	FM-15	T	29.95
11	1648	7	FEW:02 17 BKN:07 33 OVC:08 100	10.00		73	23.0	68	20.3	66	19.0	78	7	090		28.98				FM-16		29.95
11	1653	7	FEW:02 17 SCT:04 33 OVC:08 100	10.00		74	23.3	69	20.4	66	18.9	76	7	VRB		28.99			29.94	FM-15	0.00	29.96
11	1713	7	BKN:07 19 OVC:08 100	10.00		72	22.2	68	19.7	65	18.3	79	9	080		28.99				FM-16		29.96
11	1753	7	FEW:02 21 SCT:04 30 SCT:04 35	10.00		73	22.8	68	20.3	66	18.9	79	7	100		28.99			29.94	FM-15	0.00	29.96
11	1816	7	BKN:07 24	10.00		72	22.2	67	19.4	64	17.8	76	8	110		28.99				FM-16		29.96
11	1851	6	SCT:04 20 OVC:08 36	10.00		73	23.0	67	19.6	64	18.0	74	10	080		29.00				FM-16		29.97
11	1853	7	SCT:04 20 BKN:07 33 OVC:08 41	10.00		72	22.2	68	19.7	65	18.3	79	10	070		29.00	3	-0.01	29.95	FM-15	0.00	29.97
11	1953	7	FEW:02 18	10.00		69	20.6	66	18.8	64	17.8	84	8	070		29.01			29.96	FM-15	0.00	29.98
11	2033	7	BKN:07 25	10.00		69	20.6	66	18.8	64	17.8	84	9	100		29.03				FM-16		30.00
11	2053	7	OVC:08 26	10.00		68	20.0	65	18.3	63	17.2	84	8	090		29.04			29.99	FM-15	0.00	30.01
11	2108	7	OVC:08 31	10.00		68	20.0	65	18.3	63	17.2	84	6	110		29.04				FM-16		30.01
11	2149	7	OVC:08 29	10.00		68	20.0	65	18.3	63	17.0	83	7	080		29.05				FM-16		30.02
11	2153	7	OVC:08 29	10.00		68	20.0	65	18.3	63	17.2	84	9	080		29.05	1	-0.04	30.01	FM-15	0.00	30.02
11	2208	7	OVC:08 30	10.00		68	20.0	65	18.3	63	17.2	84	8	070		29.04				FM-16		30.01
11	2253	7	CLR:00	10.00		66	18.9	64	17.9	63	17.2	90	6	070		29.04			30.00	FM-15	0.00	30.01
11	2353	7	CLR:00	10.00		65	18.3	64	17.6	63	17.2	93	7	110		29.03			29.99	FM-15	0.00	30.00
12	0053	7	OVC:08 37	10.00		66	18.9	64	17.9	63	17.2	90	5	110		29.04	5	+0.01	30.00	FM-15	0.00	30.01
12	0153	7	BKN:07 34	10.00		65	18.3	63	17.3	62	16.7	90	7	100		29.04			29.99	FM-15	0.00	30.01
12	0253	6	SCT:04 22	10.00		65	18.3	63	17.3	62	16.7	90	7	100		29.04			29.99	FM-15	0.00	30.01
12	0315	6	BKN:07 22	10.00		64	17.8	63	17.1	62	16.7	93	8	110		29.03				FM-16		30.00
12	0325	6	FEW:02 17 SCT:04 22	10.00		64	17.8	62	16.8	61	16.1	90	7	110		29.04				FM-16		30.01
12	0334	7	BKN:07 17 BKN:07 22	10.00		64	17.8	63	17.1	62	16.7	93	7	110		29.04				FM-16		30.01
12	0353	7	OVC:08 16	10.00		65	18.3	63	17.3	62	16.7	90	8	120		29.04	6	+0.01	29.99	FM-15	0.00	30.01
12	0403	7	OVC:08 14	10.00		65	18.3	63	17.3	62	16.7	90	7	130		29.04				FM-16		30.01
12	0438	7	OVC:08 9	10.00		65	18.3	63	17.3	62	16.7	90	7	130		29.03				FM-16		30.00
12	0453	7	OVC:08 9	10.00		66	18.9	64	17.9	63	17.2	90	7	140		29.03			29.98	FM-15	0.00	30.00
12	0553	7	OVC:08 8	9.00		66	18.9	64	17.9	63	17.2	90	8	110		29.03			29.98	FM-15	0.00	30.00
12	0653	7	OVC:08 8	10.00		67	19.4	65	18.4	64	17.8	91	13	120		29.02	6	+0.01	29.98	FM-15	0.00	29.99
12	0753	7	OVC:08 8	10.00		68	20.0	66	18.9	65	18.3	90	9	150		29.03			29.99	FM-15	0.00	30.00
12	0853	7	OVC:08 8	9.00		69	20.6	67	19.5	66	18.9	90	10	170		29.05			30.00	FM-15	0.00	30.02
12	0953	7	BKN:07 7 OVC:08 11	10.00		71	21.7	68	20.2	67	19.4	87	8	180		29.04	0	-0.02	29.99	FM-15	0.00	30.01
12	1039	7	BKN:07 15 OVC:08 22	10.00		73	22.8	69	20.6	67	19.4	81	11	180		29.04				FM-16		30.01
12	1053	7	BKN:07 15 OVC:08 23	8.00		73	22.8	70	21.0	68	20.0	84	10	190		29.04			29.99	FM-15	0.01	30.01

12	1151	6	SCT:04 15 BKN:07 40 BKN:07 90	10.00		77	25.0	72	22.4	70	21.0	79	11	170		29.02				FM-16		29.99
12	1153	7	BKN:07 15 BKN:07 40 BKN:07 90	10.00		76	24.4	71	21.5	68	20.0	77	11	180		29.03			29.98	FM-15	0.00	30.00
12	1204	7	BKN:07 15 BKN:07 40 BKN:07 90	10.00		76	24.4	71	21.5	68	20.0	77	10	180		29.02				FM-16		29.99
12	1240	7	BKN:07 15 OVC:08 27	8.00	-RA:02 |RA |RA	75	23.9	71	21.7	69	20.6	82	10	190		29.02				FM-16	T	29.99
12	1253	7	BKN:07 15 OVC:08 27	10.00		74	23.3	70	21.1	68	20.0	82	11	180		29.02	6	+0.02	29.98	FM-15	T	29.99
12	1300	7	SCT:04 20 BKN:07 30 OVC:08 50	7.00	-RA:02 |RA |RA	74	23.3	71	21.5	69	20.6	85	8	180		29.02				FM-16	T	29.99
12	1334	7	FEW:02 11 BKN:07 17 OVC:08 42	4.00	RA:02 BR:1 |RA |RA	72	22.2	70	21.1	69	20.6	91	6	VRB		29.02				FM-16	0.22	29.99
12	1353	7	SCT:04 14 BKN:07 70 OVC:08 80	10.00		73	22.8	70	21.0	68	20.0	84	0	000		29.01			29.96	FM-15	0.22	29.98
12	1453	7	SCT:04 15 BKN:07 80 OVC:08 100	10.00		76	24.4	73	22.6	71	21.7	85	7	200		28.99			29.94	FM-15	0.00	29.96
12	1532	7	SCT:04 18 BKN:07 24	10.00		77	25.0	73	22.7	71	21.7	82	7	180		28.98				FM-16		29.95
12	1551	6	FEW:02 18 SCT:04 24	10.00		79	26.0	74	23.4	72	22.0	79	8	210		28.98				FM-16		29.95
12	1553	7	SCT:04 18 SCT:04 26	10.00		77	25.0	72	22.4	70	21.1	79	8	190		28.97	8	+0.05	29.93	FM-15	0.00	29.94
12	1653	7	FEW:02 22 FEW:02 29	10.00		80	26.7	73	22.9	70	21.1	71	6	VRB		28.95			29.89	FM-15	0.00	29.92
12	1753	7	FEW:02 25 BKN:07 60 OVC:08 75	10.00	-RA:02 |RA |RA	75	23.9	70	21.3	68	20.0	79	11	180		28.95			29.90	FM-15	T	29.92
12	1853	7	SCT:04 80 BKN:07 95 BKN:07 120	10.00		75	23.9	72	22.4	71	21.7	88	7	170		28.94	6	+0.03	29.90	FM-15	0.02	29.91
12	1953	7	FEW:02 17 SCT:04 23 BKN:07 34	10.00		74	23.3	72	22.2	71	21.7	91	9	200		28.95			29.91	FM-15	0.00	29.92
12	2053	7	FEW:02 80	10.00		72	22.2	69	20.4	67	19.4	84	9	200		28.97			29.92	FM-15	0.00	29.94
12	2153	7	SCT:04 42 BKN:07 55	10.00		71	21.7	68	20.2	67	19.4	87	8	180		28.96	0	-0.02	29.91	FM-15	0.00	29.93
12	2253	7	FEW:02 38 BKN:07 95	10.00		71	21.7	69	20.6	68	20.0	90	7	200		28.97			29.92	FM-15	0.00	29.94
12	2353	7	OVC:08 36	10.00		71	21.7	69	20.6	68	20.0	90	8	200		28.97			29.92	FM-15	0.00	29.94
13	0027	7	FEW:02 9 BKN:07 24 OVC:08 30	10.00		71	21.7	69	20.6	68	20.0	90	9	190		28.96				FM-16		29.93
13	0049	7	FEW:02 8 BKN:07 14 OVC:08 33	10.00		70	21.0	69	20.4	68	20.0	94	8	180		28.95				FM-16		29.92
13	0053	7	SCT:04 8 BKN:07 11 OVC:08 33	10.00		70	21.1	69	20.4	68	20.0	93	7	180		28.95	8	+0.02	29.90	FM-15	0.00	29.92
13	0151	6	OVC:08 9	10.00		70	21.0	70	21.1	70	21.0	100	7	190		28.94				FM-16		29.91
13	0153	7	OVC:08 9	10.00		70	21.1	69	20.7	69	20.6	97	8	190		28.94			29.89	FM-15	0.00	29.91
13	0236	7	SCT:04 6 SCT:04 17	10.00		70	21.1	69	20.4	68	20.0	93	9	200		28.94				FM-16		29.91
13	0253	7	BKN:07 100	10.00		70	21.1	69	20.4	68	20.0	93	8	210		28.94			29.89	FM-15	0.00	29.91
13	0353	7	FEW:02 22 SCT:04 100	10.00		70	21.1	69	20.4	68	20.0	93	7	220		28.94	8	+0.00	29.88	FM-15	0.00	29.91

13	0407	7	BKN:07 20	10.00		70	21.1	69	20.4	68	20.0	93	10	230		28.93				FM-16		29.90
13	0437	7	FEW:02 19	10.00		70	21.1	68	20.0	67	19.4	90	10	230		28.93				FM-16		29.90
13	0453	7	FEW:02 11	10.00		70	21.1	68	20.0	67	19.4	90	13	220		28.94			29.88	FM-15	0.00	29.91
13	0504	7	BKN:07 11 BKN:07 16	10.00		70	21.1	68	20.0	67	19.4	90	9	230		28.94				FM-16		29.91
13	0551	6	OVC:08 9	8.00		72	22.0	69	20.8	68	20.0	88	9	230		28.94				FM-16		29.91
13	0553	7	OVC:08 9	7.00		71	21.7	69	20.6	68	20.0	90	11	230		28.95			29.89	FM-15	0.00	29.92
13	0653	7	OVC:08 9	7.00		71	21.7	69	20.6	68	20.0	90	6	220		28.95	3	-0.01	29.90	FM-15	0.00	29.92
13	0753	7	OVC:08 9	5.00		72	22.2	70	21.1	69	20.6	91	8	230		28.96			29.91	FM-15	0.00	29.93
13	0844	7	OVC:08 9	5.00	BR:1 ||	74	23.3	71	21.8	70	21.1	88	11	210		28.97				FM-16		29.94
13	0853	7	OVC:08 9	7.00		74	23.3	71	21.8	70	21.1	88	11	210		28.96			29.91	FM-15	0.00	29.93
13	0953	7	BKN:07 18 OVC:08 24	10.00		76	24.4	72	22.2	70	21.1	82	10	250		28.96	0	-0.01	29.91	FM-15	0.00	29.93
13	1053	7	BKN:07 18 OVC:08 24	10.00		80	26.7	74	23.2	71	21.7	74	11	240	20	28.96			29.91	FM-15	0.00	29.93
13	1054	7	SCT:04 24 SCT:04 28 BKN:07 36	10.00		80	26.7	74	23.2	71	21.7	74	13	240		28.96				FM-16		29.93
13	1153	7	FEW:02 25 SCT:04 43 BKN:07 65	10.00		82	27.8	74	23.6	71	21.7	69	11	270		28.97			29.91	FM-15	0.00	29.94
13	1253	7	BKN:07 39	10.00		83	28.3	74	23.4	70	21.1	65	11	300		28.95	8	+0.01	29.90	FM-15	0.00	29.92
13	1353	7	BKN:07 39 BKN:07 50	10.00		83	28.3	74	23.4	70	21.1	65	9	290		28.93			29.88	FM-15	0.00	29.90
13	1451	6	FEW:02 38 SCT:04 47 BKN:07 65	10.00	VCTS:7 ||	84	29.0	76	24.2	72	22.0	66	13	220		28.90				FM-16		29.87
13	1453	7	SCT:04 42 SCT:04 50 BKN:07 60	10.00	VCTS:7 ||	84	28.9	74	23.5	70	21.1	63	11	230		28.90			29.85	FM-15	0.00	29.87
13	1514	7	FEW:02 31 SCT:04 46 BKN:07 60	9.00	TS:7 |TS TS |	79	26.1	74	23.1	71	21.7	77	17	340	22	28.92				FM-16		29.89
13	1518	7	FEW:02 20 SCT:04 31 BKN:07 47	0.75	TS:7 -RA:02 BR:1 |RA TS |RA	75	23.9	72	22.4	71	21.7	88	15	340	22	28.93				FM-16	0.16	29.90
13	1525	7	SCT:04 13 BKN:07 28 OVC:08 60	0.75	TS:7 +RA:02 BR:1 |RA TS |RA	73	22.8	72	22.0	71	21.7	94	6	300		28.94				FM-16	0.51	29.91
13	1532	7	FEW:02 10 BKN:07 45 OVC:08 60	8.00	TS:7 -RA:02 BR:1 |RA TS |RA	73	22.8	72	22.0	71	21.7	94	5	220		28.94				FM-16	0.52	29.91
13	1539	7	FEW:02 10 SCT:04 31 BKN:07 44	8.00	VCTS:7 ||	74	23.3	73	22.6	72	22.2	94	10	220		28.95				FM-16	0.52	29.92
13	1553	7	FEW:02 30 BKN:07 45 BKN:07 70	8.00	VCTS:7 -RA:02 |RA |RA	74	23.3	72	22.2	71	21.7	91	6	270		28.94	5	+0.01	29.90	FM-15	0.53	29.91
13	1615	7	SCT:04 48 BKN:07 60 OVC:08 90	10.00		74	23.3	72	22.2	71	21.7	91	3	250		28.94				FM-16	T	29.91
13	1622	7	BKN:07 48 BKN:07 60 OVC:08 70	10.00		74	23.3	72	22.2	71	21.7	91	0	000		28.95				FM-16	T	29.92
13	1653	7	SCT:04 60 BKN:07 75	10.00		75	23.9	72	22.0	70	21.1	84	5	260		28.95			29.89	FM-15	0.00	29.92
13	1753	7	FEW:02 70	10.00		76	24.4	73	22.9	72	22.2	88	6	260		28.94			29.88	FM-15	0.00	29.91
13	1853	7	FEW:02 70	10.00		78	25.6	74	23.3	72	22.2	82	6	260		28.94	5	+0.00	29.89	FM-15	0.00	29.91
13	1953	7	SCT:04 40	10.00		76	24.4	73	22.9	72	22.2	88	8	290		28.95			29.91	FM-15	0.00	29.92
13	2053	7	CLR:00	10.00		74	23.3	66	19.1	62	16.7	67	13	330		28.97			29.92	FM-15	0.00	29.94
13	2153	7	CLR:00	10.00		71	21.7	63	17.3	58	14.4	63	7	320		29.01	3	-0.07	29.96	FM-15	0.00	29.98
13	2253	7	CLR:00	10.00		67	19.4	61	15.9	56	13.3	68	6	310		29.03			29.98	FM-15	0.00	30.00
13	2353	7	CLR:00	10.00		63	17.2	58	14.7	55	12.8	75	6	310		29.04			29.98	FM-15	0.00	30.01

14	0053	7	CLR:00	10.00		60	15.6	57	13.7	54	12.2	80	7	290		29.04	1	-0.03	29.99	FM-15	0.00	30.01
14	0153	7	CLR:00	10.00		62	16.7	57	14.1	54	12.2	75	9	320		29.04			29.99	FM-15	0.00	30.01
14	0253	7	CLR:00	10.00		61	16.1	57	13.6	53	11.7	75	7	340		29.04			29.99	FM-15	0.00	30.01
14	0353	7	CLR:00	10.00		58	14.4	55	12.9	53	11.7	84	0	000		29.06	3	-0.02	30.02	FM-15	0.00	30.03
14	0453	7	CLR:00	10.00		58	14.4	55	12.6	52	11.1	81	5	350		29.06			30.02	FM-15	0.00	30.03
14	0553	7	CLR:00	10.00		59	15.0	56	13.4	54	12.2	83	3	360		29.07			30.03	FM-15	0.00	30.04
14	0653	7	CLR:00	10.00		65	18.3	60	15.4	56	13.3	73	5	010		29.09	3	-0.03	30.04	FM-15	0.00	30.06
14	0753	7	CLR:00	10.00		69	20.6	61	16.3	56	13.3	63	5	020		29.11			30.06	FM-15	0.00	30.08
14	0853	7	CLR:00	10.00		74	23.3	63	17.0	55	12.8	52	0	000		29.12			30.07	FM-15	0.00	30.09
14	0953	7	CLR:00	10.00		76	24.4	61	16.1	50	10.0	40	5	VRB		29.11	0	-0.02	30.06	FM-15	0.00	30.08
14	1053	7	CLR:00	10.00		77	25.0	61	16.1	49	9.4	37	5	280		29.11			30.06	FM-15	0.00	30.08
14	1153	7	CLR:00	10.00		79	26.1	61	16.0	47	8.3	32	0	000		29.11			30.07	FM-15	0.00	30.08
14	1253	7	CLR:00	10.00		80	26.7	62	16.7	49	9.4	34	5	VRB		29.10	8	+0.01	30.05	FM-15	0.00	30.07
14	1353	7	CLR:00	10.00		80	26.7	62	16.9	50	10.0	35	5	330		29.09			30.05	FM-15	0.00	30.06
14	1453	7	CLR:00	10.00		81	27.2	62	16.6	48	8.9	32	3	VRB		29.09			30.04	FM-15	0.00	30.06
14	1553	7	CLR:00	10.00		81	27.2	63	17.1	50	10.0	34	7	320		29.08	8	+0.02	30.03	FM-15	0.00	30.05
14	1653	7	CLR:00	10.00		80	26.7	63	17.4	52	11.1	38	7	360		29.07			30.03	FM-15	0.00	30.04
14	1753	7	CLR:00	10.00		79	26.1	63	17.2	52	11.1	39	8	340		29.05			30.01	FM-15	0.00	30.02
14	1853	7	CLR:00	10.00		76	24.4	63	17.2	54	12.2	47	3	320		29.04	8	+0.03	30.00	FM-15	0.00	30.01
14	1953	7	CLR:00	10.00		74	23.3	61	16.2	52	11.1	46	3	010		29.05			30.00	FM-15	0.00	30.02
14	2053	7	CLR:00	10.00		71	21.7	61	15.9	53	11.7	53	0	000		29.06			30.01	FM-15	0.00	30.03
14	2153	7	CLR:00	10.00		69	20.6	60	15.7	54	12.2	59	0	000		29.08	3	-0.03	30.03	FM-15	0.00	30.05
14	2253	7	CLR:00	10.00		67	19.4	60	15.6	55	12.8	66	0	000		29.08			30.03	FM-15	0.00	30.05
14	2353	7	CLR:00	10.00		63	17.2	59	15.0	56	13.3	78	3	060		29.07			30.02	FM-15	0.00	30.04
15	0053	7	CLR:00	10.00		65	18.3	60	15.7	57	13.9	76	0	000		29.07	8	+0.01	30.01	FM-15	0.00	30.04
15	0153	7	CLR:00	10.00		62	16.7	59	14.7	56	13.3	80	3	360		29.09			30.04	FM-15	0.00	30.06
15	0253	7	CLR:00	10.00		62	16.7	59	14.7	56	13.3	80	0	000		29.08			30.03	FM-15	0.00	30.05
15	0353	7	FEW:02 100	10.00		61	16.1	59	14.8	57	13.9	87	0	000		29.09	1	-0.03	30.05	FM-15	0.00	30.06
15	0453	7	CLR:00	10.00		62	16.7	61	16.0	60	15.6	93	3	290		29.11			30.06	FM-15	0.00	30.08
15	0553	7	FEW:02 110	10.00		61	16.1	59	15.1	58	14.4	90	0	000		29.12			30.07	FM-15	0.00	30.09
15	0653	7	CLR:00	10.00		67	19.4	62	16.8	59	15.0	76	0	000		29.12	0	-0.02	30.07	FM-15	0.00	30.09
15	0753	7	CLR:00	10.00		73	22.8	64	18.0	59	15.0	62	0	000		29.10			30.05	FM-15	0.00	30.07
15	0853	7	CLR:00	10.00		78	25.6	63	17.3	53	11.7	42	0	000		29.09			30.04	FM-15	0.00	30.06
15	0953	7	CLR:00	10.00		79	26.1	64	17.8	54	12.2	42	0	000		29.07	6	+0.05	30.02	FM-15	0.00	30.04
15	1053	7	CLR:00	10.00		81	27.2	65	18.1	54	12.2	39	0	000		29.09			30.03	FM-15	0.00	30.06
15	1153	7	CLR:00	10.00		82	27.8	64	17.8	52	11.1	35	3	VRB		29.10			30.05	FM-15	0.00	30.07
15	1253	7	CLR:00	10.00		83	28.3	67	19.3	57	13.9	41	7	350		29.09	0	-0.02	30.04	FM-15	0.00	30.06
15	1353	7	CLR:00	10.00		84	28.9	66	18.7	54	12.2	36	3	VRB		29.07			30.02	FM-15	0.00	30.04
15	1453	7	CLR:00	10.00		84	28.9	66	18.7	54	12.2	36	6	260		29.06			30.01	FM-15	0.00	30.03
15	1553	7	CLR:00	10.00		84	28.9	66	19.0	55	12.8	37	0	000		29.05	6	+0.04	30.00	FM-15	0.00	30.02
15	1653	7	CLR:00	10.00		84	28.9	66	19.0	55	12.8	37	3	070		29.05			29.99	FM-15	0.00	30.02
15	1753	7	CLR:00	10.00		83	28.3	67	19.3	57	13.9	41	6	050		29.02			29.98	FM-15	0.00	29.99
15	1853	7	CLR:00	10.00		80	26.7	67	19.6	60	15.6	51	3	070		29.03	5	+0.02	29.98	FM-15	0.00	30.00
15	1953	7	CLR:00	10.00		79	26.1	65	18.6	57	13.9	47	3	110		29.03			29.97	FM-15	0.00	30.00
15	2053	7	CLR:00	10.00		76	24.4	65	18.3	58	14.4	54	7	130		29.04			29.98	FM-15	0.00	30.01
15	2153	7	CLR:00	10.00		73	22.8	64	18.0	59	15.0	62	0	000		29.07	3	-0.04	30.01	FM-15	0.00	30.04
15	2253	7	CLR:00	10.00		74	23.3	65	18.5	60	15.6	62	6	170		29.06			30.01	FM-15	0.00	30.03
15	2353	7	CLR:00	10.00		69	20.6	64	17.8	61	16.1	76	0	000		29.07			30.02	FM-15	0.00	30.04
16	0053	7	CLR:00	10.00		68	20.0	64	17.9	62	16.7	81	0	000		29.08	3	-0.01	30.02	FM-15	0.00	30.05
16	0153	7	CLR:00	10.00		67	19.4	63	17.4	61	16.1	81	5	100		29.07			30.02	FM-15	0.00	30.04
16	0253	7	CLR:00	10.00		69	20.6	65	18.1	62	16.7	78	6	140		29.06			30.00	FM-15	0.00	30.03
16	0353	7	CLR:00	10.00		67	19.4	63	17.4	61	16.1	81	3	120		29.06	5	+0.02	30.01	FM-15	0.00	30.03
16	0453	7	CLR:00	10.00		65	18.3	63	17.0	61	16.1	87	0	000		29.08			30.03	FM-15	0.00	30.05
16	0553	7	CLR:00	10.00		65	18.3	63	17.3	62	16.7	90	5	090		29.10			30.05	FM-15	0.00	30.07
16	0653	7	CLR:00	10.00		71	21.7	66	18.9	63	17.2	76	6	160		29.10	1	-0.04	30.05	FM-15	0.00	30.07
16	0753	7	BKN:07 55	10.00		75	23.9	68	20.0	64	17.8	69	7	190		29.10			30.05	FM-15	0.00	30.07

16	0853	7	FEW:02 50 FEW:02 60	10.00		79	26.1	69	20.4	63	17.2	58	7	210		29.09			30.03	FM-15	0.00	30.06
16	0953	7	FEW:02 47 SCT:04 65	10.00		81	27.2	70	21.1	64	17.8	57	8	220		29.07	8	+0.03	30.02	FM-15	0.00	30.04
16	1053	7	CLR:00	10.00		84	28.9	72	22.2	66	18.9	55	9	200		29.07			30.01	FM-15	0.00	30.04
16	1153	7	CLR:00	10.00		86	30.0	73	22.9	67	19.4	53	9	230		29.07			30.02	FM-15	0.00	30.04
16	1253	7	CLR:00	10.00		88	31.1	74	23.5	68	20.0	52	8	230		29.06	8	+0.01	30.01	FM-15	0.00	30.03
16	1353	7	SCT:04 50	10.00		88	31.1	75	23.8	69	20.6	54	11	240		29.05			30.00	FM-15	0.00	30.02
16	1450	7	SCT:04 46 SCT:04 60	10.00	TS:7 |TS TS |	88	31.0	75	24.2	70	21.0	55	10	250	18	29.04				FM-16		30.01
16	1453	7	FEW:02 46 SCT:04 60	10.00	TS:7 |TS TS |	88	31.1	75	24.2	70	21.1	55	11	250	18	29.04			29.98	FM-15	0.00	30.01
16	1553	7	FEW:02 50	10.00		90	32.2	75	23.8	68	20.0	48	10	290	20	29.04	6	+0.02	29.98	FM-15	0.00	30.01
16	1653	7	FEW:02 55 SCT:04 70	10.00		88	31.1	75	24.2	70	21.1	55	6	220		29.03			29.98	FM-15	0.00	30.00
16	1753	7	CLR:00	10.00	TS:7 |TS TS |	87	30.6	75	23.7	69	20.6	55	11	230		29.02			29.97	FM-15	0.00	29.99
16	1853	7	FEW:02 45	10.00	TS:7 |TS TS |	76	24.4	71	21.9	69	20.6	79	7	060		29.04	5	+0.00	29.98	FM-15	0.00	30.01
16	1951	6	CLR:00	10.00		75	24.0	70	21.3	68	20.0	78	5	120		29.05				FM-16		30.02
16	1953	7	CLR:00	10.00		76	24.4	71	21.5	68	20.0	77	5	130		29.05			30.00	FM-15	0.00	30.02
16	2053	7	FEW:02 50	10.00		75	23.9	71	21.7	69	20.6	82	8	020		29.08			30.02	FM-15	0.00	30.05
16	2153	7	CLR:00	10.00		74	23.3	70	21.1	68	20.0	82	0	000		29.09	1	-0.05	30.03	FM-15	0.00	30.06
16	2253	7	CLR:00	10.00		75	23.9	70	21.0	67	19.4	76	0	000		29.08			30.03	FM-15	0.00	30.05
16	2353	7	CLR:00	10.00		73	22.8	69	20.6	67	19.4	81	0	000		29.07			30.02	FM-15	0.00	30.04
17	0053	7	CLR:00	10.00		72	22.2	69	20.4	67	19.4	84	3	090		29.07	6	+0.01	30.02	FM-15	0.00	30.04
17	0153	7	CLR:00	10.00		72	22.2	69	20.8	68	20.0	87	0	000		29.06			30.01	FM-15	0.00	30.03
17	0253	7	CLR:00	10.00		71	21.7	69	20.6	68	20.0	90	0	000		29.06			30.01	FM-15	0.00	30.03
17	0353	7	CLR:00	10.00		71	21.7	68	20.2	67	19.4	87	3	260		29.07	3	-0.00	30.02	FM-15	0.00	30.04
17	0453	7	CLR:00	10.00		72	22.2	69	20.4	67	19.4	84	6	280		29.09			30.04	FM-15	0.00	30.06
17	0553	7	CLR:00	9.00		73	22.8	70	21.3	69	20.6	87	6	270		29.11			30.05	FM-15	0.00	30.08
17	0653	7	CLR:00	10.00		77	25.0	73	22.7	71	21.7	82	6	270		29.12	1	-0.05	30.07	FM-15	0.00	30.09
17	0753	7	CLR:00	10.00		81	27.2	74	23.4	71	21.7	72	7	290		29.14			30.08	FM-15	0.00	30.11
17	0853	7	CLR:00	10.00		85	29.4	77	25.1	74	23.3	70	8	310		29.14			30.09	FM-15	0.00	30.11
17	0953	7	CLR:00	10.00		88	31.1	78	25.6	74	23.3	63	9	290	20	29.14	1	-0.02	30.09	FM-15	0.00	30.11
17	1053	7	BKN:07 38	10.00		88	31.1	77	25.2	73	22.8	61	9	300		29.15			30.09	FM-15	0.00	30.12
17	1153	7	BKN:07 43	10.00		88	31.1	77	24.9	72	22.2	59	7	340		29.13			30.08	FM-15	0.00	30.10
17	1253	7	SCT:04 48 SCT:04 60 SCT:04 75	10.00		90	32.2	77	24.8	71	21.7	54	5	340		29.13	8	+0.01	30.07	FM-15	0.00	30.10
17	1353	7	FEW:02 50	10.00		91	32.8	76	24.6	70	21.1	50	5	VRB		29.11			30.06	FM-15	0.00	30.08
17	1453	7	BKN:07 55	10.00		92	33.3	76	24.4	69	20.6	47	9	230		29.10			30.04	FM-15	0.00	30.07
17	1553	7	BKN:07 55	10.00		93	33.9	76	24.2	68	20.0	44	8	260		29.09	6	+0.03	30.03	FM-15	0.00	30.06
17	1653	7	SCT:04 55 BKN:07 75	10.00		92	33.3	77	24.8	70	21.1	49	7	230		29.09			30.03	FM-15	0.00	30.06
17	1753	7	CLR:00	10.00		91	32.8	76	24.3	69	20.6	49	7	230		29.08			30.02	FM-15	0.00	30.05
17	1853	7	CLR:00	10.00		88	31.1	75	23.8	69	20.6	54	8	230		29.07	6	+0.02	30.01	FM-15	0.00	30.04
17	1953	7	CLR:00	10.00		86	30.0	75	23.9	70	21.1	59	6	230		29.07			30.01	FM-15	0.00	30.04
17	2053	7	CLR:00	10.00		84	28.9	76	24.6	73	22.8	70	7	190		29.08			30.02	FM-15	0.00	30.05
17	2153	7	CLR:00	10.00		83	28.3	77	25.2	75	23.9	77	6	180		29.09	3	-0.02	30.03	FM-15	0.00	30.06
17	2253	7	CLR:00	10.00		81	27.2	76	24.5	74	23.3	79	6	190		29.10			30.04	FM-15	0.00	30.07
17	2353	7	CLR:00	10.00		79	26.1	76	24.2	74	23.3	85	6	190		29.11			30.05	FM-15	0.00	30.08
18	0053	7	CLR:00	9.00		78	25.6	75	24.0	74	23.3	87	6	180		29.12	1	-0.02	30.06	FM-15	0.00	30.09
18	0153	7	CLR:00	9.00		77	25.0	74	23.5	73	22.8	88	5	170		29.10			30.04	FM-15	0.00	30.07
18	0253	7	CLR:00	8.00		76	24.4	73	22.9	72	22.2	88	0	000		29.09			30.03	FM-15	0.00	30.06
18	0353	7	CLR:00	7.00		74	23.3	72	22.2	71	21.7	91	3	180		29.10	5	+0.01	30.04	FM-15	0.00	30.07
18	0453	7	CLR:00	7.00		75	23.9	73	22.8	72	22.2	90	5	190		29.10			30.04	FM-15	0.00	30.07
18	0553	7	CLR:00	5.00	BR:1 ||	75	23.9	73	22.8	72	22.2	90	3	210		29.10			30.05	FM-15	0.00	30.07
18	0653	7	CLR:00	6.00	HZ:7 |FU |HZ	78	25.6	74	23.3	72	22.2	82	3	220		29.11	3	-0.01	30.05	FM-15	0.00	30.08
18	0753	7	CLR:00	8.00		82	27.8	76	24.3	73	22.8	74	9	240		29.11			30.05	FM-15	0.00	30.08

18	0853	7	CLR:00	9.00		85	29.4	77	25.1	74	23.3	70	9	250		29.11			30.05	FM-15	0.00	30.08
18	0953	7	CLR:00	10.00		87	30.6	76	24.7	72	22.2	61	16	250	22	29.11	0	-0.00	30.05	FM-15	0.00	30.08
18	1053	7	FEW:02 50	10.00		88	31.1	77	24.9	72	22.2	59	13	260		29.11			30.05	FM-15	0.00	30.08
18	1153	7	SCT:04 42 SCT:04 50 SCT:04 60	10.00		90	32.2	78	25.5	73	22.8	58	14	VRB	22	29.09			30.03	FM-15	0.00	30.06
18	1253	7	FEW:02 46 SCT:04 65	10.00		91	32.8	78	25.3	72	22.2	54	16	280	20	29.07	8	+0.03	30.01	FM-15	0.00	30.04
18	1353	7	SCT:04 50	10.00		92	33.3	78	25.4	72	22.2	52	13	250	18	29.05			29.99	FM-15	0.00	30.02
18	1453	7	SCT:04 55	10.00		92	33.3	77	25.1	71	21.7	51	14	250		29.02			29.96	FM-15	0.00	29.99
18	1553	7	SCT:04 55	10.00		92	33.3	78	25.4	72	22.2	52	17	230	24	29.00	6	+0.07	29.94	FM-15	0.00	29.97
18	1653	7	SCT:04 55	10.00		91	32.8	78	25.3	72	22.2	54	15	230	22	28.99			29.93	FM-15	0.00	29.96
18	1753	7	CLR:00	10.00		90	32.2	76	24.5	70	21.1	52	17	240	24	28.97			29.91	FM-15	0.00	29.94
18	1853	7	CLR:00	10.00		89	31.7	76	24.3	70	21.1	53	11	240		28.98	5	+0.03	29.92	FM-15	0.00	29.95
18	1953	7	CLR:00	10.00		86	30.0	76	24.2	71	21.7	61	6	250		28.98			29.92	FM-15	0.00	29.95
18	2053	7	CLR:00	10.00		84	28.9	75	23.9	71	21.7	65	8	240		28.99			29.93	FM-15	0.00	29.96
18	2153	7	CLR:00	10.00		82	27.8	74	23.6	71	21.7	69	7	250		29.00	3	-0.02	29.94	FM-15	0.00	29.97
18	2253	7	CLR:00	10.00		81	27.2	74	23.4	71	21.7	72	8	250		29.00			29.94	FM-15	0.00	29.97
18	2353	7	CLR:00	10.00		80	26.7	74	23.6	72	22.2	76	8	250		29.00			29.94	FM-15	0.00	29.97
19	0053	7	CLR:00	10.00		79	26.1	74	23.4	72	22.2	79	11	270		29.00	0	-0.00	29.94	FM-15	0.00	29.97
19	0153	7	SCT:04 39	10.00		80	26.7	74	23.6	72	22.2	76	8	270		28.99			29.93	FM-15	0.00	29.96
19	0253	7	CLR:00	10.00		77	25.0	73	22.7	71	21.7	82	5	260		28.98			29.93	FM-15	0.00	29.95
19	0353	7	FEW:02 41 FEW:02 65	10.00		77	25.0	74	23.1	72	22.2	85	7	280		29.00	5	+0.00	29.94	FM-15	0.00	29.97
19	0453	7	FEW:02 22 BKN:07 40 OVC:08 49	10.00		77	25.0	73	22.7	71	21.7	82	9	330		29.02			29.96	FM-15	0.00	29.99
19	0553	7	CLR:00	10.00		74	23.3	72	22.2	71	21.7	91	3	320		29.02			29.96	FM-15	0.00	29.99
19	0653	7	CLR:00	10.00		78	25.6	73	22.9	71	21.7	79	3	280		29.01	0	-0.01	29.95	FM-15	0.00	29.98
19	0753	7	SCT:04 27	10.00		80	26.7	74	23.6	72	22.2	76	7	300		29.01			29.96	FM-15	0.00	29.98
19	0849	7	BKN:07 19	10.00		81	27.0	75	23.8	72	22.0	74	7	330		29.01				FM-16		29.98
19	0853	7	BKN:07 20	10.00		82	27.8	75	23.9	72	22.2	72	6	320		29.01			29.96	FM-15	0.00	29.98
19	0953	7	BKN:07 22	10.00		83	28.3	76	24.4	73	22.8	72	7	360		29.01	8	+0.01	29.95	FM-15	0.00	29.98
19	1053	7	BKN:07 27	10.00		83	28.3	76	24.4	73	22.8	72	5	VRB		29.01			29.95	FM-15	0.00	29.98
19	1153	7	BKN:07 27	10.00		85	29.4	77	24.7	73	22.8	68	7	340		29.00			29.93	FM-15	0.00	29.97
19	1253	7	BKN:07 29 BKN:07 40	10.00		84	28.9	76	24.6	73	22.8	70	7	360		28.98	8	+0.03	29.92	FM-15	0.00	29.95
19	1353	7	SCT:04 24	10.00		83	28.3	77	24.8	74	23.3	74	10	020		28.95			29.89	FM-15	0.00	29.92
19	1446	7	SCT:04 24	10.00		81	27.2	76	24.5	74	23.3	79	9	020		28.96				FM-16		29.93
19	1453	7	SCT:04 26 BKN:07 32 BKN:07 50	10.00		81	27.2	75	24.1	73	22.8	77	8	020		28.96			29.90	FM-15	0.00	29.93
19	1503	7	SCT:04 28 SCT:04 50 BKN:07 70	10.00	VCTS:7 ||	80	26.7	75	24.0	73	22.8	79	7	020		28.96				FM-16		29.93
19	1531	7	SCT:04 28 SCT:04 50 BKN:07 70	10.00		81	27.2	75	24.1	73	22.8	77	7	050		28.96				FM-16		29.93
19	1541	7	SCT:04 28 SCT:04 50 BKN:07 70	10.00	VCTS:7 ||	81	27.2	75	24.1	73	22.8	77	7	010		28.96				FM-16		29.93
19	1553	7	FEW:02 29 SCT:04 39	10.00	VCTS:7 ||	81	27.2	75	24.1	73	22.8	77	5	030		28.96	5	+0.01	29.90	FM-15	0.00	29.93
19	1614	7	FEW:02 29 SCT:04 39	10.00	TS:7 |TS TS |	78	25.6	74	23.3	72	22.2	82	13	280		28.96				FM-16		29.93
19	1620	7	FEW:02 29 SCT:04 39	7.00	TS:7 -RA:02 |RA TS TS |RA	77	25.0	74	23.5	73	22.8	88	11	280		28.97				FM-16	0.01	29.94
19	1635	7	SCT:04 22 BKN:07 40 OVC:08 95	7.00	TS:7 -RA:02 |RA TS TS |RA	75	23.9	74	23.1	73	22.8	94	7	290		28.96				FM-16	0.08	29.93

19	1653	7	FEW:02 25 SCT:04 33 BKN:07 110	10.00	-RA:02 |RA |RA	78	25.6	75	24.0	74	23.3	87	6	330		28.96			29.91	FM-15	0.08	29.93
19	1753	7	FEW:02 29 BKN:07 100 OVC:08 120	10.00	-RA:02 |RA |RA	79	26.1	76	24.2	74	23.3	85	6	330		28.96			29.91	FM-15	0.01	29.93
19	1853	7	SCT:04 27 BKN:07 35 OVC:08 60	10.00		76	24.4	73	22.9	72	22.2	88	8	320		28.99	3	-0.03	29.93	FM-15	T	29.96
19	1953	7	CLR:00	10.00		74	23.3	72	22.2	71	21.7	91	0	000		28.96			29.90	FM-15	0.01	29.93
19	2053	7	CLR:00	10.00		73	22.8	72	22.0	71	21.7	94	0	000		28.96			29.91	FM-15	T	29.93
19	2153	7	CLR:00	10.00		72	22.2	71	21.9	71	21.7	97	0	000		28.96	6	+0.03	29.90	FM-15	0.00	29.93
19	2253	7	CLR:00	8.00		71	21.7	71	21.7	71	21.7	100	0	000		28.95			29.90	FM-15	0.00	29.92
19	2353	7	CLR:00	10.00		73	22.8	72	22.0	71	21.7	94	6	180		28.94			29.88	FM-15	0.00	29.91
20	0053	7	FEW:02 32	10.00		71	21.7	70	21.3	70	21.1	96	5	340		28.94	5	+0.01	29.89	FM-15	0.00	29.91
20	0145	7	BKN:07 15	8.00		70	21.1	70	21.1	70	21.1	100	0	000		28.94				FM-16		29.91
20	0153	7	BKN:07 16 BKN:07 24 BKN:07 60	9.00		71	21.7	70	21.3	70	21.1	96	0	000		28.93			29.88	FM-15	0.00	29.90
20	0209	7	FEW:02 17 SCT:04 22 BKN:07 55	10.00		71	21.7	70	21.3	70	21.1	96	0	000		28.92				FM-16		29.89
20	0253	7	FEW:02 10 SCT:04 60	10.00		71	21.7	70	21.3	70	21.1	96	0	000		28.92			29.86	FM-15	0.00	29.89
20	0353	7	CLR:00	9.00		71	21.7	70	21.3	70	21.1	96	5	210		28.91	6	+0.03	29.86	FM-15	0.00	29.88
20	0453	7	FEW:02 42 SCT:04 49 BKN:07 85	7.00		71	21.7	70	21.3	70	21.1	96	0	000		28.92			29.87	FM-15	0.00	29.89
20	0519	7	SCT:04 5 SCT:04 60	5.00	BR:1 ||	71	21.7	70	20.9	69	20.6	94	0	000		28.92				FM-16		29.89
20	0532	7	BKN:07 6 BKN:07 65	4.00	BR:1 ||	71	21.7	70	21.3	70	21.1	96	0	000		28.93				FM-16		29.90
20	0553	7	BKN:07 6 BKN:07 75	5.00	BR:1 ||	72	22.2	71	21.9	71	21.7	97	3	210		28.94			29.88	FM-15	0.00	29.91
20	0623	7	SCT:04 6	5.00	BR:1 ||	72	22.2	71	21.9	71	21.7	97	5	220		28.93				FM-16		29.90
20	0653	7	SCT:04 95	8.00		74	23.3	72	22.2	71	21.7	91	7	230		28.93	0	-0.01	29.88	FM-15	0.00	29.90
20	0753	7	OVC:08 100	10.00		74	23.3	71	21.8	70	21.1	88	7	230		28.92			29.87	FM-15	0.00	29.89
20	0853	7	FEW:02 14 BKN:07 95 BKN:07 120	10.00		75	23.9	72	22.0	70	21.1	84	8	240		28.92			29.87	FM-15	0.00	29.89
20	0921	7	BKN:07 15 BKN:07 100	10.00		76	24.4	73	22.6	71	21.7	85	9	270		28.92				FM-16		29.89
20	0953	7	BKN:07 17	10.00		77	25.0	73	22.7	71	21.7	82	8	260		28.91	6	+0.02	29.86	FM-15	0.00	29.88
20	1053	7	BKN:07 19	10.00		80	26.7	74	23.2	71	21.7	74	7	260		28.90			29.84	FM-15	0.00	29.87
20	1151	6	SCT:04 27	10.00		82	28.0	74	23.2	70	21.0	66	9	300		28.90				FM-16		29.86
20	1153	7	BKN:07 27 BKN:07 30	10.00		82	27.8	74	23.6	71	21.7	69	9	290		28.90			29.83	FM-15	0.00	29.86
20	1200	7	BKN:07 27 BKN:07 30	10.00		83	28.3	75	23.7	71	21.7	67	8	VRB		28.90				FM-16		29.86
20	1251	6	BKN:07 30	10.00		84	29.0	74	23.5	70	21.0	62	11	240		28.87				FM-16		29.84
20	1253	7	BKN:07 30	10.00		84	28.9	75	23.9	71	21.7	65	11	230		28.87	8	+0.04	29.81	FM-15	0.00	29.84
20	1321	7	BKN:07 30	10.00		84	28.9	75	23.9	71	21.7	65	13	260	20	28.87				FM-16		29.83
20	1353	7	BKN:07 36	10.00		83	28.3	73	23.0	69	20.6	63	15	230		28.84			29.79	FM-15	0.00	29.81
20	1411	7	BKN:07 36	10.00	VCTS:7 |TS |	85	29.4	75	24.0	71	21.7	63	10	250		28.84				FM-16		29.81
20	1423	7	BKN:07 36	10.00	VCTS:7 ||	84	28.9	75	23.9	71	21.7	65	10	300		28.84				FM-16		29.81
20	1453	7	BKN:07 36	10.00	VCTS:7 ||	81	27.2	74	23.4	71	21.7	72	10	340		28.84			29.78	FM-15	0.00	29.81
20	1534	7	BKN:07 36	10.00	VCTS:7 -RA:02 |RA |RA	79	26.1	76	24.2	74	23.3	85	7	290		28.84				FM-16	0.03	29.80
20	1553	7	FEW:02 37 SCT:04 85 BKN:07 110	10.00	VCTS:7 ||	80	26.7	74	23.6	72	22.2	76	5	250		28.83	6	+0.04	29.76	FM-15	0.03	29.79
20	1625	7	FEW:02 20 SCT:04 41	10.00		79	26.1	76	24.2	74	23.3	85	10	030		28.83				FM-16		29.79

20	1639	7	FEW:02 20 SCT:04 41	10.00		79	26.1	76	24.2	74	23.3	85	7	040		28.84				FM-16		29.80
20	1653	7	FEW:02 20 SCT:04 41	10.00		81	27.2	76	24.5	74	23.3	79	7	020		28.84			29.77	FM-15	0.00	29.80
20	1753	7	BKN:07 36 BKN:07 44 BKN:07 90	10.00		81	27.2	74	23.4	71	21.7	72	9	330		28.82			29.75	FM-15	T	29.78
20	1853	7	SCT:04 75	10.00		76	24.4	72	22.2	70	21.1	82	8	340		28.84	3	-0.01	29.78	FM-15	T	29.80
20	1953	7	FEW:02 14	10.00		75	23.9	72	22.4	71	21.7	88	9	360		28.84			29.79	FM-15	0.00	29.81
20	2053	7	FEW:02 90	10.00		72	22.2	71	21.5	70	21.1	94	5	350		28.87			29.82	FM-15	0.00	29.84
20	2120	7	FEW:02 9 BKN:07 39 BKN:07 55	10.00		74	23.3	72	22.2	71	21.7	91	6	340		28.89				FM-16		29.85
20	2153	7	SCT:04 9 OVC:08 40	7.00		73	22.8	72	22.0	71	21.7	94	7	360		28.90	3	-0.06	29.84	FM-15	0.00	29.86
20	2253	7	CLR:00	9.00		70	21.1	68	20.0	67	19.4	90	6	350		28.90			29.84	FM-15	0.00	29.86
20	2353	7	CLR:00	8.00		68	20.0	67	19.3	66	18.9	93	5	360		28.89			29.83	FM-15	0.00	29.85
21	0053	7	CLR:00	7.00		67	19.4	66	18.7	65	18.3	93	5	340		28.89	6	+0.02	29.82	FM-15	0.00	29.85
21	0153	7	CLR:00	7.00		66	18.9	65	18.2	64	17.8	93	3	350		28.87			29.82	FM-15	0.00	29.84
21	0253	7	OVC:08 43	7.00		66	18.9	65	18.2	64	17.8	93	3	330		28.87			29.81	FM-15	0.00	29.83
21	0305	7	SCT:04 7 BKN:07 35 OVC:08 46	7.00		66	18.9	65	18.2	64	17.8	93	3	350		28.87				FM-16		29.83
21	0321	7	BKN:07 6 OVC:08 35	6.00	BR:1 ||	66	18.9	65	18.2	64	17.8	93	6	020		28.87				FM-16		29.83
21	0346	7	SCT:04 6 OVC:08 31	6.00	BR:1 ||	66	18.9	65	18.2	64	17.8	93	8	020		28.87				FM-16		29.83
21	0353	7	SCT:04 6 OVC:08 31	6.00	BR:1 ||	65	18.3	64	18.0	64	17.8	97	7	020		28.87	6	+0.01	29.81	FM-15	0.00	29.83
21	0411	7	BKN:07 5 OVC:08 30	6.00	BR:1 ||	65	18.3	64	18.0	64	17.8	97	6	010		28.87				FM-16		29.84
21	0432	7	OVC:08 4	5.00	BR:1 ||	65	18.3	64	18.0	64	17.8	97	7	020		28.87				FM-16		29.84
21	0453	7	OVC:08 4	4.00	BR:1 ||	65	18.3	64	18.0	64	17.8	97	5	010		28.87			29.82	FM-15	0.00	29.84
21	0515	7	OVC:08 5	4.00	BR:1 ||	66	18.9	65	18.2	64	17.8	93	6	020		28.87				FM-16		29.84
21	0543	7	FEW:02 5 BKN:07 10 OVC:08 29	6.00	BR:1 ||	66	18.9	64	17.5	62	16.7	87	7	060		28.89				FM-16		29.85
21	0551	7	FEW:02 7 OVC:08 29	7.00		66	19.0	64	17.9	63	17.0	88	7	070		28.89				FM-16		29.85
21	0553	7	FEW:02 10 OVC:08 29	7.00		66	18.9	64	17.5	62	16.7	87	6	060		28.89			29.83	FM-15	0.00	29.85
21	0637	7	OVC:08 30	7.00		66	18.9	64	17.5	62	16.7	87	7	070		28.89				FM-16		29.85
21	0653	7	OVC:08 30	9.00		66	18.9	63	17.2	61	16.1	84	8	070		28.89	0	-0.00	29.83	FM-15	0.00	29.85
21	0753	7	OVC:08 33	10.00		67	19.4	63	17.1	60	15.6	79	6	070		28.90			29.84	FM-15	0.00	29.86
21	0853	7	BKN:07 34 BKN:07 44	10.00		69	20.6	64	17.8	61	16.1	76	7	080		28.87			29.83	FM-15	0.00	29.84
21	0951	6	BKN:07 18 OVC:08 30	10.00		72	22.0	66	19.1	63	17.0	73	7	070		28.87				FM-16		29.84
21	0953	7	BKN:07 18 OVC:08 30	10.00		71	21.7	66	18.9	63	17.2	76	7	070		28.87	8	+0.01	29.82	FM-15	T	29.84
21	1053	7	OVC:08 20	10.00		72	22.2	67	19.4	64	17.8	76	8	110		28.87			29.82	FM-15	0.00	29.84
21	1145	7	FEW:02 19 SCT:04 25 OVC:08 31	10.00		73	22.8	68	20.3	66	18.9	79	7	090		28.86				FM-16		29.82
21	1153	7	FEW:02 25 OVC:08 31	10.00		73	22.8	68	19.9	65	18.3	76	8	090		28.86			29.80	FM-15	0.00	29.82
21	1219	7	BKN:07 20 OVC:08 30	10.00		73	22.8	68	19.9	65	18.3	76	9	080		28.84				FM-16		29.81
21	1253	7	OVC:08 18	10.00		73	22.8	68	20.3	66	18.9	79	8	080		28.84	8	+0.04	29.78	FM-15	T	29.80
21	1353	7	OVC:08 19	3.00	RA:02 BR:1 |RA |RA	72	22.2	69	20.8	68	20.0	87	6	140		28.83			29.78	FM-15	0.07	29.79
21	1359	7	OVC:08 20	2.50	RA:02 BR:1 |RA |RA	71	21.7	69	20.6	68	20.0	90	3	120		28.83				FM-16	0.02	29.79

21	1451	7	FEW:02 4 BKN:07 30 OVC:08 37	2.50	+RA:02 BR:1 |RA |RA	70	21.0	70	21.1	70	21.0	100	8	080		28.83				FM-16	0.33	29.79
21	1453	7	SCT:04 24 BKN:07 30 OVC:08 42	2.50	+RA:02 BR:1 |RA |RA	70	21.1	69	20.7	69	20.6	97	9	090		28.83			29.77	FM-15	0.36	29.79
21	1458	7	FEW:02 5 BKN:07 33 OVC:08 41	1.50	+RA:02 BR:1 |RA |RA	70	21.1	69	20.4	68	20.0	93	8	100		28.82				FM-16	0.02	29.78
21	1508	7	SCT:04 15 BKN:07 23 OVC:08 38	1.50	+RA:02 BR:1 |RA |RA	70	21.1	69	20.4	68	20.0	93	9	090		28.82				FM-16	0.07	29.78
21	1516	7	FEW:02 9 BKN:07 15 OVC:08 38	1.50	+RA:02 BR:1 |RA |RA	69	20.6	68	20.2	68	20.0	96	11	090		28.82				FM-16	0.13	29.78
21	1553	7	FEW:02 16 BKN:07 27 OVC:08 48	1.50	RA:02 BR:1 |RA |RA	69	20.6	68	20.2	68	20.0	96	9	090		28.81	8	+0.02	29.75	FM-15	0.35	29.77
21	1556	7	FEW:02 7 BKN:07 25 OVC:08 48	2.00	RA:02 BR:1 |RA |RA	69	20.6	68	20.2	68	20.0	96	8	090		28.81				FM-16	0.01	29.77
21	1606	7	BKN:07 25 OVC:08 40	3.00	-RA:02 BR:1 |RA |RA	69	20.6	68	20.2	68	20.0	96	10	080		28.81				FM-16	0.02	29.77
21	1616	7	SCT:04 25 BKN:07 34 OVC:08 75	2.50	RA:02 BR:1 |RA |RA	69	20.6	68	20.2	68	20.0	96	8	090		28.81				FM-16	0.05	29.77
21	1629	7	BKN:07 27 BKN:07 38 OVC:08 49	2.50	RA:02 BR:1 |RA |RA	69	20.6	68	20.2	68	20.0	96	9	090		28.81				FM-16	0.10	29.77
21	1649	7	FEW:02 8 BKN:07 20 OVC:08 25	2.50	+RA:02 BR:1 |RA |RA	70	21.0	69	20.4	68	20.0	94	7	110		28.82				FM-16	0.20	29.78
21	1653	7	FEW:02 8 BKN:07 20 OVC:08 27	1.50	+RA:02 BR:1 |RA |RA	69	20.6	68	20.2	68	20.0	96	8	110		28.82			29.76	FM-15	0.29	29.78
21	1728	7	FEW:02 20 BKN:07 36 OVC:08 47	1.50	+RA:02 BR:1 |RA |RA	69	20.6	68	20.2	68	20.0	96	6	090		28.81				FM-16	0.36	29.77
21	1737	7	FEW:02 6 BKN:07 33 OVC:08 47	1.50	RA:02 BR:1 |RA |RA	69	20.6	68	20.2	68	20.0	96	8	120		28.81				FM-16	0.40	29.77
21	1745	7	FEW:02 6 BKN:07 21 OVC:08 36	1.50	+RA:02 BR:1 |RA |RA	69	20.6	68	20.2	68	20.0	96	9	100		28.82				FM-16	0.48	29.78
21	1753	7	FEW:02 6 BKN:07 19 OVC:08 31	1.50	+RA:02 BR:1 |RA |RA	69	20.6	68	19.8	67	19.4	93	6	080		28.82			29.76	FM-15	0.63	29.78
21	1806	7	BKN:07 9 OVC:08 19	1.25	+RA:02 BR:1 |RA |RA	68	20.0	68	20.0	68	20.0	100	3	070		28.82				FM-16	0.10	29.78
21	1831	7	SCT:04 6 BKN:07 10 OVC:08 43	1.50	+RA:02 BR:1 |RA |RA	68	20.0	67	19.6	67	19.4	96	13	080		28.81				FM-16	0.27	29.77
21	1841	7	SCT:04 8 SCT:04 25 OVC:08 36	1.75	+RA:02 BR:1 |RA |RA	68	20.0	67	19.6	67	19.4	96	13	080		28.81				FM-16	0.33	29.77
21	1847	7	FEW:02 6 BKN:07 27 OVC:08 43	2.00	+RA:02 BR:1 |RA |RA	68	20.0	67	19.3	66	19.0	94	11	080		28.81				FM-16	0.35	29.77
21	1853	7	FEW:02 6 BKN:07 27 OVC:08 36	3.00	RA:02 BR:1 |RA |RA	68	20.0	67	19.6	67	19.4	96	10	090		28.81	8	+0.01	29.75	FM-15	0.31	29.77
21	1909	7	SCT:04 24 SCT:04 38 OVC:08 60	4.00	RA:02 BR:1 |RA |RA	69	20.6	68	20.2	68	20.0	96	13	070		28.81				FM-16	0.03	29.77

21	1931	7	FEW:02 7 BKN:07 26 OVC:08 60	8.00	-RA:02 |RA |RA	69	20.6	68	20.2	68	20.0	96	9	080		28.81				FM-16	0.05	29.77
21	1953	7	FEW:02 9 OVC:08 26	5.00	-RA:02 BR:1 |RA |RA	69	20.6	68	20.2	68	20.0	96	9	090		28.81			29.75	FM-15	0.06	29.77
21	2029	7	BKN:07 14 BKN:07 30 OVC:08 45	9.00	-RA:02 |RA |RA	69	20.6	68	20.2	68	20.0	96	7	080		28.81				FM-16	0.01	29.77
21	2053	7	OVC:08 11	8.00	-RA:02 |RA |RA	69	20.6	68	20.2	68	20.0	96	8	080		28.81			29.75	FM-15	0.01	29.77
21	2118	7	SCT:04 11 BKN:07 85 OVC:08 110	7.00		68	20.0	67	19.6	67	19.4	96	6	070		28.81				FM-16	T	29.77
21	2151	6	BKN:07 11 OVC:08 90	6.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	6	070		28.82				FM-16		29.78
21	2153	7	BKN:07 11 OVC:08 90	6.00	BR:1 ||	68	20.0	68	20.0	68	20.0	100	6	080		28.82	3	-0.01	29.76	FM-15	T	29.78
21	2253	7	BKN:07 11 OVC:08 18	8.00		69	20.6	68	20.2	68	20.0	96	6	060		28.82			29.76	FM-15	0.00	29.78
21	2305	7	SCT:04 12 SCT:04 18 OVC:08 28	8.00		69	20.6	68	20.2	68	20.0	96	6	050		28.82				FM-16		29.78
21	2331	7	BKN:07 14 BKN:07 22 OVC:08 26	8.00		69	20.6	68	20.2	68	20.0	96	7	050		28.81				FM-16		29.77
21	2345	7	BKN:07 16 OVC:08 22	7.00		69	20.6	68	20.2	68	20.0	96	5	060		28.81				FM-16		29.77
21	2353	7	BKN:07 16 OVC:08 21	7.00		69	20.6	68	20.2	68	20.0	96	6	050		28.81			29.75	FM-15	0.00	29.77
22	0001	7	BKN:07 12 OVC:08 19	8.00		69	20.6	68	20.2	68	20.0	96	6	070		28.81				FM-16		29.77
22	0027	7	FEW:02 10 OVC:08 15	7.00		69	20.6	68	20.2	68	20.0	96	7	070		28.80				FM-16		29.76
22	0039	7	OVC:08 13	7.00		69	20.6	68	20.2	68	20.0	96	7	070		28.80				FM-16		29.76
22	0053	7	BKN:07 10 OVC:08 15	6.00	BR:1 ||	69	20.6	68	20.2	68	20.0	96	7	080		28.80	8	+0.02	29.74	FM-15	0.00	29.76
22	0149	7	SCT:04 10 BKN:07 18 OVC:08 45	5.00	BR:1 ||	70	21.0	69	20.4	68	20.0	94	6	060		28.77				FM-16		29.73
22	0153	7	FEW:02 10 SCT:04 18 OVC:08 45	6.00	BR:1 ||	69	20.6	68	20.2	68	20.0	96	7	060		28.77			29.71	FM-15	0.00	29.73
22	0218	7	SCT:04 10 BKN:07 20 OVC:08 45	6.00	-RA:02 BR:1 |RA |RA	69	20.6	68	20.2	68	20.0	96	7	050		28.77				FM-16	T	29.73
22	0227	7	BKN:07 10 OVC:08 20	7.00		69	20.6	68	20.2	68	20.0	96	7	080		28.77				FM-16	T	29.73
22	0235	7	BKN:07 9 OVC:08 20	6.00	BR:1 ||	69	20.6	68	20.2	68	20.0	96	6	070		28.77				FM-16	T	29.73
22	0251	6	BKN:07 10 OVC:08 20	5.00	BR:1 ||	70	21.0	69	20.4	68	20.0	94	7	080		28.77				FM-16		29.73
22	0253	7	BKN:07 10 OVC:08 20	5.00	BR:1 ||	69	20.6	68	20.2	68	20.0	96	8	080		28.77			29.71	FM-15	T	29.73
22	0303	7	BKN:07 8 BKN:07 12 OVC:08 20	6.00	BR:1 ||	69	20.6	68	20.2	68	20.0	96	8	080		28.77				FM-16		29.73
22	0353	7	BKN:07 7 OVC:08 27	7.00		69	20.6	68	20.2	68	20.0	96	6	080		28.77	5	+0.00	29.71	FM-15	0.02	29.73
22	0453	7	OVC:08 6	8.00		69	20.6	68	20.2	68	20.0	96	6	100		28.78			29.72	FM-15	0.00	29.74
22	0550	7	OVC:08 4	4.00	BR:1 ||	70	21.0	70	21.1	70	21.0	100	6	130		28.78				FM-16		29.74
22	0553	7	OVC:08 4	4.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	7	130		28.78			29.72	FM-15	0.00	29.74
22	0653	7	OVC:08 4	5.00	BR:1 ||	70	21.1	69	20.7	69	20.6	97	6	120		28.78	0	-0.01	29.72	FM-15	0.00	29.74
22	0753	7	OVC:08 4	9.00		71	21.7	70	21.3	70	21.1	96	8	110		28.79			29.73	FM-15	0.00	29.75
22	0801	7	OVC:08 4	9.00		71	21.7	70	21.3	70	21.1	96	8	120		28.79				FM-16		29.75
22	0851	6	OVC:08 5	9.00		72	22.0	71	21.5	70	21.0	94	6	130		28.79				FM-16		29.75

22	0853	7	OVC:08 5	9.00		72	22.2	71	21.5	70	21.1	94	6	120		28.79			29.73	FM-15	0.00	29.75
22	0953	7	FEW:02 7 BKN:07 13 OVC:08 24	9.00		73	22.8	72	22.0	71	21.7	94	6	110		28.78	0	-0.00	29.72	FM-15	0.06	29.74
22	1012	7	SCT:04 13 BKN:07 21 OVC:08 55	4.00	RA:02 BR:1 |RA |RA	73	22.8	72	22.0	71	21.7	94	7	110		28.78				FM-16	0.01	29.74
22	1018	7	SCT:04 12 BKN:07 21 OVC:08 75	1.75	+RA:02 BR:1 |RA |RA	73	22.8	72	22.0	71	21.7	94	7	130		28.78				FM-16	0.05	29.74
22	1030	7	FEW:02 10 BKN:07 35 OVC:08 55	1.25	RA:02 BR:1 |RA |RA	73	22.8	72	22.0	71	21.7	94	6	110		28.77				FM-16	0.13	29.73
22	1034	7	FEW:02 10 BKN:07 21 OVC:08 55	3.00	-RA:02 BR:1 |RA |RA	73	22.8	72	22.0	71	21.7	94	5	120		28.77				FM-16	0.13	29.73
22	1051	6	FEW:02 13 SCT:04 22 BKN:07 33	9.00		73	23.0	72	22.4	72	22.0	94	5	120		28.77				FM-16		29.73
22	1053	7	FEW:02 13 SCT:04 22 BKN:07 35	9.00		73	22.8	72	22.0	71	21.7	94	3	110		28.77			29.71	FM-15	0.13	29.73
22	1126	7	FEW:02 12 BKN:07 20 BKN:07 30	10.00	TS:7 |TS TS |	75	23.9	72	22.4	71	21.7	88	8	230		28.76				FM-16		29.72
22	1134	7	FEW:02 12 SCT:04 20 BKN:07 32	9.00	TS:7 -RA:02 |RA TS TS |RA	72	22.2	69	20.4	67	19.4	84	13	250	22	28.76				FM-16	0.05	29.72
22	1153	7	FEW:02 22 BKN:07 55 OVC:08 100	9.00	TS:7 -RA:02 |RA TS TS |RA	74	23.3	71	21.8	70	21.1	88	5	180		28.76			29.70	FM-15	0.07	29.72
22	1253	7	FEW:02 28 SCT:04 36 BKN:07 60	10.00	TS:7 -RA:02 |RA TS TS |RA	81	27.2	73	23.0	70	21.1	69	13	220		28.75	8	+0.03	29.68	FM-15	T	29.71
22	1353	7	FEW:02 42 SCT:04 50 SCT:04 100	10.00		82	27.8	71	21.9	66	18.9	58	13	190		28.73			29.67	FM-15	T	29.69
22	1453	7	FEW:02 46 FEW:02 60	10.00		83	28.3	71	21.7	65	18.3	55	10	220	17	28.73			29.66	FM-15	0.00	29.69
22	1553	7	FEW:02 75 SCT:04 90	10.00		82	27.8	71	21.9	66	18.9	58	11	220		28.72	6	+0.02	29.66	FM-15	0.00	29.68
22	1653	7	SCT:04 43 SCT:04 55	10.00		81	27.2	71	21.7	66	18.9	61	15	240	22	28.71			29.65	FM-15	0.00	29.67
22	1753	7	CLR:00	10.00		80	26.7	70	21.2	65	18.3	60	7	230		28.73			29.66	FM-15	0.00	29.69
22	1853	7	BKN:07 110	10.00		79	26.1	69	20.7	64	17.8	60	0	000		28.73	3	-0.01	29.67	FM-15	0.00	29.69
22	1953	7	FEW:02 60	10.00		73	22.8	69	20.6	67	19.4	81	7	070		28.73			29.67	FM-15	0.00	29.69
22	2053	7	BKN:07 48 BKN:07 60	10.00	-RA:02 |RA |RA	72	22.2	69	20.8	68	20.0	87	10	100		28.74			29.68	FM-15	T	29.70
22	2153	7	SCT:04 12 BKN:07 45 OVC:08 120	10.00		72	22.2	69	20.8	68	20.0	87	11	140		28.75	3	-0.01	29.68	FM-15	T	29.71
22	2253	7	SCT:04 120	10.00		70	21.1	67	19.3	65	18.3	84	8	170	17	28.74			29.68	FM-15	0.00	29.70
22	2353	7	BKN:07 29	10.00		69	20.6	66	19.1	65	18.3	87	10	180		28.75			29.69	FM-15	0.00	29.71
23	0008	7	FEW:02 22 FEW:02 26 BKN:07 32	10.00		69	20.6	66	18.8	64	17.8	84	10	190		28.75				FM-16		29.71
23	0053	7	BKN:07 32 BKN:07 120	10.00		68	20.0	65	18.6	64	17.8	87	10	190		28.74	8	+0.00	29.68	FM-15	0.00	29.70
23	0153	7	SCT:04 15 BKN:07 110	10.00		68	20.0	66	18.9	65	18.3	90	9	190		28.73			29.67	FM-15	0.00	29.69
23	0232	7	BKN:07 10	10.00		68	20.0	66	18.9	65	18.3	90	8	180		28.74				FM-16		29.70
23	0250	7	OVC:08 9	10.00		68	20.0	65	18.6	64	18.0	88	8	190		28.73				FM-16		29.69
23	0253	7	OVC:08 9	10.00		68	20.0	66	18.9	65	18.3	90	7	180		28.73			29.67	FM-15	0.00	29.69
23	0316	7	OVC:08 11	10.00		68	20.0	66	18.9	65	18.3	90	9	180		28.74				FM-16		29.70

23	0353	7	BKN:07 10 BKN:07 16 OVC:08 27	10.00		68	20.0	66	18.9	65	18.3	90	9	180		28.74	3	-0.01	29.68	FM-15	0.00	29.70
23	0401	7	SCT:04 11 OVC:08 29	10.00		68	20.0	66	18.9	65	18.3	90	8	190		28.75				FM-16		29.71
23	0416	7	BKN:07 31	10.00		68	20.0	66	18.9	65	18.3	90	8	200		28.74				FM-16		29.70
23	0446	7	BKN:07 13 BKN:07 31 OVC:08 120	10.00		68	20.0	66	18.9	65	18.3	90	11	200		28.75				FM-16		29.71
23	0453	7	BKN:07 13 OVC:08 120	10.00		68	20.0	66	18.9	65	18.3	90	9	210		28.76			29.70	FM-15	0.00	29.72
23	0553	7	BKN:07 12 BKN:07 100	8.00		68	20.0	66	18.9	65	18.3	90	11	210		28.77			29.70	FM-15	0.00	29.73
23	0623	7	SCT:04 11 BKN:07 100	8.00		68	20.0	66	18.9	65	18.3	90	10	200		28.78				FM-16		29.74
23	0651	6	BKN:07 13	10.00		70	21.0	66	19.0	64	18.0	83	13	220	18	28.79				FM-16		29.75
23	0653	7	BKN:07 15	10.00		69	20.6	66	19.1	65	18.3	87	11	220	18	28.79	3	-0.05	29.73	FM-15	0.00	29.75
23	0751	6	SCT:04 18 BKN:07 30 OVC:08 41	10.00		70	21.0	66	19.0	64	18.0	83	15	230	23	28.79				FM-16		29.75
23	0753	7	SCT:04 18 SCT:04 26 OVC:08 43	10.00		70	21.1	66	19.0	64	17.8	82	14	240	23	28.79			29.73	FM-15	0.00	29.75
23	0816	7	BKN:07 18 BKN:07 24 OVC:08 43	10.00		70	21.1	66	19.0	64	17.8	82	13	220	22	28.79				FM-16		29.75
23	0851	6	SCT:04 19 BKN:07 32 OVC:08 50	10.00		72	22.0	67	19.4	64	18.0	78	11	230		28.80				FM-16		29.76
23	0853	7	FEW:02 19 BKN:07 32 OVC:08 50	10.00		71	21.7	67	19.2	64	17.8	79	10	230		28.80			29.74	FM-15	0.00	29.76
23	0915	7	SCT:04 21 BKN:07 29 OVC:08 55	10.00		70	21.1	66	19.0	64	17.8	82	13	230		28.80				FM-16	T	29.76
23	0953	7	BKN:07 19 OVC:08 50	10.00		70	21.1	66	19.0	64	17.8	82	13	230		28.80	3	-0.01	29.75	FM-15	T	29.76
23	1051	6	SCT:04 26 SCT:04 50 BKN:07 60	10.00		73	23.0	67	19.6	64	18.0	74	13	260		28.81				FM-16		29.77
23	1053	7	BKN:07 26 BKN:07 60	10.00		73	22.8	67	19.6	64	17.8	74	13	260		28.81			29.75	FM-15	0.00	29.77
23	1126	7	BKN:07 26 BKN:07 60	8.00	-RA:02 |RA |RA	72	22.2	68	19.7	65	18.3	79	11	250	20	28.81				FM-16	0.01	29.77
23	1153	7	BKN:07 26 BKN:07 70	8.00	-RA:02 |RA |RA	71	21.7	67	19.5	65	18.3	81	9	250		28.82			29.76	FM-15	0.05	29.78
23	1251	6	SCT:04 65 BKN:07 80	10.00		73	23.0	68	20.3	66	19.0	78	10	260		28.80				FM-16		29.76
23	1253	7	SCT:04 65 BKN:07 80	10.00		74	23.3	69	20.4	66	18.9	76	10	260		28.81	0	-0.00	29.75	FM-15	0.01	29.77
23	1353	7	SCT:04 32 BKN:07 75 BKN:07 90	10.00		77	25.0	70	21.0	66	18.9	69	10	250	21	28.80			29.74	FM-15	0.00	29.76
23	1453	7	FEW:02 36 SCT:04 45 OVC:08 80	10.00		77	25.0	69	20.3	64	17.8	64	14	240		28.81			29.75	FM-15	0.00	29.77
23	1553	7	BKN:07 34 BKN:07 44 OVC:08 85	10.00		76	24.4	69	20.5	65	18.3	69	13	230		28.81	3	-0.00	29.75	FM-15	0.00	29.77
23	1653	7	FEW:02 32 SCT:04 39 OVC:08 80	10.00		78	25.6	70	21.2	66	18.9	67	11	240		28.81			29.75	FM-15	0.00	29.77
23	1753	7	SCT:04 40 BKN:07 80	10.00		77	25.0	69	20.3	64	17.8	64	14	230		28.82			29.76	FM-15	0.00	29.78

23	1853	7	FEW:02 33 FEW:02 50 BKN:07 70	10.00		75	23.9	69	20.3	65	18.3	71	10	230		28.83	3	-0.02	29.77	FM-15	0.00	29.79
23	1953	7	OVC:08 70	10.00		74	23.3	68	20.1	65	18.3	74	10	220		28.84			29.78	FM-15	0.00	29.80
23	2053	7	OVC:08 70	10.00		73	22.8	68	19.9	65	18.3	76	7	250		28.84			29.79	FM-15	0.00	29.81
23	2153	7	OVC:08 70	10.00		73	22.8	67	19.6	64	17.8	74	9	260		28.86	1	-0.03	29.80	FM-15	0.00	29.82
23	2253	7	OVC:08 70	10.00		71	21.7	67	19.2	64	17.8	79	6	260		28.86			29.80	FM-15	0.00	29.82
23	2353	7	OVC:08 75	10.00		71	21.7	66	18.9	63	17.2	76	7	240		28.87			29.82	FM-15	0.00	29.84
24	0053	7	OVC:08 80	10.00		70	21.1	66	19.0	64	17.8	82	6	240		28.87	3	-0.03	29.83	FM-15	0.00	29.84
24	0153	7	OVC:08 80	10.00		70	21.1	66	19.0	64	17.8	82	7	250		28.89			29.83	FM-15	0.00	29.85
24	0253	7	OVC:08 80	10.00		69	20.6	66	18.8	64	17.8	84	6	250		28.89			29.83	FM-15	0.00	29.85
24	0353	7	FEW:02 60 OVC:08 85	10.00		68	20.0	65	18.6	64	17.8	87	7	230		28.89	1	-0.01	29.83	FM-15	0.00	29.85
24	0453	7	FEW:02 85	10.00		66	18.9	64	17.9	63	17.2	90	6	240		28.90			29.84	FM-15	0.00	29.86
24	0553	7	FEW:02 21	8.00		66	18.9	65	18.2	64	17.8	93	3	240		28.90			29.85	FM-15	0.00	29.87
24	0653	7	FEW:02 22	10.00		69	20.6	66	19.1	65	18.3	87	7	270		28.93	3	-0.04	29.88	FM-15	0.00	29.90
24	0753	7	CLR:00	10.00		71	21.7	67	19.2	64	17.8	79	8	290		28.92			29.87	FM-15	0.00	29.89
24	0853	7	FEW:02 22	10.00		73	22.8	67	19.3	63	17.2	71	3	240		28.94			29.88	FM-15	0.00	29.91
24	0953	7	FEW:02 29	10.00		75	23.9	67	19.6	63	17.2	66	8	260		28.95	3	-0.02	29.90	FM-15	0.00	29.92
24	1053	7	FEW:02 34 SCT:04 40 SCT:04 49	10.00		78	25.6	69	20.5	64	17.8	62	13	300	17	28.96			29.91	FM-15	0.00	29.93
24	1153	7	FEW:02 42 FEW:02 49	10.00		79	26.1	69	20.7	64	17.8	60	14	280	21	28.96			29.91	FM-15	0.00	29.93
24	1253	7	FEW:02 44	10.00		80	26.7	68	20.2	62	16.7	54	15	290	22	28.96	1	-0.01	29.91	FM-15	0.00	29.93
24	1353	7	FEW:02 49	10.00		82	27.8	70	20.9	63	17.2	53	14	300	21	28.97			29.91	FM-15	0.00	29.94
24	1453	7	SCT:04 55	10.00		82	27.8	69	20.6	62	16.7	51	14	260	22	28.98			29.92	FM-15	0.00	29.95
24	1553	7	BKN:07 55	10.00		80	26.7	68	19.9	61	16.1	52	9	320	20	28.98	1	-0.01	29.93	FM-15	0.00	29.95
24	1653	7	SCT:04 50 BKN:07 70	10.00		80	26.7	68	20.2	62	16.7	54	8	330		28.98			29.93	FM-15	0.00	29.95
24	1753	7	FEW:02 60	10.00		81	27.2	69	20.4	62	16.7	53	10	320		28.99			29.93	FM-15	0.00	29.96
24	1853	7	FEW:02 55	10.00		77	25.0	67	19.7	62	16.7	60	6	330		29.00	3	-0.02	29.95	FM-15	0.00	29.97
24	1953	7	FEW:02 60 BKN:07 80	10.00		75	23.9	67	19.6	63	17.2	66	5	360		29.00			29.95	FM-15	0.00	29.97
24	2053	7	SCT:04 50	10.00		73	22.8	67	19.3	63	17.2	71	9	030		29.03			29.98	FM-15	0.00	30.00
24	2153	7	CLR:00	10.00		71	21.7	66	18.9	63	17.2	76	9	020		29.06	3	-0.05	30.01	FM-15	0.00	30.03
24	2253	7	CLR:00	10.00		67	19.4	65	18.1	63	17.2	87	7	020		29.07			30.02	FM-15	0.00	30.04
24	2353	7	CLR:00	10.00		67	19.4	64	17.7	62	16.7	84	6	030		29.09			30.04	FM-15	0.00	30.06
25	0053	7	CLR:00	10.00		66	18.9	64	17.5	62	16.7	87	6	060		29.09	0	-0.03	30.04	FM-15	0.00	30.06
25	0153	7	CLR:00	10.00		65	18.3	62	16.7	60	15.6	84	7	060		29.09			30.04	FM-15	0.00	30.06
25	0253	7	CLR:00	10.00		64	17.8	62	16.4	60	15.6	87	8	050		29.11			30.06	FM-15	0.00	30.08
25	0353	7	CLR:00	10.00		61	16.1	60	15.5	59	15.0	93	5	010		29.13	3	-0.04	30.08	FM-15	0.00	30.10
25	0453	7	CLR:00	10.00		62	16.7	60	15.7	59	15.0	90	3	060		29.13			30.09	FM-15	0.00	30.10
25	0553	7	CLR:00	10.00		63	17.2	62	16.6	61	16.1	93	6	060		29.15			30.10	FM-15	0.00	30.12
25	0653	7	CLR:00	10.00		65	18.3	63	17.0	61	16.1	87	8	060		29.16	3	-0.03	30.11	FM-15	0.00	30.13
25	0753	7	CLR:00	10.00		68	20.0	64	17.6	61	16.1	78	6	070		29.18			30.13	FM-15	0.00	30.15
25	0853	7	CLR:00	10.00		71	21.7	65	18.6	62	16.7	73	8	050		29.19			30.14	FM-15	0.00	30.16
25	0953	7	CLR:00	10.00		73	22.8	66	18.9	62	16.7	69	9	090		29.17	0	-0.01	30.13	FM-15	0.00	30.14
25	1053	7	CLR:00	10.00		76	24.4	68	19.8	63	17.2	64	8	060		29.18			30.13	FM-15	0.00	30.15
25	1153	7	CLR:00	10.00		76	24.4	68	19.8	63	17.2	64	9	050		29.18			30.13	FM-15	0.00	30.15
25	1253	7	CLR:00	10.00		76	24.4	68	19.8	63	17.2	64	9	050		29.18	1	-0.01	30.14	FM-15	0.00	30.15
25	1353	7	SCT:04 38	10.00		77	25.0	68	20.0	63	17.2	62	7	080		29.18			30.13	FM-15	0.00	30.15
25	1453	7	CLR:00	10.00		77	25.0	67	19.4	61	16.1	58	6	VRB		29.16			30.11	FM-15	0.00	30.13
25	1553	7	CLR:00	10.00		78	25.6	67	19.6	61	16.1	56	10	110		29.15	8	+0.03	30.10	FM-15	0.00	30.12
25	1653	7	CLR:00	10.00		79	26.1	68	19.8	61	16.1	54	8	070		29.15			30.10	FM-15	0.00	30.12
25	1753	7	SCT:04 44	10.00		78	25.6	68	20.2	63	17.2	60	10	100		29.14			30.09	FM-15	0.00	30.11
25	1853	7	FEW:02 41	10.00		76	24.4	68	19.8	63	17.2	64	7	100		29.14	7	+0.01	30.09	FM-15	0.00	30.11
25	1953	7	CLR:00	10.00		72	22.2	66	18.8	62	16.7	71	6	080		29.14			30.09	FM-15	0.00	30.11

25	2053	7	CLR:00	10.00		71	21.7	65	18.6	62	16.7	73	3	110		29.15			30.10	FM-15	0.00	30.12
25	2153	7	CLR:00	10.00		69	20.6	65	18.2	62	16.7	78	3	140		29.17	3	-0.02	30.12	FM-15	0.00	30.14
25	2253	7	CLR:00	10.00		67	19.4	64	17.7	62	16.7	84	5	080		29.15			30.10	FM-15	0.00	30.12
25	2353	7	CLR:00	10.00		67	19.4	65	18.1	63	17.2	87	3	090		29.16			30.11	FM-15	0.00	30.13
26	0053	7	CLR:00	10.00		64	17.8	63	17.1	62	16.7	93	5	050		29.18	3	-0.01	30.13	FM-15	0.00	30.15
26	0153	7	CLR:00	10.00		62	16.7	61	16.0	60	15.6	93	0	000		29.17			30.12	FM-15	0.00	30.14
26	0253	7	CLR:00	10.00		63	17.2	61	16.2	60	15.6	90	5	060		29.15			30.10	FM-15	0.00	30.12
26	0353	7	CLR:00	10.00		63	17.2	61	15.9	59	15.0	87	6	060		29.14	6	+0.04	30.09	FM-15	0.00	30.11
26	0453	7	CLR:00	10.00		61	16.1	60	15.5	59	15.0	93	5	020		29.15			30.10	FM-15	0.00	30.12
26	0553	7	CLR:00	10.00		62	16.7	60	15.7	59	15.0	90	5	080		29.15			30.10	FM-15	0.00	30.12
26	0653	7	CLR:00	10.00		66	18.9	62	16.6	59	15.0	78	5	090		29.14	0	-0.00	30.09	FM-15	0.00	30.11
26	0753	7	CLR:00	10.00		70	21.1	64	18.0	61	16.1	73	5	100		29.13			30.08	FM-15	0.00	30.10
26	0853	7	CLR:00	10.00		73	22.8	66	18.9	62	16.7	69	6	130		29.12			30.08	FM-15	0.00	30.09
26	0953	7	CLR:00	10.00		75	23.9	67	19.7	63	17.2	66	3	VRB		29.11	6	+0.03	30.06	FM-15	0.00	30.08
26	1053	7	CLR:00	10.00		78	25.6	69	20.5	64	17.8	62	9	170		29.12			30.07	FM-15	0.00	30.09
26	1153	7	FEW:02 34 SCT:04 55	10.00		81	27.2	70	21.4	65	18.3	58	9	190		29.10			30.05	FM-15	0.00	30.07
26	1253	7	BKN:07 36	10.00		81	27.2	71	21.7	66	18.9	61	5	200		29.09	8	+0.02	30.04	FM-15	0.00	30.06
26	1353	7	SCT:04 45 BKN:07 60 OVC:08 90	10.00		81	27.2	72	22.0	67	19.4	62	10	190		29.06			30.01	FM-15	0.00	30.03
26	1416	7	SCT:04 37 BKN:07 47 OVC:08 60	2.50	RA:02 |RA |RA	69	20.6	66	18.8	64	17.8	84	17	270	30	29.09				FM-16	0.03	30.06
26	1433	7	FEW:02 33 BKN:07 60 OVC:08 70	5.00	-RA:02 BR:1 |RA |RA	68	20.0	66	18.9	65	18.3	90	10	290		29.08				FM-16	0.06	30.05
26	1453	7	FEW:02 55 BKN:07 100 OVC:08 120	6.00	-RA:02 BR:1 |RA |RA	68	20.0	67	19.3	66	18.9	93	8	310		29.07			30.03	FM-15	0.08	30.04
26	1553	7	SCT:04 120	8.00	-RA:02 |RA |RA	68	20.0	67	19.3	66	18.9	93	10	200		29.08	5	+0.01	30.04	FM-15	0.08	30.05
26	1559	7	BKN:07 110	8.00	VCTS:7 -RA:02 |RA |RA	68	20.0	67	19.3	66	18.9	93	10	200		29.08				FM-16	0.01	30.05
26	1606	7	FEW:02 7 BKN:07 110	5.00	VCTS:7 RA:02 BR:1 |RA |RA	68	20.0	67	19.3	66	18.9	93	9	190		29.08				FM-16	0.03	30.05
26	1638	7	FEW:02 7 BKN:07 110	9.00	-RA:02 |RA |RA	68	20.0	67	19.3	66	18.9	93	10	170		29.06				FM-16	0.08	30.03
26	1653	7	FEW:02 7 BKN:07 110	10.00	-RA:02 |RA |RA	68	20.0	67	19.3	66	18.9	93	10	190		29.06			30.02	FM-15	0.08	30.03
26	1753	7	SCT:04 5 BKN:07 110	10.00		67	19.4	66	19.1	66	18.9	97	10	110	22	28.93			29.88	FM-15	T	29.90
26	1802	7	BKN:07 6 BKN:07 110	10.00		67	19.4	66	19.1	66	18.9	97	7	070		28.95				FM-16		29.92
26	1824	7	SCT:04 7 BKN:07 120	10.00		68	20.0	66	18.9	65	18.3	90	5	140		28.95				FM-16		29.92
26	1853	7	FEW:02 7	10.00		68	20.0	67	19.3	66	18.9	93	10	180		28.96	5	+0.12	29.91	FM-15	0.00	29.93
26	1933	7	BKN:07 10	10.00		68	20.0	67	19.3	66	18.9	93	10	190		28.97				FM-16		29.94
26	1940	7	BKN:07 10	10.00		68	20.0	67	19.3	66	18.9	93	9	200		28.97				FM-16		29.94
26	1953	7	BKN:07 10	10.00		68	20.0	67	19.3	66	18.9	93	7	200		28.98			29.94	FM-15	0.00	29.95
26	2004	7	BKN:07 5	10.00		68	20.0	67	19.3	66	18.9	93	9	190		28.99				FM-16		29.96
26	2037	7	FEW:02 7	10.00		67	19.4	66	18.7	65	18.3	93	7	170		28.99				FM-16		29.96
26	2053	7	FEW:02 7	10.00		67	19.4	66	18.7	65	18.3	93	6	180		29.00			29.95	FM-15	0.00	29.97
26	2153	7	SCT:04 8	10.00		67	19.4	66	18.7	65	18.3	93	6	170		29.02	1	-0.06	29.97	FM-15	0.00	29.99
26	2212	7	BKN:07 8	10.00		67	19.4	66	19.1	66	18.9	97	6	160		29.01				FM-16		29.98
26	2253	7	BKN:07 6 OVC:08 14	10.00		67	19.4	66	19.1	66	18.9	97	6	160		28.99			29.94	FM-15	0.00	29.96
26	2353	7	OVC:08 8	10.00		68	20.0	67	19.3	66	18.9	93	6	140		28.97			29.92	FM-15	0.00	29.94
27	0041	7	SCT:04 7	10.00		67	19.4	66	19.1	66	18.9	97	7	160		28.94				FM-16		29.91
27	0053	7	FEW:02 7	10.00		68	20.0	67	19.3	66	18.9	93	9	170		28.94	8	+0.08	29.88	FM-15	0.00	29.91
27	0119	7	BKN:07 6 BKN:07 49	10.00		68	20.0	67	19.3	66	18.9	93	7	160		28.93				FM-16		29.90

27	0153	7	BKN:07 6 OVC:08 44	10.00		68	20.0	67	19.3	66	18.9	93	8	160		28.93			29.88	FM-15	0.00	29.90
27	0227	7	SCT:04 6 OVC:08 44	10.00		68	20.0	67	19.6	67	19.4	96	7	170		28.93				FM-16		29.90
27	0253	7	FEW:02 7 BKN:07 45 BKN:07 100	10.00	-RA:02 |RA |RA	68	20.0	67	19.6	67	19.4	96	8	160		28.91			29.86	FM-15	T	29.88
27	0314	7	FEW:02 8 BKN:07 13 OVC:08 100	9.00	VCTS:7 -RA:02 |RA |RA	68	20.0	67	19.6	67	19.4	96	11	180		28.91				FM-16	T	29.88
27	0322	7	FEW:02 8 BKN:07 13 OVC:08 46	1.75	VCTS:7 +RA:02 BR:1 |RA |RA	68	20.0	67	19.6	67	19.4	96	11	180		28.91				FM-16	0.13	29.88
27	0329	7	FEW:02 7 BKN:07 13 OVC:08 48	3.00	-RA:02 BR:1 |RA |RA	68	20.0	67	19.3	66	18.9	93	10	190		28.91				FM-16	0.14	29.88
27	0335	7	FEW:02 7 BKN:07 15 OVC:08 41	10.00	VCTS:7 -RA:02 |RA |RA	68	20.0	67	19.3	66	18.9	93	10	180		28.92				FM-16	0.14	29.89
27	0344	7	BKN:07 13 OVC:08 48	10.00	VCTS:7 ||	68	20.0	67	19.6	67	19.4	96	6	190		28.92				FM-16	0.14	29.89
27	0353	7	OVC:08 13	10.00	VCTS:7 ||	68	20.0	67	19.6	67	19.4	96	5	190		28.92	5	+0.01	29.88	FM-15	0.14	29.89
27	0400	7	OVC:08 13	10.00		68	20.0	67	19.3	66	18.9	93	7	190		28.92				FM-16		29.89
27	0440	7	OVC:08 17	10.00		68	20.0	67	19.6	67	19.4	96	7	160		28.91				FM-16		29.88
27	0453	7	BKN:07 17 OVC:08 21	10.00		68	20.0	67	19.6	67	19.4	96	7	160		28.91			29.86	FM-15	0.00	29.88
27	0519	7	OVC:08 13	10.00		68	20.0	67	19.6	67	19.4	96	8	170		28.90				FM-16		29.87
27	0528	7	SCT:04 12 OVC:08 18	10.00		68	20.0	67	19.6	67	19.4	96	8	170		28.90				FM-16		29.87
27	0542	7	BKN:07 13 OVC:08 18	10.00		68	20.0	67	19.6	67	19.4	96	8	180		28.90				FM-16		29.87
27	0553	7	OVC:08 12	10.00		68	20.0	67	19.6	67	19.4	96	8	190		28.91			29.86	FM-15	0.00	29.88
27	0653	7	OVC:08 12	10.00		69	20.6	68	19.8	67	19.4	93	9	200		28.92	5	+0.01	29.87	FM-15	0.00	29.89
27	0753	7	BKN:07 11 OVC:08 20	10.00		70	21.1	69	20.4	68	20.0	93	10	210		28.91			29.86	FM-15	0.01	29.88
27	0841	7	OVC:08 15	10.00		71	21.7	68	20.2	67	19.4	87	17	230	23	28.90				FM-16		29.87
27	0853	7	OVC:08 16	10.00		71	21.7	68	20.2	67	19.4	87	14	230		28.90			29.86	FM-15	0.00	29.87
27	0953	7	BKN:07 18 BKN:07 26 OVC:08 32	10.00		73	22.8	69	20.6	67	19.4	81	14	230	21	28.90	8	+0.02	29.85	FM-15	0.00	29.86
27	1051	6	FEW:02 23 SCT:04 30 OVC:08 35	10.00		75	24.0	69	20.6	66	19.0	74	15	240		28.90				FM-16		29.86
27	1053	7	FEW:02 23 SCT:04 30 OVC:08 35	10.00		75	23.9	70	21.0	67	19.4	76	11	230		28.89			29.83	FM-15	0.00	29.85
27	1124	7	BKN:07 28 OVC:08 37	10.00		75	23.9	69	20.6	66	18.9	74	17	240	22	28.89				FM-16		29.85
27	1151	6	SCT:04 26 OVC:08 35	10.00		77	25.0	70	21.0	66	19.0	69	15	230		28.89				FM-16		29.85
27	1153	7	SCT:04 26 BKN:07 35 OVC:08 45	10.00		77	25.0	70	21.3	67	19.4	71	15	240		28.89			29.83	FM-15	0.00	29.85
27	1253	7	FEW:02 33 SCT:04 39 BKN:07 65	10.00		79	26.1	71	21.7	67	19.4	67	15	260	25	28.87	8	+0.02	29.81	FM-15	0.00	29.83
27	1353	7	SCT:04 35 SCT:04 43 BKN:07 50	10.00		80	26.7	71	21.9	67	19.4	64	14	250	24	28.84			29.78	FM-15	0.00	29.81
27	1453	6	FEW:02 35	10.00		82	27.8	73	22.5	68	20.0	63	17	240	30	28.82			29.76	FM-15	0.00	29.78
27	1553	6	FEW:02 36 SCT:04 50 BKN:07 80	10.00		78	25.6	72	22.2	69	20.6	74	14	300	26	28.83	5	+0.04	29.76	FM-15	0.00	29.79
27	1653	6	OVC:08 80	10.00		76	24.4	71	21.8	69	20.6	79	11	250		28.82			29.76	FM-15	T	29.78

27	1753	6	FEW:02 100	10.00		78	25.6	71	21.5	67	19.4	69	11	260	23	28.81			29.75	FM-15	0.00	29.77
27	1853	6	OVC:08 90	10.00		78	25.6	71	21.8	68	20.0	71	9	260		28.82	5	+0.00	29.76	FM-15	0.00	29.78
27	1953	6	OVC:08 90	10.00		77	25.0	71	21.7	68	20.0	74	10	260		28.84			29.78	FM-15	0.00	29.80
27	2053	6	SCT:04 90	10.00		74	23.3	69	20.4	66	18.9	76	9	270		28.84			29.79	FM-15	0.00	29.81
27	2153	6	CLR:00	10.00		71	21.7	68	19.9	66	18.9	84	6	280		28.87	3	-0.05	29.82	FM-15	0.00	29.84
27	2253	6	CLR:00	10.00		71	21.7	68	19.9	66	18.9	84	8	280		28.89			29.83	FM-15	0.00	29.85
27	2353	6	CLR:00	10.00		69	20.6	67	19.5	66	18.9	90	6	260		28.90			29.84	FM-15	0.00	29.86
28	0053	6	CLR:00	10.00		69	20.6	67	19.5	66	18.9	90	9	270		28.91	1	-0.04	29.85	FM-15	0.00	29.88
28	0153	6	CLR:00	10.00		68	20.0	67	19.3	66	18.9	93	8	280		28.91			29.85	FM-15	0.00	29.88
28	0253	6	CLR:00	10.00		67	19.4	66	18.7	65	18.3	93	6	290		28.90			29.85	FM-15	0.00	29.87
28	0353	6	CLR:00	10.00		66	18.9	65	18.5	65	18.3	96	7	320		28.90	8	+0.01	29.85	FM-15	0.00	29.87
28	0453	6	CLR:00	10.00		66	18.9	65	18.2	64	17.8	93	6	320		28.92			29.87	FM-15	0.00	29.89
28	0553	7	CLR:00	9.00		66	18.9	65	18.2	64	17.8	93	3	290		28.93			29.88	FM-15	0.00	29.90
28	0653	7	CLR:00	9.00		69	20.6	66	19.1	65	18.3	87	6	290		28.95	1	-0.05	29.90	FM-15	0.00	29.92
28	0753	7	FEW:02 13	10.00		71	21.7	67	19.5	65	18.3	81	7	330		28.96			29.91	FM-15	0.00	29.93
28	0853	7	SCT:04 15	10.00		73	22.8	68	19.9	65	18.3	76	3	340		28.96			29.91	FM-15	0.00	29.93
28	0924	4		10.00		73	23.0			66	19.0	78	3	280						FM-15		29.94
28	0953	7	BKN:07 23	10.00		76	24.4	69	20.8	66	18.9	72	5	330		28.98	3	-0.03	29.93	FM-15	0.00	29.95
28	1053	7	BKN:07 26	10.00		78	25.6	71	21.5	67	19.4	69	6	340		29.00			29.95	FM-15	0.00	29.97
28	1132	7	SCT:04 27 BKN:07 35	10.00		79	26.1	71	21.7	67	19.4	67	3	VRB		29.00				FM-16		29.97
28	1153	7	BKN:07 34	10.00		79	26.1	71	21.7	67	19.4	67	7	310		29.00			29.95	FM-15	0.00	29.97
28	1253	7	FEW:02 33 SCT:04 43	10.00		81	27.2	71	21.7	66	18.9	61	6	290		28.99	0	-0.01	29.94	FM-15	0.00	29.96
28	1353	7	BKN:07 42	10.00		*	*	*	*	*	*	*	5	VRB		28.96				FM-15	0.00	29.93
28	1453	7	FEW:02 41	10.00		82	27.8	71	21.9	66	18.9	58	7	340		28.97			29.91	FM-15	0.00	29.94
28	1553	7	BKN:07 43	10.00		84	28.9	73	22.5	67	19.4	57	6	VRB		28.97	5	+0.01	29.92	FM-15	0.00	29.94
28	1653	7	SCT:04 50	10.00		83	28.3	71	21.7	65	18.3	55	3	300		28.99			29.94	FM-15	0.00	29.96
28	1753	7	FEW:02 47	10.00		83	28.3	72	22.0	66	18.9	57	5	270		28.99			29.94	FM-15	0.00	29.96
28	1853	7	CLR:00	10.00		81	27.2	72	22.0	67	19.4	62	7	280		28.99	0	-0.01	29.93	FM-15	0.00	29.96
28	1953	7	CLR:00	10.00		77	25.0	70	21.3	67	19.4	71	5	280		28.99			29.93	FM-15	0.00	29.96
28	2053	7	CLR:00	10.00		75	23.9	70	21.0	67	19.4	76	3	290		29.00			29.95	FM-15	0.00	29.97
28	2153	7	CLR:00	10.00		76	24.4	71	21.5	68	20.0	77	3	300		29.03	3	-0.04	29.97	FM-15	0.00	30.00
28	2253	7	CLR:00	10.00		71	21.7	68	20.2	67	19.4	87	0	000		29.04			29.99	FM-15	0.00	30.01
28	2353	7	CLR:00	10.00		73	22.8	69	20.6	67	19.4	81	0	000		29.03			29.98	FM-15	0.00	30.00
29	0053	7	CLR:00	10.00		69	20.6	68	19.8	67	19.4	93	0	000		29.04	1	-0.01	29.99	FM-15	0.00	30.01
29	0153	7	CLR:00	10.00		69	20.6	68	19.8	67	19.4	93	0	000		29.05			29.99	FM-15	0.00	30.02
29	0253	6	CLR:00	7.00		67	19.4	66	19.1	66	18.9	97	3	070		29.04			29.98	FM-15	0.00	30.01
29	0353	6	CLR:00	7.00		67	19.4	66	19.1	66	18.9	97	3	070		29.03	8	+0.01	29.98	FM-15	0.00	30.00
29	0450	6	CLR:00	1.75	BR:1 ||	66	19.0	66	18.9	66	19.0	100	0	000		29.05				FM-16		30.02
29	0453	6	CLR:00	0.75	BR:1 ||	65	18.3	65	18.3	65	18.3	100	0	000		29.06			30.01	FM-15	0.00	30.03
29	0514	6	CLR:00	2.00	BR:1 ||	67	19.4	67	19.4	67	19.4	100	0	000		29.07				FM-16		30.04
29	0532	6	CLR:00	1.75	BR:1 ||	66	18.9	66	18.9	66	18.9	100	0	000		29.08				FM-16		30.05
29	0551	6	CLR:00	5.00	BR:1 ||	66	19.0	66	18.9	66	19.0	100	0	000		29.09				FM-16		30.06
29	0553	7	CLR:00	5.00	BR:1 ||	66	18.9	66	18.9	66	18.9	100	0	000		29.09			30.04	FM-15	0.00	30.06
29	0653	7	CLR:00	5.00	BR:1 ||	72	22.2	70	21.1	69	20.6	91	0	000		29.11	1	-0.08	30.06	FM-15	0.00	30.08
29	0753	7	CLR:00	10.00		77	25.0	72	22.4	70	21.1	79	5	VRB		29.11			30.06	FM-15	0.00	30.08
29	0853	6	CLR:00	10.00		80	26.7	73	22.9	70	21.1	71	7	180		29.12			30.07	FM-15	0.00	30.09
29	0953	7	FEW:02 30	10.00		82	27.8	74	23.2	70	21.1	67	9	190		29.12	3	-0.01	30.06	FM-15	0.00	30.09
29	1053	7	FEW:02 35	10.00		84	28.9	74	23.5	70	21.1	63	5	VRB		29.12			30.06	FM-15	0.00	30.09
29	1153	7	SCT:04 38	10.00		85	29.4	75	23.7	70	21.1	61	10	230		29.12			30.06	FM-15	0.00	30.09
29	1253	7	FEW:02 39	10.00		86	30.0	74	23.5	69	20.6	57	6	VRB		29.10	8	+0.02	30.04	FM-15	0.00	30.07
29	1353	7	CLR:00	10.00		87	30.6	74	23.3	68	20.0	53	3	VRB		29.10			30.04	FM-15	0.00	30.07
29	1453	7	CLR:00	10.00		88	31.1	75	23.8	69	20.6	54	3	VRB		29.08			30.03	FM-15	0.00	30.05
29	1553	7	CLR:00	10.00		88	31.1	75	23.8	69	20.6	54	5	150		29.07	8	+0.02	30.02	FM-15	0.00	30.04
29	1653	7	CLR:00	10.00		87	30.6	75	24.0	70	21.1	57	7	210		29.07			30.02	FM-15	0.00	30.04
29	1753	7	CLR:00	10.00		87	30.6	75	23.7	69	20.6	55	10	190		29.07			30.02	FM-15	0.00	30.04

29	1853	7	CLR:00	10.00		85	29.4	73	23.0	68	20.0	57	9	190		29.08	3	-0.00	30.02	FM-15	0.00	30.05
29	1953	7	CLR:00	10.00		83	28.3	73	22.7	68	20.0	61	7	180		29.07			30.01	FM-15	0.00	30.04
29	2053	7	CLR:00	10.00		82	27.8	73	22.9	69	20.6	65	5	170		29.08			30.02	FM-15	0.00	30.05
29	2153	7	CLR:00	10.00		81	27.2	73	22.7	69	20.6	67	6	170		29.09	3	-0.01	30.03	FM-15	0.00	30.06
29	2253	7	CLR:00	10.00		78	25.6	73	22.6	70	21.1	76	5	180		29.10			30.04	FM-15	0.00	30.07
29	2353	7	CLR:00	10.00		77	25.0	72	22.4	70	21.1	79	5	180		29.09			30.04	FM-15	0.00	30.06
30	0053	7	CLR:00	10.00		76	24.4	71	21.9	69	20.6	79	5	180		29.09	8	+0.00	30.03	FM-15	0.00	30.06
30	0153	7	CLR:00	10.00		74	23.3	71	21.5	69	20.6	85	5	180		29.08			30.03	FM-15	0.00	30.05
30	0253	7	CLR:00	9.00		73	22.8	70	21.3	69	20.6	87	3	180		29.08			30.02	FM-15	0.00	30.05
30	0353	7	CLR:00	5.00	BR:1 ||	69	20.6	68	20.2	68	20.0	96	0	000		29.10	3	-0.01	30.04	FM-15	0.00	30.07
30	0451	6	CLR:00	2.50	BR:1 ||	70	21.0	70	21.1	70	21.0	100	0	000		29.10				FM-16		30.07
30	0453	7	CLR:00	2.50	BR:1 ||	70	21.1	69	20.7	69	20.6	97	0	000		29.11			30.05	FM-15	0.00	30.08
30	0504	7	CLR:00	1.25	BR:1 ||	70	21.1	69	20.7	69	20.6	97	3	150		29.11				FM-16		30.08
30	0519	7	CLR:00	2.00	BR:1 ||	69	20.6	68	20.2	68	20.0	96	3	140		29.11				FM-16		30.08
30	0535	7	CLR:00	1.50	BR:1 ||	69	20.6	68	20.2	68	20.0	96	0	000		29.12				FM-16		30.09
30	0553	7	CLR:00	3.00	BR:1 ||	69	20.6	68	20.2	68	20.0	96	0	000		29.12			30.06	FM-15	0.00	30.09
30	0626	7	CLR:00	3.00	BR:1 ||	73	22.8	70	21.3	69	20.6	87	5	150		29.11				FM-16		30.08
30	0653	7	CLR:00	6.00	HZ:7 |FU |HZ	75	23.9	71	21.7	69	20.6	82	5	160		29.11	0	-0.01	30.05	FM-15	0.00	30.08
30	0753	7	CLR:00	10.00		79	26.1	73	22.7	70	21.1	74	7	190		29.12			30.06	FM-15	0.00	30.09
30	0853	7	CLR:00	10.00		82	27.8	73	22.9	69	20.6	65	10	180		29.13			30.07	FM-15	0.00	30.10
30	0953	7	CLR:00	10.00		84	28.9	74	23.5	70	21.1	63	8	210		29.13	0	-0.02	30.07	FM-15	0.00	30.10
30	1053	7	CLR:00	10.00		86	30.0	76	24.2	71	21.7	61	6	VRB		29.14			30.08	FM-15	0.00	30.11
30	1153	7	FEW:02 40	10.00		87	30.6	75	24.0	70	21.1	57	6	190		29.14			30.08	FM-15	0.00	30.11
30	1253	7	CLR:00	10.00		88	31.1	76	24.2	70	21.1	55	7	320		29.13	0	-0.00	30.07	FM-15	0.00	30.10
30	1353	7	CLR:00	10.00		90	32.2	76	24.5	70	21.1	52	7	200		29.12			30.06	FM-15	0.00	30.09
30	1453	7	CLR:00	10.00		91	32.8	76	24.3	69	20.6	49	0	000		29.10			30.04	FM-15	0.00	30.07
30	1553	7	CLR:00	10.00		91	32.8	75	24.0	68	20.0	47	5	180		29.09	8	+0.04	30.03	FM-15	0.00	30.06
30	1653	7	SCT:04 55	10.00		90	32.2	76	24.5	70	21.1	52	7	190		29.08			30.02	FM-15	0.00	30.05
30	1753	7	CLR:00	10.00		89	31.7	75	24.0	69	20.6	52	9	190		29.07			30.01	FM-15	0.00	30.04
30	1853	7	CLR:00	10.00		88	31.1	74	23.5	68	20.0	52	7	170		29.05	7	+0.04	29.99	FM-15	0.00	30.02
30	1953	7	CLR:00	10.00		85	29.4	72	22.4	66	18.9	53	6	160		29.04			29.98	FM-15	0.00	30.01
30	2053	7	CLR:00	10.00		83	28.3	72	22.0	66	18.9	57	3	130		29.05			29.99	FM-15	0.00	30.02
30	2153	7	CLR:00	10.00		75	23.9	70	21.0	67	19.4	76	0	000		29.06	3	-0.01	30.01	FM-15	0.00	30.03
30	2253	7	CLR:00	10.00		79	26.1	71	21.7	67	19.4	67	6	150		29.06			30.00	FM-15	0.00	30.03
30	2353	7	CLR:00	10.00		79	26.1	71	21.7	67	19.4	67	5	160		29.06			30.01	FM-15	0.00	30.03

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
June 2018

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01								T			T	T				0.60	T								01
02																									02
03										T	T	T				T	T								03
04																									04
05								T	0.02	0.05	0.03	0.04	0.09	0.13	0.10	0.09	0.02	T							05
06																									06
07																									07
08												T	T	0.02		0.03	0.12	T							08
09																		0.04	0.35	0.01					09
10		T													T	T									10
11													T	0.01	T	T									11
12											0.01		T	0.22				T	0.02						12
13																0.53									13
14																									14
15																									15
16																									16
17																									17
18																									18
19																	0.08	0.01	T	0.01	T				19
20																0.03		T	T						20
21										T			T	0.07	0.36	0.35	0.29	0.63	0.31	0.06	0.01	T			21
22			T	0.02						0.06	0.13	0.07	T	T							T	T			22
23										T		0.05	0.01												23
24																									24
25																									25
26															0.08	0.08	0.08	T							26
27			T	0.14				0.01									T								27
28																									28
29																									29
30																									30

Maximum Short Duration Precipitation

Time Period (Minutes)	**5**	**10**	**15**	**20**	**30**	**45**	**60**	**80**	**100**	**120**	**150**	**180**
Precipitation (inches)	0.32	0.51	0.54	0.59	0.60	0.60	0.63	0.79	0.92	1.04	1.17	1.29
Ending Date Time (yyyy-mm-dd hh:mi)	2018-06-01 15:41	2018-06-13 15:24	2018-06-01 15:44	2018-06-01 15:45	2018-06-01 15:48	2018-06-01 15:48	2018-06-21 18:01	2018-06-21 18:07	2018-06-21 18:31	2018-06-21 18:45	2018-06-21 18:52	2018-06-21 18:13

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Daily Summary
July 2018

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W
Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Temperature (F)							Degree Days (base 65F)		Sun (LST)		Weather	Precipitation (in)			Pressure (inHg)		Wind	Maximum Wind Speed = MPH / Direction = Degrees			
	Max	Min	Avg	Dep	ARH	ADP	AWB	Heat	Cool	Rise	Set	Weather Type	TLC	Snow Fall	Snow Depth	Avg Stn	Avg SL	Avg Speed	Peak Speed	Peak Dir	Sust. Speed	Sust. Dir
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	93	68	81	7.5				0	16	0507	2005	TS BR	0.00			29.05		7.3	29	220	22	210
02	89	71	80	6.4				0	15	0507	2005	TS RA	T			29.08		5.8	22	250	16	210
03	91	69	80	6.3				0	15	0508	2005	TS RA MIFG BR FG	0.71			29.21		4.8	32	010	24	360
04	93	71	82	8.2				0	17	0508	2005	TS RA BR	T			29.28		1.9	20	120	16	120
05	93*	72	82	8.1				0	17	0509	2005	TS BR HZ	0.00			29.26		5.6	22	280	17	290
06	79	59	69	-5.0				0	4	0509	2004		0.00			29.26		11.5	27	040	22	030
07	80	55	68	-6.0				0	3	0510	2004		0.00			29.33		7.6	22	070	17	080
08	85	55*	70	-4.1				0	5	0511	2004		0.00			29.31		1.7	11	200	8	190
09	89	60	75	0.9				0	10	0511	2003		0.00			29.24		5.3	21	280	16	270
10										0512	2003	TS RA BR										
										Monthly Averages | Totals												
				Departure from Normal (1981-2010)																		

Degree Days					Number of days with...								
	Monthly		Season-to-date		Temperature				Precipitation		Snow	Weather	
	Total	Departure	Total	Departure	Max		Min						
Heating					>=90°	<=32°	<=32°	<=0°	>=0.01"	>=0.1"	>=1"	T-Storms	Heavy Fog
Cooling													

Date of 5-sec to 3-sec wind equipment change	Sea Level Pressure				Greatest...		
			Date	Time	24-Hr...		Snow Depth
N/A	Maximum				Precip	Snowfall	
	Minimum						
					Date		

Station Augmentation
Name:N/A Lat: N/A Lon: N/A Elevation: N/A Distance: N/A Elements: N/A Equipment: N/A

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Observations
July 2018

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	Time (LST)	Station Type	Sky Conditions	Visibility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Altimeter Setting (inHg)
					AU | AW | MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
01	0053	7	CLR:00	10.00		77	25.0	71	21.7	68	20.0	74	6	160		29.08	3	-0.01	30.02	FM-15	0.00	30.05
01	0153	7	CLR:00	10.00		73	22.8	69	20.6	67	19.4	81	0	000		29.08			30.02	FM-15	0.00	30.05
01	0253	7	CLR:00	9.00		71	21.7	68	20.2	67	19.4	87	0	000		29.07			30.01	FM-15	0.00	30.04
01	0353	7	CLR:00	6.00	BR:1 ||	70	21.1	69	20.4	68	20.0	93	3	110		29.07	7	+0.00	30.02	FM-15	0.00	30.04
01	0453	7	CLR:00	7.00		69	20.6	68	19.8	67	19.4	93	3	080		29.08			30.02	FM-15	0.00	30.05
01	0553	7	CLR:00	5.00	BR:1 ||	70	21.1	69	20.4	68	20.0	93	5	120		29.07			30.02	FM-15	0.00	30.04
01	0653	7	CLR:00	8.00		77	25.0	72	22.0	69	20.6	77	0	000		29.09	3	-0.01	30.03	FM-15	0.00	30.06
01	0753	7	CLR:00	10.00		81	27.2	74	23.4	71	21.7	72	7	180		29.09			30.03	FM-15	0.00	30.06
01	0853	7	CLR:00	10.00		84	28.9	76	24.2	72	22.2	67	7	200		29.08			30.02	FM-15	0.00	30.05
01	0953	7	CLR:00	10.00		88	31.1	77	24.8	72	22.2	59	9	150		29.07	8	+0.01	30.01	FM-15	0.00	30.04
01	1053	7	CLR:00	10.00		89	31.7	76	24.7	71	21.7	55	6	VRB		29.07			30.01	FM-15	0.00	30.04
01	1153	7	SCT:04 47	10.00		91	32.8	76	24.6	70	21.1	50	6	210		29.06			30.01	FM-15	0.00	30.03
01	1253	7	FEW:02 50	10.00		92	33.3	77	25.1	71	21.7	51	11	170	18	29.05	8	+0.03	29.99	FM-15	0.00	30.02
01	1353	7	SCT:04 50 BKN:07 60	10.00		91	32.8	78	25.3	72	22.2	54	9	170	18	29.03			29.96	FM-15	0.00	30.00
01	1453	7	FEW:02 60	10.00		91	32.8	76	24.6	70	21.1	50	10	200		29.01			29.96	FM-15	0.00	29.98
01	1553	7	CLR:00	10.00		92	33.3	77	24.7	70	21.1	49	9	170		29.00	6	+0.05	29.94	FM-15	0.00	29.97
01	1653	7	SCT:04 55	10.00		92	33.3	77	25.1	71	21.7	51	11	170		28.99			29.93	FM-15	0.00	29.96
01	1753	7	SCT:04 55	10.00		90	32.2	75	24.1	69	20.6	50	17	210	29	29.00			29.94	FM-15	0.00	29.97
01	1759	7	SCT:04 55 BKN:07 70	10.00	TS:7 |TS TS |	88	31.1	75	24.2	70	21.1	55	16	220	29	29.00				FM-16		29.97
01	1822	7	SCT:04 48 SCT:04 55 BKN:07 75	10.00	TS:7 |TS TS |	81	27.2	72	22.4	68	20.0	65	9	130		29.02				FM-16		29.99
01	1853	7	CLR:00	10.00		84	28.9	75	23.9	71	21.7	65	8	200		29.01	3	-0.01	29.96	FM-15	0.00	29.98
01	1953	7	CLR:00	10.00		82	27.8	74	23.6	71	21.7	69	11	180		29.02			29.96	FM-15	0.00	29.99
01	2053	7	CLR:00	10.00		80	26.7	73	22.5	69	20.6	69	8	220		29.03			29.98	FM-15	0.00	30.00
01	2153	7	FEW:02 110	10.00		79	26.1	72	22.4	69	20.6	72	10	170		29.05	3	-0.04	29.99	FM-15	0.00	30.02
01	2253	7	CLR:00	10.00		78	25.6	72	22.2	69	20.6	74	9	190		29.05			29.99	FM-15	0.00	30.02
01	2353	7	CLR:00	10.00		76	24.4	71	21.9	69	20.6	79	7	190		29.06			30.00	FM-15	0.00	30.03
02	0053	7	CLR:00	10.00		75	23.9	71	21.7	69	20.6	82	7	200		29.05	8	+0.00	29.99	FM-15	0.00	30.02
02	0153	7	CLR:00	10.00		74	23.3	71	21.5	69	20.6	85	8	180		29.04			29.98	FM-15	0.00	30.01
02	0253	7	CLR:00	10.00		74	23.3	71	21.5	69	20.6	85	5	170		29.05			29.99	FM-15	0.00	30.02
02	0353	7	CLR:00	10.00		74	23.3	71	21.8	70	21.1	88	7	150		29.04	6	+0.01	29.98	FM-15	0.00	30.01
02	0453	7	CLR:00	10.00		74	23.3	71	21.8	70	21.1	88	6	170		29.05			29.99	FM-15	0.00	30.02
02	0553	7	CLR:00	10.00		73	22.8	71	21.7	70	21.1	90	7	200		29.07			30.01	FM-15	0.00	30.04
02	0653	7	CLR:00	10.00		76	24.4	73	22.6	71	21.7	85	6	210		29.07	1	-0.02	30.01	FM-15	0.00	30.04
02	0753	7	FEW:02 39	10.00		78	25.6	74	23.3	72	22.2	82	8	200		29.09			30.03	FM-15	0.00	30.06
02	0853	7	FEW:02 31	10.00		81	27.2	75	24.1	73	22.8	77	6	230		29.09			30.03	FM-15	0.00	30.06
02	0953	7	CLR:00	10.00		84	28.9	78	25.3	75	23.9	74	5	190		29.09	1	-0.02	30.03	FM-15	0.00	30.06
02	1053	7	FEW:02 23	10.00		86	30.0	78	25.6	75	23.9	70	3	180		29.08			30.03	FM-15	0.00	30.05
02	1153	7	FEW:02 38 FEW:02 65 SCT:04 80	10.00		87	30.6	78	25.4	74	23.3	65	7	190		29.08			30.02	FM-15	0.00	30.05
02	1206	7	SCT:04 41 SCT:04 60 BKN:07 80	10.00	VCTS:7 ||	88	31.1	79	25.9	75	23.9	66	7	180		29.08				FM-16		30.05

02	1231	7	SCT:04 35 SCT:04 75 BKN:07 95	10.00	TS:7 -RA:02 |RA TS TS |RA	84	28.9	75	23.9	71	21.7	65	11	260	21	29.08				FM-16		30.05
02	1247	7	FEW:02 34 SCT:04 80 BKN:07 95	3.00	TS:7 -RA:02 |RA TS TS |RA	79	26.0	74	23.4	72	22.0	79	9	150		29.09				FM-16	T	30.06
02	1253	7	FEW:02 34 SCT:04 50 BKN:07 95	4.00	TS:7 -RA:02 |RA TS TS |RA	77	25.0	73	22.7	71	21.7	82	10	180		29.10	3	-0.01	30.04	FM-15	T	30.07
02	1322	7	SCT:04 31 BKN:07 110	10.00	VCTS:7 ||	75	23.9	71	21.7	69	20.6	82	7	140		29.10				FM-16	T	30.07
02	1351	6	FEW:02 100	10.00		75	24.0	73	22.8	72	22.0	89	3	200		29.08				FM-16		30.05
02	1353	7	FEW:02 100	10.00		76	24.4	73	22.6	71	21.7	85	5	210		29.08			30.03	FM-15	T	30.05
02	1453	7	CLR:00	10.00	TS:7 |TS TS |	77	25.0	73	22.7	71	21.7	82	5	190		29.08			30.03	FM-15	0.00	30.05
02	1553	7	CLR:00	10.00	TS:7 |TS TS |	79	26.1	74	23.1	71	21.7	77	11	190		29.07	6	+0.02	30.02	FM-15	0.00	30.04
02	1651	6	CLR:00	10.00		81	27.0	75	23.8	72	22.0	74	0	000		29.09				FM-16		30.06
02	1653	6	CLR:00	10.00		80	26.7	74	23.2	71	21.7	74	0	000		29.08			30.03	FM-15	0.00	30.05
02	1753	6	CLR:00	10.00		80	26.7	74	23.6	72	22.2	76	7	130		29.09			30.03	FM-15	0.00	30.06
02	1853	6	CLR:00	10.00		78	25.6	73	22.9	71	21.7	79	8	130		29.10	1	-0.02	30.04	FM-15	0.00	30.07
02	1953	6	CLR:00	10.00		77	25.0	72	22.4	70	21.1	79	6	170		29.11			30.05	FM-15	0.00	30.08
02	2053	6	CLR:00	10.00		74	23.3	71	21.5	69	20.6	85	5	130		29.13			30.08	FM-15	0.00	30.10
02	2153	6	CLR:00	10.00		75	23.9	72	22.4	71	21.7	88	7	170		29.16	3	-0.06	30.10	FM-15	0.00	30.13
02	2253	6	CLR:00	10.00		74	23.3	72	22.2	71	21.7	91	3	090		29.16			30.11	FM-15	0.00	30.13
02	2353	6	CLR:00	10.00		74	23.3	72	22.2	71	21.7	91	0	000		29.17			30.12	FM-15	0.00	30.14
03	0053	6	CLR:00	9.00		71	21.7	70	21.3	70	21.1	96	3	350		29.17	1	-0.01	30.12	FM-15	0.00	30.14
03	0153	6	CLR:00	8.00		71	21.7	70	21.3	70	21.1	96	0	000		29.17			30.12	FM-15	0.00	30.14
03	0214	6	CLR:00	2.50	BR:1 ||	70	21.1	69	20.7	69	20.6	97	0	000		29.16				FM-16		30.13
03	0222	6	CLR:00	7.00		71	21.7	70	21.3	70	21.1	96	0	000		29.17				FM-16		30.14
03	0253	6	CLR:00	10.00		72	22.2	71	21.5	70	21.1	94	0	000		29.17			30.12	FM-15	0.00	30.14
03	0353	6	CLR:00	6.00	BR:1 ||	70	21.1	70	21.1	70	21.1	100	3	360		29.17	3	-0.00	30.12	FM-15	0.00	30.14
03	0453	6	CLR:00	6.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		29.18			30.14	FM-15	0.00	30.15
03	0527	6	CLR:00	1.75	BR:1 ||	69	20.6	69	20.6	69	20.6	100	0	000		29.19				FM-16		30.16
03	0538	6	CLR:00	3.00	BR:1 ||	69	20.6	69	20.6	69	20.6	100	3	080		29.19				FM-16		30.16
03	0553	7	CLR:00	8.00	MI:1 FG:2 |FG |	70	21.1	70	21.1	70	21.1	100	3	100		29.19			30.14	FM-15	0.00	30.16
03	0653	7	CLR:00	7.00		73	22.8	72	22.0	71	21.7	94	6	120		29.21	3	-0.03	30.16	FM-15	0.00	30.18
03	0753	7	CLR:00	10.00		76	24.4	73	22.9	72	22.2	88	6	140		29.22			30.17	FM-15	0.00	30.19
03	0853	7	CLR:00	10.00		79	26.1	74	23.4	72	22.2	79	5	VRB		29.23			30.19	FM-15	0.00	30.21
03	0953	7	CLR:00	10.00		82	27.8	76	24.3	73	22.8	74	6	070		29.23	0	-0.02	30.18	FM-15	0.00	30.20
03	1053	7	CLR:00	10.00		85	29.4	76	24.4	72	22.2	65	6	090		29.23			30.18	FM-15	0.00	30.20
03	1153	7	CLR:00	10.00		87	30.6	75	24.0	70	21.1	57	9	VRB		29.23			30.18	FM-15	0.00	30.21
03	1253	7	FEW:02 75	10.00		89	31.7	76	24.7	71	21.7	55	8	150		29.23	8	+0.00	30.17	FM-15	0.00	30.20
03	1353	7	FEW:02 95	10.00		88	31.1	76	24.2	70	21.1	55	9	140		29.21			30.16	FM-15	0.00	30.18
03	1453	7	SCT:04 44	10.00		89	31.7	77	25.0	72	22.2	57	7	140		29.20			30.15	FM-15	0.00	30.17
03	1553	7	OVC:08 44	10.00		89	31.7	78	25.4	73	22.8	59	3	090		29.20	5	+0.02	30.15	FM-15	0.00	30.17
03	1611	7	OVC:08 45	10.00	VCTS:7 ||	86	30.0	76	24.6	72	22.2	63	10	040		29.20				FM-16		30.17
03	1653	7	BKN:07 45	10.00	VCTS:7 ||	82	27.8	74	23.6	71	21.7	69	8	030		29.21			30.16	FM-15	0.00	30.18
03	1712	7	FEW:02 48 FEW:02 100	10.00		81	27.2	74	23.4	71	21.7	72	7	010		29.21				FM-16		30.18
03	1721	7	FEW:02 49 FEW:02 55 SCT:04 100	10.00	VCTS:7 ||	81	27.2	74	23.1	70	21.1	69	16	320		29.21				FM-16		30.18
03	1746	7	FEW:02 27 BKN:07 55 BKN:07 100	1.50	VCTS:7 +RA:02 |RA |RA	79	26.1	74	23.4	72	22.2	79	18	010	24	29.22				FM-16	0.16	30.19
03	1751	6	SCT:04 16 BKN:07 55 OVC:08 110	0.50s	VCTS:7 s +RA:02 s |RA s |RA s	79	26.0	73	22.7	70	21.0	74	16	320	32	29.22				FM-16		30.19
03	1753	7	BKN:07 16 BKN:07 50 OVC:08 110	0.25s	VCTS:7 s +RA:02 s |RA s |RA s	77	25.0	72	22.4	70	21.1	79	13	360	32	29.22			30.17	FM-15	0.64	30.19

03	1800	7	BKN:07 20 BKN:07 38 OVC:08 100	3.00	VCTS:7 +RA:02 BR:1 |RA |RA	77	25.0	74	23.5	73	22.8	88	13	070		29.23				FM-16	0.10	30.20
03	1807	7	OVC:08 23	3.00	VCTS:7 +RA:02 BR:1 |RA |RA	78	25.6	75	24.0	74	23.3	87	14	100		29.23				FM-16	0.14	30.20
03	1827	7	FEW:02 30 SCT:04 100	10.00	VCTS:7 ||	78	25.6	73	22.9	71	21.7	79	11	090	20	29.22				FM-16	0.16	30.19
03	1853	7	CLR:00	10.00	VCTS:7 ||	78	25.6	73	22.9	71	21.7	79	7	070		29.23	3	-0.03	30.18	FM-15	0.07	30.20
03	1953	7	FEW:02 43	10.00	VCTS:7 ||	77	25.0	73	22.7	71	21.7	82	5	240		29.23			30.19	FM-15	0.00	30.21
03	2013	7	CLR:00	10.00		77	25.0	73	22.7	71	21.7	82	0	000		29.22				FM-16		30.19
03	2053	7	CLR:00	10.00		74	23.3	73	22.6	72	22.2	94	5	290		29.23			30.18	FM-15	0.00	30.20
03	2153	7	CLR:00	10.00		75	23.9	73	22.8	72	22.2	90	0	000		29.23	2	-0.01	30.19	FM-15	0.00	30.21
03	2253	7	CLR:00	9.00		74	23.3	73	22.6	72	22.2	94	0	000		29.26			30.20	FM-15	0.00	30.23
03	2353	7	CLR:00	10.00		74	23.3	73	22.6	72	22.2	94	3	010		29.26			30.21	FM-15	0.00	30.23
04	0053	7	CLR:00	9.00		74	23.3	72	22.2	71	21.7	91	3	360		29.26	1	-0.02	30.21	FM-15	0.00	30.24
04	0153	7	CLR:00	9.00		74	23.3	73	22.6	72	22.2	94	3	350		29.26			30.21	FM-15	0.00	30.23
04	0253	7	CLR:00	8.00		73	22.8	72	22.4	72	22.2	96	3	330		29.26			30.21	FM-15	0.00	30.23
04	0353	7	CLR:00	6.00	BR:1 ||	72	22.2	71	21.9	71	21.7	97	3	280		29.26	5	+0.00	30.21	FM-15	0.00	30.24
04	0453	7	CLR:00	8.00		72	22.2	71	21.9	71	21.7	97	0	000		29.26			30.22	FM-15	0.00	30.24
04	0551	6	FEW:02 2	7.00		73	23.0	72	22.4	72	22.0	94	0	000		29.28				FM-16		30.26
04	0553	7	CLR:00	7.00		73	22.8	72	22.0	71	21.7	94	0	000		29.28			30.24	FM-15	0.00	30.26
04	0653	7	CLR:00	9.00		77	25.0	75	23.8	74	23.3	90	0	000		29.29	3	-0.03	30.25	FM-15	0.00	30.27
04	0753	7	CLR:00	10.00		81	27.2	76	24.5	74	23.3	79	0	000		29.30			30.25	FM-15	0.00	30.28
04	0853	7	CLR:00	10.00		85	29.4	79	25.9	76	24.4	75	0	000		29.29			30.25	FM-15	0.00	30.27
04	0953	7	CLR:00	10.00		87	30.6	78	25.8	75	23.9	67	0	000		29.30	1	-0.01	30.25	FM-15	0.00	30.28
04	1053	7	SCT:04 70	10.00		89	31.7	78	25.7	74	23.3	61	3	020		29.30			30.25	FM-15	0.00	30.28
04	1153	7	SCT:04 40	10.00		91	32.8	78	25.6	73	22.8	56	0	000		29.30			30.25	FM-15	0.00	30.28
04	1253	7	FEW:02 90	10.00		91	32.8	79	26.0	74	23.3	57	3	VRB		29.28	8	+0.02	30.23	FM-15	0.00	30.26
04	1353	7	FEW:02 85	10.00		92	33.3	78	25.8	73	22.8	54	0	000		29.28			30.23	FM-15	0.00	30.26
04	1453	7	BKN:07 49	10.00		89	31.7	78	25.4	73	22.8	59	7	110		29.26			30.21	FM-15	0.00	30.24
04	1514	7	CLR:00	10.00	VCTS:7 ||	90	32.2	79	25.9	74	23.3	59	8	130		29.26				FM-16		30.23
04	1553	7	FEW:02 46 SCT:04 75 BKN:07 95	10.00	VCTS:7 -RA:02 |RA |RA	81	27.2	76	24.5	74	23.3	79	6	340	18	29.26	8	+0.03	30.21	FM-15	T	30.23
04	1651	6	SCT:04 43 SCT:04 95	10.00		81	27.0	75	24.1	73	23.0	79	8	340		29.26				FM-16		30.24
04	1653	7	SCT:04 43	10.00		81	27.2	76	24.5	74	23.3	79	7	340		29.27				FM-15	T	30.25
04	1715	7	FEW:02 44	10.00		82	27.8	76	24.7	74	23.3	77	7	330		29.27				FM-16		30.25
04	1753	7	CLR:00	10.00		80	26.7	76	24.3	74	23.3	82	6	080		29.28			30.24	FM-15	0.00	30.26
04	1853	7	CLR:00	10.00		80	26.7	76	24.3	74	23.3	82	0	000		29.27	0	-0.01	30.22	FM-15	0.00	30.25
04	1953	7	CLR:00	10.00		81	27.2	76	24.5	74	23.3	79	0	000		29.26			30.22	FM-15	0.00	30.24
04	2053	7	CLR:00	9.00		77	25.0	75	23.8	74	23.3	90	0	000		29.26			30.22	FM-15	T	30.24
04	2153	7	CLR:00	10.00		77	25.0	75	23.8	74	23.3	90	0	000		29.29	3	-0.02	30.24	FM-15	0.00	30.27
04	2253	7	CLR:00	6.00	BR:1 ||	76	24.4	75	24.1	75	23.9	97	0	000		29.29			30.25	FM-15	0.00	30.27
04	2353	7	CLR:00	4.00	BR:1 ||	75	23.9	74	23.5	74	23.3	96	0	000		29.28			30.23	FM-15	0.00	30.26
05	0053	7	CLR:00	3.00	BR:1 ||	74	23.3	73	23.0	73	22.8	97	0	000		29.28	8	+0.01	30.23	FM-15	0.00	30.26
05	0153	7	CLR:00	4.00	BR:1 ||	74	23.3	73	23.0	73	22.8	97	0	000		29.27			30.22	FM-15	0.00	30.25
05	0253	7	CLR:00	3.00	BR:1 ||	74	23.3	73	22.6	72	22.2	94	0	000		29.26			30.21	FM-15	0.00	30.24
05	0311	7	CLR:00	2.00	BR:1 ||	72	22.2	72	22.2	72	22.2	100	0	000		29.26				FM-16		30.24
05	0334	7	CLR:00	5.00	BR:1 ||	74	23.3	73	22.6	72	22.2	94	0	000		29.26				FM-16		30.24
05	0353	7	CLR:00	5.00	BR:1 ||	74	23.3	73	22.6	72	22.2	94	0	000		29.26	6	+0.01	30.22	FM-15	0.00	30.24
05	0431	7	CLR:00	2.50	BR:1 ||	73	22.8	72	22.4	72	22.2	96	0	000		29.27				FM-16		30.25
05	0443	7	CLR:00	3.00	BR:1 ||	74	23.3	73	22.6	72	22.2	94	5	110		29.27				FM-16		30.25
05	0451	6	CLR:00	2.50	BR:1 ||	73	23.0	72	22.4	72	22.0	94	5	080		29.27				FM-16		30.25
05	0453	7	CLR:00	2.00	BR:1 ||	73	22.8	72	22.4	72	22.2	96	3	080		29.27			30.23	FM-15	0.00	30.25
05	0502	7	CLR:00	1.75	BR:1 ||	73	22.8	72	22.4	72	22.2	96	0	000		29.27				FM-16		30.25
05	0551	6	FEW:02 3	1.25	BR:1 ||	73	23.0	72	22.4	72	22.0	94	0	000		29.28				FM-16		30.26
05	0553	7	FEW:02 3	1.50	BR:1 ||	73	22.8	72	22.4	72	22.2	96	0	000		29.28			30.24	FM-15	0.00	30.26
05	0630	7	CLR:00	5.00	BR:1 ||	77	25.0	75	23.8	74	23.3	90	0	000		29.30				FM-16		30.28

05	0653	7	CLR:00	5.00	BR:1 ||	77	25.0	75	23.8	74	23.3	90	0	000		29.30	3	-0.04	30.25	FM-15	0.00	30.28
05	0753	7	CLR:00	6.00	HZ:7 |FU |HZ	81	27.2	76	24.5	74	23.3	79	0	000		29.30			30.25	FM-15	0.00	30.28
05	0853	7	CLR:00	9.00		86	30.0	78	25.6	75	23.9	70	3	VRB		29.30			30.25	FM-15	0.00	30.28
05	0953	7	CLR:00	10.00		88	31.1	79	25.9	75	23.9	66	8	290		29.29	8	+0.01	30.24	FM-15	0.00	30.27
05	1053	7	FEW:02 38	10.00		89	31.7	80	26.4	76	24.4	65	8	280		29.28			30.23	FM-15	0.00	30.26
05	1153	7	FEW:02 37 SCT:04 50	10.00		88	31.1	79	25.9	75	23.9	66	7	270		29.26			30.20	FM-15	0.00	30.23
05	1253	7	FEW:02 35 SCT:04 50 BKN:07 70	10.00		87	30.6	78	25.8	75	23.9	67	7	280		29.26	5	+0.04	30.21	FM-15	0.00	30.23
05	1353	7	FEW:02 45	10.00		91	32.8	78	25.6	73	22.8	56	13	270		29.23			30.18	FM-15	0.00	30.21
05	1453	7	FEW:02 49	10.00		91	32.8	78	25.6	73	22.8	56	14	270		29.23			30.17	FM-15	0.00	30.20
05	1553	7	CLR:00	10.00		92	33.3	78	25.8	73	22.8	54	11	260		29.19	8	+0.06	30.14	FM-15	0.00	30.16
05	1653	7	CLR:00	10.00		89	31.7	79	26.1	75	23.9	63	11	350		29.21			30.16	FM-15	0.00	30.18
05	1707	7	CLR:00	10.00	VCTS:7 ||	89	31.7	78	25.7	74	23.3	61	11	350		29.21				FM-16		30.18
05	1724	7	FEW:02 50	10.00		88	31.1	77	25.2	73	22.8	61	8	320		29.22				FM-16		30.19
05	1751	6	SCT:04 50 SCT:04 60	10.00	VCTS:7 ||	86	30.0	76	24.6	72	22.0	62	11	310		29.22				FM-16		30.19
05	1753	7	SCT:04 50 BKN:07 60	10.00	VCTS:7 ||	86	30.0	76	24.2	71	21.7	61	11	320		29.22			30.16	FM-15	0.00	30.19
05	1826	7	SCT:04 42	10.00		84	28.9	74	23.2	69	20.6	61	10	220		29.23				FM-16		30.20
05	1853	7	CLR:00	10.00		80	26.7	72	22.2	68	20.0	67	10	200		29.23	1	-0.04	30.18	FM-15	0.00	30.21
05	1953	7	CLR:00	10.00		78	25.6	73	22.6	70	21.1	76	5	200		29.21			30.16	FM-15	0.00	30.18
05	2053	7	CLR:00	10.00		77	25.0	74	23.1	72	22.2	85	6	260		29.23			30.17	FM-15	0.00	30.20
05	2153	7	CLR:00	10.00		77	25.0	74	23.5	73	22.8	88	6	280		29.25	3	-0.01	30.19	FM-15	0.00	30.22
05	2253	7	FEW:02 120	10.00		78	25.6	75	24.0	74	23.3	87	6	260		29.25			30.19	FM-15	0.00	30.22
05	2353	7	CLR:00	10.00		77	25.0	75	23.8	74	23.3	90	5	250		29.23			30.18	FM-15	0.00	30.21
06	0053	7	CLR:00	10.00		76	24.4	75	23.7	74	23.3	94	5	280		29.22	8	+0.02	30.16	FM-15	0.00	30.19
06	0153	7	CLR:00	10.00		75	23.9	74	23.1	73	22.8	94	3	280		29.23			30.17	FM-15	0.00	30.20
06	0253	7	CLR:00	10.00		75	23.9	74	23.1	73	22.8	94	6	330		29.22			30.16	FM-15	0.00	30.19
06	0353	7	CLR:00	10.00		75	23.9	73	22.8	72	22.2	90	8	320		29.23	1	-0.01	30.17	FM-15	0.00	30.20
06	0453	7	FEW:02 120	10.00		75	23.9	72	22.4	71	21.7	88	10	330		29.23			30.18	FM-15	0.00	30.20
06	0551	7	BKN:07 15 OVC:08 110	10.00		73	23.0	72	22.4	72	22.0	94	11	360		29.25				FM-16		30.22
06	0553	7	BKN:07 13 OVC:08 100	10.00		75	23.9	72	22.4	71	21.7	88	13	350		29.25			30.19	FM-15	0.00	30.22
06	0637	7	OVC:08 11	10.00		73	22.8	71	21.7	70	21.1	90	14	020		29.26				FM-16		30.23
06	0653	7	OVC:08 15	10.00		72	22.2	69	20.8	68	20.0	87	13	020		29.26	3	-0.04	30.22	FM-15	0.00	30.24
06	0708	7	OVC:08 15	10.00		72	22.2	67	19.4	64	17.8	76	13	030	22	29.27				FM-16		30.25
06	0753	7	OVC:08 26	10.00		71	21.7	65	18.2	61	16.1	71	10	030		29.29			30.25	FM-15	0.00	30.27
06	0851	6	OVC:08 33	10.00		72	22.0	64	17.8	59	15.0	65	10	030		29.30				FM-16		30.28
06	0853	7	OVC:08 33	10.00		71	21.7	64	17.6	59	15.0	66	14	010		29.30			30.26	FM-15	0.00	30.28
06	0953	7	BKN:07 37 BKN:07 49 OVC:08 60	10.00		72	22.2	63	17.2	57	13.9	59	16	010		29.31	1	-0.05	30.27	FM-15	0.00	30.29
06	1053	7	OVC:08 44	10.00		74	23.3	63	17.1	55	12.8	52	16	010		29.32			30.28	FM-15	0.00	30.30
06	1153	7	BKN:07 50 BKN:07 60	10.00		76	24.4	64	17.7	56	13.3	50	17	020	24	29.31			30.27	FM-15	0.00	30.29
06	1253	7	CLR:00	10.00		78	25.6	66	18.7	58	14.4	50	17	020	24	29.30	8	+0.01	30.26	FM-15	0.00	30.28
06	1353	7	CLR:00	10.00		79	26.1	66	18.9	58	14.4	49	17	010	22	29.29			30.24	FM-15	0.00	30.27
06	1453	7	CLR:00	10.00		79	26.1	65	18.6	57	13.9	47	14	360	24	29.28			30.24	FM-15	0.00	30.26
06	1553	7	CLR:00	10.00		78	25.6	66	18.7	58	14.4	50	17	010		29.27	8	+0.03	30.22	FM-15	0.00	30.25
06	1653	7	CLR:00	10.00		77	25.0	64	17.9	56	13.3	48	14	360		29.26			30.22	FM-15	0.00	30.24
06	1753	7	CLR:00	10.00		75	23.9	63	17.0	54	12.2	48	13	020		29.26			30.22	FM-15	0.00	30.24
06	1853	7	CLR:00	10.00		72	22.2	60	15.5	51	10.6	48	15	010		29.27	3	-0.01	30.24	FM-15	0.00	30.25
06	1953	7	CLR:00	10.00		69	20.6	57	14.1	48	8.9	47	10	010		29.29			30.25	FM-15	0.00	30.27
06	2053	7	CLR:00	10.00		64	17.8	56	13.5	50	10.0	60	8	020		29.31			30.27	FM-15	0.00	30.29
06	2153	7	CLR:00	10.00		62	16.7	56	13.3	51	10.6	67	7	030		29.33	3	-0.05	30.29	FM-15	0.00	30.31
06	2253	7	CLR:00	10.00		60	15.6	56	13.1	52	11.1	75	6	010		29.33			30.29	FM-15	0.00	30.31

06	2353	7	CLR:00	10.00		59	15.0	55	12.9	52	11.1	78	7	020		29.33			30.30	FM-15	0.00	30.31
07	0053	7	CLR:00	10.00		58	14.4	55	12.9	53	11.7	84	7	010		29.33	1	-0.01	30.30	FM-15	0.00	30.31
07	0153	7	CLR:00	10.00		58	14.4	55	12.9	53	11.7	84	7	010		29.34			30.30	FM-15	0.00	30.32
07	0253	7	CLR:00	10.00		57	13.9	55	13.0	54	12.2	90	6	010		29.33			30.30	FM-15	0.00	30.31
07	0353	7	CLR:00	10.00		56	13.3	55	12.7	54	12.2	93	6	010		29.33	8	+0.01	30.29	FM-15	0.00	30.31
07	0453	7	CLR:00	10.00		56	13.3	55	12.7	54	12.2	93	6	010		29.33			30.30	FM-15	0.00	30.31
07	0553	7	CLR:00	10.00		57	13.9	56	13.3	55	12.8	93	6	010		29.35			30.32	FM-15	0.00	30.33
07	0653	7	CLR:00	10.00		62	16.7	59	15.1	57	13.9	84	6	050		29.36	2	-0.03	30.32	FM-15	0.00	30.34
07	0753	7	CLR:00	10.00		66	18.9	59	15.1	54	12.2	65	13	080		29.37			30.34	FM-15	0.00	30.35
07	0853	7	CLR:00	10.00		69	20.6	60	15.4	53	11.7	57	13	070		29.38			30.35	FM-15	0.00	30.36
07	0953	7	CLR:00	10.00		71	21.7	59	15.1	50	10.0	47	14	100		29.37	0	-0.01	30.34	FM-15	0.00	30.35
07	1053	7	CLR:00	10.00		73	22.8	61	16.0	52	11.1	48	8	090		29.37			30.34	FM-15	0.00	30.35
07	1153	7	CLR:00	10.00		76	24.4	61	16.4	51	10.6	42	8	040		29.36			30.33	FM-15	0.00	30.34
07	1253	7	CLR:00	10.00		76	24.4	61	16.4	51	10.6	42	7	050		29.35	8	+0.02	30.31	FM-15	0.00	30.33
07	1353	7	CLR:00	10.00		77	25.0	62	16.6	51	10.6	40	11	060		29.34			30.30	FM-15	0.00	30.32
07	1453	7	CLR:00	10.00		78	25.6	63	17.0	52	11.1	40	10	070		29.32			30.29	FM-15	0.00	30.30
07	1553	7	CLR:00	10.00		79	26.1	63	17.2	52	11.1	39	7	050		29.31	8	+0.04	30.27	FM-15	0.00	30.29
07	1653	7	CLR:00	10.00		79	26.1	63	17.2	52	11.1	39	10	040		29.29			30.25	FM-15	0.00	30.27
07	1753	7	CLR:00	10.00		77	25.0	62	16.6	51	10.6	40	8	040		29.29			30.26	FM-15	0.00	30.27
07	1853	7	CLR:00	10.00		75	23.9	61	16.2	51	10.6	43	8	080		29.28	6	+0.02	30.25	FM-15	0.00	30.26
07	1953	7	CLR:00	10.00		70	21.1	60	15.4	52	11.1	53	5	060		29.28			30.25	FM-15	0.00	30.26
07	2053	7	CLR:00	10.00		70	21.1	59	14.8	50	10.0	49	3	060		29.29			30.25	FM-15	0.00	30.27
07	2153	7	CLR:00	10.00		66	18.9	58	14.5	52	11.1	61	6	030		29.31	3	-0.02	30.27	FM-15	0.00	30.29
07	2253	7	CLR:00	10.00		64	17.8	58	14.3	53	11.7	68	6	040		29.31			30.28	FM-15	0.00	30.29
07	2353	7	CLR:00	10.00		63	17.2	58	14.4	54	12.2	73	3	030		29.31			30.28	FM-15	0.00	30.29
08	0053	7	CLR:00	10.00		62	16.7	57	14.2	54	12.2	75	0	000		29.31	8	+0.00	30.27	FM-15	0.00	30.29
08	0153	7	CLR:00	10.00		59	15.0	56	13.2	53	11.7	81	0	000		29.30			30.27	FM-15	0.00	30.28
08	0253	7	CLR:00	10.00		58	14.4	55	12.9	53	11.7	84	0	000		29.29			30.26	FM-15	0.00	30.27
08	0353	7	CLR:00	10.00		57	13.9	54	12.4	52	11.1	83	3	360		29.30	5	+0.01	30.26	FM-15	0.00	30.28
08	0453	7	CLR:00	10.00		55	12.8	53	11.9	52	11.1	90	3	350		29.31			30.28	FM-15	0.00	30.29
08	0553	7	CLR:00	10.00		57	13.9	55	12.7	53	11.7	87	3	020		29.33			30.29	FM-15	0.00	30.31
08	0653	7	CLR:00	10.00		60	15.6	58	14.3	56	13.3	86	0	000		29.34	2	-0.05	30.31	FM-15	0.00	30.32
08	0753	7	CLR:00	10.00		64	17.8	59	15.2	56	13.3	75	3	050		29.36			30.32	FM-15	0.00	30.34
08	0853	7	CLR:00	10.00		69	20.6	62	16.6	57	13.9	66	3	VRB		29.35			30.32	FM-15	0.00	30.33
08	0953	7	CLR:00	10.00		73	22.8	63	17.4	57	13.9	57	0	000		29.35	1	-0.01	30.32	FM-15	0.00	30.33
08	1053	6	CLR:00	10.00		76	24.4	64	17.7	56	13.3	50	0	000		29.35			30.31	FM-15	0.00	30.33
08	1153	6	CLR:00	10.00		78	25.6	63	17.3	53	11.7	42	3	VRB		29.33			30.29	FM-15	0.00	30.31
08	1253	6	CLR:00	10.00		81	27.2	64	17.6	52	11.1	37	0	000		29.31	8	+0.04	30.27	FM-15	0.00	30.29
08	1353	6	CLR:00	10.00		82	27.8	64	17.8	52	11.1	35	5	050		29.30			30.27	FM-15	0.00	30.28
08	1453	7	CLR:00	10.00		84	28.9	65	18.2	52	11.1	33	0	000		29.29			30.26	FM-15	0.00	30.27
08	1553	7	CLR:00	10.00		85	29.4	65	18.1	51	10.6	31	0	000		29.28	6	+0.02	30.25	FM-15	0.00	30.26
08	1653	7	CLR:00	10.00		85	29.4	66	18.9	54	12.2	35	3	050		29.28			30.24	FM-15	0.00	30.26
08	1753	7	CLR:00	10.00		83	28.3	66	19.1	56	13.3	40	3	050		29.27			30.23	FM-15	0.00	30.25
08	1853	7	CLR:00	10.00		80	26.7	67	19.4	59	15.0	49	3	070		29.26	6	+0.02	30.23	FM-15	0.00	30.24
08	1953	7	CLR:00	10.00		77	25.0	65	18.5	58	14.4	52	6	200		29.27			30.24	FM-15	0.00	30.25
08	2053	7	CLR:00	10.00		72	22.2	64	17.5	58	14.4	61	0	000		29.28			30.24	FM-15	0.00	30.26
08	2153	7	CLR:00	10.00		69	20.6	62	16.9	58	14.4	68	0	000		29.28	1	-0.01	30.24	FM-15	0.00	30.26
08	2253	7	CLR:00	10.00		67	19.4	61	16.2	57	13.9	71	0	000		29.28			30.25	FM-15	0.00	30.26
08	2353	7	CLR:00	10.00		67	19.4	62	16.5	58	14.4	73	0	000		29.28			30.24	FM-15	0.00	30.26
09	0053	7	CLR:00	10.00		65	18.3	61	16.0	58	14.4	78	0	000		29.29	1	-0.01	30.24	FM-15	0.00	30.27
09	0153	7	CLR:00	10.00		63	17.2	60	15.6	58	14.4	84	0	000		29.29			30.25	FM-15	0.00	30.27
09	0253	7	CLR:00	10.00		64	17.8	60	15.8	58	14.4	81	0	000		29.29			30.25	FM-15	0.00	30.27
09	0353	7	CLR:00	10.00		61	16.1	59	14.8	57	13.9	87	0	000		29.29	0	-0.00	30.25	FM-15	0.00	30.27
09	0453	7	CLR:00	10.00		63	17.2	60	15.6	58	14.4	84	0	000		29.29			30.25	FM-15	0.00	30.27
09	0553	7	CLR:00	10.00		62	16.7	60	15.4	58	14.4	86	0	000		29.28			30.24	FM-15	0.00	30.26
09	0653	7	CLR:00	10.00		70	21.1	64	18.0	61	16.1	73	3	230		29.29	5	+0.00	30.25	FM-15	0.00	30.27
09	0753	7	CLR:00	10.00		75	23.9	66	18.7	60	15.6	60	5	200		29.29			30.24	FM-15	0.00	30.27

09	0853	7	CLR:00	10.00		80	26.7	69	20.6	63	17.2	56	5	230		29.29			30.24	FM-15	0.00	30.27
09	0953	7	FEW:02 55	10.00		82	27.8	71	21.6	65	18.3	56	5	VRB		29.28	8	+0.01	30.24	FM-15	0.00	30.26
09	1053	7	BKN:07 55	10.00		83	28.3	71	21.4	64	17.8	53	10	300		29.27			30.23	FM-15	0.00	30.25
09	1153	7	SCT:04 55	10.00		86	30.0	71	21.9	64	17.8	48	10	270		29.26			30.22	FM-15	0.00	30.24
09	1253	7	FEW:02 55	10.00		86	30.0	72	22.2	65	18.3	49	8	VRB		29.23	8	+0.04	30.19	FM-15	0.00	30.21
09	1353	7	SCT:04 55	10.00		87	30.6	71	21.5	62	16.7	43	9	270	18	29.23			30.19	FM-15	0.00	30.21
09	1453	7	CLR:00	10.00		88	31.1	70	21.1	60	15.6	39	8	300		29.22			30.16	FM-15	0.00	30.19
09	1553	7	CLR:00	10.00		88	31.1	69	20.8	59	15.0	38	16	300	21	29.20	8	+0.04	30.16	FM-15	0.00	30.17
09	1653	7	CLR:00	10.00		88	31.1	70	21.3	61	16.1	40	9	290		29.20			30.14	FM-15	0.00	30.17
09	1753	7	CLR:00	10.00		86	30.0	70	21.3	62	16.7	45	8	280		29.18			30.13	FM-15	0.00	30.15
09	1853	7	CLR:00	10.00		83	28.3	70	21.1	63	17.2	51	7	260		29.18	6	+0.03	30.12	FM-15	0.00	30.15
09	1953	7	CLR:00	10.00		80	26.7	70	20.9	64	17.8	58	5	260		29.18			30.12	FM-15	0.00	30.15
09	2053	7	CLR:00	10.00		78	25.6	69	20.5	64	17.8	62	3	230		29.17			30.12	FM-15	0.00	30.14
09	2153	7	CLR:00	10.00		79	26.1	70	21.0	65	18.3	62	6	230		29.18	5	+0.00	30.12	FM-15	0.00	30.15
09	2253	7	CLR:00	10.00		74	23.3	68	20.1	65	18.3	74	3	250		29.17			30.12	FM-15	0.00	30.14
09	2353	7	CLR:00	10.00		74	23.3	69	20.5	66	18.9	76	6	250		29.16			30.11	FM-15	0.00	30.13
10	0053	7	CLR:00	10.00		70	21.1	67	19.7	66	18.9	87	3	240		29.16	8	+0.02	30.10	FM-15		30.13
10	0153	7	CLR:00	10.00		70	21.1	67	19.7	66	18.9	87	5	290		29.15			30.10	FM-15		30.12
10	0253	7	CLR:00	10.00		69	20.6	67	19.5	66	18.9	90	6	280		29.15			30.09	FM-15		30.12
10	0353	7	CLR:00	9.00		69	20.6	68	19.8	67	19.4	93	5	270		29.15	6	+0.01	30.09	FM-15		30.12
10	0453	7	CLR:00	9.00		69	20.6	67	19.5	66	18.9	90	5	250		29.15			30.09	FM-15		30.12
10	0553	7	CLR:00	6.00	BR:1 ||	69	20.6	68	19.8	67	19.4	93	5	270		29.15			30.09	FM-15		30.12
10	0653	7	FEW:02 47	9.00		74	23.3	71	21.9	70	21.1	88	6	270		29.15	1	-0.00	30.09	FM-15		30.12
10	0753	7	FEW:02 44	10.00		79	26.1	74	23.1	71	21.7	77	6	270		29.14			30.09	FM-15		30.11
10	0853	7	FEW:02 34	10.00		82	27.8	75	23.9	72	22.2	72	8	300		29.13			30.08	FM-15		30.10
10	0953	7	SCT:04 31 SCT:04 40 BKN:07 50	10.00		84	28.9	75	23.9	71	21.7	65	7	310		29.12	8	+0.03	30.06	FM-15		30.09
10	1053	7	FEW:02 40 SCT:04 47	10.00		86	30.0	74	23.5	69	20.6	57	9	300		29.12			30.06	FM-15		30.09
10	1153	7	BKN:07 47	10.00		87	30.6	75	23.7	69	20.6	55	8	280		29.11			30.05	FM-15		30.08
10	1253	7	SCT:04 50	10.00		89	31.7	75	23.7	68	20.0	50	8	VRB		29.09	8	+0.02	30.04	FM-15		30.06
10	1353	7	SCT:04 55	10.00		89	31.7	73	23.0	66	18.9	47	7	240		29.06			30.01	FM-15		30.03
10	1453	7	FEW:02 65 SCT:04 85 BKN:07 100	10.00		87	30.6	74	23.3	68	20.0	53	10	240		29.04			29.98	FM-15		30.01
10	1502	7	BKN:07 75 OVC:08 100	10.00	VCTS:7 ||	86	30.0	73	22.9	67	19.4	53	8	250		29.04				FM-16		30.01
10	1530	7	FEW:02 42 BKN:07 55 OVC:08 100	2.50	TS:7 +RA:02 |RA TS TS |RA	78	25.6	73	22.9	71	21.7	79	16	300	23	29.08				FM-16	0.05	30.05
10	1538	7	SCT:04 38 BKN:07 60 OVC:08 95	1.00	TS:7 +RA:02 BR:1 |RA TS |RA	75	23.9	72	22.4	71	21.7	88	17	300	26	29.08				FM-16	0.18	30.05
10	1553	7	SCT:04 40 BKN:07 55 OVC:08 80	7.00	VCTS:7 -RA:02 |RA |RA	74	23.3	71	21.8	70	21.1	88	3	010		29.06	5	+0.03	30.01	FM-15	0.27	30.03
10	1610	7	FEW:02 60 SCT:04 80	10.00		77	25.0	74	23.1	72	22.2	85	6	270		29.06				FM-16	T	30.03
10	1653	6	FEW:02 55 FEW:02 120	10.00		*	*	*	*	*	*	*	8	330		29.05				FM-15		30.02
10	1853	6	FEW:02 120	10.00		*	*	*	*	*	*	*	3	350		29.05				FM-15		30.02
10	1953	6	CLR:00	10.00		*	*	*	*	*	*	*	5	330		29.04				FM-15		30.01
10	2053	6	CLR:00	10.00		*	*	*	*	*	*	*	5	010		29.05				FM-15		30.02
10	2153	6	CLR:00	10.00		*	*	*	*	*	*	*	5	030		29.07				FM-15		30.04

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Environmental Satellite, Data, and Information Service

Local Climatological Data
Hourly Precipitation
July 2018

Generated on 07/12/2018

National Centers for Environmental Information
151 Patton Avenue
Asheville, North Carolina 28801

Current Location: Elev: 905 ft. Lat: 40.0781° N Lon: -83.0781° W

Station: **COLUMBUS OHIO STATE UNIVERSITY AIRPORT, OH US 04804**

Date	For Hour (LST) Ending at																								Date
	1 AM	2 AM	3 AM	4 AM	5 AM	6 AM	7 AM	8 AM	9 AM	10 AM	11 AM	NOON	1 PM	2 PM	3 PM	4 PM	5 PM	6 PM	7 PM	8 PM	9 PM	10 PM	11 PM	MID	
01																									01
02													T	T											02
03																		0.64	0.07						03
04																T	T				T				04
05																									05
06																									06
07																									07
08																									08
09																									09
10																0.27		M					M	M	10

Maximum Short Duration Precipitation

Time Period (Minutes)	5	10	15	20	30	45	60	80	100	120	150	180
Precipitation (inches)												
Ending Date Time (yyyy-mm-dd hh:mi)												

Hourly, daily, and monthly totals on the Daily Summary page and the Hourly Precipitation Table are shown as reported by the instrumentation at the site. However, NWS does not edit hourly values for its ASOS sites, but may edit the daily and monthly totals for selected sites which will be reflected on the Daily Summary page.

T = Trace
s = Suspect
* = Erroneous
blank = No precipitation observed
M = Missing