
CIT 140 · Week 6 · System boundary

Replace prompts. Use W06-S01 for the system, external teams and data crossing the boundary. Keep internal stores on page 2. Add labeled connectors.




Inside: Report intake, field validation, destination resolution, and work item dispatching.

Outside: Flight control, physical field inspections, repair work, and table maintenance by the service administrator.


Sources: W06-S01

CIT 140 · Week 6 · Information movement

Use W06-S01. Connect the four processes, two stores and external teams. Label arrows with data; balance external flows with page 1. The starter positions are a layout aid, not a sequence diagram.



All internal processes, data stores, and information flows are mapped according to W06-S01.


Electrical
Work item
Drainage
Work item
Work item
Structures

CIT 140 · Week 6 · Definitions and finding

Complete every column for the eight fields. Replace prompts with short answers. Use the same fields as W06-S02.

Field	Meaning	Example	Allowed value / format	Source
report_id	Unique report reference	CJ-603	CJ- followed by three digits	W06-S02
asset_id	Inspected asset reference	BR-301	Two-letter prefix and three digits	W06-S02
asset_type	Infrastructure type	BRIDGE	STREETLIGHT, DRAIN, or BRIDGE	W06-S02
finding_code	Issue discovered	[SURFACE_DAMAGE]	LAMP_OUT, BLOCKED, or SURFACE_DAMAGE	W06-S02
priority	Urgency classification	ROUTINE	ROUTINE or URGENT	W06-S02
captured_at	UTC capture time	2026-10-14T10:00:00Z	YYYY-MM-DDTHH:MM:SSZ	W06-S02
photo_ref	Attached image file code	IMG-603	IMG- followed by three digits	W06-S02
survey_area	Fictional geographic area	CENTRAL	NORTH, CENTRAL, or SOUTH	W06-S02

Finding: Report CJ-603 captures a BRIDGE asset type, which according to the approved destination policy (W06-S03) must be routed to the Structures department. However, the delivery log records show that this work item was incorrectly received by the Electrical department instead (W06-S04). This confirms a routing discrepancy between system policy and actual execution.

Unanswered question: What specific entries or active runtime configurations were present inside the D2 Routing Table when report CJ-603 was processed?