

Modulo2 - RMarkdown Documento 1

Jose Berilo

08/01/2022

Este é um cabeçalho nível 1

R Markdown

Este é um cabeçalho nível 3

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

Este é um link para o Google

Aqui uma palavra em **negrito** ou outra palavra em **negrito**.

Aqui outra palavra em *itálico* e outra palavra em *itálico*.

Quando compilamos nosso documento usamos `rmarkdown` package.

$2 + 2$

`mean(c(1,2,3,))`

1. Café
 - a. comida
 - i. ovos
 - ii. torradas
 - iii. bacon
 - b. bebida
 - i. suco de laranja
2. Almoço
 - a. taco
3. Jantar
 - a. frango frito
 - b. brocoles
 - c. alface
4. Café
 - comida
 - ovos
 - torradas
 - bacon
 - bebida
 - suco de laranja
5. Almoço
 - taco
6. Jantar
 - frango frito
 - brocoles
 - alface

Here is an example of a blockquote:

This is a block quote. This paragraph has two lines.

1. This is a list inside a block quote.
2. Second item.

Here is an example of a nested blockquote:

This is a block quote. This paragraph has two lines.

Texto indentado.

Here is an example of code in a blockquote:

```
2+2
mean(c(1,2,3,4,5))
```

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.   :  2.00
##  1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##  Mean   :15.4    Mean   : 42.98
##  3rd Qu.:19.0    3rd Qu.: 56.00
##  Max.   :25.0    Max.   :120.00
```

Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.