



Journal of Statistical Software

MMMMMM YYYY, Volume VV, Issue II.

<http://www.jstatsoft.org/>

A Capitalized Title: Something about a Package foo

FirstName LastName
University/Company

Second Author
Affiliation

Abstract

The abstract of the article.

Keywords: keywords, not capitalized, Java.

1. Introduction

This template demonstrates some of the basic latex you'll need to know to create a JSS article.

1.1. Code formatting

Don't use markdown, instead use the more precise latex commands:

- Java
- `plyr`
- `print("abc")`

2. R code

Can be inserted in regular R markdown blocks.

```
x <- 1:10  
x
```

```
[1] 1 2 3 4 5 6 7 8 9 10
```

```
summary(iris)
```

Sepal.Length	Sepal.Width	Petal.Length	Petal.Width
Min. :4.300	Min. :2.000	Min. :1.000	Min. :0.100
1st Qu.:5.100	1st Qu.:2.800	1st Qu.:1.600	1st Qu.:0.300
Median :5.800	Median :3.000	Median :4.350	Median :1.300
Mean :5.843	Mean :3.057	Mean :3.758	Mean :1.199
3rd Qu.:6.400	3rd Qu.:3.300	3rd Qu.:5.100	3rd Qu.:1.800
Max. :7.900	Max. :4.400	Max. :6.900	Max. :2.500

Species

setosa :50


versicolor:50

virginica :50

2.1. Including Plots

You can also embed plots, for example:

```
# plot(pressure)
library(ggplot2)
ggplot(pressure) +
  geom_point(aes(temperature, pressure))
```



Affiliation:

FirstName LastName

University/Company

First line Second line

E-mail: name@company.com

URL: <http://rstudio.com>