



PRODUCT CATALOG · 2026-27

High Performance. Max returns.

Practical, science-led turf inputs for superintendents, turf managers, and landscape teams who need predictable outcomes.

CTAGRONOMY.COM

563-210-1616 · DEWITT, IA





Supplement photosynthesis.

Save time and money with a coordinated blend of products built to give professional applicators the flexibility to create the best program for their surfaces, with less hassle and less waste.



Carbon, hydrogen and oxygen are the building blocks of turf energy.

SIX CARBON ENHANCED FORMULATIONS INSIDE

THE CTA 3-STEP METHOD

01

Feed the plant

Target photosynthesis with efficient foliar support.



Microbes

02

Condition the soil

Build structure and oxygen movement for roots.

03

Manage soil moisture

Keep the root zone even, without the swings.



Chlorophyll

Carbohydrates



Amino Acids

GOLF COURSES · RECREATIONAL SURFACES · COLLEGE & HIGH SCHOOL FIELDS · COMMERCIAL LANDSCAPING



Resilient, vibrant color.

C-Color-N 20-2-5

- Micronutrient enhanced nitrogen for superior color
- Recover from traffic, mechanical and player wear
- 60% slow release to avoid growth surges



PRINCIPLE FUNCTIONING AGENTS

Total Nitrogen (N)	20.0%
Urea nitrogen	6.0%
Other water-soluble nitrogen	12.0%
Available Phosphate (P ₂ O ₅)	2.0%
Soluble Potash (K ₂ O)	5.0%
Boron (B)	0.02%
Iron (Fe)	0.20%
Molybdenum (Mo)	0.0005%

APPLICATION AND RATES

Turfgrass

Apply 1.5 – 9.0 ounces per 1000 square feet in sufficient water for coverage.

Derived from urea triazone, potassium thiosulfate, iron EDTA, boric acid, sodium molybdate. Contains 1% slowly available nitrogen from urea triazone.



Highly soluble P&K.

C-Starter 3-18-18

- Initiate rooting with highly soluble phosphate
- Particularly beneficial under cool soil temperatures
- Aids cellular division and strength with soluble potassium



PRINCIPLE FUNCTIONING AGENTS

Total Nitrogen (N)	3.0%
Ammoniacal nitrogen	0.73%
Nitrate nitrogen	0.73%
Urea nitrogen	1.54%
Available Phosphate (P ₂ O ₅)	18.0%
Soluble Potash (K ₂ O)	18.0%

Derived from urea, ammonium nitrate and di-potassium phosphate. All phosphate is in the plant-available ortho phosphate form.

APPLICATION AND RATES

Turfgrass and sod

Apply 1.5 – 9.0 ounces per 1000 square feet in sufficient water for coverage.



CARBON ENHANCED
FORMULATION

Sugar based micros.

C-Strength-Micros

- Glucoheptonate micros for rapid foliar absorption
- Chlorophyll production that maximizes photosynthesis
- Dark green color without excessive top growth



PRINCIPLE FUNCTIONING AGENTS

Magnesium (Mg)	1.0%
Boron (B)	0.02%
Iron (Fe)	3.0%
Manganese (Mn)	4.0%
Zinc (Zn)	0.02%

All micronutrients fully chelated. Derived from magnesium, iron, manganese and zinc glucoheptonate, and boric acid.

APPLICATION AND RATES

Maintenance

3 to 6 ounces per 1000 square feet.

Deficiency correction

8 to 12 ounces per 1000 square feet.

Interval

Every 7 to 14 days as needed.



Boost stress tolerance.

Phosphite Blue

- Withstand heat, drought and other stressors
- Foliar or root uptake for faster results
- Aids cellular division with highly soluble potassium



PRINCIPLE FUNCTIONING AGENTS

Soluble Potash (K_2O) **26.0%**

Derived from potassium phosphite — a blend of mono and di-potassium salts of phosphorous acid.

APPLICATION AND RATES

Cool season

1.5 to 6 ounces per 1000 sq ft, every 7–14 days during stress.

Warm season

3 to 8 ounces per 1000 sq ft, every 7–14 days during stress.

Fairways, sports turf, sod & lawns

1.5 to 6 ounces per 1000 sq ft in a minimum of 50 gallons of water per acre, every 14–21 days during stress.



CARBON ENHANCED
FORMULATION

Drive roots.

C-Roots-Aminos 6-2-3

- Enhance photosynthesis and glucose production
- Build deeper roots in spring and fall
- Maintain roots through summer and mitigate stress



PRINCIPLE FUNCTIONING AGENTS

Total Nitrogen (N)	6.0%
Available Phosphate (P_2O_5)	2.0%
Soluble Potash (K_2O)	3.0%

Supplemental fertilizer enhanced with secondary metabolites and a proprietary biostimulant package.

APPLICATION AND RATES

Initial application

Foliar spray at 6.0–9.0 ounces per 1000 square feet.

Maintenance

Foliar spray at 3.0–6.0 ounces per 1000 sq ft every 10–14 days.

Soil applications

9.0–12.0 ounces per 1000 sq ft every 15–30 days.



CARBON ENHANCED
FORMULATION

Build cell walls, lower heat stress.

C-Energy-Calcium

- Lower respiration stress and build thick cell walls
- Initiate rooting in spring and fall, maintain in summer
- Increase wear tolerance



PRINCIPLE FUNCTIONING AGENTS

Calcium (Ca)	10.0%
Chelated calcium (Ca)	10.0%

Derived from calcium glucoheptonate. Dual complexed and engineered for maximum tank mix compatibility.

APPLICATION AND RATES

Greens and tees

3 to 8 ounces per 1000 square feet.

Fairways

1.5–8.0 ounces per 1000 square feet.

Ornamentals

2 to 4 quarts in 100 gallons of water. Repeat as needed.



CARBON ENHANCED
FORMULATION

Highly concentrated carbon.

Humic

- Feed microbes with high carbon humic and fulvic acids
- Improve soil nutrient availability and cycling
- Hold nutrients in sandy soils, open pore space in clay



PRINCIPLE FUNCTIONING AGENTS

Humic Acid **20.0%**

Derived from leonardite ore. Contains a non-plant food ingredient.

APPLICATION AND RATES

Foliar

0.74–2.2 ounces per 1000 sq ft in spray solution with other nutrients.

Soil

1 part Humic to 100 parts water, injected at 64–192 ounces per treated acre.

Turfgrass

1.5 to 3.0 ounces per 1000 sq ft monthly. Water in for best results.



CARBON ENHANCED
FORMULATION

Total soil conditioner.

C-Soils 1-0-2

- Enhance microbial proliferation
- Increase nutrient cycling and availability
- Increase oxygen evolution for photosynthesis



PRINCIPLE FUNCTIONING AGENTS

Total Nitrogen (N)	1.0%
Soluble Potash (K ₂ O)	2.0%

Derived from plant sugars, soy protein hydrolysate, fulvic acid and humic acid. Enhanced with amino acids and silica.

APPLICATION AND RATES

Turfgrass and sod

Apply 3.0–6.0 ounces per 1000 square feet with sufficient water for coverage, every 14–28 days.



CARBON ENHANCED
FORMULATION

Your best secret agent.

Push-Hold+

- Pushes holding surfactants deeper into the soil profile
- One third penetrant, two thirds retention
- Humic acid addition feeds microbes carbon



PRINCIPLE FUNCTIONING AGENTS

Copolymer, sulfonic acid and alcohol ethoxylate blend **90%**

Humic Acid **2.0%**

Blend of ethylene oxide-propylene oxide copolymers, alkylbenzene sulfonic acid and alcohol ethoxylates.

APPLICATION AND RATES

Initial

6.0 ounces per 1000 sq ft in 2 gallons of water.

Reapplication

3.0–6.0 ounces per 1000 sq ft every 30 days if symptoms prevail.

Bi-weekly

1.5–3.0 ounces per 1000 sq ft. Immediate watering-in is not necessary.



The color correction. In dry form.

Green Glo Max (Dry)

- Concentrated iron and sulfur for deep, lasting color
- 2–5 lbs per acre covers broad areas economically
- Copper, magnesium, manganese and zinc in one pass



PRINCIPLE FUNCTIONING AGENTS

Total Nitrogen (N)	7.00%
Nitrate nitrogen	3.50%
Ammoniacal nitrogen	3.50%
Sulfur (S)	12.00%
Copper (Cu)	0.500%
Iron (Fe)	9.00%
Magnesium (Mg)	4.00%
Manganese (Mn)	2.00%
Zinc (Zn)	2.00%

APPLICATION AND RATES

General

2–5 pounds of product per acre applied as foliar spray.

Through the season

Additional applications may be made during the growing season as needed.

CAUTION: contains copper, iron, manganese and zinc. Misuse may prove harmful. Do not use with highly alkaline spray materials, Bordeaux or spray oils.



The same color. Poured.

Green Glo Max L 7-0-1

- Chelated micronutrients for rapid foliar color response
- Seaweed extract to support rich, green foliage
- Low use rate for color without heavy nitrogen loading
- Labeled for turf and ornamentals



PRINCIPLE FUNCTIONING AGENTS

Total Nitrogen (N)	7.0%
Soluble Potash (K ₂ O)	1.0%
Sulfur (S)	4.5%
Boron (B)	0.02%
Iron (Fe)	6.0%
Manganese (Mn)	0.50%
Zinc (Zn)	0.40%

APPLICATION AND RATES

Greens, tees & fairways

1–2 oz per 1000 square feet every 14–21 days.

Sports turf

1–2 oz per 1000 square feet every 2–4 weeks.

Ornamentals

1–2 quarts per 100 gallons of water.

Derived from urea, kelp, sodium borate, ferrous sulfate heptahydrate, manganese sulfate, zinc sulfate, potassium hydroxide. For professional use only.



More of what you apply, where it matters.

EfficienSi

- Moves what is already in your tank into the plant
- Works with herbicides, fungicides, growth regulators and nutrients
- Silica-based plant strengthening
- Less product wasted on the surface



PRINCIPLE FUNCTIONING AGENTS

Silica **10%**

Non-plant food ingredient. Derived from silica, protein hydrolysates and vegetal extracts. Enhanced with EfficienSi technology.

APPLICATION AND RATES

Rate

4 to 8 oz per acre in a minimum of 20 gallons of water.

Greens & tees

7–14 day intervals.

Fairways / sports turf

14–28 days / 2–4 weeks.

Residential lawns

4–8 weeks.



Spray tank acidifier.

Every Tank

- Increase tank mix compatibility
- Lower application rates and lower costs
- Fewer chemicals into the environment
- Improved efficacy



PRINCIPLE FUNCTIONING AGENTS

Acidifiers	20%
Emulsifiers	0.5%
Color indicator	1.0%
Inert ingredients	78.5%

Color key — pale yellow: pH 7.0. Golden yellow: pH 6.0–6.5. Red: pH 4.5–5.0.

APPLICATION AND RATES

Typical rate

4–8 ounces per 100 gallons of water, lowering pH from 8.5 to 5.0 depending on water source.

Order matters

Add Every Tank to the spray tank before pesticides or fertilizers. A jar test is always recommended.



Aeration recovery plan.

THE SCIENCE

Aeration reduces thatch, increases gas exchange and relieves compaction. Heavy granular nitrogen is often applied just before or after to speed recovery.

THE CONSEQUENCES

Surge growth from heavy nitrogen speeds recovery but increases thatch, reversing the purpose of aerating. It also slows greens and forces excessive mowing, opening turf to disease.

THE SOLUTION

Foliar application 1–3 days before aeration loads the plant with a recovery package. Soil application at the same time releases tied-up nutrients and increases CO₂ evolution.

RECOMMENDED PRODUCTS

C-Color-N

C-Starter 3-18-18

C-Energy-Calcium

C-Strength-Micros

C-Soils

Humic

Push-Hold+



Color builder plan.

THE SCIENCE

Nitrogen and iron get the credit for color, but magnesium, manganese, zinc and phosphorus are the missing links. Chlorophyll is a magnesium core surrounded by four nitrogen molecules.

THE CONSEQUENCES

Off-color turf is sometimes desirable for firm, fast conditions. The cost is poor carbohydrate production and limited roots, leaving the surface exposed to disease and drought.

THE SOLUTION

Regular applications of nitrogen and phosphorus with a balanced micronutrient package keep color and carbohydrate production linear, while still controlling firm, fast playing conditions.

RECOMMENDED PRODUCTS

C-Color-N

C-Starter 3-18-18

C-Strength-Micros

Green Glo Max L



Spring start-up plan.

THE SCIENCE

Cool soil temperatures work against soil and granular applications. Microbial activity is low and the conversions those products depend on simply do not run.

THE CONSEQUENCES

Granular gives no immediate response, then too much response once soils hold above 60°F. Runoff and leaching turn into wasted cost and an environmental problem.

THE SOLUTION

Foliar applications, one or two 7–14 days apart, once soil temperatures reach the upper 50s in the top two inches — usually late March or early April. Save the granular for late April.

RECOMMENDED PRODUCTS

C-Color-N

C-Starter 3-18-18

C-Energy-Calcium

C-Strength-Micros



Summer stress plan.

THE SCIENCE

Root decline and disease pressure rise when respiration outpaces photosynthesis. Respiration burns carbohydrates; photosynthesis makes them. Every fertility plan should tilt that balance.

THE CONSEQUENCES

When turf quality turns poor from root decline or disease, the plant has usually consumed more food than it made. There is no simple fix once it reaches that point.

THE SOLUTION

Sugar-based raw materials act like an I.V. for turf, lowering respiration. Potassium lets the plant control its stomates and cool itself. Phosphites aid ATP production and protect against pythium.

RECOMMENDED PRODUCTS

C-Color-N

C-Starter 3-18-18

C-Energy-Calcium

C-Strength-Micros

Phosphite Blue



Become a CTA dealer.

Carry a line built on agronomy rather than commodity blends. Dealers get program support, technical backing on tank mixes and rates, and a product set that sells on results.

01

Program support

Seasonal plans built for the surfaces your customers manage.

02

Technical backing

Rates, tank mix compatibility and troubleshooting, direct from us.

03

A line that differentiates

Six carbon enhanced formulations nobody else is carrying.

CONTACT

Brent Smith

215 E 2nd Street, Dewitt, IA 52742

563-210-1616

ctagronomy@gmail.com

ctagronomy.com



HIGH PERFORMANCE. MAX RETURNS.