				WORK INSTRUCTION		[Effectivity Date:			April 27, 2	2022
		Process Name/Title:		TAPING ASSEMBL	Y PROCESS	١	/alidity Date:			n/a	
		Model Code/Product Number:	N/A /	7H0389W7020A Customer:	NBS	ı	Document No.:			WI-ENG-PDE	E-468C
		Purpose:	☐ PROTOTY	PE PRE-LAUNCH	MASSPRO	F	Revision No.:		1 F	age No.:	1 of 5
PARTS:		p 82711-48210 (B) p 82711-52090 (W)		3. Black tape	e [3pcs.]			JIG	1.Clamp Assem	bly jig	
NO.	PI	ROCESS NAME		WORK PROCEDURE/	ILLUSTRATION		TOOLS/P	PE	Q	UALITY PO	INTERS
1	P3	Table Lay-out			Clamp 82711- 52090 (W)/ Clamp tray holder/ kk tape THO 38-9W70-20.		Safety Instruction Be sure to we prescribed perspective equip during operat (gloves, finger etc.) Housekeep 1. Maintain a always practice 2. Personal thin the workplac prohibited. Kee your locker Alert leve For any troub inform the Asse Assistant Super or Line Leader immediate correaction.	ear sonal pment tion cots, ing and e 5's. gs on e is p it in f. ell olle, embly visor r for ective	No missing p no excess pa		by Noted⊅py
04/27/22 1	Change	from Pre-launch to Masspr	o. Additional Table	*	M.Ariola J. Loterte C.Vii	illanueva A.Ara			(May)	Approved	# / / /
04/07/22 0	Initial Is	·		TV TOTAL		illanueva A.Ara		1	J. Loterte	C. Villanue	eva A.Arañes
Eff.Date Rev.No			Details o	f Change	Revised Reviewed App		-		April 07, 2022		


BU

			WORK INSTRUCT	TION		Effectivity Date:		April 2	7, 2022
Process Name/Title:			TAPING ASS	EMBLY PRO	DCESS	Validity Date:		n,	/a
Model Code/ Product Number:	N/A	/	7H0389W7020A	Customer:	NBS	Document No.:		WI-ENG-F	PDE-468C
Purpose:	PF	ROTOTY	PE	PRE-LAUNCH	MASSPRO	Revision No.:	1	Page No.:	2 of 5

1. Clamp 82711-48210 (B) PARTS: 3. Black tape [3pcs] JIG 1. Clamp assembly jig 2. Clamp 82711-52090 (W) WORK PROCEDURE/ILLUSTRATION **QUALITY POINTERS PROCESS NAME** TOOLS/PPE NO. 82711-48210 (B) 82711-52090 (W) 1. No wrong use of clamp 2. No damaged clamp 3. No missing clamp 2 P3 Clamp setting n/a 4. Taping should be one side under (taping side of clamp before taping with 1. Get 1pc of Clamp 82711-48210 (B) using COT. STANDARD TAPING FOR CLAMP right hand and set to location 1 and 2 using both hands. One side tape under clamp 2. Get 1pc Clamp 82711-52090 (W) using right hand and set to location 3 using both 3. Get Black tape using right hand and conduct pre-taping from location 1, 2 and 3.

CONFIDENTIAL: Any misuse or misappropriation, including unauthorized copying, reproduction in any form, disclosure or publishing of this document or any information herein is strictly prohibited.

							1	
			WORK INSTRUC	TION		Effectivity Date:	April 2	27, 2022
Process Name/Title:			TAPING ASS	EMBLY PRO	DCESS	Validity Date:	ı	n/a
Model Code/ Product Number:	N/A	/	7H0389W7020A	Customer:	NBS	Document No.:	WI-ENG	-PDE-468C
Purpose:	☐ PF	ROTOTYF	PE	PRE-LAUNCH	MASSPRO	Revision No.:	1 Page No.:	3 of 5



NBC

			WORK INSTRUCT	ΓΙΟΝ		Effectivity Date:		April 27	7, 2022
Process Name/Title:			TAPING ASS	EMBLY PRO	DCESS	Validity Date:		n/	'a
Model Code/ product Number:	N/A	1	7H0389W7020A	Customer:	NBS	Document No.:		WI-ENG-F	PDE-468C
Purpose:	☐ PF	ROTOTYF	PE	PRE-LAUNCH	MASSPRO	Revision No.:	1 F	Page No.:	4 of 5

	Assy parts			Temporary Clamp assembly jig
NO.	PROCESS NAME	WORK PROCEDURE/ ILLUSTRATION	TOOLS/PPE	QUALITY POINTERS
4	P3 Clamp Assembly (continuation)	A. Put the Connector 2 to checker 2 using both hands. Refer to above illustration for correct setting. Side A Side B Side B Side A Side B 9. Press the SW button after taping. 8. Tape clamp 82711-52090 (W) location 3 (3 windings). Press the SW button after taping Go sound will be heard.	n/a	1. No wrong use of tape 2. No lacking and excess tape windings 3. No missing tape

	WORK INSTRUCTION					April 27, 2022
Process Name/Title:		Validity Date:	n/a			
Model Code/ Product Number: N	/A /	7H0389W7020A	Customer:	NBS	Document No.:	WI-ENG-PDE-468C
Purpose:	PROTOTYPE		PRE-LAUNCH	MASSPRO	Revision No.:	1 Page No.: 5 of 5

