




Process Name/ Title: Abnormality Treatment Procedure And Defect Category WI-QAD-QAC-285 WI-QAD-QAC-285 WI-QAD-QAC-285 Product Code/Name: Customer Code: Rev. No.: Rev. No.: 7 Page No.: 1 of 5



CONFIDENTIAL: Any misuse or misappropriation, including unauthorized copying, reproduction in any form, disclosure or publishing of this document or any information herein is strictly prohibited.





CONFIDENTIAL: Any misuse or misappropriation, including


unauthorized copying, reproduction in any form, disclosure or publishing of this document or any information herein is


strictly prohibited.

NBC (Philippines)

MASTER COPY

DCC Star





CONFIDENTIAL: Any misuse or misappropriation, including unauthorized copying, reproduction in any form, disclosure or publishing of this document or any information herein is strictly prohibited.



Process Name/ Title: Document No: WI-QAD-QAC-285 **Abnormality Treatment Procedure And Defect Category** WORK INSTRUCTION Effective Date: March 11, 2025

Customer Code: Product Code/Name: n/a n/a

Rev. No.:

4 of 5

Page No.:

one on ap ap on	No.		Records/Remarks/ Quality Pointers				
ONC Description Bend down Coach on membral Coach on serve with Column care wi	_		1				
OIC Dressberien Birty extremedinal Comp by Tome of the surprise of the surpris				-		I	
OTC Departed mits Design previously Computer Vision Previously Computer Vis						-	
OSC Feetign makeful Cut for bury Og Policy Control Service Control Con				· '		Caution	
DIC Defended table but Def					Hanging	-	
Definition of the common of th		Foreign material	'			-	•
OIC Determined stabilisher Insulfation variety OIC Droop reason Insultation variety OIC Droop reason Insultation variety OIC Droop reason Insultation variety OIC Droop reason OIC Processor with cump OIC OIC OIC Processor with cump OIC OIC				'		1	
ORC Orspinates Length variation Length variation CRC Create Length variation						Minor	May continue production but
DOC Dropo obtains Leavy humans				'		IVIIIIOI	
ORC Seesawe and of the Seesawe and of the Seesawe promised See			'	•		-	
DNC			,	,		-	
ONG December whether they was gen and the backtracking and on-hold affected products. Must excelled to backtracking and on-hold affected products. Must excelled to backtracking and on-hold affected products. Must excelled to backtracking and the backtracking and the backtracking and the backtracking and the backtracking and products. Must excelled the superior and absolute private to the backtracking and products affected or further writeration and interestingation. ONG Recrew waterproducts ONG Recrew waterproducts ONG Stock No. Stock Stoc						Major	May stop affected process: many
Critic Functioner were cirrup Wire drings agent Control Critic New York Critic Criti			· · · · · · · · · · · · · · · · · · ·			iviajor	
DUC Rest of of DUC Rest			·			-	
CRCC Basalation bitting CrCC CrCC Reverse witerpunficual CrCC Reverse witerpunficual CrCC Reverse witerpunficual CrCC Reverse witerpunficual CrCC Semanted terminal Semanted				VIII o on imp open		-	9
DIC Public out						-	to superior and abnormality for
CNC CNC Senseting terminal CNC CNC Senseting terminal CNC CNC Senseting terminal CNC CNC Senseting terminal CNC CNC Senseting off CNC Treat CNC CNC Treat CNC Senseting off CNC CNC Treat CNC CNC CNC Treat CNC CNC CNC CNC CNC CNC CNC CNC CNC CN			•			1	
DIC Strained Ferminal Color Sensitive Ferminal			· ·			1	investigation.
CNC Sample of Telest Sa			·			Critical	May cause line stop: conduct
ONC ONC Teled Sub-Accy Bend Charp Bend terminal futire Sub-Accy Dent Bitting waterproofsel Sub-Accy Period or notemal Damaged connector Flock Sub-Accy Period or notemal Damaged connector Flock Sub-Accy Sub-Accy Sub-Accy Period or notemal Damaged connector Flock Sub-Accy Dengand terminal No nubber seal Sub-Accy Sub-Accy Dengand terminal No nubber seal Sub-Accy Dengand terminal No nubber seal Sub-Accy Deformed inne Sub-Accy Deformed inne Deformed inne Sub-Accy Sub-Accy Sub-Accy Sub-Accy Double Purch Mark Double Purch Mark Sub-Accy Sub-Accy Sub-Accy Insultion bitting Sub-Accy No cat of beard damp Mo Cat of			·			Ontious	- ·
Sub-Assy Bend Clamp Bend terminal reine Cut terminal Many Sub-Assy Persign market I Tangued We Disturbed Seminal Control of Sub-Assy Programmatical Tangued We Disturbed Seminal Wrong and of parts Sub-Assy Presign market I Tangued We Disturbed Seminal Wrong and of parts Sub-Assy Presid of an terminal Disturbed Assy Disturbed Seminal Wrong and of parts Sub-Assy Seminal Disturbed Formation of Spaces Wrong Sub-Assy State Disturbed Formation Control of Sub-Assy Disturbed Formation Disturbed Formation Disturbed Formation Disturbed Formation Disturbed						1	affected products. Involvement of
Sub-Assy Bend Camp Bend terminal / wire Out terminal Out one wire Sub-Assy Determination of the control of the control of Sub-Assy Protein material Targeted Wire Detached terminal Wire set of parts Wire part of the minal Sub-Assy Senden Damaged clamp Demogration (Sub-Assy Senden Damaged clamp Demogration (Sub-Assy Senden Damaged consector) (Jost Function test No Sub-Assy Sub-Assy Senden Damaged consector) (Jost Function test No Sub-Assy Sub-Assy Sub-Assy Senden Damaged test No Sub-Assy Sub-Assy (Institute of Sub-Assy Sub-Assy Senden Damaged test No Sub-Assy Sub-Assy (Institute of Sub-Assy Sub-Assy (Institute of Sub-Assy Sub-Assy (Institute of Sub-Assy Sub-Assy (Institute of Sub-			, ,			1	other section such as QC, QA and
Sub-Assy Dort Berticularly Bertic lettrings of the Briting waterpoorbaal Sub-Assy Foreign material Targeld Wer Detached Hinh Mixing Sub-Assy Foreign material Damaged damp Dimension of specs Word use of parts Sub-Assy Peol of to reminal Damaged connector / lock Function test Mix Sub-Assy Scratch Damaged connector / lock Function test Mix Sub-Assy Scratch Damaged connector / lock Function test Mix Sub-Assy Scratch Damaged connector / lock Function test Mix Sub-Assy Scratch Damaged terminal No rubber seal No belienous Sub-Assy Statin Dent on lines Mix Sub-Assy Statin Dent on lines Mix Sub-Assy Statin Dent on lines Mix Sub-Assy Scratch Damaged terminal No rubber seal No rubber seal Sub-Assy Deposit on Sub-Assy Deformed lance Words from Connector / lock Sub-Assy Deformed lance Deformed lance Words from Connector / lock Sub-Assy Deformed lance Deformed lance Words from Connector / lock Sub-Assy Deformed lance Deformed lance Words from Connector / lock Sub-Assy Deformed lance Deformed lance Words from Connector / lock Sub-Assy Deformed lance Deformed lance Words from Connector / lock Sub-Assy Deformed lance Deformed lance Words from Connector / lock Sub-Assy Deformed lance Deformed lance Words from Connector / lock Deformed lance with Connector Deformation / lock Sub-Assy Deformed lance / lock Sub-Assy Defo						1	
Sub-Assy Foreign material Tampaged damp Described HM Missing Sub-Assy Foreign material Tampaged damp Dimension of space Winning set of parts Sub-Assy Pred dit on terminal Damaged damp Dimension of space Winning set of parts Sub-Assy Scatch Damaged damp Dimension of space Winning set of parts Sub-Assy Scatch Damaged damp Dimension of space Winning set of parts Sub-Assy Statin Dest on lance Missing parts Sub-Assy Statin Dest on lance Missing parts Damaged through the Suprimension of Sub-Assy Statin Damaged through the Suprimension of Sub-Assy Sub-Assy Statin Damaged through the Suprimension of Sub-Assy Sub-Assy Damaged through the Suprimension of Sub-Assy Damaged through the Suprimension of Sub-Assy Deformed learned Winning Sub-Assy Deformed learned Winning Sub-Assy Deformed learned Winning Sub-Assy Deformed learned Damaged through Sub-Assy Double Purch Mark Wrong Insert Double Purch Mark Wrong Insert Damaged Inches Sub-Assy Double Purch Mark Wrong Insert Damaged Inches Sub-Assy Double Purch Mark Wrong Insert Damaged Inches Sub-Assy Deformed Sub-Assy Double Purch Mark Wrong Insert Damaged Inches Sub-Assy Deformed Sub-Assy Deformed Sub-Assy Double Purch Mark Wrong Insert Deformed Sub-Assy Deformed Sub-	Sub-Assv	Bend Clamp	Bend terminal / wire	Cut terminal	Cut core wire	1	-
Sub-Assy Peal off on terminal Demograd clamp Dimension off spaces Wrong use of parts Sub-Assy Peal off on terminal Demograd clamp Dimension off spaces Wrong use of parts Sub-Assy Peal off on terminal Demograd clamp Dimension off spaces Wrong use of parts Sub-Assy Sorabch Damaged robrinet Sub-Assy Sub Dent on tence Missing parts Sub-Assy Sub Dent on tence Missing parts Sub-Assy Dropped parts / product Damaged external No brailing parts Sub-Assy Dropped parts / product Damaged external No brailing parts Sub-Assy Dropped parts / product Damaged external No brailing parts Sub-Assy Dropped parts / product Damaged external No brailing parts Sub-Assy Dropped parts / product Damaged wire Terminal backing out Sub-Assy Dropped parts / product Damaged wire Terminal backing out Sub-Assy Dropped parts / product Damaged wire Terminal backing out Sub-Assy Dropped parts / product Damaged wire Terminal backing out Sub-Assy Dropped parts / product Damaged wire Terminal backing out Sub-Assy Dropped parts / product Damaged wire Terminal backing out Sub-Assy Dropped parts / product Damaged wire Terminal backing out Sub-Assy Dropped parts / product Damaged wire Terminal backing out Sub-Assy Dropped parts / product Damaged wire Terminal backing out Sub-Assy Dropped parts / product Damaged wire Terminal backing out Sub-Assy Dropped parts / product of a faited wire defeated wire wire wire wire wire wire wire wire			Bitting waterproofseal		Mixing	1	disposition.
Sub-Assy Pend from terminal Damaged connector / lock Sub-Assy Pend, Insulation Damaged connector / lock Sub-Assy Scripts Damaged terminal No rubber seal No believe that No Sub-Assy Sub-Assy Depot on lance Missing parts No Depot on lance No rubber seal seal seal seal seal seal seal seal	· · · · · · · · · · · · · · · · · · ·		• '	Detached terminal	-	1	
Sub-Assy Sub-Assy Scratch Damaged connector / lock Sub-Assy Stain Dent on lance Sub-Assy Stain Dent on lance Sub-Assy Stain Dent on lance Sub-Assy Sub-Assy Sub-Assy Sub-Assy Dopped parts / product Damaged cuber seal No belimouth Sub-Assy Sub-Assy Dopped parts / product Damaged cuber Sub-Assy Sub-Assy Deformed terminal Sub-Assy Deformed terminal Broken connector / lock Sub-Assy Deformed terminal Broken connector / lock Sub-Assy Double parts Double parts Double parts Double parts Double parts Double parts Sub-Assy Double parts Double parts Double parts Sub-Assy Double parts Double parts Sub-Assy Double parts Double parts Sub-Assy Double parts Sub-Assy Double parts Double parts Sub-Assy Double parts Double parts Double parts Sub-Assy Double parts Double parts Double parts Double parts Sub-Assy Double parts Sub-Assy Double parts		•	·			Containn	nent flow on products affected of
Sub-Assy Sun Dent on lance Missing parts Sub-Assy Sub-Assy Sub-Assy Dropped parts / product Damaged terminal No rubber seal No bettermouth No rubber seal No better seal Sub-Assy Sub-Assy Domaged view Damaged terminal No rubber seal			-			_	-
Sub-Assy Sires mark Sub-Assy Dropped parts / product Damaged turber seal No rubber seal No rubbe			•				*Product produced in
Sub-Assy Dropped parts / product Damaged treminal No rubber seal No bellmouth Sub-Assy Dropped parts / product Damaged treminal No rubber seal Sub-Assy Dropped parts / product Sub-Assy Deformed face Wrong facing Wrong facing Wrong facing Deformed face Wrong facing			· ·	•			contained
Sub-Assy Damaged wire Sub-Assy Deformed lance Sub-Assy Double parts Damaged wire Sub-Assy Double Purch Mark Wrong Issing Sub-Assy Double Purch Mark Wrong Issent Sub-Assy Sub-Assy Double Purch Mark Wrong Issent Sub-Assy Sub-Assy Droop Outside Sub-Assy Excessive laping Sub-Assy Sub-Assy Sub-Assy Insufficient taping Insufficient taping Insufficient taping Insufficient taping Sub-Assy Insufficient taping Insufficient taping Insufficient taping Insufficient taping Insufficient taping Insufficient taping Sub-Assy No Cat of band damp Sub-Assy No Cat of Dand damp Sub-Assy No Cat of Dand damp Sub-Assy Sub-Assy Sub-Assy No Cat of Dand damp Sub-Assy Sub-Assy No Cat of Dand damp Sub-Assy Su						··· >	*Sampling / sorting of
Sub-Assy Damaged tube Sagging waterproofseal Sub-Assy Damaged wire Terminal backing out Sub-Assy Deformed lance Wrong facing Sub-Assy Deformed lance Wrong facing Sub-Assy Detormed lance Sub-Assy Detormed lance Sub-Assy Detormed lance Sub-Assy Double parts Damaged lance Sub-Assy Double parts Damaged lance Sub-Assy Double parts Damaged lance Sub-Assy Double Punch Mark Wrong insert Sub-Assy Sub-Assy Excessive taping Sub-Assy Sub-Assy Excessive taping Sub-Assy Insulation bitting Sub-Assy Insulation bitting Sub-Assy Insulation bitting Sub-Assy Molt defect Mort water defined to be a feature of the related to: **Membra date in malcher part.** **Membra date malcher part.** **Membra da			, and the second			FITE SRA	be conducted starting
Sub-Assy Deformed larne Sub-Assy Detached connector /lock Sub-Assy Double parts Sub-Assy Double parts Sub-Assy Double parts Sub-Assy Double Punch Mark Wrong Insert Sub-Assy Droop Utside Sub-Assy Sub-Assy Sub-Assy Excessive taping Sub-Assy Insufficient taping Sub-Assy Insufficient taping Sub-Assy Insufficient taping Sub-Assy Insufficient taping Sub-Assy Sub-Assy Sub-Assy Insufficient taping Sub-Assy Insufficient taping Sub-Assy Sub-Assy Sub-Assy Insufficient taping Sub-Assy Sub-Assy Sub-Assy Insufficient taping Sub-Assy Sub-Assy Sub-Assy Sub-Assy Ros Code Sub-Assy Ros Code Sub-Assy Ros Code Sub-Assy Ros Sub-Assy Ros Code Sub-Assy Ros	•	- PP P	-			\$	defect was detected
Sub-Assy Deformed lance Wrong facing Sub-Assy Deformed lance Broken connector / lock Sub-Assy Twisted wire / terminal Detached connector / lock Sub-Assy Double parts Damaged lance Sub-Assy Double parts Damaged lance Sub-Assy Double Punch Mark Wrong Insert Sub-Assy Double Punch Mark Wrong Insert Sub-Assy Excess out off tab Sub-Assy Excess out off tab Sub-Assy Excess out off tab Sub-Assy Insufficient taping Immediate superior (Asy/Sy/Manager)and Sub-Assy Insufficient taping Immediate superior (Asy/Sy/Manager)and other socion related (QA). Sub-Assy Insufficient taping Immediate superior (Asy/Sy/Manager)and other socion related (QA). Sub-Assy Insufficient taping Immediate superior (Asy/Sy/Manager)and other socion related (QA). Sub-Assy Insufficient taping Immediate superior (Asy/Sy/Manager)and other socion related (QA). Sub-Assy Insufficient taping Immediate superior (Asy/Sy/Manager)and other socion related (QA). Sub-Assy Insufficient taping Immediate superior (Asy/Sy/Manager)and other socion related (QA). Sub-Assy Insufficient taping Immediate superior (Asy/Sy/Manager)and other socion related (QA). Sub-Assy Insufficient taping Immediate superior (Asy/Sy/Manager)and other socion related (CA). Sub-Assy Insufficient taping Immediate superior (Asy/Sy/Manager)and other socion related (CA). Sub-Assy Insufficient taping Immediate superior (Asy/Sy/Manager)and other socion related (CA). Sub-Assy Insufficient taping Immediate superior (Asy/Sy/Manager)and other socion related (CA). Sub-Assy Insufficient taping Immediate superior (Asy/Sy/Manager)and other socion related (CA). Sub-Assy Insufficient taping Immediate superior (Asy/Sy/Manager)and other socion related (CA). Sub-Assy Insufficient taping Immediate superior (Asy/Sy/Manager)and other socion related (CA). Sub-Assy Insufficient taping Immediate superior (Asy/Sy/Manager)and other socion related (CA). Sub-Assy Insufficient taping Immediate superior (Asy/Sy/Manager)and other socion related (CA). Sub-Assy Insufficient taping Immediate superior (Asy/Sy/Manager)and other soci						T	backwards until no
Sub-Assy Tivisted vier / Iteminal Sub-Assy Double parts Damaged Innoe Sub-Assy Double Purch Mark Wrong Insert Double parts Sub-Assy Double Purch Mark Wrong Insert Double parts Sub-Assy Double Purch Mark Wrong Insert Droop Outside Sub-Assy Excess out off tab Sub-Assy Sub-Assy Excess out off tab Sub-Assy Sub-Assy Sub-Assy Insufficient taping Sub-Assy Insufficient taping Sub-Assy Insufficient taping Sub-Assy Insufficient taping Sub-Assy Sub-Assy Insufficient taping Sub-Assy Sub-Assy Insufficient taping Sub-Assy Sub-Assy Sub-Assy Insufficient taping Sub-Assy Sub-Assy Insufficient taping Sub-Assy Sub-Assy Insufficient taping Sub-Assy Sub-Assy Insufficient taping Sub-Assy Sub-Assy Sub-Assy Insufficient taping Sub-Assy Sub-Assy Insufficient taping Sub-Assy Sub-Assy Insufficient taping Sub-Assy Sub-Assy Insufficient taping Insufficient tapi			ů.	-		1 1	
Sub-Assy Double parts Damaged lance Sub-Assy Double Punch Mark Sub-Assy Double Punch Mark Sub-Assy Droop Outside Sub-Assy Sub-Assy Excessive taping Sub-Assy Sub-Assy Excessive taping Sub-Assy Insufficient taping Insufficient taping Sub-Assy Insufficient taping Insu			Deformed terminal			1	
Sub-Assy Double parts Damaged lance Sub-Assy Double Purch Mark Wrong insert Sub-Assy Excess cut off tab Sub-Assy Excessive taping Sub-Assy Excessive taping Sub-Assy Half Lock Connector Sub-Assy Insufficient taping Sub-Assy Insulation bitting Sub-Assy Insulation Bitting			Twisted wire / terminal	Detached connector lock		1	Products still affected but produced before detecting the actual defect and
Sub-Assy Double Punch Mark Wrong Insert Sub-Assy Droop Dutside Droop Dutside d Sub-Assy Excess cut off tab Sub-Assy Excessive taping Sub-Assy Exposed wire Dutside			Double parts	Damaged lance		11 -	after implementing the
Sub-Assy	Sub-Assy		Double Punch Mark	-		1	
Sub-Assy Exposed wire Sub-Assy Exposed wire Sub-Assy Half Lock Connector Sub-Assy Insufficient taping imediate superior (ASV/SV/Manager)and other section related (QA). Sub-Assy Insufaction bitting imediate superior (ASV/SV/Manager)and other section related (QA). Sub-Assy Insufaction bitting imediate superior (ASV/SV/Manager)and other section related (QA). Sub-Assy Insufaction bitting imediate superior (ASV/SV/Manager)and other section related (QA). Trouble related to: Detection of function test including those before the trouble and after machine repair. Sub-Assy NG cut of band clamp include and after machine repair. Sub-Assy NG Code include and after machine repair. Sub-Assy Peel off tape include including those before the trouble and after machine repair. Sub-Assy NG Rolling include including those before the trouble and after machine repair. Sub-Assy Sub-	Sub-Assy		Droop Outside				
Sub-Assy Exposed wire Sub-Assy Insufficient taping Insufficien			Excess cut off tab				
Sub-Assy	Sub-Assy		Excessive taping				
Sub-Assy Insufficient taping Sub-Assy Insufficient taping Insufficient taping Insufficient taping Insufficient taping Insulation bitting Insulation Insulation bitting Insulation bitting Insulation bitting Insulation In	Sub-Assy		Exposed wire			1	
Sub-Assy Insufficient taping immediate superior (ASV/SV/Manager)and other section related (QA). Sub-Assy Lacking / excess Osub-Assy Loose Clamp Trouble related to: Sub-Assy Mold defect Detection of function test of function t	Sub-Assy		Half Lock Connector		1		d Products must be verified by
Sub-Assy Lacking / excess Sub-Assy Mold defect Sub-Assy Mold defect	Sub-Assy		Insufficient taping				
Sub-Assy	Sub-Assy		Insulation bitting			other sec	ction related (QA).
Sub-Assy Mold defect Sub-Assy NG cut of band clamp Sub-Assy NG QR code Sub-Assy NG QR code	Sub-Assy		Lacking / excess			1	
Sub-Assy	Sub-Assy		Loose Clamp			Trouble re	elated to:
Sub-Assy NG GR code Sub-Assy Peel off tape Sub-Assy Rolling Excess /lacking of assy parts CNC machine and tube cutting those before the trouble and after machine repair. CNC machine and tube cutting repair. Re-inspect affected product. Sensor related - re-inspect affected boxes including those before the trouble and after machine repair. CNC machine and tube cutting repair. Re-inspect affected boxes based on containment flow. Re-inspect affected product. Sensor related to verinspect affected product. Sens	Sub-Assy		Mold defect			Detection of	function test
Sub-Assy	Sub-Assy		NG cut of band clamp				
Sub-Assy Rolling Assembly and insertion jig Sub-Assy Rolling Assembly and insertion jig Sub-Assy Sub	Sub-Assy		NG QR code			troubl	e and arter machine repair.
Sub-Assy Rolling Assembly and insertion jig Sub-Assy Smashed wire Sub-Assy excess /lacking of assy parts Sub-Assy Excess /lacking of assy parts Sub-Assy Excess /lacking of assy parts CNC machine and tube cutting *Re-inspect affected boxes including those before the trouble and after machine repair. CNC machine and tube cutting *Re-inspect affected boxes based on containment flow. Kitting Lacking / excess parts Length variation Wrong set of parts Kitting Deformed terminal Dimension off specs Wrong use of parts Wire Taping Excessive tape windings Wire Taping Insufficient tape windings Wire Taping Lacking / excess parts	Sub-Assy		NG Sponge				
Sub-Assy Sub-Assy excess /lacking of assy parts sub-Assy excess /lacking of assy parts sub-Assy excess /lacking of assy parts sub-Assy sub-Assy sub-Assy excess /lacking of assy parts sub-Assy	Sub-Assy		Peel off tape			attect	eu produci/s.
Sub-Assy excess /lacking of assy parts Sub-Assy excess /lacking of assy parts CNC machine and tube cutting *Re-inspect affected boxes based on containment flow. Kitting Lacking / excess parts Length variation Wrong set of parts Kitting Mixing Wire Taping Deformed terminal Dimension off specs Wrong use of parts Wire Taping Excessive tape windings Wire Taping Insufficient tape windings Wire Taping Lacking / excess parts	Sub-Assy		Rolling			Assembly and	d insertion jig
those before the trouble and after machine repair. CNC machine and tube cutting *Re-inspect affected boxes based on containment flow. Kitting Lacking / excess parts Length variation Wrong set of parts Kitting Deformed terminal Dimension off specs Wrong use of parts Wire Taping Excessive tape windings Wire Taping Lacking / excess parts Length variation Wrong set of parts Wrong use of parts Lacking / excessive tape windings Lacking / excess parts	Sub-Assy		Smashed wire			*Re-ir	spect affected product.
CNC machine and tube cutting *Re-inspect affected boxes based on containment flow. Kitting Lacking / excess parts Length variation Wrong set of parts Kitting Wire Taping Deformed terminal Dimension off specs Wrong use of parts Wire Taping Excessive tape windings Wire Taping Lacking / excess parts Lacking / excess parts	Sub-Assy		excess /lacking of assy parts				
*Re-inspect affected boxes based on containment flow. Kitting Lacking / excess parts Length variation Wrong set of parts Kitting Mixing Wire Taping Deformed terminal Dimension off specs Wrong use of parts Wire Taping Excessive tape windings Wire Taping Insufficient tape windings Wire Taping Lacking / excess parts *Re-inspect affected boxes based on containment flow.						triose	perore are trouble and after machine repair.
Kitting Lacking / excess parts Length variation Wrong set of parts Kitting Mixing Wire Taping Deformed terminal Dimension off specs Wrong use of parts Wire Taping Excessive tape windings Wire Taping Insufficient tape windings Wire Taping Lacking / excess parts						CNC machine	and tube cutting
Kitting Mixing Wire Taping Deformed terminal Dimension off specs Wrong use of parts Wire Taping Excessive tape windings Wire Taping Insufficient tape windings Wire Taping Lacking / excess parts						*Re-i	nspect affected boxes based on containment flow.
Wire Taping Deformed terminal Dimension off specs Wrong use of parts Wire Taping Excessive tape windings Wire Taping Insufficient tape windings Wire Taping Lacking / excess parts	Kitting		Lacking / excess parts	Length variation	Wrong set of parts]	
Wire Taping Excessive tape windings Wire Taping Insufficient tape windings Wire Taping Lacking / excess parts	Kitting				Mixing	1	
Wire Taping Insufficient tape windings Wire Taping Lacking / excess parts	Wire Taping		Deformed terminal	Dimension off specs	Wrong use of parts	1	
Wire Taping Lacking / excess parts	Wire Taping		Excessive tape windings	·		1	
	Wire Taping		Insufficient tape windings			1	
Wire Taping Loose / peel off tape	Wire Taping		Lacking / excess parts			1	
	Wire Taping		Loose / peel off tape			1	

CONFIDENTIAL: Any misuse or misappropriation, including unauthorized copying, reproduction in any form, disclosure or publishing of this document or any information herein is strictly prohibited.



Process Name/ Title: Document No: WI-QAD-QAC-285 **Abnormality Treatment Procedure And Defect Category** March 11, 2025 WORK INSTRUCTION Effective Date: Product Code/Name: Customer Code: 7 Rev. No.: Page No.: 5 of 5

n/a

Records/Remarks/ Work Procedure/ Illustration

n/a

Contact Switch Contac	No.		Work Procedure/ I	llustration			Quality Pointers
Contact Swinch Content Swinch Cont			DEFECT CATEGORY				
Contact Admith Deut or staff to Deut connector State Seed State Worg parts Contact Admith Deut or staff to Deut Seed State Worg parts Contact Admith Deut or staff to Deut Seed State Worg parts Contact Admith Deut Seed State Seed State Worg parts Contact Admith Deut Seed State Seed State Word Seed State Word Seed State Seed State Seed Seed Seed Seed Seed Seed Seed Se	Process	Caution		Major	Critical	Note:	
Contract Serbeth Discontantion Brahen contention Brahen contention Brahen contention Branch steman Brahen steman				•			May continue production: defect
Contract Switch Discontinon Broken territorial New ranking Disconted HM Contract Switch Discontinon Switch seem serving Contract Switch Disconted		· ·				Oddition	
Contact Selects Descriptions De						-	
Contact Severith Contact C				•		-	
Cortact Switch Interformer Coverage organic Cortact Switch Interformer Coverage organic Cortact Switch Peel of States Demograph showed Report of Switch Peel of States Demograph showed Demograph					i unction test No	1	
Contact Switch Peol of Terminal Contact Switch Peol of Terminal Damaged batter Inventor promit Inventor promit Inventor promits Inventor promits Inventor promits Inventor promits Inventor Peol of Terminal Contact Switch Solini Deformed from Inventor Inven		•				Minor	May continue production but
Contact Switch Pearl of States Demonstrator Invested partners and must be verified by Leader Contact Switch Pearl of States Demonstrator Contact Switch Switch States Demonstrator Contact Switch Switch Switch Demonstrator Contact Switch Demonstrator Conta			•	•		IVIIIIOI	
Contact Swinch Search Department between Search Department and Search Department of Search De			-			-	
Context Switch Contex			•			4	and must be vermed by Leader.
Contact Switch Contact Switch Deformed party before Contact Switch Deformed party				Detached holder		4	
Contest Sealers Contest Sealer			-			Major	
Contact Switch Contact Switch Deformed puring Contact Switch Double Engine Contact Switch Contact Switch Double Engine Contact Switch Double Switch No varyane Contact Switch Unlocked owner-box Unlocked owner-box Contact Switch Unlocked owner-box Contact Switch Unrocked pales Contact Switch Unrocked pal		Stain					' '
Contact Switch Contact Switch Deformed printing Contact Switch Deformed printing Contact Switch Deformed printing Contact Switch Double Improve Contact Switch Contact Switch Contact Switch Derpoed product Contact Switch Deformed stabilities Deformed st			Deformed contact				-
Contract Switch Desire or contact Desired Switch Desire or contact Desired Switch Desire or contact Contract Switch Desire fraging Desire fra			Deformed plate				
Context Switch Deletined terminal Context Switch Deletined terminal Context Switch Double firegrove Context Switch Context Swi	Contact Switch		Deformed spring				The state of the s
Contract Switch Contract Switc	Contact Switch		Deformed terminal				
Contract Switch Contra	Contact Switch		Dent on contact				
Contact Switch Dropped product Contact Switch Dropped product Contact Switch Excessive and off tab Contact Switch Excessive and off tab Contact Switch Contact Switch Contact Switch Determed statilizer Contact Switch No grazer Contact Switch Unlocked connector Contact Switch Unlocked bolder Contact Switch Unlocked bolder Contact Switch Unlocked plate Contact Switch	Contact Switch		Double Engrave			Critical	
Contract Switch No grave Contract Switch Contract Switch No grave Contract Switch Contract Switch No rarea of Contract Switch Contract Switch Contract Switch No rarea of Contract Switch Contract Swit	Contact Switch		Wrong orientation of wire			CHUCAL	• • • • • • • • • • • • • • • • • • • •
Contract Switch No grease Contract Switch No grease Contract Switch No grease Contract Switch No brack of contact Contract Switch Contract Switch Unlocked pilete Contract Switch Unlocked	Contact Switch		Dropped product				affected products. Involvement o
Contact Switch No sngraw Contact Switch No snack of contact Contact Switch Contact Switch No snack of contact Contact Switch Contact Switch Unlocked connector Contact Switch Unlocked bloder Contact Switch Unlocked plate Contact Switch Contact Switch Unlocked plate Unlocked plate Contact Switch Unlocked plate Contact Switch Unlocked plate Unlocked plate Contact Switch Unlocked plate Unlocked plate Contact Switch Unlocked plate Unlocked plate Unlocked plate Contact Switch Unlocked plate Unlocked plate Contact Switch Unlocked plate Unlocked plate Unlocked plate Contact Switch Unlocked plate Unlocked plate Unlocked plate Contact Switch Unlocked plate U	Contact Switch					1	other section such as QC, QA, TC
Contact Switch No orgrave Contact Switch Unicoded commodor Contact Switch Unicoded commodor Contact Switch Unicoded commodor Contact Switch Unicoded commodor Contact Switch Unicoded sider magnet Unicoded side						1	
Contact Switch Deformed stabilizer Contact Switch Incomplete rail of sider Contact Switch Incomplete rail of sider Contact Switch Incomplete rail of sider Contact Switch No engrave Contact Switch No engrave Contact Switch No track of contact The Contact Switch Solder Waste The Contact Switch Solder Waste The Contact Switch Unlocked plate Contact Switch Unreadable engrave Contact Switch Unreadable engrave Contact Switch Unreadable engrave Contact Switch Unreadable engrave Contact Switch Wirning date engrave Unlocked plate Contact Switch Wirning date engrave Contact Switch Wirning date Contact Switch Wirning date Contact Switch Wirn						1	necessary for further investigation
Contact Switch Contact Switch No greate Contact Switch No greate Contact Switch No greate Contact Switch No track of contact Switch Solder Weste Contact Switch Contact Switch Contact Switch Solder Weste Contact Switch Unlocked contect Contact Switch Unlocked folder magnet Unlocked fold							
Contact Switch No engrave Contact Switch No grease Contact Switch No track of contact Contact Switch Rust on stator Contact Switch Contact Switch Contact Switch Unlocked pate Contact Switch Unlocked pate Contact Switch Unlocked pate Contact Switch Unlocked side majert Contact Switch Unlocked pate Contact Switch Unlocked spate Contact Switch Unlocked pate Contact Switch Unlocked spate Contact Switch Unroadable engrave Contact Switch Contact Switch Wrong date engrave Unlocked plate Double pushmut Excess Racking of harness MR SW Deformed pushmut Excess Rack Inverted pushmut Excess Rack MR SW Dropped parts (raw mats) Wrong date engrave Unlocked plate Unroadable engrave Unlocked plate Contact Switch Contact Switch Wrong date engrave Unlocked plate Double pushmut Excess Racking of harness Wrong date engrave Unlocked plate Contact Switch MR SW Dropped parts (raw mats) Wrong date engrave Unlocked plate Unroadable engrav						1	
Contact Switch No grasse Contact Switch No grasse Contact Switch Rust on stator Contact Switch Unlocked connector Contact Switch Unlocked Indier Contact Switch Unlocked plate Contact Switch Wrong date enryrave Contact Switch Wrong been grave Unlocked plate Inverted pushrut Function test NG MR SW Deformed plate Excess flash Inverted pushrut Function test NG MR SW Toroped product MR SW Deformed plate Contact Switch MR SW Deformed plate Excess flash Inverted pushrut Function test NG MR SW Deformed plate Deformed plate Deformed plate Deformed plate Inverted pushrut Function test NG MR SW Deformed plate Deformed plate Deformed plate Deformed plate Toroped product No marking MR SW Deformed Ponduct parts Wrong date enryrave Unlocked plate Toroped product No marking MR SW Deformed Ponduct parts Wrong date enryrave Unlocked plate Toroped product No marking MR SW Deformed Ponduct parts Deformed Spring Red eye Deformed Spring Red eye Deformed Ponduct parts Toroped Product parts Homelt Foreign material Red eye Deformed Ponduct parts Toroped Product Parts No solder Nixing Section al factor (A) **Nets: Contact Switch One solder Product Parts Toroped Product Parts Toroped Product Parts Toroped Product Parts Toroped Product Parts No solder Nixing **Nets: Contact Switch **Nets: Contact Switch One solder Product Parts Toroped Product Parts Toroped Product Parts Toroped Product Parts No solder Nix						Containn	ant flow on products affected of
Contact Switch Rust on stator Contact Switch Rust on stator Contact Switch Unlocked plate Contact Switch Unlocked silver majnet Contact Switch Unnoadable engrave Contact Switch Wrong diese engrave Contact Switch Wrong location of engrave Contact Switch MR SW Excess marking Deformed plate Deformed plate Desorbed pushnut Excess flash Inverted pushnut Excess fl		+				_	
Contact Switch No track of contact Contact Switch Rust on stator Contact Switch Contact Switch Contact Switch Contact Switch Unlocked plate Contact Switch Unroadable engrave Contact Switch Wrong location of engrave Contact Switch MR SW Excass marking Deformed plate Double pushnut Excess flash Inverted pushnut Function test NG MR SW Deformed pushnut Excess flash Inverted pushnut Function test NG MR SW Dropped parts (raw mats) Wrong date engrave Unlocked plate Unroadable engrave Unlocked plate Unroadable engrave Unlocked plate Voice Wrong boatton of engraving MR SW Deformed pushnut Excess flash Inverted pushnut Function test NG MR SW Dropped parts (raw mats) Wrong date engrave Unlocked plate Unroadable engrave Unlocked plate Voice Na SW Dropped parts (raw mats) Wrong date engrave Unlocked plate Unroadable engrave Unlocked plate Voice Na SW Dropped parts (raw mats) Wrong date engrave Unlocked plate Unroadable engrave Unlocked plate Voice Voice Na SW Dropped parts (raw mats) Wrong und engrave Unlocked plate Voice Voic						macinine	
Contact Switch Contact Switch Unlocked holder Contact Switch Unlocked holder Unlocked blate Contact Switch Unlocked plate Unlocked plate Contact Switch Unlocked plate Contact Switch Unlocked plate Contact Switch Unlocked plate Contact Switch Unreadable engrave Contact Switch Unreadable engrave Unlocked plate Wrong location of engrave Contact Switch Unreadable engrave Unlocked plate Wrong base engrave Unlocked plate Unlocked p			-			-	Black and Gray must be
Contact Switch Unlocked holder Contact Switch Unlocked slider magnet Contact Switch Unlocked slider magnet Contact Switch Unreadable engrave Contact Switch Wrong location of engrave Contact Switch Wrong location of engrave Contact Switch Wrong location of engrave Unreadable engra						.	*Sampling / sorting of
Contact Switch Unlocked holder Contact Switch Unlocked slider magnet Contact Switch Unlocked slider magnet Contact Switch Unreadable engrave Contact Switch Wrong location of engrave Contact Switch Wrong location of engrave Contact Switch Wrong location of engrave Unreadable engra						ᇫ	affected products must
Contact Switch Unlocked plate Contact Switch Unlocked slider magnet Contact Switch Unreadable engrave Contact Switch Wrong date engrave Contact Switch Wrong date engrave Contact Switch Unreadable engrave Contact Switch Unreadable engrave Contact Switch Unreadable engrave Excess Marking Deformed plate Double pushout MR SW Deformed pushout Excess flash Inverted pushout MR SW Foreign material Wrong location of engraving MR SW Unreadable engrave Unlocked plate Unreadable engrave Unlocked slider magnet Wrong location of engraving MR SW Deformed plate Unreadable engrave Unlocked slider magnet Unreadable engrave Unreadable engrave Unlocked slider magnet Unreadable engrave Unreadable en							from the lot where
Contact Switch Contact Switch Unlocked slate magnet Contact Switch Unlocked slate magnet Contact Switch Unlocked slate magnet Contact Switch Wrong date enryrave Contact Switch Wrong location of engrave Contact Switch Wrong location of engrave Excess marking Deformed plate Double pushnut MR SW Excess flash Inverted pushnut Function test NG MR SW Foreign material Wrong location of engrave Unlocked plate Wrong date enryrave Unlocked plate Wrong date engrave Unlocked plate MR SW Dropped product No marking MR SW Deformed pushnut Function test NG Wrong date engrave Unlocked plate Wr	Contact Switch		Unlocked connector				
Contact Switch Contact Switch Unreadable engrave Contact Switch Wrong date engrave Contact Switch Wrong beat of engrave Contact Switch Wrong date engrave Contact Switch Wrong beat of engrave Contact Switch Wrong beat of engrave Wrong beat of engrave Excess flash Inverted pushnut Excess flash Inverted pushnut MR SW Dropped pushnut MR SW Dropped parts (raw mats) MR SW Wrong location of engraving MR SW Unreadable engrave Unlocked slider magnet Unlocked slider magnet MR SW Deformed pushnut MR SW Deformed pushnut MR SW Dropped product MR SW Dropped product MR SW Deformed product MR SW Deformed bear of engraving MR SW Deformed bear of the defect encountered. Wrong date engrave Unlocked slider magnet Unlocked slider magnet Unlocked slider magnet Deformed spring excess flacking of harness Hothmelt Foreign material Red eye Deformed pring excess flacking of harness Deformed product No numaring Other model as superior (AsV/SV/Manager) and other section related (QA). Wrong use of PCB Hothmelt Foreign material Red eye Deformed bend hotmelt Deformed pring excess flacking of harness Deformed product No numaring Other routed superior (AsV/SV/Manager) and other section related to: Trouble related to: Wrong of the defect encountered. No solder No solder MR SW Deformed product Assembly and inaction list **Microple related to: **Microple related to: **Trouble related to:	Contact Switch		Unlocked holder]	
Contact Switch Unreadable engrave Contact Switch Wrong date errigrave Contact Switch Wrong location of engrave Contact Switch Wrong location of engrave Contact Switch Excess marking Deformed plate MR SW Deformed pushnut Excess flash Inverted pushnut Function test NG MR SW Foreign material Wrong location of engraving MR SW Unreadable engrave Unlocked slider magnet MR SW Unreadable engrave Unlocked plate Wrong date errigrave Unlocked plate Unlocked plate Wrong date errigrave Unlocked plate Wro	Contact Switch		Unlocked plate				Products produced where
Contact Switch Contact Switch Contact Switch Wrong date engrave Contact Switch Wrong location of engrave Excess marking Deformed plate Double pushnut Excess flash Inverted pushnut Function test NC MR SW Deformed pushnut Excess flash Inverted pushnut Mrssing components Wrong date engrave Unlocked plate Unlocked plate Unlocked plate Wrong date engrave Unlocked plate Wrong on engrave Unlocked plate Unlocked plate Unlo	Contact Switch		Unlocked slider magnet				
Contact Switch Contact Switch Contact Switch Wrong location of engrave excess flacking of harness MR SW Excess marking Deformed plate Double pushnut Excess flash Inverted pushnut Function test NG MR SW Products produced not affected of the defect encountered. No pushnut Missing components MR SW Dropped parts (raw mats) Wrong date engrave Unlocked slider magnet Unlocked slider magnet Unlocked slider magnet Unlocked slider magnet Contained Products must be verified by immediate superior (ASV/SV/Manager) and other section related (QA). No marking MR SW Dropped product MR SW Deformed / bend hotmelt Deformed / bend hotmelt Deformed / bend hotmelt Flow up Void on HM Wrong use of PCB Hotmelt Hotmelt Hotmelt Hotmelt Bridge Hotmelt Bridge Hotmelt Burnt wire Burnt wire Burnt wire Burnt wire Hotmelt Damaged hotmelt Insufficient solder Hotmelt Flow up Lift up Wrong orientation of wire Excess flasking of harness Accemba, and insertion ig *Re-inspect affected poxibility *Re-inspect affected poxibil	Contact Switch		Unreadable engrave				before detecting the actual defect a
Contact Switch Contac	Contact Switch		Wrong date enrgrave				
MR SW Excess marking Deformed plate Double pushnut Mixing MR SW Deformed pushnut Excess flash Inverted pushnut Function test NG MR SW Foreign material Wrong location of engraving No pushnut Missing components MR SW Dropped parts (raw mats) Wrong date engrave Unlocked plate MR SW Unreadable engrave Unlocked slider magnet MR SW Dropped parts (raw mats) Deformed / bend hotmelt MR SW Deformed / be	Contact Switch		Wrong location of engrave			1	
MR SW Deformed pushnut Excess flash Inverted pushnut Function test NG MR SW Foreign material Wrong location of engraving No pushnut Missing components MR SW Dropped parts (raw mats) Wrong date engrave Unlocked plate MR SW Unreadable engrave Unlocked slider magnet Unlocked slider magnet Unlocked slider magnet Inverted pushnut MR SW Dropped product No marking Immediate superior (ASV/SV/Manager) and other section related (QA). MR SW Deformed / bend hotnelt Deformed spring excess flacking of harness Hotmelt Foreign material Red eye Detached HM No hotmelt Hotmelt Over flow / over solder Deformed / bend hotnelt Crack on capacitor (visible) Hotmelt Bridge Mother Mixing Detaction of function test Hotmelt Dropped product / parts Hotmelt Summire Mother Dropped product / parts Hotmelt Dropped product / parts ended product. **Sement and the respect affected product. **Re-inspect affected pr	Contact Switch			excess /lacking of harness		1	
MR SW Deformed pushnut Excess flash Inverted pushnut Function test NG MR SW Foreign material Wrong location of engraving No pushnut Missing components MR SW Dropped parts (raw mats) Wrong date engrave Unlocked plate MR SW Unreadable engrave Unlocked slider magnet Unlocked slider magnet Unlocked slider magnet Inverted pushnut MR SW Dropped product No marking Immediate superior (ASV/SV/Manager) and other section related (QA). MR SW Deformed / bend hotnelt Deformed spring excess flacking of harness Hotmelt Foreign material Red eye Detached HM No hotmelt Hotmelt Over flow / over solder Deformed / bend hotnelt Crack on capacitor (visible) Hotmelt Bridge Mother Mixing Detaction of function test Hotmelt Dropped product / parts Hotmelt Summire Mother Dropped product / parts Hotmelt Dropped product / parts ended product. **Sement and the respect affected product. **Re-inspect affected pr				-		1	Products produced not affected
MR SW Deformed pushnut Excess flash Inverted pushnut Function test NG MR SW Foreign material Wrong location of engraving No pushnut Missing components MR SW Dropped parts (raw mats) Wrong date engrave Unlocked plate MR SW Unreadable engrave Unlocked slider magnet Unlocked slider magnet MR SW Unreadable engrave Unlocked slider magnet MR SW Unreadable engrave Unlocked slider magnet MR SW Deformed / bend hotmelt Deformed spring MR SW Deformed / bend hotmelt Deformed spring MR SW Deformed / bend hotmelt Deformed spring MR SW Deformed / bend hotmelt No hotmelt Hotmelt Foreign material Red eye Detached HM No hotmelt Hotmelt Flow up Void on HM Wrong use of PCB Hotmelt Deformed / bend hotmelt Crack on capacitor (visible) Hotmelt Bridge Mixing Deformed / bend hotmelt Crack on capacitor (visible) Hotmelt Bridge Mixing Deformed / bend hotmelt Crack on capacitor (visible) Hotmelt Deponded / parts Hotmelt Deponded / parts Hotmelt Deponded / parts Hotmelt Demaged hotmelt Hotmelt Wrong orientation of wire Wrong orientation of wire Wrong orientation of wire Excess flacking of harness Exc. maching of harness Exc. maching and tube cutting	MR SW	Excess marking	Deformed plate	Double pushnut	Mixing		
MR SW Poreign material Wrong location of engraving No pushnut Missing components MR SW Dropped parts (raw mats) Wrong date engrave Unlocked plate MR SW Unreadable engrave Unlocked silder magnet MR SW Dropped product No marking immediate superior (ASV/SV/Manager) and other section related (QA). MR SW Deformed / bend hotmelt Deformed spring MR SW Eoreign material Red eye Detached HM No hotmelt Hotmelt Foreign material Red eye Detached HM Wrong use of PCB Hotmelt Over flow / over solder Deformed / bend hotmelt Crack on capacitor (visible) Hotmelt Bridge Hotmelt Dropped product / parts Hotmelt Dropped product / parts Hotmelt Damaged hotmelt Hotmelt Damaged hotmelt Hotmelt Damaged hotmelt Hotmelt Smashed wire #Re-inspect affected product. **Reservabled and after machine repair.** **Packed packed and insertion jig **Reservabled and insertion jig		· ·	· · · · · · · · · · · · · · · · · · ·	'			
MR SW Dropped parts (raw mats) Wrong date enrgrave Unlocked plate MR SW Unreadable engrave Unlocked slider magnet MR SW Dropped product No marking MR SW Deformed / bend hotmelt Deformed spring MR SW Deformed / bend hotmelt Deformed spring MR SW Deformed / bend hotmelt Deformed spring Hotmelt Foreign material Red eye Detached HM No hotmelt Hotmelt Deformed / bend hotmelt Crack on capacitor (visible) Hotmelt Dropped product No solder Mixing Bridge Motmelt Dropped or product No solder Mixing Hotmelt Dropped product No marking Hotmelt Bridge Mixing Hotmelt Dropped product No solder Mixing Hotmelt Dropped product / parts Hotmelt Dropped product No solder No s		· · · · · · · · · · · · · · · · · · ·				1	
MR SW Dropped product No marking Immediate superior (ASV/SV/Manager) and other section related (QA). MR SW Deformed / bend hotmelt Deformed spring excess / facking of harness Hotmelt Foreign material Red eye Detached HM No hotmelt Wrong use of PCB Hotmelt Deformed / bend hotmelt Crack on capacitor (visible) Hotmelt Bridge Mother Bridge			0 0	,	Wildsing components	.	
MR SW Deformed / bend hotmelt Deformed spring excess /lacking of harness Hotmelt Foreign material Red eye Detached HM No hotmelt Hotmelt Foreign material Red eye Detached HM No hotmelt Crack on capacitor (visible) No solder Mixing Detection of function test Affected boxes for re-test including those before the trouble and after machine repair. **Other trouble such as broken parts need to re-inspea affected product. **Other trouble such as broken parts need to re-inspea affected product. **Tother trouble such as broken parts need to re-inspea affected product. **Sensor related - re-inspect affected boxes including those before the trouble and after machine repair. **Sensor related - re-inspect affected boxes including those before the trouble and after machine repair. **Sensor related - re-inspect affected boxes including those before the trouble and after machine repair. **Sensor related - re-inspect affected boxes including those before the trouble and after machine repair. **Sensor related - re-inspect affected boxes including those before the trouble and after machine repair. **Sensor related - re-inspect affected boxes including those before the trouble and after machine repair. **Sensor related - re-inspect affected boxes including those before the trouble and after machine repair. **Sensor related - re-inspect affected boxes including those before the trouble and after machine repair.		Diopped parts (raw mats)		· · · · · · · · · · · · · · · · · · ·	+		d Braduata must be varified by
MR SW Deformed / bend hotmelt Deformed spring excess / lacking of harness Hotmelt Foreign material Red eye Detached HM No hotmelt Hotmelt Foreign material Red eye Detached HM Wrong use of PCB Hotmelt Over flow / over solder Hotmelt Bridge Hotmelt Bridge Hotmelt Dropped product / parts Hotmelt Burnt wire Hotmelt Fix NG Hotmelt Damaged hotmelt Fix NG Hotmelt Damaged hotmelt Foreign material Red eye Detached HM No hotmelt Crack on capacitor (visible) Mixing Detection of function test "Affected boxes for re-lest including those before the trouble and after machine repair. "Other trouble such as broken parts need to re-inspect affected products. Assembly and insertion jig "Re-inspect affected product. "Sensor related (QA). Assembly and insertion jig "Re-inspect affected product. "Sensor related re-inspect affected product. "Sensor related - re-inspect affected boxes including those before the trouble and after machine repair. "Other trouble such as broken parts need to re-inspect affected products. "Assembly and insertion jig "Re-inspect affected product. "Sensor related - re-inspect affected boxes including those before the trouble and after machine repair. Wrong orientation of wire Hotmelt Wrong orientation of wire #Notice of the could be and after machine repair. *Sensor related - re-inspect affected boxes including those before the trouble and after machine repair.		+	· ·	· ·	+		
MR SW Red eye Detached HM No hotmelt Hotmelt		+			+		
Hotmelt Foreign material Red eye Detached HM No hotmelt Hotmelt Flow up Void on HM Wrong use of PCB Hotmelt Over flow / over solder Deformed / bend hotmelt Crack on capacitor (visible) Hotmelt Bridge Detection of function test Hotmelt Dropped product / parts Hotmelt Dropped product / parts Hotmelt Burnt wire Wrong orientation of wire Hotmelt Damaged hotmelt Hotmelt Dropped product Smashed wire Hotmelt Elft up CNC machine and tube cutting Wrong orientation of wire Petached HM No hotmelt Wrong orientation of wire Wrong orientation of wire Detection of function test *Affected toxes for re-test including those before the trouble and after machine repair. *Other trouble such as broken parts need to re-insperate affected products. *Assembly and insertion jig *Re-inspect affected product. *Sensor related - re-inspect affected boxes including those before the trouble and after machine repair. *Sensor related - re-inspect affected boxes including those before the trouble and after machine repair. *CNC machine and tube cutting			Deformed / bend hotmelt	, ,	1	4	
Hotmelt Flow up Void on HM Wrong use of PCB Hotmelt Deformed / bend hotmelt Crack on capacitor (visible) Hotmelt Bridge No solder Mixing Detection of function test Hotmelt Dropped product / parts Hotmelt Brunkire Summarker Strukker Struk		<u> </u>		ů		4	
Hotmelt Deformed / bend hotmelt Crack on capacitor (visible) Hotmelt Bridge Surprise		Foreign material	•			4	
Hotmelt Bridge Mixing Detection of function test Hotmelt Bridge Mixing Detection of function test *Affected boxes for re-test including those before the trouble and after machine repair. Hotmelt Burnt wire Mother Flux NG Mother Mixing Mi			· ·			1	
Hotmelt Bridge **Affected boxes for re-lest including those before the trouble and after machine repair. Hotmelt Brunki					, , ,	Trouble re	elated to:
Hotmelt Dropped product / parts Hotmelt Burnt wire Hotmelt Flux NG Hotmelt Damaged hotmelt Hotmelt Damaged hotmelt Hotmelt Lift up Hotmelt Lift up Hotmelt Smashed wire Hotmelt Smashed wire Hotmelt Wrong orientation of wire #Route and after machine repair. trouble and after machine repair. *Conc machine and tube cutting	Hotmelt		Horn	No solder	Mixing	_	
Hotmelt Dropped product / parts Hotmelt Burnt wire Hotmelt Flux NG Hotmelt Damaged hotmelt Hotmelt Insufficient solder Hotmelt Lift up Hotmelt Smashed wire Hotmelt Smashed wire Hotmelt Wrong orientation of wire Hotmelt Wrong orientation of wire Hotmelt Wrong orientation of wire Hotmelt Excess /lacking of harness CNC machine and tube cutting	Hotmelt		Bridge				
Hotmelt Flux NG Assembly and insertion jig Hotmelt Damaged hotmelt Assembly and insertion jig Hotmelt Insufficient solder Assembly and insertion jig Hotmelt Lift up Assembly and insertion jig *Re-inspect affected product. *Re-inspect affected product. *Sensor related - re-inspect affected boxes including those before the trouble and after machine repair. Hotmelt Wrong orientation of wire excess /lacking of harness CNC machine and tube cutting	Hotmelt		Dropped product / parts			troubl	е ани апет тпасніне гераіг.
Hotmelt Flux NG Assembly and insertion jig Hotmelt Insufficient solder Assembly and insertion jig Hotmelt Lift up Assembly and insertion jig Hotmelt Smashed wire Assembly and insertion jig Hotmelt Smashed wire Assembly and insertion jig *Re-inspect affected product. *Sensor related - re-inspect affected boxes including those before the trouble and after machine repair. Hotmelt Wrong orientation of wire excess /lacking of harness CNC machine and tube cutting	Hotmelt		Burnt wire				
Hotmelt Damaged hotmelt Hotmelt Insufficient solder Hotmelt Lift up Hotmelt Smashed wire Hotmelt Wrong orientation of wire Hotmelt Wrong orientation of wire Hotmelt Excess /lacking of harness CNC machine and tube cutting			Flux NG			affecte	ea product/s.
Hotmelt Insufficient solder Hotmelt Lift up Lift up *Re-inspect affected product. *Sensor related - re-inspect affected boxes including those before the trouble and after machine repair. Hotmelt Wrong orientation of wire Hotmelt excess /lacking of harness CNC machine and tube cutting						1	
Hotmelt Lift up *Re-inspect affected product. Hotmelt Smashed wire *Sensor related - re-inspect affected boxes including those before the trouble and after machine repair. Hotmelt Wrong orientation of wire excess /lacking of harness CNC machine and tube cutting			, and the second			Assembly and	d insertion iia
Hotmelt Smashed wire "Sensor related - re-inspect affected boxes including those before the trouble and after machine repair. Hotmelt Wrong orientation of wire excess /lacking of harness CNC machine and tube cutting						-1	
Hotmelt Wrong orientation of wire those before the trouble and after machine repair. Hotmelt excess /lacking of harness CNC machine and tube cutting		+	'			_	
Hotmelt excess /lacking of harness CNC machine and tube cutting					+		
·			wrong onemation of wire	overes Arabina (C)		one ::	
*Re-inspect affected boxes based on containment fit	Hotmelt			excess /lacking of harness			
						^Ke-II	rispect affected boxes based on containment flow.
		1				4	
						1	

CONFIDENTIAL: Any misuse or misappropriation, including unauthorized copying, reproduction in any form, disclosure or publishing of this document or any information herein is strictly prohibited.