




	<b>WORK INSTRUCTION</b>				Effectivity Date:	June 11, 2024		
	Process Name/Title: <b>CLAMP ASSEMBLY PROCESS</b>				Validity Date:	n/a		
	Model code/Part number: <b>660B / 7R0110-7020B</b>		Customer: <b>TRMX</b>	Car Model: <b>TOYOTA-SEQUOIA</b>	Document No.:	<b>WI-ENG-PDE-780</b>		
	Purpose: <input type="checkbox"/> PROTOTYPE <input type="checkbox"/> PRE-LAUNCH <input checked="" type="checkbox"/> MASSPRO				Revision No.:	0	Page No.:	1 of 5


<b>PARTS:</b>	1. All parts: Assy part; Clamp 82711-12A60 (W)			JIG:	1. Clamp Assembly jig
<b>NO.</b>	<b>PROCESS NAME</b>	<b>WORK PROCEDURE/ ILLUSTRATION</b>		<b>TOOLS/PPE</b>	<b>QUALITY POINTERS</b>
1	Clamp Assy	<p style="text-align: center; border: 1px solid red; color: red;">TABLE LAY-OUT</p> 		<p><b>Safety Instruction</b></p> <p>Be sure to wear prescribed personal protective equipment during operation (gloves, finger cots, etc.)</p> <p><b>Housekeeping</b></p> <p>1. Maintain and always practice 5's. 2. Personal things on the work place is prohibited. Keep it in your locker.</p> <p><b>Alert level</b></p> <p>For any trouble, inform the Assembly Assistant Supervisor or Line Leader for immediate corrective action.</p> <p><b>BANDO GUN</b></p> <p><b>Extended nosepiece</b></p>	<p><b>Document references:</b></p> <p>1. Refer to WI-ENG-PDE-321 Taping Assembly Process</p> <p>1. No missing parts/tools 2. No excess parts/tools</p> <p><b>BAND CLAMP ILLUSTRATION</b></p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>GOOD</p>  <p>82711-12A60 (W)</p> </div> <div style="text-align: center;"> <p>NG</p>  <p>82711-52070 (B)</p> </div> </div> <p><b>BANDO GUN ILLUSTRATION</b></p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>GOOD</p>  <p>EXTENDED NOSEPIECE (4mm)</p> </div> <div style="text-align: center;"> <p>NG</p>  <p>EXTENDED NOSEPIECE (.8mm)</p> </div> </div>




  

Revision History				Prepared by	Reviewed by	Approved by	Noted by
06/11/24	0	Initial issue.		D.Castillo	C.Villanueva	A. Arañes	n/a
Eff. Date	Rev. No	Details of Change	Revised	Reviewed	Approved	Noted	Est. Date: June 11, 2024

**CONFIDENTIAL:** Any misuse or misappropriation, including unauthorized copying, reproduction in any form, disclosure or publishing of this document or any information herein is strictly prohibited.

**NBC (Philippines)**  
**MASTER COPY**

	<b>WORK INSTRUCTION</b>				Effectivity Date:		June 11, 2024	
	Process Name/Title: <b>CLAMP ASSEMBLY PROCESS</b>				Validity Date:		n/a	
	Model code/Part number: <b>660B / 7R0110-7020B</b>		Customer: <b>TRMX</b>	Car Model: <b>TOYOTA-SEQUOIA</b>	Document No.:		<b>WI-ENG-PDE-780</b>	
	Purpose: <input type="checkbox"/> PROTOTYPE <input type="checkbox"/> PRE-LAUNCH <input checked="" type="checkbox"/> MASSPRO				Revision No.:		0	Page No.: 2 of 5

<b>PARTS:</b>		1. Clamp 82711-12A60 (W)		JIG:	1. Clamp Assembly Jig
<b>NO.</b>	<b>PROCESS NAME</b>	<b>WORK PROCEDURE/ ILLUSTRATION</b>		<b>TOOLS/PPE</b>	<b>QUALITY POINTERS</b>
2	Clamp Assy	<div><div>1. Get 1pc of clamp 82711-12A60 (W) then insert to clamp location 1 using both hands.</div></div>		n/a	<div><p>BAND CLAMP ILLUSTRATION</p><div><div>GOOD</div><div>82711-12A60 (W)</div></div><div><div>NG</div><div>82711-52070 (B)</div></div></div> <div>1. No wrong use of clamp 2. No missing clamp 3. No damaged clamp</div>

CONFIDENTIAL: Any misuse or misappropriation, including unauthorized copying, reproduction in any form, disclosure or publishing of this document or any information herein is strictly prohibited.

NBC (Philippines)

MASTER COPY

DCC Stamp



## WORK INSTRUCTION

Process Name/Title:

## CLAMP ASSEMBLY PROCESS

Effectivity Date:

June 11, 2024

Model code/Part number:

660B / 7R0110-7020B

Customer:

TRMX

Car Model:

TOYOTA-SEQUOIA

Document No.:

WI-ENG-PDE-780

Purpose:










☐ PROTOTYPE☐ PRE-LAUNCH☒ MASSPRO

Revision No.:

0

Page No.:

3 of 5

PARTS:		1. Assy parts		JIG:	1. Clamp Assembly Jig
NO.	PROCESS NAME	WORK PROCEDURE/ ILLUSTRATION		TOOLS/PPE	QUALITY POINTERS
3	Clamp Assy	<div></div> <div><p>1. Get the assy parts and set into jig. (<i>see above picture for correct setting</i>) First, set the connector 6098-3803(B) to <b>receiver base</b> then lock both. Last, set the <b>B-B wires</b> together within the stopper then press by <b>Toggle clamp</b>. Continue if the sequence light of location <b>1</b> was <b>ON</b>.</p><p>2. Check if all LED light for <b>POWER ON</b> and <b>CLAMP</b> was <b>ON</b>. If encountered abnormality, <b>STOP</b> and immediately <b>CALL</b> the attention of the leader. <b>WAIT</b> for further instruction then continue the process. Continue if the sequence light in <b>location 1</b> is <b>ON</b>.</p><p>3. Initially tighten the band clamp using both hands.</p><p>4. Get the bando gun using right hand then cut the band clamp.</p><p>5. Conduct <b>POINT CHECKING</b> before removal from jig.</p></div> <div><div>BANDO GUN ALIGNMENT</div><div></div></div> <div><div></div><div></div></div> <div><div></div><div>Fixed setting of band clamp cutter: 1~2</div></div>		n/a	<p><b>Important reminders/Note/s:</b></p> <p>1. Make sure no gap between stopper jig and terminal.</p> <p>2. Setting of band clamp cutter depends on the size of the COT/Vinyl tube. For: ø5 - 1~2, ø7 - 3~4</p> <div><div>BAND CLAMP ILLUSTRATION</div><div></div><div></div></div> <div><p>82711-12A60 (W)</p><p>82711-52070 (B)</p></div> <p>1. No loose clamp attached 2. No damage clamp 3. No missed tape 4. No missing parts</p> <div><div>BANDO GUN ILLUSTRATION</div><div></div><div></div></div> <div><p>EXTENDED NOSEPIECE (4mm)</p><p>EXTENDED NOSEPIECE (.8mm)</p></div>

**CONFIDENTIAL:** Any misuse or misappropriation, including unauthorized copying, reproduction in any form, disclosure or publishing of this document or any information herein is strictly prohibited.

NBC (Philippines)  
MASTER COPY

DCC Stamp





**WORK INSTRUCTION**

Process Name/Title:

**CLAMP ASSEMBLY PROCESS**

Effectivity Date:

June 11, 2024

Model code/Part number:

**660B / 7R0110-7020B**

Customer:

**TRMX**

Car Model:

**TOYOTA-SEQUOIA**

Document No.:

**WI-ENG-PDE-780**

Purpose:

☐ PROTOTYPE☐ PRE-LAUNCH☒ MASSPRO

Revision No.:

0

Page No.:


5 of 5

PARTS:

n/a

JIG:

n/a

**VISUAL INSPECTION/ QUALITY CHECKPOINTS****CLAMP  
ASSY****7R0110-7020B****GOOD****NO GOOD****GOOD****NO GOOD****① No Unlock/  
Halflocked Connector****② No Missing/Damaged  
Bandclamp****③ No Missing Tape****④ No Deformed Terminal****⑤ No Wrong Insert**

**CONFIDENTIAL:** Any misuse or misappropriation, including unauthorized copying, reproduction in any form, disclosure or publishing of this document or any information herein is strictly prohibited.

**NBC (Philippines)  
MASTER COPY**

DCC Stamp