
		Process Name/ Title:					
		Clip Clamp	Attachment	Document N	lo:	WI-PRO	-KIT-008
		WORK INS	TRUCTION	Effective Date	te:	July 19	, 2023
		Product Code/Name:	Customer Code:	Day No.	2	Dogo No.	1 of 3
		7M0503-702□	NBC	Rev. No.:	3	Page No.:	1 01 3

		7M0503-702□	NBC	Г	kev. No	rage No	01 3
No.	Work Procedure/ Illustration Records/Remarks/						
NO.	Process Nan	/_\	Illustration	Jigs & Tools/P	PE	Quality Pointe	ers
1	Parts Settir	Prepare the needed parts to start the process.  Arrange the coupler ( 7282-1026) and clip clamp (82711-IE360) into the working table.  APPLICABLE MODEL: 7M0503-702	CLIP CLAMP JIG	Be sure to wear required safety al equipment during 2. [	Housekeeping  1. Maintain and ways practice 5's. On not put personal ings on top of the workplace.	Alert level For any troubled for inform the Assen Assistant Supervis Line Leader fo immediate correct actions.	nbly sor or
2	Coupler an Clip Clamp Orientatio	IERT nand and noid the clip clamp (82/11-		COUPLER ORIENTATION	CLIP CLAMP ORIENTATION	No wrong used of     No wrong orienta     No missing clip cla	tion
3	Clip Clam Attachmer					No wrong used of     No wrong orienta     No missing clip cla	tion
		·	·		Prepa	re Check A	Approve
07/19/20	)23 3	Change photos due to using of	clip clamp jig	B.Maloles W. Carb	illon O. Merin		
04/29/20				H.Alamarez M.Cruz	<del></del>		( /, , .
	5/18/2021 1 Additional process for updating Daily Operation Report		D. Caraig W. Carb		ayr Salsh	1/1	
	9/15/2020 0 Initial issue.		D. Caraig W. Carb	D.IVIJAIC	les W./Carbillon C	Merin	
Eff./Rev. D	Date Rev. No.	Details of change		Revise Chec	k Approve Est. da	nte: Sep 15, 20	020

CONFIDENTIAL: ©2017 NBC; all rights reserved. Any misuse or misappropriation, including unauthorized copying, reproduction in any form, disclosure or publishing of this document or any information herein is strictly prohibited.


NBC (Philippines)
MASTER COPY



		7M0503-702□	NBC	j   1   1   1   1   1   1   1   1   1	- age : to
No.		Work Procedure/ Illustration			
NO.	Process Name	Work Procedure	Illustration	Jigs & Tools/PPE	Quality Pointers
4	Setting of clip clamp and connector to clip clamp jig	Set clip clamp (82711-IE360) and connector (7282-1026) to clip clamp jig.	FORE ASSEM	Safety Instruction  Be sure to wear required safety equipment during operation (gloves, finger cots, etc.)  Housekeeping 1. Maintain and always practice 5's. 2. Do not put personal things on top of the workplace.	Alert level For any troubled found, inform the Assembly Assistant Supervisor or Line Leader for immediate corrective actions.
5	Pushing of clip clamp to connector	Push the clip clamp jig handle forward.	SEMBL	GOOD	<ol> <li>No wrong used of parts</li> <li>No wrong orientation</li> <li>No missing clip clamp</li> <li>No loose attachment</li> </ol>
6	Storing of Output	Put the assembled part into the output box using right hand	AFTER ASSEMINATION OF THE PASSEMINATION OF THE PASS	-Fully inserted	No wrong used of parts     No wrong orientation     No missing clip clamp     No loose attachment
7	Details Recording	Upon completion of all parts needed to assemble, record the lot no. of clip clamp on a provided Clip Clamp attachment detail Label.	Mills reprine to the state of t	-Not fully inserted	No missing detail     No wrong detail

CONFIDENTIAL: ©2017 NBC; all rights reserved. Any misuse or misappropriation, including unauthorized copying, reproduction in any form, disclosure or publishing of this document or any information herein is strictly prohibited.

NBC (Philippines)
MASTER COPY



		71110000 702	ND(		
No.		Records/Remarks/			
NO.	Process Name Work Procedure		Illustration	Jigs & Tools/PPE	Quality Pointers
8	Daily Operation Report	Update the details of box no. , lot no. , date and operator.	Safety Instruction Be sure to wear required safety equipment during operation (gloves, finger cots, etc.)  Housekeeping 1. Maintain and always	Be sure to wear required safety equipment during operation (gloves, finger cots, etc.)  Housekeeping  1. Maintain and always	No missing detail     No wrong detail
9	Finished output packaging	Attached the Clip Clamp Attachment Detail Label inside the plastic of assembled parts.  Note: Plastic to be used is the plastic of the coupler where the details and lot no. of coupler is attached on it.	CLIP CLAMP ATTACHMENT DETAIL  NAME: flore! (Nederla  DATE: 01 - 27-20  LOT NO: AND 04 - 01	practice 5's.  2. Do not put personal things on top of the workplace.  Alert level For any troubled found, inform the Assembly Assistant Supervisor or Line Leader for immediate corrective actions.	<ol> <li>No missing detail</li> <li>No wrong detail</li> <li>No lacking/excess qty</li> </ol>

CONFIDENTIAL: ©2017 NBC; all rights reserved. Any misuse or misappropriation, including unauthorized copying, reproduction in any form, disclosure or publishing of this document or any information herein is strictly prohibited.

NBC (Philippines)

MASTER COPY