

Table 1: Sharp RD estimates of MLDA effects on mortality

Dependent variable	Ages 19–22		Ages 20–21	
	(1)	(2)	(3)	(4)
All deaths	7.663 (1.514)	9.548 (1.830)	9.753 (2.064)	9.611 (2.291)
Motor vehicle accidents	4.534 (0.717)	4.663 (1.093)	4.759 (1.082)	5.892 (1.329)
Suicide	1.794 (0.496)	1.814 (0.782)	1.724 (0.733)	1.297 (1.140)
Homicide	0.104 (0.450)	0.200 (0.502)	0.164 (0.589)	-0.453 (0.927)
Other external causes	0.441 (0.292)	1.178 (0.348)	0.831 (0.368)	1.346 (0.425)
All internal causes	0.392 (0.543)	1.073 (0.802)	1.692 (0.745)	1.249 (1.012)
Alcohol-related disease	0.442 (0.206)	0.799 (0.324)	0.740 (0.333)	1.028 (0.413)
Controls	age	age, age ² , interactions with over-21	age	age, age ² , interactions with over-21
Sample size	48	48	24	24
Entries are coefficients on the over-21 indicator dummy. Standard errors (HC1) are in parentheses. Columns (1) and (3) include linear age controls. Columns (2) and (4) additionally include quadratic age controls and interactions.				