

- Microservices architecture for containerized deployment on Kubernetes
 - Ensures HIGH-availability and HIGH-scalability
- The microservices consume messages injected into a Rabbit-MQ BUS by the client applications through the AMQP protocol. The Rabbit-MQ queue can also be deployed on Kubernetes for HIGHavailability.
- The Postgresql database engine can be deployed anywhere. Also on Kubernetes for HIGH-scalability.



- Software Stack
 - Nest.js / Angular
 - Postgres 15.2-1
 - RabbitMQ 3.10.2


Developed on VS-Code

- Development uses the usual techniques for robust development of services. Ensures decoupling and testability.
 - MVC architecture, namely:
 - Controllers
 - Services pattern
 - Application pattern
 - Entities
 - Interfaces
 - ORM and Repositories
 - DTOs and Automappers



C:\windows\system32\cmdJoão Bonina - bonina_2001@yahoo.com

```
F:\dev\ErrorLogService\service-nest>npm run start
 service-nest@0.0.1 start
 nest start
                                            [NestFactory] Starting Nest application...
             - 10/03/2023, 00:31:55
                                            [InstanceLoader] AutomapperModule dependencies initialized +79ms
               10/03/2023, 00:31:55
                                         LOG [InstanceLoader] TypeOrmModule dependencies initialized +Oms
      17836 - 10/03/2023, 00:31:55
                                         LOG [InstanceLoader] TypeOrmCoreModule dependencies initialized +147ms
      17836 - 10/03/2023, 00:31:55
                                         LOG [InstanceLoader] TypeOrmModule dependencies initialized +1ms
      17836 - 10/03/2023, 00:31:55
      17836 - 10/03/2023, 00:31:55
                                         LOG [InstanceLoader] ErrorLogModule dependencies initialized +1ms
      17836 - 10/03/2023, 00:31:55
                                         LOG [InstanceLoader] AppModule dependencies initialized +0ms
                                            [NestMicroservice] Nest microservice successfully started +115ms
      17836 - 10/03/2023, 00:31:55
      17836 - 10/03/2023, 00:31:55
                                         LOG [RoutesResolver] AppController {/}: +24ms
                                         LOG [RouterExplorer] Mapped {/, GET} route +2ms
      17836 - 10/03/2023, 00:31:55
                                        LOG [RoutesResolver] ErrorLogController {/error-log}: +1ms
      17836 - 10/03/2023, 00:31:55
      17836 - 10/03/2023, 00:31:55
                                        LOG [RouterExplorer] Mapped {/error-log, GET} route +0ms
                                        LOG [NestApplication] Nest application successfully started +3ms
 Nest] 17836 - 10/03/2023, 00:31:55
Received: {"errorMsg":" Cannot read properties of null (reading 'status')", "errorStackTrace":"[Nest] 23380
/03/2023, 11:11:48 ERROR [RpcExceptionsHandler] Cannot read properties of null (reading 'status')
                                                                                                          TypeEr
ror: Cannot read properties of null (reading 'status')
                                                                at AppController.create (F:devErrorLogServicese
rvice-nestsrcapp.controller.ts:46:22)
                                               at processTicksAndRejections (node:internal/process/task queues:
               at F:devErrorLogServiceservice-nest\node modules@nestjsmicroservicescontext\rpc-proxy.js:11:32
95:5)
        at ServerRMQ.handleEvent (F:devErrorLogServiceservice-nest\node modules@nestjsmicroservicesserverserver
.js:71:32)","IPAddress":"192.168.1.100","Port":3001,"ExtIPAddress":"8.8.8.8","ExtPort":80,"ServernameFQDN":"myap
plication.mydomain.com", "ApplicationName": "AccountingApp", "ApplicationVersion": "v1.10-PRODUCTION", "ApplicationEr
rorLevel":0, "DateTime": "2023-03-09T23:30:41.263Z"}
going to save: [object Object]
```



Error Logs							
ID	Error Level	Message	Stack	IP addr	Port	Application	Version
62	0	Cannot read properties of null (reading 'status')	[Nest] 23380 - 05/03/2023, 11:11:48 ERROR [RpcExceptionsHandler] Cannot read properties of null (reading 'status') TypeError: Cannot read properties of null (reading 'status') at AppController.create (F:devErrorLogServiceservice- nestsrcapp.controller.ts:46:22) at processTicksAndRejections (node:internal/process/task_queues:95:5) at F:devErrorLogServiceservice-nest ode_modules@nestjsmicroservicescontext pc-proxy.js:11:32 at ServerRMQ.handleEvent (F:devErrorLogServiceservice-nest ode_modules@nestjsmicroservicesserver.js:71:32)	192.168.1.100	3001	AccountingApp	v1.10- PRODUCTION
61	1	Cannot read properties of null (reading 'status')	[Nest] 23380 - 05/03/2023, 11:11:48 ERROR [RpcExceptionsHandler] Cannot read properties of null (reading 'status') TypeError: Cannot read properties of null (reading 'status') at AppController.create (F:devErrorLogServiceservice- nestsrcapp.controller.ts:46:22) at processTicksAndRejections (node:internal/process/task_queues:95:5) at F:devErrorLogServiceservice-nest ode_modules@nestjsmicroservicescontext pc-proxy.js:11:32 at ServerRMQ.handleEvent (F:devErrorLogServiceservice-nest ode_modules@nestjsmicroservicesserver.js:71:32)	192.168.1.100	3001	AccountingApp	v1.10- PRODUCTION
60	1	Cannot read properties of null (reading 'status')	[Nest] 23380 - 05/03/2023, 11:11:48 ERROR [RpcExceptionsHandler] Cannot read properties of null (reading 'status') TypeError: Cannot read properties of null (reading 'status') at AppController.create (F:devErrorLogServiceservice- nestsrcapp.controller.ts:46:22) at processTicksAndRejections (node:internal/process/task_queues:95:5) at F:devErrorLogServiceservice-nest ode_modules@nestjsmicroservicescontext pc-proxy.js:11:32 at ServerRMQ.handleEvent (F:devErrorLogServiceservice-nest ode_modules@nestjsmicroservicesserverserver.js:71:32)	192.168.1.100	3001	AccountingApp	v1.10- PRODUCTION
59	0	Cannot read properties of null (reading 'status')	[Nest] 23380 - 05/03/2023, 11:11:48 ERROR [RpcExceptionsHandler] Cannot read properties of null (reading 'status') TypeError: Cannot read properties of null (reading 'status') at AppController.create (F:devErrorLogServiceservice- nestsrcapp.controller.ts:46:22) at processTicksAndRejections (node:internal/process/task_queues:95:5) at F:devErrorLogServiceservice-nest ode_modules@nestjsmicroservicescontext pc-proxy.js:11:32 at ServerRMQ.handleEvent (F:devErrorLogServiceservice-nest ode_modules@nestjsmicroservicesserverserver.js:71:32)	192.168.1.100	3001	AccountingApp	v1.10- PRODUCTION
58	0	Cannot read properties of null (reading 'status')	[Nest] 23380 - 05/03/2023, 11:11:48 ERROR [RpcExceptionsHandler] Cannot read properties of null (reading 'status') TypeError: Cannot read properties of null (reading 'status') at AppController.create (F:devErrorLogServiceservice- nestsrcapp.controller.ts:46:22) at processTicksAndRejections (node:internal/process/task_queues:95:5) at F:devErrorLogServiceservice-nest ode_modules@nestjsmicroservicescontext pc-proxy.js:11:32 at ServerRMQ.handleEvent (F:devErrorLogServiceservice-nest ode_modules@nestjsmicroservicesserverserver.js:71:32)	192.168.1.100	3001	AccountingApp	v1.10- PRODUCTION
				Items per page	. 5	▼ 1 - 5 of 62	