# Motivation for a Mulesoft Plugin


Though Mule is supported by appdynamics, the display of BTs and backends does not often display the design of Mulesoft flows and steps in the way administrators and developers work within mulesoft. This plugin takes advantage of the mulesoft notification framework to add decorations to transactions within mulesoft in order to help a user troubleshooting issues map what they know of the transactions to information made available within appdynamics.

The following capabilities are added with the mulesoft agent plugin:

- Custom Metrics of Mulesoft Analytics for Flows and Routers
- Custom Data within Snapshots to show flow and step execution
- Custom Data within Analytics to allow for gueries on Mule Flow statistics
- Custom Events within the application to show Mulesoft Application install/start/stop/failure events
- An entry point is available for future extension in case a mule connector does not correlate OOTB in appdynamics

#### **Custom Metrics**

Custom Metrics are published from Mulesoft's internal analytics collection mechanism, directly into the controller as node level custom metrics




### **Custom Data**

An example of the Custom Data collected in Snapshots

| Overview Slow Calls       | s and Errors Wa        | aterfall View Segment List Data Collectors  |
|---------------------------|------------------------|---|
| Drill Down Filters        | Find Snapshots Actions | ns  |
| Name ↑                    |                        | Value   |
| I Flow credit-application | s-sapi-v1 0            | [credit-applications-sapi-main]   |
| I Flow credit-application | s-sapi-v1 0 StartTime  | . [2021-06-16 09:45:50.382 CT]  |
| I Flow credit-application | s-sapi-v1 0 credit-app | [Log end-log-end]   |
| I Flow credit-application | s-sapi-v1 0 credit-app | [Log start-log-start,router]  |
| I Flow credit-application | s-sapi-v1 1            | [get:\credit-applications:credit-applications-sapi-config]  |
| I Flow credit-application | s-sapi-v1 1 StartTime  | . [2021-06-16 09:45:50.402 CT]  |
| I Flow credit-application | s-sapi-v1 2 get-pendi  | [Log payload-log-payload, SP results are valid-is-true, httpStatus-set-variable, Map message-transform] |
| I Flow credit-application | s-sapi-v1 2 get-pendi  | [Transform json-transform]  |
| I Flow credit-application | s-sapi-v1 2 get-pendi  | [Log intermediate-log-intermediate, Get pending applications-stored-procedure]                          |
| I Flow credit-application | s-xapi-v1 0 credit-app | [Log end-log-end]   |
| I Flow credit-application | s-xapi-v1 0 credit-app | [Log start-log-start,router]  |
| I Flow credit-application | s-xapi-v1 1            | [get:\credit-applications:credit-applications-xapi-config]  |
| I Flow credit-application | s-xapi-v1 1 StartTime  | . [2021-06-16 09:45:50.357 CT]  |
| I Flow credit-application | s-xapi-v1 2 get-pendi  | [httpStatus-set-variable]   |
| I Flow credit-application | s-xapi-v1 2 get-pendi  | [Log intermediate-log-intermediate, Request to credit application sapi-request]                         |
| нттр Header-User-Agent    |                        | AHC/1.0   |
| нттр Header-User-Agent    |                        | rest-client/2.0.2 (linux-gnu x86_64) ruby/2.6.2p47  |
| нттр Header-client_id     |                        | 47d8c268a47c490d8327b41f76c6531b  |
| нттр Header-client_id     |                        | 336690a9a74847f98568ede6afe9cabe  |
| Mule-transactionId        |                        | [8b1c19e0-ceb1-11eb-97b9-0050569a36f6]  |

An example of Custom Data collected in Analytics



## **Custom Events**

An Example of Custom Events reported to the Application

| Mulesoft                    |   |                           |
|-----------------------------|---|---------------------------|
| Dashboard Network Dashboard | Events Top Business Transactions Transaction Snap     | shots Transaction Score   |
|                             |   |                           |
| Details Filters Actions     |   |                           |
| + Add Criteria Event T      | Types: Application Deployment, App Server Re 🔻 🗴      |                           |
| Туре                        | Summary   | Time ↓ Business Transacti |
| 1 Application Deployment    | A mule API started: score-account-sapi-v1             | 06/15/21 11:32:49 PM -    |
| i Application Deployment    | A mule API is installed: score-account-sapi-v1        | 06/15/21 11:32:40 PM -    |
| i Application Deployment    | A mule API started: portal-cust-account-xapi-v1       | 06/15/21 11:32:39 PM -    |
| 1 Application Deployment    | A mule API is installed: portal-cust-account-xapi-v1  | 06/15/21 11:32:31 PM -    |
| 1 Application Deployment    | A mule API started: irepo-sapi-v1                     | 06/15/21 11:32:27 PM -    |
| 1 Application Deployment    | A mule API started: class-payoff-options-sapi-v1      | 06/15/21 11:32:24 PM -    |
| i Application Deployment    | A mule API started: webhook-events-sapi-v1            | 06/15/21 11:32:21 PM -    |
| 1 Application Deployment    | A mule API is installed: webhook-events-sapi-v1       | 06/15/21 11:32:12 PM -    |
| 1 Application Deployment    | A mule API started: referrals-mgmt-papi-v1            | 06/15/21 11:32:12 PM -    |
| 1 Application Deployment    | A mule API started: twn-verification-sapi-v1          | 06/15/21 11:32:11 PM -    |
| 1 Application Deployment    | A mule API is installed: class-payoff-options-sapi-v1 | 06/15/21 11:32:06 PM -    |
| 1 Application Deployment    | A mule API started: test-message-publish-sapi-v1      | 06/15/21 11:32:02 PM -    |
| Application Deployment      | A mule API is installed: twn-verification-sapi-v1     | 06/15/21 11:31:59 PM -    |
| 1 Application Deployment    | A mule API started: poc-appd-agent-sapi-v1            | 06/15/21 11:31:58 PM -    |
| 1 Application Deployment    | A mule API started: class-payment-sapi-v1             | 06/15/21 11:31:51 PM -    |
| i Application Deployment    | A mule API is installed: referrals-mgmt-papi-v1       | 06/15/21 11:31:48 PM -    |
| i Application Deployment    | A mule API is installed: irepo-sapi-v1                | 06/15/21 11:31:46 PM -    |
| i Application Deployment    | A mule API started: unified-customer-papi-v1          | 06/15/21 11:31:46 PM -    |
| i Application Deployment    | A mule API is installed: test-message-publish-sapi-v1 | 06/15/21 11:31:45 PM -    |
| 1 Application Deployment    | A mule API started: gp-accounts-sapi-v2               | 06/15/21 11:31:43 PM -    |

Details of a Custom Event

| Application Deployment |                              |              |  |  |
|------------------------|------------------------------|--------------|--|--|
| Summary <b>Detail</b>  | s Actions Executed (0)       | Comments (0) |  |  |
| applicationStatus      | CREATED                      |              |  |  |
| artifactDescriptorName | irepo-sapi-v1                |              |  |  |
| artifactid             | domain/default/app/irepo-sap | i-v1         |  |  |
| artifactName           | irepo-sapi-v1                |              |  |  |
| minMuleVersion         | 4.2.1                        |              |  |  |

## **Install Instructions**

#### Required

- Agent version 21.2+
- Mulesoft version 4.3+
- Java 8
- ## Deployment steps
- Copy AppD-MuleAgentTracer-2.x.jar file under <agent-install-dir>/ver.x.x.x/sdk-plugins
- OPTIONALLY: add the following config options as well to the wrapper.conf wrapper.java.additional.92=-DAppDynamicsForceMulesoftStatisticsCollection=false wrapper.java.additional.93=-DAppDynamicsFlattenNameMulesoftStatisticsCollection=false

- Copy AppD-MuleAgentTracer-2.x.jar file under <mule-install-dir>/lib/user
- Restart the mule JVM
- Edit MuleMetricCollection.properties file in <agent-install-dir>/ver.x.x.x/sdk-plugins

to use the flow statistics white list and black list properties. Some organizations have thousands of flows

and will not want to monitor all of them, this feature may or may not be needed for your deployment

com.appdynamics.mulesoft.agent.metric.blackListRegex=regex test to skip collection on
match

com.appdynamics.mulesoft.agent.metric.whiteListRegex=regex test to collect on match else skip (applied after blacklist)

Flow data may come back in ways that are not intuitive to the developers creating flows and subflows. A review of this reference

may help before considering something a "bug" https://docs.mulesoft.com/mule-runtime/4.3/about-flows

If errors in the agent log file resembling these lines:

[appdynamics-analytics-autodata-writer1] 11 May 2021 13:20:34,039 WARN

AnalyticsAutoDataTransform - Enqueuing transformed CollectionData failed since publish queue is full. This operation has failed [18000] time(s).

[appdynamics-analytics-autodata-writer1] 11 May 2021 13:20:34,040 WARN

AnalyticsAutoDataTransform - Enqueuing transformed CollectionData failed since publish queue is full. This operation has failed [18100] time(s).

[appdynamics-analytics-autodata-writer1] 11 May 2021 13:20:54,198 WARN

AnalyticsAutoDataTransform - Enqueuing transformed CollectionData failed since publish queue is full. This operation has failed [18200] time(s).

[appdynamics-analytics-autodata-writer1] 11 May 2021 13:25:15,542 WARN

AnalyticsAutoDataTransform - Enqueuing transformed CollectionData failed since publish queue is full. This operation has failed [18300] time(s).

[appdynamics-analytics-autodata-writer1] 11 May 2021 13:26:54,198 WARN

AnalyticsAutoDataTransform - Enqueuing transformed CollectionData failed since publish queue is full. This operation has failed [18400] time(s).

add this node property to mulesoft nodes: max-analytics-collectors-allowed=5000 (2000 is default, but that isn't enough in large environments)