

RENTIPID PLATFORM DOCUMENTATION

Unified Autonomous AI Customer Service & Digital Human Module

Complete AI Knowledge Center Manual

Document ID	RENTIPID-UNIFIED-AI-MANUAL-001
Edition	1.0
Repository baseline	894e77e6b9b3aab4a2cf9ace64ff4d8c03c273f2
Prepared	14 August 2026
Acceptance status	Technical baseline; owner OAT remains separate

Repository-backed documentation of the conversational runtime, approved knowledge lifecycle, role visibility, security and deterministic authority boundaries, operational commands, OAT actors, acceptance evidence, and the complete frozen 146-source Knowledge Center index.

Contents

1. Document Control	9
1.1 Purpose	9
1.2 Scope	9
1.3 Authoritative Evidence Order	9
1.4 Status Vocabulary	9
2. Executive Summary	11
2.1 Module Mission	11
2.2 Two Authoritative Answer Paths	11
2.3 Knowledge Center Snapshot	11
2.4 Current Provider Posture	11
3. Architectural Principles	12
3.1 Governing Principles	12
3.2 High-Level Component Map	12
3.3 No Second AI or Knowledge Framework	13
4. Runtime Conversational Request Flow	14
4.1 API Entry	14
4.2 Command-Layer Sequence	14
4.3 Grounded Mock Behavior	14
4.4 Safe Uncertainty	14
5. Bot and Role Access	15
5.1 Bot Catalog	15
5.2 Authoritative Application Roles	15
5.3 Concierge Access	15

Contents (continued)

5.4 Super Admin Knowledge Breadth	15
6. Knowledge Center Overview	16
6.1 Purpose	16
6.2 What the Knowledge Center Stores	16
6.3 What It Must Not Store	16
7. Frozen Source Registry	17
7.1 Registry Identity	17
7.2 Required Entry Fields	17
7.3 Dispositions	17
7.4 Current Disposition Counts	17
7.5 Registry Freeze Governance	18
8. Source Adapters	19
8.1 Document Adapter	19
8.2 Published Route Adapter	19
8.3 Structured Provider Adapter	19
9. Normalization, Hashing, and Chunking	20
9.1 Normalization	20
9.2 Content Hashing	20
9.3 Semantic Chunking	20
9.4 Chunk Visibility	20
10. Data Model	21
10.1 AiKnowledgeSource	21
10.2 AiKnowledgeChunk	21

Contents (continued)

10.3 Other Unified AI Models	21
10.4 Additive Migration	22
11. Synchronization and Versioning	23
11.1 Pipeline	23
11.2 Sync Outcomes	23
11.3 Version Semantics	23
11.4 Transactional Guarantees	23
11.5 Idempotency	23
12. Coverage and Health	24
12.1 Coverage Denominator	24
12.2 Covered Source Conditions	24
12.3 Closure Metrics	24
13. Retrieval and Relevance	25
13.1 Retrieval Order	25
13.2 Current Lexical Scoring	25
13.3 Relevance Protection	25
13.4 Live and Secret Query Exclusion	25
14. Visibility and Security Model	26
14.1 Visibility Levels	26
14.2 Visibility Before Relevance	26
14.3 Secret and Unsafe Content Validation	26
14.4 Prompt Injection	26
14.5 Output Protection	26

Contents (continued)

15. Static Knowledge and Live Data Boundary	27
15.1 Static Knowledge Examples	27
15.2 Live Data Examples	27
15.3 Binding Decision Boundary	27
16. Tool Gateway	28
16.1 Risk Classes	28
16.2 Execution Controls	28
16.3 No Knowledge-to-Action Shortcut	28
17. Deterministic Policy Layer	29
17.1 Role	29
17.2 Important Authority Warning	29
18. Session Broker and Provider Layer	30
18.1 Session Broker	30
18.2 Mock Provider	30
18.3 Digital Human Adapter	30
18.4 Fallback	30
19. Support Cases and Cross-Channel Continuity	31
19.1 Case Lifecycle	31
19.2 Ownership	31
19.3 Continuity	31
20. Settings, Feature Controls, and Health	32
20.1 Settings	32
20.2 Health and Circuit Breaking	32

Contents (continued)

20.3 Permission Ceiling	32
21. Knowledge CLI	33
21.1 Read-Only Commands	33
21.2 Mutation Commands	33
21.3 Bootstrap Versus Sync	33
22. Environment Safety	34
22.1 Local/Test Authorization	34
22.2 Preview Authorization	34
22.3 Production and Unknown Denial	34
22.4 Diagnostic Safety	34
23. Unified AI OAT	35
23.1 Registration	35
23.2 Commands	35
23.3 Canonical OAT Actors	35
23.4 Actor Environment Guard	35
23.5 OAT Knowledge Fixtures	35
23.6 Readiness	35
23.7 Reset	35
23.8 Owner Boundary	35
24. Test and Acceptance Evidence	36
24.1 Knowledge Engine Local Evidence	36
24.2 Latest Grounding and Actor Reconciliation Evidence	36
24.3 Required Knowledge Behaviors	36

Contents (continued)

25. Operational Runbook	37
25.1 Read-Only Assessment	37
25.2 Controlled Local/Test Sync	37
25.3 Controlled Preview Sync	37
25.4 Production	37
26. Troubleshooting	38
26.1 Generic Overview for an Unrelated Question	38
26.2 Prompt Echo in Mock Mode	38
26.3 Knowledge Check Below 100%	38
26.4 Preview Mutation Rejected	38
26.5 OAT Setup Appears Successful but Actors Are Missing	38
26.6 Digital Human Initialization Fails	38
27. Monitoring and Audit Expectations	39
27.1 Minimum Observability	39
27.2 Privacy	39
27.3 Audit Evidence	39
28. Future Module Knowledge Contract	40
28.1 Registration Requirement	40
28.2 Promotion Gates	40
28.3 Frozen Module Protection	40
29. Known Limitations and Non-Claims	41
30. File and Component Index	42
30.1 Runtime	42

Contents (continued)

30.2 Knowledge Center	42
30.3 AI Platform Services	42
30.4 Schema, Registry, OAT, and Evidence	43
30.5 Manual Artifacts and Regeneration	43
31. Glossary	44
Appendix A. Complete Frozen Knowledge Source Index	45
Appendix B. Security Verification Checklist	67
Appendix C. Subject Index	68
Appendix D. Document Acceptance Boundary	69

1. Document Control

1.1 Purpose

This document provides one numbered reference for engineers, operators, reviewers, security administrators, compliance personnel, and owners responsible for RENTipid Unified AI. It explains what is implemented, how it is controlled, how approved knowledge becomes searchable, how live data remains protected, and how the module is validated and promoted.

1.2 Scope

The scope includes:

- conversational customer service through the Help and AI chat path;
 - Mock AI response behavior used in controlled Preview testing;
 - the Digital Human provider abstraction and present readiness boundary;
 - session, conversation, support-case, evidence, resolution, and follow-up models;
 - deterministic policy and tool-gateway boundaries;
 - the canonical Knowledge Center registry, adapters, normalization, hashing, validation, chunking, synchronization, versioning, coverage, and retrieval;
 - role-based visibility, secret exclusion, effective dates, and safe uncertainty;
 - local/test and explicitly authorized Preview operations;
 - Unified AI OAT registration, fixtures, actors, commands, and acceptance boundary.
- It does not authorize Production mutation, expose secrets, redefine RENTipid RBAC, or convert live transactional records into static knowledge.

1.3 Authoritative Evidence Order

When facts conflict, use this order:

1. current tracked source at the stated repository baseline;
2. Prisma schema and additive migrations;
3. frozen Knowledge Implementation Registry and its SHA-256 freeze record;
4. automated tests and generated coverage evidence;
5. Preview deployment evidence for the exact commit;
6. owner-executed OAT evidence;
7. narrative summaries.

1.4 Status Vocabulary

- IMPLEMENTED: present in current tracked source.
- VERIFIED LOCAL: supported by local/test evidence.
- PREVIEW READY: source prerequisite is ready for controlled Preview validation.
- PENDING DEPLOYMENT: a tested commit exists but exact Preview deployment is not established by this document.

- OWNER ACCEPTANCE PENDING: technical readiness does not equal formal acceptance.
- NOT PRODUCTION AUTHORIZED: no Production mutation or rollout is approved.

2. Executive Summary

2.1 Module Mission

Unified AI provides a single controlled assistance layer across RENTipid. Its purpose is to explain approved platform knowledge, guide users through supported workflows, preserve role boundaries, hand live facts to authorized tools and domain services, and maintain auditable support interactions.

2.2 Two Authoritative Answer Paths

Unified AI has two deliberately separate authority paths:

1. Approved durable knowledge: AiKnowledgeSource and AiKnowledgeChunk records synchronized from a frozen allowlisted registry.
 2. Authorized live data: existing domain services and the AI tool gateway, resolved under server-side identity, RBAC, policy, confirmation, and audit controls.
- Static knowledge must never fabricate a current booking, payment, KYC request, claim, dispute, user, listing, runtime count, or security event. Knowledge explains rules and workflows; domain services own current state.

2.3 Knowledge Center Snapshot

Registry ID: KB1-INITIAL-146 Frozen candidates: 146 Accounted candidates: 146 Synchronizable approved canonical sources: 107 Unclassified: 0 Unaccounted: 0 Local accepted active chunks: 705 Accepted Preview evidence before the latest OAT actor reconciliation: 107 sources, 704 chunks, 100% coverage

Chunk totals may differ by one between environment evidence snapshots because synchronized versions and source formatting are environment-specific. Coverage, hash parity, active-version uniqueness, and zero missing/invalid/duplicate/stale sources are the controlling gates.

2.4 Current Provider Posture

The deterministic Mock provider is the approved Preview fallback. It returns retrieved approved knowledge when context exists and safe uncertainty when no relevant approved match exists. The DigitalHumanProviderAdapter remains pending provider credentials and must not be represented as a live production integration.

3. Architectural Principles

3.1 Governing Principles

1. Approved knowledge before generated claims.
2. Visibility filtering before relevance ranking.
3. Deterministic domain authority before language-model suggestion.
4. Safe uncertainty before unsupported policy invention.
5. Stable source identity and immutable supersession before in-place historical rewriting.
6. Explicit registry allowlisting before ingestion.
7. Secret and PII rejection before persistence.
8. Server-resolved actor identity before tool execution.
9. Idempotency and auditability for mutations.
10. Technical readiness before owner acceptance.

3.2 High-Level Component Map

```

User / UI
|
v
/api/ai/chat and Help experience
|
v
processAICommand
|-- settings and feature controls
|-- bot access / RBAC
|-- prompt-injection and guardrail checks
|-- safe context construction
|-- approved Knowledge Center retrieval
|-- Mock or provider adapter
|-- output protection and audit logging
v
Grounded response or safe uncertainty

Live-data/action request
|
v
AI Tool Gateway -> server actor resolution -> RBAC -> policy -> confirmation
                  -> domain service/database -> audit/verification

Knowledge lifecycle
|
v
Frozen registry -> adapter -> normalize -> validate -> chunk -> hash -> diff
                  -> guarded sync -> version/supersede -> coverage -> retrieval

```

3.3 No Second AI or Knowledge Framework

The canonical runtime retrieval path is `src/lib/ai/context/knowledge-retrieval.ts`. The canonical Knowledge Center implementation is `src/lib/ai/knowledge/`. New modules register knowledge through the shared contract; they do not create parallel registries, retrieval engines, role systems, or vector stores.

4. Runtime Conversational Request Flow

4.1 API Entry

The POST handler at `src/app/api/ai/chat/route.ts` reads the authenticated NextAuth session, extracts the server session user ID and role, validates botId, prompt, and module, and sends an `AIRequest` to `processAICommand`. Missing required fields produce a client error; blocked requests return a user-facing blocked response.

4.2 Command-Layer Sequence

The command layer performs the following ordered controls:

1. load current AI settings;
2. enforce global, provider, module, and bot enablement;
3. enforce bot access for the current role;
4. inspect prompt injection through the security detection guard;
5. deny unauthorized tool-dispatch attempts;
6. apply the AI guardrail check;
7. build minimum safe context;
8. retrieve approved role-visible knowledge;
9. append an Approved Knowledge Context block only when retrieval returns a match;
10. execute the configured Mock/fallback provider;
11. apply output protection;
12. record a bounded response summary when logging is enabled.

4.3 Grounded Mock Behavior

The Mock provider is deterministic. When Approved Knowledge Context is present, it returns that approved content with source and heading provenance. When no approved knowledge qualifies, it returns safe uncertainty. It must not echo the prompt as the substantive answer, silently substitute a generic RENTipid overview, or invent policy.

4.4 Safe Uncertainty

The standard no-match outcome communicates that approved information is unavailable to confirm the claim. Exact wording may change, but it must preserve these properties:

- no fabricated fact;
- no unrelated overview fallback;
- no implied approval or guarantee;
- no business mutation;
- no secret disclosure.

5. Bot and Role Access

5.1 Bot Catalog

The bot vocabulary includes Concierge, Onboarding, KYC, Listing, Pricing, Category Compliance, Booking, Payment, Finance, Agreement, Inspection, Damage Claim, Dispute Review, Admin Copilot, Compliance, Security, Support, Analytics, and marketing-oriented assistants.

5.2 Authoritative Application Roles

The current application role vocabulary includes:

- Guest
- Renter
- Individual Provider
- Business Provider
- Admin
- Finance Admin
- Compliance Admin
- SOC_ANALYST
- SOC_SUPERVISOR
- Super Admin

Legacy aliases are normalized only for compatibility. Persisted OAT actors use the real application role strings.

5.3 Concierge Access

Guest, Renter, Individual Provider, Business Provider, and other explicitly authorized roles can access bots defined for them. A Renter may use normal Concierge help but cannot use knowledge or prompts to access another user's booking, payment, private case, RBAC changes, secrets, admin functions, or emergency controls.

5.4 Super Admin Knowledge Breadth

Super Admin may retrieve all approved knowledge legitimately classified for Public, Authenticated, lower-role, admin-role, SOC-role, and SUPER_ADMIN_ONLY visibility. This is an effective visibility rule grounded in RENTipid authorization. It does not grant access to SYSTEM_ONLY content, credentials, raw secrets, or unauthorized live-data bypasses.

6. Knowledge Center Overview

6.1 Purpose

The Knowledge Center transforms approved, controlled RENTipid material into structured, versioned, searchable records. It is broader than OAT fixtures and covers cross-platform manuals, customer guidance, policies, role procedures, module status, configuration-backed facts, published routes, and approved structured providers.

6.2 What the Knowledge Center Stores

- durable approved explanations;
- policies and marketplace rules;
- renter and provider guidance;
- listing, booking, cancellation, payment, deposit, KYC, insurance, claims, dispute, privacy, safety, Social, address, profile, role, and workflow guidance;
- approved module and release status documentation;
- allowlisted configuration-backed descriptive facts;
- provenance, authority, visibility, approval, version, effective dates, hashes, and synchronization metadata.

6.3 What It Must Not Store

- credentials, keys, tokens, passwords, password hashes, cookies, or database URLs;
- raw user PII or private transactional records;
- private KYC documents or evidence;
- raw session data;
- arbitrary source code treated as customer policy;
- unapproved drafts;
- OAT fixtures represented as canonical production knowledge;
- live booking, payment, claim, KYC, dispute, or account state.

7. Frozen Source Registry

7.1 Registry Identity

The implementation registry is `final-documentation/ai-knowledge/KNOWLEDGE-IMPLEMENTATION-REGISTRY.md`. Its freeze record declares registry ID `KB1-INITIAL-146` and SHA-256 `97A3E7ADC75FBB35DC5D4947A51D517C8E8BF11FB49566E97FBB75B65E8A293D`.

7.2 Required Entry Fields

Every entry records:

- sequence number;
- stable sourceKey;
- module and topic;
- source type;
- explicit locator or structured provider;
- authority and approval evidence;
- visibility and allowed roles;
- version;
- disposition;
- ingestion adapter;
- reason for restriction, exclusion, supersession, or conditional status where applicable.

7.3 Dispositions

- `ACTIVE_CANONICAL`: approved, generally accessible subject to visibility.
- `ROLE_RESTRICTED`: approved and limited to listed roles/effective access.
- `SUPER_ADMIN_ONLY`: approved internal application knowledge available only to Super Admin.
- `SYSTEM_ONLY`: accounted knowledge never disclosed through ordinary conversation.
- `EXCLUDED`: discovered but deliberately outside canonical ingestion.
- `SUPERSEDED`: preserved registry history replaced by another authority.
- `CONDITIONAL_APPROVED`: accounted but not synchronizable until its stated condition is met.

7.4 Current Disposition Counts

`ACTIVE_CANONICAL`: 9 `ROLE_RESTRICTED`: 30 `SUPER_ADMIN_ONLY`: 68 `SYSTEM_ONLY`: 34
`SUPERSEDED`: 3 `CONDITIONAL_APPROVED`: 2

The synchronizable set is `ACTIVE_CANONICAL + ROLE_RESTRICTED + SUPER_ADMIN_ONLY = 107` sources.

7.5 Registry Freeze Governance

Normal synchronization never guesses whether random files are authoritative. A new source requires an explicit registry amendment with authority, approval evidence, role visibility, adapter, version, and justification. Repository-wide rediscovery is not part of routine sync.

8. Source Adapters

8.1 Document Adapter

The document adapter reads only explicitly registered controlled documents. It prefers canonical Markdown/text over rendered duplicates, preserves headings and source provenance, and passes semantic content to normalization and chunking.

8.2 Published Route Adapter

The published-route adapter supports explicit allowlisted guidance routes such as terms, safety, prohibited-items, privacy, cookie privacy, and beta guidance. It does not scrape arbitrary TSX. Each route source remains traceable to its registered authority.

8.3 Structured Provider Adapter

Structured providers expose allowlisted descriptive fields from configuration-backed authorities. Registered families include prohibited-items policy, privacy retention, RBAC roles and permissions, AI policy/action metadata, payment status/currency, insurance catalog/configuration, Social capability/status, marketplace taxonomy, and workflow/status definitions.

Structured providers must exclude credentials, private identifiers, security bypass details, raw evidence, and secret configuration.

9. Normalization, Hashing, and Chunking

9.1 Normalization

Normalization is deterministic across Unicode representation, line endings, whitespace, headings, keyword representation, and stable JSON ordering. Harmless formatting differences must not create a new logical source version.

9.2 Content Hashing

Normalized content is hashed with SHA-256. Timestamps, generated IDs, database record IDs, and other unstable values do not influence the content hash. Identical normalized content yields the same hash; authoritative content changes yield a different hash.

9.3 Semantic Chunking

Large sources are divided primarily by heading/section and then by bounded size. The chunker preserves headingPath, stable chunkKey, ordinal, normalized content, content hash, and keywords. A section that fits remains intact; large manuals are not exposed as a single enormous answer.

9.4 Chunk Visibility

A chunk may inherit or narrow its parent source visibility. It must never broaden the parent. Visibility validation rejects any attempted broadening before persistence.

10. Data Model

10.1 AiKnowledgeSource

AiKnowledgeSource is the versioned source-level record. Important fields include:

- id and legacy-compatible slug;
- sourceKey and version unique pair;
- title, module, topic, category, sourceType;
- sourceLocator and transitional sourceReference;
- authority, approvalStatus, approvalEvidence;
- visibility, roles, and legacy applicableRoles;
- status, effectiveFrom, effectiveUntil;
- contentHash and lastSyncedAt;
- supersedesId and metadata;
- createdAt and updatedAt.

10.2 AiKnowledgeChunk

AiKnowledgeChunk stores independently retrievable semantic sections:

- knowledgeSourceId;
- chunkKey unique within its source;
- headingPath;
- content and normalizedContent;
- contentHash;
- keywords and ordinal;
- optional narrowing visibility and roles;
- optional effective dates;
- created and updated timestamps.

10.3 Other Unified AI Models

- AiServiceSession: channel and provider-aware service session lifecycle.
- AiConversation and AiMessage: conversational continuity and bounded payloads.
- AiSupportCase: case state, severity, risk, SLA, and resolution lifecycle.

- AiCaseEntityLink: controlled association to domain entities.
- AiCaseEvidence: evidence references and verification state.
- AiToolExecution: risk, authorization, confirmation, idempotency, execution, and verification record.
- AiPolicyDecision: versioned deterministic decision with input hash and reason code.
- AiResolution: proposed/verified resolution record.
- AiFollowUp: scheduled recheck/reminder lifecycle.
- AiProviderSession: short-lived external/mock provider session reference.

10.4 Additive Migration

Migration 20260814010000_add_knowledge_engine extends AiKnowledgeSource, backfills legacy OAT rows, creates AiKnowledgeChunk, adds lifecycle/search indexes, adds source-version uniqueness, and establishes supersession and chunk foreign keys. It is additive and does not hard-delete historical knowledge.

11. Synchronization and Versioning

11.1 Pipeline

```
registered source
-> adapter
-> normalization
-> classification
-> visibility validation
-> secret/PII validation
-> semantic chunking
-> SHA-256 hashing
-> diff
-> guarded transaction
-> active-version verification
-> coverage
```

11.2 Sync Outcomes

- CREATE: no active source exists; create the registered version and chunks.
- NO_OP: active content hash and metadata match; make no database change.
- CREATE_NEW_VERSION: content or controlled metadata changed; create an immutable new version and supersede the prior active record.
- INVALID: validation failed; do not persist.
- MISSING: registered source cannot be resolved; report an error, never infer retirement.

11.3 Version Semantics

The registered version is used when available. If the same version label already exists with different approved content or metadata, the engine derives a deterministic hash suffix. A new active version references the previous record through `supersedesId`; the previous record becomes `SUPERSEDED` with `effectiveUntil` set.

11.4 Transactional Guarantees

Source creation, chunks, and prior-version supersession occur inside a database transaction. The engine verifies created chunk parity before committing. Historical versions are retained.

11.5 Idempotency

Ten repeated local bootstrap iterations produced one final state: the initial creation followed by NO_OP results, without duplicate sources, versions, or chunks.

12. Coverage and Health

12.1 Coverage Denominator

Coverage includes approved registered sources that are synchronizable and not excluded or retired. Accounted SYSTEM_ONLY, SUPERSEDED, and conditional/excluded entries remain visible in registry accounting but are not active conversational sources.

12.2 Covered Source Conditions

A source is covered only when:

1. exactly one eligible active version exists;
2. expected hash and controlled metadata match;
3. expected chunks and chunk hashes match;
4. approval and effective lifecycle are valid;
5. visibility and role metadata validate;
6. secret/PII validation passes;
7. the source is not missing, invalid, duplicate, or stale.

12.3 Closure Metrics

Required closure values:

- unclassified = 0;
- unaccounted = 0;
- missing = 0;
- invalid = 0;
- duplicates = 0;
- stale = 0;
- coverage = 100%.

13. Retrieval and Relevance

13.1 Retrieval Order

1. classify the request as eligible static knowledge, secret request, or live-data request;
2. resolve the actor's effective application role;
3. query APPROVED and ACTIVE sources within effective dates;
4. exclude canonical-incompatible OAT fixtures when canonical sources exist;
5. filter source visibility and roles;
6. filter chunk visibility and roles;
7. normalize query tokens and remove stop words;
8. score source fields, keywords, headings, and content;
9. require minimum query-token coverage;
10. require material claim tokens such as guarantee/always/never to match;
11. rank deterministically;
12. return a bounded maximum result set.

13.2 Current Lexical Scoring

Current deterministic weights are:

- source title/module/topic/category/metadata keyword match: highest source-field weight;
 - explicit chunk keyword match: strong weight;
 - heading match: medium weight;
 - normalized content match: base weight;
 - canonical/non-legacy source: small tie-breaking preference;
 - overview topic with an explicit RENTipid token: bounded overview preference.
- The minimum query-token coverage is 0.60 and the result set is bounded to four matches. Sorting is deterministic by coverage, score, sourceKey, and chunkKey.

13.3 Relevance Protection

A single weak token does not automatically qualify a source. A prohibited-items question must retrieve prohibited-items knowledge or return safe uncertainty; it must not collapse into the general marketplace overview. An unsupported refund guarantee must not be inferred from generic cancellation content.

13.4 Live and Secret Query Exclusion

Secret-shaped prompts and prompts asking for current personal/application state are excluded from static retrieval. This prevents static chunks from appearing to answer live questions and prevents knowledge lookup from becoming a secret-discovery mechanism.

14. Visibility and Security Model

14.1 Visibility Levels

- PUBLIC: available without authentication.
- AUTHENTICATED: available to any authenticated recognized role.
- ROLE_SCOPED: available to the listed roles and authorized Super Admin effective access.
- SUPER_ADMIN_ONLY: approved internal conversational knowledge for Super Admin only.
- SYSTEM_ONLY: never conversationally disclosed, including to Super Admin.

14.2 Visibility Before Relevance

Unauthorized sources and chunks are removed before scoring. Relevance can never elevate an otherwise inaccessible source.

14.3 Secret and Unsafe Content Validation

Pre-persistence validation detects private-key blocks, database credentials, password hashes, JWT-like tokens, secret assignments, cookie values, forbidden environment files, private-key file extensions, and designated test artifacts. Diagnostics identify only sourceKey, safe category, and locator; they must not print the matched value.

14.4 Prompt Injection

Prompt injection checks execute before knowledge is added to the provider context. Requests to ignore instructions, reveal system prompts, bypass controls, or expose protected data are blocked or safely constrained. Prompt text cannot change source visibility or authorize a tool.

14.5 Output Protection

Provider output passes through output-protection checks. Logging stores bounded summaries when enabled and must not expose secrets. The provider never receives direct credential material from the Knowledge Center.

15. Static Knowledge and Live Data Boundary

15.1 Static Knowledge Examples

- What is RENTipid?
- What items are prohibited?
- How do provider listings work?
- Why is KYC required?
- How does privacy consent work?
- What does the Address module do?

15.2 Live Data Examples

- What is my booking status?
- Has payment X settled?
- Which KYC requests are pending now?
- How many open disputes exist?
- Show another user's claim.

Live questions must be routed to an authorized tool/domain service or declined. Static chunks do not answer them.

15.3 Binding Decision Boundary

General knowledge cannot approve or execute refunds, deposits, payouts, KYC decisions, claim settlement, insurance approval, booking mutation, emergency freezes, RBAC changes, or secret access. These remain under deterministic domain policy, confirmation, step-up, tool, and authorization controls.

16. Tool Gateway

16.1 Risk Classes

The gateway vocabulary includes READ_ONLY, DRAFT_ONLY, CASE_ACTION, CONFIRMED_ACTION, POLICY_REQUIRED, and PROHIBITED.

16.2 Execution Controls

The gateway:

1. resolves the registered tool;
2. rejects PROHIBITED tools;
3. loads the actor from the database;
4. checks the authoritative persisted role;
5. enforces idempotency/replay protection;
6. requires user confirmation when declared;
7. applies policy requirements;
8. executes the handler;
9. records execution status;
10. serializes the bounded result.

16.3 No Knowledge-to-Action Shortcut

Retrieved text is explanatory context. It cannot register a tool, change allowedRoles, satisfy confirmation, forge a request fingerprint, or replace a policy result.

17. Deterministic Policy Layer

17.1 Role

AiPolicyEngine represents versioned deterministic policy decisions and persists input hashes, outcomes, reason codes, and result data. Safe-hold outcomes are used when state is unknown, evidence conflicts, or a threshold requires escalation.

17.2 Important Authority Warning

Some current policy-engine methods contain local/example thresholds and comments used during implementation. They are not automatically approved customer policy and must not be surfaced through general Knowledge Center retrieval. Binding production decisions require the authoritative domain policy/configuration and its approved version.

18. Session Broker and Provider Layer

18.1 Session Broker

`AI_SessionBroker` binds sessions to persisted users, rejects suspended/blacklisted actors, applies replay protection, checks provider health and fallback mode, applies daily/concurrency/idle controls, creates `AI_ServiceSession` records, and closes provider sessions.

18.2 Mock Provider

`MockProviderAdapter` creates deterministic in-memory provider session references for controlled testing. The separate `processMockAIRequest` function is responsible for grounded text behavior.

18.3 Digital Human Adapter

`DigitalHumanProviderAdapter` implements the provider contract but currently reports pending credentials during initialization. No external live Digital Human capability should be claimed until credentials, security review, health validation, privacy controls, failure handling, Preview acceptance, and owner acceptance are complete.

18.4 Fallback

Provider failure or fallback mode returns the experience to text support. Provider keys are not returned to the client.

19. Support Cases and Cross-Channel Continuity

19.1 Case Lifecycle

Supported case states include OPEN, UNDERSTANDING, DIAGNOSING, AWAITING_EVIDENCE, AWAITING_USER_CONFIRMATION, POLICY_EVALUATION, EXECUTING, VERIFYING, SAFE_HOLD, RESOLVED, CLOSED, and SYSTEM_BLOCKED.

19.2 Ownership

Case reads and writes enforce case ownership. Entity links and evidence references are subordinate to the authorized case. Cross-user case access is denied.

19.3 Continuity

The case platform can resume an open case by user/category/entity, suppress duplicate cases, record evidence references, propose resolutions, request confirmation, reconsider, schedule follow-ups, resolve, close, and export an owned case.

20. Settings, Feature Controls, and Health

20.1 Settings

Runtime behavior is controlled through AI settings including global enablement, provider mode, Mock mode, module enablement, bot enablement, logging, and maximum permission level.

20.2 Health and Circuit Breaking

Provider health and resilience components support degraded operation and fallback. Digital Human failure must not remove text-based support.

20.3 Permission Ceiling

The current command layer uses a bounded permission ceiling and preserves the rule that general AI assistance cannot independently execute high-risk administrative or financial action.

21. Knowledge CLI

21.1 Read-Only Commands

```
npm run knowledge:inventory
npm run knowledge:validate
npm run knowledge:diff
npm run knowledge:check
npm run knowledge:report
```

- inventory reports registry accounting and dispositions;
- validate checks registry and prepared source content;
- diff reports CREATE, NO_OP, CREATE_NEW_VERSION, INVALID, or MISSING;
- check enforces 100% coverage and zero health defects;
- report emits human-readable coverage, or JSON through the runner option.

21.2 Mutation Commands

```
npm run knowledge:bootstrap
npm run knowledge:sync
```

Both commands invoke the mutation environment guard before persistence.

21.3 Bootstrap Versus Sync

Bootstrap invokes synchronization for the requested repeat count and is used for controlled initial population/ idempotency proof. Sync performs one deterministic reconciliation against the frozen registry.

22. Environment Safety

22.1 Local/Test Authorization

Local/test mutation requires:

- ALLOW_KNOWLEDGE_MUTATION=true;
- a localhost/loopback host;
- a database name matching the approved rentipid_test_soc pattern;
- no Production environment signal.

22.2 Preview Authorization

Preview mutation requires all of:

- ALLOW_KNOWLEDGE_MUTATION=true;
- ALLOW_PREVIEW_KNOWLEDGE_MUTATION=true;
- VERCEL_ENV=preview;
- positively classified non-local database name rentipid_preview;
- optional exact match to PREVIEW_DATABASE_URL when supplied;
- no Production environment/database conflict.

22.3 Production and Unknown Denial

NODE_ENV=production, VERCEL_ENV=production, known Production database names/hosts, the configured Production database identity, unknown local databases, and unknown remote databases are rejected. Override flags do not bypass Production denial.

22.4 Diagnostic Safety

Operational output may name only environment/database classifications and safe error codes. Connection strings and credential values must not be printed.

23. Unified AI OAT

23.1 Registration

Module ID: AI OAT ID: OAT-AI-MASTER-001 Name: Unified Autonomous AI Customer Service & Digital Human
Criticality: Tier 1 - Business-Critical Enabled OAT modules at this baseline: SOCIAL and AI

23.2 Commands

```
npm run oat:ai:setup
npm run oat:ai:check
npm run oat:ai:reset
```

23.3 Canonical OAT Actors

- Renter: oat.renter@rentipid.test, role Renter
 - Provider: oat.provider@rentipid.test, role Individual Provider
 - Super Admin: oat.superadmin@rentipid.test, role Super Admin
- All are provisioned with status Verified, is_test_data=true, and a bcrypt password hash derived from PREVIEW_OAT_PASSWORD. The password is never hard-coded or logged. Setup uses idempotent email upserts and creates exactly one user per identity.

23.4 Actor Environment Guard

Actor provisioning invokes the OAT environment guard and additionally restricts non-local actor mutation to Vercel Preview. Production is rejected even when a credential is supplied.

23.5 OAT Knowledge Fixtures

The OAT module maintains oat-ai-test-policy and oat-ai-rentipid-overview as test fixtures. They are marked OAT_TEST_FIXTURE, are idempotent, and do not count toward canonical Knowledge Center coverage. When canonical sources are present, retrieval excludes OAT fixtures from canonical matching.

23.6 Readiness

The readiness check verifies that all three actors exist with exact role, Verified status, and a password hash. Missing or invalid actors produce blockers and NOT READY. Setup errors return a non-zero process status.

23.7 Reset

Reset removes transient AI conversations, sessions, cases, evidence links, tool/policy/resolution/follow-up records owned by the OAT renter. It preserves permanent OAT knowledge fixtures, canonical Knowledge Center data, and unrelated application records.

23.8 Owner Boundary

Automated tests and readiness checks establish technical prerequisites only. OAT-AI-MASTER-001 is not formally PASS until the owner manually tests the exact deployed Preview URL and records acceptance.

24. Test and Acceptance Evidence

24.1 Knowledge Engine Local Evidence

- focused Knowledge Engine tests: 65/65 PASS at KB-1 local acceptance;
- direct Unified AI knowledge/dependency tests: 32/32 PASS at KB-1 local acceptance;
- registry candidates: 146/146 accounted;
- synchronizable sources: 107;
- local accepted chunks: 705;
- local coverage: 100%;
- bootstrap repeated ten times without duplication;
- missing/invalid/duplicate/stale: 0/0/0/0;
- production build: PASS.

24.2 Latest Grounding and Actor Reconciliation Evidence

Commit 894e77e6b9b3aab4a2cf9ace64ff4d8c03c273f2:

- grounding/RBAC/visibility targeted set: 38/38 PASS;
- complete OAT suite: 42/42 PASS;
- production build: PASS;
- ten repeated actor setups: one Renter, one Provider, one Super Admin;
- Production actor mutation: rejected;
- no Preview or Production data changed by the targeted Codex fix.

24.3 Required Knowledge Behaviors

- What is RENTipid? returns a meaningful approved overview.
- How does RENTipid work? returns a meaningful approved overview.
- What items are prohibited? selects prohibited-items knowledge, not a generic overview.
- Unsupported guarantees return safe uncertainty.
- Weakly related/unrelated prompts do not receive a generic fallback.
- Renter/Provider cannot retrieve SUPER_ADMIN_ONLY content.
- SYSTEM_ONLY is unavailable even to Super Admin conversation.

25. Operational Runbook

25.1 Read-Only Assessment

1. record git status and exact HEAD;
2. run knowledge:inventory;
3. run knowledge:validate against the safe environment convention;
4. run knowledge:diff;
5. run knowledge:check and report;
6. do not mutate if environment identity is unknown.

25.2 Controlled Local/Test Sync

1. verify the exact test database identity;
2. apply additive migrations using the repository migration workflow;
3. set only the required mutation flag;
4. run knowledge:bootstrap or knowledge:sync;
5. run knowledge:check;
6. verify 100% coverage and zero defects;
7. run focused retrieval/security tests;
8. record exact commit and evidence.

25.3 Controlled Preview Sync

1. obtain explicit Preview authorization;
2. verify VERCEL_ENV=preview and positive rentipid_preview database identity;
3. supply both required mutation flags;
4. never display connection strings;
5. run migration only if required by the exact commit;
6. run sync/bootstrap once as authorized;
7. run check/report and confirm 100%;
8. deploy the exact tested commit through the approved owner process;
9. run OAT setup/check with PREVIEW_OAT_PASSWORD;
10. perform the targeted functional/RBAC matrix;
11. hand off to owner acceptance.

25.4 Production

Knowledge and OAT mutation are prohibited by the current guard in Production. Production readiness requires a separate approved release process; this manual does not grant it.

26. Troubleshooting

26.1 Generic Overview for an Unrelated Question

Check query tokenization, stop words, coverage threshold, selected sourceKey/chunkKey, and whether an obsolete deployment artifact is running. Current source must return safe uncertainty on no match and must not use the overview as a generic fallback.

26.2 Prompt Echo in Mock Mode

Search the exact deployed artifact for the obsolete phrase. Confirm the deployed commit and build output, then verify the route imports the current command layer and Mock provider. The tracked source at this baseline does not contain the obsolete echo fallback.

26.3 Knowledge Check Below 100%

Inspect missing, invalid, duplicate, and stale items. Do not bypass validation. Confirm source locator, registry hash, content hash, metadata, active-version count, expected chunks, visibility, roles, and effective dates.

26.4 Preview Mutation Rejected

Confirm both flags, `VERCEL_ENV=preview`, database name `rentipid_preview`, optional `PREVIEW_DATABASE_URL` identity match, and absence of Production conflicts. Never broaden authorization to arbitrary remote databases.

26.5 OAT Setup Appears Successful but Actors Are Missing

Use the current runner, which returns a non-zero exit status on setup failure. Confirm `PREVIEW_OAT_PASSWORD` is supplied, environment guard passes, and readiness reports all three actor records with exact roles and Verified status.

26.6 Digital Human Initialization Fails

This is expected while provider credentials are pending. Use text/Mock fallback; do not add credentials to source, knowledge records, logs, or client payloads.

27. Monitoring and Audit Expectations

27.1 Minimum Observability

Monitor settings enablement, provider health, blocked prompts, output-protection events, retrieval no-match rates, selected source/chunk provenance, tool denials, policy safe holds, session failures, case escalation, synchronization actions, coverage defects, and OAT readiness blockers.

27.2 Privacy

Logs should use identifiers and bounded summaries necessary for operations, not raw secrets or unnecessary PII. Knowledge validation reports categories and safe locators only.

27.3 Audit Evidence

Retain exact commit, migration status, registry hash, diff, coverage report, test results, build result, deployment identity, OAT setup/check result, and owner acceptance record.

28. Future Module Knowledge Contract

28.1 Registration Requirement

Every future RENTipid module must register approved durable AI knowledge before closure. A registration supplies stable sourceKey, ownership, topic, type, authority, approval evidence, visibility, roles, version, adapter, disposition, and controlled locator/provider.

28.2 Promotion Gates

1. code complete;
2. local functional pass;
3. local database migrated;
4. local required data seeded/synced;
5. local knowledge registered;
6. local knowledge synced;
7. local acceptance pass;
8. Preview migrated;
9. Preview required data seeded/synced;
10. Preview knowledge synced;
11. Preview acceptance pass;
12. owner acceptance pass;
13. production-ready;
14. closed/frozen.

28.3 Frozen Module Protection

A previously frozen module need not be reopened when its approved knowledge can be registered externally through the canonical engine. New modules must not create duplicate Knowledge Center infrastructure.

29. Known Limitations and Non-Claims

1. Digital Human external initialization is pending credentials.
2. Mock responses are deterministic and intended for controlled Preview validation.
3. Retrieval is deterministic lexical matching; no vector/embedding infrastructure is used.
4. Some session counters and replay state are process memory and need durable/distributed design before multi-instance production reliance.
5. Some policy-engine values are implementation examples, not automatically approved customer policy.
6. Technical test PASS does not equal owner OAT acceptance.
7. This document does not authorize Preview or Production mutation.
8. Current source reconciliation awaits exact deployment and Preview functional/RBAC verification by the assigned deployment agent.

30. File and Component Index

30.1 Runtime

- `src/app/api/ai/chat/route.ts` - authenticated chat entry.
- `src/lib/ai/ai-command-layer.ts` - central conversational command flow.
- `src/lib/ai/context/knowledge-retrieval.ts` - canonical retrieval and relevance.
- `src/lib/ai/mock-ai.ts` - deterministic grounded Mock response.
- `src/lib/ai/ai-permissions.ts` - bot/role access.
- `src/lib/ai/ai-settings-service.ts` - feature/provider settings.
- `src/lib/ai/ai-context-builder.ts` - minimum safe context.
- `src/lib/ai/ai-logger.ts` - interaction logging.

30.2 Knowledge Center

- `src/lib/ai/knowledge/source-registry.ts` - frozen registry loader and validation.
- `src/lib/ai/knowledge/adapters/` - document, route, and structured providers.
- `src/lib/ai/knowledge/normalizer.ts` - deterministic normalization.
- `src/lib/ai/knowledge/hashing.ts` - SHA-256 and stable object hashing.
- `src/lib/ai/knowledge/chunker.ts` - heading-first bounded chunking.
- `src/lib/ai/knowledge/validator.ts` - secret/PII/locator/visibility validation.
- `src/lib/ai/knowledge/synchronizer.ts` - diff, versioning, transaction, supersession.
- `src/lib/ai/knowledge/coverage.ts` - machine-readable coverage.
- `src/lib/ai/knowledge/report.ts` - human-readable coverage.
- `src/lib/ai/knowledge/environment-guard.ts` - mutation authorization.
- `src/lib/ai/knowledge/module-contract.ts` - future-module contract.
- `scripts/knowledge/knowledge-runner.ts` - CLI.

30.3 AI Platform Services

- `src/lib/ai/broker/AiSessionBroker.ts`
- `src/lib/ai/cases/AiCasePlatform.ts`
- `src/lib/ai/policy/AiPolicyEngine.ts`
- `src/lib/ai/tools/AiToolGateway.ts`

- `src/lib/ai/security/AiGuardrails.ts`

- `src/lib/ai/adapters/MockProviderAdapter.ts`

- `src/lib/ai/adapters/DigitalHumanProviderAdapter.ts`

30.4 Schema, Registry, OAT, and Evidence

- `prisma/migrations/20260812120000_add_unified_ai_foundation/migration.sql`

- `prisma/migrations/20260814010000_add_knowledge_engine/migration.sql`

- `final-documentation/ai-knowledge/KNOWLEDGE-IMPLEMENTATION-REGISTRY.md`

- `final-documentation/ai-knowledge/KNOWLEDGE-IMPLEMENTATION-REGISTRY-FREEZE.md`

- `final-documentation/ai-knowledge/KB1-LOCAL-ACCEPTANCE-EVIDENCE.md`

- `final-documentation/ai-knowledge/MODULE-KNOWLEDGE-CONTRACT.md`

- `src/lib/oat/modules/ai-oat.ts`

- `src/lib/oat/oat-shared-users.ts`

- `final-documentation/oat/ai/OWNER-ACCEPTANCE-TEST.md`

30.5 Manual Artifacts and Regeneration

- `final-documentation/unified-ai/RENTipid_UNIFIED_AUTONOMOUS_AI_CUSTOMER_SERVICE_AND_DIGITAL_HUMAN_MODULE.md` - maintainable source.

- `final-documentation/unified-ai/RENTipid_UNIFIED_AUTONOMOUS_AI_CUSTOMER_SERVICE_AND_DIGITAL_HUMAN_MODULE.pdf` - indexed distribution artifact.

- `scripts/documentation/generate-unified-ai-manual.cjs` - two-pass PDF renderer and frozen-registry appendix expander.

Regenerate from the repository root with:

```
node scripts/documentation/generate-unified-ai-manual.cjs
```

31. Glossary

AI Knowledge Center: canonical durable approved knowledge store and synchronization system. Approved knowledge: content with authority and approval evidence that passes validation. Canonical source: synchronizable registered authority used for conversation. Chunk: independently retrievable semantic section of a source. Coverage: proof that every synchronizable registered source exactly matches expected active state. Effective role: normalized authoritative application role used for visibility. Grounding: supplying approved retrieved context to the response provider. Live data: current user/application state owned by domain services. OAT: Owner Acceptance Test. Safe hold: deterministic policy outcome requiring escalation or more evidence. Safe uncertainty: response that declines to confirm an unsupported claim. SourceKey: stable identity shared across source versions. SYSTEM_ONLY: accounted content never available through ordinary conversation. Supersession: immutable replacement of one active source version by another.

Appendix A. Complete Frozen Knowledge Source Index

The PDF generator expands the authoritative 146-row registry below. Each index record includes sequence, sourceKey, module, topic, type, authority, approval evidence, visibility, roles, version, disposition, adapter, locator, and restriction/exclusion reason.

A.1 core.executive-overview

Module / topic: Core / overview Type: MANUAL Version: 1.2
Disposition: ROLE_RESTRICTED Visibility: AUTHENTICATED Roles: Renter;Individual Provider;Business Provider;Admin;Finance Admin;Compliance Admin;SOC_ANALYST;SOC_SUPERVISOR;Super Admin
Authority: FINAL_DOCUMENTATION_FREEZE Approval: FD-FREEZE Adapter: document-markdown
Locator/provider: docs/final-documentation/01-EXECUTIVE/RENTipid_EXECUTIVE_OVERVIEW.md
Restriction/exclusion: -

A.2 core.complete-master-manual

Module / topic: Core / complete-manual Type: MANUAL Version: 1.2
Disposition: SUPERSEDED Visibility: SYSTEM_ONLY Roles: none
Authority: FINAL_DOCUMENTATION_FREEZE Approval: FD-FREEZE Adapter: none
Locator/provider: docs/final-documentation/01-MASTER-MANUAL/RENTipid_COMPLETE_MASTER_MANUAL.md
Restriction/exclusion: Duplicates the separately registered canonical manuals and registries.

A.3 core.system-module-manual

Module / topic: Core / system-modules Type: MANUAL Version: 1.2
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: FINAL_DOCUMENTATION_FREEZE Approval: FD-FREEZE Adapter: document-markdown
Locator/provider: docs/final-documentation/02-SYSTEM/RENTipid_SYSTEM_AND_MODULE_MANUAL.md
Restriction/exclusion: -

A.4 core.user-manual

Module / topic: Core / user-guidance Type: MANUAL Version: 1.2
Disposition: ROLE_RESTRICTED Visibility: AUTHENTICATED Roles: Renter;Individual Provider;Business Provider;Admin;Finance Admin;Compliance Admin;SOC_ANALYST;SOC_SUPERVISOR;Super Admin
Authority: FINAL_DOCUMENTATION_FREEZE Approval: FD-FREEZE Adapter: document-markdown
Locator/provider: docs/final-documentation/02-USER-MANUALS/RENTipid_USER_MANUAL.md
Restriction/exclusion: -

A.5 core.operations-manual

Module / topic: Core / operations Type: MANUAL Version: 1.2
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: FINAL_DOCUMENTATION_FREEZE Approval: FD-FREEZE Adapter: document-markdown
Locator/provider: docs/final-documentation/03-OPERATIONS-MANUALS/RENTipid_OPERATIONS_MANUAL.md
Restriction/exclusion: -

A.6 marketplace.user-marketplace-manual

Module / topic: Marketplace / marketplace-guidance Type: MANUAL Version: 1.2

Disposition: ROLE_RESTRICTED Visibility: AUTHENTICATED Roles: Renter;Individual Provider;Business Provider;Admin;Compliance Admin;Super Admin

Authority: FINAL_DOCUMENTATION_FREEZE Approval: FD-FREEZE Adapter: document-markdown

Locator/provider: docs/final-documentation/03-USERS/RENTipid_USER_AND_MARKETPLACE_MANUAL.md

Restriction/exclusion: -

A.7 admin.finance-compliance-manual

Module / topic: Administration / admin-finance-compliance Type: MANUAL Version: 1.2

Disposition: ROLE_RESTRICTED Visibility: ROLE_SCOPED Roles: Admin;Finance Admin;Compliance Admin;Super Admin

Authority: FINAL_DOCUMENTATION_FREEZE Approval: FD-FREEZE Adapter: document-markdown

Locator/provider: docs/final-documentation/04-ADMIN/RENTipid_ADMIN_FINANCE_COMPLIANCE_MANUAL.md

Restriction/exclusion: -

A.8 core.technical-reference

Module / topic: Core / technical-reference Type: MANUAL Version: 1.2

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: FINAL_DOCUMENTATION_FREEZE Approval: FD-FREEZE Adapter: document-markdown

Locator/provider: docs/final-documentation/04-TECHNICAL-MANUALS/RENTipid_TECHNICAL_REFERENCE.md

Restriction/exclusion: -

A.9 security.security-soc-privacy-manual

Module / topic: Security / security-soc-privacy Type: MANUAL Version: 1.2

Disposition: ROLE_RESTRICTED Visibility: ROLE_SCOPED Roles: Compliance Admin;SOC_ANALYST;SOC_SUPERVISOR;Super Admin

Authority: FINAL_DOCUMENTATION_FREEZE Approval: FD-FREEZE Adapter: document-markdown

Locator/provider: docs/final-documentation/05-SECURITY-SOC-PRIVACY/RENTipid_SECURITY_SOC_PRIVACY_MANUAL.md

Restriction/exclusion: -

A.10 security.soc-manual

Module / topic: Security / soc-operations Type: MANUAL Version: 1.2

Disposition: ROLE_RESTRICTED Visibility: ROLE_SCOPED Roles: SOC_ANALYST;SOC_SUPERVISOR;Super Admin

Authority: FINAL_DOCUMENTATION_FREEZE Approval: FD-FREEZE Adapter: document-markdown

Locator/provider: docs/final-documentation/05-SOC/RENTipid_SECURITY_OPERATIONS_CENTER_MANUAL.md

Restriction/exclusion: -

A.11 core.data-api-workflow-reference

Module / topic: Core / data-api-workflows Type: MANUAL Version: 1.2

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: FINAL_DOCUMENTATION_FREEZE Approval: FD-FREEZE Adapter: document-markdown

Locator/provider: docs/final-documentation/06-DATA-API/RENTipid_DATA_API_AND_WORKFLOW_REFERENCE.md

Restriction/exclusion: -

A.12 core.developer-handover-manual

Module / topic: Core / developer-handover Type: MANUAL Version: 1.2

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: FINAL_DOCUMENTATION_FREEZE Approval: FD-FREEZE Adapter: document-markdown

Locator/provider: docs/final-documentation/06-DEVELOPER-HANDOVER/RENTipid_DEVELOPER_HANDOVER_MANUAL.md

Restriction/exclusion: -

A.13 core.architecture-configuration

Module / topic: Core / architecture Type: MANUAL Version: 1.2

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: FINAL_DOCUMENTATION_FREEZE Approval: FD-FREEZE Adapter: document-markdown

Locator/provider: docs/final-documentation/07-ARCHITECTURE/RENTipid_TECHNICAL_ARCHITECTURE_AND_CONFIGURATION.md

Restriction/exclusion: -

A.14 core.deployment-operations-recovery

Module / topic: Core / deployment-operations Type: MANUAL Version: 1.2

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: FINAL_DOCUMENTATION_FREEZE Approval: FD-FREEZE Adapter: document-markdown

Locator/provider: docs/final-documentation/08-OPERATIONS/RENTipid_DEPLOYMENT_OPERATIONS_AND_RECOVERY.md

Restriction/exclusion: -

A.15 core.developer-handover

Module / topic: Core / developer-handover Type: MANUAL Version: 1.2

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: FINAL_DOCUMENTATION_FREEZE Approval: FD-FREEZE Adapter: document-markdown

Locator/provider: docs/final-documentation/09-DEVELOPER/RENTipid_DEVELOPER_HANDOVER.md

Restriction/exclusion: -

A.16 governance.phase-governance-limitations

Module / topic: Governance / phase-status Type: MANUAL Version: 1.2

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: FINAL_DOCUMENTATION_FREEZE Approval: FD-FREEZE Adapter: document-markdown

Locator/provider: docs/final-documentation/10-GOVERNANCE/RENTipid_PHASE_GOVERNANCE_AND_LIMITATIONS.md

Restriction/exclusion: -

A.17 core.role-training-guides

Module / topic: Core / role-training Type: MANUAL Version: 1.2

Disposition: ROLE_RESTRICTED Visibility: AUTHENTICATED Roles: Renter;Individual Provider;Business Provider;Admin;Finance Admin;Compliance Admin;SOC_ANALYST;SOC_SUPERVISOR;Super Admin

Authority: FINAL_DOCUMENTATION_FREEZE Approval: FD-FREEZE Adapter: document-markdown

Locator/provider: docs/final-documentation/10-TRAINING-AND-QUICK-GUIDES/RENTipid_ROLE_TRAINING_AND_QUICK_GUIDES.md

Restriction/exclusion: -

A.18 registry.api-service

Module / topic: Governance / api-services Type: REGISTRY Version: 1.0

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: FROZEN_REGISTRY_LAYER Approval: FD-REGISTRY Adapter: document-markdown

Locator/provider: docs/final-documentation/00-WORKING-REGISTRIES/RENTipid_API_AND_SERVICE_REGISTRY.md

Restriction/exclusion: -

A.19 registry.audit-security-event

Module / topic: Governance / audit-events Type: REGISTRY Version: 1.0

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: FROZEN_REGISTRY_LAYER Approval: FD-REGISTRY Adapter: document-markdown

Locator/provider: docs/final-documentation/00-WORKING-REGISTRIES/RENTipid_AUDIT_AND_SECURITY_EVENT_REGISTRY.md

Restriction/exclusion: -

A.20 registry.configuration-environment

Module / topic: Governance / configuration Type: REGISTRY Version: 1.0

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: FROZEN_REGISTRY_LAYER Approval: FD-REGISTRY Adapter: document-markdown

Locator/provider: docs/final-documentation/00-WORKING-REGISTRIES/RENTipid_CONFIGURATION_AND_ENVIRONMENT_REGISTRY.md

Restriction/exclusion: -

A.21 registry.database-data-ownership

Module / topic: Governance / data-ownership Type: REGISTRY Version: 1.0

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: FROZEN_REGISTRY_LAYER Approval: FD-REGISTRY Adapter: document-markdown

Locator/provider: docs/final-documentation/00-WORKING-REGISTRIES/RENTipid_DATABASE_AND_DATA_OWNERSHIP_REGISTRY.md

Restriction/exclusion: -

A.22 registry.deployment-runtime

Module / topic: Governance / runtime-status Type: REGISTRY Version: 1.0

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: FROZEN_REGISTRY_LAYER Approval: FD-REGISTRY Adapter: document-markdown

Locator/provider: docs/final-documentation/00-WORKING-REGISTRIES/RENTipid_DEPLOYMENT_AND_RUNTIME_REGISTRY.md

Restriction/exclusion: -

A.23 registry.documentation-traceability

Module / topic: Governance / traceability Type: REGISTRY Version: 1.0

Disposition: SYSTEM_ONLY Visibility: SUPER_ADMIN_ONLY Roles: none

Authority: FROZEN_REGISTRY_LAYER Approval: FD-REGISTRY Adapter: document-markdown

Locator/provider: docs/final-documentation/00-WORKING-REGISTRIES/RENTipid_DOCUMENTATION_TRACEABILITY_REGISTRY.md

Restriction/exclusion: Evidence/control material not exposed through conversational retrieval.

A.24 registry.frozen-working-index

Module / topic: Governance / registry-index Type: REGISTRY Version: 1.0

Disposition: SYSTEM_ONLY Visibility: SUPER_ADMIN_ONLY Roles: none

Authority: FROZEN_REGISTRY_LAYER Approval: FD-REGISTRY Adapter: document-markdown

Locator/provider: docs/final-documentation/00-WORKING-REGISTRIES/RENTipid_FROZEN_WORKING_REGISTRY_INDEX.md

Restriction/exclusion: Evidence/control material not exposed through conversational retrieval.

A.25 registry.integration-external-provider

Module / topic: Governance / integrations Type: REGISTRY Version: 1.0

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: FROZEN_REGISTRY_LAYER Approval: FD-REGISTRY Adapter: document-markdown

Locator/provider: docs/final-documentation/00-WORKING-REGISTRIES/
RENTipid_INTEGRATION_AND_EXTERNAL_PROVIDER_REGISTRY.md

Restriction/exclusion: -

A.26 registry.known-gap-limitation

Module / topic: Governance / known-limitations Type: REGISTRY Version: 1.0

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: FROZEN_REGISTRY_LAYER Approval: FD-REGISTRY Adapter: document-markdown

Locator/provider: docs/final-documentation/00-WORKING-REGISTRIES/RENTipid_KNOWN_GAP_AND_LIMITATION_REGISTRY.md

Restriction/exclusion: -

A.27 registry.module-feature

Module / topic: Governance / module-status Type: REGISTRY Version: 1.0

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: FROZEN_REGISTRY_LAYER Approval: FD-REGISTRY Adapter: document-markdown

Locator/provider: docs/final-documentation/00-WORKING-REGISTRIES/RENTipid_MODULE_AND_FEATURE_REGISTRY.md

Restriction/exclusion: -

A.28 registry.phase-subphase

Module / topic: Governance / phase-status Type: REGISTRY Version: 1.0

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: FROZEN_REGISTRY_LAYER Approval: FD-REGISTRY Adapter: document-markdown

Locator/provider: docs/final-documentation/00-WORKING-REGISTRIES/RENTipid_PHASE_AND_SUBPHASE_REGISTRY.md

Restriction/exclusion: -

A.29 registry.repository-evidence

Module / topic: Governance / repository-evidence Type: REGISTRY Version: 1.0

Disposition: SYSTEM_ONLY Visibility: SUPER_ADMIN_ONLY Roles: none

Authority: FROZEN_REGISTRY_LAYER Approval: FD-REGISTRY Adapter: document-markdown

Locator/provider: docs/final-documentation/00-WORKING-REGISTRIES/RENTipid_REPOSITORY_EVIDENCE_REGISTRY.md

Restriction/exclusion: Evidence/control material not exposed through conversational retrieval.

A.30 registry.role-permission

Module / topic: Governance / rbac Type: REGISTRY Version: 1.0

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: FROZEN_REGISTRY_LAYER Approval: FD-REGISTRY Adapter: document-markdown

Locator/provider: docs/final-documentation/00-WORKING-REGISTRIES/RENTipid_ROLE_AND_PERMISSION_REGISTRY.md

Restriction/exclusion: -

A.31 registry.route-screen

Module / topic: Governance / routes Type: REGISTRY Version: 1.0

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: FROZEN_REGISTRY_LAYER Approval: FD-REGISTRY Adapter: document-markdown

Locator/provider: docs/final-documentation/00-WORKING-REGISTRIES/RENTipid_ROUTE_AND_SCREEN_REGISTRY.md

Restriction/exclusion: -

A.32 registry.security-control

Module / topic: Governance / security-controls Type: REGISTRY Version: 1.0

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: FROZEN_REGISTRY_LAYER Approval: FD-REGISTRY Adapter: document-markdown

Locator/provider: docs/final-documentation/00-WORKING-REGISTRIES/RENTipid_SECURITY_CONTROL_REGISTRY.md

Restriction/exclusion: -

A.33 registry.status-terminology-classification

Module / topic: Governance / status-definitions Type: REGISTRY Version: 1.0

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: FROZEN_REGISTRY_LAYER Approval: FD-REGISTRY Adapter: document-markdown

Locator/provider: docs/final-documentation/00-WORKING-REGISTRIES/RENTipid_STATUS_TERMINOLOGY_AND_CLASSIFICATION_REGISTRY.md

Restriction/exclusion: -

A.34 registry.test-validation-evidence

Module / topic: Governance / test-evidence Type: REGISTRY Version: 1.0
Disposition: SYSTEM_ONLY Visibility: SUPER_ADMIN_ONLY Roles: none
Authority: FROZEN_REGISTRY_LAYER Approval: FD-REGISTRY Adapter: document-markdown
Locator/provider: docs/final-documentation/00-WORKING-REGISTRIES/RENTipid_TEST_AND_VALIDATION_EVIDENCE_REGISTRY.md
Restriction/exclusion: Evidence/control material not exposed through conversational retrieval.

A.35 registry.workflow-state-transition

Module / topic: Governance / workflow-status Type: REGISTRY Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: FROZEN_REGISTRY_LAYER Approval: FD-REGISTRY Adapter: document-markdown
Locator/provider: docs/final-documentation/00-WORKING-REGISTRIES/RENTipid_WORKFLOW_AND_STATE_TRANSITION_REGISTRY.md
Restriction/exclusion: -

A.36 ai.ai-case-state-model

Module / topic: Unified AI / ai-case-state-model Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: document-markdown
Locator/provider: docs/unified-ai-customer-service/AI_CASE_STATE_MODEL.md
Restriction/exclusion: -

A.37 ai.ai-service-action-matrix

Module / topic: Unified AI / ai-service-action-matrix Type: REGISTRY Version: 1.0
Disposition: ROLE_RESTRICTED Visibility: AUTHENTICATED Roles: Renter;Individual Provider;Business Provider;Admin;Finance Admin;Compliance Admin;SOC_ANALYST;SOC_SUPERVISOR;Super Admin
Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: document-markdown
Locator/provider: docs/unified-ai-customer-service/AI_SERVICE_ACTION_MATRIX.md
Restriction/exclusion: -

A.38 ai.architecture-lock

Module / topic: Unified AI / architecture-lock Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: document-markdown
Locator/provider: docs/unified-ai-customer-service/ARCHITECTURE_LOCK.md
Restriction/exclusion: -

A.39 ai.baseline

Module / topic: Unified AI / baseline Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: document-markdown
Locator/provider: docs/unified-ai-customer-service/BASELINE.md
Restriction/exclusion: -

A.40 ai.closure-certificate

Module / topic: Unified AI / closure-certificate Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: document-markdown
Locator/provider: docs/unified-ai-customer-service/CLOSURE_CERTIFICATE.md
Restriction/exclusion: -

A.41 ai.complete-documentation

Module / topic: Unified AI / complete-documentation Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: document-markdown
Locator/provider: docs/unified-ai-customer-service/COMPLETE_DOCUMENTATION.md
Restriction/exclusion: Targeted KB-1 exception: contains approved internal implementation and local-test policy-limit detail unsuitable for lower-role chat.

A.42 ai.decision-ledger

Module / topic: Unified AI / decision-ledger Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: document-markdown
Locator/provider: docs/unified-ai-customer-service/DECISION_LEDGER.md
Restriction/exclusion: -

A.43 ai.evidence-ledger

Module / topic: Unified AI / evidence-ledger Type: DOCUMENT Version: 1.0
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: document-markdown
Locator/provider: docs/unified-ai-customer-service/EVIDENCE_LEDGER.md
Restriction/exclusion: Implementation/evidence detail is retained for controls, not conversational disclosure.

A.44 ai.file-ownership

Module / topic: Unified AI / file-ownership Type: DOCUMENT Version: 1.0
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: document-markdown
Locator/provider: docs/unified-ai-customer-service/FILE_OWNERSHIP.md
Restriction/exclusion: Implementation/evidence detail is retained for controls, not conversational disclosure.

A.45 ai.final-acceptance

Module / topic: Unified AI / final-acceptance Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: document-markdown
Locator/provider: docs/unified-ai-customer-service/FINAL_ACCEPTANCE.md
Restriction/exclusion: -

A.46 ai.frozen-scope

Module / topic: Unified AI / frozen-scope Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: document-markdown
Locator/provider: docs/unified-ai-customer-service/FROZEN_SCOPE.md
Restriction/exclusion: -

A.47 ai.implementation-registry

Module / topic: Unified AI / implementation-registry Type: REGISTRY Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: document-markdown
Locator/provider: docs/unified-ai-customer-service/IMPLEMENTATION_REGISTRY.md
Restriction/exclusion: -

A.48 ai.interface-contracts

Module / topic: Unified AI / interface-contracts Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: document-markdown
Locator/provider: docs/unified-ai-customer-service/INTERFACE_CONTRACTS.md
Restriction/exclusion: -

A.49 ai.master-control

Module / topic: Unified AI / master-control Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: document-markdown
Locator/provider: docs/unified-ai-customer-service/MASTER_CONTROL.md
Restriction/exclusion: -

A.50 ai.policy-catalog

Module / topic: Unified AI / policy-catalog Type: REGISTRY Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: document-markdown
Locator/provider: docs/unified-ai-customer-service/POLICY_CATALOG.md
Restriction/exclusion: Targeted KB-1 exception: deterministic local-test thresholds are approved internal knowledge, not customer policy.

A.51 ai.production-activation

Module / topic: Unified AI / production-activation Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: document-markdown
Locator/provider: docs/unified-ai-customer-service/PRODUCTION_ACTIVATION.md
Restriction/exclusion: -

A.52 ai.provider-register

Module / topic: Unified AI / provider-register Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: document-markdown
Locator/provider: docs/unified-ai-customer-service/PROVIDER_REGISTER.md
Restriction/exclusion: -

A.53 ai.requirements-traceability

Module / topic: Unified AI / requirements-traceability Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: document-markdown
Locator/provider: docs/unified-ai-customer-service/REQUIREMENTS_TRACEABILITY.md
Restriction/exclusion: -

A.54 ai.rollback-verification

Module / topic: Unified AI / rollback-verification Type: DOCUMENT Version: 1.0
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: document-markdown
Locator/provider: docs/unified-ai-customer-service/ROLLBACK_VERIFICATION.md
Restriction/exclusion: Implementation/evidence detail is retained for controls, not conversational disclosure.

A.55 ai.security-privacy-review

Module / topic: Unified AI / security-privacy-review Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: document-markdown
Locator/provider: docs/unified-ai-customer-service/SECURITY_PRIVACY_REVIEW.md
Restriction/exclusion: -

A.56 ai.systematic-documentation

Module / topic: Unified AI / systematic-documentation Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: document-markdown
Locator/provider: docs/unified-ai-customer-service/SYSTEMATIC_DOCUMENTATION.md
Restriction/exclusion: -

A.57 ai.tool-registry

Module / topic: Unified AI / tool-registry Type: REGISTRY Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: document-markdown
Locator/provider: docs/unified-ai-customer-service/TOOL_REGISTRY.md
Restriction/exclusion: -

A.58 insurance.privacy-data-flow

Module / topic: Insurance / privacy-data-flow Type: DOCUMENT Version: 1.0
Disposition: ROLE_RESTRICTED Visibility: ROLE_SCOPED Roles: Renter;Individual Provider;Business Provider;Admin;Finance Admin;Compliance Admin;Super Admin
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/privacy-data-flow.md
Restriction/exclusion: -

A.59 insurance.full-documentation

Module / topic: Insurance / full-documentation Type: DOCUMENT Version: 1.0
Disposition: ROLE_RESTRICTED Visibility: ROLE_SCOPED Roles: Renter;Individual Provider;Business Provider;Admin;Finance Admin;Compliance Admin;Super Admin
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/RENTipid-Insurance-Module-Full-Documentation.md
Restriction/exclusion: -

A.60 insurance.implementation-handoff

Module / topic: Insurance / implementation-handoff Type: DOCUMENT Version: 1.0
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/implementation/CODEX-DAY1-HANDOFF.md
Restriction/exclusion: Engineering/test evidence is not conversational knowledge.

A.61 insurance.requirements

Module / topic: Insurance / requirements Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/implementation/R1-requirements.md
Restriction/exclusion: -

A.62 insurance.tests

Module / topic: Insurance / tests Type: DOCUMENT Version: 1.0
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/implementation/R10-tests.md
Restriction/exclusion: Engineering/test evidence is not conversational knowledge.

A.63 insurance.evidence

Module / topic: Insurance / evidence Type: DOCUMENT Version: 1.0
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/implementation/R11-evidence.md
Restriction/exclusion: Engineering/test evidence is not conversational knowledge.

A.64 insurance.issues-risks

Module / topic: Insurance / issues-risks Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/implementation/R12-issues-risks.md
Restriction/exclusion: -

A.65 insurance.deployment

Module / topic: Insurance / deployment Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/implementation/R13-deployment.md
Restriction/exclusion: -

A.66 insurance.closure

Module / topic: Insurance / closure Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/implementation/R14-closure-ledger.md
Restriction/exclusion: -

A.67 insurance.change-control

Module / topic: Insurance / change-control Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/implementation/R15-change-control.md
Restriction/exclusion: -

A.68 insurance.products

Module / topic: Insurance / products Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/implementation/R2-products.md
Restriction/exclusion: -

A.69 insurance.coverage-wording

Module / topic: Insurance / coverage-wording Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/implementation/R3-coverage-wording.md
Restriction/exclusion: -

A.70 insurance.partner-capabilities

Module / topic: Insurance / partner-capabilities Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/implementation/R4-partner-capabilities.md
Restriction/exclusion: -

A.71 insurance.routes-api-events

Module / topic: Insurance / routes-api-events Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/implementation/R5-routes-api-events.md
Restriction/exclusion: -

A.72 insurance.data-model

Module / topic: Insurance / data-model Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/implementation/R6-data-model.md
Restriction/exclusion: -

A.73 insurance.rbac

Module / topic: Insurance / rbac Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/implementation/R7-rbac.md
Restriction/exclusion: -

A.74 insurance.privacy-data-flow-register

Module / topic: Insurance / privacy-data-flow-register Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/implementation/R8-privacy-data-flow.md
Restriction/exclusion: -

A.75 insurance.finance

Module / topic: Insurance / finance Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/implementation/R9-finance.md
Restriction/exclusion: -

A.76 insurance.claim-support-escalation

Module / topic: Insurance / claim-support-escalation Type: RUNBOOK Version: 1.0
Disposition: ROLE_RESTRICTED Visibility: ROLE_SCOPED Roles: Admin;Finance Admin;Compliance Admin;Super Admin
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/runbooks/claim-support-escalation.md
Restriction/exclusion: -

A.77 insurance.duplicate-policy

Module / topic: Insurance / duplicate-policy Type: RUNBOOK Version: 1.0
Disposition: ROLE_RESTRICTED Visibility: ROLE_SCOPED Roles: Admin;Finance Admin;Compliance Admin;Super Admin
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/runbooks/duplicate-policy.md
Restriction/exclusion: -

A.78 insurance.issuance-failure

Module / topic: Insurance / issuance-failure Type: RUNBOOK Version: 1.0
Disposition: ROLE_RESTRICTED Visibility: ROLE_SCOPED Roles: Admin;Finance Admin;Compliance Admin;Super Admin
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/runbooks/issuance-failure.md
Restriction/exclusion: -

A.79 insurance.partner-outage

Module / topic: Insurance / partner-outage Type: RUNBOOK Version: 1.0
Disposition: ROLE_RESTRICTED Visibility: ROLE_SCOPED Roles: Admin;Finance Admin;Compliance Admin;Super Admin
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/runbooks/partner-outage.md
Restriction/exclusion: -

A.80 insurance.partner-termination

Module / topic: Insurance / partner-termination Type: RUNBOOK Version: 1.0
Disposition: ROLE_RESTRICTED Visibility: ROLE_SCOPED Roles: Admin;Finance Admin;Compliance Admin;Super Admin
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/runbooks/partner-termination.md
Restriction/exclusion: -

A.81 insurance.premium-refund-mismatch

Module / topic: Insurance / premium-refund-mismatch Type: RUNBOOK Version: 1.0
Disposition: ROLE_RESTRICTED Visibility: ROLE_SCOPED Roles: Admin;Finance Admin;Compliance Admin;Super Admin
Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown
Locator/provider: docs/insurance/runbooks/premium-refund-mismatch.md
Restriction/exclusion: -

A.82 insurance.privacy-incident

Module / topic: Insurance / privacy-incident Type: RUNBOOK Version: 1.0

Disposition: ROLE_RESTRICTED Visibility: ROLE_SCOPED Roles: Admin;Finance Admin;Compliance Admin;Super Admin

Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown

Locator/provider: docs/insurance/runbooks/privacy-incident.md

Restriction/exclusion: -

A.83 insurance.product-emergency-freeze

Module / topic: Insurance / product-emergency-freeze Type: RUNBOOK Version: 1.0

Disposition: ROLE_RESTRICTED Visibility: ROLE_SCOPED Roles: Admin;Finance Admin;Compliance Admin;Super Admin

Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown

Locator/provider: docs/insurance/runbooks/product-emergency-freeze.md

Restriction/exclusion: -

A.84 insurance.webhook-outage

Module / topic: Insurance / webhook-outage Type: RUNBOOK Version: 1.0

Disposition: ROLE_RESTRICTED Visibility: ROLE_SCOPED Roles: Admin;Finance Admin;Compliance Admin;Super Admin

Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: document-markdown

Locator/provider: docs/insurance/runbooks/webhook-outage.md

Restriction/exclusion: -

A.85 social.execution-registry

Module / topic: Social / execution-status Type: REGISTRY Version: 1.0

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: SOCIAL_FROZEN Approval: SOC-FREEZE Adapter: document-markdown

Locator/provider: docs/social-media/EXECUTION_REGISTRY.md

Restriction/exclusion: -

A.86 social.architecture

Module / topic: Social / architecture Type: DOCUMENT Version: 1.0

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: SOCIAL_FROZEN Approval: SOC-FREEZE Adapter: document-markdown

Locator/provider: final-documentation/social-media/02-architecture.md

Restriction/exclusion: -

A.87 social.database

Module / topic: Social / database Type: DOCUMENT Version: 1.0

Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin

Authority: SOCIAL_FROZEN Approval: SOC-FREEZE Adapter: document-markdown

Locator/provider: final-documentation/social-media/03-database.md

Restriction/exclusion: -

A.88 social.rbac

Module / topic: Social / rbac Type: DOCUMENT Version: 1.0

Disposition: ROLE_RESTRICTED Visibility: ROLE_SCOPED Roles: Individual Provider;Business Provider;Admin;Compliance Admin;Super Admin

Authority: SOCIAL_FROZEN Approval: SOC-FREEZE Adapter: document-markdown

Locator/provider: final-documentation/social-media/04-rbac.md

Restriction/exclusion: -

A.89 social.provider-adapters

Module / topic: Social / provider-adapters Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: SOCIAL_FROZEN Approval: SOC-FREEZE Adapter: document-markdown
Locator/provider: final-documentation/social-media/05-provider-adapters.md
Restriction/exclusion: -

A.90 social.content-workflows

Module / topic: Social / content-workflows Type: DOCUMENT Version: 1.0
Disposition: ROLE_RESTRICTED Visibility: ROLE_SCOPED Roles: Individual Provider;Business Provider;Admin;Compliance Admin;Super Admin
Authority: SOCIAL_FROZEN Approval: SOC-FREEZE Adapter: document-markdown
Locator/provider: final-documentation/social-media/06-content-workflows.md
Restriction/exclusion: -

A.91 social.ai-integration

Module / topic: Social / ai-integration Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: SOCIAL_FROZEN Approval: SOC-FREEZE Adapter: document-markdown
Locator/provider: final-documentation/social-media/09-unified-ai-integration.md
Restriction/exclusion: -

A.92 social.security-audit

Module / topic: Social / security-audit Type: DOCUMENT Version: 1.0
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: SOCIAL_FROZEN Approval: SOC-FREEZE Adapter: document-markdown
Locator/provider: final-documentation/social-media/11-security-audit.md
Restriction/exclusion: Audit/test evidence is not exposed in conversational retrieval.

A.93 social.testing-acceptance

Module / topic: Social / testing-acceptance Type: DOCUMENT Version: 1.0
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: SOCIAL_FROZEN Approval: SOC-FREEZE Adapter: document-markdown
Locator/provider: final-documentation/social-media/12-testing-acceptance.md
Restriction/exclusion: Audit/test evidence is not exposed in conversational retrieval.

A.94 social.production-operations

Module / topic: Social / production-operations Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: SOCIAL_FROZEN Approval: SOC-FREEZE Adapter: document-markdown
Locator/provider: final-documentation/social-media/13-production-operations.md
Restriction/exclusion: -

A.95 social.external-dependencies

Module / topic: Social / external-dependencies Type: DOCUMENT Version: 1.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: SOCIAL_FROZEN Approval: SOC-FREEZE Adapter: document-markdown
Locator/provider: final-documentation/social-media/14-external-dependencies.md
Restriction/exclusion: -

A.96 privacy.corrective-evidence

Module / topic: Privacy / corrective-evidence Type: DOCUMENT Version: 1.0.0
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: PRIVACY_V1_ACCEPTED Approval: PRIV-FREEZE Adapter: document-markdown
Locator/provider: docs/final-documentation/privacy-module/PHASE_6ZD_C3_CORRECTIVE_IMPLEMENTATION_EVIDENCE.md
Restriction/exclusion: Evidence artifact is not conversational knowledge.

A.97 privacy.publication-approval

Module / topic: Privacy / publication-approval Type: DOCUMENT Version: 1.0.0
Disposition: CONDITIONAL_APPROVED Visibility: PUBLIC Roles: Guest;Renter;Individual Provider;Business Provider;Admin;Finance Admin;Compliance Admin;SOC_ANALYST;SOC_SUPERVISOR;Super Admin
Authority: PRIVACY_V1_ACCEPTED Approval: PRIV-FREEZE Adapter: document-markdown
Locator/provider: docs/final-documentation/privacy-module/PRIVACY_POLICY_PUBLICATION_APPROVAL_2026-08-05.md
Restriction/exclusion: Approved with recorded conditions.

A.98 privacy.dpo-appointment

Module / topic: Privacy / dpo-appointment Type: DOCUMENT Version: 1.0.0
Disposition: ACTIVE_CANONICAL Visibility: PUBLIC Roles: Guest;Renter;Individual Provider;Business Provider;Admin;Finance Admin;Compliance Admin;SOC_ANALYST;SOC_SUPERVISOR;Super Admin
Authority: PRIVACY_V1_ACCEPTED Approval: PRIV-FREEZE Adapter: document-markdown
Locator/provider: docs/final-documentation/privacy-module/RENTIPID_DPO_APPOINTMENT_MEMORANDUM_2026-08-05.md
Restriction/exclusion: -

A.99 privacy.approval-packet

Module / topic: Privacy / approval-packet Type: DOCUMENT Version: 1.0.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: PRIVACY_V1_ACCEPTED Approval: PRIV-FREEZE Adapter: document-markdown
Locator/provider: docs/final-documentation/privacy-module/PRIVACY_V1_CANONICAL_REGISTER_APPROVAL_PACKET.md
Restriction/exclusion: -

A.100 privacy.processors

Module / topic: Privacy / processors Type: DOCUMENT Version: 1.0.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: PRIVACY_V1_ACCEPTED Approval: PRIV-FREEZE Adapter: document-markdown
Locator/provider: docs/final-documentation/privacy-module/PROCESSOR_SUBPROCESSOR_REGISTRY.md
Restriction/exclusion: -

A.101 privacy.retention

Module / topic: Privacy / retention Type: DOCUMENT Version: 1.0.0
Disposition: ROLE_RESTRICTED Visibility: ROLE_SCOPED Roles: Admin;Finance Admin;Compliance Admin;Super Admin
Authority: PRIVACY_V1_ACCEPTED Approval: PRIV-FREEZE Adapter: document-markdown
Locator/provider: docs/final-documentation/privacy-module/RETENTION_AND_DISPOSAL_MATRIX.md
Restriction/exclusion: -

A.102 privacy.traceability

Module / topic: Privacy / traceability Type: DOCUMENT Version: 1.0.0
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: PRIVACY_V1_ACCEPTED Approval: PRIV-FREEZE Adapter: document-markdown
Locator/provider: docs/final-documentation/privacy-module/REQUIREMENTS_TRACEABILITY_MATRIX.md
Restriction/exclusion: Control traceability is not conversational knowledge.

A.103 privacy.data-subject-rights

Module / topic: Privacy / data-subject-rights Type: DOCUMENT Version: 1.0.0
Disposition: ROLE_RESTRICTED Visibility: AUTHENTICATED Roles: Renter;Individual Provider;Business Provider;Admin;Compliance Admin;Super Admin
Authority: PRIVACY_V1_ACCEPTED Approval: PRIV-FREEZE Adapter: document-markdown
Locator/provider: docs/final-documentation/privacy-module/DATA_SUBJECT_REQUEST_RUNBOOK.md
Restriction/exclusion: -

A.104 privacy.closure-ledger

Module / topic: Privacy / closure-ledger Type: DOCUMENT Version: 1.0.0
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: PRIVACY_V1_ACCEPTED Approval: PRIV-FREEZE Adapter: document-markdown
Locator/provider: docs/final-documentation/privacy-module/FINAL_CLOSURE_EXECUTION_LEDGER.md
Restriction/exclusion: Execution evidence is not conversational knowledge.

A.105 privacy.module-status

Module / topic: Privacy / module-status Type: DOCUMENT Version: 1.0.0
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: PRIVACY_V1_ACCEPTED Approval: PRIV-FREEZE Adapter: document-markdown
Locator/provider: docs/final-documentation/privacy-module/RENTIPID_PRIVACY_MODULE_V1_FINAL_CLOSURE_CERTIFICATE.md
Restriction/exclusion: -

A.106 privacy.version-freeze

Module / topic: Privacy / version-freeze Type: DOCUMENT Version: 1.0.0
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: PRIVACY_V1_ACCEPTED Approval: PRIV-FREEZE Adapter: document-markdown
Locator/provider: docs/final-documentation/privacy-module/RENTIPID_PRIVACY_MODULE_V1_VERSION_FREEZE.md
Restriction/exclusion: Freeze control record is retained outside chat.

A.107 address.address-discovery

Module / topic: Address / address-discovery Type: DOCUMENT Version: PASS4
Disposition: SUPERSEDED Visibility: SYSTEM_ONLY Roles: none
Authority: ADDRESS_PASS4_FROZEN Approval: ADDR-FREEZE Adapter: none
Locator/provider: docs/address-system/address-discovery.md
Restriction/exclusion: Superseded planning/discovery input.

A.108 address.address-implementation-plan

Module / topic: Address / address-implementation-plan Type: DOCUMENT Version: PASS4
Disposition: SUPERSEDED Visibility: SYSTEM_ONLY Roles: none
Authority: ADDRESS_PASS4_FROZEN Approval: ADDR-FREEZE Adapter: none
Locator/provider: docs/address-system/address-implementation-plan.md
Restriction/exclusion: Superseded planning/discovery input.

A.109 address.address-implementation-report

Module / topic: Address / address-implementation-report Type: DOCUMENT Version: PASS4
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: ADDRESS_PASS4_FROZEN Approval: ADDR-FREEZE Adapter: document-markdown
Locator/provider: docs/address-system/address-implementation-report.md
Restriction/exclusion: -

A.110 address.address-pass4-walkthrough

Module / topic: Address / address-pass4-walkthrough Type: DOCUMENT Version: PASS4
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: ADDRESS_PASS4_FROZEN Approval: ADDR-FREEZE Adapter: document-markdown
Locator/provider: docs/address-system/address-pass4-walkthrough.md
Restriction/exclusion: -

A.111 address.codex-audit

Module / topic: Address / codex-audit Type: DOCUMENT Version: PASS4
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: ADDRESS_PASS4_FROZEN Approval: ADDR-FREEZE Adapter: document-markdown
Locator/provider: docs/address-system/codex-audit.md
Restriction/exclusion: Review/evidence artifact is not conversational knowledge.

A.112 address.codex-final-review

Module / topic: Address / codex-final-review Type: DOCUMENT Version: PASS4
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: ADDRESS_PASS4_FROZEN Approval: ADDR-FREEZE Adapter: document-markdown
Locator/provider: docs/address-system/codex-final-review.md
Restriction/exclusion: Review/evidence artifact is not conversational knowledge.

A.113 address.codex-pass2-final-review

Module / topic: Address / codex-pass2-final-review Type: DOCUMENT Version: PASS4
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: ADDRESS_PASS4_FROZEN Approval: ADDR-FREEZE Adapter: document-markdown
Locator/provider: docs/address-system/codex-pass2-final-review.md
Restriction/exclusion: Review/evidence artifact is not conversational knowledge.

A.114 address.codex-pass3-final-review

Module / topic: Address / codex-pass3-final-review Type: DOCUMENT Version: PASS4
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: ADDRESS_PASS4_FROZEN Approval: ADDR-FREEZE Adapter: document-markdown
Locator/provider: docs/address-system/codex-pass3-final-review.md
Restriction/exclusion: Review/evidence artifact is not conversational knowledge.

A.115 address.codex-pass4-e2e-final-review

Module / topic: Address / codex-pass4-e2e-final-review Type: DOCUMENT Version: PASS4
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: ADDRESS_PASS4_FROZEN Approval: ADDR-FREEZE Adapter: document-markdown
Locator/provider: docs/address-system/codex-pass4-e2e-final-review.md
Restriction/exclusion: Review/evidence artifact is not conversational knowledge.

A.116 address.codex-pass4-final-closure

Module / topic: Address / codex-pass4-final-closure Type: DOCUMENT Version: PASS4
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: ADDRESS_PASS4_FROZEN Approval: ADDR-FREEZE Adapter: document-markdown
Locator/provider: docs/address-system/codex-pass4-final-closure.md
Restriction/exclusion: Review/evidence artifact is not conversational knowledge.

A.117 address.codex-pass4-final-review

Module / topic: Address / codex-pass4-final-review Type: DOCUMENT Version: PASS4
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: ADDRESS_PASS4_FROZEN Approval: ADDR-FREEZE Adapter: document-markdown
Locator/provider: docs/address-system/codex-pass4-final-review.md
Restriction/exclusion: Review/evidence artifact is not conversational knowledge.

A.118 address.codex-remediation-pass-2-summary

Module / topic: Address / codex-remediation-pass-2-summary Type: DOCUMENT Version: PASS4
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: ADDRESS_PASS4_FROZEN Approval: ADDR-FREEZE Adapter: document-markdown
Locator/provider: docs/address-system/codex-remediation-pass-2-summary.md
Restriction/exclusion: Review/evidence artifact is not conversational knowledge.

A.119 address.codex-remediation-pass-4-summary

Module / topic: Address / codex-remediation-pass-4-summary Type: DOCUMENT Version: PASS4
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: ADDRESS_PASS4_FROZEN Approval: ADDR-FREEZE Adapter: document-markdown
Locator/provider: docs/address-system/codex-remediation-pass-4-summary.md
Restriction/exclusion: Review/evidence artifact is not conversational knowledge.

A.120 address.codex-remediation

Module / topic: Address / codex-remediation Type: DOCUMENT Version: PASS4
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: ADDRESS_PASS4_FROZEN Approval: ADDR-FREEZE Adapter: document-markdown
Locator/provider: docs/address-system/codex-remediation.md
Restriction/exclusion: Review/evidence artifact is not conversational knowledge.

A.121 address.codex-review

Module / topic: Address / codex-review Type: DOCUMENT Version: PASS4
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: ADDRESS_PASS4_FROZEN Approval: ADDR-FREEZE Adapter: document-markdown
Locator/provider: docs/address-system/CODEX-REVIEW.md
Restriction/exclusion: Review/evidence artifact is not conversational knowledge.

A.122 address.local-bootstrap

Module / topic: Address / local-bootstrap Type: DOCUMENT Version: PASS4
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: ADDRESS_PASS4_FROZEN Approval: ADDR-FREEZE Adapter: none
Locator/provider: docs/address-system/local-bootstrap.md
Restriction/exclusion: Targeted KB-1 exception: credential-shaped local connection example must not be persisted or disclosed through conversational retrieval.

A.123 address.migration-review

Module / topic: Address / migration-review Type: DOCUMENT Version: PASS4
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: ADDRESS_PASS4_FROZEN Approval: ADDR-FREEZE Adapter: document-markdown
Locator/provider: docs/address-system/migration-review.md
Restriction/exclusion: Review/evidence artifact is not conversational knowledge.

A.124 address.pass4-closed-frozen

Module / topic: Address / pass4-closed-frozen Type: DOCUMENT Version: PASS4
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: ADDRESS_PASS4_FROZEN Approval: ADDR-FREEZE Adapter: document-markdown
Locator/provider: docs/address-system/PASS4-CLOSED-FROZEN.md
Restriction/exclusion: -

A.125 address.preview-google-places-acceptance

Module / topic: Address / preview-google-places-acceptance Type: DOCUMENT Version: PASS4
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: ADDRESS_PASS4_FROZEN Approval: ADDR-FREEZE Adapter: document-markdown
Locator/provider: docs/address-system/PREVIEW-GOOGLE-PLACES-ACCEPTANCE.md
Restriction/exclusion: Review/evidence artifact is not conversational knowledge.

A.126 address.schema-history-drift

Module / topic: Address / schema-history-drift Type: DOCUMENT Version: PASS4
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: ADDRESS_PASS4_FROZEN Approval: ADDR-FREEZE Adapter: document-markdown
Locator/provider: docs/address-system/schema-history-drift.md
Restriction/exclusion: Review/evidence artifact is not conversational knowledge.

A.127 profile.field-governance

Module / topic: Profile / field-governance Type: DOCUMENT Version: 2026-08-04
Disposition: ROLE_RESTRICTED Visibility: ROLE_SCOPED Roles: Admin;Compliance Admin;Super Admin
Authority: PROFILE_FROZEN Approval: PROFILE-FREEZE Adapter: document-markdown
Locator/provider: docs/final-documentation/user-profile-admin-profile-management/FIELD_GOVERNANCE_MATRIX.md
Restriction/exclusion: -

A.128 profile.freeze-manifest

Module / topic: Profile / freeze-manifest Type: DOCUMENT Version: 2026-08-04
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: PROFILE_FROZEN Approval: PROFILE-FREEZE Adapter: document-markdown
Locator/provider: docs/final-documentation/user-profile-admin-profile-management/FREEZE_MANIFEST.md
Restriction/exclusion: Freeze evidence is not conversational knowledge.

A.129 profile.implementation

Module / topic: Profile / implementation Type: DOCUMENT Version: 2026-08-04
Disposition: SUPER_ADMIN_ONLY Visibility: SUPER_ADMIN_ONLY Roles: Super Admin
Authority: PROFILE_FROZEN Approval: PROFILE-FREEZE Adapter: document-markdown
Locator/provider: docs/final-documentation/user-profile-admin-profile-management/IMPLEMENTATION_REGISTRY.md
Restriction/exclusion: -

A.130 profile.phase-ledger

Module / topic: Profile / phase-ledger Type: DOCUMENT Version: 2026-08-04
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: PROFILE_FROZEN Approval: PROFILE-FREEZE Adapter: document-markdown
Locator/provider: docs/final-documentation/user-profile-admin-profile-management/PHASE_LEDGER.md
Restriction/exclusion: Execution evidence is not conversational knowledge.

A.131 profile.test-execution

Module / topic: Profile / test-execution Type: DOCUMENT Version: 2026-08-04
Disposition: SYSTEM_ONLY Visibility: SYSTEM_ONLY Roles: none
Authority: PROFILE_FROZEN Approval: PROFILE-FREEZE Adapter: document-markdown
Locator/provider: docs/final-documentation/user-profile-admin-profile-management/TEST_EXECUTION_REGISTRY.md
Restriction/exclusion: Test evidence is not conversational knowledge.

A.132 route.terms

Module / topic: Marketplace / terms Type: PUBLISHED_GUIDANCE Version: 1.0
Disposition: ACTIVE_CANONICAL Visibility: PUBLIC Roles: Guest;Renter;Individual Provider;Business Provider;Admin;Finance Admin;Compliance Admin;SOC_ANALYST;SOC_SUPERVISOR;Super Admin
Authority: PUBLISHED_RUNTIME Approval: CURRENT-PUBLISHED-ROUTE Adapter: published-route-allowlist
Locator/provider: src/app/terms/page.tsx
Restriction/exclusion: -

A.133 route.safety

Module / topic: Trust & Safety / safety Type: PUBLISHED_GUIDANCE Version: 1.0
Disposition: ACTIVE_CANONICAL Visibility: PUBLIC Roles: Guest;Renter;Individual Provider;Business Provider;Admin;Finance Admin;Compliance Admin;SOC_ANALYST;SOC_SUPERVISOR;Super Admin
Authority: PUBLISHED_RUNTIME Approval: CURRENT-PUBLISHED-ROUTE Adapter: published-route-allowlist
Locator/provider: src/app/safety/page.tsx
Restriction/exclusion: -

A.134 route.prohibited-items

Module / topic: Trust & Safety / prohibited-items Type: PUBLISHED_GUIDANCE Version: PH-V1.0
Disposition: ACTIVE_CANONICAL Visibility: PUBLIC Roles: Guest;Renter;Individual Provider;Business Provider;Admin;Finance Admin;Compliance Admin;SOC_ANALYST;SOC_SUPERVISOR;Super Admin
Authority: PUBLISHED_RUNTIME Approval: CURRENT-PUBLISHED-ROUTE Adapter: published-route-allowlist
Locator/provider: src/app/prohibited-items/page.tsx
Restriction/exclusion: -

A.135 route.privacy

Module / topic: Privacy / privacy-policy Type: PUBLISHED_GUIDANCE Version: 1.0.0
Disposition: ACTIVE_CANONICAL Visibility: PUBLIC Roles: Guest;Renter;Individual Provider;Business Provider;Admin;Finance Admin;Compliance Admin;SOC_ANALYST;SOC_SUPERVISOR;Super Admin
Authority: PUBLISHED_RUNTIME Approval: CURRENT-PUBLISHED-ROUTE Adapter: published-route-allowlist
Locator/provider: src/app/privacy/page.tsx
Restriction/exclusion: -

A.136 route.privacy-cookies

Module / topic: Privacy / cookie-guidance Type: PUBLISHED_GUIDANCE Version: 1.0.0

Disposition: ACTIVE_CANONICAL Visibility: PUBLIC Roles: Guest;Renter;Individual Provider;Business Provider;Admin;Finance Admin;Compliance Admin;SOC_ANALYST;SOC_SUPERVISOR;Super Admin

Authority: PUBLISHED_RUNTIME Approval: CURRENT-PUBLISHED-ROUTE Adapter: published-route-allowlist

Locator/provider: src/app/privacy/cookies/page.tsx

Restriction/exclusion: -

A.137 route.beta-guide

Module / topic: Marketplace / beta-guide Type: PUBLISHED_GUIDANCE Version: current

Disposition: CONDITIONAL_APPROVED Visibility: PUBLIC Roles: Guest;Renter;Individual Provider;Business Provider;Admin;Finance Admin;Compliance Admin;SOC_ANALYST;SOC_SUPERVISOR;Super Admin

Authority: PUBLISHED_RUNTIME Approval: CURRENT-PUBLISHED-ROUTE Adapter: published-route-allowlist

Locator/provider: src/app/beta-guide/page.tsx

Restriction/exclusion: Environment-specific beta guidance.

A.138 provider.prohibited-items

Module / topic: Trust & Safety / prohibited-items Type: MODULE_PROVIDER Version: PH-V1.0

Disposition: ACTIVE_CANONICAL Visibility: PUBLIC Roles: Guest;Renter;Individual Provider;Business Provider;Admin;Finance Admin;Compliance Admin;SOC_ANALYST;SOC_SUPERVISOR;Super Admin

Authority: STRUCTURED_RUNTIME_POLICY Approval: PROHIBITED-MODULE-FROZEN Adapter: structured:prohibited-items

Locator/provider: ProhibitedItemPolicy

Restriction/exclusion: Only allowlisted public fields; internal enforcement fields remain restricted.

A.139 provider.privacy-policy-retention

Module / topic: Privacy / privacy-retention Type: MODULE_PROVIDER Version: 1.0.0

Disposition: ACTIVE_CANONICAL Visibility: PUBLIC Roles: Guest;Renter;Individual Provider;Business Provider;Admin;Finance Admin;Compliance Admin;SOC_ANALYST;SOC_SUPERVISOR;Super Admin

Authority: PRIVACY_V1_ACCEPTED Approval: PRIV-FREEZE Adapter: structured:privacy

Locator/provider: PrivacyPolicyVersion+RetentionPolicyRegistry

Restriction/exclusion: Restricted retention chunks narrow public parent visibility.

A.140 provider.rbac

Module / topic: Security / roles-permissions Type: MODULE_PROVIDER Version: current

Disposition: ROLE_RESTRICTED Visibility: AUTHENTICATED Roles: Renter;Individual Provider;Business Provider;Admin;Finance Admin;Compliance Admin;SOC_ANALYST;SOC_SUPERVISOR;Super Admin

Authority: CURRENT_RBAC Approval: FD-REGISTRY Adapter: structured:rbac

Locator/provider: security/permissions+ai-permissions

Restriction/exclusion: Expose descriptive capability summaries only.

A.141 provider.ai-policy

Module / topic: Unified AI / ai-authority Type: MODULE_PROVIDER Version: 1.0

Disposition: ROLE_RESTRICTED Visibility: AUTHENTICATED Roles: Renter;Individual Provider;Business Provider;Admin;Finance Admin;Compliance Admin;SOC_ANALYST;SOC_SUPERVISOR;Super Admin

Authority: AI_ACCEPTED_FROZEN Approval: AI-ACCEPT Adapter: structured:ai-policy

Locator/provider: AiPolicyEngine+AI_SERVICE_ACTION_MATRIX

Restriction/exclusion: Knowledge never grants tool authority.

A.142 provider.payment-status-currency

Module / topic: Payments / payment-status-currency Type: MODULE_PROVIDER Version: current

Disposition: ROLE_RESTRICTED Visibility: ROLE_SCOPED Roles: Renter;Individual Provider;Business Provider;Admin;Finance Admin;Super Admin

Authority: DETERMINISTIC_RUNTIME_POLICY Approval: PHASE19-FROZEN Adapter: structured:payments

Locator/provider: payment-currency-policy+payment-launch-status

Restriction/exclusion: No transaction data or approval authority.

A.143 provider.insurance-config-catalog

Module / topic: Insurance / insurance-config Type: MODULE_PROVIDER Version: 1.0

Disposition: ROLE_RESTRICTED Visibility: ROLE_SCOPED Roles: Renter;Individual Provider;Business Provider;Admin;Finance Admin;Compliance Admin;Super Admin

Authority: INSURANCE_CLOSED_FROZEN Approval: INS-FREEZE Adapter: structured:insurance

Locator/provider: InsuranceConfig+product-catalog

Restriction/exclusion: Non-live and disabled states remain explicit.

A.144 provider.social-capability-status

Module / topic: Social / social-capabilities Type: MODULE_PROVIDER Version: 1.0

Disposition: ROLE_RESTRICTED Visibility: ROLE_SCOPED Roles: Individual Provider;Business Provider;Admin;Super Admin

Authority: SOCIAL_FROZEN Approval: SOC-FREEZE Adapter: structured:social

Locator/provider: SocialProviderRegistry

Restriction/exclusion: No credentials or private account identifiers.

A.145 provider.marketplace-taxonomy

Module / topic: Marketplace / categories Type: MODULE_PROVIDER Version: 1.0

Disposition: ACTIVE_CANONICAL Visibility: PUBLIC Roles: Guest;Renter;Individual Provider;Business Provider;Admin;Finance Admin;Compliance Admin;SOC_ANALYST;SOC_SUPERVISOR;Super Admin

Authority: ACCEPTED_MARKETPLACE_TAXONOMY Approval: MARKETPLACE-SEED-ACCEPT Adapter: structured:marketplace-taxonomy

Locator/provider: active-category-taxonomy

Restriction/exclusion: Sample listings and identities are excluded.

A.146 provider.workflow-status

Module / topic: Core / workflow-status Type: MODULE_PROVIDER Version: 1.0

Disposition: ROLE_RESTRICTED Visibility: AUTHENTICATED Roles: Renter;Individual Provider;Business Provider;Admin;Finance Admin;Compliance Admin;SOC_ANALYST;SOC_SUPERVISOR;Super Admin

Authority: FROZEN_WORKFLOW_REGISTRY Approval: FD-REGISTRY Adapter: structured:workflow-status

Locator/provider: approved-domain-state-definitions

Restriction/exclusion: Descriptions only; no state mutation authority.

Appendix B. Security Verification Checklist

1. Visibility is evaluated before relevance.
2. SYSTEM_ONLY is denied to every conversational role.
3. Super Admin breadth does not include secrets.
4. Secret-shaped prompts do not enter static retrieval.
5. Live-data prompts do not enter static retrieval.
6. Prompt injection cannot change visibility.
7. Tool identity is resolved server-side.
8. Mutating tools preserve confirmation, policy, idempotency, and audit.
9. Knowledge validation runs before persistence.
10. Production and unknown databases reject mutation.
11. Preview mutation requires both explicit flags and positive identity.
12. OAT actors use environment-supplied credentials and verified roles/status.

Appendix C. Subject Index

Adapters - Sections 8, 30
AiKnowledgeChunk - Sections 9, 10
AiKnowledgeSource - Sections 6, 10
Approval evidence - Sections 7, Appendix A
Bootstrap - Sections 11, 21, 25
Cases - Sections 10, 19
Chunking - Sections 9, 11
Coverage - Sections 2, 12, 21, 24
Digital Human - Sections 2, 18, 26, 29
Effective dates - Sections 10, 12, 13
Environment guard - Sections 22, 25
Grounding - Sections 4, 13, 24, 26
Hashing - Sections 7, 9, 11
Idempotency - Sections 11, 16, 23
Knowledge registry - Sections 7, Appendix A
Live data - Sections 2, 15
Mock AI - Sections 2, 4, 18
Normalization - Sections 9, 11
OAT actors - Section 23
Owner acceptance - Sections 1, 23, 24, 29
Policy authority - Sections 15, 17
Preview authorization - Sections 22, 25
Prompt injection - Sections 4, 14
Prohibited items - Sections 8, 13, 24
RBAC - Sections 5, 14, 16
Relevance - Section 13
Safe uncertainty - Sections 4, 13, 24
Secret protection - Sections 6, 14, 22
Sessions - Sections 10, 18
Static knowledge - Section 15
Super Admin - Sections 5, 14, 23
Synchronization - Sections 11, 21, 25
SYSTEM_ONLY - Sections 5, 7, 14
Tool gateway - Sections 15, 16
Versioning - Sections 10, 11

Appendix D. Document Acceptance Boundary

This manual documents the implementation baseline and its technical evidence. It does not mark OAT-AI-MASTER-001 PASS, does not grant owner acceptance, does not authorize Production, and does not replace the exact deployed Preview verification required after each relevant source change.