

Group Updates — Owner Setup Checklist

JOSHUA: A French Quarter Bear Tale · one-time setup, about 10 minutes

1. Connect your Claude subscription (required)

- **Generate a token** — On a computer with Claude Code installed, run **c laude setup - token** in a terminal and sign in with your Claude account (needs a Pro or Max plan). Copy the long token it prints (starts with sk-ant-oat01-...).
- **Add it to GitHub** — github.com/jbvyvf67cb-ai/wutang-arcade → Settings → Secrets and variables → Actions → New repository secret. Name it exactly:

CLAUDE_CODE_OAUTH_TOKEN

Update rounds bill your subscription's usage allowance (the same pool as your own Claude Code sessions) — no API charges. Until this secret exists, rounds with requests in the queue will fail; empty-queue rounds are free and fine. If rounds ever start failing with an authentication error, re-run **c laude setup - token** and replace the secret.

2. Invite your group (required — the repo is private)

- **Invite collaborators** — github.com/jbvyvf67cb-ai/wutang-arcade → Settings → Collaborators → Add people. Give them **Write** access so they can drop files into updates/queue.
- **No GitHub account?** — They create a free one first — the player guide covers it.

3. Run one end-to-end test (recommended)

- **Queue a small request** — Repo → updates/queue → Add file → Create new file → name it test.txt, write something small (“add one extra coin trail on Royal Street”), commit.
- **Trigger a round now** — Repo → Actions → “Group updates” → Run workflow (no need to wait for the schedule).
- **Verify (10–30 min later)** — The live game updated; your file moved to updates/processed/<timestamp>/ next to a SUMMARY.md; the queue is empty again.

4. Share with the group

- **Player guide (public link)** — <https://jbvyvf67cb-ai.github.io/wutang-arcade/HOW-TO-GUIDE.pdf>
- **The repo** — <https://github.com/jbvyvf67cb-ai/wutang-arcade> (they add requests here)
- **The game** — <https://jbvyvf67cb-ai.github.io/wutang-arcade/>

5. Ongoing (light touch)

- **Watch the Actions tab** — A red **X** on “Group updates” means a round failed (usual causes: expired token — regenerate it — or your plan's usage window was exhausted). Failed rounds leave the queue intact — requests are picked up next round.
- **Mind your usage** — Each non-empty round draws from your plan's Claude Code allowance, like a session you ran yourself. Four rounds/day only spend anything when the queue has requests.
- **Audit trail** — Every round writes updates/processed/<timestamp>/SUMMARY.md explaining what changed and why.
- **Run on demand** — Actions → Group updates → Run workflow, any time.

Schedule: 8 AM, 2 PM, 8 PM, midnight — US Central *daylight* time. GitHub cron ignores DST, so in winter the rounds land an hour later unless you edit the four cron lines in `.github/workflows/group-updates.yml`.

Branch note: the routine runs from (and deploys from) the default branch — leave the default branch as-is and everything stays lined up.