

Spreadsheet (Excel, LibreOffice, etc.) Functions*

Mehmet Hakan Satman (PH.D.)

Istanbul University, Faculty of Economics, Department of Econometrics

December 28, 2025

Contents

1 Rounding Functions	3
1.1 ROUND	3
1.2 ROUNDUP	3
1.3 ROUNDDOWN	3
1.4 INT	4
2 Mathematical Functions	4
2.1 SIGN	4
2.2 ABS	4
2.3 POWER	5
2.4 LOG	5
2.5 LN	5
2.6 LOG10	6
2.7 EXP	6
2.8 SQRT	6
2.9 PI	6
2.10 SIN	6
2.11 COS	7
2.12 RADIANS	7
2.13 DEGREES	7
2.14 ISNUMBER	7
2.15 ISEVEN	7
2.16 ISODD	8
2.17 ISBLANK	8
2.18 ISERROR	8
2.19 BASE	9
2.20 MOD	9
2.21 ROMAN	9
2.22 Function Composition	9
2.22.1 Example 1	9
2.22.2 Example 2	9
2.22.3 Example 3	10
2.22.4 Example 4	10

*This document is prepared for educational purposes only in the information technology course series at Istanbul University, Faculty of Economics. The content includes formulas and functions commonly used in spreadsheet software such as Microsoft Excel, LibreOffice, and Google Sheets, etc. The notes are for those who already participated in the related courses. The source code of this content is available at <https://github.com/jbytecode/sampledbs> in L^AT_EX format. [2] and [1] are used as references.

3 Statistical Functions	10
3.1 MIN	10
3.2 MAX	10
3.3 VAR	11
3.4 STDEV	11
3.5 SUM	11
3.6 PRODUCT	11
3.7 SUMPRODUCT	12
3.8 AVERAGE	12
3.9 COUNT	12
3.10 MEDIAN	12
3.11 PERCENTILE	13
3.12 QUARTILE	14
3.13 SKEW	15
3.14 CORREL	15
3.15 FACT	15
3.16 COMBIN	16
3.17 SUMSQ	16
4 Logical Functions	16
4.1 AND	16
4.2 OR	16
4.3 NOT	17
4.4 XOR	17
4.5 IF	17
4.5.1 IF...ELSEIF...ELSEIF...ELSE	17
4.5.2 How many real roots?	18
4.5.3 How is the weather outside?	18
4.6 IFERROR	19
5 Random Numbers	19
5.1 RAND	19
5.2 RANDBETWEEN	19
6 Date and Time Functions	20
6.1 NOW	20
6.2 YEAR	20
6.3 MONTH	20
6.4 DAY	20
6.5 HOUR	20
6.6 MINUTE	20
6.7 SECOND	21
7 String Functions	21
7.1 CHAR	21
7.2 CODE	21
7.3 UNICODE	21
7.4 UNICHAR	21
7.5 LOWER	22
7.6 UPPER	22
7.7 CONCATENATE	22
7.8 LEFT	22
7.9 RIGHT	22
7.10 MID	23
7.11 LEN	23
7.12 ISTEXT	23
7.13 ISNONTEXT	23
7.14 REPLACE	23
7.15 SEARCH	24

7.16 VLOOKUP	24
8 Visual Basic for Applications (VBA)	25
8.1 times function	25
8.2 factorial function	25
8.3 paraboladelta function	25
8.4 numberofroots function	25
8.5 findminimum function	26

1 Rounding Functions

1.1 ROUND

	A	B	C	D	E	F
1	=ROUND(1.1234; 3)					
2						

1.123

	A	B	C	D	E	F
1	=ROUND(1.1237; 3)					
2						

1.124

1.2 ROUNDUP

	A	B	C	D	E	F
1	=ROUNDUP(1.1234; 3)					
2						

1.124

	A	B	C	D	E	F
1	=ROUNDUP(1.1237; 3)					
2						

1.124

1.3 ROUNDDOWN

	A	B	C	D	E	F
1	=ROUNDDOWN(1.1234; 3)					
2						

1.123

	A	B	C	D	E	F
1	=ROUNDDOWN(1.1237; 3)					
2						

1.123

1.4 INT

	A	B	C	D	E	F
1	=INT(1.1234)					
2	=INT(100.99)					

1
100

2 Mathematical Functions

2.1 SIGN

	A	B	C	D	E	F
1	=SIGN(16)					
2						

1

	A	B	C	D	E	F
1	=SIGN(-8)					
2						

-1

	A	B	C	D	E	F
1	=SIGN(0)					
2						

0

2.2 ABS

	A	B	C	D	E	F
1	=ABS(-25)					
2						

25

	A	B	C	D	E	F
1		=ABS(25)				
2						

25

2.3 POWER

	A	B	C	D	E	F
1		=POWER(2; 3)				
2						

8

	A	B	C	D	E	F
1		=POWER(10; 4)				
2						

10000

2.4 LOG

	A	B	C	D	E	F
1		=LOG(1000)				
2						

3

	A	B	C	D	E	F
1		=LOG(8; 2)				
2						

3

2.5 LN

	A	B	C	D	E	F
1		=LN(2.71828)				
2						

0.999999327347282

	A	B	C	D	E	F
1		=LN(EXP(1))				
2						

1

2.6 LOG10

	A	B	C	D	E	F
1		=LOG10(1000))				
2						

3

2.7 EXP

$$EXP(x) = e^x$$

	A	B	C	D	E	F
1		=EXP(1)				
2						

2.71828182845905

	A	B	C	D	E	F
1		=LN(EXP(2))				
2						

2

2.8 SQRT

	A	B	C	D	E	F
1		=SQRT(16)				
2						

4

2.9 PI

	A	B	C	D	E	F
1		=PI()				
2						

3.14159265358979

2.10 SIN

	A	B	C	D	E	F
1		=SIN(PI()/2)				
2						

1

2.11 COS

	A	B	C	D	E	F
1		=COS(2 * PI())				
2						

1

2.12 RADIANS

	A	B	C	D	E	F
1		=RADIANS(90)				
2						

1.5707963267949

2.13 DEGREES

	A	B	C	D	E	F
1		=DEGREES(PI()/2)				
2						

90

2.14 ISNUMBER

	A	B	C	D	E	F
1	8	=ISNUMBER(A1)				
2						

TRUE

	A	B	C	D	E	F
1	Cat	=ISNUMBER(A1)				
2						

FALSE

2.15 ISEVEN

	A	B	C	D	E	F
1	8	=ISEVEN(A1)				
2						

TRUE

	A	B	C	D	E	F
1	9	=ISEVEN(A1)				
2						

FALSE

2.16 ISODD

	A	B	C	D	E	F
1	8	=ISODD(A1)				
2						

FALSE

	A	B	C	D	E	F
1	9	=ISODD(A1)				
2						

TRUE

2.17 ISBLANK

	A	B	C	D	E	F
1		=ISBLANK(A1)				
2						

TRUE

	A	B	C	D	E	F
1	Cats	=ISBLANK(A1)				
2						

FALSE

2.18 ISERROR

	A	B	C	D	E	F
1		= 9/0				
2		= ISERROR(A1)				

A2 = TRUE

	A	B	C	D	E	F
1		#DIV/0!				
2		= ISERROR(A1)				

TRUE

2.19 BASE

	A	B	C	D	E	F
1		=BASE(16; 2; 8)				
2		=BASE(255, 2; 8)				
3		=BASE(3; 2; 8)				

00010000
11111111
00000011

2.20 MOD

	A	B	C	D	E	F
1		=MOD(5; 2)				
2		=MOD(10; 9)				
3		=MOD(8; 3)				

1
1
2

2.21 ROMAN

	A	B	C	D	E	F
1		=ROMAN(1453)				
2		=ROMAN(2025)				
3		=ROMAN(8)				
4		=ROMAN(105)				
5		=ROMAN(50)				

MCDLIII
MMXXV
VIII
CV
L

2.22 Function Composition

2.22.1 Example 1

=SQRT(POWER(3;2) + POWER(4;2))

Answer:

5

2.22.2 Example 2

=LOG10(POWER(10;4))

Answer:

4

2.22.3 Example 3

=ROUNDUP(SQRT(50);3)

Answer:

7.072

2.22.4 Example 4

=ABS(MOD(29;6))

Answer:

5

3 Statistical Functions

3.1 MIN

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=MIN(A1:A4)					

5

3.2 MAX

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=MAX(A1:A4)					

12

3.3 VAR

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=VAR(A1:A4)					

10.91666666666667

3.4 STDEV

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=STDEV(A1:A4)					

3.30403793359984

3.5 SUM

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=SUM(A1:A4)					

35

3.6 PRODUCT

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=PRODUCT(A1:A4)					

4620

3.7 SUMPRODUCT

	A	B	C	D	E	F
1	5	4				
2	7	0				
3	12	2				
4	11	3				
5	=SUMPRODUCT(A1:A4; B1:B4)					

77

3.8 AVERAGE

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=AVERAGE(A1:A4)					

8.75

3.9 COUNT

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=COUNT(A1:A4)					

4

3.10 MEDIAN

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=MEDIAN(A1:A4)					

9.0

3.11 PERCENTILE

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=PERCENTILE(A1:A4; 0)					

5

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=PERCENTILE(A1:A4; 1)					

12

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=PERCENTILE(A1:A4; 0.5)					

9

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=PERCENTILE(A1:A4; 0.25)					

6.5

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=PERCENTILE(A1:A4; 0.75)					

11.25

3.12 QUARTILE

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=QUARTILE(A1:A4; 0)					

5

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=QUARTILE(A1:A4; 1)					

6.5

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=QUARTILE(A1:A4; 2)					

9

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=QUARTILE(A1:A4; 3)					

11.25

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=QUARTILE(A1:A4; 4)					

12

3.13 SKEW

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=SKEW(A1:A4)					

-0.592518588276328

	A	B	C	D	E	F
1	5					
2	7					
3	12					
4	11					
5	=KURT(A1:A4)					

-3.86900530272129

3.14 CORREL

	A	B	C	D	E	F
1	5	10				
2	7	14				
3	12	24				
4	11	22				
5	=CORREL(A1:A4; B1:B4)					

1

	A	B	C	D	E	F
1	5	22				
2	7	24				
3	12	14				
4	11	10				
5	=CORREL(A1:A4; B1:B4)					

-0.862595419847328

3.15 FACT

	A	B	C	D	E	F
1	=FACT(5)					
2						

120

3.16 COMBIN

	A	B	C	D	E	F
1	=COMBIN(5; 2)					
2						

$$nCr = \frac{n!}{r!(n-r)!} = \frac{5!}{2!(5-2)!} = \frac{5 \times 4 \times 3!}{2 \times 1 \times 3!} = \frac{20}{2} = 10$$

10

3.17 SUMSQ

	A	B	C	D	E	F
1	1					
2	2					
3	3					
4	4					
5	=SUMSQ(A1:A4)					

30

4 Logical Functions

4.1 AND

	A	B	C	D	E	F
1		TRUE	FALSE			
2		TRUE	TRUE			
3		FALSE	FALSE			
4		=AND(B1:C1)				
5		=AND(B2:C2)				
6		=AND(B3:C3)				

FALSE
TRUE
FALSE

4.2 OR

	A	B	C	D	E	F
1		TRUE	FALSE			
2		TRUE	TRUE			
3		FALSE	FALSE			
4		=OR(B1:C1)				
5		=OR(B2:C2)				
6		=OR(B3:C3)				

TRUE
TRUE
FALSE

4.3 NOT

	A	B	C	D	E	F
1		TRUE				
2		TRUE				
3		FALSE				
4		=NOT(B1)				
5		=NOT(B2)				
6		=NOT(B3)				

FALSE
FALSE
TRUE

4.4 XOR

	A	B	C	D	E	F
1		TRUE	FALSE			
2		TRUE	TRUE			
3		FALSE	TRUE			
4		FALSE	FALSE			
5		=XOR(B1:C1)				
6		=XOR(B2:C2)				
7		=XOR(B3:C3)				

TRUE
FALSE
TRUE
FALSE

4.5 IF

	A	B	C	D	E	F
1	5	6	12	-1	10	
2	=IF(A1 = 5; TRUE; FALSE)					
3	=IF(AND(A1 >= 5; SIGN(D1) = -1); "YES"; "NO")					
4	=IF(AND(A1 = 5; B1 = 6; C1 > 5); "YES"; "NO")					
5	=IF(A1 < 0; "NEG"; IF(A1 = 0; "ZERO"; "POS"))					
6						
7						

TRUE
YES
YES
POS

4.5.1 IF...ELSEIF...ELSEIF...ELSE

	A	B	C	D	E	F
1	5	22				
2	7	24				

Write an IF statement to handle this situation:

- If the value in A1 is less than 10, return "LOW"
- If the value in A1 is between 10 and 20 (inclusive), return "MEDIUM"
- If the value in A1 is between 21 and 30 (inclusive), return "HIGH"
- If the value in A1 is greater than 30, return "VERY HIGH"

```
=IF(A1 < 10; "LOW";
    IF(AND(A1 >= 10; A1 <= 20); "MEDIUM";
        IF(AND(A1 >= 21; A1 <= 30); "HIGH";
            "VERY HIGH")))
```

A shorter version:

```
=IF(A1 < 10; "LOW";
    IF(A1 <= 20; "MEDIUM";
        IF(A1 <= 30; "HIGH";
            "VERY HIGH")))
```

The answer is

LOW

Use IFS function (if your Excel supports it):

```
=IFS(A1 < 10; "LOW";
    AND(A1 >= 10; A1 <= 20); "MEDIUM";
    AND(A1 >= 21; A1 <= 30); "HIGH";
    A1 > 30; "VERY HIGH")
```

4.5.2 How many real roots?

	A	B	C	D	E	F
1	-1	5	100			
2	=POWER(B1; 2) - 4 * A1 * C1					

Write an IF statement (indeed they are expressions in Excel) to determine how many real roots the quadratic equation $Ax^2 + Bx + C = 0$ has, based on the values in A1, B1, and C1. Return 0 (No real roots), 1 (repeated root), or 2 (two real roots).

```
=IF(B2 < 0; 0;
    IF(B2 = 0; 1; 2))
```

Use IFS function (if your Excel supports it):

```
=IFS(B2 < 0; 0;
    B2 = 0; 1;
    B2 > 0; 2)
```

4.5.3 How is the weather outside?

Suppose that the temperature is in cell A1 (in degrees Celsius). Write an IF statement to return the following:

- If the temperature is less than or equal to 0, return "Freezing"
- If the temperature is greater than 0 but less than or equal to 15, return "Cold"
- If the temperature is greater than 15 but less than or equal to 25, return "Warm"

- If the temperature is greater than 25 but less than or equal to 35, return "Hot"
- If the temperature is greater than 35, return "Too Hot"

```
=IF(A1 <= 0; "Freezing";
  IF(A1 <= 15; "Cold";
    IF(A1 <= 25; "Warm";
      IF(A1 <= 35; "Hot";
        "Too Hot"))))
```

Use IFS function (if your Excel supports it):

```
=IFS(A1 <= 0; "Freezing";
  A1 <= 15; "Cold";
  A1 <= 25; "Warm";
  A1 <= 35; "Hot";
  A1 > 35; "Too Hot")
```

4.6 IFERROR

	A	B	C	D	E	F
1	=IFERROR(9/0; "Undefined")					
2						

Undefined

5 Random Numbers

5.1 RAND

	A	B	C	D	E	F
1		=RAND()				
2						

// A random number between 0 and 1, e.g.
0.5432101234

5.2 RANDBETWEEN

	A	B	C	D	E	F
1		=RANDBETWEEN(1; 10)				
2						

// A random integer between 1 and 10, e.g.
// The range is inclusive, so 1 and 10 are possible outputs
7

6 Date and Time Functions

6.1 NOW

	A	B	C	D	E	F
1		=NOW()				
2						

01/12/25 08:10 PM

6.2 YEAR

	A	B	C	D	E	F
1		01/12/25 08:10 PM				
2		=YEAR(B1)				

2025

6.3 MONTH

	A	B	C	D	E	F
1		01/12/25 08:10 PM				
2		=MONTH(B1)				

12

6.4 DAY

	A	B	C	D	E	F
1		01/12/25 08:10 PM				
2		=DAY(B1)				

1

6.5 HOUR

	A	B	C	D	E	F
1		01/12/25 08:10 PM				
2		=HOUR(B1)				

20

6.6 MINUTE

	A	B	C	D	E	F
1		01/12/25 08:10 PM				
2		=MINUTE(B1)				

10

6.7 SECOND

	A	B	C	D	E	F
1		01/12/25 08:10 PM				
2		=SECOND(B1)				

50

7 String Functions

7.1 CHAR

	A	B	C	D	E	F
1		=CHAR(65)				
2						

A

7.2 CODE

	A	B	C	D	E	F
1		=CODE("B")				
2						

66

7.3 UNICODE

	A	B	C	D	E	F
1		=UNICODE("😊")				
2						

9786

7.4 UNICHAR

	A	B	C	D	E	F
1		=UNICHAR(9786)				
2						

Output: 😊

7.5 LOWER

	A	B	C	D	E	F
1		istanBUL				
2		=LOWER(B1)				

istanbul

7.6 UPPER

	A	B	C	D	E	F
1		istanBUL				
2		=UPPER(B1)				

İSTANBUL

7.7 CONCATENATE

	A	B	C	D	E	F
1		İstanbul	University			
2		=CONCATENATE(B1; C1)				

İstanbulUniversity

	A	B	C	D	E	F
1		İstanbul	University			
2		=CONCATENATE(B1;" "; C1)				

Istanbul University

7.8 LEFT

	A	B	C	D	E	F
1		İstanbul	University			
2		=LEFT(B1; 3)				

İst

7.9 RIGHT

	A	B	C	D	E	F
1		İstanbul	University			
2		=RIGHT(B1; 3)				

bul

7.10 MID

	A	B	C	D	E	F
1		İstanbul	University			
2		=MID(B1; 6; 3)				
3		=MID(C1; 5; 2)				

bul
er

7.11 LEN

	A	B	C	D	E	F
1		İstanbul	University			
2		=LEN(B1)				
3		=LEN(C1)				

8
10

7.12 ISTEXT

	A	B	C	D	E	F
1		İstanbul	1453			
2		=ISTEXT(B1)				
3		=ISTEXT(C1)				

TRUE
FALSE

7.13 ISNONTEXT

	A	B	C	D	E	F
1		İstanbul	1453			
2		=ISNONTEXT(B1)				
3		=ISNONTEXT(C1)				

FALSE
TRUE

7.14 REPLACE

	A	B	C	D	E	F
1		İstanbul				
2		=REPLACE(B1; 4; 2; "")				
3		=REPLACE(B1; 3; 5; "?")				

İst*bul
İs?l

7.15 SEARCH

	A	B	C	D	E	F
1		Istanbul				
2		=SEARCH("bul"; B1)				
3		=SEARCH("tan"; B1)				
4		=SEARCH("something"; B1)				

6
3
#VALUE!

7.16 VLOOKUP

Basic Usage:

$$=VLOOKUP(lookup_value; table_array; col_index_num; [range_lookup])$$

where

- `lookup_value` is the value to search for in the first column of the `table_array`
- `table_array` is the range of cells that contains the data
- `col_index_num` is the column number in the `table_array` from which to retrieve the value
- `range_lookup` is a logical value that specifies whether to find an exact match (FALSE) or an approximate match (TRUE). If omitted, TRUE is assumed

	A	B	C	D	E	F
1	2	Economics				
2	3	Industrial Relations				
3	5	Econometrics				
4	8	Business Administration				
5		=VLOOKUP(8; A1:B4; 2; FALSE)				

Business Administration

Description of the example:

- The function looks for the value 8 in the first column of the range A1:B4
- It finds the value 8 in cell A4
- It then retrieves the value from the second column of the same row, which is "Business Administration"

	A	B	C	D	E	F
1	101	Introduction to Economics	4			
2	102	Information Technologies	2			
3	103	Basic Statistics	3			
4	104	Operations Research	3			
5		=VLOOKUP(104; A1:C4; 3; FALSE)				

The output:

Why? Because the function looks for the value 104 in the first column of the range A1:C4, finds it in cell A4, and retrieves the value from the third column of the same row, which is 3.

8 Visual Basic for Applications (VBA)

8.1 times function

```
' This function returns the product of two numbers
Function times(a, b)
    times = a * b
End Function
```

Usage in Excel:

```
=times(5; 6)
```

8.2 factorial function

```
Rem This function returns factorial of n
Function factorial(n)
    Dim result As Long
    Dim i As Long
    result = 1

    For i = 2 To n
        result = result * i
    Next

    factorial = result
End Function
```

Usage in Excel:

```
=factorial(5)
```

8.3 paraboladelta function

```
Rem This functions returns delta of a given parabola
Function paraboladelta(a As Double, b As Double, c As Double) As Double
    paraboladelta = b * b - 4 * a * c
End Function
```

Usage in Excel:

```
=paraboladelta(1; -3; 2)
```

8.4 numberofroots function

```
' This function returns
' -> 0, if delta < 0
' -> 1, if delta = 0
' -> 2, if delta > 0
Function numberofroots(a As Double, b As Double, c As Double) As Integer
    Dim delta As Double
```

```

delta = b * b - 4 * a * c
If delta < 0 Then
    numberofroots = 0
ElseIf delta = 0 Then
    numberofroots = 1
Else
    numberofroots = 2
End If
End Function

```

Usage in Excel:

```
=numberofroots(1; -3; 2)
```

8.5 findminimum function

```

' This function returns the minimum of a given range
Function findminimum(r As Range) As Double
    mymin = 9999999
    For i = 1 To r.Count
        If r.Cells(i, 1) < mymin Then
            mymin = r.Cells(i, 1)
        End If
    Next
    findminimum = mymin
End Function

```

Usage in Excel:

```
=findminimum(A1:A10)
```

References

- [1] Libreoffice documentation, help, and guides. <https://documentation.libreoffice.org/>, 2025. Accessed: 14 December 2025.
- [2] Microsoft Corporation. Microsoft Excel Help & Learning. <https://support.microsoft.com/en-us/excel>, 2025. Accessed: 14 December 2025.