



TEN-DAY REGIONAL AGRI-WEATHER INFORMATION

DEKAD 25

1 - 10 SEPTEMBER 2026

PHILIPPINE AGRI-WEATHER FORECAST

During the first half of the dekad, occasional rains will prevail over **Ilocos Region, Abra, Benguet, Zambales, and Bataan**, while cloudy skies with scattered rains and thunderstorms are expected over the **Metro Manila, Cagayan Valley, rest of Cordillera Administrative Region, rest of Central Luzon, Cavite, Batangas, Rizal, and Occidental Mindoro** due to the influence of *southwest monsoon*. Meanwhile, partly cloudy to cloudy skies with isolated rainshowers or thunderstorms will prevail over **the Visayas, and the rest of Luzon**, also due to the *southwest Monsoon*. The **rest of the country** will experience partly cloudy to cloudy skies with isolated rainshowers or thunderstorms, particularly during the afternoon or evening.

For the rest of the forecast period; **Zambales, Bataan, and Occidental Mindoro** will continue to experience occasional rains while **Metro Manila, Ilocos Region, the rest of Central Luzon, the rest of CALABARZON, the rest of MIMAROPA, the rest of Western Visayas, and Negros Occidental** will have cloudy with scattered rains and thunderstorms due to the *southwest monsoon*. **The rest of Luzon and Visayas will likely to experience** partly cloudy to cloudy with isolated rain showers or thunderstorms also due to the influence of *southwest monsoon*. Mindanao will experience partly cloudy to cloudy skies with isolated rainshowers or thunderstorms, particularly during the afternoon or evening.

This weather outlook will be updated if significant changes in the forecast occur through the 24-hour public weather forecasts and weather advisories.

Throughout the forecast period, southwesterly winds will blow over the Luzon and Visayas, while Mindanao will have winds coming from south to southwest.

Moderate to rough seas are expected over Luzon and Visayas while slight to moderate seas are likely to prevail over Mindanao throughout the forecast period.



ENSO ALERT SYSTEM STATUS: EL NIÑO (Updated: 26 August 2026)

A moderate to strong El Niño is present in the Tropical Pacific. Climate models predict that the ongoing El Niño will continue until the first half of 2027 and may reach a very strong state before the end of 2026

El Niño increases the likelihood of below-normal rainfall, which may lead to adverse impacts, including dry spells and droughts in some areas of the country. However, over the western part of the country, above-normal rainfall conditions are likely during the Southwest monsoon (Habagat) season.


Actual Rainfall (mm)
August 21 – 31, 2026
Dekad 25

Legend





Rainfall Forecast (mm)
September 1 – 10, 2026
Dekad 26

Legend




Soil Moisture
(as of August 21 – 31, 2026)
Dekad 25

Legend



Consecutive No Rainy Days
(as of August 21 – 31, 2026)
Dekad 25



Consecutive No Rainy Days (CNRD) represents the number of consecutive days with less than 1.0 mm of rainfall per day and is classified into several categories. No rainfall for several days may increase heat stress in crops due to hotter temperatures and dry soil conditions. Too much heat can also damage crops and prevent from producing healthy fruits or grains. Farmers are advised to monitor soil moisture and provide proper irrigation to minimize crop damage and maintain healthy plant growth.

ACTUAL SOIL MOISTURE CONDITION

(as of August 11 – 20, 2026)

WET	MOIST	DRY
Ilocos Region, extreme Northern Luzon, Aparri, Cordillera Administrative Region, most of Central Luzon, National Capital Region, most areas of CALABARZON, and most areas of MIMAROPA, and Iloilo	Tuguegarao, Isabela, Nueva Viscaya, Bataan, Mulanay, Pag-asa Island, Aborlan, Zamboanga del Norte, Davao del Sur, and Lanao del Sur	Casiguran, Alabat Puerto Princesa, and the rest of the country

FARM ACTIVITIES

 Reproductive stage of rice. (Photo courtesy of UPLB National Agromet Station)	 Reproductive stage. (Photo courtesy of Mambusao Agromet Station)	 Rice in vegetative stage (Photo courtesy of MMSU Agromet Station)
 Maturing stage of rice. (Photo courtesy of Camiling Agromet Station)	 Planting of rice (Photo courtesy of Camiling Agromet Station)	 Land cultivation of sugarcane (Photo courtesy of La Granja Agromet Station)
 Vegetative stage of rice. (Photo courtesy of Dumangas Agromet Station)	 Vegetative stage of rice. (Photo courtesy of NVSU Agromet Station)	 Fertilizer Application on Sugarcane (Photo courtesy of La Granja Agromet Station)

REGIONAL AGROMETEOROLOGICAL SITUATION AND PROGNOSIS

REGION	WEATHER CONDITIONS	RICE	CORN	HIGH VALUE CROPS	FARM OPERATIONS
1 Ilocos Region	<i>Forecast Rainfall (mm): 110 – 300</i> <i>No. of Rainy Days (>1mm): 5 – 9</i> <i>Relative Humidity (%): 60 – 99</i> <i>Temperature (°C): 23 – 32</i>	• Land and Seedbed Preparation • Panting and Transplanting • Vegetative Stage • Reproductive Stage	• Land and Seedbed Preparation	• Planting • Growing • Harvesting	• Fertilizer Application • Weed Management • Pest and Disease Management • Water Management • Postharvest • Cleaning and maintenance
2 Cagayan Valley	<i>Forecast Rainfall (mm): 50 – 250</i> <i>No. of Rainy Days (>1mm): 3 – 7</i> <i>Relative Humidity (%): 50 – 99</i> <i>Temperature (°C): 22 – 36</i>	• Ripening or Maturing • Harvesting	• Reproductive Stage	• Planting • Growing • Harvesting	• Fertilizer Application • Weed Management • Pest and Disease Management • Postharvest
CAR Cordillera Administrative Region	<i>Forecast Rainfall (mm): 50 – 250</i> <i>No. of Rainy Days (>1mm): 4 – 8</i> <i>Relative Humidity (%): 60 – 99</i> <i>Temperature (°C): 16 – 32</i>	• Vegetative Stage • Reproductive Stage	• Ripening or maturing • Harvesting	• Planting • Growing • Harvesting	• Fertilizer Application • Weed Management • Pest and Disease Management • Postharvest
3 Central Luzon	<i>Forecast Rainfall (mm): 30 – 350</i> <i>No. of Rainy Days (>1mm): 6 – 10</i> <i>Relative Humidity (%): 50 – 99</i> <i>Temperature (°C): 22 – 33</i>	• Panting and Transplanting • Vegetative Stage • Ripening or maturing • Harvesting	• Ripening or maturing • Harvesting	• Planting • Growing • Harvesting	• Fertilizer Application • Weed Management • Pest and Disease Management • Water Management • Postharvest
NCR National Capital Region	<i>Forecast Rainfall (mm): 25 – 120</i> <i>No. of Rainy Days (>1mm): 3 – 6</i> <i>Relative Humidity (%): 60 – 98</i> <i>Temperature (°C): 24 – 33</i>	• N/A	• N/A	• Planting • Growing • Harvesting	• Fertilizer application • Weed management • Pest and disease management • Water management • Postharvest • Cleaning and maintenance
4A CALABARZON	<i>Forecast Rainfall (mm): 10– 100</i> <i>No. of Rainy Days (>1mm): 2 – 6</i> <i>Relative Humidity (%): 45 – 97</i> <i>Temperature (°C): Upland: 22 – 31; Lowland: 24 – 34</i>	• Planting and Transplanting Stage • Reproductive Stage • Ripening and Maturing • Harvesting Stage	• Land and Seedbed Preparation Stage • Ripening and Maturing Stage • Harvesting Stage	• Planting • Growing • Harvesting	• Fertilizer Application • Weed management • Pest and diseases management • Water management • Postharvest • Cleaning and Maintenance
4B MIMAROPA	<i>Forecast Rainfall (mm): 30 – 250</i> <i>No. of Rainy Days (>1mm): 4 – 8</i> <i>Relative Humidity (%): 60 – 99</i> <i>Temperature (°C): 23 – 34</i>	• Land and Seedbed Preparation Stage • Reproductive Stage • Ripening/Maturing Stage • Harvesting Stage	• Reproductive Stage • Ripening/Maturing Stage	• Planting • Growing • Harvesting	• Fertilizer Application • Weed management • Pest and diseases management • Water management • Postharvest • Cleaning and Maintenance
5 Bicol Region	<i>Forecast Rainfall (mm): 10 – 50</i> <i>No. of Rainy Days (>1mm): 1 – 4</i> <i>Relative Humidity (%): 45 – 97</i>	• Land and Seedbed Preparation Stage • Planting and Transplanting	• Vegetative Stage • Reproductive Stage	• Planting • Growing • Harvesting	• Fertilizer Application • Weed management • Pest and diseases management • Water management

	<i>Temperature (°C):</i> 25 – 35	•Vegetative Stage •Reproductive Stage •Ripening and Maturing Stage •Harvesting Stage	•Ripening/Maturing Stage •Harvesting Stage		•Postharvest •Cleaning and Maintenance
6 Western Visayas	<i>Forecast Rainfall (mm):</i> 10 – 150 <i>No. of Rainy Days (>1mm):</i> 3 – 7 <i>Relative Humidity (%):</i> 50 – 98 <i>Temperature (°C):</i> 24 – 34	•Land and Seedbed Preparation Stage •Planting and Transplanting Stage •Vegetative Stage •Reproductive Stage •Harvesting Stage	•Vegetative Stage •Reproductive Stage •Ripening and Maturing Stage •Harvesting Stage	•Planting •Growing •Harvesting	•Fertilizer Application •Weed management •Pest and diseases management •Water management •Postharvest •Cleaning and Maintenance
7 Central Visayas	<i>Forecast Rainfall (mm):</i> 0 – 50 <i>No. of Rainy Days (>1mm):</i> 0 – 3 <i>Relative Humidity (%):</i> 45 – 96 <i>Temperature (°C):</i> 24 – 34	•Land and Seedbed •Vegetative •Ripening/Maturing	•Planting and Transplanting •Harvesting	•Planting •Growing •Harvesting	•Fertilizer Application •Weed management •Pest and diseases management •Water management •Postharvest •Cleaning and Maintenance
8 Eastern Visayas	<i>Forecast Rainfall (mm):</i> 0 – 50 <i>No. of Rainy Days (>1mm):</i> 1 – 5 <i>Relative Humidity (%):</i> 45 – 97 <i>Temperature (°C):</i> 24 – 35	•Vegetative •Ripening/Maturing •Harvesting	•Land and Seedbed Preparation •Reproductive •Ripening/Maturing	•Planting •Growing •Harvesting	•Fertilizer Application •Weed management •Pest and diseases management •Water management •Postharvest •Cleaning and Maintenance
9 Zamboanga Peninsula	<i>Forecast Rainfall (mm):</i> 0 – 75 <i>No. of Rainy Days (>1mm):</i> 1 – 5 <i>Relative Humidity (%):</i> 45 – 97 <i>Temperature (°C):</i> 23 – 35	•Vegetative •Harvesting	•Planting and Transplanting •Vegetative •Harvesting	•Planting •Growing •Harvesting	•Fertilizer Application •Weed management •Pest and diseases management •Water management •Postharvest •Cleaning and Maintenance
10 Northern Mindanao	<i>Forecast Rainfall (mm):</i> 0 – 100 <i>No. of Rainy Days (>1mm):</i> 2 – 5 <i>Relative Humidity (%):</i> 50 – 98 <i>Temperature (°C):</i> Upland: 20 – 32 Lowland: 24 – 35	•Land and Seedbed Preparation •Planting and Transplanting	•Planting and Transplanting •Vegetative •Harvesting	•Planting •Growing •Harvesting	•Fertilizer Application •Weed management •Pest and diseases management •Water management •Postharvest •Cleaning and Maintenance
11 Davao Region	<i>Forecast Rainfall (mm):</i> 0 – 50 <i>No. of Rainy Days (>1mm):</i> 1 – 5 <i>Relative Humidity (%):</i> 45 – 97 <i>Temperature (°C):</i> 22 – 36	•Reproductive Stage	•Land and Seedbed Preparation •Planting and Transplanting •Vegetative Stage •Harvesting	•Planting •Growing •Harvesting	•Fertilizer Application •Weed management •Pest and diseases management •Water management •Postharvest •Cleaning and Maintenance
12 SOCCSKSARGEN	<i>Forecast Rainfall (mm):</i> 0 – 25 <i>No. of Rainy Days (>1mm):</i> 0 – 3 <i>Relative Humidity (%):</i> 60 – 96 <i>Temperature (°C):</i> 22 – 35	•Vegetative Stage •Reproductive Stage •Ripening and Maturing	•Land and Seedbed Preparation •Planting and Transplanting •Ripening and Maturing •Harvesting	•Planting •Growing •Harvesting	•Fertilizer Application •Weed management •Pest and diseases management •Water management •Postharvest •Cleaning and Maintenance
13	<i>Forecast Rainfall (mm):</i> 0 – 75	•Vegetative Stage			•Fertilizer Application

Caraga	No. of Rainy Days (>1mm): 3 – 7	•Reproductive Stage	•Land and Seedbed Preparation •Planting and Transplanting •Vegetative Stage •Harvesting •Ripening and Maturing	•Planting •Growing •Harvesting •Planting	•Weed management •Pest and diseases management •Water management •Postharvest • Cleaning and Maintenance
	Relative Humidity (%): 50 – 98				
	Temperature (°C): 23 – 33				
BARMM	Forecast Rainfall (mm): 0 – 100	•Vegetative Stage •Reproductive Stage •Ripening and Maturing	•Planting and Transplanting •Vegetative Stage	•Planting •Growing •Harvesting	•Fertilizer Application •Weed management •Pest and diseases management •Water management •Postharvest •Cleaning and Maintenance
	No. of Rainy Days (>1mm): 2 – 5				
	Relative Humidity (%): 45 – 97				
	Temperature (°C): Upland: 21 – 32 Lowland: 23 – 36				

FARM ADVISORIES

Farmers are advised to remain vigilant as the Southwest Monsoon (Habagat) may continue to bring periods of moderate to heavy rainfall, particularly in western sections of the country, while El Niño may contribute to intermittent dry conditions and reduced soil moisture in some areas. Drainage canals, irrigation facilities, and waterways should be regularly cleared to minimize flooding and waterlogging, while rainwater should be collected and stored for use during dry periods. Farmers are encouraged to practice soil-moisture conservation through mulching, proper land preparation, and the use of organic matter. Fertilizer and pesticide applications should be timed during periods with little or no expected rainfall to reduce nutrient loss and chemical runoff. Crops should be protected from strong winds and heavy rains by providing adequate support, while mature crops should be harvested promptly when severe weather is forecast. Farmers should also monitor crops for pests and diseases, particularly after prolonged wet conditions, and provide livestock with clean water, adequate shelter, and protection from flooded areas. Farm inputs, machinery, feeds, and harvested products should be stored in elevated and secure locations. Regular inspection and strengthening of farm structures, greenhouses, animal shelters, and irrigation systems are also recommended. Farmers are encouraged to coordinate with their local agriculture offices and continuously monitor official weather and agricultural advisories to minimize potential losses and ensure the timely implementation of appropriate farm management practices. Most importantly, farmers should closely monitor **DOST-PAGASA weather forecasts and local advisories** and adjust their farming activities according to the expected weather conditions.

 Prepared NRE/JOT/ ARL/JAE	 Checked MEVT	 Approved TAC	 Uploaded JAE
--	--	---	---