GENERAL EXPERIMENTS REPORT

Random Percolation Network Simulator | 80 experiment(s) (42 complete, 38 partial)

Exp #	Timestamp	N	a	Percolação	R_eq (k=1 Ohm)	Intersecções	Status
1	20260317_092329	30	0.7	[OK]	2.9624	67	Completo
2	20260317_092354	30	0.7	[FAIL]	--	54	Completo
3	20260317_093539	30	0.7	[OK]	2.0704	38	Completo
4	20260317_093839	30	0.7	[OK]	2.9609	58	Completo
5	20260317_094054	30	0.7	[OK]	1.9545	66	Completo
6	20260317_094129	30	0.7	[OK]	2.0200	58	Completo
7	20260317_094516	30	0.7	[OK]	2.6667	61	Completo
8	20260317_094649	30	0.7	[OK]	3.2000	64	Completo
9	20260323_083557	30	0.7	[FAIL]	--	45	Completo
10	20260323_083604	30	0.7	[OK]	4.0000	61	Completo
11	20260323_083657	30	0.7	[OK]	4.2778	62	Completo
12	20260323_083708	30	0.7	[OK]	1.3636	58	Completo
13	--	--	--	--	--	1 img(s)	Parcial
14	--	--	--	--	--	2 img(s)	Parcial
15	20260323_084235	30	0.7	[OK]	3.8000	56	Completo
16	20260323_101312	30	0.7	[FAIL]	--	227	Completo
17	20260323_101343	30	0.7	[FAIL]	--	199	Completo
18	20260323_101401	30	0.7	[FAIL]	--	221	Completo
19	20260323_101403	30	0.7	[FAIL]	--	219	Completo
20	20260323_101405	30	0.7	[FAIL]	--	236	Completo
21	20260323_101406	30	0.7	[FAIL]	--	152	Completo
22	20260323_101407	30	0.7	[OK]	--	173	Completo
23	20260323_101408	30	0.7	[OK]	--	185	Completo
24	20260323_101413	30	0.7	[OK]	2.0000	193	Completo
25	--	--	--	--	--	0 img(s)	Parcial
26	--	--	--	--	--	0 img(s)	Parcial
27	--	--	--	--	--	0 img(s)	Parcial
28	20260323_131022	30	0.7	[OK]	0.9375	187	Completo
29	--	--	--	--	--	0 img(s)	Parcial
30	--	--	--	--	--	0 img(s)	Parcial
31	20260323_131752	30	0.7	[OK]	2.0000	196	Completo
32	20260330_100857	30	0.7	[OK]	0.0985	171	Completo
33	20260330_101525	30	0.7	[OK]	0.0913	161	Completo
34	--	--	--	--	--	0 img(s)	Parcial

Exp #	Timestamp	N	a	Percolação	R_eq (k=1 Ohm)	Intersecções	Status
35	--	--	--	--	--	0 img(s)	Parcial
36	--	--	--	--	--	0 img(s)	Parcial
37	--	--	--	--	--	0 img(s)	Parcial
38	--	--	--	--	--	0 img(s)	Parcial
39	20260330_133506	30	0.65	[OK]	0.1387	152	Completo
40	20260330_152337	30	0.65	[OK]	0.0656	204	Completo
41	20260330_160348	30	0.65	[OK]	0.1461	146	Completo
42	--	--	--	--	--	0 img(s)	Parcial
43	20260330_160457	30	0.65	[OK]	0.0802	135	Completo
44	--	--	--	--	--	0 img(s)	Parcial
45	--	--	--	--	--	0 img(s)	Parcial
46	--	--	--	--	--	0 img(s)	Parcial
47	--	--	--	--	--	0 img(s)	Parcial
48	20260330_161705	30	0.65	[OK]	0.1207	141	Completo
49	--	--	--	--	--	0 img(s)	Parcial
50	20260330_162533	30	0.65	[OK]	3.0229	198	Completo
51	--	--	--	--	--	0 img(s)	Parcial
52	--	--	--	--	--	0 img(s)	Parcial
53	--	--	--	--	--	0 img(s)	Parcial
54	--	--	--	--	--	0 img(s)	Parcial
55	--	--	--	--	--	0 img(s)	Parcial
56	--	--	--	--	--	0 img(s)	Parcial
57	--	--	--	--	--	0 img(s)	Parcial
58	--	--	--	--	--	0 img(s)	Parcial
59	--	--	--	--	--	0 img(s)	Parcial
60	--	--	--	--	--	0 img(s)	Parcial
61	--	--	--	--	--	0 img(s)	Parcial
62	--	--	--	--	--	5 img(s)	Parcial
63	--	--	--	--	--	0 img(s)	Parcial
64	--	--	--	--	--	0 img(s)	Parcial
65	--	--	--	--	--	0 img(s)	Parcial
66	--	--	--	--	--	0 img(s)	Parcial
67	--	--	--	--	--	0 img(s)	Parcial
68	--	--	--	--	--	0 img(s)	Parcial
69	--	--	--	--	--	0 img(s)	Parcial
70	--	--	--	--	--	5 img(s)	Parcial
71	20260331_085808	30	0.65	[OK]	2.8274	185	Completo
72	20260331_095049	30	0.6	[OK]	4.5143	118	Completo
73	20260511_110237	--	--	[FAIL]	--	--	Completo
74	20260511_110247	--	--	[FAIL]	--	--	Completo

Exp #	Timestamp	N	a	Percolação	R_eq (k=1 Ohm)	Intersecções	Status
75	20260511_110257	--	--	[FAIL]	--	--	Completo
76	20260511_110307	--	--	[FAIL]	--	--	Completo
77	20260511_112016	--	--	[FAIL]	--	--	Completo
78	20260511_112025	--	--	[FAIL]	--	--	Completo
79	20260511_112035	--	--	[FAIL]	--	--	Completo
80	20260511_112046	--	--	[FAIL]	--	--	Completo

EXPERIMENT #1

Timestamp: 20260317_092329 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	67
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	67
Nodes after pruning	25
Edges before pruning	66
Edges after pruning	24

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30



Fig. -- 05 before after merge N30

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	19	56	1.0000	1.0000	0.000000
1	56	58	1.0000	1.0000	0.000000
2	58	6	1.0000	1.0000	0.162435
3	58	55	1.0000	1.0000	0.000000
4	6	5	1.0000	1.0000	0.146945
5	6	33	1.0000	1.0000	0.162435
6	55	49	1.0000	1.0000	0.000000
7	5	0	1.0000	1.0000	0.046902
8	5	11	1.0000	1.0000	0.015491
9	33	31	1.0000	1.0000	0.000000
10	33	38	1.0000	1.0000	0.000000
11	11	65	1.0000	1.0000	0.000000
12	31	26	1.0000	1.0000	0.000000
13	31	30	1.0000	1.0000	0.000000
14	38	2	1.0000	1.0000	0.037435
15	38	8	1.0000	1.0000	0.324871
16	38	21	1.0000	1.0000	0.000000
17	65	48	1.0000	1.0000	0.000000
18	65	66	1.0000	1.0000	0.000000
19	26	7	1.0000	1.0000	0.662435
20	26	45	1.0000	1.0000	0.000000
21	30	46	1.0000	1.0000	0.000000

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
22	30	59	1.0000	1.0000	0.000000
23	48	47	1.0000	1.0000	0.000000

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	2962.396431 Ohm
Total current I	3.375645e-04 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	2.962396
10	29.623964
100	296.239643
1000	2962.396431
10000	29623.964308

EXPERIMENT #2

Timestamp: 20260317_092354 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	54
Has percolation	[FAIL] No
# Percolating paths	1
Nodes before pruning	67
Nodes after pruning	25
Edges before pruning	66
Edges after pruning	24

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30



Fig. -- 05 before after merge N30

Edge Resistances (Pruned Network)

[WARNING] No percolating path -- no resistance data.

Impedance Calculation

[WARNING] Impedance calculation skipped (no percolation).

EXPERIMENT #3

Timestamp: 20260317_093539 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	38
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	36
Nodes after pruning	23
Edges before pruning	35
Edges after pruning	22

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30



Fig. -- 05 before after merge N30

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	3	4	1.0000	1.0000	0.176871
1	3	36	1.0000	1.0000	0.258503
2	4	13	1.0000	1.0000	0.081633
3	36	26	1.0000	1.0000	0.000000
4	36	35	1.0000	1.0000	0.000000
5	13	12	1.0000	1.0000	0.000000
6	13	14	1.0000	1.0000	0.000000
7	13	17	1.0000	1.0000	0.000000
8	26	6	1.0000	1.0000	0.163265
9	26	24	1.0000	1.0000	0.000000
10	26	25	1.0000	1.0000	0.000000
11	26	28	1.0000	1.0000	0.000000
12	35	19	1.0000	1.0000	0.000000
13	12	37	1.0000	1.0000	0.000000
14	6	5	1.0000	1.0000	0.081633
15	6	8	1.0000	1.0000	0.224490
16	24	31	1.0000	1.0000	0.000000
17	25	32	1.0000	1.0000	0.000000
18	28	27	1.0000	1.0000	0.000000
19	19	18	1.0000	1.0000	0.000000
20	31	30	1.0000	1.0000	0.000000
21	18	11	1.0000	1.0000	0.000000

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	2070.422535 Ohm
Total current I	-1.292517e-04 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	2.070423
10	20.704225
100	207.042254
1000	2070.422535
10000	20704.225352

EXPERIMENT #4

Timestamp: 20260317_093839 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	58
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	58
Nodes after pruning	20
Edges before pruning	57
Edges after pruning	19

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	19	18	1.0000	1.0000	0.000000
1	19	33	1.0000	1.0000	0.000000

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2	19	34	1.0000	1.0000	0.000000
3	18	15	1.0000	1.0000	0.000000
4	15	14	1.0000	1.0000	0.000000
5	15	16	1.0000	1.0000	0.000000
6	14	1	1.0000	1.0000	0.094987
7	14	20	1.0000	1.0000	0.000000
8	14	38	1.0000	1.0000	0.000000
9	14	46	1.0000	1.0000	0.000000
10	16	29	1.0000	1.0000	0.000000
11	1	0	1.0000	1.0000	0.063325
12	1	2	1.0000	1.0000	0.229551
13	20	13	1.0000	1.0000	0.000000
14	20	36	1.0000	1.0000	0.000000
15	20	44	1.0000	1.0000	0.000000
16	38	37	1.0000	1.0000	0.000000
17	46	45	1.0000	1.0000	0.000000
18	29	12	1.0000	1.0000	0.000000

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	2960.937500 Ohm
Total current I	4.749340e-05 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	2.960937
10	29.609375
100	296.093750
1000	2960.937500
10000	29609.375000

EXPERIMENT #5

Timestamp: 20260317_094054 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	66
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	66
Nodes after pruning	21
Edges before pruning	65
Edges after pruning	20

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	10	11	1.0000	1.0000	0.000000
1	10	16	1.0000	1.0000	0.000000

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2	10	64	1.0000	1.0000	0.000000
3	11	27	1.0000	1.0000	0.000000
4	11	46	1.0000	1.0000	0.000000
5	11	60	1.0000	1.0000	0.000000
6	16	63	1.0000	1.0000	0.000000
7	27	25	1.0000	1.0000	0.000000
8	46	41	1.0000	1.0000	0.000000
9	60	57	1.0000	1.0000	0.000000
10	25	31	1.0000	1.0000	0.000000
11	41	22	1.0000	1.0000	0.000000
12	41	23	1.0000	1.0000	0.000000
13	41	50	1.0000	1.0000	0.000000
14	57	13	1.0000	1.0000	0.000000
15	31	47	1.0000	1.0000	0.000000
16	31	51	1.0000	1.0000	0.000000
17	22	48	1.0000	1.0000	0.000000
18	50	49	1.0000	1.0000	0.000000
19	13	14	1.0000	1.0000	0.000000

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	1954.545455 Ohm
Total current I	-1.627907e-04 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	1.954545
10	19.545455
100	195.454545
1000	1954.545455
10000	19545.454545

EXPERIMENT #6

Timestamp: 20260317_094129 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	58
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	58
Nodes after pruning	19
Edges before pruning	57
Edges after pruning	18

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	4	2	1.0000	1.0000	0.445545
1	4	8	1.0000	1.0000	0.495050

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2	4	9	1.0000	1.0000	0.504950
3	4	43	1.0000	1.0000	0.504950
4	4	56	1.0000	1.0000	0.504950
5	2	5	1.0000	1.0000	0.277228
6	43	42	1.0000	1.0000	0.000000
7	43	46	1.0000	1.0000	0.000000
8	42	0	1.0000	1.0000	0.059406
9	42	17	1.0000	1.0000	0.000000
10	42	49	1.0000	1.0000	0.000000
11	46	54	1.0000	1.0000	0.000000
12	0	41	1.0000	1.0000	0.059406
13	0	50	1.0000	1.0000	0.059406
14	17	19	1.0000	1.0000	0.000000
15	17	20	1.0000	1.0000	0.000000
16	49	52	1.0000	1.0000	0.000000
17	54	40	1.0000	1.0000	0.000000

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	2020.000000 Ohm
Total current I	8.910891e-05 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	2.020000
10	20.200000
100	202.000000
1000	2020.000000
10000	20200.000000

EXPERIMENT #7

Timestamp: 20260317_094516 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	61
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	61
Nodes after pruning	18
Edges before pruning	60
Edges after pruning	17

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30



Fig. -- 05 before after merge N30

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	2	3	1.0000	1.0000	0.750000
1	2	4	1.0000	1.0000	0.875000
2	2	7	1.0000	1.0000	1.000000
3	2	11	1.0000	1.0000	1.000000
4	2	50	1.0000	1.0000	1.000000
5	3	12	1.0000	1.0000	0.250000
6	4	9	1.0000	1.0000	0.125000
7	7	10	1.0000	1.0000	0.000000
8	11	29	1.0000	1.0000	0.000000
9	12	30	1.0000	1.0000	0.000000
10	12	53	1.0000	1.0000	0.000000
11	30	31	1.0000	1.0000	0.000000
12	31	44	1.0000	1.0000	0.000000
13	31	57	1.0000	1.0000	0.000000
14	44	45	1.0000	1.0000	0.000000
15	44	46	1.0000	1.0000	0.000000
16	57	58	1.0000	1.0000	0.000000

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm

Calculated impedance R_eq	2666.666667 Ohm
Total current I	1.250000e-04 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	2.666667
10	26.666667
100	266.666667
1000	2666.666667
10000	26666.666667

EXPERIMENT #8

Timestamp: 20260317_094649 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	64
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	63
Nodes after pruning	9
Edges before pruning	62
Edges after pruning	8

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30



Fig. -- 05 before after merge N30

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	11	10	1.0000	1.0000	0.000000
1	10	2	1.0000	1.0000	0.875000
2	2	18	1.0000	1.0000	0.875000
3	2	58	1.0000	1.0000	0.875000
4	18	16	1.0000	1.0000	0.000000
5	58	1	1.0000	1.0000	0.812500
6	16	37	1.0000	1.0000	0.000000
7	37	35	1.0000	1.0000	0.000000

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	3200.000000 Ohm
Total current I	-1.250000e-04 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	3.200000
10	32.000000
100	320.000000

k (Ohm/segment)	R_equivalent (Ohm)
1000	3200.000000
10000	32000.000000

EXPERIMENT #9

Timestamp: 20260323_083557 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	45
Has percolation	[FAIL] No
# Percolating paths	0
Nodes before pruning	0
Nodes after pruning	0
Edges before pruning	0
Edges after pruning	0

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30

Edge Resistances (Pruned Network)

[WARNING] No percolating path -- no resistance data.

Impedance Calculation

[WARNING] Impedance calculation skipped (no percolation).

EXPERIMENT #10

Timestamp: 20260323_083604 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	61
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	61
Nodes after pruning	10
Edges before pruning	60
Edges after pruning	9

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	30	31	1.0000	1.0000	0.000000
1	30	41	1.0000	1.0000	0.000000

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2	31	42	1.0000	1.0000	0.000000
3	41	9	1.0000	1.0000	0.000000
4	9	11	1.0000	1.0000	0.000000
5	11	15	1.0000	1.0000	0.000000
6	15	46	1.0000	1.0000	0.000000
7	46	43	1.0000	1.0000	0.000000
8	46	44	1.0000	1.0000	0.000000

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	4000.000000 Ohm
Total current I	2.500000e-04 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	4.000000
10	40.000000
100	400.000000
1000	4000.000000
10000	40000.000000

EXPERIMENT #11

Timestamp: 20260323_083657 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	62
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	62
Nodes after pruning	24
Edges before pruning	61
Edges after pruning	23

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	38	61	1.0000	1.0000	0.000000
1	61	4	1.0000	1.0000	0.025974

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2	4	2	1.0000	1.0000	0.025974
3	2	16	1.0000	1.0000	0.000000
4	16	8	1.0000	1.0000	0.000000
5	16	21	1.0000	1.0000	0.000000
6	16	32	1.0000	1.0000	0.000000
7	16	37	1.0000	1.0000	0.000000
8	8	7	1.0000	1.0000	1.000000
9	8	9	1.0000	1.0000	0.000000
10	8	10	1.0000	1.0000	0.000000
11	21	22	1.0000	1.0000	0.000000
12	21	24	1.0000	1.0000	0.000000
13	32	31	1.0000	1.0000	0.000000
14	32	33	1.0000	1.0000	0.000000
15	32	34	1.0000	1.0000	0.000000
16	37	14	1.0000	1.0000	0.000000
17	37	36	1.0000	1.0000	0.000000
18	37	47	1.0000	1.0000	0.000000
19	7	12	1.0000	1.0000	1.000000
20	7	35	1.0000	1.0000	1.000000
21	9	46	1.0000	1.0000	0.000000
22	22	13	1.0000	1.0000	0.000000

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	4277.777778 Ohm
Total current I	-2.337662e-04 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	4.277778
10	42.777778
100	427.777778

k (Ohm/segment)	R_equivalent (Ohm)
1000	4277.777778
10000	42777.777778

EXPERIMENT #12

Timestamp: 20260323_083708 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	58
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	58
Nodes after pruning	20
Edges before pruning	57
Edges after pruning	19

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	37	2	1.0000	1.0000	0.666667
1	37	14	1.0000	1.0000	0.000000

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2	37	38	1.0000	1.0000	0.000000
3	37	39	1.0000	1.0000	0.000000
4	2	48	1.0000	1.0000	0.666667
5	2	49	1.0000	1.0000	0.666667
6	14	15	1.0000	1.0000	0.000000
7	38	51	1.0000	1.0000	0.000000
8	48	6	1.0000	1.0000	0.400000
9	49	41	1.0000	1.0000	0.000000
10	15	3	1.0000	1.0000	0.333333
11	6	10	1.0000	1.0000	0.400000
12	41	40	1.0000	1.0000	0.000000
13	10	13	1.0000	1.0000	0.000000
14	10	45	1.0000	1.0000	0.000000
15	10	46	1.0000	1.0000	0.000000
16	13	11	1.0000	1.0000	0.000000
17	13	12	1.0000	1.0000	0.000000
18	45	32	1.0000	1.0000	0.000000

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	1363.636364 Ohm
Total current I	-2.000000e-04 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	1.363636
10	13.636364
100	136.363636
1000	1363.636364
10000	13636.363636

EXPERIMENT #13

Status: Partial data -- experiment_summary.json not found

[WARNING] Este experimento foi iniciado mas não foi concluído -- o arquivo experiment_summary.json não foi gerado. Apenas as imagens disponíveis são exibidas abaixo.

Network Visualizations (available)



Fig. -- 01 random lines N30

EXPERIMENT #14

Status: Partial data -- experiment_summary.json not found

[WARNING] Este experimento foi iniciado mas não foi concluído -- o arquivo experiment_summary.json não foi gerado. Apenas as imagens disponíveis são exibidas abaixo.

Network Visualizations (available)



Fig. -- 01 random lines N30



Fig. -- 03 percolating paths before pruning N30

EXPERIMENT #15

Timestamp: 20260323_084235 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	56
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	56
Nodes after pruning	13
Edges before pruning	55
Edges after pruning	12

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	33	17	1.0000	1.0000	0.000000
1	17	15	1.0000	1.0000	0.000000

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2	17	16	1.0000	1.0000	0.000000
3	15	48	1.0000	1.0000	0.000000
4	16	0	1.0000	1.0000	0.894737
5	48	49	1.0000	1.0000	0.000000
6	0	2	1.0000	1.0000	0.368421
7	49	53	1.0000	1.0000	0.000000
8	2	40	1.0000	1.0000	0.526316
9	53	55	1.0000	1.0000	0.000000
10	40	39	1.0000	1.0000	0.000000
11	40	41	1.0000	1.0000	0.000000

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	3800.000000 Ohm
Total current I	2.631579e-04 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	3.800000
10	38.000000
100	380.000000
1000	3800.000000
10000	38000.000000

EXPERIMENT #16

Timestamp: 20260323_101312 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	227
Has percolation	[FAIL] No
# Percolating paths	0
Nodes before pruning	0
Nodes after pruning	0
Edges before pruning	0
Edges after pruning	0

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30

Edge Resistances (Pruned Network)

[WARNING] No percolating path -- no resistance data.

Impedance Calculation

[WARNING] Impedance calculation skipped (no percolation).

EXPERIMENT #17

Timestamp: 20260323_101343 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	199
Has percolation	[FAIL] No
# Percolating paths	0
Nodes before pruning	0
Nodes after pruning	0
Edges before pruning	0
Edges after pruning	0

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30

Edge Resistances (Pruned Network)

[WARNING] No percolating path -- no resistance data.

Impedance Calculation

[WARNING] Impedance calculation skipped (no percolation).

EXPERIMENT #18

Timestamp: 20260323_101401 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	221
Has percolation	[FAIL] No
# Percolating paths	0
Nodes before pruning	0
Nodes after pruning	0
Edges before pruning	0
Edges after pruning	0

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30

Edge Resistances (Pruned Network)

[WARNING] No percolating path -- no resistance data.

Impedance Calculation

[WARNING] Impedance calculation skipped (no percolation).

EXPERIMENT #19

Timestamp: 20260323_101403 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	219
Has percolation	[FAIL] No
# Percolating paths	0
Nodes before pruning	0
Nodes after pruning	0
Edges before pruning	0
Edges after pruning	0

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30

Edge Resistances (Pruned Network)

[WARNING] No percolating path -- no resistance data.

Impedance Calculation

[WARNING] Impedance calculation skipped (no percolation).

EXPERIMENT #20

Timestamp: 20260323_101405 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	236
Has percolation	[FAIL] No
# Percolating paths	0
Nodes before pruning	0
Nodes after pruning	0
Edges before pruning	0
Edges after pruning	0

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30

Edge Resistances (Pruned Network)

[WARNING] No percolating path -- no resistance data.

Impedance Calculation

[WARNING] Impedance calculation skipped (no percolation).

EXPERIMENT #21

Timestamp: 20260323_101406 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	152
Has percolation	[FAIL] No
# Percolating paths	0
Nodes before pruning	0
Nodes after pruning	0
Edges before pruning	0
Edges after pruning	0

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30

Edge Resistances (Pruned Network)

[WARNING] No percolating path -- no resistance data.

Impedance Calculation

[WARNING] Impedance calculation skipped (no percolation).

EXPERIMENT #22

Timestamp: 20260323_101407 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	173
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	0
Nodes after pruning	0
Edges before pruning	0
Edges after pruning	0

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30

Edge Resistances (Pruned Network)

No edge data available.

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	--
Total current I	--

EXPERIMENT #23

Timestamp: 20260323_101408 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	185
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	185
Nodes after pruning	11
Edges before pruning	184
Edges after pruning	10

Network Visualizations



Fig. -- 01 random lines N30

Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30

Edge Resistances (Pruned Network)

No edge data available.

Impedance Calculation

Quantity	Value

Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	--
Total current I	--

EXPERIMENT #24

Timestamp: 20260323_101413 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	193
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	193
Nodes after pruning	6
Edges before pruning	192
Edges after pruning	5

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	49	12	1.0000	1.0000	0.000000
1	12	14	1.0000	1.0000	0.000000

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2	12	68	1.0000	1.0000	0.000000
3	14	85	1.0000	1.0000	0.000000
4	68	79	1.0000	1.0000	0.000000

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	2000.000000 Ohm
Total current I	2.500000e-04 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	2.000000
10	20.000000
100	200.000000
1000	2000.000000
10000	20000.000000

EXPERIMENT #28

Timestamp: 20260323_131022 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	187
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	187
Nodes after pruning	13
Edges before pruning	186
Edges after pruning	12

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	25	22	1.0000	1.0000	0.000000
1	25	24	1.0000	1.0000	0.000000

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2	25	40	1.0000	1.0000	0.000000
3	25	64	1.0000	1.0000	0.000000
4	22	141	1.0000	1.0000	0.000000
5	24	58	1.0000	1.0000	0.000000
6	40	6	1.0000	1.0000	0.200000
7	64	88	1.0000	1.0000	0.000000
8	141	142	1.0000	1.0000	0.000000
9	141	144	1.0000	1.0000	0.000000
10	58	127	1.0000	1.0000	0.000000
11	6	5	1.0000	1.0000	0.800000

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	937.500000 Ohm
Total current I	4.000000e-04 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	0.937500
10	9.375000
100	93.750000
1000	937.500000
10000	9375.000000

EXPERIMENT #31

Timestamp: 20260323_131752 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	196
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	196
Nodes after pruning	3
Edges before pruning	195
Edges after pruning	2

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	105	112	1.0000	1.0000	0.000000
1	112	140	1.0000	1.0000	0.000000

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	2000.000000 Ohm
Total current I	5.000000e-04 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	2.000000
10	20.000000
100	200.000000
1000	2000.000000
10000	20000.000000

EXPERIMENT #32

Timestamp: 20260330_100857 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	171
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	171
Nodes after pruning	171
Edges before pruning	1986
Edges after pruning	1986

Network Visualizations



Fig. -- 01 random lines N30

Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	0	2	1.0000	1.0000	0.012575
1	0	3	1.0000	1.0000	0.003226

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2	0	13	1.0000	1.0000	0.014264
3	0	19	1.0000	1.0000	0.012444
4	0	21	1.0000	1.0000	0.002443
5	0	23	1.0000	1.0000	0.002352
6	0	28	1.0000	1.0000	0.007936
7	0	30	1.0000	1.0000	0.006847
8	0	31	1.0000	1.0000	0.006478
9	0	35	1.0000	1.0000	0.006052
10	0	48	1.0000	1.0000	0.017099
11	0	50	1.0000	1.0000	0.009897
12	0	51	1.0000	1.0000	0.025986
13	0	56	1.0000	1.0000	0.007443
14	0	58	1.0000	1.0000	0.006799
15	0	64	1.0000	1.0000	0.000363
16	0	72	1.0000	1.0000	0.051359
17	0	82	1.0000	1.0000	0.026183
18	0	103	1.0000	1.0000	0.006166
19	0	108	1.0000	1.0000	0.018723
20	0	114	1.0000	1.0000	0.002817
21	0	121	1.0000	1.0000	0.013385
22	0	139	1.0000	1.0000	0.021693
23	0	145	1.0000	1.0000	0.042684
24	0	159	1.0000	1.0000	0.002670
25	0	162	1.0000	1.0000	0.006746
26	0	164	1.0000	1.0000	0.005743
27	1	2	1.0000	1.0000	0.009375
28	1	14	1.0000	1.0000	0.011862
29	1	29	1.0000	1.0000	0.008332
30	1	40	1.0000	1.0000	0.027926
31	1	49	1.0000	1.0000	0.012868
32	1	52	1.0000	1.0000	0.003022
33	1	60	1.0000	1.0000	0.031940
34	1	73	1.0000	1.0000	0.027722
35	1	87	1.0000	1.0000	0.016018
36	1	88	1.0000	1.0000	0.028582
37	1	96	1.0000	1.0000	0.011826

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
38	1	97	1.0000	1.0000	0.034182
39	1	105	1.0000	1.0000	0.033987
40	1	116	1.0000	1.0000	0.000166
41	1	131	1.0000	1.0000	0.012920
42	1	133	1.0000	1.0000	0.024385
43	2	14	1.0000	1.0000	0.021238
44	2	19	1.0000	1.0000	0.000130
45	2	23	1.0000	1.0000	0.014927
46	2	30	1.0000	1.0000	0.005728
47	2	35	1.0000	1.0000	0.018627
48	2	40	1.0000	1.0000	0.037301
49	2	50	1.0000	1.0000	0.002677
50	2	52	1.0000	1.0000	0.006353
51	2	56	1.0000	1.0000	0.005132
52	2	64	1.0000	1.0000	0.012938
53	2	73	1.0000	1.0000	0.037097
54	2	82	1.0000	1.0000	0.013608
55	2	87	1.0000	1.0000	0.006642
56	2	96	1.0000	1.0000	0.002451
57	2	103	1.0000	1.0000	0.018740
58	2	108	1.0000	1.0000	0.031298
59	2	121	1.0000	1.0000	0.025960
60	2	131	1.0000	1.0000	0.003545
61	2	145	1.0000	1.0000	0.055259
62	2	159	1.0000	1.0000	0.015245
63	2	164	1.0000	1.0000	0.006831
64	3	4	1.0000	1.0000	0.015694
65	3	5	1.0000	1.0000	0.005103
66	3	6	1.0000	1.0000	0.003975
67	3	7	1.0000	1.0000	0.010552
68	3	8	1.0000	1.0000	0.011616
69	3	9	1.0000	1.0000	0.009371
70	3	10	1.0000	1.0000	0.010570
71	3	11	1.0000	1.0000	0.003386
72	3	12	1.0000	1.0000	0.005317
73	3	13	1.0000	1.0000	0.017490

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
74	3	21	1.0000	1.0000	0.000784
75	3	28	1.0000	1.0000	0.011162
76	3	31	1.0000	1.0000	0.003252
77	3	48	1.0000	1.0000	0.020326
78	3	51	1.0000	1.0000	0.029213
79	3	58	1.0000	1.0000	0.003572
80	3	72	1.0000	1.0000	0.054585
81	3	114	1.0000	1.0000	0.000409
82	3	139	1.0000	1.0000	0.018467
83	3	162	1.0000	1.0000	0.003520
84	4	5	1.0000	1.0000	0.020797
85	4	6	1.0000	1.0000	0.019669
86	4	7	1.0000	1.0000	0.026246
87	4	8	1.0000	1.0000	0.027310
88	4	9	1.0000	1.0000	0.025065
89	4	10	1.0000	1.0000	0.026264
90	4	11	1.0000	1.0000	0.019080
91	4	12	1.0000	1.0000	0.021011
92	4	13	1.0000	1.0000	0.001796
93	4	14	1.0000	1.0000	0.021345
94	4	15	1.0000	1.0000	0.012837
95	4	16	1.0000	1.0000	0.016749
96	4	17	1.0000	1.0000	0.012788
97	4	18	1.0000	1.0000	0.048982
98	4	19	1.0000	1.0000	0.000023
99	4	20	1.0000	1.0000	0.049455
100	4	74	1.0000	1.0000	0.031383
101	5	6	1.0000	1.0000	0.001128
102	5	7	1.0000	1.0000	0.005449
103	5	8	1.0000	1.0000	0.006513
104	5	9	1.0000	1.0000	0.004268
105	5	10	1.0000	1.0000	0.005467
106	5	11	1.0000	1.0000	0.001717
107	5	12	1.0000	1.0000	0.000214
108	5	58	1.0000	1.0000	0.001531
109	5	59	1.0000	1.0000	0.005864

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
110	5	60	1.0000	1.0000	0.001661
111	5	61	1.0000	1.0000	0.030417
112	5	62	1.0000	1.0000	0.000371
113	5	63	1.0000	1.0000	0.003881
114	5	64	1.0000	1.0000	0.007966
115	5	65	1.0000	1.0000	0.004717
116	5	66	1.0000	1.0000	0.005572
117	5	67	1.0000	1.0000	0.003809
118	5	68	1.0000	1.0000	0.004783
119	5	69	1.0000	1.0000	0.000861
120	5	70	1.0000	1.0000	0.000656
121	5	71	1.0000	1.0000	0.041124
122	5	142	1.0000	1.0000	0.047666
123	6	7	1.0000	1.0000	0.006577
124	6	8	1.0000	1.0000	0.007641
125	6	9	1.0000	1.0000	0.005396
126	6	10	1.0000	1.0000	0.006595
127	6	11	1.0000	1.0000	0.000589
128	6	12	1.0000	1.0000	0.001342
129	6	22	1.0000	1.0000	0.001608
130	6	34	1.0000	1.0000	0.002276
131	6	55	1.0000	1.0000	0.015919
132	6	63	1.0000	1.0000	0.002753
133	6	81	1.0000	1.0000	0.043243
134	6	103	1.0000	1.0000	0.001036
135	6	107	1.0000	1.0000	0.010765
136	6	119	1.0000	1.0000	0.002478
137	6	143	1.0000	1.0000	0.036924
138	6	163	1.0000	1.0000	0.003155
139	7	8	1.0000	1.0000	0.001064
140	7	9	1.0000	1.0000	0.001181
141	7	10	1.0000	1.0000	0.000018
142	7	11	1.0000	1.0000	0.007166
143	7	12	1.0000	1.0000	0.005235
144	7	24	1.0000	1.0000	0.002988
145	7	36	1.0000	1.0000	0.000313

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
146	7	66	1.0000	1.0000	0.000123
147	7	109	1.0000	1.0000	0.003161
148	7	123	1.0000	1.0000	0.001302
149	7	149	1.0000	1.0000	0.044679
150	7	157	1.0000	1.0000	0.005593
151	7	160	1.0000	1.0000	0.007527
152	7	168	1.0000	1.0000	0.364829
153	8	9	1.0000	1.0000	0.002245
154	8	10	1.0000	1.0000	0.001046
155	8	11	1.0000	1.0000	0.008230
156	8	12	1.0000	1.0000	0.006299
157	8	67	1.0000	1.0000	0.002704
158	8	84	1.0000	1.0000	0.044638
159	8	110	1.0000	1.0000	0.002805
160	8	124	1.0000	1.0000	0.001415
161	8	130	1.0000	1.0000	0.016862
162	8	150	1.0000	1.0000	0.037970
163	8	155	1.0000	1.0000	0.005257
164	8	156	1.0000	1.0000	0.008006
165	8	157	1.0000	1.0000	0.004529
166	8	158	1.0000	1.0000	0.003455
167	9	10	1.0000	1.0000	0.001199
168	9	11	1.0000	1.0000	0.005985
169	9	12	1.0000	1.0000	0.004054
170	9	25	1.0000	1.0000	0.002752
171	9	37	1.0000	1.0000	0.000680
172	9	68	1.0000	1.0000	0.000515
173	9	101	1.0000	1.0000	0.009745
174	9	111	1.0000	1.0000	0.000427
175	9	125	1.0000	1.0000	0.004815
176	9	151	1.0000	1.0000	0.041732
177	9	159	1.0000	1.0000	0.009927
178	9	161	1.0000	1.0000	0.010052
179	10	11	1.0000	1.0000	0.007184
180	10	12	1.0000	1.0000	0.005253
181	10	26	1.0000	1.0000	0.002770

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
182	10	38	1.0000	1.0000	0.000288
183	10	69	1.0000	1.0000	0.006328
184	10	102	1.0000	1.0000	0.003626
185	10	112	1.0000	1.0000	0.008739
186	10	126	1.0000	1.0000	0.004496
187	10	152	1.0000	1.0000	0.002032
188	10	158	1.0000	1.0000	0.004501
189	10	160	1.0000	1.0000	0.007545
190	10	161	1.0000	1.0000	0.011251
191	10	169	1.0000	1.0000	0.635154
192	11	12	1.0000	1.0000	0.001931
193	11	27	1.0000	1.0000	0.001440
194	11	39	1.0000	1.0000	0.002374
195	11	57	1.0000	1.0000	0.001859
196	11	70	1.0000	1.0000	0.002373
197	11	85	1.0000	1.0000	0.043361
198	11	127	1.0000	1.0000	0.037670
199	11	153	1.0000	1.0000	0.008214
200	11	162	1.0000	1.0000	0.000134
201	11	163	1.0000	1.0000	0.003744
202	11	164	1.0000	1.0000	0.012356
203	11	170	1.0000	1.0000	0.642338
204	12	71	1.0000	1.0000	0.041338
205	12	86	1.0000	1.0000	0.032758
206	12	113	1.0000	1.0000	0.001461
207	12	128	1.0000	1.0000	0.062877
208	12	154	1.0000	1.0000	0.012140
209	12	165	1.0000	1.0000	0.005575
210	12	166	1.0000	1.0000	0.005563
211	12	167	1.0000	1.0000	0.001022
212	12	168	1.0000	1.0000	0.359593
213	12	169	1.0000	1.0000	0.640407
214	12	170	1.0000	1.0000	0.640407
215	13	14	1.0000	1.0000	0.019549
216	13	15	1.0000	1.0000	0.011040
217	13	16	1.0000	1.0000	0.014953

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
218	13	17	1.0000	1.0000	0.010992
219	13	18	1.0000	1.0000	0.047186
220	13	19	1.0000	1.0000	0.001819
221	13	20	1.0000	1.0000	0.047659
222	13	21	1.0000	1.0000	0.016706
223	13	28	1.0000	1.0000	0.006328
224	13	31	1.0000	1.0000	0.020742
225	13	48	1.0000	1.0000	0.002836
226	13	51	1.0000	1.0000	0.011723
227	13	58	1.0000	1.0000	0.021062
228	13	72	1.0000	1.0000	0.037095
229	13	74	1.0000	1.0000	0.029587
230	13	114	1.0000	1.0000	0.017081
231	13	139	1.0000	1.0000	0.035957
232	13	162	1.0000	1.0000	0.021010
233	14	15	1.0000	1.0000	0.008508
234	14	16	1.0000	1.0000	0.004596
235	14	17	1.0000	1.0000	0.008556
236	14	18	1.0000	1.0000	0.027637
237	14	19	1.0000	1.0000	0.021368
238	14	20	1.0000	1.0000	0.028110
239	14	40	1.0000	1.0000	0.016063
240	14	52	1.0000	1.0000	0.014884
241	14	73	1.0000	1.0000	0.015860
242	14	74	1.0000	1.0000	0.010038
243	14	87	1.0000	1.0000	0.027880
244	14	96	1.0000	1.0000	0.023689
245	14	131	1.0000	1.0000	0.024782
246	15	16	1.0000	1.0000	0.003913
247	15	17	1.0000	1.0000	0.000048
248	15	18	1.0000	1.0000	0.036146
249	15	19	1.0000	1.0000	0.012860
250	15	20	1.0000	1.0000	0.036619
251	15	28	1.0000	1.0000	0.017368
252	15	29	1.0000	1.0000	0.011686
253	15	30	1.0000	1.0000	0.018457

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
254	15	33	1.0000	1.0000	0.026314
255	15	42	1.0000	1.0000	0.016475
256	15	53	1.0000	1.0000	0.003286
257	15	74	1.0000	1.0000	0.018546
258	15	75	1.0000	1.0000	0.035290
259	15	98	1.0000	1.0000	0.019758
260	15	134	1.0000	1.0000	0.009716
261	16	17	1.0000	1.0000	0.003961
262	16	18	1.0000	1.0000	0.032233
263	16	19	1.0000	1.0000	0.016772
264	16	20	1.0000	1.0000	0.032706
265	16	44	1.0000	1.0000	0.016690
266	16	48	1.0000	1.0000	0.012117
267	16	49	1.0000	1.0000	0.020135
268	16	50	1.0000	1.0000	0.019319
269	16	54	1.0000	1.0000	0.021704
270	16	74	1.0000	1.0000	0.014634
271	16	77	1.0000	1.0000	0.012607
272	16	91	1.0000	1.0000	0.035720
273	16	136	1.0000	1.0000	0.010113
274	17	18	1.0000	1.0000	0.036194
275	17	19	1.0000	1.0000	0.012811
276	17	20	1.0000	1.0000	0.036667
277	17	45	1.0000	1.0000	0.014579
278	17	51	1.0000	1.0000	0.000731
279	17	52	1.0000	1.0000	0.006328
280	17	53	1.0000	1.0000	0.003238
281	17	54	1.0000	1.0000	0.017743
282	17	55	1.0000	1.0000	0.016538
283	17	56	1.0000	1.0000	0.017813
284	17	57	1.0000	1.0000	0.030009
285	17	74	1.0000	1.0000	0.018595
286	17	78	1.0000	1.0000	0.026648
287	17	92	1.0000	1.0000	0.003972
288	17	137	1.0000	1.0000	0.073790
289	17	167	1.0000	1.0000	0.032777

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
290	18	19	1.0000	1.0000	0.049005
291	18	20	1.0000	1.0000	0.000473
292	18	46	1.0000	1.0000	0.014236
293	18	74	1.0000	1.0000	0.017599
294	18	80	1.0000	1.0000	0.031974
295	18	93	1.0000	1.0000	0.004765
296	18	96	1.0000	1.0000	0.051326
297	18	138	1.0000	1.0000	0.107715
298	19	20	1.0000	1.0000	0.049478
299	19	23	1.0000	1.0000	0.014796
300	19	30	1.0000	1.0000	0.005598
301	19	35	1.0000	1.0000	0.018496
302	19	50	1.0000	1.0000	0.002547
303	19	56	1.0000	1.0000	0.005002
304	19	64	1.0000	1.0000	0.012807
305	19	74	1.0000	1.0000	0.031406
306	19	82	1.0000	1.0000	0.013739
307	19	103	1.0000	1.0000	0.018610
308	19	108	1.0000	1.0000	0.031167
309	19	121	1.0000	1.0000	0.025829
310	19	145	1.0000	1.0000	0.055129
311	19	159	1.0000	1.0000	0.015115
312	19	164	1.0000	1.0000	0.006701
313	20	47	1.0000	1.0000	0.051397
314	20	74	1.0000	1.0000	0.018072
315	20	95	1.0000	1.0000	0.057910
316	21	22	1.0000	1.0000	0.003150
317	21	23	1.0000	1.0000	0.000091
318	21	24	1.0000	1.0000	0.008348
319	21	25	1.0000	1.0000	0.007403
320	21	26	1.0000	1.0000	0.008583
321	21	27	1.0000	1.0000	0.002730
322	21	28	1.0000	1.0000	0.010379
323	21	31	1.0000	1.0000	0.004036
324	21	32	1.0000	1.0000	0.005799
325	21	41	1.0000	1.0000	0.027799

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
326	21	48	1.0000	1.0000	0.019542
327	21	51	1.0000	1.0000	0.028429
328	21	58	1.0000	1.0000	0.004356
329	21	59	1.0000	1.0000	0.000023
330	21	72	1.0000	1.0000	0.053801
331	21	104	1.0000	1.0000	0.010797
332	21	114	1.0000	1.0000	0.000374
333	21	115	1.0000	1.0000	0.007799
334	21	132	1.0000	1.0000	0.015338
335	21	139	1.0000	1.0000	0.019251
336	21	155	1.0000	1.0000	0.017657
337	21	162	1.0000	1.0000	0.004303
338	21	165	1.0000	1.0000	0.011676
339	22	23	1.0000	1.0000	0.003241
340	22	24	1.0000	1.0000	0.005197
341	22	25	1.0000	1.0000	0.004253
342	22	26	1.0000	1.0000	0.005433
343	22	27	1.0000	1.0000	0.000421
344	22	32	1.0000	1.0000	0.002648
345	22	34	1.0000	1.0000	0.003885
346	22	41	1.0000	1.0000	0.030950
347	22	55	1.0000	1.0000	0.014311
348	22	59	1.0000	1.0000	0.003128
349	22	63	1.0000	1.0000	0.001144
350	22	81	1.0000	1.0000	0.041634
351	22	103	1.0000	1.0000	0.000573
352	22	104	1.0000	1.0000	0.007647
353	22	107	1.0000	1.0000	0.012373
354	22	115	1.0000	1.0000	0.004649
355	22	119	1.0000	1.0000	0.000869
356	22	132	1.0000	1.0000	0.018488
357	22	143	1.0000	1.0000	0.038532
358	22	155	1.0000	1.0000	0.014506
359	22	163	1.0000	1.0000	0.004763
360	22	165	1.0000	1.0000	0.008525
361	23	24	1.0000	1.0000	0.008439

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
362	23	25	1.0000	1.0000	0.007494
363	23	26	1.0000	1.0000	0.008674
364	23	27	1.0000	1.0000	0.002821
365	23	30	1.0000	1.0000	0.009198
366	23	32	1.0000	1.0000	0.005890
367	23	35	1.0000	1.0000	0.003700
368	23	41	1.0000	1.0000	0.027709
369	23	50	1.0000	1.0000	0.012249
370	23	56	1.0000	1.0000	0.009794
371	23	59	1.0000	1.0000	0.000113
372	23	64	1.0000	1.0000	0.001989
373	23	82	1.0000	1.0000	0.028535
374	23	103	1.0000	1.0000	0.003814
375	23	104	1.0000	1.0000	0.010888
376	23	108	1.0000	1.0000	0.016371
377	23	115	1.0000	1.0000	0.007890
378	23	121	1.0000	1.0000	0.011033
379	23	132	1.0000	1.0000	0.015247
380	23	145	1.0000	1.0000	0.040333
381	23	155	1.0000	1.0000	0.017748
382	23	159	1.0000	1.0000	0.000318
383	23	164	1.0000	1.0000	0.008095
384	23	165	1.0000	1.0000	0.011766
385	24	25	1.0000	1.0000	0.000945
386	24	26	1.0000	1.0000	0.000236
387	24	27	1.0000	1.0000	0.005618
388	24	32	1.0000	1.0000	0.002549
389	24	36	1.0000	1.0000	0.003302
390	24	41	1.0000	1.0000	0.036147
391	24	59	1.0000	1.0000	0.008325
392	24	66	1.0000	1.0000	0.003111
393	24	104	1.0000	1.0000	0.002450
394	24	109	1.0000	1.0000	0.006149
395	24	115	1.0000	1.0000	0.000549
396	24	123	1.0000	1.0000	0.001686
397	24	132	1.0000	1.0000	0.023685

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
398	24	149	1.0000	1.0000	0.047667
399	24	155	1.0000	1.0000	0.009309
400	24	157	1.0000	1.0000	0.008581
401	24	160	1.0000	1.0000	0.004539
402	24	165	1.0000	1.0000	0.003328
403	24	168	1.0000	1.0000	0.361840
404	25	26	1.0000	1.0000	0.001180
405	25	27	1.0000	1.0000	0.004673
406	25	32	1.0000	1.0000	0.001604
407	25	37	1.0000	1.0000	0.003432
408	25	41	1.0000	1.0000	0.035202
409	25	59	1.0000	1.0000	0.007380
410	25	68	1.0000	1.0000	0.003267
411	25	101	1.0000	1.0000	0.006993
412	25	104	1.0000	1.0000	0.003394
413	25	111	1.0000	1.0000	0.003179
414	25	115	1.0000	1.0000	0.000396
415	25	125	1.0000	1.0000	0.002063
416	25	132	1.0000	1.0000	0.022741
417	25	151	1.0000	1.0000	0.044484
418	25	155	1.0000	1.0000	0.010254
419	25	159	1.0000	1.0000	0.007175
420	25	161	1.0000	1.0000	0.007300
421	25	165	1.0000	1.0000	0.004273
422	26	27	1.0000	1.0000	0.005854
423	26	32	1.0000	1.0000	0.002785
424	26	38	1.0000	1.0000	0.003058
425	26	41	1.0000	1.0000	0.036383
426	26	59	1.0000	1.0000	0.008561
427	26	69	1.0000	1.0000	0.003558
428	26	102	1.0000	1.0000	0.000856
429	26	104	1.0000	1.0000	0.002214
430	26	112	1.0000	1.0000	0.005969
431	26	115	1.0000	1.0000	0.000784
432	26	126	1.0000	1.0000	0.001726
433	26	132	1.0000	1.0000	0.023921

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
434	26	152	1.0000	1.0000	0.000738
435	26	155	1.0000	1.0000	0.009073
436	26	158	1.0000	1.0000	0.007272
437	26	160	1.0000	1.0000	0.004775
438	26	161	1.0000	1.0000	0.008481
439	26	165	1.0000	1.0000	0.003092
440	26	169	1.0000	1.0000	0.637924
441	27	32	1.0000	1.0000	0.003069
442	27	39	1.0000	1.0000	0.003813
443	27	41	1.0000	1.0000	0.030529
444	27	57	1.0000	1.0000	0.000419
445	27	59	1.0000	1.0000	0.002707
446	27	70	1.0000	1.0000	0.003813
447	27	85	1.0000	1.0000	0.041921
448	27	104	1.0000	1.0000	0.008067
449	27	115	1.0000	1.0000	0.005069
450	27	127	1.0000	1.0000	0.039110
451	27	132	1.0000	1.0000	0.018068
452	27	153	1.0000	1.0000	0.009654
453	27	155	1.0000	1.0000	0.014927
454	27	162	1.0000	1.0000	0.001573
455	27	163	1.0000	1.0000	0.005184
456	27	164	1.0000	1.0000	0.010916
457	27	165	1.0000	1.0000	0.008946
458	27	170	1.0000	1.0000	0.643777
459	28	29	1.0000	1.0000	0.005682
460	28	30	1.0000	1.0000	0.001089
461	28	31	1.0000	1.0000	0.014414
462	28	33	1.0000	1.0000	0.008946
463	28	42	1.0000	1.0000	0.033843
464	28	48	1.0000	1.0000	0.009163
465	28	51	1.0000	1.0000	0.018050
466	28	53	1.0000	1.0000	0.014082
467	28	58	1.0000	1.0000	0.014734
468	28	72	1.0000	1.0000	0.043423
469	28	75	1.0000	1.0000	0.052658

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
470	28	98	1.0000	1.0000	0.002390
471	28	114	1.0000	1.0000	0.010753
472	28	134	1.0000	1.0000	0.007652
473	28	139	1.0000	1.0000	0.029629
474	28	162	1.0000	1.0000	0.014682
475	29	30	1.0000	1.0000	0.006772
476	29	33	1.0000	1.0000	0.014628
477	29	42	1.0000	1.0000	0.028160
478	29	49	1.0000	1.0000	0.004536
479	29	53	1.0000	1.0000	0.008399
480	29	60	1.0000	1.0000	0.023609
481	29	75	1.0000	1.0000	0.046975
482	29	88	1.0000	1.0000	0.036914
483	29	97	1.0000	1.0000	0.025851
484	29	98	1.0000	1.0000	0.008072
485	29	105	1.0000	1.0000	0.025655
486	29	116	1.0000	1.0000	0.008166
487	29	133	1.0000	1.0000	0.016053
488	29	134	1.0000	1.0000	0.001970
489	30	33	1.0000	1.0000	0.007857
490	30	35	1.0000	1.0000	0.012899
491	30	42	1.0000	1.0000	0.034932
492	30	50	1.0000	1.0000	0.003051
493	30	53	1.0000	1.0000	0.015171
494	30	56	1.0000	1.0000	0.000596
495	30	64	1.0000	1.0000	0.007210
496	30	75	1.0000	1.0000	0.053747
497	30	82	1.0000	1.0000	0.019336
498	30	98	1.0000	1.0000	0.001301
499	30	103	1.0000	1.0000	0.013012
500	30	108	1.0000	1.0000	0.025570
501	30	121	1.0000	1.0000	0.020232
502	30	134	1.0000	1.0000	0.008741
503	30	145	1.0000	1.0000	0.049531
504	30	159	1.0000	1.0000	0.009517
505	30	164	1.0000	1.0000	0.001103

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
506	31	32	1.0000	1.0000	0.001763
507	31	33	1.0000	1.0000	0.005468
508	31	34	1.0000	1.0000	0.002999
509	31	35	1.0000	1.0000	0.000426
510	31	36	1.0000	1.0000	0.007614
511	31	37	1.0000	1.0000	0.006799
512	31	38	1.0000	1.0000	0.007606
513	31	39	1.0000	1.0000	0.002508
514	31	43	1.0000	1.0000	0.024324
515	31	48	1.0000	1.0000	0.023577
516	31	51	1.0000	1.0000	0.032465
517	31	58	1.0000	1.0000	0.000320
518	31	61	1.0000	1.0000	0.028566
519	31	72	1.0000	1.0000	0.057837
520	31	89	1.0000	1.0000	0.038631
521	31	106	1.0000	1.0000	0.000983
522	31	114	1.0000	1.0000	0.003661
523	31	117	1.0000	1.0000	0.001806
524	31	129	1.0000	1.0000	0.025862
525	31	135	1.0000	1.0000	0.020711
526	31	139	1.0000	1.0000	0.015215
527	31	140	1.0000	1.0000	0.041955
528	31	156	1.0000	1.0000	0.000358
529	31	162	1.0000	1.0000	0.000268
530	31	166	1.0000	1.0000	0.007628
531	32	33	1.0000	1.0000	0.007231
532	32	34	1.0000	1.0000	0.001236
533	32	35	1.0000	1.0000	0.002190
534	32	36	1.0000	1.0000	0.005851
535	32	37	1.0000	1.0000	0.005036
536	32	38	1.0000	1.0000	0.005843
537	32	39	1.0000	1.0000	0.000745
538	32	41	1.0000	1.0000	0.033598
539	32	43	1.0000	1.0000	0.026088
540	32	59	1.0000	1.0000	0.005776
541	32	61	1.0000	1.0000	0.030329

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
542	32	89	1.0000	1.0000	0.040395
543	32	104	1.0000	1.0000	0.004999
544	32	106	1.0000	1.0000	0.000780
545	32	115	1.0000	1.0000	0.002000
546	32	117	1.0000	1.0000	0.000043
547	32	129	1.0000	1.0000	0.027626
548	32	132	1.0000	1.0000	0.021136
549	32	135	1.0000	1.0000	0.022474
550	32	140	1.0000	1.0000	0.040192
551	32	155	1.0000	1.0000	0.011858
552	32	156	1.0000	1.0000	0.001405
553	32	165	1.0000	1.0000	0.005877
554	32	166	1.0000	1.0000	0.005865
555	33	34	1.0000	1.0000	0.008468
556	33	35	1.0000	1.0000	0.005042
557	33	36	1.0000	1.0000	0.013082
558	33	37	1.0000	1.0000	0.012268
559	33	38	1.0000	1.0000	0.013074
560	33	39	1.0000	1.0000	0.007976
561	33	42	1.0000	1.0000	0.042789
562	33	43	1.0000	1.0000	0.018856
563	33	53	1.0000	1.0000	0.023027
564	33	61	1.0000	1.0000	0.023097
565	33	75	1.0000	1.0000	0.061604
566	33	89	1.0000	1.0000	0.033163
567	33	98	1.0000	1.0000	0.006556
568	33	106	1.0000	1.0000	0.006451
569	33	117	1.0000	1.0000	0.007274
570	33	129	1.0000	1.0000	0.020394
571	33	134	1.0000	1.0000	0.016598
572	33	135	1.0000	1.0000	0.015243
573	33	140	1.0000	1.0000	0.047423
574	33	156	1.0000	1.0000	0.005827
575	33	166	1.0000	1.0000	0.013096
576	34	35	1.0000	1.0000	0.003426
577	34	36	1.0000	1.0000	0.004614

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
578	34	37	1.0000	1.0000	0.003800
579	34	38	1.0000	1.0000	0.004607
580	34	39	1.0000	1.0000	0.000492
581	34	43	1.0000	1.0000	0.027324
582	34	55	1.0000	1.0000	0.018195
583	34	61	1.0000	1.0000	0.031565
584	34	63	1.0000	1.0000	0.005029
585	34	81	1.0000	1.0000	0.045519
586	34	89	1.0000	1.0000	0.041631
587	34	103	1.0000	1.0000	0.003312
588	34	106	1.0000	1.0000	0.002016
589	34	107	1.0000	1.0000	0.008489
590	34	117	1.0000	1.0000	0.001193
591	34	119	1.0000	1.0000	0.004754
592	34	129	1.0000	1.0000	0.028862
593	34	135	1.0000	1.0000	0.023710
594	34	140	1.0000	1.0000	0.038955
595	34	143	1.0000	1.0000	0.034647
596	34	156	1.0000	1.0000	0.002641
597	34	163	1.0000	1.0000	0.000879
598	34	166	1.0000	1.0000	0.004628
599	35	36	1.0000	1.0000	0.008040
600	35	37	1.0000	1.0000	0.007226
601	35	38	1.0000	1.0000	0.008032
602	35	39	1.0000	1.0000	0.002934
603	35	43	1.0000	1.0000	0.023898
604	35	50	1.0000	1.0000	0.015949
605	35	56	1.0000	1.0000	0.013494
606	35	61	1.0000	1.0000	0.028139
607	35	64	1.0000	1.0000	0.005689
608	35	82	1.0000	1.0000	0.032235
609	35	89	1.0000	1.0000	0.038205
610	35	103	1.0000	1.0000	0.000114
611	35	106	1.0000	1.0000	0.001409
612	35	108	1.0000	1.0000	0.012671
613	35	117	1.0000	1.0000	0.002232

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
614	35	121	1.0000	1.0000	0.007333
615	35	129	1.0000	1.0000	0.025436
616	35	135	1.0000	1.0000	0.020285
617	35	140	1.0000	1.0000	0.042381
618	35	145	1.0000	1.0000	0.036633
619	35	156	1.0000	1.0000	0.000785
620	35	159	1.0000	1.0000	0.003382
621	35	164	1.0000	1.0000	0.011795
622	35	166	1.0000	1.0000	0.008054
623	36	37	1.0000	1.0000	0.000814
624	36	38	1.0000	1.0000	0.000008
625	36	39	1.0000	1.0000	0.005106
626	36	43	1.0000	1.0000	0.031938
627	36	61	1.0000	1.0000	0.036179
628	36	66	1.0000	1.0000	0.000191
629	36	89	1.0000	1.0000	0.046245
630	36	106	1.0000	1.0000	0.006631
631	36	109	1.0000	1.0000	0.002848
632	36	117	1.0000	1.0000	0.005808
633	36	123	1.0000	1.0000	0.001615
634	36	129	1.0000	1.0000	0.033476
635	36	135	1.0000	1.0000	0.028325
636	36	140	1.0000	1.0000	0.034341
637	36	149	1.0000	1.0000	0.044365
638	36	156	1.0000	1.0000	0.007256
639	36	157	1.0000	1.0000	0.005279
640	36	160	1.0000	1.0000	0.007841
641	36	166	1.0000	1.0000	0.000014
642	36	168	1.0000	1.0000	0.365142
643	37	38	1.0000	1.0000	0.000807
644	37	39	1.0000	1.0000	0.004291
645	37	43	1.0000	1.0000	0.031124
646	37	61	1.0000	1.0000	0.035365
647	37	68	1.0000	1.0000	0.000165
648	37	89	1.0000	1.0000	0.045431
649	37	101	1.0000	1.0000	0.010425

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
650	37	106	1.0000	1.0000	0.005816
651	37	111	1.0000	1.0000	0.000253
652	37	117	1.0000	1.0000	0.004993
653	37	125	1.0000	1.0000	0.005495
654	37	129	1.0000	1.0000	0.032662
655	37	135	1.0000	1.0000	0.027510
656	37	140	1.0000	1.0000	0.035155
657	37	151	1.0000	1.0000	0.041052
658	37	156	1.0000	1.0000	0.006441
659	37	159	1.0000	1.0000	0.010607
660	37	161	1.0000	1.0000	0.010732
661	37	166	1.0000	1.0000	0.000829
662	38	39	1.0000	1.0000	0.005098
663	38	43	1.0000	1.0000	0.031931
664	38	61	1.0000	1.0000	0.036172
665	38	69	1.0000	1.0000	0.006616
666	38	89	1.0000	1.0000	0.046237
667	38	102	1.0000	1.0000	0.003914
668	38	106	1.0000	1.0000	0.006623
669	38	112	1.0000	1.0000	0.009027
670	38	117	1.0000	1.0000	0.005800
671	38	126	1.0000	1.0000	0.004785
672	38	129	1.0000	1.0000	0.033468
673	38	135	1.0000	1.0000	0.028317
674	38	140	1.0000	1.0000	0.034349
675	38	152	1.0000	1.0000	0.002320
676	38	156	1.0000	1.0000	0.007248
677	38	158	1.0000	1.0000	0.004213
678	38	160	1.0000	1.0000	0.007833
679	38	161	1.0000	1.0000	0.011539
680	38	166	1.0000	1.0000	0.000022
681	38	169	1.0000	1.0000	0.634866
682	39	43	1.0000	1.0000	0.026832
683	39	57	1.0000	1.0000	0.004233
684	39	61	1.0000	1.0000	0.031073
685	39	70	1.0000	1.0000	0.000000

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
686	39	85	1.0000	1.0000	0.045735
687	39	89	1.0000	1.0000	0.041139
688	39	106	1.0000	1.0000	0.001525
689	39	117	1.0000	1.0000	0.000702
690	39	127	1.0000	1.0000	0.035296
691	39	129	1.0000	1.0000	0.028370
692	39	135	1.0000	1.0000	0.023219
693	39	140	1.0000	1.0000	0.039447
694	39	153	1.0000	1.0000	0.005840
695	39	156	1.0000	1.0000	0.002150
696	39	162	1.0000	1.0000	0.002240
697	39	163	1.0000	1.0000	0.001370
698	39	164	1.0000	1.0000	0.014729
699	39	166	1.0000	1.0000	0.005120
700	39	170	1.0000	1.0000	0.639964
701	40	41	1.0000	1.0000	0.024519
702	40	42	1.0000	1.0000	0.008097
703	40	43	1.0000	1.0000	0.032029
704	40	44	1.0000	1.0000	0.003969
705	40	45	1.0000	1.0000	0.010040
706	40	46	1.0000	1.0000	0.025810
707	40	47	1.0000	1.0000	0.039350
708	40	52	1.0000	1.0000	0.030948
709	40	62	1.0000	1.0000	0.057834
710	40	73	1.0000	1.0000	0.000204
711	40	76	1.0000	1.0000	0.002155
712	40	87	1.0000	1.0000	0.043943
713	40	90	1.0000	1.0000	0.022194
714	40	96	1.0000	1.0000	0.039752
715	40	118	1.0000	1.0000	0.062394
716	40	131	1.0000	1.0000	0.040846
717	40	141	1.0000	1.0000	0.104858
718	41	42	1.0000	1.0000	0.016422
719	41	43	1.0000	1.0000	0.007510
720	41	44	1.0000	1.0000	0.020550
721	41	45	1.0000	1.0000	0.014478

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
722	41	46	1.0000	1.0000	0.050329
723	41	47	1.0000	1.0000	0.014831
724	41	59	1.0000	1.0000	0.027822
725	41	62	1.0000	1.0000	0.033315
726	41	76	1.0000	1.0000	0.022364
727	41	90	1.0000	1.0000	0.002325
728	41	104	1.0000	1.0000	0.038597
729	41	115	1.0000	1.0000	0.035598
730	41	118	1.0000	1.0000	0.037875
731	41	132	1.0000	1.0000	0.012462
732	41	141	1.0000	1.0000	0.080339
733	41	155	1.0000	1.0000	0.045456
734	41	165	1.0000	1.0000	0.039475
735	42	43	1.0000	1.0000	0.023932
736	42	44	1.0000	1.0000	0.004128
737	42	45	1.0000	1.0000	0.001944
738	42	46	1.0000	1.0000	0.033907
739	42	47	1.0000	1.0000	0.031253
740	42	53	1.0000	1.0000	0.019761
741	42	62	1.0000	1.0000	0.049737
742	42	75	1.0000	1.0000	0.018815
743	42	76	1.0000	1.0000	0.005942
744	42	90	1.0000	1.0000	0.014097
745	42	98	1.0000	1.0000	0.036233
746	42	118	1.0000	1.0000	0.054297
747	42	134	1.0000	1.0000	0.026191
748	42	141	1.0000	1.0000	0.096761
749	43	44	1.0000	1.0000	0.028060
750	43	45	1.0000	1.0000	0.021989
751	43	46	1.0000	1.0000	0.057839
752	43	47	1.0000	1.0000	0.007321
753	43	61	1.0000	1.0000	0.004241
754	43	62	1.0000	1.0000	0.025805
755	43	76	1.0000	1.0000	0.029874
756	43	89	1.0000	1.0000	0.014307
757	43	90	1.0000	1.0000	0.009835

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
758	43	106	1.0000	1.0000	0.025308
759	43	117	1.0000	1.0000	0.026130
760	43	118	1.0000	1.0000	0.030364
761	43	129	1.0000	1.0000	0.001538
762	43	135	1.0000	1.0000	0.003613
763	43	140	1.0000	1.0000	0.066279
764	43	141	1.0000	1.0000	0.072828
765	43	156	1.0000	1.0000	0.024683
766	43	166	1.0000	1.0000	0.031952
767	44	45	1.0000	1.0000	0.006072
768	44	46	1.0000	1.0000	0.029779
769	44	47	1.0000	1.0000	0.035381
770	44	48	1.0000	1.0000	0.028808
771	44	49	1.0000	1.0000	0.036825
772	44	50	1.0000	1.0000	0.036009
773	44	54	1.0000	1.0000	0.038394
774	44	62	1.0000	1.0000	0.053865
775	44	76	1.0000	1.0000	0.001814
776	44	77	1.0000	1.0000	0.004083
777	44	90	1.0000	1.0000	0.018225
778	44	91	1.0000	1.0000	0.019030
779	44	118	1.0000	1.0000	0.058425
780	44	136	1.0000	1.0000	0.006577
781	44	141	1.0000	1.0000	0.100889
782	45	46	1.0000	1.0000	0.035850
783	45	47	1.0000	1.0000	0.029309
784	45	51	1.0000	1.0000	0.013849
785	45	52	1.0000	1.0000	0.020907
786	45	53	1.0000	1.0000	0.017818
787	45	54	1.0000	1.0000	0.032322
788	45	55	1.0000	1.0000	0.031117
789	45	56	1.0000	1.0000	0.032393
790	45	57	1.0000	1.0000	0.044589
791	45	62	1.0000	1.0000	0.047794
792	45	76	1.0000	1.0000	0.007886
793	45	78	1.0000	1.0000	0.012068

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
794	45	90	1.0000	1.0000	0.012154
795	45	92	1.0000	1.0000	0.018551
796	45	118	1.0000	1.0000	0.052353
797	45	137	1.0000	1.0000	0.088369
798	45	141	1.0000	1.0000	0.094817
799	45	167	1.0000	1.0000	0.047356
800	46	47	1.0000	1.0000	0.065160
801	46	62	1.0000	1.0000	0.083644
802	46	76	1.0000	1.0000	0.027965
803	46	80	1.0000	1.0000	0.046210
804	46	90	1.0000	1.0000	0.048004
805	46	93	1.0000	1.0000	0.009471
806	46	96	1.0000	1.0000	0.065562
807	46	118	1.0000	1.0000	0.088204
808	46	138	1.0000	1.0000	0.121951
809	46	141	1.0000	1.0000	0.130668
810	47	62	1.0000	1.0000	0.018484
811	47	76	1.0000	1.0000	0.037195
812	47	90	1.0000	1.0000	0.017156
813	47	95	1.0000	1.0000	0.006513
814	47	118	1.0000	1.0000	0.023044
815	47	141	1.0000	1.0000	0.065508
816	48	49	1.0000	1.0000	0.008017
817	48	50	1.0000	1.0000	0.007202
818	48	51	1.0000	1.0000	0.008887
819	48	54	1.0000	1.0000	0.009587
820	48	58	1.0000	1.0000	0.023898
821	48	72	1.0000	1.0000	0.034260
822	48	77	1.0000	1.0000	0.024724
823	48	91	1.0000	1.0000	0.047837
824	48	114	1.0000	1.0000	0.019916
825	48	136	1.0000	1.0000	0.022231
826	48	139	1.0000	1.0000	0.038793
827	48	162	1.0000	1.0000	0.023845
828	49	50	1.0000	1.0000	0.000815
829	49	54	1.0000	1.0000	0.001570

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
830	49	60	1.0000	1.0000	0.019073
831	49	77	1.0000	1.0000	0.032741
832	49	88	1.0000	1.0000	0.041450
833	49	91	1.0000	1.0000	0.055855
834	49	97	1.0000	1.0000	0.021314
835	49	105	1.0000	1.0000	0.021119
836	49	116	1.0000	1.0000	0.012702
837	49	133	1.0000	1.0000	0.011517
838	49	136	1.0000	1.0000	0.030248
839	50	54	1.0000	1.0000	0.002385
840	50	56	1.0000	1.0000	0.002455
841	50	64	1.0000	1.0000	0.010260
842	50	77	1.0000	1.0000	0.031926
843	50	82	1.0000	1.0000	0.016286
844	50	91	1.0000	1.0000	0.055039
845	50	103	1.0000	1.0000	0.016063
846	50	108	1.0000	1.0000	0.028620
847	50	121	1.0000	1.0000	0.023282
848	50	136	1.0000	1.0000	0.029433
849	50	145	1.0000	1.0000	0.052582
850	50	159	1.0000	1.0000	0.012567
851	50	164	1.0000	1.0000	0.004154
852	51	52	1.0000	1.0000	0.007058
853	51	53	1.0000	1.0000	0.003969
854	51	54	1.0000	1.0000	0.018474
855	51	55	1.0000	1.0000	0.017268
856	51	56	1.0000	1.0000	0.018544
857	51	57	1.0000	1.0000	0.030740
858	51	58	1.0000	1.0000	0.032785
859	51	72	1.0000	1.0000	0.025372
860	51	78	1.0000	1.0000	0.025917
861	51	92	1.0000	1.0000	0.004702
862	51	114	1.0000	1.0000	0.028803
863	51	137	1.0000	1.0000	0.074520
864	51	139	1.0000	1.0000	0.047680
865	51	162	1.0000	1.0000	0.032732

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
866	51	167	1.0000	1.0000	0.033507
867	52	53	1.0000	1.0000	0.003089
868	52	54	1.0000	1.0000	0.011415
869	52	55	1.0000	1.0000	0.010210
870	52	56	1.0000	1.0000	0.011485
871	52	57	1.0000	1.0000	0.023682
872	52	73	1.0000	1.0000	0.030744
873	52	78	1.0000	1.0000	0.032975
874	52	87	1.0000	1.0000	0.012995
875	52	92	1.0000	1.0000	0.002356
876	52	96	1.0000	1.0000	0.008804
877	52	131	1.0000	1.0000	0.009898
878	52	137	1.0000	1.0000	0.067462
879	52	167	1.0000	1.0000	0.026449
880	53	54	1.0000	1.0000	0.014505
881	53	55	1.0000	1.0000	0.013300
882	53	56	1.0000	1.0000	0.014575
883	53	57	1.0000	1.0000	0.026771
884	53	75	1.0000	1.0000	0.038576
885	53	78	1.0000	1.0000	0.029886
886	53	92	1.0000	1.0000	0.000734
887	53	98	1.0000	1.0000	0.016471
888	53	134	1.0000	1.0000	0.006430
889	53	137	1.0000	1.0000	0.070552
890	53	167	1.0000	1.0000	0.029538
891	54	55	1.0000	1.0000	0.001205
892	54	56	1.0000	1.0000	0.000070
893	54	57	1.0000	1.0000	0.012266
894	54	77	1.0000	1.0000	0.034311
895	54	78	1.0000	1.0000	0.044391
896	54	91	1.0000	1.0000	0.057424
897	54	92	1.0000	1.0000	0.013771
898	54	136	1.0000	1.0000	0.031817
899	54	137	1.0000	1.0000	0.056047
900	54	167	1.0000	1.0000	0.015034
901	55	56	1.0000	1.0000	0.001275

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
902	55	57	1.0000	1.0000	0.013471
903	55	63	1.0000	1.0000	0.013167
904	55	78	1.0000	1.0000	0.043186
905	55	81	1.0000	1.0000	0.027323
906	55	92	1.0000	1.0000	0.012566
907	55	103	1.0000	1.0000	0.014884
908	55	107	1.0000	1.0000	0.026684
909	55	119	1.0000	1.0000	0.013442
910	55	137	1.0000	1.0000	0.057252
911	55	143	1.0000	1.0000	0.052843
912	55	163	1.0000	1.0000	0.019074
913	55	167	1.0000	1.0000	0.016239
914	56	57	1.0000	1.0000	0.012196
915	56	64	1.0000	1.0000	0.007806
916	56	78	1.0000	1.0000	0.044461
917	56	82	1.0000	1.0000	0.018740
918	56	92	1.0000	1.0000	0.013841
919	56	103	1.0000	1.0000	0.013608
920	56	108	1.0000	1.0000	0.026165
921	56	121	1.0000	1.0000	0.020828
922	56	137	1.0000	1.0000	0.055977
923	56	145	1.0000	1.0000	0.050127
924	56	159	1.0000	1.0000	0.010113
925	56	164	1.0000	1.0000	0.001699
926	56	167	1.0000	1.0000	0.014963
927	57	70	1.0000	1.0000	0.004232
928	57	78	1.0000	1.0000	0.056657
929	57	85	1.0000	1.0000	0.041502
930	57	92	1.0000	1.0000	0.026037
931	57	127	1.0000	1.0000	0.039529
932	57	137	1.0000	1.0000	0.043781
933	57	153	1.0000	1.0000	0.010073
934	57	162	1.0000	1.0000	0.001992
935	57	163	1.0000	1.0000	0.005603
936	57	164	1.0000	1.0000	0.010497
937	57	167	1.0000	1.0000	0.002767

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
938	57	170	1.0000	1.0000	0.644196
939	58	59	1.0000	1.0000	0.004333
940	58	60	1.0000	1.0000	0.003192
941	58	61	1.0000	1.0000	0.028886
942	58	62	1.0000	1.0000	0.001160
943	58	63	1.0000	1.0000	0.002350
944	58	64	1.0000	1.0000	0.006435
945	58	65	1.0000	1.0000	0.006248
946	58	66	1.0000	1.0000	0.007103
947	58	67	1.0000	1.0000	0.005340
948	58	68	1.0000	1.0000	0.006314
949	58	69	1.0000	1.0000	0.000670
950	58	70	1.0000	1.0000	0.002187
951	58	71	1.0000	1.0000	0.039593
952	58	72	1.0000	1.0000	0.058157
953	58	114	1.0000	1.0000	0.003982
954	58	139	1.0000	1.0000	0.014895
955	58	142	1.0000	1.0000	0.049197
956	58	162	1.0000	1.0000	0.000053
957	59	60	1.0000	1.0000	0.007525
958	59	61	1.0000	1.0000	0.024553
959	59	62	1.0000	1.0000	0.005493
960	59	63	1.0000	1.0000	0.001984
961	59	64	1.0000	1.0000	0.002102
962	59	65	1.0000	1.0000	0.010582
963	59	66	1.0000	1.0000	0.011436
964	59	67	1.0000	1.0000	0.009673
965	59	68	1.0000	1.0000	0.010648
966	59	69	1.0000	1.0000	0.005003
967	59	70	1.0000	1.0000	0.006520
968	59	71	1.0000	1.0000	0.035260
969	59	104	1.0000	1.0000	0.010775
970	59	115	1.0000	1.0000	0.007776
971	59	132	1.0000	1.0000	0.015360
972	59	142	1.0000	1.0000	0.053530
973	59	155	1.0000	1.0000	0.017634

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
974	59	165	1.0000	1.0000	0.011653
975	60	61	1.0000	1.0000	0.032078
976	60	62	1.0000	1.0000	0.002032
977	60	63	1.0000	1.0000	0.005542
978	60	64	1.0000	1.0000	0.009627
979	60	65	1.0000	1.0000	0.003056
980	60	66	1.0000	1.0000	0.003911
981	60	67	1.0000	1.0000	0.002148
982	60	68	1.0000	1.0000	0.003123
983	60	69	1.0000	1.0000	0.002522
984	60	70	1.0000	1.0000	0.001005
985	60	71	1.0000	1.0000	0.042785
986	60	88	1.0000	1.0000	0.060523
987	60	97	1.0000	1.0000	0.002242
988	60	105	1.0000	1.0000	0.002047
989	60	116	1.0000	1.0000	0.031774
990	60	133	1.0000	1.0000	0.007556
991	60	142	1.0000	1.0000	0.046005
992	61	62	1.0000	1.0000	0.030046
993	61	63	1.0000	1.0000	0.026536
994	61	64	1.0000	1.0000	0.022450
995	61	65	1.0000	1.0000	0.035134
996	61	66	1.0000	1.0000	0.035989
997	61	67	1.0000	1.0000	0.034226
998	61	68	1.0000	1.0000	0.035200
999	61	69	1.0000	1.0000	0.029556
1000	61	70	1.0000	1.0000	0.031073
1001	61	71	1.0000	1.0000	0.010707
1002	61	89	1.0000	1.0000	0.010066
1003	61	106	1.0000	1.0000	0.029549
1004	61	117	1.0000	1.0000	0.030371
1005	61	129	1.0000	1.0000	0.002703
1006	61	135	1.0000	1.0000	0.007854
1007	61	140	1.0000	1.0000	0.070520
1008	61	142	1.0000	1.0000	0.078083
1009	61	156	1.0000	1.0000	0.028924

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1010	61	166	1.0000	1.0000	0.036193
1011	62	63	1.0000	1.0000	0.003510
1012	62	64	1.0000	1.0000	0.007595
1013	62	65	1.0000	1.0000	0.005088
1014	62	66	1.0000	1.0000	0.005943
1015	62	67	1.0000	1.0000	0.004180
1016	62	68	1.0000	1.0000	0.005154
1017	62	69	1.0000	1.0000	0.000490
1018	62	70	1.0000	1.0000	0.001027
1019	62	71	1.0000	1.0000	0.040753
1020	62	76	1.0000	1.0000	0.055679
1021	62	90	1.0000	1.0000	0.035640
1022	62	118	1.0000	1.0000	0.004560
1023	62	141	1.0000	1.0000	0.047024
1024	62	142	1.0000	1.0000	0.048037
1025	63	64	1.0000	1.0000	0.004086
1026	63	65	1.0000	1.0000	0.008598
1027	63	66	1.0000	1.0000	0.009452
1028	63	67	1.0000	1.0000	0.007690
1029	63	68	1.0000	1.0000	0.008664
1030	63	69	1.0000	1.0000	0.003020
1031	63	70	1.0000	1.0000	0.004537
1032	63	71	1.0000	1.0000	0.037243
1033	63	81	1.0000	1.0000	0.040490
1034	63	103	1.0000	1.0000	0.001717
1035	63	107	1.0000	1.0000	0.013518
1036	63	119	1.0000	1.0000	0.000275
1037	63	142	1.0000	1.0000	0.051547
1038	63	143	1.0000	1.0000	0.039676
1039	63	163	1.0000	1.0000	0.005908
1040	64	65	1.0000	1.0000	0.012684
1041	64	66	1.0000	1.0000	0.013538
1042	64	67	1.0000	1.0000	0.011775
1043	64	68	1.0000	1.0000	0.012750
1044	64	69	1.0000	1.0000	0.007105
1045	64	70	1.0000	1.0000	0.008622

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1046	64	71	1.0000	1.0000	0.033157
1047	64	82	1.0000	1.0000	0.026546
1048	64	103	1.0000	1.0000	0.005802
1049	64	108	1.0000	1.0000	0.018360
1050	64	121	1.0000	1.0000	0.013022
1051	64	142	1.0000	1.0000	0.055632
1052	64	145	1.0000	1.0000	0.042321
1053	64	159	1.0000	1.0000	0.002307
1054	64	164	1.0000	1.0000	0.006106
1055	65	66	1.0000	1.0000	0.000854
1056	65	67	1.0000	1.0000	0.000908
1057	65	68	1.0000	1.0000	0.000066
1058	65	69	1.0000	1.0000	0.005578
1059	65	70	1.0000	1.0000	0.004061
1060	65	71	1.0000	1.0000	0.045841
1061	65	83	1.0000	1.0000	0.044416
1062	65	94	1.0000	1.0000	0.077981
1063	65	100	1.0000	1.0000	0.000584
1064	65	122	1.0000	1.0000	0.001180
1065	65	131	1.0000	1.0000	0.022077
1066	65	132	1.0000	1.0000	0.025942
1067	65	133	1.0000	1.0000	0.010612
1068	65	134	1.0000	1.0000	0.028635
1069	65	135	1.0000	1.0000	0.027280
1070	65	136	1.0000	1.0000	0.052377
1071	65	137	1.0000	1.0000	0.035487
1072	65	138	1.0000	1.0000	0.033219
1073	65	142	1.0000	1.0000	0.042949
1074	65	148	1.0000	1.0000	0.047924
1075	66	67	1.0000	1.0000	0.001763
1076	66	68	1.0000	1.0000	0.000788
1077	66	69	1.0000	1.0000	0.006433
1078	66	70	1.0000	1.0000	0.004916
1079	66	71	1.0000	1.0000	0.046696
1080	66	109	1.0000	1.0000	0.003038
1081	66	123	1.0000	1.0000	0.001425

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1082	66	142	1.0000	1.0000	0.042094
1083	66	149	1.0000	1.0000	0.044556
1084	66	157	1.0000	1.0000	0.005470
1085	66	160	1.0000	1.0000	0.007650
1086	66	168	1.0000	1.0000	0.364951
1087	67	68	1.0000	1.0000	0.000975
1088	67	69	1.0000	1.0000	0.004670
1089	67	70	1.0000	1.0000	0.003153
1090	67	71	1.0000	1.0000	0.044933
1091	67	84	1.0000	1.0000	0.041935
1092	67	110	1.0000	1.0000	0.005509
1093	67	124	1.0000	1.0000	0.001289
1094	67	130	1.0000	1.0000	0.014158
1095	67	142	1.0000	1.0000	0.043857
1096	67	150	1.0000	1.0000	0.040674
1097	67	155	1.0000	1.0000	0.007961
1098	67	156	1.0000	1.0000	0.005302
1099	67	157	1.0000	1.0000	0.007233
1100	67	158	1.0000	1.0000	0.006159
1101	68	69	1.0000	1.0000	0.005644
1102	68	70	1.0000	1.0000	0.004127
1103	68	71	1.0000	1.0000	0.045907
1104	68	101	1.0000	1.0000	0.010260
1105	68	111	1.0000	1.0000	0.000088
1106	68	125	1.0000	1.0000	0.005330
1107	68	142	1.0000	1.0000	0.042882
1108	68	151	1.0000	1.0000	0.041217
1109	68	159	1.0000	1.0000	0.010443
1110	68	161	1.0000	1.0000	0.010568
1111	69	70	1.0000	1.0000	0.001517
1112	69	71	1.0000	1.0000	0.040263
1113	69	102	1.0000	1.0000	0.002702
1114	69	112	1.0000	1.0000	0.002412
1115	69	126	1.0000	1.0000	0.001831
1116	69	142	1.0000	1.0000	0.048527
1117	69	152	1.0000	1.0000	0.004296

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1118	69	158	1.0000	1.0000	0.010829
1119	69	160	1.0000	1.0000	0.001217
1120	69	161	1.0000	1.0000	0.004923
1121	69	169	1.0000	1.0000	0.641482
1122	70	71	1.0000	1.0000	0.041780
1123	70	85	1.0000	1.0000	0.045734
1124	70	127	1.0000	1.0000	0.035297
1125	70	142	1.0000	1.0000	0.047010
1126	70	153	1.0000	1.0000	0.005841
1127	70	162	1.0000	1.0000	0.002240
1128	70	163	1.0000	1.0000	0.001371
1129	70	164	1.0000	1.0000	0.014729
1130	70	170	1.0000	1.0000	0.639964
1131	71	86	1.0000	1.0000	0.008580
1132	71	113	1.0000	1.0000	0.039877
1133	71	128	1.0000	1.0000	0.104214
1134	71	142	1.0000	1.0000	0.088790
1135	71	154	1.0000	1.0000	0.053477
1136	71	165	1.0000	1.0000	0.046913
1137	71	166	1.0000	1.0000	0.046900
1138	71	167	1.0000	1.0000	0.040315
1139	71	168	1.0000	1.0000	0.318256
1140	71	169	1.0000	1.0000	0.681744
1141	71	170	1.0000	1.0000	0.681744
1142	72	73	1.0000	1.0000	0.001687
1143	72	74	1.0000	1.0000	0.007509
1144	72	75	1.0000	1.0000	0.009235
1145	72	76	1.0000	1.0000	0.003638
1146	72	77	1.0000	1.0000	0.009535
1147	72	78	1.0000	1.0000	0.000545
1148	72	79	1.0000	1.0000	0.019004
1149	72	80	1.0000	1.0000	0.021884
1150	72	81	1.0000	1.0000	0.015317
1151	72	82	1.0000	1.0000	0.025176
1152	72	83	1.0000	1.0000	0.019989
1153	72	84	1.0000	1.0000	0.021563

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1154	72	85	1.0000	1.0000	0.014610
1155	72	86	1.0000	1.0000	0.027144
1156	72	114	1.0000	1.0000	0.054176
1157	72	139	1.0000	1.0000	0.073052
1158	72	162	1.0000	1.0000	0.058105
1159	73	74	1.0000	1.0000	0.005821
1160	73	75	1.0000	1.0000	0.010922
1161	73	76	1.0000	1.0000	0.001951
1162	73	77	1.0000	1.0000	0.007848
1163	73	78	1.0000	1.0000	0.002232
1164	73	79	1.0000	1.0000	0.017317
1165	73	80	1.0000	1.0000	0.020197
1166	73	81	1.0000	1.0000	0.013630
1167	73	82	1.0000	1.0000	0.023489
1168	73	83	1.0000	1.0000	0.018302
1169	73	84	1.0000	1.0000	0.019876
1170	73	85	1.0000	1.0000	0.012923
1171	73	86	1.0000	1.0000	0.025457
1172	73	87	1.0000	1.0000	0.043739
1173	73	96	1.0000	1.0000	0.039548
1174	73	131	1.0000	1.0000	0.040642
1175	74	75	1.0000	1.0000	0.016743
1176	74	76	1.0000	1.0000	0.003870
1177	74	77	1.0000	1.0000	0.002027
1178	74	78	1.0000	1.0000	0.008053
1179	74	79	1.0000	1.0000	0.011496
1180	74	80	1.0000	1.0000	0.014375
1181	74	81	1.0000	1.0000	0.007809
1182	74	82	1.0000	1.0000	0.017667
1183	74	83	1.0000	1.0000	0.012481
1184	74	84	1.0000	1.0000	0.014054
1185	74	85	1.0000	1.0000	0.007102
1186	74	86	1.0000	1.0000	0.019636
1187	75	76	1.0000	1.0000	0.012873
1188	75	77	1.0000	1.0000	0.018770
1189	75	78	1.0000	1.0000	0.008690

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1190	75	79	1.0000	1.0000	0.028239
1191	75	80	1.0000	1.0000	0.031119
1192	75	81	1.0000	1.0000	0.024552
1193	75	82	1.0000	1.0000	0.034411
1194	75	83	1.0000	1.0000	0.029224
1195	75	84	1.0000	1.0000	0.030798
1196	75	85	1.0000	1.0000	0.023845
1197	75	86	1.0000	1.0000	0.036379
1198	75	98	1.0000	1.0000	0.055048
1199	75	134	1.0000	1.0000	0.045006
1200	76	77	1.0000	1.0000	0.005897
1201	76	78	1.0000	1.0000	0.004183
1202	76	79	1.0000	1.0000	0.015366
1203	76	80	1.0000	1.0000	0.018245
1204	76	81	1.0000	1.0000	0.011679
1205	76	82	1.0000	1.0000	0.021538
1206	76	83	1.0000	1.0000	0.016351
1207	76	84	1.0000	1.0000	0.017925
1208	76	85	1.0000	1.0000	0.010972
1209	76	86	1.0000	1.0000	0.023506
1210	76	90	1.0000	1.0000	0.020039
1211	76	118	1.0000	1.0000	0.060239
1212	76	141	1.0000	1.0000	0.102703
1213	77	78	1.0000	1.0000	0.010080
1214	77	79	1.0000	1.0000	0.009469
1215	77	80	1.0000	1.0000	0.012348
1216	77	81	1.0000	1.0000	0.005782
1217	77	82	1.0000	1.0000	0.015641
1218	77	83	1.0000	1.0000	0.010454
1219	77	84	1.0000	1.0000	0.012027
1220	77	85	1.0000	1.0000	0.005075
1221	77	86	1.0000	1.0000	0.017609
1222	77	91	1.0000	1.0000	0.023113
1223	77	136	1.0000	1.0000	0.002494
1224	78	79	1.0000	1.0000	0.019549
1225	78	80	1.0000	1.0000	0.022428

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1226	78	81	1.0000	1.0000	0.015862
1227	78	82	1.0000	1.0000	0.025721
1228	78	83	1.0000	1.0000	0.020534
1229	78	84	1.0000	1.0000	0.022107
1230	78	85	1.0000	1.0000	0.015155
1231	78	86	1.0000	1.0000	0.027689
1232	78	92	1.0000	1.0000	0.030620
1233	78	137	1.0000	1.0000	0.100438
1234	78	167	1.0000	1.0000	0.059424
1235	79	80	1.0000	1.0000	0.002879
1236	79	81	1.0000	1.0000	0.003687
1237	79	82	1.0000	1.0000	0.006171
1238	79	83	1.0000	1.0000	0.000985
1239	79	84	1.0000	1.0000	0.002558
1240	79	85	1.0000	1.0000	0.004394
1241	79	86	1.0000	1.0000	0.008140
1242	79	87	1.0000	1.0000	0.026422
1243	79	88	1.0000	1.0000	0.018178
1244	79	89	1.0000	1.0000	0.000201
1245	79	90	1.0000	1.0000	0.004673
1246	79	91	1.0000	1.0000	0.032582
1247	79	92	1.0000	1.0000	0.011071
1248	79	93	1.0000	1.0000	0.033860
1249	79	94	1.0000	1.0000	0.032580
1250	79	95	1.0000	1.0000	0.028342
1251	80	81	1.0000	1.0000	0.006566
1252	80	82	1.0000	1.0000	0.003292
1253	80	83	1.0000	1.0000	0.001894
1254	80	84	1.0000	1.0000	0.000321
1255	80	85	1.0000	1.0000	0.007274
1256	80	86	1.0000	1.0000	0.005261
1257	80	93	1.0000	1.0000	0.036739
1258	80	96	1.0000	1.0000	0.019352
1259	80	138	1.0000	1.0000	0.075741
1260	81	82	1.0000	1.0000	0.009858
1261	81	83	1.0000	1.0000	0.004672

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1262	81	84	1.0000	1.0000	0.006245
1263	81	85	1.0000	1.0000	0.000707
1264	81	86	1.0000	1.0000	0.011827
1265	81	103	1.0000	1.0000	0.042207
1266	81	107	1.0000	1.0000	0.054008
1267	81	119	1.0000	1.0000	0.040765
1268	81	143	1.0000	1.0000	0.080166
1269	81	163	1.0000	1.0000	0.046398
1270	82	83	1.0000	1.0000	0.005186
1271	82	84	1.0000	1.0000	0.003613
1272	82	85	1.0000	1.0000	0.010566
1273	82	86	1.0000	1.0000	0.001968
1274	82	103	1.0000	1.0000	0.032349
1275	82	108	1.0000	1.0000	0.044906
1276	82	121	1.0000	1.0000	0.039568
1277	82	145	1.0000	1.0000	0.068867
1278	82	159	1.0000	1.0000	0.028853
1279	82	164	1.0000	1.0000	0.020440
1280	83	84	1.0000	1.0000	0.001573
1281	83	85	1.0000	1.0000	0.005379
1282	83	86	1.0000	1.0000	0.007155
1283	83	94	1.0000	1.0000	0.033565
1284	83	100	1.0000	1.0000	0.045000
1285	83	122	1.0000	1.0000	0.045597
1286	83	131	1.0000	1.0000	0.022340
1287	83	132	1.0000	1.0000	0.018474
1288	83	133	1.0000	1.0000	0.033804
1289	83	134	1.0000	1.0000	0.015782
1290	83	135	1.0000	1.0000	0.017137
1291	83	136	1.0000	1.0000	0.007960
1292	83	137	1.0000	1.0000	0.079904
1293	83	138	1.0000	1.0000	0.077635
1294	83	148	1.0000	1.0000	0.092340
1295	84	85	1.0000	1.0000	0.006953
1296	84	86	1.0000	1.0000	0.005581
1297	84	110	1.0000	1.0000	0.047443

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1298	84	124	1.0000	1.0000	0.043223
1299	84	130	1.0000	1.0000	0.027777
1300	84	150	1.0000	1.0000	0.082609
1301	84	155	1.0000	1.0000	0.049895
1302	84	156	1.0000	1.0000	0.036633
1303	84	157	1.0000	1.0000	0.049167
1304	84	158	1.0000	1.0000	0.048094
1305	85	86	1.0000	1.0000	0.012534
1306	85	127	1.0000	1.0000	0.081031
1307	85	153	1.0000	1.0000	0.051575
1308	85	162	1.0000	1.0000	0.043495
1309	85	163	1.0000	1.0000	0.047105
1310	85	164	1.0000	1.0000	0.031005
1311	85	170	1.0000	1.0000	0.685699
1312	86	113	1.0000	1.0000	0.031297
1313	86	128	1.0000	1.0000	0.095635
1314	86	154	1.0000	1.0000	0.044897
1315	86	165	1.0000	1.0000	0.038333
1316	86	166	1.0000	1.0000	0.038321
1317	86	167	1.0000	1.0000	0.031736
1318	86	168	1.0000	1.0000	0.326835
1319	86	169	1.0000	1.0000	0.673165
1320	86	170	1.0000	1.0000	0.673165
1321	87	88	1.0000	1.0000	0.044600
1322	87	89	1.0000	1.0000	0.026221
1323	87	90	1.0000	1.0000	0.021749
1324	87	91	1.0000	1.0000	0.059004
1325	87	92	1.0000	1.0000	0.015351
1326	87	93	1.0000	1.0000	0.060282
1327	87	94	1.0000	1.0000	0.059001
1328	87	95	1.0000	1.0000	0.001920
1329	87	96	1.0000	1.0000	0.004191
1330	87	131	1.0000	1.0000	0.003097
1331	88	89	1.0000	1.0000	0.018379
1332	88	90	1.0000	1.0000	0.022851
1333	88	91	1.0000	1.0000	0.014405

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1334	88	92	1.0000	1.0000	0.029248
1335	88	93	1.0000	1.0000	0.015682
1336	88	94	1.0000	1.0000	0.014402
1337	88	95	1.0000	1.0000	0.046520
1338	88	97	1.0000	1.0000	0.062764
1339	88	105	1.0000	1.0000	0.062569
1340	88	116	1.0000	1.0000	0.028748
1341	88	133	1.0000	1.0000	0.052967
1342	89	90	1.0000	1.0000	0.004472
1343	89	91	1.0000	1.0000	0.032783
1344	89	92	1.0000	1.0000	0.010869
1345	89	93	1.0000	1.0000	0.034061
1346	89	94	1.0000	1.0000	0.032781
1347	89	95	1.0000	1.0000	0.028141
1348	89	106	1.0000	1.0000	0.039614
1349	89	117	1.0000	1.0000	0.040437
1350	89	129	1.0000	1.0000	0.012769
1351	89	135	1.0000	1.0000	0.017920
1352	89	140	1.0000	1.0000	0.080586
1353	89	156	1.0000	1.0000	0.038990
1354	89	166	1.0000	1.0000	0.046259
1355	90	91	1.0000	1.0000	0.037255
1356	90	92	1.0000	1.0000	0.006398
1357	90	93	1.0000	1.0000	0.038533
1358	90	94	1.0000	1.0000	0.037252
1359	90	95	1.0000	1.0000	0.023669
1360	90	118	1.0000	1.0000	0.040200
1361	90	141	1.0000	1.0000	0.082664
1362	91	92	1.0000	1.0000	0.043653
1363	91	93	1.0000	1.0000	0.001278
1364	91	94	1.0000	1.0000	0.000003
1365	91	95	1.0000	1.0000	0.060924
1366	91	136	1.0000	1.0000	0.025607
1367	92	93	1.0000	1.0000	0.044931
1368	92	94	1.0000	1.0000	0.043650
1369	92	95	1.0000	1.0000	0.017272

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1370	92	137	1.0000	1.0000	0.069818
1371	92	167	1.0000	1.0000	0.028805
1372	93	94	1.0000	1.0000	0.001280
1373	93	95	1.0000	1.0000	0.062202
1374	93	96	1.0000	1.0000	0.056091
1375	93	138	1.0000	1.0000	0.112480
1376	94	95	1.0000	1.0000	0.060922
1377	94	100	1.0000	1.0000	0.078564
1378	94	122	1.0000	1.0000	0.079161
1379	94	131	1.0000	1.0000	0.055904
1380	94	132	1.0000	1.0000	0.052039
1381	94	133	1.0000	1.0000	0.067369
1382	94	134	1.0000	1.0000	0.049346
1383	94	135	1.0000	1.0000	0.050701
1384	94	136	1.0000	1.0000	0.025604
1385	94	137	1.0000	1.0000	0.113468
1386	94	138	1.0000	1.0000	0.111200
1387	94	148	1.0000	1.0000	0.125905
1388	96	131	1.0000	1.0000	0.001094
1389	96	138	1.0000	1.0000	0.056389
1390	97	98	1.0000	1.0000	0.017778
1391	97	99	1.0000	1.0000	0.000121
1392	97	100	1.0000	1.0000	0.001398
1393	97	101	1.0000	1.0000	0.009379
1394	97	102	1.0000	1.0000	0.002062
1395	97	105	1.0000	1.0000	0.000195
1396	97	116	1.0000	1.0000	0.034016
1397	97	133	1.0000	1.0000	0.009798
1398	98	99	1.0000	1.0000	0.017657
1399	98	100	1.0000	1.0000	0.019176
1400	98	101	1.0000	1.0000	0.008399
1401	98	102	1.0000	1.0000	0.015716
1402	98	134	1.0000	1.0000	0.010042
1403	99	100	1.0000	1.0000	0.001519
1404	99	101	1.0000	1.0000	0.009259
1405	99	102	1.0000	1.0000	0.001941

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1406	99	104	1.0000	1.0000	0.001128
1407	99	105	1.0000	1.0000	0.000074
1408	99	106	1.0000	1.0000	0.004650
1409	99	107	1.0000	1.0000	0.005855
1410	99	108	1.0000	1.0000	0.006611
1411	99	109	1.0000	1.0000	0.004828
1412	99	110	1.0000	1.0000	0.005536
1413	99	111	1.0000	1.0000	0.000913
1414	99	112	1.0000	1.0000	0.007055
1415	99	113	1.0000	1.0000	0.005029
1416	99	120	1.0000	1.0000	0.011455
1417	99	144	1.0000	1.0000	0.036596
1418	100	101	1.0000	1.0000	0.010778
1419	100	102	1.0000	1.0000	0.003460
1420	100	122	1.0000	1.0000	0.000597
1421	100	131	1.0000	1.0000	0.022660
1422	100	132	1.0000	1.0000	0.026526
1423	100	133	1.0000	1.0000	0.011196
1424	100	134	1.0000	1.0000	0.029218
1425	100	135	1.0000	1.0000	0.027863
1426	100	136	1.0000	1.0000	0.052960
1427	100	137	1.0000	1.0000	0.034904
1428	100	138	1.0000	1.0000	0.032635
1429	100	148	1.0000	1.0000	0.047340
1430	101	102	1.0000	1.0000	0.007317
1431	101	111	1.0000	1.0000	0.010172
1432	101	125	1.0000	1.0000	0.004930
1433	101	151	1.0000	1.0000	0.051477
1434	101	159	1.0000	1.0000	0.000183
1435	101	161	1.0000	1.0000	0.000308
1436	102	112	1.0000	1.0000	0.005114
1437	102	126	1.0000	1.0000	0.000871
1438	102	152	1.0000	1.0000	0.001594
1439	102	158	1.0000	1.0000	0.008127
1440	102	160	1.0000	1.0000	0.003919
1441	102	161	1.0000	1.0000	0.007625

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1442	102	169	1.0000	1.0000	0.638780
1443	103	107	1.0000	1.0000	0.011801
1444	103	108	1.0000	1.0000	0.012557
1445	103	119	1.0000	1.0000	0.001442
1446	103	121	1.0000	1.0000	0.007219
1447	103	143	1.0000	1.0000	0.037959
1448	103	145	1.0000	1.0000	0.036519
1449	103	159	1.0000	1.0000	0.003495
1450	103	163	1.0000	1.0000	0.004191
1451	103	164	1.0000	1.0000	0.011909
1452	104	105	1.0000	1.0000	0.001203
1453	104	106	1.0000	1.0000	0.005779
1454	104	107	1.0000	1.0000	0.004727
1455	104	108	1.0000	1.0000	0.005483
1456	104	109	1.0000	1.0000	0.003700
1457	104	110	1.0000	1.0000	0.004407
1458	104	111	1.0000	1.0000	0.000215
1459	104	112	1.0000	1.0000	0.008183
1460	104	113	1.0000	1.0000	0.006158
1461	104	115	1.0000	1.0000	0.002998
1462	104	120	1.0000	1.0000	0.012584
1463	104	132	1.0000	1.0000	0.026135
1464	104	144	1.0000	1.0000	0.035468
1465	104	155	1.0000	1.0000	0.006859
1466	104	165	1.0000	1.0000	0.000878
1467	105	106	1.0000	1.0000	0.004576
1468	105	107	1.0000	1.0000	0.005929
1469	105	108	1.0000	1.0000	0.006686
1470	105	109	1.0000	1.0000	0.004903
1471	105	110	1.0000	1.0000	0.005610
1472	105	111	1.0000	1.0000	0.000987
1473	105	112	1.0000	1.0000	0.006980
1474	105	113	1.0000	1.0000	0.004955
1475	105	116	1.0000	1.0000	0.033821
1476	105	120	1.0000	1.0000	0.011381
1477	105	133	1.0000	1.0000	0.009602

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1478	105	144	1.0000	1.0000	0.036671
1479	106	107	1.0000	1.0000	0.010505
1480	106	108	1.0000	1.0000	0.011262
1481	106	109	1.0000	1.0000	0.009478
1482	106	110	1.0000	1.0000	0.010186
1483	106	111	1.0000	1.0000	0.005563
1484	106	112	1.0000	1.0000	0.002404
1485	106	113	1.0000	1.0000	0.000379
1486	106	117	1.0000	1.0000	0.000823
1487	106	120	1.0000	1.0000	0.006805
1488	106	129	1.0000	1.0000	0.026845
1489	106	135	1.0000	1.0000	0.021694
1490	106	140	1.0000	1.0000	0.040972
1491	106	144	1.0000	1.0000	0.041246
1492	106	156	1.0000	1.0000	0.000625
1493	106	166	1.0000	1.0000	0.006645
1494	107	108	1.0000	1.0000	0.000756
1495	107	109	1.0000	1.0000	0.001027
1496	107	110	1.0000	1.0000	0.000320
1497	107	111	1.0000	1.0000	0.004942
1498	107	112	1.0000	1.0000	0.012910
1499	107	113	1.0000	1.0000	0.010884
1500	107	119	1.0000	1.0000	0.013243
1501	107	120	1.0000	1.0000	0.017310
1502	107	143	1.0000	1.0000	0.026158
1503	107	144	1.0000	1.0000	0.030741
1504	107	163	1.0000	1.0000	0.007610
1505	108	109	1.0000	1.0000	0.001783
1506	108	110	1.0000	1.0000	0.001076
1507	108	111	1.0000	1.0000	0.005698
1508	108	112	1.0000	1.0000	0.013666
1509	108	113	1.0000	1.0000	0.011641
1510	108	120	1.0000	1.0000	0.018067
1511	108	121	1.0000	1.0000	0.005338
1512	108	144	1.0000	1.0000	0.029985
1513	108	145	1.0000	1.0000	0.023962

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1514	108	159	1.0000	1.0000	0.016053
1515	108	164	1.0000	1.0000	0.024466
1516	109	110	1.0000	1.0000	0.000707
1517	109	111	1.0000	1.0000	0.003915
1518	109	112	1.0000	1.0000	0.011883
1519	109	113	1.0000	1.0000	0.009857
1520	109	120	1.0000	1.0000	0.016283
1521	109	123	1.0000	1.0000	0.004463
1522	109	144	1.0000	1.0000	0.031768
1523	109	149	1.0000	1.0000	0.041517
1524	109	157	1.0000	1.0000	0.002432
1525	109	160	1.0000	1.0000	0.010688
1526	109	168	1.0000	1.0000	0.367990
1527	110	111	1.0000	1.0000	0.004623
1528	110	112	1.0000	1.0000	0.012590
1529	110	113	1.0000	1.0000	0.010565
1530	110	120	1.0000	1.0000	0.016991
1531	110	124	1.0000	1.0000	0.004220
1532	110	130	1.0000	1.0000	0.019666
1533	110	144	1.0000	1.0000	0.031061
1534	110	150	1.0000	1.0000	0.035166
1535	110	155	1.0000	1.0000	0.002452
1536	110	156	1.0000	1.0000	0.010811
1537	110	157	1.0000	1.0000	0.001724
1538	110	158	1.0000	1.0000	0.000651
1539	111	112	1.0000	1.0000	0.007968
1540	111	113	1.0000	1.0000	0.005942
1541	111	120	1.0000	1.0000	0.012368
1542	111	125	1.0000	1.0000	0.005242
1543	111	144	1.0000	1.0000	0.035683
1544	111	151	1.0000	1.0000	0.041305
1545	111	159	1.0000	1.0000	0.010354
1546	111	161	1.0000	1.0000	0.010479
1547	112	113	1.0000	1.0000	0.002025
1548	112	120	1.0000	1.0000	0.004400
1549	112	126	1.0000	1.0000	0.004243

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1550	112	144	1.0000	1.0000	0.043651
1551	112	152	1.0000	1.0000	0.006708
1552	112	158	1.0000	1.0000	0.013241
1553	112	160	1.0000	1.0000	0.001195
1554	112	161	1.0000	1.0000	0.002512
1555	112	169	1.0000	1.0000	0.643893
1556	113	120	1.0000	1.0000	0.006426
1557	113	128	1.0000	1.0000	0.064338
1558	113	144	1.0000	1.0000	0.041625
1559	113	154	1.0000	1.0000	0.013601
1560	113	165	1.0000	1.0000	0.007036
1561	113	166	1.0000	1.0000	0.007024
1562	113	167	1.0000	1.0000	0.000439
1563	113	168	1.0000	1.0000	0.358132
1564	113	169	1.0000	1.0000	0.641868
1565	113	170	1.0000	1.0000	0.641868
1566	114	115	1.0000	1.0000	0.007425
1567	114	116	1.0000	1.0000	0.024601
1568	114	117	1.0000	1.0000	0.005467
1569	114	118	1.0000	1.0000	0.009701
1570	114	119	1.0000	1.0000	0.001907
1571	114	120	1.0000	1.0000	0.002161
1572	114	121	1.0000	1.0000	0.010568
1573	114	122	1.0000	1.0000	0.011410
1574	114	123	1.0000	1.0000	0.009660
1575	114	124	1.0000	1.0000	0.010610
1576	114	125	1.0000	1.0000	0.004966
1577	114	126	1.0000	1.0000	0.006483
1578	114	127	1.0000	1.0000	0.041465
1579	114	128	1.0000	1.0000	0.068603
1580	114	139	1.0000	1.0000	0.018876
1581	114	146	1.0000	1.0000	0.059062
1582	114	162	1.0000	1.0000	0.003929
1583	115	116	1.0000	1.0000	0.032026
1584	115	117	1.0000	1.0000	0.001957
1585	115	118	1.0000	1.0000	0.002276

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1586	115	119	1.0000	1.0000	0.005518
1587	115	120	1.0000	1.0000	0.009585
1588	115	121	1.0000	1.0000	0.003143
1589	115	122	1.0000	1.0000	0.003985
1590	115	123	1.0000	1.0000	0.002235
1591	115	124	1.0000	1.0000	0.003185
1592	115	125	1.0000	1.0000	0.002459
1593	115	126	1.0000	1.0000	0.000942
1594	115	127	1.0000	1.0000	0.034041
1595	115	128	1.0000	1.0000	0.061178
1596	115	132	1.0000	1.0000	0.023137
1597	115	146	1.0000	1.0000	0.051637
1598	115	155	1.0000	1.0000	0.009858
1599	115	165	1.0000	1.0000	0.003877
1600	116	117	1.0000	1.0000	0.030068
1601	116	118	1.0000	1.0000	0.034302
1602	116	119	1.0000	1.0000	0.026508
1603	116	120	1.0000	1.0000	0.022440
1604	116	121	1.0000	1.0000	0.035169
1605	116	122	1.0000	1.0000	0.036011
1606	116	123	1.0000	1.0000	0.034261
1607	116	124	1.0000	1.0000	0.035211
1608	116	125	1.0000	1.0000	0.029567
1609	116	126	1.0000	1.0000	0.031084
1610	116	127	1.0000	1.0000	0.066066
1611	116	128	1.0000	1.0000	0.093204
1612	116	133	1.0000	1.0000	0.024219
1613	116	146	1.0000	1.0000	0.083663
1614	117	118	1.0000	1.0000	0.004234
1615	117	119	1.0000	1.0000	0.003561
1616	117	120	1.0000	1.0000	0.007628
1617	117	121	1.0000	1.0000	0.005101
1618	117	122	1.0000	1.0000	0.005943
1619	117	123	1.0000	1.0000	0.004192
1620	117	124	1.0000	1.0000	0.005143
1621	117	125	1.0000	1.0000	0.000502

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1622	117	126	1.0000	1.0000	0.001016
1623	117	127	1.0000	1.0000	0.035998
1624	117	128	1.0000	1.0000	0.063136
1625	117	129	1.0000	1.0000	0.027668
1626	117	135	1.0000	1.0000	0.022517
1627	117	140	1.0000	1.0000	0.040149
1628	117	146	1.0000	1.0000	0.053595
1629	117	156	1.0000	1.0000	0.001448
1630	117	166	1.0000	1.0000	0.005822
1631	118	119	1.0000	1.0000	0.007794
1632	118	120	1.0000	1.0000	0.011862
1633	118	121	1.0000	1.0000	0.000867
1634	118	122	1.0000	1.0000	0.001709
1635	118	123	1.0000	1.0000	0.000041
1636	118	124	1.0000	1.0000	0.000909
1637	118	125	1.0000	1.0000	0.004735
1638	118	126	1.0000	1.0000	0.003218
1639	118	127	1.0000	1.0000	0.031764
1640	118	128	1.0000	1.0000	0.058902
1641	118	141	1.0000	1.0000	0.042464
1642	118	146	1.0000	1.0000	0.049361
1643	119	120	1.0000	1.0000	0.004067
1644	119	121	1.0000	1.0000	0.008661
1645	119	122	1.0000	1.0000	0.009503
1646	119	123	1.0000	1.0000	0.007753
1647	119	124	1.0000	1.0000	0.008703
1648	119	125	1.0000	1.0000	0.003059
1649	119	126	1.0000	1.0000	0.004576
1650	119	127	1.0000	1.0000	0.039559
1651	119	128	1.0000	1.0000	0.066696
1652	119	143	1.0000	1.0000	0.039401
1653	119	146	1.0000	1.0000	0.057155
1654	119	163	1.0000	1.0000	0.005633
1655	120	121	1.0000	1.0000	0.012729
1656	120	122	1.0000	1.0000	0.013571
1657	120	123	1.0000	1.0000	0.011820

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1658	120	124	1.0000	1.0000	0.012771
1659	120	125	1.0000	1.0000	0.007126
1660	120	126	1.0000	1.0000	0.008643
1661	120	127	1.0000	1.0000	0.043626
1662	120	128	1.0000	1.0000	0.070764
1663	120	144	1.0000	1.0000	0.048051
1664	120	146	1.0000	1.0000	0.061223
1665	121	122	1.0000	1.0000	0.000842
1666	121	123	1.0000	1.0000	0.000908
1667	121	124	1.0000	1.0000	0.000042
1668	121	125	1.0000	1.0000	0.005603
1669	121	126	1.0000	1.0000	0.004085
1670	121	127	1.0000	1.0000	0.030897
1671	121	128	1.0000	1.0000	0.058035
1672	121	145	1.0000	1.0000	0.029299
1673	121	146	1.0000	1.0000	0.048494
1674	121	159	1.0000	1.0000	0.010715
1675	121	164	1.0000	1.0000	0.019128
1676	122	123	1.0000	1.0000	0.001750
1677	122	124	1.0000	1.0000	0.000800
1678	122	125	1.0000	1.0000	0.006444
1679	122	126	1.0000	1.0000	0.004927
1680	122	127	1.0000	1.0000	0.030055
1681	122	128	1.0000	1.0000	0.057193
1682	122	131	1.0000	1.0000	0.023257
1683	122	132	1.0000	1.0000	0.027122
1684	122	133	1.0000	1.0000	0.011792
1685	122	134	1.0000	1.0000	0.029815
1686	122	135	1.0000	1.0000	0.028460
1687	122	136	1.0000	1.0000	0.053557
1688	122	137	1.0000	1.0000	0.034307
1689	122	138	1.0000	1.0000	0.032039
1690	122	146	1.0000	1.0000	0.047652
1691	122	148	1.0000	1.0000	0.046744
1692	123	124	1.0000	1.0000	0.000950
1693	123	125	1.0000	1.0000	0.004694

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1694	123	126	1.0000	1.0000	0.003177
1695	123	127	1.0000	1.0000	0.031806
1696	123	128	1.0000	1.0000	0.058943
1697	123	146	1.0000	1.0000	0.049402
1698	123	149	1.0000	1.0000	0.045980
1699	123	157	1.0000	1.0000	0.006895
1700	123	160	1.0000	1.0000	0.006225
1701	123	168	1.0000	1.0000	0.363527
1702	124	125	1.0000	1.0000	0.005644
1703	124	126	1.0000	1.0000	0.004127
1704	124	127	1.0000	1.0000	0.030855
1705	124	128	1.0000	1.0000	0.057993
1706	124	130	1.0000	1.0000	0.015446
1707	124	146	1.0000	1.0000	0.048452
1708	124	150	1.0000	1.0000	0.039386
1709	124	155	1.0000	1.0000	0.006672
1710	124	156	1.0000	1.0000	0.006591
1711	124	157	1.0000	1.0000	0.005944
1712	124	158	1.0000	1.0000	0.004871
1713	125	126	1.0000	1.0000	0.001517
1714	125	127	1.0000	1.0000	0.036500
1715	125	128	1.0000	1.0000	0.063637
1716	125	146	1.0000	1.0000	0.054096
1717	125	151	1.0000	1.0000	0.046547
1718	125	159	1.0000	1.0000	0.005112
1719	125	161	1.0000	1.0000	0.005237
1720	126	127	1.0000	1.0000	0.034983
1721	126	128	1.0000	1.0000	0.062120
1722	126	146	1.0000	1.0000	0.052579
1723	126	152	1.0000	1.0000	0.002465
1724	126	158	1.0000	1.0000	0.008998
1725	126	160	1.0000	1.0000	0.003048
1726	126	161	1.0000	1.0000	0.006755
1727	126	169	1.0000	1.0000	0.639650
1728	127	128	1.0000	1.0000	0.027138
1729	127	146	1.0000	1.0000	0.017597

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1730	127	153	1.0000	1.0000	0.029456
1731	127	162	1.0000	1.0000	0.037536
1732	127	163	1.0000	1.0000	0.033926
1733	127	164	1.0000	1.0000	0.050026
1734	127	170	1.0000	1.0000	0.604668
1735	128	146	1.0000	1.0000	0.009541
1736	128	154	1.0000	1.0000	0.050737
1737	128	165	1.0000	1.0000	0.057302
1738	128	166	1.0000	1.0000	0.057314
1739	128	167	1.0000	1.0000	0.063899
1740	128	168	1.0000	1.0000	0.422470
1741	128	169	1.0000	1.0000	0.577530
1742	128	170	1.0000	1.0000	0.577530
1743	129	130	1.0000	1.0000	0.017365
1744	129	135	1.0000	1.0000	0.005151
1745	129	140	1.0000	1.0000	0.067817
1746	129	147	1.0000	1.0000	0.080309
1747	129	156	1.0000	1.0000	0.026221
1748	129	166	1.0000	1.0000	0.033490
1749	130	147	1.0000	1.0000	0.062944
1750	130	150	1.0000	1.0000	0.054832
1751	130	155	1.0000	1.0000	0.022119
1752	130	156	1.0000	1.0000	0.008856
1753	130	157	1.0000	1.0000	0.021391
1754	130	158	1.0000	1.0000	0.020317
1755	131	132	1.0000	1.0000	0.003865
1756	131	133	1.0000	1.0000	0.011465
1757	131	134	1.0000	1.0000	0.006558
1758	131	135	1.0000	1.0000	0.005203
1759	131	136	1.0000	1.0000	0.030300
1760	131	137	1.0000	1.0000	0.057564
1761	131	138	1.0000	1.0000	0.055296
1762	131	148	1.0000	1.0000	0.070001
1763	132	133	1.0000	1.0000	0.015330
1764	132	134	1.0000	1.0000	0.002693
1765	132	135	1.0000	1.0000	0.001338

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1766	132	136	1.0000	1.0000	0.026435
1767	132	137	1.0000	1.0000	0.061429
1768	132	138	1.0000	1.0000	0.059161
1769	132	148	1.0000	1.0000	0.073866
1770	132	155	1.0000	1.0000	0.032994
1771	132	165	1.0000	1.0000	0.027013
1772	133	134	1.0000	1.0000	0.018023
1773	133	135	1.0000	1.0000	0.016668
1774	133	136	1.0000	1.0000	0.041765
1775	133	137	1.0000	1.0000	0.046099
1776	133	138	1.0000	1.0000	0.043831
1777	133	148	1.0000	1.0000	0.058536
1778	134	135	1.0000	1.0000	0.001355
1779	134	136	1.0000	1.0000	0.023742
1780	134	137	1.0000	1.0000	0.064122
1781	134	138	1.0000	1.0000	0.061854
1782	134	148	1.0000	1.0000	0.076559
1783	135	136	1.0000	1.0000	0.025097
1784	135	137	1.0000	1.0000	0.062767
1785	135	138	1.0000	1.0000	0.060499
1786	135	140	1.0000	1.0000	0.062666
1787	135	148	1.0000	1.0000	0.075203
1788	135	156	1.0000	1.0000	0.021069
1789	135	166	1.0000	1.0000	0.028339
1790	136	137	1.0000	1.0000	0.087864
1791	136	138	1.0000	1.0000	0.085596
1792	136	148	1.0000	1.0000	0.100301
1793	137	138	1.0000	1.0000	0.002268
1794	137	148	1.0000	1.0000	0.012437
1795	137	167	1.0000	1.0000	0.041013
1796	138	148	1.0000	1.0000	0.014705
1797	139	140	1.0000	1.0000	0.026740
1798	139	141	1.0000	1.0000	0.033289
1799	139	142	1.0000	1.0000	0.034302
1800	139	143	1.0000	1.0000	0.022432
1801	139	144	1.0000	1.0000	0.027014

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1802	139	145	1.0000	1.0000	0.020991
1803	139	146	1.0000	1.0000	0.040186
1804	139	147	1.0000	1.0000	0.039232
1805	139	148	1.0000	1.0000	0.039277
1806	139	149	1.0000	1.0000	0.036764
1807	139	150	1.0000	1.0000	0.031119
1808	139	151	1.0000	1.0000	0.032637
1809	139	152	1.0000	1.0000	0.009929
1810	139	153	1.0000	1.0000	0.006867
1811	139	154	1.0000	1.0000	0.001011
1812	139	162	1.0000	1.0000	0.014947
1813	140	141	1.0000	1.0000	0.006549
1814	140	142	1.0000	1.0000	0.007562
1815	140	143	1.0000	1.0000	0.004308
1816	140	144	1.0000	1.0000	0.000275
1817	140	145	1.0000	1.0000	0.005748
1818	140	146	1.0000	1.0000	0.013446
1819	140	147	1.0000	1.0000	0.012492
1820	140	148	1.0000	1.0000	0.012538
1821	140	149	1.0000	1.0000	0.010024
1822	140	150	1.0000	1.0000	0.004380
1823	140	151	1.0000	1.0000	0.005897
1824	140	152	1.0000	1.0000	0.036668
1825	140	153	1.0000	1.0000	0.033607
1826	140	154	1.0000	1.0000	0.027750
1827	140	156	1.0000	1.0000	0.041596
1828	140	166	1.0000	1.0000	0.034327
1829	141	142	1.0000	1.0000	0.001013
1830	141	143	1.0000	1.0000	0.010857
1831	141	144	1.0000	1.0000	0.006274
1832	141	145	1.0000	1.0000	0.012298
1833	141	146	1.0000	1.0000	0.006897
1834	141	147	1.0000	1.0000	0.005943
1835	141	148	1.0000	1.0000	0.005989
1836	141	149	1.0000	1.0000	0.003475
1837	141	150	1.0000	1.0000	0.002169

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1838	141	151	1.0000	1.0000	0.000652
1839	141	152	1.0000	1.0000	0.043218
1840	141	153	1.0000	1.0000	0.040156
1841	141	154	1.0000	1.0000	0.034299
1842	142	143	1.0000	1.0000	0.011870
1843	142	144	1.0000	1.0000	0.007288
1844	142	145	1.0000	1.0000	0.013311
1845	142	146	1.0000	1.0000	0.005884
1846	142	147	1.0000	1.0000	0.004930
1847	142	148	1.0000	1.0000	0.004975
1848	142	149	1.0000	1.0000	0.002462
1849	142	150	1.0000	1.0000	0.003183
1850	142	151	1.0000	1.0000	0.001666
1851	142	152	1.0000	1.0000	0.044231
1852	142	153	1.0000	1.0000	0.041169
1853	142	154	1.0000	1.0000	0.035313
1854	143	144	1.0000	1.0000	0.004583
1855	143	145	1.0000	1.0000	0.001441
1856	143	146	1.0000	1.0000	0.017754
1857	143	147	1.0000	1.0000	0.016800
1858	143	148	1.0000	1.0000	0.016846
1859	143	149	1.0000	1.0000	0.014332
1860	143	150	1.0000	1.0000	0.008688
1861	143	151	1.0000	1.0000	0.010205
1862	143	152	1.0000	1.0000	0.032361
1863	143	153	1.0000	1.0000	0.029299
1864	143	154	1.0000	1.0000	0.023442
1865	143	163	1.0000	1.0000	0.033769
1866	144	145	1.0000	1.0000	0.006023
1867	144	146	1.0000	1.0000	0.013171
1868	144	147	1.0000	1.0000	0.012217
1869	144	148	1.0000	1.0000	0.012263
1870	144	149	1.0000	1.0000	0.009749
1871	144	150	1.0000	1.0000	0.004105
1872	144	151	1.0000	1.0000	0.005622
1873	144	152	1.0000	1.0000	0.036943

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1874	144	153	1.0000	1.0000	0.033882
1875	144	154	1.0000	1.0000	0.028025
1876	145	146	1.0000	1.0000	0.019195
1877	145	147	1.0000	1.0000	0.018240
1878	145	148	1.0000	1.0000	0.018286
1879	145	149	1.0000	1.0000	0.015773
1880	145	150	1.0000	1.0000	0.010128
1881	145	151	1.0000	1.0000	0.011645
1882	145	152	1.0000	1.0000	0.030920
1883	145	153	1.0000	1.0000	0.027858
1884	145	154	1.0000	1.0000	0.022002
1885	145	159	1.0000	1.0000	0.040014
1886	145	164	1.0000	1.0000	0.048428
1887	146	147	1.0000	1.0000	0.000954
1888	146	148	1.0000	1.0000	0.000908
1889	146	149	1.0000	1.0000	0.003422
1890	146	150	1.0000	1.0000	0.009066
1891	146	151	1.0000	1.0000	0.007549
1892	146	152	1.0000	1.0000	0.050115
1893	146	153	1.0000	1.0000	0.047053
1894	146	154	1.0000	1.0000	0.041196
1895	147	148	1.0000	1.0000	0.000046
1896	147	149	1.0000	1.0000	0.002468
1897	147	150	1.0000	1.0000	0.008112
1898	147	151	1.0000	1.0000	0.006595
1899	147	152	1.0000	1.0000	0.049160
1900	147	153	1.0000	1.0000	0.046099
1901	147	154	1.0000	1.0000	0.040242
1902	148	149	1.0000	1.0000	0.002513
1903	148	150	1.0000	1.0000	0.008158
1904	148	151	1.0000	1.0000	0.006641
1905	148	152	1.0000	1.0000	0.049206
1906	148	153	1.0000	1.0000	0.046144
1907	148	154	1.0000	1.0000	0.040288
1908	149	150	1.0000	1.0000	0.005644
1909	149	151	1.0000	1.0000	0.004127

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1910	149	152	1.0000	1.0000	0.046693
1911	149	153	1.0000	1.0000	0.043631
1912	149	154	1.0000	1.0000	0.037774
1913	149	157	1.0000	1.0000	0.039086
1914	149	160	1.0000	1.0000	0.052206
1915	149	168	1.0000	1.0000	0.409507
1916	150	151	1.0000	1.0000	0.001517
1917	150	152	1.0000	1.0000	0.041048
1918	150	153	1.0000	1.0000	0.037987
1919	150	154	1.0000	1.0000	0.032130
1920	150	155	1.0000	1.0000	0.032713
1921	150	156	1.0000	1.0000	0.045976
1922	150	157	1.0000	1.0000	0.033442
1923	150	158	1.0000	1.0000	0.034515
1924	151	152	1.0000	1.0000	0.042565
1925	151	153	1.0000	1.0000	0.039504
1926	151	154	1.0000	1.0000	0.033647
1927	151	159	1.0000	1.0000	0.051660
1928	151	161	1.0000	1.0000	0.051785
1929	152	153	1.0000	1.0000	0.003062
1930	152	154	1.0000	1.0000	0.008918
1931	152	158	1.0000	1.0000	0.006533
1932	152	160	1.0000	1.0000	0.005513
1933	152	161	1.0000	1.0000	0.009219
1934	152	169	1.0000	1.0000	0.637185
1935	153	154	1.0000	1.0000	0.005857
1936	153	162	1.0000	1.0000	0.008080
1937	153	163	1.0000	1.0000	0.004470
1938	153	164	1.0000	1.0000	0.020570
1939	153	170	1.0000	1.0000	0.634124
1940	154	165	1.0000	1.0000	0.006565
1941	154	166	1.0000	1.0000	0.006577
1942	154	167	1.0000	1.0000	0.013162
1943	154	168	1.0000	1.0000	0.371733
1944	154	169	1.0000	1.0000	0.628267
1945	154	170	1.0000	1.0000	0.628267

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1946	155	156	1.0000	1.0000	0.013263
1947	155	157	1.0000	1.0000	0.000728
1948	155	158	1.0000	1.0000	0.001802
1949	155	165	1.0000	1.0000	0.005981
1950	156	157	1.0000	1.0000	0.012535
1951	156	158	1.0000	1.0000	0.011461
1952	156	166	1.0000	1.0000	0.007270
1953	157	158	1.0000	1.0000	0.001074
1954	157	160	1.0000	1.0000	0.013120
1955	157	168	1.0000	1.0000	0.370421
1956	158	160	1.0000	1.0000	0.012046
1957	158	161	1.0000	1.0000	0.015752
1958	158	169	1.0000	1.0000	0.630652
1959	159	161	1.0000	1.0000	0.000125
1960	159	164	1.0000	1.0000	0.008414
1961	160	161	1.0000	1.0000	0.003706
1962	160	168	1.0000	1.0000	0.357301
1963	160	169	1.0000	1.0000	0.642699
1964	161	169	1.0000	1.0000	0.646405
1965	162	163	1.0000	1.0000	0.003610
1966	162	164	1.0000	1.0000	0.012489
1967	162	170	1.0000	1.0000	0.642204
1968	163	164	1.0000	1.0000	0.016100
1969	163	170	1.0000	1.0000	0.638594
1970	164	170	1.0000	1.0000	0.654693
1971	165	166	1.0000	1.0000	0.000012
1972	165	167	1.0000	1.0000	0.006597
1973	165	168	1.0000	1.0000	0.365168
1974	165	169	1.0000	1.0000	0.634832
1975	165	170	1.0000	1.0000	0.634832
1976	166	167	1.0000	1.0000	0.006585
1977	166	168	1.0000	1.0000	0.365156
1978	166	169	1.0000	1.0000	0.634844
1979	166	170	1.0000	1.0000	0.634844
1980	167	168	1.0000	1.0000	0.358571
1981	167	169	1.0000	1.0000	0.641429

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1982	167	170	1.0000	1.0000	0.641429
1983	168	169	1.0000	1.0000	1.000000
1984	168	170	1.0000	1.0000	1.000000
1985	169	170	1.0000	1.0000	0.000000

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	98.467332 Ohm
Total current I	-6.585204e-06 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	0.098467
10	0.984673
100	9.846733
1000	98.467332
10000	984.673319

EXPERIMENT #33

Timestamp: 20260330_101525 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	161
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	161
Nodes after pruning	161
Edges before pruning	1691
Edges after pruning	1691

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	0	1	1.0000	1.0000	0.003593
1	0	2	1.0000	1.0000	0.000144

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2	0	3	1.0000	1.0000	0.002499
3	0	4	1.0000	1.0000	0.009335
4	0	5	1.0000	1.0000	0.053267
5	0	6	1.0000	1.0000	0.005609
6	0	8	1.0000	1.0000	0.022236
7	0	9	1.0000	1.0000	0.018180
8	0	20	1.0000	1.0000	0.001080
9	0	21	1.0000	1.0000	0.003822
10	0	38	1.0000	1.0000	0.042449
11	0	58	1.0000	1.0000	0.000422
12	0	60	1.0000	1.0000	0.003857
13	0	70	1.0000	1.0000	0.046610
14	0	80	1.0000	1.0000	0.013077
15	0	82	1.0000	1.0000	0.060542
16	0	104	1.0000	1.0000	0.002224
17	0	105	1.0000	1.0000	0.004604
18	0	117	1.0000	1.0000	0.016548
19	0	118	1.0000	1.0000	0.026993
20	0	124	1.0000	1.0000	0.005490
21	0	125	1.0000	1.0000	0.006872
22	0	155	1.0000	1.0000	0.060185
23	1	2	1.0000	1.0000	0.003738
24	1	3	1.0000	1.0000	0.001094
25	1	4	1.0000	1.0000	0.012929
26	1	5	1.0000	1.0000	0.049673
27	1	6	1.0000	1.0000	0.002016
28	1	9	1.0000	1.0000	0.021773
29	1	19	1.0000	1.0000	0.003579
30	1	21	1.0000	1.0000	0.000228
31	1	23	1.0000	1.0000	0.001020
32	1	47	1.0000	1.0000	0.038256
33	1	61	1.0000	1.0000	0.010222
34	1	70	1.0000	1.0000	0.050203
35	1	83	1.0000	1.0000	0.046640
36	1	95	1.0000	1.0000	0.007024
37	1	105	1.0000	1.0000	0.001010

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
38	1	106	1.0000	1.0000	0.004769
39	1	118	1.0000	1.0000	0.030586
40	1	125	1.0000	1.0000	0.003279
41	1	127	1.0000	1.0000	0.000736
42	1	156	1.0000	1.0000	0.001414
43	2	3	1.0000	1.0000	0.002644
44	2	4	1.0000	1.0000	0.009191
45	2	5	1.0000	1.0000	0.053411
46	2	6	1.0000	1.0000	0.005754
47	2	9	1.0000	1.0000	0.018036
48	2	21	1.0000	1.0000	0.003966
49	2	25	1.0000	1.0000	0.001045
50	2	39	1.0000	1.0000	0.040757
51	2	46	1.0000	1.0000	0.003166
52	2	48	1.0000	1.0000	0.033785
53	2	59	1.0000	1.0000	0.006595
54	2	62	1.0000	1.0000	0.003704
55	2	70	1.0000	1.0000	0.046466
56	2	72	1.0000	1.0000	0.003990
57	2	84	1.0000	1.0000	0.051155
58	2	96	1.0000	1.0000	0.018550
59	2	105	1.0000	1.0000	0.004748
60	2	107	1.0000	1.0000	0.001109
61	2	118	1.0000	1.0000	0.026849
62	2	125	1.0000	1.0000	0.007016
63	2	129	1.0000	1.0000	0.047112
64	2	157	1.0000	1.0000	0.302394
65	3	4	1.0000	1.0000	0.011835
66	3	5	1.0000	1.0000	0.050767
67	3	6	1.0000	1.0000	0.003110
68	3	9	1.0000	1.0000	0.020679
69	3	21	1.0000	1.0000	0.001322
70	3	26	1.0000	1.0000	0.000913
71	3	40	1.0000	1.0000	0.039088
72	3	58	1.0000	1.0000	0.002921
73	3	59	1.0000	1.0000	0.009239

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
74	3	63	1.0000	1.0000	0.028967
75	3	70	1.0000	1.0000	0.049109
76	3	73	1.0000	1.0000	0.013080
77	3	85	1.0000	1.0000	0.047601
78	3	88	1.0000	1.0000	0.058019
79	3	97	1.0000	1.0000	0.009326
80	3	101	1.0000	1.0000	0.000054
81	3	105	1.0000	1.0000	0.002104
82	3	108	1.0000	1.0000	0.003426
83	3	118	1.0000	1.0000	0.029492
84	3	125	1.0000	1.0000	0.004373
85	3	130	1.0000	1.0000	0.002971
86	3	158	1.0000	1.0000	0.694962
87	4	5	1.0000	1.0000	0.062602
88	4	6	1.0000	1.0000	0.014945
89	4	9	1.0000	1.0000	0.008845
90	4	12	1.0000	1.0000	0.026505
91	4	21	1.0000	1.0000	0.013157
92	4	42	1.0000	1.0000	0.048958
93	4	51	1.0000	1.0000	0.041461
94	4	65	1.0000	1.0000	0.054139
95	4	70	1.0000	1.0000	0.037275
96	4	80	1.0000	1.0000	0.003742
97	4	81	1.0000	1.0000	0.061728
98	4	98	1.0000	1.0000	0.008612
99	4	105	1.0000	1.0000	0.013939
100	4	118	1.0000	1.0000	0.017657
101	4	121	1.0000	1.0000	0.011704
102	4	125	1.0000	1.0000	0.016207
103	5	6	1.0000	1.0000	0.047657
104	5	9	1.0000	1.0000	0.071446
105	5	21	1.0000	1.0000	0.049445
106	5	28	1.0000	1.0000	0.000933
107	5	66	1.0000	1.0000	0.079135
108	5	70	1.0000	1.0000	0.099877
109	5	82	1.0000	1.0000	0.007275

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
110	5	83	1.0000	1.0000	0.003033
111	5	84	1.0000	1.0000	0.002255
112	5	85	1.0000	1.0000	0.003166
113	5	86	1.0000	1.0000	0.050594
114	5	89	1.0000	1.0000	0.046828
115	5	93	1.0000	1.0000	0.056625
116	5	102	1.0000	1.0000	0.048226
117	5	105	1.0000	1.0000	0.048663
118	5	118	1.0000	1.0000	0.080259
119	5	125	1.0000	1.0000	0.046395
120	5	132	1.0000	1.0000	0.051207
121	5	159	1.0000	1.0000	0.644195
122	6	9	1.0000	1.0000	0.023789
123	6	21	1.0000	1.0000	0.001788
124	6	70	1.0000	1.0000	0.052219
125	6	77	1.0000	1.0000	0.062289
126	6	100	1.0000	1.0000	0.061949
127	6	105	1.0000	1.0000	0.001006
128	6	116	1.0000	1.0000	0.063903
129	6	118	1.0000	1.0000	0.032602
130	6	125	1.0000	1.0000	0.001263
131	6	140	1.0000	1.0000	0.025728
132	6	155	1.0000	1.0000	0.054576
133	6	156	1.0000	1.0000	0.003430
134	6	157	1.0000	1.0000	0.308148
135	6	158	1.0000	1.0000	0.691852
136	6	159	1.0000	1.0000	0.691852
137	6	160	1.0000	1.0000	0.691852
138	7	16	1.0000	1.0000	0.013551
139	7	22	1.0000	1.0000	0.047325
140	7	33	1.0000	1.0000	0.014954
141	7	34	1.0000	1.0000	0.048886
142	7	45	1.0000	1.0000	0.033101
143	7	69	1.0000	1.0000	0.040164
144	7	79	1.0000	1.0000	0.030801
145	7	87	1.0000	1.0000	0.047261

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
146	7	91	1.0000	1.0000	0.117807
147	7	92	1.0000	1.0000	0.022581
148	7	94	1.0000	1.0000	0.037481
149	7	103	1.0000	1.0000	0.050105
150	7	126	1.0000	1.0000	0.046329
151	7	138	1.0000	1.0000	0.029157
152	7	147	1.0000	1.0000	0.061411
153	7	148	1.0000	1.0000	0.024801
154	8	9	1.0000	1.0000	0.004056
155	8	10	1.0000	1.0000	0.000982
156	8	11	1.0000	1.0000	0.026106
157	8	12	1.0000	1.0000	0.013604
158	8	13	1.0000	1.0000	0.026622
159	8	14	1.0000	1.0000	0.064849
160	8	15	1.0000	1.0000	0.013604
161	8	16	1.0000	1.0000	0.035473
162	8	17	1.0000	1.0000	0.017711
163	8	18	1.0000	1.0000	0.036346
164	8	20	1.0000	1.0000	0.023316
165	8	38	1.0000	1.0000	0.020213
166	8	58	1.0000	1.0000	0.021815
167	8	60	1.0000	1.0000	0.018379
168	8	80	1.0000	1.0000	0.009159
169	8	82	1.0000	1.0000	0.082778
170	8	104	1.0000	1.0000	0.024460
171	8	117	1.0000	1.0000	0.005688
172	8	124	1.0000	1.0000	0.027726
173	8	155	1.0000	1.0000	0.082421
174	9	10	1.0000	1.0000	0.003074
175	9	11	1.0000	1.0000	0.030162
176	9	12	1.0000	1.0000	0.017661
177	9	13	1.0000	1.0000	0.030678
178	9	14	1.0000	1.0000	0.068905
179	9	15	1.0000	1.0000	0.017661
180	9	16	1.0000	1.0000	0.039529
181	9	17	1.0000	1.0000	0.021767

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
182	9	18	1.0000	1.0000	0.040402
183	9	21	1.0000	1.0000	0.022002
184	9	70	1.0000	1.0000	0.028430
185	9	105	1.0000	1.0000	0.022784
186	9	118	1.0000	1.0000	0.008813
187	9	125	1.0000	1.0000	0.025052
188	10	11	1.0000	1.0000	0.027088
189	10	12	1.0000	1.0000	0.014586
190	10	13	1.0000	1.0000	0.027604
191	10	14	1.0000	1.0000	0.065831
192	10	15	1.0000	1.0000	0.014586
193	10	16	1.0000	1.0000	0.036455
194	10	17	1.0000	1.0000	0.018693
195	10	18	1.0000	1.0000	0.037328
196	10	24	1.0000	1.0000	0.027421
197	10	34	1.0000	1.0000	0.025983
198	10	35	1.0000	1.0000	0.027621
199	10	36	1.0000	1.0000	0.094583
200	10	37	1.0000	1.0000	0.030091
201	10	128	1.0000	1.0000	0.020295
202	10	141	1.0000	1.0000	0.024022
203	11	12	1.0000	1.0000	0.012502
204	11	13	1.0000	1.0000	0.000516
205	11	14	1.0000	1.0000	0.038743
206	11	15	1.0000	1.0000	0.012502
207	11	16	1.0000	1.0000	0.009367
208	11	17	1.0000	1.0000	0.008395
209	11	18	1.0000	1.0000	0.010240
210	11	41	1.0000	1.0000	0.022950
211	11	50	1.0000	1.0000	0.015743
212	11	64	1.0000	1.0000	0.031794
213	11	78	1.0000	1.0000	0.016940
214	11	79	1.0000	1.0000	0.034985
215	11	144	1.0000	1.0000	0.007698
216	11	150	1.0000	1.0000	0.067176
217	12	13	1.0000	1.0000	0.013017

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
218	12	14	1.0000	1.0000	0.051245
219	12	15	1.0000	1.0000	0.000000
220	12	16	1.0000	1.0000	0.021869
221	12	17	1.0000	1.0000	0.004106
222	12	18	1.0000	1.0000	0.022742
223	12	42	1.0000	1.0000	0.022453
224	12	51	1.0000	1.0000	0.014956
225	12	65	1.0000	1.0000	0.080644
226	12	80	1.0000	1.0000	0.022763
227	12	81	1.0000	1.0000	0.088233
228	12	98	1.0000	1.0000	0.035117
229	12	121	1.0000	1.0000	0.038209
230	13	14	1.0000	1.0000	0.038227
231	13	15	1.0000	1.0000	0.013017
232	13	16	1.0000	1.0000	0.008851
233	13	17	1.0000	1.0000	0.008911
234	13	18	1.0000	1.0000	0.009724
235	13	43	1.0000	1.0000	0.024131
236	13	52	1.0000	1.0000	0.016618
237	13	67	1.0000	1.0000	0.042101
238	13	78	1.0000	1.0000	0.016424
239	13	94	1.0000	1.0000	0.042181
240	13	152	1.0000	1.0000	0.055627
241	14	15	1.0000	1.0000	0.051245
242	14	16	1.0000	1.0000	0.029376
243	14	17	1.0000	1.0000	0.047138
244	14	18	1.0000	1.0000	0.028503
245	14	44	1.0000	1.0000	0.024722
246	14	55	1.0000	1.0000	0.036288
247	14	103	1.0000	1.0000	0.093032
248	14	154	1.0000	1.0000	0.092165
249	15	16	1.0000	1.0000	0.021869
250	15	17	1.0000	1.0000	0.004106
251	15	18	1.0000	1.0000	0.022742
252	15	56	1.0000	1.0000	0.019063
253	15	117	1.0000	1.0000	0.019292

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
254	15	118	1.0000	1.0000	0.008848
255	15	119	1.0000	1.0000	0.022763
256	15	120	1.0000	1.0000	0.017146
257	15	121	1.0000	1.0000	0.038209
258	15	122	1.0000	1.0000	0.040556
259	15	123	1.0000	1.0000	0.040221
260	16	17	1.0000	1.0000	0.017762
261	16	18	1.0000	1.0000	0.000873
262	16	33	1.0000	1.0000	0.028505
263	16	45	1.0000	1.0000	0.019550
264	16	69	1.0000	1.0000	0.053715
265	16	79	1.0000	1.0000	0.044352
266	16	91	1.0000	1.0000	0.131359
267	16	94	1.0000	1.0000	0.051033
268	16	103	1.0000	1.0000	0.063656
269	16	138	1.0000	1.0000	0.042708
270	16	147	1.0000	1.0000	0.074962
271	17	18	1.0000	1.0000	0.018635
272	17	57	1.0000	1.0000	0.039653
273	17	141	1.0000	1.0000	0.005329
274	17	142	1.0000	1.0000	0.025183
275	17	143	1.0000	1.0000	0.023136
276	17	144	1.0000	1.0000	0.016093
277	17	145	1.0000	1.0000	0.003608
278	17	146	1.0000	1.0000	0.027253
279	17	147	1.0000	1.0000	0.057200
280	18	139	1.0000	1.0000	0.003622
281	18	148	1.0000	1.0000	0.010376
282	18	149	1.0000	1.0000	0.021733
283	18	150	1.0000	1.0000	0.056936
284	18	151	1.0000	1.0000	0.061169
285	18	152	1.0000	1.0000	0.065351
286	18	153	1.0000	1.0000	0.060905
287	18	154	1.0000	1.0000	0.063662
288	19	23	1.0000	1.0000	0.004599
289	19	46	1.0000	1.0000	0.003325

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
290	19	47	1.0000	1.0000	0.034676
291	19	53	1.0000	1.0000	0.034088
292	19	61	1.0000	1.0000	0.006643
293	19	68	1.0000	1.0000	0.037350
294	19	75	1.0000	1.0000	0.011363
295	19	81	1.0000	1.0000	0.052378
296	19	83	1.0000	1.0000	0.050219
297	19	86	1.0000	1.0000	0.002659
298	19	95	1.0000	1.0000	0.003444
299	19	99	1.0000	1.0000	0.004589
300	19	106	1.0000	1.0000	0.001190
301	19	113	1.0000	1.0000	0.007703
302	19	122	1.0000	1.0000	0.004702
303	19	127	1.0000	1.0000	0.004316
304	19	135	1.0000	1.0000	0.023707
305	19	146	1.0000	1.0000	0.067214
306	19	156	1.0000	1.0000	0.002165
307	19	160	1.0000	1.0000	0.697448
308	20	21	1.0000	1.0000	0.002742
309	20	22	1.0000	1.0000	0.002088
310	20	23	1.0000	1.0000	0.003534
311	20	24	1.0000	1.0000	0.005087
312	20	25	1.0000	1.0000	0.000179
313	20	26	1.0000	1.0000	0.002333
314	20	27	1.0000	1.0000	0.003841
315	20	28	1.0000	1.0000	0.051254
316	20	29	1.0000	1.0000	0.003511
317	20	30	1.0000	1.0000	0.005146
318	20	31	1.0000	1.0000	0.004755
319	20	32	1.0000	1.0000	0.004366
320	20	33	1.0000	1.0000	0.030284
321	20	38	1.0000	1.0000	0.043529
322	20	58	1.0000	1.0000	0.001501
323	20	60	1.0000	1.0000	0.004937
324	20	80	1.0000	1.0000	0.014157
325	20	82	1.0000	1.0000	0.059462

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
326	20	104	1.0000	1.0000	0.001144
327	20	117	1.0000	1.0000	0.017628
328	20	124	1.0000	1.0000	0.004410
329	20	155	1.0000	1.0000	0.059105
330	21	22	1.0000	1.0000	0.000654
331	21	23	1.0000	1.0000	0.000792
332	21	24	1.0000	1.0000	0.002345
333	21	25	1.0000	1.0000	0.002921
334	21	26	1.0000	1.0000	0.000409
335	21	27	1.0000	1.0000	0.006583
336	21	28	1.0000	1.0000	0.048512
337	21	29	1.0000	1.0000	0.000769
338	21	30	1.0000	1.0000	0.002404
339	21	31	1.0000	1.0000	0.002013
340	21	32	1.0000	1.0000	0.001624
341	21	33	1.0000	1.0000	0.033026
342	21	70	1.0000	1.0000	0.050432
343	21	105	1.0000	1.0000	0.000782
344	21	118	1.0000	1.0000	0.030814
345	21	125	1.0000	1.0000	0.003050
346	22	23	1.0000	1.0000	0.001446
347	22	24	1.0000	1.0000	0.003000
348	22	25	1.0000	1.0000	0.002267
349	22	26	1.0000	1.0000	0.000245
350	22	27	1.0000	1.0000	0.005928
351	22	28	1.0000	1.0000	0.049166
352	22	29	1.0000	1.0000	0.001424
353	22	30	1.0000	1.0000	0.003058
354	22	31	1.0000	1.0000	0.002668
355	22	32	1.0000	1.0000	0.002278
356	22	33	1.0000	1.0000	0.032371
357	22	34	1.0000	1.0000	0.001561
358	22	87	1.0000	1.0000	0.000064
359	22	92	1.0000	1.0000	0.069906
360	22	126	1.0000	1.0000	0.000996
361	22	148	1.0000	1.0000	0.072126

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
362	23	24	1.0000	1.0000	0.001554
363	23	25	1.0000	1.0000	0.003713
364	23	26	1.0000	1.0000	0.001201
365	23	27	1.0000	1.0000	0.007374
366	23	28	1.0000	1.0000	0.047720
367	23	29	1.0000	1.0000	0.000022
368	23	30	1.0000	1.0000	0.001613
369	23	31	1.0000	1.0000	0.001222
370	23	32	1.0000	1.0000	0.000832
371	23	33	1.0000	1.0000	0.033817
372	23	47	1.0000	1.0000	0.039276
373	23	61	1.0000	1.0000	0.011242
374	23	83	1.0000	1.0000	0.045620
375	23	95	1.0000	1.0000	0.008044
376	23	106	1.0000	1.0000	0.005789
377	23	127	1.0000	1.0000	0.000283
378	23	156	1.0000	1.0000	0.002434
379	24	25	1.0000	1.0000	0.005266
380	24	26	1.0000	1.0000	0.002754
381	24	27	1.0000	1.0000	0.008928
382	24	28	1.0000	1.0000	0.046167
383	24	29	1.0000	1.0000	0.001576
384	24	30	1.0000	1.0000	0.000059
385	24	31	1.0000	1.0000	0.000332
386	24	32	1.0000	1.0000	0.000721
387	24	33	1.0000	1.0000	0.035371
388	24	34	1.0000	1.0000	0.001438
389	24	35	1.0000	1.0000	0.000200
390	24	36	1.0000	1.0000	0.067162
391	24	37	1.0000	1.0000	0.002670
392	24	128	1.0000	1.0000	0.007126
393	24	141	1.0000	1.0000	0.051443
394	25	26	1.0000	1.0000	0.002512
395	25	27	1.0000	1.0000	0.003662
396	25	28	1.0000	1.0000	0.051433
397	25	29	1.0000	1.0000	0.003690

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
398	25	30	1.0000	1.0000	0.005325
399	25	31	1.0000	1.0000	0.004934
400	25	32	1.0000	1.0000	0.004545
401	25	33	1.0000	1.0000	0.030105
402	25	39	1.0000	1.0000	0.041802
403	25	46	1.0000	1.0000	0.004211
404	25	48	1.0000	1.0000	0.034830
405	25	59	1.0000	1.0000	0.007640
406	25	62	1.0000	1.0000	0.004749
407	25	72	1.0000	1.0000	0.005035
408	25	84	1.0000	1.0000	0.050110
409	25	96	1.0000	1.0000	0.019595
410	25	107	1.0000	1.0000	0.002154
411	25	129	1.0000	1.0000	0.046067
412	25	157	1.0000	1.0000	0.303439
413	26	27	1.0000	1.0000	0.006174
414	26	28	1.0000	1.0000	0.048921
415	26	29	1.0000	1.0000	0.001178
416	26	30	1.0000	1.0000	0.002813
417	26	31	1.0000	1.0000	0.002422
418	26	32	1.0000	1.0000	0.002033
419	26	33	1.0000	1.0000	0.032617
420	26	40	1.0000	1.0000	0.040001
421	26	58	1.0000	1.0000	0.003834
422	26	59	1.0000	1.0000	0.010152
423	26	63	1.0000	1.0000	0.029881
424	26	73	1.0000	1.0000	0.013993
425	26	85	1.0000	1.0000	0.046688
426	26	88	1.0000	1.0000	0.057106
427	26	97	1.0000	1.0000	0.010240
428	26	101	1.0000	1.0000	0.000967
429	26	108	1.0000	1.0000	0.002513
430	26	130	1.0000	1.0000	0.002058
431	26	158	1.0000	1.0000	0.694049
432	27	28	1.0000	1.0000	0.055094
433	27	29	1.0000	1.0000	0.007352

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
434	27	30	1.0000	1.0000	0.008987
435	27	31	1.0000	1.0000	0.008596
436	27	32	1.0000	1.0000	0.008207
437	27	33	1.0000	1.0000	0.026443
438	27	49	1.0000	1.0000	0.036822
439	27	70	1.0000	1.0000	0.043849
440	27	71	1.0000	1.0000	0.004388
441	27	72	1.0000	1.0000	0.001373
442	27	73	1.0000	1.0000	0.007819
443	27	74	1.0000	1.0000	0.004526
444	27	75	1.0000	1.0000	0.008588
445	27	76	1.0000	1.0000	0.001007
446	27	77	1.0000	1.0000	0.053918
447	27	110	1.0000	1.0000	0.004862
448	27	131	1.0000	1.0000	0.047144
449	28	29	1.0000	1.0000	0.047743
450	28	30	1.0000	1.0000	0.046108
451	28	31	1.0000	1.0000	0.046499
452	28	32	1.0000	1.0000	0.046888
453	28	33	1.0000	1.0000	0.081537
454	28	66	1.0000	1.0000	0.078202
455	28	82	1.0000	1.0000	0.008209
456	28	83	1.0000	1.0000	0.002100
457	28	84	1.0000	1.0000	0.001322
458	28	85	1.0000	1.0000	0.002233
459	28	86	1.0000	1.0000	0.049661
460	28	89	1.0000	1.0000	0.045895
461	28	93	1.0000	1.0000	0.055692
462	28	102	1.0000	1.0000	0.047293
463	28	132	1.0000	1.0000	0.050273
464	28	159	1.0000	1.0000	0.645128
465	29	30	1.0000	1.0000	0.001635
466	29	31	1.0000	1.0000	0.001244
467	29	32	1.0000	1.0000	0.000855
468	29	33	1.0000	1.0000	0.033795
469	29	35	1.0000	1.0000	0.001776

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
470	29	87	1.0000	1.0000	0.001488
471	29	88	1.0000	1.0000	0.055928
472	29	89	1.0000	1.0000	0.001848
473	29	90	1.0000	1.0000	0.040361
474	29	91	1.0000	1.0000	0.069059
475	29	111	1.0000	1.0000	0.004938
476	29	133	1.0000	1.0000	0.002331
477	29	145	1.0000	1.0000	0.048146
478	30	31	1.0000	1.0000	0.000391
479	30	32	1.0000	1.0000	0.000780
480	30	33	1.0000	1.0000	0.035430
481	30	37	1.0000	1.0000	0.002611
482	30	90	1.0000	1.0000	0.041996
483	30	101	1.0000	1.0000	0.003780
484	30	102	1.0000	1.0000	0.001185
485	30	115	1.0000	1.0000	0.015561
486	30	136	1.0000	1.0000	0.028046
487	30	153	1.0000	1.0000	0.003903
488	31	32	1.0000	1.0000	0.000389
489	31	33	1.0000	1.0000	0.035039
490	31	104	1.0000	1.0000	0.003611
491	31	105	1.0000	1.0000	0.001231
492	31	106	1.0000	1.0000	0.007010
493	31	107	1.0000	1.0000	0.007088
494	31	108	1.0000	1.0000	0.000091
495	31	109	1.0000	1.0000	0.044648
496	31	110	1.0000	1.0000	0.003734
497	31	111	1.0000	1.0000	0.006182
498	31	112	1.0000	1.0000	0.001771
499	31	113	1.0000	1.0000	0.001882
500	31	114	1.0000	1.0000	0.019192
501	31	115	1.0000	1.0000	0.015170
502	31	116	1.0000	1.0000	0.064128
503	31	137	1.0000	1.0000	0.001258
504	32	33	1.0000	1.0000	0.034649
505	32	124	1.0000	1.0000	0.000044

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
506	32	125	1.0000	1.0000	0.001427
507	32	126	1.0000	1.0000	0.003274
508	32	127	1.0000	1.0000	0.001116
509	32	128	1.0000	1.0000	0.006405
510	32	129	1.0000	1.0000	0.041522
511	32	130	1.0000	1.0000	0.000025
512	32	131	1.0000	1.0000	0.038937
513	32	132	1.0000	1.0000	0.003385
514	32	133	1.0000	1.0000	0.001476
515	32	134	1.0000	1.0000	0.000985
516	32	135	1.0000	1.0000	0.029139
517	32	136	1.0000	1.0000	0.027265
518	32	137	1.0000	1.0000	0.001647
519	32	138	1.0000	1.0000	0.020447
520	32	139	1.0000	1.0000	0.067650
521	32	140	1.0000	1.0000	0.025564
522	33	45	1.0000	1.0000	0.048055
523	33	69	1.0000	1.0000	0.025210
524	33	79	1.0000	1.0000	0.015847
525	33	91	1.0000	1.0000	0.102854
526	33	94	1.0000	1.0000	0.022527
527	33	103	1.0000	1.0000	0.035151
528	33	138	1.0000	1.0000	0.014203
529	33	147	1.0000	1.0000	0.046457
530	34	35	1.0000	1.0000	0.001638
531	34	36	1.0000	1.0000	0.068600
532	34	37	1.0000	1.0000	0.004108
533	34	87	1.0000	1.0000	0.001625
534	34	92	1.0000	1.0000	0.071467
535	34	126	1.0000	1.0000	0.002557
536	34	128	1.0000	1.0000	0.005688
537	34	141	1.0000	1.0000	0.050004
538	34	148	1.0000	1.0000	0.073687
539	35	36	1.0000	1.0000	0.066962
540	35	37	1.0000	1.0000	0.002470
541	35	87	1.0000	1.0000	0.003263

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
542	35	88	1.0000	1.0000	0.054152
543	35	89	1.0000	1.0000	0.000072
544	35	90	1.0000	1.0000	0.042137
545	35	91	1.0000	1.0000	0.067283
546	35	111	1.0000	1.0000	0.006713
547	35	128	1.0000	1.0000	0.007326
548	35	133	1.0000	1.0000	0.000555
549	35	141	1.0000	1.0000	0.051642
550	35	145	1.0000	1.0000	0.049922
551	36	37	1.0000	1.0000	0.064492
552	36	92	1.0000	1.0000	0.140067
553	36	93	1.0000	1.0000	0.076687
554	36	112	1.0000	1.0000	0.065723
555	36	128	1.0000	1.0000	0.074288
556	36	134	1.0000	1.0000	0.066898
557	36	141	1.0000	1.0000	0.118605
558	36	151	1.0000	1.0000	0.070741
559	37	90	1.0000	1.0000	0.044607
560	37	101	1.0000	1.0000	0.006391
561	37	102	1.0000	1.0000	0.003796
562	37	115	1.0000	1.0000	0.018172
563	37	128	1.0000	1.0000	0.009796
564	37	136	1.0000	1.0000	0.030656
565	37	141	1.0000	1.0000	0.054112
566	37	153	1.0000	1.0000	0.006513
567	38	39	1.0000	1.0000	0.001548
568	38	40	1.0000	1.0000	0.005861
569	38	41	1.0000	1.0000	0.028843
570	38	42	1.0000	1.0000	0.015844
571	38	43	1.0000	1.0000	0.030540
572	38	44	1.0000	1.0000	0.069357
573	38	45	1.0000	1.0000	0.034809
574	38	58	1.0000	1.0000	0.042028
575	38	60	1.0000	1.0000	0.038592
576	38	71	1.0000	1.0000	0.035300
577	38	80	1.0000	1.0000	0.029372

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
578	38	82	1.0000	1.0000	0.102991
579	38	104	1.0000	1.0000	0.044673
580	38	117	1.0000	1.0000	0.025901
581	38	119	1.0000	1.0000	0.029372
582	38	124	1.0000	1.0000	0.047939
583	38	142	1.0000	1.0000	0.027686
584	38	149	1.0000	1.0000	0.005601
585	38	155	1.0000	1.0000	0.102634
586	39	40	1.0000	1.0000	0.004313
587	39	41	1.0000	1.0000	0.030391
588	39	42	1.0000	1.0000	0.017392
589	39	43	1.0000	1.0000	0.032088
590	39	44	1.0000	1.0000	0.070905
591	39	45	1.0000	1.0000	0.036357
592	39	46	1.0000	1.0000	0.037591
593	39	48	1.0000	1.0000	0.006972
594	39	59	1.0000	1.0000	0.034162
595	39	62	1.0000	1.0000	0.037053
596	39	71	1.0000	1.0000	0.033752
597	39	72	1.0000	1.0000	0.036767
598	39	84	1.0000	1.0000	0.091913
599	39	96	1.0000	1.0000	0.022207
600	39	107	1.0000	1.0000	0.039648
601	39	119	1.0000	1.0000	0.027824
602	39	129	1.0000	1.0000	0.087869
603	39	142	1.0000	1.0000	0.026138
604	39	149	1.0000	1.0000	0.004053
605	39	157	1.0000	1.0000	0.261637
606	40	41	1.0000	1.0000	0.034704
607	40	42	1.0000	1.0000	0.021705
608	40	43	1.0000	1.0000	0.036401
609	40	44	1.0000	1.0000	0.075218
610	40	45	1.0000	1.0000	0.040670
611	40	58	1.0000	1.0000	0.036167
612	40	59	1.0000	1.0000	0.029849
613	40	63	1.0000	1.0000	0.010120

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
614	40	71	1.0000	1.0000	0.029439
615	40	73	1.0000	1.0000	0.026008
616	40	85	1.0000	1.0000	0.086689
617	40	88	1.0000	1.0000	0.097107
618	40	97	1.0000	1.0000	0.029761
619	40	101	1.0000	1.0000	0.039034
620	40	108	1.0000	1.0000	0.042514
621	40	119	1.0000	1.0000	0.023511
622	40	130	1.0000	1.0000	0.042059
623	40	142	1.0000	1.0000	0.021825
624	40	149	1.0000	1.0000	0.000260
625	40	158	1.0000	1.0000	0.734050
626	41	42	1.0000	1.0000	0.012999
627	41	43	1.0000	1.0000	0.001697
628	41	44	1.0000	1.0000	0.040514
629	41	45	1.0000	1.0000	0.005966
630	41	50	1.0000	1.0000	0.007207
631	41	64	1.0000	1.0000	0.054744
632	41	71	1.0000	1.0000	0.064144
633	41	78	1.0000	1.0000	0.006011
634	41	79	1.0000	1.0000	0.057936
635	41	119	1.0000	1.0000	0.058215
636	41	142	1.0000	1.0000	0.056529
637	41	144	1.0000	1.0000	0.015253
638	41	149	1.0000	1.0000	0.034444
639	41	150	1.0000	1.0000	0.044226
640	42	43	1.0000	1.0000	0.014696
641	42	44	1.0000	1.0000	0.053513
642	42	45	1.0000	1.0000	0.018965
643	42	51	1.0000	1.0000	0.007497
644	42	65	1.0000	1.0000	0.103097
645	42	71	1.0000	1.0000	0.051144
646	42	80	1.0000	1.0000	0.045216
647	42	81	1.0000	1.0000	0.110686
648	42	98	1.0000	1.0000	0.057570
649	42	119	1.0000	1.0000	0.045216

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
650	42	121	1.0000	1.0000	0.060662
651	42	142	1.0000	1.0000	0.043530
652	42	149	1.0000	1.0000	0.021445
653	43	44	1.0000	1.0000	0.038817
654	43	45	1.0000	1.0000	0.004270
655	43	52	1.0000	1.0000	0.007513
656	43	67	1.0000	1.0000	0.066232
657	43	71	1.0000	1.0000	0.065840
658	43	78	1.0000	1.0000	0.007707
659	43	94	1.0000	1.0000	0.066312
660	43	119	1.0000	1.0000	0.059912
661	43	142	1.0000	1.0000	0.058225
662	43	149	1.0000	1.0000	0.036140
663	43	152	1.0000	1.0000	0.079759
664	44	45	1.0000	1.0000	0.034548
665	44	55	1.0000	1.0000	0.061010
666	44	71	1.0000	1.0000	0.104658
667	44	103	1.0000	1.0000	0.117754
668	44	119	1.0000	1.0000	0.098729
669	44	142	1.0000	1.0000	0.097043
670	44	149	1.0000	1.0000	0.074958
671	44	154	1.0000	1.0000	0.116886
672	45	69	1.0000	1.0000	0.073265
673	45	71	1.0000	1.0000	0.070110
674	45	79	1.0000	1.0000	0.063902
675	45	91	1.0000	1.0000	0.150908
676	45	94	1.0000	1.0000	0.070582
677	45	103	1.0000	1.0000	0.083206
678	45	119	1.0000	1.0000	0.064181
679	45	138	1.0000	1.0000	0.062258
680	45	142	1.0000	1.0000	0.062495
681	45	147	1.0000	1.0000	0.094512
682	45	149	1.0000	1.0000	0.040410
683	46	48	1.0000	1.0000	0.030619
684	46	53	1.0000	1.0000	0.030763
685	46	59	1.0000	1.0000	0.003429

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
686	46	62	1.0000	1.0000	0.000537
687	46	68	1.0000	1.0000	0.034025
688	46	72	1.0000	1.0000	0.000824
689	46	75	1.0000	1.0000	0.008038
690	46	81	1.0000	1.0000	0.055703
691	46	84	1.0000	1.0000	0.054322
692	46	86	1.0000	1.0000	0.005983
693	46	96	1.0000	1.0000	0.015384
694	46	99	1.0000	1.0000	0.007914
695	46	107	1.0000	1.0000	0.002058
696	46	113	1.0000	1.0000	0.011028
697	46	122	1.0000	1.0000	0.008026
698	46	129	1.0000	1.0000	0.050278
699	46	135	1.0000	1.0000	0.020382
700	46	146	1.0000	1.0000	0.063889
701	46	157	1.0000	1.0000	0.299228
702	46	160	1.0000	1.0000	0.700772
703	47	48	1.0000	1.0000	0.000733
704	47	49	1.0000	1.0000	0.004921
705	47	50	1.0000	1.0000	0.029423
706	47	51	1.0000	1.0000	0.016134
707	47	52	1.0000	1.0000	0.030814
708	47	53	1.0000	1.0000	0.000589
709	47	54	1.0000	1.0000	0.007493
710	47	55	1.0000	1.0000	0.016134
711	47	56	1.0000	1.0000	0.020241
712	47	57	1.0000	1.0000	0.034369
713	47	61	1.0000	1.0000	0.028034
714	47	83	1.0000	1.0000	0.084896
715	47	95	1.0000	1.0000	0.031232
716	47	106	1.0000	1.0000	0.033487
717	47	127	1.0000	1.0000	0.038992
718	47	156	1.0000	1.0000	0.036841
719	48	49	1.0000	1.0000	0.005654
720	48	50	1.0000	1.0000	0.030156
721	48	51	1.0000	1.0000	0.016867

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
722	48	52	1.0000	1.0000	0.031546
723	48	53	1.0000	1.0000	0.000144
724	48	54	1.0000	1.0000	0.008225
725	48	55	1.0000	1.0000	0.016867
726	48	56	1.0000	1.0000	0.020974
727	48	57	1.0000	1.0000	0.033636
728	48	59	1.0000	1.0000	0.027190
729	48	62	1.0000	1.0000	0.030082
730	48	72	1.0000	1.0000	0.029795
731	48	84	1.0000	1.0000	0.084941
732	48	96	1.0000	1.0000	0.015235
733	48	107	1.0000	1.0000	0.032677
734	48	129	1.0000	1.0000	0.080897
735	48	157	1.0000	1.0000	0.268609
736	49	50	1.0000	1.0000	0.024502
737	49	51	1.0000	1.0000	0.011214
738	49	52	1.0000	1.0000	0.025893
739	49	53	1.0000	1.0000	0.005510
740	49	54	1.0000	1.0000	0.002572
741	49	55	1.0000	1.0000	0.011214
742	49	56	1.0000	1.0000	0.015320
743	49	57	1.0000	1.0000	0.039290
744	49	70	1.0000	1.0000	0.007027
745	49	71	1.0000	1.0000	0.032434
746	49	72	1.0000	1.0000	0.035449
747	49	73	1.0000	1.0000	0.029003
748	49	74	1.0000	1.0000	0.032296
749	49	75	1.0000	1.0000	0.028235
750	49	76	1.0000	1.0000	0.037829
751	49	77	1.0000	1.0000	0.017096
752	49	110	1.0000	1.0000	0.041684
753	49	131	1.0000	1.0000	0.083966
754	50	51	1.0000	1.0000	0.013289
755	50	52	1.0000	1.0000	0.001391
756	50	53	1.0000	1.0000	0.030012
757	50	54	1.0000	1.0000	0.021931

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
758	50	55	1.0000	1.0000	0.013289
759	50	56	1.0000	1.0000	0.009182
760	50	57	1.0000	1.0000	0.063792
761	50	64	1.0000	1.0000	0.047538
762	50	78	1.0000	1.0000	0.001196
763	50	79	1.0000	1.0000	0.050729
764	50	144	1.0000	1.0000	0.008046
765	50	150	1.0000	1.0000	0.051433
766	51	52	1.0000	1.0000	0.014679
767	51	53	1.0000	1.0000	0.016723
768	51	54	1.0000	1.0000	0.008642
769	51	55	1.0000	1.0000	0.000000
770	51	56	1.0000	1.0000	0.004106
771	51	57	1.0000	1.0000	0.050503
772	51	65	1.0000	1.0000	0.095601
773	51	80	1.0000	1.0000	0.037719
774	51	81	1.0000	1.0000	0.103189
775	51	98	1.0000	1.0000	0.050074
776	51	121	1.0000	1.0000	0.053166
777	52	53	1.0000	1.0000	0.031402
778	52	54	1.0000	1.0000	0.023321
779	52	55	1.0000	1.0000	0.014679
780	52	56	1.0000	1.0000	0.010573
781	52	57	1.0000	1.0000	0.065183
782	52	67	1.0000	1.0000	0.058719
783	52	78	1.0000	1.0000	0.000194
784	52	94	1.0000	1.0000	0.058799
785	52	152	1.0000	1.0000	0.072245
786	53	54	1.0000	1.0000	0.008081
787	53	55	1.0000	1.0000	0.016723
788	53	56	1.0000	1.0000	0.020830
789	53	57	1.0000	1.0000	0.033780
790	53	68	1.0000	1.0000	0.003262
791	53	75	1.0000	1.0000	0.022725
792	53	81	1.0000	1.0000	0.086466
793	53	86	1.0000	1.0000	0.036746

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
794	53	99	1.0000	1.0000	0.038677
795	53	113	1.0000	1.0000	0.041791
796	53	122	1.0000	1.0000	0.038789
797	53	135	1.0000	1.0000	0.010381
798	53	146	1.0000	1.0000	0.033126
799	53	160	1.0000	1.0000	0.731535
800	54	55	1.0000	1.0000	0.008642
801	54	56	1.0000	1.0000	0.012748
802	54	57	1.0000	1.0000	0.041861
803	54	76	1.0000	1.0000	0.040401
804	54	95	1.0000	1.0000	0.038725
805	54	96	1.0000	1.0000	0.023461
806	54	97	1.0000	1.0000	0.035328
807	54	98	1.0000	1.0000	0.041432
808	54	99	1.0000	1.0000	0.046758
809	54	100	1.0000	1.0000	0.109713
810	54	114	1.0000	1.0000	0.028798
811	54	123	1.0000	1.0000	0.046536
812	55	56	1.0000	1.0000	0.004106
813	55	57	1.0000	1.0000	0.050503
814	55	103	1.0000	1.0000	0.056744
815	55	154	1.0000	1.0000	0.055876
816	56	57	1.0000	1.0000	0.054610
817	56	117	1.0000	1.0000	0.038355
818	56	118	1.0000	1.0000	0.027910
819	56	119	1.0000	1.0000	0.041826
820	56	120	1.0000	1.0000	0.036209
821	56	121	1.0000	1.0000	0.057272
822	56	122	1.0000	1.0000	0.059619
823	56	123	1.0000	1.0000	0.059284
824	57	141	1.0000	1.0000	0.044982
825	57	142	1.0000	1.0000	0.014470
826	57	143	1.0000	1.0000	0.016517
827	57	144	1.0000	1.0000	0.055746
828	57	145	1.0000	1.0000	0.043262
829	57	146	1.0000	1.0000	0.066906

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
830	57	147	1.0000	1.0000	0.017546
831	58	59	1.0000	1.0000	0.006318
832	58	60	1.0000	1.0000	0.003436
833	58	63	1.0000	1.0000	0.026046
834	58	73	1.0000	1.0000	0.010159
835	58	80	1.0000	1.0000	0.012656
836	58	82	1.0000	1.0000	0.060964
837	58	85	1.0000	1.0000	0.050522
838	58	88	1.0000	1.0000	0.060940
839	58	97	1.0000	1.0000	0.006405
840	58	101	1.0000	1.0000	0.002867
841	58	104	1.0000	1.0000	0.002646
842	58	108	1.0000	1.0000	0.006347
843	58	117	1.0000	1.0000	0.016126
844	58	124	1.0000	1.0000	0.005912
845	58	130	1.0000	1.0000	0.005892
846	58	155	1.0000	1.0000	0.060607
847	58	158	1.0000	1.0000	0.697883
848	59	62	1.0000	1.0000	0.002892
849	59	63	1.0000	1.0000	0.019728
850	59	72	1.0000	1.0000	0.002605
851	59	73	1.0000	1.0000	0.003841
852	59	84	1.0000	1.0000	0.057751
853	59	85	1.0000	1.0000	0.056840
854	59	88	1.0000	1.0000	0.067258
855	59	96	1.0000	1.0000	0.011955
856	59	97	1.0000	1.0000	0.000087
857	59	101	1.0000	1.0000	0.009185
858	59	107	1.0000	1.0000	0.005486
859	59	108	1.0000	1.0000	0.012665
860	59	129	1.0000	1.0000	0.053707
861	59	130	1.0000	1.0000	0.012210
862	59	157	1.0000	1.0000	0.295799
863	59	158	1.0000	1.0000	0.704201
864	60	61	1.0000	1.0000	0.002771
865	60	62	1.0000	1.0000	0.000009

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
866	60	63	1.0000	1.0000	0.022610
867	60	64	1.0000	1.0000	0.012691
868	60	65	1.0000	1.0000	0.048661
869	60	66	1.0000	1.0000	0.022011
870	60	67	1.0000	1.0000	0.002899
871	60	68	1.0000	1.0000	0.033478
872	60	69	1.0000	1.0000	0.000137
873	60	74	1.0000	1.0000	0.003430
874	60	80	1.0000	1.0000	0.009220
875	60	82	1.0000	1.0000	0.064399
876	60	104	1.0000	1.0000	0.006081
877	60	109	1.0000	1.0000	0.054340
878	60	117	1.0000	1.0000	0.012691
879	60	120	1.0000	1.0000	0.014837
880	60	124	1.0000	1.0000	0.009347
881	60	143	1.0000	1.0000	0.012953
882	60	155	1.0000	1.0000	0.064042
883	61	62	1.0000	1.0000	0.002781
884	61	63	1.0000	1.0000	0.019839
885	61	64	1.0000	1.0000	0.009919
886	61	65	1.0000	1.0000	0.051433
887	61	66	1.0000	1.0000	0.019240
888	61	67	1.0000	1.0000	0.000128
889	61	68	1.0000	1.0000	0.030707
890	61	69	1.0000	1.0000	0.002635
891	61	74	1.0000	1.0000	0.000658
892	61	83	1.0000	1.0000	0.056862
893	61	95	1.0000	1.0000	0.003199
894	61	106	1.0000	1.0000	0.005453
895	61	109	1.0000	1.0000	0.057112
896	61	120	1.0000	1.0000	0.012065
897	61	127	1.0000	1.0000	0.010959
898	61	143	1.0000	1.0000	0.010182
899	61	156	1.0000	1.0000	0.008808
900	62	63	1.0000	1.0000	0.022620
901	62	64	1.0000	1.0000	0.012700

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
902	62	65	1.0000	1.0000	0.048652
903	62	66	1.0000	1.0000	0.022021
904	62	67	1.0000	1.0000	0.002909
905	62	68	1.0000	1.0000	0.033488
906	62	69	1.0000	1.0000	0.000146
907	62	72	1.0000	1.0000	0.000286
908	62	74	1.0000	1.0000	0.003439
909	62	84	1.0000	1.0000	0.054859
910	62	96	1.0000	1.0000	0.014846
911	62	107	1.0000	1.0000	0.002595
912	62	109	1.0000	1.0000	0.054331
913	62	120	1.0000	1.0000	0.014846
914	62	129	1.0000	1.0000	0.050816
915	62	143	1.0000	1.0000	0.012963
916	62	157	1.0000	1.0000	0.298690
917	63	64	1.0000	1.0000	0.009920
918	63	65	1.0000	1.0000	0.071272
919	63	66	1.0000	1.0000	0.000599
920	63	67	1.0000	1.0000	0.019711
921	63	68	1.0000	1.0000	0.010868
922	63	69	1.0000	1.0000	0.022474
923	63	73	1.0000	1.0000	0.015888
924	63	74	1.0000	1.0000	0.019181
925	63	85	1.0000	1.0000	0.076568
926	63	88	1.0000	1.0000	0.086986
927	63	97	1.0000	1.0000	0.019641
928	63	101	1.0000	1.0000	0.028913
929	63	108	1.0000	1.0000	0.032393
930	63	109	1.0000	1.0000	0.076951
931	63	120	1.0000	1.0000	0.007774
932	63	130	1.0000	1.0000	0.031939
933	63	143	1.0000	1.0000	0.009657
934	63	158	1.0000	1.0000	0.723930
935	64	65	1.0000	1.0000	0.061352
936	64	66	1.0000	1.0000	0.009320
937	64	67	1.0000	1.0000	0.009791

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
938	64	68	1.0000	1.0000	0.020788
939	64	69	1.0000	1.0000	0.012554
940	64	74	1.0000	1.0000	0.009261
941	64	78	1.0000	1.0000	0.048734
942	64	79	1.0000	1.0000	0.003191
943	64	109	1.0000	1.0000	0.067031
944	64	120	1.0000	1.0000	0.002146
945	64	143	1.0000	1.0000	0.000262
946	64	144	1.0000	1.0000	0.039492
947	64	150	1.0000	1.0000	0.098970
948	65	66	1.0000	1.0000	0.070672
949	65	67	1.0000	1.0000	0.051561
950	65	68	1.0000	1.0000	0.082140
951	65	69	1.0000	1.0000	0.048798
952	65	74	1.0000	1.0000	0.052091
953	65	80	1.0000	1.0000	0.057881
954	65	81	1.0000	1.0000	0.007589
955	65	98	1.0000	1.0000	0.045527
956	65	109	1.0000	1.0000	0.005679
957	65	120	1.0000	1.0000	0.063498
958	65	121	1.0000	1.0000	0.042435
959	65	143	1.0000	1.0000	0.061614
960	66	67	1.0000	1.0000	0.019112
961	66	68	1.0000	1.0000	0.011467
962	66	69	1.0000	1.0000	0.021874
963	66	74	1.0000	1.0000	0.018581
964	66	82	1.0000	1.0000	0.086410
965	66	83	1.0000	1.0000	0.076102
966	66	84	1.0000	1.0000	0.076880
967	66	85	1.0000	1.0000	0.075969
968	66	86	1.0000	1.0000	0.028541
969	66	89	1.0000	1.0000	0.032307
970	66	93	1.0000	1.0000	0.022510
971	66	102	1.0000	1.0000	0.030909
972	66	109	1.0000	1.0000	0.076351
973	66	120	1.0000	1.0000	0.007174

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
974	66	132	1.0000	1.0000	0.027929
975	66	143	1.0000	1.0000	0.009058
976	66	159	1.0000	1.0000	0.723330
977	67	68	1.0000	1.0000	0.030579
978	67	69	1.0000	1.0000	0.002763
979	67	74	1.0000	1.0000	0.000530
980	67	78	1.0000	1.0000	0.058525
981	67	94	1.0000	1.0000	0.000080
982	67	109	1.0000	1.0000	0.057240
983	67	120	1.0000	1.0000	0.011937
984	67	143	1.0000	1.0000	0.010054
985	67	152	1.0000	1.0000	0.013526
986	68	69	1.0000	1.0000	0.033342
987	68	74	1.0000	1.0000	0.030049
988	68	75	1.0000	1.0000	0.025987
989	68	81	1.0000	1.0000	0.089728
990	68	86	1.0000	1.0000	0.040009
991	68	99	1.0000	1.0000	0.041939
992	68	109	1.0000	1.0000	0.087819
993	68	113	1.0000	1.0000	0.045053
994	68	120	1.0000	1.0000	0.018642
995	68	122	1.0000	1.0000	0.042052
996	68	135	1.0000	1.0000	0.013643
997	68	143	1.0000	1.0000	0.020525
998	68	146	1.0000	1.0000	0.029864
999	68	160	1.0000	1.0000	0.734798
1000	69	74	1.0000	1.0000	0.003293
1001	69	79	1.0000	1.0000	0.009363
1002	69	91	1.0000	1.0000	0.077644
1003	69	94	1.0000	1.0000	0.002682
1004	69	103	1.0000	1.0000	0.009941
1005	69	109	1.0000	1.0000	0.054477
1006	69	120	1.0000	1.0000	0.014700
1007	69	138	1.0000	1.0000	0.011007
1008	69	143	1.0000	1.0000	0.012816
1009	69	147	1.0000	1.0000	0.021247

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1010	70	71	1.0000	1.0000	0.039461
1011	70	72	1.0000	1.0000	0.042476
1012	70	73	1.0000	1.0000	0.036030
1013	70	74	1.0000	1.0000	0.039323
1014	70	75	1.0000	1.0000	0.035261
1015	70	76	1.0000	1.0000	0.044856
1016	70	77	1.0000	1.0000	0.010070
1017	70	105	1.0000	1.0000	0.051214
1018	70	110	1.0000	1.0000	0.048711
1019	70	118	1.0000	1.0000	0.019617
1020	70	125	1.0000	1.0000	0.053482
1021	70	131	1.0000	1.0000	0.090993
1022	71	72	1.0000	1.0000	0.003015
1023	71	73	1.0000	1.0000	0.003431
1024	71	74	1.0000	1.0000	0.000138
1025	71	75	1.0000	1.0000	0.004200
1026	71	76	1.0000	1.0000	0.005395
1027	71	77	1.0000	1.0000	0.049531
1028	71	110	1.0000	1.0000	0.009250
1029	71	119	1.0000	1.0000	0.005928
1030	71	131	1.0000	1.0000	0.051532
1031	71	142	1.0000	1.0000	0.007615
1032	71	149	1.0000	1.0000	0.029700
1033	72	73	1.0000	1.0000	0.006446
1034	72	74	1.0000	1.0000	0.003153
1035	72	75	1.0000	1.0000	0.007214
1036	72	76	1.0000	1.0000	0.002380
1037	72	77	1.0000	1.0000	0.052545
1038	72	84	1.0000	1.0000	0.055145
1039	72	96	1.0000	1.0000	0.014560
1040	72	107	1.0000	1.0000	0.002881
1041	72	110	1.0000	1.0000	0.006235
1042	72	129	1.0000	1.0000	0.051102
1043	72	131	1.0000	1.0000	0.048517
1044	72	157	1.0000	1.0000	0.298404
1045	73	74	1.0000	1.0000	0.003293

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1046	73	75	1.0000	1.0000	0.000768
1047	73	76	1.0000	1.0000	0.008826
1048	73	77	1.0000	1.0000	0.046099
1049	73	85	1.0000	1.0000	0.060680
1050	73	88	1.0000	1.0000	0.071099
1051	73	97	1.0000	1.0000	0.003753
1052	73	101	1.0000	1.0000	0.013025
1053	73	108	1.0000	1.0000	0.016506
1054	73	110	1.0000	1.0000	0.012681
1055	73	130	1.0000	1.0000	0.016051
1056	73	131	1.0000	1.0000	0.054963
1057	73	158	1.0000	1.0000	0.708042
1058	74	75	1.0000	1.0000	0.004061
1059	74	76	1.0000	1.0000	0.005533
1060	74	77	1.0000	1.0000	0.049392
1061	74	109	1.0000	1.0000	0.057770
1062	74	110	1.0000	1.0000	0.009388
1063	74	120	1.0000	1.0000	0.011407
1064	74	131	1.0000	1.0000	0.051670
1065	74	143	1.0000	1.0000	0.009523
1066	75	76	1.0000	1.0000	0.009594
1067	75	77	1.0000	1.0000	0.045331
1068	75	81	1.0000	1.0000	0.063741
1069	75	86	1.0000	1.0000	0.014021
1070	75	99	1.0000	1.0000	0.015952
1071	75	110	1.0000	1.0000	0.013449
1072	75	113	1.0000	1.0000	0.019066
1073	75	122	1.0000	1.0000	0.016064
1074	75	131	1.0000	1.0000	0.055731
1075	75	135	1.0000	1.0000	0.012344
1076	75	146	1.0000	1.0000	0.055851
1077	75	160	1.0000	1.0000	0.708810
1078	76	77	1.0000	1.0000	0.054925
1079	76	95	1.0000	1.0000	0.001676
1080	76	96	1.0000	1.0000	0.016940
1081	76	97	1.0000	1.0000	0.005073

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1082	76	98	1.0000	1.0000	0.001031
1083	76	99	1.0000	1.0000	0.006357
1084	76	100	1.0000	1.0000	0.069312
1085	76	110	1.0000	1.0000	0.003855
1086	76	114	1.0000	1.0000	0.011603
1087	76	123	1.0000	1.0000	0.006135
1088	76	131	1.0000	1.0000	0.046137
1089	77	100	1.0000	1.0000	0.124237
1090	77	110	1.0000	1.0000	0.058780
1091	77	116	1.0000	1.0000	0.001614
1092	77	131	1.0000	1.0000	0.101062
1093	77	140	1.0000	1.0000	0.036561
1094	77	155	1.0000	1.0000	0.116864
1095	77	156	1.0000	1.0000	0.058859
1096	77	157	1.0000	1.0000	0.245859
1097	77	158	1.0000	1.0000	0.754141
1098	77	159	1.0000	1.0000	0.754141
1099	77	160	1.0000	1.0000	0.754141
1100	78	79	1.0000	1.0000	0.051925
1101	78	94	1.0000	1.0000	0.058605
1102	78	144	1.0000	1.0000	0.009242
1103	78	150	1.0000	1.0000	0.050236
1104	78	152	1.0000	1.0000	0.072051
1105	79	91	1.0000	1.0000	0.087006
1106	79	94	1.0000	1.0000	0.006680
1107	79	103	1.0000	1.0000	0.019304
1108	79	138	1.0000	1.0000	0.001644
1109	79	144	1.0000	1.0000	0.042683
1110	79	147	1.0000	1.0000	0.030610
1111	79	150	1.0000	1.0000	0.102161
1112	80	81	1.0000	1.0000	0.065470
1113	80	82	1.0000	1.0000	0.073619
1114	80	98	1.0000	1.0000	0.012354
1115	80	104	1.0000	1.0000	0.015301
1116	80	117	1.0000	1.0000	0.003471
1117	80	121	1.0000	1.0000	0.015446

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1118	80	124	1.0000	1.0000	0.018567
1119	80	155	1.0000	1.0000	0.073262
1120	81	86	1.0000	1.0000	0.049720
1121	81	98	1.0000	1.0000	0.053116
1122	81	99	1.0000	1.0000	0.047790
1123	81	113	1.0000	1.0000	0.044675
1124	81	121	1.0000	1.0000	0.050024
1125	81	122	1.0000	1.0000	0.047677
1126	81	135	1.0000	1.0000	0.076086
1127	81	146	1.0000	1.0000	0.119592
1128	81	160	1.0000	1.0000	0.645069
1129	82	83	1.0000	1.0000	0.010309
1130	82	84	1.0000	1.0000	0.009531
1131	82	85	1.0000	1.0000	0.010442
1132	82	86	1.0000	1.0000	0.057869
1133	82	89	1.0000	1.0000	0.054103
1134	82	93	1.0000	1.0000	0.063900
1135	82	102	1.0000	1.0000	0.055501
1136	82	104	1.0000	1.0000	0.058318
1137	82	117	1.0000	1.0000	0.077090
1138	82	124	1.0000	1.0000	0.055052
1139	82	132	1.0000	1.0000	0.058482
1140	82	155	1.0000	1.0000	0.000357
1141	82	159	1.0000	1.0000	0.636920
1142	83	84	1.0000	1.0000	0.000778
1143	83	85	1.0000	1.0000	0.000133
1144	83	86	1.0000	1.0000	0.047560
1145	83	89	1.0000	1.0000	0.043795
1146	83	93	1.0000	1.0000	0.053591
1147	83	95	1.0000	1.0000	0.053664
1148	83	102	1.0000	1.0000	0.045193
1149	83	106	1.0000	1.0000	0.051409
1150	83	127	1.0000	1.0000	0.045903
1151	83	132	1.0000	1.0000	0.048173
1152	83	156	1.0000	1.0000	0.048054
1153	83	159	1.0000	1.0000	0.647228

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1154	84	85	1.0000	1.0000	0.000911
1155	84	86	1.0000	1.0000	0.048338
1156	84	89	1.0000	1.0000	0.044573
1157	84	93	1.0000	1.0000	0.054369
1158	84	96	1.0000	1.0000	0.069705
1159	84	102	1.0000	1.0000	0.045970
1160	84	107	1.0000	1.0000	0.052264
1161	84	129	1.0000	1.0000	0.004043
1162	84	132	1.0000	1.0000	0.048951
1163	84	157	1.0000	1.0000	0.353550
1164	84	159	1.0000	1.0000	0.646450
1165	85	86	1.0000	1.0000	0.047427
1166	85	88	1.0000	1.0000	0.010418
1167	85	89	1.0000	1.0000	0.043662
1168	85	93	1.0000	1.0000	0.053458
1169	85	97	1.0000	1.0000	0.056927
1170	85	101	1.0000	1.0000	0.047655
1171	85	102	1.0000	1.0000	0.045060
1172	85	108	1.0000	1.0000	0.044175
1173	85	130	1.0000	1.0000	0.044630
1174	85	132	1.0000	1.0000	0.048040
1175	85	158	1.0000	1.0000	0.647361
1176	85	159	1.0000	1.0000	0.647361
1177	86	89	1.0000	1.0000	0.003766
1178	86	93	1.0000	1.0000	0.006031
1179	86	99	1.0000	1.0000	0.001930
1180	86	102	1.0000	1.0000	0.002368
1181	86	113	1.0000	1.0000	0.005044
1182	86	122	1.0000	1.0000	0.002043
1183	86	132	1.0000	1.0000	0.000613
1184	86	135	1.0000	1.0000	0.026366
1185	86	146	1.0000	1.0000	0.069872
1186	86	159	1.0000	1.0000	0.694789
1187	86	160	1.0000	1.0000	0.694789
1188	87	88	1.0000	1.0000	0.057415
1189	87	89	1.0000	1.0000	0.003335

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1190	87	90	1.0000	1.0000	0.038874
1191	87	91	1.0000	1.0000	0.070546
1192	87	92	1.0000	1.0000	0.069842
1193	87	111	1.0000	1.0000	0.003450
1194	87	126	1.0000	1.0000	0.000932
1195	87	133	1.0000	1.0000	0.003819
1196	87	145	1.0000	1.0000	0.046658
1197	87	148	1.0000	1.0000	0.072062
1198	88	89	1.0000	1.0000	0.054080
1199	88	90	1.0000	1.0000	0.096289
1200	88	91	1.0000	1.0000	0.013131
1201	88	97	1.0000	1.0000	0.067346
1202	88	101	1.0000	1.0000	0.058073
1203	88	108	1.0000	1.0000	0.054593
1204	88	111	1.0000	1.0000	0.060865
1205	88	130	1.0000	1.0000	0.055048
1206	88	133	1.0000	1.0000	0.053597
1207	88	145	1.0000	1.0000	0.104074
1208	88	158	1.0000	1.0000	0.636943
1209	89	90	1.0000	1.0000	0.042209
1210	89	91	1.0000	1.0000	0.067211
1211	89	93	1.0000	1.0000	0.009797
1212	89	102	1.0000	1.0000	0.001398
1213	89	111	1.0000	1.0000	0.006785
1214	89	132	1.0000	1.0000	0.004378
1215	89	133	1.0000	1.0000	0.000483
1216	89	145	1.0000	1.0000	0.049994
1217	89	159	1.0000	1.0000	0.691023
1218	90	91	1.0000	1.0000	0.109420
1219	90	101	1.0000	1.0000	0.038216
1220	90	102	1.0000	1.0000	0.040811
1221	90	111	1.0000	1.0000	0.035423
1222	90	115	1.0000	1.0000	0.026435
1223	90	133	1.0000	1.0000	0.042692
1224	90	136	1.0000	1.0000	0.013950
1225	90	145	1.0000	1.0000	0.007785

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1226	90	153	1.0000	1.0000	0.038093
1227	91	94	1.0000	1.0000	0.080326
1228	91	103	1.0000	1.0000	0.067703
1229	91	111	1.0000	1.0000	0.073996
1230	91	133	1.0000	1.0000	0.066728
1231	91	138	1.0000	1.0000	0.088651
1232	91	145	1.0000	1.0000	0.117205
1233	91	147	1.0000	1.0000	0.056397
1234	92	93	1.0000	1.0000	0.063380
1235	92	112	1.0000	1.0000	0.074344
1236	92	126	1.0000	1.0000	0.068910
1237	92	134	1.0000	1.0000	0.073169
1238	92	148	1.0000	1.0000	0.002220
1239	92	151	1.0000	1.0000	0.069326
1240	93	102	1.0000	1.0000	0.008399
1241	93	112	1.0000	1.0000	0.010963
1242	93	132	1.0000	1.0000	0.005418
1243	93	134	1.0000	1.0000	0.009789
1244	93	151	1.0000	1.0000	0.005945
1245	93	159	1.0000	1.0000	0.700820
1246	94	103	1.0000	1.0000	0.012624
1247	94	138	1.0000	1.0000	0.008325
1248	94	147	1.0000	1.0000	0.023929
1249	94	152	1.0000	1.0000	0.013446
1250	95	96	1.0000	1.0000	0.015264
1251	95	97	1.0000	1.0000	0.003397
1252	95	98	1.0000	1.0000	0.002707
1253	95	99	1.0000	1.0000	0.008033
1254	95	100	1.0000	1.0000	0.070988
1255	95	106	1.0000	1.0000	0.002255
1256	95	114	1.0000	1.0000	0.009927
1257	95	123	1.0000	1.0000	0.007811
1258	95	127	1.0000	1.0000	0.007760
1259	95	156	1.0000	1.0000	0.005609
1260	96	97	1.0000	1.0000	0.011867
1261	96	98	1.0000	1.0000	0.017971

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1262	96	99	1.0000	1.0000	0.023297
1263	96	100	1.0000	1.0000	0.086252
1264	96	107	1.0000	1.0000	0.017441
1265	96	114	1.0000	1.0000	0.005337
1266	96	123	1.0000	1.0000	0.023075
1267	96	129	1.0000	1.0000	0.065662
1268	96	157	1.0000	1.0000	0.283844
1269	97	98	1.0000	1.0000	0.006104
1270	97	99	1.0000	1.0000	0.011430
1271	97	100	1.0000	1.0000	0.074385
1272	97	101	1.0000	1.0000	0.009272
1273	97	108	1.0000	1.0000	0.012752
1274	97	114	1.0000	1.0000	0.006530
1275	97	123	1.0000	1.0000	0.011208
1276	97	130	1.0000	1.0000	0.012298
1277	97	158	1.0000	1.0000	0.704289
1278	98	99	1.0000	1.0000	0.005326
1279	98	100	1.0000	1.0000	0.068281
1280	98	114	1.0000	1.0000	0.012634
1281	98	121	1.0000	1.0000	0.003092
1282	98	123	1.0000	1.0000	0.005104
1283	99	100	1.0000	1.0000	0.062955
1284	99	113	1.0000	1.0000	0.003114
1285	99	114	1.0000	1.0000	0.017960
1286	99	122	1.0000	1.0000	0.000113
1287	99	123	1.0000	1.0000	0.000222
1288	99	135	1.0000	1.0000	0.028296
1289	99	146	1.0000	1.0000	0.071803
1290	99	160	1.0000	1.0000	0.692859
1291	100	114	1.0000	1.0000	0.080915
1292	100	116	1.0000	1.0000	0.125851
1293	100	123	1.0000	1.0000	0.063177
1294	100	140	1.0000	1.0000	0.087677
1295	100	155	1.0000	1.0000	0.007373
1296	100	156	1.0000	1.0000	0.065379
1297	100	157	1.0000	1.0000	0.370096

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1298	100	158	1.0000	1.0000	0.629904
1299	100	159	1.0000	1.0000	0.629904
1300	100	160	1.0000	1.0000	0.629904
1301	101	102	1.0000	1.0000	0.002595
1302	101	108	1.0000	1.0000	0.003480
1303	101	115	1.0000	1.0000	0.011781
1304	101	130	1.0000	1.0000	0.003025
1305	101	136	1.0000	1.0000	0.024265
1306	101	153	1.0000	1.0000	0.000122
1307	101	158	1.0000	1.0000	0.695016
1308	102	115	1.0000	1.0000	0.014376
1309	102	132	1.0000	1.0000	0.002981
1310	102	136	1.0000	1.0000	0.026861
1311	102	153	1.0000	1.0000	0.002718
1312	102	159	1.0000	1.0000	0.692421
1313	103	138	1.0000	1.0000	0.020948
1314	103	147	1.0000	1.0000	0.011306
1315	103	154	1.0000	1.0000	0.000867
1316	104	105	1.0000	1.0000	0.002380
1317	104	106	1.0000	1.0000	0.003399
1318	104	107	1.0000	1.0000	0.003477
1319	104	108	1.0000	1.0000	0.003701
1320	104	109	1.0000	1.0000	0.048259
1321	104	110	1.0000	1.0000	0.000123
1322	104	111	1.0000	1.0000	0.002571
1323	104	112	1.0000	1.0000	0.005381
1324	104	113	1.0000	1.0000	0.005493
1325	104	114	1.0000	1.0000	0.015581
1326	104	115	1.0000	1.0000	0.011559
1327	104	116	1.0000	1.0000	0.060517
1328	104	117	1.0000	1.0000	0.018772
1329	104	124	1.0000	1.0000	0.003266
1330	104	137	1.0000	1.0000	0.004869
1331	104	155	1.0000	1.0000	0.057961
1332	105	106	1.0000	1.0000	0.005779
1333	105	107	1.0000	1.0000	0.005857

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1334	105	108	1.0000	1.0000	0.001322
1335	105	109	1.0000	1.0000	0.045879
1336	105	110	1.0000	1.0000	0.002503
1337	105	111	1.0000	1.0000	0.004951
1338	105	112	1.0000	1.0000	0.003002
1339	105	113	1.0000	1.0000	0.003113
1340	105	114	1.0000	1.0000	0.017961
1341	105	115	1.0000	1.0000	0.013939
1342	105	116	1.0000	1.0000	0.062897
1343	105	118	1.0000	1.0000	0.031597
1344	105	125	1.0000	1.0000	0.002268
1345	105	137	1.0000	1.0000	0.002489
1346	106	107	1.0000	1.0000	0.000078
1347	106	108	1.0000	1.0000	0.007101
1348	106	109	1.0000	1.0000	0.051658
1349	106	110	1.0000	1.0000	0.003276
1350	106	111	1.0000	1.0000	0.000829
1351	106	112	1.0000	1.0000	0.008781
1352	106	113	1.0000	1.0000	0.008893
1353	106	114	1.0000	1.0000	0.012181
1354	106	115	1.0000	1.0000	0.008160
1355	106	116	1.0000	1.0000	0.057118
1356	106	127	1.0000	1.0000	0.005505
1357	106	137	1.0000	1.0000	0.008268
1358	106	156	1.0000	1.0000	0.003355
1359	107	108	1.0000	1.0000	0.007178
1360	107	109	1.0000	1.0000	0.051736
1361	107	110	1.0000	1.0000	0.003354
1362	107	111	1.0000	1.0000	0.000906
1363	107	112	1.0000	1.0000	0.008858
1364	107	113	1.0000	1.0000	0.008970
1365	107	114	1.0000	1.0000	0.012104
1366	107	115	1.0000	1.0000	0.008082
1367	107	116	1.0000	1.0000	0.057040
1368	107	129	1.0000	1.0000	0.048221
1369	107	137	1.0000	1.0000	0.008346

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1370	107	157	1.0000	1.0000	0.301285
1371	108	109	1.0000	1.0000	0.044557
1372	108	110	1.0000	1.0000	0.003825
1373	108	111	1.0000	1.0000	0.006272
1374	108	112	1.0000	1.0000	0.001680
1375	108	113	1.0000	1.0000	0.001792
1376	108	114	1.0000	1.0000	0.019282
1377	108	115	1.0000	1.0000	0.015261
1378	108	116	1.0000	1.0000	0.064219
1379	108	130	1.0000	1.0000	0.000455
1380	108	137	1.0000	1.0000	0.001167
1381	108	158	1.0000	1.0000	0.691536
1382	109	110	1.0000	1.0000	0.048382
1383	109	111	1.0000	1.0000	0.050830
1384	109	112	1.0000	1.0000	0.042878
1385	109	113	1.0000	1.0000	0.042766
1386	109	114	1.0000	1.0000	0.063840
1387	109	115	1.0000	1.0000	0.059818
1388	109	116	1.0000	1.0000	0.108776
1389	109	120	1.0000	1.0000	0.069177
1390	109	137	1.0000	1.0000	0.043390
1391	109	143	1.0000	1.0000	0.067293
1392	110	111	1.0000	1.0000	0.002447
1393	110	112	1.0000	1.0000	0.005505
1394	110	113	1.0000	1.0000	0.005617
1395	110	114	1.0000	1.0000	0.015457
1396	110	115	1.0000	1.0000	0.011436
1397	110	116	1.0000	1.0000	0.060394
1398	110	131	1.0000	1.0000	0.042282
1399	110	137	1.0000	1.0000	0.004992
1400	111	112	1.0000	1.0000	0.007952
1401	111	113	1.0000	1.0000	0.008064
1402	111	114	1.0000	1.0000	0.013010
1403	111	115	1.0000	1.0000	0.008988
1404	111	116	1.0000	1.0000	0.057946
1405	111	133	1.0000	1.0000	0.007269

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1406	111	137	1.0000	1.0000	0.007440
1407	111	145	1.0000	1.0000	0.043208
1408	112	113	1.0000	1.0000	0.000112
1409	112	114	1.0000	1.0000	0.020962
1410	112	115	1.0000	1.0000	0.016941
1411	112	116	1.0000	1.0000	0.065899
1412	112	134	1.0000	1.0000	0.001175
1413	112	137	1.0000	1.0000	0.000512
1414	112	151	1.0000	1.0000	0.005018
1415	113	114	1.0000	1.0000	0.021074
1416	113	115	1.0000	1.0000	0.017053
1417	113	116	1.0000	1.0000	0.066011
1418	113	122	1.0000	1.0000	0.003002
1419	113	135	1.0000	1.0000	0.031410
1420	113	137	1.0000	1.0000	0.000624
1421	113	146	1.0000	1.0000	0.074917
1422	113	160	1.0000	1.0000	0.689744
1423	114	115	1.0000	1.0000	0.004022
1424	114	116	1.0000	1.0000	0.044937
1425	114	123	1.0000	1.0000	0.017737
1426	114	137	1.0000	1.0000	0.020450
1427	115	116	1.0000	1.0000	0.048958
1428	115	136	1.0000	1.0000	0.012485
1429	115	137	1.0000	1.0000	0.016428
1430	115	153	1.0000	1.0000	0.011659
1431	116	137	1.0000	1.0000	0.065386
1432	116	140	1.0000	1.0000	0.038175
1433	116	155	1.0000	1.0000	0.118478
1434	116	156	1.0000	1.0000	0.060473
1435	116	157	1.0000	1.0000	0.244245
1436	116	158	1.0000	1.0000	0.755755
1437	116	159	1.0000	1.0000	0.755755
1438	116	160	1.0000	1.0000	0.755755
1439	117	118	1.0000	1.0000	0.010445
1440	117	119	1.0000	1.0000	0.003471
1441	117	120	1.0000	1.0000	0.002146

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1442	117	121	1.0000	1.0000	0.018917
1443	117	122	1.0000	1.0000	0.021264
1444	117	123	1.0000	1.0000	0.020929
1445	117	124	1.0000	1.0000	0.022038
1446	117	155	1.0000	1.0000	0.076733
1447	118	119	1.0000	1.0000	0.013915
1448	118	120	1.0000	1.0000	0.008299
1449	118	121	1.0000	1.0000	0.029362
1450	118	122	1.0000	1.0000	0.031708
1451	118	123	1.0000	1.0000	0.031373
1452	118	125	1.0000	1.0000	0.033865
1453	119	120	1.0000	1.0000	0.005617
1454	119	121	1.0000	1.0000	0.015446
1455	119	122	1.0000	1.0000	0.017793
1456	119	123	1.0000	1.0000	0.017458
1457	119	142	1.0000	1.0000	0.001686
1458	119	149	1.0000	1.0000	0.023771
1459	120	121	1.0000	1.0000	0.021063
1460	120	122	1.0000	1.0000	0.023410
1461	120	123	1.0000	1.0000	0.023075
1462	120	143	1.0000	1.0000	0.001884
1463	121	122	1.0000	1.0000	0.002347
1464	121	123	1.0000	1.0000	0.002012
1465	122	123	1.0000	1.0000	0.000335
1466	122	135	1.0000	1.0000	0.028409
1467	122	146	1.0000	1.0000	0.071915
1468	122	160	1.0000	1.0000	0.692746
1469	124	125	1.0000	1.0000	0.001382
1470	124	126	1.0000	1.0000	0.003318
1471	124	127	1.0000	1.0000	0.001160
1472	124	128	1.0000	1.0000	0.006450
1473	124	129	1.0000	1.0000	0.041478
1474	124	130	1.0000	1.0000	0.000019
1475	124	131	1.0000	1.0000	0.038893
1476	124	132	1.0000	1.0000	0.003430
1477	124	133	1.0000	1.0000	0.001432

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1478	124	134	1.0000	1.0000	0.000941
1479	124	135	1.0000	1.0000	0.029183
1480	124	136	1.0000	1.0000	0.027310
1481	124	137	1.0000	1.0000	0.001603
1482	124	138	1.0000	1.0000	0.020491
1483	124	139	1.0000	1.0000	0.067694
1484	124	140	1.0000	1.0000	0.025609
1485	124	155	1.0000	1.0000	0.054695
1486	125	126	1.0000	1.0000	0.004700
1487	125	127	1.0000	1.0000	0.002542
1488	125	128	1.0000	1.0000	0.007832
1489	125	129	1.0000	1.0000	0.040096
1490	125	130	1.0000	1.0000	0.001401
1491	125	131	1.0000	1.0000	0.037511
1492	125	132	1.0000	1.0000	0.004812
1493	125	133	1.0000	1.0000	0.000050
1494	125	134	1.0000	1.0000	0.000441
1495	125	135	1.0000	1.0000	0.030565
1496	125	136	1.0000	1.0000	0.028692
1497	125	137	1.0000	1.0000	0.000221
1498	125	138	1.0000	1.0000	0.021873
1499	125	139	1.0000	1.0000	0.069076
1500	125	140	1.0000	1.0000	0.026991
1501	126	127	1.0000	1.0000	0.002158
1502	126	128	1.0000	1.0000	0.003131
1503	126	129	1.0000	1.0000	0.044796
1504	126	130	1.0000	1.0000	0.003299
1505	126	131	1.0000	1.0000	0.042211
1506	126	132	1.0000	1.0000	0.000112
1507	126	133	1.0000	1.0000	0.004750
1508	126	134	1.0000	1.0000	0.004259
1509	126	135	1.0000	1.0000	0.025865
1510	126	136	1.0000	1.0000	0.023992
1511	126	137	1.0000	1.0000	0.004921
1512	126	138	1.0000	1.0000	0.017173
1513	126	139	1.0000	1.0000	0.064376

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1514	126	140	1.0000	1.0000	0.022290
1515	126	148	1.0000	1.0000	0.071130
1516	127	128	1.0000	1.0000	0.005289
1517	127	129	1.0000	1.0000	0.042638
1518	127	130	1.0000	1.0000	0.001141
1519	127	131	1.0000	1.0000	0.040053
1520	127	132	1.0000	1.0000	0.002270
1521	127	133	1.0000	1.0000	0.002592
1522	127	134	1.0000	1.0000	0.002101
1523	127	135	1.0000	1.0000	0.028023
1524	127	136	1.0000	1.0000	0.026150
1525	127	137	1.0000	1.0000	0.002763
1526	127	138	1.0000	1.0000	0.019331
1527	127	139	1.0000	1.0000	0.066534
1528	127	140	1.0000	1.0000	0.024449
1529	127	156	1.0000	1.0000	0.002151
1530	128	129	1.0000	1.0000	0.047927
1531	128	130	1.0000	1.0000	0.006430
1532	128	131	1.0000	1.0000	0.045342
1533	128	132	1.0000	1.0000	0.003020
1534	128	133	1.0000	1.0000	0.007881
1535	128	134	1.0000	1.0000	0.007390
1536	128	135	1.0000	1.0000	0.022734
1537	128	136	1.0000	1.0000	0.020860
1538	128	137	1.0000	1.0000	0.008052
1539	128	138	1.0000	1.0000	0.014042
1540	128	139	1.0000	1.0000	0.061245
1541	128	140	1.0000	1.0000	0.019159
1542	128	141	1.0000	1.0000	0.044316
1543	129	130	1.0000	1.0000	0.041497
1544	129	131	1.0000	1.0000	0.002585
1545	129	132	1.0000	1.0000	0.044908
1546	129	133	1.0000	1.0000	0.040046
1547	129	134	1.0000	1.0000	0.040537
1548	129	135	1.0000	1.0000	0.070661
1549	129	136	1.0000	1.0000	0.068788

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1550	129	137	1.0000	1.0000	0.039875
1551	129	138	1.0000	1.0000	0.061969
1552	129	139	1.0000	1.0000	0.109172
1553	129	140	1.0000	1.0000	0.067087
1554	129	157	1.0000	1.0000	0.349506
1555	130	131	1.0000	1.0000	0.038912
1556	130	132	1.0000	1.0000	0.003411
1557	130	133	1.0000	1.0000	0.001451
1558	130	134	1.0000	1.0000	0.000960
1559	130	135	1.0000	1.0000	0.029164
1560	130	136	1.0000	1.0000	0.027291
1561	130	137	1.0000	1.0000	0.001622
1562	130	138	1.0000	1.0000	0.020472
1563	130	139	1.0000	1.0000	0.067675
1564	130	140	1.0000	1.0000	0.025590
1565	130	158	1.0000	1.0000	0.691991
1566	131	132	1.0000	1.0000	0.042323
1567	131	133	1.0000	1.0000	0.037461
1568	131	134	1.0000	1.0000	0.037952
1569	131	135	1.0000	1.0000	0.068076
1570	131	136	1.0000	1.0000	0.066203
1571	131	137	1.0000	1.0000	0.037290
1572	131	138	1.0000	1.0000	0.059384
1573	131	139	1.0000	1.0000	0.106587
1574	131	140	1.0000	1.0000	0.064502
1575	132	133	1.0000	1.0000	0.004862
1576	132	134	1.0000	1.0000	0.004371
1577	132	135	1.0000	1.0000	0.025753
1578	132	136	1.0000	1.0000	0.023880
1579	132	137	1.0000	1.0000	0.005033
1580	132	138	1.0000	1.0000	0.017061
1581	132	139	1.0000	1.0000	0.064264
1582	132	140	1.0000	1.0000	0.022179
1583	132	159	1.0000	1.0000	0.695402
1584	133	134	1.0000	1.0000	0.000491
1585	133	135	1.0000	1.0000	0.030615

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1586	133	136	1.0000	1.0000	0.028742
1587	133	137	1.0000	1.0000	0.000171
1588	133	138	1.0000	1.0000	0.021923
1589	133	139	1.0000	1.0000	0.069126
1590	133	140	1.0000	1.0000	0.027041
1591	133	145	1.0000	1.0000	0.050477
1592	134	135	1.0000	1.0000	0.030124
1593	134	136	1.0000	1.0000	0.028251
1594	134	137	1.0000	1.0000	0.000662
1595	134	138	1.0000	1.0000	0.021432
1596	134	139	1.0000	1.0000	0.068635
1597	134	140	1.0000	1.0000	0.026549
1598	134	151	1.0000	1.0000	0.003843
1599	135	136	1.0000	1.0000	0.001873
1600	135	137	1.0000	1.0000	0.030786
1601	135	138	1.0000	1.0000	0.008692
1602	135	139	1.0000	1.0000	0.038511
1603	135	140	1.0000	1.0000	0.003574
1604	135	146	1.0000	1.0000	0.043506
1605	135	160	1.0000	1.0000	0.721155
1606	136	137	1.0000	1.0000	0.028913
1607	136	138	1.0000	1.0000	0.006819
1608	136	139	1.0000	1.0000	0.040384
1609	136	140	1.0000	1.0000	0.001701
1610	136	153	1.0000	1.0000	0.024143
1611	137	138	1.0000	1.0000	0.022094
1612	137	139	1.0000	1.0000	0.069297
1613	137	140	1.0000	1.0000	0.027212
1614	138	139	1.0000	1.0000	0.047203
1615	138	140	1.0000	1.0000	0.005118
1616	138	147	1.0000	1.0000	0.032254
1617	139	140	1.0000	1.0000	0.042085
1618	139	148	1.0000	1.0000	0.006754
1619	139	149	1.0000	1.0000	0.025356
1620	139	150	1.0000	1.0000	0.053314
1621	139	151	1.0000	1.0000	0.064792

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1622	139	152	1.0000	1.0000	0.068974
1623	139	153	1.0000	1.0000	0.064527
1624	139	154	1.0000	1.0000	0.067284
1625	140	155	1.0000	1.0000	0.080304
1626	140	156	1.0000	1.0000	0.022298
1627	140	157	1.0000	1.0000	0.282420
1628	140	158	1.0000	1.0000	0.717580
1629	140	159	1.0000	1.0000	0.717580
1630	140	160	1.0000	1.0000	0.717580
1631	141	142	1.0000	1.0000	0.030512
1632	141	143	1.0000	1.0000	0.028465
1633	141	144	1.0000	1.0000	0.010764
1634	141	145	1.0000	1.0000	0.001721
1635	141	146	1.0000	1.0000	0.021924
1636	141	147	1.0000	1.0000	0.062529
1637	142	143	1.0000	1.0000	0.002047
1638	142	144	1.0000	1.0000	0.041276
1639	142	145	1.0000	1.0000	0.028791
1640	142	146	1.0000	1.0000	0.052436
1641	142	147	1.0000	1.0000	0.032016
1642	142	149	1.0000	1.0000	0.022085
1643	143	144	1.0000	1.0000	0.039229
1644	143	145	1.0000	1.0000	0.026745
1645	143	146	1.0000	1.0000	0.050389
1646	143	147	1.0000	1.0000	0.034063
1647	144	145	1.0000	1.0000	0.012484
1648	144	146	1.0000	1.0000	0.011160
1649	144	147	1.0000	1.0000	0.073292
1650	144	150	1.0000	1.0000	0.059479
1651	145	146	1.0000	1.0000	0.023644
1652	145	147	1.0000	1.0000	0.060808
1653	146	147	1.0000	1.0000	0.084452
1654	146	160	1.0000	1.0000	0.764661
1655	148	149	1.0000	1.0000	0.032110
1656	148	150	1.0000	1.0000	0.046560
1657	148	151	1.0000	1.0000	0.071546

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1658	148	152	1.0000	1.0000	0.075728
1659	148	153	1.0000	1.0000	0.071282
1660	148	154	1.0000	1.0000	0.074038
1661	149	150	1.0000	1.0000	0.078669
1662	149	151	1.0000	1.0000	0.039436
1663	149	152	1.0000	1.0000	0.043618
1664	149	153	1.0000	1.0000	0.039172
1665	149	154	1.0000	1.0000	0.041928
1666	150	151	1.0000	1.0000	0.118105
1667	150	152	1.0000	1.0000	0.122288
1668	150	153	1.0000	1.0000	0.117841
1669	150	154	1.0000	1.0000	0.120598
1670	151	152	1.0000	1.0000	0.004182
1671	151	153	1.0000	1.0000	0.000264
1672	151	154	1.0000	1.0000	0.002492
1673	152	153	1.0000	1.0000	0.004446
1674	152	154	1.0000	1.0000	0.001690
1675	153	154	1.0000	1.0000	0.002757
1676	155	156	1.0000	1.0000	0.058006
1677	155	157	1.0000	1.0000	0.362723
1678	155	158	1.0000	1.0000	0.637277
1679	155	159	1.0000	1.0000	0.637277
1680	155	160	1.0000	1.0000	0.637277
1681	156	157	1.0000	1.0000	0.304717
1682	156	158	1.0000	1.0000	0.695283
1683	156	159	1.0000	1.0000	0.695283
1684	156	160	1.0000	1.0000	0.695283
1685	157	158	1.0000	1.0000	1.000000
1686	157	159	1.0000	1.0000	1.000000
1687	157	160	1.0000	1.0000	1.000000
1688	158	159	1.0000	1.0000	0.000000
1689	158	160	1.0000	1.0000	0.000000
1690	159	160	1.0000	1.0000	0.000000

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	91.342228 Ohm
Total current I	-5.800584e-05 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	0.091342
10	0.913422
100	9.134223
1000	91.342228
10000	913.422278

EXPERIMENT #39

Timestamp: 20260330_133506 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.65
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	152
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	152
Nodes after pruning	152
Edges before pruning	1615
Edges after pruning	1615

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	0	1	1.0000	1.0000	0.001067
1	0	2	1.0000	1.0000	0.002032

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2	0	3	1.0000	1.0000	0.003174
3	0	8	1.0000	1.0000	0.003356
4	0	9	1.0000	1.0000	0.006290
5	0	14	1.0000	1.0000	0.037549
6	0	16	1.0000	1.0000	0.038997
7	0	27	1.0000	1.0000	0.006167
8	0	34	1.0000	1.0000	0.008937
9	0	41	1.0000	1.0000	0.012732
10	0	50	1.0000	1.0000	0.009395
11	0	62	1.0000	1.0000	0.005865
12	0	70	1.0000	1.0000	0.042889
13	0	87	1.0000	1.0000	0.006056
14	0	88	1.0000	1.0000	0.010153
15	0	101	1.0000	1.0000	0.014006
16	0	106	1.0000	1.0000	0.004027
17	0	107	1.0000	1.0000	0.000043
18	0	111	1.0000	1.0000	0.001866
19	0	125	1.0000	1.0000	0.000007
20	0	127	1.0000	1.0000	0.000252
21	0	133	1.0000	1.0000	0.052480
22	0	138	1.0000	1.0000	0.013360
23	0	140	1.0000	1.0000	0.068199
24	0	145	1.0000	1.0000	0.004923
25	0	147	1.0000	1.0000	0.027343
26	0	151	1.0000	1.0000	0.542819
27	1	2	1.0000	1.0000	0.003098
28	1	3	1.0000	1.0000	0.004241
29	1	8	1.0000	1.0000	0.002290
30	1	11	1.0000	1.0000	0.006756
31	1	14	1.0000	1.0000	0.038616
32	1	19	1.0000	1.0000	0.042114
33	1	27	1.0000	1.0000	0.005100
34	1	35	1.0000	1.0000	0.004772
35	1	39	1.0000	1.0000	0.096900
36	1	50	1.0000	1.0000	0.008328
37	1	54	1.0000	1.0000	0.017038

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
38	1	62	1.0000	1.0000	0.004798
39	1	66	1.0000	1.0000	0.000988
40	1	70	1.0000	1.0000	0.043956
41	1	77	1.0000	1.0000	0.002469
42	1	87	1.0000	1.0000	0.004990
43	1	93	1.0000	1.0000	0.002623
44	1	101	1.0000	1.0000	0.012939
45	1	106	1.0000	1.0000	0.002960
46	1	108	1.0000	1.0000	0.002572
47	1	111	1.0000	1.0000	0.002933
48	1	125	1.0000	1.0000	0.001060
49	1	140	1.0000	1.0000	0.067133
50	1	145	1.0000	1.0000	0.003856
51	2	3	1.0000	1.0000	0.001142
52	2	8	1.0000	1.0000	0.005388
53	2	12	1.0000	1.0000	0.006756
54	2	14	1.0000	1.0000	0.035517
55	2	25	1.0000	1.0000	0.042080
56	2	27	1.0000	1.0000	0.008198
57	2	36	1.0000	1.0000	0.006447
58	2	47	1.0000	1.0000	0.021142
59	2	58	1.0000	1.0000	0.020368
60	2	62	1.0000	1.0000	0.007897
61	2	68	1.0000	1.0000	0.001250
62	2	70	1.0000	1.0000	0.040858
63	2	80	1.0000	1.0000	0.001504
64	2	87	1.0000	1.0000	0.008088
65	2	97	1.0000	1.0000	0.011434
66	2	101	1.0000	1.0000	0.016038
67	2	106	1.0000	1.0000	0.006059
68	2	109	1.0000	1.0000	0.005914
69	2	111	1.0000	1.0000	0.000166
70	2	125	1.0000	1.0000	0.002038
71	2	138	1.0000	1.0000	0.015392
72	2	140	1.0000	1.0000	0.070231
73	2	145	1.0000	1.0000	0.006955

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
74	3	8	1.0000	1.0000	0.006530
75	3	13	1.0000	1.0000	0.006514
76	3	14	1.0000	1.0000	0.034375
77	3	26	1.0000	1.0000	0.003051
78	3	27	1.0000	1.0000	0.009340
79	3	37	1.0000	1.0000	0.053907
80	3	61	1.0000	1.0000	0.002959
81	3	62	1.0000	1.0000	0.009039
82	3	69	1.0000	1.0000	0.000420
83	3	70	1.0000	1.0000	0.039716
84	3	82	1.0000	1.0000	0.006280
85	3	87	1.0000	1.0000	0.009230
86	3	100	1.0000	1.0000	0.015926
87	3	101	1.0000	1.0000	0.017180
88	3	106	1.0000	1.0000	0.007201
89	3	110	1.0000	1.0000	0.046587
90	3	111	1.0000	1.0000	0.001308
91	3	124	1.0000	1.0000	0.007158
92	3	125	1.0000	1.0000	0.003181
93	3	131	1.0000	1.0000	0.049073
94	3	140	1.0000	1.0000	0.071373
95	3	145	1.0000	1.0000	0.008097
96	3	151	1.0000	1.0000	0.545993
97	4	5	1.0000	1.0000	0.083467
98	4	6	1.0000	1.0000	0.075978
99	4	7	1.0000	1.0000	0.064504
100	4	30	1.0000	1.0000	0.087869
101	4	38	1.0000	1.0000	0.028012
102	4	39	1.0000	1.0000	0.011973
103	4	40	1.0000	1.0000	0.087707
104	4	44	1.0000	1.0000	0.067045
105	4	84	1.0000	1.0000	0.095503
106	4	104	1.0000	1.0000	0.086733
107	4	134	1.0000	1.0000	0.006666
108	4	143	1.0000	1.0000	0.076736
109	5	6	1.0000	1.0000	0.007489

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
110	5	7	1.0000	1.0000	0.018962
111	5	18	1.0000	1.0000	0.053737
112	5	31	1.0000	1.0000	0.000762
113	5	41	1.0000	1.0000	0.010206
114	5	65	1.0000	1.0000	0.001367
115	5	75	1.0000	1.0000	0.002615
116	5	84	1.0000	1.0000	0.012037
117	5	91	1.0000	1.0000	0.005309
118	5	116	1.0000	1.0000	0.012213
119	5	139	1.0000	1.0000	0.011991
120	6	7	1.0000	1.0000	0.011473
121	6	32	1.0000	1.0000	0.000262
122	6	81	1.0000	1.0000	0.014696
123	6	84	1.0000	1.0000	0.019525
124	6	98	1.0000	1.0000	0.007007
125	6	122	1.0000	1.0000	0.019718
126	6	139	1.0000	1.0000	0.004502
127	7	49	1.0000	1.0000	0.017164
128	7	84	1.0000	1.0000	0.030999
129	8	9	1.0000	1.0000	0.002933
130	8	10	1.0000	1.0000	0.006640
131	8	11	1.0000	1.0000	0.004466
132	8	12	1.0000	1.0000	0.001367
133	8	13	1.0000	1.0000	0.000016
134	8	14	1.0000	1.0000	0.040906
135	8	27	1.0000	1.0000	0.002810
136	8	28	1.0000	1.0000	0.003848
137	8	42	1.0000	1.0000	0.010490
138	8	62	1.0000	1.0000	0.002509
139	8	63	1.0000	1.0000	0.003512
140	8	70	1.0000	1.0000	0.046246
141	8	72	1.0000	1.0000	0.004704
142	8	87	1.0000	1.0000	0.002700
143	8	101	1.0000	1.0000	0.010650
144	8	102	1.0000	1.0000	0.070437
145	8	106	1.0000	1.0000	0.000670

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
146	8	111	1.0000	1.0000	0.005223
147	8	113	1.0000	1.0000	0.004220
148	8	125	1.0000	1.0000	0.003350
149	8	126	1.0000	1.0000	0.001742
150	8	132	1.0000	1.0000	0.040163
151	8	140	1.0000	1.0000	0.064843
152	8	141	1.0000	1.0000	0.028687
153	8	145	1.0000	1.0000	0.001567
154	8	146	1.0000	1.0000	0.001951
155	9	10	1.0000	1.0000	0.003707
156	9	11	1.0000	1.0000	0.001533
157	9	12	1.0000	1.0000	0.001566
158	9	13	1.0000	1.0000	0.002949
159	9	16	1.0000	1.0000	0.045287
160	9	28	1.0000	1.0000	0.000914
161	9	34	1.0000	1.0000	0.002647
162	9	41	1.0000	1.0000	0.006442
163	9	42	1.0000	1.0000	0.007557
164	9	50	1.0000	1.0000	0.003105
165	9	63	1.0000	1.0000	0.000578
166	9	72	1.0000	1.0000	0.007638
167	9	88	1.0000	1.0000	0.003863
168	9	102	1.0000	1.0000	0.067504
169	9	107	1.0000	1.0000	0.006247
170	9	113	1.0000	1.0000	0.007153
171	9	126	1.0000	1.0000	0.001191
172	9	127	1.0000	1.0000	0.006541
173	9	132	1.0000	1.0000	0.037230
174	9	133	1.0000	1.0000	0.046190
175	9	138	1.0000	1.0000	0.007070
176	9	141	1.0000	1.0000	0.025754
177	9	146	1.0000	1.0000	0.000983
178	9	147	1.0000	1.0000	0.021054
179	9	151	1.0000	1.0000	0.536529
180	10	11	1.0000	1.0000	0.002174
181	10	12	1.0000	1.0000	0.005273

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
182	10	13	1.0000	1.0000	0.006656
183	10	28	1.0000	1.0000	0.002793
184	10	29	1.0000	1.0000	0.041243
185	10	34	1.0000	1.0000	0.001060
186	10	35	1.0000	1.0000	0.004158
187	10	36	1.0000	1.0000	0.005582
188	10	37	1.0000	1.0000	0.040736
189	10	38	1.0000	1.0000	0.047985
190	10	42	1.0000	1.0000	0.003850
191	10	43	1.0000	1.0000	0.054613
192	10	52	1.0000	1.0000	0.007386
193	10	63	1.0000	1.0000	0.003129
194	10	64	1.0000	1.0000	0.011916
195	10	72	1.0000	1.0000	0.011345
196	10	74	1.0000	1.0000	0.016324
197	10	90	1.0000	1.0000	0.003142
198	10	102	1.0000	1.0000	0.063797
199	10	103	1.0000	1.0000	0.010204
200	10	113	1.0000	1.0000	0.010860
201	10	115	1.0000	1.0000	0.009995
202	10	126	1.0000	1.0000	0.004898
203	10	128	1.0000	1.0000	0.010905
204	10	132	1.0000	1.0000	0.033523
205	10	141	1.0000	1.0000	0.022047
206	10	142	1.0000	1.0000	0.008340
207	10	146	1.0000	1.0000	0.004690
208	11	12	1.0000	1.0000	0.003098
209	11	13	1.0000	1.0000	0.004482
210	11	19	1.0000	1.0000	0.048869
211	11	28	1.0000	1.0000	0.000618
212	11	35	1.0000	1.0000	0.001984
213	11	39	1.0000	1.0000	0.090144
214	11	42	1.0000	1.0000	0.006024
215	11	50	1.0000	1.0000	0.001572
216	11	54	1.0000	1.0000	0.010282
217	11	63	1.0000	1.0000	0.000954

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
218	11	66	1.0000	1.0000	0.005768
219	11	72	1.0000	1.0000	0.009170
220	11	77	1.0000	1.0000	0.009225
221	11	93	1.0000	1.0000	0.004132
222	11	102	1.0000	1.0000	0.065971
223	11	108	1.0000	1.0000	0.009327
224	11	113	1.0000	1.0000	0.008685
225	11	126	1.0000	1.0000	0.002724
226	11	132	1.0000	1.0000	0.035697
227	11	141	1.0000	1.0000	0.024221
228	11	146	1.0000	1.0000	0.002515
229	12	13	1.0000	1.0000	0.001383
230	12	25	1.0000	1.0000	0.048836
231	12	28	1.0000	1.0000	0.002480
232	12	36	1.0000	1.0000	0.000309
233	12	42	1.0000	1.0000	0.009123
234	12	47	1.0000	1.0000	0.014387
235	12	58	1.0000	1.0000	0.013612
236	12	63	1.0000	1.0000	0.002144
237	12	68	1.0000	1.0000	0.005506
238	12	72	1.0000	1.0000	0.006072
239	12	80	1.0000	1.0000	0.008260
240	12	97	1.0000	1.0000	0.004679
241	12	102	1.0000	1.0000	0.069069
242	12	109	1.0000	1.0000	0.012670
243	12	113	1.0000	1.0000	0.005587
244	12	126	1.0000	1.0000	0.000374
245	12	132	1.0000	1.0000	0.038795
246	12	138	1.0000	1.0000	0.008636
247	12	141	1.0000	1.0000	0.027320
248	12	146	1.0000	1.0000	0.000583
249	13	26	1.0000	1.0000	0.003464
250	13	28	1.0000	1.0000	0.003864
251	13	37	1.0000	1.0000	0.047393
252	13	42	1.0000	1.0000	0.010506
253	13	61	1.0000	1.0000	0.003556

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
254	13	63	1.0000	1.0000	0.003527
255	13	69	1.0000	1.0000	0.006934
256	13	72	1.0000	1.0000	0.004688
257	13	82	1.0000	1.0000	0.012794
258	13	100	1.0000	1.0000	0.009412
259	13	102	1.0000	1.0000	0.070453
260	13	110	1.0000	1.0000	0.053102
261	13	113	1.0000	1.0000	0.004204
262	13	124	1.0000	1.0000	0.000643
263	13	126	1.0000	1.0000	0.001758
264	13	131	1.0000	1.0000	0.042559
265	13	132	1.0000	1.0000	0.040179
266	13	141	1.0000	1.0000	0.028703
267	13	146	1.0000	1.0000	0.001967
268	13	151	1.0000	1.0000	0.539479
269	14	15	1.0000	1.0000	0.062229
270	14	16	1.0000	1.0000	0.001448
271	14	17	1.0000	1.0000	0.001585
272	14	18	1.0000	1.0000	0.013661
273	14	19	1.0000	1.0000	0.003498
274	14	20	1.0000	1.0000	0.000243
275	14	21	1.0000	1.0000	0.032258
276	14	22	1.0000	1.0000	0.007371
277	14	23	1.0000	1.0000	0.007816
278	14	24	1.0000	1.0000	0.006984
279	14	25	1.0000	1.0000	0.006563
280	14	26	1.0000	1.0000	0.037426
281	14	27	1.0000	1.0000	0.043716
282	14	62	1.0000	1.0000	0.043414
283	14	70	1.0000	1.0000	0.005340
284	14	87	1.0000	1.0000	0.043605
285	14	101	1.0000	1.0000	0.051555
286	14	106	1.0000	1.0000	0.041576
287	14	111	1.0000	1.0000	0.035683
288	14	125	1.0000	1.0000	0.037556
289	14	140	1.0000	1.0000	0.105749

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
290	14	145	1.0000	1.0000	0.042472
291	15	16	1.0000	1.0000	0.060781
292	15	17	1.0000	1.0000	0.060643
293	15	18	1.0000	1.0000	0.048568
294	15	19	1.0000	1.0000	0.058731
295	15	20	1.0000	1.0000	0.061986
296	15	21	1.0000	1.0000	0.029971
297	15	22	1.0000	1.0000	0.054858
298	15	23	1.0000	1.0000	0.054413
299	15	24	1.0000	1.0000	0.055245
300	15	25	1.0000	1.0000	0.055666
301	15	26	1.0000	1.0000	0.099655
302	15	71	1.0000	1.0000	0.102264
303	15	83	1.0000	1.0000	0.004809
304	15	85	1.0000	1.0000	0.102848
305	15	112	1.0000	1.0000	0.093594
306	16	17	1.0000	1.0000	0.000137
307	16	18	1.0000	1.0000	0.012213
308	16	19	1.0000	1.0000	0.002050
309	16	20	1.0000	1.0000	0.001205
310	16	21	1.0000	1.0000	0.030810
311	16	22	1.0000	1.0000	0.005923
312	16	23	1.0000	1.0000	0.006368
313	16	24	1.0000	1.0000	0.005535
314	16	25	1.0000	1.0000	0.005115
315	16	26	1.0000	1.0000	0.038874
316	16	34	1.0000	1.0000	0.047934
317	16	41	1.0000	1.0000	0.051729
318	16	50	1.0000	1.0000	0.048392
319	16	88	1.0000	1.0000	0.049150
320	16	107	1.0000	1.0000	0.039040
321	16	127	1.0000	1.0000	0.038745
322	16	133	1.0000	1.0000	0.091477
323	16	138	1.0000	1.0000	0.052357
324	16	147	1.0000	1.0000	0.066341
325	16	151	1.0000	1.0000	0.581816

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
326	17	18	1.0000	1.0000	0.012076
327	17	19	1.0000	1.0000	0.001912
328	17	20	1.0000	1.0000	0.001343
329	17	21	1.0000	1.0000	0.030673
330	17	22	1.0000	1.0000	0.005786
331	17	23	1.0000	1.0000	0.006231
332	17	24	1.0000	1.0000	0.005398
333	17	25	1.0000	1.0000	0.004977
334	17	26	1.0000	1.0000	0.039011
335	17	27	1.0000	1.0000	0.045301
336	17	28	1.0000	1.0000	0.046339
337	17	29	1.0000	1.0000	0.090374
338	17	30	1.0000	1.0000	0.037259
339	17	31	1.0000	1.0000	0.040899
340	17	32	1.0000	1.0000	0.049412
341	17	33	1.0000	1.0000	0.046462
342	17	51	1.0000	1.0000	0.052561
343	17	73	1.0000	1.0000	0.042624
344	17	86	1.0000	1.0000	0.045323
345	17	89	1.0000	1.0000	0.041500
346	17	114	1.0000	1.0000	0.027131
347	18	19	1.0000	1.0000	0.010163
348	18	20	1.0000	1.0000	0.013418
349	18	21	1.0000	1.0000	0.018597
350	18	22	1.0000	1.0000	0.006290
351	18	23	1.0000	1.0000	0.005845
352	18	24	1.0000	1.0000	0.006678
353	18	25	1.0000	1.0000	0.007098
354	18	26	1.0000	1.0000	0.051087
355	18	31	1.0000	1.0000	0.052975
356	18	41	1.0000	1.0000	0.063942
357	18	65	1.0000	1.0000	0.055104
358	18	75	1.0000	1.0000	0.056352
359	18	91	1.0000	1.0000	0.059046
360	18	116	1.0000	1.0000	0.041524
361	18	139	1.0000	1.0000	0.065727

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
362	19	20	1.0000	1.0000	0.003255
363	19	21	1.0000	1.0000	0.028761
364	19	22	1.0000	1.0000	0.003873
365	19	23	1.0000	1.0000	0.004318
366	19	24	1.0000	1.0000	0.003486
367	19	25	1.0000	1.0000	0.003065
368	19	26	1.0000	1.0000	0.040924
369	19	35	1.0000	1.0000	0.046885
370	19	39	1.0000	1.0000	0.139014
371	19	50	1.0000	1.0000	0.050442
372	19	54	1.0000	1.0000	0.059151
373	19	66	1.0000	1.0000	0.043101
374	19	77	1.0000	1.0000	0.039644
375	19	93	1.0000	1.0000	0.044737
376	19	108	1.0000	1.0000	0.039542
377	20	21	1.0000	1.0000	0.032016
378	20	22	1.0000	1.0000	0.007128
379	20	23	1.0000	1.0000	0.007573
380	20	24	1.0000	1.0000	0.006741
381	20	25	1.0000	1.0000	0.006320
382	20	26	1.0000	1.0000	0.037669
383	20	62	1.0000	1.0000	0.043657
384	20	63	1.0000	1.0000	0.044660
385	20	64	1.0000	1.0000	0.035872
386	20	65	1.0000	1.0000	0.041686
387	20	66	1.0000	1.0000	0.039846
388	20	67	1.0000	1.0000	0.038339
389	20	68	1.0000	1.0000	0.037010
390	20	69	1.0000	1.0000	0.034198
391	20	78	1.0000	1.0000	0.033485
392	20	94	1.0000	1.0000	0.085791
393	20	129	1.0000	1.0000	0.033935
394	20	135	1.0000	1.0000	0.038631
395	20	148	1.0000	1.0000	0.037237
396	21	22	1.0000	1.0000	0.024887
397	21	23	1.0000	1.0000	0.024442

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
398	21	24	1.0000	1.0000	0.025275
399	21	25	1.0000	1.0000	0.025696
400	21	26	1.0000	1.0000	0.069684
401	21	83	1.0000	1.0000	0.025161
402	21	119	1.0000	1.0000	0.068001
403	22	23	1.0000	1.0000	0.000445
404	22	24	1.0000	1.0000	0.000387
405	22	25	1.0000	1.0000	0.000808
406	22	26	1.0000	1.0000	0.044797
407	22	84	1.0000	1.0000	0.035410
408	22	85	1.0000	1.0000	0.047990
409	22	86	1.0000	1.0000	0.051109
410	22	120	1.0000	1.0000	0.034856
411	23	24	1.0000	1.0000	0.000833
412	23	25	1.0000	1.0000	0.001253
413	23	26	1.0000	1.0000	0.045242
414	23	67	1.0000	1.0000	0.045913
415	23	106	1.0000	1.0000	0.049392
416	23	107	1.0000	1.0000	0.045408
417	23	108	1.0000	1.0000	0.043860
418	23	109	1.0000	1.0000	0.037419
419	23	110	1.0000	1.0000	0.004396
420	23	130	1.0000	1.0000	0.090002
421	23	136	1.0000	1.0000	0.040325
422	23	149	1.0000	1.0000	0.411816
423	24	25	1.0000	1.0000	0.000421
424	24	26	1.0000	1.0000	0.044410
425	24	46	1.0000	1.0000	0.052783
426	24	79	1.0000	1.0000	0.041026
427	24	95	1.0000	1.0000	0.049022
428	24	125	1.0000	1.0000	0.044539
429	24	126	1.0000	1.0000	0.049631
430	24	127	1.0000	1.0000	0.044281
431	24	128	1.0000	1.0000	0.043624
432	24	129	1.0000	1.0000	0.040676
433	24	130	1.0000	1.0000	0.089169

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
434	24	131	1.0000	1.0000	0.090432
435	25	26	1.0000	1.0000	0.043989
436	25	36	1.0000	1.0000	0.048527
437	25	47	1.0000	1.0000	0.063222
438	25	58	1.0000	1.0000	0.062448
439	25	68	1.0000	1.0000	0.043330
440	25	80	1.0000	1.0000	0.040576
441	25	97	1.0000	1.0000	0.053515
442	25	109	1.0000	1.0000	0.036166
443	25	138	1.0000	1.0000	0.057472
444	26	37	1.0000	1.0000	0.050856
445	26	61	1.0000	1.0000	0.000092
446	26	69	1.0000	1.0000	0.003471
447	26	82	1.0000	1.0000	0.009331
448	26	100	1.0000	1.0000	0.012875
449	26	110	1.0000	1.0000	0.049638
450	26	124	1.0000	1.0000	0.004107
451	26	131	1.0000	1.0000	0.046022
452	26	151	1.0000	1.0000	0.542942
453	27	28	1.0000	1.0000	0.001038
454	27	29	1.0000	1.0000	0.045073
455	27	30	1.0000	1.0000	0.008043
456	27	31	1.0000	1.0000	0.004402
457	27	32	1.0000	1.0000	0.004111
458	27	33	1.0000	1.0000	0.001161
459	27	51	1.0000	1.0000	0.007260
460	27	62	1.0000	1.0000	0.000302
461	27	70	1.0000	1.0000	0.049056
462	27	73	1.0000	1.0000	0.002678
463	27	86	1.0000	1.0000	0.000022
464	27	87	1.0000	1.0000	0.000110
465	27	89	1.0000	1.0000	0.003802
466	27	101	1.0000	1.0000	0.007839
467	27	106	1.0000	1.0000	0.002140
468	27	111	1.0000	1.0000	0.008033
469	27	114	1.0000	1.0000	0.018170

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
470	27	125	1.0000	1.0000	0.006160
471	27	140	1.0000	1.0000	0.062033
472	27	145	1.0000	1.0000	0.001243
473	28	29	1.0000	1.0000	0.044035
474	28	30	1.0000	1.0000	0.009080
475	28	31	1.0000	1.0000	0.005440
476	28	32	1.0000	1.0000	0.003073
477	28	33	1.0000	1.0000	0.000123
478	28	42	1.0000	1.0000	0.006642
479	28	51	1.0000	1.0000	0.006222
480	28	63	1.0000	1.0000	0.000336
481	28	72	1.0000	1.0000	0.008552
482	28	73	1.0000	1.0000	0.003715
483	28	86	1.0000	1.0000	0.001016
484	28	89	1.0000	1.0000	0.004839
485	28	102	1.0000	1.0000	0.066589
486	28	113	1.0000	1.0000	0.008067
487	28	114	1.0000	1.0000	0.019208
488	28	126	1.0000	1.0000	0.002106
489	28	132	1.0000	1.0000	0.036315
490	28	141	1.0000	1.0000	0.024839
491	28	146	1.0000	1.0000	0.001897
492	29	30	1.0000	1.0000	0.053115
493	29	31	1.0000	1.0000	0.049475
494	29	32	1.0000	1.0000	0.040962
495	29	33	1.0000	1.0000	0.043912
496	29	34	1.0000	1.0000	0.042303
497	29	35	1.0000	1.0000	0.045401
498	29	36	1.0000	1.0000	0.046824
499	29	37	1.0000	1.0000	0.000506
500	29	38	1.0000	1.0000	0.006743
501	29	43	1.0000	1.0000	0.013371
502	29	51	1.0000	1.0000	0.037813
503	29	52	1.0000	1.0000	0.033856
504	29	64	1.0000	1.0000	0.053159
505	29	73	1.0000	1.0000	0.047750

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
506	29	74	1.0000	1.0000	0.057566
507	29	86	1.0000	1.0000	0.045051
508	29	89	1.0000	1.0000	0.048874
509	29	90	1.0000	1.0000	0.038101
510	29	103	1.0000	1.0000	0.031039
511	29	114	1.0000	1.0000	0.063243
512	29	115	1.0000	1.0000	0.051237
513	29	128	1.0000	1.0000	0.052148
514	29	142	1.0000	1.0000	0.049582
515	30	31	1.0000	1.0000	0.003641
516	30	32	1.0000	1.0000	0.012153
517	30	33	1.0000	1.0000	0.009203
518	30	38	1.0000	1.0000	0.059858
519	30	39	1.0000	1.0000	0.099843
520	30	40	1.0000	1.0000	0.000162
521	30	44	1.0000	1.0000	0.020824
522	30	51	1.0000	1.0000	0.015302
523	30	73	1.0000	1.0000	0.005365
524	30	86	1.0000	1.0000	0.008065
525	30	89	1.0000	1.0000	0.004241
526	30	104	1.0000	1.0000	0.001136
527	30	114	1.0000	1.0000	0.010128
528	30	134	1.0000	1.0000	0.094536
529	30	143	1.0000	1.0000	0.011133
530	31	32	1.0000	1.0000	0.008513
531	31	33	1.0000	1.0000	0.005563
532	31	41	1.0000	1.0000	0.010968
533	31	51	1.0000	1.0000	0.011662
534	31	65	1.0000	1.0000	0.002129
535	31	73	1.0000	1.0000	0.001724
536	31	75	1.0000	1.0000	0.003377
537	31	86	1.0000	1.0000	0.004424
538	31	89	1.0000	1.0000	0.000600
539	31	91	1.0000	1.0000	0.006071
540	31	114	1.0000	1.0000	0.013768
541	31	116	1.0000	1.0000	0.011451

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
542	31	139	1.0000	1.0000	0.012753
543	32	33	1.0000	1.0000	0.002950
544	32	51	1.0000	1.0000	0.003149
545	32	73	1.0000	1.0000	0.006788
546	32	81	1.0000	1.0000	0.014958
547	32	86	1.0000	1.0000	0.004089
548	32	89	1.0000	1.0000	0.007913
549	32	98	1.0000	1.0000	0.007269
550	32	114	1.0000	1.0000	0.022281
551	32	122	1.0000	1.0000	0.019980
552	32	139	1.0000	1.0000	0.004240
553	33	48	1.0000	1.0000	0.011036
554	33	51	1.0000	1.0000	0.006099
555	33	59	1.0000	1.0000	0.006583
556	33	73	1.0000	1.0000	0.003838
557	33	86	1.0000	1.0000	0.001139
558	33	89	1.0000	1.0000	0.004962
559	33	105	1.0000	1.0000	0.004903
560	33	114	1.0000	1.0000	0.019331
561	33	123	1.0000	1.0000	0.010099
562	33	140	1.0000	1.0000	0.060872
563	33	141	1.0000	1.0000	0.024716
564	33	142	1.0000	1.0000	0.005670
565	33	143	1.0000	1.0000	0.001930
566	33	144	1.0000	1.0000	0.001862
567	34	35	1.0000	1.0000	0.003098
568	34	36	1.0000	1.0000	0.004522
569	34	37	1.0000	1.0000	0.041796
570	34	38	1.0000	1.0000	0.049045
571	34	41	1.0000	1.0000	0.003795
572	34	43	1.0000	1.0000	0.055673
573	34	50	1.0000	1.0000	0.000458
574	34	52	1.0000	1.0000	0.008446
575	34	64	1.0000	1.0000	0.010856
576	34	74	1.0000	1.0000	0.015264
577	34	88	1.0000	1.0000	0.001216

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
578	34	90	1.0000	1.0000	0.004202
579	34	103	1.0000	1.0000	0.011263
580	34	107	1.0000	1.0000	0.008894
581	34	115	1.0000	1.0000	0.008935
582	34	127	1.0000	1.0000	0.009189
583	34	128	1.0000	1.0000	0.009845
584	34	133	1.0000	1.0000	0.043543
585	34	138	1.0000	1.0000	0.004423
586	34	142	1.0000	1.0000	0.007280
587	34	147	1.0000	1.0000	0.018407
588	34	151	1.0000	1.0000	0.533882
589	35	36	1.0000	1.0000	0.001423
590	35	37	1.0000	1.0000	0.044895
591	35	38	1.0000	1.0000	0.052144
592	35	39	1.0000	1.0000	0.092128
593	35	43	1.0000	1.0000	0.058772
594	35	50	1.0000	1.0000	0.003556
595	35	52	1.0000	1.0000	0.011545
596	35	54	1.0000	1.0000	0.012266
597	35	64	1.0000	1.0000	0.007758
598	35	66	1.0000	1.0000	0.003784
599	35	74	1.0000	1.0000	0.012165
600	35	77	1.0000	1.0000	0.007241
601	35	90	1.0000	1.0000	0.007300
602	35	93	1.0000	1.0000	0.002148
603	35	103	1.0000	1.0000	0.014362
604	35	108	1.0000	1.0000	0.007343
605	35	115	1.0000	1.0000	0.005836
606	35	128	1.0000	1.0000	0.006747
607	35	142	1.0000	1.0000	0.004181
608	36	37	1.0000	1.0000	0.046318
609	36	38	1.0000	1.0000	0.053567
610	36	43	1.0000	1.0000	0.060195
611	36	47	1.0000	1.0000	0.014695
612	36	52	1.0000	1.0000	0.012968
613	36	58	1.0000	1.0000	0.013921

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
614	36	64	1.0000	1.0000	0.006335
615	36	68	1.0000	1.0000	0.005197
616	36	74	1.0000	1.0000	0.010742
617	36	80	1.0000	1.0000	0.007951
618	36	90	1.0000	1.0000	0.008723
619	36	97	1.0000	1.0000	0.004988
620	36	103	1.0000	1.0000	0.015785
621	36	109	1.0000	1.0000	0.012361
622	36	115	1.0000	1.0000	0.004413
623	36	128	1.0000	1.0000	0.005323
624	36	138	1.0000	1.0000	0.008945
625	36	142	1.0000	1.0000	0.002758
626	37	38	1.0000	1.0000	0.007249
627	37	43	1.0000	1.0000	0.013877
628	37	52	1.0000	1.0000	0.033350
629	37	61	1.0000	1.0000	0.050948
630	37	64	1.0000	1.0000	0.052653
631	37	69	1.0000	1.0000	0.054327
632	37	74	1.0000	1.0000	0.057060
633	37	82	1.0000	1.0000	0.060187
634	37	90	1.0000	1.0000	0.037595
635	37	100	1.0000	1.0000	0.037981
636	37	103	1.0000	1.0000	0.030533
637	37	110	1.0000	1.0000	0.100494
638	37	115	1.0000	1.0000	0.050731
639	37	124	1.0000	1.0000	0.046749
640	37	128	1.0000	1.0000	0.051642
641	37	131	1.0000	1.0000	0.004834
642	37	142	1.0000	1.0000	0.049076
643	37	151	1.0000	1.0000	0.492086
644	38	39	1.0000	1.0000	0.039985
645	38	40	1.0000	1.0000	0.059695
646	38	43	1.0000	1.0000	0.006628
647	38	44	1.0000	1.0000	0.039034
648	38	52	1.0000	1.0000	0.040599
649	38	64	1.0000	1.0000	0.059902

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
650	38	74	1.0000	1.0000	0.064309
651	38	90	1.0000	1.0000	0.044843
652	38	103	1.0000	1.0000	0.037782
653	38	104	1.0000	1.0000	0.058722
654	38	115	1.0000	1.0000	0.057980
655	38	128	1.0000	1.0000	0.058890
656	38	134	1.0000	1.0000	0.034678
657	38	142	1.0000	1.0000	0.056325
658	38	143	1.0000	1.0000	0.048725
659	39	40	1.0000	1.0000	0.099680
660	39	44	1.0000	1.0000	0.079018
661	39	50	1.0000	1.0000	0.088572
662	39	54	1.0000	1.0000	0.079862
663	39	66	1.0000	1.0000	0.095912
664	39	77	1.0000	1.0000	0.099369
665	39	93	1.0000	1.0000	0.094277
666	39	104	1.0000	1.0000	0.098707
667	39	108	1.0000	1.0000	0.099472
668	39	134	1.0000	1.0000	0.005307
669	39	143	1.0000	1.0000	0.088710
670	40	44	1.0000	1.0000	0.020662
671	40	56	1.0000	1.0000	0.058080
672	40	104	1.0000	1.0000	0.000974
673	40	134	1.0000	1.0000	0.094373
674	40	137	1.0000	1.0000	0.008058
675	40	143	1.0000	1.0000	0.010971
676	40	144	1.0000	1.0000	0.007179
677	40	150	1.0000	1.0000	0.544533
678	41	50	1.0000	1.0000	0.003337
679	41	65	1.0000	1.0000	0.008838
680	41	75	1.0000	1.0000	0.007590
681	41	88	1.0000	1.0000	0.002579
682	41	91	1.0000	1.0000	0.004896
683	41	107	1.0000	1.0000	0.012689
684	41	116	1.0000	1.0000	0.022418
685	41	127	1.0000	1.0000	0.012984

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
686	41	133	1.0000	1.0000	0.039748
687	41	138	1.0000	1.0000	0.000628
688	41	139	1.0000	1.0000	0.001785
689	41	147	1.0000	1.0000	0.014611
690	41	151	1.0000	1.0000	0.530087
691	42	43	1.0000	1.0000	0.050764
692	42	44	1.0000	1.0000	0.005102
693	42	45	1.0000	1.0000	0.006504
694	42	46	1.0000	1.0000	0.005596
695	42	47	1.0000	1.0000	0.005264
696	42	48	1.0000	1.0000	0.004516
697	42	49	1.0000	1.0000	0.009522
698	42	53	1.0000	1.0000	0.002227
699	42	63	1.0000	1.0000	0.006979
700	42	72	1.0000	1.0000	0.015194
701	42	76	1.0000	1.0000	0.014007
702	42	92	1.0000	1.0000	0.008110
703	42	102	1.0000	1.0000	0.059947
704	42	113	1.0000	1.0000	0.014710
705	42	126	1.0000	1.0000	0.008748
706	42	132	1.0000	1.0000	0.029673
707	42	141	1.0000	1.0000	0.018197
708	42	146	1.0000	1.0000	0.008539
709	43	44	1.0000	1.0000	0.045662
710	43	45	1.0000	1.0000	0.057268
711	43	46	1.0000	1.0000	0.056360
712	43	47	1.0000	1.0000	0.045500
713	43	48	1.0000	1.0000	0.046247
714	43	49	1.0000	1.0000	0.060285
715	43	52	1.0000	1.0000	0.047227
716	43	53	1.0000	1.0000	0.052991
717	43	64	1.0000	1.0000	0.066530
718	43	74	1.0000	1.0000	0.070937
719	43	76	1.0000	1.0000	0.064771
720	43	90	1.0000	1.0000	0.051472
721	43	92	1.0000	1.0000	0.058873

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
722	43	103	1.0000	1.0000	0.044410
723	43	115	1.0000	1.0000	0.064608
724	43	128	1.0000	1.0000	0.065519
725	43	142	1.0000	1.0000	0.062953
726	44	45	1.0000	1.0000	0.011606
727	44	46	1.0000	1.0000	0.010698
728	44	47	1.0000	1.0000	0.000162
729	44	48	1.0000	1.0000	0.000585
730	44	49	1.0000	1.0000	0.014623
731	44	53	1.0000	1.0000	0.007329
732	44	76	1.0000	1.0000	0.019109
733	44	92	1.0000	1.0000	0.013211
734	44	104	1.0000	1.0000	0.019688
735	44	134	1.0000	1.0000	0.073711
736	44	143	1.0000	1.0000	0.009691
737	45	46	1.0000	1.0000	0.000908
738	45	47	1.0000	1.0000	0.011768
739	45	48	1.0000	1.0000	0.011021
740	45	49	1.0000	1.0000	0.003017
741	45	53	1.0000	1.0000	0.004277
742	45	55	1.0000	1.0000	0.020843
743	45	76	1.0000	1.0000	0.007503
744	45	92	1.0000	1.0000	0.001605
745	45	101	1.0000	1.0000	0.006664
746	45	102	1.0000	1.0000	0.066451
747	45	103	1.0000	1.0000	0.012858
748	45	104	1.0000	1.0000	0.008082
749	45	105	1.0000	1.0000	0.004918
750	45	121	1.0000	1.0000	0.007277
751	46	47	1.0000	1.0000	0.010860
752	46	48	1.0000	1.0000	0.010113
753	46	49	1.0000	1.0000	0.003925
754	46	53	1.0000	1.0000	0.003369
755	46	76	1.0000	1.0000	0.008411
756	46	79	1.0000	1.0000	0.011758
757	46	92	1.0000	1.0000	0.002513

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
758	46	95	1.0000	1.0000	0.003761
759	46	125	1.0000	1.0000	0.008244
760	46	126	1.0000	1.0000	0.003152
761	46	127	1.0000	1.0000	0.008502
762	46	128	1.0000	1.0000	0.009159
763	46	129	1.0000	1.0000	0.012107
764	46	130	1.0000	1.0000	0.036386
765	46	131	1.0000	1.0000	0.037649
766	47	48	1.0000	1.0000	0.000748
767	47	49	1.0000	1.0000	0.014786
768	47	53	1.0000	1.0000	0.007491
769	47	58	1.0000	1.0000	0.000774
770	47	68	1.0000	1.0000	0.019892
771	47	76	1.0000	1.0000	0.019271
772	47	80	1.0000	1.0000	0.022647
773	47	92	1.0000	1.0000	0.013373
774	47	97	1.0000	1.0000	0.009708
775	47	109	1.0000	1.0000	0.027057
776	47	138	1.0000	1.0000	0.005751
777	48	49	1.0000	1.0000	0.014038
778	48	53	1.0000	1.0000	0.006744
779	48	59	1.0000	1.0000	0.004453
780	48	76	1.0000	1.0000	0.018524
781	48	92	1.0000	1.0000	0.012626
782	48	105	1.0000	1.0000	0.015938
783	48	123	1.0000	1.0000	0.021135
784	48	140	1.0000	1.0000	0.049837
785	48	141	1.0000	1.0000	0.013681
786	48	142	1.0000	1.0000	0.016706
787	48	143	1.0000	1.0000	0.009106
788	48	144	1.0000	1.0000	0.012898
789	49	53	1.0000	1.0000	0.007294
790	49	76	1.0000	1.0000	0.004486
791	49	92	1.0000	1.0000	0.001412
792	50	54	1.0000	1.0000	0.008710
793	50	66	1.0000	1.0000	0.007340

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
794	50	77	1.0000	1.0000	0.010797
795	50	88	1.0000	1.0000	0.000758
796	50	93	1.0000	1.0000	0.005705
797	50	107	1.0000	1.0000	0.009352
798	50	108	1.0000	1.0000	0.010900
799	50	127	1.0000	1.0000	0.009647
800	50	133	1.0000	1.0000	0.043085
801	50	138	1.0000	1.0000	0.003965
802	50	147	1.0000	1.0000	0.017949
803	50	151	1.0000	1.0000	0.533424
804	51	52	1.0000	1.0000	0.003957
805	51	53	1.0000	1.0000	0.001807
806	51	54	1.0000	1.0000	0.004678
807	51	55	1.0000	1.0000	0.014758
808	51	56	1.0000	1.0000	0.042940
809	51	57	1.0000	1.0000	0.005444
810	51	58	1.0000	1.0000	0.004910
811	51	59	1.0000	1.0000	0.000484
812	51	60	1.0000	1.0000	0.007194
813	51	61	1.0000	1.0000	0.013641
814	51	73	1.0000	1.0000	0.009937
815	51	86	1.0000	1.0000	0.007238
816	51	89	1.0000	1.0000	0.011061
817	51	114	1.0000	1.0000	0.025430
818	51	117	1.0000	1.0000	0.083129
819	52	53	1.0000	1.0000	0.005764
820	52	54	1.0000	1.0000	0.000722
821	52	55	1.0000	1.0000	0.010802
822	52	56	1.0000	1.0000	0.038983
823	52	57	1.0000	1.0000	0.009401
824	52	58	1.0000	1.0000	0.000953
825	52	59	1.0000	1.0000	0.003473
826	52	60	1.0000	1.0000	0.011151
827	52	61	1.0000	1.0000	0.017598
828	52	64	1.0000	1.0000	0.019303
829	52	74	1.0000	1.0000	0.023710

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
830	52	90	1.0000	1.0000	0.004245
831	52	103	1.0000	1.0000	0.002817
832	52	115	1.0000	1.0000	0.017381
833	52	117	1.0000	1.0000	0.087086
834	52	128	1.0000	1.0000	0.018291
835	52	142	1.0000	1.0000	0.015726
836	53	54	1.0000	1.0000	0.006485
837	53	55	1.0000	1.0000	0.016565
838	53	56	1.0000	1.0000	0.044747
839	53	57	1.0000	1.0000	0.003637
840	53	58	1.0000	1.0000	0.006717
841	53	59	1.0000	1.0000	0.002291
842	53	60	1.0000	1.0000	0.005387
843	53	61	1.0000	1.0000	0.011834
844	53	76	1.0000	1.0000	0.011780
845	53	92	1.0000	1.0000	0.005882
846	53	117	1.0000	1.0000	0.081322
847	54	55	1.0000	1.0000	0.010080
848	54	56	1.0000	1.0000	0.038261
849	54	57	1.0000	1.0000	0.010123
850	54	58	1.0000	1.0000	0.000232
851	54	59	1.0000	1.0000	0.004194
852	54	60	1.0000	1.0000	0.011872
853	54	61	1.0000	1.0000	0.018320
854	54	66	1.0000	1.0000	0.016050
855	54	77	1.0000	1.0000	0.019507
856	54	93	1.0000	1.0000	0.014414
857	54	108	1.0000	1.0000	0.019609
858	54	117	1.0000	1.0000	0.087808
859	55	56	1.0000	1.0000	0.028181
860	55	57	1.0000	1.0000	0.020203
861	55	58	1.0000	1.0000	0.009848
862	55	59	1.0000	1.0000	0.014274
863	55	60	1.0000	1.0000	0.021953
864	55	61	1.0000	1.0000	0.028400
865	55	101	1.0000	1.0000	0.014179

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
866	55	102	1.0000	1.0000	0.045609
867	55	103	1.0000	1.0000	0.007984
868	55	104	1.0000	1.0000	0.028924
869	55	105	1.0000	1.0000	0.025760
870	55	117	1.0000	1.0000	0.097888
871	55	121	1.0000	1.0000	0.028119
872	56	57	1.0000	1.0000	0.048384
873	56	58	1.0000	1.0000	0.038030
874	56	59	1.0000	1.0000	0.042456
875	56	60	1.0000	1.0000	0.050134
876	56	61	1.0000	1.0000	0.056581
877	56	117	1.0000	1.0000	0.126069
878	56	137	1.0000	1.0000	0.050021
879	56	144	1.0000	1.0000	0.050901
880	56	150	1.0000	1.0000	0.486453
881	57	58	1.0000	1.0000	0.010354
882	57	59	1.0000	1.0000	0.005928
883	57	60	1.0000	1.0000	0.001750
884	57	61	1.0000	1.0000	0.008197
885	57	96	1.0000	1.0000	0.001522
886	57	117	1.0000	1.0000	0.077685
887	57	132	1.0000	1.0000	0.035537
888	57	133	1.0000	1.0000	0.044498
889	57	134	1.0000	1.0000	0.084678
890	57	135	1.0000	1.0000	0.007143
891	57	136	1.0000	1.0000	0.013022
892	57	137	1.0000	1.0000	0.001637
893	58	59	1.0000	1.0000	0.004426
894	58	60	1.0000	1.0000	0.012104
895	58	61	1.0000	1.0000	0.018551
896	58	68	1.0000	1.0000	0.019118
897	58	80	1.0000	1.0000	0.021872
898	58	97	1.0000	1.0000	0.008933
899	58	109	1.0000	1.0000	0.026282
900	58	117	1.0000	1.0000	0.088039
901	58	138	1.0000	1.0000	0.004976

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
902	59	60	1.0000	1.0000	0.007678
903	59	61	1.0000	1.0000	0.014125
904	59	105	1.0000	1.0000	0.011486
905	59	117	1.0000	1.0000	0.083613
906	59	123	1.0000	1.0000	0.016682
907	59	140	1.0000	1.0000	0.054289
908	59	141	1.0000	1.0000	0.018133
909	59	142	1.0000	1.0000	0.012253
910	59	143	1.0000	1.0000	0.004653
911	59	144	1.0000	1.0000	0.008445
912	60	61	1.0000	1.0000	0.006447
913	60	99	1.0000	1.0000	0.001080
914	60	117	1.0000	1.0000	0.075935
915	60	145	1.0000	1.0000	0.001309
916	60	146	1.0000	1.0000	0.000925
917	60	147	1.0000	1.0000	0.021111
918	60	148	1.0000	1.0000	0.006787
919	60	149	1.0000	1.0000	0.463413
920	60	150	1.0000	1.0000	0.536587
921	61	69	1.0000	1.0000	0.003379
922	61	82	1.0000	1.0000	0.009239
923	61	100	1.0000	1.0000	0.012967
924	61	110	1.0000	1.0000	0.049546
925	61	117	1.0000	1.0000	0.069488
926	61	124	1.0000	1.0000	0.004199
927	61	131	1.0000	1.0000	0.046114
928	61	151	1.0000	1.0000	0.543034
929	62	63	1.0000	1.0000	0.001003
930	62	64	1.0000	1.0000	0.007785
931	62	65	1.0000	1.0000	0.001971
932	62	66	1.0000	1.0000	0.003810
933	62	67	1.0000	1.0000	0.005317
934	62	68	1.0000	1.0000	0.006647
935	62	69	1.0000	1.0000	0.009459
936	62	70	1.0000	1.0000	0.048754
937	62	78	1.0000	1.0000	0.010171

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
938	62	87	1.0000	1.0000	0.000191
939	62	94	1.0000	1.0000	0.042134
940	62	101	1.0000	1.0000	0.008141
941	62	106	1.0000	1.0000	0.001838
942	62	111	1.0000	1.0000	0.007731
943	62	125	1.0000	1.0000	0.005858
944	62	129	1.0000	1.0000	0.009722
945	62	135	1.0000	1.0000	0.005026
946	62	140	1.0000	1.0000	0.062335
947	62	145	1.0000	1.0000	0.000942
948	62	148	1.0000	1.0000	0.006420
949	63	64	1.0000	1.0000	0.008788
950	63	65	1.0000	1.0000	0.002974
951	63	66	1.0000	1.0000	0.004813
952	63	67	1.0000	1.0000	0.006320
953	63	68	1.0000	1.0000	0.007650
954	63	69	1.0000	1.0000	0.010462
955	63	72	1.0000	1.0000	0.008216
956	63	78	1.0000	1.0000	0.011174
957	63	94	1.0000	1.0000	0.041131
958	63	102	1.0000	1.0000	0.066925
959	63	113	1.0000	1.0000	0.007731
960	63	126	1.0000	1.0000	0.001770
961	63	129	1.0000	1.0000	0.010725
962	63	132	1.0000	1.0000	0.036651
963	63	135	1.0000	1.0000	0.006029
964	63	141	1.0000	1.0000	0.025176
965	63	146	1.0000	1.0000	0.001561
966	63	148	1.0000	1.0000	0.007423
967	64	65	1.0000	1.0000	0.005814
968	64	66	1.0000	1.0000	0.003974
969	64	67	1.0000	1.0000	0.002467
970	64	68	1.0000	1.0000	0.001138
971	64	69	1.0000	1.0000	0.001674
972	64	74	1.0000	1.0000	0.004407
973	64	78	1.0000	1.0000	0.002387

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
974	64	90	1.0000	1.0000	0.015058
975	64	94	1.0000	1.0000	0.049918
976	64	103	1.0000	1.0000	0.022120
977	64	115	1.0000	1.0000	0.001922
978	64	128	1.0000	1.0000	0.001011
979	64	129	1.0000	1.0000	0.001937
980	64	135	1.0000	1.0000	0.002759
981	64	142	1.0000	1.0000	0.003577
982	64	148	1.0000	1.0000	0.001365
983	65	66	1.0000	1.0000	0.001839
984	65	67	1.0000	1.0000	0.003346
985	65	68	1.0000	1.0000	0.004676
986	65	69	1.0000	1.0000	0.007488
987	65	75	1.0000	1.0000	0.001248
988	65	78	1.0000	1.0000	0.008200
989	65	91	1.0000	1.0000	0.003942
990	65	94	1.0000	1.0000	0.044105
991	65	116	1.0000	1.0000	0.013580
992	65	129	1.0000	1.0000	0.007751
993	65	135	1.0000	1.0000	0.003055
994	65	139	1.0000	1.0000	0.010623
995	65	148	1.0000	1.0000	0.004449
996	66	67	1.0000	1.0000	0.001507
997	66	68	1.0000	1.0000	0.002836
998	66	69	1.0000	1.0000	0.005648
999	66	77	1.0000	1.0000	0.003457
1000	66	78	1.0000	1.0000	0.006361
1001	66	93	1.0000	1.0000	0.001636
1002	66	94	1.0000	1.0000	0.045944
1003	66	108	1.0000	1.0000	0.003559
1004	66	129	1.0000	1.0000	0.005911
1005	66	135	1.0000	1.0000	0.001215
1006	66	148	1.0000	1.0000	0.002609
1007	67	68	1.0000	1.0000	0.001329
1008	67	69	1.0000	1.0000	0.004141
1009	67	78	1.0000	1.0000	0.004854

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1010	67	94	1.0000	1.0000	0.047451
1011	67	106	1.0000	1.0000	0.003479
1012	67	107	1.0000	1.0000	0.000504
1013	67	108	1.0000	1.0000	0.002052
1014	67	109	1.0000	1.0000	0.008494
1015	67	110	1.0000	1.0000	0.050309
1016	67	129	1.0000	1.0000	0.004404
1017	67	130	1.0000	1.0000	0.044089
1018	67	135	1.0000	1.0000	0.000292
1019	67	136	1.0000	1.0000	0.005587
1020	67	148	1.0000	1.0000	0.001102
1021	67	149	1.0000	1.0000	0.457728
1022	68	69	1.0000	1.0000	0.002812
1023	68	78	1.0000	1.0000	0.003525
1024	68	80	1.0000	1.0000	0.002754
1025	68	94	1.0000	1.0000	0.048780
1026	68	97	1.0000	1.0000	0.010184
1027	68	109	1.0000	1.0000	0.007164
1028	68	129	1.0000	1.0000	0.003075
1029	68	135	1.0000	1.0000	0.001621
1030	68	138	1.0000	1.0000	0.014142
1031	68	148	1.0000	1.0000	0.000227
1032	69	78	1.0000	1.0000	0.000712
1033	69	82	1.0000	1.0000	0.005860
1034	69	94	1.0000	1.0000	0.051593
1035	69	100	1.0000	1.0000	0.016346
1036	69	110	1.0000	1.0000	0.046167
1037	69	124	1.0000	1.0000	0.007578
1038	69	129	1.0000	1.0000	0.000263
1039	69	131	1.0000	1.0000	0.049493
1040	69	135	1.0000	1.0000	0.004433
1041	69	148	1.0000	1.0000	0.003039
1042	69	151	1.0000	1.0000	0.546413
1043	70	71	1.0000	1.0000	0.045376
1044	70	72	1.0000	1.0000	0.041542
1045	70	73	1.0000	1.0000	0.046378

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1046	70	74	1.0000	1.0000	0.036563
1047	70	75	1.0000	1.0000	0.048031
1048	70	76	1.0000	1.0000	0.042729
1049	70	77	1.0000	1.0000	0.041487
1050	70	78	1.0000	1.0000	0.038583
1051	70	79	1.0000	1.0000	0.039382
1052	70	80	1.0000	1.0000	0.039353
1053	70	81	1.0000	1.0000	0.038209
1054	70	82	1.0000	1.0000	0.033436
1055	70	87	1.0000	1.0000	0.048946
1056	70	101	1.0000	1.0000	0.056895
1057	70	106	1.0000	1.0000	0.046916
1058	70	111	1.0000	1.0000	0.041023
1059	70	118	1.0000	1.0000	0.021521
1060	70	125	1.0000	1.0000	0.042896
1061	70	140	1.0000	1.0000	0.111089
1062	70	145	1.0000	1.0000	0.047813
1063	71	72	1.0000	1.0000	0.003834
1064	71	73	1.0000	1.0000	0.001003
1065	71	74	1.0000	1.0000	0.008813
1066	71	75	1.0000	1.0000	0.002656
1067	71	76	1.0000	1.0000	0.002647
1068	71	77	1.0000	1.0000	0.003889
1069	71	78	1.0000	1.0000	0.006792
1070	71	79	1.0000	1.0000	0.005993
1071	71	80	1.0000	1.0000	0.006022
1072	71	81	1.0000	1.0000	0.007167
1073	71	82	1.0000	1.0000	0.011940
1074	71	83	1.0000	1.0000	0.097455
1075	71	85	1.0000	1.0000	0.000584
1076	71	112	1.0000	1.0000	0.008670
1077	71	118	1.0000	1.0000	0.023854
1078	72	73	1.0000	1.0000	0.004837
1079	72	74	1.0000	1.0000	0.004979
1080	72	75	1.0000	1.0000	0.006490
1081	72	76	1.0000	1.0000	0.001187

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1082	72	77	1.0000	1.0000	0.000055
1083	72	78	1.0000	1.0000	0.002959
1084	72	79	1.0000	1.0000	0.002159
1085	72	80	1.0000	1.0000	0.002188
1086	72	81	1.0000	1.0000	0.003333
1087	72	82	1.0000	1.0000	0.008106
1088	72	102	1.0000	1.0000	0.075141
1089	72	113	1.0000	1.0000	0.000485
1090	72	118	1.0000	1.0000	0.020020
1091	72	126	1.0000	1.0000	0.006446
1092	72	132	1.0000	1.0000	0.044867
1093	72	141	1.0000	1.0000	0.033391
1094	72	146	1.0000	1.0000	0.006655
1095	73	74	1.0000	1.0000	0.009816
1096	73	75	1.0000	1.0000	0.001653
1097	73	76	1.0000	1.0000	0.003650
1098	73	77	1.0000	1.0000	0.004892
1099	73	78	1.0000	1.0000	0.007795
1100	73	79	1.0000	1.0000	0.006996
1101	73	80	1.0000	1.0000	0.007025
1102	73	81	1.0000	1.0000	0.008169
1103	73	82	1.0000	1.0000	0.012943
1104	73	86	1.0000	1.0000	0.002700
1105	73	89	1.0000	1.0000	0.001124
1106	73	114	1.0000	1.0000	0.015493
1107	73	118	1.0000	1.0000	0.024857
1108	74	75	1.0000	1.0000	0.011469
1109	74	76	1.0000	1.0000	0.006166
1110	74	77	1.0000	1.0000	0.004924
1111	74	78	1.0000	1.0000	0.002021
1112	74	79	1.0000	1.0000	0.002820
1113	74	80	1.0000	1.0000	0.002791
1114	74	81	1.0000	1.0000	0.001646
1115	74	82	1.0000	1.0000	0.003127
1116	74	90	1.0000	1.0000	0.019465
1117	74	103	1.0000	1.0000	0.026527

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1118	74	115	1.0000	1.0000	0.006329
1119	74	118	1.0000	1.0000	0.015041
1120	74	128	1.0000	1.0000	0.005419
1121	74	142	1.0000	1.0000	0.007984
1122	75	76	1.0000	1.0000	0.005303
1123	75	77	1.0000	1.0000	0.006545
1124	75	78	1.0000	1.0000	0.009448
1125	75	79	1.0000	1.0000	0.008649
1126	75	80	1.0000	1.0000	0.008678
1127	75	81	1.0000	1.0000	0.009822
1128	75	82	1.0000	1.0000	0.014596
1129	75	91	1.0000	1.0000	0.002694
1130	75	116	1.0000	1.0000	0.014828
1131	75	118	1.0000	1.0000	0.026510
1132	75	139	1.0000	1.0000	0.009375
1133	76	77	1.0000	1.0000	0.001242
1134	76	78	1.0000	1.0000	0.004146
1135	76	79	1.0000	1.0000	0.003346
1136	76	80	1.0000	1.0000	0.003375
1137	76	81	1.0000	1.0000	0.004520
1138	76	82	1.0000	1.0000	0.009293
1139	76	92	1.0000	1.0000	0.005898
1140	76	118	1.0000	1.0000	0.021207
1141	77	78	1.0000	1.0000	0.002904
1142	77	79	1.0000	1.0000	0.002104
1143	77	80	1.0000	1.0000	0.002133
1144	77	81	1.0000	1.0000	0.003278
1145	77	82	1.0000	1.0000	0.008051
1146	77	93	1.0000	1.0000	0.005093
1147	77	108	1.0000	1.0000	0.000102
1148	77	118	1.0000	1.0000	0.019965
1149	78	79	1.0000	1.0000	0.000799
1150	78	80	1.0000	1.0000	0.000770
1151	78	81	1.0000	1.0000	0.000374
1152	78	82	1.0000	1.0000	0.005147
1153	78	94	1.0000	1.0000	0.052305

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1154	78	118	1.0000	1.0000	0.017062
1155	78	129	1.0000	1.0000	0.000449
1156	78	135	1.0000	1.0000	0.005146
1157	78	148	1.0000	1.0000	0.003752
1158	79	80	1.0000	1.0000	0.000029
1159	79	81	1.0000	1.0000	0.001173
1160	79	82	1.0000	1.0000	0.005947
1161	79	95	1.0000	1.0000	0.007997
1162	79	118	1.0000	1.0000	0.017861
1163	79	125	1.0000	1.0000	0.003514
1164	79	126	1.0000	1.0000	0.008605
1165	79	127	1.0000	1.0000	0.003255
1166	79	128	1.0000	1.0000	0.002599
1167	79	129	1.0000	1.0000	0.000350
1168	79	130	1.0000	1.0000	0.048144
1169	79	131	1.0000	1.0000	0.049406
1170	80	81	1.0000	1.0000	0.001144
1171	80	82	1.0000	1.0000	0.005918
1172	80	97	1.0000	1.0000	0.012939
1173	80	109	1.0000	1.0000	0.004410
1174	80	118	1.0000	1.0000	0.017832
1175	80	138	1.0000	1.0000	0.016896
1176	81	82	1.0000	1.0000	0.004773
1177	81	98	1.0000	1.0000	0.007689
1178	81	118	1.0000	1.0000	0.016688
1179	81	122	1.0000	1.0000	0.005022
1180	81	139	1.0000	1.0000	0.019198
1181	82	100	1.0000	1.0000	0.022206
1182	82	110	1.0000	1.0000	0.040308
1183	82	118	1.0000	1.0000	0.011914
1184	82	124	1.0000	1.0000	0.013438
1185	82	131	1.0000	1.0000	0.055353
1186	82	151	1.0000	1.0000	0.552273
1187	83	85	1.0000	1.0000	0.098038
1188	83	112	1.0000	1.0000	0.088785
1189	83	119	1.0000	1.0000	0.093162

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1190	84	85	1.0000	1.0000	0.012580
1191	84	86	1.0000	1.0000	0.015699
1192	84	120	1.0000	1.0000	0.000554
1193	85	86	1.0000	1.0000	0.003119
1194	85	112	1.0000	1.0000	0.009253
1195	85	120	1.0000	1.0000	0.013134
1196	86	89	1.0000	1.0000	0.003824
1197	86	114	1.0000	1.0000	0.018192
1198	86	120	1.0000	1.0000	0.016253
1199	87	88	1.0000	1.0000	0.004097
1200	87	89	1.0000	1.0000	0.003691
1201	87	90	1.0000	1.0000	0.007082
1202	87	91	1.0000	1.0000	0.001779
1203	87	92	1.0000	1.0000	0.000319
1204	87	93	1.0000	1.0000	0.002366
1205	87	94	1.0000	1.0000	0.041942
1206	87	95	1.0000	1.0000	0.001567
1207	87	96	1.0000	1.0000	0.000403
1208	87	97	1.0000	1.0000	0.003346
1209	87	98	1.0000	1.0000	0.003048
1210	87	99	1.0000	1.0000	0.000904
1211	87	100	1.0000	1.0000	0.006696
1212	87	101	1.0000	1.0000	0.007950
1213	87	106	1.0000	1.0000	0.002029
1214	87	111	1.0000	1.0000	0.007922
1215	87	125	1.0000	1.0000	0.006050
1216	87	140	1.0000	1.0000	0.062143
1217	87	145	1.0000	1.0000	0.001133
1218	88	89	1.0000	1.0000	0.007788
1219	88	90	1.0000	1.0000	0.002986
1220	88	91	1.0000	1.0000	0.002317
1221	88	92	1.0000	1.0000	0.004416
1222	88	93	1.0000	1.0000	0.006463
1223	88	94	1.0000	1.0000	0.037846
1224	88	95	1.0000	1.0000	0.005663
1225	88	96	1.0000	1.0000	0.003693

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1226	88	97	1.0000	1.0000	0.000750
1227	88	98	1.0000	1.0000	0.007144
1228	88	99	1.0000	1.0000	0.005001
1229	88	100	1.0000	1.0000	0.002599
1230	88	107	1.0000	1.0000	0.010110
1231	88	127	1.0000	1.0000	0.010405
1232	88	133	1.0000	1.0000	0.042327
1233	88	138	1.0000	1.0000	0.003207
1234	88	147	1.0000	1.0000	0.017191
1235	88	151	1.0000	1.0000	0.532666
1236	89	90	1.0000	1.0000	0.010773
1237	89	91	1.0000	1.0000	0.005471
1238	89	92	1.0000	1.0000	0.003372
1239	89	93	1.0000	1.0000	0.001325
1240	89	94	1.0000	1.0000	0.045634
1241	89	95	1.0000	1.0000	0.002124
1242	89	96	1.0000	1.0000	0.004095
1243	89	97	1.0000	1.0000	0.007038
1244	89	98	1.0000	1.0000	0.000644
1245	89	99	1.0000	1.0000	0.002787
1246	89	100	1.0000	1.0000	0.010387
1247	89	114	1.0000	1.0000	0.014369
1248	90	91	1.0000	1.0000	0.005303
1249	90	92	1.0000	1.0000	0.007401
1250	90	93	1.0000	1.0000	0.009448
1251	90	94	1.0000	1.0000	0.034860
1252	90	95	1.0000	1.0000	0.008649
1253	90	96	1.0000	1.0000	0.006679
1254	90	97	1.0000	1.0000	0.003736
1255	90	98	1.0000	1.0000	0.010130
1256	90	99	1.0000	1.0000	0.007986
1257	90	100	1.0000	1.0000	0.000386
1258	90	103	1.0000	1.0000	0.007062
1259	90	115	1.0000	1.0000	0.013136
1260	90	128	1.0000	1.0000	0.014047
1261	90	142	1.0000	1.0000	0.011481

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1262	91	92	1.0000	1.0000	0.002099
1263	91	93	1.0000	1.0000	0.004146
1264	91	94	1.0000	1.0000	0.040163
1265	91	95	1.0000	1.0000	0.003346
1266	91	96	1.0000	1.0000	0.001376
1267	91	97	1.0000	1.0000	0.001567
1268	91	98	1.0000	1.0000	0.004827
1269	91	99	1.0000	1.0000	0.002684
1270	91	100	1.0000	1.0000	0.004916
1271	91	116	1.0000	1.0000	0.017522
1272	91	139	1.0000	1.0000	0.006681
1273	92	93	1.0000	1.0000	0.002047
1274	92	94	1.0000	1.0000	0.042262
1275	92	95	1.0000	1.0000	0.001248
1276	92	96	1.0000	1.0000	0.000723
1277	92	97	1.0000	1.0000	0.003666
1278	92	98	1.0000	1.0000	0.002729
1279	92	99	1.0000	1.0000	0.000585
1280	92	100	1.0000	1.0000	0.007015
1281	93	94	1.0000	1.0000	0.044309
1282	93	95	1.0000	1.0000	0.000799
1283	93	96	1.0000	1.0000	0.002769
1284	93	97	1.0000	1.0000	0.005713
1285	93	98	1.0000	1.0000	0.000682
1286	93	99	1.0000	1.0000	0.001462
1287	93	100	1.0000	1.0000	0.009062
1288	93	108	1.0000	1.0000	0.005195
1289	94	95	1.0000	1.0000	0.043509
1290	94	96	1.0000	1.0000	0.041539
1291	94	97	1.0000	1.0000	0.038596
1292	94	98	1.0000	1.0000	0.044990
1293	94	99	1.0000	1.0000	0.042846
1294	94	100	1.0000	1.0000	0.035246
1295	94	129	1.0000	1.0000	0.051856
1296	94	135	1.0000	1.0000	0.047159
1297	94	148	1.0000	1.0000	0.048554

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1298	95	96	1.0000	1.0000	0.001970
1299	95	97	1.0000	1.0000	0.004913
1300	95	98	1.0000	1.0000	0.001481
1301	95	99	1.0000	1.0000	0.000663
1302	95	100	1.0000	1.0000	0.008263
1303	95	125	1.0000	1.0000	0.004483
1304	95	126	1.0000	1.0000	0.000609
1305	95	127	1.0000	1.0000	0.004741
1306	95	128	1.0000	1.0000	0.005398
1307	95	129	1.0000	1.0000	0.008346
1308	95	130	1.0000	1.0000	0.040147
1309	95	131	1.0000	1.0000	0.041410
1310	96	97	1.0000	1.0000	0.002943
1311	96	98	1.0000	1.0000	0.003451
1312	96	99	1.0000	1.0000	0.001307
1313	96	100	1.0000	1.0000	0.006293
1314	96	132	1.0000	1.0000	0.037060
1315	96	133	1.0000	1.0000	0.046020
1316	96	134	1.0000	1.0000	0.086200
1317	96	135	1.0000	1.0000	0.005620
1318	96	136	1.0000	1.0000	0.011500
1319	96	137	1.0000	1.0000	0.000115
1320	97	98	1.0000	1.0000	0.006394
1321	97	99	1.0000	1.0000	0.004250
1322	97	100	1.0000	1.0000	0.003350
1323	97	109	1.0000	1.0000	0.017349
1324	97	138	1.0000	1.0000	0.003957
1325	98	99	1.0000	1.0000	0.002144
1326	98	100	1.0000	1.0000	0.009744
1327	98	122	1.0000	1.0000	0.012711
1328	98	139	1.0000	1.0000	0.011509
1329	99	100	1.0000	1.0000	0.007600
1330	99	145	1.0000	1.0000	0.000229
1331	99	146	1.0000	1.0000	0.000155
1332	99	147	1.0000	1.0000	0.022191
1333	99	148	1.0000	1.0000	0.005707

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1334	99	149	1.0000	1.0000	0.462333
1335	99	150	1.0000	1.0000	0.537667
1336	100	110	1.0000	1.0000	0.062514
1337	100	124	1.0000	1.0000	0.008768
1338	100	131	1.0000	1.0000	0.033147
1339	100	151	1.0000	1.0000	0.530067
1340	101	102	1.0000	1.0000	0.059787
1341	101	103	1.0000	1.0000	0.006194
1342	101	104	1.0000	1.0000	0.014746
1343	101	105	1.0000	1.0000	0.011582
1344	101	106	1.0000	1.0000	0.009979
1345	101	111	1.0000	1.0000	0.015872
1346	101	121	1.0000	1.0000	0.013941
1347	101	125	1.0000	1.0000	0.013999
1348	101	140	1.0000	1.0000	0.054194
1349	101	145	1.0000	1.0000	0.009083
1350	102	103	1.0000	1.0000	0.053593
1351	102	104	1.0000	1.0000	0.074533
1352	102	105	1.0000	1.0000	0.071369
1353	102	113	1.0000	1.0000	0.074656
1354	102	121	1.0000	1.0000	0.073728
1355	102	126	1.0000	1.0000	0.068695
1356	102	132	1.0000	1.0000	0.030274
1357	102	141	1.0000	1.0000	0.041750
1358	102	146	1.0000	1.0000	0.068486
1359	103	104	1.0000	1.0000	0.020940
1360	103	105	1.0000	1.0000	0.017776
1361	103	115	1.0000	1.0000	0.020198
1362	103	121	1.0000	1.0000	0.020135
1363	103	128	1.0000	1.0000	0.021109
1364	103	142	1.0000	1.0000	0.018543
1365	104	105	1.0000	1.0000	0.003164
1366	104	121	1.0000	1.0000	0.000805
1367	104	134	1.0000	1.0000	0.093400
1368	104	143	1.0000	1.0000	0.009997
1369	105	121	1.0000	1.0000	0.002359

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1370	105	123	1.0000	1.0000	0.005196
1371	105	140	1.0000	1.0000	0.065775
1372	105	141	1.0000	1.0000	0.029619
1373	105	142	1.0000	1.0000	0.000767
1374	105	143	1.0000	1.0000	0.006833
1375	105	144	1.0000	1.0000	0.003041
1376	106	107	1.0000	1.0000	0.003984
1377	106	108	1.0000	1.0000	0.005532
1378	106	109	1.0000	1.0000	0.011973
1379	106	110	1.0000	1.0000	0.053788
1380	106	111	1.0000	1.0000	0.005893
1381	106	125	1.0000	1.0000	0.004020
1382	106	130	1.0000	1.0000	0.040610
1383	106	136	1.0000	1.0000	0.009067
1384	106	140	1.0000	1.0000	0.064173
1385	106	145	1.0000	1.0000	0.000896
1386	106	149	1.0000	1.0000	0.461208
1387	107	108	1.0000	1.0000	0.001548
1388	107	109	1.0000	1.0000	0.007989
1389	107	110	1.0000	1.0000	0.049804
1390	107	127	1.0000	1.0000	0.000295
1391	107	130	1.0000	1.0000	0.044594
1392	107	133	1.0000	1.0000	0.052437
1393	107	136	1.0000	1.0000	0.005083
1394	107	138	1.0000	1.0000	0.013317
1395	107	147	1.0000	1.0000	0.027300
1396	107	149	1.0000	1.0000	0.457224
1397	107	151	1.0000	1.0000	0.542776
1398	108	109	1.0000	1.0000	0.006441
1399	108	110	1.0000	1.0000	0.048256
1400	108	130	1.0000	1.0000	0.046142
1401	108	136	1.0000	1.0000	0.003535
1402	108	149	1.0000	1.0000	0.455676
1403	109	110	1.0000	1.0000	0.041815
1404	109	130	1.0000	1.0000	0.052583
1405	109	136	1.0000	1.0000	0.002906

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1406	109	138	1.0000	1.0000	0.021306
1407	109	149	1.0000	1.0000	0.449235
1408	110	124	1.0000	1.0000	0.053745
1409	110	130	1.0000	1.0000	0.094398
1410	110	131	1.0000	1.0000	0.095660
1411	110	136	1.0000	1.0000	0.044721
1412	110	149	1.0000	1.0000	0.407420
1413	110	151	1.0000	1.0000	0.592580
1414	111	112	1.0000	1.0000	0.004318
1415	111	113	1.0000	1.0000	0.001003
1416	111	114	1.0000	1.0000	0.010138
1417	111	115	1.0000	1.0000	0.001868
1418	111	116	1.0000	1.0000	0.007820
1419	111	117	1.0000	1.0000	0.067837
1420	111	118	1.0000	1.0000	0.019502
1421	111	119	1.0000	1.0000	0.000060
1422	111	120	1.0000	1.0000	0.008198
1423	111	121	1.0000	1.0000	0.001931
1424	111	122	1.0000	1.0000	0.007836
1425	111	123	1.0000	1.0000	0.000906
1426	111	124	1.0000	1.0000	0.005850
1427	111	125	1.0000	1.0000	0.001873
1428	111	140	1.0000	1.0000	0.070066
1429	111	145	1.0000	1.0000	0.006789
1430	112	113	1.0000	1.0000	0.005321
1431	112	114	1.0000	1.0000	0.005820
1432	112	115	1.0000	1.0000	0.006186
1433	112	116	1.0000	1.0000	0.003502
1434	112	117	1.0000	1.0000	0.063519
1435	112	118	1.0000	1.0000	0.015184
1436	112	119	1.0000	1.0000	0.004377
1437	112	120	1.0000	1.0000	0.003881
1438	112	121	1.0000	1.0000	0.006249
1439	112	122	1.0000	1.0000	0.003519
1440	112	123	1.0000	1.0000	0.003412
1441	112	124	1.0000	1.0000	0.010167

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1442	113	114	1.0000	1.0000	0.011141
1443	113	115	1.0000	1.0000	0.000865
1444	113	116	1.0000	1.0000	0.008823
1445	113	117	1.0000	1.0000	0.068840
1446	113	118	1.0000	1.0000	0.020505
1447	113	119	1.0000	1.0000	0.000943
1448	113	120	1.0000	1.0000	0.009201
1449	113	121	1.0000	1.0000	0.000928
1450	113	122	1.0000	1.0000	0.008839
1451	113	123	1.0000	1.0000	0.001909
1452	113	124	1.0000	1.0000	0.004847
1453	113	126	1.0000	1.0000	0.005961
1454	113	132	1.0000	1.0000	0.044382
1455	113	141	1.0000	1.0000	0.032907
1456	113	146	1.0000	1.0000	0.006170
1457	114	115	1.0000	1.0000	0.012006
1458	114	116	1.0000	1.0000	0.002318
1459	114	117	1.0000	1.0000	0.057699
1460	114	118	1.0000	1.0000	0.009364
1461	114	119	1.0000	1.0000	0.010198
1462	114	120	1.0000	1.0000	0.001939
1463	114	121	1.0000	1.0000	0.012069
1464	114	122	1.0000	1.0000	0.002301
1465	114	123	1.0000	1.0000	0.009232
1466	114	124	1.0000	1.0000	0.015988
1467	115	116	1.0000	1.0000	0.009688
1468	115	117	1.0000	1.0000	0.069705
1469	115	118	1.0000	1.0000	0.021370
1470	115	119	1.0000	1.0000	0.001808
1471	115	120	1.0000	1.0000	0.010066
1472	115	121	1.0000	1.0000	0.000063
1473	115	122	1.0000	1.0000	0.009704
1474	115	123	1.0000	1.0000	0.002774
1475	115	124	1.0000	1.0000	0.003982
1476	115	128	1.0000	1.0000	0.000910
1477	115	142	1.0000	1.0000	0.001655

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1478	116	117	1.0000	1.0000	0.060017
1479	116	118	1.0000	1.0000	0.011682
1480	116	119	1.0000	1.0000	0.007880
1481	116	120	1.0000	1.0000	0.000378
1482	116	121	1.0000	1.0000	0.009751
1483	116	122	1.0000	1.0000	0.000016
1484	116	123	1.0000	1.0000	0.006914
1485	116	124	1.0000	1.0000	0.013670
1486	116	139	1.0000	1.0000	0.024203
1487	117	118	1.0000	1.0000	0.048335
1488	117	119	1.0000	1.0000	0.067897
1489	117	120	1.0000	1.0000	0.059639
1490	117	121	1.0000	1.0000	0.069768
1491	117	122	1.0000	1.0000	0.060001
1492	117	123	1.0000	1.0000	0.066931
1493	117	124	1.0000	1.0000	0.073687
1494	118	119	1.0000	1.0000	0.019562
1495	118	120	1.0000	1.0000	0.011304
1496	118	121	1.0000	1.0000	0.021433
1497	118	122	1.0000	1.0000	0.011666
1498	118	123	1.0000	1.0000	0.018596
1499	118	124	1.0000	1.0000	0.025352
1500	119	120	1.0000	1.0000	0.008258
1501	119	121	1.0000	1.0000	0.001871
1502	119	122	1.0000	1.0000	0.007896
1503	119	123	1.0000	1.0000	0.000966
1504	119	124	1.0000	1.0000	0.005790
1505	120	121	1.0000	1.0000	0.010130
1506	120	122	1.0000	1.0000	0.000362
1507	120	123	1.0000	1.0000	0.007293
1508	120	124	1.0000	1.0000	0.014048
1509	121	122	1.0000	1.0000	0.009768
1510	121	123	1.0000	1.0000	0.002837
1511	121	124	1.0000	1.0000	0.003919
1512	122	123	1.0000	1.0000	0.006930
1513	122	124	1.0000	1.0000	0.013686

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1514	122	139	1.0000	1.0000	0.024219
1515	123	124	1.0000	1.0000	0.006756
1516	123	140	1.0000	1.0000	0.070971
1517	123	141	1.0000	1.0000	0.034815
1518	123	142	1.0000	1.0000	0.004429
1519	123	143	1.0000	1.0000	0.012029
1520	123	144	1.0000	1.0000	0.008237
1521	124	131	1.0000	1.0000	0.041915
1522	124	151	1.0000	1.0000	0.538835
1523	125	126	1.0000	1.0000	0.005092
1524	125	127	1.0000	1.0000	0.000258
1525	125	128	1.0000	1.0000	0.000915
1526	125	129	1.0000	1.0000	0.003864
1527	125	130	1.0000	1.0000	0.044630
1528	125	131	1.0000	1.0000	0.045892
1529	125	140	1.0000	1.0000	0.068193
1530	125	145	1.0000	1.0000	0.004917
1531	126	127	1.0000	1.0000	0.005350
1532	126	128	1.0000	1.0000	0.006007
1533	126	129	1.0000	1.0000	0.008955
1534	126	130	1.0000	1.0000	0.039538
1535	126	131	1.0000	1.0000	0.040801
1536	126	132	1.0000	1.0000	0.038421
1537	126	141	1.0000	1.0000	0.026945
1538	126	146	1.0000	1.0000	0.000209
1539	127	128	1.0000	1.0000	0.000657
1540	127	129	1.0000	1.0000	0.003605
1541	127	130	1.0000	1.0000	0.044888
1542	127	131	1.0000	1.0000	0.046151
1543	127	133	1.0000	1.0000	0.052732
1544	127	138	1.0000	1.0000	0.013612
1545	127	147	1.0000	1.0000	0.027595
1546	127	151	1.0000	1.0000	0.543071
1547	128	129	1.0000	1.0000	0.002949
1548	128	130	1.0000	1.0000	0.045545
1549	128	131	1.0000	1.0000	0.046807

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1550	128	142	1.0000	1.0000	0.002565
1551	129	130	1.0000	1.0000	0.048494
1552	129	131	1.0000	1.0000	0.049756
1553	129	135	1.0000	1.0000	0.004696
1554	129	148	1.0000	1.0000	0.003302
1555	130	131	1.0000	1.0000	0.001262
1556	130	136	1.0000	1.0000	0.049677
1557	130	149	1.0000	1.0000	0.501818
1558	131	151	1.0000	1.0000	0.496920
1559	132	133	1.0000	1.0000	0.008961
1560	132	134	1.0000	1.0000	0.049140
1561	132	135	1.0000	1.0000	0.042680
1562	132	136	1.0000	1.0000	0.048559
1563	132	137	1.0000	1.0000	0.037175
1564	132	141	1.0000	1.0000	0.011476
1565	132	146	1.0000	1.0000	0.038212
1566	133	134	1.0000	1.0000	0.040180
1567	133	135	1.0000	1.0000	0.051641
1568	133	136	1.0000	1.0000	0.057520
1569	133	137	1.0000	1.0000	0.046136
1570	133	138	1.0000	1.0000	0.039120
1571	133	147	1.0000	1.0000	0.025137
1572	133	151	1.0000	1.0000	0.490339
1573	134	135	1.0000	1.0000	0.091820
1574	134	136	1.0000	1.0000	0.097700
1575	134	137	1.0000	1.0000	0.086315
1576	134	143	1.0000	1.0000	0.083403
1577	135	136	1.0000	1.0000	0.005879
1578	135	137	1.0000	1.0000	0.005505
1579	135	148	1.0000	1.0000	0.001394
1580	136	137	1.0000	1.0000	0.011384
1581	136	149	1.0000	1.0000	0.452141
1582	137	144	1.0000	1.0000	0.000879
1583	137	150	1.0000	1.0000	0.536475
1584	138	147	1.0000	1.0000	0.013983
1585	138	151	1.0000	1.0000	0.529459

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1586	140	141	1.0000	1.0000	0.036156
1587	140	142	1.0000	1.0000	0.066543
1588	140	143	1.0000	1.0000	0.058942
1589	140	144	1.0000	1.0000	0.062735
1590	140	145	1.0000	1.0000	0.063276
1591	141	142	1.0000	1.0000	0.030386
1592	141	143	1.0000	1.0000	0.022786
1593	141	144	1.0000	1.0000	0.026578
1594	141	146	1.0000	1.0000	0.026736
1595	142	143	1.0000	1.0000	0.007600
1596	142	144	1.0000	1.0000	0.003808
1597	143	144	1.0000	1.0000	0.003792
1598	144	150	1.0000	1.0000	0.537354
1599	145	146	1.0000	1.0000	0.000384
1600	145	147	1.0000	1.0000	0.022420
1601	145	148	1.0000	1.0000	0.005478
1602	145	149	1.0000	1.0000	0.462104
1603	145	150	1.0000	1.0000	0.537896
1604	146	147	1.0000	1.0000	0.022036
1605	146	148	1.0000	1.0000	0.005862
1606	146	149	1.0000	1.0000	0.462488
1607	146	150	1.0000	1.0000	0.537512
1608	147	148	1.0000	1.0000	0.027898
1609	147	149	1.0000	1.0000	0.484524
1610	147	150	1.0000	1.0000	0.515476
1611	147	151	1.0000	1.0000	0.515476
1612	148	149	1.0000	1.0000	0.456626
1613	148	150	1.0000	1.0000	0.543374
1614	149	150	1.0000	1.0000	1.000000

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	138.730722 Ohm

Total current I	2.203622e-05 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	0.138731
10	1.387307
100	13.873072
1000	138.730722
10000	1387.307217

EXPERIMENT #40

Timestamp: 20260330_152337 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.65
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	204
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	204
Nodes after pruning	204
Edges before pruning	2828
Edges after pruning	2828

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	0	1	1.0000	1.0000	0.002218
1	0	2	1.0000	1.0000	0.009630

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2	0	3	1.0000	1.0000	0.054442
3	0	4	1.0000	1.0000	0.008652
4	0	5	1.0000	1.0000	0.002530
5	0	6	1.0000	1.0000	0.003616
6	0	7	1.0000	1.0000	0.002928
7	0	8	1.0000	1.0000	0.000867
8	0	9	1.0000	1.0000	0.002066
9	0	10	1.0000	1.0000	0.003573
10	0	11	1.0000	1.0000	0.018135
11	0	12	1.0000	1.0000	0.050627
12	0	15	1.0000	1.0000	0.003336
13	0	23	1.0000	1.0000	0.001268
14	0	24	1.0000	1.0000	0.021788
15	0	25	1.0000	1.0000	0.022883
16	0	33	1.0000	1.0000	0.020476
17	0	44	1.0000	1.0000	0.023894
18	0	66	1.0000	1.0000	0.012382
19	0	76	1.0000	1.0000	0.002606
20	0	118	1.0000	1.0000	0.041464
21	0	147	1.0000	1.0000	0.012027
22	0	165	1.0000	1.0000	0.000188
23	0	167	1.0000	1.0000	0.010259
24	0	173	1.0000	1.0000	0.015500
25	0	181	1.0000	1.0000	0.049065
26	0	190	1.0000	1.0000	0.033501
27	1	2	1.0000	1.0000	0.007412
28	1	3	1.0000	1.0000	0.056660
29	1	4	1.0000	1.0000	0.006434
30	1	5	1.0000	1.0000	0.000312
31	1	6	1.0000	1.0000	0.005834
32	1	7	1.0000	1.0000	0.000710
33	1	8	1.0000	1.0000	0.003085
34	1	9	1.0000	1.0000	0.000152
35	1	10	1.0000	1.0000	0.001354
36	1	11	1.0000	1.0000	0.015917
37	1	12	1.0000	1.0000	0.052845

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
38	1	65	1.0000	1.0000	0.002927
39	1	66	1.0000	1.0000	0.010164
40	1	67	1.0000	1.0000	0.001949
41	1	68	1.0000	1.0000	0.004269
42	1	69	1.0000	1.0000	0.001623
43	1	70	1.0000	1.0000	0.005885
44	1	71	1.0000	1.0000	0.018820
45	1	72	1.0000	1.0000	0.046864
46	1	73	1.0000	1.0000	0.002274
47	1	74	1.0000	1.0000	0.001687
48	1	78	1.0000	1.0000	0.051839
49	1	118	1.0000	1.0000	0.039246
50	1	123	1.0000	1.0000	0.038935
51	1	149	1.0000	1.0000	0.009157
52	1	195	1.0000	1.0000	0.021529
53	2	3	1.0000	1.0000	0.064072
54	2	4	1.0000	1.0000	0.000979
55	2	5	1.0000	1.0000	0.007101
56	2	6	1.0000	1.0000	0.013246
57	2	7	1.0000	1.0000	0.006702
58	2	8	1.0000	1.0000	0.010497
59	2	9	1.0000	1.0000	0.007564
60	2	10	1.0000	1.0000	0.006058
61	2	11	1.0000	1.0000	0.008505
62	2	12	1.0000	1.0000	0.060257
63	2	36	1.0000	1.0000	0.008864
64	2	57	1.0000	1.0000	0.028789
65	2	79	1.0000	1.0000	0.006744
66	2	93	1.0000	1.0000	0.028091
67	2	100	1.0000	1.0000	0.009508
68	2	101	1.0000	1.0000	0.024202
69	2	102	1.0000	1.0000	0.003307
70	2	103	1.0000	1.0000	0.009979
71	2	104	1.0000	1.0000	0.002886
72	2	105	1.0000	1.0000	0.006547
73	2	106	1.0000	1.0000	0.016745

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
74	2	107	1.0000	1.0000	0.062037
75	2	108	1.0000	1.0000	0.052717
76	2	118	1.0000	1.0000	0.031834
77	2	126	1.0000	1.0000	0.025851
78	2	151	1.0000	1.0000	0.002459
79	2	197	1.0000	1.0000	0.019459
80	3	4	1.0000	1.0000	0.063094
81	3	5	1.0000	1.0000	0.056972
82	3	6	1.0000	1.0000	0.050826
83	3	7	1.0000	1.0000	0.057370
84	3	8	1.0000	1.0000	0.053575
85	3	9	1.0000	1.0000	0.056508
86	3	10	1.0000	1.0000	0.058014
87	3	11	1.0000	1.0000	0.072577
88	3	12	1.0000	1.0000	0.003815
89	3	16	1.0000	1.0000	0.064150
90	3	45	1.0000	1.0000	0.059771
91	3	80	1.0000	1.0000	0.063891
92	3	109	1.0000	1.0000	0.009303
93	3	110	1.0000	1.0000	0.063359
94	3	111	1.0000	1.0000	0.066797
95	3	118	1.0000	1.0000	0.095906
96	3	141	1.0000	1.0000	0.066768
97	3	152	1.0000	1.0000	0.054500
98	3	183	1.0000	1.0000	0.032068
99	4	5	1.0000	1.0000	0.006122
100	4	6	1.0000	1.0000	0.012268
101	4	7	1.0000	1.0000	0.005724
102	4	8	1.0000	1.0000	0.009518
103	4	9	1.0000	1.0000	0.006586
104	4	10	1.0000	1.0000	0.005079
105	4	11	1.0000	1.0000	0.009483
106	4	12	1.0000	1.0000	0.059279
107	4	28	1.0000	1.0000	0.025354
108	4	58	1.0000	1.0000	0.013022
109	4	68	1.0000	1.0000	0.002164

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
110	4	94	1.0000	1.0000	0.006322
111	4	102	1.0000	1.0000	0.004286
112	4	112	1.0000	1.0000	0.011045
113	4	113	1.0000	1.0000	0.003239
114	4	114	1.0000	1.0000	0.007202
115	4	115	1.0000	1.0000	0.018415
116	4	116	1.0000	1.0000	0.024915
117	4	117	1.0000	1.0000	0.051918
118	4	118	1.0000	1.0000	0.032812
119	4	127	1.0000	1.0000	0.034444
120	4	153	1.0000	1.0000	0.002735
121	5	6	1.0000	1.0000	0.006146
122	5	7	1.0000	1.0000	0.000398
123	5	8	1.0000	1.0000	0.003396
124	5	9	1.0000	1.0000	0.000464
125	5	10	1.0000	1.0000	0.001043
126	5	11	1.0000	1.0000	0.015606
127	5	12	1.0000	1.0000	0.053157
128	5	17	1.0000	1.0000	0.004781
129	5	37	1.0000	1.0000	0.002951
130	5	47	1.0000	1.0000	0.002468
131	5	81	1.0000	1.0000	0.005405
132	5	104	1.0000	1.0000	0.009986
133	5	113	1.0000	1.0000	0.009361
134	5	118	1.0000	1.0000	0.038934
135	5	129	1.0000	1.0000	0.032517
136	5	137	1.0000	1.0000	0.109869
137	5	138	1.0000	1.0000	0.017761
138	5	139	1.0000	1.0000	0.010416
139	5	140	1.0000	1.0000	0.010587
140	5	154	1.0000	1.0000	0.007281
141	5	168	1.0000	1.0000	0.005171
142	5	175	1.0000	1.0000	0.017840
143	5	184	1.0000	1.0000	0.019775
144	6	7	1.0000	1.0000	0.006544
145	6	8	1.0000	1.0000	0.002749

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
146	6	9	1.0000	1.0000	0.005682
147	6	10	1.0000	1.0000	0.007188
148	6	11	1.0000	1.0000	0.021751
149	6	12	1.0000	1.0000	0.047011
150	6	19	1.0000	1.0000	0.011045
151	6	23	1.0000	1.0000	0.004884
152	6	39	1.0000	1.0000	0.013919
153	6	49	1.0000	1.0000	0.006713
154	6	69	1.0000	1.0000	0.007457
155	6	83	1.0000	1.0000	0.003449
156	6	109	1.0000	1.0000	0.060129
157	6	118	1.0000	1.0000	0.045080
158	6	137	1.0000	1.0000	0.103724
159	6	142	1.0000	1.0000	0.021366
160	6	156	1.0000	1.0000	0.010880
161	6	163	1.0000	1.0000	0.007309
162	6	169	1.0000	1.0000	0.022762
163	6	177	1.0000	1.0000	0.043328
164	6	186	1.0000	1.0000	0.033449
165	6	200	1.0000	1.0000	0.773424
166	7	8	1.0000	1.0000	0.003795
167	7	9	1.0000	1.0000	0.000862
168	7	10	1.0000	1.0000	0.000644
169	7	11	1.0000	1.0000	0.015207
170	7	12	1.0000	1.0000	0.053555
171	7	20	1.0000	1.0000	0.000014
172	7	24	1.0000	1.0000	0.018860
173	7	40	1.0000	1.0000	0.013136
174	7	50	1.0000	1.0000	0.006312
175	7	61	1.0000	1.0000	0.016141
176	7	70	1.0000	1.0000	0.005175
177	7	84	1.0000	1.0000	0.004169
178	7	96	1.0000	1.0000	0.016038
179	7	110	1.0000	1.0000	0.005989
180	7	118	1.0000	1.0000	0.038536
181	7	135	1.0000	1.0000	0.007780

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
182	7	138	1.0000	1.0000	0.018160
183	7	144	1.0000	1.0000	0.021581
184	7	157	1.0000	1.0000	0.016762
185	7	164	1.0000	1.0000	0.003021
186	7	170	1.0000	1.0000	0.038396
187	7	201	1.0000	1.0000	0.779968
188	8	9	1.0000	1.0000	0.002933
189	8	10	1.0000	1.0000	0.004439
190	8	11	1.0000	1.0000	0.019002
191	8	12	1.0000	1.0000	0.049760
192	8	25	1.0000	1.0000	0.023750
193	8	41	1.0000	1.0000	0.026656
194	8	51	1.0000	1.0000	0.005798
195	8	62	1.0000	1.0000	0.029893
196	8	71	1.0000	1.0000	0.021905
197	8	85	1.0000	1.0000	0.003318
198	8	111	1.0000	1.0000	0.013222
199	8	118	1.0000	1.0000	0.042331
200	8	145	1.0000	1.0000	0.006327
201	8	202	1.0000	1.0000	0.776173
202	9	10	1.0000	1.0000	0.001506
203	9	11	1.0000	1.0000	0.016069
204	9	12	1.0000	1.0000	0.052693
205	9	22	1.0000	1.0000	0.002411
206	9	53	1.0000	1.0000	0.010075
207	9	87	1.0000	1.0000	0.048634
208	9	106	1.0000	1.0000	0.024309
209	9	115	1.0000	1.0000	0.025001
210	9	118	1.0000	1.0000	0.039398
211	9	132	1.0000	1.0000	0.030754
212	9	159	1.0000	1.0000	0.002694
213	9	167	1.0000	1.0000	0.008193
214	9	168	1.0000	1.0000	0.005635
215	9	169	1.0000	1.0000	0.017080
216	9	170	1.0000	1.0000	0.039258
217	9	171	1.0000	1.0000	0.018701

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
218	9	172	1.0000	1.0000	0.025211
219	9	179	1.0000	1.0000	0.044774
220	9	187	1.0000	1.0000	0.019324
221	10	11	1.0000	1.0000	0.014563
222	10	12	1.0000	1.0000	0.054199
223	10	30	1.0000	1.0000	0.004554
224	10	72	1.0000	1.0000	0.048219
225	10	98	1.0000	1.0000	0.006214
226	10	107	1.0000	1.0000	0.055979
227	10	116	1.0000	1.0000	0.029994
228	10	118	1.0000	1.0000	0.037891
229	10	140	1.0000	1.0000	0.009544
230	10	143	1.0000	1.0000	0.000123
231	10	160	1.0000	1.0000	0.007266
232	10	172	1.0000	1.0000	0.023705
233	11	12	1.0000	1.0000	0.068762
234	11	31	1.0000	1.0000	0.008856
235	11	43	1.0000	1.0000	0.059376
236	11	64	1.0000	1.0000	0.014241
237	11	73	1.0000	1.0000	0.018191
238	11	88	1.0000	1.0000	0.006570
239	11	99	1.0000	1.0000	0.006769
240	11	108	1.0000	1.0000	0.061222
241	11	117	1.0000	1.0000	0.042435
242	11	118	1.0000	1.0000	0.023329
243	11	133	1.0000	1.0000	0.017513
244	11	161	1.0000	1.0000	0.015499
245	11	173	1.0000	1.0000	0.002636
246	11	174	1.0000	1.0000	0.006998
247	11	175	1.0000	1.0000	0.002235
248	11	176	1.0000	1.0000	0.062560
249	11	177	1.0000	1.0000	0.065079
250	11	178	1.0000	1.0000	0.057395
251	11	179	1.0000	1.0000	0.060843
252	11	188	1.0000	1.0000	0.015687
253	12	74	1.0000	1.0000	0.051158

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
254	12	89	1.0000	1.0000	0.087714
255	12	118	1.0000	1.0000	0.092091
256	12	162	1.0000	1.0000	0.066549
257	12	180	1.0000	1.0000	0.041319
258	12	181	1.0000	1.0000	0.001561
259	12	182	1.0000	1.0000	0.007439
260	12	183	1.0000	1.0000	0.028253
261	12	184	1.0000	1.0000	0.072931
262	12	185	1.0000	1.0000	0.098511
263	12	186	1.0000	1.0000	0.080460
264	12	187	1.0000	1.0000	0.072017
265	12	188	1.0000	1.0000	0.084449
266	13	14	1.0000	1.0000	0.048195
267	13	26	1.0000	1.0000	0.033757
268	13	27	1.0000	1.0000	0.053647
269	13	28	1.0000	1.0000	0.032937
270	13	29	1.0000	1.0000	0.039826
271	13	30	1.0000	1.0000	0.007058
272	13	31	1.0000	1.0000	0.008211
273	13	91	1.0000	1.0000	0.020399
274	13	119	1.0000	1.0000	0.045049
275	13	120	1.0000	1.0000	0.035184
276	13	148	1.0000	1.0000	0.045373
277	13	189	1.0000	1.0000	0.023380
278	13	191	1.0000	1.0000	0.029171
279	14	29	1.0000	1.0000	0.088021
280	14	46	1.0000	1.0000	0.058511
281	14	59	1.0000	1.0000	0.061165
282	14	95	1.0000	1.0000	0.066858
283	14	103	1.0000	1.0000	0.066736
284	14	119	1.0000	1.0000	0.093244
285	14	128	1.0000	1.0000	0.080987
286	14	134	1.0000	1.0000	0.053768
287	14	135	1.0000	1.0000	0.057834
288	14	136	1.0000	1.0000	0.055362
289	14	174	1.0000	1.0000	0.072259

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
290	14	189	1.0000	1.0000	0.071575
291	14	198	1.0000	1.0000	0.270087
292	15	16	1.0000	1.0000	0.006372
293	15	17	1.0000	1.0000	0.005587
294	15	18	1.0000	1.0000	0.000339
295	15	19	1.0000	1.0000	0.004094
296	15	20	1.0000	1.0000	0.000422
297	15	21	1.0000	1.0000	0.005141
298	15	22	1.0000	1.0000	0.001141
299	15	23	1.0000	1.0000	0.002068
300	15	24	1.0000	1.0000	0.018452
301	15	25	1.0000	1.0000	0.019547
302	15	26	1.0000	1.0000	0.031489
303	15	32	1.0000	1.0000	0.006561
304	15	33	1.0000	1.0000	0.017140
305	15	44	1.0000	1.0000	0.020558
306	15	54	1.0000	1.0000	0.020460
307	15	65	1.0000	1.0000	0.001810
308	15	66	1.0000	1.0000	0.009046
309	15	75	1.0000	1.0000	0.001205
310	15	76	1.0000	1.0000	0.000730
311	15	90	1.0000	1.0000	0.009797
312	15	100	1.0000	1.0000	0.015803
313	15	112	1.0000	1.0000	0.016361
314	15	147	1.0000	1.0000	0.008692
315	15	165	1.0000	1.0000	0.003148
316	15	167	1.0000	1.0000	0.006923
317	15	173	1.0000	1.0000	0.012164
318	15	180	1.0000	1.0000	0.095281
319	15	181	1.0000	1.0000	0.052401
320	15	190	1.0000	1.0000	0.030165
321	16	17	1.0000	1.0000	0.011959
322	16	18	1.0000	1.0000	0.006033
323	16	19	1.0000	1.0000	0.002278
324	16	20	1.0000	1.0000	0.006794
325	16	21	1.0000	1.0000	0.011513

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
326	16	22	1.0000	1.0000	0.005231
327	16	26	1.0000	1.0000	0.025117
328	16	32	1.0000	1.0000	0.000189
329	16	45	1.0000	1.0000	0.004379
330	16	54	1.0000	1.0000	0.014088
331	16	65	1.0000	1.0000	0.004562
332	16	75	1.0000	1.0000	0.007577
333	16	80	1.0000	1.0000	0.000259
334	16	90	1.0000	1.0000	0.003425
335	16	100	1.0000	1.0000	0.009431
336	16	109	1.0000	1.0000	0.073453
337	16	110	1.0000	1.0000	0.000790
338	16	111	1.0000	1.0000	0.002647
339	16	112	1.0000	1.0000	0.009989
340	16	141	1.0000	1.0000	0.002619
341	16	152	1.0000	1.0000	0.009650
342	16	180	1.0000	1.0000	0.101653
343	16	183	1.0000	1.0000	0.032081
344	17	18	1.0000	1.0000	0.005926
345	17	19	1.0000	1.0000	0.009681
346	17	20	1.0000	1.0000	0.005165
347	17	21	1.0000	1.0000	0.000446
348	17	22	1.0000	1.0000	0.006728
349	17	26	1.0000	1.0000	0.037076
350	17	32	1.0000	1.0000	0.012148
351	17	37	1.0000	1.0000	0.007732
352	17	47	1.0000	1.0000	0.002312
353	17	54	1.0000	1.0000	0.026047
354	17	65	1.0000	1.0000	0.007397
355	17	75	1.0000	1.0000	0.004382
356	17	81	1.0000	1.0000	0.000624
357	17	90	1.0000	1.0000	0.015384
358	17	100	1.0000	1.0000	0.021390
359	17	104	1.0000	1.0000	0.014767
360	17	112	1.0000	1.0000	0.021948
361	17	113	1.0000	1.0000	0.014142

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
362	17	129	1.0000	1.0000	0.037298
363	17	137	1.0000	1.0000	0.105088
364	17	138	1.0000	1.0000	0.012980
365	17	139	1.0000	1.0000	0.005635
366	17	140	1.0000	1.0000	0.015368
367	17	154	1.0000	1.0000	0.012062
368	17	168	1.0000	1.0000	0.009952
369	17	175	1.0000	1.0000	0.022621
370	17	180	1.0000	1.0000	0.089694
371	17	184	1.0000	1.0000	0.024555
372	18	19	1.0000	1.0000	0.003754
373	18	20	1.0000	1.0000	0.000761
374	18	21	1.0000	1.0000	0.005481
375	18	22	1.0000	1.0000	0.000802
376	18	26	1.0000	1.0000	0.031150
377	18	32	1.0000	1.0000	0.006222
378	18	38	1.0000	1.0000	0.007860
379	18	48	1.0000	1.0000	0.001919
380	18	54	1.0000	1.0000	0.020121
381	18	60	1.0000	1.0000	0.009785
382	18	65	1.0000	1.0000	0.001470
383	18	75	1.0000	1.0000	0.001544
384	18	82	1.0000	1.0000	0.000426
385	18	90	1.0000	1.0000	0.009458
386	18	100	1.0000	1.0000	0.015463
387	18	105	1.0000	1.0000	0.012502
388	18	112	1.0000	1.0000	0.016022
389	18	114	1.0000	1.0000	0.012179
390	18	130	1.0000	1.0000	0.031845
391	18	134	1.0000	1.0000	0.002966
392	18	144	1.0000	1.0000	0.020834
393	18	145	1.0000	1.0000	0.001785
394	18	146	1.0000	1.0000	0.010271
395	18	155	1.0000	1.0000	0.001548
396	18	176	1.0000	1.0000	0.048100
397	18	180	1.0000	1.0000	0.095621

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
398	18	199	1.0000	1.0000	0.780715
399	19	20	1.0000	1.0000	0.004515
400	19	21	1.0000	1.0000	0.009235
401	19	22	1.0000	1.0000	0.002952
402	19	23	1.0000	1.0000	0.006161
403	19	26	1.0000	1.0000	0.027396
404	19	32	1.0000	1.0000	0.002468
405	19	39	1.0000	1.0000	0.002874
406	19	49	1.0000	1.0000	0.004332
407	19	54	1.0000	1.0000	0.016367
408	19	65	1.0000	1.0000	0.002284
409	19	69	1.0000	1.0000	0.003588
410	19	75	1.0000	1.0000	0.005298
411	19	83	1.0000	1.0000	0.007596
412	19	90	1.0000	1.0000	0.005704
413	19	100	1.0000	1.0000	0.011709
414	19	109	1.0000	1.0000	0.071174
415	19	112	1.0000	1.0000	0.012268
416	19	137	1.0000	1.0000	0.114769
417	19	142	1.0000	1.0000	0.010321
418	19	156	1.0000	1.0000	0.000165
419	19	163	1.0000	1.0000	0.003736
420	19	169	1.0000	1.0000	0.011717
421	19	177	1.0000	1.0000	0.054373
422	19	180	1.0000	1.0000	0.099375
423	19	186	1.0000	1.0000	0.022404
424	19	200	1.0000	1.0000	0.784469
425	20	21	1.0000	1.0000	0.004720
426	20	22	1.0000	1.0000	0.001563
427	20	24	1.0000	1.0000	0.018874
428	20	26	1.0000	1.0000	0.031911
429	20	32	1.0000	1.0000	0.006983
430	20	40	1.0000	1.0000	0.013150
431	20	50	1.0000	1.0000	0.006326
432	20	54	1.0000	1.0000	0.020882
433	20	61	1.0000	1.0000	0.016155

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
434	20	65	1.0000	1.0000	0.002231
435	20	70	1.0000	1.0000	0.005189
436	20	75	1.0000	1.0000	0.000783
437	20	84	1.0000	1.0000	0.004183
438	20	90	1.0000	1.0000	0.010219
439	20	96	1.0000	1.0000	0.016051
440	20	100	1.0000	1.0000	0.016224
441	20	110	1.0000	1.0000	0.006003
442	20	112	1.0000	1.0000	0.016783
443	20	135	1.0000	1.0000	0.007794
444	20	138	1.0000	1.0000	0.018146
445	20	144	1.0000	1.0000	0.021595
446	20	157	1.0000	1.0000	0.016776
447	20	164	1.0000	1.0000	0.003035
448	20	170	1.0000	1.0000	0.038410
449	20	180	1.0000	1.0000	0.094860
450	20	201	1.0000	1.0000	0.779954
451	21	22	1.0000	1.0000	0.006283
452	21	26	1.0000	1.0000	0.036631
453	21	32	1.0000	1.0000	0.011703
454	21	42	1.0000	1.0000	0.005059
455	21	52	1.0000	1.0000	0.012208
456	21	54	1.0000	1.0000	0.025602
457	21	63	1.0000	1.0000	0.004884
458	21	65	1.0000	1.0000	0.006951
459	21	75	1.0000	1.0000	0.003937
460	21	86	1.0000	1.0000	0.019375
461	21	90	1.0000	1.0000	0.014939
462	21	97	1.0000	1.0000	0.030831
463	21	100	1.0000	1.0000	0.020944
464	21	112	1.0000	1.0000	0.021503
465	21	136	1.0000	1.0000	0.010042
466	21	139	1.0000	1.0000	0.006081
467	21	146	1.0000	1.0000	0.015752
468	21	158	1.0000	1.0000	0.040079
469	21	163	1.0000	1.0000	0.005499

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
470	21	164	1.0000	1.0000	0.007755
471	21	171	1.0000	1.0000	0.022573
472	21	178	1.0000	1.0000	0.037454
473	21	180	1.0000	1.0000	0.090140
474	21	203	1.0000	1.0000	0.775234
475	22	26	1.0000	1.0000	0.030348
476	22	32	1.0000	1.0000	0.005420
477	22	53	1.0000	1.0000	0.007664
478	22	54	1.0000	1.0000	0.019319
479	22	65	1.0000	1.0000	0.000668
480	22	75	1.0000	1.0000	0.002346
481	22	87	1.0000	1.0000	0.051045
482	22	90	1.0000	1.0000	0.008656
483	22	100	1.0000	1.0000	0.014661
484	22	106	1.0000	1.0000	0.021898
485	22	112	1.0000	1.0000	0.015220
486	22	115	1.0000	1.0000	0.022590
487	22	132	1.0000	1.0000	0.028343
488	22	159	1.0000	1.0000	0.000283
489	22	167	1.0000	1.0000	0.005782
490	22	168	1.0000	1.0000	0.003224
491	22	169	1.0000	1.0000	0.014669
492	22	170	1.0000	1.0000	0.036847
493	22	171	1.0000	1.0000	0.016290
494	22	172	1.0000	1.0000	0.022800
495	22	179	1.0000	1.0000	0.047185
496	22	180	1.0000	1.0000	0.096423
497	22	187	1.0000	1.0000	0.016912
498	23	24	1.0000	1.0000	0.020520
499	23	25	1.0000	1.0000	0.021615
500	23	33	1.0000	1.0000	0.019208
501	23	39	1.0000	1.0000	0.009035
502	23	44	1.0000	1.0000	0.022626
503	23	49	1.0000	1.0000	0.001829
504	23	66	1.0000	1.0000	0.011114
505	23	69	1.0000	1.0000	0.002573

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
506	23	76	1.0000	1.0000	0.001338
507	23	83	1.0000	1.0000	0.001435
508	23	109	1.0000	1.0000	0.065013
509	23	137	1.0000	1.0000	0.108608
510	23	142	1.0000	1.0000	0.016482
511	23	147	1.0000	1.0000	0.010759
512	23	156	1.0000	1.0000	0.005996
513	23	163	1.0000	1.0000	0.002425
514	23	165	1.0000	1.0000	0.001080
515	23	167	1.0000	1.0000	0.008991
516	23	169	1.0000	1.0000	0.017878
517	23	173	1.0000	1.0000	0.014232
518	23	177	1.0000	1.0000	0.048212
519	23	181	1.0000	1.0000	0.050334
520	23	186	1.0000	1.0000	0.028565
521	23	190	1.0000	1.0000	0.032233
522	23	200	1.0000	1.0000	0.778308
523	24	25	1.0000	1.0000	0.001095
524	24	33	1.0000	1.0000	0.001312
525	24	40	1.0000	1.0000	0.005724
526	24	44	1.0000	1.0000	0.002106
527	24	50	1.0000	1.0000	0.012548
528	24	61	1.0000	1.0000	0.002719
529	24	66	1.0000	1.0000	0.009406
530	24	70	1.0000	1.0000	0.013685
531	24	76	1.0000	1.0000	0.019182
532	24	84	1.0000	1.0000	0.014691
533	24	96	1.0000	1.0000	0.002822
534	24	110	1.0000	1.0000	0.012870
535	24	135	1.0000	1.0000	0.011080
536	24	138	1.0000	1.0000	0.037019
537	24	144	1.0000	1.0000	0.002721
538	24	147	1.0000	1.0000	0.009761
539	24	157	1.0000	1.0000	0.002098
540	24	164	1.0000	1.0000	0.015839
541	24	165	1.0000	1.0000	0.021600

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
542	24	167	1.0000	1.0000	0.011529
543	24	170	1.0000	1.0000	0.019536
544	24	173	1.0000	1.0000	0.006288
545	24	181	1.0000	1.0000	0.070853
546	24	190	1.0000	1.0000	0.011713
547	24	201	1.0000	1.0000	0.798828
548	25	33	1.0000	1.0000	0.002407
549	25	41	1.0000	1.0000	0.002906
550	25	44	1.0000	1.0000	0.001011
551	25	51	1.0000	1.0000	0.017952
552	25	62	1.0000	1.0000	0.006144
553	25	66	1.0000	1.0000	0.010501
554	25	71	1.0000	1.0000	0.001845
555	25	76	1.0000	1.0000	0.020277
556	25	85	1.0000	1.0000	0.020432
557	25	111	1.0000	1.0000	0.010528
558	25	145	1.0000	1.0000	0.017423
559	25	147	1.0000	1.0000	0.010856
560	25	165	1.0000	1.0000	0.022696
561	25	167	1.0000	1.0000	0.012624
562	25	173	1.0000	1.0000	0.007384
563	25	181	1.0000	1.0000	0.071949
564	25	190	1.0000	1.0000	0.010618
565	25	202	1.0000	1.0000	0.799923
566	26	27	1.0000	1.0000	0.019891
567	26	28	1.0000	1.0000	0.000820
568	26	29	1.0000	1.0000	0.006070
569	26	30	1.0000	1.0000	0.026698
570	26	31	1.0000	1.0000	0.025546
571	26	32	1.0000	1.0000	0.024928
572	26	54	1.0000	1.0000	0.011029
573	26	65	1.0000	1.0000	0.029679
574	26	75	1.0000	1.0000	0.032694
575	26	90	1.0000	1.0000	0.021692
576	26	91	1.0000	1.0000	0.013358
577	26	100	1.0000	1.0000	0.015686

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
578	26	112	1.0000	1.0000	0.015128
579	26	120	1.0000	1.0000	0.001428
580	26	148	1.0000	1.0000	0.079129
581	26	180	1.0000	1.0000	0.126771
582	26	191	1.0000	1.0000	0.004585
583	27	28	1.0000	1.0000	0.020710
584	27	29	1.0000	1.0000	0.013821
585	27	30	1.0000	1.0000	0.046589
586	27	31	1.0000	1.0000	0.045437
587	27	34	1.0000	1.0000	0.036687
588	27	44	1.0000	1.0000	0.030822
589	27	45	1.0000	1.0000	0.049387
590	27	46	1.0000	1.0000	0.043331
591	27	47	1.0000	1.0000	0.054654
592	27	48	1.0000	1.0000	0.049121
593	27	49	1.0000	1.0000	0.051618
594	27	50	1.0000	1.0000	0.045475
595	27	51	1.0000	1.0000	0.049784
596	27	52	1.0000	1.0000	0.044313
597	27	53	1.0000	1.0000	0.042575
598	27	55	1.0000	1.0000	0.033751
599	27	67	1.0000	1.0000	0.054446
600	27	77	1.0000	1.0000	0.045170
601	27	91	1.0000	1.0000	0.033249
602	27	92	1.0000	1.0000	0.032969
603	27	101	1.0000	1.0000	0.020884
604	27	120	1.0000	1.0000	0.018463
605	27	148	1.0000	1.0000	0.099020
606	27	182	1.0000	1.0000	0.097903
607	27	191	1.0000	1.0000	0.024476
608	27	193	1.0000	1.0000	0.023196
609	28	29	1.0000	1.0000	0.006889
610	28	30	1.0000	1.0000	0.025879
611	28	31	1.0000	1.0000	0.024726
612	28	58	1.0000	1.0000	0.012332
613	28	68	1.0000	1.0000	0.027518

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
614	28	91	1.0000	1.0000	0.012538
615	28	94	1.0000	1.0000	0.019031
616	28	102	1.0000	1.0000	0.021068
617	28	112	1.0000	1.0000	0.014308
618	28	113	1.0000	1.0000	0.022114
619	28	114	1.0000	1.0000	0.018152
620	28	115	1.0000	1.0000	0.006938
621	28	116	1.0000	1.0000	0.000439
622	28	117	1.0000	1.0000	0.026564
623	28	120	1.0000	1.0000	0.002247
624	28	127	1.0000	1.0000	0.009090
625	28	148	1.0000	1.0000	0.078310
626	28	153	1.0000	1.0000	0.028089
627	28	191	1.0000	1.0000	0.003766
628	29	30	1.0000	1.0000	0.032768
629	29	31	1.0000	1.0000	0.031616
630	29	46	1.0000	1.0000	0.029510
631	29	59	1.0000	1.0000	0.026856
632	29	91	1.0000	1.0000	0.019428
633	29	95	1.0000	1.0000	0.021163
634	29	103	1.0000	1.0000	0.021285
635	29	120	1.0000	1.0000	0.004642
636	29	128	1.0000	1.0000	0.007034
637	29	134	1.0000	1.0000	0.034253
638	29	135	1.0000	1.0000	0.030187
639	29	136	1.0000	1.0000	0.032659
640	29	148	1.0000	1.0000	0.085199
641	29	174	1.0000	1.0000	0.015762
642	29	191	1.0000	1.0000	0.010655
643	29	198	1.0000	1.0000	0.182066
644	30	31	1.0000	1.0000	0.001152
645	30	72	1.0000	1.0000	0.052773
646	30	91	1.0000	1.0000	0.013340
647	30	98	1.0000	1.0000	0.001659
648	30	107	1.0000	1.0000	0.060534
649	30	116	1.0000	1.0000	0.025440

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
650	30	120	1.0000	1.0000	0.028126
651	30	140	1.0000	1.0000	0.004990
652	30	143	1.0000	1.0000	0.004677
653	30	148	1.0000	1.0000	0.052431
654	30	160	1.0000	1.0000	0.002711
655	30	172	1.0000	1.0000	0.019150
656	30	191	1.0000	1.0000	0.022113
657	31	43	1.0000	1.0000	0.050520
658	31	64	1.0000	1.0000	0.005385
659	31	73	1.0000	1.0000	0.009335
660	31	88	1.0000	1.0000	0.002286
661	31	91	1.0000	1.0000	0.012188
662	31	99	1.0000	1.0000	0.002087
663	31	108	1.0000	1.0000	0.052365
664	31	117	1.0000	1.0000	0.051291
665	31	120	1.0000	1.0000	0.026974
666	31	133	1.0000	1.0000	0.008657
667	31	148	1.0000	1.0000	0.053583
668	31	161	1.0000	1.0000	0.006643
669	31	173	1.0000	1.0000	0.006221
670	31	174	1.0000	1.0000	0.015854
671	31	175	1.0000	1.0000	0.011091
672	31	176	1.0000	1.0000	0.053704
673	31	177	1.0000	1.0000	0.056223
674	31	178	1.0000	1.0000	0.048538
675	31	179	1.0000	1.0000	0.051987
676	31	188	1.0000	1.0000	0.024543
677	31	191	1.0000	1.0000	0.020961
678	32	33	1.0000	1.0000	0.010579
679	32	34	1.0000	1.0000	0.008132
680	32	35	1.0000	1.0000	0.001531
681	32	36	1.0000	1.0000	0.008598
682	32	37	1.0000	1.0000	0.004416
683	32	38	1.0000	1.0000	0.001639
684	32	39	1.0000	1.0000	0.000406
685	32	40	1.0000	1.0000	0.006167

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
686	32	41	1.0000	1.0000	0.015892
687	32	42	1.0000	1.0000	0.006643
688	32	43	1.0000	1.0000	0.051138
689	32	54	1.0000	1.0000	0.013899
690	32	65	1.0000	1.0000	0.004751
691	32	75	1.0000	1.0000	0.007766
692	32	90	1.0000	1.0000	0.003236
693	32	100	1.0000	1.0000	0.009242
694	32	112	1.0000	1.0000	0.009800
695	32	121	1.0000	1.0000	0.022087
696	32	166	1.0000	1.0000	0.003677
697	32	180	1.0000	1.0000	0.101843
698	32	192	1.0000	1.0000	0.038222
699	33	34	1.0000	1.0000	0.002447
700	33	35	1.0000	1.0000	0.009048
701	33	36	1.0000	1.0000	0.001981
702	33	37	1.0000	1.0000	0.014995
703	33	38	1.0000	1.0000	0.008940
704	33	39	1.0000	1.0000	0.010173
705	33	40	1.0000	1.0000	0.004412
706	33	41	1.0000	1.0000	0.005314
707	33	42	1.0000	1.0000	0.017222
708	33	43	1.0000	1.0000	0.061716
709	33	44	1.0000	1.0000	0.003418
710	33	66	1.0000	1.0000	0.008094
711	33	76	1.0000	1.0000	0.017869
712	33	121	1.0000	1.0000	0.011508
713	33	147	1.0000	1.0000	0.008448
714	33	165	1.0000	1.0000	0.020288
715	33	166	1.0000	1.0000	0.014256
716	33	167	1.0000	1.0000	0.010217
717	33	173	1.0000	1.0000	0.004976
718	33	181	1.0000	1.0000	0.069541
719	33	190	1.0000	1.0000	0.013025
720	33	192	1.0000	1.0000	0.027643
721	34	35	1.0000	1.0000	0.006601

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
722	34	36	1.0000	1.0000	0.000466
723	34	37	1.0000	1.0000	0.012548
724	34	38	1.0000	1.0000	0.006493
725	34	39	1.0000	1.0000	0.007726
726	34	40	1.0000	1.0000	0.001965
727	34	41	1.0000	1.0000	0.007761
728	34	42	1.0000	1.0000	0.014775
729	34	43	1.0000	1.0000	0.059269
730	34	44	1.0000	1.0000	0.005865
731	34	45	1.0000	1.0000	0.012700
732	34	46	1.0000	1.0000	0.006644
733	34	47	1.0000	1.0000	0.017967
734	34	48	1.0000	1.0000	0.012434
735	34	49	1.0000	1.0000	0.014931
736	34	50	1.0000	1.0000	0.008788
737	34	51	1.0000	1.0000	0.013097
738	34	52	1.0000	1.0000	0.007626
739	34	53	1.0000	1.0000	0.005888
740	34	55	1.0000	1.0000	0.002936
741	34	67	1.0000	1.0000	0.017759
742	34	77	1.0000	1.0000	0.008483
743	34	92	1.0000	1.0000	0.003718
744	34	101	1.0000	1.0000	0.015803
745	34	121	1.0000	1.0000	0.013955
746	34	166	1.0000	1.0000	0.011809
747	34	182	1.0000	1.0000	0.061216
748	34	192	1.0000	1.0000	0.030090
749	34	193	1.0000	1.0000	0.013491
750	35	36	1.0000	1.0000	0.007067
751	35	37	1.0000	1.0000	0.005947
752	35	38	1.0000	1.0000	0.000108
753	35	39	1.0000	1.0000	0.001125
754	35	40	1.0000	1.0000	0.004636
755	35	41	1.0000	1.0000	0.014361
756	35	42	1.0000	1.0000	0.008174
757	35	43	1.0000	1.0000	0.052669

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
758	35	56	1.0000	1.0000	0.009781
759	35	90	1.0000	1.0000	0.001705
760	35	91	1.0000	1.0000	0.010039
761	35	92	1.0000	1.0000	0.010319
762	35	93	1.0000	1.0000	0.026294
763	35	94	1.0000	1.0000	0.003546
764	35	95	1.0000	1.0000	0.008304
765	35	96	1.0000	1.0000	0.007538
766	35	97	1.0000	1.0000	0.017598
767	35	98	1.0000	1.0000	0.001642
768	35	99	1.0000	1.0000	0.000062
769	35	121	1.0000	1.0000	0.020556
770	35	125	1.0000	1.0000	0.048915
771	35	150	1.0000	1.0000	0.005783
772	35	166	1.0000	1.0000	0.005208
773	35	192	1.0000	1.0000	0.036691
774	35	196	1.0000	1.0000	0.014505
775	36	37	1.0000	1.0000	0.013014
776	36	38	1.0000	1.0000	0.006959
777	36	39	1.0000	1.0000	0.008192
778	36	40	1.0000	1.0000	0.002430
779	36	41	1.0000	1.0000	0.007295
780	36	42	1.0000	1.0000	0.015241
781	36	43	1.0000	1.0000	0.059735
782	36	57	1.0000	1.0000	0.019925
783	36	79	1.0000	1.0000	0.015608
784	36	93	1.0000	1.0000	0.019227
785	36	100	1.0000	1.0000	0.000644
786	36	101	1.0000	1.0000	0.015338
787	36	102	1.0000	1.0000	0.005557
788	36	103	1.0000	1.0000	0.001115
789	36	104	1.0000	1.0000	0.005978
790	36	105	1.0000	1.0000	0.002317
791	36	106	1.0000	1.0000	0.007881
792	36	107	1.0000	1.0000	0.070901
793	36	108	1.0000	1.0000	0.061581

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
794	36	121	1.0000	1.0000	0.013489
795	36	126	1.0000	1.0000	0.016987
796	36	151	1.0000	1.0000	0.006405
797	36	166	1.0000	1.0000	0.012275
798	36	192	1.0000	1.0000	0.029625
799	36	197	1.0000	1.0000	0.010595
800	37	38	1.0000	1.0000	0.006055
801	37	39	1.0000	1.0000	0.004822
802	37	40	1.0000	1.0000	0.010584
803	37	41	1.0000	1.0000	0.020309
804	37	42	1.0000	1.0000	0.002227
805	37	43	1.0000	1.0000	0.046721
806	37	47	1.0000	1.0000	0.005419
807	37	81	1.0000	1.0000	0.008356
808	37	104	1.0000	1.0000	0.007036
809	37	113	1.0000	1.0000	0.006411
810	37	121	1.0000	1.0000	0.026503
811	37	129	1.0000	1.0000	0.029566
812	37	137	1.0000	1.0000	0.112820
813	37	138	1.0000	1.0000	0.020712
814	37	139	1.0000	1.0000	0.013367
815	37	140	1.0000	1.0000	0.007636
816	37	154	1.0000	1.0000	0.004330
817	37	166	1.0000	1.0000	0.000739
818	37	168	1.0000	1.0000	0.002221
819	37	175	1.0000	1.0000	0.014890
820	37	184	1.0000	1.0000	0.016824
821	37	192	1.0000	1.0000	0.042639
822	38	39	1.0000	1.0000	0.001233
823	38	40	1.0000	1.0000	0.004528
824	38	41	1.0000	1.0000	0.014254
825	38	42	1.0000	1.0000	0.008282
826	38	43	1.0000	1.0000	0.052776
827	38	48	1.0000	1.0000	0.005941
828	38	60	1.0000	1.0000	0.001925
829	38	82	1.0000	1.0000	0.008286

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
830	38	105	1.0000	1.0000	0.004642
831	38	114	1.0000	1.0000	0.004318
832	38	121	1.0000	1.0000	0.020448
833	38	130	1.0000	1.0000	0.023985
834	38	134	1.0000	1.0000	0.004894
835	38	144	1.0000	1.0000	0.012974
836	38	145	1.0000	1.0000	0.006076
837	38	146	1.0000	1.0000	0.002411
838	38	155	1.0000	1.0000	0.006312
839	38	166	1.0000	1.0000	0.005316
840	38	176	1.0000	1.0000	0.055960
841	38	192	1.0000	1.0000	0.036583
842	38	199	1.0000	1.0000	0.788575
843	39	40	1.0000	1.0000	0.005761
844	39	41	1.0000	1.0000	0.015486
845	39	42	1.0000	1.0000	0.007049
846	39	43	1.0000	1.0000	0.051544
847	39	49	1.0000	1.0000	0.007206
848	39	69	1.0000	1.0000	0.006462
849	39	83	1.0000	1.0000	0.010470
850	39	109	1.0000	1.0000	0.074048
851	39	121	1.0000	1.0000	0.021681
852	39	137	1.0000	1.0000	0.117643
853	39	142	1.0000	1.0000	0.007447
854	39	156	1.0000	1.0000	0.003039
855	39	163	1.0000	1.0000	0.006610
856	39	166	1.0000	1.0000	0.004083
857	39	169	1.0000	1.0000	0.008843
858	39	177	1.0000	1.0000	0.057247
859	39	186	1.0000	1.0000	0.019530
860	39	192	1.0000	1.0000	0.037816
861	39	200	1.0000	1.0000	0.787343
862	40	41	1.0000	1.0000	0.009725
863	40	42	1.0000	1.0000	0.012810
864	40	43	1.0000	1.0000	0.057305
865	40	50	1.0000	1.0000	0.006824

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
866	40	61	1.0000	1.0000	0.003005
867	40	70	1.0000	1.0000	0.007961
868	40	84	1.0000	1.0000	0.008967
869	40	96	1.0000	1.0000	0.002902
870	40	110	1.0000	1.0000	0.007147
871	40	121	1.0000	1.0000	0.015920
872	40	135	1.0000	1.0000	0.005356
873	40	138	1.0000	1.0000	0.031296
874	40	144	1.0000	1.0000	0.008445
875	40	157	1.0000	1.0000	0.003626
876	40	164	1.0000	1.0000	0.010115
877	40	166	1.0000	1.0000	0.009844
878	40	170	1.0000	1.0000	0.025260
879	40	192	1.0000	1.0000	0.032055
880	40	201	1.0000	1.0000	0.793104
881	41	42	1.0000	1.0000	0.022536
882	41	43	1.0000	1.0000	0.067030
883	41	51	1.0000	1.0000	0.020858
884	41	62	1.0000	1.0000	0.003237
885	41	71	1.0000	1.0000	0.004751
886	41	85	1.0000	1.0000	0.023338
887	41	111	1.0000	1.0000	0.013434
888	41	121	1.0000	1.0000	0.006194
889	41	145	1.0000	1.0000	0.020329
890	41	166	1.0000	1.0000	0.019570
891	41	192	1.0000	1.0000	0.022330
892	41	202	1.0000	1.0000	0.802829
893	42	43	1.0000	1.0000	0.044494
894	42	52	1.0000	1.0000	0.007149
895	42	63	1.0000	1.0000	0.000175
896	42	86	1.0000	1.0000	0.014316
897	42	97	1.0000	1.0000	0.025772
898	42	121	1.0000	1.0000	0.028730
899	42	136	1.0000	1.0000	0.004982
900	42	139	1.0000	1.0000	0.011140
901	42	146	1.0000	1.0000	0.010693

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
902	42	158	1.0000	1.0000	0.045138
903	42	163	1.0000	1.0000	0.000439
904	42	164	1.0000	1.0000	0.002696
905	42	166	1.0000	1.0000	0.002966
906	42	171	1.0000	1.0000	0.017514
907	42	178	1.0000	1.0000	0.042513
908	42	192	1.0000	1.0000	0.044865
909	42	203	1.0000	1.0000	0.780293
910	43	64	1.0000	1.0000	0.045135
911	43	73	1.0000	1.0000	0.041185
912	43	88	1.0000	1.0000	0.052806
913	43	99	1.0000	1.0000	0.052606
914	43	108	1.0000	1.0000	0.001846
915	43	117	1.0000	1.0000	0.101810
916	43	121	1.0000	1.0000	0.073224
917	43	133	1.0000	1.0000	0.041863
918	43	161	1.0000	1.0000	0.043877
919	43	166	1.0000	1.0000	0.047460
920	43	173	1.0000	1.0000	0.056740
921	43	174	1.0000	1.0000	0.066373
922	43	175	1.0000	1.0000	0.061611
923	43	176	1.0000	1.0000	0.003184
924	43	177	1.0000	1.0000	0.005703
925	43	178	1.0000	1.0000	0.001981
926	43	179	1.0000	1.0000	0.001467
927	43	188	1.0000	1.0000	0.075063
928	43	192	1.0000	1.0000	0.089360
929	44	45	1.0000	1.0000	0.018565
930	44	46	1.0000	1.0000	0.012509
931	44	47	1.0000	1.0000	0.023833
932	44	48	1.0000	1.0000	0.018300
933	44	49	1.0000	1.0000	0.020796
934	44	50	1.0000	1.0000	0.014653
935	44	51	1.0000	1.0000	0.018962
936	44	52	1.0000	1.0000	0.013491
937	44	53	1.0000	1.0000	0.011753

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
938	44	55	1.0000	1.0000	0.002929
939	44	66	1.0000	1.0000	0.011512
940	44	67	1.0000	1.0000	0.023624
941	44	76	1.0000	1.0000	0.021288
942	44	77	1.0000	1.0000	0.014348
943	44	92	1.0000	1.0000	0.002147
944	44	101	1.0000	1.0000	0.009938
945	44	147	1.0000	1.0000	0.011866
946	44	165	1.0000	1.0000	0.023706
947	44	167	1.0000	1.0000	0.013635
948	44	173	1.0000	1.0000	0.008394
949	44	181	1.0000	1.0000	0.072959
950	44	182	1.0000	1.0000	0.067081
951	44	190	1.0000	1.0000	0.009607
952	44	193	1.0000	1.0000	0.007626
953	45	46	1.0000	1.0000	0.006056
954	45	47	1.0000	1.0000	0.005268
955	45	48	1.0000	1.0000	0.000265
956	45	49	1.0000	1.0000	0.002232
957	45	50	1.0000	1.0000	0.003911
958	45	51	1.0000	1.0000	0.000397
959	45	52	1.0000	1.0000	0.005074
960	45	53	1.0000	1.0000	0.006812
961	45	55	1.0000	1.0000	0.015635
962	45	67	1.0000	1.0000	0.005060
963	45	77	1.0000	1.0000	0.004217
964	45	80	1.0000	1.0000	0.004120
965	45	92	1.0000	1.0000	0.016418
966	45	101	1.0000	1.0000	0.028503
967	45	109	1.0000	1.0000	0.069074
968	45	110	1.0000	1.0000	0.003588
969	45	111	1.0000	1.0000	0.007026
970	45	141	1.0000	1.0000	0.006998
971	45	152	1.0000	1.0000	0.005271
972	45	182	1.0000	1.0000	0.048517
973	45	183	1.0000	1.0000	0.027703

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
974	45	193	1.0000	1.0000	0.026191
975	46	47	1.0000	1.0000	0.011324
976	46	48	1.0000	1.0000	0.005791
977	46	49	1.0000	1.0000	0.008287
978	46	50	1.0000	1.0000	0.002144
979	46	51	1.0000	1.0000	0.006453
980	46	52	1.0000	1.0000	0.000982
981	46	53	1.0000	1.0000	0.000756
982	46	55	1.0000	1.0000	0.009580
983	46	59	1.0000	1.0000	0.002654
984	46	67	1.0000	1.0000	0.011115
985	46	77	1.0000	1.0000	0.001839
986	46	92	1.0000	1.0000	0.010362
987	46	95	1.0000	1.0000	0.008347
988	46	101	1.0000	1.0000	0.022447
989	46	103	1.0000	1.0000	0.008225
990	46	128	1.0000	1.0000	0.022476
991	46	134	1.0000	1.0000	0.004744
992	46	135	1.0000	1.0000	0.000677
993	46	136	1.0000	1.0000	0.003149
994	46	174	1.0000	1.0000	0.013748
995	46	182	1.0000	1.0000	0.054572
996	46	193	1.0000	1.0000	0.020135
997	46	198	1.0000	1.0000	0.211575
998	47	48	1.0000	1.0000	0.005533
999	47	49	1.0000	1.0000	0.003036
1000	47	50	1.0000	1.0000	0.009179
1001	47	51	1.0000	1.0000	0.004870
1002	47	52	1.0000	1.0000	0.010341
1003	47	53	1.0000	1.0000	0.012080
1004	47	55	1.0000	1.0000	0.020903
1005	47	67	1.0000	1.0000	0.000208
1006	47	77	1.0000	1.0000	0.009484
1007	47	81	1.0000	1.0000	0.002937
1008	47	92	1.0000	1.0000	0.021685
1009	47	101	1.0000	1.0000	0.033771

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1010	47	104	1.0000	1.0000	0.012455
1011	47	113	1.0000	1.0000	0.011830
1012	47	129	1.0000	1.0000	0.034985
1013	47	137	1.0000	1.0000	0.107401
1014	47	138	1.0000	1.0000	0.015293
1015	47	139	1.0000	1.0000	0.007948
1016	47	140	1.0000	1.0000	0.013055
1017	47	154	1.0000	1.0000	0.009749
1018	47	168	1.0000	1.0000	0.007640
1019	47	175	1.0000	1.0000	0.020309
1020	47	182	1.0000	1.0000	0.043249
1021	47	184	1.0000	1.0000	0.022243
1022	47	193	1.0000	1.0000	0.031458
1023	48	49	1.0000	1.0000	0.002497
1024	48	50	1.0000	1.0000	0.003646
1025	48	51	1.0000	1.0000	0.000663
1026	48	52	1.0000	1.0000	0.004808
1027	48	53	1.0000	1.0000	0.006547
1028	48	55	1.0000	1.0000	0.015370
1029	48	60	1.0000	1.0000	0.007866
1030	48	67	1.0000	1.0000	0.005325
1031	48	77	1.0000	1.0000	0.003952
1032	48	82	1.0000	1.0000	0.002345
1033	48	92	1.0000	1.0000	0.016152
1034	48	101	1.0000	1.0000	0.028238
1035	48	105	1.0000	1.0000	0.010583
1036	48	114	1.0000	1.0000	0.010260
1037	48	130	1.0000	1.0000	0.029926
1038	48	134	1.0000	1.0000	0.001047
1039	48	144	1.0000	1.0000	0.018915
1040	48	145	1.0000	1.0000	0.000134
1041	48	146	1.0000	1.0000	0.008352
1042	48	155	1.0000	1.0000	0.000371
1043	48	176	1.0000	1.0000	0.050019
1044	48	182	1.0000	1.0000	0.048782
1045	48	193	1.0000	1.0000	0.025925

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1046	48	199	1.0000	1.0000	0.782634
1047	49	50	1.0000	1.0000	0.006143
1048	49	51	1.0000	1.0000	0.001834
1049	49	52	1.0000	1.0000	0.007305
1050	49	53	1.0000	1.0000	0.009044
1051	49	55	1.0000	1.0000	0.017867
1052	49	67	1.0000	1.0000	0.002828
1053	49	69	1.0000	1.0000	0.000744
1054	49	77	1.0000	1.0000	0.006448
1055	49	83	1.0000	1.0000	0.003264
1056	49	92	1.0000	1.0000	0.018649
1057	49	101	1.0000	1.0000	0.030735
1058	49	109	1.0000	1.0000	0.066842
1059	49	137	1.0000	1.0000	0.110437
1060	49	142	1.0000	1.0000	0.014653
1061	49	156	1.0000	1.0000	0.004167
1062	49	163	1.0000	1.0000	0.000596
1063	49	169	1.0000	1.0000	0.016049
1064	49	177	1.0000	1.0000	0.050041
1065	49	182	1.0000	1.0000	0.046285
1066	49	186	1.0000	1.0000	0.026736
1067	49	193	1.0000	1.0000	0.028422
1068	49	200	1.0000	1.0000	0.780137
1069	50	51	1.0000	1.0000	0.004309
1070	50	52	1.0000	1.0000	0.001162
1071	50	53	1.0000	1.0000	0.002901
1072	50	55	1.0000	1.0000	0.011724
1073	50	61	1.0000	1.0000	0.009829
1074	50	67	1.0000	1.0000	0.008971
1075	50	70	1.0000	1.0000	0.001138
1076	50	77	1.0000	1.0000	0.000305
1077	50	84	1.0000	1.0000	0.002143
1078	50	92	1.0000	1.0000	0.012506
1079	50	96	1.0000	1.0000	0.009725
1080	50	101	1.0000	1.0000	0.024592
1081	50	110	1.0000	1.0000	0.000323

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1082	50	135	1.0000	1.0000	0.001467
1083	50	138	1.0000	1.0000	0.024472
1084	50	144	1.0000	1.0000	0.015269
1085	50	157	1.0000	1.0000	0.010450
1086	50	164	1.0000	1.0000	0.003291
1087	50	170	1.0000	1.0000	0.032084
1088	50	182	1.0000	1.0000	0.052428
1089	50	193	1.0000	1.0000	0.022279
1090	50	201	1.0000	1.0000	0.786280
1091	51	52	1.0000	1.0000	0.005471
1092	51	53	1.0000	1.0000	0.007209
1093	51	55	1.0000	1.0000	0.016033
1094	51	62	1.0000	1.0000	0.024095
1095	51	67	1.0000	1.0000	0.004662
1096	51	71	1.0000	1.0000	0.016107
1097	51	77	1.0000	1.0000	0.004614
1098	51	85	1.0000	1.0000	0.002480
1099	51	92	1.0000	1.0000	0.016815
1100	51	101	1.0000	1.0000	0.028901
1101	51	111	1.0000	1.0000	0.007423
1102	51	145	1.0000	1.0000	0.000528
1103	51	182	1.0000	1.0000	0.048119
1104	51	193	1.0000	1.0000	0.026588
1105	51	202	1.0000	1.0000	0.781971
1106	52	53	1.0000	1.0000	0.001738
1107	52	55	1.0000	1.0000	0.010562
1108	52	63	1.0000	1.0000	0.007324
1109	52	67	1.0000	1.0000	0.010133
1110	52	77	1.0000	1.0000	0.000857
1111	52	86	1.0000	1.0000	0.007167
1112	52	92	1.0000	1.0000	0.011344
1113	52	97	1.0000	1.0000	0.018623
1114	52	101	1.0000	1.0000	0.023430
1115	52	136	1.0000	1.0000	0.002167
1116	52	139	1.0000	1.0000	0.018289
1117	52	146	1.0000	1.0000	0.003544

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1118	52	158	1.0000	1.0000	0.052287
1119	52	163	1.0000	1.0000	0.006710
1120	52	164	1.0000	1.0000	0.004453
1121	52	171	1.0000	1.0000	0.010365
1122	52	178	1.0000	1.0000	0.049662
1123	52	182	1.0000	1.0000	0.053590
1124	52	193	1.0000	1.0000	0.021117
1125	52	203	1.0000	1.0000	0.787442
1126	53	55	1.0000	1.0000	0.008823
1127	53	67	1.0000	1.0000	0.011872
1128	53	77	1.0000	1.0000	0.002595
1129	53	87	1.0000	1.0000	0.058709
1130	53	92	1.0000	1.0000	0.009606
1131	53	101	1.0000	1.0000	0.021691
1132	53	106	1.0000	1.0000	0.014234
1133	53	115	1.0000	1.0000	0.014926
1134	53	132	1.0000	1.0000	0.020679
1135	53	159	1.0000	1.0000	0.007381
1136	53	167	1.0000	1.0000	0.001882
1137	53	168	1.0000	1.0000	0.004440
1138	53	169	1.0000	1.0000	0.007005
1139	53	170	1.0000	1.0000	0.029183
1140	53	171	1.0000	1.0000	0.008626
1141	53	172	1.0000	1.0000	0.015136
1142	53	179	1.0000	1.0000	0.054849
1143	53	182	1.0000	1.0000	0.055329
1144	53	187	1.0000	1.0000	0.009249
1145	53	193	1.0000	1.0000	0.019379
1146	54	55	1.0000	1.0000	0.002832
1147	54	56	1.0000	1.0000	0.002587
1148	54	57	1.0000	1.0000	0.014623
1149	54	58	1.0000	1.0000	0.002123
1150	54	59	1.0000	1.0000	0.009757
1151	54	60	1.0000	1.0000	0.010336
1152	54	61	1.0000	1.0000	0.004727
1153	54	62	1.0000	1.0000	0.005231

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1154	54	63	1.0000	1.0000	0.020717
1155	54	64	1.0000	1.0000	0.019902
1156	54	65	1.0000	1.0000	0.018650
1157	54	75	1.0000	1.0000	0.021665
1158	54	90	1.0000	1.0000	0.010663
1159	54	100	1.0000	1.0000	0.004657
1160	54	112	1.0000	1.0000	0.004099
1161	54	122	1.0000	1.0000	0.021217
1162	54	180	1.0000	1.0000	0.115742
1163	54	194	1.0000	1.0000	0.005711
1164	55	56	1.0000	1.0000	0.000244
1165	55	57	1.0000	1.0000	0.017455
1166	55	58	1.0000	1.0000	0.000709
1167	55	59	1.0000	1.0000	0.006926
1168	55	60	1.0000	1.0000	0.007504
1169	55	61	1.0000	1.0000	0.001895
1170	55	62	1.0000	1.0000	0.008062
1171	55	63	1.0000	1.0000	0.017886
1172	55	64	1.0000	1.0000	0.017070
1173	55	67	1.0000	1.0000	0.020695
1174	55	77	1.0000	1.0000	0.011419
1175	55	92	1.0000	1.0000	0.000782
1176	55	101	1.0000	1.0000	0.012868
1177	55	122	1.0000	1.0000	0.024049
1178	55	182	1.0000	1.0000	0.064152
1179	55	193	1.0000	1.0000	0.010555
1180	55	194	1.0000	1.0000	0.002879
1181	56	57	1.0000	1.0000	0.017210
1182	56	58	1.0000	1.0000	0.000464
1183	56	59	1.0000	1.0000	0.007170
1184	56	60	1.0000	1.0000	0.007748
1185	56	61	1.0000	1.0000	0.002140
1186	56	62	1.0000	1.0000	0.007818
1187	56	63	1.0000	1.0000	0.018130
1188	56	64	1.0000	1.0000	0.017315
1189	56	90	1.0000	1.0000	0.008076

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1190	56	91	1.0000	1.0000	0.000258
1191	56	92	1.0000	1.0000	0.000538
1192	56	93	1.0000	1.0000	0.016513
1193	56	94	1.0000	1.0000	0.006235
1194	56	95	1.0000	1.0000	0.001477
1195	56	96	1.0000	1.0000	0.002243
1196	56	97	1.0000	1.0000	0.007817
1197	56	98	1.0000	1.0000	0.011423
1198	56	99	1.0000	1.0000	0.009843
1199	56	122	1.0000	1.0000	0.023804
1200	56	125	1.0000	1.0000	0.039134
1201	56	150	1.0000	1.0000	0.015564
1202	56	194	1.0000	1.0000	0.003124
1203	56	196	1.0000	1.0000	0.004724
1204	57	58	1.0000	1.0000	0.016746
1205	57	59	1.0000	1.0000	0.024380
1206	57	60	1.0000	1.0000	0.024959
1207	57	61	1.0000	1.0000	0.019350
1208	57	62	1.0000	1.0000	0.009392
1209	57	63	1.0000	1.0000	0.035340
1210	57	64	1.0000	1.0000	0.034525
1211	57	79	1.0000	1.0000	0.035533
1212	57	93	1.0000	1.0000	0.000697
1213	57	100	1.0000	1.0000	0.019280
1214	57	101	1.0000	1.0000	0.004587
1215	57	102	1.0000	1.0000	0.025482
1216	57	103	1.0000	1.0000	0.018809
1217	57	104	1.0000	1.0000	0.025903
1218	57	105	1.0000	1.0000	0.022242
1219	57	106	1.0000	1.0000	0.012044
1220	57	107	1.0000	1.0000	0.090826
1221	57	108	1.0000	1.0000	0.081505
1222	57	122	1.0000	1.0000	0.006594
1223	57	126	1.0000	1.0000	0.002938
1224	57	151	1.0000	1.0000	0.026330
1225	57	194	1.0000	1.0000	0.020334

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1226	57	197	1.0000	1.0000	0.009330
1227	58	59	1.0000	1.0000	0.007635
1228	58	60	1.0000	1.0000	0.008213
1229	58	61	1.0000	1.0000	0.002604
1230	58	62	1.0000	1.0000	0.007353
1231	58	63	1.0000	1.0000	0.018595
1232	58	64	1.0000	1.0000	0.017779
1233	58	68	1.0000	1.0000	0.015186
1234	58	94	1.0000	1.0000	0.006699
1235	58	102	1.0000	1.0000	0.008736
1236	58	112	1.0000	1.0000	0.001976
1237	58	113	1.0000	1.0000	0.009782
1238	58	114	1.0000	1.0000	0.005819
1239	58	115	1.0000	1.0000	0.005394
1240	58	116	1.0000	1.0000	0.011894
1241	58	117	1.0000	1.0000	0.038896
1242	58	122	1.0000	1.0000	0.023340
1243	58	127	1.0000	1.0000	0.021423
1244	58	153	1.0000	1.0000	0.015757
1245	58	194	1.0000	1.0000	0.003588
1246	59	60	1.0000	1.0000	0.000578
1247	59	61	1.0000	1.0000	0.005031
1248	59	62	1.0000	1.0000	0.014988
1249	59	63	1.0000	1.0000	0.010960
1250	59	64	1.0000	1.0000	0.010144
1251	59	95	1.0000	1.0000	0.005693
1252	59	103	1.0000	1.0000	0.005571
1253	59	122	1.0000	1.0000	0.030975
1254	59	128	1.0000	1.0000	0.019822
1255	59	134	1.0000	1.0000	0.007397
1256	59	135	1.0000	1.0000	0.003331
1257	59	136	1.0000	1.0000	0.005803
1258	59	174	1.0000	1.0000	0.011094
1259	59	194	1.0000	1.0000	0.004047
1260	59	198	1.0000	1.0000	0.208922
1261	60	61	1.0000	1.0000	0.005609

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1262	60	62	1.0000	1.0000	0.015566
1263	60	63	1.0000	1.0000	0.010382
1264	60	64	1.0000	1.0000	0.009566
1265	60	82	1.0000	1.0000	0.010211
1266	60	105	1.0000	1.0000	0.002717
1267	60	114	1.0000	1.0000	0.002393
1268	60	122	1.0000	1.0000	0.031553
1269	60	130	1.0000	1.0000	0.022060
1270	60	134	1.0000	1.0000	0.006819
1271	60	144	1.0000	1.0000	0.011049
1272	60	145	1.0000	1.0000	0.008001
1273	60	146	1.0000	1.0000	0.000486
1274	60	155	1.0000	1.0000	0.008237
1275	60	176	1.0000	1.0000	0.057885
1276	60	194	1.0000	1.0000	0.004625
1277	60	199	1.0000	1.0000	0.790500
1278	61	62	1.0000	1.0000	0.009957
1279	61	63	1.0000	1.0000	0.015991
1280	61	64	1.0000	1.0000	0.015175
1281	61	70	1.0000	1.0000	0.010966
1282	61	84	1.0000	1.0000	0.011972
1283	61	96	1.0000	1.0000	0.000104
1284	61	110	1.0000	1.0000	0.010152
1285	61	122	1.0000	1.0000	0.025944
1286	61	135	1.0000	1.0000	0.008361
1287	61	138	1.0000	1.0000	0.034301
1288	61	144	1.0000	1.0000	0.005440
1289	61	157	1.0000	1.0000	0.000621
1290	61	164	1.0000	1.0000	0.013120
1291	61	170	1.0000	1.0000	0.022255
1292	61	194	1.0000	1.0000	0.000984
1293	61	201	1.0000	1.0000	0.796109
1294	62	63	1.0000	1.0000	0.025948
1295	62	64	1.0000	1.0000	0.025132
1296	62	71	1.0000	1.0000	0.007989
1297	62	85	1.0000	1.0000	0.026575

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1298	62	111	1.0000	1.0000	0.016672
1299	62	122	1.0000	1.0000	0.015987
1300	62	145	1.0000	1.0000	0.023567
1301	62	194	1.0000	1.0000	0.010941
1302	62	202	1.0000	1.0000	0.806066
1303	63	64	1.0000	1.0000	0.000816
1304	63	86	1.0000	1.0000	0.014491
1305	63	97	1.0000	1.0000	0.025947
1306	63	122	1.0000	1.0000	0.041935
1307	63	136	1.0000	1.0000	0.005157
1308	63	139	1.0000	1.0000	0.010965
1309	63	146	1.0000	1.0000	0.010868
1310	63	158	1.0000	1.0000	0.044963
1311	63	163	1.0000	1.0000	0.000614
1312	63	164	1.0000	1.0000	0.002871
1313	63	171	1.0000	1.0000	0.017689
1314	63	178	1.0000	1.0000	0.042338
1315	63	194	1.0000	1.0000	0.015007
1316	63	203	1.0000	1.0000	0.780118
1317	64	73	1.0000	1.0000	0.003950
1318	64	88	1.0000	1.0000	0.007671
1319	64	99	1.0000	1.0000	0.007471
1320	64	108	1.0000	1.0000	0.046981
1321	64	117	1.0000	1.0000	0.056675
1322	64	122	1.0000	1.0000	0.041119
1323	64	133	1.0000	1.0000	0.003272
1324	64	161	1.0000	1.0000	0.001258
1325	64	173	1.0000	1.0000	0.011605
1326	64	174	1.0000	1.0000	0.021238
1327	64	175	1.0000	1.0000	0.016476
1328	64	176	1.0000	1.0000	0.048319
1329	64	177	1.0000	1.0000	0.050838
1330	64	178	1.0000	1.0000	0.043154
1331	64	179	1.0000	1.0000	0.046602
1332	64	188	1.0000	1.0000	0.029928
1333	64	194	1.0000	1.0000	0.014191

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1334	65	66	1.0000	1.0000	0.007236
1335	65	67	1.0000	1.0000	0.004876
1336	65	68	1.0000	1.0000	0.001342
1337	65	69	1.0000	1.0000	0.001304
1338	65	70	1.0000	1.0000	0.002957
1339	65	71	1.0000	1.0000	0.015892
1340	65	72	1.0000	1.0000	0.049792
1341	65	73	1.0000	1.0000	0.005202
1342	65	74	1.0000	1.0000	0.004614
1343	65	75	1.0000	1.0000	0.003015
1344	65	78	1.0000	1.0000	0.054766
1345	65	90	1.0000	1.0000	0.007987
1346	65	100	1.0000	1.0000	0.013993
1347	65	112	1.0000	1.0000	0.014551
1348	65	123	1.0000	1.0000	0.036008
1349	65	149	1.0000	1.0000	0.006230
1350	65	180	1.0000	1.0000	0.097091
1351	65	195	1.0000	1.0000	0.018601
1352	66	67	1.0000	1.0000	0.012113
1353	66	68	1.0000	1.0000	0.005895
1354	66	69	1.0000	1.0000	0.008541
1355	66	70	1.0000	1.0000	0.004279
1356	66	71	1.0000	1.0000	0.008656
1357	66	72	1.0000	1.0000	0.057028
1358	66	73	1.0000	1.0000	0.012438
1359	66	74	1.0000	1.0000	0.011851
1360	66	76	1.0000	1.0000	0.009776
1361	66	78	1.0000	1.0000	0.062003
1362	66	123	1.0000	1.0000	0.028771
1363	66	147	1.0000	1.0000	0.000355
1364	66	149	1.0000	1.0000	0.001007
1365	66	165	1.0000	1.0000	0.012194
1366	66	167	1.0000	1.0000	0.002123
1367	66	173	1.0000	1.0000	0.003118
1368	66	181	1.0000	1.0000	0.061448
1369	66	190	1.0000	1.0000	0.021119

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1370	66	195	1.0000	1.0000	0.011365
1371	67	68	1.0000	1.0000	0.006218
1372	67	69	1.0000	1.0000	0.003572
1373	67	70	1.0000	1.0000	0.007833
1374	67	71	1.0000	1.0000	0.020769
1375	67	72	1.0000	1.0000	0.044916
1376	67	73	1.0000	1.0000	0.000325
1377	67	74	1.0000	1.0000	0.000262
1378	67	77	1.0000	1.0000	0.009276
1379	67	78	1.0000	1.0000	0.049890
1380	67	92	1.0000	1.0000	0.021477
1381	67	101	1.0000	1.0000	0.033563
1382	67	123	1.0000	1.0000	0.040884
1383	67	149	1.0000	1.0000	0.011106
1384	67	182	1.0000	1.0000	0.043457
1385	67	193	1.0000	1.0000	0.031250
1386	67	195	1.0000	1.0000	0.023477
1387	68	69	1.0000	1.0000	0.002646
1388	68	70	1.0000	1.0000	0.001615
1389	68	71	1.0000	1.0000	0.014551
1390	68	72	1.0000	1.0000	0.051134
1391	68	73	1.0000	1.0000	0.006543
1392	68	74	1.0000	1.0000	0.005956
1393	68	78	1.0000	1.0000	0.056108
1394	68	94	1.0000	1.0000	0.008487
1395	68	102	1.0000	1.0000	0.006450
1396	68	112	1.0000	1.0000	0.013210
1397	68	113	1.0000	1.0000	0.005404
1398	68	114	1.0000	1.0000	0.009366
1399	68	115	1.0000	1.0000	0.020580
1400	68	116	1.0000	1.0000	0.027079
1401	68	117	1.0000	1.0000	0.054082
1402	68	123	1.0000	1.0000	0.034666
1403	68	127	1.0000	1.0000	0.036608
1404	68	149	1.0000	1.0000	0.004888
1405	68	153	1.0000	1.0000	0.000571

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1406	68	195	1.0000	1.0000	0.017259
1407	69	70	1.0000	1.0000	0.004262
1408	69	71	1.0000	1.0000	0.017197
1409	69	72	1.0000	1.0000	0.048487
1410	69	73	1.0000	1.0000	0.003897
1411	69	74	1.0000	1.0000	0.003310
1412	69	78	1.0000	1.0000	0.053462
1413	69	83	1.0000	1.0000	0.004008
1414	69	109	1.0000	1.0000	0.067586
1415	69	123	1.0000	1.0000	0.037312
1416	69	137	1.0000	1.0000	0.111181
1417	69	142	1.0000	1.0000	0.013909
1418	69	149	1.0000	1.0000	0.007534
1419	69	156	1.0000	1.0000	0.003423
1420	69	163	1.0000	1.0000	0.000148
1421	69	169	1.0000	1.0000	0.015305
1422	69	177	1.0000	1.0000	0.050785
1423	69	186	1.0000	1.0000	0.025992
1424	69	195	1.0000	1.0000	0.019906
1425	69	200	1.0000	1.0000	0.780881
1426	70	71	1.0000	1.0000	0.012935
1427	70	72	1.0000	1.0000	0.052749
1428	70	73	1.0000	1.0000	0.008159
1429	70	74	1.0000	1.0000	0.007572
1430	70	78	1.0000	1.0000	0.057724
1431	70	84	1.0000	1.0000	0.001006
1432	70	96	1.0000	1.0000	0.010863
1433	70	110	1.0000	1.0000	0.000815
1434	70	123	1.0000	1.0000	0.033050
1435	70	135	1.0000	1.0000	0.002605
1436	70	138	1.0000	1.0000	0.023334
1437	70	144	1.0000	1.0000	0.016406
1438	70	149	1.0000	1.0000	0.003273
1439	70	157	1.0000	1.0000	0.011587
1440	70	164	1.0000	1.0000	0.002154
1441	70	170	1.0000	1.0000	0.033221

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1442	70	195	1.0000	1.0000	0.015644
1443	70	201	1.0000	1.0000	0.785143
1444	71	72	1.0000	1.0000	0.065684
1445	71	73	1.0000	1.0000	0.021094
1446	71	74	1.0000	1.0000	0.020507
1447	71	78	1.0000	1.0000	0.070659
1448	71	85	1.0000	1.0000	0.018587
1449	71	111	1.0000	1.0000	0.008683
1450	71	123	1.0000	1.0000	0.020115
1451	71	145	1.0000	1.0000	0.015578
1452	71	149	1.0000	1.0000	0.009663
1453	71	195	1.0000	1.0000	0.002709
1454	71	202	1.0000	1.0000	0.798078
1455	72	73	1.0000	1.0000	0.044590
1456	72	74	1.0000	1.0000	0.045177
1457	72	78	1.0000	1.0000	0.004974
1458	72	98	1.0000	1.0000	0.054432
1459	72	107	1.0000	1.0000	0.007761
1460	72	116	1.0000	1.0000	0.078213
1461	72	123	1.0000	1.0000	0.085799
1462	72	140	1.0000	1.0000	0.057763
1463	72	143	1.0000	1.0000	0.048096
1464	72	149	1.0000	1.0000	0.056022
1465	72	160	1.0000	1.0000	0.055484
1466	72	172	1.0000	1.0000	0.071923
1467	72	195	1.0000	1.0000	0.068393
1468	73	74	1.0000	1.0000	0.000587
1469	73	78	1.0000	1.0000	0.049565
1470	73	88	1.0000	1.0000	0.011621
1471	73	99	1.0000	1.0000	0.011422
1472	73	108	1.0000	1.0000	0.043030
1473	73	117	1.0000	1.0000	0.060626
1474	73	123	1.0000	1.0000	0.041209
1475	73	133	1.0000	1.0000	0.000678
1476	73	149	1.0000	1.0000	0.011431
1477	73	161	1.0000	1.0000	0.002692

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1478	73	173	1.0000	1.0000	0.015556
1479	73	174	1.0000	1.0000	0.025189
1480	73	175	1.0000	1.0000	0.020426
1481	73	176	1.0000	1.0000	0.044369
1482	73	177	1.0000	1.0000	0.046888
1483	73	178	1.0000	1.0000	0.039203
1484	73	179	1.0000	1.0000	0.042652
1485	73	188	1.0000	1.0000	0.033878
1486	73	195	1.0000	1.0000	0.023803
1487	74	78	1.0000	1.0000	0.050152
1488	74	89	1.0000	1.0000	0.036556
1489	74	123	1.0000	1.0000	0.040622
1490	74	149	1.0000	1.0000	0.010844
1491	74	162	1.0000	1.0000	0.015391
1492	74	180	1.0000	1.0000	0.092477
1493	74	181	1.0000	1.0000	0.049597
1494	74	182	1.0000	1.0000	0.043719
1495	74	183	1.0000	1.0000	0.022905
1496	74	184	1.0000	1.0000	0.021773
1497	74	185	1.0000	1.0000	0.047353
1498	74	186	1.0000	1.0000	0.029302
1499	74	187	1.0000	1.0000	0.020858
1500	74	188	1.0000	1.0000	0.033291
1501	74	195	1.0000	1.0000	0.023216
1502	75	76	1.0000	1.0000	0.000475
1503	75	77	1.0000	1.0000	0.007415
1504	75	78	1.0000	1.0000	0.051752
1505	75	79	1.0000	1.0000	0.000755
1506	75	80	1.0000	1.0000	0.007318
1507	75	81	1.0000	1.0000	0.005006
1508	75	82	1.0000	1.0000	0.001118
1509	75	83	1.0000	1.0000	0.002298
1510	75	84	1.0000	1.0000	0.004966
1511	75	85	1.0000	1.0000	0.000320
1512	75	86	1.0000	1.0000	0.015438
1513	75	87	1.0000	1.0000	0.048699

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1514	75	88	1.0000	1.0000	0.009434
1515	75	89	1.0000	1.0000	0.034956
1516	75	90	1.0000	1.0000	0.011002
1517	75	100	1.0000	1.0000	0.017008
1518	75	112	1.0000	1.0000	0.017566
1519	75	124	1.0000	1.0000	0.041261
1520	75	180	1.0000	1.0000	0.094077
1521	76	77	1.0000	1.0000	0.006939
1522	76	78	1.0000	1.0000	0.052227
1523	76	79	1.0000	1.0000	0.000280
1524	76	80	1.0000	1.0000	0.006843
1525	76	81	1.0000	1.0000	0.005482
1526	76	82	1.0000	1.0000	0.000643
1527	76	83	1.0000	1.0000	0.002773
1528	76	84	1.0000	1.0000	0.004491
1529	76	85	1.0000	1.0000	0.000155
1530	76	86	1.0000	1.0000	0.014963
1531	76	87	1.0000	1.0000	0.049174
1532	76	88	1.0000	1.0000	0.008959
1533	76	89	1.0000	1.0000	0.034481
1534	76	124	1.0000	1.0000	0.040786
1535	76	147	1.0000	1.0000	0.009421
1536	76	165	1.0000	1.0000	0.002419
1537	76	167	1.0000	1.0000	0.007653
1538	76	173	1.0000	1.0000	0.012893
1539	76	181	1.0000	1.0000	0.051672
1540	76	190	1.0000	1.0000	0.030895
1541	77	78	1.0000	1.0000	0.059166
1542	77	79	1.0000	1.0000	0.006660
1543	77	80	1.0000	1.0000	0.000097
1544	77	81	1.0000	1.0000	0.012421
1545	77	82	1.0000	1.0000	0.006296
1546	77	83	1.0000	1.0000	0.009712
1547	77	84	1.0000	1.0000	0.002448
1548	77	85	1.0000	1.0000	0.007094
1549	77	86	1.0000	1.0000	0.008024

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1550	77	87	1.0000	1.0000	0.056113
1551	77	88	1.0000	1.0000	0.002019
1552	77	89	1.0000	1.0000	0.027542
1553	77	92	1.0000	1.0000	0.012201
1554	77	101	1.0000	1.0000	0.024286
1555	77	124	1.0000	1.0000	0.033846
1556	77	182	1.0000	1.0000	0.052733
1557	77	193	1.0000	1.0000	0.021974
1558	78	79	1.0000	1.0000	0.052507
1559	78	80	1.0000	1.0000	0.059070
1560	78	81	1.0000	1.0000	0.046745
1561	78	82	1.0000	1.0000	0.052870
1562	78	83	1.0000	1.0000	0.049454
1563	78	84	1.0000	1.0000	0.056718
1564	78	85	1.0000	1.0000	0.052072
1565	78	86	1.0000	1.0000	0.067190
1566	78	87	1.0000	1.0000	0.003053
1567	78	88	1.0000	1.0000	0.061186
1568	78	89	1.0000	1.0000	0.086708
1569	78	123	1.0000	1.0000	0.090774
1570	78	124	1.0000	1.0000	0.093013
1571	78	149	1.0000	1.0000	0.060996
1572	78	195	1.0000	1.0000	0.073367
1573	79	80	1.0000	1.0000	0.006563
1574	79	81	1.0000	1.0000	0.005762
1575	79	82	1.0000	1.0000	0.000363
1576	79	83	1.0000	1.0000	0.003053
1577	79	84	1.0000	1.0000	0.004211
1578	79	85	1.0000	1.0000	0.000435
1579	79	86	1.0000	1.0000	0.014683
1580	79	87	1.0000	1.0000	0.049454
1581	79	88	1.0000	1.0000	0.008679
1582	79	89	1.0000	1.0000	0.034201
1583	79	93	1.0000	1.0000	0.034836
1584	79	100	1.0000	1.0000	0.016252
1585	79	101	1.0000	1.0000	0.030946

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1586	79	102	1.0000	1.0000	0.010051
1587	79	103	1.0000	1.0000	0.016723
1588	79	104	1.0000	1.0000	0.009630
1589	79	105	1.0000	1.0000	0.013291
1590	79	106	1.0000	1.0000	0.023489
1591	79	107	1.0000	1.0000	0.055293
1592	79	108	1.0000	1.0000	0.045973
1593	79	124	1.0000	1.0000	0.040506
1594	79	126	1.0000	1.0000	0.032595
1595	79	151	1.0000	1.0000	0.009203
1596	79	197	1.0000	1.0000	0.026203
1597	80	81	1.0000	1.0000	0.012325
1598	80	82	1.0000	1.0000	0.006200
1599	80	83	1.0000	1.0000	0.009616
1600	80	84	1.0000	1.0000	0.002352
1601	80	85	1.0000	1.0000	0.006998
1602	80	86	1.0000	1.0000	0.008120
1603	80	87	1.0000	1.0000	0.056017
1604	80	88	1.0000	1.0000	0.002116
1605	80	89	1.0000	1.0000	0.027638
1606	80	109	1.0000	1.0000	0.073194
1607	80	110	1.0000	1.0000	0.000532
1608	80	111	1.0000	1.0000	0.002906
1609	80	124	1.0000	1.0000	0.033943
1610	80	141	1.0000	1.0000	0.002877
1611	80	152	1.0000	1.0000	0.009391
1612	80	183	1.0000	1.0000	0.031823
1613	81	82	1.0000	1.0000	0.006125
1614	81	83	1.0000	1.0000	0.002709
1615	81	84	1.0000	1.0000	0.009973
1616	81	85	1.0000	1.0000	0.005327
1617	81	86	1.0000	1.0000	0.020445
1618	81	87	1.0000	1.0000	0.043692
1619	81	88	1.0000	1.0000	0.014441
1620	81	89	1.0000	1.0000	0.039963
1621	81	104	1.0000	1.0000	0.015391

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1622	81	113	1.0000	1.0000	0.014767
1623	81	124	1.0000	1.0000	0.046268
1624	81	129	1.0000	1.0000	0.037922
1625	81	137	1.0000	1.0000	0.104464
1626	81	138	1.0000	1.0000	0.012356
1627	81	139	1.0000	1.0000	0.005011
1628	81	140	1.0000	1.0000	0.015992
1629	81	154	1.0000	1.0000	0.012686
1630	81	168	1.0000	1.0000	0.010576
1631	81	175	1.0000	1.0000	0.023245
1632	81	184	1.0000	1.0000	0.025180
1633	82	83	1.0000	1.0000	0.003416
1634	82	84	1.0000	1.0000	0.003848
1635	82	85	1.0000	1.0000	0.000798
1636	82	86	1.0000	1.0000	0.014320
1637	82	87	1.0000	1.0000	0.049817
1638	82	88	1.0000	1.0000	0.008316
1639	82	89	1.0000	1.0000	0.033838
1640	82	105	1.0000	1.0000	0.012928
1641	82	114	1.0000	1.0000	0.012604
1642	82	124	1.0000	1.0000	0.040143
1643	82	130	1.0000	1.0000	0.032271
1644	82	134	1.0000	1.0000	0.003392
1645	82	144	1.0000	1.0000	0.021260
1646	82	145	1.0000	1.0000	0.002210
1647	82	146	1.0000	1.0000	0.010697
1648	82	155	1.0000	1.0000	0.001974
1649	82	176	1.0000	1.0000	0.047674
1650	82	199	1.0000	1.0000	0.780289
1651	83	84	1.0000	1.0000	0.007264
1652	83	85	1.0000	1.0000	0.002618
1653	83	86	1.0000	1.0000	0.017736
1654	83	87	1.0000	1.0000	0.046401
1655	83	88	1.0000	1.0000	0.011732
1656	83	89	1.0000	1.0000	0.037254
1657	83	109	1.0000	1.0000	0.063578

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1658	83	124	1.0000	1.0000	0.043559
1659	83	137	1.0000	1.0000	0.107173
1660	83	142	1.0000	1.0000	0.017917
1661	83	156	1.0000	1.0000	0.007431
1662	83	163	1.0000	1.0000	0.003860
1663	83	169	1.0000	1.0000	0.019313
1664	83	177	1.0000	1.0000	0.046777
1665	83	186	1.0000	1.0000	0.030000
1666	83	200	1.0000	1.0000	0.776873
1667	84	85	1.0000	1.0000	0.004646
1668	84	86	1.0000	1.0000	0.010472
1669	84	87	1.0000	1.0000	0.053665
1670	84	88	1.0000	1.0000	0.004468
1671	84	89	1.0000	1.0000	0.029990
1672	84	96	1.0000	1.0000	0.011868
1673	84	110	1.0000	1.0000	0.001820
1674	84	124	1.0000	1.0000	0.036295
1675	84	135	1.0000	1.0000	0.003611
1676	84	138	1.0000	1.0000	0.022329
1677	84	144	1.0000	1.0000	0.017412
1678	84	157	1.0000	1.0000	0.012593
1679	84	164	1.0000	1.0000	0.001148
1680	84	170	1.0000	1.0000	0.034227
1681	84	201	1.0000	1.0000	0.784137
1682	85	86	1.0000	1.0000	0.015118
1683	85	87	1.0000	1.0000	0.049019
1684	85	88	1.0000	1.0000	0.009114
1685	85	89	1.0000	1.0000	0.034636
1686	85	111	1.0000	1.0000	0.009903
1687	85	124	1.0000	1.0000	0.040941
1688	85	145	1.0000	1.0000	0.003008
1689	85	202	1.0000	1.0000	0.779491
1690	86	87	1.0000	1.0000	0.064137
1691	86	88	1.0000	1.0000	0.006004
1692	86	89	1.0000	1.0000	0.019518
1693	86	97	1.0000	1.0000	0.011456

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1694	86	124	1.0000	1.0000	0.025823
1695	86	136	1.0000	1.0000	0.009333
1696	86	139	1.0000	1.0000	0.025456
1697	86	146	1.0000	1.0000	0.003623
1698	86	158	1.0000	1.0000	0.059454
1699	86	163	1.0000	1.0000	0.013876
1700	86	164	1.0000	1.0000	0.011620
1701	86	171	1.0000	1.0000	0.003198
1702	86	178	1.0000	1.0000	0.056829
1703	86	203	1.0000	1.0000	0.794609
1704	87	88	1.0000	1.0000	0.058133
1705	87	89	1.0000	1.0000	0.083655
1706	87	106	1.0000	1.0000	0.072943
1707	87	115	1.0000	1.0000	0.073635
1708	87	124	1.0000	1.0000	0.089960
1709	87	132	1.0000	1.0000	0.079387
1710	87	159	1.0000	1.0000	0.051328
1711	87	167	1.0000	1.0000	0.056827
1712	87	168	1.0000	1.0000	0.054268
1713	87	169	1.0000	1.0000	0.065714
1714	87	170	1.0000	1.0000	0.087892
1715	87	171	1.0000	1.0000	0.067335
1716	87	172	1.0000	1.0000	0.073845
1717	87	179	1.0000	1.0000	0.003860
1718	87	187	1.0000	1.0000	0.067957
1719	88	89	1.0000	1.0000	0.025522
1720	88	99	1.0000	1.0000	0.000199
1721	88	108	1.0000	1.0000	0.054652
1722	88	117	1.0000	1.0000	0.049005
1723	88	124	1.0000	1.0000	0.031827
1724	88	133	1.0000	1.0000	0.010943
1725	88	161	1.0000	1.0000	0.008929
1726	88	173	1.0000	1.0000	0.003934
1727	88	174	1.0000	1.0000	0.013568
1728	88	175	1.0000	1.0000	0.008805
1729	88	176	1.0000	1.0000	0.055990

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1730	88	177	1.0000	1.0000	0.058509
1731	88	178	1.0000	1.0000	0.050825
1732	88	179	1.0000	1.0000	0.054273
1733	88	188	1.0000	1.0000	0.022257
1734	89	124	1.0000	1.0000	0.006305
1735	89	162	1.0000	1.0000	0.021165
1736	89	180	1.0000	1.0000	0.129033
1737	89	181	1.0000	1.0000	0.086153
1738	89	182	1.0000	1.0000	0.080275
1739	89	183	1.0000	1.0000	0.059461
1740	89	184	1.0000	1.0000	0.014783
1741	89	185	1.0000	1.0000	0.010797
1742	89	186	1.0000	1.0000	0.007254
1743	89	187	1.0000	1.0000	0.015698
1744	89	188	1.0000	1.0000	0.003265
1745	90	91	1.0000	1.0000	0.008334
1746	90	92	1.0000	1.0000	0.008614
1747	90	93	1.0000	1.0000	0.024589
1748	90	94	1.0000	1.0000	0.001841
1749	90	95	1.0000	1.0000	0.006599
1750	90	96	1.0000	1.0000	0.005833
1751	90	97	1.0000	1.0000	0.015892
1752	90	98	1.0000	1.0000	0.003347
1753	90	99	1.0000	1.0000	0.001767
1754	90	100	1.0000	1.0000	0.006006
1755	90	112	1.0000	1.0000	0.006564
1756	90	125	1.0000	1.0000	0.047210
1757	90	150	1.0000	1.0000	0.007488
1758	90	180	1.0000	1.0000	0.105079
1759	90	196	1.0000	1.0000	0.012800
1760	91	92	1.0000	1.0000	0.000280
1761	91	93	1.0000	1.0000	0.016255
1762	91	94	1.0000	1.0000	0.006493
1763	91	95	1.0000	1.0000	0.001735
1764	91	96	1.0000	1.0000	0.002501
1765	91	97	1.0000	1.0000	0.007558

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1766	91	98	1.0000	1.0000	0.011681
1767	91	99	1.0000	1.0000	0.010101
1768	91	120	1.0000	1.0000	0.014786
1769	91	125	1.0000	1.0000	0.038876
1770	91	148	1.0000	1.0000	0.065771
1771	91	150	1.0000	1.0000	0.015822
1772	91	191	1.0000	1.0000	0.008773
1773	91	196	1.0000	1.0000	0.004466
1774	92	93	1.0000	1.0000	0.015975
1775	92	94	1.0000	1.0000	0.006773
1776	92	95	1.0000	1.0000	0.002015
1777	92	96	1.0000	1.0000	0.002781
1778	92	97	1.0000	1.0000	0.007279
1779	92	98	1.0000	1.0000	0.011960
1780	92	99	1.0000	1.0000	0.010381
1781	92	101	1.0000	1.0000	0.012085
1782	92	125	1.0000	1.0000	0.038596
1783	92	150	1.0000	1.0000	0.016102
1784	92	182	1.0000	1.0000	0.064934
1785	92	193	1.0000	1.0000	0.009773
1786	92	196	1.0000	1.0000	0.004186
1787	93	94	1.0000	1.0000	0.022748
1788	93	95	1.0000	1.0000	0.017990
1789	93	96	1.0000	1.0000	0.018756
1790	93	97	1.0000	1.0000	0.008696
1791	93	98	1.0000	1.0000	0.027935
1792	93	99	1.0000	1.0000	0.026356
1793	93	100	1.0000	1.0000	0.018583
1794	93	101	1.0000	1.0000	0.003890
1795	93	102	1.0000	1.0000	0.024784
1796	93	103	1.0000	1.0000	0.018112
1797	93	104	1.0000	1.0000	0.025206
1798	93	105	1.0000	1.0000	0.021544
1799	93	106	1.0000	1.0000	0.011346
1800	93	107	1.0000	1.0000	0.090129
1801	93	108	1.0000	1.0000	0.080808

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1802	93	125	1.0000	1.0000	0.022621
1803	93	126	1.0000	1.0000	0.002240
1804	93	150	1.0000	1.0000	0.032077
1805	93	151	1.0000	1.0000	0.025633
1806	93	196	1.0000	1.0000	0.011789
1807	93	197	1.0000	1.0000	0.008633
1808	94	95	1.0000	1.0000	0.004758
1809	94	96	1.0000	1.0000	0.003992
1810	94	97	1.0000	1.0000	0.014051
1811	94	98	1.0000	1.0000	0.005188
1812	94	99	1.0000	1.0000	0.003608
1813	94	102	1.0000	1.0000	0.002037
1814	94	112	1.0000	1.0000	0.004723
1815	94	113	1.0000	1.0000	0.003083
1816	94	114	1.0000	1.0000	0.000880
1817	94	115	1.0000	1.0000	0.012093
1818	94	116	1.0000	1.0000	0.018593
1819	94	117	1.0000	1.0000	0.045596
1820	94	125	1.0000	1.0000	0.045369
1821	94	127	1.0000	1.0000	0.028122
1822	94	150	1.0000	1.0000	0.009329
1823	94	153	1.0000	1.0000	0.009058
1824	94	196	1.0000	1.0000	0.010959
1825	95	96	1.0000	1.0000	0.000766
1826	95	97	1.0000	1.0000	0.009294
1827	95	98	1.0000	1.0000	0.009945
1828	95	99	1.0000	1.0000	0.008366
1829	95	103	1.0000	1.0000	0.000122
1830	95	125	1.0000	1.0000	0.040611
1831	95	128	1.0000	1.0000	0.014129
1832	95	134	1.0000	1.0000	0.013090
1833	95	135	1.0000	1.0000	0.009024
1834	95	136	1.0000	1.0000	0.011496
1835	95	150	1.0000	1.0000	0.014087
1836	95	174	1.0000	1.0000	0.005401
1837	95	196	1.0000	1.0000	0.006201

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1838	95	198	1.0000	1.0000	0.203229
1839	96	97	1.0000	1.0000	0.010060
1840	96	98	1.0000	1.0000	0.009179
1841	96	99	1.0000	1.0000	0.007600
1842	96	110	1.0000	1.0000	0.010048
1843	96	125	1.0000	1.0000	0.041377
1844	96	135	1.0000	1.0000	0.008258
1845	96	138	1.0000	1.0000	0.034197
1846	96	144	1.0000	1.0000	0.005544
1847	96	150	1.0000	1.0000	0.013321
1848	96	157	1.0000	1.0000	0.000725
1849	96	164	1.0000	1.0000	0.013016
1850	96	170	1.0000	1.0000	0.022359
1851	96	196	1.0000	1.0000	0.006967
1852	96	201	1.0000	1.0000	0.796005
1853	97	98	1.0000	1.0000	0.019239
1854	97	99	1.0000	1.0000	0.017660
1855	97	125	1.0000	1.0000	0.031317
1856	97	136	1.0000	1.0000	0.020789
1857	97	139	1.0000	1.0000	0.036912
1858	97	146	1.0000	1.0000	0.015079
1859	97	150	1.0000	1.0000	0.023381
1860	97	158	1.0000	1.0000	0.070910
1861	97	163	1.0000	1.0000	0.025332
1862	97	164	1.0000	1.0000	0.023076
1863	97	171	1.0000	1.0000	0.008258
1864	97	178	1.0000	1.0000	0.068285
1865	97	196	1.0000	1.0000	0.003092
1866	97	203	1.0000	1.0000	0.806065
1867	98	99	1.0000	1.0000	0.001580
1868	98	107	1.0000	1.0000	0.062193
1869	98	116	1.0000	1.0000	0.023781
1870	98	125	1.0000	1.0000	0.050556
1871	98	140	1.0000	1.0000	0.003330
1872	98	143	1.0000	1.0000	0.006337
1873	98	150	1.0000	1.0000	0.004141

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1874	98	160	1.0000	1.0000	0.001052
1875	98	172	1.0000	1.0000	0.017491
1876	98	196	1.0000	1.0000	0.016147
1877	99	108	1.0000	1.0000	0.054452
1878	99	117	1.0000	1.0000	0.049204
1879	99	125	1.0000	1.0000	0.048977
1880	99	133	1.0000	1.0000	0.010743
1881	99	150	1.0000	1.0000	0.005721
1882	99	161	1.0000	1.0000	0.008730
1883	99	173	1.0000	1.0000	0.004134
1884	99	174	1.0000	1.0000	0.013767
1885	99	175	1.0000	1.0000	0.009004
1886	99	176	1.0000	1.0000	0.055790
1887	99	177	1.0000	1.0000	0.058309
1888	99	178	1.0000	1.0000	0.050625
1889	99	179	1.0000	1.0000	0.054074
1890	99	188	1.0000	1.0000	0.022456
1891	99	196	1.0000	1.0000	0.014567
1892	100	101	1.0000	1.0000	0.014693
1893	100	102	1.0000	1.0000	0.006201
1894	100	103	1.0000	1.0000	0.000471
1895	100	104	1.0000	1.0000	0.006623
1896	100	105	1.0000	1.0000	0.002961
1897	100	106	1.0000	1.0000	0.007237
1898	100	107	1.0000	1.0000	0.071546
1899	100	108	1.0000	1.0000	0.062225
1900	100	112	1.0000	1.0000	0.000558
1901	100	126	1.0000	1.0000	0.016343
1902	100	151	1.0000	1.0000	0.007050
1903	100	180	1.0000	1.0000	0.111084
1904	100	197	1.0000	1.0000	0.009951
1905	101	102	1.0000	1.0000	0.020895
1906	101	103	1.0000	1.0000	0.014223
1907	101	104	1.0000	1.0000	0.021316
1908	101	105	1.0000	1.0000	0.017655
1909	101	106	1.0000	1.0000	0.007457

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1910	101	107	1.0000	1.0000	0.086239
1911	101	108	1.0000	1.0000	0.076918
1912	101	126	1.0000	1.0000	0.001649
1913	101	151	1.0000	1.0000	0.021743
1914	101	182	1.0000	1.0000	0.077020
1915	101	193	1.0000	1.0000	0.002313
1916	101	197	1.0000	1.0000	0.004743
1917	102	103	1.0000	1.0000	0.006672
1918	102	104	1.0000	1.0000	0.000422
1919	102	105	1.0000	1.0000	0.003240
1920	102	106	1.0000	1.0000	0.013438
1921	102	107	1.0000	1.0000	0.065344
1922	102	108	1.0000	1.0000	0.056024
1923	102	112	1.0000	1.0000	0.006760
1924	102	113	1.0000	1.0000	0.001046
1925	102	114	1.0000	1.0000	0.002916
1926	102	115	1.0000	1.0000	0.014130
1927	102	116	1.0000	1.0000	0.020629
1928	102	117	1.0000	1.0000	0.047632
1929	102	126	1.0000	1.0000	0.022544
1930	102	127	1.0000	1.0000	0.030158
1931	102	151	1.0000	1.0000	0.000849
1932	102	153	1.0000	1.0000	0.007021
1933	102	197	1.0000	1.0000	0.016152
1934	103	104	1.0000	1.0000	0.007094
1935	103	105	1.0000	1.0000	0.003432
1936	103	106	1.0000	1.0000	0.006766
1937	103	107	1.0000	1.0000	0.072016
1938	103	108	1.0000	1.0000	0.062696
1939	103	126	1.0000	1.0000	0.015872
1940	103	128	1.0000	1.0000	0.014251
1941	103	134	1.0000	1.0000	0.012968
1942	103	135	1.0000	1.0000	0.008902
1943	103	136	1.0000	1.0000	0.011374
1944	103	151	1.0000	1.0000	0.007521
1945	103	174	1.0000	1.0000	0.005523

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1946	103	197	1.0000	1.0000	0.009480
1947	103	198	1.0000	1.0000	0.203351
1948	104	105	1.0000	1.0000	0.003661
1949	104	106	1.0000	1.0000	0.013859
1950	104	107	1.0000	1.0000	0.064923
1951	104	108	1.0000	1.0000	0.055602
1952	104	113	1.0000	1.0000	0.000625
1953	104	126	1.0000	1.0000	0.022965
1954	104	129	1.0000	1.0000	0.022531
1955	104	137	1.0000	1.0000	0.119856
1956	104	138	1.0000	1.0000	0.027748
1957	104	139	1.0000	1.0000	0.020403
1958	104	140	1.0000	1.0000	0.000601
1959	104	151	1.0000	1.0000	0.000427
1960	104	154	1.0000	1.0000	0.002705
1961	104	168	1.0000	1.0000	0.004815
1962	104	175	1.0000	1.0000	0.007854
1963	104	184	1.0000	1.0000	0.009788
1964	104	197	1.0000	1.0000	0.016573
1965	105	106	1.0000	1.0000	0.010198
1966	105	107	1.0000	1.0000	0.068584
1967	105	108	1.0000	1.0000	0.059264
1968	105	114	1.0000	1.0000	0.000323
1969	105	126	1.0000	1.0000	0.019304
1970	105	130	1.0000	1.0000	0.019343
1971	105	134	1.0000	1.0000	0.009536
1972	105	144	1.0000	1.0000	0.008332
1973	105	145	1.0000	1.0000	0.010717
1974	105	146	1.0000	1.0000	0.002231
1975	105	151	1.0000	1.0000	0.004088
1976	105	155	1.0000	1.0000	0.010954
1977	105	176	1.0000	1.0000	0.060602
1978	105	197	1.0000	1.0000	0.012912
1979	105	199	1.0000	1.0000	0.793217
1980	106	107	1.0000	1.0000	0.078782
1981	106	108	1.0000	1.0000	0.069462

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1982	106	115	1.0000	1.0000	0.000692
1983	106	126	1.0000	1.0000	0.009106
1984	106	132	1.0000	1.0000	0.006445
1985	106	151	1.0000	1.0000	0.014286
1986	106	159	1.0000	1.0000	0.021615
1987	106	167	1.0000	1.0000	0.016116
1988	106	168	1.0000	1.0000	0.018674
1989	106	169	1.0000	1.0000	0.007229
1990	106	170	1.0000	1.0000	0.014949
1991	106	171	1.0000	1.0000	0.005608
1992	106	172	1.0000	1.0000	0.000902
1993	106	179	1.0000	1.0000	0.069083
1994	106	187	1.0000	1.0000	0.004986
1995	106	197	1.0000	1.0000	0.002714
1996	107	108	1.0000	1.0000	0.009321
1997	107	116	1.0000	1.0000	0.085974
1998	107	126	1.0000	1.0000	0.087888
1999	107	140	1.0000	1.0000	0.065524
2000	107	143	1.0000	1.0000	0.055857
2001	107	151	1.0000	1.0000	0.064496
2002	107	160	1.0000	1.0000	0.063245
2003	107	172	1.0000	1.0000	0.079684
2004	107	197	1.0000	1.0000	0.081496
2005	108	117	1.0000	1.0000	0.103656
2006	108	126	1.0000	1.0000	0.078568
2007	108	133	1.0000	1.0000	0.043709
2008	108	151	1.0000	1.0000	0.055175
2009	108	161	1.0000	1.0000	0.045722
2010	108	173	1.0000	1.0000	0.058586
2011	108	174	1.0000	1.0000	0.068219
2012	108	175	1.0000	1.0000	0.063456
2013	108	176	1.0000	1.0000	0.001338
2014	108	177	1.0000	1.0000	0.003857
2015	108	178	1.0000	1.0000	0.003827
2016	108	179	1.0000	1.0000	0.000378
2017	108	188	1.0000	1.0000	0.076908

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2018	108	197	1.0000	1.0000	0.072176
2019	109	110	1.0000	1.0000	0.072662
2020	109	111	1.0000	1.0000	0.076100
2021	109	137	1.0000	1.0000	0.043595
2022	109	141	1.0000	1.0000	0.076072
2023	109	142	1.0000	1.0000	0.081495
2024	109	152	1.0000	1.0000	0.063803
2025	109	156	1.0000	1.0000	0.071009
2026	109	163	1.0000	1.0000	0.067438
2027	109	169	1.0000	1.0000	0.082891
2028	109	177	1.0000	1.0000	0.016801
2029	109	183	1.0000	1.0000	0.041371
2030	109	186	1.0000	1.0000	0.093578
2031	109	200	1.0000	1.0000	0.713295
2032	110	111	1.0000	1.0000	0.003437
2033	110	135	1.0000	1.0000	0.001790
2034	110	138	1.0000	1.0000	0.024149
2035	110	141	1.0000	1.0000	0.003409
2036	110	144	1.0000	1.0000	0.015592
2037	110	152	1.0000	1.0000	0.008860
2038	110	157	1.0000	1.0000	0.010773
2039	110	164	1.0000	1.0000	0.002968
2040	110	170	1.0000	1.0000	0.032407
2041	110	183	1.0000	1.0000	0.031291
2042	110	201	1.0000	1.0000	0.785957
2043	111	141	1.0000	1.0000	0.000028
2044	111	145	1.0000	1.0000	0.006895
2045	111	152	1.0000	1.0000	0.012297
2046	111	183	1.0000	1.0000	0.034729
2047	111	202	1.0000	1.0000	0.789395
2048	112	113	1.0000	1.0000	0.007806
2049	112	114	1.0000	1.0000	0.003843
2050	112	115	1.0000	1.0000	0.007370
2051	112	116	1.0000	1.0000	0.013870
2052	112	117	1.0000	1.0000	0.040873
2053	112	127	1.0000	1.0000	0.023399

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2054	112	153	1.0000	1.0000	0.013781
2055	112	180	1.0000	1.0000	0.111643
2056	113	114	1.0000	1.0000	0.003963
2057	113	115	1.0000	1.0000	0.015176
2058	113	116	1.0000	1.0000	0.021676
2059	113	117	1.0000	1.0000	0.048679
2060	113	127	1.0000	1.0000	0.031205
2061	113	129	1.0000	1.0000	0.023156
2062	113	137	1.0000	1.0000	0.119231
2063	113	138	1.0000	1.0000	0.027123
2064	113	139	1.0000	1.0000	0.019778
2065	113	140	1.0000	1.0000	0.001225
2066	113	153	1.0000	1.0000	0.005975
2067	113	154	1.0000	1.0000	0.002081
2068	113	168	1.0000	1.0000	0.004190
2069	113	175	1.0000	1.0000	0.008479
2070	113	184	1.0000	1.0000	0.010413
2071	114	115	1.0000	1.0000	0.011213
2072	114	116	1.0000	1.0000	0.017713
2073	114	117	1.0000	1.0000	0.044716
2074	114	127	1.0000	1.0000	0.027242
2075	114	130	1.0000	1.0000	0.019666
2076	114	134	1.0000	1.0000	0.009213
2077	114	144	1.0000	1.0000	0.008655
2078	114	145	1.0000	1.0000	0.010394
2079	114	146	1.0000	1.0000	0.001907
2080	114	153	1.0000	1.0000	0.009938
2081	114	155	1.0000	1.0000	0.010631
2082	114	176	1.0000	1.0000	0.060278
2083	114	199	1.0000	1.0000	0.792894
2084	115	116	1.0000	1.0000	0.006500
2085	115	117	1.0000	1.0000	0.033503
2086	115	127	1.0000	1.0000	0.016029
2087	115	132	1.0000	1.0000	0.005753
2088	115	153	1.0000	1.0000	0.021151
2089	115	159	1.0000	1.0000	0.022307

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2090	115	167	1.0000	1.0000	0.016808
2091	115	168	1.0000	1.0000	0.019366
2092	115	169	1.0000	1.0000	0.007921
2093	115	170	1.0000	1.0000	0.014257
2094	115	171	1.0000	1.0000	0.006300
2095	115	172	1.0000	1.0000	0.000210
2096	115	179	1.0000	1.0000	0.069775
2097	115	187	1.0000	1.0000	0.005678
2098	116	117	1.0000	1.0000	0.027003
2099	116	127	1.0000	1.0000	0.009529
2100	116	140	1.0000	1.0000	0.020450
2101	116	143	1.0000	1.0000	0.030117
2102	116	153	1.0000	1.0000	0.027651
2103	116	160	1.0000	1.0000	0.022729
2104	116	172	1.0000	1.0000	0.006290
2105	117	127	1.0000	1.0000	0.017474
2106	117	133	1.0000	1.0000	0.059947
2107	117	153	1.0000	1.0000	0.054653
2108	117	161	1.0000	1.0000	0.057934
2109	117	173	1.0000	1.0000	0.045070
2110	117	174	1.0000	1.0000	0.035437
2111	117	175	1.0000	1.0000	0.040200
2112	117	176	1.0000	1.0000	0.104994
2113	117	177	1.0000	1.0000	0.107513
2114	117	178	1.0000	1.0000	0.099829
2115	117	179	1.0000	1.0000	0.103278
2116	117	188	1.0000	1.0000	0.026748
2117	118	119	1.0000	1.0000	0.004653
2118	118	120	1.0000	1.0000	0.005211
2119	118	121	1.0000	1.0000	0.009480
2120	118	122	1.0000	1.0000	0.003549
2121	118	123	1.0000	1.0000	0.000311
2122	118	124	1.0000	1.0000	0.001928
2123	118	125	1.0000	1.0000	0.018879
2124	118	126	1.0000	1.0000	0.005983
2125	118	127	1.0000	1.0000	0.001632

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2126	118	128	1.0000	1.0000	0.007603
2127	118	129	1.0000	1.0000	0.006417
2128	118	130	1.0000	1.0000	0.005944
2129	118	131	1.0000	1.0000	0.014796
2130	118	132	1.0000	1.0000	0.008644
2131	118	133	1.0000	1.0000	0.040842
2132	119	120	1.0000	1.0000	0.009864
2133	119	121	1.0000	1.0000	0.014134
2134	119	122	1.0000	1.0000	0.001104
2135	119	123	1.0000	1.0000	0.004964
2136	119	124	1.0000	1.0000	0.002725
2137	119	125	1.0000	1.0000	0.014225
2138	119	126	1.0000	1.0000	0.010636
2139	119	127	1.0000	1.0000	0.003021
2140	119	128	1.0000	1.0000	0.012257
2141	119	129	1.0000	1.0000	0.011071
2142	119	130	1.0000	1.0000	0.010597
2143	119	131	1.0000	1.0000	0.019450
2144	119	132	1.0000	1.0000	0.013297
2145	119	133	1.0000	1.0000	0.045495
2146	119	189	1.0000	1.0000	0.021669
2147	120	121	1.0000	1.0000	0.004269
2148	120	122	1.0000	1.0000	0.008760
2149	120	123	1.0000	1.0000	0.004900
2150	120	124	1.0000	1.0000	0.007139
2151	120	125	1.0000	1.0000	0.024090
2152	120	126	1.0000	1.0000	0.000772
2153	120	127	1.0000	1.0000	0.006843
2154	120	128	1.0000	1.0000	0.002392
2155	120	129	1.0000	1.0000	0.001206
2156	120	130	1.0000	1.0000	0.000733
2157	120	131	1.0000	1.0000	0.009585
2158	120	132	1.0000	1.0000	0.003433
2159	120	133	1.0000	1.0000	0.035631
2160	120	148	1.0000	1.0000	0.080557
2161	120	191	1.0000	1.0000	0.006013

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2162	121	122	1.0000	1.0000	0.013030
2163	121	123	1.0000	1.0000	0.009170
2164	121	124	1.0000	1.0000	0.011408
2165	121	125	1.0000	1.0000	0.028359
2166	121	126	1.0000	1.0000	0.003498
2167	121	127	1.0000	1.0000	0.011112
2168	121	128	1.0000	1.0000	0.001877
2169	121	129	1.0000	1.0000	0.003063
2170	121	130	1.0000	1.0000	0.003537
2171	121	131	1.0000	1.0000	0.005316
2172	121	132	1.0000	1.0000	0.000836
2173	121	133	1.0000	1.0000	0.031361
2174	121	166	1.0000	1.0000	0.025764
2175	121	192	1.0000	1.0000	0.016135
2176	122	123	1.0000	1.0000	0.003860
2177	122	124	1.0000	1.0000	0.001621
2178	122	125	1.0000	1.0000	0.015329
2179	122	126	1.0000	1.0000	0.009532
2180	122	127	1.0000	1.0000	0.001917
2181	122	128	1.0000	1.0000	0.011153
2182	122	129	1.0000	1.0000	0.009967
2183	122	130	1.0000	1.0000	0.009493
2184	122	131	1.0000	1.0000	0.018346
2185	122	132	1.0000	1.0000	0.012193
2186	122	133	1.0000	1.0000	0.044391
2187	122	194	1.0000	1.0000	0.026928
2188	123	124	1.0000	1.0000	0.002239
2189	123	125	1.0000	1.0000	0.019190
2190	123	126	1.0000	1.0000	0.005672
2191	123	127	1.0000	1.0000	0.001943
2192	123	128	1.0000	1.0000	0.007293
2193	123	129	1.0000	1.0000	0.006107
2194	123	130	1.0000	1.0000	0.005633
2195	123	131	1.0000	1.0000	0.014486
2196	123	132	1.0000	1.0000	0.008333
2197	123	133	1.0000	1.0000	0.040531

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2198	123	149	1.0000	1.0000	0.029778
2199	123	195	1.0000	1.0000	0.017406
2200	124	125	1.0000	1.0000	0.016951
2201	124	126	1.0000	1.0000	0.007911
2202	124	127	1.0000	1.0000	0.000296
2203	124	128	1.0000	1.0000	0.009532
2204	124	129	1.0000	1.0000	0.008345
2205	124	130	1.0000	1.0000	0.007872
2206	124	131	1.0000	1.0000	0.016725
2207	124	132	1.0000	1.0000	0.010572
2208	124	133	1.0000	1.0000	0.042770
2209	125	126	1.0000	1.0000	0.024861
2210	125	127	1.0000	1.0000	0.017247
2211	125	128	1.0000	1.0000	0.026482
2212	125	129	1.0000	1.0000	0.025296
2213	125	130	1.0000	1.0000	0.024822
2214	125	131	1.0000	1.0000	0.033675
2215	125	132	1.0000	1.0000	0.027523
2216	125	133	1.0000	1.0000	0.059720
2217	125	150	1.0000	1.0000	0.054698
2218	125	196	1.0000	1.0000	0.034410
2219	126	127	1.0000	1.0000	0.007615
2220	126	128	1.0000	1.0000	0.001621
2221	126	129	1.0000	1.0000	0.000435
2222	126	130	1.0000	1.0000	0.000039
2223	126	131	1.0000	1.0000	0.008814
2224	126	132	1.0000	1.0000	0.002662
2225	126	133	1.0000	1.0000	0.034859
2226	126	151	1.0000	1.0000	0.023392
2227	126	197	1.0000	1.0000	0.006392
2228	127	128	1.0000	1.0000	0.009235
2229	127	129	1.0000	1.0000	0.008049
2230	127	130	1.0000	1.0000	0.007576
2231	127	131	1.0000	1.0000	0.016428
2232	127	132	1.0000	1.0000	0.010276
2233	127	133	1.0000	1.0000	0.042474

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2234	127	153	1.0000	1.0000	0.037180
2235	128	129	1.0000	1.0000	0.001186
2236	128	130	1.0000	1.0000	0.001660
2237	128	131	1.0000	1.0000	0.007193
2238	128	132	1.0000	1.0000	0.001041
2239	128	133	1.0000	1.0000	0.033238
2240	128	134	1.0000	1.0000	0.027219
2241	128	135	1.0000	1.0000	0.023153
2242	128	136	1.0000	1.0000	0.025625
2243	128	174	1.0000	1.0000	0.008728
2244	128	198	1.0000	1.0000	0.189100
2245	129	130	1.0000	1.0000	0.000474
2246	129	131	1.0000	1.0000	0.008379
2247	129	132	1.0000	1.0000	0.002227
2248	129	133	1.0000	1.0000	0.034424
2249	129	137	1.0000	1.0000	0.142386
2250	129	138	1.0000	1.0000	0.050278
2251	129	139	1.0000	1.0000	0.042933
2252	129	140	1.0000	1.0000	0.021930
2253	129	154	1.0000	1.0000	0.025236
2254	129	168	1.0000	1.0000	0.027346
2255	129	175	1.0000	1.0000	0.014677
2256	129	184	1.0000	1.0000	0.012742
2257	130	131	1.0000	1.0000	0.008853
2258	130	132	1.0000	1.0000	0.002700
2259	130	133	1.0000	1.0000	0.034898
2260	130	134	1.0000	1.0000	0.028879
2261	130	144	1.0000	1.0000	0.011011
2262	130	145	1.0000	1.0000	0.030060
2263	130	146	1.0000	1.0000	0.021574
2264	130	155	1.0000	1.0000	0.030297
2265	130	176	1.0000	1.0000	0.079945
2266	130	199	1.0000	1.0000	0.812560
2267	131	132	1.0000	1.0000	0.006152
2268	131	133	1.0000	1.0000	0.026045
2269	131	147	1.0000	1.0000	0.014640

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2270	131	148	1.0000	1.0000	0.070972
2271	131	149	1.0000	1.0000	0.015292
2272	131	150	1.0000	1.0000	0.021023
2273	131	151	1.0000	1.0000	0.014578
2274	131	152	1.0000	1.0000	0.026610
2275	131	153	1.0000	1.0000	0.020751
2276	131	154	1.0000	1.0000	0.016857
2277	131	155	1.0000	1.0000	0.021444
2278	131	156	1.0000	1.0000	0.019403
2279	131	157	1.0000	1.0000	0.006977
2280	131	158	1.0000	1.0000	0.068552
2281	131	159	1.0000	1.0000	0.021907
2282	131	160	1.0000	1.0000	0.015829
2283	131	161	1.0000	1.0000	0.024032
2284	131	162	1.0000	1.0000	0.010745
2285	132	133	1.0000	1.0000	0.032198
2286	132	159	1.0000	1.0000	0.028059
2287	132	167	1.0000	1.0000	0.022561
2288	132	168	1.0000	1.0000	0.025119
2289	132	169	1.0000	1.0000	0.013674
2290	132	170	1.0000	1.0000	0.008504
2291	132	171	1.0000	1.0000	0.012052
2292	132	172	1.0000	1.0000	0.005543
2293	132	179	1.0000	1.0000	0.075528
2294	132	187	1.0000	1.0000	0.011430
2295	133	161	1.0000	1.0000	0.002014
2296	133	173	1.0000	1.0000	0.014877
2297	133	174	1.0000	1.0000	0.024510
2298	133	175	1.0000	1.0000	0.019748
2299	133	176	1.0000	1.0000	0.045047
2300	133	177	1.0000	1.0000	0.047566
2301	133	178	1.0000	1.0000	0.039882
2302	133	179	1.0000	1.0000	0.043330
2303	133	188	1.0000	1.0000	0.033200
2304	134	135	1.0000	1.0000	0.004067
2305	134	136	1.0000	1.0000	0.001595

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2306	134	144	1.0000	1.0000	0.017868
2307	134	145	1.0000	1.0000	0.001181
2308	134	146	1.0000	1.0000	0.007305
2309	134	155	1.0000	1.0000	0.001418
2310	134	174	1.0000	1.0000	0.018492
2311	134	176	1.0000	1.0000	0.051066
2312	134	198	1.0000	1.0000	0.216319
2313	134	199	1.0000	1.0000	0.783681
2314	135	136	1.0000	1.0000	0.002472
2315	135	138	1.0000	1.0000	0.025939
2316	135	144	1.0000	1.0000	0.013801
2317	135	157	1.0000	1.0000	0.008982
2318	135	164	1.0000	1.0000	0.004759
2319	135	170	1.0000	1.0000	0.030616
2320	135	174	1.0000	1.0000	0.014425
2321	135	198	1.0000	1.0000	0.212252
2322	135	201	1.0000	1.0000	0.787748
2323	136	139	1.0000	1.0000	0.016123
2324	136	146	1.0000	1.0000	0.005710
2325	136	158	1.0000	1.0000	0.050121
2326	136	163	1.0000	1.0000	0.004543
2327	136	164	1.0000	1.0000	0.002287
2328	136	171	1.0000	1.0000	0.012531
2329	136	174	1.0000	1.0000	0.016897
2330	136	178	1.0000	1.0000	0.047495
2331	136	198	1.0000	1.0000	0.214724
2332	136	203	1.0000	1.0000	0.785276
2333	137	138	1.0000	1.0000	0.092108
2334	137	139	1.0000	1.0000	0.099453
2335	137	140	1.0000	1.0000	0.120456
2336	137	142	1.0000	1.0000	0.125090
2337	137	154	1.0000	1.0000	0.117150
2338	137	156	1.0000	1.0000	0.114604
2339	137	163	1.0000	1.0000	0.111033
2340	137	168	1.0000	1.0000	0.115041
2341	137	169	1.0000	1.0000	0.126486

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2342	137	175	1.0000	1.0000	0.127710
2343	137	177	1.0000	1.0000	0.060396
2344	137	184	1.0000	1.0000	0.129644
2345	137	186	1.0000	1.0000	0.137173
2346	137	200	1.0000	1.0000	0.669700
2347	138	139	1.0000	1.0000	0.007345
2348	138	140	1.0000	1.0000	0.028348
2349	138	144	1.0000	1.0000	0.039741
2350	138	154	1.0000	1.0000	0.025042
2351	138	157	1.0000	1.0000	0.034922
2352	138	164	1.0000	1.0000	0.021181
2353	138	168	1.0000	1.0000	0.022933
2354	138	170	1.0000	1.0000	0.056556
2355	138	175	1.0000	1.0000	0.035602
2356	138	184	1.0000	1.0000	0.037536
2357	138	201	1.0000	1.0000	0.761808
2358	139	140	1.0000	1.0000	0.021003
2359	139	146	1.0000	1.0000	0.021833
2360	139	154	1.0000	1.0000	0.017697
2361	139	158	1.0000	1.0000	0.033998
2362	139	163	1.0000	1.0000	0.011580
2363	139	164	1.0000	1.0000	0.013836
2364	139	168	1.0000	1.0000	0.015587
2365	139	171	1.0000	1.0000	0.028654
2366	139	175	1.0000	1.0000	0.028256
2367	139	178	1.0000	1.0000	0.031373
2368	139	184	1.0000	1.0000	0.030191
2369	139	203	1.0000	1.0000	0.769153
2370	140	143	1.0000	1.0000	0.009667
2371	140	154	1.0000	1.0000	0.003306
2372	140	160	1.0000	1.0000	0.002278
2373	140	168	1.0000	1.0000	0.005416
2374	140	172	1.0000	1.0000	0.014161
2375	140	175	1.0000	1.0000	0.007253
2376	140	184	1.0000	1.0000	0.009188
2377	141	142	1.0000	1.0000	0.005424

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2378	141	143	1.0000	1.0000	0.008877
2379	141	152	1.0000	1.0000	0.012269
2380	141	183	1.0000	1.0000	0.034700
2381	141	185	1.0000	1.0000	0.035558
2382	142	143	1.0000	1.0000	0.014301
2383	142	156	1.0000	1.0000	0.010486
2384	142	163	1.0000	1.0000	0.014057
2385	142	169	1.0000	1.0000	0.001396
2386	142	177	1.0000	1.0000	0.064694
2387	142	185	1.0000	1.0000	0.030134
2388	142	186	1.0000	1.0000	0.012083
2389	142	200	1.0000	1.0000	0.794790
2390	143	160	1.0000	1.0000	0.007389
2391	143	172	1.0000	1.0000	0.023828
2392	143	185	1.0000	1.0000	0.044435
2393	144	145	1.0000	1.0000	0.019049
2394	144	146	1.0000	1.0000	0.010563
2395	144	155	1.0000	1.0000	0.019286
2396	144	157	1.0000	1.0000	0.004819
2397	144	164	1.0000	1.0000	0.018560
2398	144	170	1.0000	1.0000	0.016815
2399	144	176	1.0000	1.0000	0.068934
2400	144	199	1.0000	1.0000	0.801549
2401	144	201	1.0000	1.0000	0.801549
2402	145	146	1.0000	1.0000	0.008487
2403	145	155	1.0000	1.0000	0.000237
2404	145	176	1.0000	1.0000	0.049884
2405	145	199	1.0000	1.0000	0.782500
2406	145	202	1.0000	1.0000	0.782500
2407	146	155	1.0000	1.0000	0.008723
2408	146	158	1.0000	1.0000	0.055831
2409	146	163	1.0000	1.0000	0.010253
2410	146	164	1.0000	1.0000	0.007997
2411	146	171	1.0000	1.0000	0.006821
2412	146	176	1.0000	1.0000	0.058371
2413	146	178	1.0000	1.0000	0.053206

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2414	146	199	1.0000	1.0000	0.790986
2415	146	203	1.0000	1.0000	0.790986
2416	147	148	1.0000	1.0000	0.056332
2417	147	149	1.0000	1.0000	0.000652
2418	147	150	1.0000	1.0000	0.006383
2419	147	151	1.0000	1.0000	0.000062
2420	147	152	1.0000	1.0000	0.011970
2421	147	153	1.0000	1.0000	0.006111
2422	147	154	1.0000	1.0000	0.002217
2423	147	155	1.0000	1.0000	0.006804
2424	147	156	1.0000	1.0000	0.004763
2425	147	157	1.0000	1.0000	0.007663
2426	147	158	1.0000	1.0000	0.053912
2427	147	159	1.0000	1.0000	0.007267
2428	147	160	1.0000	1.0000	0.001189
2429	147	161	1.0000	1.0000	0.009392
2430	147	162	1.0000	1.0000	0.003895
2431	147	165	1.0000	1.0000	0.011840
2432	147	167	1.0000	1.0000	0.001768
2433	147	173	1.0000	1.0000	0.003472
2434	147	181	1.0000	1.0000	0.061093
2435	147	190	1.0000	1.0000	0.021474
2436	148	149	1.0000	1.0000	0.055680
2437	148	150	1.0000	1.0000	0.049949
2438	148	151	1.0000	1.0000	0.056393
2439	148	152	1.0000	1.0000	0.044362
2440	148	153	1.0000	1.0000	0.050221
2441	148	154	1.0000	1.0000	0.054115
2442	148	155	1.0000	1.0000	0.049528
2443	148	156	1.0000	1.0000	0.051568
2444	148	157	1.0000	1.0000	0.063995
2445	148	158	1.0000	1.0000	0.002420
2446	148	159	1.0000	1.0000	0.049065
2447	148	160	1.0000	1.0000	0.055142
2448	148	161	1.0000	1.0000	0.046940
2449	148	162	1.0000	1.0000	0.060227

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2450	148	191	1.0000	1.0000	0.074544
2451	149	150	1.0000	1.0000	0.005731
2452	149	151	1.0000	1.0000	0.000714
2453	149	152	1.0000	1.0000	0.011318
2454	149	153	1.0000	1.0000	0.005459
2455	149	154	1.0000	1.0000	0.001565
2456	149	155	1.0000	1.0000	0.006152
2457	149	156	1.0000	1.0000	0.004111
2458	149	157	1.0000	1.0000	0.008315
2459	149	158	1.0000	1.0000	0.053260
2460	149	159	1.0000	1.0000	0.006615
2461	149	160	1.0000	1.0000	0.000537
2462	149	161	1.0000	1.0000	0.008740
2463	149	162	1.0000	1.0000	0.004547
2464	149	195	1.0000	1.0000	0.012371
2465	150	151	1.0000	1.0000	0.006444
2466	150	152	1.0000	1.0000	0.005587
2467	150	153	1.0000	1.0000	0.000272
2468	150	154	1.0000	1.0000	0.004166
2469	150	155	1.0000	1.0000	0.000422
2470	150	156	1.0000	1.0000	0.001619
2471	150	157	1.0000	1.0000	0.014046
2472	150	158	1.0000	1.0000	0.047529
2473	150	159	1.0000	1.0000	0.000884
2474	150	160	1.0000	1.0000	0.005193
2475	150	161	1.0000	1.0000	0.003009
2476	150	162	1.0000	1.0000	0.010278
2477	150	196	1.0000	1.0000	0.020288
2478	151	152	1.0000	1.0000	0.012031
2479	151	153	1.0000	1.0000	0.006173
2480	151	154	1.0000	1.0000	0.002278
2481	151	155	1.0000	1.0000	0.006866
2482	151	156	1.0000	1.0000	0.004825
2483	151	157	1.0000	1.0000	0.007601
2484	151	158	1.0000	1.0000	0.053974
2485	151	159	1.0000	1.0000	0.007329

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2486	151	160	1.0000	1.0000	0.001251
2487	151	161	1.0000	1.0000	0.009453
2488	151	162	1.0000	1.0000	0.003833
2489	151	197	1.0000	1.0000	0.017000
2490	152	153	1.0000	1.0000	0.005859
2491	152	154	1.0000	1.0000	0.009753
2492	152	155	1.0000	1.0000	0.005165
2493	152	156	1.0000	1.0000	0.007206
2494	152	157	1.0000	1.0000	0.019633
2495	152	158	1.0000	1.0000	0.041942
2496	152	159	1.0000	1.0000	0.004703
2497	152	160	1.0000	1.0000	0.010780
2498	152	161	1.0000	1.0000	0.002578
2499	152	162	1.0000	1.0000	0.015865
2500	152	183	1.0000	1.0000	0.022431
2501	153	154	1.0000	1.0000	0.003894
2502	153	155	1.0000	1.0000	0.000693
2503	153	156	1.0000	1.0000	0.001348
2504	153	157	1.0000	1.0000	0.013774
2505	153	158	1.0000	1.0000	0.047801
2506	153	159	1.0000	1.0000	0.001156
2507	153	160	1.0000	1.0000	0.004922
2508	153	161	1.0000	1.0000	0.003280
2509	153	162	1.0000	1.0000	0.010006
2510	154	155	1.0000	1.0000	0.004587
2511	154	156	1.0000	1.0000	0.002547
2512	154	157	1.0000	1.0000	0.009880
2513	154	158	1.0000	1.0000	0.051695
2514	154	159	1.0000	1.0000	0.005050
2515	154	160	1.0000	1.0000	0.001028
2516	154	161	1.0000	1.0000	0.007175
2517	154	162	1.0000	1.0000	0.006112
2518	154	168	1.0000	1.0000	0.002110
2519	154	175	1.0000	1.0000	0.010559
2520	154	184	1.0000	1.0000	0.012494
2521	155	156	1.0000	1.0000	0.002041

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2522	155	157	1.0000	1.0000	0.014467
2523	155	158	1.0000	1.0000	0.047108
2524	155	159	1.0000	1.0000	0.000463
2525	155	160	1.0000	1.0000	0.005615
2526	155	161	1.0000	1.0000	0.002587
2527	155	162	1.0000	1.0000	0.010699
2528	155	176	1.0000	1.0000	0.049648
2529	155	199	1.0000	1.0000	0.782263
2530	156	157	1.0000	1.0000	0.012426
2531	156	158	1.0000	1.0000	0.049149
2532	156	159	1.0000	1.0000	0.002504
2533	156	160	1.0000	1.0000	0.003574
2534	156	161	1.0000	1.0000	0.004628
2535	156	162	1.0000	1.0000	0.008658
2536	156	163	1.0000	1.0000	0.003571
2537	156	169	1.0000	1.0000	0.011882
2538	156	177	1.0000	1.0000	0.054208
2539	156	186	1.0000	1.0000	0.022569
2540	156	200	1.0000	1.0000	0.784304
2541	157	158	1.0000	1.0000	0.061575
2542	157	159	1.0000	1.0000	0.014930
2543	157	160	1.0000	1.0000	0.008852
2544	157	161	1.0000	1.0000	0.017054
2545	157	162	1.0000	1.0000	0.003768
2546	157	164	1.0000	1.0000	0.013741
2547	157	170	1.0000	1.0000	0.021634
2548	157	201	1.0000	1.0000	0.796730
2549	158	159	1.0000	1.0000	0.046645
2550	158	160	1.0000	1.0000	0.052723
2551	158	161	1.0000	1.0000	0.044520
2552	158	162	1.0000	1.0000	0.057807
2553	158	163	1.0000	1.0000	0.045578
2554	158	164	1.0000	1.0000	0.047834
2555	158	171	1.0000	1.0000	0.062652
2556	158	178	1.0000	1.0000	0.002625
2557	158	203	1.0000	1.0000	0.735155

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2558	159	160	1.0000	1.0000	0.006078
2559	159	161	1.0000	1.0000	0.002125
2560	159	162	1.0000	1.0000	0.011162
2561	159	167	1.0000	1.0000	0.005499
2562	159	168	1.0000	1.0000	0.002941
2563	159	169	1.0000	1.0000	0.014386
2564	159	170	1.0000	1.0000	0.036564
2565	159	171	1.0000	1.0000	0.016007
2566	159	172	1.0000	1.0000	0.022517
2567	159	179	1.0000	1.0000	0.047468
2568	159	187	1.0000	1.0000	0.016629
2569	160	161	1.0000	1.0000	0.008202
2570	160	162	1.0000	1.0000	0.005084
2571	160	172	1.0000	1.0000	0.016439
2572	161	162	1.0000	1.0000	0.013286
2573	161	173	1.0000	1.0000	0.012864
2574	161	174	1.0000	1.0000	0.022497
2575	161	175	1.0000	1.0000	0.017734
2576	161	176	1.0000	1.0000	0.047060
2577	161	177	1.0000	1.0000	0.049579
2578	161	178	1.0000	1.0000	0.041895
2579	161	179	1.0000	1.0000	0.045344
2580	161	188	1.0000	1.0000	0.031186
2581	162	180	1.0000	1.0000	0.107868
2582	162	181	1.0000	1.0000	0.064988
2583	162	182	1.0000	1.0000	0.059110
2584	162	183	1.0000	1.0000	0.038296
2585	162	184	1.0000	1.0000	0.006382
2586	162	185	1.0000	1.0000	0.031962
2587	162	186	1.0000	1.0000	0.013911
2588	162	187	1.0000	1.0000	0.005467
2589	162	188	1.0000	1.0000	0.017900
2590	163	164	1.0000	1.0000	0.002256
2591	163	169	1.0000	1.0000	0.015453
2592	163	171	1.0000	1.0000	0.017074
2593	163	177	1.0000	1.0000	0.050637

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2594	163	178	1.0000	1.0000	0.042952
2595	163	186	1.0000	1.0000	0.026140
2596	163	200	1.0000	1.0000	0.780733
2597	163	203	1.0000	1.0000	0.780733
2598	164	170	1.0000	1.0000	0.035375
2599	164	171	1.0000	1.0000	0.014818
2600	164	178	1.0000	1.0000	0.045209
2601	164	201	1.0000	1.0000	0.782989
2602	164	203	1.0000	1.0000	0.782989
2603	165	166	1.0000	1.0000	0.006032
2604	165	167	1.0000	1.0000	0.010071
2605	165	173	1.0000	1.0000	0.015312
2606	165	181	1.0000	1.0000	0.049253
2607	165	190	1.0000	1.0000	0.033313
2608	166	192	1.0000	1.0000	0.041899
2609	167	168	1.0000	1.0000	0.002558
2610	167	169	1.0000	1.0000	0.008887
2611	167	170	1.0000	1.0000	0.031065
2612	167	171	1.0000	1.0000	0.010508
2613	167	172	1.0000	1.0000	0.017018
2614	167	173	1.0000	1.0000	0.005241
2615	167	179	1.0000	1.0000	0.052967
2616	167	181	1.0000	1.0000	0.059325
2617	167	187	1.0000	1.0000	0.011131
2618	167	190	1.0000	1.0000	0.023242
2619	168	169	1.0000	1.0000	0.011445
2620	168	170	1.0000	1.0000	0.033623
2621	168	171	1.0000	1.0000	0.013066
2622	168	172	1.0000	1.0000	0.019576
2623	168	175	1.0000	1.0000	0.012669
2624	168	179	1.0000	1.0000	0.050409
2625	168	184	1.0000	1.0000	0.014603
2626	168	187	1.0000	1.0000	0.013689
2627	169	170	1.0000	1.0000	0.022178
2628	169	171	1.0000	1.0000	0.001621
2629	169	172	1.0000	1.0000	0.008131

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2630	169	177	1.0000	1.0000	0.066090
2631	169	179	1.0000	1.0000	0.061854
2632	169	186	1.0000	1.0000	0.010687
2633	169	187	1.0000	1.0000	0.002244
2634	169	200	1.0000	1.0000	0.796186
2635	170	171	1.0000	1.0000	0.020557
2636	170	172	1.0000	1.0000	0.014047
2637	170	179	1.0000	1.0000	0.084032
2638	170	187	1.0000	1.0000	0.019935
2639	170	201	1.0000	1.0000	0.818364
2640	171	172	1.0000	1.0000	0.006510
2641	171	178	1.0000	1.0000	0.060027
2642	171	179	1.0000	1.0000	0.063475
2643	171	187	1.0000	1.0000	0.000622
2644	171	203	1.0000	1.0000	0.797807
2645	172	179	1.0000	1.0000	0.069985
2646	172	187	1.0000	1.0000	0.005888
2647	173	174	1.0000	1.0000	0.009633
2648	173	175	1.0000	1.0000	0.004870
2649	173	176	1.0000	1.0000	0.059924
2650	173	177	1.0000	1.0000	0.062443
2651	173	178	1.0000	1.0000	0.054759
2652	173	179	1.0000	1.0000	0.058208
2653	173	181	1.0000	1.0000	0.064565
2654	173	188	1.0000	1.0000	0.018322
2655	173	190	1.0000	1.0000	0.018001
2656	174	175	1.0000	1.0000	0.004763
2657	174	176	1.0000	1.0000	0.069557
2658	174	177	1.0000	1.0000	0.072076
2659	174	178	1.0000	1.0000	0.064392
2660	174	179	1.0000	1.0000	0.067841
2661	174	188	1.0000	1.0000	0.008689
2662	174	198	1.0000	1.0000	0.197827
2663	175	176	1.0000	1.0000	0.064794
2664	175	177	1.0000	1.0000	0.067314
2665	175	178	1.0000	1.0000	0.059629

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2666	175	179	1.0000	1.0000	0.063078
2667	175	184	1.0000	1.0000	0.001934
2668	175	188	1.0000	1.0000	0.013452
2669	176	177	1.0000	1.0000	0.002519
2670	176	178	1.0000	1.0000	0.005165
2671	176	179	1.0000	1.0000	0.001717
2672	176	188	1.0000	1.0000	0.078247
2673	176	199	1.0000	1.0000	0.732615
2674	177	178	1.0000	1.0000	0.007684
2675	177	179	1.0000	1.0000	0.004236
2676	177	186	1.0000	1.0000	0.076777
2677	177	188	1.0000	1.0000	0.080766
2678	177	200	1.0000	1.0000	0.730096
2679	178	179	1.0000	1.0000	0.003449
2680	178	188	1.0000	1.0000	0.073081
2681	178	203	1.0000	1.0000	0.737780
2682	179	187	1.0000	1.0000	0.064098
2683	179	188	1.0000	1.0000	0.076530
2684	180	181	1.0000	1.0000	0.042880
2685	180	182	1.0000	1.0000	0.048758
2686	180	183	1.0000	1.0000	0.069572
2687	180	184	1.0000	1.0000	0.114250
2688	180	185	1.0000	1.0000	0.139830
2689	180	186	1.0000	1.0000	0.121779
2690	180	187	1.0000	1.0000	0.113335
2691	180	188	1.0000	1.0000	0.125768
2692	181	182	1.0000	1.0000	0.005878
2693	181	183	1.0000	1.0000	0.026692
2694	181	184	1.0000	1.0000	0.071370
2695	181	185	1.0000	1.0000	0.096950
2696	181	186	1.0000	1.0000	0.078899
2697	181	187	1.0000	1.0000	0.070455
2698	181	188	1.0000	1.0000	0.082888
2699	181	190	1.0000	1.0000	0.082566
2700	182	183	1.0000	1.0000	0.020814
2701	182	184	1.0000	1.0000	0.065492

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2702	182	185	1.0000	1.0000	0.091072
2703	182	186	1.0000	1.0000	0.073021
2704	182	187	1.0000	1.0000	0.064577
2705	182	188	1.0000	1.0000	0.077010
2706	182	193	1.0000	1.0000	0.074707
2707	183	184	1.0000	1.0000	0.044678
2708	183	185	1.0000	1.0000	0.070258
2709	183	186	1.0000	1.0000	0.052207
2710	183	187	1.0000	1.0000	0.043763
2711	183	188	1.0000	1.0000	0.056196
2712	184	185	1.0000	1.0000	0.025580
2713	184	186	1.0000	1.0000	0.007529
2714	184	187	1.0000	1.0000	0.000915
2715	184	188	1.0000	1.0000	0.011518
2716	185	186	1.0000	1.0000	0.018051
2717	185	187	1.0000	1.0000	0.026495
2718	185	188	1.0000	1.0000	0.014063
2719	186	187	1.0000	1.0000	0.008444
2720	186	188	1.0000	1.0000	0.003989
2721	186	200	1.0000	1.0000	0.806873
2722	187	188	1.0000	1.0000	0.012432
2723	189	190	1.0000	1.0000	0.009052
2724	189	191	1.0000	1.0000	0.005791
2725	189	192	1.0000	1.0000	0.023670
2726	189	193	1.0000	1.0000	0.007071
2727	189	194	1.0000	1.0000	0.006363
2728	189	195	1.0000	1.0000	0.000702
2729	189	196	1.0000	1.0000	0.001485
2730	189	197	1.0000	1.0000	0.004641
2731	189	198	1.0000	1.0000	0.198512
2732	189	199	1.0000	1.0000	0.801488
2733	189	200	1.0000	1.0000	0.801488
2734	189	201	1.0000	1.0000	0.801488
2735	189	202	1.0000	1.0000	0.801488
2736	189	203	1.0000	1.0000	0.801488
2737	190	191	1.0000	1.0000	0.003261

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2738	190	192	1.0000	1.0000	0.014618
2739	190	193	1.0000	1.0000	0.001981
2740	190	194	1.0000	1.0000	0.015415
2741	190	195	1.0000	1.0000	0.009754
2742	190	196	1.0000	1.0000	0.007568
2743	190	197	1.0000	1.0000	0.004412
2744	190	198	1.0000	1.0000	0.189459
2745	190	199	1.0000	1.0000	0.810541
2746	190	200	1.0000	1.0000	0.810541
2747	190	201	1.0000	1.0000	0.810541
2748	190	202	1.0000	1.0000	0.810541
2749	190	203	1.0000	1.0000	0.810541
2750	191	192	1.0000	1.0000	0.017879
2751	191	193	1.0000	1.0000	0.001280
2752	191	194	1.0000	1.0000	0.012154
2753	191	195	1.0000	1.0000	0.006493
2754	191	196	1.0000	1.0000	0.004307
2755	191	197	1.0000	1.0000	0.001151
2756	191	198	1.0000	1.0000	0.192721
2757	191	199	1.0000	1.0000	0.807279
2758	191	200	1.0000	1.0000	0.807279
2759	191	201	1.0000	1.0000	0.807279
2760	191	202	1.0000	1.0000	0.807279
2761	191	203	1.0000	1.0000	0.807279
2762	192	193	1.0000	1.0000	0.016599
2763	192	194	1.0000	1.0000	0.030034
2764	192	195	1.0000	1.0000	0.024372
2765	192	196	1.0000	1.0000	0.022186
2766	192	197	1.0000	1.0000	0.019030
2767	192	198	1.0000	1.0000	0.174841
2768	192	199	1.0000	1.0000	0.825159
2769	192	200	1.0000	1.0000	0.825159
2770	192	201	1.0000	1.0000	0.825159
2771	192	202	1.0000	1.0000	0.825159
2772	192	203	1.0000	1.0000	0.825159
2773	193	194	1.0000	1.0000	0.013434

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2774	193	195	1.0000	1.0000	0.007773
2775	193	196	1.0000	1.0000	0.005587
2776	193	197	1.0000	1.0000	0.002430
2777	193	198	1.0000	1.0000	0.191441
2778	193	199	1.0000	1.0000	0.808559
2779	193	200	1.0000	1.0000	0.808559
2780	193	201	1.0000	1.0000	0.808559
2781	193	202	1.0000	1.0000	0.808559
2782	193	203	1.0000	1.0000	0.808559
2783	194	195	1.0000	1.0000	0.005661
2784	194	196	1.0000	1.0000	0.007848
2785	194	197	1.0000	1.0000	0.011004
2786	194	198	1.0000	1.0000	0.204875
2787	194	199	1.0000	1.0000	0.795125
2788	194	200	1.0000	1.0000	0.795125
2789	194	201	1.0000	1.0000	0.795125
2790	194	202	1.0000	1.0000	0.795125
2791	194	203	1.0000	1.0000	0.795125
2792	195	196	1.0000	1.0000	0.002186
2793	195	197	1.0000	1.0000	0.005342
2794	195	198	1.0000	1.0000	0.199213
2795	195	199	1.0000	1.0000	0.800787
2796	195	200	1.0000	1.0000	0.800787
2797	195	201	1.0000	1.0000	0.800787
2798	195	202	1.0000	1.0000	0.800787
2799	195	203	1.0000	1.0000	0.800787
2800	196	197	1.0000	1.0000	0.003156
2801	196	198	1.0000	1.0000	0.197027
2802	196	199	1.0000	1.0000	0.802973
2803	196	200	1.0000	1.0000	0.802973
2804	196	201	1.0000	1.0000	0.802973
2805	196	202	1.0000	1.0000	0.802973
2806	196	203	1.0000	1.0000	0.802973
2807	197	198	1.0000	1.0000	0.193871
2808	197	199	1.0000	1.0000	0.806129
2809	197	200	1.0000	1.0000	0.806129

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2810	197	201	1.0000	1.0000	0.806129
2811	197	202	1.0000	1.0000	0.806129
2812	197	203	1.0000	1.0000	0.806129
2813	198	199	1.0000	1.0000	1.000000
2814	198	200	1.0000	1.0000	1.000000
2815	198	201	1.0000	1.0000	1.000000
2816	198	202	1.0000	1.0000	1.000000
2817	198	203	1.0000	1.0000	1.000000
2818	199	200	1.0000	1.0000	0.000000
2819	199	201	1.0000	1.0000	0.000000
2820	199	202	1.0000	1.0000	0.000000
2821	199	203	1.0000	1.0000	0.000000
2822	200	201	1.0000	1.0000	0.000000
2823	200	202	1.0000	1.0000	0.000000
2824	200	203	1.0000	1.0000	0.000000
2825	201	202	1.0000	1.0000	0.000000
2826	201	203	1.0000	1.0000	0.000000
2827	202	203	1.0000	1.0000	0.000000

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	65.569945 Ohm
Total current I	-3.156118e-06 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	0.065570
10	0.655699
100	6.556994
1000	65.569945
10000	655.699447

EXPERIMENT #41

Timestamp: 20260330_160348 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.65
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	146
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	146
Nodes after pruning	146
Edges before pruning	1449
Edges after pruning	1449

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	0	27	1.0000	1.0000	0.008658
1	0	39	1.0000	1.0000	0.034427

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2	0	50	1.0000	1.0000	0.030221
3	0	85	1.0000	1.0000	0.007134
4	0	86	1.0000	1.0000	0.020391
5	0	87	1.0000	1.0000	0.028557
6	0	88	1.0000	1.0000	0.032290
7	0	89	1.0000	1.0000	0.037923
8	0	93	1.0000	1.0000	0.032177
9	0	103	1.0000	1.0000	0.056303
10	0	106	1.0000	1.0000	0.064663
11	0	111	1.0000	1.0000	0.025442
12	0	118	1.0000	1.0000	0.005216
13	0	134	1.0000	1.0000	0.084086
14	1	2	1.0000	1.0000	0.022506
15	1	3	1.0000	1.0000	0.005392
16	1	25	1.0000	1.0000	0.011379
17	1	32	1.0000	1.0000	0.008763
18	1	33	1.0000	1.0000	0.020941
19	1	36	1.0000	1.0000	0.017450
20	1	51	1.0000	1.0000	0.017006
21	1	60	1.0000	1.0000	0.011507
22	1	61	1.0000	1.0000	0.009317
23	1	73	1.0000	1.0000	0.004875
24	1	75	1.0000	1.0000	0.017513
25	1	82	1.0000	1.0000	0.010385
26	1	85	1.0000	1.0000	0.028810
27	1	90	1.0000	1.0000	0.017902
28	1	102	1.0000	1.0000	0.087890
29	1	112	1.0000	1.0000	0.025174
30	1	115	1.0000	1.0000	0.017422
31	1	126	1.0000	1.0000	0.000335
32	1	131	1.0000	1.0000	0.013556
33	1	132	1.0000	1.0000	0.013586
34	1	139	1.0000	1.0000	0.019556
35	2	3	1.0000	1.0000	0.017114
36	2	18	1.0000	1.0000	0.026246
37	2	25	1.0000	1.0000	0.011127

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
38	2	33	1.0000	1.0000	0.043447
39	2	51	1.0000	1.0000	0.005500
40	2	56	1.0000	1.0000	0.007720
41	2	60	1.0000	1.0000	0.034013
42	2	70	1.0000	1.0000	0.018915
43	2	73	1.0000	1.0000	0.027381
44	2	78	1.0000	1.0000	0.051383
45	2	87	1.0000	1.0000	0.015120
46	2	90	1.0000	1.0000	0.004604
47	2	98	1.0000	1.0000	0.049416
48	2	108	1.0000	1.0000	0.005144
49	2	112	1.0000	1.0000	0.002668
50	2	122	1.0000	1.0000	0.027131
51	2	129	1.0000	1.0000	0.027272
52	2	131	1.0000	1.0000	0.008950
53	2	145	1.0000	1.0000	0.781011
54	3	25	1.0000	1.0000	0.005987
55	3	33	1.0000	1.0000	0.026333
56	3	44	1.0000	1.0000	0.035363
57	3	51	1.0000	1.0000	0.011614
58	3	59	1.0000	1.0000	0.011539
59	3	60	1.0000	1.0000	0.016899
60	3	73	1.0000	1.0000	0.010267
61	3	80	1.0000	1.0000	0.013602
62	3	84	1.0000	1.0000	0.026972
63	3	89	1.0000	1.0000	0.007372
64	3	90	1.0000	1.0000	0.012510
65	3	97	1.0000	1.0000	0.010280
66	3	100	1.0000	1.0000	0.137131
67	3	112	1.0000	1.0000	0.019782
68	3	124	1.0000	1.0000	0.009409
69	3	130	1.0000	1.0000	0.008134
70	3	131	1.0000	1.0000	0.008164
71	3	137	1.0000	1.0000	0.030355
72	3	143	1.0000	1.0000	0.798125
73	4	5	1.0000	1.0000	0.006770

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
74	4	6	1.0000	1.0000	0.000626
75	4	7	1.0000	1.0000	0.002991
76	4	8	1.0000	1.0000	0.005069
77	4	9	1.0000	1.0000	0.006883
78	4	10	1.0000	1.0000	0.016126
79	4	20	1.0000	1.0000	0.035319
80	4	23	1.0000	1.0000	0.026397
81	4	34	1.0000	1.0000	0.000258
82	4	38	1.0000	1.0000	0.006151
83	4	45	1.0000	1.0000	0.007223
84	4	47	1.0000	1.0000	0.048467
85	4	53	1.0000	1.0000	0.045715
86	4	60	1.0000	1.0000	0.003342
87	4	61	1.0000	1.0000	0.005532
88	4	62	1.0000	1.0000	0.007191
89	4	63	1.0000	1.0000	0.008803
90	4	64	1.0000	1.0000	0.011478
91	4	65	1.0000	1.0000	0.085943
92	4	66	1.0000	1.0000	0.032615
93	4	67	1.0000	1.0000	0.062360
94	4	113	1.0000	1.0000	0.021346
95	4	117	1.0000	1.0000	0.100110
96	5	6	1.0000	1.0000	0.006143
97	5	7	1.0000	1.0000	0.003778
98	5	8	1.0000	1.0000	0.001700
99	5	9	1.0000	1.0000	0.000114
100	5	10	1.0000	1.0000	0.022896
101	5	12	1.0000	1.0000	0.007754
102	5	20	1.0000	1.0000	0.042089
103	5	26	1.0000	1.0000	0.034706
104	5	34	1.0000	1.0000	0.007027
105	5	45	1.0000	1.0000	0.013993
106	5	62	1.0000	1.0000	0.000421
107	5	73	1.0000	1.0000	0.003205
108	5	74	1.0000	1.0000	0.005762
109	5	75	1.0000	1.0000	0.025592

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
110	5	76	1.0000	1.0000	0.021547
111	5	77	1.0000	1.0000	0.010047
112	5	78	1.0000	1.0000	0.020798
113	5	79	1.0000	1.0000	0.000589
114	5	80	1.0000	1.0000	0.000130
115	5	91	1.0000	1.0000	0.026213
116	5	113	1.0000	1.0000	0.014576
117	6	7	1.0000	1.0000	0.002365
118	6	8	1.0000	1.0000	0.004443
119	6	9	1.0000	1.0000	0.006257
120	6	10	1.0000	1.0000	0.016753
121	6	13	1.0000	1.0000	0.006479
122	6	20	1.0000	1.0000	0.035945
123	6	34	1.0000	1.0000	0.000884
124	6	45	1.0000	1.0000	0.007849
125	6	63	1.0000	1.0000	0.008177
126	6	76	1.0000	1.0000	0.027690
127	6	81	1.0000	1.0000	0.010722
128	6	82	1.0000	1.0000	0.024608
129	6	83	1.0000	1.0000	0.042339
130	6	84	1.0000	1.0000	0.046587
131	6	92	1.0000	1.0000	0.016176
132	6	113	1.0000	1.0000	0.020719
133	6	127	1.0000	1.0000	0.017927
134	6	133	1.0000	1.0000	0.016300
135	6	140	1.0000	1.0000	0.048447
136	7	8	1.0000	1.0000	0.002078
137	7	9	1.0000	1.0000	0.003892
138	7	10	1.0000	1.0000	0.019118
139	7	14	1.0000	1.0000	0.007555
140	7	17	1.0000	1.0000	0.030865
141	7	20	1.0000	1.0000	0.038310
142	7	34	1.0000	1.0000	0.003249
143	7	45	1.0000	1.0000	0.010214
144	7	64	1.0000	1.0000	0.014469
145	7	69	1.0000	1.0000	0.203781

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
146	7	77	1.0000	1.0000	0.013825
147	7	83	1.0000	1.0000	0.039974
148	7	101	1.0000	1.0000	0.109936
149	7	102	1.0000	1.0000	0.099748
150	7	113	1.0000	1.0000	0.018354
151	7	128	1.0000	1.0000	0.008974
152	7	141	1.0000	1.0000	0.184625
153	8	9	1.0000	1.0000	0.001814
154	8	10	1.0000	1.0000	0.021196
155	8	15	1.0000	1.0000	0.007307
156	8	20	1.0000	1.0000	0.040388
157	8	29	1.0000	1.0000	0.001893
158	8	34	1.0000	1.0000	0.005327
159	8	45	1.0000	1.0000	0.012292
160	8	65	1.0000	1.0000	0.080873
161	8	71	1.0000	1.0000	0.011379
162	8	95	1.0000	1.0000	0.043033
163	8	113	1.0000	1.0000	0.016276
164	8	125	1.0000	1.0000	0.025592
165	8	126	1.0000	1.0000	0.010115
166	8	127	1.0000	1.0000	0.013484
167	8	128	1.0000	1.0000	0.006896
168	8	129	1.0000	1.0000	0.005014
169	8	130	1.0000	1.0000	0.023305
170	8	142	1.0000	1.0000	0.813297
171	9	10	1.0000	1.0000	0.023010
172	9	20	1.0000	1.0000	0.042202
173	9	34	1.0000	1.0000	0.007141
174	9	42	1.0000	1.0000	0.001974
175	9	45	1.0000	1.0000	0.014106
176	9	48	1.0000	1.0000	0.024910
177	9	57	1.0000	1.0000	0.004320
178	9	66	1.0000	1.0000	0.025732
179	9	96	1.0000	1.0000	0.037538
180	9	113	1.0000	1.0000	0.014462
181	9	131	1.0000	1.0000	0.021522

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
182	9	132	1.0000	1.0000	0.021552
183	9	133	1.0000	1.0000	0.010043
184	9	134	1.0000	1.0000	0.040177
185	9	135	1.0000	1.0000	0.016757
186	9	136	1.0000	1.0000	0.018717
187	9	137	1.0000	1.0000	0.016997
188	10	16	1.0000	1.0000	0.001825
189	10	20	1.0000	1.0000	0.019193
190	10	24	1.0000	1.0000	0.047002
191	10	30	1.0000	1.0000	0.058981
192	10	34	1.0000	1.0000	0.015869
193	10	45	1.0000	1.0000	0.008903
194	10	49	1.0000	1.0000	0.056288
195	10	67	1.0000	1.0000	0.078486
196	10	113	1.0000	1.0000	0.037472
197	10	138	1.0000	1.0000	0.009056
198	10	139	1.0000	1.0000	0.011420
199	10	140	1.0000	1.0000	0.065200
200	10	141	1.0000	1.0000	0.165507
201	10	142	1.0000	1.0000	0.834493
202	10	143	1.0000	1.0000	0.834493
203	11	12	1.0000	1.0000	0.032465
204	11	13	1.0000	1.0000	0.039884
205	11	14	1.0000	1.0000	0.036443
206	11	15	1.0000	1.0000	0.034613
207	11	16	1.0000	1.0000	0.061291
208	11	17	1.0000	1.0000	0.013133
209	11	18	1.0000	1.0000	0.016612
210	11	19	1.0000	1.0000	0.162265
211	11	68	1.0000	1.0000	0.014895
212	12	13	1.0000	1.0000	0.007419
213	12	14	1.0000	1.0000	0.003977
214	12	15	1.0000	1.0000	0.002148
215	12	16	1.0000	1.0000	0.028825
216	12	26	1.0000	1.0000	0.026952
217	12	62	1.0000	1.0000	0.007333

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
218	12	73	1.0000	1.0000	0.004549
219	12	74	1.0000	1.0000	0.001992
220	12	75	1.0000	1.0000	0.017838
221	12	76	1.0000	1.0000	0.013793
222	12	77	1.0000	1.0000	0.002293
223	12	78	1.0000	1.0000	0.028552
224	12	79	1.0000	1.0000	0.008343
225	12	80	1.0000	1.0000	0.007885
226	12	91	1.0000	1.0000	0.018459
227	13	14	1.0000	1.0000	0.003442
228	13	15	1.0000	1.0000	0.005271
229	13	16	1.0000	1.0000	0.021406
230	13	63	1.0000	1.0000	0.001698
231	13	76	1.0000	1.0000	0.021212
232	13	81	1.0000	1.0000	0.004243
233	13	82	1.0000	1.0000	0.018129
234	13	83	1.0000	1.0000	0.035860
235	13	84	1.0000	1.0000	0.040108
236	13	92	1.0000	1.0000	0.009697
237	13	127	1.0000	1.0000	0.011449
238	13	133	1.0000	1.0000	0.009821
239	13	140	1.0000	1.0000	0.041968
240	14	15	1.0000	1.0000	0.001829
241	14	16	1.0000	1.0000	0.024848
242	14	17	1.0000	1.0000	0.023309
243	14	64	1.0000	1.0000	0.022024
244	14	69	1.0000	1.0000	0.196225
245	14	77	1.0000	1.0000	0.006270
246	14	83	1.0000	1.0000	0.032419
247	14	101	1.0000	1.0000	0.102381
248	14	102	1.0000	1.0000	0.092193
249	14	128	1.0000	1.0000	0.001418
250	14	141	1.0000	1.0000	0.192181
251	15	16	1.0000	1.0000	0.026677
252	15	29	1.0000	1.0000	0.009200
253	15	65	1.0000	1.0000	0.073566

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
254	15	71	1.0000	1.0000	0.018686
255	15	95	1.0000	1.0000	0.035726
256	15	125	1.0000	1.0000	0.018285
257	15	126	1.0000	1.0000	0.002808
258	15	127	1.0000	1.0000	0.006177
259	15	128	1.0000	1.0000	0.000411
260	15	129	1.0000	1.0000	0.002293
261	15	130	1.0000	1.0000	0.015999
262	15	142	1.0000	1.0000	0.805990
263	16	24	1.0000	1.0000	0.045176
264	16	30	1.0000	1.0000	0.057156
265	16	49	1.0000	1.0000	0.054463
266	16	67	1.0000	1.0000	0.076661
267	16	138	1.0000	1.0000	0.007231
268	16	139	1.0000	1.0000	0.009595
269	16	140	1.0000	1.0000	0.063374
270	16	141	1.0000	1.0000	0.167333
271	16	142	1.0000	1.0000	0.832667
272	16	143	1.0000	1.0000	0.832667
273	17	18	1.0000	1.0000	0.029745
274	17	19	1.0000	1.0000	0.175398
275	17	64	1.0000	1.0000	0.045334
276	17	68	1.0000	1.0000	0.001762
277	17	69	1.0000	1.0000	0.172916
278	17	77	1.0000	1.0000	0.017039
279	17	83	1.0000	1.0000	0.009109
280	17	101	1.0000	1.0000	0.079071
281	17	102	1.0000	1.0000	0.068884
282	17	128	1.0000	1.0000	0.021891
283	17	141	1.0000	1.0000	0.215490
284	18	19	1.0000	1.0000	0.145654
285	18	56	1.0000	1.0000	0.033965
286	18	68	1.0000	1.0000	0.031507
287	18	70	1.0000	1.0000	0.045161
288	18	78	1.0000	1.0000	0.077629
289	18	87	1.0000	1.0000	0.041365

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
290	18	98	1.0000	1.0000	0.075662
291	18	108	1.0000	1.0000	0.031390
292	18	122	1.0000	1.0000	0.053377
293	18	129	1.0000	1.0000	0.053517
294	18	145	1.0000	1.0000	0.754765
295	19	68	1.0000	1.0000	0.177161
296	19	72	1.0000	1.0000	0.197398
297	19	144	1.0000	1.0000	0.609112
298	20	21	1.0000	1.0000	0.028637
299	20	22	1.0000	1.0000	0.039919
300	20	23	1.0000	1.0000	0.008922
301	20	24	1.0000	1.0000	0.066194
302	20	34	1.0000	1.0000	0.035061
303	20	35	1.0000	1.0000	0.051931
304	20	45	1.0000	1.0000	0.028096
305	20	113	1.0000	1.0000	0.056665
306	21	22	1.0000	1.0000	0.011282
307	21	23	1.0000	1.0000	0.037560
308	21	24	1.0000	1.0000	0.094832
309	21	32	1.0000	1.0000	0.070042
310	21	35	1.0000	1.0000	0.080569
311	21	46	1.0000	1.0000	0.026548
312	21	74	1.0000	1.0000	0.076488
313	21	81	1.0000	1.0000	0.075304
314	21	101	1.0000	1.0000	0.176884
315	21	125	1.0000	1.0000	0.094618
316	21	138	1.0000	1.0000	0.056886
317	22	23	1.0000	1.0000	0.048841
318	22	24	1.0000	1.0000	0.106113
319	22	35	1.0000	1.0000	0.091850
320	22	45	1.0000	1.0000	0.068015
321	22	46	1.0000	1.0000	0.037830
322	22	47	1.0000	1.0000	0.123705
323	22	48	1.0000	1.0000	0.107031
324	22	49	1.0000	1.0000	0.115400
325	23	24	1.0000	1.0000	0.057272

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
326	23	35	1.0000	1.0000	0.043009
327	23	38	1.0000	1.0000	0.032547
328	23	47	1.0000	1.0000	0.074864
329	23	53	1.0000	1.0000	0.072111
330	23	60	1.0000	1.0000	0.029739
331	23	61	1.0000	1.0000	0.031929
332	23	62	1.0000	1.0000	0.033587
333	23	63	1.0000	1.0000	0.035200
334	23	64	1.0000	1.0000	0.014919
335	23	65	1.0000	1.0000	0.112339
336	23	66	1.0000	1.0000	0.059011
337	23	67	1.0000	1.0000	0.088756
338	23	117	1.0000	1.0000	0.126506
339	24	30	1.0000	1.0000	0.011980
340	24	35	1.0000	1.0000	0.014263
341	24	49	1.0000	1.0000	0.009287
342	24	67	1.0000	1.0000	0.031484
343	24	138	1.0000	1.0000	0.037945
344	24	139	1.0000	1.0000	0.035582
345	24	140	1.0000	1.0000	0.018198
346	24	141	1.0000	1.0000	0.212509
347	24	142	1.0000	1.0000	0.787491
348	24	143	1.0000	1.0000	0.787491
349	25	26	1.0000	1.0000	0.015247
350	25	27	1.0000	1.0000	0.015906
351	25	28	1.0000	1.0000	0.001774
352	25	29	1.0000	1.0000	0.023052
353	25	30	1.0000	1.0000	0.016627
354	25	31	1.0000	1.0000	0.037904
355	25	33	1.0000	1.0000	0.032320
356	25	51	1.0000	1.0000	0.005627
357	25	52	1.0000	1.0000	0.015416
358	25	60	1.0000	1.0000	0.022886
359	25	73	1.0000	1.0000	0.016254
360	25	90	1.0000	1.0000	0.006523
361	25	104	1.0000	1.0000	0.084840

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
362	25	112	1.0000	1.0000	0.013795
363	25	114	1.0000	1.0000	0.014901
364	25	131	1.0000	1.0000	0.002177
365	26	27	1.0000	1.0000	0.000658
366	26	28	1.0000	1.0000	0.017022
367	26	29	1.0000	1.0000	0.038300
368	26	30	1.0000	1.0000	0.001379
369	26	31	1.0000	1.0000	0.053152
370	26	52	1.0000	1.0000	0.000169
371	26	62	1.0000	1.0000	0.034285
372	26	73	1.0000	1.0000	0.031501
373	26	74	1.0000	1.0000	0.028944
374	26	75	1.0000	1.0000	0.009114
375	26	76	1.0000	1.0000	0.013159
376	26	77	1.0000	1.0000	0.024659
377	26	78	1.0000	1.0000	0.055504
378	26	79	1.0000	1.0000	0.035295
379	26	80	1.0000	1.0000	0.034836
380	26	91	1.0000	1.0000	0.008493
381	26	104	1.0000	1.0000	0.069593
382	26	114	1.0000	1.0000	0.000346
383	27	28	1.0000	1.0000	0.017680
384	27	29	1.0000	1.0000	0.038958
385	27	30	1.0000	1.0000	0.000721
386	27	31	1.0000	1.0000	0.053810
387	27	39	1.0000	1.0000	0.025769
388	27	52	1.0000	1.0000	0.000490
389	27	85	1.0000	1.0000	0.001525
390	27	86	1.0000	1.0000	0.011733
391	27	87	1.0000	1.0000	0.019898
392	27	88	1.0000	1.0000	0.023632
393	27	89	1.0000	1.0000	0.029265
394	27	93	1.0000	1.0000	0.023518
395	27	104	1.0000	1.0000	0.068934
396	27	106	1.0000	1.0000	0.073321
397	27	114	1.0000	1.0000	0.001005

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
398	27	118	1.0000	1.0000	0.003442
399	27	134	1.0000	1.0000	0.075428
400	28	29	1.0000	1.0000	0.021278
401	28	30	1.0000	1.0000	0.018401
402	28	31	1.0000	1.0000	0.036130
403	28	41	1.0000	1.0000	0.008604
404	28	52	1.0000	1.0000	0.017190
405	28	55	1.0000	1.0000	0.017796
406	28	86	1.0000	1.0000	0.005947
407	28	94	1.0000	1.0000	0.004148
408	28	98	1.0000	1.0000	0.036515
409	28	99	1.0000	1.0000	0.015770
410	28	100	1.0000	1.0000	0.132918
411	28	104	1.0000	1.0000	0.086614
412	28	107	1.0000	1.0000	0.023667
413	28	114	1.0000	1.0000	0.016675
414	28	120	1.0000	1.0000	0.005667
415	28	135	1.0000	1.0000	0.034328
416	29	30	1.0000	1.0000	0.039679
417	29	31	1.0000	1.0000	0.014852
418	29	52	1.0000	1.0000	0.038468
419	29	65	1.0000	1.0000	0.082767
420	29	71	1.0000	1.0000	0.009485
421	29	95	1.0000	1.0000	0.044926
422	29	104	1.0000	1.0000	0.107892
423	29	114	1.0000	1.0000	0.037953
424	29	125	1.0000	1.0000	0.027486
425	29	126	1.0000	1.0000	0.012008
426	29	127	1.0000	1.0000	0.015377
427	29	128	1.0000	1.0000	0.008789
428	29	129	1.0000	1.0000	0.006908
429	29	130	1.0000	1.0000	0.025199
430	29	142	1.0000	1.0000	0.815190
431	30	31	1.0000	1.0000	0.054531
432	30	49	1.0000	1.0000	0.002693
433	30	52	1.0000	1.0000	0.001211

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
434	30	67	1.0000	1.0000	0.019505
435	30	104	1.0000	1.0000	0.068213
436	30	114	1.0000	1.0000	0.001726
437	30	138	1.0000	1.0000	0.049925
438	30	139	1.0000	1.0000	0.047562
439	30	140	1.0000	1.0000	0.006218
440	30	141	1.0000	1.0000	0.224489
441	30	142	1.0000	1.0000	0.775511
442	30	143	1.0000	1.0000	0.775511
443	31	43	1.0000	1.0000	0.010378
444	31	52	1.0000	1.0000	0.053320
445	31	58	1.0000	1.0000	0.016827
446	31	79	1.0000	1.0000	0.017857
447	31	88	1.0000	1.0000	0.030179
448	31	99	1.0000	1.0000	0.020361
449	31	104	1.0000	1.0000	0.122744
450	31	110	1.0000	1.0000	0.051925
451	31	114	1.0000	1.0000	0.052805
452	31	123	1.0000	1.0000	0.020018
453	31	136	1.0000	1.0000	0.000158
454	31	145	1.0000	1.0000	0.830042
455	32	36	1.0000	1.0000	0.008687
456	32	46	1.0000	1.0000	0.043494
457	32	61	1.0000	1.0000	0.000554
458	32	74	1.0000	1.0000	0.006446
459	32	75	1.0000	1.0000	0.026276
460	32	81	1.0000	1.0000	0.005262
461	32	82	1.0000	1.0000	0.019148
462	32	85	1.0000	1.0000	0.037573
463	32	101	1.0000	1.0000	0.106842
464	32	102	1.0000	1.0000	0.096654
465	32	115	1.0000	1.0000	0.026185
466	32	125	1.0000	1.0000	0.024576
467	32	126	1.0000	1.0000	0.009099
468	32	132	1.0000	1.0000	0.022349
469	32	138	1.0000	1.0000	0.013156

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
470	32	139	1.0000	1.0000	0.010792
471	33	34	1.0000	1.0000	0.005834
472	33	35	1.0000	1.0000	0.022704
473	33	36	1.0000	1.0000	0.003491
474	33	37	1.0000	1.0000	0.022928
475	33	38	1.0000	1.0000	0.012243
476	33	39	1.0000	1.0000	0.022457
477	33	40	1.0000	1.0000	0.009995
478	33	41	1.0000	1.0000	0.021942
479	33	42	1.0000	1.0000	0.011002
480	33	43	1.0000	1.0000	0.015962
481	33	44	1.0000	1.0000	0.009030
482	33	51	1.0000	1.0000	0.037947
483	33	60	1.0000	1.0000	0.009434
484	33	73	1.0000	1.0000	0.016067
485	33	90	1.0000	1.0000	0.038843
486	33	112	1.0000	1.0000	0.046115
487	33	131	1.0000	1.0000	0.034497
488	34	35	1.0000	1.0000	0.016870
489	34	36	1.0000	1.0000	0.002343
490	34	37	1.0000	1.0000	0.017093
491	34	38	1.0000	1.0000	0.006409
492	34	39	1.0000	1.0000	0.016623
493	34	40	1.0000	1.0000	0.004160
494	34	41	1.0000	1.0000	0.016107
495	34	42	1.0000	1.0000	0.005167
496	34	43	1.0000	1.0000	0.021797
497	34	44	1.0000	1.0000	0.014864
498	34	45	1.0000	1.0000	0.006965
499	34	113	1.0000	1.0000	0.021603
500	35	36	1.0000	1.0000	0.019213
501	35	37	1.0000	1.0000	0.000223
502	35	38	1.0000	1.0000	0.010462
503	35	39	1.0000	1.0000	0.000247
504	35	40	1.0000	1.0000	0.012710
505	35	41	1.0000	1.0000	0.000763

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
506	35	42	1.0000	1.0000	0.011703
507	35	43	1.0000	1.0000	0.038667
508	35	44	1.0000	1.0000	0.031734
509	36	37	1.0000	1.0000	0.019437
510	36	38	1.0000	1.0000	0.008752
511	36	39	1.0000	1.0000	0.018966
512	36	40	1.0000	1.0000	0.006504
513	36	41	1.0000	1.0000	0.018451
514	36	42	1.0000	1.0000	0.007511
515	36	43	1.0000	1.0000	0.019453
516	36	44	1.0000	1.0000	0.012521
517	36	61	1.0000	1.0000	0.008133
518	36	75	1.0000	1.0000	0.034963
519	36	82	1.0000	1.0000	0.027835
520	36	85	1.0000	1.0000	0.046260
521	36	102	1.0000	1.0000	0.105341
522	36	115	1.0000	1.0000	0.034872
523	36	126	1.0000	1.0000	0.017786
524	36	132	1.0000	1.0000	0.031036
525	36	139	1.0000	1.0000	0.002106
526	37	38	1.0000	1.0000	0.010685
527	37	39	1.0000	1.0000	0.000470
528	37	40	1.0000	1.0000	0.012933
529	37	41	1.0000	1.0000	0.000986
530	37	42	1.0000	1.0000	0.011926
531	37	43	1.0000	1.0000	0.038890
532	37	44	1.0000	1.0000	0.031957
533	37	50	1.0000	1.0000	0.003736
534	37	51	1.0000	1.0000	0.015020
535	37	52	1.0000	1.0000	0.024809
536	37	53	1.0000	1.0000	0.028879
537	37	54	1.0000	1.0000	0.010881
538	37	55	1.0000	1.0000	0.025414
539	37	56	1.0000	1.0000	0.012800
540	37	57	1.0000	1.0000	0.005632
541	37	58	1.0000	1.0000	0.011684

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
542	37	59	1.0000	1.0000	0.008133
543	37	105	1.0000	1.0000	0.099117
544	37	116	1.0000	1.0000	0.024833
545	38	39	1.0000	1.0000	0.010215
546	38	40	1.0000	1.0000	0.002248
547	38	41	1.0000	1.0000	0.009699
548	38	42	1.0000	1.0000	0.001241
549	38	43	1.0000	1.0000	0.028205
550	38	44	1.0000	1.0000	0.021273
551	38	47	1.0000	1.0000	0.042316
552	38	53	1.0000	1.0000	0.039564
553	38	60	1.0000	1.0000	0.002809
554	38	61	1.0000	1.0000	0.000619
555	38	62	1.0000	1.0000	0.001040
556	38	63	1.0000	1.0000	0.002652
557	38	64	1.0000	1.0000	0.017628
558	38	65	1.0000	1.0000	0.079792
559	38	66	1.0000	1.0000	0.026464
560	38	67	1.0000	1.0000	0.056209
561	38	117	1.0000	1.0000	0.093959
562	39	40	1.0000	1.0000	0.012463
563	39	41	1.0000	1.0000	0.000516
564	39	42	1.0000	1.0000	0.011456
565	39	43	1.0000	1.0000	0.038420
566	39	44	1.0000	1.0000	0.031487
567	39	85	1.0000	1.0000	0.027293
568	39	86	1.0000	1.0000	0.014036
569	39	87	1.0000	1.0000	0.005870
570	39	88	1.0000	1.0000	0.002137
571	39	89	1.0000	1.0000	0.003496
572	39	93	1.0000	1.0000	0.002251
573	39	106	1.0000	1.0000	0.099090
574	39	118	1.0000	1.0000	0.029211
575	39	134	1.0000	1.0000	0.049659
576	40	41	1.0000	1.0000	0.011947
577	40	42	1.0000	1.0000	0.001007

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
578	40	43	1.0000	1.0000	0.025957
579	40	44	1.0000	1.0000	0.019024
580	40	54	1.0000	1.0000	0.023814
581	40	90	1.0000	1.0000	0.028848
582	40	91	1.0000	1.0000	0.029080
583	40	92	1.0000	1.0000	0.012899
584	40	93	1.0000	1.0000	0.014713
585	40	94	1.0000	1.0000	0.016404
586	40	95	1.0000	1.0000	0.044200
587	40	96	1.0000	1.0000	0.040518
588	40	97	1.0000	1.0000	0.026618
589	40	119	1.0000	1.0000	0.038347
590	41	42	1.0000	1.0000	0.010940
591	41	43	1.0000	1.0000	0.037904
592	41	44	1.0000	1.0000	0.030971
593	41	55	1.0000	1.0000	0.026400
594	41	86	1.0000	1.0000	0.014552
595	41	94	1.0000	1.0000	0.004457
596	41	98	1.0000	1.0000	0.027910
597	41	99	1.0000	1.0000	0.007165
598	41	100	1.0000	1.0000	0.141523
599	41	107	1.0000	1.0000	0.032272
600	41	120	1.0000	1.0000	0.014271
601	41	135	1.0000	1.0000	0.025724
602	42	43	1.0000	1.0000	0.026964
603	42	44	1.0000	1.0000	0.020031
604	42	48	1.0000	1.0000	0.026883
605	42	57	1.0000	1.0000	0.006294
606	42	66	1.0000	1.0000	0.027705
607	42	96	1.0000	1.0000	0.039511
608	42	131	1.0000	1.0000	0.023495
609	42	132	1.0000	1.0000	0.023525
610	42	133	1.0000	1.0000	0.012016
611	42	134	1.0000	1.0000	0.038203
612	42	135	1.0000	1.0000	0.014784
613	42	136	1.0000	1.0000	0.016744

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
614	42	137	1.0000	1.0000	0.015023
615	43	44	1.0000	1.0000	0.006933
616	43	58	1.0000	1.0000	0.027206
617	43	79	1.0000	1.0000	0.028235
618	43	88	1.0000	1.0000	0.040557
619	43	99	1.0000	1.0000	0.030739
620	43	110	1.0000	1.0000	0.062303
621	43	123	1.0000	1.0000	0.030397
622	43	136	1.0000	1.0000	0.010220
623	43	145	1.0000	1.0000	0.840420
624	44	59	1.0000	1.0000	0.023824
625	44	80	1.0000	1.0000	0.021761
626	44	84	1.0000	1.0000	0.062335
627	44	89	1.0000	1.0000	0.027991
628	44	97	1.0000	1.0000	0.045643
629	44	100	1.0000	1.0000	0.172494
630	44	124	1.0000	1.0000	0.025953
631	44	130	1.0000	1.0000	0.043496
632	44	137	1.0000	1.0000	0.005008
633	44	143	1.0000	1.0000	0.833488
634	45	46	1.0000	1.0000	0.030185
635	45	47	1.0000	1.0000	0.055690
636	45	48	1.0000	1.0000	0.039016
637	45	49	1.0000	1.0000	0.047385
638	45	113	1.0000	1.0000	0.028569
639	46	47	1.0000	1.0000	0.085875
640	46	48	1.0000	1.0000	0.069201
641	46	49	1.0000	1.0000	0.077570
642	46	74	1.0000	1.0000	0.049940
643	46	81	1.0000	1.0000	0.048756
644	46	101	1.0000	1.0000	0.150335
645	46	125	1.0000	1.0000	0.068070
646	46	138	1.0000	1.0000	0.030338
647	47	48	1.0000	1.0000	0.016674
648	47	49	1.0000	1.0000	0.008305
649	47	53	1.0000	1.0000	0.002752

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
650	47	60	1.0000	1.0000	0.045125
651	47	61	1.0000	1.0000	0.042935
652	47	62	1.0000	1.0000	0.041276
653	47	63	1.0000	1.0000	0.039664
654	47	64	1.0000	1.0000	0.059944
655	47	65	1.0000	1.0000	0.037476
656	47	66	1.0000	1.0000	0.015852
657	47	67	1.0000	1.0000	0.013893
658	47	117	1.0000	1.0000	0.051643
659	48	49	1.0000	1.0000	0.008369
660	48	57	1.0000	1.0000	0.020589
661	48	66	1.0000	1.0000	0.000822
662	48	96	1.0000	1.0000	0.012628
663	48	131	1.0000	1.0000	0.003388
664	48	132	1.0000	1.0000	0.003358
665	48	133	1.0000	1.0000	0.014867
666	48	134	1.0000	1.0000	0.065086
667	48	135	1.0000	1.0000	0.041667
668	48	136	1.0000	1.0000	0.043627
669	48	137	1.0000	1.0000	0.041906
670	49	67	1.0000	1.0000	0.022198
671	49	138	1.0000	1.0000	0.047232
672	49	139	1.0000	1.0000	0.044868
673	49	140	1.0000	1.0000	0.008911
674	49	141	1.0000	1.0000	0.221796
675	49	142	1.0000	1.0000	0.778204
676	49	143	1.0000	1.0000	0.778204
677	50	51	1.0000	1.0000	0.011284
678	50	52	1.0000	1.0000	0.021073
679	50	53	1.0000	1.0000	0.025143
680	50	54	1.0000	1.0000	0.007145
681	50	55	1.0000	1.0000	0.021678
682	50	56	1.0000	1.0000	0.009064
683	50	57	1.0000	1.0000	0.009368
684	50	58	1.0000	1.0000	0.015420
685	50	59	1.0000	1.0000	0.011869

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
686	50	103	1.0000	1.0000	0.086524
687	50	105	1.0000	1.0000	0.095382
688	50	111	1.0000	1.0000	0.004779
689	50	116	1.0000	1.0000	0.021097
690	51	52	1.0000	1.0000	0.009789
691	51	53	1.0000	1.0000	0.013860
692	51	54	1.0000	1.0000	0.004139
693	51	55	1.0000	1.0000	0.010395
694	51	56	1.0000	1.0000	0.002220
695	51	57	1.0000	1.0000	0.020652
696	51	58	1.0000	1.0000	0.026704
697	51	59	1.0000	1.0000	0.023153
698	51	60	1.0000	1.0000	0.028513
699	51	73	1.0000	1.0000	0.021881
700	51	90	1.0000	1.0000	0.000896
701	51	105	1.0000	1.0000	0.084098
702	51	112	1.0000	1.0000	0.008168
703	51	116	1.0000	1.0000	0.009813
704	51	131	1.0000	1.0000	0.003450
705	52	53	1.0000	1.0000	0.004071
706	52	54	1.0000	1.0000	0.013928
707	52	55	1.0000	1.0000	0.000606
708	52	56	1.0000	1.0000	0.012009
709	52	57	1.0000	1.0000	0.030441
710	52	58	1.0000	1.0000	0.036493
711	52	59	1.0000	1.0000	0.032942
712	52	104	1.0000	1.0000	0.069424
713	52	105	1.0000	1.0000	0.074309
714	52	114	1.0000	1.0000	0.000515
715	52	116	1.0000	1.0000	0.000024
716	53	54	1.0000	1.0000	0.017998
717	53	55	1.0000	1.0000	0.003465
718	53	56	1.0000	1.0000	0.016079
719	53	57	1.0000	1.0000	0.034511
720	53	58	1.0000	1.0000	0.040564
721	53	59	1.0000	1.0000	0.037013

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
722	53	60	1.0000	1.0000	0.042373
723	53	61	1.0000	1.0000	0.040183
724	53	62	1.0000	1.0000	0.038524
725	53	63	1.0000	1.0000	0.036912
726	53	64	1.0000	1.0000	0.057192
727	53	65	1.0000	1.0000	0.040228
728	53	66	1.0000	1.0000	0.013100
729	53	67	1.0000	1.0000	0.016645
730	53	105	1.0000	1.0000	0.070238
731	53	116	1.0000	1.0000	0.004046
732	53	117	1.0000	1.0000	0.054395
733	54	55	1.0000	1.0000	0.014534
734	54	56	1.0000	1.0000	0.001919
735	54	57	1.0000	1.0000	0.016513
736	54	58	1.0000	1.0000	0.022565
737	54	59	1.0000	1.0000	0.019014
738	54	90	1.0000	1.0000	0.005034
739	54	91	1.0000	1.0000	0.005266
740	54	92	1.0000	1.0000	0.010914
741	54	93	1.0000	1.0000	0.009100
742	54	94	1.0000	1.0000	0.007410
743	54	95	1.0000	1.0000	0.020386
744	54	96	1.0000	1.0000	0.016705
745	54	97	1.0000	1.0000	0.002805
746	54	105	1.0000	1.0000	0.088237
747	54	116	1.0000	1.0000	0.013952
748	54	119	1.0000	1.0000	0.014534
749	55	56	1.0000	1.0000	0.012614
750	55	57	1.0000	1.0000	0.031046
751	55	58	1.0000	1.0000	0.037099
752	55	59	1.0000	1.0000	0.033548
753	55	86	1.0000	1.0000	0.011849
754	55	94	1.0000	1.0000	0.021944
755	55	98	1.0000	1.0000	0.054311
756	55	99	1.0000	1.0000	0.033566
757	55	100	1.0000	1.0000	0.115122

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
758	55	105	1.0000	1.0000	0.073703
759	55	107	1.0000	1.0000	0.005872
760	55	116	1.0000	1.0000	0.000581
761	55	120	1.0000	1.0000	0.012129
762	55	135	1.0000	1.0000	0.052124
763	56	57	1.0000	1.0000	0.018432
764	56	58	1.0000	1.0000	0.024484
765	56	59	1.0000	1.0000	0.020933
766	56	70	1.0000	1.0000	0.011196
767	56	78	1.0000	1.0000	0.043664
768	56	87	1.0000	1.0000	0.007400
769	56	98	1.0000	1.0000	0.041696
770	56	105	1.0000	1.0000	0.086317
771	56	108	1.0000	1.0000	0.002576
772	56	116	1.0000	1.0000	0.012033
773	56	122	1.0000	1.0000	0.019412
774	56	129	1.0000	1.0000	0.019552
775	56	145	1.0000	1.0000	0.788731
776	57	58	1.0000	1.0000	0.006052
777	57	59	1.0000	1.0000	0.002501
778	57	66	1.0000	1.0000	0.021411
779	57	96	1.0000	1.0000	0.033218
780	57	105	1.0000	1.0000	0.104749
781	57	116	1.0000	1.0000	0.030465
782	57	131	1.0000	1.0000	0.017201
783	57	132	1.0000	1.0000	0.017231
784	57	133	1.0000	1.0000	0.005722
785	57	134	1.0000	1.0000	0.044497
786	57	135	1.0000	1.0000	0.021078
787	57	136	1.0000	1.0000	0.023037
788	57	137	1.0000	1.0000	0.021317
789	58	59	1.0000	1.0000	0.003551
790	58	79	1.0000	1.0000	0.001029
791	58	88	1.0000	1.0000	0.013351
792	58	99	1.0000	1.0000	0.003533
793	58	105	1.0000	1.0000	0.110802

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
794	58	110	1.0000	1.0000	0.035097
795	58	116	1.0000	1.0000	0.036517
796	58	123	1.0000	1.0000	0.003191
797	58	136	1.0000	1.0000	0.016985
798	58	145	1.0000	1.0000	0.813215
799	59	80	1.0000	1.0000	0.002063
800	59	84	1.0000	1.0000	0.038511
801	59	89	1.0000	1.0000	0.004167
802	59	97	1.0000	1.0000	0.021819
803	59	100	1.0000	1.0000	0.148670
804	59	105	1.0000	1.0000	0.107251
805	59	116	1.0000	1.0000	0.032966
806	59	124	1.0000	1.0000	0.002130
807	59	130	1.0000	1.0000	0.019672
808	59	137	1.0000	1.0000	0.018816
809	59	143	1.0000	1.0000	0.809664
810	60	61	1.0000	1.0000	0.002190
811	60	62	1.0000	1.0000	0.003849
812	60	63	1.0000	1.0000	0.005461
813	60	64	1.0000	1.0000	0.014820
814	60	65	1.0000	1.0000	0.082601
815	60	66	1.0000	1.0000	0.029273
816	60	67	1.0000	1.0000	0.059018
817	60	73	1.0000	1.0000	0.006632
818	60	90	1.0000	1.0000	0.029409
819	60	112	1.0000	1.0000	0.036681
820	60	117	1.0000	1.0000	0.096768
821	60	131	1.0000	1.0000	0.025063
822	61	62	1.0000	1.0000	0.001659
823	61	63	1.0000	1.0000	0.003271
824	61	64	1.0000	1.0000	0.017010
825	61	65	1.0000	1.0000	0.080411
826	61	66	1.0000	1.0000	0.027083
827	61	67	1.0000	1.0000	0.056828
828	61	75	1.0000	1.0000	0.026830
829	61	82	1.0000	1.0000	0.019702

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
830	61	85	1.0000	1.0000	0.038127
831	61	102	1.0000	1.0000	0.097208
832	61	115	1.0000	1.0000	0.026739
833	61	117	1.0000	1.0000	0.094578
834	61	126	1.0000	1.0000	0.009652
835	61	132	1.0000	1.0000	0.022903
836	61	139	1.0000	1.0000	0.010239
837	62	63	1.0000	1.0000	0.001612
838	62	64	1.0000	1.0000	0.018668
839	62	65	1.0000	1.0000	0.078752
840	62	66	1.0000	1.0000	0.025424
841	62	67	1.0000	1.0000	0.055169
842	62	73	1.0000	1.0000	0.002784
843	62	74	1.0000	1.0000	0.005341
844	62	75	1.0000	1.0000	0.025171
845	62	76	1.0000	1.0000	0.021126
846	62	77	1.0000	1.0000	0.009626
847	62	78	1.0000	1.0000	0.021219
848	62	79	1.0000	1.0000	0.001010
849	62	80	1.0000	1.0000	0.000552
850	62	91	1.0000	1.0000	0.025792
851	62	117	1.0000	1.0000	0.092919
852	63	64	1.0000	1.0000	0.020281
853	63	65	1.0000	1.0000	0.077139
854	63	66	1.0000	1.0000	0.023812
855	63	67	1.0000	1.0000	0.053556
856	63	76	1.0000	1.0000	0.019513
857	63	81	1.0000	1.0000	0.002545
858	63	82	1.0000	1.0000	0.016431
859	63	83	1.0000	1.0000	0.034162
860	63	84	1.0000	1.0000	0.038410
861	63	92	1.0000	1.0000	0.007999
862	63	117	1.0000	1.0000	0.091306
863	63	127	1.0000	1.0000	0.009750
864	63	133	1.0000	1.0000	0.008123
865	63	140	1.0000	1.0000	0.040270

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
866	64	65	1.0000	1.0000	0.097420
867	64	66	1.0000	1.0000	0.044092
868	64	67	1.0000	1.0000	0.073837
869	64	69	1.0000	1.0000	0.218250
870	64	77	1.0000	1.0000	0.028294
871	64	83	1.0000	1.0000	0.054443
872	64	101	1.0000	1.0000	0.124405
873	64	102	1.0000	1.0000	0.114217
874	64	117	1.0000	1.0000	0.111587
875	64	128	1.0000	1.0000	0.023443
876	64	141	1.0000	1.0000	0.170156
877	65	66	1.0000	1.0000	0.053328
878	65	67	1.0000	1.0000	0.023583
879	65	71	1.0000	1.0000	0.092252
880	65	95	1.0000	1.0000	0.037840
881	65	117	1.0000	1.0000	0.014167
882	65	125	1.0000	1.0000	0.055281
883	65	126	1.0000	1.0000	0.070758
884	65	127	1.0000	1.0000	0.067389
885	65	128	1.0000	1.0000	0.073978
886	65	129	1.0000	1.0000	0.075859
887	65	130	1.0000	1.0000	0.057568
888	65	142	1.0000	1.0000	0.732423
889	66	67	1.0000	1.0000	0.029745
890	66	96	1.0000	1.0000	0.011806
891	66	117	1.0000	1.0000	0.067495
892	66	131	1.0000	1.0000	0.004210
893	66	132	1.0000	1.0000	0.004180
894	66	133	1.0000	1.0000	0.015689
895	66	134	1.0000	1.0000	0.065909
896	66	135	1.0000	1.0000	0.042489
897	66	136	1.0000	1.0000	0.044449
898	66	137	1.0000	1.0000	0.042728
899	67	117	1.0000	1.0000	0.037750
900	67	138	1.0000	1.0000	0.069430
901	67	139	1.0000	1.0000	0.067066

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
902	67	140	1.0000	1.0000	0.013287
903	67	141	1.0000	1.0000	0.243994
904	67	142	1.0000	1.0000	0.756006
905	67	143	1.0000	1.0000	0.756006
906	68	69	1.0000	1.0000	0.174678
907	68	70	1.0000	1.0000	0.013654
908	68	71	1.0000	1.0000	0.038403
909	68	72	1.0000	1.0000	0.020238
910	69	70	1.0000	1.0000	0.188332
911	69	71	1.0000	1.0000	0.213081
912	69	72	1.0000	1.0000	0.194916
913	69	77	1.0000	1.0000	0.189955
914	69	83	1.0000	1.0000	0.163807
915	69	101	1.0000	1.0000	0.093844
916	69	102	1.0000	1.0000	0.104032
917	69	128	1.0000	1.0000	0.194807
918	69	141	1.0000	1.0000	0.388406
919	70	71	1.0000	1.0000	0.024749
920	70	72	1.0000	1.0000	0.006584
921	70	78	1.0000	1.0000	0.032468
922	70	87	1.0000	1.0000	0.003796
923	70	98	1.0000	1.0000	0.030501
924	70	108	1.0000	1.0000	0.013771
925	70	122	1.0000	1.0000	0.008216
926	70	129	1.0000	1.0000	0.008356
927	70	145	1.0000	1.0000	0.799926
928	71	72	1.0000	1.0000	0.018165
929	71	95	1.0000	1.0000	0.054412
930	71	125	1.0000	1.0000	0.036971
931	71	126	1.0000	1.0000	0.021494
932	71	127	1.0000	1.0000	0.024863
933	71	128	1.0000	1.0000	0.018274
934	71	129	1.0000	1.0000	0.016393
935	71	130	1.0000	1.0000	0.034684
936	71	142	1.0000	1.0000	0.824675
937	72	144	1.0000	1.0000	0.806510

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
938	73	74	1.0000	1.0000	0.002557
939	73	75	1.0000	1.0000	0.022387
940	73	76	1.0000	1.0000	0.018342
941	73	77	1.0000	1.0000	0.006842
942	73	78	1.0000	1.0000	0.024003
943	73	79	1.0000	1.0000	0.003794
944	73	80	1.0000	1.0000	0.003335
945	73	90	1.0000	1.0000	0.022776
946	73	91	1.0000	1.0000	0.023008
947	73	112	1.0000	1.0000	0.030048
948	73	131	1.0000	1.0000	0.018430
949	74	75	1.0000	1.0000	0.019830
950	74	76	1.0000	1.0000	0.015784
951	74	77	1.0000	1.0000	0.004285
952	74	78	1.0000	1.0000	0.026560
953	74	79	1.0000	1.0000	0.006351
954	74	80	1.0000	1.0000	0.005893
955	74	81	1.0000	1.0000	0.001184
956	74	91	1.0000	1.0000	0.020451
957	74	101	1.0000	1.0000	0.100396
958	74	125	1.0000	1.0000	0.018130
959	74	138	1.0000	1.0000	0.019602
960	75	76	1.0000	1.0000	0.004045
961	75	77	1.0000	1.0000	0.015545
962	75	78	1.0000	1.0000	0.046390
963	75	79	1.0000	1.0000	0.026181
964	75	80	1.0000	1.0000	0.025723
965	75	82	1.0000	1.0000	0.007128
966	75	85	1.0000	1.0000	0.011297
967	75	91	1.0000	1.0000	0.000621
968	75	102	1.0000	1.0000	0.070378
969	75	115	1.0000	1.0000	0.000091
970	75	126	1.0000	1.0000	0.017177
971	75	132	1.0000	1.0000	0.003927
972	75	139	1.0000	1.0000	0.037069
973	76	77	1.0000	1.0000	0.011500

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
974	76	78	1.0000	1.0000	0.042345
975	76	79	1.0000	1.0000	0.022136
976	76	80	1.0000	1.0000	0.021677
977	76	81	1.0000	1.0000	0.016968
978	76	82	1.0000	1.0000	0.003083
979	76	83	1.0000	1.0000	0.014649
980	76	84	1.0000	1.0000	0.018896
981	76	91	1.0000	1.0000	0.004666
982	76	92	1.0000	1.0000	0.011514
983	76	127	1.0000	1.0000	0.009763
984	76	133	1.0000	1.0000	0.011391
985	76	140	1.0000	1.0000	0.020757
986	77	78	1.0000	1.0000	0.030845
987	77	79	1.0000	1.0000	0.010636
988	77	80	1.0000	1.0000	0.010177
989	77	83	1.0000	1.0000	0.026149
990	77	91	1.0000	1.0000	0.016166
991	77	101	1.0000	1.0000	0.096111
992	77	102	1.0000	1.0000	0.085923
993	77	128	1.0000	1.0000	0.004852
994	77	141	1.0000	1.0000	0.198451
995	78	79	1.0000	1.0000	0.020209
996	78	80	1.0000	1.0000	0.020667
997	78	87	1.0000	1.0000	0.036264
998	78	91	1.0000	1.0000	0.047011
999	78	98	1.0000	1.0000	0.001967
1000	78	108	1.0000	1.0000	0.046239
1001	78	122	1.0000	1.0000	0.024252
1002	78	129	1.0000	1.0000	0.024112
1003	78	145	1.0000	1.0000	0.832394
1004	79	80	1.0000	1.0000	0.000459
1005	79	88	1.0000	1.0000	0.012322
1006	79	91	1.0000	1.0000	0.026802
1007	79	99	1.0000	1.0000	0.002504
1008	79	110	1.0000	1.0000	0.034068
1009	79	123	1.0000	1.0000	0.002162

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1010	79	136	1.0000	1.0000	0.018015
1011	79	145	1.0000	1.0000	0.812185
1012	80	84	1.0000	1.0000	0.040574
1013	80	89	1.0000	1.0000	0.006230
1014	80	91	1.0000	1.0000	0.026343
1015	80	97	1.0000	1.0000	0.023882
1016	80	100	1.0000	1.0000	0.150733
1017	80	124	1.0000	1.0000	0.004192
1018	80	130	1.0000	1.0000	0.021735
1019	80	137	1.0000	1.0000	0.016753
1020	80	143	1.0000	1.0000	0.811727
1021	81	82	1.0000	1.0000	0.013886
1022	81	83	1.0000	1.0000	0.031617
1023	81	84	1.0000	1.0000	0.035865
1024	81	92	1.0000	1.0000	0.005454
1025	81	101	1.0000	1.0000	0.101580
1026	81	125	1.0000	1.0000	0.019314
1027	81	127	1.0000	1.0000	0.007205
1028	81	133	1.0000	1.0000	0.005578
1029	81	138	1.0000	1.0000	0.018418
1030	81	140	1.0000	1.0000	0.037725
1031	82	83	1.0000	1.0000	0.017731
1032	82	84	1.0000	1.0000	0.021979
1033	82	85	1.0000	1.0000	0.018425
1034	82	92	1.0000	1.0000	0.008432
1035	82	102	1.0000	1.0000	0.077506
1036	82	115	1.0000	1.0000	0.007037
1037	82	126	1.0000	1.0000	0.010049
1038	82	127	1.0000	1.0000	0.006680
1039	82	132	1.0000	1.0000	0.003201
1040	82	133	1.0000	1.0000	0.008308
1041	82	139	1.0000	1.0000	0.029941
1042	82	140	1.0000	1.0000	0.023839
1043	83	84	1.0000	1.0000	0.004248
1044	83	92	1.0000	1.0000	0.026163
1045	83	101	1.0000	1.0000	0.069962

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1046	83	102	1.0000	1.0000	0.059774
1047	83	127	1.0000	1.0000	0.024412
1048	83	128	1.0000	1.0000	0.031000
1049	83	133	1.0000	1.0000	0.026040
1050	83	140	1.0000	1.0000	0.006108
1051	83	141	1.0000	1.0000	0.224599
1052	84	89	1.0000	1.0000	0.034344
1053	84	92	1.0000	1.0000	0.030411
1054	84	97	1.0000	1.0000	0.016692
1055	84	100	1.0000	1.0000	0.110159
1056	84	124	1.0000	1.0000	0.036381
1057	84	127	1.0000	1.0000	0.028659
1058	84	130	1.0000	1.0000	0.018838
1059	84	133	1.0000	1.0000	0.030287
1060	84	137	1.0000	1.0000	0.057326
1061	84	140	1.0000	1.0000	0.001860
1062	84	143	1.0000	1.0000	0.771153
1063	85	86	1.0000	1.0000	0.013257
1064	85	87	1.0000	1.0000	0.021423
1065	85	88	1.0000	1.0000	0.025156
1066	85	89	1.0000	1.0000	0.030789
1067	85	93	1.0000	1.0000	0.025043
1068	85	102	1.0000	1.0000	0.059081
1069	85	106	1.0000	1.0000	0.071797
1070	85	115	1.0000	1.0000	0.011388
1071	85	118	1.0000	1.0000	0.001918
1072	85	126	1.0000	1.0000	0.028474
1073	85	132	1.0000	1.0000	0.015224
1074	85	134	1.0000	1.0000	0.076952
1075	85	139	1.0000	1.0000	0.048365
1076	86	87	1.0000	1.0000	0.008166
1077	86	88	1.0000	1.0000	0.011899
1078	86	89	1.0000	1.0000	0.017532
1079	86	93	1.0000	1.0000	0.011785
1080	86	94	1.0000	1.0000	0.010095
1081	86	98	1.0000	1.0000	0.042462

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1082	86	99	1.0000	1.0000	0.021717
1083	86	100	1.0000	1.0000	0.126971
1084	86	106	1.0000	1.0000	0.085054
1085	86	107	1.0000	1.0000	0.017720
1086	86	118	1.0000	1.0000	0.015175
1087	86	120	1.0000	1.0000	0.000281
1088	86	134	1.0000	1.0000	0.063695
1089	86	135	1.0000	1.0000	0.040275
1090	87	88	1.0000	1.0000	0.003733
1091	87	89	1.0000	1.0000	0.009367
1092	87	93	1.0000	1.0000	0.003620
1093	87	98	1.0000	1.0000	0.034297
1094	87	106	1.0000	1.0000	0.093220
1095	87	108	1.0000	1.0000	0.009975
1096	87	118	1.0000	1.0000	0.023341
1097	87	122	1.0000	1.0000	0.012012
1098	87	129	1.0000	1.0000	0.012152
1099	87	134	1.0000	1.0000	0.055529
1100	87	145	1.0000	1.0000	0.796130
1101	88	89	1.0000	1.0000	0.005633
1102	88	93	1.0000	1.0000	0.000114
1103	88	99	1.0000	1.0000	0.009818
1104	88	106	1.0000	1.0000	0.096953
1105	88	110	1.0000	1.0000	0.021746
1106	88	118	1.0000	1.0000	0.027074
1107	88	123	1.0000	1.0000	0.010160
1108	88	134	1.0000	1.0000	0.051796
1109	88	136	1.0000	1.0000	0.030336
1110	88	145	1.0000	1.0000	0.799864
1111	89	93	1.0000	1.0000	0.005747
1112	89	97	1.0000	1.0000	0.017652
1113	89	100	1.0000	1.0000	0.144503
1114	89	106	1.0000	1.0000	0.102586
1115	89	118	1.0000	1.0000	0.032707
1116	89	124	1.0000	1.0000	0.002037
1117	89	130	1.0000	1.0000	0.015506

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1118	89	134	1.0000	1.0000	0.046163
1119	89	137	1.0000	1.0000	0.022983
1120	89	143	1.0000	1.0000	0.805497
1121	90	91	1.0000	1.0000	0.000232
1122	90	92	1.0000	1.0000	0.015949
1123	90	93	1.0000	1.0000	0.014135
1124	90	94	1.0000	1.0000	0.012444
1125	90	95	1.0000	1.0000	0.015351
1126	90	96	1.0000	1.0000	0.011670
1127	90	97	1.0000	1.0000	0.002230
1128	90	112	1.0000	1.0000	0.007272
1129	90	119	1.0000	1.0000	0.009499
1130	90	131	1.0000	1.0000	0.004346
1131	91	92	1.0000	1.0000	0.016181
1132	91	93	1.0000	1.0000	0.014367
1133	91	94	1.0000	1.0000	0.012676
1134	91	95	1.0000	1.0000	0.015120
1135	91	96	1.0000	1.0000	0.011438
1136	91	97	1.0000	1.0000	0.002462
1137	91	119	1.0000	1.0000	0.009267
1138	92	93	1.0000	1.0000	0.001814
1139	92	94	1.0000	1.0000	0.003504
1140	92	95	1.0000	1.0000	0.031300
1141	92	96	1.0000	1.0000	0.027619
1142	92	97	1.0000	1.0000	0.013719
1143	92	119	1.0000	1.0000	0.025448
1144	92	127	1.0000	1.0000	0.001751
1145	92	133	1.0000	1.0000	0.000124
1146	92	140	1.0000	1.0000	0.032271
1147	93	94	1.0000	1.0000	0.001690
1148	93	95	1.0000	1.0000	0.029486
1149	93	96	1.0000	1.0000	0.025805
1150	93	97	1.0000	1.0000	0.011905
1151	93	106	1.0000	1.0000	0.096839
1152	93	118	1.0000	1.0000	0.026960
1153	93	119	1.0000	1.0000	0.023634

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1154	93	134	1.0000	1.0000	0.051910
1155	94	95	1.0000	1.0000	0.027796
1156	94	96	1.0000	1.0000	0.024115
1157	94	97	1.0000	1.0000	0.010215
1158	94	98	1.0000	1.0000	0.032367
1159	94	99	1.0000	1.0000	0.011622
1160	94	100	1.0000	1.0000	0.137066
1161	94	107	1.0000	1.0000	0.027815
1162	94	119	1.0000	1.0000	0.021944
1163	94	120	1.0000	1.0000	0.009814
1164	94	135	1.0000	1.0000	0.030180
1165	95	96	1.0000	1.0000	0.003681
1166	95	97	1.0000	1.0000	0.017581
1167	95	119	1.0000	1.0000	0.005852
1168	95	125	1.0000	1.0000	0.017441
1169	95	126	1.0000	1.0000	0.032918
1170	95	127	1.0000	1.0000	0.029549
1171	95	128	1.0000	1.0000	0.036137
1172	95	129	1.0000	1.0000	0.038019
1173	95	130	1.0000	1.0000	0.019728
1174	95	142	1.0000	1.0000	0.770264
1175	96	97	1.0000	1.0000	0.013900
1176	96	119	1.0000	1.0000	0.002171
1177	96	131	1.0000	1.0000	0.016016
1178	96	132	1.0000	1.0000	0.015986
1179	96	133	1.0000	1.0000	0.027495
1180	96	134	1.0000	1.0000	0.077715
1181	96	135	1.0000	1.0000	0.054295
1182	96	136	1.0000	1.0000	0.056255
1183	96	137	1.0000	1.0000	0.054534
1184	97	100	1.0000	1.0000	0.126851
1185	97	119	1.0000	1.0000	0.011729
1186	97	124	1.0000	1.0000	0.019689
1187	97	130	1.0000	1.0000	0.002146
1188	97	137	1.0000	1.0000	0.040634
1189	97	143	1.0000	1.0000	0.787845

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1190	98	99	1.0000	1.0000	0.020745
1191	98	100	1.0000	1.0000	0.169433
1192	98	107	1.0000	1.0000	0.060182
1193	98	108	1.0000	1.0000	0.044272
1194	98	120	1.0000	1.0000	0.042182
1195	98	122	1.0000	1.0000	0.022285
1196	98	129	1.0000	1.0000	0.022144
1197	98	135	1.0000	1.0000	0.002187
1198	98	145	1.0000	1.0000	0.830427
1199	99	100	1.0000	1.0000	0.148688
1200	99	107	1.0000	1.0000	0.039437
1201	99	110	1.0000	1.0000	0.031564
1202	99	120	1.0000	1.0000	0.021436
1203	99	123	1.0000	1.0000	0.000342
1204	99	135	1.0000	1.0000	0.018558
1205	99	136	1.0000	1.0000	0.020518
1206	99	145	1.0000	1.0000	0.809682
1207	100	107	1.0000	1.0000	0.109251
1208	100	120	1.0000	1.0000	0.127252
1209	100	124	1.0000	1.0000	0.146541
1210	100	130	1.0000	1.0000	0.128998
1211	100	135	1.0000	1.0000	0.167246
1212	100	137	1.0000	1.0000	0.167486
1213	100	143	1.0000	1.0000	0.660994
1214	101	102	1.0000	1.0000	0.010188
1215	101	125	1.0000	1.0000	0.082266
1216	101	128	1.0000	1.0000	0.100962
1217	101	138	1.0000	1.0000	0.119998
1218	101	141	1.0000	1.0000	0.294561
1219	102	115	1.0000	1.0000	0.070469
1220	102	126	1.0000	1.0000	0.087555
1221	102	128	1.0000	1.0000	0.090774
1222	102	132	1.0000	1.0000	0.074305
1223	102	139	1.0000	1.0000	0.107446
1224	102	141	1.0000	1.0000	0.284373
1225	103	104	1.0000	1.0000	0.003972

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1226	103	105	1.0000	1.0000	0.008857
1227	103	106	1.0000	1.0000	0.008359
1228	103	107	1.0000	1.0000	0.058974
1229	103	108	1.0000	1.0000	0.074885
1230	103	109	1.0000	1.0000	0.086088
1231	103	110	1.0000	1.0000	0.066847
1232	103	111	1.0000	1.0000	0.081745
1233	103	121	1.0000	1.0000	0.115348
1234	104	105	1.0000	1.0000	0.004885
1235	104	106	1.0000	1.0000	0.004387
1236	104	107	1.0000	1.0000	0.062947
1237	104	108	1.0000	1.0000	0.078857
1238	104	109	1.0000	1.0000	0.090061
1239	104	110	1.0000	1.0000	0.070820
1240	104	114	1.0000	1.0000	0.069939
1241	104	121	1.0000	1.0000	0.119321
1242	105	106	1.0000	1.0000	0.000498
1243	105	107	1.0000	1.0000	0.067832
1244	105	108	1.0000	1.0000	0.083742
1245	105	109	1.0000	1.0000	0.094945
1246	105	110	1.0000	1.0000	0.075704
1247	105	116	1.0000	1.0000	0.074285
1248	105	121	1.0000	1.0000	0.124206
1249	106	107	1.0000	1.0000	0.067334
1250	106	108	1.0000	1.0000	0.083244
1251	106	109	1.0000	1.0000	0.094448
1252	106	110	1.0000	1.0000	0.075207
1253	106	118	1.0000	1.0000	0.069879
1254	106	121	1.0000	1.0000	0.123708
1255	106	134	1.0000	1.0000	0.148749
1256	107	108	1.0000	1.0000	0.015910
1257	107	109	1.0000	1.0000	0.027114
1258	107	110	1.0000	1.0000	0.007873
1259	107	120	1.0000	1.0000	0.018001
1260	107	121	1.0000	1.0000	0.056374
1261	107	135	1.0000	1.0000	0.057995

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1262	108	109	1.0000	1.0000	0.011203
1263	108	110	1.0000	1.0000	0.008038
1264	108	121	1.0000	1.0000	0.040464
1265	108	122	1.0000	1.0000	0.021987
1266	108	129	1.0000	1.0000	0.022127
1267	108	145	1.0000	1.0000	0.786155
1268	109	110	1.0000	1.0000	0.019241
1269	109	121	1.0000	1.0000	0.029260
1270	109	144	1.0000	1.0000	0.797359
1271	110	121	1.0000	1.0000	0.048501
1272	110	123	1.0000	1.0000	0.031906
1273	110	136	1.0000	1.0000	0.052083
1274	110	145	1.0000	1.0000	0.778117
1275	111	112	1.0000	1.0000	0.014672
1276	111	113	1.0000	1.0000	0.004005
1277	111	114	1.0000	1.0000	0.015778
1278	111	115	1.0000	1.0000	0.006920
1279	111	116	1.0000	1.0000	0.016318
1280	111	117	1.0000	1.0000	0.074759
1281	111	118	1.0000	1.0000	0.020225
1282	111	119	1.0000	1.0000	0.016899
1283	111	120	1.0000	1.0000	0.004770
1284	111	121	1.0000	1.0000	0.033603
1285	111	122	1.0000	1.0000	0.015127
1286	111	123	1.0000	1.0000	0.017009
1287	111	124	1.0000	1.0000	0.014519
1288	112	113	1.0000	1.0000	0.018677
1289	112	114	1.0000	1.0000	0.001106
1290	112	115	1.0000	1.0000	0.007752
1291	112	116	1.0000	1.0000	0.001646
1292	112	117	1.0000	1.0000	0.060087
1293	112	118	1.0000	1.0000	0.005553
1294	112	119	1.0000	1.0000	0.002227
1295	112	120	1.0000	1.0000	0.009902
1296	112	121	1.0000	1.0000	0.048275
1297	112	122	1.0000	1.0000	0.029799

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1298	112	123	1.0000	1.0000	0.031681
1299	112	124	1.0000	1.0000	0.029191
1300	112	131	1.0000	1.0000	0.011618
1301	113	114	1.0000	1.0000	0.019784
1302	113	115	1.0000	1.0000	0.010925
1303	113	116	1.0000	1.0000	0.020323
1304	113	117	1.0000	1.0000	0.078764
1305	113	118	1.0000	1.0000	0.024231
1306	113	119	1.0000	1.0000	0.020904
1307	113	120	1.0000	1.0000	0.008775
1308	113	121	1.0000	1.0000	0.029598
1309	113	122	1.0000	1.0000	0.011122
1310	113	123	1.0000	1.0000	0.013003
1311	113	124	1.0000	1.0000	0.010514
1312	114	115	1.0000	1.0000	0.008858
1313	114	116	1.0000	1.0000	0.000539
1314	114	117	1.0000	1.0000	0.058980
1315	114	118	1.0000	1.0000	0.004447
1316	114	119	1.0000	1.0000	0.001121
1317	114	120	1.0000	1.0000	0.011009
1318	114	121	1.0000	1.0000	0.049382
1319	114	122	1.0000	1.0000	0.030905
1320	114	123	1.0000	1.0000	0.032787
1321	114	124	1.0000	1.0000	0.030297
1322	115	116	1.0000	1.0000	0.009397
1323	115	117	1.0000	1.0000	0.067839
1324	115	118	1.0000	1.0000	0.013305
1325	115	119	1.0000	1.0000	0.009979
1326	115	120	1.0000	1.0000	0.002150
1327	115	121	1.0000	1.0000	0.040524
1328	115	122	1.0000	1.0000	0.022047
1329	115	123	1.0000	1.0000	0.023929
1330	115	124	1.0000	1.0000	0.021439
1331	115	126	1.0000	1.0000	0.017087
1332	115	132	1.0000	1.0000	0.003836
1333	115	139	1.0000	1.0000	0.036978

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1334	116	117	1.0000	1.0000	0.058441
1335	116	118	1.0000	1.0000	0.003908
1336	116	119	1.0000	1.0000	0.000581
1337	116	120	1.0000	1.0000	0.011548
1338	116	121	1.0000	1.0000	0.049921
1339	116	122	1.0000	1.0000	0.031445
1340	116	123	1.0000	1.0000	0.033326
1341	116	124	1.0000	1.0000	0.030837
1342	117	118	1.0000	1.0000	0.054533
1343	117	119	1.0000	1.0000	0.057860
1344	117	120	1.0000	1.0000	0.069989
1345	117	121	1.0000	1.0000	0.108362
1346	117	122	1.0000	1.0000	0.089886
1347	117	123	1.0000	1.0000	0.091767
1348	117	124	1.0000	1.0000	0.089278
1349	118	119	1.0000	1.0000	0.003326
1350	118	120	1.0000	1.0000	0.015456
1351	118	121	1.0000	1.0000	0.053829
1352	118	122	1.0000	1.0000	0.035352
1353	118	123	1.0000	1.0000	0.037234
1354	118	124	1.0000	1.0000	0.034744
1355	118	134	1.0000	1.0000	0.078870
1356	119	120	1.0000	1.0000	0.012129
1357	119	121	1.0000	1.0000	0.050502
1358	119	122	1.0000	1.0000	0.032026
1359	119	123	1.0000	1.0000	0.033908
1360	119	124	1.0000	1.0000	0.031418
1361	120	121	1.0000	1.0000	0.038373
1362	120	122	1.0000	1.0000	0.019897
1363	120	123	1.0000	1.0000	0.021778
1364	120	124	1.0000	1.0000	0.019289
1365	120	135	1.0000	1.0000	0.039995
1366	121	122	1.0000	1.0000	0.018476
1367	121	123	1.0000	1.0000	0.016595
1368	121	124	1.0000	1.0000	0.019084
1369	122	123	1.0000	1.0000	0.001882

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1370	122	124	1.0000	1.0000	0.000608
1371	122	129	1.0000	1.0000	0.000140
1372	122	145	1.0000	1.0000	0.808142
1373	123	124	1.0000	1.0000	0.002489
1374	123	136	1.0000	1.0000	0.020176
1375	123	145	1.0000	1.0000	0.810024
1376	124	130	1.0000	1.0000	0.017543
1377	124	137	1.0000	1.0000	0.020945
1378	124	143	1.0000	1.0000	0.807534
1379	125	126	1.0000	1.0000	0.015477
1380	125	127	1.0000	1.0000	0.012108
1381	125	128	1.0000	1.0000	0.018697
1382	125	129	1.0000	1.0000	0.020578
1383	125	130	1.0000	1.0000	0.002287
1384	125	138	1.0000	1.0000	0.037732
1385	125	142	1.0000	1.0000	0.787704
1386	126	127	1.0000	1.0000	0.003369
1387	126	128	1.0000	1.0000	0.003219
1388	126	129	1.0000	1.0000	0.005101
1389	126	130	1.0000	1.0000	0.013190
1390	126	132	1.0000	1.0000	0.013251
1391	126	139	1.0000	1.0000	0.019891
1392	126	142	1.0000	1.0000	0.803182
1393	127	128	1.0000	1.0000	0.006588
1394	127	129	1.0000	1.0000	0.008470
1395	127	130	1.0000	1.0000	0.009821
1396	127	133	1.0000	1.0000	0.001628
1397	127	140	1.0000	1.0000	0.030520
1398	127	142	1.0000	1.0000	0.799813
1399	128	129	1.0000	1.0000	0.001882
1400	128	130	1.0000	1.0000	0.016410
1401	128	141	1.0000	1.0000	0.193599
1402	128	142	1.0000	1.0000	0.806401
1403	129	130	1.0000	1.0000	0.018291
1404	129	142	1.0000	1.0000	0.808283
1405	129	145	1.0000	1.0000	0.808283

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1406	130	137	1.0000	1.0000	0.038488
1407	130	142	1.0000	1.0000	0.789991
1408	130	143	1.0000	1.0000	0.789991
1409	131	132	1.0000	1.0000	0.000030
1410	131	133	1.0000	1.0000	0.011479
1411	131	134	1.0000	1.0000	0.061699
1412	131	135	1.0000	1.0000	0.038279
1413	131	136	1.0000	1.0000	0.040239
1414	131	137	1.0000	1.0000	0.038518
1415	132	133	1.0000	1.0000	0.011509
1416	132	134	1.0000	1.0000	0.061729
1417	132	135	1.0000	1.0000	0.038309
1418	132	136	1.0000	1.0000	0.040269
1419	132	137	1.0000	1.0000	0.038548
1420	132	139	1.0000	1.0000	0.033142
1421	133	134	1.0000	1.0000	0.050219
1422	133	135	1.0000	1.0000	0.026800
1423	133	136	1.0000	1.0000	0.028760
1424	133	137	1.0000	1.0000	0.027039
1425	133	140	1.0000	1.0000	0.032147
1426	134	135	1.0000	1.0000	0.023420
1427	134	136	1.0000	1.0000	0.021460
1428	134	137	1.0000	1.0000	0.023180
1429	135	136	1.0000	1.0000	0.001960
1430	135	137	1.0000	1.0000	0.000239
1431	136	137	1.0000	1.0000	0.001720
1432	136	145	1.0000	1.0000	0.830200
1433	137	143	1.0000	1.0000	0.828480
1434	138	139	1.0000	1.0000	0.002364
1435	138	140	1.0000	1.0000	0.056143
1436	138	141	1.0000	1.0000	0.174564
1437	138	142	1.0000	1.0000	0.825436
1438	138	143	1.0000	1.0000	0.825436
1439	139	140	1.0000	1.0000	0.053780
1440	139	141	1.0000	1.0000	0.176927
1441	139	142	1.0000	1.0000	0.823073

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1442	139	143	1.0000	1.0000	0.823073
1443	140	141	1.0000	1.0000	0.230707
1444	140	142	1.0000	1.0000	0.769293
1445	140	143	1.0000	1.0000	0.769293
1446	141	142	1.0000	1.0000	1.000000
1447	141	143	1.0000	1.0000	1.000000
1448	142	143	1.0000	1.0000	0.000000

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	146.093895 Ohm
Total current I	2.363593e-06 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	0.146094
10	1.460939
100	14.609389
1000	146.093895
10000	1460.938949

EXPERIMENT #43

Timestamp: 20260330_160457 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.65
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	135
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	135
Nodes after pruning	135
Edges before pruning	1333
Edges after pruning	1333

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	0	1	1.0000	1.0000	0.043406
1	0	2	1.0000	1.0000	0.013285

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2	0	3	1.0000	1.0000	0.087006
3	0	4	1.0000	1.0000	0.007591
4	0	5	1.0000	1.0000	0.012968
5	0	6	1.0000	1.0000	0.006226
6	0	7	1.0000	1.0000	0.046015
7	0	8	1.0000	1.0000	0.054008
8	0	19	1.0000	1.0000	0.010921
9	0	39	1.0000	1.0000	0.054861
10	0	40	1.0000	1.0000	0.057187
11	0	41	1.0000	1.0000	0.044380
12	0	42	1.0000	1.0000	0.018933
13	0	43	1.0000	1.0000	0.090351
14	0	44	1.0000	1.0000	0.040861
15	0	45	1.0000	1.0000	0.045162
16	0	46	1.0000	1.0000	0.040926
17	0	47	1.0000	1.0000	0.038826
18	0	48	1.0000	1.0000	0.013747
19	0	49	1.0000	1.0000	0.080767
20	1	2	1.0000	1.0000	0.056691
21	1	3	1.0000	1.0000	0.043600
22	1	4	1.0000	1.0000	0.050997
23	1	5	1.0000	1.0000	0.056374
24	1	6	1.0000	1.0000	0.049632
25	1	7	1.0000	1.0000	0.089422
26	1	20	1.0000	1.0000	0.107465
27	1	39	1.0000	1.0000	0.098267
28	1	50	1.0000	1.0000	0.051705
29	1	51	1.0000	1.0000	0.056867
30	1	52	1.0000	1.0000	0.050427
31	1	53	1.0000	1.0000	0.091092
32	1	54	1.0000	1.0000	0.089647
33	1	55	1.0000	1.0000	0.088569
34	2	3	1.0000	1.0000	0.100291
35	2	4	1.0000	1.0000	0.005694
36	2	5	1.0000	1.0000	0.000317
37	2	6	1.0000	1.0000	0.007059

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
38	2	7	1.0000	1.0000	0.032730
39	2	41	1.0000	1.0000	0.031095
40	2	50	1.0000	1.0000	0.004986
41	2	76	1.0000	1.0000	0.030932
42	2	77	1.0000	1.0000	0.116719
43	2	78	1.0000	1.0000	0.089377
44	3	4	1.0000	1.0000	0.094597
45	3	5	1.0000	1.0000	0.099974
46	3	6	1.0000	1.0000	0.093232
47	3	7	1.0000	1.0000	0.133022
48	3	13	1.0000	1.0000	0.191887
49	3	24	1.0000	1.0000	0.185669
50	3	36	1.0000	1.0000	0.088106
51	3	44	1.0000	1.0000	0.127867
52	3	51	1.0000	1.0000	0.100467
53	3	63	1.0000	1.0000	0.185705
54	3	71	1.0000	1.0000	0.143576
55	3	76	1.0000	1.0000	0.131223
56	3	87	1.0000	1.0000	0.149330
57	3	100	1.0000	1.0000	0.125076
58	3	107	1.0000	1.0000	0.131972
59	3	108	1.0000	1.0000	0.139202
60	3	109	1.0000	1.0000	0.134474
61	3	110	1.0000	1.0000	0.230612
62	3	111	1.0000	1.0000	0.225003
63	3	112	1.0000	1.0000	0.017136
64	4	5	1.0000	1.0000	0.005377
65	4	6	1.0000	1.0000	0.001365
66	4	7	1.0000	1.0000	0.038425
67	4	37	1.0000	1.0000	0.041056
68	4	45	1.0000	1.0000	0.037572
69	4	52	1.0000	1.0000	0.000570
70	4	77	1.0000	1.0000	0.122413
71	4	115	1.0000	1.0000	0.004215
72	4	116	1.0000	1.0000	0.009436
73	4	117	1.0000	1.0000	0.082808

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
74	4	118	1.0000	1.0000	0.073957
75	5	6	1.0000	1.0000	0.006742
76	5	7	1.0000	1.0000	0.033048
77	5	15	1.0000	1.0000	0.008390
78	5	26	1.0000	1.0000	0.075140
79	5	47	1.0000	1.0000	0.051793
80	5	53	1.0000	1.0000	0.034718
81	5	58	1.0000	1.0000	0.153871
82	5	73	1.0000	1.0000	0.020428
83	5	79	1.0000	1.0000	0.133343
84	5	89	1.0000	1.0000	0.120856
85	5	97	1.0000	1.0000	0.049571
86	5	102	1.0000	1.0000	0.051007
87	5	121	1.0000	1.0000	0.079145
88	5	127	1.0000	1.0000	0.012461
89	5	128	1.0000	1.0000	0.006261
90	5	129	1.0000	1.0000	0.035357
91	5	130	1.0000	1.0000	0.027498
92	6	7	1.0000	1.0000	0.039790
93	6	17	1.0000	1.0000	0.043527
94	6	28	1.0000	1.0000	0.046850
95	6	48	1.0000	1.0000	0.007521
96	6	54	1.0000	1.0000	0.040015
97	6	59	1.0000	1.0000	0.148906
98	6	66	1.0000	1.0000	0.050224
99	6	74	1.0000	1.0000	0.075769
100	6	90	1.0000	1.0000	0.126154
101	6	99	1.0000	1.0000	0.053299
102	6	105	1.0000	1.0000	0.086034
103	6	109	1.0000	1.0000	0.041242
104	6	124	1.0000	1.0000	0.041807
105	6	128	1.0000	1.0000	0.013003
106	6	131	1.0000	1.0000	0.437708
107	6	133	1.0000	1.0000	0.562292
108	7	18	1.0000	1.0000	0.003456
109	7	29	1.0000	1.0000	0.170391

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
110	7	49	1.0000	1.0000	0.126782
111	7	55	1.0000	1.0000	0.000852
112	7	60	1.0000	1.0000	0.049572
113	7	75	1.0000	1.0000	0.035295
114	7	91	1.0000	1.0000	0.037123
115	7	106	1.0000	1.0000	0.005106
116	7	112	1.0000	1.0000	0.115886
117	7	125	1.0000	1.0000	0.005614
118	7	130	1.0000	1.0000	0.005550
119	7	132	1.0000	1.0000	0.522502
120	7	133	1.0000	1.0000	0.522502
121	7	134	1.0000	1.0000	0.522502
122	8	9	1.0000	1.0000	0.006124
123	8	10	1.0000	1.0000	0.013185
124	8	11	1.0000	1.0000	0.014774
125	8	12	1.0000	1.0000	0.001062
126	8	13	1.0000	1.0000	0.050873
127	8	14	1.0000	1.0000	0.004654
128	8	15	1.0000	1.0000	0.032651
129	8	16	1.0000	1.0000	0.000125
130	8	17	1.0000	1.0000	0.004255
131	8	18	1.0000	1.0000	0.004537
132	8	19	1.0000	1.0000	0.043087
133	8	39	1.0000	1.0000	0.000852
134	8	40	1.0000	1.0000	0.003178
135	8	41	1.0000	1.0000	0.009628
136	8	42	1.0000	1.0000	0.072941
137	8	43	1.0000	1.0000	0.036343
138	8	44	1.0000	1.0000	0.013147
139	8	45	1.0000	1.0000	0.008846
140	8	46	1.0000	1.0000	0.013083
141	8	47	1.0000	1.0000	0.092834
142	8	48	1.0000	1.0000	0.040261
143	8	49	1.0000	1.0000	0.134775
144	9	10	1.0000	1.0000	0.007061
145	9	11	1.0000	1.0000	0.008650

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
146	9	12	1.0000	1.0000	0.007185
147	9	13	1.0000	1.0000	0.044749
148	9	14	1.0000	1.0000	0.010778
149	9	15	1.0000	1.0000	0.038774
150	9	16	1.0000	1.0000	0.005998
151	9	17	1.0000	1.0000	0.010379
152	9	18	1.0000	1.0000	0.010661
153	9	56	1.0000	1.0000	0.009103
154	9	57	1.0000	1.0000	0.014675
155	9	58	1.0000	1.0000	0.106707
156	9	59	1.0000	1.0000	0.095000
157	9	60	1.0000	1.0000	0.035455
158	10	11	1.0000	1.0000	0.001589
159	10	12	1.0000	1.0000	0.014246
160	10	13	1.0000	1.0000	0.037688
161	10	14	1.0000	1.0000	0.017839
162	10	15	1.0000	1.0000	0.045835
163	10	16	1.0000	1.0000	0.013059
164	10	17	1.0000	1.0000	0.017440
165	10	18	1.0000	1.0000	0.017722
166	10	21	1.0000	1.0000	0.030104
167	10	40	1.0000	1.0000	0.010006
168	10	68	1.0000	1.0000	0.011897
169	10	69	1.0000	1.0000	0.040219
170	10	70	1.0000	1.0000	0.015402
171	10	71	1.0000	1.0000	0.010623
172	10	72	1.0000	1.0000	0.014910
173	10	73	1.0000	1.0000	0.033798
174	10	74	1.0000	1.0000	0.136736
175	10	75	1.0000	1.0000	0.056473
176	11	12	1.0000	1.0000	0.015836
177	11	13	1.0000	1.0000	0.036099
178	11	14	1.0000	1.0000	0.019428
179	11	15	1.0000	1.0000	0.047424
180	11	16	1.0000	1.0000	0.014649
181	11	17	1.0000	1.0000	0.019029

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
182	11	18	1.0000	1.0000	0.019311
183	11	32	1.0000	1.0000	0.158677
184	11	42	1.0000	1.0000	0.087715
185	11	68	1.0000	1.0000	0.013486
186	11	85	1.0000	1.0000	0.044604
187	11	86	1.0000	1.0000	0.011238
188	11	87	1.0000	1.0000	0.006459
189	11	88	1.0000	1.0000	0.010524
190	11	89	1.0000	1.0000	0.065041
191	11	90	1.0000	1.0000	0.063597
192	11	91	1.0000	1.0000	0.014357
193	12	13	1.0000	1.0000	0.051935
194	12	14	1.0000	1.0000	0.003592
195	12	15	1.0000	1.0000	0.031589
196	12	16	1.0000	1.0000	0.001187
197	12	17	1.0000	1.0000	0.003194
198	12	18	1.0000	1.0000	0.003476
199	12	33	1.0000	1.0000	0.012925
200	12	43	1.0000	1.0000	0.037404
201	12	70	1.0000	1.0000	0.001156
202	12	81	1.0000	1.0000	0.080698
203	12	86	1.0000	1.0000	0.004598
204	12	100	1.0000	1.0000	0.014877
205	12	101	1.0000	1.0000	0.041713
206	12	102	1.0000	1.0000	0.011028
207	12	103	1.0000	1.0000	0.007312
208	12	104	1.0000	1.0000	0.015081
209	12	105	1.0000	1.0000	0.039313
210	12	106	1.0000	1.0000	0.001826
211	13	14	1.0000	1.0000	0.055527
212	13	15	1.0000	1.0000	0.083524
213	13	16	1.0000	1.0000	0.050748
214	13	17	1.0000	1.0000	0.055128
215	13	18	1.0000	1.0000	0.055410
216	13	24	1.0000	1.0000	0.006219
217	13	36	1.0000	1.0000	0.103781

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
218	13	44	1.0000	1.0000	0.064020
219	13	51	1.0000	1.0000	0.091420
220	13	63	1.0000	1.0000	0.006182
221	13	71	1.0000	1.0000	0.048311
222	13	76	1.0000	1.0000	0.060664
223	13	87	1.0000	1.0000	0.042558
224	13	100	1.0000	1.0000	0.066812
225	13	107	1.0000	1.0000	0.059916
226	13	108	1.0000	1.0000	0.052686
227	13	109	1.0000	1.0000	0.057413
228	13	110	1.0000	1.0000	0.038725
229	13	111	1.0000	1.0000	0.033116
230	13	112	1.0000	1.0000	0.174752
231	14	15	1.0000	1.0000	0.027996
232	14	16	1.0000	1.0000	0.004779
233	14	17	1.0000	1.0000	0.000399
234	14	18	1.0000	1.0000	0.000117
235	14	35	1.0000	1.0000	0.058656
236	14	46	1.0000	1.0000	0.008428
237	14	72	1.0000	1.0000	0.002929
238	14	83	1.0000	1.0000	0.028642
239	14	88	1.0000	1.0000	0.008904
240	14	93	1.0000	1.0000	0.053950
241	14	101	1.0000	1.0000	0.045306
242	14	108	1.0000	1.0000	0.002842
243	14	113	1.0000	1.0000	0.119046
244	14	121	1.0000	1.0000	0.042758
245	14	122	1.0000	1.0000	0.014890
246	14	123	1.0000	1.0000	0.029302
247	14	124	1.0000	1.0000	0.001321
248	14	125	1.0000	1.0000	0.008953
249	15	16	1.0000	1.0000	0.032776
250	15	17	1.0000	1.0000	0.028395
251	15	18	1.0000	1.0000	0.028113
252	15	26	1.0000	1.0000	0.066750
253	15	47	1.0000	1.0000	0.060184

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
254	15	53	1.0000	1.0000	0.026328
255	15	58	1.0000	1.0000	0.145481
256	15	73	1.0000	1.0000	0.012037
257	15	79	1.0000	1.0000	0.124953
258	15	89	1.0000	1.0000	0.112466
259	15	97	1.0000	1.0000	0.041181
260	15	102	1.0000	1.0000	0.042617
261	15	121	1.0000	1.0000	0.070755
262	15	127	1.0000	1.0000	0.004071
263	15	128	1.0000	1.0000	0.002129
264	15	129	1.0000	1.0000	0.026967
265	15	130	1.0000	1.0000	0.019108
266	16	17	1.0000	1.0000	0.004381
267	16	18	1.0000	1.0000	0.004662
268	16	98	1.0000	1.0000	0.057315
269	16	103	1.0000	1.0000	0.006125
270	16	117	1.0000	1.0000	0.036265
271	16	122	1.0000	1.0000	0.019669
272	16	127	1.0000	1.0000	0.028705
273	16	131	1.0000	1.0000	0.485616
274	16	132	1.0000	1.0000	0.514384
275	17	18	1.0000	1.0000	0.000282
276	17	28	1.0000	1.0000	0.003323
277	17	48	1.0000	1.0000	0.036006
278	17	54	1.0000	1.0000	0.003513
279	17	59	1.0000	1.0000	0.105379
280	17	66	1.0000	1.0000	0.006697
281	17	74	1.0000	1.0000	0.119296
282	17	90	1.0000	1.0000	0.082627
283	17	99	1.0000	1.0000	0.009772
284	17	105	1.0000	1.0000	0.042507
285	17	109	1.0000	1.0000	0.002285
286	17	124	1.0000	1.0000	0.001720
287	17	128	1.0000	1.0000	0.030524
288	17	131	1.0000	1.0000	0.481235
289	17	133	1.0000	1.0000	0.518765

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
290	18	29	1.0000	1.0000	0.166935
291	18	49	1.0000	1.0000	0.130238
292	18	55	1.0000	1.0000	0.004308
293	18	60	1.0000	1.0000	0.046116
294	18	75	1.0000	1.0000	0.038751
295	18	91	1.0000	1.0000	0.033668
296	18	106	1.0000	1.0000	0.001650
297	18	112	1.0000	1.0000	0.119341
298	18	125	1.0000	1.0000	0.009070
299	18	130	1.0000	1.0000	0.009006
300	18	132	1.0000	1.0000	0.519046
301	18	133	1.0000	1.0000	0.519046
302	18	134	1.0000	1.0000	0.519046
303	19	20	1.0000	1.0000	0.053138
304	19	21	1.0000	1.0000	0.086376
305	19	22	1.0000	1.0000	0.076517
306	19	23	1.0000	1.0000	0.045111
307	19	24	1.0000	1.0000	0.087741
308	19	25	1.0000	1.0000	0.041633
309	19	26	1.0000	1.0000	0.077186
310	19	27	1.0000	1.0000	0.046412
311	19	28	1.0000	1.0000	0.042155
312	19	29	1.0000	1.0000	0.205485
313	19	39	1.0000	1.0000	0.043939
314	19	40	1.0000	1.0000	0.046265
315	19	41	1.0000	1.0000	0.033459
316	19	42	1.0000	1.0000	0.029854
317	19	43	1.0000	1.0000	0.079430
318	19	44	1.0000	1.0000	0.029940
319	19	45	1.0000	1.0000	0.034241
320	19	46	1.0000	1.0000	0.030004
321	19	47	1.0000	1.0000	0.049747
322	19	48	1.0000	1.0000	0.002826
323	19	49	1.0000	1.0000	0.091688
324	20	21	1.0000	1.0000	0.033238
325	20	22	1.0000	1.0000	0.023379

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
326	20	23	1.0000	1.0000	0.008027
327	20	24	1.0000	1.0000	0.034603
328	20	25	1.0000	1.0000	0.011505
329	20	26	1.0000	1.0000	0.024049
330	20	27	1.0000	1.0000	0.006726
331	20	28	1.0000	1.0000	0.010983
332	20	29	1.0000	1.0000	0.152347
333	20	39	1.0000	1.0000	0.009198
334	20	50	1.0000	1.0000	0.055760
335	20	51	1.0000	1.0000	0.050598
336	20	52	1.0000	1.0000	0.057039
337	20	53	1.0000	1.0000	0.016373
338	20	54	1.0000	1.0000	0.017819
339	20	55	1.0000	1.0000	0.018896
340	21	22	1.0000	1.0000	0.009858
341	21	23	1.0000	1.0000	0.041265
342	21	24	1.0000	1.0000	0.001366
343	21	25	1.0000	1.0000	0.044743
344	21	26	1.0000	1.0000	0.009189
345	21	27	1.0000	1.0000	0.039963
346	21	28	1.0000	1.0000	0.044221
347	21	29	1.0000	1.0000	0.119110
348	21	40	1.0000	1.0000	0.040110
349	21	68	1.0000	1.0000	0.042000
350	21	69	1.0000	1.0000	0.010115
351	21	70	1.0000	1.0000	0.045506
352	21	71	1.0000	1.0000	0.040727
353	21	72	1.0000	1.0000	0.045013
354	21	73	1.0000	1.0000	0.063902
355	21	74	1.0000	1.0000	0.166840
356	21	75	1.0000	1.0000	0.086577
357	22	23	1.0000	1.0000	0.031406
358	22	24	1.0000	1.0000	0.011224
359	22	25	1.0000	1.0000	0.034884
360	22	26	1.0000	1.0000	0.000669
361	22	27	1.0000	1.0000	0.030105

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
362	22	28	1.0000	1.0000	0.034363
363	22	29	1.0000	1.0000	0.128968
364	22	31	1.0000	1.0000	0.066152
365	22	61	1.0000	1.0000	0.085675
366	22	80	1.0000	1.0000	0.053085
367	22	81	1.0000	1.0000	0.046206
368	22	82	1.0000	1.0000	0.021851
369	22	83	1.0000	1.0000	0.009442
370	22	84	1.0000	1.0000	0.026594
371	23	24	1.0000	1.0000	0.042630
372	23	25	1.0000	1.0000	0.003478
373	23	26	1.0000	1.0000	0.032075
374	23	27	1.0000	1.0000	0.001301
375	23	28	1.0000	1.0000	0.002956
376	23	29	1.0000	1.0000	0.160374
377	23	62	1.0000	1.0000	0.104416
378	23	80	1.0000	1.0000	0.084491
379	23	92	1.0000	1.0000	0.065125
380	23	93	1.0000	1.0000	0.047272
381	23	94	1.0000	1.0000	0.011973
382	23	95	1.0000	1.0000	0.052994
383	23	96	1.0000	1.0000	0.006107
384	24	25	1.0000	1.0000	0.046108
385	24	26	1.0000	1.0000	0.010555
386	24	27	1.0000	1.0000	0.041329
387	24	28	1.0000	1.0000	0.045587
388	24	29	1.0000	1.0000	0.117744
389	24	36	1.0000	1.0000	0.097562
390	24	44	1.0000	1.0000	0.057801
391	24	51	1.0000	1.0000	0.085202
392	24	63	1.0000	1.0000	0.000037
393	24	71	1.0000	1.0000	0.042092
394	24	76	1.0000	1.0000	0.054445
395	24	87	1.0000	1.0000	0.036339
396	24	100	1.0000	1.0000	0.060593
397	24	107	1.0000	1.0000	0.053697

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
398	24	108	1.0000	1.0000	0.046467
399	24	109	1.0000	1.0000	0.051195
400	24	110	1.0000	1.0000	0.044943
401	24	111	1.0000	1.0000	0.039334
402	24	112	1.0000	1.0000	0.168533
403	25	26	1.0000	1.0000	0.035554
404	25	27	1.0000	1.0000	0.004779
405	25	28	1.0000	1.0000	0.000522
406	25	29	1.0000	1.0000	0.163852
407	25	34	1.0000	1.0000	0.136787
408	25	64	1.0000	1.0000	0.064843
409	25	82	1.0000	1.0000	0.013034
410	25	92	1.0000	1.0000	0.068603
411	25	113	1.0000	1.0000	0.122246
412	25	114	1.0000	1.0000	0.098308
413	26	27	1.0000	1.0000	0.030774
414	26	28	1.0000	1.0000	0.035032
415	26	29	1.0000	1.0000	0.128299
416	26	47	1.0000	1.0000	0.126933
417	26	53	1.0000	1.0000	0.040422
418	26	58	1.0000	1.0000	0.078731
419	26	73	1.0000	1.0000	0.054712
420	26	79	1.0000	1.0000	0.058203
421	26	89	1.0000	1.0000	0.045716
422	26	97	1.0000	1.0000	0.025569
423	26	102	1.0000	1.0000	0.024133
424	26	121	1.0000	1.0000	0.004005
425	26	127	1.0000	1.0000	0.062679
426	26	128	1.0000	1.0000	0.068879
427	26	129	1.0000	1.0000	0.039783
428	26	130	1.0000	1.0000	0.047642
429	27	28	1.0000	1.0000	0.004258
430	27	29	1.0000	1.0000	0.159073
431	27	65	1.0000	1.0000	0.012850
432	27	84	1.0000	1.0000	0.003511
433	27	95	1.0000	1.0000	0.054295

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
434	27	104	1.0000	1.0000	0.019468
435	27	114	1.0000	1.0000	0.103087
436	27	123	1.0000	1.0000	0.037281
437	28	29	1.0000	1.0000	0.163331
438	28	48	1.0000	1.0000	0.039329
439	28	54	1.0000	1.0000	0.006835
440	28	59	1.0000	1.0000	0.102056
441	28	66	1.0000	1.0000	0.003374
442	28	74	1.0000	1.0000	0.122619
443	28	90	1.0000	1.0000	0.079304
444	28	99	1.0000	1.0000	0.006449
445	28	105	1.0000	1.0000	0.039184
446	28	109	1.0000	1.0000	0.005608
447	28	124	1.0000	1.0000	0.005043
448	28	128	1.0000	1.0000	0.033847
449	28	131	1.0000	1.0000	0.484558
450	28	133	1.0000	1.0000	0.515442
451	29	49	1.0000	1.0000	0.297173
452	29	55	1.0000	1.0000	0.171243
453	29	60	1.0000	1.0000	0.120819
454	29	75	1.0000	1.0000	0.205686
455	29	91	1.0000	1.0000	0.133268
456	29	106	1.0000	1.0000	0.165285
457	29	112	1.0000	1.0000	0.286277
458	29	125	1.0000	1.0000	0.176005
459	29	130	1.0000	1.0000	0.175941
460	29	132	1.0000	1.0000	0.352111
461	29	133	1.0000	1.0000	0.352111
462	29	134	1.0000	1.0000	0.352111
463	30	31	1.0000	1.0000	0.007921
464	30	32	1.0000	1.0000	0.065948
465	30	33	1.0000	1.0000	0.121489
466	30	34	1.0000	1.0000	0.245744
467	30	35	1.0000	1.0000	0.170813
468	30	61	1.0000	1.0000	0.011603
469	30	62	1.0000	1.0000	0.001063

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
470	30	63	1.0000	1.0000	0.062812
471	30	64	1.0000	1.0000	0.044114
472	30	65	1.0000	1.0000	0.091328
473	30	66	1.0000	1.0000	0.105061
474	30	67	1.0000	1.0000	0.089988
475	31	32	1.0000	1.0000	0.073869
476	31	33	1.0000	1.0000	0.113569
477	31	34	1.0000	1.0000	0.237823
478	31	35	1.0000	1.0000	0.162893
479	31	61	1.0000	1.0000	0.019523
480	31	80	1.0000	1.0000	0.013067
481	31	81	1.0000	1.0000	0.019946
482	31	82	1.0000	1.0000	0.088003
483	31	83	1.0000	1.0000	0.075594
484	31	84	1.0000	1.0000	0.092746
485	32	33	1.0000	1.0000	0.187438
486	32	34	1.0000	1.0000	0.311692
487	32	35	1.0000	1.0000	0.236762
488	32	42	1.0000	1.0000	0.246392
489	32	68	1.0000	1.0000	0.172163
490	32	85	1.0000	1.0000	0.114073
491	32	86	1.0000	1.0000	0.169915
492	32	87	1.0000	1.0000	0.165136
493	32	88	1.0000	1.0000	0.169202
494	32	89	1.0000	1.0000	0.093636
495	32	90	1.0000	1.0000	0.095080
496	32	91	1.0000	1.0000	0.144321
497	33	34	1.0000	1.0000	0.124255
498	33	35	1.0000	1.0000	0.049324
499	33	43	1.0000	1.0000	0.050329
500	33	70	1.0000	1.0000	0.011769
501	33	81	1.0000	1.0000	0.093623
502	33	86	1.0000	1.0000	0.017522
503	33	100	1.0000	1.0000	0.001953
504	33	101	1.0000	1.0000	0.054638
505	33	102	1.0000	1.0000	0.023953

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
506	33	103	1.0000	1.0000	0.020237
507	33	104	1.0000	1.0000	0.002156
508	33	105	1.0000	1.0000	0.052238
509	33	106	1.0000	1.0000	0.011099
510	34	35	1.0000	1.0000	0.074931
511	34	64	1.0000	1.0000	0.201630
512	34	82	1.0000	1.0000	0.149820
513	34	92	1.0000	1.0000	0.205390
514	34	113	1.0000	1.0000	0.014541
515	34	114	1.0000	1.0000	0.038479
516	35	46	1.0000	1.0000	0.050228
517	35	72	1.0000	1.0000	0.061585
518	35	83	1.0000	1.0000	0.087298
519	35	88	1.0000	1.0000	0.067560
520	35	93	1.0000	1.0000	0.112606
521	35	101	1.0000	1.0000	0.103962
522	35	108	1.0000	1.0000	0.061498
523	35	113	1.0000	1.0000	0.060390
524	35	121	1.0000	1.0000	0.101415
525	35	122	1.0000	1.0000	0.043767
526	35	123	1.0000	1.0000	0.029354
527	35	124	1.0000	1.0000	0.057335
528	35	125	1.0000	1.0000	0.049703
529	36	37	1.0000	1.0000	0.047547
530	36	38	1.0000	1.0000	0.020698
531	36	44	1.0000	1.0000	0.039761
532	36	51	1.0000	1.0000	0.012361
533	36	63	1.0000	1.0000	0.097599
534	36	71	1.0000	1.0000	0.055470
535	36	76	1.0000	1.0000	0.043117
536	36	87	1.0000	1.0000	0.061224
537	36	100	1.0000	1.0000	0.036969
538	36	107	1.0000	1.0000	0.043866
539	36	108	1.0000	1.0000	0.051096
540	36	109	1.0000	1.0000	0.046368
541	36	110	1.0000	1.0000	0.142506

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
542	36	111	1.0000	1.0000	0.136897
543	36	112	1.0000	1.0000	0.070970
544	37	38	1.0000	1.0000	0.026849
545	37	45	1.0000	1.0000	0.003484
546	37	52	1.0000	1.0000	0.041626
547	37	77	1.0000	1.0000	0.081357
548	37	115	1.0000	1.0000	0.045271
549	37	116	1.0000	1.0000	0.031620
550	37	117	1.0000	1.0000	0.041752
551	37	118	1.0000	1.0000	0.032901
552	38	107	1.0000	1.0000	0.023167
553	38	115	1.0000	1.0000	0.018422
554	38	119	1.0000	1.0000	0.113172
555	38	120	1.0000	1.0000	0.072763
556	39	40	1.0000	1.0000	0.002326
557	39	41	1.0000	1.0000	0.010481
558	39	42	1.0000	1.0000	0.073793
559	39	43	1.0000	1.0000	0.035491
560	39	44	1.0000	1.0000	0.014000
561	39	45	1.0000	1.0000	0.009698
562	39	46	1.0000	1.0000	0.013935
563	39	47	1.0000	1.0000	0.093686
564	39	48	1.0000	1.0000	0.041114
565	39	49	1.0000	1.0000	0.135628
566	39	50	1.0000	1.0000	0.046561
567	39	51	1.0000	1.0000	0.041400
568	39	52	1.0000	1.0000	0.047840
569	39	53	1.0000	1.0000	0.007175
570	39	54	1.0000	1.0000	0.008620
571	39	55	1.0000	1.0000	0.009697
572	40	41	1.0000	1.0000	0.012807
573	40	42	1.0000	1.0000	0.076120
574	40	43	1.0000	1.0000	0.033164
575	40	44	1.0000	1.0000	0.016326
576	40	45	1.0000	1.0000	0.012024
577	40	46	1.0000	1.0000	0.016261

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
578	40	47	1.0000	1.0000	0.096013
579	40	48	1.0000	1.0000	0.043440
580	40	49	1.0000	1.0000	0.137954
581	40	68	1.0000	1.0000	0.001890
582	40	69	1.0000	1.0000	0.050225
583	40	70	1.0000	1.0000	0.005396
584	40	71	1.0000	1.0000	0.000617
585	40	72	1.0000	1.0000	0.004903
586	40	73	1.0000	1.0000	0.023792
587	40	74	1.0000	1.0000	0.126729
588	40	75	1.0000	1.0000	0.046467
589	41	42	1.0000	1.0000	0.063313
590	41	43	1.0000	1.0000	0.045971
591	41	44	1.0000	1.0000	0.003519
592	41	45	1.0000	1.0000	0.000783
593	41	46	1.0000	1.0000	0.003454
594	41	47	1.0000	1.0000	0.083206
595	41	48	1.0000	1.0000	0.030633
596	41	49	1.0000	1.0000	0.125147
597	41	50	1.0000	1.0000	0.036081
598	41	76	1.0000	1.0000	0.000163
599	41	77	1.0000	1.0000	0.085624
600	41	78	1.0000	1.0000	0.058282
601	42	43	1.0000	1.0000	0.109284
602	42	44	1.0000	1.0000	0.059794
603	42	45	1.0000	1.0000	0.064095
604	42	46	1.0000	1.0000	0.059858
605	42	47	1.0000	1.0000	0.019893
606	42	48	1.0000	1.0000	0.032680
607	42	49	1.0000	1.0000	0.061834
608	42	68	1.0000	1.0000	0.074229
609	42	85	1.0000	1.0000	0.132319
610	42	86	1.0000	1.0000	0.076477
611	42	87	1.0000	1.0000	0.081256
612	42	88	1.0000	1.0000	0.077191
613	42	89	1.0000	1.0000	0.152756

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
614	42	90	1.0000	1.0000	0.151312
615	42	91	1.0000	1.0000	0.102071
616	43	44	1.0000	1.0000	0.049490
617	43	45	1.0000	1.0000	0.045189
618	43	46	1.0000	1.0000	0.049425
619	43	47	1.0000	1.0000	0.129177
620	43	48	1.0000	1.0000	0.076604
621	43	49	1.0000	1.0000	0.171118
622	43	70	1.0000	1.0000	0.038560
623	43	81	1.0000	1.0000	0.043294
624	43	86	1.0000	1.0000	0.032807
625	43	100	1.0000	1.0000	0.052282
626	43	101	1.0000	1.0000	0.004309
627	43	102	1.0000	1.0000	0.026376
628	43	103	1.0000	1.0000	0.030093
629	43	104	1.0000	1.0000	0.052485
630	43	105	1.0000	1.0000	0.001908
631	43	106	1.0000	1.0000	0.039230
632	44	45	1.0000	1.0000	0.004301
633	44	46	1.0000	1.0000	0.000065
634	44	47	1.0000	1.0000	0.079687
635	44	48	1.0000	1.0000	0.027114
636	44	49	1.0000	1.0000	0.121628
637	44	51	1.0000	1.0000	0.027400
638	44	63	1.0000	1.0000	0.057838
639	44	71	1.0000	1.0000	0.015709
640	44	76	1.0000	1.0000	0.003356
641	44	87	1.0000	1.0000	0.021462
642	44	100	1.0000	1.0000	0.002792
643	44	107	1.0000	1.0000	0.004104
644	44	108	1.0000	1.0000	0.011335
645	44	109	1.0000	1.0000	0.006607
646	44	110	1.0000	1.0000	0.102745
647	44	111	1.0000	1.0000	0.097136
648	44	112	1.0000	1.0000	0.110731
649	45	46	1.0000	1.0000	0.004237

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
650	45	47	1.0000	1.0000	0.083988
651	45	48	1.0000	1.0000	0.031415
652	45	49	1.0000	1.0000	0.125929
653	45	52	1.0000	1.0000	0.038142
654	45	77	1.0000	1.0000	0.084842
655	45	115	1.0000	1.0000	0.041787
656	45	116	1.0000	1.0000	0.028136
657	45	117	1.0000	1.0000	0.045236
658	45	118	1.0000	1.0000	0.036385
659	46	47	1.0000	1.0000	0.079752
660	46	48	1.0000	1.0000	0.027179
661	46	49	1.0000	1.0000	0.121693
662	46	72	1.0000	1.0000	0.011358
663	46	83	1.0000	1.0000	0.037070
664	46	88	1.0000	1.0000	0.017332
665	46	93	1.0000	1.0000	0.062378
666	46	101	1.0000	1.0000	0.053734
667	46	108	1.0000	1.0000	0.011270
668	46	113	1.0000	1.0000	0.110617
669	46	121	1.0000	1.0000	0.051187
670	46	122	1.0000	1.0000	0.006461
671	46	123	1.0000	1.0000	0.020874
672	46	124	1.0000	1.0000	0.007107
673	46	125	1.0000	1.0000	0.000524
674	47	48	1.0000	1.0000	0.052573
675	47	49	1.0000	1.0000	0.041941
676	47	53	1.0000	1.0000	0.086512
677	47	58	1.0000	1.0000	0.205665
678	47	73	1.0000	1.0000	0.072221
679	47	79	1.0000	1.0000	0.185137
680	47	89	1.0000	1.0000	0.172649
681	47	97	1.0000	1.0000	0.101365
682	47	102	1.0000	1.0000	0.102800
683	47	121	1.0000	1.0000	0.130938
684	47	127	1.0000	1.0000	0.064255
685	47	128	1.0000	1.0000	0.058055

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
686	47	129	1.0000	1.0000	0.087151
687	47	130	1.0000	1.0000	0.079291
688	48	49	1.0000	1.0000	0.094514
689	48	54	1.0000	1.0000	0.032493
690	48	59	1.0000	1.0000	0.141385
691	48	66	1.0000	1.0000	0.042703
692	48	74	1.0000	1.0000	0.083290
693	48	90	1.0000	1.0000	0.118633
694	48	99	1.0000	1.0000	0.045778
695	48	105	1.0000	1.0000	0.078513
696	48	109	1.0000	1.0000	0.033721
697	48	124	1.0000	1.0000	0.034286
698	48	128	1.0000	1.0000	0.005482
699	48	131	1.0000	1.0000	0.445230
700	48	133	1.0000	1.0000	0.554770
701	49	55	1.0000	1.0000	0.125930
702	49	60	1.0000	1.0000	0.176354
703	49	75	1.0000	1.0000	0.091487
704	49	91	1.0000	1.0000	0.163906
705	49	106	1.0000	1.0000	0.131888
706	49	112	1.0000	1.0000	0.010897
707	49	125	1.0000	1.0000	0.121168
708	49	130	1.0000	1.0000	0.121233
709	49	132	1.0000	1.0000	0.649284
710	49	133	1.0000	1.0000	0.649284
711	49	134	1.0000	1.0000	0.649284
712	50	51	1.0000	1.0000	0.005162
713	50	52	1.0000	1.0000	0.001279
714	50	53	1.0000	1.0000	0.039387
715	50	54	1.0000	1.0000	0.037941
716	50	55	1.0000	1.0000	0.036864
717	50	76	1.0000	1.0000	0.035918
718	50	77	1.0000	1.0000	0.121705
719	50	78	1.0000	1.0000	0.094363
720	51	52	1.0000	1.0000	0.006440
721	51	53	1.0000	1.0000	0.034225

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
722	51	54	1.0000	1.0000	0.032780
723	51	55	1.0000	1.0000	0.031702
724	51	63	1.0000	1.0000	0.085238
725	51	71	1.0000	1.0000	0.043109
726	51	76	1.0000	1.0000	0.030756
727	51	87	1.0000	1.0000	0.048863
728	51	100	1.0000	1.0000	0.024608
729	51	107	1.0000	1.0000	0.031505
730	51	108	1.0000	1.0000	0.038735
731	51	109	1.0000	1.0000	0.034007
732	51	110	1.0000	1.0000	0.130145
733	51	111	1.0000	1.0000	0.124536
734	51	112	1.0000	1.0000	0.083331
735	52	53	1.0000	1.0000	0.040665
736	52	54	1.0000	1.0000	0.039220
737	52	55	1.0000	1.0000	0.038143
738	52	77	1.0000	1.0000	0.122984
739	52	115	1.0000	1.0000	0.003645
740	52	116	1.0000	1.0000	0.010006
741	52	117	1.0000	1.0000	0.083378
742	52	118	1.0000	1.0000	0.074527
743	53	54	1.0000	1.0000	0.001445
744	53	55	1.0000	1.0000	0.002523
745	53	58	1.0000	1.0000	0.119153
746	53	73	1.0000	1.0000	0.014291
747	53	79	1.0000	1.0000	0.098625
748	53	89	1.0000	1.0000	0.086138
749	53	97	1.0000	1.0000	0.014853
750	53	102	1.0000	1.0000	0.016289
751	53	121	1.0000	1.0000	0.044427
752	53	127	1.0000	1.0000	0.022257
753	53	128	1.0000	1.0000	0.028457
754	53	129	1.0000	1.0000	0.000639
755	53	130	1.0000	1.0000	0.007220
756	54	55	1.0000	1.0000	0.001077
757	54	59	1.0000	1.0000	0.108892

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
758	54	66	1.0000	1.0000	0.010210
759	54	74	1.0000	1.0000	0.115783
760	54	90	1.0000	1.0000	0.086139
761	54	99	1.0000	1.0000	0.013285
762	54	105	1.0000	1.0000	0.046019
763	54	109	1.0000	1.0000	0.001227
764	54	124	1.0000	1.0000	0.001793
765	54	128	1.0000	1.0000	0.027012
766	54	131	1.0000	1.0000	0.477723
767	54	133	1.0000	1.0000	0.522277
768	55	60	1.0000	1.0000	0.050424
769	55	75	1.0000	1.0000	0.034443
770	55	91	1.0000	1.0000	0.037976
771	55	106	1.0000	1.0000	0.005958
772	55	112	1.0000	1.0000	0.115033
773	55	125	1.0000	1.0000	0.004762
774	55	130	1.0000	1.0000	0.004698
775	55	132	1.0000	1.0000	0.523354
776	55	133	1.0000	1.0000	0.523354
777	55	134	1.0000	1.0000	0.523354
778	56	57	1.0000	1.0000	0.005571
779	56	58	1.0000	1.0000	0.115810
780	56	59	1.0000	1.0000	0.104103
781	56	60	1.0000	1.0000	0.044559
782	56	79	1.0000	1.0000	0.095282
783	57	58	1.0000	1.0000	0.121382
784	57	59	1.0000	1.0000	0.109675
785	57	60	1.0000	1.0000	0.050130
786	57	69	1.0000	1.0000	0.061954
787	57	85	1.0000	1.0000	0.067929
788	57	97	1.0000	1.0000	0.017082
789	57	98	1.0000	1.0000	0.065992
790	57	99	1.0000	1.0000	0.014068
791	58	59	1.0000	1.0000	0.011707
792	58	60	1.0000	1.0000	0.071251
793	58	73	1.0000	1.0000	0.133444

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
794	58	79	1.0000	1.0000	0.020528
795	58	89	1.0000	1.0000	0.033015
796	58	97	1.0000	1.0000	0.104300
797	58	102	1.0000	1.0000	0.102864
798	58	121	1.0000	1.0000	0.074726
799	58	127	1.0000	1.0000	0.141410
800	58	128	1.0000	1.0000	0.147610
801	58	129	1.0000	1.0000	0.118514
802	58	130	1.0000	1.0000	0.126373
803	59	60	1.0000	1.0000	0.059545
804	59	66	1.0000	1.0000	0.098682
805	59	74	1.0000	1.0000	0.224675
806	59	90	1.0000	1.0000	0.022752
807	59	99	1.0000	1.0000	0.095607
808	59	105	1.0000	1.0000	0.062872
809	59	109	1.0000	1.0000	0.107664
810	59	124	1.0000	1.0000	0.107099
811	59	128	1.0000	1.0000	0.135903
812	59	131	1.0000	1.0000	0.586614
813	59	133	1.0000	1.0000	0.413386
814	60	75	1.0000	1.0000	0.084867
815	60	91	1.0000	1.0000	0.012449
816	60	106	1.0000	1.0000	0.044466
817	60	112	1.0000	1.0000	0.165458
818	60	125	1.0000	1.0000	0.055186
819	60	130	1.0000	1.0000	0.055122
820	60	132	1.0000	1.0000	0.472930
821	60	133	1.0000	1.0000	0.472930
822	60	134	1.0000	1.0000	0.472930
823	61	62	1.0000	1.0000	0.012666
824	61	63	1.0000	1.0000	0.074415
825	61	64	1.0000	1.0000	0.055717
826	61	65	1.0000	1.0000	0.102930
827	61	66	1.0000	1.0000	0.116664
828	61	67	1.0000	1.0000	0.101590
829	61	80	1.0000	1.0000	0.032590

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
830	61	81	1.0000	1.0000	0.039469
831	61	82	1.0000	1.0000	0.107526
832	61	83	1.0000	1.0000	0.095118
833	61	84	1.0000	1.0000	0.112270
834	62	63	1.0000	1.0000	0.061749
835	62	64	1.0000	1.0000	0.043051
836	62	65	1.0000	1.0000	0.090264
837	62	66	1.0000	1.0000	0.103998
838	62	67	1.0000	1.0000	0.088924
839	62	80	1.0000	1.0000	0.019924
840	62	92	1.0000	1.0000	0.039290
841	62	93	1.0000	1.0000	0.057144
842	62	94	1.0000	1.0000	0.116388
843	62	95	1.0000	1.0000	0.157409
844	62	96	1.0000	1.0000	0.110523
845	63	64	1.0000	1.0000	0.018698
846	63	65	1.0000	1.0000	0.028516
847	63	66	1.0000	1.0000	0.042249
848	63	67	1.0000	1.0000	0.027176
849	63	71	1.0000	1.0000	0.042129
850	63	76	1.0000	1.0000	0.054482
851	63	87	1.0000	1.0000	0.036376
852	63	100	1.0000	1.0000	0.060630
853	63	107	1.0000	1.0000	0.053734
854	63	108	1.0000	1.0000	0.046504
855	63	109	1.0000	1.0000	0.051231
856	63	110	1.0000	1.0000	0.044907
857	63	111	1.0000	1.0000	0.039298
858	63	112	1.0000	1.0000	0.168569
859	64	65	1.0000	1.0000	0.047214
860	64	66	1.0000	1.0000	0.060947
861	64	67	1.0000	1.0000	0.045874
862	64	82	1.0000	1.0000	0.051809
863	64	92	1.0000	1.0000	0.003760
864	64	113	1.0000	1.0000	0.187089
865	64	114	1.0000	1.0000	0.163151

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
866	65	66	1.0000	1.0000	0.013734
867	65	67	1.0000	1.0000	0.001340
868	65	84	1.0000	1.0000	0.009339
869	65	95	1.0000	1.0000	0.067145
870	65	104	1.0000	1.0000	0.032318
871	65	114	1.0000	1.0000	0.115937
872	65	123	1.0000	1.0000	0.050132
873	66	67	1.0000	1.0000	0.015074
874	66	74	1.0000	1.0000	0.125993
875	66	90	1.0000	1.0000	0.075930
876	66	99	1.0000	1.0000	0.003075
877	66	105	1.0000	1.0000	0.035810
878	66	109	1.0000	1.0000	0.008982
879	66	124	1.0000	1.0000	0.008417
880	66	128	1.0000	1.0000	0.037221
881	66	131	1.0000	1.0000	0.487932
882	66	133	1.0000	1.0000	0.512068
883	67	78	1.0000	1.0000	0.031139
884	67	110	1.0000	1.0000	0.072082
885	67	118	1.0000	1.0000	0.010024
886	67	120	1.0000	1.0000	0.023038
887	67	129	1.0000	1.0000	0.023199
888	67	134	1.0000	1.0000	0.496994
889	68	69	1.0000	1.0000	0.052115
890	68	70	1.0000	1.0000	0.003505
891	68	71	1.0000	1.0000	0.001274
892	68	72	1.0000	1.0000	0.003013
893	68	73	1.0000	1.0000	0.021901
894	68	74	1.0000	1.0000	0.124839
895	68	75	1.0000	1.0000	0.044576
896	68	85	1.0000	1.0000	0.058090
897	68	86	1.0000	1.0000	0.002248
898	68	87	1.0000	1.0000	0.007027
899	68	88	1.0000	1.0000	0.002962
900	68	89	1.0000	1.0000	0.078527
901	68	90	1.0000	1.0000	0.077083

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
902	68	91	1.0000	1.0000	0.027842
903	69	70	1.0000	1.0000	0.055621
904	69	71	1.0000	1.0000	0.050841
905	69	72	1.0000	1.0000	0.055128
906	69	73	1.0000	1.0000	0.074016
907	69	74	1.0000	1.0000	0.176954
908	69	75	1.0000	1.0000	0.096692
909	69	85	1.0000	1.0000	0.005975
910	69	97	1.0000	1.0000	0.044873
911	69	98	1.0000	1.0000	0.004037
912	69	99	1.0000	1.0000	0.047887
913	70	71	1.0000	1.0000	0.004779
914	70	72	1.0000	1.0000	0.000492
915	70	73	1.0000	1.0000	0.018396
916	70	74	1.0000	1.0000	0.121334
917	70	75	1.0000	1.0000	0.041071
918	70	81	1.0000	1.0000	0.081854
919	70	86	1.0000	1.0000	0.005753
920	70	100	1.0000	1.0000	0.013722
921	70	101	1.0000	1.0000	0.042869
922	70	102	1.0000	1.0000	0.012184
923	70	103	1.0000	1.0000	0.008468
924	70	104	1.0000	1.0000	0.013925
925	70	105	1.0000	1.0000	0.040469
926	70	106	1.0000	1.0000	0.000670
927	71	72	1.0000	1.0000	0.004287
928	71	73	1.0000	1.0000	0.023175
929	71	74	1.0000	1.0000	0.126113
930	71	75	1.0000	1.0000	0.045850
931	71	76	1.0000	1.0000	0.012353
932	71	87	1.0000	1.0000	0.005753
933	71	100	1.0000	1.0000	0.018501
934	71	107	1.0000	1.0000	0.011605
935	71	108	1.0000	1.0000	0.004374
936	71	109	1.0000	1.0000	0.009102
937	71	110	1.0000	1.0000	0.087036

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
938	71	111	1.0000	1.0000	0.081427
939	71	112	1.0000	1.0000	0.126440
940	72	73	1.0000	1.0000	0.018888
941	72	74	1.0000	1.0000	0.121826
942	72	75	1.0000	1.0000	0.041563
943	72	83	1.0000	1.0000	0.025713
944	72	88	1.0000	1.0000	0.005975
945	72	93	1.0000	1.0000	0.051020
946	72	101	1.0000	1.0000	0.042377
947	72	108	1.0000	1.0000	0.000088
948	72	113	1.0000	1.0000	0.121975
949	72	121	1.0000	1.0000	0.039829
950	72	122	1.0000	1.0000	0.017819
951	72	123	1.0000	1.0000	0.032231
952	72	124	1.0000	1.0000	0.004250
953	72	125	1.0000	1.0000	0.011882
954	73	74	1.0000	1.0000	0.102938
955	73	75	1.0000	1.0000	0.022675
956	73	79	1.0000	1.0000	0.112915
957	73	89	1.0000	1.0000	0.100428
958	73	97	1.0000	1.0000	0.029144
959	73	102	1.0000	1.0000	0.030579
960	73	121	1.0000	1.0000	0.058717
961	73	127	1.0000	1.0000	0.007966
962	73	128	1.0000	1.0000	0.014167
963	73	129	1.0000	1.0000	0.014930
964	73	130	1.0000	1.0000	0.007070
965	74	75	1.0000	1.0000	0.080263
966	74	90	1.0000	1.0000	0.201922
967	74	99	1.0000	1.0000	0.129068
968	74	105	1.0000	1.0000	0.161802
969	74	109	1.0000	1.0000	0.117010
970	74	124	1.0000	1.0000	0.117576
971	74	128	1.0000	1.0000	0.088771
972	74	131	1.0000	1.0000	0.361940
973	74	133	1.0000	1.0000	0.638060

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
974	75	91	1.0000	1.0000	0.072419
975	75	106	1.0000	1.0000	0.040401
976	75	112	1.0000	1.0000	0.080590
977	75	125	1.0000	1.0000	0.029681
978	75	130	1.0000	1.0000	0.029745
979	75	132	1.0000	1.0000	0.557797
980	75	133	1.0000	1.0000	0.557797
981	75	134	1.0000	1.0000	0.557797
982	76	77	1.0000	1.0000	0.085787
983	76	78	1.0000	1.0000	0.058445
984	76	87	1.0000	1.0000	0.018106
985	76	100	1.0000	1.0000	0.006148
986	76	107	1.0000	1.0000	0.000748
987	76	108	1.0000	1.0000	0.007979
988	76	109	1.0000	1.0000	0.003251
989	76	110	1.0000	1.0000	0.099389
990	76	111	1.0000	1.0000	0.093780
991	76	112	1.0000	1.0000	0.114087
992	77	78	1.0000	1.0000	0.027342
993	77	115	1.0000	1.0000	0.126628
994	77	116	1.0000	1.0000	0.112978
995	77	117	1.0000	1.0000	0.039605
996	77	118	1.0000	1.0000	0.048456
997	78	110	1.0000	1.0000	0.040944
998	78	118	1.0000	1.0000	0.021114
999	78	120	1.0000	1.0000	0.008101
1000	78	129	1.0000	1.0000	0.054337
1001	78	134	1.0000	1.0000	0.465855
1002	79	89	1.0000	1.0000	0.012487
1003	79	97	1.0000	1.0000	0.083772
1004	79	102	1.0000	1.0000	0.082336
1005	79	121	1.0000	1.0000	0.054198
1006	79	127	1.0000	1.0000	0.120882
1007	79	128	1.0000	1.0000	0.127082
1008	79	129	1.0000	1.0000	0.097986
1009	79	130	1.0000	1.0000	0.105845

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1010	80	81	1.0000	1.0000	0.006879
1011	80	82	1.0000	1.0000	0.074936
1012	80	83	1.0000	1.0000	0.062528
1013	80	84	1.0000	1.0000	0.079679
1014	80	92	1.0000	1.0000	0.019366
1015	80	93	1.0000	1.0000	0.037220
1016	80	94	1.0000	1.0000	0.096464
1017	80	95	1.0000	1.0000	0.137485
1018	80	96	1.0000	1.0000	0.090599
1019	81	82	1.0000	1.0000	0.068057
1020	81	83	1.0000	1.0000	0.055649
1021	81	84	1.0000	1.0000	0.072801
1022	81	86	1.0000	1.0000	0.076101
1023	81	100	1.0000	1.0000	0.095575
1024	81	101	1.0000	1.0000	0.038985
1025	81	102	1.0000	1.0000	0.069670
1026	81	103	1.0000	1.0000	0.073386
1027	81	104	1.0000	1.0000	0.095779
1028	81	105	1.0000	1.0000	0.041385
1029	81	106	1.0000	1.0000	0.082524
1030	82	83	1.0000	1.0000	0.012408
1031	82	84	1.0000	1.0000	0.004743
1032	82	92	1.0000	1.0000	0.055570
1033	82	113	1.0000	1.0000	0.135279
1034	82	114	1.0000	1.0000	0.111341
1035	83	84	1.0000	1.0000	0.017152
1036	83	88	1.0000	1.0000	0.019738
1037	83	93	1.0000	1.0000	0.025308
1038	83	101	1.0000	1.0000	0.016664
1039	83	108	1.0000	1.0000	0.025800
1040	83	113	1.0000	1.0000	0.147688
1041	83	121	1.0000	1.0000	0.014116
1042	83	122	1.0000	1.0000	0.043532
1043	83	123	1.0000	1.0000	0.057944
1044	83	124	1.0000	1.0000	0.029963
1045	83	125	1.0000	1.0000	0.037595

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1046	84	95	1.0000	1.0000	0.057806
1047	84	104	1.0000	1.0000	0.022979
1048	84	114	1.0000	1.0000	0.106598
1049	84	123	1.0000	1.0000	0.040792
1050	85	86	1.0000	1.0000	0.055842
1051	85	87	1.0000	1.0000	0.051063
1052	85	88	1.0000	1.0000	0.055128
1053	85	89	1.0000	1.0000	0.020437
1054	85	90	1.0000	1.0000	0.018993
1055	85	91	1.0000	1.0000	0.030248
1056	85	97	1.0000	1.0000	0.050847
1057	85	98	1.0000	1.0000	0.001937
1058	85	99	1.0000	1.0000	0.053861
1059	86	87	1.0000	1.0000	0.004779
1060	86	88	1.0000	1.0000	0.000714
1061	86	89	1.0000	1.0000	0.076279
1062	86	90	1.0000	1.0000	0.074835
1063	86	91	1.0000	1.0000	0.025595
1064	86	100	1.0000	1.0000	0.019475
1065	86	101	1.0000	1.0000	0.037116
1066	86	102	1.0000	1.0000	0.006430
1067	86	103	1.0000	1.0000	0.002714
1068	86	104	1.0000	1.0000	0.019679
1069	86	105	1.0000	1.0000	0.034715
1070	86	106	1.0000	1.0000	0.006423
1071	87	88	1.0000	1.0000	0.004066
1072	87	89	1.0000	1.0000	0.071500
1073	87	90	1.0000	1.0000	0.070056
1074	87	91	1.0000	1.0000	0.020815
1075	87	100	1.0000	1.0000	0.024254
1076	87	107	1.0000	1.0000	0.017358
1077	87	108	1.0000	1.0000	0.010128
1078	87	109	1.0000	1.0000	0.014856
1079	87	110	1.0000	1.0000	0.081282
1080	87	111	1.0000	1.0000	0.075673
1081	87	112	1.0000	1.0000	0.132194

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1082	88	89	1.0000	1.0000	0.075565
1083	88	90	1.0000	1.0000	0.074122
1084	88	91	1.0000	1.0000	0.024881
1085	88	93	1.0000	1.0000	0.045046
1086	88	101	1.0000	1.0000	0.036402
1087	88	108	1.0000	1.0000	0.006062
1088	88	113	1.0000	1.0000	0.127950
1089	88	121	1.0000	1.0000	0.033855
1090	88	122	1.0000	1.0000	0.023793
1091	88	123	1.0000	1.0000	0.038206
1092	88	124	1.0000	1.0000	0.010225
1093	88	125	1.0000	1.0000	0.017857
1094	89	90	1.0000	1.0000	0.001444
1095	89	91	1.0000	1.0000	0.050685
1096	89	97	1.0000	1.0000	0.071284
1097	89	102	1.0000	1.0000	0.069849
1098	89	121	1.0000	1.0000	0.041711
1099	89	127	1.0000	1.0000	0.108395
1100	89	128	1.0000	1.0000	0.114595
1101	89	129	1.0000	1.0000	0.085499
1102	89	130	1.0000	1.0000	0.093358
1103	90	91	1.0000	1.0000	0.049241
1104	90	99	1.0000	1.0000	0.072855
1105	90	105	1.0000	1.0000	0.040120
1106	90	109	1.0000	1.0000	0.084912
1107	90	124	1.0000	1.0000	0.084347
1108	90	128	1.0000	1.0000	0.113151
1109	90	131	1.0000	1.0000	0.563862
1110	90	133	1.0000	1.0000	0.436138
1111	91	106	1.0000	1.0000	0.032018
1112	91	112	1.0000	1.0000	0.153009
1113	91	125	1.0000	1.0000	0.042737
1114	91	130	1.0000	1.0000	0.042673
1115	91	132	1.0000	1.0000	0.485379
1116	91	133	1.0000	1.0000	0.485379
1117	91	134	1.0000	1.0000	0.485379

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1118	92	93	1.0000	1.0000	0.017854
1119	92	94	1.0000	1.0000	0.077098
1120	92	95	1.0000	1.0000	0.118119
1121	92	96	1.0000	1.0000	0.071233
1122	92	113	1.0000	1.0000	0.190849
1123	92	114	1.0000	1.0000	0.166911
1124	93	94	1.0000	1.0000	0.059244
1125	93	95	1.0000	1.0000	0.100265
1126	93	96	1.0000	1.0000	0.053379
1127	93	101	1.0000	1.0000	0.008644
1128	93	108	1.0000	1.0000	0.051108
1129	93	113	1.0000	1.0000	0.172995
1130	93	121	1.0000	1.0000	0.011191
1131	93	122	1.0000	1.0000	0.068839
1132	93	123	1.0000	1.0000	0.083252
1133	93	124	1.0000	1.0000	0.055271
1134	93	125	1.0000	1.0000	0.062903
1135	94	95	1.0000	1.0000	0.041021
1136	94	96	1.0000	1.0000	0.005866
1137	94	116	1.0000	1.0000	0.027033
1138	94	119	1.0000	1.0000	0.090911
1139	94	126	1.0000	1.0000	0.000103
1140	95	96	1.0000	1.0000	0.046886
1141	95	104	1.0000	1.0000	0.034827
1142	95	114	1.0000	1.0000	0.048792
1143	95	123	1.0000	1.0000	0.017013
1144	96	111	1.0000	1.0000	0.088072
1145	96	126	1.0000	1.0000	0.005763
1146	97	98	1.0000	1.0000	0.048910
1147	97	99	1.0000	1.0000	0.003014
1148	97	102	1.0000	1.0000	0.001436
1149	97	121	1.0000	1.0000	0.029574
1150	97	127	1.0000	1.0000	0.037110
1151	97	128	1.0000	1.0000	0.043310
1152	97	129	1.0000	1.0000	0.014214
1153	97	130	1.0000	1.0000	0.022073

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1154	98	99	1.0000	1.0000	0.051924
1155	98	103	1.0000	1.0000	0.051191
1156	98	117	1.0000	1.0000	0.021050
1157	98	122	1.0000	1.0000	0.076985
1158	98	127	1.0000	1.0000	0.086020
1159	98	131	1.0000	1.0000	0.542932
1160	98	132	1.0000	1.0000	0.457068
1161	99	105	1.0000	1.0000	0.032735
1162	99	109	1.0000	1.0000	0.012057
1163	99	124	1.0000	1.0000	0.011492
1164	99	128	1.0000	1.0000	0.040296
1165	99	131	1.0000	1.0000	0.491007
1166	99	133	1.0000	1.0000	0.508993
1167	100	101	1.0000	1.0000	0.056591
1168	100	102	1.0000	1.0000	0.025905
1169	100	103	1.0000	1.0000	0.022189
1170	100	104	1.0000	1.0000	0.000204
1171	100	105	1.0000	1.0000	0.054190
1172	100	106	1.0000	1.0000	0.013052
1173	100	107	1.0000	1.0000	0.006896
1174	100	108	1.0000	1.0000	0.014126
1175	100	109	1.0000	1.0000	0.009398
1176	100	110	1.0000	1.0000	0.105536
1177	100	111	1.0000	1.0000	0.099928
1178	100	112	1.0000	1.0000	0.107940
1179	101	102	1.0000	1.0000	0.030685
1180	101	103	1.0000	1.0000	0.034402
1181	101	104	1.0000	1.0000	0.056794
1182	101	105	1.0000	1.0000	0.002400
1183	101	106	1.0000	1.0000	0.043539
1184	101	108	1.0000	1.0000	0.042464
1185	101	113	1.0000	1.0000	0.164352
1186	101	121	1.0000	1.0000	0.002548
1187	101	122	1.0000	1.0000	0.060196
1188	101	123	1.0000	1.0000	0.074608
1189	101	124	1.0000	1.0000	0.046627

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1190	101	125	1.0000	1.0000	0.054259
1191	102	103	1.0000	1.0000	0.003716
1192	102	104	1.0000	1.0000	0.026109
1193	102	105	1.0000	1.0000	0.028285
1194	102	106	1.0000	1.0000	0.012853
1195	102	121	1.0000	1.0000	0.028138
1196	102	127	1.0000	1.0000	0.038546
1197	102	128	1.0000	1.0000	0.044746
1198	102	129	1.0000	1.0000	0.015650
1199	102	130	1.0000	1.0000	0.023509
1200	103	104	1.0000	1.0000	0.022393
1201	103	105	1.0000	1.0000	0.032001
1202	103	106	1.0000	1.0000	0.009137
1203	103	117	1.0000	1.0000	0.030140
1204	103	122	1.0000	1.0000	0.025794
1205	103	127	1.0000	1.0000	0.034830
1206	103	131	1.0000	1.0000	0.491741
1207	103	132	1.0000	1.0000	0.508259
1208	104	105	1.0000	1.0000	0.054394
1209	104	106	1.0000	1.0000	0.013255
1210	104	114	1.0000	1.0000	0.083619
1211	104	123	1.0000	1.0000	0.017814
1212	105	106	1.0000	1.0000	0.041138
1213	105	109	1.0000	1.0000	0.044792
1214	105	124	1.0000	1.0000	0.044227
1215	105	128	1.0000	1.0000	0.073031
1216	105	131	1.0000	1.0000	0.523742
1217	105	133	1.0000	1.0000	0.476258
1218	106	112	1.0000	1.0000	0.120991
1219	106	125	1.0000	1.0000	0.010720
1220	106	130	1.0000	1.0000	0.010656
1221	106	132	1.0000	1.0000	0.517396
1222	106	133	1.0000	1.0000	0.517396
1223	106	134	1.0000	1.0000	0.517396
1224	107	108	1.0000	1.0000	0.007230
1225	107	109	1.0000	1.0000	0.002502

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1226	107	110	1.0000	1.0000	0.098640
1227	107	111	1.0000	1.0000	0.093031
1228	107	112	1.0000	1.0000	0.114836
1229	107	115	1.0000	1.0000	0.041590
1230	107	119	1.0000	1.0000	0.090005
1231	107	120	1.0000	1.0000	0.049596
1232	108	109	1.0000	1.0000	0.004728
1233	108	110	1.0000	1.0000	0.091410
1234	108	111	1.0000	1.0000	0.085801
1235	108	112	1.0000	1.0000	0.122066
1236	108	113	1.0000	1.0000	0.121887
1237	108	121	1.0000	1.0000	0.039917
1238	108	122	1.0000	1.0000	0.017731
1239	108	123	1.0000	1.0000	0.032144
1240	108	124	1.0000	1.0000	0.004163
1241	108	125	1.0000	1.0000	0.011794
1242	109	110	1.0000	1.0000	0.096138
1243	109	111	1.0000	1.0000	0.090529
1244	109	112	1.0000	1.0000	0.117338
1245	109	124	1.0000	1.0000	0.000565
1246	109	128	1.0000	1.0000	0.028239
1247	109	131	1.0000	1.0000	0.478950
1248	109	133	1.0000	1.0000	0.521050
1249	110	111	1.0000	1.0000	0.005609
1250	110	112	1.0000	1.0000	0.213476
1251	110	118	1.0000	1.0000	0.062058
1252	110	120	1.0000	1.0000	0.049044
1253	110	129	1.0000	1.0000	0.095281
1254	110	134	1.0000	1.0000	0.424912
1255	111	112	1.0000	1.0000	0.207867
1256	111	126	1.0000	1.0000	0.093835
1257	112	125	1.0000	1.0000	0.110271
1258	112	130	1.0000	1.0000	0.110336
1259	112	132	1.0000	1.0000	0.638388
1260	112	133	1.0000	1.0000	0.638388
1261	112	134	1.0000	1.0000	0.638388

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1262	113	114	1.0000	1.0000	0.023938
1263	113	121	1.0000	1.0000	0.161804
1264	113	122	1.0000	1.0000	0.104156
1265	113	123	1.0000	1.0000	0.089744
1266	113	124	1.0000	1.0000	0.117725
1267	113	125	1.0000	1.0000	0.110093
1268	114	123	1.0000	1.0000	0.065805
1269	115	116	1.0000	1.0000	0.013651
1270	115	117	1.0000	1.0000	0.087023
1271	115	118	1.0000	1.0000	0.078172
1272	115	119	1.0000	1.0000	0.131594
1273	115	120	1.0000	1.0000	0.091186
1274	116	117	1.0000	1.0000	0.073372
1275	116	118	1.0000	1.0000	0.064521
1276	116	119	1.0000	1.0000	0.117944
1277	116	126	1.0000	1.0000	0.027136
1278	117	118	1.0000	1.0000	0.008851
1279	117	122	1.0000	1.0000	0.055934
1280	117	127	1.0000	1.0000	0.064970
1281	117	131	1.0000	1.0000	0.521881
1282	117	132	1.0000	1.0000	0.478119
1283	118	120	1.0000	1.0000	0.013014
1284	118	129	1.0000	1.0000	0.033223
1285	118	134	1.0000	1.0000	0.486970
1286	119	120	1.0000	1.0000	0.040409
1287	119	126	1.0000	1.0000	0.090808
1288	120	129	1.0000	1.0000	0.046237
1289	120	134	1.0000	1.0000	0.473956
1290	121	122	1.0000	1.0000	0.057648
1291	121	123	1.0000	1.0000	0.072061
1292	121	124	1.0000	1.0000	0.044080
1293	121	125	1.0000	1.0000	0.051711
1294	121	127	1.0000	1.0000	0.066684
1295	121	128	1.0000	1.0000	0.072884
1296	121	129	1.0000	1.0000	0.043788
1297	121	130	1.0000	1.0000	0.051647

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1298	122	123	1.0000	1.0000	0.014413
1299	122	124	1.0000	1.0000	0.013568
1300	122	125	1.0000	1.0000	0.005937
1301	122	127	1.0000	1.0000	0.009036
1302	122	131	1.0000	1.0000	0.465947
1303	122	132	1.0000	1.0000	0.534053
1304	123	124	1.0000	1.0000	0.027981
1305	123	125	1.0000	1.0000	0.020349
1306	124	125	1.0000	1.0000	0.007632
1307	124	128	1.0000	1.0000	0.028804
1308	124	131	1.0000	1.0000	0.479516
1309	124	133	1.0000	1.0000	0.520484
1310	125	130	1.0000	1.0000	0.000064
1311	125	132	1.0000	1.0000	0.528116
1312	125	133	1.0000	1.0000	0.528116
1313	125	134	1.0000	1.0000	0.528116
1314	127	128	1.0000	1.0000	0.006200
1315	127	129	1.0000	1.0000	0.022896
1316	127	130	1.0000	1.0000	0.015037
1317	127	131	1.0000	1.0000	0.456911
1318	127	132	1.0000	1.0000	0.543089
1319	128	129	1.0000	1.0000	0.029096
1320	128	130	1.0000	1.0000	0.021237
1321	128	131	1.0000	1.0000	0.450711
1322	128	133	1.0000	1.0000	0.549289
1323	129	130	1.0000	1.0000	0.007859
1324	129	134	1.0000	1.0000	0.520193
1325	130	132	1.0000	1.0000	0.528052
1326	130	133	1.0000	1.0000	0.528052
1327	130	134	1.0000	1.0000	0.528052
1328	131	132	1.0000	1.0000	1.000000
1329	131	133	1.0000	1.0000	1.000000
1330	132	133	1.0000	1.0000	0.000000
1331	132	134	1.0000	1.0000	0.000000
1332	133	134	1.0000	1.0000	0.000000

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	80.179501 Ohm
Total current I	-7.859226e-06 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	0.080180
10	0.801795
100	8.017950
1000	80.179501
10000	801.795010

EXPERIMENT #48

Timestamp: 20260330_161705 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.65
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	141
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	141
Nodes after pruning	141
Edges before pruning	1343
Edges after pruning	1343

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	0	1	1.0000	1.0000	0.019952
1	0	2	1.0000	1.0000	0.024375

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2	0	3	1.0000	1.0000	0.000000
3	0	4	1.0000	1.0000	0.016364
4	0	5	1.0000	1.0000	0.030302
5	0	6	1.0000	1.0000	0.030916
6	0	7	1.0000	1.0000	0.080635
7	0	8	1.0000	1.0000	0.030302
8	0	10	1.0000	1.0000	0.006728
9	0	33	1.0000	1.0000	0.001970
10	0	34	1.0000	1.0000	0.011814
11	0	35	1.0000	1.0000	0.018980
12	0	36	1.0000	1.0000	0.000972
13	0	37	1.0000	1.0000	0.072187
14	0	38	1.0000	1.0000	0.072812
15	0	39	1.0000	1.0000	0.000525
16	0	40	1.0000	1.0000	0.023546
17	0	41	1.0000	1.0000	0.002021
18	0	42	1.0000	1.0000	0.021289
19	1	2	1.0000	1.0000	0.004423
20	1	3	1.0000	1.0000	0.019952
21	1	4	1.0000	1.0000	0.003587
22	1	5	1.0000	1.0000	0.010350
23	1	6	1.0000	1.0000	0.010965
24	1	7	1.0000	1.0000	0.060683
25	1	8	1.0000	1.0000	0.010350
26	1	12	1.0000	1.0000	0.010334
27	1	24	1.0000	1.0000	0.012280
28	1	45	1.0000	1.0000	0.006039
29	1	61	1.0000	1.0000	0.048544
30	1	69	1.0000	1.0000	0.001968
31	1	70	1.0000	1.0000	0.005717
32	1	71	1.0000	1.0000	0.023735
33	1	72	1.0000	1.0000	0.007268
34	1	73	1.0000	1.0000	0.031623
35	1	74	1.0000	1.0000	0.011005
36	2	3	1.0000	1.0000	0.024375
37	2	4	1.0000	1.0000	0.008010

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
38	2	5	1.0000	1.0000	0.005927
39	2	6	1.0000	1.0000	0.006541
40	2	7	1.0000	1.0000	0.056260
41	2	8	1.0000	1.0000	0.005927
42	2	14	1.0000	1.0000	0.012653
43	2	81	1.0000	1.0000	0.020133
44	2	96	1.0000	1.0000	0.008462
45	2	108	1.0000	1.0000	0.030855
46	2	109	1.0000	1.0000	0.097187
47	2	110	1.0000	1.0000	0.100695
48	2	111	1.0000	1.0000	0.109595
49	3	4	1.0000	1.0000	0.016364
50	3	5	1.0000	1.0000	0.030302
51	3	6	1.0000	1.0000	0.030916
52	3	7	1.0000	1.0000	0.080635
53	3	8	1.0000	1.0000	0.030302
54	3	16	1.0000	1.0000	0.006728
55	3	49	1.0000	1.0000	0.001970
56	3	77	1.0000	1.0000	0.016302
57	3	91	1.0000	1.0000	0.021647
58	3	97	1.0000	1.0000	0.014913
59	3	104	1.0000	1.0000	0.083224
60	3	112	1.0000	1.0000	0.000525
61	3	115	1.0000	1.0000	0.002905
62	3	123	1.0000	1.0000	0.021289
63	3	125	1.0000	1.0000	0.124027
64	3	126	1.0000	1.0000	0.004401
65	4	5	1.0000	1.0000	0.013937
66	4	6	1.0000	1.0000	0.014552
67	4	7	1.0000	1.0000	0.064271
68	4	8	1.0000	1.0000	0.013937
69	4	17	1.0000	1.0000	0.008057
70	4	29	1.0000	1.0000	0.009824
71	4	41	1.0000	1.0000	0.018385
72	4	51	1.0000	1.0000	0.004435
73	4	63	1.0000	1.0000	0.037679

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
74	4	67	1.0000	1.0000	0.007799
75	4	74	1.0000	1.0000	0.007418
76	4	78	1.0000	1.0000	0.087997
77	4	99	1.0000	1.0000	0.059633
78	4	116	1.0000	1.0000	0.004922
79	4	125	1.0000	1.0000	0.107662
80	4	127	1.0000	1.0000	0.018643
81	4	129	1.0000	1.0000	0.020379
82	4	130	1.0000	1.0000	0.077089
83	4	131	1.0000	1.0000	0.020582
84	5	6	1.0000	1.0000	0.000615
85	5	7	1.0000	1.0000	0.050333
86	5	8	1.0000	1.0000	0.000000
87	5	83	1.0000	1.0000	0.022767
88	5	117	1.0000	1.0000	0.029650
89	5	132	1.0000	1.0000	0.054620
90	5	133	1.0000	1.0000	0.057468
91	5	134	1.0000	1.0000	0.057359
92	6	7	1.0000	1.0000	0.049719
93	6	8	1.0000	1.0000	0.000615
94	6	31	1.0000	1.0000	0.011288
95	6	85	1.0000	1.0000	0.052237
96	6	109	1.0000	1.0000	0.103728
97	6	119	1.0000	1.0000	0.010924
98	6	132	1.0000	1.0000	0.055235
99	6	137	1.0000	1.0000	0.700700
100	6	138	1.0000	1.0000	0.299300
101	7	8	1.0000	1.0000	0.050333
102	7	19	1.0000	1.0000	0.019630
103	7	32	1.0000	1.0000	0.028165
104	7	64	1.0000	1.0000	0.043168
105	7	86	1.0000	1.0000	0.076393
106	7	101	1.0000	1.0000	0.152822
107	7	110	1.0000	1.0000	0.156955
108	7	120	1.0000	1.0000	0.104181
109	7	133	1.0000	1.0000	0.107802

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
110	7	137	1.0000	1.0000	0.750418
111	7	139	1.0000	1.0000	0.249582
112	7	140	1.0000	1.0000	0.249582
113	8	88	1.0000	1.0000	0.053146
114	8	122	1.0000	1.0000	0.032322
115	8	134	1.0000	1.0000	0.057359
116	8	138	1.0000	1.0000	0.299915
117	8	140	1.0000	1.0000	0.299915
118	9	10	1.0000	1.0000	0.009086
119	9	11	1.0000	1.0000	0.006762
120	9	12	1.0000	1.0000	0.007260
121	9	13	1.0000	1.0000	0.009167
122	9	14	1.0000	1.0000	0.009364
123	9	15	1.0000	1.0000	0.007393
124	9	16	1.0000	1.0000	0.009086
125	9	17	1.0000	1.0000	0.005949
126	9	18	1.0000	1.0000	0.011753
127	9	19	1.0000	1.0000	0.058647
128	9	20	1.0000	1.0000	0.009788
129	9	21	1.0000	1.0000	0.012512
130	9	22	1.0000	1.0000	0.004983
131	9	23	1.0000	1.0000	0.019971
132	9	24	1.0000	1.0000	0.005313
133	9	25	1.0000	1.0000	0.003311
134	9	26	1.0000	1.0000	0.013923
135	9	27	1.0000	1.0000	0.005857
136	9	28	1.0000	1.0000	0.017113
137	9	29	1.0000	1.0000	0.004182
138	10	11	1.0000	1.0000	0.015849
139	10	12	1.0000	1.0000	0.016346
140	10	13	1.0000	1.0000	0.000080
141	10	14	1.0000	1.0000	0.018450
142	10	15	1.0000	1.0000	0.016480
143	10	16	1.0000	1.0000	0.000000
144	10	17	1.0000	1.0000	0.015035
145	10	18	1.0000	1.0000	0.002666

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
146	10	19	1.0000	1.0000	0.067733
147	10	20	1.0000	1.0000	0.000701
148	10	21	1.0000	1.0000	0.003425
149	10	33	1.0000	1.0000	0.004758
150	10	34	1.0000	1.0000	0.005086
151	10	35	1.0000	1.0000	0.012252
152	10	36	1.0000	1.0000	0.005756
153	10	37	1.0000	1.0000	0.065459
154	10	38	1.0000	1.0000	0.066084
155	10	39	1.0000	1.0000	0.006203
156	10	40	1.0000	1.0000	0.016818
157	10	41	1.0000	1.0000	0.004707
158	10	42	1.0000	1.0000	0.014561
159	11	12	1.0000	1.0000	0.000497
160	11	13	1.0000	1.0000	0.015929
161	11	14	1.0000	1.0000	0.002602
162	11	15	1.0000	1.0000	0.000631
163	11	16	1.0000	1.0000	0.015849
164	11	17	1.0000	1.0000	0.000814
165	11	18	1.0000	1.0000	0.018515
166	11	19	1.0000	1.0000	0.051884
167	11	20	1.0000	1.0000	0.016550
168	11	21	1.0000	1.0000	0.019274
169	11	22	1.0000	1.0000	0.001779
170	11	33	1.0000	1.0000	0.011091
171	11	43	1.0000	1.0000	0.050324
172	11	44	1.0000	1.0000	0.018888
173	11	45	1.0000	1.0000	0.004791
174	11	46	1.0000	1.0000	0.001022
175	11	47	1.0000	1.0000	0.007258
176	11	48	1.0000	1.0000	0.004205
177	11	49	1.0000	1.0000	0.011091
178	11	50	1.0000	1.0000	0.015657
179	11	51	1.0000	1.0000	0.002809
180	11	52	1.0000	1.0000	0.013655
181	11	53	1.0000	1.0000	0.011366

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
182	12	13	1.0000	1.0000	0.016426
183	12	14	1.0000	1.0000	0.002104
184	12	15	1.0000	1.0000	0.000134
185	12	16	1.0000	1.0000	0.016346
186	12	17	1.0000	1.0000	0.001311
187	12	18	1.0000	1.0000	0.019012
188	12	19	1.0000	1.0000	0.051387
189	12	20	1.0000	1.0000	0.017047
190	12	21	1.0000	1.0000	0.019771
191	12	24	1.0000	1.0000	0.001946
192	12	45	1.0000	1.0000	0.004294
193	12	61	1.0000	1.0000	0.058877
194	12	69	1.0000	1.0000	0.008366
195	12	70	1.0000	1.0000	0.004617
196	12	71	1.0000	1.0000	0.013401
197	12	72	1.0000	1.0000	0.003066
198	12	73	1.0000	1.0000	0.021290
199	12	74	1.0000	1.0000	0.000672
200	13	14	1.0000	1.0000	0.018531
201	13	15	1.0000	1.0000	0.016560
202	13	16	1.0000	1.0000	0.000080
203	13	17	1.0000	1.0000	0.015116
204	13	18	1.0000	1.0000	0.002586
205	13	19	1.0000	1.0000	0.067814
206	13	20	1.0000	1.0000	0.000621
207	13	21	1.0000	1.0000	0.003345
208	13	26	1.0000	1.0000	0.004756
209	13	35	1.0000	1.0000	0.012172
210	13	70	1.0000	1.0000	0.021043
211	13	75	1.0000	1.0000	0.005006
212	13	79	1.0000	1.0000	0.008490
213	13	89	1.0000	1.0000	0.012172
214	13	90	1.0000	1.0000	0.010612
215	13	91	1.0000	1.0000	0.014838
216	13	92	1.0000	1.0000	0.013938
217	13	93	1.0000	1.0000	0.016662

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
218	13	94	1.0000	1.0000	0.028641
219	13	95	1.0000	1.0000	0.005837
220	14	15	1.0000	1.0000	0.001971
221	14	16	1.0000	1.0000	0.018450
222	14	17	1.0000	1.0000	0.003415
223	14	18	1.0000	1.0000	0.021117
224	14	19	1.0000	1.0000	0.049283
225	14	20	1.0000	1.0000	0.019152
226	14	21	1.0000	1.0000	0.021876
227	14	81	1.0000	1.0000	0.007481
228	14	96	1.0000	1.0000	0.021115
229	14	108	1.0000	1.0000	0.018202
230	14	109	1.0000	1.0000	0.084534
231	14	110	1.0000	1.0000	0.088042
232	14	111	1.0000	1.0000	0.096943
233	15	16	1.0000	1.0000	0.016480
234	15	17	1.0000	1.0000	0.001444
235	15	18	1.0000	1.0000	0.019146
236	15	19	1.0000	1.0000	0.051254
237	15	20	1.0000	1.0000	0.017181
238	15	21	1.0000	1.0000	0.019905
239	15	27	1.0000	1.0000	0.001536
240	15	30	1.0000	1.0000	0.010757
241	15	39	1.0000	1.0000	0.010276
242	15	48	1.0000	1.0000	0.003574
243	15	72	1.0000	1.0000	0.002932
244	15	76	1.0000	1.0000	0.002551
245	15	108	1.0000	1.0000	0.016232
246	15	115	1.0000	1.0000	0.012657
247	15	116	1.0000	1.0000	0.011535
248	15	117	1.0000	1.0000	0.050200
249	15	118	1.0000	1.0000	0.012829
250	15	119	1.0000	1.0000	0.010241
251	15	120	1.0000	1.0000	0.033297
252	15	121	1.0000	1.0000	0.036062
253	15	122	1.0000	1.0000	0.011772

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
254	16	17	1.0000	1.0000	0.015035
255	16	18	1.0000	1.0000	0.002666
256	16	19	1.0000	1.0000	0.067733
257	16	20	1.0000	1.0000	0.000701
258	16	21	1.0000	1.0000	0.003425
259	16	49	1.0000	1.0000	0.004758
260	16	77	1.0000	1.0000	0.009573
261	16	91	1.0000	1.0000	0.014918
262	16	97	1.0000	1.0000	0.021641
263	16	104	1.0000	1.0000	0.076496
264	16	112	1.0000	1.0000	0.006203
265	16	115	1.0000	1.0000	0.003823
266	16	123	1.0000	1.0000	0.014561
267	16	125	1.0000	1.0000	0.130755
268	16	126	1.0000	1.0000	0.002327
269	17	18	1.0000	1.0000	0.017701
270	17	19	1.0000	1.0000	0.052698
271	17	20	1.0000	1.0000	0.015736
272	17	21	1.0000	1.0000	0.018460
273	17	29	1.0000	1.0000	0.001767
274	17	41	1.0000	1.0000	0.010328
275	17	51	1.0000	1.0000	0.003622
276	17	63	1.0000	1.0000	0.045736
277	17	67	1.0000	1.0000	0.000258
278	17	74	1.0000	1.0000	0.000639
279	17	78	1.0000	1.0000	0.079940
280	17	99	1.0000	1.0000	0.067691
281	17	116	1.0000	1.0000	0.012980
282	17	125	1.0000	1.0000	0.115719
283	17	127	1.0000	1.0000	0.010586
284	17	129	1.0000	1.0000	0.028437
285	17	130	1.0000	1.0000	0.085147
286	17	131	1.0000	1.0000	0.028640
287	18	19	1.0000	1.0000	0.070399
288	18	20	1.0000	1.0000	0.001965
289	18	21	1.0000	1.0000	0.000759

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
290	18	52	1.0000	1.0000	0.004860
291	18	57	1.0000	1.0000	0.020529
292	18	84	1.0000	1.0000	0.066391
293	18	93	1.0000	1.0000	0.014077
294	18	100	1.0000	1.0000	0.080086
295	18	105	1.0000	1.0000	0.026048
296	18	113	1.0000	1.0000	0.021720
297	18	118	1.0000	1.0000	0.006317
298	18	129	1.0000	1.0000	0.046138
299	18	135	1.0000	1.0000	0.046138
300	18	136	1.0000	1.0000	0.102848
301	19	20	1.0000	1.0000	0.068434
302	19	21	1.0000	1.0000	0.071159
303	19	32	1.0000	1.0000	0.047795
304	19	64	1.0000	1.0000	0.023538
305	19	86	1.0000	1.0000	0.056764
306	19	101	1.0000	1.0000	0.133193
307	19	110	1.0000	1.0000	0.137325
308	19	120	1.0000	1.0000	0.084551
309	19	133	1.0000	1.0000	0.088172
310	19	137	1.0000	1.0000	0.730789
311	19	139	1.0000	1.0000	0.269211
312	19	140	1.0000	1.0000	0.269211
313	20	21	1.0000	1.0000	0.002724
314	20	42	1.0000	1.0000	0.013860
315	20	53	1.0000	1.0000	0.005184
316	20	58	1.0000	1.0000	0.022251
317	20	94	1.0000	1.0000	0.029262
318	20	106	1.0000	1.0000	0.037070
319	20	124	1.0000	1.0000	0.029711
320	20	126	1.0000	1.0000	0.003028
321	20	130	1.0000	1.0000	0.100883
322	20	135	1.0000	1.0000	0.044173
323	21	59	1.0000	1.0000	0.023212
324	21	87	1.0000	1.0000	0.059154
325	21	95	1.0000	1.0000	0.009182

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
326	21	107	1.0000	1.0000	0.092254
327	21	111	1.0000	1.0000	0.075067
328	21	114	1.0000	1.0000	0.030146
329	21	121	1.0000	1.0000	0.016157
330	21	131	1.0000	1.0000	0.047100
331	21	136	1.0000	1.0000	0.103607
332	22	23	1.0000	1.0000	0.024955
333	22	24	1.0000	1.0000	0.000330
334	22	25	1.0000	1.0000	0.008295
335	22	26	1.0000	1.0000	0.018906
336	22	27	1.0000	1.0000	0.000874
337	22	28	1.0000	1.0000	0.022097
338	22	29	1.0000	1.0000	0.000801
339	22	33	1.0000	1.0000	0.009312
340	22	43	1.0000	1.0000	0.052103
341	22	44	1.0000	1.0000	0.020667
342	22	45	1.0000	1.0000	0.006570
343	22	46	1.0000	1.0000	0.000757
344	22	47	1.0000	1.0000	0.009037
345	22	48	1.0000	1.0000	0.005984
346	22	49	1.0000	1.0000	0.009312
347	22	50	1.0000	1.0000	0.017436
348	22	51	1.0000	1.0000	0.004588
349	22	52	1.0000	1.0000	0.011876
350	22	53	1.0000	1.0000	0.009587
351	23	24	1.0000	1.0000	0.025284
352	23	25	1.0000	1.0000	0.016660
353	23	26	1.0000	1.0000	0.006048
354	23	27	1.0000	1.0000	0.025829
355	23	28	1.0000	1.0000	0.002858
356	23	29	1.0000	1.0000	0.024153
357	23	54	1.0000	1.0000	0.005644
358	23	55	1.0000	1.0000	0.083789
359	23	56	1.0000	1.0000	0.016195
360	23	57	1.0000	1.0000	0.012311
361	23	58	1.0000	1.0000	0.012067

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
362	23	59	1.0000	1.0000	0.015753
363	24	25	1.0000	1.0000	0.008624
364	24	26	1.0000	1.0000	0.019236
365	24	27	1.0000	1.0000	0.000544
366	24	28	1.0000	1.0000	0.022426
367	24	29	1.0000	1.0000	0.001131
368	24	45	1.0000	1.0000	0.006241
369	24	61	1.0000	1.0000	0.060824
370	24	69	1.0000	1.0000	0.010312
371	24	70	1.0000	1.0000	0.006563
372	24	71	1.0000	1.0000	0.011455
373	24	72	1.0000	1.0000	0.005012
374	24	73	1.0000	1.0000	0.019343
375	24	74	1.0000	1.0000	0.001275
376	25	26	1.0000	1.0000	0.010612
377	25	27	1.0000	1.0000	0.009169
378	25	28	1.0000	1.0000	0.013802
379	25	29	1.0000	1.0000	0.007493
380	25	34	1.0000	1.0000	0.010861
381	25	46	1.0000	1.0000	0.009052
382	25	69	1.0000	1.0000	0.018936
383	25	75	1.0000	1.0000	0.010861
384	25	76	1.0000	1.0000	0.008154
385	25	77	1.0000	1.0000	0.015349
386	25	78	1.0000	1.0000	0.070680
387	26	27	1.0000	1.0000	0.019780
388	26	28	1.0000	1.0000	0.003190
389	26	29	1.0000	1.0000	0.018105
390	26	35	1.0000	1.0000	0.007416
391	26	70	1.0000	1.0000	0.025799
392	26	75	1.0000	1.0000	0.000250
393	26	79	1.0000	1.0000	0.013247
394	26	89	1.0000	1.0000	0.007416
395	26	90	1.0000	1.0000	0.015368
396	26	91	1.0000	1.0000	0.010082
397	26	92	1.0000	1.0000	0.009182

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
398	26	93	1.0000	1.0000	0.011906
399	26	94	1.0000	1.0000	0.033398
400	26	95	1.0000	1.0000	0.010593
401	27	28	1.0000	1.0000	0.022971
402	27	29	1.0000	1.0000	0.001676
403	27	30	1.0000	1.0000	0.012293
404	27	39	1.0000	1.0000	0.008741
405	27	48	1.0000	1.0000	0.005110
406	27	72	1.0000	1.0000	0.004468
407	27	76	1.0000	1.0000	0.001015
408	27	108	1.0000	1.0000	0.014696
409	27	115	1.0000	1.0000	0.011121
410	27	116	1.0000	1.0000	0.013071
411	27	117	1.0000	1.0000	0.051736
412	27	118	1.0000	1.0000	0.011293
413	27	119	1.0000	1.0000	0.011777
414	27	120	1.0000	1.0000	0.031762
415	27	121	1.0000	1.0000	0.034526
416	27	122	1.0000	1.0000	0.010237
417	28	29	1.0000	1.0000	0.021295
418	28	40	1.0000	1.0000	0.008791
419	28	56	1.0000	1.0000	0.019053
420	28	73	1.0000	1.0000	0.003083
421	28	90	1.0000	1.0000	0.018558
422	28	103	1.0000	1.0000	0.065172
423	28	123	1.0000	1.0000	0.006534
424	28	124	1.0000	1.0000	0.037036
425	29	41	1.0000	1.0000	0.008561
426	29	51	1.0000	1.0000	0.005389
427	29	63	1.0000	1.0000	0.047503
428	29	67	1.0000	1.0000	0.002025
429	29	74	1.0000	1.0000	0.002406
430	29	78	1.0000	1.0000	0.078173
431	29	99	1.0000	1.0000	0.069458
432	29	116	1.0000	1.0000	0.014747
433	29	125	1.0000	1.0000	0.117486

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
434	29	127	1.0000	1.0000	0.008819
435	29	129	1.0000	1.0000	0.030203
436	29	130	1.0000	1.0000	0.086914
437	29	131	1.0000	1.0000	0.030406
438	30	31	1.0000	1.0000	0.021695
439	30	32	1.0000	1.0000	0.088291
440	30	39	1.0000	1.0000	0.021033
441	30	48	1.0000	1.0000	0.007183
442	30	72	1.0000	1.0000	0.007825
443	30	76	1.0000	1.0000	0.013308
444	30	108	1.0000	1.0000	0.026989
445	30	115	1.0000	1.0000	0.023414
446	30	116	1.0000	1.0000	0.000778
447	30	117	1.0000	1.0000	0.039443
448	30	118	1.0000	1.0000	0.023586
449	30	119	1.0000	1.0000	0.000516
450	30	120	1.0000	1.0000	0.044055
451	30	121	1.0000	1.0000	0.046819
452	30	122	1.0000	1.0000	0.022529
453	31	32	1.0000	1.0000	0.066596
454	31	85	1.0000	1.0000	0.063525
455	31	109	1.0000	1.0000	0.115016
456	31	119	1.0000	1.0000	0.022212
457	31	132	1.0000	1.0000	0.066523
458	31	137	1.0000	1.0000	0.711987
459	31	138	1.0000	1.0000	0.288013
460	32	64	1.0000	1.0000	0.071333
461	32	86	1.0000	1.0000	0.104558
462	32	101	1.0000	1.0000	0.180987
463	32	110	1.0000	1.0000	0.185120
464	32	120	1.0000	1.0000	0.132346
465	32	133	1.0000	1.0000	0.135967
466	32	137	1.0000	1.0000	0.778583
467	32	139	1.0000	1.0000	0.221417
468	32	140	1.0000	1.0000	0.221417
469	33	34	1.0000	1.0000	0.009844

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
470	33	35	1.0000	1.0000	0.017010
471	33	36	1.0000	1.0000	0.000998
472	33	37	1.0000	1.0000	0.070217
473	33	38	1.0000	1.0000	0.070842
474	33	39	1.0000	1.0000	0.001446
475	33	40	1.0000	1.0000	0.021576
476	33	41	1.0000	1.0000	0.000050
477	33	42	1.0000	1.0000	0.019319
478	33	43	1.0000	1.0000	0.061415
479	33	44	1.0000	1.0000	0.029979
480	33	45	1.0000	1.0000	0.015882
481	33	46	1.0000	1.0000	0.010069
482	33	47	1.0000	1.0000	0.018349
483	33	48	1.0000	1.0000	0.015296
484	33	49	1.0000	1.0000	0.000000
485	33	50	1.0000	1.0000	0.026748
486	33	51	1.0000	1.0000	0.013900
487	33	52	1.0000	1.0000	0.002564
488	33	53	1.0000	1.0000	0.000275
489	34	35	1.0000	1.0000	0.007166
490	34	36	1.0000	1.0000	0.010842
491	34	37	1.0000	1.0000	0.060373
492	34	38	1.0000	1.0000	0.060998
493	34	39	1.0000	1.0000	0.011290
494	34	40	1.0000	1.0000	0.011732
495	34	41	1.0000	1.0000	0.009794
496	34	42	1.0000	1.0000	0.009475
497	34	46	1.0000	1.0000	0.019913
498	34	69	1.0000	1.0000	0.029798
499	34	75	1.0000	1.0000	0.000000
500	34	76	1.0000	1.0000	0.019015
501	34	77	1.0000	1.0000	0.004487
502	34	78	1.0000	1.0000	0.059819
503	35	36	1.0000	1.0000	0.018009
504	35	37	1.0000	1.0000	0.053207
505	35	38	1.0000	1.0000	0.053831

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
506	35	39	1.0000	1.0000	0.018456
507	35	40	1.0000	1.0000	0.004566
508	35	41	1.0000	1.0000	0.016960
509	35	42	1.0000	1.0000	0.002309
510	35	70	1.0000	1.0000	0.033215
511	35	75	1.0000	1.0000	0.007166
512	35	79	1.0000	1.0000	0.020662
513	35	89	1.0000	1.0000	0.000000
514	35	90	1.0000	1.0000	0.022784
515	35	91	1.0000	1.0000	0.002666
516	35	92	1.0000	1.0000	0.001767
517	35	93	1.0000	1.0000	0.004491
518	35	94	1.0000	1.0000	0.040813
519	35	95	1.0000	1.0000	0.018009
520	36	37	1.0000	1.0000	0.071216
521	36	38	1.0000	1.0000	0.071840
522	36	39	1.0000	1.0000	0.000447
523	36	40	1.0000	1.0000	0.022574
524	36	41	1.0000	1.0000	0.001049
525	36	42	1.0000	1.0000	0.020317
526	36	47	1.0000	1.0000	0.017350
527	36	66	1.0000	1.0000	0.142847
528	36	71	1.0000	1.0000	0.002812
529	36	96	1.0000	1.0000	0.033809
530	36	97	1.0000	1.0000	0.015884
531	36	98	1.0000	1.0000	0.003030
532	36	99	1.0000	1.0000	0.076970
533	36	100	1.0000	1.0000	0.088508
534	36	101	1.0000	1.0000	0.071216
535	37	38	1.0000	1.0000	0.000624
536	37	39	1.0000	1.0000	0.071663
537	37	40	1.0000	1.0000	0.048641
538	37	41	1.0000	1.0000	0.070167
539	37	42	1.0000	1.0000	0.050898
540	37	80	1.0000	1.0000	0.000043
541	37	89	1.0000	1.0000	0.053207

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
542	37	102	1.0000	1.0000	0.003174
543	37	103	1.0000	1.0000	0.007739
544	37	104	1.0000	1.0000	0.011037
545	37	105	1.0000	1.0000	0.088841
546	37	106	1.0000	1.0000	0.101829
547	37	107	1.0000	1.0000	0.154288
548	38	39	1.0000	1.0000	0.072287
549	38	40	1.0000	1.0000	0.049266
550	38	41	1.0000	1.0000	0.070791
551	38	42	1.0000	1.0000	0.051523
552	38	55	1.0000	1.0000	0.028590
553	38	82	1.0000	1.0000	0.053287
554	38	102	1.0000	1.0000	0.002550
555	38	112	1.0000	1.0000	0.072287
556	38	113	1.0000	1.0000	0.085137
557	38	114	1.0000	1.0000	0.092804
558	39	40	1.0000	1.0000	0.023021
559	39	41	1.0000	1.0000	0.001496
560	39	42	1.0000	1.0000	0.020764
561	39	48	1.0000	1.0000	0.013850
562	39	72	1.0000	1.0000	0.013208
563	39	76	1.0000	1.0000	0.007726
564	39	108	1.0000	1.0000	0.005955
565	39	115	1.0000	1.0000	0.002380
566	39	116	1.0000	1.0000	0.021812
567	39	117	1.0000	1.0000	0.060476
568	39	118	1.0000	1.0000	0.002553
569	39	119	1.0000	1.0000	0.020517
570	39	120	1.0000	1.0000	0.023021
571	39	121	1.0000	1.0000	0.025786
572	39	122	1.0000	1.0000	0.001496
573	40	41	1.0000	1.0000	0.021525
574	40	42	1.0000	1.0000	0.002257
575	40	56	1.0000	1.0000	0.010262
576	40	73	1.0000	1.0000	0.011874
577	40	90	1.0000	1.0000	0.027349

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
578	40	103	1.0000	1.0000	0.056381
579	40	123	1.0000	1.0000	0.002257
580	40	124	1.0000	1.0000	0.045827
581	41	42	1.0000	1.0000	0.019268
582	41	51	1.0000	1.0000	0.013950
583	41	63	1.0000	1.0000	0.056064
584	41	67	1.0000	1.0000	0.010586
585	41	74	1.0000	1.0000	0.010967
586	41	78	1.0000	1.0000	0.069612
587	41	99	1.0000	1.0000	0.078019
588	41	116	1.0000	1.0000	0.023308
589	41	125	1.0000	1.0000	0.126047
590	41	127	1.0000	1.0000	0.000258
591	41	129	1.0000	1.0000	0.038764
592	41	130	1.0000	1.0000	0.095475
593	41	131	1.0000	1.0000	0.038967
594	42	53	1.0000	1.0000	0.019043
595	42	58	1.0000	1.0000	0.008391
596	42	94	1.0000	1.0000	0.043122
597	42	106	1.0000	1.0000	0.050930
598	42	124	1.0000	1.0000	0.043571
599	42	126	1.0000	1.0000	0.016888
600	42	130	1.0000	1.0000	0.114743
601	42	135	1.0000	1.0000	0.058033
602	43	44	1.0000	1.0000	0.031437
603	43	45	1.0000	1.0000	0.045533
604	43	46	1.0000	1.0000	0.051346
605	43	47	1.0000	1.0000	0.043067
606	43	48	1.0000	1.0000	0.046119
607	43	49	1.0000	1.0000	0.061415
608	43	50	1.0000	1.0000	0.034668
609	43	51	1.0000	1.0000	0.047516
610	43	52	1.0000	1.0000	0.063979
611	43	53	1.0000	1.0000	0.061691
612	43	60	1.0000	1.0000	0.058661
613	43	61	1.0000	1.0000	0.009050

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
614	43	62	1.0000	1.0000	0.046759
615	43	63	1.0000	1.0000	0.005402
616	43	64	1.0000	1.0000	0.021978
617	43	65	1.0000	1.0000	0.034359
618	44	45	1.0000	1.0000	0.014096
619	44	46	1.0000	1.0000	0.019910
620	44	47	1.0000	1.0000	0.011630
621	44	48	1.0000	1.0000	0.014683
622	44	49	1.0000	1.0000	0.029979
623	44	50	1.0000	1.0000	0.003231
624	44	51	1.0000	1.0000	0.016079
625	44	52	1.0000	1.0000	0.032542
626	44	53	1.0000	1.0000	0.030254
627	44	60	1.0000	1.0000	0.090097
628	44	66	1.0000	1.0000	0.113867
629	44	67	1.0000	1.0000	0.019443
630	44	68	1.0000	1.0000	0.031153
631	45	46	1.0000	1.0000	0.005813
632	45	47	1.0000	1.0000	0.002466
633	45	48	1.0000	1.0000	0.000587
634	45	49	1.0000	1.0000	0.015882
635	45	50	1.0000	1.0000	0.010865
636	45	51	1.0000	1.0000	0.001983
637	45	52	1.0000	1.0000	0.018446
638	45	53	1.0000	1.0000	0.016158
639	45	61	1.0000	1.0000	0.054583
640	45	69	1.0000	1.0000	0.004071
641	45	70	1.0000	1.0000	0.000323
642	45	71	1.0000	1.0000	0.017696
643	45	72	1.0000	1.0000	0.001229
644	45	73	1.0000	1.0000	0.025584
645	45	74	1.0000	1.0000	0.004966
646	46	47	1.0000	1.0000	0.008280
647	46	48	1.0000	1.0000	0.005227
648	46	49	1.0000	1.0000	0.010069
649	46	50	1.0000	1.0000	0.016679

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
650	46	51	1.0000	1.0000	0.003830
651	46	52	1.0000	1.0000	0.012633
652	46	53	1.0000	1.0000	0.010345
653	46	69	1.0000	1.0000	0.009884
654	46	75	1.0000	1.0000	0.019913
655	46	76	1.0000	1.0000	0.000898
656	46	77	1.0000	1.0000	0.024400
657	46	78	1.0000	1.0000	0.079732
658	47	48	1.0000	1.0000	0.003053
659	47	49	1.0000	1.0000	0.018349
660	47	50	1.0000	1.0000	0.008399
661	47	51	1.0000	1.0000	0.004449
662	47	52	1.0000	1.0000	0.020912
663	47	53	1.0000	1.0000	0.018624
664	47	66	1.0000	1.0000	0.125497
665	47	71	1.0000	1.0000	0.020162
666	47	96	1.0000	1.0000	0.016459
667	47	97	1.0000	1.0000	0.001466
668	47	98	1.0000	1.0000	0.020380
669	47	99	1.0000	1.0000	0.059619
670	47	100	1.0000	1.0000	0.105859
671	47	101	1.0000	1.0000	0.088566
672	48	49	1.0000	1.0000	0.015296
673	48	50	1.0000	1.0000	0.011452
674	48	51	1.0000	1.0000	0.001396
675	48	52	1.0000	1.0000	0.017860
676	48	53	1.0000	1.0000	0.015571
677	48	72	1.0000	1.0000	0.000642
678	48	76	1.0000	1.0000	0.006125
679	48	108	1.0000	1.0000	0.019806
680	48	115	1.0000	1.0000	0.016231
681	48	116	1.0000	1.0000	0.007961
682	48	117	1.0000	1.0000	0.046626
683	48	118	1.0000	1.0000	0.016403
684	48	119	1.0000	1.0000	0.006667
685	48	120	1.0000	1.0000	0.036872

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
686	48	121	1.0000	1.0000	0.039636
687	48	122	1.0000	1.0000	0.015346
688	49	50	1.0000	1.0000	0.026748
689	49	51	1.0000	1.0000	0.013900
690	49	52	1.0000	1.0000	0.002564
691	49	53	1.0000	1.0000	0.000275
692	49	77	1.0000	1.0000	0.014331
693	49	91	1.0000	1.0000	0.019676
694	49	97	1.0000	1.0000	0.016883
695	49	104	1.0000	1.0000	0.081254
696	49	112	1.0000	1.0000	0.001446
697	49	115	1.0000	1.0000	0.000935
698	49	123	1.0000	1.0000	0.019319
699	49	125	1.0000	1.0000	0.125997
700	49	126	1.0000	1.0000	0.002431
701	50	51	1.0000	1.0000	0.012848
702	50	52	1.0000	1.0000	0.029311
703	50	53	1.0000	1.0000	0.027023
704	50	62	1.0000	1.0000	0.081427
705	50	92	1.0000	1.0000	0.045524
706	50	98	1.0000	1.0000	0.028779
707	50	127	1.0000	1.0000	0.027056
708	50	128	1.0000	1.0000	0.029466
709	51	52	1.0000	1.0000	0.016463
710	51	53	1.0000	1.0000	0.014175
711	51	63	1.0000	1.0000	0.042114
712	51	67	1.0000	1.0000	0.003364
713	51	74	1.0000	1.0000	0.002983
714	51	78	1.0000	1.0000	0.083563
715	51	99	1.0000	1.0000	0.064068
716	51	116	1.0000	1.0000	0.009357
717	51	125	1.0000	1.0000	0.112097
718	51	127	1.0000	1.0000	0.014208
719	51	129	1.0000	1.0000	0.024814
720	51	130	1.0000	1.0000	0.081524
721	51	131	1.0000	1.0000	0.025017

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
722	52	53	1.0000	1.0000	0.002288
723	52	57	1.0000	1.0000	0.025390
724	52	84	1.0000	1.0000	0.061530
725	52	93	1.0000	1.0000	0.018937
726	52	100	1.0000	1.0000	0.084946
727	52	105	1.0000	1.0000	0.021187
728	52	113	1.0000	1.0000	0.016859
729	52	118	1.0000	1.0000	0.001456
730	52	129	1.0000	1.0000	0.041277
731	52	135	1.0000	1.0000	0.041277
732	52	136	1.0000	1.0000	0.097988
733	53	58	1.0000	1.0000	0.027435
734	53	94	1.0000	1.0000	0.024079
735	53	106	1.0000	1.0000	0.031887
736	53	124	1.0000	1.0000	0.024527
737	53	126	1.0000	1.0000	0.002155
738	53	130	1.0000	1.0000	0.095700
739	53	135	1.0000	1.0000	0.038989
740	54	55	1.0000	1.0000	0.078145
741	54	56	1.0000	1.0000	0.010552
742	54	57	1.0000	1.0000	0.006667
743	54	58	1.0000	1.0000	0.006424
744	54	59	1.0000	1.0000	0.010109
745	54	79	1.0000	1.0000	0.024939
746	54	80	1.0000	1.0000	0.048974
747	54	81	1.0000	1.0000	0.027498
748	54	82	1.0000	1.0000	0.003732
749	54	83	1.0000	1.0000	0.030791
750	54	84	1.0000	1.0000	0.080253
751	54	85	1.0000	1.0000	0.001936
752	54	86	1.0000	1.0000	0.027498
753	54	87	1.0000	1.0000	0.046050
754	54	88	1.0000	1.0000	0.000412
755	55	56	1.0000	1.0000	0.067594
756	55	57	1.0000	1.0000	0.071479
757	55	58	1.0000	1.0000	0.071722

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
758	55	59	1.0000	1.0000	0.068036
759	55	82	1.0000	1.0000	0.081877
760	55	102	1.0000	1.0000	0.026041
761	55	112	1.0000	1.0000	0.100877
762	55	113	1.0000	1.0000	0.113728
763	55	114	1.0000	1.0000	0.121395
764	56	57	1.0000	1.0000	0.003885
765	56	58	1.0000	1.0000	0.004128
766	56	59	1.0000	1.0000	0.000442
767	56	73	1.0000	1.0000	0.022136
768	56	90	1.0000	1.0000	0.037612
769	56	103	1.0000	1.0000	0.046118
770	56	123	1.0000	1.0000	0.012519
771	56	124	1.0000	1.0000	0.056090
772	57	58	1.0000	1.0000	0.000243
773	57	59	1.0000	1.0000	0.003442
774	57	84	1.0000	1.0000	0.086920
775	57	93	1.0000	1.0000	0.006452
776	57	100	1.0000	1.0000	0.059557
777	57	105	1.0000	1.0000	0.046577
778	57	113	1.0000	1.0000	0.042249
779	57	118	1.0000	1.0000	0.026846
780	57	129	1.0000	1.0000	0.066667
781	57	135	1.0000	1.0000	0.066667
782	57	136	1.0000	1.0000	0.123377
783	58	59	1.0000	1.0000	0.003686
784	58	94	1.0000	1.0000	0.051513
785	58	106	1.0000	1.0000	0.059321
786	58	124	1.0000	1.0000	0.051962
787	58	126	1.0000	1.0000	0.025279
788	58	130	1.0000	1.0000	0.123134
789	58	135	1.0000	1.0000	0.066424
790	59	87	1.0000	1.0000	0.035941
791	59	95	1.0000	1.0000	0.032394
792	59	107	1.0000	1.0000	0.115467
793	59	111	1.0000	1.0000	0.051855

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
794	59	114	1.0000	1.0000	0.053358
795	59	121	1.0000	1.0000	0.007055
796	59	131	1.0000	1.0000	0.070312
797	59	136	1.0000	1.0000	0.126820
798	60	61	1.0000	1.0000	0.049611
799	60	62	1.0000	1.0000	0.011901
800	60	63	1.0000	1.0000	0.064063
801	60	64	1.0000	1.0000	0.080639
802	60	65	1.0000	1.0000	0.093020
803	60	66	1.0000	1.0000	0.023770
804	60	67	1.0000	1.0000	0.109540
805	60	68	1.0000	1.0000	0.121251
806	61	62	1.0000	1.0000	0.037709
807	61	63	1.0000	1.0000	0.014452
808	61	64	1.0000	1.0000	0.031028
809	61	65	1.0000	1.0000	0.043409
810	61	69	1.0000	1.0000	0.050512
811	61	70	1.0000	1.0000	0.054260
812	61	71	1.0000	1.0000	0.072279
813	61	72	1.0000	1.0000	0.055812
814	61	73	1.0000	1.0000	0.080167
815	61	74	1.0000	1.0000	0.059549
816	62	63	1.0000	1.0000	0.052161
817	62	64	1.0000	1.0000	0.068737
818	62	65	1.0000	1.0000	0.081118
819	62	92	1.0000	1.0000	0.126951
820	62	98	1.0000	1.0000	0.110206
821	62	127	1.0000	1.0000	0.108483
822	62	128	1.0000	1.0000	0.110893
823	63	64	1.0000	1.0000	0.016576
824	63	65	1.0000	1.0000	0.028957
825	63	67	1.0000	1.0000	0.045478
826	63	74	1.0000	1.0000	0.045097
827	63	78	1.0000	1.0000	0.125676
828	63	99	1.0000	1.0000	0.021955
829	63	116	1.0000	1.0000	0.032756

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
830	63	125	1.0000	1.0000	0.069983
831	63	127	1.0000	1.0000	0.056322
832	63	129	1.0000	1.0000	0.017299
833	63	130	1.0000	1.0000	0.039411
834	63	131	1.0000	1.0000	0.017096
835	64	65	1.0000	1.0000	0.012381
836	64	86	1.0000	1.0000	0.033225
837	64	101	1.0000	1.0000	0.109655
838	64	110	1.0000	1.0000	0.113787
839	64	120	1.0000	1.0000	0.061013
840	64	133	1.0000	1.0000	0.064634
841	64	137	1.0000	1.0000	0.707251
842	64	139	1.0000	1.0000	0.292749
843	64	140	1.0000	1.0000	0.292749
844	65	68	1.0000	1.0000	0.028231
845	65	128	1.0000	1.0000	0.029775
846	65	139	1.0000	1.0000	0.305131
847	66	67	1.0000	1.0000	0.133310
848	66	68	1.0000	1.0000	0.145020
849	66	71	1.0000	1.0000	0.145659
850	66	96	1.0000	1.0000	0.109038
851	66	97	1.0000	1.0000	0.126963
852	66	98	1.0000	1.0000	0.145877
853	66	99	1.0000	1.0000	0.065877
854	66	100	1.0000	1.0000	0.231356
855	66	101	1.0000	1.0000	0.214063
856	67	68	1.0000	1.0000	0.011710
857	67	74	1.0000	1.0000	0.000381
858	67	78	1.0000	1.0000	0.080199
859	67	99	1.0000	1.0000	0.067432
860	67	116	1.0000	1.0000	0.012721
861	67	125	1.0000	1.0000	0.115461
862	67	127	1.0000	1.0000	0.010844
863	67	129	1.0000	1.0000	0.028178
864	67	130	1.0000	1.0000	0.084888
865	67	131	1.0000	1.0000	0.028381

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
866	68	128	1.0000	1.0000	0.001544
867	68	139	1.0000	1.0000	0.333362
868	69	70	1.0000	1.0000	0.003749
869	69	71	1.0000	1.0000	0.021767
870	69	72	1.0000	1.0000	0.005300
871	69	73	1.0000	1.0000	0.029655
872	69	74	1.0000	1.0000	0.009037
873	69	75	1.0000	1.0000	0.029798
874	69	76	1.0000	1.0000	0.010782
875	69	77	1.0000	1.0000	0.034285
876	69	78	1.0000	1.0000	0.089617
877	70	71	1.0000	1.0000	0.018018
878	70	72	1.0000	1.0000	0.001551
879	70	73	1.0000	1.0000	0.025907
880	70	74	1.0000	1.0000	0.005289
881	70	75	1.0000	1.0000	0.026049
882	70	79	1.0000	1.0000	0.012553
883	70	89	1.0000	1.0000	0.033215
884	70	90	1.0000	1.0000	0.010431
885	70	91	1.0000	1.0000	0.035881
886	70	92	1.0000	1.0000	0.034982
887	70	93	1.0000	1.0000	0.037706
888	70	94	1.0000	1.0000	0.007598
889	70	95	1.0000	1.0000	0.015207
890	71	72	1.0000	1.0000	0.016467
891	71	73	1.0000	1.0000	0.007888
892	71	74	1.0000	1.0000	0.012730
893	71	96	1.0000	1.0000	0.036621
894	71	97	1.0000	1.0000	0.018696
895	71	98	1.0000	1.0000	0.000218
896	71	99	1.0000	1.0000	0.079781
897	71	100	1.0000	1.0000	0.085697
898	71	101	1.0000	1.0000	0.068404
899	72	73	1.0000	1.0000	0.024355
900	72	74	1.0000	1.0000	0.003737
901	72	76	1.0000	1.0000	0.005482

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
902	72	108	1.0000	1.0000	0.019163
903	72	115	1.0000	1.0000	0.015589
904	72	116	1.0000	1.0000	0.008603
905	72	117	1.0000	1.0000	0.047268
906	72	118	1.0000	1.0000	0.015761
907	72	119	1.0000	1.0000	0.007309
908	72	120	1.0000	1.0000	0.036229
909	72	121	1.0000	1.0000	0.038994
910	72	122	1.0000	1.0000	0.014704
911	73	74	1.0000	1.0000	0.020618
912	73	90	1.0000	1.0000	0.015475
913	73	103	1.0000	1.0000	0.068255
914	73	123	1.0000	1.0000	0.009617
915	73	124	1.0000	1.0000	0.033953
916	74	78	1.0000	1.0000	0.080579
917	74	99	1.0000	1.0000	0.067052
918	74	116	1.0000	1.0000	0.012341
919	74	125	1.0000	1.0000	0.115080
920	74	127	1.0000	1.0000	0.011225
921	74	129	1.0000	1.0000	0.027797
922	74	130	1.0000	1.0000	0.084508
923	74	131	1.0000	1.0000	0.028000
924	75	76	1.0000	1.0000	0.019015
925	75	77	1.0000	1.0000	0.004487
926	75	78	1.0000	1.0000	0.059819
927	75	79	1.0000	1.0000	0.013496
928	75	89	1.0000	1.0000	0.007166
929	75	90	1.0000	1.0000	0.015618
930	75	91	1.0000	1.0000	0.009832
931	75	92	1.0000	1.0000	0.008933
932	75	93	1.0000	1.0000	0.011657
933	75	94	1.0000	1.0000	0.033647
934	75	95	1.0000	1.0000	0.010842
935	76	77	1.0000	1.0000	0.023502
936	76	78	1.0000	1.0000	0.078834
937	76	108	1.0000	1.0000	0.013681

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
938	76	115	1.0000	1.0000	0.010106
939	76	116	1.0000	1.0000	0.014086
940	76	117	1.0000	1.0000	0.052751
941	76	118	1.0000	1.0000	0.010278
942	76	119	1.0000	1.0000	0.012791
943	76	120	1.0000	1.0000	0.030747
944	76	121	1.0000	1.0000	0.033511
945	76	122	1.0000	1.0000	0.009222
946	77	78	1.0000	1.0000	0.055332
947	77	91	1.0000	1.0000	0.005345
948	77	97	1.0000	1.0000	0.031214
949	77	104	1.0000	1.0000	0.066923
950	77	112	1.0000	1.0000	0.015777
951	77	115	1.0000	1.0000	0.013396
952	77	123	1.0000	1.0000	0.004988
953	77	125	1.0000	1.0000	0.140328
954	77	126	1.0000	1.0000	0.011900
955	78	99	1.0000	1.0000	0.147631
956	78	116	1.0000	1.0000	0.092920
957	78	125	1.0000	1.0000	0.195660
958	78	127	1.0000	1.0000	0.069354
959	78	129	1.0000	1.0000	0.108377
960	78	130	1.0000	1.0000	0.165087
961	78	131	1.0000	1.0000	0.108580
962	79	80	1.0000	1.0000	0.073913
963	79	81	1.0000	1.0000	0.002560
964	79	82	1.0000	1.0000	0.021207
965	79	83	1.0000	1.0000	0.005853
966	79	84	1.0000	1.0000	0.055315
967	79	85	1.0000	1.0000	0.023003
968	79	86	1.0000	1.0000	0.002560
969	79	87	1.0000	1.0000	0.070989
970	79	88	1.0000	1.0000	0.024527
971	79	89	1.0000	1.0000	0.020662
972	79	90	1.0000	1.0000	0.002122
973	79	91	1.0000	1.0000	0.023328

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
974	79	92	1.0000	1.0000	0.022429
975	79	93	1.0000	1.0000	0.025153
976	79	94	1.0000	1.0000	0.020151
977	79	95	1.0000	1.0000	0.002654
978	80	81	1.0000	1.0000	0.076472
979	80	82	1.0000	1.0000	0.052706
980	80	83	1.0000	1.0000	0.079765
981	80	84	1.0000	1.0000	0.129227
982	80	85	1.0000	1.0000	0.050910
983	80	86	1.0000	1.0000	0.076472
984	80	87	1.0000	1.0000	0.002924
985	80	88	1.0000	1.0000	0.049386
986	80	89	1.0000	1.0000	0.053250
987	80	102	1.0000	1.0000	0.003131
988	80	103	1.0000	1.0000	0.007696
989	80	104	1.0000	1.0000	0.010994
990	80	105	1.0000	1.0000	0.088884
991	80	106	1.0000	1.0000	0.101872
992	80	107	1.0000	1.0000	0.154331
993	81	82	1.0000	1.0000	0.023766
994	81	83	1.0000	1.0000	0.003293
995	81	84	1.0000	1.0000	0.052755
996	81	85	1.0000	1.0000	0.025563
997	81	86	1.0000	1.0000	0.000000
998	81	87	1.0000	1.0000	0.073549
999	81	88	1.0000	1.0000	0.027086
1000	81	96	1.0000	1.0000	0.028596
1001	81	108	1.0000	1.0000	0.010722
1002	81	109	1.0000	1.0000	0.077054
1003	81	110	1.0000	1.0000	0.080562
1004	81	111	1.0000	1.0000	0.089462
1005	82	83	1.0000	1.0000	0.027059
1006	82	84	1.0000	1.0000	0.076521
1007	82	85	1.0000	1.0000	0.001796
1008	82	86	1.0000	1.0000	0.023766
1009	82	87	1.0000	1.0000	0.049782

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1010	82	88	1.0000	1.0000	0.003320
1011	82	102	1.0000	1.0000	0.055837
1012	82	112	1.0000	1.0000	0.019000
1013	82	113	1.0000	1.0000	0.031850
1014	82	114	1.0000	1.0000	0.039517
1015	83	84	1.0000	1.0000	0.049462
1016	83	85	1.0000	1.0000	0.028856
1017	83	86	1.0000	1.0000	0.003293
1018	83	87	1.0000	1.0000	0.076842
1019	83	88	1.0000	1.0000	0.030379
1020	83	117	1.0000	1.0000	0.052417
1021	83	132	1.0000	1.0000	0.031853
1022	83	133	1.0000	1.0000	0.034701
1023	83	134	1.0000	1.0000	0.080126
1024	84	85	1.0000	1.0000	0.078317
1025	84	86	1.0000	1.0000	0.052755
1026	84	87	1.0000	1.0000	0.126303
1027	84	88	1.0000	1.0000	0.079841
1028	84	93	1.0000	1.0000	0.080467
1029	84	100	1.0000	1.0000	0.146477
1030	84	105	1.0000	1.0000	0.040343
1031	84	113	1.0000	1.0000	0.044671
1032	84	118	1.0000	1.0000	0.060074
1033	84	129	1.0000	1.0000	0.020253
1034	84	135	1.0000	1.0000	0.020253
1035	84	136	1.0000	1.0000	0.036457
1036	85	86	1.0000	1.0000	0.025563
1037	85	87	1.0000	1.0000	0.047986
1038	85	88	1.0000	1.0000	0.001524
1039	85	109	1.0000	1.0000	0.051491
1040	85	119	1.0000	1.0000	0.041313
1041	85	132	1.0000	1.0000	0.002998
1042	85	137	1.0000	1.0000	0.648462
1043	85	138	1.0000	1.0000	0.351538
1044	86	87	1.0000	1.0000	0.073549
1045	86	88	1.0000	1.0000	0.027086

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1046	86	101	1.0000	1.0000	0.076429
1047	86	110	1.0000	1.0000	0.080562
1048	86	120	1.0000	1.0000	0.027788
1049	86	133	1.0000	1.0000	0.031408
1050	86	137	1.0000	1.0000	0.674025
1051	86	139	1.0000	1.0000	0.325975
1052	86	140	1.0000	1.0000	0.325975
1053	87	88	1.0000	1.0000	0.046462
1054	87	95	1.0000	1.0000	0.068335
1055	87	107	1.0000	1.0000	0.151408
1056	87	111	1.0000	1.0000	0.015913
1057	87	114	1.0000	1.0000	0.089299
1058	87	121	1.0000	1.0000	0.042997
1059	87	131	1.0000	1.0000	0.106254
1060	87	136	1.0000	1.0000	0.162761
1061	88	122	1.0000	1.0000	0.020824
1062	88	134	1.0000	1.0000	0.110506
1063	88	138	1.0000	1.0000	0.353061
1064	88	140	1.0000	1.0000	0.353061
1065	89	90	1.0000	1.0000	0.022784
1066	89	91	1.0000	1.0000	0.002666
1067	89	92	1.0000	1.0000	0.001767
1068	89	93	1.0000	1.0000	0.004491
1069	89	94	1.0000	1.0000	0.040813
1070	89	95	1.0000	1.0000	0.018009
1071	89	102	1.0000	1.0000	0.056381
1072	89	103	1.0000	1.0000	0.060946
1073	89	104	1.0000	1.0000	0.064244
1074	89	105	1.0000	1.0000	0.035634
1075	89	106	1.0000	1.0000	0.048622
1076	89	107	1.0000	1.0000	0.101081
1077	90	91	1.0000	1.0000	0.025450
1078	90	92	1.0000	1.0000	0.024550
1079	90	93	1.0000	1.0000	0.027274
1080	90	94	1.0000	1.0000	0.018029
1081	90	95	1.0000	1.0000	0.004775

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1082	90	103	1.0000	1.0000	0.083730
1083	90	123	1.0000	1.0000	0.025093
1084	90	124	1.0000	1.0000	0.018478
1085	91	92	1.0000	1.0000	0.000900
1086	91	93	1.0000	1.0000	0.001825
1087	91	94	1.0000	1.0000	0.043479
1088	91	95	1.0000	1.0000	0.020675
1089	91	97	1.0000	1.0000	0.036559
1090	91	104	1.0000	1.0000	0.061578
1091	91	112	1.0000	1.0000	0.021122
1092	91	115	1.0000	1.0000	0.018741
1093	91	123	1.0000	1.0000	0.000357
1094	91	125	1.0000	1.0000	0.145673
1095	91	126	1.0000	1.0000	0.017245
1096	92	93	1.0000	1.0000	0.002724
1097	92	94	1.0000	1.0000	0.042580
1098	92	95	1.0000	1.0000	0.019775
1099	92	98	1.0000	1.0000	0.016745
1100	92	127	1.0000	1.0000	0.018468
1101	92	128	1.0000	1.0000	0.016058
1102	93	94	1.0000	1.0000	0.045304
1103	93	95	1.0000	1.0000	0.022499
1104	93	100	1.0000	1.0000	0.066009
1105	93	105	1.0000	1.0000	0.040124
1106	93	113	1.0000	1.0000	0.035797
1107	93	118	1.0000	1.0000	0.020393
1108	93	129	1.0000	1.0000	0.060215
1109	93	135	1.0000	1.0000	0.060215
1110	93	136	1.0000	1.0000	0.116925
1111	94	95	1.0000	1.0000	0.022805
1112	94	106	1.0000	1.0000	0.007808
1113	94	124	1.0000	1.0000	0.000449
1114	94	126	1.0000	1.0000	0.026234
1115	94	130	1.0000	1.0000	0.071621
1116	94	135	1.0000	1.0000	0.014911
1117	95	107	1.0000	1.0000	0.083073

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1118	95	111	1.0000	1.0000	0.084249
1119	95	114	1.0000	1.0000	0.020964
1120	95	121	1.0000	1.0000	0.025339
1121	95	131	1.0000	1.0000	0.037918
1122	95	136	1.0000	1.0000	0.094426
1123	96	97	1.0000	1.0000	0.017925
1124	96	98	1.0000	1.0000	0.036839
1125	96	99	1.0000	1.0000	0.043161
1126	96	100	1.0000	1.0000	0.122317
1127	96	101	1.0000	1.0000	0.105025
1128	96	108	1.0000	1.0000	0.039317
1129	96	109	1.0000	1.0000	0.105649
1130	96	110	1.0000	1.0000	0.109157
1131	96	111	1.0000	1.0000	0.118058
1132	97	98	1.0000	1.0000	0.018914
1133	97	99	1.0000	1.0000	0.061085
1134	97	100	1.0000	1.0000	0.104393
1135	97	101	1.0000	1.0000	0.087100
1136	97	104	1.0000	1.0000	0.098137
1137	97	112	1.0000	1.0000	0.015437
1138	97	115	1.0000	1.0000	0.017818
1139	97	123	1.0000	1.0000	0.036202
1140	97	125	1.0000	1.0000	0.109114
1141	97	126	1.0000	1.0000	0.019314
1142	98	99	1.0000	1.0000	0.079999
1143	98	100	1.0000	1.0000	0.085479
1144	98	101	1.0000	1.0000	0.068186
1145	98	127	1.0000	1.0000	0.001723
1146	98	128	1.0000	1.0000	0.000687
1147	99	100	1.0000	1.0000	0.165478
1148	99	101	1.0000	1.0000	0.148185
1149	99	116	1.0000	1.0000	0.054711
1150	99	125	1.0000	1.0000	0.048029
1151	99	127	1.0000	1.0000	0.078277
1152	99	129	1.0000	1.0000	0.039254
1153	99	130	1.0000	1.0000	0.017456

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1154	99	131	1.0000	1.0000	0.039051
1155	100	101	1.0000	1.0000	0.017293
1156	100	105	1.0000	1.0000	0.106134
1157	100	113	1.0000	1.0000	0.101806
1158	100	118	1.0000	1.0000	0.086403
1159	100	129	1.0000	1.0000	0.126224
1160	100	135	1.0000	1.0000	0.126224
1161	100	136	1.0000	1.0000	0.182934
1162	101	110	1.0000	1.0000	0.004132
1163	101	120	1.0000	1.0000	0.048641
1164	101	133	1.0000	1.0000	0.045021
1165	101	137	1.0000	1.0000	0.597596
1166	101	139	1.0000	1.0000	0.402404
1167	101	140	1.0000	1.0000	0.402404
1168	102	103	1.0000	1.0000	0.004565
1169	102	104	1.0000	1.0000	0.007863
1170	102	105	1.0000	1.0000	0.092015
1171	102	106	1.0000	1.0000	0.105002
1172	102	107	1.0000	1.0000	0.157462
1173	102	112	1.0000	1.0000	0.074837
1174	102	113	1.0000	1.0000	0.087687
1175	102	114	1.0000	1.0000	0.095354
1176	103	104	1.0000	1.0000	0.003298
1177	103	105	1.0000	1.0000	0.096580
1178	103	106	1.0000	1.0000	0.109568
1179	103	107	1.0000	1.0000	0.162027
1180	103	123	1.0000	1.0000	0.058638
1181	103	124	1.0000	1.0000	0.102208
1182	104	105	1.0000	1.0000	0.099878
1183	104	106	1.0000	1.0000	0.112865
1184	104	107	1.0000	1.0000	0.165325
1185	104	112	1.0000	1.0000	0.082699
1186	104	115	1.0000	1.0000	0.080319
1187	104	123	1.0000	1.0000	0.061935
1188	104	125	1.0000	1.0000	0.207251
1189	104	126	1.0000	1.0000	0.078823

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1190	105	106	1.0000	1.0000	0.012988
1191	105	107	1.0000	1.0000	0.065447
1192	105	113	1.0000	1.0000	0.004328
1193	105	118	1.0000	1.0000	0.019731
1194	105	129	1.0000	1.0000	0.020090
1195	105	135	1.0000	1.0000	0.020090
1196	105	136	1.0000	1.0000	0.076800
1197	106	107	1.0000	1.0000	0.052460
1198	106	124	1.0000	1.0000	0.007360
1199	106	126	1.0000	1.0000	0.034042
1200	106	130	1.0000	1.0000	0.063813
1201	106	135	1.0000	1.0000	0.007103
1202	107	111	1.0000	1.0000	0.167321
1203	107	114	1.0000	1.0000	0.062108
1204	107	121	1.0000	1.0000	0.108411
1205	107	131	1.0000	1.0000	0.045154
1206	107	136	1.0000	1.0000	0.011353
1207	108	109	1.0000	1.0000	0.066332
1208	108	110	1.0000	1.0000	0.069840
1209	108	111	1.0000	1.0000	0.078740
1210	108	115	1.0000	1.0000	0.003575
1211	108	116	1.0000	1.0000	0.027767
1212	108	117	1.0000	1.0000	0.066432
1213	108	118	1.0000	1.0000	0.003403
1214	108	119	1.0000	1.0000	0.026472
1215	108	120	1.0000	1.0000	0.017066
1216	108	121	1.0000	1.0000	0.019830
1217	108	122	1.0000	1.0000	0.004459
1218	109	110	1.0000	1.0000	0.003508
1219	109	111	1.0000	1.0000	0.012409
1220	109	119	1.0000	1.0000	0.092804
1221	109	132	1.0000	1.0000	0.048493
1222	109	137	1.0000	1.0000	0.596972
1223	109	138	1.0000	1.0000	0.403028
1224	110	111	1.0000	1.0000	0.008901
1225	110	120	1.0000	1.0000	0.052774

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1226	110	133	1.0000	1.0000	0.049153
1227	110	137	1.0000	1.0000	0.593464
1228	110	139	1.0000	1.0000	0.406536
1229	110	140	1.0000	1.0000	0.406536
1230	111	114	1.0000	1.0000	0.105213
1231	111	121	1.0000	1.0000	0.058910
1232	111	131	1.0000	1.0000	0.122167
1233	111	136	1.0000	1.0000	0.178674
1234	112	113	1.0000	1.0000	0.012850
1235	112	114	1.0000	1.0000	0.020517
1236	112	115	1.0000	1.0000	0.002380
1237	112	123	1.0000	1.0000	0.020764
1238	112	125	1.0000	1.0000	0.124551
1239	112	126	1.0000	1.0000	0.003876
1240	113	114	1.0000	1.0000	0.007667
1241	113	118	1.0000	1.0000	0.015403
1242	113	129	1.0000	1.0000	0.024418
1243	113	135	1.0000	1.0000	0.024418
1244	113	136	1.0000	1.0000	0.081128
1245	114	121	1.0000	1.0000	0.046303
1246	114	131	1.0000	1.0000	0.016954
1247	114	136	1.0000	1.0000	0.073461
1248	115	116	1.0000	1.0000	0.024192
1249	115	117	1.0000	1.0000	0.062857
1250	115	118	1.0000	1.0000	0.000172
1251	115	119	1.0000	1.0000	0.022898
1252	115	120	1.0000	1.0000	0.020641
1253	115	121	1.0000	1.0000	0.023405
1254	115	122	1.0000	1.0000	0.000884
1255	115	123	1.0000	1.0000	0.018384
1256	115	125	1.0000	1.0000	0.126932
1257	115	126	1.0000	1.0000	0.001496
1258	116	117	1.0000	1.0000	0.038665
1259	116	118	1.0000	1.0000	0.024364
1260	116	119	1.0000	1.0000	0.001294
1261	116	120	1.0000	1.0000	0.044833

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1262	116	121	1.0000	1.0000	0.047597
1263	116	122	1.0000	1.0000	0.023308
1264	116	125	1.0000	1.0000	0.102740
1265	116	127	1.0000	1.0000	0.023566
1266	116	129	1.0000	1.0000	0.015457
1267	116	130	1.0000	1.0000	0.072167
1268	116	131	1.0000	1.0000	0.015660
1269	117	118	1.0000	1.0000	0.063029
1270	117	119	1.0000	1.0000	0.039959
1271	117	120	1.0000	1.0000	0.083497
1272	117	121	1.0000	1.0000	0.086262
1273	117	122	1.0000	1.0000	0.061972
1274	117	132	1.0000	1.0000	0.084270
1275	117	133	1.0000	1.0000	0.087118
1276	117	134	1.0000	1.0000	0.027710
1277	118	119	1.0000	1.0000	0.023070
1278	118	120	1.0000	1.0000	0.020468
1279	118	121	1.0000	1.0000	0.023233
1280	118	122	1.0000	1.0000	0.001057
1281	118	129	1.0000	1.0000	0.039821
1282	118	135	1.0000	1.0000	0.039821
1283	118	136	1.0000	1.0000	0.096531
1284	119	120	1.0000	1.0000	0.043538
1285	119	121	1.0000	1.0000	0.046303
1286	119	122	1.0000	1.0000	0.022013
1287	119	132	1.0000	1.0000	0.044311
1288	119	137	1.0000	1.0000	0.689776
1289	119	138	1.0000	1.0000	0.310224
1290	120	121	1.0000	1.0000	0.002765
1291	120	122	1.0000	1.0000	0.021525
1292	120	133	1.0000	1.0000	0.003621
1293	120	137	1.0000	1.0000	0.646237
1294	120	139	1.0000	1.0000	0.353763
1295	120	140	1.0000	1.0000	0.353763
1296	121	122	1.0000	1.0000	0.024290
1297	121	131	1.0000	1.0000	0.063257

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1298	121	136	1.0000	1.0000	0.119764
1299	122	134	1.0000	1.0000	0.089682
1300	122	138	1.0000	1.0000	0.332237
1301	122	140	1.0000	1.0000	0.332237
1302	123	124	1.0000	1.0000	0.043571
1303	123	125	1.0000	1.0000	0.145316
1304	123	126	1.0000	1.0000	0.016888
1305	124	126	1.0000	1.0000	0.026683
1306	124	130	1.0000	1.0000	0.071172
1307	124	135	1.0000	1.0000	0.014462
1308	125	126	1.0000	1.0000	0.128428
1309	125	127	1.0000	1.0000	0.126305
1310	125	129	1.0000	1.0000	0.087283
1311	125	130	1.0000	1.0000	0.030573
1312	125	131	1.0000	1.0000	0.087080
1313	126	130	1.0000	1.0000	0.097855
1314	126	135	1.0000	1.0000	0.041145
1315	127	128	1.0000	1.0000	0.002410
1316	127	129	1.0000	1.0000	0.039023
1317	127	130	1.0000	1.0000	0.095733
1318	127	131	1.0000	1.0000	0.039226
1319	128	139	1.0000	1.0000	0.334905
1320	129	130	1.0000	1.0000	0.056710
1321	129	131	1.0000	1.0000	0.000203
1322	129	135	1.0000	1.0000	0.000000
1323	129	136	1.0000	1.0000	0.056710
1324	130	131	1.0000	1.0000	0.056507
1325	130	135	1.0000	1.0000	0.056710
1326	131	136	1.0000	1.0000	0.056507
1327	132	133	1.0000	1.0000	0.002848
1328	132	134	1.0000	1.0000	0.111980
1329	132	137	1.0000	1.0000	0.645465
1330	132	138	1.0000	1.0000	0.354535
1331	133	134	1.0000	1.0000	0.114828
1332	133	137	1.0000	1.0000	0.642617
1333	133	139	1.0000	1.0000	0.357383

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
1334	133	140	1.0000	1.0000	0.357383
1335	134	138	1.0000	1.0000	0.242556
1336	134	140	1.0000	1.0000	0.242556
1337	135	136	1.0000	1.0000	0.056710
1338	137	138	1.0000	1.0000	1.000000
1339	137	139	1.0000	1.0000	1.000000
1340	137	140	1.0000	1.0000	1.000000
1341	138	140	1.0000	1.0000	0.000000
1342	139	140	1.0000	1.0000	0.000000

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	120.731197 Ohm
Total current I	5.671014e-05 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	0.120731
10	1.207312
100	12.073120
1000	120.731197
10000	1207.311975

EXPERIMENT #50

Timestamp: 20260330_162533 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.65
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	198
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	198
Nodes after pruning	198
Edges before pruning	366
Edges after pruning	366

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	6	2	1.0000	1.0000	0.014639
1	2	1	1.0000	1.0000	0.018168

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
2	1	5	1.0000	1.0000	0.006100
3	5	10	1.0000	1.0000	0.005777
4	10	8	1.0000	1.0000	0.012105
5	8	4	1.0000	1.0000	0.004840
6	4	9	1.0000	1.0000	0.002974
7	9	12	1.0000	1.0000	0.009421
8	12	3	1.0000	1.0000	0.011754
9	3	11	1.0000	1.0000	0.002111
10	11	7	1.0000	1.0000	0.004868
11	7	0	1.0000	1.0000	0.013326
12	70	64	1.0000	1.0000	0.013645
13	64	63	1.0000	1.0000	0.009653
14	63	56	1.0000	1.0000	0.020386
15	56	68	1.0000	1.0000	0.015489
16	68	62	1.0000	1.0000	0.012974
17	62	67	1.0000	1.0000	0.013493
18	67	42	1.0000	1.0000	0.010813
19	42	59	1.0000	1.0000	0.009906
20	59	69	1.0000	1.0000	0.008589
21	69	57	1.0000	1.0000	0.022601
22	57	58	1.0000	1.0000	0.017484
23	58	0	1.0000	1.0000	0.011023
24	0	66	1.0000	1.0000	0.002303
25	66	29	1.0000	1.0000	0.019014
26	29	14	1.0000	1.0000	0.024351
27	14	65	1.0000	1.0000	0.023924
28	65	61	1.0000	1.0000	0.015552
29	61	60	1.0000	1.0000	0.005710
30	74	71	1.0000	1.0000	0.025749
31	71	1	1.0000	1.0000	0.021697
32	1	81	1.0000	1.0000	0.033766
33	81	76	1.0000	1.0000	0.023944
34	76	77	1.0000	1.0000	0.026742
35	77	78	1.0000	1.0000	0.022957
36	78	82	1.0000	1.0000	0.018914
37	82	72	1.0000	1.0000	0.014041

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
38	72	15	1.0000	1.0000	0.026640
39	15	73	1.0000	1.0000	0.034508
40	73	30	1.0000	1.0000	0.029690
41	30	80	1.0000	1.0000	0.035124
42	80	75	1.0000	1.0000	0.007524
43	75	79	1.0000	1.0000	0.010182
44	57	101	1.0000	1.0000	0.005117
45	101	105	1.0000	1.0000	0.005041
46	105	106	1.0000	1.0000	0.000123
47	106	103	1.0000	1.0000	0.007019
48	103	99	1.0000	1.0000	0.001116
49	99	45	1.0000	1.0000	0.002480
50	45	102	1.0000	1.0000	0.000494
51	102	100	1.0000	1.0000	0.012852
52	100	104	1.0000	1.0000	0.004110
53	104	71	1.0000	1.0000	0.000522
54	71	2	1.0000	1.0000	0.003529
55	58	108	1.0000	1.0000	0.006461
56	108	113	1.0000	1.0000	0.007403
57	113	3	1.0000	1.0000	0.013241
58	3	114	1.0000	1.0000	0.022884
59	114	110	1.0000	1.0000	0.018789
60	110	111	1.0000	1.0000	0.027527
61	111	109	1.0000	1.0000	0.021406
62	109	107	1.0000	1.0000	0.013442
63	107	112	1.0000	1.0000	0.012092
64	112	72	1.0000	1.0000	0.016698
65	72	115	1.0000	1.0000	0.004099
66	115	17	1.0000	1.0000	0.000831
67	119	117	1.0000	1.0000	0.010414
68	117	4	1.0000	1.0000	0.010727
69	4	99	1.0000	1.0000	0.018541
70	99	46	1.0000	1.0000	0.017176
71	46	120	1.0000	1.0000	0.023863
72	120	122	1.0000	1.0000	0.017678
73	122	121	1.0000	1.0000	0.016781

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
74	121	116	1.0000	1.0000	0.014229
75	116	123	1.0000	1.0000	0.020128
76	123	118	1.0000	1.0000	0.032088
77	100	127	1.0000	1.0000	0.008742
78	127	47	1.0000	1.0000	0.009004
79	47	5	1.0000	1.0000	0.013639
80	5	131	1.0000	1.0000	0.025516
81	131	126	1.0000	1.0000	0.020130
82	126	125	1.0000	1.0000	0.021885
83	125	132	1.0000	1.0000	0.021200
84	132	107	1.0000	1.0000	0.016743
85	107	128	1.0000	1.0000	0.018094
86	128	18	1.0000	1.0000	0.030600
87	18	73	1.0000	1.0000	0.041242
88	73	32	1.0000	1.0000	0.046060
89	32	130	1.0000	1.0000	0.103280
90	130	124	1.0000	1.0000	0.014936
91	124	129	1.0000	1.0000	0.051060
92	133	134	1.0000	1.0000	0.013463
93	134	74	1.0000	1.0000	0.040388
94	74	6	1.0000	1.0000	0.014639
95	91	48	1.0000	1.0000	0.010280
96	48	136	1.0000	1.0000	0.018207
97	136	140	1.0000	1.0000	0.014267
98	140	59	1.0000	1.0000	0.016237
99	59	143	1.0000	1.0000	0.128815
100	143	101	1.0000	1.0000	0.092509
101	101	108	1.0000	1.0000	0.018829
102	108	7	1.0000	1.0000	0.017887
103	7	142	1.0000	1.0000	0.055468
104	142	137	1.0000	1.0000	0.107303
105	137	19	1.0000	1.0000	0.023952
106	19	33	1.0000	1.0000	0.018677
107	33	139	1.0000	1.0000	0.018605
108	139	135	1.0000	1.0000	0.035068
109	135	138	1.0000	1.0000	0.046711

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
110	138	75	1.0000	1.0000	0.074232
111	75	124	1.0000	1.0000	0.091938
112	124	141	1.0000	1.0000	0.334672
113	167	165	1.0000	1.0000	0.136437
114	165	102	1.0000	1.0000	0.041583
115	102	51	1.0000	1.0000	0.013203
116	51	8	1.0000	1.0000	0.013152
117	8	117	1.0000	1.0000	0.005887
118	117	164	1.0000	1.0000	0.103864
119	164	171	1.0000	1.0000	0.343937
120	171	170	1.0000	1.0000	0.078235
121	170	110	1.0000	1.0000	0.373403
122	110	169	1.0000	1.0000	0.032961
123	169	137	1.0000	1.0000	0.040365
124	137	36	1.0000	1.0000	0.001425
125	36	22	1.0000	1.0000	0.013326
126	22	166	1.0000	1.0000	0.072634
127	166	149	1.0000	1.0000	0.025298
128	149	168	1.0000	1.0000	0.136342
129	23	176	1.0000	1.0000	0.090697
130	176	77	1.0000	1.0000	0.049600
131	77	150	1.0000	1.0000	0.038713
132	150	126	1.0000	1.0000	0.071419
133	126	178	1.0000	1.0000	0.068144
134	178	174	1.0000	1.0000	0.014087
135	174	119	1.0000	1.0000	0.101285
136	119	164	1.0000	1.0000	0.093450
137	164	9	1.0000	1.0000	0.111617
138	9	103	1.0000	1.0000	0.020399
139	103	52	1.0000	1.0000	0.026302
140	52	177	1.0000	1.0000	0.156905
141	177	157	1.0000	1.0000	0.088134
142	157	94	1.0000	1.0000	0.003301
143	94	63	1.0000	1.0000	0.018892
144	63	175	1.0000	1.0000	0.063402
145	175	85	1.0000	1.0000	0.113933

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
146	85	179	1.0000	1.0000	0.404269
147	181	138	1.0000	1.0000	0.162720
148	138	151	1.0000	1.0000	0.094954
149	151	37	1.0000	1.0000	0.046068
150	37	182	1.0000	1.0000	0.093076
151	182	180	1.0000	1.0000	0.080838
152	180	24	1.0000	1.0000	0.036574
153	24	111	1.0000	1.0000	0.025192
154	111	184	1.0000	1.0000	0.327090
155	184	183	1.0000	1.0000	0.156461
156	183	174	1.0000	1.0000	0.199705
157	174	10	1.0000	1.0000	0.105480
158	10	53	1.0000	1.0000	0.012496
159	53	127	1.0000	1.0000	0.004370
160	127	104	1.0000	1.0000	0.004632
161	98	68	1.0000	1.0000	0.009098
162	68	161	1.0000	1.0000	0.000679
163	161	193	1.0000	1.0000	0.146729
164	193	55	1.0000	1.0000	0.099068
165	55	196	1.0000	1.0000	0.409181
166	196	105	1.0000	1.0000	0.449373
167	105	113	1.0000	1.0000	0.021191
168	113	11	1.0000	1.0000	0.015352
169	11	195	1.0000	1.0000	0.026296
170	195	169	1.0000	1.0000	0.019695
171	169	27	1.0000	1.0000	0.072854
172	27	188	1.0000	1.0000	0.183846
173	188	182	1.0000	1.0000	0.152409
174	182	154	1.0000	1.0000	0.023407
175	154	40	1.0000	1.0000	0.128336
176	40	80	1.0000	1.0000	0.056927
177	80	130	1.0000	1.0000	0.084526
178	130	141	1.0000	1.0000	0.319736
179	162	194	1.0000	1.0000	0.043235
180	194	69	1.0000	1.0000	0.016731
181	69	143	1.0000	1.0000	0.120226

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
182	143	196	1.0000	1.0000	0.536841
183	196	106	1.0000	1.0000	0.449250
184	106	12	1.0000	1.0000	0.022800
185	12	171	1.0000	1.0000	0.241741
186	171	197	1.0000	1.0000	0.769690
187	197	184	1.0000	1.0000	0.774085
188	184	156	1.0000	1.0000	0.132746
189	156	132	1.0000	1.0000	0.212448
190	132	189	1.0000	1.0000	0.258146
191	189	82	1.0000	1.0000	0.289638
192	82	115	1.0000	1.0000	0.018140
193	115	28	1.0000	1.0000	0.021407
194	28	41	1.0000	1.0000	0.040850
195	16	20	1.0000	1.0000	0.020121
196	20	14	1.0000	1.0000	0.019197
197	14	26	1.0000	1.0000	0.019625
198	26	22	1.0000	1.0000	0.019225
199	22	13	1.0000	1.0000	0.005938
200	13	19	1.0000	1.0000	0.003262
201	19	27	1.0000	1.0000	0.008537
202	27	24	1.0000	1.0000	0.012826
203	24	25	1.0000	1.0000	0.020048
204	25	21	1.0000	1.0000	0.020926
205	21	18	1.0000	1.0000	0.017376
206	18	15	1.0000	1.0000	0.006735
207	15	28	1.0000	1.0000	0.001133
208	28	17	1.0000	1.0000	0.020576
209	17	23	1.0000	1.0000	0.019745
210	41	32	1.0000	1.0000	0.040850
211	32	30	1.0000	1.0000	0.016370
212	30	40	1.0000	1.0000	0.021803
213	40	35	1.0000	1.0000	0.035502
214	35	37	1.0000	1.0000	0.023166
215	37	38	1.0000	1.0000	0.029485
216	38	33	1.0000	1.0000	0.022012
217	33	13	1.0000	1.0000	0.021940

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
218	13	36	1.0000	1.0000	0.019264
219	36	39	1.0000	1.0000	0.031165
220	39	29	1.0000	1.0000	0.018709
221	29	34	1.0000	1.0000	0.024046
222	34	31	1.0000	1.0000	0.011042
223	95	94	1.0000	1.0000	0.004580
224	94	56	1.0000	1.0000	0.001494
225	56	98	1.0000	1.0000	0.006391
226	98	91	1.0000	1.0000	0.002707
227	91	44	1.0000	1.0000	0.012987
228	44	97	1.0000	1.0000	0.028897
229	97	93	1.0000	1.0000	0.019437
230	93	96	1.0000	1.0000	0.021995
231	96	92	1.0000	1.0000	0.011804
232	92	31	1.0000	1.0000	0.031163
233	31	16	1.0000	1.0000	0.020121
234	60	144	1.0000	1.0000	0.022838
235	144	146	1.0000	1.0000	0.163095
236	146	20	1.0000	1.0000	0.132970
237	20	34	1.0000	1.0000	0.029201
238	34	92	1.0000	1.0000	0.042205
239	92	148	1.0000	1.0000	0.124981
240	148	83	1.0000	1.0000	0.228195
241	83	147	1.0000	1.0000	0.286193
242	147	49	1.0000	1.0000	0.422431
243	49	145	1.0000	1.0000	0.086560
244	155	76	1.0000	1.0000	0.168154
245	76	150	1.0000	1.0000	0.065455
246	150	125	1.0000	1.0000	0.049534
247	125	156	1.0000	1.0000	0.191248
248	156	109	1.0000	1.0000	0.215749
249	109	152	1.0000	1.0000	0.068038
250	152	21	1.0000	1.0000	0.023277
251	21	154	1.0000	1.0000	0.061830
252	154	35	1.0000	1.0000	0.092834
253	35	151	1.0000	1.0000	0.069234

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
254	151	135	1.0000	1.0000	0.048243
255	135	149	1.0000	1.0000	0.016381
256	149	153	1.0000	1.0000	0.123549
257	153	61	1.0000	1.0000	0.026244
258	61	144	1.0000	1.0000	0.028548
259	176	78	1.0000	1.0000	0.072557
260	78	189	1.0000	1.0000	0.270723
261	189	112	1.0000	1.0000	0.286980
262	112	128	1.0000	1.0000	0.006003
263	128	152	1.0000	1.0000	0.036501
264	152	25	1.0000	1.0000	0.044203
265	25	180	1.0000	1.0000	0.016526
266	180	188	1.0000	1.0000	0.233246
267	188	38	1.0000	1.0000	0.215999
268	38	139	1.0000	1.0000	0.003407
269	139	166	1.0000	1.0000	0.026151
270	166	187	1.0000	1.0000	0.030932
271	187	65	1.0000	1.0000	0.056627
272	65	146	1.0000	1.0000	0.176091
273	129	79	1.0000	1.0000	0.051060
274	79	181	1.0000	1.0000	0.226770
275	181	168	1.0000	1.0000	0.003951
276	168	153	1.0000	1.0000	0.012792
277	153	187	1.0000	1.0000	0.067319
278	187	26	1.0000	1.0000	0.060926
279	26	39	1.0000	1.0000	0.025267
280	39	66	1.0000	1.0000	0.037723
281	66	96	1.0000	1.0000	0.059041
282	96	192	1.0000	1.0000	0.012739
283	192	88	1.0000	1.0000	0.091468
284	88	147	1.0000	1.0000	0.298989
285	49	43	1.0000	1.0000	0.092170
286	43	44	1.0000	1.0000	0.065150
287	44	48	1.0000	1.0000	0.023266
288	48	50	1.0000	1.0000	0.015340
289	50	54	1.0000	1.0000	0.013313

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
290	54	42	1.0000	1.0000	0.010153
291	42	55	1.0000	1.0000	0.011060
292	55	52	1.0000	1.0000	0.006749
293	52	46	1.0000	1.0000	0.008010
294	46	45	1.0000	1.0000	0.014696
295	45	51	1.0000	1.0000	0.012709
296	51	53	1.0000	1.0000	0.012761
297	53	47	1.0000	1.0000	0.004634
298	84	87	1.0000	1.0000	0.004686
299	87	90	1.0000	1.0000	0.004953
300	90	85	1.0000	1.0000	0.002290
301	85	86	1.0000	1.0000	0.007787
302	86	43	1.0000	1.0000	0.004252
303	43	88	1.0000	1.0000	0.031272
304	88	83	1.0000	1.0000	0.012797
305	83	89	1.0000	1.0000	0.020825
306	93	160	1.0000	1.0000	0.000054
307	160	162	1.0000	1.0000	0.092253
308	162	136	1.0000	1.0000	0.099060
309	136	50	1.0000	1.0000	0.002867
310	50	62	1.0000	1.0000	0.000841
311	62	161	1.0000	1.0000	0.012295
312	161	157	1.0000	1.0000	0.014361
313	157	158	1.0000	1.0000	0.034666
314	158	159	1.0000	1.0000	0.009370
315	159	116	1.0000	1.0000	0.021065
316	116	163	1.0000	1.0000	0.060203
317	163	133	1.0000	1.0000	0.036610
318	89	148	1.0000	1.0000	0.207370
319	148	192	1.0000	1.0000	0.149524
320	192	97	1.0000	1.0000	0.028693
321	97	160	1.0000	1.0000	0.019382
322	160	194	1.0000	1.0000	0.049018
323	194	140	1.0000	1.0000	0.041557
324	140	54	1.0000	1.0000	0.003821
325	54	67	1.0000	1.0000	0.000660

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
326	67	193	1.0000	1.0000	0.120941
327	193	177	1.0000	1.0000	0.249224
328	177	185	1.0000	1.0000	0.295052
329	185	122	1.0000	1.0000	0.171678
330	122	190	1.0000	1.0000	0.024871
331	165	120	1.0000	1.0000	0.003518
332	120	185	1.0000	1.0000	0.154000
333	185	158	1.0000	1.0000	0.172253
334	158	95	1.0000	1.0000	0.042547
335	95	64	1.0000	1.0000	0.023965
336	64	175	1.0000	1.0000	0.073055
337	175	86	1.0000	1.0000	0.121720
338	86	186	1.0000	1.0000	0.326812
339	186	172	1.0000	1.0000	0.098033
340	186	179	1.0000	1.0000	0.085244
341	179	90	1.0000	1.0000	0.401979
342	90	70	1.0000	1.0000	0.024943
343	70	191	1.0000	1.0000	0.087661
344	191	123	1.0000	1.0000	0.058066
345	123	163	1.0000	1.0000	0.080331
346	163	134	1.0000	1.0000	0.023148
347	155	81	1.0000	1.0000	0.144210
348	81	131	1.0000	1.0000	0.002150
349	131	178	1.0000	1.0000	0.088274
350	178	183	1.0000	1.0000	0.213792
351	183	197	1.0000	1.0000	0.617624
352	197	170	1.0000	1.0000	0.847925
353	170	114	1.0000	1.0000	0.354614
354	114	195	1.0000	1.0000	0.005524
355	195	142	1.0000	1.0000	0.086633
356	118	84	1.0000	1.0000	0.032088
357	84	173	1.0000	1.0000	0.028255
358	173	172	1.0000	1.0000	0.200087
359	172	145	1.0000	1.0000	0.230137
360	167	190	1.0000	1.0000	0.175467
361	190	121	1.0000	1.0000	0.008090

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
362	121	159	1.0000	1.0000	0.006837
363	159	191	1.0000	1.0000	0.016873
364	191	87	1.0000	1.0000	0.117557
365	87	173	1.0000	1.0000	0.023569

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	3022.931699 Ohm
Total current I	-2.172081e-05 A

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	3.022932
10	30.229317
100	302.293170
1000	3022.931699
10000	30229.316988

EXPERIMENT #62

Status: Partial data -- experiment_summary.json not found

[WARNING] Este experimento foi iniciado mas não foi concluído -- o arquivo experiment_summary.json não foi gerado. Apenas as imagens disponíveis são exibidas abaixo.

Network Visualizations (available)



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30



Fig. -- network merge explained

EXPERIMENT #70

Status: Partial data -- experiment_summary.json not found

[WARNING] Este experimento foi iniciado mas não foi concluído -- o arquivo experiment_summary.json não foi gerado. Apenas as imagens disponíveis são exibidas abaixo.

Network Visualizations (available)



Fig. -- 01 random lines N30

Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30



Fig. -- network merge explained

EXPERIMENT #71

Timestamp: 20260331_085808 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.65
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	185
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	185
Nodes after pruning	185
Edges before pruning	340
Edges after pruning	340

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30



Fig. -- network merge explained

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	1	0	1.0000	1.0000	0.449567
1	0	122	1.0000	1.0000	0.363245
2	122	121	1.0000	1.0000	0.298932
3	121	49	1.0000	1.0000	0.306004
4	49	127	1.0000	1.0000	0.068690
5	127	119	1.0000	1.0000	0.093568
6	119	102	1.0000	1.0000	0.049827
7	102	126	1.0000	1.0000	0.072087
8	126	120	1.0000	1.0000	0.087715
9	120	123	1.0000	1.0000	0.332709
10	123	60	1.0000	1.0000	0.068580
11	60	125	1.0000	1.0000	0.078137
12	125	72	1.0000	1.0000	0.023308
13	72	118	1.0000	1.0000	0.085954
14	118	124	1.0000	1.0000	0.163466
15	1	163	1.0000	1.0000	0.188824
16	163	147	1.0000	1.0000	0.392843
17	147	106	1.0000	1.0000	0.023167
18	106	179	1.0000	1.0000	0.136109
19	179	126	1.0000	1.0000	0.181301
20	126	155	1.0000	1.0000	0.125011
21	155	167	1.0000	1.0000	0.015997

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
22	167	65	1.0000	1.0000	0.048297
23	65	178	1.0000	1.0000	0.292136
24	178	79	1.0000	1.0000	0.246757
25	79	176	1.0000	1.0000	0.124575
26	176	137	1.0000	1.0000	0.216618
27	137	172	1.0000	1.0000	0.095875
28	172	114	1.0000	1.0000	0.143995
29	2	8	1.0000	1.0000	0.112635
30	8	9	1.0000	1.0000	0.135619
31	9	12	1.0000	1.0000	0.017211
32	12	4	1.0000	1.0000	0.067266
33	4	6	1.0000	1.0000	0.088626
34	6	5	1.0000	1.0000	0.108008
35	5	3	1.0000	1.0000	0.021366
36	3	10	1.0000	1.0000	0.160202
37	10	13	1.0000	1.0000	0.297162
38	13	7	1.0000	1.0000	0.086362
39	7	11	1.0000	1.0000	0.025314
40	34	41	1.0000	1.0000	0.092223
41	41	38	1.0000	1.0000	0.016973
42	38	2	1.0000	1.0000	0.357347
43	2	36	1.0000	1.0000	0.398926
44	36	15	1.0000	1.0000	0.455566
45	15	26	1.0000	1.0000	0.300986
46	26	35	1.0000	1.0000	0.105597
47	35	40	1.0000	1.0000	0.059242
48	40	39	1.0000	1.0000	0.240609
49	39	37	1.0000	1.0000	0.228008
50	37	43	1.0000	1.0000	0.035074
51	43	42	1.0000	1.0000	0.351778
52	53	49	1.0000	1.0000	0.037838
53	49	56	1.0000	1.0000	0.017555
54	56	46	1.0000	1.0000	0.044470
55	46	16	1.0000	1.0000	0.049923
56	16	48	1.0000	1.0000	0.214300
57	48	51	1.0000	1.0000	0.184398

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
58	51	55	1.0000	1.0000	0.153060
59	55	3	1.0000	1.0000	0.190599
60	3	47	1.0000	1.0000	0.114622
61	47	45	1.0000	1.0000	0.031822
62	45	52	1.0000	1.0000	0.108112
63	52	50	1.0000	1.0000	0.155252
64	50	44	1.0000	1.0000	0.051699
65	44	34	1.0000	1.0000	0.261881
66	34	54	1.0000	1.0000	0.296445
67	44	63	1.0000	1.0000	0.031875
68	63	61	1.0000	1.0000	0.003873
69	61	4	1.0000	1.0000	0.021146
70	4	59	1.0000	1.0000	0.028215
71	59	17	1.0000	1.0000	0.019455
72	17	57	1.0000	1.0000	0.011481
73	57	58	1.0000	1.0000	0.017613
74	58	66	1.0000	1.0000	0.017950
75	66	64	1.0000	1.0000	0.008826
76	64	65	1.0000	1.0000	0.008109
77	65	60	1.0000	1.0000	0.019104
78	60	68	1.0000	1.0000	0.027744
79	68	69	1.0000	1.0000	0.036538
80	69	67	1.0000	1.0000	0.029824
81	67	62	1.0000	1.0000	0.017644
82	73	75	1.0000	1.0000	0.026060
83	75	45	1.0000	1.0000	0.166916
84	45	71	1.0000	1.0000	0.186023
85	71	5	1.0000	1.0000	0.060944
86	5	18	1.0000	1.0000	0.038790
87	18	57	1.0000	1.0000	0.037932
88	57	70	1.0000	1.0000	0.021312
89	70	76	1.0000	1.0000	0.099400
90	76	79	1.0000	1.0000	0.032330
91	79	80	1.0000	1.0000	0.047814
92	80	78	1.0000	1.0000	0.046917
93	78	72	1.0000	1.0000	0.082001

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
94	72	74	1.0000	1.0000	0.002355
95	74	77	1.0000	1.0000	0.083872
96	77	81	1.0000	1.0000	0.030777
97	81	83	1.0000	1.0000	0.074540
98	83	82	1.0000	1.0000	0.061019
99	28	96	1.0000	1.0000	0.328177
100	96	100	1.0000	1.0000	0.131250
101	100	99	1.0000	1.0000	0.132965
102	99	84	1.0000	1.0000	0.272122
103	84	93	1.0000	1.0000	0.009242
104	93	95	1.0000	1.0000	0.302324
105	95	101	1.0000	1.0000	0.306655
106	101	19	1.0000	1.0000	0.014935
107	19	59	1.0000	1.0000	0.082634
108	59	6	1.0000	1.0000	0.116841
109	6	71	1.0000	1.0000	0.168953
110	71	47	1.0000	1.0000	0.154201
111	47	98	1.0000	1.0000	0.271774
112	98	97	1.0000	1.0000	0.230149
113	97	94	1.0000	1.0000	0.144273
114	107	105	1.0000	1.0000	0.003891
115	105	7	1.0000	1.0000	0.177400
116	7	48	1.0000	1.0000	0.272535
117	48	103	1.0000	1.0000	0.098027
118	103	20	1.0000	1.0000	0.210017
119	20	85	1.0000	1.0000	0.022546
120	85	102	1.0000	1.0000	0.214005
121	102	108	1.0000	1.0000	0.000121
122	108	106	1.0000	1.0000	0.026774
123	106	109	1.0000	1.0000	0.197581
124	109	104	1.0000	1.0000	0.199992
125	131	133	1.0000	1.0000	0.095135
126	133	94	1.0000	1.0000	0.042577
127	94	129	1.0000	1.0000	0.089681
128	129	73	1.0000	1.0000	0.064937
129	73	50	1.0000	1.0000	0.145835

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
130	50	130	1.0000	1.0000	0.098508
131	130	61	1.0000	1.0000	0.178209
132	61	132	1.0000	1.0000	0.125675
133	132	128	1.0000	1.0000	0.061860
134	128	8	1.0000	1.0000	0.128232
135	8	36	1.0000	1.0000	0.286291
136	128	9	1.0000	1.0000	0.007387
137	9	110	1.0000	1.0000	0.243403
138	110	22	1.0000	1.0000	0.264913
139	22	95	1.0000	1.0000	0.308866
140	95	87	1.0000	1.0000	0.320826
141	87	135	1.0000	1.0000	0.224457
142	135	137	1.0000	1.0000	0.017110
143	137	136	1.0000	1.0000	0.030324
144	136	134	1.0000	1.0000	0.003243
145	134	138	1.0000	1.0000	0.047024
146	138	140	1.0000	1.0000	0.045415
147	140	139	1.0000	1.0000	0.031508
148	129	97	1.0000	1.0000	0.054592
149	97	146	1.0000	1.0000	0.022075
150	146	10	1.0000	1.0000	0.065130
151	10	148	1.0000	1.0000	0.084039
152	148	51	1.0000	1.0000	0.038624
153	51	103	1.0000	1.0000	0.086371
154	103	23	1.0000	1.0000	0.161514
155	23	88	1.0000	1.0000	0.299672
156	88	119	1.0000	1.0000	0.392800
157	119	149	1.0000	1.0000	0.134569
158	149	147	1.0000	1.0000	0.034680
159	38	160	1.0000	1.0000	0.506102
160	160	63	1.0000	1.0000	0.200846
161	63	130	1.0000	1.0000	0.182082
162	130	52	1.0000	1.0000	0.056745
163	52	75	1.0000	1.0000	0.275028
164	75	98	1.0000	1.0000	0.136680
165	98	146	1.0000	1.0000	0.252224

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
166	146	161	1.0000	1.0000	0.161205
167	161	105	1.0000	1.0000	0.129476
168	105	11	1.0000	1.0000	0.152086
169	11	162	1.0000	1.0000	0.275630
170	162	121	1.0000	1.0000	0.086305
171	121	159	1.0000	1.0000	0.219844
172	54	41	1.0000	1.0000	0.388667
173	41	160	1.0000	1.0000	0.523075
174	160	132	1.0000	1.0000	0.071298
175	132	12	1.0000	1.0000	0.037263
176	12	24	1.0000	1.0000	0.041539
177	24	101	1.0000	1.0000	0.043627
178	101	91	1.0000	1.0000	0.053524
179	91	166	1.0000	1.0000	0.055101
180	166	176	1.0000	1.0000	0.097847
181	176	177	1.0000	1.0000	0.120664
182	177	78	1.0000	1.0000	0.004808
183	78	125	1.0000	1.0000	0.105309
184	125	142	1.0000	1.0000	0.084670
185	142	171	1.0000	1.0000	0.027766
186	133	107	1.0000	1.0000	0.236764
187	107	161	1.0000	1.0000	0.133367
188	161	13	1.0000	1.0000	0.393237
189	13	148	1.0000	1.0000	0.213122
190	148	55	1.0000	1.0000	0.114436
191	55	25	1.0000	1.0000	0.350935
192	25	92	1.0000	1.0000	0.059905
193	92	156	1.0000	1.0000	0.166140
194	156	66	1.0000	1.0000	0.044863
195	66	168	1.0000	1.0000	0.064015
196	168	178	1.0000	1.0000	0.228838
197	178	80	1.0000	1.0000	0.198943
198	80	177	1.0000	1.0000	0.051725
199	14	15	1.0000	1.0000	0.238043
200	15	21	1.0000	1.0000	0.189540
201	21	22	1.0000	1.0000	0.177394

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
202	22	24	1.0000	1.0000	0.045838
203	24	19	1.0000	1.0000	0.028692
204	19	17	1.0000	1.0000	0.063180
205	17	18	1.0000	1.0000	0.049413
206	18	25	1.0000	1.0000	0.142911
207	25	20	1.0000	1.0000	0.074229
208	20	23	1.0000	1.0000	0.048503
209	23	16	1.0000	1.0000	0.045241
210	33	32	1.0000	1.0000	0.218558
211	32	28	1.0000	1.0000	0.018299
212	28	29	1.0000	1.0000	0.043754
213	29	31	1.0000	1.0000	0.023485
214	31	30	1.0000	1.0000	0.007191
215	30	27	1.0000	1.0000	0.006370
216	27	26	1.0000	1.0000	0.041938
217	26	14	1.0000	1.0000	0.062943
218	117	116	1.0000	1.0000	0.098815
219	116	115	1.0000	1.0000	0.013907
220	115	111	1.0000	1.0000	0.050948
221	111	114	1.0000	1.0000	0.043888
222	114	113	1.0000	1.0000	0.030831
223	113	112	1.0000	1.0000	0.001987
224	112	86	1.0000	1.0000	0.059604
225	86	93	1.0000	1.0000	0.182737
226	93	21	1.0000	1.0000	0.170853
227	21	110	1.0000	1.0000	0.087520
228	89	90	1.0000	1.0000	0.223747
229	90	35	1.0000	1.0000	0.026726
230	35	27	1.0000	1.0000	0.147535
231	27	84	1.0000	1.0000	0.314994
232	84	86	1.0000	1.0000	0.173495
233	86	87	1.0000	1.0000	0.201238
234	87	91	1.0000	1.0000	0.067696
235	91	70	1.0000	1.0000	0.014759
236	70	58	1.0000	1.0000	0.038925
237	58	92	1.0000	1.0000	0.103326

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
238	92	85	1.0000	1.0000	0.008221
239	85	88	1.0000	1.0000	0.228623
240	88	46	1.0000	1.0000	0.394836
241	145	143	1.0000	1.0000	0.173032
242	143	142	1.0000	1.0000	0.011975
243	142	74	1.0000	1.0000	0.059007
244	74	118	1.0000	1.0000	0.088309
245	118	141	1.0000	1.0000	0.171025
246	141	134	1.0000	1.0000	0.054510
247	134	111	1.0000	1.0000	0.037798
248	111	96	1.0000	1.0000	0.210148
249	96	29	1.0000	1.0000	0.284423
250	29	37	1.0000	1.0000	0.171513
251	37	144	1.0000	1.0000	0.116595
252	170	89	1.0000	1.0000	0.225237
253	89	39	1.0000	1.0000	0.015654
254	39	165	1.0000	1.0000	0.281585
255	165	30	1.0000	1.0000	0.241384
256	30	99	1.0000	1.0000	0.036502
257	99	112	1.0000	1.0000	0.039023
258	112	135	1.0000	1.0000	0.036385
259	135	166	1.0000	1.0000	0.101661
260	166	76	1.0000	1.0000	0.059058
261	76	168	1.0000	1.0000	0.014410
262	168	64	1.0000	1.0000	0.055189
263	64	167	1.0000	1.0000	0.056407
264	167	123	1.0000	1.0000	0.135981
265	123	154	1.0000	1.0000	0.110356
266	154	169	1.0000	1.0000	0.157376
267	90	40	1.0000	1.0000	0.032516
268	40	165	1.0000	1.0000	0.040977
269	165	31	1.0000	1.0000	0.248575
270	31	100	1.0000	1.0000	0.176658
271	100	113	1.0000	1.0000	0.091955
272	113	172	1.0000	1.0000	0.113163
273	172	136	1.0000	1.0000	0.065552

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
274	136	141	1.0000	1.0000	0.057752
275	141	124	1.0000	1.0000	0.007558
276	124	77	1.0000	1.0000	0.008714
277	77	171	1.0000	1.0000	0.002901
278	171	173	1.0000	1.0000	0.016118
279	173	174	1.0000	1.0000	0.014387
280	174	175	1.0000	1.0000	0.025530
281	175	152	1.0000	1.0000	0.063000
282	153	67	1.0000	1.0000	0.029639
283	67	182	1.0000	1.0000	0.476407
284	182	180	1.0000	1.0000	0.406723
285	180	173	1.0000	1.0000	0.001764
286	173	81	1.0000	1.0000	0.011757
287	81	138	1.0000	1.0000	0.069601
288	138	115	1.0000	1.0000	0.041722
289	115	32	1.0000	1.0000	0.048782
290	32	181	1.0000	1.0000	0.076597
291	181	42	1.0000	1.0000	0.196333
292	139	184	1.0000	1.0000	0.662492
293	184	116	1.0000	1.0000	0.704214
294	116	33	1.0000	1.0000	0.155868
295	33	181	1.0000	1.0000	0.141961
296	181	43	1.0000	1.0000	0.155445
297	43	144	1.0000	1.0000	0.081521
298	144	170	1.0000	1.0000	0.135020
299	151	163	1.0000	1.0000	0.276299
300	163	53	1.0000	1.0000	0.230237
301	53	159	1.0000	1.0000	0.123998
302	159	122	1.0000	1.0000	0.079089
303	122	164	1.0000	1.0000	0.087166
304	164	131	1.0000	1.0000	0.030730
305	82	183	1.0000	1.0000	0.620320
306	183	174	1.0000	1.0000	0.580654
307	174	180	1.0000	1.0000	0.012623
308	180	143	1.0000	1.0000	0.054095
309	143	68	1.0000	1.0000	0.022303

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
310	68	157	1.0000	1.0000	0.256685
311	157	169	1.0000	1.0000	0.400029
312	169	179	1.0000	1.0000	0.110714
313	179	108	1.0000	1.0000	0.109335
314	108	149	1.0000	1.0000	0.084620
315	149	127	1.0000	1.0000	0.228137
316	127	56	1.0000	1.0000	0.051135
317	56	162	1.0000	1.0000	0.237255
318	162	164	1.0000	1.0000	0.299794
319	152	62	1.0000	1.0000	0.049113
320	62	153	1.0000	1.0000	0.047282
321	153	150	1.0000	1.0000	0.052602
322	150	104	1.0000	1.0000	0.135565
323	104	151	1.0000	1.0000	0.095787
324	109	158	1.0000	1.0000	0.052764
325	158	69	1.0000	1.0000	0.004801
326	69	145	1.0000	1.0000	0.187267
327	145	182	1.0000	1.0000	0.633850
328	182	175	1.0000	1.0000	0.444877
329	175	183	1.0000	1.0000	0.555123
330	183	83	1.0000	1.0000	0.681338
331	83	140	1.0000	1.0000	0.050355
332	140	184	1.0000	1.0000	0.630984
333	184	117	1.0000	1.0000	0.605398
334	150	158	1.0000	1.0000	0.011662
335	158	157	1.0000	1.0000	0.298023
336	157	154	1.0000	1.0000	0.242653
337	154	120	1.0000	1.0000	0.222354
338	120	155	1.0000	1.0000	0.212725
339	155	156	1.0000	1.0000	0.013280

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm

Calculated impedance R_eq	2827.390462 Ohm
Total current I	--

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	2.827390
10	28.273905
100	282.739046
1000	2827.390462
10000	28273.904621

EXPERIMENT #72

Timestamp: 20260331_095049 | Environment: Local

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.6
Domain size	1.0 x 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	118
Has percolation	[OK] Yes
# Percolating paths	1
Nodes before pruning	118
Nodes after pruning	118
Edges before pruning	206
Edges after pruning	206

Network Visualizations



Fig. -- 01 random lines N30



Fig. -- 02 intersections N30



Fig. -- 03 percolating paths before pruning N30



Fig. -- 04 before after pruning N30



Fig. -- network merge explained

Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
0	5	12	1.0000	1.0000	0.001133
1	12	2	1.0000	1.0000	0.007115
2	2	7	1.0000	1.0000	0.013635
3	7	1	1.0000	1.0000	0.017918
4	1	11	1.0000	1.0000	0.010158
5	11	3	1.0000	1.0000	0.006083
6	3	10	1.0000	1.0000	0.002067
7	10	0	1.0000	1.0000	0.001187
8	0	4	1.0000	1.0000	0.022502
9	4	6	1.0000	1.0000	0.041371
10	6	8	1.0000	1.0000	0.042250
11	8	9	1.0000	1.0000	0.046672
12	0	23	1.0000	1.0000	0.021315
13	23	25	1.0000	1.0000	0.016404
14	25	16	1.0000	1.0000	0.023174
15	16	21	1.0000	1.0000	0.010434
16	21	17	1.0000	1.0000	0.007329
17	17	22	1.0000	1.0000	0.008293
18	22	18	1.0000	1.0000	0.014693
19	18	24	1.0000	1.0000	0.011686
20	24	19	1.0000	1.0000	0.011368
21	19	20	1.0000	1.0000	0.011415

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
22	39	31	1.0000	1.0000	0.010529
23	31	37	1.0000	1.0000	0.004349
24	37	33	1.0000	1.0000	0.007871
25	33	32	1.0000	1.0000	0.017467
26	32	42	1.0000	1.0000	0.021952
27	42	16	1.0000	1.0000	0.034686
28	16	34	1.0000	1.0000	0.021946
29	34	1	1.0000	1.0000	0.019451
30	1	43	1.0000	1.0000	0.027211
31	43	40	1.0000	1.0000	0.048672
32	40	36	1.0000	1.0000	0.034453
33	36	41	1.0000	1.0000	0.048423
34	41	44	1.0000	1.0000	0.025728
35	44	38	1.0000	1.0000	0.026406
36	38	35	1.0000	1.0000	0.008802
37	48	52	1.0000	1.0000	0.003325
38	52	2	1.0000	1.0000	0.007077
39	2	47	1.0000	1.0000	0.013598
40	47	17	1.0000	1.0000	0.014009
41	17	51	1.0000	1.0000	0.013045
42	51	45	1.0000	1.0000	0.016821
43	45	46	1.0000	1.0000	0.020128
44	46	31	1.0000	1.0000	0.018568
45	31	49	1.0000	1.0000	0.012388
46	49	50	1.0000	1.0000	0.012860
47	74	47	1.0000	1.0000	0.084468
48	47	70	1.0000	1.0000	0.011563
49	70	34	1.0000	1.0000	0.014137
50	34	76	1.0000	1.0000	0.060665
51	76	3	1.0000	1.0000	0.096357
52	3	75	1.0000	1.0000	0.019060
53	75	69	1.0000	1.0000	0.086219
54	69	72	1.0000	1.0000	0.135563
55	72	68	1.0000	1.0000	0.057798
56	68	73	1.0000	1.0000	0.217468
57	73	71	1.0000	1.0000	0.171814

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
58	53	84	1.0000	1.0000	0.063698
59	84	85	1.0000	1.0000	0.234440
60	85	4	1.0000	1.0000	0.175078
61	4	80	1.0000	1.0000	0.186500
62	80	82	1.0000	1.0000	0.039507
63	82	68	1.0000	1.0000	0.027825
64	68	83	1.0000	1.0000	0.211776
65	83	86	1.0000	1.0000	0.008977
66	86	81	1.0000	1.0000	0.180784
67	81	35	1.0000	1.0000	0.098499
68	88	48	1.0000	1.0000	0.141275
69	48	5	1.0000	1.0000	0.018651
70	5	87	1.0000	1.0000	0.040628
71	87	77	1.0000	1.0000	0.144827
72	95	36	1.0000	1.0000	0.183516
73	36	94	1.0000	1.0000	0.266713
74	94	69	1.0000	1.0000	0.239777
75	69	80	1.0000	1.0000	0.145097
76	80	6	1.0000	1.0000	0.145129
77	98	100	1.0000	1.0000	0.028554
78	100	96	1.0000	1.0000	0.059851
79	96	49	1.0000	1.0000	0.085358
80	49	37	1.0000	1.0000	0.016737
81	37	61	1.0000	1.0000	0.013216
82	61	55	1.0000	1.0000	0.017558
83	55	97	1.0000	1.0000	0.086069
84	97	21	1.0000	1.0000	0.045301
85	21	70	1.0000	1.0000	0.018244
86	70	7	1.0000	1.0000	0.015670
87	7	99	1.0000	1.0000	0.284244
88	8	82	1.0000	1.0000	0.063372
89	82	72	1.0000	1.0000	0.029972
90	72	94	1.0000	1.0000	0.375339
91	94	40	1.0000	1.0000	0.232259
92	40	108	1.0000	1.0000	0.364926
93	109	41	1.0000	1.0000	0.228786

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
94	41	83	1.0000	1.0000	0.209370
95	83	73	1.0000	1.0000	0.005692
96	73	9	1.0000	1.0000	0.228594
97	15	110	1.0000	1.0000	0.261068
98	110	114	1.0000	1.0000	0.024856
99	114	66	1.0000	1.0000	0.211388
100	66	30	1.0000	1.0000	0.030239
101	30	115	1.0000	1.0000	0.262794
102	115	57	1.0000	1.0000	0.134316
103	57	111	1.0000	1.0000	0.084656
104	111	113	1.0000	1.0000	0.156488
105	113	23	1.0000	1.0000	0.181527
106	23	10	1.0000	1.0000	0.020128
107	10	75	1.0000	1.0000	0.021127
108	112	85	1.0000	1.0000	0.501654
109	85	113	1.0000	1.0000	0.400422
110	113	25	1.0000	1.0000	0.165123
111	25	76	1.0000	1.0000	0.061892
112	76	11	1.0000	1.0000	0.090274
113	11	43	1.0000	1.0000	0.017052
114	43	117	1.0000	1.0000	0.326194
115	117	88	1.0000	1.0000	0.515831
116	101	86	1.0000	1.0000	0.247493
117	86	44	1.0000	1.0000	0.244075
118	44	109	1.0000	1.0000	0.254514
119	109	95	1.0000	1.0000	0.003153
120	95	108	1.0000	1.0000	0.215863
121	108	117	1.0000	1.0000	0.642448
122	117	99	1.0000	1.0000	0.087079
123	99	52	1.0000	1.0000	0.290802
124	52	12	1.0000	1.0000	0.014193
125	12	116	1.0000	1.0000	0.607926
126	13	14	1.0000	1.0000	0.012025
127	14	15	1.0000	1.0000	0.006012
128	104	56	1.0000	1.0000	0.086910
129	56	62	1.0000	1.0000	0.024273

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
130	62	102	1.0000	1.0000	0.044772
131	102	106	1.0000	1.0000	0.160825
132	106	28	1.0000	1.0000	0.314195
133	28	105	1.0000	1.0000	0.113839
134	105	65	1.0000	1.0000	0.200476
135	65	13	1.0000	1.0000	0.018037
136	13	103	1.0000	1.0000	0.021198
137	103	14	1.0000	1.0000	0.009173
138	14	110	1.0000	1.0000	0.267081
139	110	29	1.0000	1.0000	0.241484
140	58	18	1.0000	1.0000	0.003872
141	18	45	1.0000	1.0000	0.006880
142	45	55	1.0000	1.0000	0.003573
143	55	32	1.0000	1.0000	0.005436
144	32	54	1.0000	1.0000	0.009920
145	54	56	1.0000	1.0000	0.003666
146	56	57	1.0000	1.0000	0.000108
147	57	53	1.0000	1.0000	0.030452
148	62	60	1.0000	1.0000	0.005450
149	60	33	1.0000	1.0000	0.014942
150	33	61	1.0000	1.0000	0.005345
151	61	46	1.0000	1.0000	0.001003
152	46	63	1.0000	1.0000	0.000556
153	63	19	1.0000	1.0000	0.004510
154	19	59	1.0000	1.0000	0.004557
155	77	59	1.0000	1.0000	0.043358
156	59	20	1.0000	1.0000	0.015972
157	20	78	1.0000	1.0000	0.068119
158	78	79	1.0000	1.0000	0.267226
159	74	22	1.0000	1.0000	0.106771
160	22	51	1.0000	1.0000	0.004751
161	51	97	1.0000	1.0000	0.065674
162	97	42	1.0000	1.0000	0.069553
163	42	91	1.0000	1.0000	0.124588
164	91	104	1.0000	1.0000	0.002139
165	104	111	1.0000	1.0000	0.171674

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
166	111	84	1.0000	1.0000	0.009494
167	84	112	1.0000	1.0000	0.267214
168	87	116	1.0000	1.0000	0.647420
169	116	58	1.0000	1.0000	0.568320
170	58	24	1.0000	1.0000	0.015559
171	24	63	1.0000	1.0000	0.015877
172	63	107	1.0000	1.0000	0.260933
173	29	26	1.0000	1.0000	0.013572
174	26	30	1.0000	1.0000	0.021906
175	30	28	1.0000	1.0000	0.004501
176	28	27	1.0000	1.0000	0.003061
177	26	66	1.0000	1.0000	0.008334
178	66	67	1.0000	1.0000	0.024227
179	67	65	1.0000	1.0000	0.036671
180	65	64	1.0000	1.0000	0.093944
181	91	54	1.0000	1.0000	0.092715
182	54	60	1.0000	1.0000	0.022489
183	60	90	1.0000	1.0000	0.167053
184	90	93	1.0000	1.0000	0.407918
185	93	27	1.0000	1.0000	0.357974
186	27	92	1.0000	1.0000	0.343837
187	92	64	1.0000	1.0000	0.521357
188	64	89	1.0000	1.0000	0.333354
189	71	101	1.0000	1.0000	0.422592
190	101	81	1.0000	1.0000	0.428277
191	81	38	1.0000	1.0000	0.089697
192	102	90	1.0000	1.0000	0.206375
193	90	50	1.0000	1.0000	0.144527
194	50	96	1.0000	1.0000	0.072497
195	96	39	1.0000	1.0000	0.087217
196	39	107	1.0000	1.0000	0.289474
197	107	78	1.0000	1.0000	0.335958
198	114	67	1.0000	1.0000	0.235615
199	67	105	1.0000	1.0000	0.163804
200	105	92	1.0000	1.0000	0.226937
201	92	98	1.0000	1.0000	0.290455

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ohm)	Voltage Drop (V)
202	98	79	1.0000	1.0000	0.276663
203	100	93	1.0000	1.0000	0.276038
204	93	106	1.0000	1.0000	0.040719
205	106	115	1.0000	1.0000	0.046900

Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ohm
Calculated impedance R_eq	4514.255418 Ohm
Total current I	--

Impedance for different k (resistance per segment) values

k (Ohm/segment)	R_equivalent (Ohm)
1	4.514255
10	45.142554
100	451.425542
1000	4514.255418
10000	45142.554177

EXPERIMENT #73

Timestamp: 20260511_110237 | Environment: --

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	--
Stick length (a)	--
Domain size	1.0 x 1.0
Source region	--
Drain region	--
Total intersections	--
Has percolation	[FAIL] No
# Percolating paths	--
Nodes before pruning	--
Nodes after pruning	--
Edges before pruning	--
Edges after pruning	--

Network Visualizations



Fig. -- 04 before after pruning N7

Edge Resistances (Pruned Network)

[WARNING] No percolating path -- no resistance data.

Impedance Calculation

[WARNING] Impedance calculation skipped (no percolation).

EXPERIMENT #74

Timestamp: 20260511_110247 | Environment: --

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	--
Stick length (a)	--
Domain size	1.0 x 1.0
Source region	--
Drain region	--
Total intersections	--
Has percolation	[FAIL] No
# Percolating paths	--
Nodes before pruning	--
Nodes after pruning	--
Edges before pruning	--
Edges after pruning	--

Network Visualizations



Fig. -- 04 before after pruning N8

Edge Resistances (Pruned Network)

[WARNING] No percolating path -- no resistance data.

Impedance Calculation

[WARNING] Impedance calculation skipped (no percolation).

EXPERIMENT #75

Timestamp: 20260511_110257 | Environment: --

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	--
Stick length (a)	--
Domain size	1.0 x 1.0
Source region	--
Drain region	--
Total intersections	--
Has percolation	[FAIL] No
# Percolating paths	--
Nodes before pruning	--
Nodes after pruning	--
Edges before pruning	--
Edges after pruning	--

Network Visualizations



Fig. -- 04 before after pruning N6

Edge Resistances (Pruned Network)

[WARNING] No percolating path -- no resistance data.

Impedance Calculation

[WARNING] Impedance calculation skipped (no percolation).

EXPERIMENT #76

Timestamp: 20260511_110307 | Environment: --

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	--
Stick length (a)	--
Domain size	1.0 x 1.0
Source region	--
Drain region	--
Total intersections	--
Has percolation	[FAIL] No
# Percolating paths	--
Nodes before pruning	--
Nodes after pruning	--
Edges before pruning	--
Edges after pruning	--

Network Visualizations



Fig. -- 04 before after pruning N200

Edge Resistances (Pruned Network)

[WARNING] No percolating path -- no resistance data.

Impedance Calculation

[WARNING] Impedance calculation skipped (no percolation).

EXPERIMENT #77

Timestamp: 20260511_112016 | Environment: --

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	--
Stick length (a)	--
Domain size	1.0 x 1.0
Source region	--
Drain region	--
Total intersections	--
Has percolation	[FAIL] No
# Percolating paths	--
Nodes before pruning	--
Nodes after pruning	--
Edges before pruning	--
Edges after pruning	--

Network Visualizations



Fig. -- 04 before after pruning N7

Edge Resistances (Pruned Network)

[WARNING] No percolating path -- no resistance data.

Impedance Calculation

[WARNING] Impedance calculation skipped (no percolation).

EXPERIMENT #78

Timestamp: 20260511_112025 | Environment: --

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	--
Stick length (a)	--
Domain size	1.0 x 1.0
Source region	--
Drain region	--
Total intersections	--
Has percolation	[FAIL] No
# Percolating paths	--
Nodes before pruning	--
Nodes after pruning	--
Edges before pruning	--
Edges after pruning	--

Network Visualizations



Fig. -- 04 before after pruning N8

Edge Resistances (Pruned Network)

[WARNING] No percolating path -- no resistance data.

Impedance Calculation

[WARNING] Impedance calculation skipped (no percolation).

EXPERIMENT #79

Timestamp: 20260511_112035 | Environment: --

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	--
Stick length (a)	--
Domain size	1.0 x 1.0
Source region	--
Drain region	--
Total intersections	--
Has percolation	[FAIL] No
# Percolating paths	--
Nodes before pruning	--
Nodes after pruning	--
Edges before pruning	--
Edges after pruning	--

Network Visualizations



Fig. -- 04 before after pruning N6

Edge Resistances (Pruned Network)

[WARNING] No percolating path -- no resistance data.

Impedance Calculation

[WARNING] Impedance calculation skipped (no percolation).

EXPERIMENT #80

Timestamp: 20260511_112046 | Environment: --

Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	--
Stick length (a)	--
Domain size	1.0 x 1.0
Source region	--
Drain region	--
Total intersections	--
Has percolation	[FAIL] No
# Percolating paths	--
Nodes before pruning	--
Nodes after pruning	--
Edges before pruning	--
Edges after pruning	--

Network Visualizations



Fig. -- 04 before after pruning N200

Edge Resistances (Pruned Network)

[WARNING] No percolating path -- no resistance data.

Impedance Calculation

[WARNING] Impedance calculation skipped (no percolation).