EXPERIMENT #32

Timestamp: 20260330_100857 | Environment: Local

1. Experiment Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.7
Domain size	1.0 × 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	171
Has percolation	✓ Yes
# Percolating paths	1
Nodes before pruning	171
Nodes after pruning	171
Edges before pruning	1986
Edges after pruning	1986

2. Network Visualizations




Fig. — 01 random lines N30



Fig. — 02 intersections N30




Fig. — 03 percolating paths before pruning N30




Fig. — 04 before after pruning N30

3. Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
0	0	2	1.0000	1.0000	0.012575
1	0	3	1.0000	1.0000	0.003226

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2	0	13	1.0000	1.0000	0.014264
3	0	19	1.0000	1.0000	0.012444
4	0	21	1.0000	1.0000	0.002443
5	0	23	1.0000	1.0000	0.002352
6	0	28	1.0000	1.0000	0.007936
7	0	30	1.0000	1.0000	0.006847
8	0	31	1.0000	1.0000	0.006478
9	0	35	1.0000	1.0000	0.006052
10	0	48	1.0000	1.0000	0.017099
11	0	50	1.0000	1.0000	0.009897
12	0	51	1.0000	1.0000	0.025986
13	0	56	1.0000	1.0000	0.007443
14	0	58	1.0000	1.0000	0.006799
15	0	64	1.0000	1.0000	0.000363
16	0	72	1.0000	1.0000	0.051359
17	0	82	1.0000	1.0000	0.026183
18	0	103	1.0000	1.0000	0.006166
19	0	108	1.0000	1.0000	0.018723
20	0	114	1.0000	1.0000	0.002817
21	0	121	1.0000	1.0000	0.013385
22	0	139	1.0000	1.0000	0.021693
23	0	145	1.0000	1.0000	0.042684
24	0	159	1.0000	1.0000	0.002670
25	0	162	1.0000	1.0000	0.006746
26	0	164	1.0000	1.0000	0.005743
27	1	2	1.0000	1.0000	0.009375
28	1	14	1.0000	1.0000	0.011862
29	1	29	1.0000	1.0000	0.008332
30	1	40	1.0000	1.0000	0.027926
31	1	49	1.0000	1.0000	0.012868
32	1	52	1.0000	1.0000	0.003022
33	1	60	1.0000	1.0000	0.031940
34	1	73	1.0000	1.0000	0.027722
35	1	87	1.0000	1.0000	0.016018
36	1	88	1.0000	1.0000	0.028582
37	1	96	1.0000	1.0000	0.011826

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
38	1	97	1.0000	1.0000	0.034182
39	1	105	1.0000	1.0000	0.033987
40	1	116	1.0000	1.0000	0.000166
41	1	131	1.0000	1.0000	0.012920
42	1	133	1.0000	1.0000	0.024385
43	2	14	1.0000	1.0000	0.021238
44	2	19	1.0000	1.0000	0.000130
45	2	23	1.0000	1.0000	0.014927
46	2	30	1.0000	1.0000	0.005728
47	2	35	1.0000	1.0000	0.018627
48	2	40	1.0000	1.0000	0.037301
49	2	50	1.0000	1.0000	0.002677
50	2	52	1.0000	1.0000	0.006353
51	2	56	1.0000	1.0000	0.005132
52	2	64	1.0000	1.0000	0.012938
53	2	73	1.0000	1.0000	0.037097
54	2	82	1.0000	1.0000	0.013608
55	2	87	1.0000	1.0000	0.006642
56	2	96	1.0000	1.0000	0.002451
57	2	103	1.0000	1.0000	0.018740
58	2	108	1.0000	1.0000	0.031298
59	2	121	1.0000	1.0000	0.025960
60	2	131	1.0000	1.0000	0.003545
61	2	145	1.0000	1.0000	0.055259
62	2	159	1.0000	1.0000	0.015245
63	2	164	1.0000	1.0000	0.006831
64	3	4	1.0000	1.0000	0.015694
65	3	5	1.0000	1.0000	0.005103
66	3	6	1.0000	1.0000	0.003975
67	3	7	1.0000	1.0000	0.010552
68	3	8	1.0000	1.0000	0.011616
69	3	9	1.0000	1.0000	0.009371
70	3	10	1.0000	1.0000	0.010570
71	3	11	1.0000	1.0000	0.003386
72	3	12	1.0000	1.0000	0.005317
73	3	13	1.0000	1.0000	0.017490

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
74	3	21	1.0000	1.0000	0.000784
75	3	28	1.0000	1.0000	0.011162
76	3	31	1.0000	1.0000	0.003252
77	3	48	1.0000	1.0000	0.020326
78	3	51	1.0000	1.0000	0.029213
79	3	58	1.0000	1.0000	0.003572
80	3	72	1.0000	1.0000	0.054585
81	3	114	1.0000	1.0000	0.000409
82	3	139	1.0000	1.0000	0.018467
83	3	162	1.0000	1.0000	0.003520
84	4	5	1.0000	1.0000	0.020797
85	4	6	1.0000	1.0000	0.019669
86	4	7	1.0000	1.0000	0.026246
87	4	8	1.0000	1.0000	0.027310
88	4	9	1.0000	1.0000	0.025065
89	4	10	1.0000	1.0000	0.026264
90	4	11	1.0000	1.0000	0.019080
91	4	12	1.0000	1.0000	0.021011
92	4	13	1.0000	1.0000	0.001796
93	4	14	1.0000	1.0000	0.021345
94	4	15	1.0000	1.0000	0.012837
95	4	16	1.0000	1.0000	0.016749
96	4	17	1.0000	1.0000	0.012788
97	4	18	1.0000	1.0000	0.048982
98	4	19	1.0000	1.0000	0.000023
99	4	20	1.0000	1.0000	0.049455
100	4	74	1.0000	1.0000	0.031383
101	5	6	1.0000	1.0000	0.001128
102	5	7	1.0000	1.0000	0.005449
103	5	8	1.0000	1.0000	0.006513
104	5	9	1.0000	1.0000	0.004268
105	5	10	1.0000	1.0000	0.005467
106	5	11	1.0000	1.0000	0.001717
107	5	12	1.0000	1.0000	0.000214
108	5	58	1.0000	1.0000	0.001531
109	5	59	1.0000	1.0000	0.005864

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
110	5	60	1.0000	1.0000	0.001661
111	5	61	1.0000	1.0000	0.030417
112	5	62	1.0000	1.0000	0.000371
113	5	63	1.0000	1.0000	0.003881
114	5	64	1.0000	1.0000	0.007966
115	5	65	1.0000	1.0000	0.004717
116	5	66	1.0000	1.0000	0.005572
117	5	67	1.0000	1.0000	0.003809
118	5	68	1.0000	1.0000	0.004783
119	5	69	1.0000	1.0000	0.000861
120	5	70	1.0000	1.0000	0.000656
121	5	71	1.0000	1.0000	0.041124
122	5	142	1.0000	1.0000	0.047666
123	6	7	1.0000	1.0000	0.006577
124	6	8	1.0000	1.0000	0.007641
125	6	9	1.0000	1.0000	0.005396
126	6	10	1.0000	1.0000	0.006595
127	6	11	1.0000	1.0000	0.000589
128	6	12	1.0000	1.0000	0.001342
129	6	22	1.0000	1.0000	0.001608
130	6	34	1.0000	1.0000	0.002276
131	6	55	1.0000	1.0000	0.015919
132	6	63	1.0000	1.0000	0.002753
133	6	81	1.0000	1.0000	0.043243
134	6	103	1.0000	1.0000	0.001036
135	6	107	1.0000	1.0000	0.010765
136	6	119	1.0000	1.0000	0.002478
137	6	143	1.0000	1.0000	0.036924
138	6	163	1.0000	1.0000	0.003155
139	7	8	1.0000	1.0000	0.001064
140	7	9	1.0000	1.0000	0.001181
141	7	10	1.0000	1.0000	0.000018
142	7	11	1.0000	1.0000	0.007166
143	7	12	1.0000	1.0000	0.005235
144	7	24	1.0000	1.0000	0.002988
145	7	36	1.0000	1.0000	0.000313

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
146	7	66	1.0000	1.0000	0.000123
147	7	109	1.0000	1.0000	0.003161
148	7	123	1.0000	1.0000	0.001302
149	7	149	1.0000	1.0000	0.044679
150	7	157	1.0000	1.0000	0.005593
151	7	160	1.0000	1.0000	0.007527
152	7	168	1.0000	1.0000	0.364829
153	8	9	1.0000	1.0000	0.002245
154	8	10	1.0000	1.0000	0.001046
155	8	11	1.0000	1.0000	0.008230
156	8	12	1.0000	1.0000	0.006299
157	8	67	1.0000	1.0000	0.002704
158	8	84	1.0000	1.0000	0.044638
159	8	110	1.0000	1.0000	0.002805
160	8	124	1.0000	1.0000	0.001415
161	8	130	1.0000	1.0000	0.016862
162	8	150	1.0000	1.0000	0.037970
163	8	155	1.0000	1.0000	0.005257
164	8	156	1.0000	1.0000	0.008006
165	8	157	1.0000	1.0000	0.004529
166	8	158	1.0000	1.0000	0.003455
167	9	10	1.0000	1.0000	0.001199
168	9	11	1.0000	1.0000	0.005985
169	9	12	1.0000	1.0000	0.004054
170	9	25	1.0000	1.0000	0.002752
171	9	37	1.0000	1.0000	0.000680
172	9	68	1.0000	1.0000	0.000515
173	9	101	1.0000	1.0000	0.009745
174	9	111	1.0000	1.0000	0.000427
175	9	125	1.0000	1.0000	0.004815
176	9	151	1.0000	1.0000	0.041732
177	9	159	1.0000	1.0000	0.009927
178	9	161	1.0000	1.0000	0.010052
179	10	11	1.0000	1.0000	0.007184
180	10	12	1.0000	1.0000	0.005253
181	10	26	1.0000	1.0000	0.002770

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
182	10	38	1.0000	1.0000	0.000288
183	10	69	1.0000	1.0000	0.006328
184	10	102	1.0000	1.0000	0.003626
185	10	112	1.0000	1.0000	0.008739
186	10	126	1.0000	1.0000	0.004496
187	10	152	1.0000	1.0000	0.002032
188	10	158	1.0000	1.0000	0.004501
189	10	160	1.0000	1.0000	0.007545
190	10	161	1.0000	1.0000	0.011251
191	10	169	1.0000	1.0000	0.635154
192	11	12	1.0000	1.0000	0.001931
193	11	27	1.0000	1.0000	0.001440
194	11	39	1.0000	1.0000	0.002374
195	11	57	1.0000	1.0000	0.001859
196	11	70	1.0000	1.0000	0.002373
197	11	85	1.0000	1.0000	0.043361
198	11	127	1.0000	1.0000	0.037670
199	11	153	1.0000	1.0000	0.008214
200	11	162	1.0000	1.0000	0.000134
201	11	163	1.0000	1.0000	0.003744
202	11	164	1.0000	1.0000	0.012356
203	11	170	1.0000	1.0000	0.642338
204	12	71	1.0000	1.0000	0.041338
205	12	86	1.0000	1.0000	0.032758
206	12	113	1.0000	1.0000	0.001461
207	12	128	1.0000	1.0000	0.062877
208	12	154	1.0000	1.0000	0.012140
209	12	165	1.0000	1.0000	0.005575
210	12	166	1.0000	1.0000	0.005563
211	12	167	1.0000	1.0000	0.001022
212	12	168	1.0000	1.0000	0.359593
213	12	169	1.0000	1.0000	0.640407
214	12	170	1.0000	1.0000	0.640407
215	13	14	1.0000	1.0000	0.019549
216	13	15	1.0000	1.0000	0.011040
217	13	16	1.0000	1.0000	0.014953

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
218	13	17	1.0000	1.0000	0.010992
219	13	18	1.0000	1.0000	0.047186
220	13	19	1.0000	1.0000	0.001819
221	13	20	1.0000	1.0000	0.047659
222	13	21	1.0000	1.0000	0.016706
223	13	28	1.0000	1.0000	0.006328
224	13	31	1.0000	1.0000	0.020742
225	13	48	1.0000	1.0000	0.002836
226	13	51	1.0000	1.0000	0.011723
227	13	58	1.0000	1.0000	0.021062
228	13	72	1.0000	1.0000	0.037095
229	13	74	1.0000	1.0000	0.029587
230	13	114	1.0000	1.0000	0.017081
231	13	139	1.0000	1.0000	0.035957
232	13	162	1.0000	1.0000	0.021010
233	14	15	1.0000	1.0000	0.008508
234	14	16	1.0000	1.0000	0.004596
235	14	17	1.0000	1.0000	0.008556
236	14	18	1.0000	1.0000	0.027637
237	14	19	1.0000	1.0000	0.021368
238	14	20	1.0000	1.0000	0.028110
239	14	40	1.0000	1.0000	0.016063
240	14	52	1.0000	1.0000	0.014884
241	14	73	1.0000	1.0000	0.015860
242	14	74	1.0000	1.0000	0.010038
243	14	87	1.0000	1.0000	0.027880
244	14	96	1.0000	1.0000	0.023689
245	14	131	1.0000	1.0000	0.024782
246	15	16	1.0000	1.0000	0.003913
247	15	17	1.0000	1.0000	0.000048
248	15	18	1.0000	1.0000	0.036146
249	15	19	1.0000	1.0000	0.012860
250	15	20	1.0000	1.0000	0.036619
251	15	28	1.0000	1.0000	0.017368
252	15	29	1.0000	1.0000	0.011686
253	15	30	1.0000	1.0000	0.018457

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
254	15	33	1.0000	1.0000	0.026314
255	15	42	1.0000	1.0000	0.016475
256	15	53	1.0000	1.0000	0.003286
257	15	74	1.0000	1.0000	0.018546
258	15	75	1.0000	1.0000	0.035290
259	15	98	1.0000	1.0000	0.019758
260	15	134	1.0000	1.0000	0.009716
261	16	17	1.0000	1.0000	0.003961
262	16	18	1.0000	1.0000	0.032233
263	16	19	1.0000	1.0000	0.016772
264	16	20	1.0000	1.0000	0.032706
265	16	44	1.0000	1.0000	0.016690
266	16	48	1.0000	1.0000	0.012117
267	16	49	1.0000	1.0000	0.020135
268	16	50	1.0000	1.0000	0.019319
269	16	54	1.0000	1.0000	0.021704
270	16	74	1.0000	1.0000	0.014634
271	16	77	1.0000	1.0000	0.012607
272	16	91	1.0000	1.0000	0.035720
273	16	136	1.0000	1.0000	0.010113
274	17	18	1.0000	1.0000	0.036194
275	17	19	1.0000	1.0000	0.012811
276	17	20	1.0000	1.0000	0.036667
277	17	45	1.0000	1.0000	0.014579
278	17	51	1.0000	1.0000	0.000731
279	17	52	1.0000	1.0000	0.006328
280	17	53	1.0000	1.0000	0.003238
281	17	54	1.0000	1.0000	0.017743
282	17	55	1.0000	1.0000	0.016538
283	17	56	1.0000	1.0000	0.017813
284	17	57	1.0000	1.0000	0.030009
285	17	74	1.0000	1.0000	0.018595
286	17	78	1.0000	1.0000	0.026648
287	17	92	1.0000	1.0000	0.003972
288	17	137	1.0000	1.0000	0.073790
289	17	167	1.0000	1.0000	0.032777

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
290	18	19	1.0000	1.0000	0.049005
291	18	20	1.0000	1.0000	0.000473
292	18	46	1.0000	1.0000	0.014236
293	18	74	1.0000	1.0000	0.017599
294	18	80	1.0000	1.0000	0.031974
295	18	93	1.0000	1.0000	0.004765
296	18	96	1.0000	1.0000	0.051326
297	18	138	1.0000	1.0000	0.107715
298	19	20	1.0000	1.0000	0.049478
299	19	23	1.0000	1.0000	0.014796
300	19	30	1.0000	1.0000	0.005598
301	19	35	1.0000	1.0000	0.018496
302	19	50	1.0000	1.0000	0.002547
303	19	56	1.0000	1.0000	0.005002
304	19	64	1.0000	1.0000	0.012807
305	19	74	1.0000	1.0000	0.031406
306	19	82	1.0000	1.0000	0.013739
307	19	103	1.0000	1.0000	0.018610
308	19	108	1.0000	1.0000	0.031167
309	19	121	1.0000	1.0000	0.025829
310	19	145	1.0000	1.0000	0.055129
311	19	159	1.0000	1.0000	0.015115
312	19	164	1.0000	1.0000	0.006701
313	20	47	1.0000	1.0000	0.051397
314	20	74	1.0000	1.0000	0.018072
315	20	95	1.0000	1.0000	0.057910
316	21	22	1.0000	1.0000	0.003150
317	21	23	1.0000	1.0000	0.000091
318	21	24	1.0000	1.0000	0.008348
319	21	25	1.0000	1.0000	0.007403
320	21	26	1.0000	1.0000	0.008583
321	21	27	1.0000	1.0000	0.002730
322	21	28	1.0000	1.0000	0.010379
323	21	31	1.0000	1.0000	0.004036
324	21	32	1.0000	1.0000	0.005799
325	21	41	1.0000	1.0000	0.027799

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
326	21	48	1.0000	1.0000	0.019542
327	21	51	1.0000	1.0000	0.028429
328	21	58	1.0000	1.0000	0.004356
329	21	59	1.0000	1.0000	0.000023
330	21	72	1.0000	1.0000	0.053801
331	21	104	1.0000	1.0000	0.010797
332	21	114	1.0000	1.0000	0.000374
333	21	115	1.0000	1.0000	0.007799
334	21	132	1.0000	1.0000	0.015338
335	21	139	1.0000	1.0000	0.019251
336	21	155	1.0000	1.0000	0.017657
337	21	162	1.0000	1.0000	0.004303
338	21	165	1.0000	1.0000	0.011676
339	22	23	1.0000	1.0000	0.003241
340	22	24	1.0000	1.0000	0.005197
341	22	25	1.0000	1.0000	0.004253
342	22	26	1.0000	1.0000	0.005433
343	22	27	1.0000	1.0000	0.000421
344	22	32	1.0000	1.0000	0.002648
345	22	34	1.0000	1.0000	0.003885
346	22	41	1.0000	1.0000	0.030950
347	22	55	1.0000	1.0000	0.014311
348	22	59	1.0000	1.0000	0.003128
349	22	63	1.0000	1.0000	0.001144
350	22	81	1.0000	1.0000	0.041634
351	22	103	1.0000	1.0000	0.000573
352	22	104	1.0000	1.0000	0.007647
353	22	107	1.0000	1.0000	0.012373
354	22	115	1.0000	1.0000	0.004649
355	22	119	1.0000	1.0000	0.000869
356	22	132	1.0000	1.0000	0.018488
357	22	143	1.0000	1.0000	0.038532
358	22	155	1.0000	1.0000	0.014506
359	22	163	1.0000	1.0000	0.004763
360	22	165	1.0000	1.0000	0.008525
361	23	24	1.0000	1.0000	0.008439

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
362	23	25	1.0000	1.0000	0.007494
363	23	26	1.0000	1.0000	0.008674
364	23	27	1.0000	1.0000	0.002821
365	23	30	1.0000	1.0000	0.009198
366	23	32	1.0000	1.0000	0.005890
367	23	35	1.0000	1.0000	0.003700
368	23	41	1.0000	1.0000	0.027709
369	23	50	1.0000	1.0000	0.012249
370	23	56	1.0000	1.0000	0.009794
371	23	59	1.0000	1.0000	0.000113
372	23	64	1.0000	1.0000	0.001989
373	23	82	1.0000	1.0000	0.028535
374	23	103	1.0000	1.0000	0.003814
375	23	104	1.0000	1.0000	0.010888
376	23	108	1.0000	1.0000	0.016371
377	23	115	1.0000	1.0000	0.007890
378	23	121	1.0000	1.0000	0.011033
379	23	132	1.0000	1.0000	0.015247
380	23	145	1.0000	1.0000	0.040333
381	23	155	1.0000	1.0000	0.017748
382	23	159	1.0000	1.0000	0.000318
383	23	164	1.0000	1.0000	0.008095
384	23	165	1.0000	1.0000	0.011766
385	24	25	1.0000	1.0000	0.000945
386	24	26	1.0000	1.0000	0.000236
387	24	27	1.0000	1.0000	0.005618
388	24	32	1.0000	1.0000	0.002549
389	24	36	1.0000	1.0000	0.003302
390	24	41	1.0000	1.0000	0.036147
391	24	59	1.0000	1.0000	0.008325
392	24	66	1.0000	1.0000	0.003111
393	24	104	1.0000	1.0000	0.002450
394	24	109	1.0000	1.0000	0.006149
395	24	115	1.0000	1.0000	0.000549
396	24	123	1.0000	1.0000	0.001686
397	24	132	1.0000	1.0000	0.023685

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
398	24	149	1.0000	1.0000	0.047667
399	24	155	1.0000	1.0000	0.009309
400	24	157	1.0000	1.0000	0.008581
401	24	160	1.0000	1.0000	0.004539
402	24	165	1.0000	1.0000	0.003328
403	24	168	1.0000	1.0000	0.361840
404	25	26	1.0000	1.0000	0.001180
405	25	27	1.0000	1.0000	0.004673
406	25	32	1.0000	1.0000	0.001604
407	25	37	1.0000	1.0000	0.003432
408	25	41	1.0000	1.0000	0.035202
409	25	59	1.0000	1.0000	0.007380
410	25	68	1.0000	1.0000	0.003267
411	25	101	1.0000	1.0000	0.006993
412	25	104	1.0000	1.0000	0.003394
413	25	111	1.0000	1.0000	0.003179
414	25	115	1.0000	1.0000	0.000396
415	25	125	1.0000	1.0000	0.002063
416	25	132	1.0000	1.0000	0.022741
417	25	151	1.0000	1.0000	0.044484
418	25	155	1.0000	1.0000	0.010254
419	25	159	1.0000	1.0000	0.007175
420	25	161	1.0000	1.0000	0.007300
421	25	165	1.0000	1.0000	0.004273
422	26	27	1.0000	1.0000	0.005854
423	26	32	1.0000	1.0000	0.002785
424	26	38	1.0000	1.0000	0.003058
425	26	41	1.0000	1.0000	0.036383
426	26	59	1.0000	1.0000	0.008561
427	26	69	1.0000	1.0000	0.003558
428	26	102	1.0000	1.0000	0.000856
429	26	104	1.0000	1.0000	0.002214
430	26	112	1.0000	1.0000	0.005969
431	26	115	1.0000	1.0000	0.000784
432	26	126	1.0000	1.0000	0.001726
433	26	132	1.0000	1.0000	0.023921

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
434	26	152	1.0000	1.0000	0.000738
435	26	155	1.0000	1.0000	0.009073
436	26	158	1.0000	1.0000	0.007272
437	26	160	1.0000	1.0000	0.004775
438	26	161	1.0000	1.0000	0.008481
439	26	165	1.0000	1.0000	0.003092
440	26	169	1.0000	1.0000	0.637924
441	27	32	1.0000	1.0000	0.003069
442	27	39	1.0000	1.0000	0.003813
443	27	41	1.0000	1.0000	0.030529
444	27	57	1.0000	1.0000	0.000419
445	27	59	1.0000	1.0000	0.002707
446	27	70	1.0000	1.0000	0.003813
447	27	85	1.0000	1.0000	0.041921
448	27	104	1.0000	1.0000	0.008067
449	27	115	1.0000	1.0000	0.005069
450	27	127	1.0000	1.0000	0.039110
451	27	132	1.0000	1.0000	0.018068
452	27	153	1.0000	1.0000	0.009654
453	27	155	1.0000	1.0000	0.014927
454	27	162	1.0000	1.0000	0.001573
455	27	163	1.0000	1.0000	0.005184
456	27	164	1.0000	1.0000	0.010916
457	27	165	1.0000	1.0000	0.008946
458	27	170	1.0000	1.0000	0.643777
459	28	29	1.0000	1.0000	0.005682
460	28	30	1.0000	1.0000	0.001089
461	28	31	1.0000	1.0000	0.014414
462	28	33	1.0000	1.0000	0.008946
463	28	42	1.0000	1.0000	0.033843
464	28	48	1.0000	1.0000	0.009163
465	28	51	1.0000	1.0000	0.018050
466	28	53	1.0000	1.0000	0.014082
467	28	58	1.0000	1.0000	0.014734
468	28	72	1.0000	1.0000	0.043423
469	28	75	1.0000	1.0000	0.052658

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
470	28	98	1.0000	1.0000	0.002390
471	28	114	1.0000	1.0000	0.010753
472	28	134	1.0000	1.0000	0.007652
473	28	139	1.0000	1.0000	0.029629
474	28	162	1.0000	1.0000	0.014682
475	29	30	1.0000	1.0000	0.006772
476	29	33	1.0000	1.0000	0.014628
477	29	42	1.0000	1.0000	0.028160
478	29	49	1.0000	1.0000	0.004536
479	29	53	1.0000	1.0000	0.008399
480	29	60	1.0000	1.0000	0.023609
481	29	75	1.0000	1.0000	0.046975
482	29	88	1.0000	1.0000	0.036914
483	29	97	1.0000	1.0000	0.025851
484	29	98	1.0000	1.0000	0.008072
485	29	105	1.0000	1.0000	0.025655
486	29	116	1.0000	1.0000	0.008166
487	29	133	1.0000	1.0000	0.016053
488	29	134	1.0000	1.0000	0.001970
489	30	33	1.0000	1.0000	0.007857
490	30	35	1.0000	1.0000	0.012899
491	30	42	1.0000	1.0000	0.034932
492	30	50	1.0000	1.0000	0.003051
493	30	53	1.0000	1.0000	0.015171
494	30	56	1.0000	1.0000	0.000596
495	30	64	1.0000	1.0000	0.007210
496	30	75	1.0000	1.0000	0.053747
497	30	82	1.0000	1.0000	0.019336
498	30	98	1.0000	1.0000	0.001301
499	30	103	1.0000	1.0000	0.013012
500	30	108	1.0000	1.0000	0.025570
501	30	121	1.0000	1.0000	0.020232
502	30	134	1.0000	1.0000	0.008741
503	30	145	1.0000	1.0000	0.049531
504	30	159	1.0000	1.0000	0.009517
505	30	164	1.0000	1.0000	0.001103

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
506	31	32	1.0000	1.0000	0.001763
507	31	33	1.0000	1.0000	0.005468
508	31	34	1.0000	1.0000	0.002999
509	31	35	1.0000	1.0000	0.000426
510	31	36	1.0000	1.0000	0.007614
511	31	37	1.0000	1.0000	0.006799
512	31	38	1.0000	1.0000	0.007606
513	31	39	1.0000	1.0000	0.002508
514	31	43	1.0000	1.0000	0.024324
515	31	48	1.0000	1.0000	0.023577
516	31	51	1.0000	1.0000	0.032465
517	31	58	1.0000	1.0000	0.000320
518	31	61	1.0000	1.0000	0.028566
519	31	72	1.0000	1.0000	0.057837
520	31	89	1.0000	1.0000	0.038631
521	31	106	1.0000	1.0000	0.000983
522	31	114	1.0000	1.0000	0.003661
523	31	117	1.0000	1.0000	0.001806
524	31	129	1.0000	1.0000	0.025862
525	31	135	1.0000	1.0000	0.020711
526	31	139	1.0000	1.0000	0.015215
527	31	140	1.0000	1.0000	0.041955
528	31	156	1.0000	1.0000	0.000358
529	31	162	1.0000	1.0000	0.000268
530	31	166	1.0000	1.0000	0.007628
531	32	33	1.0000	1.0000	0.007231
532	32	34	1.0000	1.0000	0.001236
533	32	35	1.0000	1.0000	0.002190
534	32	36	1.0000	1.0000	0.005851
535	32	37	1.0000	1.0000	0.005036
536	32	38	1.0000	1.0000	0.005843
537	32	39	1.0000	1.0000	0.000745
538	32	41	1.0000	1.0000	0.033598
539	32	43	1.0000	1.0000	0.026088
540	32	59	1.0000	1.0000	0.005776
541	32	61	1.0000	1.0000	0.030329

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
542	32	89	1.0000	1.0000	0.040395
543	32	104	1.0000	1.0000	0.004999
544	32	106	1.0000	1.0000	0.000780
545	32	115	1.0000	1.0000	0.002000
546	32	117	1.0000	1.0000	0.000043
547	32	129	1.0000	1.0000	0.027626
548	32	132	1.0000	1.0000	0.021136
549	32	135	1.0000	1.0000	0.022474
550	32	140	1.0000	1.0000	0.040192
551	32	155	1.0000	1.0000	0.011858
552	32	156	1.0000	1.0000	0.001405
553	32	165	1.0000	1.0000	0.005877
554	32	166	1.0000	1.0000	0.005865
555	33	34	1.0000	1.0000	0.008468
556	33	35	1.0000	1.0000	0.005042
557	33	36	1.0000	1.0000	0.013082
558	33	37	1.0000	1.0000	0.012268
559	33	38	1.0000	1.0000	0.013074
560	33	39	1.0000	1.0000	0.007976
561	33	42	1.0000	1.0000	0.042789
562	33	43	1.0000	1.0000	0.018856
563	33	53	1.0000	1.0000	0.023027
564	33	61	1.0000	1.0000	0.023097
565	33	75	1.0000	1.0000	0.061604
566	33	89	1.0000	1.0000	0.033163
567	33	98	1.0000	1.0000	0.006556
568	33	106	1.0000	1.0000	0.006451
569	33	117	1.0000	1.0000	0.007274
570	33	129	1.0000	1.0000	0.020394
571	33	134	1.0000	1.0000	0.016598
572	33	135	1.0000	1.0000	0.015243
573	33	140	1.0000	1.0000	0.047423
574	33	156	1.0000	1.0000	0.005827
575	33	166	1.0000	1.0000	0.013096
576	34	35	1.0000	1.0000	0.003426
577	34	36	1.0000	1.0000	0.004614

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
578	34	37	1.0000	1.0000	0.003800
579	34	38	1.0000	1.0000	0.004607
580	34	39	1.0000	1.0000	0.000492
581	34	43	1.0000	1.0000	0.027324
582	34	55	1.0000	1.0000	0.018195
583	34	61	1.0000	1.0000	0.031565
584	34	63	1.0000	1.0000	0.005029
585	34	81	1.0000	1.0000	0.045519
586	34	89	1.0000	1.0000	0.041631
587	34	103	1.0000	1.0000	0.003312
588	34	106	1.0000	1.0000	0.002016
589	34	107	1.0000	1.0000	0.008489
590	34	117	1.0000	1.0000	0.001193
591	34	119	1.0000	1.0000	0.004754
592	34	129	1.0000	1.0000	0.028862
593	34	135	1.0000	1.0000	0.023710
594	34	140	1.0000	1.0000	0.038955
595	34	143	1.0000	1.0000	0.034647
596	34	156	1.0000	1.0000	0.002641
597	34	163	1.0000	1.0000	0.000879
598	34	166	1.0000	1.0000	0.004628
599	35	36	1.0000	1.0000	0.008040
600	35	37	1.0000	1.0000	0.007226
601	35	38	1.0000	1.0000	0.008032
602	35	39	1.0000	1.0000	0.002934
603	35	43	1.0000	1.0000	0.023898
604	35	50	1.0000	1.0000	0.015949
605	35	56	1.0000	1.0000	0.013494
606	35	61	1.0000	1.0000	0.028139
607	35	64	1.0000	1.0000	0.005689
608	35	82	1.0000	1.0000	0.032235
609	35	89	1.0000	1.0000	0.038205
610	35	103	1.0000	1.0000	0.000114
611	35	106	1.0000	1.0000	0.001409
612	35	108	1.0000	1.0000	0.012671
613	35	117	1.0000	1.0000	0.002232

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
614	35	121	1.0000	1.0000	0.007333
615	35	129	1.0000	1.0000	0.025436
616	35	135	1.0000	1.0000	0.020285
617	35	140	1.0000	1.0000	0.042381
618	35	145	1.0000	1.0000	0.036633
619	35	156	1.0000	1.0000	0.000785
620	35	159	1.0000	1.0000	0.003382
621	35	164	1.0000	1.0000	0.011795
622	35	166	1.0000	1.0000	0.008054
623	36	37	1.0000	1.0000	0.000814
624	36	38	1.0000	1.0000	0.000008
625	36	39	1.0000	1.0000	0.005106
626	36	43	1.0000	1.0000	0.031938
627	36	61	1.0000	1.0000	0.036179
628	36	66	1.0000	1.0000	0.000191
629	36	89	1.0000	1.0000	0.046245
630	36	106	1.0000	1.0000	0.006631
631	36	109	1.0000	1.0000	0.002848
632	36	117	1.0000	1.0000	0.005808
633	36	123	1.0000	1.0000	0.001615
634	36	129	1.0000	1.0000	0.033476
635	36	135	1.0000	1.0000	0.028325
636	36	140	1.0000	1.0000	0.034341
637	36	149	1.0000	1.0000	0.044365
638	36	156	1.0000	1.0000	0.007256
639	36	157	1.0000	1.0000	0.005279
640	36	160	1.0000	1.0000	0.007841
641	36	166	1.0000	1.0000	0.000014
642	36	168	1.0000	1.0000	0.365142
643	37	38	1.0000	1.0000	0.000807
644	37	39	1.0000	1.0000	0.004291
645	37	43	1.0000	1.0000	0.031124
646	37	61	1.0000	1.0000	0.035365
647	37	68	1.0000	1.0000	0.000165
648	37	89	1.0000	1.0000	0.045431
649	37	101	1.0000	1.0000	0.010425

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
650	37	106	1.0000	1.0000	0.005816
651	37	111	1.0000	1.0000	0.000253
652	37	117	1.0000	1.0000	0.004993
653	37	125	1.0000	1.0000	0.005495
654	37	129	1.0000	1.0000	0.032662
655	37	135	1.0000	1.0000	0.027510
656	37	140	1.0000	1.0000	0.035155
657	37	151	1.0000	1.0000	0.041052
658	37	156	1.0000	1.0000	0.006441
659	37	159	1.0000	1.0000	0.010607
660	37	161	1.0000	1.0000	0.010732
661	37	166	1.0000	1.0000	0.000829
662	38	39	1.0000	1.0000	0.005098
663	38	43	1.0000	1.0000	0.031931
664	38	61	1.0000	1.0000	0.036172
665	38	69	1.0000	1.0000	0.006616
666	38	89	1.0000	1.0000	0.046237
667	38	102	1.0000	1.0000	0.003914
668	38	106	1.0000	1.0000	0.006623
669	38	112	1.0000	1.0000	0.009027
670	38	117	1.0000	1.0000	0.005800
671	38	126	1.0000	1.0000	0.004785
672	38	129	1.0000	1.0000	0.033468
673	38	135	1.0000	1.0000	0.028317
674	38	140	1.0000	1.0000	0.034349
675	38	152	1.0000	1.0000	0.002320
676	38	156	1.0000	1.0000	0.007248
677	38	158	1.0000	1.0000	0.004213
678	38	160	1.0000	1.0000	0.007833
679	38	161	1.0000	1.0000	0.011539
680	38	166	1.0000	1.0000	0.000022
681	38	169	1.0000	1.0000	0.634866
682	39	43	1.0000	1.0000	0.026832
683	39	57	1.0000	1.0000	0.004233
684	39	61	1.0000	1.0000	0.031073
685	39	70	1.0000	1.0000	0.000000

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
686	39	85	1.0000	1.0000	0.045735
687	39	89	1.0000	1.0000	0.041139
688	39	106	1.0000	1.0000	0.001525
689	39	117	1.0000	1.0000	0.000702
690	39	127	1.0000	1.0000	0.035296
691	39	129	1.0000	1.0000	0.028370
692	39	135	1.0000	1.0000	0.023219
693	39	140	1.0000	1.0000	0.039447
694	39	153	1.0000	1.0000	0.005840
695	39	156	1.0000	1.0000	0.002150
696	39	162	1.0000	1.0000	0.002240
697	39	163	1.0000	1.0000	0.001370
698	39	164	1.0000	1.0000	0.014729
699	39	166	1.0000	1.0000	0.005120
700	39	170	1.0000	1.0000	0.639964
701	40	41	1.0000	1.0000	0.024519
702	40	42	1.0000	1.0000	0.008097
703	40	43	1.0000	1.0000	0.032029
704	40	44	1.0000	1.0000	0.003969
705	40	45	1.0000	1.0000	0.010040
706	40	46	1.0000	1.0000	0.025810
707	40	47	1.0000	1.0000	0.039350
708	40	52	1.0000	1.0000	0.030948
709	40	62	1.0000	1.0000	0.057834
710	40	73	1.0000	1.0000	0.000204
711	40	76	1.0000	1.0000	0.002155
712	40	87	1.0000	1.0000	0.043943
713	40	90	1.0000	1.0000	0.022194
714	40	96	1.0000	1.0000	0.039752
715	40	118	1.0000	1.0000	0.062394
716	40	131	1.0000	1.0000	0.040846
717	40	141	1.0000	1.0000	0.104858
718	41	42	1.0000	1.0000	0.016422
719	41	43	1.0000	1.0000	0.007510
720	41	44	1.0000	1.0000	0.020550
721	41	45	1.0000	1.0000	0.014478

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
722	41	46	1.0000	1.0000	0.050329
723	41	47	1.0000	1.0000	0.014831
724	41	59	1.0000	1.0000	0.027822
725	41	62	1.0000	1.0000	0.033315
726	41	76	1.0000	1.0000	0.022364
727	41	90	1.0000	1.0000	0.002325
728	41	104	1.0000	1.0000	0.038597
729	41	115	1.0000	1.0000	0.035598
730	41	118	1.0000	1.0000	0.037875
731	41	132	1.0000	1.0000	0.012462
732	41	141	1.0000	1.0000	0.080339
733	41	155	1.0000	1.0000	0.045456
734	41	165	1.0000	1.0000	0.039475
735	42	43	1.0000	1.0000	0.023932
736	42	44	1.0000	1.0000	0.004128
737	42	45	1.0000	1.0000	0.001944
738	42	46	1.0000	1.0000	0.033907
739	42	47	1.0000	1.0000	0.031253
740	42	53	1.0000	1.0000	0.019761
741	42	62	1.0000	1.0000	0.049737
742	42	75	1.0000	1.0000	0.018815
743	42	76	1.0000	1.0000	0.005942
744	42	90	1.0000	1.0000	0.014097
745	42	98	1.0000	1.0000	0.036233
746	42	118	1.0000	1.0000	0.054297
747	42	134	1.0000	1.0000	0.026191
748	42	141	1.0000	1.0000	0.096761
749	43	44	1.0000	1.0000	0.028060
750	43	45	1.0000	1.0000	0.021989
751	43	46	1.0000	1.0000	0.057839
752	43	47	1.0000	1.0000	0.007321
753	43	61	1.0000	1.0000	0.004241
754	43	62	1.0000	1.0000	0.025805
755	43	76	1.0000	1.0000	0.029874
756	43	89	1.0000	1.0000	0.014307
757	43	90	1.0000	1.0000	0.009835

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
758	43	106	1.0000	1.0000	0.025308
759	43	117	1.0000	1.0000	0.026130
760	43	118	1.0000	1.0000	0.030364
761	43	129	1.0000	1.0000	0.001538
762	43	135	1.0000	1.0000	0.003613
763	43	140	1.0000	1.0000	0.066279
764	43	141	1.0000	1.0000	0.072828
765	43	156	1.0000	1.0000	0.024683
766	43	166	1.0000	1.0000	0.031952
767	44	45	1.0000	1.0000	0.006072
768	44	46	1.0000	1.0000	0.029779
769	44	47	1.0000	1.0000	0.035381
770	44	48	1.0000	1.0000	0.028808
771	44	49	1.0000	1.0000	0.036825
772	44	50	1.0000	1.0000	0.036009
773	44	54	1.0000	1.0000	0.038394
774	44	62	1.0000	1.0000	0.053865
775	44	76	1.0000	1.0000	0.001814
776	44	77	1.0000	1.0000	0.004083
777	44	90	1.0000	1.0000	0.018225
778	44	91	1.0000	1.0000	0.019030
779	44	118	1.0000	1.0000	0.058425
780	44	136	1.0000	1.0000	0.006577
781	44	141	1.0000	1.0000	0.100889
782	45	46	1.0000	1.0000	0.035850
783	45	47	1.0000	1.0000	0.029309
784	45	51	1.0000	1.0000	0.013849
785	45	52	1.0000	1.0000	0.020907
786	45	53	1.0000	1.0000	0.017818
787	45	54	1.0000	1.0000	0.032322
788	45	55	1.0000	1.0000	0.031117
789	45	56	1.0000	1.0000	0.032393
790	45	57	1.0000	1.0000	0.044589
791	45	62	1.0000	1.0000	0.047794
792	45	76	1.0000	1.0000	0.007886
793	45	78	1.0000	1.0000	0.012068

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
794	45	90	1.0000	1.0000	0.012154
795	45	92	1.0000	1.0000	0.018551
796	45	118	1.0000	1.0000	0.052353
797	45	137	1.0000	1.0000	0.088369
798	45	141	1.0000	1.0000	0.094817
799	45	167	1.0000	1.0000	0.047356
800	46	47	1.0000	1.0000	0.065160
801	46	62	1.0000	1.0000	0.083644
802	46	76	1.0000	1.0000	0.027965
803	46	80	1.0000	1.0000	0.046210
804	46	90	1.0000	1.0000	0.048004
805	46	93	1.0000	1.0000	0.009471
806	46	96	1.0000	1.0000	0.065562
807	46	118	1.0000	1.0000	0.088204
808	46	138	1.0000	1.0000	0.121951
809	46	141	1.0000	1.0000	0.130668
810	47	62	1.0000	1.0000	0.018484
811	47	76	1.0000	1.0000	0.037195
812	47	90	1.0000	1.0000	0.017156
813	47	95	1.0000	1.0000	0.006513
814	47	118	1.0000	1.0000	0.023044
815	47	141	1.0000	1.0000	0.065508
816	48	49	1.0000	1.0000	0.008017
817	48	50	1.0000	1.0000	0.007202
818	48	51	1.0000	1.0000	0.008887
819	48	54	1.0000	1.0000	0.009587
820	48	58	1.0000	1.0000	0.023898
821	48	72	1.0000	1.0000	0.034260
822	48	77	1.0000	1.0000	0.024724
823	48	91	1.0000	1.0000	0.047837
824	48	114	1.0000	1.0000	0.019916
825	48	136	1.0000	1.0000	0.022231
826	48	139	1.0000	1.0000	0.038793
827	48	162	1.0000	1.0000	0.023845
828	49	50	1.0000	1.0000	0.000815
829	49	54	1.0000	1.0000	0.001570

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
830	49	60	1.0000	1.0000	0.019073
831	49	77	1.0000	1.0000	0.032741
832	49	88	1.0000	1.0000	0.041450
833	49	91	1.0000	1.0000	0.055855
834	49	97	1.0000	1.0000	0.021314
835	49	105	1.0000	1.0000	0.021119
836	49	116	1.0000	1.0000	0.012702
837	49	133	1.0000	1.0000	0.011517
838	49	136	1.0000	1.0000	0.030248
839	50	54	1.0000	1.0000	0.002385
840	50	56	1.0000	1.0000	0.002455
841	50	64	1.0000	1.0000	0.010260
842	50	77	1.0000	1.0000	0.031926
843	50	82	1.0000	1.0000	0.016286
844	50	91	1.0000	1.0000	0.055039
845	50	103	1.0000	1.0000	0.016063
846	50	108	1.0000	1.0000	0.028620
847	50	121	1.0000	1.0000	0.023282
848	50	136	1.0000	1.0000	0.029433
849	50	145	1.0000	1.0000	0.052582
850	50	159	1.0000	1.0000	0.012567
851	50	164	1.0000	1.0000	0.004154
852	51	52	1.0000	1.0000	0.007058
853	51	53	1.0000	1.0000	0.003969
854	51	54	1.0000	1.0000	0.018474
855	51	55	1.0000	1.0000	0.017268
856	51	56	1.0000	1.0000	0.018544
857	51	57	1.0000	1.0000	0.030740
858	51	58	1.0000	1.0000	0.032785
859	51	72	1.0000	1.0000	0.025372
860	51	78	1.0000	1.0000	0.025917
861	51	92	1.0000	1.0000	0.004702
862	51	114	1.0000	1.0000	0.028803
863	51	137	1.0000	1.0000	0.074520
864	51	139	1.0000	1.0000	0.047680
865	51	162	1.0000	1.0000	0.032732

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
866	51	167	1.0000	1.0000	0.033507
867	52	53	1.0000	1.0000	0.003089
868	52	54	1.0000	1.0000	0.011415
869	52	55	1.0000	1.0000	0.010210
870	52	56	1.0000	1.0000	0.011485
871	52	57	1.0000	1.0000	0.023682
872	52	73	1.0000	1.0000	0.030744
873	52	78	1.0000	1.0000	0.032975
874	52	87	1.0000	1.0000	0.012995
875	52	92	1.0000	1.0000	0.002356
876	52	96	1.0000	1.0000	0.008804
877	52	131	1.0000	1.0000	0.009898
878	52	137	1.0000	1.0000	0.067462
879	52	167	1.0000	1.0000	0.026449
880	53	54	1.0000	1.0000	0.014505
881	53	55	1.0000	1.0000	0.013300
882	53	56	1.0000	1.0000	0.014575
883	53	57	1.0000	1.0000	0.026771
884	53	75	1.0000	1.0000	0.038576
885	53	78	1.0000	1.0000	0.029886
886	53	92	1.0000	1.0000	0.000734
887	53	98	1.0000	1.0000	0.016471
888	53	134	1.0000	1.0000	0.006430
889	53	137	1.0000	1.0000	0.070552
890	53	167	1.0000	1.0000	0.029538
891	54	55	1.0000	1.0000	0.001205
892	54	56	1.0000	1.0000	0.000070
893	54	57	1.0000	1.0000	0.012266
894	54	77	1.0000	1.0000	0.034311
895	54	78	1.0000	1.0000	0.044391
896	54	91	1.0000	1.0000	0.057424
897	54	92	1.0000	1.0000	0.013771
898	54	136	1.0000	1.0000	0.031817
899	54	137	1.0000	1.0000	0.056047
900	54	167	1.0000	1.0000	0.015034
901	55	56	1.0000	1.0000	0.001275

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
902	55	57	1.0000	1.0000	0.013471
903	55	63	1.0000	1.0000	0.013167
904	55	78	1.0000	1.0000	0.043186
905	55	81	1.0000	1.0000	0.027323
906	55	92	1.0000	1.0000	0.012566
907	55	103	1.0000	1.0000	0.014884
908	55	107	1.0000	1.0000	0.026684
909	55	119	1.0000	1.0000	0.013442
910	55	137	1.0000	1.0000	0.057252
911	55	143	1.0000	1.0000	0.052843
912	55	163	1.0000	1.0000	0.019074
913	55	167	1.0000	1.0000	0.016239
914	56	57	1.0000	1.0000	0.012196
915	56	64	1.0000	1.0000	0.007806
916	56	78	1.0000	1.0000	0.044461
917	56	82	1.0000	1.0000	0.018740
918	56	92	1.0000	1.0000	0.013841
919	56	103	1.0000	1.0000	0.013608
920	56	108	1.0000	1.0000	0.026165
921	56	121	1.0000	1.0000	0.020828
922	56	137	1.0000	1.0000	0.055977
923	56	145	1.0000	1.0000	0.050127
924	56	159	1.0000	1.0000	0.010113
925	56	164	1.0000	1.0000	0.001699
926	56	167	1.0000	1.0000	0.014963
927	57	70	1.0000	1.0000	0.004232
928	57	78	1.0000	1.0000	0.056657
929	57	85	1.0000	1.0000	0.041502
930	57	92	1.0000	1.0000	0.026037
931	57	127	1.0000	1.0000	0.039529
932	57	137	1.0000	1.0000	0.043781
933	57	153	1.0000	1.0000	0.010073
934	57	162	1.0000	1.0000	0.001992
935	57	163	1.0000	1.0000	0.005603
936	57	164	1.0000	1.0000	0.010497
937	57	167	1.0000	1.0000	0.002767

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
938	57	170	1.0000	1.0000	0.644196
939	58	59	1.0000	1.0000	0.004333
940	58	60	1.0000	1.0000	0.003192
941	58	61	1.0000	1.0000	0.028886
942	58	62	1.0000	1.0000	0.001160
943	58	63	1.0000	1.0000	0.002350
944	58	64	1.0000	1.0000	0.006435
945	58	65	1.0000	1.0000	0.006248
946	58	66	1.0000	1.0000	0.007103
947	58	67	1.0000	1.0000	0.005340
948	58	68	1.0000	1.0000	0.006314
949	58	69	1.0000	1.0000	0.000670
950	58	70	1.0000	1.0000	0.002187
951	58	71	1.0000	1.0000	0.039593
952	58	72	1.0000	1.0000	0.058157
953	58	114	1.0000	1.0000	0.003982
954	58	139	1.0000	1.0000	0.014895
955	58	142	1.0000	1.0000	0.049197
956	58	162	1.0000	1.0000	0.000053
957	59	60	1.0000	1.0000	0.007525
958	59	61	1.0000	1.0000	0.024553
959	59	62	1.0000	1.0000	0.005493
960	59	63	1.0000	1.0000	0.001984
961	59	64	1.0000	1.0000	0.002102
962	59	65	1.0000	1.0000	0.010582
963	59	66	1.0000	1.0000	0.011436
964	59	67	1.0000	1.0000	0.009673
965	59	68	1.0000	1.0000	0.010648
966	59	69	1.0000	1.0000	0.005003
967	59	70	1.0000	1.0000	0.006520
968	59	71	1.0000	1.0000	0.035260
969	59	104	1.0000	1.0000	0.010775
970	59	115	1.0000	1.0000	0.007776
971	59	132	1.0000	1.0000	0.015360
972	59	142	1.0000	1.0000	0.053530
973	59	155	1.0000	1.0000	0.017634

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
974	59	165	1.0000	1.0000	0.011653
975	60	61	1.0000	1.0000	0.032078
976	60	62	1.0000	1.0000	0.002032
977	60	63	1.0000	1.0000	0.005542
978	60	64	1.0000	1.0000	0.009627
979	60	65	1.0000	1.0000	0.003056
980	60	66	1.0000	1.0000	0.003911
981	60	67	1.0000	1.0000	0.002148
982	60	68	1.0000	1.0000	0.003123
983	60	69	1.0000	1.0000	0.002522
984	60	70	1.0000	1.0000	0.001005
985	60	71	1.0000	1.0000	0.042785
986	60	88	1.0000	1.0000	0.060523
987	60	97	1.0000	1.0000	0.002242
988	60	105	1.0000	1.0000	0.002047
989	60	116	1.0000	1.0000	0.031774
990	60	133	1.0000	1.0000	0.007556
991	60	142	1.0000	1.0000	0.046005
992	61	62	1.0000	1.0000	0.030046
993	61	63	1.0000	1.0000	0.026536
994	61	64	1.0000	1.0000	0.022450
995	61	65	1.0000	1.0000	0.035134
996	61	66	1.0000	1.0000	0.035989
997	61	67	1.0000	1.0000	0.034226
998	61	68	1.0000	1.0000	0.035200
999	61	69	1.0000	1.0000	0.029556
1000	61	70	1.0000	1.0000	0.031073
1001	61	71	1.0000	1.0000	0.010707
1002	61	89	1.0000	1.0000	0.010066
1003	61	106	1.0000	1.0000	0.029549
1004	61	117	1.0000	1.0000	0.030371
1005	61	129	1.0000	1.0000	0.002703
1006	61	135	1.0000	1.0000	0.007854
1007	61	140	1.0000	1.0000	0.070520
1008	61	142	1.0000	1.0000	0.078083
1009	61	156	1.0000	1.0000	0.028924

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1010	61	166	1.0000	1.0000	0.036193
1011	62	63	1.0000	1.0000	0.003510
1012	62	64	1.0000	1.0000	0.007595
1013	62	65	1.0000	1.0000	0.005088
1014	62	66	1.0000	1.0000	0.005943
1015	62	67	1.0000	1.0000	0.004180
1016	62	68	1.0000	1.0000	0.005154
1017	62	69	1.0000	1.0000	0.000490
1018	62	70	1.0000	1.0000	0.001027
1019	62	71	1.0000	1.0000	0.040753
1020	62	76	1.0000	1.0000	0.055679
1021	62	90	1.0000	1.0000	0.035640
1022	62	118	1.0000	1.0000	0.004560
1023	62	141	1.0000	1.0000	0.047024
1024	62	142	1.0000	1.0000	0.048037
1025	63	64	1.0000	1.0000	0.004086
1026	63	65	1.0000	1.0000	0.008598
1027	63	66	1.0000	1.0000	0.009452
1028	63	67	1.0000	1.0000	0.007690
1029	63	68	1.0000	1.0000	0.008664
1030	63	69	1.0000	1.0000	0.003020
1031	63	70	1.0000	1.0000	0.004537
1032	63	71	1.0000	1.0000	0.037243
1033	63	81	1.0000	1.0000	0.040490
1034	63	103	1.0000	1.0000	0.001717
1035	63	107	1.0000	1.0000	0.013518
1036	63	119	1.0000	1.0000	0.000275
1037	63	142	1.0000	1.0000	0.051547
1038	63	143	1.0000	1.0000	0.039676
1039	63	163	1.0000	1.0000	0.005908
1040	64	65	1.0000	1.0000	0.012684
1041	64	66	1.0000	1.0000	0.013538
1042	64	67	1.0000	1.0000	0.011775
1043	64	68	1.0000	1.0000	0.012750
1044	64	69	1.0000	1.0000	0.007105
1045	64	70	1.0000	1.0000	0.008622

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1046	64	71	1.0000	1.0000	0.033157
1047	64	82	1.0000	1.0000	0.026546
1048	64	103	1.0000	1.0000	0.005802
1049	64	108	1.0000	1.0000	0.018360
1050	64	121	1.0000	1.0000	0.013022
1051	64	142	1.0000	1.0000	0.055632
1052	64	145	1.0000	1.0000	0.042321
1053	64	159	1.0000	1.0000	0.002307
1054	64	164	1.0000	1.0000	0.006106
1055	65	66	1.0000	1.0000	0.000854
1056	65	67	1.0000	1.0000	0.000908
1057	65	68	1.0000	1.0000	0.000066
1058	65	69	1.0000	1.0000	0.005578
1059	65	70	1.0000	1.0000	0.004061
1060	65	71	1.0000	1.0000	0.045841
1061	65	83	1.0000	1.0000	0.044416
1062	65	94	1.0000	1.0000	0.077981
1063	65	100	1.0000	1.0000	0.000584
1064	65	122	1.0000	1.0000	0.001180
1065	65	131	1.0000	1.0000	0.022077
1066	65	132	1.0000	1.0000	0.025942
1067	65	133	1.0000	1.0000	0.010612
1068	65	134	1.0000	1.0000	0.028635
1069	65	135	1.0000	1.0000	0.027280
1070	65	136	1.0000	1.0000	0.052377
1071	65	137	1.0000	1.0000	0.035487
1072	65	138	1.0000	1.0000	0.033219
1073	65	142	1.0000	1.0000	0.042949
1074	65	148	1.0000	1.0000	0.047924
1075	66	67	1.0000	1.0000	0.001763
1076	66	68	1.0000	1.0000	0.000788
1077	66	69	1.0000	1.0000	0.006433
1078	66	70	1.0000	1.0000	0.004916
1079	66	71	1.0000	1.0000	0.046696
1080	66	109	1.0000	1.0000	0.003038
1081	66	123	1.0000	1.0000	0.001425

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1082	66	142	1.0000	1.0000	0.042094
1083	66	149	1.0000	1.0000	0.044556
1084	66	157	1.0000	1.0000	0.005470
1085	66	160	1.0000	1.0000	0.007650
1086	66	168	1.0000	1.0000	0.364951
1087	67	68	1.0000	1.0000	0.000975
1088	67	69	1.0000	1.0000	0.004670
1089	67	70	1.0000	1.0000	0.003153
1090	67	71	1.0000	1.0000	0.044933
1091	67	84	1.0000	1.0000	0.041935
1092	67	110	1.0000	1.0000	0.005509
1093	67	124	1.0000	1.0000	0.001289
1094	67	130	1.0000	1.0000	0.014158
1095	67	142	1.0000	1.0000	0.043857
1096	67	150	1.0000	1.0000	0.040674
1097	67	155	1.0000	1.0000	0.007961
1098	67	156	1.0000	1.0000	0.005302
1099	67	157	1.0000	1.0000	0.007233
1100	67	158	1.0000	1.0000	0.006159
1101	68	69	1.0000	1.0000	0.005644
1102	68	70	1.0000	1.0000	0.004127
1103	68	71	1.0000	1.0000	0.045907
1104	68	101	1.0000	1.0000	0.010260
1105	68	111	1.0000	1.0000	0.000088
1106	68	125	1.0000	1.0000	0.005330
1107	68	142	1.0000	1.0000	0.042882
1108	68	151	1.0000	1.0000	0.041217
1109	68	159	1.0000	1.0000	0.010443
1110	68	161	1.0000	1.0000	0.010568
1111	69	70	1.0000	1.0000	0.001517
1112	69	71	1.0000	1.0000	0.040263
1113	69	102	1.0000	1.0000	0.002702
1114	69	112	1.0000	1.0000	0.002412
1115	69	126	1.0000	1.0000	0.001831
1116	69	142	1.0000	1.0000	0.048527
1117	69	152	1.0000	1.0000	0.004296

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1118	69	158	1.0000	1.0000	0.010829
1119	69	160	1.0000	1.0000	0.001217
1120	69	161	1.0000	1.0000	0.004923
1121	69	169	1.0000	1.0000	0.641482
1122	70	71	1.0000	1.0000	0.041780
1123	70	85	1.0000	1.0000	0.045734
1124	70	127	1.0000	1.0000	0.035297
1125	70	142	1.0000	1.0000	0.047010
1126	70	153	1.0000	1.0000	0.005841
1127	70	162	1.0000	1.0000	0.002240
1128	70	163	1.0000	1.0000	0.001371
1129	70	164	1.0000	1.0000	0.014729
1130	70	170	1.0000	1.0000	0.639964
1131	71	86	1.0000	1.0000	0.008580
1132	71	113	1.0000	1.0000	0.039877
1133	71	128	1.0000	1.0000	0.104214
1134	71	142	1.0000	1.0000	0.088790
1135	71	154	1.0000	1.0000	0.053477
1136	71	165	1.0000	1.0000	0.046913
1137	71	166	1.0000	1.0000	0.046900
1138	71	167	1.0000	1.0000	0.040315
1139	71	168	1.0000	1.0000	0.318256
1140	71	169	1.0000	1.0000	0.681744
1141	71	170	1.0000	1.0000	0.681744
1142	72	73	1.0000	1.0000	0.001687
1143	72	74	1.0000	1.0000	0.007509
1144	72	75	1.0000	1.0000	0.009235
1145	72	76	1.0000	1.0000	0.003638
1146	72	77	1.0000	1.0000	0.009535
1147	72	78	1.0000	1.0000	0.000545
1148	72	79	1.0000	1.0000	0.019004
1149	72	80	1.0000	1.0000	0.021884
1150	72	81	1.0000	1.0000	0.015317
1151	72	82	1.0000	1.0000	0.025176
1152	72	83	1.0000	1.0000	0.019989
1153	72	84	1.0000	1.0000	0.021563

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1154	72	85	1.0000	1.0000	0.014610
1155	72	86	1.0000	1.0000	0.027144
1156	72	114	1.0000	1.0000	0.054176
1157	72	139	1.0000	1.0000	0.073052
1158	72	162	1.0000	1.0000	0.058105
1159	73	74	1.0000	1.0000	0.005821
1160	73	75	1.0000	1.0000	0.010922
1161	73	76	1.0000	1.0000	0.001951
1162	73	77	1.0000	1.0000	0.007848
1163	73	78	1.0000	1.0000	0.002232
1164	73	79	1.0000	1.0000	0.017317
1165	73	80	1.0000	1.0000	0.020197
1166	73	81	1.0000	1.0000	0.013630
1167	73	82	1.0000	1.0000	0.023489
1168	73	83	1.0000	1.0000	0.018302
1169	73	84	1.0000	1.0000	0.019876
1170	73	85	1.0000	1.0000	0.012923
1171	73	86	1.0000	1.0000	0.025457
1172	73	87	1.0000	1.0000	0.043739
1173	73	96	1.0000	1.0000	0.039548
1174	73	131	1.0000	1.0000	0.040642
1175	74	75	1.0000	1.0000	0.016743
1176	74	76	1.0000	1.0000	0.003870
1177	74	77	1.0000	1.0000	0.002027
1178	74	78	1.0000	1.0000	0.008053
1179	74	79	1.0000	1.0000	0.011496
1180	74	80	1.0000	1.0000	0.014375
1181	74	81	1.0000	1.0000	0.007809
1182	74	82	1.0000	1.0000	0.017667
1183	74	83	1.0000	1.0000	0.012481
1184	74	84	1.0000	1.0000	0.014054
1185	74	85	1.0000	1.0000	0.007102
1186	74	86	1.0000	1.0000	0.019636
1187	75	76	1.0000	1.0000	0.012873
1188	75	77	1.0000	1.0000	0.018770
1189	75	78	1.0000	1.0000	0.008690

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1190	75	79	1.0000	1.0000	0.028239
1191	75	80	1.0000	1.0000	0.031119
1192	75	81	1.0000	1.0000	0.024552
1193	75	82	1.0000	1.0000	0.034411
1194	75	83	1.0000	1.0000	0.029224
1195	75	84	1.0000	1.0000	0.030798
1196	75	85	1.0000	1.0000	0.023845
1197	75	86	1.0000	1.0000	0.036379
1198	75	98	1.0000	1.0000	0.055048
1199	75	134	1.0000	1.0000	0.045006
1200	76	77	1.0000	1.0000	0.005897
1201	76	78	1.0000	1.0000	0.004183
1202	76	79	1.0000	1.0000	0.015366
1203	76	80	1.0000	1.0000	0.018245
1204	76	81	1.0000	1.0000	0.011679
1205	76	82	1.0000	1.0000	0.021538
1206	76	83	1.0000	1.0000	0.016351
1207	76	84	1.0000	1.0000	0.017925
1208	76	85	1.0000	1.0000	0.010972
1209	76	86	1.0000	1.0000	0.023506
1210	76	90	1.0000	1.0000	0.020039
1211	76	118	1.0000	1.0000	0.060239
1212	76	141	1.0000	1.0000	0.102703
1213	77	78	1.0000	1.0000	0.010080
1214	77	79	1.0000	1.0000	0.009469
1215	77	80	1.0000	1.0000	0.012348
1216	77	81	1.0000	1.0000	0.005782
1217	77	82	1.0000	1.0000	0.015641
1218	77	83	1.0000	1.0000	0.010454
1219	77	84	1.0000	1.0000	0.012027
1220	77	85	1.0000	1.0000	0.005075
1221	77	86	1.0000	1.0000	0.017609
1222	77	91	1.0000	1.0000	0.023113
1223	77	136	1.0000	1.0000	0.002494
1224	78	79	1.0000	1.0000	0.019549
1225	78	80	1.0000	1.0000	0.022428

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1226	78	81	1.0000	1.0000	0.015862
1227	78	82	1.0000	1.0000	0.025721
1228	78	83	1.0000	1.0000	0.020534
1229	78	84	1.0000	1.0000	0.022107
1230	78	85	1.0000	1.0000	0.015155
1231	78	86	1.0000	1.0000	0.027689
1232	78	92	1.0000	1.0000	0.030620
1233	78	137	1.0000	1.0000	0.100438
1234	78	167	1.0000	1.0000	0.059424
1235	79	80	1.0000	1.0000	0.002879
1236	79	81	1.0000	1.0000	0.003687
1237	79	82	1.0000	1.0000	0.006171
1238	79	83	1.0000	1.0000	0.000985
1239	79	84	1.0000	1.0000	0.002558
1240	79	85	1.0000	1.0000	0.004394
1241	79	86	1.0000	1.0000	0.008140
1242	79	87	1.0000	1.0000	0.026422
1243	79	88	1.0000	1.0000	0.018178
1244	79	89	1.0000	1.0000	0.000201
1245	79	90	1.0000	1.0000	0.004673
1246	79	91	1.0000	1.0000	0.032582
1247	79	92	1.0000	1.0000	0.011071
1248	79	93	1.0000	1.0000	0.033860
1249	79	94	1.0000	1.0000	0.032580
1250	79	95	1.0000	1.0000	0.028342
1251	80	81	1.0000	1.0000	0.006566
1252	80	82	1.0000	1.0000	0.003292
1253	80	83	1.0000	1.0000	0.001894
1254	80	84	1.0000	1.0000	0.000321
1255	80	85	1.0000	1.0000	0.007274
1256	80	86	1.0000	1.0000	0.005261
1257	80	93	1.0000	1.0000	0.036739
1258	80	96	1.0000	1.0000	0.019352
1259	80	138	1.0000	1.0000	0.075741
1260	81	82	1.0000	1.0000	0.009858
1261	81	83	1.0000	1.0000	0.004672

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1262	81	84	1.0000	1.0000	0.006245
1263	81	85	1.0000	1.0000	0.000707
1264	81	86	1.0000	1.0000	0.011827
1265	81	103	1.0000	1.0000	0.042207
1266	81	107	1.0000	1.0000	0.054008
1267	81	119	1.0000	1.0000	0.040765
1268	81	143	1.0000	1.0000	0.080166
1269	81	163	1.0000	1.0000	0.046398
1270	82	83	1.0000	1.0000	0.005186
1271	82	84	1.0000	1.0000	0.003613
1272	82	85	1.0000	1.0000	0.010566
1273	82	86	1.0000	1.0000	0.001968
1274	82	103	1.0000	1.0000	0.032349
1275	82	108	1.0000	1.0000	0.044906
1276	82	121	1.0000	1.0000	0.039568
1277	82	145	1.0000	1.0000	0.068867
1278	82	159	1.0000	1.0000	0.028853
1279	82	164	1.0000	1.0000	0.020440
1280	83	84	1.0000	1.0000	0.001573
1281	83	85	1.0000	1.0000	0.005379
1282	83	86	1.0000	1.0000	0.007155
1283	83	94	1.0000	1.0000	0.033565
1284	83	100	1.0000	1.0000	0.045000
1285	83	122	1.0000	1.0000	0.045597
1286	83	131	1.0000	1.0000	0.022340
1287	83	132	1.0000	1.0000	0.018474
1288	83	133	1.0000	1.0000	0.033804
1289	83	134	1.0000	1.0000	0.015782
1290	83	135	1.0000	1.0000	0.017137
1291	83	136	1.0000	1.0000	0.007960
1292	83	137	1.0000	1.0000	0.079904
1293	83	138	1.0000	1.0000	0.077635
1294	83	148	1.0000	1.0000	0.092340
1295	84	85	1.0000	1.0000	0.006953
1296	84	86	1.0000	1.0000	0.005581
1297	84	110	1.0000	1.0000	0.047443

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1298	84	124	1.0000	1.0000	0.043223
1299	84	130	1.0000	1.0000	0.027777
1300	84	150	1.0000	1.0000	0.082609
1301	84	155	1.0000	1.0000	0.049895
1302	84	156	1.0000	1.0000	0.036633
1303	84	157	1.0000	1.0000	0.049167
1304	84	158	1.0000	1.0000	0.048094
1305	85	86	1.0000	1.0000	0.012534
1306	85	127	1.0000	1.0000	0.081031
1307	85	153	1.0000	1.0000	0.051575
1308	85	162	1.0000	1.0000	0.043495
1309	85	163	1.0000	1.0000	0.047105
1310	85	164	1.0000	1.0000	0.031005
1311	85	170	1.0000	1.0000	0.685699
1312	86	113	1.0000	1.0000	0.031297
1313	86	128	1.0000	1.0000	0.095635
1314	86	154	1.0000	1.0000	0.044897
1315	86	165	1.0000	1.0000	0.038333
1316	86	166	1.0000	1.0000	0.038321
1317	86	167	1.0000	1.0000	0.031736
1318	86	168	1.0000	1.0000	0.326835
1319	86	169	1.0000	1.0000	0.673165
1320	86	170	1.0000	1.0000	0.673165
1321	87	88	1.0000	1.0000	0.044600
1322	87	89	1.0000	1.0000	0.026221
1323	87	90	1.0000	1.0000	0.021749
1324	87	91	1.0000	1.0000	0.059004
1325	87	92	1.0000	1.0000	0.015351
1326	87	93	1.0000	1.0000	0.060282
1327	87	94	1.0000	1.0000	0.059001
1328	87	95	1.0000	1.0000	0.001920
1329	87	96	1.0000	1.0000	0.004191
1330	87	131	1.0000	1.0000	0.003097
1331	88	89	1.0000	1.0000	0.018379
1332	88	90	1.0000	1.0000	0.022851
1333	88	91	1.0000	1.0000	0.014405

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1334	88	92	1.0000	1.0000	0.029248
1335	88	93	1.0000	1.0000	0.015682
1336	88	94	1.0000	1.0000	0.014402
1337	88	95	1.0000	1.0000	0.046520
1338	88	97	1.0000	1.0000	0.062764
1339	88	105	1.0000	1.0000	0.062569
1340	88	116	1.0000	1.0000	0.028748
1341	88	133	1.0000	1.0000	0.052967
1342	89	90	1.0000	1.0000	0.004472
1343	89	91	1.0000	1.0000	0.032783
1344	89	92	1.0000	1.0000	0.010869
1345	89	93	1.0000	1.0000	0.034061
1346	89	94	1.0000	1.0000	0.032781
1347	89	95	1.0000	1.0000	0.028141
1348	89	106	1.0000	1.0000	0.039614
1349	89	117	1.0000	1.0000	0.040437
1350	89	129	1.0000	1.0000	0.012769
1351	89	135	1.0000	1.0000	0.017920
1352	89	140	1.0000	1.0000	0.080586
1353	89	156	1.0000	1.0000	0.038990
1354	89	166	1.0000	1.0000	0.046259
1355	90	91	1.0000	1.0000	0.037255
1356	90	92	1.0000	1.0000	0.006398
1357	90	93	1.0000	1.0000	0.038533
1358	90	94	1.0000	1.0000	0.037252
1359	90	95	1.0000	1.0000	0.023669
1360	90	118	1.0000	1.0000	0.040200
1361	90	141	1.0000	1.0000	0.082664
1362	91	92	1.0000	1.0000	0.043653
1363	91	93	1.0000	1.0000	0.001278
1364	91	94	1.0000	1.0000	0.000003
1365	91	95	1.0000	1.0000	0.060924
1366	91	136	1.0000	1.0000	0.025607
1367	92	93	1.0000	1.0000	0.044931
1368	92	94	1.0000	1.0000	0.043650
1369	92	95	1.0000	1.0000	0.017272

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1370	92	137	1.0000	1.0000	0.069818
1371	92	167	1.0000	1.0000	0.028805
1372	93	94	1.0000	1.0000	0.001280
1373	93	95	1.0000	1.0000	0.062202
1374	93	96	1.0000	1.0000	0.056091
1375	93	138	1.0000	1.0000	0.112480
1376	94	95	1.0000	1.0000	0.060922
1377	94	100	1.0000	1.0000	0.078564
1378	94	122	1.0000	1.0000	0.079161
1379	94	131	1.0000	1.0000	0.055904
1380	94	132	1.0000	1.0000	0.052039
1381	94	133	1.0000	1.0000	0.067369
1382	94	134	1.0000	1.0000	0.049346
1383	94	135	1.0000	1.0000	0.050701
1384	94	136	1.0000	1.0000	0.025604
1385	94	137	1.0000	1.0000	0.113468
1386	94	138	1.0000	1.0000	0.111200
1387	94	148	1.0000	1.0000	0.125905
1388	96	131	1.0000	1.0000	0.001094
1389	96	138	1.0000	1.0000	0.056389
1390	97	98	1.0000	1.0000	0.017778
1391	97	99	1.0000	1.0000	0.000121
1392	97	100	1.0000	1.0000	0.001398
1393	97	101	1.0000	1.0000	0.009379
1394	97	102	1.0000	1.0000	0.002062
1395	97	105	1.0000	1.0000	0.000195
1396	97	116	1.0000	1.0000	0.034016
1397	97	133	1.0000	1.0000	0.009798
1398	98	99	1.0000	1.0000	0.017657
1399	98	100	1.0000	1.0000	0.019176
1400	98	101	1.0000	1.0000	0.008399
1401	98	102	1.0000	1.0000	0.015716
1402	98	134	1.0000	1.0000	0.010042
1403	99	100	1.0000	1.0000	0.001519
1404	99	101	1.0000	1.0000	0.009259
1405	99	102	1.0000	1.0000	0.001941

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1406	99	104	1.0000	1.0000	0.001128
1407	99	105	1.0000	1.0000	0.000074
1408	99	106	1.0000	1.0000	0.004650
1409	99	107	1.0000	1.0000	0.005855
1410	99	108	1.0000	1.0000	0.006611
1411	99	109	1.0000	1.0000	0.004828
1412	99	110	1.0000	1.0000	0.005536
1413	99	111	1.0000	1.0000	0.000913
1414	99	112	1.0000	1.0000	0.007055
1415	99	113	1.0000	1.0000	0.005029
1416	99	120	1.0000	1.0000	0.011455
1417	99	144	1.0000	1.0000	0.036596
1418	100	101	1.0000	1.0000	0.010778
1419	100	102	1.0000	1.0000	0.003460
1420	100	122	1.0000	1.0000	0.000597
1421	100	131	1.0000	1.0000	0.022660
1422	100	132	1.0000	1.0000	0.026526
1423	100	133	1.0000	1.0000	0.011196
1424	100	134	1.0000	1.0000	0.029218
1425	100	135	1.0000	1.0000	0.027863
1426	100	136	1.0000	1.0000	0.052960
1427	100	137	1.0000	1.0000	0.034904
1428	100	138	1.0000	1.0000	0.032635
1429	100	148	1.0000	1.0000	0.047340
1430	101	102	1.0000	1.0000	0.007317
1431	101	111	1.0000	1.0000	0.010172
1432	101	125	1.0000	1.0000	0.004930
1433	101	151	1.0000	1.0000	0.051477
1434	101	159	1.0000	1.0000	0.000183
1435	101	161	1.0000	1.0000	0.000308
1436	102	112	1.0000	1.0000	0.005114
1437	102	126	1.0000	1.0000	0.000871
1438	102	152	1.0000	1.0000	0.001594
1439	102	158	1.0000	1.0000	0.008127
1440	102	160	1.0000	1.0000	0.003919
1441	102	161	1.0000	1.0000	0.007625

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1442	102	169	1.0000	1.0000	0.638780
1443	103	107	1.0000	1.0000	0.011801
1444	103	108	1.0000	1.0000	0.012557
1445	103	119	1.0000	1.0000	0.001442
1446	103	121	1.0000	1.0000	0.007219
1447	103	143	1.0000	1.0000	0.037959
1448	103	145	1.0000	1.0000	0.036519
1449	103	159	1.0000	1.0000	0.003495
1450	103	163	1.0000	1.0000	0.004191
1451	103	164	1.0000	1.0000	0.011909
1452	104	105	1.0000	1.0000	0.001203
1453	104	106	1.0000	1.0000	0.005779
1454	104	107	1.0000	1.0000	0.004727
1455	104	108	1.0000	1.0000	0.005483
1456	104	109	1.0000	1.0000	0.003700
1457	104	110	1.0000	1.0000	0.004407
1458	104	111	1.0000	1.0000	0.000215
1459	104	112	1.0000	1.0000	0.008183
1460	104	113	1.0000	1.0000	0.006158
1461	104	115	1.0000	1.0000	0.002998
1462	104	120	1.0000	1.0000	0.012584
1463	104	132	1.0000	1.0000	0.026135
1464	104	144	1.0000	1.0000	0.035468
1465	104	155	1.0000	1.0000	0.006859
1466	104	165	1.0000	1.0000	0.000878
1467	105	106	1.0000	1.0000	0.004576
1468	105	107	1.0000	1.0000	0.005929
1469	105	108	1.0000	1.0000	0.006686
1470	105	109	1.0000	1.0000	0.004903
1471	105	110	1.0000	1.0000	0.005610
1472	105	111	1.0000	1.0000	0.000987
1473	105	112	1.0000	1.0000	0.006980
1474	105	113	1.0000	1.0000	0.004955
1475	105	116	1.0000	1.0000	0.033821
1476	105	120	1.0000	1.0000	0.011381
1477	105	133	1.0000	1.0000	0.009602

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1478	105	144	1.0000	1.0000	0.036671
1479	106	107	1.0000	1.0000	0.010505
1480	106	108	1.0000	1.0000	0.011262
1481	106	109	1.0000	1.0000	0.009478
1482	106	110	1.0000	1.0000	0.010186
1483	106	111	1.0000	1.0000	0.005563
1484	106	112	1.0000	1.0000	0.002404
1485	106	113	1.0000	1.0000	0.000379
1486	106	117	1.0000	1.0000	0.000823
1487	106	120	1.0000	1.0000	0.006805
1488	106	129	1.0000	1.0000	0.026845
1489	106	135	1.0000	1.0000	0.021694
1490	106	140	1.0000	1.0000	0.040972
1491	106	144	1.0000	1.0000	0.041246
1492	106	156	1.0000	1.0000	0.000625
1493	106	166	1.0000	1.0000	0.006645
1494	107	108	1.0000	1.0000	0.000756
1495	107	109	1.0000	1.0000	0.001027
1496	107	110	1.0000	1.0000	0.000320
1497	107	111	1.0000	1.0000	0.004942
1498	107	112	1.0000	1.0000	0.012910
1499	107	113	1.0000	1.0000	0.010884
1500	107	119	1.0000	1.0000	0.013243
1501	107	120	1.0000	1.0000	0.017310
1502	107	143	1.0000	1.0000	0.026158
1503	107	144	1.0000	1.0000	0.030741
1504	107	163	1.0000	1.0000	0.007610
1505	108	109	1.0000	1.0000	0.001783
1506	108	110	1.0000	1.0000	0.001076
1507	108	111	1.0000	1.0000	0.005698
1508	108	112	1.0000	1.0000	0.013666
1509	108	113	1.0000	1.0000	0.011641
1510	108	120	1.0000	1.0000	0.018067
1511	108	121	1.0000	1.0000	0.005338
1512	108	144	1.0000	1.0000	0.029985
1513	108	145	1.0000	1.0000	0.023962

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1514	108	159	1.0000	1.0000	0.016053
1515	108	164	1.0000	1.0000	0.024466
1516	109	110	1.0000	1.0000	0.000707
1517	109	111	1.0000	1.0000	0.003915
1518	109	112	1.0000	1.0000	0.011883
1519	109	113	1.0000	1.0000	0.009857
1520	109	120	1.0000	1.0000	0.016283
1521	109	123	1.0000	1.0000	0.004463
1522	109	144	1.0000	1.0000	0.031768
1523	109	149	1.0000	1.0000	0.041517
1524	109	157	1.0000	1.0000	0.002432
1525	109	160	1.0000	1.0000	0.010688
1526	109	168	1.0000	1.0000	0.367990
1527	110	111	1.0000	1.0000	0.004623
1528	110	112	1.0000	1.0000	0.012590
1529	110	113	1.0000	1.0000	0.010565
1530	110	120	1.0000	1.0000	0.016991
1531	110	124	1.0000	1.0000	0.004220
1532	110	130	1.0000	1.0000	0.019666
1533	110	144	1.0000	1.0000	0.031061
1534	110	150	1.0000	1.0000	0.035166
1535	110	155	1.0000	1.0000	0.002452
1536	110	156	1.0000	1.0000	0.010811
1537	110	157	1.0000	1.0000	0.001724
1538	110	158	1.0000	1.0000	0.000651
1539	111	112	1.0000	1.0000	0.007968
1540	111	113	1.0000	1.0000	0.005942
1541	111	120	1.0000	1.0000	0.012368
1542	111	125	1.0000	1.0000	0.005242
1543	111	144	1.0000	1.0000	0.035683
1544	111	151	1.0000	1.0000	0.041305
1545	111	159	1.0000	1.0000	0.010354
1546	111	161	1.0000	1.0000	0.010479
1547	112	113	1.0000	1.0000	0.002025
1548	112	120	1.0000	1.0000	0.004400
1549	112	126	1.0000	1.0000	0.004243

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1550	112	144	1.0000	1.0000	0.043651
1551	112	152	1.0000	1.0000	0.006708
1552	112	158	1.0000	1.0000	0.013241
1553	112	160	1.0000	1.0000	0.001195
1554	112	161	1.0000	1.0000	0.002512
1555	112	169	1.0000	1.0000	0.643893
1556	113	120	1.0000	1.0000	0.006426
1557	113	128	1.0000	1.0000	0.064338
1558	113	144	1.0000	1.0000	0.041625
1559	113	154	1.0000	1.0000	0.013601
1560	113	165	1.0000	1.0000	0.007036
1561	113	166	1.0000	1.0000	0.007024
1562	113	167	1.0000	1.0000	0.000439
1563	113	168	1.0000	1.0000	0.358132
1564	113	169	1.0000	1.0000	0.641868
1565	113	170	1.0000	1.0000	0.641868
1566	114	115	1.0000	1.0000	0.007425
1567	114	116	1.0000	1.0000	0.024601
1568	114	117	1.0000	1.0000	0.005467
1569	114	118	1.0000	1.0000	0.009701
1570	114	119	1.0000	1.0000	0.001907
1571	114	120	1.0000	1.0000	0.002161
1572	114	121	1.0000	1.0000	0.010568
1573	114	122	1.0000	1.0000	0.011410
1574	114	123	1.0000	1.0000	0.009660
1575	114	124	1.0000	1.0000	0.010610
1576	114	125	1.0000	1.0000	0.004966
1577	114	126	1.0000	1.0000	0.006483
1578	114	127	1.0000	1.0000	0.041465
1579	114	128	1.0000	1.0000	0.068603
1580	114	139	1.0000	1.0000	0.018876
1581	114	146	1.0000	1.0000	0.059062
1582	114	162	1.0000	1.0000	0.003929
1583	115	116	1.0000	1.0000	0.032026
1584	115	117	1.0000	1.0000	0.001957
1585	115	118	1.0000	1.0000	0.002276

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1586	115	119	1.0000	1.0000	0.005518
1587	115	120	1.0000	1.0000	0.009585
1588	115	121	1.0000	1.0000	0.003143
1589	115	122	1.0000	1.0000	0.003985
1590	115	123	1.0000	1.0000	0.002235
1591	115	124	1.0000	1.0000	0.003185
1592	115	125	1.0000	1.0000	0.002459
1593	115	126	1.0000	1.0000	0.000942
1594	115	127	1.0000	1.0000	0.034041
1595	115	128	1.0000	1.0000	0.061178
1596	115	132	1.0000	1.0000	0.023137
1597	115	146	1.0000	1.0000	0.051637
1598	115	155	1.0000	1.0000	0.009858
1599	115	165	1.0000	1.0000	0.003877
1600	116	117	1.0000	1.0000	0.030068
1601	116	118	1.0000	1.0000	0.034302
1602	116	119	1.0000	1.0000	0.026508
1603	116	120	1.0000	1.0000	0.022440
1604	116	121	1.0000	1.0000	0.035169
1605	116	122	1.0000	1.0000	0.036011
1606	116	123	1.0000	1.0000	0.034261
1607	116	124	1.0000	1.0000	0.035211
1608	116	125	1.0000	1.0000	0.029567
1609	116	126	1.0000	1.0000	0.031084
1610	116	127	1.0000	1.0000	0.066066
1611	116	128	1.0000	1.0000	0.093204
1612	116	133	1.0000	1.0000	0.024219
1613	116	146	1.0000	1.0000	0.083663
1614	117	118	1.0000	1.0000	0.004234
1615	117	119	1.0000	1.0000	0.003561
1616	117	120	1.0000	1.0000	0.007628
1617	117	121	1.0000	1.0000	0.005101
1618	117	122	1.0000	1.0000	0.005943
1619	117	123	1.0000	1.0000	0.004192
1620	117	124	1.0000	1.0000	0.005143
1621	117	125	1.0000	1.0000	0.000502

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1622	117	126	1.0000	1.0000	0.001016
1623	117	127	1.0000	1.0000	0.035998
1624	117	128	1.0000	1.0000	0.063136
1625	117	129	1.0000	1.0000	0.027668
1626	117	135	1.0000	1.0000	0.022517
1627	117	140	1.0000	1.0000	0.040149
1628	117	146	1.0000	1.0000	0.053595
1629	117	156	1.0000	1.0000	0.001448
1630	117	166	1.0000	1.0000	0.005822
1631	118	119	1.0000	1.0000	0.007794
1632	118	120	1.0000	1.0000	0.011862
1633	118	121	1.0000	1.0000	0.000867
1634	118	122	1.0000	1.0000	0.001709
1635	118	123	1.0000	1.0000	0.000041
1636	118	124	1.0000	1.0000	0.000909
1637	118	125	1.0000	1.0000	0.004735
1638	118	126	1.0000	1.0000	0.003218
1639	118	127	1.0000	1.0000	0.031764
1640	118	128	1.0000	1.0000	0.058902
1641	118	141	1.0000	1.0000	0.042464
1642	118	146	1.0000	1.0000	0.049361
1643	119	120	1.0000	1.0000	0.004067
1644	119	121	1.0000	1.0000	0.008661
1645	119	122	1.0000	1.0000	0.009503
1646	119	123	1.0000	1.0000	0.007753
1647	119	124	1.0000	1.0000	0.008703
1648	119	125	1.0000	1.0000	0.003059
1649	119	126	1.0000	1.0000	0.004576
1650	119	127	1.0000	1.0000	0.039559
1651	119	128	1.0000	1.0000	0.066696
1652	119	143	1.0000	1.0000	0.039401
1653	119	146	1.0000	1.0000	0.057155
1654	119	163	1.0000	1.0000	0.005633
1655	120	121	1.0000	1.0000	0.012729
1656	120	122	1.0000	1.0000	0.013571
1657	120	123	1.0000	1.0000	0.011820

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1658	120	124	1.0000	1.0000	0.012771
1659	120	125	1.0000	1.0000	0.007126
1660	120	126	1.0000	1.0000	0.008643
1661	120	127	1.0000	1.0000	0.043626
1662	120	128	1.0000	1.0000	0.070764
1663	120	144	1.0000	1.0000	0.048051
1664	120	146	1.0000	1.0000	0.061223
1665	121	122	1.0000	1.0000	0.000842
1666	121	123	1.0000	1.0000	0.000908
1667	121	124	1.0000	1.0000	0.000042
1668	121	125	1.0000	1.0000	0.005603
1669	121	126	1.0000	1.0000	0.004085
1670	121	127	1.0000	1.0000	0.030897
1671	121	128	1.0000	1.0000	0.058035
1672	121	145	1.0000	1.0000	0.029299
1673	121	146	1.0000	1.0000	0.048494
1674	121	159	1.0000	1.0000	0.010715
1675	121	164	1.0000	1.0000	0.019128
1676	122	123	1.0000	1.0000	0.001750
1677	122	124	1.0000	1.0000	0.000800
1678	122	125	1.0000	1.0000	0.006444
1679	122	126	1.0000	1.0000	0.004927
1680	122	127	1.0000	1.0000	0.030055
1681	122	128	1.0000	1.0000	0.057193
1682	122	131	1.0000	1.0000	0.023257
1683	122	132	1.0000	1.0000	0.027122
1684	122	133	1.0000	1.0000	0.011792
1685	122	134	1.0000	1.0000	0.029815
1686	122	135	1.0000	1.0000	0.028460
1687	122	136	1.0000	1.0000	0.053557
1688	122	137	1.0000	1.0000	0.034307
1689	122	138	1.0000	1.0000	0.032039
1690	122	146	1.0000	1.0000	0.047652
1691	122	148	1.0000	1.0000	0.046744
1692	123	124	1.0000	1.0000	0.000950
1693	123	125	1.0000	1.0000	0.004694

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1694	123	126	1.0000	1.0000	0.003177
1695	123	127	1.0000	1.0000	0.031806
1696	123	128	1.0000	1.0000	0.058943
1697	123	146	1.0000	1.0000	0.049402
1698	123	149	1.0000	1.0000	0.045980
1699	123	157	1.0000	1.0000	0.006895
1700	123	160	1.0000	1.0000	0.006225
1701	123	168	1.0000	1.0000	0.363527
1702	124	125	1.0000	1.0000	0.005644
1703	124	126	1.0000	1.0000	0.004127
1704	124	127	1.0000	1.0000	0.030855
1705	124	128	1.0000	1.0000	0.057993
1706	124	130	1.0000	1.0000	0.015446
1707	124	146	1.0000	1.0000	0.048452
1708	124	150	1.0000	1.0000	0.039386
1709	124	155	1.0000	1.0000	0.006672
1710	124	156	1.0000	1.0000	0.006591
1711	124	157	1.0000	1.0000	0.005944
1712	124	158	1.0000	1.0000	0.004871
1713	125	126	1.0000	1.0000	0.001517
1714	125	127	1.0000	1.0000	0.036500
1715	125	128	1.0000	1.0000	0.063637
1716	125	146	1.0000	1.0000	0.054096
1717	125	151	1.0000	1.0000	0.046547
1718	125	159	1.0000	1.0000	0.005112
1719	125	161	1.0000	1.0000	0.005237
1720	126	127	1.0000	1.0000	0.034983
1721	126	128	1.0000	1.0000	0.062120
1722	126	146	1.0000	1.0000	0.052579
1723	126	152	1.0000	1.0000	0.002465
1724	126	158	1.0000	1.0000	0.008998
1725	126	160	1.0000	1.0000	0.003048
1726	126	161	1.0000	1.0000	0.006755
1727	126	169	1.0000	1.0000	0.639650
1728	127	128	1.0000	1.0000	0.027138
1729	127	146	1.0000	1.0000	0.017597

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1730	127	153	1.0000	1.0000	0.029456
1731	127	162	1.0000	1.0000	0.037536
1732	127	163	1.0000	1.0000	0.033926
1733	127	164	1.0000	1.0000	0.050026
1734	127	170	1.0000	1.0000	0.604668
1735	128	146	1.0000	1.0000	0.009541
1736	128	154	1.0000	1.0000	0.050737
1737	128	165	1.0000	1.0000	0.057302
1738	128	166	1.0000	1.0000	0.057314
1739	128	167	1.0000	1.0000	0.063899
1740	128	168	1.0000	1.0000	0.422470
1741	128	169	1.0000	1.0000	0.577530
1742	128	170	1.0000	1.0000	0.577530
1743	129	130	1.0000	1.0000	0.017365
1744	129	135	1.0000	1.0000	0.005151
1745	129	140	1.0000	1.0000	0.067817
1746	129	147	1.0000	1.0000	0.080309
1747	129	156	1.0000	1.0000	0.026221
1748	129	166	1.0000	1.0000	0.033490
1749	130	147	1.0000	1.0000	0.062944
1750	130	150	1.0000	1.0000	0.054832
1751	130	155	1.0000	1.0000	0.022119
1752	130	156	1.0000	1.0000	0.008856
1753	130	157	1.0000	1.0000	0.021391
1754	130	158	1.0000	1.0000	0.020317
1755	131	132	1.0000	1.0000	0.003865
1756	131	133	1.0000	1.0000	0.011465
1757	131	134	1.0000	1.0000	0.006558
1758	131	135	1.0000	1.0000	0.005203
1759	131	136	1.0000	1.0000	0.030300
1760	131	137	1.0000	1.0000	0.057564
1761	131	138	1.0000	1.0000	0.055296
1762	131	148	1.0000	1.0000	0.070001
1763	132	133	1.0000	1.0000	0.015330
1764	132	134	1.0000	1.0000	0.002693
1765	132	135	1.0000	1.0000	0.001338

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1766	132	136	1.0000	1.0000	0.026435
1767	132	137	1.0000	1.0000	0.061429
1768	132	138	1.0000	1.0000	0.059161
1769	132	148	1.0000	1.0000	0.073866
1770	132	155	1.0000	1.0000	0.032994
1771	132	165	1.0000	1.0000	0.027013
1772	133	134	1.0000	1.0000	0.018023
1773	133	135	1.0000	1.0000	0.016668
1774	133	136	1.0000	1.0000	0.041765
1775	133	137	1.0000	1.0000	0.046099
1776	133	138	1.0000	1.0000	0.043831
1777	133	148	1.0000	1.0000	0.058536
1778	134	135	1.0000	1.0000	0.001355
1779	134	136	1.0000	1.0000	0.023742
1780	134	137	1.0000	1.0000	0.064122
1781	134	138	1.0000	1.0000	0.061854
1782	134	148	1.0000	1.0000	0.076559
1783	135	136	1.0000	1.0000	0.025097
1784	135	137	1.0000	1.0000	0.062767
1785	135	138	1.0000	1.0000	0.060499
1786	135	140	1.0000	1.0000	0.062666
1787	135	148	1.0000	1.0000	0.075203
1788	135	156	1.0000	1.0000	0.021069
1789	135	166	1.0000	1.0000	0.028339
1790	136	137	1.0000	1.0000	0.087864
1791	136	138	1.0000	1.0000	0.085596
1792	136	148	1.0000	1.0000	0.100301
1793	137	138	1.0000	1.0000	0.002268
1794	137	148	1.0000	1.0000	0.012437
1795	137	167	1.0000	1.0000	0.041013
1796	138	148	1.0000	1.0000	0.014705
1797	139	140	1.0000	1.0000	0.026740
1798	139	141	1.0000	1.0000	0.033289
1799	139	142	1.0000	1.0000	0.034302
1800	139	143	1.0000	1.0000	0.022432
1801	139	144	1.0000	1.0000	0.027014

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1802	139	145	1.0000	1.0000	0.020991
1803	139	146	1.0000	1.0000	0.040186
1804	139	147	1.0000	1.0000	0.039232
1805	139	148	1.0000	1.0000	0.039277
1806	139	149	1.0000	1.0000	0.036764
1807	139	150	1.0000	1.0000	0.031119
1808	139	151	1.0000	1.0000	0.032637
1809	139	152	1.0000	1.0000	0.009929
1810	139	153	1.0000	1.0000	0.006867
1811	139	154	1.0000	1.0000	0.001011
1812	139	162	1.0000	1.0000	0.014947
1813	140	141	1.0000	1.0000	0.006549
1814	140	142	1.0000	1.0000	0.007562
1815	140	143	1.0000	1.0000	0.004308
1816	140	144	1.0000	1.0000	0.000275
1817	140	145	1.0000	1.0000	0.005748
1818	140	146	1.0000	1.0000	0.013446
1819	140	147	1.0000	1.0000	0.012492
1820	140	148	1.0000	1.0000	0.012538
1821	140	149	1.0000	1.0000	0.010024
1822	140	150	1.0000	1.0000	0.004380
1823	140	151	1.0000	1.0000	0.005897
1824	140	152	1.0000	1.0000	0.036668
1825	140	153	1.0000	1.0000	0.033607
1826	140	154	1.0000	1.0000	0.027750
1827	140	156	1.0000	1.0000	0.041596
1828	140	166	1.0000	1.0000	0.034327
1829	141	142	1.0000	1.0000	0.001013
1830	141	143	1.0000	1.0000	0.010857
1831	141	144	1.0000	1.0000	0.006274
1832	141	145	1.0000	1.0000	0.012298
1833	141	146	1.0000	1.0000	0.006897
1834	141	147	1.0000	1.0000	0.005943
1835	141	148	1.0000	1.0000	0.005989
1836	141	149	1.0000	1.0000	0.003475
1837	141	150	1.0000	1.0000	0.002169

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1838	141	151	1.0000	1.0000	0.000652
1839	141	152	1.0000	1.0000	0.043218
1840	141	153	1.0000	1.0000	0.040156
1841	141	154	1.0000	1.0000	0.034299
1842	142	143	1.0000	1.0000	0.011870
1843	142	144	1.0000	1.0000	0.007288
1844	142	145	1.0000	1.0000	0.013311
1845	142	146	1.0000	1.0000	0.005884
1846	142	147	1.0000	1.0000	0.004930
1847	142	148	1.0000	1.0000	0.004975
1848	142	149	1.0000	1.0000	0.002462
1849	142	150	1.0000	1.0000	0.003183
1850	142	151	1.0000	1.0000	0.001666
1851	142	152	1.0000	1.0000	0.044231
1852	142	153	1.0000	1.0000	0.041169
1853	142	154	1.0000	1.0000	0.035313
1854	143	144	1.0000	1.0000	0.004583
1855	143	145	1.0000	1.0000	0.001441
1856	143	146	1.0000	1.0000	0.017754
1857	143	147	1.0000	1.0000	0.016800
1858	143	148	1.0000	1.0000	0.016846
1859	143	149	1.0000	1.0000	0.014332
1860	143	150	1.0000	1.0000	0.008688
1861	143	151	1.0000	1.0000	0.010205
1862	143	152	1.0000	1.0000	0.032361
1863	143	153	1.0000	1.0000	0.029299
1864	143	154	1.0000	1.0000	0.023442
1865	143	163	1.0000	1.0000	0.033769
1866	144	145	1.0000	1.0000	0.006023
1867	144	146	1.0000	1.0000	0.013171
1868	144	147	1.0000	1.0000	0.012217
1869	144	148	1.0000	1.0000	0.012263
1870	144	149	1.0000	1.0000	0.009749
1871	144	150	1.0000	1.0000	0.004105
1872	144	151	1.0000	1.0000	0.005622
1873	144	152	1.0000	1.0000	0.036943

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1874	144	153	1.0000	1.0000	0.033882
1875	144	154	1.0000	1.0000	0.028025
1876	145	146	1.0000	1.0000	0.019195
1877	145	147	1.0000	1.0000	0.018240
1878	145	148	1.0000	1.0000	0.018286
1879	145	149	1.0000	1.0000	0.015773
1880	145	150	1.0000	1.0000	0.010128
1881	145	151	1.0000	1.0000	0.011645
1882	145	152	1.0000	1.0000	0.030920
1883	145	153	1.0000	1.0000	0.027858
1884	145	154	1.0000	1.0000	0.022002
1885	145	159	1.0000	1.0000	0.040014
1886	145	164	1.0000	1.0000	0.048428
1887	146	147	1.0000	1.0000	0.000954
1888	146	148	1.0000	1.0000	0.000908
1889	146	149	1.0000	1.0000	0.003422
1890	146	150	1.0000	1.0000	0.009066
1891	146	151	1.0000	1.0000	0.007549
1892	146	152	1.0000	1.0000	0.050115
1893	146	153	1.0000	1.0000	0.047053
1894	146	154	1.0000	1.0000	0.041196
1895	147	148	1.0000	1.0000	0.000046
1896	147	149	1.0000	1.0000	0.002468
1897	147	150	1.0000	1.0000	0.008112
1898	147	151	1.0000	1.0000	0.006595
1899	147	152	1.0000	1.0000	0.049160
1900	147	153	1.0000	1.0000	0.046099
1901	147	154	1.0000	1.0000	0.040242
1902	148	149	1.0000	1.0000	0.002513
1903	148	150	1.0000	1.0000	0.008158
1904	148	151	1.0000	1.0000	0.006641
1905	148	152	1.0000	1.0000	0.049206
1906	148	153	1.0000	1.0000	0.046144
1907	148	154	1.0000	1.0000	0.040288
1908	149	150	1.0000	1.0000	0.005644
1909	149	151	1.0000	1.0000	0.004127

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1910	149	152	1.0000	1.0000	0.046693
1911	149	153	1.0000	1.0000	0.043631
1912	149	154	1.0000	1.0000	0.037774
1913	149	157	1.0000	1.0000	0.039086
1914	149	160	1.0000	1.0000	0.052206
1915	149	168	1.0000	1.0000	0.409507
1916	150	151	1.0000	1.0000	0.001517
1917	150	152	1.0000	1.0000	0.041048
1918	150	153	1.0000	1.0000	0.037987
1919	150	154	1.0000	1.0000	0.032130
1920	150	155	1.0000	1.0000	0.032713
1921	150	156	1.0000	1.0000	0.045976
1922	150	157	1.0000	1.0000	0.033442
1923	150	158	1.0000	1.0000	0.034515
1924	151	152	1.0000	1.0000	0.042565
1925	151	153	1.0000	1.0000	0.039504
1926	151	154	1.0000	1.0000	0.033647
1927	151	159	1.0000	1.0000	0.051660
1928	151	161	1.0000	1.0000	0.051785
1929	152	153	1.0000	1.0000	0.003062
1930	152	154	1.0000	1.0000	0.008918
1931	152	158	1.0000	1.0000	0.006533
1932	152	160	1.0000	1.0000	0.005513
1933	152	161	1.0000	1.0000	0.009219
1934	152	169	1.0000	1.0000	0.637185
1935	153	154	1.0000	1.0000	0.005857
1936	153	162	1.0000	1.0000	0.008080
1937	153	163	1.0000	1.0000	0.004470
1938	153	164	1.0000	1.0000	0.020570
1939	153	170	1.0000	1.0000	0.634124
1940	154	165	1.0000	1.0000	0.006565
1941	154	166	1.0000	1.0000	0.006577
1942	154	167	1.0000	1.0000	0.013162
1943	154	168	1.0000	1.0000	0.371733
1944	154	169	1.0000	1.0000	0.628267
1945	154	170	1.0000	1.0000	0.628267

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1946	155	156	1.0000	1.0000	0.013263
1947	155	157	1.0000	1.0000	0.000728
1948	155	158	1.0000	1.0000	0.001802
1949	155	165	1.0000	1.0000	0.005981
1950	156	157	1.0000	1.0000	0.012535
1951	156	158	1.0000	1.0000	0.011461
1952	156	166	1.0000	1.0000	0.007270
1953	157	158	1.0000	1.0000	0.001074
1954	157	160	1.0000	1.0000	0.013120
1955	157	168	1.0000	1.0000	0.370421
1956	158	160	1.0000	1.0000	0.012046
1957	158	161	1.0000	1.0000	0.015752
1958	158	169	1.0000	1.0000	0.630652
1959	159	161	1.0000	1.0000	0.000125
1960	159	164	1.0000	1.0000	0.008414
1961	160	161	1.0000	1.0000	0.003706
1962	160	168	1.0000	1.0000	0.357301
1963	160	169	1.0000	1.0000	0.642699
1964	161	169	1.0000	1.0000	0.646405
1965	162	163	1.0000	1.0000	0.003610
1966	162	164	1.0000	1.0000	0.012489
1967	162	170	1.0000	1.0000	0.642204
1968	163	164	1.0000	1.0000	0.016100
1969	163	170	1.0000	1.0000	0.638594
1970	164	170	1.0000	1.0000	0.654693
1971	165	166	1.0000	1.0000	0.000012
1972	165	167	1.0000	1.0000	0.006597
1973	165	168	1.0000	1.0000	0.365168
1974	165	169	1.0000	1.0000	0.634832
1975	165	170	1.0000	1.0000	0.634832
1976	166	167	1.0000	1.0000	0.006585
1977	166	168	1.0000	1.0000	0.365156
1978	166	169	1.0000	1.0000	0.634844
1979	166	170	1.0000	1.0000	0.634844
1980	167	168	1.0000	1.0000	0.358571
1981	167	169	1.0000	1.0000	0.641429

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1982	167	170	1.0000	1.0000	0.641429
1983	168	169	1.0000	1.0000	1.000000
1984	168	170	1.0000	1.0000	1.000000
1985	169	170	1.0000	1.0000	0.000000

4. Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ω
Calculated impedance R_eq	98.467332 Ω
Total current I	-6.585204e-06 A

Impedance for different k (resistance per segment) values

k (Ω/segment)	R_equivalent (Ω)
1	0.098467
10	0.984673
100	9.846733
1000	98.467332
10000	984.673319