EXPERIMENT #39

Timestamp: 20260330_133506 | Environment: Local

1. Experiment Parameters & Network Statistics

Parameter	Value
Number of sticks (N)	30
Stick length (a)	0.65
Domain size	1.0 × 1.0
Source region	x < 0.1
Drain region	x > 0.9
Total intersections	152
Has percolation	✓ Yes
# Percolating paths	1
Nodes before pruning	152
Nodes after pruning	152
Edges before pruning	1615
Edges after pruning	1615

2. Network Visualizations




Fig. — 01 random lines N30




Fig. — 02 intersections N30




Fig. — 03 percolating paths before pruning N30




Fig. — 04 before after pruning N30

3. Edge Resistances (Pruned Network)

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
0	0	1	1.0000	1.0000	0.001067
1	0	2	1.0000	1.0000	0.002032

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
2	0	3	1.0000	1.0000	0.003174
3	0	8	1.0000	1.0000	0.003356
4	0	9	1.0000	1.0000	0.006290
5	0	14	1.0000	1.0000	0.037549
6	0	16	1.0000	1.0000	0.038997
7	0	27	1.0000	1.0000	0.006167
8	0	34	1.0000	1.0000	0.008937
9	0	41	1.0000	1.0000	0.012732
10	0	50	1.0000	1.0000	0.009395
11	0	62	1.0000	1.0000	0.005865
12	0	70	1.0000	1.0000	0.042889
13	0	87	1.0000	1.0000	0.006056
14	0	88	1.0000	1.0000	0.010153
15	0	101	1.0000	1.0000	0.014006
16	0	106	1.0000	1.0000	0.004027
17	0	107	1.0000	1.0000	0.000043
18	0	111	1.0000	1.0000	0.001866
19	0	125	1.0000	1.0000	0.000007
20	0	127	1.0000	1.0000	0.000252
21	0	133	1.0000	1.0000	0.052480
22	0	138	1.0000	1.0000	0.013360
23	0	140	1.0000	1.0000	0.068199
24	0	145	1.0000	1.0000	0.004923
25	0	147	1.0000	1.0000	0.027343
26	0	151	1.0000	1.0000	0.542819
27	1	2	1.0000	1.0000	0.003098
28	1	3	1.0000	1.0000	0.004241
29	1	8	1.0000	1.0000	0.002290
30	1	11	1.0000	1.0000	0.006756
31	1	14	1.0000	1.0000	0.038616
32	1	19	1.0000	1.0000	0.042114
33	1	27	1.0000	1.0000	0.005100
34	1	35	1.0000	1.0000	0.004772
35	1	39	1.0000	1.0000	0.096900
36	1	50	1.0000	1.0000	0.008328
37	1	54	1.0000	1.0000	0.017038

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
38	1	62	1.0000	1.0000	0.004798
39	1	66	1.0000	1.0000	0.000988
40	1	70	1.0000	1.0000	0.043956
41	1	77	1.0000	1.0000	0.002469
42	1	87	1.0000	1.0000	0.004990
43	1	93	1.0000	1.0000	0.002623
44	1	101	1.0000	1.0000	0.012939
45	1	106	1.0000	1.0000	0.002960
46	1	108	1.0000	1.0000	0.002572
47	1	111	1.0000	1.0000	0.002933
48	1	125	1.0000	1.0000	0.001060
49	1	140	1.0000	1.0000	0.067133
50	1	145	1.0000	1.0000	0.003856
51	2	3	1.0000	1.0000	0.001142
52	2	8	1.0000	1.0000	0.005388
53	2	12	1.0000	1.0000	0.006756
54	2	14	1.0000	1.0000	0.035517
55	2	25	1.0000	1.0000	0.042080
56	2	27	1.0000	1.0000	0.008198
57	2	36	1.0000	1.0000	0.006447
58	2	47	1.0000	1.0000	0.021142
59	2	58	1.0000	1.0000	0.020368
60	2	62	1.0000	1.0000	0.007897
61	2	68	1.0000	1.0000	0.001250
62	2	70	1.0000	1.0000	0.040858
63	2	80	1.0000	1.0000	0.001504
64	2	87	1.0000	1.0000	0.008088
65	2	97	1.0000	1.0000	0.011434
66	2	101	1.0000	1.0000	0.016038
67	2	106	1.0000	1.0000	0.006059
68	2	109	1.0000	1.0000	0.005914
69	2	111	1.0000	1.0000	0.000166
70	2	125	1.0000	1.0000	0.002038
71	2	138	1.0000	1.0000	0.015392
72	2	140	1.0000	1.0000	0.070231
73	2	145	1.0000	1.0000	0.006955

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
74	3	8	1.0000	1.0000	0.006530
75	3	13	1.0000	1.0000	0.006514
76	3	14	1.0000	1.0000	0.034375
77	3	26	1.0000	1.0000	0.003051
78	3	27	1.0000	1.0000	0.009340
79	3	37	1.0000	1.0000	0.053907
80	3	61	1.0000	1.0000	0.002959
81	3	62	1.0000	1.0000	0.009039
82	3	69	1.0000	1.0000	0.000420
83	3	70	1.0000	1.0000	0.039716
84	3	82	1.0000	1.0000	0.006280
85	3	87	1.0000	1.0000	0.009230
86	3	100	1.0000	1.0000	0.015926
87	3	101	1.0000	1.0000	0.017180
88	3	106	1.0000	1.0000	0.007201
89	3	110	1.0000	1.0000	0.046587
90	3	111	1.0000	1.0000	0.001308
91	3	124	1.0000	1.0000	0.007158
92	3	125	1.0000	1.0000	0.003181
93	3	131	1.0000	1.0000	0.049073
94	3	140	1.0000	1.0000	0.071373
95	3	145	1.0000	1.0000	0.008097
96	3	151	1.0000	1.0000	0.545993
97	4	5	1.0000	1.0000	0.083467
98	4	6	1.0000	1.0000	0.075978
99	4	7	1.0000	1.0000	0.064504
100	4	30	1.0000	1.0000	0.087869
101	4	38	1.0000	1.0000	0.028012
102	4	39	1.0000	1.0000	0.011973
103	4	40	1.0000	1.0000	0.087707
104	4	44	1.0000	1.0000	0.067045
105	4	84	1.0000	1.0000	0.095503
106	4	104	1.0000	1.0000	0.086733
107	4	134	1.0000	1.0000	0.006666
108	4	143	1.0000	1.0000	0.076736
109	5	6	1.0000	1.0000	0.007489

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
110	5	7	1.0000	1.0000	0.018962
111	5	18	1.0000	1.0000	0.053737
112	5	31	1.0000	1.0000	0.000762
113	5	41	1.0000	1.0000	0.010206
114	5	65	1.0000	1.0000	0.001367
115	5	75	1.0000	1.0000	0.002615
116	5	84	1.0000	1.0000	0.012037
117	5	91	1.0000	1.0000	0.005309
118	5	116	1.0000	1.0000	0.012213
119	5	139	1.0000	1.0000	0.011991
120	6	7	1.0000	1.0000	0.011473
121	6	32	1.0000	1.0000	0.000262
122	6	81	1.0000	1.0000	0.014696
123	6	84	1.0000	1.0000	0.019525
124	6	98	1.0000	1.0000	0.007007
125	6	122	1.0000	1.0000	0.019718
126	6	139	1.0000	1.0000	0.004502
127	7	49	1.0000	1.0000	0.017164
128	7	84	1.0000	1.0000	0.030999
129	8	9	1.0000	1.0000	0.002933
130	8	10	1.0000	1.0000	0.006640
131	8	11	1.0000	1.0000	0.004466
132	8	12	1.0000	1.0000	0.001367
133	8	13	1.0000	1.0000	0.000016
134	8	14	1.0000	1.0000	0.040906
135	8	27	1.0000	1.0000	0.002810
136	8	28	1.0000	1.0000	0.003848
137	8	42	1.0000	1.0000	0.010490
138	8	62	1.0000	1.0000	0.002509
139	8	63	1.0000	1.0000	0.003512
140	8	70	1.0000	1.0000	0.046246
141	8	72	1.0000	1.0000	0.004704
142	8	87	1.0000	1.0000	0.002700
143	8	101	1.0000	1.0000	0.010650
144	8	102	1.0000	1.0000	0.070437
145	8	106	1.0000	1.0000	0.000670

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
146	8	111	1.0000	1.0000	0.005223
147	8	113	1.0000	1.0000	0.004220
148	8	125	1.0000	1.0000	0.003350
149	8	126	1.0000	1.0000	0.001742
150	8	132	1.0000	1.0000	0.040163
151	8	140	1.0000	1.0000	0.064843
152	8	141	1.0000	1.0000	0.028687
153	8	145	1.0000	1.0000	0.001567
154	8	146	1.0000	1.0000	0.001951
155	9	10	1.0000	1.0000	0.003707
156	9	11	1.0000	1.0000	0.001533
157	9	12	1.0000	1.0000	0.001566
158	9	13	1.0000	1.0000	0.002949
159	9	16	1.0000	1.0000	0.045287
160	9	28	1.0000	1.0000	0.000914
161	9	34	1.0000	1.0000	0.002647
162	9	41	1.0000	1.0000	0.006442
163	9	42	1.0000	1.0000	0.007557
164	9	50	1.0000	1.0000	0.003105
165	9	63	1.0000	1.0000	0.000578
166	9	72	1.0000	1.0000	0.007638
167	9	88	1.0000	1.0000	0.003863
168	9	102	1.0000	1.0000	0.067504
169	9	107	1.0000	1.0000	0.006247
170	9	113	1.0000	1.0000	0.007153
171	9	126	1.0000	1.0000	0.001191
172	9	127	1.0000	1.0000	0.006541
173	9	132	1.0000	1.0000	0.037230
174	9	133	1.0000	1.0000	0.046190
175	9	138	1.0000	1.0000	0.007070
176	9	141	1.0000	1.0000	0.025754
177	9	146	1.0000	1.0000	0.000983
178	9	147	1.0000	1.0000	0.021054
179	9	151	1.0000	1.0000	0.536529
180	10	11	1.0000	1.0000	0.002174
181	10	12	1.0000	1.0000	0.005273

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
182	10	13	1.0000	1.0000	0.006656
183	10	28	1.0000	1.0000	0.002793
184	10	29	1.0000	1.0000	0.041243
185	10	34	1.0000	1.0000	0.001060
186	10	35	1.0000	1.0000	0.004158
187	10	36	1.0000	1.0000	0.005582
188	10	37	1.0000	1.0000	0.040736
189	10	38	1.0000	1.0000	0.047985
190	10	42	1.0000	1.0000	0.003850
191	10	43	1.0000	1.0000	0.054613
192	10	52	1.0000	1.0000	0.007386
193	10	63	1.0000	1.0000	0.003129
194	10	64	1.0000	1.0000	0.011916
195	10	72	1.0000	1.0000	0.011345
196	10	74	1.0000	1.0000	0.016324
197	10	90	1.0000	1.0000	0.003142
198	10	102	1.0000	1.0000	0.063797
199	10	103	1.0000	1.0000	0.010204
200	10	113	1.0000	1.0000	0.010860
201	10	115	1.0000	1.0000	0.009995
202	10	126	1.0000	1.0000	0.004898
203	10	128	1.0000	1.0000	0.010905
204	10	132	1.0000	1.0000	0.033523
205	10	141	1.0000	1.0000	0.022047
206	10	142	1.0000	1.0000	0.008340
207	10	146	1.0000	1.0000	0.004690
208	11	12	1.0000	1.0000	0.003098
209	11	13	1.0000	1.0000	0.004482
210	11	19	1.0000	1.0000	0.048869
211	11	28	1.0000	1.0000	0.000618
212	11	35	1.0000	1.0000	0.001984
213	11	39	1.0000	1.0000	0.090144
214	11	42	1.0000	1.0000	0.006024
215	11	50	1.0000	1.0000	0.001572
216	11	54	1.0000	1.0000	0.010282
217	11	63	1.0000	1.0000	0.000954

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
218	11	66	1.0000	1.0000	0.005768
219	11	72	1.0000	1.0000	0.009170
220	11	77	1.0000	1.0000	0.009225
221	11	93	1.0000	1.0000	0.004132
222	11	102	1.0000	1.0000	0.065971
223	11	108	1.0000	1.0000	0.009327
224	11	113	1.0000	1.0000	0.008685
225	11	126	1.0000	1.0000	0.002724
226	11	132	1.0000	1.0000	0.035697
227	11	141	1.0000	1.0000	0.024221
228	11	146	1.0000	1.0000	0.002515
229	12	13	1.0000	1.0000	0.001383
230	12	25	1.0000	1.0000	0.048836
231	12	28	1.0000	1.0000	0.002480
232	12	36	1.0000	1.0000	0.000309
233	12	42	1.0000	1.0000	0.009123
234	12	47	1.0000	1.0000	0.014387
235	12	58	1.0000	1.0000	0.013612
236	12	63	1.0000	1.0000	0.002144
237	12	68	1.0000	1.0000	0.005506
238	12	72	1.0000	1.0000	0.006072
239	12	80	1.0000	1.0000	0.008260
240	12	97	1.0000	1.0000	0.004679
241	12	102	1.0000	1.0000	0.069069
242	12	109	1.0000	1.0000	0.012670
243	12	113	1.0000	1.0000	0.005587
244	12	126	1.0000	1.0000	0.000374
245	12	132	1.0000	1.0000	0.038795
246	12	138	1.0000	1.0000	0.008636
247	12	141	1.0000	1.0000	0.027320
248	12	146	1.0000	1.0000	0.000583
249	13	26	1.0000	1.0000	0.003464
250	13	28	1.0000	1.0000	0.003864
251	13	37	1.0000	1.0000	0.047393
252	13	42	1.0000	1.0000	0.010506
253	13	61	1.0000	1.0000	0.003556

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
254	13	63	1.0000	1.0000	0.003527
255	13	69	1.0000	1.0000	0.006934
256	13	72	1.0000	1.0000	0.004688
257	13	82	1.0000	1.0000	0.012794
258	13	100	1.0000	1.0000	0.009412
259	13	102	1.0000	1.0000	0.070453
260	13	110	1.0000	1.0000	0.053102
261	13	113	1.0000	1.0000	0.004204
262	13	124	1.0000	1.0000	0.000643
263	13	126	1.0000	1.0000	0.001758
264	13	131	1.0000	1.0000	0.042559
265	13	132	1.0000	1.0000	0.040179
266	13	141	1.0000	1.0000	0.028703
267	13	146	1.0000	1.0000	0.001967
268	13	151	1.0000	1.0000	0.539479
269	14	15	1.0000	1.0000	0.062229
270	14	16	1.0000	1.0000	0.001448
271	14	17	1.0000	1.0000	0.001585
272	14	18	1.0000	1.0000	0.013661
273	14	19	1.0000	1.0000	0.003498
274	14	20	1.0000	1.0000	0.000243
275	14	21	1.0000	1.0000	0.032258
276	14	22	1.0000	1.0000	0.007371
277	14	23	1.0000	1.0000	0.007816
278	14	24	1.0000	1.0000	0.006984
279	14	25	1.0000	1.0000	0.006563
280	14	26	1.0000	1.0000	0.037426
281	14	27	1.0000	1.0000	0.043716
282	14	62	1.0000	1.0000	0.043414
283	14	70	1.0000	1.0000	0.005340
284	14	87	1.0000	1.0000	0.043605
285	14	101	1.0000	1.0000	0.051555
286	14	106	1.0000	1.0000	0.041576
287	14	111	1.0000	1.0000	0.035683
288	14	125	1.0000	1.0000	0.037556
289	14	140	1.0000	1.0000	0.105749

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
290	14	145	1.0000	1.0000	0.042472
291	15	16	1.0000	1.0000	0.060781
292	15	17	1.0000	1.0000	0.060643
293	15	18	1.0000	1.0000	0.048568
294	15	19	1.0000	1.0000	0.058731
295	15	20	1.0000	1.0000	0.061986
296	15	21	1.0000	1.0000	0.029971
297	15	22	1.0000	1.0000	0.054858
298	15	23	1.0000	1.0000	0.054413
299	15	24	1.0000	1.0000	0.055245
300	15	25	1.0000	1.0000	0.055666
301	15	26	1.0000	1.0000	0.099655
302	15	71	1.0000	1.0000	0.102264
303	15	83	1.0000	1.0000	0.004809
304	15	85	1.0000	1.0000	0.102848
305	15	112	1.0000	1.0000	0.093594
306	16	17	1.0000	1.0000	0.000137
307	16	18	1.0000	1.0000	0.012213
308	16	19	1.0000	1.0000	0.002050
309	16	20	1.0000	1.0000	0.001205
310	16	21	1.0000	1.0000	0.030810
311	16	22	1.0000	1.0000	0.005923
312	16	23	1.0000	1.0000	0.006368
313	16	24	1.0000	1.0000	0.005535
314	16	25	1.0000	1.0000	0.005115
315	16	26	1.0000	1.0000	0.038874
316	16	34	1.0000	1.0000	0.047934
317	16	41	1.0000	1.0000	0.051729
318	16	50	1.0000	1.0000	0.048392
319	16	88	1.0000	1.0000	0.049150
320	16	107	1.0000	1.0000	0.039040
321	16	127	1.0000	1.0000	0.038745
322	16	133	1.0000	1.0000	0.091477
323	16	138	1.0000	1.0000	0.052357
324	16	147	1.0000	1.0000	0.066341
325	16	151	1.0000	1.0000	0.581816

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
326	17	18	1.0000	1.0000	0.012076
327	17	19	1.0000	1.0000	0.001912
328	17	20	1.0000	1.0000	0.001343
329	17	21	1.0000	1.0000	0.030673
330	17	22	1.0000	1.0000	0.005786
331	17	23	1.0000	1.0000	0.006231
332	17	24	1.0000	1.0000	0.005398
333	17	25	1.0000	1.0000	0.004977
334	17	26	1.0000	1.0000	0.039011
335	17	27	1.0000	1.0000	0.045301
336	17	28	1.0000	1.0000	0.046339
337	17	29	1.0000	1.0000	0.090374
338	17	30	1.0000	1.0000	0.037259
339	17	31	1.0000	1.0000	0.040899
340	17	32	1.0000	1.0000	0.049412
341	17	33	1.0000	1.0000	0.046462
342	17	51	1.0000	1.0000	0.052561
343	17	73	1.0000	1.0000	0.042624
344	17	86	1.0000	1.0000	0.045323
345	17	89	1.0000	1.0000	0.041500
346	17	114	1.0000	1.0000	0.027131
347	18	19	1.0000	1.0000	0.010163
348	18	20	1.0000	1.0000	0.013418
349	18	21	1.0000	1.0000	0.018597
350	18	22	1.0000	1.0000	0.006290
351	18	23	1.0000	1.0000	0.005845
352	18	24	1.0000	1.0000	0.006678
353	18	25	1.0000	1.0000	0.007098
354	18	26	1.0000	1.0000	0.051087
355	18	31	1.0000	1.0000	0.052975
356	18	41	1.0000	1.0000	0.063942
357	18	65	1.0000	1.0000	0.055104
358	18	75	1.0000	1.0000	0.056352
359	18	91	1.0000	1.0000	0.059046
360	18	116	1.0000	1.0000	0.041524
361	18	139	1.0000	1.0000	0.065727

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
362	19	20	1.0000	1.0000	0.003255
363	19	21	1.0000	1.0000	0.028761
364	19	22	1.0000	1.0000	0.003873
365	19	23	1.0000	1.0000	0.004318
366	19	24	1.0000	1.0000	0.003486
367	19	25	1.0000	1.0000	0.003065
368	19	26	1.0000	1.0000	0.040924
369	19	35	1.0000	1.0000	0.046885
370	19	39	1.0000	1.0000	0.139014
371	19	50	1.0000	1.0000	0.050442
372	19	54	1.0000	1.0000	0.059151
373	19	66	1.0000	1.0000	0.043101
374	19	77	1.0000	1.0000	0.039644
375	19	93	1.0000	1.0000	0.044737
376	19	108	1.0000	1.0000	0.039542
377	20	21	1.0000	1.0000	0.032016
378	20	22	1.0000	1.0000	0.007128
379	20	23	1.0000	1.0000	0.007573
380	20	24	1.0000	1.0000	0.006741
381	20	25	1.0000	1.0000	0.006320
382	20	26	1.0000	1.0000	0.037669
383	20	62	1.0000	1.0000	0.043657
384	20	63	1.0000	1.0000	0.044660
385	20	64	1.0000	1.0000	0.035872
386	20	65	1.0000	1.0000	0.041686
387	20	66	1.0000	1.0000	0.039846
388	20	67	1.0000	1.0000	0.038339
389	20	68	1.0000	1.0000	0.037010
390	20	69	1.0000	1.0000	0.034198
391	20	78	1.0000	1.0000	0.033485
392	20	94	1.0000	1.0000	0.085791
393	20	129	1.0000	1.0000	0.033935
394	20	135	1.0000	1.0000	0.038631
395	20	148	1.0000	1.0000	0.037237
396	21	22	1.0000	1.0000	0.024887
397	21	23	1.0000	1.0000	0.024442

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
398	21	24	1.0000	1.0000	0.025275
399	21	25	1.0000	1.0000	0.025696
400	21	26	1.0000	1.0000	0.069684
401	21	83	1.0000	1.0000	0.025161
402	21	119	1.0000	1.0000	0.068001
403	22	23	1.0000	1.0000	0.000445
404	22	24	1.0000	1.0000	0.000387
405	22	25	1.0000	1.0000	0.000808
406	22	26	1.0000	1.0000	0.044797
407	22	84	1.0000	1.0000	0.035410
408	22	85	1.0000	1.0000	0.047990
409	22	86	1.0000	1.0000	0.051109
410	22	120	1.0000	1.0000	0.034856
411	23	24	1.0000	1.0000	0.000833
412	23	25	1.0000	1.0000	0.001253
413	23	26	1.0000	1.0000	0.045242
414	23	67	1.0000	1.0000	0.045913
415	23	106	1.0000	1.0000	0.049392
416	23	107	1.0000	1.0000	0.045408
417	23	108	1.0000	1.0000	0.043860
418	23	109	1.0000	1.0000	0.037419
419	23	110	1.0000	1.0000	0.004396
420	23	130	1.0000	1.0000	0.090002
421	23	136	1.0000	1.0000	0.040325
422	23	149	1.0000	1.0000	0.411816
423	24	25	1.0000	1.0000	0.000421
424	24	26	1.0000	1.0000	0.044410
425	24	46	1.0000	1.0000	0.052783
426	24	79	1.0000	1.0000	0.041026
427	24	95	1.0000	1.0000	0.049022
428	24	125	1.0000	1.0000	0.044539
429	24	126	1.0000	1.0000	0.049631
430	24	127	1.0000	1.0000	0.044281
431	24	128	1.0000	1.0000	0.043624
432	24	129	1.0000	1.0000	0.040676
433	24	130	1.0000	1.0000	0.089169

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
434	24	131	1.0000	1.0000	0.090432
435	25	26	1.0000	1.0000	0.043989
436	25	36	1.0000	1.0000	0.048527
437	25	47	1.0000	1.0000	0.063222
438	25	58	1.0000	1.0000	0.062448
439	25	68	1.0000	1.0000	0.043330
440	25	80	1.0000	1.0000	0.040576
441	25	97	1.0000	1.0000	0.053515
442	25	109	1.0000	1.0000	0.036166
443	25	138	1.0000	1.0000	0.057472
444	26	37	1.0000	1.0000	0.050856
445	26	61	1.0000	1.0000	0.000092
446	26	69	1.0000	1.0000	0.003471
447	26	82	1.0000	1.0000	0.009331
448	26	100	1.0000	1.0000	0.012875
449	26	110	1.0000	1.0000	0.049638
450	26	124	1.0000	1.0000	0.004107
451	26	131	1.0000	1.0000	0.046022
452	26	151	1.0000	1.0000	0.542942
453	27	28	1.0000	1.0000	0.001038
454	27	29	1.0000	1.0000	0.045073
455	27	30	1.0000	1.0000	0.008043
456	27	31	1.0000	1.0000	0.004402
457	27	32	1.0000	1.0000	0.004111
458	27	33	1.0000	1.0000	0.001161
459	27	51	1.0000	1.0000	0.007260
460	27	62	1.0000	1.0000	0.000302
461	27	70	1.0000	1.0000	0.049056
462	27	73	1.0000	1.0000	0.002678
463	27	86	1.0000	1.0000	0.000022
464	27	87	1.0000	1.0000	0.000110
465	27	89	1.0000	1.0000	0.003802
466	27	101	1.0000	1.0000	0.007839
467	27	106	1.0000	1.0000	0.002140
468	27	111	1.0000	1.0000	0.008033
469	27	114	1.0000	1.0000	0.018170

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
470	27	125	1.0000	1.0000	0.006160
471	27	140	1.0000	1.0000	0.062033
472	27	145	1.0000	1.0000	0.001243
473	28	29	1.0000	1.0000	0.044035
474	28	30	1.0000	1.0000	0.009080
475	28	31	1.0000	1.0000	0.005440
476	28	32	1.0000	1.0000	0.003073
477	28	33	1.0000	1.0000	0.000123
478	28	42	1.0000	1.0000	0.006642
479	28	51	1.0000	1.0000	0.006222
480	28	63	1.0000	1.0000	0.000336
481	28	72	1.0000	1.0000	0.008552
482	28	73	1.0000	1.0000	0.003715
483	28	86	1.0000	1.0000	0.001016
484	28	89	1.0000	1.0000	0.004839
485	28	102	1.0000	1.0000	0.066589
486	28	113	1.0000	1.0000	0.008067
487	28	114	1.0000	1.0000	0.019208
488	28	126	1.0000	1.0000	0.002106
489	28	132	1.0000	1.0000	0.036315
490	28	141	1.0000	1.0000	0.024839
491	28	146	1.0000	1.0000	0.001897
492	29	30	1.0000	1.0000	0.053115
493	29	31	1.0000	1.0000	0.049475
494	29	32	1.0000	1.0000	0.040962
495	29	33	1.0000	1.0000	0.043912
496	29	34	1.0000	1.0000	0.042303
497	29	35	1.0000	1.0000	0.045401
498	29	36	1.0000	1.0000	0.046824
499	29	37	1.0000	1.0000	0.000506
500	29	38	1.0000	1.0000	0.006743
501	29	43	1.0000	1.0000	0.013371
502	29	51	1.0000	1.0000	0.037813
503	29	52	1.0000	1.0000	0.033856
504	29	64	1.0000	1.0000	0.053159
505	29	73	1.0000	1.0000	0.047750

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
506	29	74	1.0000	1.0000	0.057566
507	29	86	1.0000	1.0000	0.045051
508	29	89	1.0000	1.0000	0.048874
509	29	90	1.0000	1.0000	0.038101
510	29	103	1.0000	1.0000	0.031039
511	29	114	1.0000	1.0000	0.063243
512	29	115	1.0000	1.0000	0.051237
513	29	128	1.0000	1.0000	0.052148
514	29	142	1.0000	1.0000	0.049582
515	30	31	1.0000	1.0000	0.003641
516	30	32	1.0000	1.0000	0.012153
517	30	33	1.0000	1.0000	0.009203
518	30	38	1.0000	1.0000	0.059858
519	30	39	1.0000	1.0000	0.099843
520	30	40	1.0000	1.0000	0.000162
521	30	44	1.0000	1.0000	0.020824
522	30	51	1.0000	1.0000	0.015302
523	30	73	1.0000	1.0000	0.005365
524	30	86	1.0000	1.0000	0.008065
525	30	89	1.0000	1.0000	0.004241
526	30	104	1.0000	1.0000	0.001136
527	30	114	1.0000	1.0000	0.010128
528	30	134	1.0000	1.0000	0.094536
529	30	143	1.0000	1.0000	0.011133
530	31	32	1.0000	1.0000	0.008513
531	31	33	1.0000	1.0000	0.005563
532	31	41	1.0000	1.0000	0.010968
533	31	51	1.0000	1.0000	0.011662
534	31	65	1.0000	1.0000	0.002129
535	31	73	1.0000	1.0000	0.001724
536	31	75	1.0000	1.0000	0.003377
537	31	86	1.0000	1.0000	0.004424
538	31	89	1.0000	1.0000	0.000600
539	31	91	1.0000	1.0000	0.006071
540	31	114	1.0000	1.0000	0.013768
541	31	116	1.0000	1.0000	0.011451

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
542	31	139	1.0000	1.0000	0.012753
543	32	33	1.0000	1.0000	0.002950
544	32	51	1.0000	1.0000	0.003149
545	32	73	1.0000	1.0000	0.006788
546	32	81	1.0000	1.0000	0.014958
547	32	86	1.0000	1.0000	0.004089
548	32	89	1.0000	1.0000	0.007913
549	32	98	1.0000	1.0000	0.007269
550	32	114	1.0000	1.0000	0.022281
551	32	122	1.0000	1.0000	0.019980
552	32	139	1.0000	1.0000	0.004240
553	33	48	1.0000	1.0000	0.011036
554	33	51	1.0000	1.0000	0.006099
555	33	59	1.0000	1.0000	0.006583
556	33	73	1.0000	1.0000	0.003838
557	33	86	1.0000	1.0000	0.001139
558	33	89	1.0000	1.0000	0.004962
559	33	105	1.0000	1.0000	0.004903
560	33	114	1.0000	1.0000	0.019331
561	33	123	1.0000	1.0000	0.010099
562	33	140	1.0000	1.0000	0.060872
563	33	141	1.0000	1.0000	0.024716
564	33	142	1.0000	1.0000	0.005670
565	33	143	1.0000	1.0000	0.001930
566	33	144	1.0000	1.0000	0.001862
567	34	35	1.0000	1.0000	0.003098
568	34	36	1.0000	1.0000	0.004522
569	34	37	1.0000	1.0000	0.041796
570	34	38	1.0000	1.0000	0.049045
571	34	41	1.0000	1.0000	0.003795
572	34	43	1.0000	1.0000	0.055673
573	34	50	1.0000	1.0000	0.000458
574	34	52	1.0000	1.0000	0.008446
575	34	64	1.0000	1.0000	0.010856
576	34	74	1.0000	1.0000	0.015264
577	34	88	1.0000	1.0000	0.001216

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
578	34	90	1.0000	1.0000	0.004202
579	34	103	1.0000	1.0000	0.011263
580	34	107	1.0000	1.0000	0.008894
581	34	115	1.0000	1.0000	0.008935
582	34	127	1.0000	1.0000	0.009189
583	34	128	1.0000	1.0000	0.009845
584	34	133	1.0000	1.0000	0.043543
585	34	138	1.0000	1.0000	0.004423
586	34	142	1.0000	1.0000	0.007280
587	34	147	1.0000	1.0000	0.018407
588	34	151	1.0000	1.0000	0.533882
589	35	36	1.0000	1.0000	0.001423
590	35	37	1.0000	1.0000	0.044895
591	35	38	1.0000	1.0000	0.052144
592	35	39	1.0000	1.0000	0.092128
593	35	43	1.0000	1.0000	0.058772
594	35	50	1.0000	1.0000	0.003556
595	35	52	1.0000	1.0000	0.011545
596	35	54	1.0000	1.0000	0.012266
597	35	64	1.0000	1.0000	0.007758
598	35	66	1.0000	1.0000	0.003784
599	35	74	1.0000	1.0000	0.012165
600	35	77	1.0000	1.0000	0.007241
601	35	90	1.0000	1.0000	0.007300
602	35	93	1.0000	1.0000	0.002148
603	35	103	1.0000	1.0000	0.014362
604	35	108	1.0000	1.0000	0.007343
605	35	115	1.0000	1.0000	0.005836
606	35	128	1.0000	1.0000	0.006747
607	35	142	1.0000	1.0000	0.004181
608	36	37	1.0000	1.0000	0.046318
609	36	38	1.0000	1.0000	0.053567
610	36	43	1.0000	1.0000	0.060195
611	36	47	1.0000	1.0000	0.014695
612	36	52	1.0000	1.0000	0.012968
613	36	58	1.0000	1.0000	0.013921

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
614	36	64	1.0000	1.0000	0.006335
615	36	68	1.0000	1.0000	0.005197
616	36	74	1.0000	1.0000	0.010742
617	36	80	1.0000	1.0000	0.007951
618	36	90	1.0000	1.0000	0.008723
619	36	97	1.0000	1.0000	0.004988
620	36	103	1.0000	1.0000	0.015785
621	36	109	1.0000	1.0000	0.012361
622	36	115	1.0000	1.0000	0.004413
623	36	128	1.0000	1.0000	0.005323
624	36	138	1.0000	1.0000	0.008945
625	36	142	1.0000	1.0000	0.002758
626	37	38	1.0000	1.0000	0.007249
627	37	43	1.0000	1.0000	0.013877
628	37	52	1.0000	1.0000	0.033350
629	37	61	1.0000	1.0000	0.050948
630	37	64	1.0000	1.0000	0.052653
631	37	69	1.0000	1.0000	0.054327
632	37	74	1.0000	1.0000	0.057060
633	37	82	1.0000	1.0000	0.060187
634	37	90	1.0000	1.0000	0.037595
635	37	100	1.0000	1.0000	0.037981
636	37	103	1.0000	1.0000	0.030533
637	37	110	1.0000	1.0000	0.100494
638	37	115	1.0000	1.0000	0.050731
639	37	124	1.0000	1.0000	0.046749
640	37	128	1.0000	1.0000	0.051642
641	37	131	1.0000	1.0000	0.004834
642	37	142	1.0000	1.0000	0.049076
643	37	151	1.0000	1.0000	0.492086
644	38	39	1.0000	1.0000	0.039985
645	38	40	1.0000	1.0000	0.059695
646	38	43	1.0000	1.0000	0.006628
647	38	44	1.0000	1.0000	0.039034
648	38	52	1.0000	1.0000	0.040599
649	38	64	1.0000	1.0000	0.059902

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
650	38	74	1.0000	1.0000	0.064309
651	38	90	1.0000	1.0000	0.044843
652	38	103	1.0000	1.0000	0.037782
653	38	104	1.0000	1.0000	0.058722
654	38	115	1.0000	1.0000	0.057980
655	38	128	1.0000	1.0000	0.058890
656	38	134	1.0000	1.0000	0.034678
657	38	142	1.0000	1.0000	0.056325
658	38	143	1.0000	1.0000	0.048725
659	39	40	1.0000	1.0000	0.099680
660	39	44	1.0000	1.0000	0.079018
661	39	50	1.0000	1.0000	0.088572
662	39	54	1.0000	1.0000	0.079862
663	39	66	1.0000	1.0000	0.095912
664	39	77	1.0000	1.0000	0.099369
665	39	93	1.0000	1.0000	0.094277
666	39	104	1.0000	1.0000	0.098707
667	39	108	1.0000	1.0000	0.099472
668	39	134	1.0000	1.0000	0.005307
669	39	143	1.0000	1.0000	0.088710
670	40	44	1.0000	1.0000	0.020662
671	40	56	1.0000	1.0000	0.058080
672	40	104	1.0000	1.0000	0.000974
673	40	134	1.0000	1.0000	0.094373
674	40	137	1.0000	1.0000	0.008058
675	40	143	1.0000	1.0000	0.010971
676	40	144	1.0000	1.0000	0.007179
677	40	150	1.0000	1.0000	0.544533
678	41	50	1.0000	1.0000	0.003337
679	41	65	1.0000	1.0000	0.008838
680	41	75	1.0000	1.0000	0.007590
681	41	88	1.0000	1.0000	0.002579
682	41	91	1.0000	1.0000	0.004896
683	41	107	1.0000	1.0000	0.012689
684	41	116	1.0000	1.0000	0.022418
685	41	127	1.0000	1.0000	0.012984

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
686	41	133	1.0000	1.0000	0.039748
687	41	138	1.0000	1.0000	0.000628
688	41	139	1.0000	1.0000	0.001785
689	41	147	1.0000	1.0000	0.014611
690	41	151	1.0000	1.0000	0.530087
691	42	43	1.0000	1.0000	0.050764
692	42	44	1.0000	1.0000	0.005102
693	42	45	1.0000	1.0000	0.006504
694	42	46	1.0000	1.0000	0.005596
695	42	47	1.0000	1.0000	0.005264
696	42	48	1.0000	1.0000	0.004516
697	42	49	1.0000	1.0000	0.009522
698	42	53	1.0000	1.0000	0.002227
699	42	63	1.0000	1.0000	0.006979
700	42	72	1.0000	1.0000	0.015194
701	42	76	1.0000	1.0000	0.014007
702	42	92	1.0000	1.0000	0.008110
703	42	102	1.0000	1.0000	0.059947
704	42	113	1.0000	1.0000	0.014710
705	42	126	1.0000	1.0000	0.008748
706	42	132	1.0000	1.0000	0.029673
707	42	141	1.0000	1.0000	0.018197
708	42	146	1.0000	1.0000	0.008539
709	43	44	1.0000	1.0000	0.045662
710	43	45	1.0000	1.0000	0.057268
711	43	46	1.0000	1.0000	0.056360
712	43	47	1.0000	1.0000	0.045500
713	43	48	1.0000	1.0000	0.046247
714	43	49	1.0000	1.0000	0.060285
715	43	52	1.0000	1.0000	0.047227
716	43	53	1.0000	1.0000	0.052991
717	43	64	1.0000	1.0000	0.066530
718	43	74	1.0000	1.0000	0.070937
719	43	76	1.0000	1.0000	0.064771
720	43	90	1.0000	1.0000	0.051472
721	43	92	1.0000	1.0000	0.058873

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
722	43	103	1.0000	1.0000	0.044410
723	43	115	1.0000	1.0000	0.064608
724	43	128	1.0000	1.0000	0.065519
725	43	142	1.0000	1.0000	0.062953
726	44	45	1.0000	1.0000	0.011606
727	44	46	1.0000	1.0000	0.010698
728	44	47	1.0000	1.0000	0.000162
729	44	48	1.0000	1.0000	0.000585
730	44	49	1.0000	1.0000	0.014623
731	44	53	1.0000	1.0000	0.007329
732	44	76	1.0000	1.0000	0.019109
733	44	92	1.0000	1.0000	0.013211
734	44	104	1.0000	1.0000	0.019688
735	44	134	1.0000	1.0000	0.073711
736	44	143	1.0000	1.0000	0.009691
737	45	46	1.0000	1.0000	0.000908
738	45	47	1.0000	1.0000	0.011768
739	45	48	1.0000	1.0000	0.011021
740	45	49	1.0000	1.0000	0.003017
741	45	53	1.0000	1.0000	0.004277
742	45	55	1.0000	1.0000	0.020843
743	45	76	1.0000	1.0000	0.007503
744	45	92	1.0000	1.0000	0.001605
745	45	101	1.0000	1.0000	0.006664
746	45	102	1.0000	1.0000	0.066451
747	45	103	1.0000	1.0000	0.012858
748	45	104	1.0000	1.0000	0.008082
749	45	105	1.0000	1.0000	0.004918
750	45	121	1.0000	1.0000	0.007277
751	46	47	1.0000	1.0000	0.010860
752	46	48	1.0000	1.0000	0.010113
753	46	49	1.0000	1.0000	0.003925
754	46	53	1.0000	1.0000	0.003369
755	46	76	1.0000	1.0000	0.008411
756	46	79	1.0000	1.0000	0.011758
757	46	92	1.0000	1.0000	0.002513

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
758	46	95	1.0000	1.0000	0.003761
759	46	125	1.0000	1.0000	0.008244
760	46	126	1.0000	1.0000	0.003152
761	46	127	1.0000	1.0000	0.008502
762	46	128	1.0000	1.0000	0.009159
763	46	129	1.0000	1.0000	0.012107
764	46	130	1.0000	1.0000	0.036386
765	46	131	1.0000	1.0000	0.037649
766	47	48	1.0000	1.0000	0.000748
767	47	49	1.0000	1.0000	0.014786
768	47	53	1.0000	1.0000	0.007491
769	47	58	1.0000	1.0000	0.000774
770	47	68	1.0000	1.0000	0.019892
771	47	76	1.0000	1.0000	0.019271
772	47	80	1.0000	1.0000	0.022647
773	47	92	1.0000	1.0000	0.013373
774	47	97	1.0000	1.0000	0.009708
775	47	109	1.0000	1.0000	0.027057
776	47	138	1.0000	1.0000	0.005751
777	48	49	1.0000	1.0000	0.014038
778	48	53	1.0000	1.0000	0.006744
779	48	59	1.0000	1.0000	0.004453
780	48	76	1.0000	1.0000	0.018524
781	48	92	1.0000	1.0000	0.012626
782	48	105	1.0000	1.0000	0.015938
783	48	123	1.0000	1.0000	0.021135
784	48	140	1.0000	1.0000	0.049837
785	48	141	1.0000	1.0000	0.013681
786	48	142	1.0000	1.0000	0.016706
787	48	143	1.0000	1.0000	0.009106
788	48	144	1.0000	1.0000	0.012898
789	49	53	1.0000	1.0000	0.007294
790	49	76	1.0000	1.0000	0.004486
791	49	92	1.0000	1.0000	0.001412
792	50	54	1.0000	1.0000	0.008710
793	50	66	1.0000	1.0000	0.007340

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
794	50	77	1.0000	1.0000	0.010797
795	50	88	1.0000	1.0000	0.000758
796	50	93	1.0000	1.0000	0.005705
797	50	107	1.0000	1.0000	0.009352
798	50	108	1.0000	1.0000	0.010900
799	50	127	1.0000	1.0000	0.009647
800	50	133	1.0000	1.0000	0.043085
801	50	138	1.0000	1.0000	0.003965
802	50	147	1.0000	1.0000	0.017949
803	50	151	1.0000	1.0000	0.533424
804	51	52	1.0000	1.0000	0.003957
805	51	53	1.0000	1.0000	0.001807
806	51	54	1.0000	1.0000	0.004678
807	51	55	1.0000	1.0000	0.014758
808	51	56	1.0000	1.0000	0.042940
809	51	57	1.0000	1.0000	0.005444
810	51	58	1.0000	1.0000	0.004910
811	51	59	1.0000	1.0000	0.000484
812	51	60	1.0000	1.0000	0.007194
813	51	61	1.0000	1.0000	0.013641
814	51	73	1.0000	1.0000	0.009937
815	51	86	1.0000	1.0000	0.007238
816	51	89	1.0000	1.0000	0.011061
817	51	114	1.0000	1.0000	0.025430
818	51	117	1.0000	1.0000	0.083129
819	52	53	1.0000	1.0000	0.005764
820	52	54	1.0000	1.0000	0.000722
821	52	55	1.0000	1.0000	0.010802
822	52	56	1.0000	1.0000	0.038983
823	52	57	1.0000	1.0000	0.009401
824	52	58	1.0000	1.0000	0.000953
825	52	59	1.0000	1.0000	0.003473
826	52	60	1.0000	1.0000	0.011151
827	52	61	1.0000	1.0000	0.017598
828	52	64	1.0000	1.0000	0.019303
829	52	74	1.0000	1.0000	0.023710

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
830	52	90	1.0000	1.0000	0.004245
831	52	103	1.0000	1.0000	0.002817
832	52	115	1.0000	1.0000	0.017381
833	52	117	1.0000	1.0000	0.087086
834	52	128	1.0000	1.0000	0.018291
835	52	142	1.0000	1.0000	0.015726
836	53	54	1.0000	1.0000	0.006485
837	53	55	1.0000	1.0000	0.016565
838	53	56	1.0000	1.0000	0.044747
839	53	57	1.0000	1.0000	0.003637
840	53	58	1.0000	1.0000	0.006717
841	53	59	1.0000	1.0000	0.002291
842	53	60	1.0000	1.0000	0.005387
843	53	61	1.0000	1.0000	0.011834
844	53	76	1.0000	1.0000	0.011780
845	53	92	1.0000	1.0000	0.005882
846	53	117	1.0000	1.0000	0.081322
847	54	55	1.0000	1.0000	0.010080
848	54	56	1.0000	1.0000	0.038261
849	54	57	1.0000	1.0000	0.010123
850	54	58	1.0000	1.0000	0.000232
851	54	59	1.0000	1.0000	0.004194
852	54	60	1.0000	1.0000	0.011872
853	54	61	1.0000	1.0000	0.018320
854	54	66	1.0000	1.0000	0.016050
855	54	77	1.0000	1.0000	0.019507
856	54	93	1.0000	1.0000	0.014414
857	54	108	1.0000	1.0000	0.019609
858	54	117	1.0000	1.0000	0.087808
859	55	56	1.0000	1.0000	0.028181
860	55	57	1.0000	1.0000	0.020203
861	55	58	1.0000	1.0000	0.009848
862	55	59	1.0000	1.0000	0.014274
863	55	60	1.0000	1.0000	0.021953
864	55	61	1.0000	1.0000	0.028400
865	55	101	1.0000	1.0000	0.014179

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
866	55	102	1.0000	1.0000	0.045609
867	55	103	1.0000	1.0000	0.007984
868	55	104	1.0000	1.0000	0.028924
869	55	105	1.0000	1.0000	0.025760
870	55	117	1.0000	1.0000	0.097888
871	55	121	1.0000	1.0000	0.028119
872	56	57	1.0000	1.0000	0.048384
873	56	58	1.0000	1.0000	0.038030
874	56	59	1.0000	1.0000	0.042456
875	56	60	1.0000	1.0000	0.050134
876	56	61	1.0000	1.0000	0.056581
877	56	117	1.0000	1.0000	0.126069
878	56	137	1.0000	1.0000	0.050021
879	56	144	1.0000	1.0000	0.050901
880	56	150	1.0000	1.0000	0.486453
881	57	58	1.0000	1.0000	0.010354
882	57	59	1.0000	1.0000	0.005928
883	57	60	1.0000	1.0000	0.001750
884	57	61	1.0000	1.0000	0.008197
885	57	96	1.0000	1.0000	0.001522
886	57	117	1.0000	1.0000	0.077685
887	57	132	1.0000	1.0000	0.035537
888	57	133	1.0000	1.0000	0.044498
889	57	134	1.0000	1.0000	0.084678
890	57	135	1.0000	1.0000	0.007143
891	57	136	1.0000	1.0000	0.013022
892	57	137	1.0000	1.0000	0.001637
893	58	59	1.0000	1.0000	0.004426
894	58	60	1.0000	1.0000	0.012104
895	58	61	1.0000	1.0000	0.018551
896	58	68	1.0000	1.0000	0.019118
897	58	80	1.0000	1.0000	0.021872
898	58	97	1.0000	1.0000	0.008933
899	58	109	1.0000	1.0000	0.026282
900	58	117	1.0000	1.0000	0.088039
901	58	138	1.0000	1.0000	0.004976

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
902	59	60	1.0000	1.0000	0.007678
903	59	61	1.0000	1.0000	0.014125
904	59	105	1.0000	1.0000	0.011486
905	59	117	1.0000	1.0000	0.083613
906	59	123	1.0000	1.0000	0.016682
907	59	140	1.0000	1.0000	0.054289
908	59	141	1.0000	1.0000	0.018133
909	59	142	1.0000	1.0000	0.012253
910	59	143	1.0000	1.0000	0.004653
911	59	144	1.0000	1.0000	0.008445
912	60	61	1.0000	1.0000	0.006447
913	60	99	1.0000	1.0000	0.001080
914	60	117	1.0000	1.0000	0.075935
915	60	145	1.0000	1.0000	0.001309
916	60	146	1.0000	1.0000	0.000925
917	60	147	1.0000	1.0000	0.021111
918	60	148	1.0000	1.0000	0.006787
919	60	149	1.0000	1.0000	0.463413
920	60	150	1.0000	1.0000	0.536587
921	61	69	1.0000	1.0000	0.003379
922	61	82	1.0000	1.0000	0.009239
923	61	100	1.0000	1.0000	0.012967
924	61	110	1.0000	1.0000	0.049546
925	61	117	1.0000	1.0000	0.069488
926	61	124	1.0000	1.0000	0.004199
927	61	131	1.0000	1.0000	0.046114
928	61	151	1.0000	1.0000	0.543034
929	62	63	1.0000	1.0000	0.001003
930	62	64	1.0000	1.0000	0.007785
931	62	65	1.0000	1.0000	0.001971
932	62	66	1.0000	1.0000	0.003810
933	62	67	1.0000	1.0000	0.005317
934	62	68	1.0000	1.0000	0.006647
935	62	69	1.0000	1.0000	0.009459
936	62	70	1.0000	1.0000	0.048754
937	62	78	1.0000	1.0000	0.010171

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
938	62	87	1.0000	1.0000	0.000191
939	62	94	1.0000	1.0000	0.042134
940	62	101	1.0000	1.0000	0.008141
941	62	106	1.0000	1.0000	0.001838
942	62	111	1.0000	1.0000	0.007731
943	62	125	1.0000	1.0000	0.005858
944	62	129	1.0000	1.0000	0.009722
945	62	135	1.0000	1.0000	0.005026
946	62	140	1.0000	1.0000	0.062335
947	62	145	1.0000	1.0000	0.000942
948	62	148	1.0000	1.0000	0.006420
949	63	64	1.0000	1.0000	0.008788
950	63	65	1.0000	1.0000	0.002974
951	63	66	1.0000	1.0000	0.004813
952	63	67	1.0000	1.0000	0.006320
953	63	68	1.0000	1.0000	0.007650
954	63	69	1.0000	1.0000	0.010462
955	63	72	1.0000	1.0000	0.008216
956	63	78	1.0000	1.0000	0.011174
957	63	94	1.0000	1.0000	0.041131
958	63	102	1.0000	1.0000	0.066925
959	63	113	1.0000	1.0000	0.007731
960	63	126	1.0000	1.0000	0.001770
961	63	129	1.0000	1.0000	0.010725
962	63	132	1.0000	1.0000	0.036651
963	63	135	1.0000	1.0000	0.006029
964	63	141	1.0000	1.0000	0.025176
965	63	146	1.0000	1.0000	0.001561
966	63	148	1.0000	1.0000	0.007423
967	64	65	1.0000	1.0000	0.005814
968	64	66	1.0000	1.0000	0.003974
969	64	67	1.0000	1.0000	0.002467
970	64	68	1.0000	1.0000	0.001138
971	64	69	1.0000	1.0000	0.001674
972	64	74	1.0000	1.0000	0.004407
973	64	78	1.0000	1.0000	0.002387

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
974	64	90	1.0000	1.0000	0.015058
975	64	94	1.0000	1.0000	0.049918
976	64	103	1.0000	1.0000	0.022120
977	64	115	1.0000	1.0000	0.001922
978	64	128	1.0000	1.0000	0.001011
979	64	129	1.0000	1.0000	0.001937
980	64	135	1.0000	1.0000	0.002759
981	64	142	1.0000	1.0000	0.003577
982	64	148	1.0000	1.0000	0.001365
983	65	66	1.0000	1.0000	0.001839
984	65	67	1.0000	1.0000	0.003346
985	65	68	1.0000	1.0000	0.004676
986	65	69	1.0000	1.0000	0.007488
987	65	75	1.0000	1.0000	0.001248
988	65	78	1.0000	1.0000	0.008200
989	65	91	1.0000	1.0000	0.003942
990	65	94	1.0000	1.0000	0.044105
991	65	116	1.0000	1.0000	0.013580
992	65	129	1.0000	1.0000	0.007751
993	65	135	1.0000	1.0000	0.003055
994	65	139	1.0000	1.0000	0.010623
995	65	148	1.0000	1.0000	0.004449
996	66	67	1.0000	1.0000	0.001507
997	66	68	1.0000	1.0000	0.002836
998	66	69	1.0000	1.0000	0.005648
999	66	77	1.0000	1.0000	0.003457
1000	66	78	1.0000	1.0000	0.006361
1001	66	93	1.0000	1.0000	0.001636
1002	66	94	1.0000	1.0000	0.045944
1003	66	108	1.0000	1.0000	0.003559
1004	66	129	1.0000	1.0000	0.005911
1005	66	135	1.0000	1.0000	0.001215
1006	66	148	1.0000	1.0000	0.002609
1007	67	68	1.0000	1.0000	0.001329
1008	67	69	1.0000	1.0000	0.004141
1009	67	78	1.0000	1.0000	0.004854

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1010	67	94	1.0000	1.0000	0.047451
1011	67	106	1.0000	1.0000	0.003479
1012	67	107	1.0000	1.0000	0.000504
1013	67	108	1.0000	1.0000	0.002052
1014	67	109	1.0000	1.0000	0.008494
1015	67	110	1.0000	1.0000	0.050309
1016	67	129	1.0000	1.0000	0.004404
1017	67	130	1.0000	1.0000	0.044089
1018	67	135	1.0000	1.0000	0.000292
1019	67	136	1.0000	1.0000	0.005587
1020	67	148	1.0000	1.0000	0.001102
1021	67	149	1.0000	1.0000	0.457728
1022	68	69	1.0000	1.0000	0.002812
1023	68	78	1.0000	1.0000	0.003525
1024	68	80	1.0000	1.0000	0.002754
1025	68	94	1.0000	1.0000	0.048780
1026	68	97	1.0000	1.0000	0.010184
1027	68	109	1.0000	1.0000	0.007164
1028	68	129	1.0000	1.0000	0.003075
1029	68	135	1.0000	1.0000	0.001621
1030	68	138	1.0000	1.0000	0.014142
1031	68	148	1.0000	1.0000	0.000227
1032	69	78	1.0000	1.0000	0.000712
1033	69	82	1.0000	1.0000	0.005860
1034	69	94	1.0000	1.0000	0.051593
1035	69	100	1.0000	1.0000	0.016346
1036	69	110	1.0000	1.0000	0.046167
1037	69	124	1.0000	1.0000	0.007578
1038	69	129	1.0000	1.0000	0.000263
1039	69	131	1.0000	1.0000	0.049493
1040	69	135	1.0000	1.0000	0.004433
1041	69	148	1.0000	1.0000	0.003039
1042	69	151	1.0000	1.0000	0.546413
1043	70	71	1.0000	1.0000	0.045376
1044	70	72	1.0000	1.0000	0.041542
1045	70	73	1.0000	1.0000	0.046378

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1046	70	74	1.0000	1.0000	0.036563
1047	70	75	1.0000	1.0000	0.048031
1048	70	76	1.0000	1.0000	0.042729
1049	70	77	1.0000	1.0000	0.041487
1050	70	78	1.0000	1.0000	0.038583
1051	70	79	1.0000	1.0000	0.039382
1052	70	80	1.0000	1.0000	0.039353
1053	70	81	1.0000	1.0000	0.038209
1054	70	82	1.0000	1.0000	0.033436
1055	70	87	1.0000	1.0000	0.048946
1056	70	101	1.0000	1.0000	0.056895
1057	70	106	1.0000	1.0000	0.046916
1058	70	111	1.0000	1.0000	0.041023
1059	70	118	1.0000	1.0000	0.021521
1060	70	125	1.0000	1.0000	0.042896
1061	70	140	1.0000	1.0000	0.111089
1062	70	145	1.0000	1.0000	0.047813
1063	71	72	1.0000	1.0000	0.003834
1064	71	73	1.0000	1.0000	0.001003
1065	71	74	1.0000	1.0000	0.008813
1066	71	75	1.0000	1.0000	0.002656
1067	71	76	1.0000	1.0000	0.002647
1068	71	77	1.0000	1.0000	0.003889
1069	71	78	1.0000	1.0000	0.006792
1070	71	79	1.0000	1.0000	0.005993
1071	71	80	1.0000	1.0000	0.006022
1072	71	81	1.0000	1.0000	0.007167
1073	71	82	1.0000	1.0000	0.011940
1074	71	83	1.0000	1.0000	0.097455
1075	71	85	1.0000	1.0000	0.000584
1076	71	112	1.0000	1.0000	0.008670
1077	71	118	1.0000	1.0000	0.023854
1078	72	73	1.0000	1.0000	0.004837
1079	72	74	1.0000	1.0000	0.004979
1080	72	75	1.0000	1.0000	0.006490
1081	72	76	1.0000	1.0000	0.001187

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1082	72	77	1.0000	1.0000	0.000055
1083	72	78	1.0000	1.0000	0.002959
1084	72	79	1.0000	1.0000	0.002159
1085	72	80	1.0000	1.0000	0.002188
1086	72	81	1.0000	1.0000	0.003333
1087	72	82	1.0000	1.0000	0.008106
1088	72	102	1.0000	1.0000	0.075141
1089	72	113	1.0000	1.0000	0.000485
1090	72	118	1.0000	1.0000	0.020020
1091	72	126	1.0000	1.0000	0.006446
1092	72	132	1.0000	1.0000	0.044867
1093	72	141	1.0000	1.0000	0.033391
1094	72	146	1.0000	1.0000	0.006655
1095	73	74	1.0000	1.0000	0.009816
1096	73	75	1.0000	1.0000	0.001653
1097	73	76	1.0000	1.0000	0.003650
1098	73	77	1.0000	1.0000	0.004892
1099	73	78	1.0000	1.0000	0.007795
1100	73	79	1.0000	1.0000	0.006996
1101	73	80	1.0000	1.0000	0.007025
1102	73	81	1.0000	1.0000	0.008169
1103	73	82	1.0000	1.0000	0.012943
1104	73	86	1.0000	1.0000	0.002700
1105	73	89	1.0000	1.0000	0.001124
1106	73	114	1.0000	1.0000	0.015493
1107	73	118	1.0000	1.0000	0.024857
1108	74	75	1.0000	1.0000	0.011469
1109	74	76	1.0000	1.0000	0.006166
1110	74	77	1.0000	1.0000	0.004924
1111	74	78	1.0000	1.0000	0.002021
1112	74	79	1.0000	1.0000	0.002820
1113	74	80	1.0000	1.0000	0.002791
1114	74	81	1.0000	1.0000	0.001646
1115	74	82	1.0000	1.0000	0.003127
1116	74	90	1.0000	1.0000	0.019465
1117	74	103	1.0000	1.0000	0.026527

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1118	74	115	1.0000	1.0000	0.006329
1119	74	118	1.0000	1.0000	0.015041
1120	74	128	1.0000	1.0000	0.005419
1121	74	142	1.0000	1.0000	0.007984
1122	75	76	1.0000	1.0000	0.005303
1123	75	77	1.0000	1.0000	0.006545
1124	75	78	1.0000	1.0000	0.009448
1125	75	79	1.0000	1.0000	0.008649
1126	75	80	1.0000	1.0000	0.008678
1127	75	81	1.0000	1.0000	0.009822
1128	75	82	1.0000	1.0000	0.014596
1129	75	91	1.0000	1.0000	0.002694
1130	75	116	1.0000	1.0000	0.014828
1131	75	118	1.0000	1.0000	0.026510
1132	75	139	1.0000	1.0000	0.009375
1133	76	77	1.0000	1.0000	0.001242
1134	76	78	1.0000	1.0000	0.004146
1135	76	79	1.0000	1.0000	0.003346
1136	76	80	1.0000	1.0000	0.003375
1137	76	81	1.0000	1.0000	0.004520
1138	76	82	1.0000	1.0000	0.009293
1139	76	92	1.0000	1.0000	0.005898
1140	76	118	1.0000	1.0000	0.021207
1141	77	78	1.0000	1.0000	0.002904
1142	77	79	1.0000	1.0000	0.002104
1143	77	80	1.0000	1.0000	0.002133
1144	77	81	1.0000	1.0000	0.003278
1145	77	82	1.0000	1.0000	0.008051
1146	77	93	1.0000	1.0000	0.005093
1147	77	108	1.0000	1.0000	0.000102
1148	77	118	1.0000	1.0000	0.019965
1149	78	79	1.0000	1.0000	0.000799
1150	78	80	1.0000	1.0000	0.000770
1151	78	81	1.0000	1.0000	0.000374
1152	78	82	1.0000	1.0000	0.005147
1153	78	94	1.0000	1.0000	0.052305

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1154	78	118	1.0000	1.0000	0.017062
1155	78	129	1.0000	1.0000	0.000449
1156	78	135	1.0000	1.0000	0.005146
1157	78	148	1.0000	1.0000	0.003752
1158	79	80	1.0000	1.0000	0.000029
1159	79	81	1.0000	1.0000	0.001173
1160	79	82	1.0000	1.0000	0.005947
1161	79	95	1.0000	1.0000	0.007997
1162	79	118	1.0000	1.0000	0.017861
1163	79	125	1.0000	1.0000	0.003514
1164	79	126	1.0000	1.0000	0.008605
1165	79	127	1.0000	1.0000	0.003255
1166	79	128	1.0000	1.0000	0.002599
1167	79	129	1.0000	1.0000	0.000350
1168	79	130	1.0000	1.0000	0.048144
1169	79	131	1.0000	1.0000	0.049406
1170	80	81	1.0000	1.0000	0.001144
1171	80	82	1.0000	1.0000	0.005918
1172	80	97	1.0000	1.0000	0.012939
1173	80	109	1.0000	1.0000	0.004410
1174	80	118	1.0000	1.0000	0.017832
1175	80	138	1.0000	1.0000	0.016896
1176	81	82	1.0000	1.0000	0.004773
1177	81	98	1.0000	1.0000	0.007689
1178	81	118	1.0000	1.0000	0.016688
1179	81	122	1.0000	1.0000	0.005022
1180	81	139	1.0000	1.0000	0.019198
1181	82	100	1.0000	1.0000	0.022206
1182	82	110	1.0000	1.0000	0.040308
1183	82	118	1.0000	1.0000	0.011914
1184	82	124	1.0000	1.0000	0.013438
1185	82	131	1.0000	1.0000	0.055353
1186	82	151	1.0000	1.0000	0.552273
1187	83	85	1.0000	1.0000	0.098038
1188	83	112	1.0000	1.0000	0.088785
1189	83	119	1.0000	1.0000	0.093162

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1190	84	85	1.0000	1.0000	0.012580
1191	84	86	1.0000	1.0000	0.015699
1192	84	120	1.0000	1.0000	0.000554
1193	85	86	1.0000	1.0000	0.003119
1194	85	112	1.0000	1.0000	0.009253
1195	85	120	1.0000	1.0000	0.013134
1196	86	89	1.0000	1.0000	0.003824
1197	86	114	1.0000	1.0000	0.018192
1198	86	120	1.0000	1.0000	0.016253
1199	87	88	1.0000	1.0000	0.004097
1200	87	89	1.0000	1.0000	0.003691
1201	87	90	1.0000	1.0000	0.007082
1202	87	91	1.0000	1.0000	0.001779
1203	87	92	1.0000	1.0000	0.000319
1204	87	93	1.0000	1.0000	0.002366
1205	87	94	1.0000	1.0000	0.041942
1206	87	95	1.0000	1.0000	0.001567
1207	87	96	1.0000	1.0000	0.000403
1208	87	97	1.0000	1.0000	0.003346
1209	87	98	1.0000	1.0000	0.003048
1210	87	99	1.0000	1.0000	0.000904
1211	87	100	1.0000	1.0000	0.006696
1212	87	101	1.0000	1.0000	0.007950
1213	87	106	1.0000	1.0000	0.002029
1214	87	111	1.0000	1.0000	0.007922
1215	87	125	1.0000	1.0000	0.006050
1216	87	140	1.0000	1.0000	0.062143
1217	87	145	1.0000	1.0000	0.001133
1218	88	89	1.0000	1.0000	0.007788
1219	88	90	1.0000	1.0000	0.002986
1220	88	91	1.0000	1.0000	0.002317
1221	88	92	1.0000	1.0000	0.004416
1222	88	93	1.0000	1.0000	0.006463
1223	88	94	1.0000	1.0000	0.037846
1224	88	95	1.0000	1.0000	0.005663
1225	88	96	1.0000	1.0000	0.003693

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1226	88	97	1.0000	1.0000	0.000750
1227	88	98	1.0000	1.0000	0.007144
1228	88	99	1.0000	1.0000	0.005001
1229	88	100	1.0000	1.0000	0.002599
1230	88	107	1.0000	1.0000	0.010110
1231	88	127	1.0000	1.0000	0.010405
1232	88	133	1.0000	1.0000	0.042327
1233	88	138	1.0000	1.0000	0.003207
1234	88	147	1.0000	1.0000	0.017191
1235	88	151	1.0000	1.0000	0.532666
1236	89	90	1.0000	1.0000	0.010773
1237	89	91	1.0000	1.0000	0.005471
1238	89	92	1.0000	1.0000	0.003372
1239	89	93	1.0000	1.0000	0.001325
1240	89	94	1.0000	1.0000	0.045634
1241	89	95	1.0000	1.0000	0.002124
1242	89	96	1.0000	1.0000	0.004095
1243	89	97	1.0000	1.0000	0.007038
1244	89	98	1.0000	1.0000	0.000644
1245	89	99	1.0000	1.0000	0.002787
1246	89	100	1.0000	1.0000	0.010387
1247	89	114	1.0000	1.0000	0.014369
1248	90	91	1.0000	1.0000	0.005303
1249	90	92	1.0000	1.0000	0.007401
1250	90	93	1.0000	1.0000	0.009448
1251	90	94	1.0000	1.0000	0.034860
1252	90	95	1.0000	1.0000	0.008649
1253	90	96	1.0000	1.0000	0.006679
1254	90	97	1.0000	1.0000	0.003736
1255	90	98	1.0000	1.0000	0.010130
1256	90	99	1.0000	1.0000	0.007986
1257	90	100	1.0000	1.0000	0.000386
1258	90	103	1.0000	1.0000	0.007062
1259	90	115	1.0000	1.0000	0.013136
1260	90	128	1.0000	1.0000	0.014047
1261	90	142	1.0000	1.0000	0.011481

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1262	91	92	1.0000	1.0000	0.002099
1263	91	93	1.0000	1.0000	0.004146
1264	91	94	1.0000	1.0000	0.040163
1265	91	95	1.0000	1.0000	0.003346
1266	91	96	1.0000	1.0000	0.001376
1267	91	97	1.0000	1.0000	0.001567
1268	91	98	1.0000	1.0000	0.004827
1269	91	99	1.0000	1.0000	0.002684
1270	91	100	1.0000	1.0000	0.004916
1271	91	116	1.0000	1.0000	0.017522
1272	91	139	1.0000	1.0000	0.006681
1273	92	93	1.0000	1.0000	0.002047
1274	92	94	1.0000	1.0000	0.042262
1275	92	95	1.0000	1.0000	0.001248
1276	92	96	1.0000	1.0000	0.000723
1277	92	97	1.0000	1.0000	0.003666
1278	92	98	1.0000	1.0000	0.002729
1279	92	99	1.0000	1.0000	0.000585
1280	92	100	1.0000	1.0000	0.007015
1281	93	94	1.0000	1.0000	0.044309
1282	93	95	1.0000	1.0000	0.000799
1283	93	96	1.0000	1.0000	0.002769
1284	93	97	1.0000	1.0000	0.005713
1285	93	98	1.0000	1.0000	0.000682
1286	93	99	1.0000	1.0000	0.001462
1287	93	100	1.0000	1.0000	0.009062
1288	93	108	1.0000	1.0000	0.005195
1289	94	95	1.0000	1.0000	0.043509
1290	94	96	1.0000	1.0000	0.041539
1291	94	97	1.0000	1.0000	0.038596
1292	94	98	1.0000	1.0000	0.044990
1293	94	99	1.0000	1.0000	0.042846
1294	94	100	1.0000	1.0000	0.035246
1295	94	129	1.0000	1.0000	0.051856
1296	94	135	1.0000	1.0000	0.047159
1297	94	148	1.0000	1.0000	0.048554

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1298	95	96	1.0000	1.0000	0.001970
1299	95	97	1.0000	1.0000	0.004913
1300	95	98	1.0000	1.0000	0.001481
1301	95	99	1.0000	1.0000	0.000663
1302	95	100	1.0000	1.0000	0.008263
1303	95	125	1.0000	1.0000	0.004483
1304	95	126	1.0000	1.0000	0.000609
1305	95	127	1.0000	1.0000	0.004741
1306	95	128	1.0000	1.0000	0.005398
1307	95	129	1.0000	1.0000	0.008346
1308	95	130	1.0000	1.0000	0.040147
1309	95	131	1.0000	1.0000	0.041410
1310	96	97	1.0000	1.0000	0.002943
1311	96	98	1.0000	1.0000	0.003451
1312	96	99	1.0000	1.0000	0.001307
1313	96	100	1.0000	1.0000	0.006293
1314	96	132	1.0000	1.0000	0.037060
1315	96	133	1.0000	1.0000	0.046020
1316	96	134	1.0000	1.0000	0.086200
1317	96	135	1.0000	1.0000	0.005620
1318	96	136	1.0000	1.0000	0.011500
1319	96	137	1.0000	1.0000	0.000115
1320	97	98	1.0000	1.0000	0.006394
1321	97	99	1.0000	1.0000	0.004250
1322	97	100	1.0000	1.0000	0.003350
1323	97	109	1.0000	1.0000	0.017349
1324	97	138	1.0000	1.0000	0.003957
1325	98	99	1.0000	1.0000	0.002144
1326	98	100	1.0000	1.0000	0.009744
1327	98	122	1.0000	1.0000	0.012711
1328	98	139	1.0000	1.0000	0.011509
1329	99	100	1.0000	1.0000	0.007600
1330	99	145	1.0000	1.0000	0.000229
1331	99	146	1.0000	1.0000	0.000155
1332	99	147	1.0000	1.0000	0.022191
1333	99	148	1.0000	1.0000	0.005707

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1334	99	149	1.0000	1.0000	0.462333
1335	99	150	1.0000	1.0000	0.537667
1336	100	110	1.0000	1.0000	0.062514
1337	100	124	1.0000	1.0000	0.008768
1338	100	131	1.0000	1.0000	0.033147
1339	100	151	1.0000	1.0000	0.530067
1340	101	102	1.0000	1.0000	0.059787
1341	101	103	1.0000	1.0000	0.006194
1342	101	104	1.0000	1.0000	0.014746
1343	101	105	1.0000	1.0000	0.011582
1344	101	106	1.0000	1.0000	0.009979
1345	101	111	1.0000	1.0000	0.015872
1346	101	121	1.0000	1.0000	0.013941
1347	101	125	1.0000	1.0000	0.013999
1348	101	140	1.0000	1.0000	0.054194
1349	101	145	1.0000	1.0000	0.009083
1350	102	103	1.0000	1.0000	0.053593
1351	102	104	1.0000	1.0000	0.074533
1352	102	105	1.0000	1.0000	0.071369
1353	102	113	1.0000	1.0000	0.074656
1354	102	121	1.0000	1.0000	0.073728
1355	102	126	1.0000	1.0000	0.068695
1356	102	132	1.0000	1.0000	0.030274
1357	102	141	1.0000	1.0000	0.041750
1358	102	146	1.0000	1.0000	0.068486
1359	103	104	1.0000	1.0000	0.020940
1360	103	105	1.0000	1.0000	0.017776
1361	103	115	1.0000	1.0000	0.020198
1362	103	121	1.0000	1.0000	0.020135
1363	103	128	1.0000	1.0000	0.021109
1364	103	142	1.0000	1.0000	0.018543
1365	104	105	1.0000	1.0000	0.003164
1366	104	121	1.0000	1.0000	0.000805
1367	104	134	1.0000	1.0000	0.093400
1368	104	143	1.0000	1.0000	0.009997
1369	105	121	1.0000	1.0000	0.002359

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1370	105	123	1.0000	1.0000	0.005196
1371	105	140	1.0000	1.0000	0.065775
1372	105	141	1.0000	1.0000	0.029619
1373	105	142	1.0000	1.0000	0.000767
1374	105	143	1.0000	1.0000	0.006833
1375	105	144	1.0000	1.0000	0.003041
1376	106	107	1.0000	1.0000	0.003984
1377	106	108	1.0000	1.0000	0.005532
1378	106	109	1.0000	1.0000	0.011973
1379	106	110	1.0000	1.0000	0.053788
1380	106	111	1.0000	1.0000	0.005893
1381	106	125	1.0000	1.0000	0.004020
1382	106	130	1.0000	1.0000	0.040610
1383	106	136	1.0000	1.0000	0.009067
1384	106	140	1.0000	1.0000	0.064173
1385	106	145	1.0000	1.0000	0.000896
1386	106	149	1.0000	1.0000	0.461208
1387	107	108	1.0000	1.0000	0.001548
1388	107	109	1.0000	1.0000	0.007989
1389	107	110	1.0000	1.0000	0.049804
1390	107	127	1.0000	1.0000	0.000295
1391	107	130	1.0000	1.0000	0.044594
1392	107	133	1.0000	1.0000	0.052437
1393	107	136	1.0000	1.0000	0.005083
1394	107	138	1.0000	1.0000	0.013317
1395	107	147	1.0000	1.0000	0.027300
1396	107	149	1.0000	1.0000	0.457224
1397	107	151	1.0000	1.0000	0.542776
1398	108	109	1.0000	1.0000	0.006441
1399	108	110	1.0000	1.0000	0.048256
1400	108	130	1.0000	1.0000	0.046142
1401	108	136	1.0000	1.0000	0.003535
1402	108	149	1.0000	1.0000	0.455676
1403	109	110	1.0000	1.0000	0.041815
1404	109	130	1.0000	1.0000	0.052583
1405	109	136	1.0000	1.0000	0.002906

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1406	109	138	1.0000	1.0000	0.021306
1407	109	149	1.0000	1.0000	0.449235
1408	110	124	1.0000	1.0000	0.053745
1409	110	130	1.0000	1.0000	0.094398
1410	110	131	1.0000	1.0000	0.095660
1411	110	136	1.0000	1.0000	0.044721
1412	110	149	1.0000	1.0000	0.407420
1413	110	151	1.0000	1.0000	0.592580
1414	111	112	1.0000	1.0000	0.004318
1415	111	113	1.0000	1.0000	0.001003
1416	111	114	1.0000	1.0000	0.010138
1417	111	115	1.0000	1.0000	0.001868
1418	111	116	1.0000	1.0000	0.007820
1419	111	117	1.0000	1.0000	0.067837
1420	111	118	1.0000	1.0000	0.019502
1421	111	119	1.0000	1.0000	0.000060
1422	111	120	1.0000	1.0000	0.008198
1423	111	121	1.0000	1.0000	0.001931
1424	111	122	1.0000	1.0000	0.007836
1425	111	123	1.0000	1.0000	0.000906
1426	111	124	1.0000	1.0000	0.005850
1427	111	125	1.0000	1.0000	0.001873
1428	111	140	1.0000	1.0000	0.070066
1429	111	145	1.0000	1.0000	0.006789
1430	112	113	1.0000	1.0000	0.005321
1431	112	114	1.0000	1.0000	0.005820
1432	112	115	1.0000	1.0000	0.006186
1433	112	116	1.0000	1.0000	0.003502
1434	112	117	1.0000	1.0000	0.063519
1435	112	118	1.0000	1.0000	0.015184
1436	112	119	1.0000	1.0000	0.004377
1437	112	120	1.0000	1.0000	0.003881
1438	112	121	1.0000	1.0000	0.006249
1439	112	122	1.0000	1.0000	0.003519
1440	112	123	1.0000	1.0000	0.003412
1441	112	124	1.0000	1.0000	0.010167

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1442	113	114	1.0000	1.0000	0.011141
1443	113	115	1.0000	1.0000	0.000865
1444	113	116	1.0000	1.0000	0.008823
1445	113	117	1.0000	1.0000	0.068840
1446	113	118	1.0000	1.0000	0.020505
1447	113	119	1.0000	1.0000	0.000943
1448	113	120	1.0000	1.0000	0.009201
1449	113	121	1.0000	1.0000	0.000928
1450	113	122	1.0000	1.0000	0.008839
1451	113	123	1.0000	1.0000	0.001909
1452	113	124	1.0000	1.0000	0.004847
1453	113	126	1.0000	1.0000	0.005961
1454	113	132	1.0000	1.0000	0.044382
1455	113	141	1.0000	1.0000	0.032907
1456	113	146	1.0000	1.0000	0.006170
1457	114	115	1.0000	1.0000	0.012006
1458	114	116	1.0000	1.0000	0.002318
1459	114	117	1.0000	1.0000	0.057699
1460	114	118	1.0000	1.0000	0.009364
1461	114	119	1.0000	1.0000	0.010198
1462	114	120	1.0000	1.0000	0.001939
1463	114	121	1.0000	1.0000	0.012069
1464	114	122	1.0000	1.0000	0.002301
1465	114	123	1.0000	1.0000	0.009232
1466	114	124	1.0000	1.0000	0.015988
1467	115	116	1.0000	1.0000	0.009688
1468	115	117	1.0000	1.0000	0.069705
1469	115	118	1.0000	1.0000	0.021370
1470	115	119	1.0000	1.0000	0.001808
1471	115	120	1.0000	1.0000	0.010066
1472	115	121	1.0000	1.0000	0.000063
1473	115	122	1.0000	1.0000	0.009704
1474	115	123	1.0000	1.0000	0.002774
1475	115	124	1.0000	1.0000	0.003982
1476	115	128	1.0000	1.0000	0.000910
1477	115	142	1.0000	1.0000	0.001655

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1478	116	117	1.0000	1.0000	0.060017
1479	116	118	1.0000	1.0000	0.011682
1480	116	119	1.0000	1.0000	0.007880
1481	116	120	1.0000	1.0000	0.000378
1482	116	121	1.0000	1.0000	0.009751
1483	116	122	1.0000	1.0000	0.000016
1484	116	123	1.0000	1.0000	0.006914
1485	116	124	1.0000	1.0000	0.013670
1486	116	139	1.0000	1.0000	0.024203
1487	117	118	1.0000	1.0000	0.048335
1488	117	119	1.0000	1.0000	0.067897
1489	117	120	1.0000	1.0000	0.059639
1490	117	121	1.0000	1.0000	0.069768
1491	117	122	1.0000	1.0000	0.060001
1492	117	123	1.0000	1.0000	0.066931
1493	117	124	1.0000	1.0000	0.073687
1494	118	119	1.0000	1.0000	0.019562
1495	118	120	1.0000	1.0000	0.011304
1496	118	121	1.0000	1.0000	0.021433
1497	118	122	1.0000	1.0000	0.011666
1498	118	123	1.0000	1.0000	0.018596
1499	118	124	1.0000	1.0000	0.025352
1500	119	120	1.0000	1.0000	0.008258
1501	119	121	1.0000	1.0000	0.001871
1502	119	122	1.0000	1.0000	0.007896
1503	119	123	1.0000	1.0000	0.000966
1504	119	124	1.0000	1.0000	0.005790
1505	120	121	1.0000	1.0000	0.010130
1506	120	122	1.0000	1.0000	0.000362
1507	120	123	1.0000	1.0000	0.007293
1508	120	124	1.0000	1.0000	0.014048
1509	121	122	1.0000	1.0000	0.009768
1510	121	123	1.0000	1.0000	0.002837
1511	121	124	1.0000	1.0000	0.003919
1512	122	123	1.0000	1.0000	0.006930
1513	122	124	1.0000	1.0000	0.013686

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1514	122	139	1.0000	1.0000	0.024219
1515	123	124	1.0000	1.0000	0.006756
1516	123	140	1.0000	1.0000	0.070971
1517	123	141	1.0000	1.0000	0.034815
1518	123	142	1.0000	1.0000	0.004429
1519	123	143	1.0000	1.0000	0.012029
1520	123	144	1.0000	1.0000	0.008237
1521	124	131	1.0000	1.0000	0.041915
1522	124	151	1.0000	1.0000	0.538835
1523	125	126	1.0000	1.0000	0.005092
1524	125	127	1.0000	1.0000	0.000258
1525	125	128	1.0000	1.0000	0.000915
1526	125	129	1.0000	1.0000	0.003864
1527	125	130	1.0000	1.0000	0.044630
1528	125	131	1.0000	1.0000	0.045892
1529	125	140	1.0000	1.0000	0.068193
1530	125	145	1.0000	1.0000	0.004917
1531	126	127	1.0000	1.0000	0.005350
1532	126	128	1.0000	1.0000	0.006007
1533	126	129	1.0000	1.0000	0.008955
1534	126	130	1.0000	1.0000	0.039538
1535	126	131	1.0000	1.0000	0.040801
1536	126	132	1.0000	1.0000	0.038421
1537	126	141	1.0000	1.0000	0.026945
1538	126	146	1.0000	1.0000	0.000209
1539	127	128	1.0000	1.0000	0.000657
1540	127	129	1.0000	1.0000	0.003605
1541	127	130	1.0000	1.0000	0.044888
1542	127	131	1.0000	1.0000	0.046151
1543	127	133	1.0000	1.0000	0.052732
1544	127	138	1.0000	1.0000	0.013612
1545	127	147	1.0000	1.0000	0.027595
1546	127	151	1.0000	1.0000	0.543071
1547	128	129	1.0000	1.0000	0.002949
1548	128	130	1.0000	1.0000	0.045545
1549	128	131	1.0000	1.0000	0.046807

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1550	128	142	1.0000	1.0000	0.002565
1551	129	130	1.0000	1.0000	0.048494
1552	129	131	1.0000	1.0000	0.049756
1553	129	135	1.0000	1.0000	0.004696
1554	129	148	1.0000	1.0000	0.003302
1555	130	131	1.0000	1.0000	0.001262
1556	130	136	1.0000	1.0000	0.049677
1557	130	149	1.0000	1.0000	0.501818
1558	131	151	1.0000	1.0000	0.496920
1559	132	133	1.0000	1.0000	0.008961
1560	132	134	1.0000	1.0000	0.049140
1561	132	135	1.0000	1.0000	0.042680
1562	132	136	1.0000	1.0000	0.048559
1563	132	137	1.0000	1.0000	0.037175
1564	132	141	1.0000	1.0000	0.011476
1565	132	146	1.0000	1.0000	0.038212
1566	133	134	1.0000	1.0000	0.040180
1567	133	135	1.0000	1.0000	0.051641
1568	133	136	1.0000	1.0000	0.057520
1569	133	137	1.0000	1.0000	0.046136
1570	133	138	1.0000	1.0000	0.039120
1571	133	147	1.0000	1.0000	0.025137
1572	133	151	1.0000	1.0000	0.490339
1573	134	135	1.0000	1.0000	0.091820
1574	134	136	1.0000	1.0000	0.097700
1575	134	137	1.0000	1.0000	0.086315
1576	134	143	1.0000	1.0000	0.083403
1577	135	136	1.0000	1.0000	0.005879
1578	135	137	1.0000	1.0000	0.005505
1579	135	148	1.0000	1.0000	0.001394
1580	136	137	1.0000	1.0000	0.011384
1581	136	149	1.0000	1.0000	0.452141
1582	137	144	1.0000	1.0000	0.000879
1583	137	150	1.0000	1.0000	0.536475
1584	138	147	1.0000	1.0000	0.013983
1585	138	151	1.0000	1.0000	0.529459

Edge #	Node 1	Node 2	Conductance (S)	Resistance (Ω)	Voltage Drop (V)
1586	140	141	1.0000	1.0000	0.036156
1587	140	142	1.0000	1.0000	0.066543
1588	140	143	1.0000	1.0000	0.058942
1589	140	144	1.0000	1.0000	0.062735
1590	140	145	1.0000	1.0000	0.063276
1591	141	142	1.0000	1.0000	0.030386
1592	141	143	1.0000	1.0000	0.022786
1593	141	144	1.0000	1.0000	0.026578
1594	141	146	1.0000	1.0000	0.026736
1595	142	143	1.0000	1.0000	0.007600
1596	142	144	1.0000	1.0000	0.003808
1597	143	144	1.0000	1.0000	0.003792
1598	144	150	1.0000	1.0000	0.537354
1599	145	146	1.0000	1.0000	0.000384
1600	145	147	1.0000	1.0000	0.022420
1601	145	148	1.0000	1.0000	0.005478
1602	145	149	1.0000	1.0000	0.462104
1603	145	150	1.0000	1.0000	0.537896
1604	146	147	1.0000	1.0000	0.022036
1605	146	148	1.0000	1.0000	0.005862
1606	146	149	1.0000	1.0000	0.462488
1607	146	150	1.0000	1.0000	0.537512
1608	147	148	1.0000	1.0000	0.027898
1609	147	149	1.0000	1.0000	0.484524
1610	147	150	1.0000	1.0000	0.515476
1611	147	151	1.0000	1.0000	0.515476
1612	148	149	1.0000	1.0000	0.456626
1613	148	150	1.0000	1.0000	0.543374
1614	149	150	1.0000	1.0000	1.000000

4. Impedance Calculation

Quantity	Value
Applied voltage (V)	1.00 V
Resistance per segment k	1 Ω
Calculated impedance R_eq	138.730722 Ω

Total current I	2.203622e-05 A

Impedance for different k (resistance per segment) values

k (Ω/segment)	R_equivalent (Ω)
1	0.138731
10	1.387307
100	13.873072
1000	138.730722
10000	1387.307217